



Excellence through experience™

709 Gillette St., Ste #3 ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

December 4, 2018

Lee Delcore
Wisconsin Department of Natural Resources
1155 Pilgrim Parkway
Plymouth, WI 53073

Subject: Wilson's Fish Market – Bid Deferment/Variance Request for Sub Slab Vapor Sampling.
BRRTS #: 03-52-554656, PECFA #: 53403-3346-05

Dear Mr. Delcore,

At the request of the WDNR, a bid deferment (using Usual & Customary schedule of charges)/variance is being submitted for vapor sampling at the subject property located at 2305 Racine Avenue in Mount Pleasant, Wisconsin. The cost estimate will include: [1] Install and sample one Sub Slab Vapor Sampling point near the northern portion of the on-site building foot-print for TO-15 (PVOC and Naphthalene). [2] Updated Primary Closure Request. The cost estimate is as follows:

Access Agreement	\$ 401.94
SSVS Sampling (U&C)	\$1,244.73
SSVS Sampling (consulting)	\$ 340.00 (variance)
Updated Primary Closure Request	\$1,360.00 (variance)
Change Order Request	<u>\$ 381.78</u>
Total	\$3,728.45

METCO is requesting a bid deferment/variance in the amount of **\$3,728.45** to complete the above workscope. Upon state and client approval of the proposed workscope and budget, METCO will proceed with the project.

Attached is a draft standardized invoice form for the above workscope as required. Please note that well abandonment costs were already approved on 10/18/17.

Should you have any questions, comments, or recommendations please contact me at our La Crosse office (608) 781-8879 or email at jasonp@metcohq.com.

Sincerely,

Jason T. Powell
Staff Scientist

Attachment

c: Steve Wilson – Client



RR-100a

PECFA #: 53403-3346-05 Vendor Name: _____
 BRRTS #: 03-52-554656 Invoice #: _____
 Site Name: Wilson's Fish Market (Former) Invoice Date: _____
 Site Address: 2305 Racine Ave, Mt. Pleasant, WI Check #: _____

U&C Total	\$	2,028.45
Variance to U&C Total	\$	1,700.00
Grand Total	\$	3,728.45

[illegible]