

Vang, Duabchi L - DNR

From: Dave Larsen <dlarsen@reiengineering.com>
Sent: Tuesday, June 9, 2020 12:59 PM
To: Vang, Duabchi L - DNR
Cc: Brian Bailey; Ken Lassa
Subject: Schlinsog - Well Abandonment Forms
Attachments: REI_20200609_130116.pdf




Dee, attached are the well abandonment forms for the Kautzer/Schlinsog project. Please let me know if you have any questions or concerns.

Thank you,

David N. Larsen P.G.

Senior Hydrogeologist / Professional Geologist



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information

County Clark	WI Unique Well # of Removed Well MW1	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SE 1/4 SE or Gov't Lot #	Section 27	Township 26 N
Well Street Address N7705 Pelsdorf Avenue	Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W	Well ZIP Code 54446
Well City, Village or Town Loyal	Well ZIP Code 54446	
Subdivision Name	Lot #	

2. Facility / Owner Information

Facility Name Schlinsog Dairy		
Facility ID (FID or PWS)		
License/Permit/Monitoring # BRRTS #03-10-554767		
Original Well Owner Schlinsog Dairy		
Present Well Owner		
Mailing Address of Present Owner N7705 Pelsdorf Avenue		
City of Present Owner Loyal	State WI	ZIP Code 54466

Reason for Removal from Service Sampling complete	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 07/06/2010 If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 58.61	Casing Diameter (in.) 4
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 33.86

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Holeplug Bentonite	Surface	58.61	363 lbs	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/01/2020	DNR Use Only	
Street or Route 4080 North 20th Avenue	Telephone Number (715) 675-9784	Comments	Date Received	Noted By
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 06/03/2020

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information

County Clark	WI Unique Well # of Removed Well MW2	Hicap #
Latitude / Longitude (see instructions) N W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SE 1/4 SE or Gov't Lot #	Section 27	Township 26 N
Well Street Address N7705 Pelsdorf Avenue	Well ZIP Code 54446	
Well City, Village or Town Loyal	Lot #	
Subdivision Name		

2. Facility / Owner Information

Facility Name Schlinsog Dairy
Facility ID (FID or PWS)
License/Permit/Monitoring # BRRTS #03-10-554767
Original Well Owner Schlinsog Dairy
Present Well Owner
Mailing Address of Present Owner N7705 Pelsdorf Avenue
City of Present Owner Loyal
State WI
ZIP Code 54466

Reason for Removal from Service Sampling complete	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 07/08/2010
If a Well Construction Report is available, please attach.	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 58.34	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 37.10

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Holeplug Bentonite	Surface	58.34	95 lbs	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/01/2020	DNR Use Only Date Received Noted By	
Street or Route 4080 North 20th Avenue	Telephone Number (715) 675-9784	Comments		
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 06/03/2020

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input checked="" type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:	
	<input type="checkbox"/> Drinking Water <input type="checkbox"/> Waste Management	<input type="checkbox"/> Watershed/Wastewater <input type="checkbox"/> Other: _____ <input checked="" type="checkbox"/> Remediation/Redevelopment

1. Well Location Information				2. Facility / Owner Information			
County Clark		WI Unique Well # of Removed Well MW3		Hicap #		Facility Name Schlinsog Dairy	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)	
1/4 1/4 SE 1/4 SE or Gov't Lot #		Section 27		Township 26 N		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address N7705 Pelsdorf Avenue				License/Permit/Monitoring # BRRTS #03-10-554767			

Original Well Owner Schlinsog Dairy		Present Well Owner	
Well City, Village or Town Loyal		Well ZIP Code 54446	
Subdivision Name		Lot #	
Mailing Address of Present Owner N7705 Pelsdorf Avenue		City of Present Owner Loyal	
State WI		ZIP Code 54466	

Reason for Removal from Service Sampling complete	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 07/08/2010		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				Liner(s) perforated?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) 58.88		Screen removed?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
				Casing left in place?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Was casing cut off below surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Did sealing material rise to surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Depth to Water (feet)				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	

Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	

Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Holeplug Bentonite		Surface	58.88	95 lbs	

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/01/2020	Date Received	Noted By
Street or Route 4080 North 20th Avenue		Telephone Number (715) 675-9784		Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 06/03/2020	

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County Clark	WI Unique Well # of Removed Well MW4	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM
Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		
1/4 1/4 SE 1/4 SE or Gov't Lot #	Section 27	Township 26 N
Well Street Address N7705 Pelsdorf Avenue		Range 01 E <input checked="" type="checkbox"/> W
Well City, Village or Town Loyal		Well ZIP Code 54446
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name Schlinsog Dairy		
Facility ID (FID or PWS)		
License/Permit/Monitoring # BRRTS #03-10-554767		
Original Well Owner Schlinsog Dairy		
Present Well Owner		
Mailing Address of Present Owner N7705 Pelsdorf Avenue		
City of Present Owner Loyal	State WI	ZIP Code 54466

Reason for Removal from Service Sampling complete	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 11/17/2010 If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 53.32	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 34.56

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Holeplug Bentonite	Surface	53.32	86 lbs	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/01/2020	DNR Use Only Date Received Noted By	
Street or Route 4080 North 20th Avenue	Telephone Number (715) 675-9784		Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 06/03/2020

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input checked="" type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:		
	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other: _____	

1. Well Location Information				2. Facility / Owner Information			
County Clark		WI Unique Well # of Removed Well MW5		Hicap #		Facility Name Schlinsog Dairy	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)	
1/4 SE 1/4 SE or Gov't Lot #		Section 27		Township 26 N		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address N7705 Pelsdorf Avenue				Original Well Owner Schlinsog Dairy			
Well City, Village or Town Loyal				Present Well Owner			
Subdivision Name				Mailing Address of Present Owner N7705 Pelsdorf Avenue			
Lot #				City of Present Owner Loyal		State WI	ZIP Code 54466

Reason for Removal from Service Sampling complete		WI Unique Well # of Replacement Well	
3. Filled & Sealed Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) 11/22/2010	
<input checked="" type="checkbox"/> Monitoring Well	If a Well Construction Report is available, please attach.		
<input type="checkbox"/> Water Well			
<input type="checkbox"/> Borehole / Drillhole			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft.) 53.88		Casing Diameter (in.) 2	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet) 33.09	

4. Pump, Liner, Screen, Casing & Sealing Material			
Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Liner(s) perforated?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Screen removed?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Casing left in place?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Was casing cut off below surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Did sealing material rise to surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Did material settle after 24 hours?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Holeplug Bentonite		Surface	53.88	87 lbs	

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/01/2020	Date Received	Noted By
Street or Route 4080 North 20th Avenue			Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 06/03/2020	

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information

County Clark	WI Unique Well # of Removed Well MW6	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SE 1/4 SE or Gov't Lot #	Section 27	Township 26 N
Range 01	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address N7705 Pelsdorf Avenue		
Well City, Village or Town Loyal		Well ZIP Code 54446
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name Schlinsog Dairy		
Facility ID (FID or PWS)		
License/Permit/Monitoring # BRRTS #03-10-554767		
Original Well Owner Schlinsog Dairy		
Present Well Owner		
Mailing Address of Present Owner N7705 Pelsdorf Avenue		
City of Present Owner Loyal	State WI	ZIP Code 54466

Reason for Removal from Service Sampling complete	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 11/20/2013 If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 54.29	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 34.93

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	54.29	88 lbs	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/01/2020	DNR Use Only Date Received Noted By	
Street or Route 4080 North 20th Avenue	Telephone Number (715) 675-9784		Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 06/03/2020

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ Verification Only of Fill and Seal

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information				2. Facility / Owner Information			
County <u>Clark</u>	WI Unique Well # of Removed Well <u>PZ1</u>	Hicap #		Facility Name <u>Schlinsog Dairy</u>			
Latitude / Longitude (see instructions) N <input type="checkbox"/> DD <input type="checkbox"/> GPS008 W <input type="checkbox"/> DDM <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Format Code	Method Code	Facility ID (FID or PWS)			
1/4 1/4 SE 1/4 SE		Section <u>27</u>	Township <u>26 N</u>	Range <u>01</u>	License/Permit/Monitoring # <u>BRRTS H 03-10-554767</u>		
or Gov't Lot #		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W		Original Well Owner <u>Schlinsog Dairy</u>			
Well Street Address <u>N7705 Pelsdorf Avenue</u>				Present Well Owner			
Well City, Village or Town <u>Loyal</u>				Mailing Address of Present Owner <u>N7705 Pelsdorf Ave</u>			
Subdivision Name				City of Present Owner <u>Loyal</u>	State <u>WI</u>	ZIP Code <u>54466</u>	
Reason for Removal from Service <u>Sampling Complete</u>		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <u>11/18/2010</u>		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole				Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type:				Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Other (specify): _____				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) <u>95'</u>		Casing Diameter (in.) <u>2"</u>		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) <u>8"</u>		Casing Depth (ft.)		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)		Required Method of Placing Sealing Material			
If yes, to what depth (feet)?				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
				<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <u>Grout Cement</u>			
5. Material Used to Fill Well / Drillhole				Sealing Materials			
From (ft.) To (ft.) No. Yards, Sacks Sealant or Volume (circle one) Mix Ratio or Mud Weight				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
<u>Cement Grout</u> <u>Surface</u> <u>95'</u> <u>12.832 gallons</u> <u>1:0.1356 p. ft</u>				<input checked="" type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
6. Comments							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Filling & Sealing <u>S&S Environmental Contracting LLC</u>		License # <u>---</u>	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>6/11/2020</u>	Date Received		Noted By	
Street or Route <u>N2570 Daytona Dr.</u>		Telephone Number <u>(715) 539-2803</u>		Comments			
City <u>Merrill</u>	State <u>WI</u>	ZIP Code <u>54452</u>	Signature of Person Doing Work <u>George J. J...</u>	Date Signed <u>6/19/2020</u>			

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information				2. Facility / Owner Information			
County <u>Clark</u>		WI Unique Well # of Removed Well <u>PZ 2</u>		Hicap #		Facility Name <u>Schlinsoy Dairy</u>	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)	
1/4 1/4 <u>SE</u> 1/4 <u>SE</u> or Gov't Lot #		Section <u>27</u>		Township <u>26 N</u>		Range <u>01</u> <input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address <u>N7705 Pelsdorf Avenue</u>				Original Well Owner <u>Schlinsoy Dairy</u>			
Well City, Village or Town <u>Loyal</u>				Present Well Owner			
Subdivision Name				Well ZIP Code <u>54446</u>			
Reason for Removal from Service <u>Sampling Complete</u>				WI Unique Well # of Replacement Well			
3. Filled & Sealed Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <u>11/20/2013</u>		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Borehole / Drillhole				Liner(s) perforated?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Screen removed?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Casing left in place?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify): _____				Was casing cut off below surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) <u>73'</u>		Casing Diameter (in.) <u>2"</u>		If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) <u>8"</u>		Casing Depth (ft.)		If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Was well annular space grouted?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Required Method of Placing Sealing Material			
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
				<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) <u>Grout Cement</u>			
5. Material Used to Fill Well / Drillhole				Sealing Materials			
<u>Cement Grout</u>				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
				<input checked="" type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
6. Comments				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Filling & Sealing <u>S&S Environmental Contracting LLC</u>		License #		Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>6/11/2020</u>		Date Received	
Street or Route <u>N2570 Daytona Dr.</u>		Telephone Number <u>(715) 539-2803</u>		Comments		Noted By	
City <u>Merrill</u>		State <u>WI</u>		ZIP Code <u>54452</u>		Signature of Person Doing Work <u>[Signature]</u>	
						Date Signed <u>6/9/2020</u>	

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information				2. Facility / Owner Information			
County Clark		WI Unique Well # of Removed Well TW1		Hicap #		Facility Name Schlinsog Dairy	
Latitude / Longitude (see instructions) N W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS)	
1/4 1/4 SE 1/4 SE or Gov't Lot #		Section 27		Township 26 N		Range 01 E W	
Well Street Address N7705 Pelsdorf Avenue				Original Well Owner Schlinsog Dairy			
Well City, Village or Town Loyal				Present Well Owner			
Subdivision Name				Well ZIP Code 54446		Mailing Address of Present Owner N7705 Pelsdorf Avenue	
Reason for Removal from Service Sampling complete				WI Unique Well # of Replacement Well		City of Present Owner Loyal	
WI Unique Well # of Replacement Well				State WI		ZIP Code 54466	
3. Filled & Sealed Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 10/16/2017		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) 49.26		Casing Diameter (in.) 1		Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Depth to Water (feet) 33.81				Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
5. Material Used to Fill Well / Drillhole				Did material settle after 24 hours? If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
3/8" Holeplug Bentonite				If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
				Required Method of Placing Sealing Material			
				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
				Sealing Materials			
				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
				6. Comments			
				7. Supervision of Work			
Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc		License #		Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/01/2020		DNR Use Only	
Street or Route 4080 North 20th Avenue		Telephone Number (715) 675-9784		Date Received		Noted By	
City Wausau		State WI		ZIP Code 54401		Signature of Person Doing Work David Larsen	
						Date Signed 05/21/2020	