


future. Final determination regarding the eligibility of costs will be made by the claim reviewer when the entire claim, including all invoices and reports, is submitted for payment.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 365-8942.

Sincerely,



Carrie Stoltz
Hydrogeologist
Remediation and Redevelopment Program

Enclosure: Usual and Customary Cost Schedule Worksheet

cc: Ken Lassa-REI Engineering Inc.

Usual & Customary Cost Schedule Worksheet #24 (July 2018 - December 2018) for Form RR-100a

PECFA #:	54562-9999-62	<table border="1"> <tr> <td>Cost Schedule Total</td> <td>\$1,259.82</td> </tr> <tr> <td>Variance Total</td> <td>\$0.00</td> </tr> <tr> <td>Grand Total</td> <td>\$1,259.82</td> </tr> </table>	Cost Schedule Total	\$1,259.82	Variance Total	\$0.00	Grand Total	\$1,259.82
Cost Schedule Total	\$1,259.82							
Variance Total	\$0.00							
Grand Total	\$1,259.82							
BRRTS #:	03-44-555683							
Site Name:	Volk Service Station							
Site Address:	8062 Hwys 32 & 45, Three Lakes							
Date:	August 21, 2018							

#	Task	Provider	Ref Code	Activity Reference Code Description	Unit	Units	Unit Cost	Total Cost	Notes
1	Groundwater Sampling		GS05	Sample Collection	Well	1	\$ 72.45	\$ 72.45	MW-8
1	Groundwater Sampling		GS25	Primary Mob/Demob	Site	1	\$ 628.11	\$ 628.11	
4	Waste Disposal	Consultant	WD05	Consultant Coordination	Site	1	\$ 137.13	\$ 137.13	
4	Waste Disposal	Commodity	WD10	Groundwater Sample and/or Purge	Drum	1	\$10.00	\$10.00	
33	Water Sample	Laboratory	W4	PVOC + Naphthalene	Sample	1	\$ 30.35	\$ 30.35	
36	Change Order Request		COR05	Change Order Request	Change Order	1	\$ 381.78	\$ 381.78	