



Status Update Report-February 2023

For Site:

**WALMART STORE #5667
222 N. Chicago Avenue
South Milwaukee
Milwaukee County, Wisconsin 53172
WDNR BRRTS Nos. 02-41-556117 & 02-41-556175**

Prepared for:

**WALMART, INC.
702 SW 8th Street
Bentonville, AR 72716**

Prepared by:

**Professional Service Industries, Inc.
821 Corporate Court
Waukesha, WI 53189
Telephone (262) 521-2125**

PSI Project Number 00542644

March 27, 2023

A handwritten signature in black ink, appearing to read "Patrick J. Patterson".

**Patrick J. Patterson, P.E., P.G.
Senior Engineer**

A handwritten signature in black ink, appearing to read "Larry Raether".

**Larry Raether, P.E.
Principal Consultant**



PSI Project 00542644

Walmart Store #5667

March 27, 2023

BRRTS No. 02-41-556117 & 02-41-556175

Professional Service Industries, Inc.
821 Corporate Court
Waukesha, WI 53189
Phone: (262) 521-2125
Fax: (262) 521-2471

WDNR-Remediation and Redevelopment Program
1027 West St. Paul Avenue
Milwaukee, Wisconsin 53233

Attn: Eric Amadi
Advanced Hydrogeologist
Eric.Amadi@Wisconsin.gov

Re: Status Update Report-PFAS Groundwater Sampling-February 2023
CITY OF S. MILWAUKEE VACANT PARCEL AND MIDWEST TANNING CORP. (FMR)
222 N. Chicago Avenue
South Milwaukee, Wisconsin 53172
WDNR BRRTS No. 02-41-556117 & 02-41-556175
PSI Project Number: 00542644

Dear Mr. Amadi:

In February 2023, Professional Service Industries, Inc. (PSI), an Intertek Company, performed a groundwater sampling event on the groundwater wells associated with the above referenced City of S. Milwaukee Vacant Parcel and Midwest Tanning Corp. (Fmr) parcels (Subject Property) for Walmart, Inc. These activities have been completed in accordance with WDNR PFAS sampling requirements. The following is a summary of the work performed, and a field data evaluation and review of the laboratory analytical results for this sampling event.

If you have any questions or comments, please call us at (262) 521-2125.

Respectfully submitted,

PROFESSIONAL SERVICE INDUSTRIES, INC.

Patrick J. Patterson, P.E., P.G.
Senior Engineer

Larry Raether, P.E.
Principal Consultant



TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY 1

2.0 INTRODUCTION AND BACKGROUND..... 3

2.1 SITE DESCRIPTION 3

2.2 PROJECT BACKGROUND 3

2.3 PURPOSE..... 4

3.0 GROUNDWATER INVESTIGATIVE ACTIVITIES 5

3.1 SCOPE SUMMARY..... 5

3.2 PREVIOUS FIELD EXPLORATION..... 5

3.3 QUALITY ASSURANCE/QUALITY CONTROL MEASURES 6

3.4 GROUNDWATER OBSERVATIONS AND WELL ELEVATIONS..... 5

3.5 LABORATORY ANALYSIS..... 5

4.0 DATA ANALYSIS AND INTERPRETATION 7

4.1 FIELD AND LABORATORY DATA ANALYSIS..... 7

4.2 GROUNDWATER QUALITY STANDARDS 7

4.3 LABORATORY GROUNDWATER RESULTS 7

5.0 CONCLUSIONS AND RECOMMENDATIONS 8

6.0 REPRESENTATIONS..... 8

6.1 WARRANTY 8

6.2 THIRD PARTY USE 9

APPENDIX

- Site Location Map
- Site Features Diagram
- Well Location Diagram
- Groundwater Elevation Table
- Groundwater Flow Direction-February 2023
- Groundwater Analytical Results Table-PFASs
- Laboratory Analytical Report and Chain-Of-Custody Form-February 2023





1.0 EXECUTIVE SUMMARY

The Subject Property consists of an approximate 9.6-acre commercial parcel located at 222 N. Chicago Avenue in the City of South Milwaukee, Wisconsin. An approximate 113,000 square foot commercial structure is situated in the western portion of the parcel. Asphalt parking areas, concrete drives and sidewalks, and isolated landscaped areas are present generally located to the north, east and west of the building. The Subject Property is currently used as Walmart Supercenter #5667 and these services were performed for Walmart, Inc.

The surrounding properties to the north, east, and south are generally occupied by commercial, manufacturing facilities and multifamily properties. An existing railroad line is present to the west of the Subject Property.

Two Phase I Environmental Site Assessments (Phase I ESA) were performed by PSI in 2010 for Walmart. One of the Phase I ESAs was completed on the eastern parking lot portion of the existing Walmart property (Subject Property), which was historically occupied by several manufacturing and commercial facilities and residences. One of the manufacturing facilities included the former Rapco Leather Company. The other Phase I ESA was completed on the western portion of the Subject Property that is currently occupied by the existing Walmart store, which was historically occupied by Midwest Tanning Corporation.

Numerous site investigation activities have been completed on the entire Walmart property from the 1990s to present day. Contamination from previous historical property usages on both parcels has been detected in both soil and groundwater. These contaminants generally consist of RCRA Metals, Polynuclear Aromatic Hydrocarbons (PAHs), Volatile Organic Compounds (VOCs), and other compounds. During the site development of the existing Walmart Store #5667, approximately 95,000 tons of impacted soil were removed from the Subject Property and disposed of at a WDNR licensed disposal facility. Residual soil contamination remains on the property within the upper 4-feet, but the residual contamination is covered with at least two feet of landscaped lawn surface, existing building pad, or asphalt parking area which addresses the direct contact exposure pathway.

In a letter issued August 17, 2020, the WDNR stated that responsible parties (RPs) are required to assess for emerging contaminants and their potential impacts on all sites that have not yet been closed. Emerging contaminants include perfluoroalkyl and polyfluoroalkyl substances (PFAS), 1,4-dioxane and other compounds. If a property is deemed a potential source of an emerging contaminants, an evaluation of potential PFAS compounds and other applicable emerging contaminants that were historically or are presently produced, used, handled, stored, or disposed at the site, per Wis. Admin. Code § NR 716.07 and Wis. Admin. Code § NR 716.09 would need to be performed.

Because of the August 17, 2020, WDNR letter and since both parcels were formerly occupied by tanning facilities or facilities that handled tanned products, a potential exists that PFAS containing materials were used, handled, stored, or disposed on these parcels. As such, it was recommended that associated investigative activities be performed to evaluate the presence of PFASs within the groundwater at six existing wells located on the Walmart property. These wells consist of MW-1 and MW-2 that are present in the eastern portion of the Subject Property and MW-4 through MW-7 that are present in the western portion of the Subject Property. The previous well MW-3 was present on the Burger King restaurant parcel located on the northwest corner of N. Chicago Avenue and Davis Avenue but was abandoned prior to the development of the restaurant. In review of the historical property information, no obvious evidence of the use, handling, storage, or the disposal of 1,4-dioxane or other compounds on the Subject Property was observed or apparent within the evaluated



data. As such, further evaluation for the presence of 1,4-dioxane or other compounds is not warranted.

In accordance with a letter issued by the WDNR on April 6, 2021, which indicated that vaporized Trichloroethene (TCE) in indoor air is more toxic than previously understood, specifically in situations where women of child-bearing years are present, an evaluation of the potential presence of TCE contaminants was performed. The evaluation included the review of available historical property usage documents, aerial photographs, Sanborn fire insurance maps and other historical resources for the past usage of TCE. PSI also reviewed available analytical test results for TCE that are associated with previous and recent investigative activities.

In review of the available historical property use information and other collected environmental data, the previous property usage does not have the likely potential for the presence of vaporized TCE. In addition, no obvious evidence was collected that indicated that the onsite subsurface material contained vaporized TCE contaminants. Based upon the soil and groundwater analytical testing and the petroleum impacted soil remedial activities performed on the Subject Property, there is no obvious evidence that vaporized TCE is present on the Subject Property. Further, in review of the vapor analytical testing of the samples collected from subsurface vapor points, no vaporized TCE was detected in any of the collected vapor samples.

On August 19, 2022, PSI collected five (5) groundwater samples from five of the existing wells. One of the wells was dry at the time of sampling. PFASs were detected in most of the water samples and several of them were above recommended NR140 standards. Because of these test results and to further evaluate the groundwater conditions, PSI recommended the completion of another groundwater sampling event to test for PFASs.

Following approval from Walmart on February 6, 2023, PSI collected groundwater samples from five of the existing wells. One of the wells was dry at the time of sampling. PFASs were detected in the collected water samples. However, the detected compounds in MW-1 and MW-6 were at levels below recommended NR140 standards. Several compounds detected in the samples collected from MW-4, MW-5 and MW-7 were above recommended NR140 standards. MW-4, MW-5, and MW-7 are located south of the existing Walmart store and near the southern portion of the former Midwest Tanning facility. Because of these test results and in accordance with WDNR groundwater monitoring requirements, PSI recommended the completion of another groundwater sampling event to test for PFASs.

This summary is not to be used alone. The report must be read in its entirety.



2.0 INTRODUCTION AND BACKGROUND

2.1 SITE DESCRIPTION

The Subject Property consists of an approximate 9.6-acre commercial parcel located at 222 N. Chicago Avenue in the City of South Milwaukee, Wisconsin. An approximate 113,000 square foot commercial structure is situated in the western portion of the parcel. Asphalt parking areas, concrete drives and sidewalks, and isolated landscaped areas are present generally located to the north, east and west of the building. The Subject Property is currently used as Walmart Supercenter #5667. The general location of the Subject Property is shown on the Site Location Map in the Appendix.

The surrounding properties to the north, east, and south are generally occupied by commercial and manufacturing facilities and multifamily properties. An existing railroad line is present to the west of the Subject Property. A diagram showing the general site features is also included in the Appendix.

2.2 PROJECT BACKGROUND

Two Phase I Environmental Site Assessments (Phase I ESA) were performed by PSI in 2010 for Walmart. One of the Phase I ESAs was completed on the eastern parking lot portion of the existing Walmart property (Subject Property), which was historically occupied by several manufacturing and commercial facilities and residences. One of the manufacturing facilities included the former Rapco Leather Company. This portion of the Subject Property is referenced by the WDNR as "City of South Milwaukee Vacant Parcel" and assigned BRRS No. 02-41-556175. The other Phase I ESA was completed on the western portion of the Subject Property that is currently occupied by Walmart Store #5667, which was historically occupied by Midwest Tanning Corporation. This portion of the Subject Property is referenced by the WDNR as "Midwest Tanning Corp. (Fmr)" and assigned BRRS No. 02-41-556117.

Numerous site investigation activities have been completed on the entire Walmart property from the 1990s to present day. Contamination from previous historical property usages on both parcels has been detected in both soil and groundwater. These contaminants generally consist of RCRA Metals, Polynuclear Aromatic Hydrocarbons (PAHs), Volatile Organic Compounds (VOCs), and other compounds. During the site development of the existing Walmart Store #5667 in 2012, approximately 95,000 tons of impacted soil were removed from large areas of the Subject Property and disposed of at a WDNR licensed disposal facility. Residual soil contamination remains on the property within the upper 4-feet, but the residual contamination is covered with at least two feet of landscaped lawn surface, existing building pad, or asphalt parking area which addresses the direct contact exposure pathway.

In a letter issued August 17, 2020, the WDNR stated that responsible parties (RPs) are required to assess for emerging contaminants and their potential impacts on all sites that have not yet been closed. Emerging contaminants include perfluoroalkyl and polyfluoroalkyl substances (PFAS), 1,4-dioxane and other compounds. If a property is deemed a potential source of an emerging contaminants, an evaluation of potential PFAS compounds and other applicable emerging contaminants that were historically or are presently produced,



used, handled, stored, or disposed at the site, per Wis. Admin. Code § NR 716.07 and Wis. Admin. Code § NR 716.09 would need to be performed.

Because of the August 17, 2020, WDNR letter and since both parcels were formerly occupied by tanning facilities or facilities that handled tanned products, a potential exists that PFAS containing materials were used, handled, stored or disposed on these parcels. As such, it was recommended that associated investigative activities be performed to evaluate the presence of PFASs within the groundwater associated with six existing wells present on the Walmart property. These wells consist of MW-1 and MW-2 that are present in the eastern portion of the Subject Property and MW-4 through MW-7 that are present in the western portion of the Subject Property. The previous well MW-3 was present on the Burger King restaurant parcel located on the northwest corner of N. Chicago Avenue and Davis Avenue but was abandoned prior to the development of the restaurant.

In review of the historical property information, no obvious evidence of the use, handling, storage or the disposal of 1,4-dioxane or other compounds on the Subject Property was observed or apparent within the evaluated data. As such, further evaluation for the presence of 1,4-dioxane or other compounds is not warranted.

A Site Investigation Workplan, dated July 29, 2022, was prepared in accordance with WDNR requirements and submitted to the WDNR for inclusion into their files on August 12, 2022. The WDNR subsequently contacted PSI to briefly discuss the SIWP. They indicated that they concur that groundwater sampling for the presence of PFAS should occur, but they indicated that additional site investigative activities may be required in the future to complete the site investigation of the Subject Property.

In accordance with a letter issued by the WDNR on April 6, 2021, which indicated that vaporized Trichloroethene (TCE) in indoor air is more toxic than previously understood, specifically in situations where women of child-bearing years are present, an evaluation of the potential presence of TCE contaminants was performed in August 2022. The evaluation included the review of available historical property usage documents, aerial photographs, Sanborn fire insurance maps and other historical resources for the past usage of TCE. PSI also reviewed available analytical test results for TCE that are associated with previous and recent investigative activities. The evaluation of the historical property usage and a review of historical analytical test results for the potential use of Trichloroethene (TCE) on the Subject Property or the evidence of the presence of high concentrations of TCE within previously collected soil, groundwater, and soil vapor samples from historical investigative activities.

On August 19, 2022, PSI collected five (5) groundwater samples from five of the existing wells. One of the wells was dry at the time of sampling. PFASs were detected in most of the water samples and several of them were above recommended NR140 standards. Because of these test results and to further evaluate the groundwater conditions, PSI recommended the completion of another groundwater sampling event to test for PFASs.

Because of the August 2022 analytical test results, additional groundwater sampling activities for the presence of PFASs were completed in February 2023 for Walmart, Inc. and are discussed in the following paragraphs.



2.3 PURPOSE

The purpose of this report is to present the groundwater conditions encountered during the February 2023 groundwater sampling event of five of the existing six groundwater wells, and laboratory test results of submitted groundwater samples. The laboratory analyses included testing for the presence of PFASs/PFOs. One of the groundwater monitoring wells was dry at the time of the sampling event and not sampled. Groundwater elevations were obtained during these recent activities.

The activities were not intended to be an all-inclusive search for hazardous substances and do not necessarily preclude the presence of other compounds or contaminants in this or other areas of the Subject Property.

3.0 GROUNDWATER INVESTIGATIVE ACTIVITIES

3.1 SCOPE SUMMARY

The scope of services described in this report included the purging of five wells, the collection and laboratory testing of groundwater samples from MW-1 and MW-4 through MW-7 on February 6, 2023, and an evaluation of the data obtained. MW-2 was dry at the time of the February 2023 sampling event. The groundwater samples were submitted for analysis for the presence of PFASs/PFOs. A well location diagram is included in the Appendix.

3.2 PREVIOUS FIELD EXPLORATION

Site investigative activities have been performed within the area of the Subject Property from the early 1990s to about 2014. This data was subsequently submitted to the WDNR for their review and comment in several documents and WDNR forms. Two separate Wisconsin Department of Natural Resources' (WDNR) Bureau of Remediation and Redevelopment Tracking (BRRTS) cases were created for the Subject Property. They consisted of the Former Midwest Tanning Corporation Parcel (BRRTS No. 02-41-556117) with a former address of 1200 Davis Avenue and is situated in the western portion of the site, and the City of South Milwaukee Vacant Parcel (BRRTS No. 02-41-556175), which is situated in the eastern portion of the site. Both sites have been investigated from the 1990s through 2014. In addition, remedial actions have been performed on the Subject Property prior to and during the existing site development of the Walmart Store in 2012.

Following past investigative and remedial activities, PSI submitted case closure requests to the WDNR for the Former Midwest Tanning Corporation parcel in 2016 and for the City of South Milwaukee Vacant Parcel in 2018. In the Midwest Tanning Corp case, the WDNR requested that additional investigation be performed around a previous soil boring completed by another consultant with high levels of Chromium to further evaluate for the presence of Hexavalent Chromium, Trivalent Chromium and Total Chromium in soil and groundwater and, also to evaluate for the presence of Cyanide in soil. In the City of South Milwaukee Vacant Parcel case, the WDNR requested revisions be completed for the submitted case closure document and an evaluation of potential for vapor intrusion along migration pathways pertaining to requirements expressed in the WDNR document RR-800 "Addressing Vapor intrusion".



PSI completed additional site investigation activities on both BRRTS cases associated with the Subject Property in January and February 2021. These services included the installation of five soil vapor points, the installation of a sample port on a vent stack pipe associated with an existing subsurface passive venting system, sampling collected soil vapor samples for Petroleum Volatile Organic Compounds (PVOCs) and Naphthalene, monitoring for Methane and volatile vapors on the City of South Milwaukee Parcel (BRRTS No. 02-41-556175), the installation of a NR141-compliant groundwater well, soil and groundwater collection and testing for the presence of Chromium, Hexavalent Chromium, Trivalent Chromium, and Cyanide on the former Midwest Tanning Corp. Parcel (BRRTS No. 02-41-556117).

The results of the additional site investigation activities performed on the City of South Milwaukee Parcel indicated that no PVOCs and Naphthalene vapors were detected within the five soil vapor points or the existing vent stack that exceed current WDNR Vapor Risk Screening Levels. In addition, no Methane was detected at levels that would be considered explosive levels. Further, no other volatile vapors were detected utilizing a Photoionization Detector.

The results of the additional site investigation activities performed on the Former Midwest Tanning Corp. Parcel indicated that no Dissolved Chromium, Hexavalent Chromium, Trivalent Chromium, and Cyanide were detected above the laboratory limit of detection (LOD) within the groundwater sample collected from the newly installed well (MW-7). In addition, no Hexavalent Chromium and Cyanide were detected above the laboratory LOD in the soil sample and the detected Total Chromium, and the calculated Trivalent Chromium levels are below the current NR720 BTV for Chromium.

3.3 QUALITY ASSURANCE/QUALITY CONTROL MEASURES

All equipment decontamination, sample collection, sample custody records, and analysis were performed in general accordance with methods prescribed by the United States EPA and the WDNR for the sampling of PFASs/PFOs in groundwater. Single-use disposable Nitrile™ gloves and PFAS-free disposable bailers were used for each well attempting to eliminate cross-contamination between sampling locations. Samples were placed in laboratory supplied containers and canisters. All samples were placed in a cooler packed with ice and transported under chain-of-custody to Pace Analytical Services, LLC. (Pace) in Green Bay, Wisconsin for chemical analysis.

3.4 GROUNDWATER OBSERVATIONS AND WELL ELEVATIONS

The elevations of the top of the PVC riser pipe of each of the wells were previously determined by PSI personnel using conventional leveling techniques. The elevations were referenced to the top nut of the fire hydrant on the eastside of the intersection of Chicago Avenue and Davis Avenue with an assigned elevation of EL. 658.89±. On February 6, 2023, the groundwater levels were measured within the monitoring wells at depths ranging from 9.97 to 24.57 feet below top of casing (EL. 635.81± to EL. 649.42±). The measured groundwater elevations have generally ranged between about EL. 635 to about EL. 655 from May 2013 to February 2023. Further, the groundwater level measurements collected from MW-5 have been consistently higher than the measurements collected from MW-4, MW-6, and MW-7 during recent and past sampling events and, it is anticipated that the levels measured in MW-5 represent a perched groundwater table in the isolated area of MW-5. A groundwater flow diagram using the measurements collected from MW-4, MW-6, and MW-7 is included in the Appendix. These elevations are shown on the Groundwater Elevation Table included in the Appendix.



3.5 LABORATORY ANALYSIS

Based upon the August 2022 analytical test results, groundwater samples collected on February 6, 2023, from the five specific wells were submitted for analytical testing for the presence of specific WDNR PFAS/PFOS. These samples were placed into PFAS-free, laboratory provided plastic containers. The samples were placed on ice, chain of custody procedures initiated, and the samples were submitted to Pace Analytical. The analytical report and chain of custody form are included in the Appendix.

4.0 DATA ANALYSIS AND INTERPRETATION

4.1 FIELD AND LABORATORY DATA ANALYSIS

Analysis and interpretation of the groundwater data generated during the sampling events is presented in the following sections. Where appropriate, the results are compared with regulatory limits for the chemicals identified in the applicable media. Copies of the laboratory analytical reports and chain-of-custody documentation are provided in the Appendix.

4.2 GROUNDWATER QUALITY STANDARDS

The Enforcement Standards (ESs) and Preventive Action Limits (PALs) are Groundwater Quality Standards for several Per- and Polyfluoroalkyl Substances (PFAS) which have been recommended by the Department of Health Services to be included in NR140 of the Wisconsin Administrative Code. The WDNR is in the process of evaluating the recommended standards for inclusion into the NR140 standard table. The DHS recommends a combined ES of 20 ng/L and combined PAL of 2 ng/L for FOSA, NEtFOSE, NEtFOSA, NEtFOSAA, PFOS, and PFOA. These recommended standards are referenced when evaluating the need for further study or remedial activities. The PAL is the more stringent guideline, in terms of being lesser in magnitude than the ES but will typically require less response action when exceeded. The required action is determined by WDNR regulations, based on various site-specific considerations.

4.3 LABORATORY GROUNDWATER RESULTS

The February 2023 groundwater test results indicated the presence of several PFAS/PFOS in the collected samples from the wells. However, none of the concentrations detected in the water samples collected from MW-1 and MW-6 were above DHS-recommended NR140 standards or were indicated as laboratory estimated values and are not considered accurate by the WDNR. Further, only concentrations of five PFASs were above current DHS-recommended NR140 standards in the remaining wells. Perfluorooctanesulfonic acid (PFOS) was detected in the water samples collected from MW-4, MW-5, and MW-7 at levels of 40 nanograms per liter (ng/l), 930 ng/l, and 270 ng/l, respectively, which are above their recommended NR140 ES of 20 ng/l. Perfluorooctanoic acid (PFOA) was detected in the water samples collected from MW-4, MW-5, and MW-7 at levels of 43 ng/l, 190S ng/l, and 170 ng/l, respectively, which are above their recommended NR140 ES of 20 ng/l. Perfluorohexanesulfonic acid (PFHxS) was detected in the water samples collected from MW-5, and MW-7 at levels of 110 ng/l and 55 ng/l, respectively, which are above their recommended NR140 ES of 40 ng/l and a level of 14 ng/l detected in the water sample from MW-4, which is above its recommended NR140 PAL of 4.0



ng/l. Perfluorononanoic acid (PFNA) was detected in the water sample collected from MW-5 at a level of 4.1 ng/l, which is above its recommended NR140 PAL of 3.0 ng/l, but below its recommended NR140 ES of 30 ng/l. N-ethylperfluoro-1-octane sulfonamidoacetic acid (NEtPFOSA) was detected in the water samples collected from MW-4 and MW-5 at levels of 19 ng/l and 4.1J ng/l, respectively, which are above its recommended NR140 PAL of 2.0 ng/l, but below its recommended NR140 ES of 20 ng/l. Other PFASs were detected in the water samples collected from these wells but were at concentrations below recommended NR140 groundwater quality standards or no NR140 standards have been recommended by the DHS.

The results of the laboratory analyses of the collected water samples and their respective DHS-recommended NR140 standards are summarized on the groundwater analytical table included in the Appendix. The analytical laboratory test report and chain of custody form are included in the Appendix.

5.0 CONCLUSIONS AND RECOMMENDATIONS

Based upon the historical remedial actions performed during the 2012 site development, which included the placement of an engineered cap/barrier that covers the entire Subject Property with at least a two-foot layer of imported soil fill or concrete/asphalt pavement, and the current property use, investigative activities for evaluating the subsurface soils for the presence of PFASs is not warranted.

In review of the recent and previous analytical test results, PFASs are present in the groundwater generally in the southwestern portion of the Walmart Store #5667 parcel at concentrations above the DHS-recommended NR140 ESs with lesser concentrations in the northwestern portion slightly above the DHS-recommended NR140 PAL.

Based upon the analytical test results of the recent and previous groundwater sampling events and the WDNR requirement of four groundwater monitoring events when contaminants are encountered above NR140 standards, it is recommended that an additional groundwater sampling event be performed on the existing wells to further evaluate the presence of the PFAS-impacted groundwater contamination.

The recommended additional groundwater sampling event of the above-mentioned wells should be completed in May 2023.

6.0 REPRESENTATIONS

6.1 WARRANTY

The field observations, measurements, and research reported herein are considered sufficient in detail and scope to form a reasonable basis for the work performed at this site. The assessment, conclusions, and recommendations presented herein are based upon the subjective evaluation of limited data. They may not represent all conditions at the Subject Property as they reflect the information gathered from specific locations. PSI warrants that the findings and conclusions contained herein have been promulgated in accordance with generally accepted environmental investigation methodology and only for the site described in this report.



The soil and groundwater investigation of this site has been developed to provide the client with information regarding apparent indications of environmental concerns relating to the Subject Property. It is necessarily limited to the conditions observed and to the information available at the time of the work.

Due to the limited nature of the work, there is a possibility that there may exist conditions which could not be identified within the scope of the assessment or which were not apparent at the time of report preparation. It is also possible that the testing methods employed at the time of the report may later be superseded by other methods. The description, type, and composition of what are commonly referred to as "hazardous materials or conditions" can also change over time. PSI does not accept responsibility for changes in the state of the art, nor for changes in the scope of various lists of hazardous materials or conditions. PSI believes that the findings and conclusions provided in this report are reasonable.

6.2 THIRD PARTY USE

This report was prepared pursuant to the contract PSI has with Walmart, Inc. Because of the importance of the communication between PSI and its client, reliance or any use of this report by anyone other than Walmart, Inc.; and their respective successors, assigns, affiliates and subsidiaries, under the same conditions as if it had been prepared for them, is prohibited and therefore not foreseeable to PSI.

Reliance or use by any such third party without explicit authorization in the report does not make said third party a third-party beneficiary to PSI's contract with Walmart, Inc. Any such unauthorized reliance on or use of this report, including any of its information or conclusions, will be at third party's risk. For the same reasons, no warranties or representations, expressed or implied in this report, are made to any such third party.

APPENDIX

SITE FEATURES DIAGRAM
BRRTS No. 02-41-556117 &
BRRTs No. 02-41-556175



Residential

Residential

7239995

Parcel ID
72-39-009000

Commercial

Commercial

Commercial

Residential

St-S

Carroll Ave

11th Ave

Legend:

: Stormwater Utility Location

: Sanitary Utility Location

: Gas Utility Location

: Water Utility Location

: Approximate Property Line
(former Midwest Tanning Corp)

Badger Ave

32

Residential

Davis Ave


Manufacturing

Residential

Commercial

N Chicago Ave

Residential



Midwest Tanning Corp (Fmr) and
City of S. Milwaukee Vacant Parcel
South Milwaukee, Wisconsin 53172


UNION PACIFIC RAILROAD CO.
(FORMERLY CHICAGO & NORTHWESTERN RAILROAD CO.)
100' PUBLIC R.O.W.



BRRTS No. 02-41-556117

C-1120N-NO-NO
114,746 S.F.
(GROSS LEASABLE AREA W/O VESTIBULE)
118,780 S.F.
(GROSS LEASABLE AREA INCLUDING VESTIBULE)
F.F.E. = 85.00

BRRTS No. 02-41-556175



LEGEND:

MW-1 ● MONITORING WELL (2-2011)

MW-3 ● MONITORING WELL (2-2012)

● MONITORING WELL (2-2021)

MW-3 ABANDONED IN JUNE 2015

BRRTS Case Boundary Lines

ALL LOCATIONS ARE APPROXIMATE


PSI Information
To Build On
Engineering • Consulting • Testing

Environmental Services

EXISTING MONITORING WELL LOCATION DIAGRAM

Wal-Mart Superstore # 5667
222 N. Chicago Avenue, City of South Milwaukee
Milwaukee County, Wisconsin 53172

Checked:	Scale:	Date:	Figure:
C. Moran	1" = 80'	10-27-2022	1
Drawn:	Project Number:		
0054357-1 Prop Well Location	00542644		



Groundwater Elevation Table

Wal-Mart Store #5667 (City of South Milwaukee and Former Midwest Tanning Corp.)

222 North Chicago Avenue

South Milwaukee, Wisconsin 53172

PSI Project No. 00542644

BRRTS No. 02-41-556175 and 02-41-556117

Date Collected	MW-1		MW-2		MW-4		MW-5		MW-6		MW-7	
	GS Elev. =	661.75	GS Elev. =	662.39	GS Elev. =	665.89	GS Elev. =	664.89	GS Elev. =	664.98	GS Elev. =	665.90
	TOC Elev. =	661.20	TOC Elev. =	661.89	TOC Elev. =	665.34	TOC Elev. =	664.39	TOC Elev. =	664.57	TOC Elev. =	665.38
	TOS Elev. =	656.20	TOS Elev. =	656.89	TOS Elev. =	660.34	TOS Elev. =	659.39	TOS Elev. =	659.57	TOS Elev. =	660.38
	BOW Elev. =	636.10	BOW Elev. =	638.66	BOW Elev. =	636.06	BOW Elev. =	639.78	BOW Elev. =	639.39	BOW Elev. =	635.78
	Depth to GW ¹	GW Elevation	Depth to GW ¹	GW Elevation	Depth to GW ¹	GW Elevation	Depth to GW ¹	GW Elevation	Depth to GW ¹	GW Elevation	Depth to GW ¹	GW Elevation
5/30/2013	---	---	---	---	22.65	642.69	11.41	652.98	21.88	642.69	---	---
6/10/2013	14.81	646.39	18.90	642.99	23.06	642.28	15.28	649.11	22.02	642.55	---	---
6/11/2013	---	---	---	---	---	---	---	---	---	---	---	---
6/17/2013	---	---	---	---	---	---	---	---	---	---	---	---
9/10/2013	15.21	645.99	19.15	642.74	23.20	642.14	11.56	652.83	22.19	642.38	---	---
11/26/2013	15.46	645.74	19.33	642.56	23.36	641.98	11.58	652.81	22.33	642.24	---	---
2/27/2014	15.83	645.37	---	---	24.11	641.23	11.72	652.67	---	---	---	---
2/28/2014	---	---	19.81	642.08	---	---	---	---	22.99	641.58	---	---
1/25/2021	---	---	---	---	22.93	642.41	9.9	654.49	21.81	642.76	---	---
3/15/2021	14.64	646.56	16.35	645.54	22.67	642.67	9.62	654.77	21.73	642.84	23.88	641.50
2/6/2023	15.6	640.60	---	---	23.55	636.79	9.97	649.42	22.47	637.10	24.57	635.81

Notes:

GS Elev. - Ground Surface Elevation

TOC Elev. - Top of Casing Elevation

TOS Elev. - Top of Screen Elevation

BOW Elev. - Bottom of Well Elevation

GW - Groundwater

1 - Depth to groundwater measured from top of well casing


Benchmark elevation = EL. 658.89 (fire hydrant east side of Chicago Ave and Davis Ave.)

UNION PACIFIC RAILROAD CO.
(FORMERLY CHICAGO & NORTHWESTERN RAILROAD CO.)
100' PUBLIC R.O.W.



BRRTS No. 02-41-556117


BRRTS No. 02-41-556175



LEGEND:
● MW-1 MONITORING WELL (2-2011)
● MW-3 MONITORING WELL (2-2012)
● MONITORING WELL (2-2021)

MW-3 ABANDONED IN JUNE 2015

Checked: _____ Scale: 1" = 80' Figure: 1



Groundwater Elevation Contour
 BRRTS Case Boundary Lines
 (a) anticipated perched groundwater level

PSI Information
 To Build On
 Engineering • Consulting • Testing

Environmental Services
 W237 N2878 Woodgate Road, Suite 2
 Pewaukee, Wisconsin 53072
 (262) 347-0898

GROUNDWATER FLOW DIAGRAM (2/6/23)
 Wal-Mart Superstore # 5667
 222 N. Chicago Avenue, City of South Milwaukee
 Milwaukee County, Wisconsin 53172

Drawn: C. Moran
 Project Number: 00542744
 0054357-1 Prop. Wall Poss.dwg

Groundwater Analytical Results Table

City of S. Milwaukee Vacant Parcel and Midwest Tanning Corp. (FMR)

222 N. Chicago Avenue

South Milwaukee, Wisconsin 53172

PSI Project No. 00542644

BRRTS No. 02-41-556175 & 02-41-556117

Analytical Parameter	Location	MW-1		MW-4		MW-5		MW-6		MW-7		Recommended NR140	
	Date	8/19/22	2/6/23	8/19/22	2/6/23	8/19/22	2/6/23	8/19/22	2/6/23	8/19/22	2/6/23	ES	PAL
	Units												
Detected PFAS/PFOS													
PFBA	ng/l	6.6	4.6	16	17	14	15	5.2	5.8	18	18	10,000	<i>2,000</i>
PFPeA	ng/l	3.2	1.6J	15	15	11	11	2.9	3.4J	18	21	---	---
PFBS	ng/l	0.64J	0.72J	18	15	20	24	2.4	2.6J	23	28	450,000	<i>90,000</i>
PFHxA	ng/l	<0.89	1.4J	35	28	24	25	3.1	2.4J	45	50	150,000	<i>30,000</i>
PFPeS	ng/l	<0.59	<0.52	12	6.7	24	28	<0.6	<0.54	17	21	---	---
PFHpA	ng/l	<0.68	<0.39	17	11	22	21	1.3J	1.1J	24	30	---	---
PFHxS	ng/l	<0.52	<0.48	<u>28</u>	<u>14</u>	92	110	<0.53	<0.51	43	55	40	4
PFOA	ng/l	1.1J	<0.73	100	43	180	190S	<u>2.2</u>	<u>2.2J</u>	120	170	a	a
6:2 FTS	ng/l	<0.66	<1.8	0.95J	<1.9	<0.65	<1.9	<0.67	<1.9	<0.7	<1.9	---	---
PFHpS	ng/l	<0.65	<0.44	3.2	1.3J	25	20	<0.66	<0.46	7.5	9.3	---	---
PFNA	ng/l	<0.78	<0.41	1.1J	<0.44	<u>3.9</u>	<u>4.1</u>	<0.79	<0.41	1.5J	2.0J	30	3
PFOSAm	ng/l	<0.56	<0.54	4.3	2.1J	46	19	<0.71	<0.42	<0.74	<0.56	---	---
PFOS	ng/l	28	<1.8	64	40	940D	930	<0.66	<1.8	48I	270	a	a
MeFOSA	ng/l	<0.54	<1.1	0.79J	<1.2	<0.53	<1.2	<0.55	<1.2	<0.57	<1.2	---	---
PFDA	ng/l	<0.6	<0.46	<0.6	<0.50	0.96J	0.81J	<0.6	<0.48	<0.63	<0.48	300	60
NMeFOSAA	ng/l	<0.68	<0.82	78	66	17	8.6	<0.69	<0.85	<0.72	<0.85	---	---
NEtFOSAA	ng/l	1.3J	<0.66	17	19	8	4.1J	<0.81	<0.69	<0.84	<0.69	a	a

Notes:

Bold concentrations exceed DHS Recommended NR 140 Enforcement Standards (ESs)

Italicized/underlined concentrations exceed DHS Recommended NR 140 Preventive Action Limits (PALs)

--- - Not analyzed/Not Established

ng/l -nanograms per liter

a - DHS recommends a combined ES of 20 ng/L and combined PAL of 2 ng/L for FOSA, NEtFOSE, NEtFOSA, NEtFOSAA, PFOS, and PFOA

D - result obtained from analysis of diluted sample

I - isotope ratio out of specification

S - MS/MSD failure

Q - Surrogate failure

J - laboratory estimated concentration detected between the laboratory Limit of Detection and the Limit of Quantitation

PFPeA detected in 2-2023 field blank at 0.71J ng/l

February 24, 2023

Patrick Patterson
PSI
821 Corporate Ct.
Suite 102
Waukesha, WI 53189

RE: Project: 00542644-WALMART
Pace Project No.: 40258010

Dear Patrick Patterson:

Enclosed are the analytical results for sample(s) received by the laboratory on February 08, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Angela Lane
angela.lane@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 00542644-WALMART

Pace Project No.: 40258010

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40258010001	MW-1	Water	02/06/23 13:15	02/08/23 08:45
40258010002	MW-4	Water	02/06/23 13:50	02/08/23 08:45
40258010003	MW-5	Water	02/06/23 14:25	02/08/23 08:45
40258010004	MW-6	Water	02/06/23 14:10	02/08/23 08:45
40258010005	MW-7	Water	02/06/23 14:30	02/08/23 08:45
40258010006	FIELD BLANK	Water	02/06/23 13:10	02/08/23 08:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project:
Pace Project No.:

Method:
Description:
Client:
Date:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

4258010

ALL SHADED AREAS are for LAB USE ONLY

Company: PSI, Inc Billing Information: Same

Address: 821 Corporate Ct, Waukesha, WI

Report To: Pat Patterson Email To:

Copy To: Site Collection Info/Address: South Milwaukee

Customer Project Name/Number: 00542644 - Walmart State: WI County/City: Time Zone Collected: [] PT [] MT [] CT [] ET

Container Preservative Type ** U Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Phone: 262-521-2125 Site/Facility ID #: Compliance Monitoring? [] Yes [] No

Email: Collected By (print): Kuy Heipel Purchase Order #: DW PWS ID #: Quote #: DW Location Code:

Collected By (signature): Kuy Heipel Turnaround Date Required: Immediately Packed on Ice: [] Yes [] No

Sample Disposal: [] Dispose as appropriate [] Return [] Archive: [] Hold: Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply) Field Filtered (if applicable): [] Yes [] No Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
MW-1	GW		2/6	1315				2
MW-2 - Dry								1
MW-4				1350				2
MW-5				1425				2
MW-6				1410				2
MW-7				1430				2
Field Blank	OT			1310				2

Analyses										Lab Profile/Line:
										Lab Sample Receipt Checklist:
										Custody Seals Present/Intact Y N NA
										Custody Signatures Present Y N NA
										Collector Signature Present Y N NA
										Bottles Intact Y N NA
										Correct Bottles Y N NA
										Sufficient Volume Y N NA
										Samples Received on Ice Y N NA
										VOA - Headspace Acceptable Y N NA
										USDA Regulated Soils Y N NA
										Samples in Holding Time Y N NA
										Residual Chlorine Present Y N NA
										Cl Strips: Y N NA
										Sample pH Acceptable Y N NA
										pH Strips: Y N NA
										Sulfide Present Y N NA
										Lead Acetate Strips: Y N NA
										LAB USE ONLY:
										Lab Sample # / Comments:

PFAS

Customer Remarks / Special Conditions / Possible Hazards: Type of Ice Used: Wet Blue Dry None

Packing Material Used: 1

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: 2824023

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID# 1

Cooler 1 Temp Upon Receipt: 0 °C

Cooler 1 Therm Corr. Factor: 0 °C

Cooler 1 Corrected Temp: 0 °C

Comments:

Relinquished by/Company: (Signature) Kuy Heipel Date/Time: 2/7/23 8:30 Received by/Company: (Signature) Date/Time:

Relinquished by/Company: (Signature) CS Logistics Date/Time: 2/8/23 0845 Received by/Company: (Signature) Sam Lawrence Date/Time: 2/8/23 0845

Relinquished by/Company: (Signature) Date/Time: Received by/Company: (Signature) Date/Time:

MTJL LAB USE ONLY

Table #:

Acctnum:

Template:

Prelogin:

PM:

PB:

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Non Conformance(s): Page 4 of 35

YES / NO of:

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: PSI

WO#: 40258010



40258010

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr. 0.5 / Corr 1.5

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
 Date: 2/5/23 Initials: SG
 Labeled By Initials: MV

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>006 no time</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>2/5/23 SG</u>
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log



Report of Analysis

Pace Analytical Services, LLC
1241 Bellevue Street
Suite 9
Green Bay, WI 54302
Attention: Angela Lane

Project Name: 00542644-Walmart
Project Number: 40258010
Lot Number: **YB10008**
Date Completed: 02/23/2023

Project Manager: **Jenna S. Holliday**

02/24/2023 7:29 AM
Approved and released by:
Project Manager II: **Edward Barnett**



The electronic signature above is the equivalent of a handwritten signature.
This report shall not be reproduced, except in its entirety, without the written approval of Pace Analytical Services, LLC.

PACE ANALYTICAL SERVICES, LLC

SC DHEC No: 32010001

NELAC No: E87653

NC DENR No: 329

NC Field Parameters No: 5639

Case Narrative Pace Analytical Services, LLC Lot Number: YB10008

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

All results listed in this report relate only to the samples that are contained within this report. Where sampling is conducted by the client, results relate to the accuracy of the information provided, and as the samples are received.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved The NELAC Institute (TNI) standards, the Pace Analytical Services, LLC ("Pace") Laboratory Quality Manual, standard operating procedures (SOPs), and Pace policies. Any exceptions to the TNI standards, the Laboratory Quality Manual, SOPs or policies are qualified on the results page or discussed below.

Pace is a TNI accredited laboratory; however, the following analyses are currently not listed on our TNI scope of accreditation: Drinking Water: VOC (excluding BTEX, MTBE, Naphthalene, & 1,2-dichloroethane) EPA 524.2, E. coli and Total coliforms SM 9223 B-2004, Solid Chemical Material: TOC Walkley-Black, Biological Tissue: All, Non-Potable Water: SGT-HEM EPA 1664B, Silica EPA 200.7, Boron, Calcium, Silicon, Strontium EPA 200.8, Bicarbonate, Carbonate, and Hydroxide Alkalinity SM 2320 B-2011, SM 9221 C E-2006 & SM 9222D-2006, Strontium SW-846 6010D, VOC SM 6200 B-2011, Fecal Coliform Colilert-18.

If you have any questions regarding this report, please contact the Pace Project Manager listed on the cover page.

PFAS

Samples YB10008-001, YB10008-002 (DUP), YB10008-004 required centrifugation prior to extraction, due to excessive solids present in the samples. Centrifugation was performed following the PFAS Aqueous Centrifuge Protocol; samples were spiked with Surrogate (SUR; Extracted Internal Standard/EIS) and shaken vigorously before being poured into a conical bottle and centrifuged. The centrifuged aqueous sample was decanted back into the original sample bottle, off of the condensed solids remaining in the centrifuge bottle. Original sample bottle was rinsed as normal and centrifuge bottle was rinsed with 4mL of MeOH. Centrifuge bottle rinsate was added to the elution. Samples concentrated to <5mL and reconstituted to 5mL using MeOH by transfer pipet.

Surrogate recovery for the following samples was outside the upper control limit: YB10008-003, YB10008-005. The samples did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

PACE ANALYTICAL SERVICES, LLC

Sample Summary
Pace Analytical Services, LLC
Lot Number: YB10008
Project Name: 00542644-Walmart
Project Number: 40258010

Sample Number	Sample ID	Matrix	Date Sampled	Date Received
001	MW-1	Aqueous	02/06/2023 1315	02/10/2023
002	MW-4	Aqueous	02/06/2023 1350	02/10/2023
003	MW-5	Aqueous	02/06/2023 1425	02/10/2023
004	MW-6	Aqueous	02/06/2023 1410	02/10/2023
005	MW-7	Aqueous	02/06/2023 1430	02/10/2023
006	FIELD BLANK	Aqueous	02/06/2023 1310	02/10/2023

(6 samples)

PACE ANALYTICAL SERVICES, LLC

Detection Summary
Pace Analytical Services, LLC
Lot Number: YB10008
Project Name: 00542644-Walmart
Project Number: 40258010

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	MW-1	Aqueous	PFBS	PFAS by ID	0.72	J	ng/L	6
001	MW-1	Aqueous	PFBA	PFAS by ID	4.6		ng/L	6
001	MW-1	Aqueous	PFHxA	PFAS by ID	1.4	J	ng/L	6
001	MW-1	Aqueous	PFPeA	PFAS by ID	1.6	J	ng/L	6
002	MW-4	Aqueous	EtFOSAA	PFAS by ID	19		ng/L	8
002	MW-4	Aqueous	MeFOSAA	PFAS by ID	66		ng/L	8
002	MW-4	Aqueous	PFBS	PFAS by ID	15		ng/L	8
002	MW-4	Aqueous	PFHpS	PFAS by ID	1.3	J	ng/L	8
002	MW-4	Aqueous	PFOSA	PFAS by ID	2.1	J	ng/L	8
002	MW-4	Aqueous	PFPeS	PFAS by ID	6.7		ng/L	8
002	MW-4	Aqueous	PFHxS	PFAS by ID	14		ng/L	8
002	MW-4	Aqueous	PFBA	PFAS by ID	17		ng/L	8
002	MW-4	Aqueous	PFHpA	PFAS by ID	11		ng/L	8
002	MW-4	Aqueous	PFHxA	PFAS by ID	28		ng/L	8
002	MW-4	Aqueous	PFOA	PFAS by ID	43		ng/L	8
002	MW-4	Aqueous	PFPeA	PFAS by ID	15		ng/L	8
002	MW-4	Aqueous	PFOS	PFAS by ID	40		ng/L	8
003	MW-5	Aqueous	EtFOSAA	PFAS by ID	4.1	J	ng/L	10
003	MW-5	Aqueous	MeFOSAA	PFAS by ID	8.6		ng/L	10
003	MW-5	Aqueous	PFBS	PFAS by ID	24		ng/L	10
003	MW-5	Aqueous	PFHpS	PFAS by ID	20		ng/L	10
003	MW-5	Aqueous	PFOSA	PFAS by ID	19		ng/L	10
003	MW-5	Aqueous	PFPeS	PFAS by ID	28		ng/L	10
003	MW-5	Aqueous	PFHxS	PFAS by ID	110		ng/L	10
003	MW-5	Aqueous	PFBA	PFAS by ID	15		ng/L	10
003	MW-5	Aqueous	PFDA	PFAS by ID	0.81	J	ng/L	10
003	MW-5	Aqueous	PFHpA	PFAS by ID	21		ng/L	10
003	MW-5	Aqueous	PFHxA	PFAS by ID	25		ng/L	10
003	MW-5	Aqueous	PFNA	PFAS by ID	4.1		ng/L	10
003	MW-5	Aqueous	PFOA	PFAS by ID	190	S	ng/L	10
003	MW-5	Aqueous	PFPeA	PFAS by ID	11		ng/L	10
003	MW-5	Aqueous	PFOS	PFAS by ID	930		ng/L	10
004	MW-6	Aqueous	PFBS	PFAS by ID	2.6	J	ng/L	12
004	MW-6	Aqueous	PFBA	PFAS by ID	5.8		ng/L	12
004	MW-6	Aqueous	PFHpA	PFAS by ID	1.1	J	ng/L	12
004	MW-6	Aqueous	PFHxA	PFAS by ID	2.4	J	ng/L	12
004	MW-6	Aqueous	PFOA	PFAS by ID	2.2	J	ng/L	12
004	MW-6	Aqueous	PFPeA	PFAS by ID	3.4	J	ng/L	12
005	MW-7	Aqueous	PFBS	PFAS by ID	28		ng/L	14
005	MW-7	Aqueous	PFHpS	PFAS by ID	9.3		ng/L	14
005	MW-7	Aqueous	PFPeS	PFAS by ID	21		ng/L	14
005	MW-7	Aqueous	PFHxS	PFAS by ID	55		ng/L	14
005	MW-7	Aqueous	PFBA	PFAS by ID	18		ng/L	14

Detection Summary (Continued)**Lot Number: YB10008**

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
005	MW-7	Aqueous	PFHpA	PFAS by ID	30		ng/L	14
005	MW-7	Aqueous	PFHxA	PFAS by ID	50		ng/L	14
005	MW-7	Aqueous	PFNA	PFAS by ID	2.0	J	ng/L	14
005	MW-7	Aqueous	PFOA	PFAS by ID	170		ng/L	14
005	MW-7	Aqueous	PFPeA	PFAS by ID	21		ng/L	14
005	MW-7	Aqueous	PFOS	PFAS by ID	270		ng/L	14
006	FIELD BLANK	Aqueous	PFPeA	PFAS by ID	0.71	J	ng/L	16

(50 detections)

PFAS by LC/MS/MS

Client: **Pace Analytical Services, LLC**

Laboratory ID: **YB10008-001**

Description: **MW-1**

Matrix: **Aqueous**

Date Sampled: **02/06/2023 1315**

Project Name: **00542644-Walmart**

Date Received: **02/10/2023**

Project Number: **40258010**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	02/21/2023 1642	BWS	02/10/2023 1807	67285

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.0	0.42	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.0	0.58	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.0	1.4	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.0	1.8	ng/L	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		7.0	0.77	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.0	1.8	ng/L	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.0	0.42	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.0	1.2	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		7.0	0.66	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.0	0.84	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		14	1.1	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		7.0	0.82	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.0	1.1	ng/L	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	0.72 J		3.5	0.36	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.5	0.68	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		3.5	0.44	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.5	0.63	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		3.5	0.54	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		3.5	0.52	ng/L	1
Perfluorododecanesulfonic acid (PFDSO)	79780-39-5	PFAS by ID SOP	ND		7.0	0.92	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		3.5	0.48	ng/L	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	4.6		3.5	0.53	ng/L	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.5	0.46	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.5	0.41	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		3.5	0.39	ng/L	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	1.4 J		3.5	0.60	ng/L	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		3.5	0.41	ng/L	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		3.5	0.73	ng/L	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	1.6 J		3.5	0.48	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.5	0.53	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.5	0.46	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.5	0.55	ng/L	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	ND		3.5	1.8	ng/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		102	25-150
13C2_6:2FTS		96	25-150
13C2_8:2FTS		93	25-150
13C2_PFDaA		81	25-150
13C2_PFTeDA		71	25-150
13C3_PFBs		95	25-150
13C3_PFHxS		95	25-150
13C3-HFPO-DA		92	25-150
13C4_PFBa		76	25-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-001
Description: MW-1	Matrix: Aqueous
Date Sampled: 02/06/2023 1315	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		93	25-150
13C5_PFHxA		95	25-150
13C5_PFPeA		93	25-150
13C6_PFDA		88	25-150
13C7_PFUdA		85	25-150
13C8_PFOA		96	25-150
13C8_PFOS		89	25-150
13C8_PFOSA		88	10-150
13C9_PFNA		94	25-150
d-EtFOSA		70	10-150
d5-EtFOSAA		81	25-150
d9-EtFOSE		77	10-150
d-MeFOSA		72	10-150
d3-MeFOSAA		86	25-150
d7-MeFOSE		77	10-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC *(formerly Shealy Environmental Services, Inc.)*
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: **Pace Analytical Services, LLC**

Laboratory ID: **YB10008-002**

Description: **MW-4**

Matrix: **Aqueous**

Date Sampled: **02/06/2023 1350**

Project Name: **00542644-Walmart**

Date Received: **02/10/2023**

Project Number: **40258010**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	02/21/2023 1655	BWS	02/10/2023 1807	67285

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.6	0.46	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.6	0.63	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.6	1.5	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.6	1.9	ng/L	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		7.6	0.83	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.6	2.0	ng/L	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.6	0.46	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.6	1.3	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	19		7.6	0.71	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.6	0.91	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		15	1.2	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	66		7.6	0.89	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.6	1.2	ng/L	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	15		3.8	0.39	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.8	0.74	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	1.3 J		3.8	0.47	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.8	0.68	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	2.1 J		3.8	0.58	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	6.7		3.8	0.57	ng/L	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		7.6	1.0	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	14		3.8	0.52	ng/L	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	17		3.8	0.57	ng/L	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.8	0.50	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.8	0.45	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	11		3.8	0.43	ng/L	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	28		3.8	0.65	ng/L	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		3.8	0.44	ng/L	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	43		3.8	0.79	ng/L	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	15		3.8	0.52	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.8	0.57	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.8	0.50	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.8	0.60	ng/L	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	40		3.8	1.9	ng/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		80	25-150
13C2_6:2FTS		75	25-150
13C2_8:2FTS		77	25-150
13C2_PFDaA		70	25-150
13C2_PFTeDA		45	25-150
13C3_PFBs		67	25-150
13C3_PFHxS		68	25-150
13C3-HFPO-DA		64	25-150
13C4_PFBa		53	25-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-002
Description: MW-4	Matrix: Aqueous
Date Sampled: 02/06/2023 1350	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		66	25-150
13C5_PFHxA		67	25-150
13C5_PFPeA		65	25-150
13C6_PFDA		70	25-150
13C7_PFUdA		69	25-150
13C8_PFOA		69	25-150
13C8_PFOS		65	25-150
13C8_PFOSA		67	10-150
13C9_PFNA		72	25-150
d-EtFOSA		43	10-150
d5-EtFOSAA		65	25-150
d9-EtFOSE		62	10-150
d-MeFOSA		44	10-150
d3-MeFOSAA		67	25-150
d7-MeFOSE		58	10-150

LOQ = Limit of Quantitation	B = Detected in the method blank	E = Quantitation of compound exceeded the calibration range	DL = Detection Limit	Q = Surrogate failure
ND = Not detected at or above the DL	N = Recovery is out of criteria	P = The RPD between two GC columns exceeds 40%	J = Estimated result < LOQ and ≥ DL	L = LCS/LCSD failure
H = Out of holding time	W = Reported on wet weight basis			S = MS/MSD failure

Pace Analytical Services, LLC *(formerly Shealy Environmental Services, Inc.)*
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-003
Description: MW-5	Matrix: Aqueous
Date Sampled: 02/06/2023 1425	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	02/21/2023 1721	BWS	02/10/2023 1807	67285
2	SOP SPE	PFAS by ID SOP	5	02/22/2023 1427	BWS	02/10/2023 1807	67285

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.6	0.46	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.6	0.63	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.6	1.5	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.6	1.9	ng/L	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND	Q	7.6	0.83	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.6	2.0	ng/L	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.6	0.46	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.6	1.3	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	4.1	J	7.6	0.72	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.6	0.91	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		15	1.2	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	8.6		7.6	0.89	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.6	1.2	ng/L	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	24		3.8	0.40	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.8	0.74	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	20		3.8	0.48	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.8	0.68	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	19		3.8	0.59	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	28		3.8	0.57	ng/L	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		7.6	1.0	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	110		3.8	0.53	ng/L	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	15		3.8	0.57	ng/L	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	0.81	J	3.8	0.50	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.8	0.45	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	21		3.8	0.43	ng/L	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	25		3.8	0.66	ng/L	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	4.1		3.8	0.44	ng/L	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	190	S	3.8	0.79	ng/L	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	11		3.8	0.52	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.8	0.57	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.8	0.51	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.8	0.60	ng/L	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	930		19	9.6	ng/L	2

Surrogate	Q	Run 1		Q	Run 2	
		% Recovery	Acceptance Limits		% Recovery	Acceptance Limits
13C2_4:2FTS	N	205	25-150	94	25-150	
13C2_6:2FTS		147	25-150	92	25-150	
13C2_8:2FTS		118	25-150	87	25-150	
13C2_PFDaA		89	25-150	78	25-150	
13C2_PFTeDA		82	25-150	80	25-150	
13C3_PFBS		94	25-150	95	25-150	
13C3_PFHxS		96	25-150	93	25-150	
13C3-HFPO-DA		91	25-150	85	25-150	

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-003
Description: MW-5	Matrix: Aqueous
Date Sampled: 02/06/2023 1425	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Surrogate	Run 1		Acceptance Limits	Run 2		
	Q	% Recovery		Q	% Recovery	
13C4_PFBA		45	25-150		77	25-150
13C4_PFHpA		100	25-150		94	25-150
13C5_PFHxA		95	25-150		96	25-150
13C5_PFPeA		82	25-150		92	25-150
13C6_PFDA		99	25-150		88	25-150
13C7_PFUdA		94	25-150		86	25-150
13C8_PFOA		103	25-150		95	25-150
13C8_PFOS		93	25-150		86	25-150
13C8_PFOSA		93	10-150		83	10-150
13C9_PFNA		99	25-150		93	25-150
d-EtFOSA		77	10-150		67	10-150
d5-EtFOSAA		93	25-150		78	25-150
d9-EtFOSE		90	10-150		80	10-150
d-MeFOSA		78	10-150		70	10-150
d3-MeFOSAA		99	25-150		82	25-150
d7-MeFOSE		89	10-150		74	10-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: **Pace Analytical Services, LLC**

Laboratory ID: **YB10008-004**

Description: **MW-6**

Matrix: **Aqueous**

Date Sampled: **02/06/2023 1410**

Project Name: **00542644-Walmart**

Date Received: **02/10/2023**

Project Number: **40258010**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	02/21/2023 1746	BWS	02/10/2023 1807	67285

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.3	0.44	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.3	0.61	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.3	1.5	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.3	1.8	ng/L	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		7.3	0.80	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.3	1.9	ng/L	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.3	0.44	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.3	1.2	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		7.3	0.69	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.3	0.87	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		15	1.2	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		7.3	0.85	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.3	1.2	ng/L	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	2.6 J		3.7	0.38	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.7	0.71	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		3.7	0.46	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.7	0.65	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		3.7	0.56	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		3.7	0.54	ng/L	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		7.3	0.96	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		3.7	0.51	ng/L	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	5.8		3.7	0.55	ng/L	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.7	0.48	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.7	0.43	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	1.1 J		3.7	0.41	ng/L	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	2.4 J		3.7	0.63	ng/L	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		3.7	0.42	ng/L	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	2.2 J		3.7	0.76	ng/L	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	3.4 J		3.7	0.50	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.7	0.55	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.7	0.48	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.7	0.57	ng/L	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	ND		3.7	1.8	ng/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		75	25-150
13C2_6:2FTS		65	25-150
13C2_8:2FTS		62	25-150
13C2_PFDaA		55	25-150
13C2_PFTeDA		46	25-150
13C3_PFBS		62	25-150
13C3_PFHxS		62	25-150
13C3-HFPO-DA		61	25-150
13C4_PFBA		50	25-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-004
Description: MW-6	Matrix: Aqueous
Date Sampled: 02/06/2023 1410	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		63	25-150
13C5_PFHxA		63	25-150
13C5_PFPeA		61	25-150
13C6_PFDA		58	25-150
13C7_PFUdA		58	25-150
13C8_PFOA		64	25-150
13C8_PFOS		58	25-150
13C8_PFOSA		58	10-150
13C9_PFNA		64	25-150
d-EtFOSA		47	10-150
d5-EtFOSAA		56	25-150
d9-EtFOSE		51	10-150
d-MeFOSA		45	10-150
d3-MeFOSAA		57	25-150
d7-MeFOSE		54	10-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: **Pace Analytical Services, LLC**

Laboratory ID: **YB10008-005**

Description: **MW-7**

Matrix: **Aqueous**

Date Sampled: **02/06/2023 1430**

Project Name: **00542644-Walmart**

Date Received: **02/10/2023**

Project Number: **40258010**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	02/21/2023 1759	BWS	02/10/2023 1807	67285

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.7	0.47	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.7	0.64	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.7	1.5	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.7	1.9	ng/L	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND	Q	7.7	0.84	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.7	2.0	ng/L	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.7	0.47	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.7	1.3	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		7.7	0.72	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.7	0.92	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		15	1.2	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		7.7	0.90	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.7	1.2	ng/L	1
Perfluoro-1-butanesulfonic acid (PFBS)	375-73-5	PFAS by ID SOP	28		3.9	0.40	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.9	0.75	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	9.3		3.9	0.48	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.9	0.69	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		3.9	0.59	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	21		3.9	0.57	ng/L	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		7.7	1.0	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	55		3.9	0.53	ng/L	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	18		3.9	0.58	ng/L	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.9	0.51	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.9	0.46	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	30		3.9	0.43	ng/L	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	50		3.9	0.66	ng/L	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	2.0	J	3.9	0.45	ng/L	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	170		3.9	0.80	ng/L	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	21		3.9	0.53	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.9	0.58	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.9	0.51	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.9	0.60	ng/L	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	270		3.9	1.9	ng/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS	N	159	25-150
13C2_6:2FTS		119	25-150
13C2_8:2FTS		106	25-150
13C2_PFDaA		89	25-150
13C2_PFTeDA		88	25-150
13C3_PFBS		100	25-150
13C3_PFHxS		103	25-150
13C3-HFPO-DA		98	25-150
13C4_PFBA		68	25-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-005
Description: MW-7	Matrix: Aqueous
Date Sampled: 02/06/2023 1430	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		104	25-150
13C5_PFHxA		105	25-150
13C5_PFPeA		94	25-150
13C6_PFDA		95	25-150
13C7_PFUdA		98	25-150
13C8_PFOA		103	25-150
13C8_PFOS		97	25-150
13C8_PFOSA		97	10-150
13C9_PFNA		104	25-150
d-EtFOSA		83	10-150
d5-EtFOSAA		93	25-150
d9-EtFOSE		87	10-150
d-MeFOSA		82	10-150
d3-MeFOSAA		96	25-150
d7-MeFOSE		88	10-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-006
Description: FIELD BLANK	Matrix: Aqueous
Date Sampled: 02/06/2023 1310	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	02/21/2023 1812	BWS	02/10/2023 1807	67285

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		6.9	0.41	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		6.9	0.57	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		6.9	1.4	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		6.9	1.7	ng/L	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		6.9	0.75	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		6.9	1.8	ng/L	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		6.9	0.42	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		6.9	1.2	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		6.9	0.64	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		6.9	0.82	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		14	1.1	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		6.9	0.80	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		6.9	1.1	ng/L	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		3.4	0.36	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.4	0.67	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		3.4	0.43	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.4	0.61	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		3.4	0.53	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		3.4	0.51	ng/L	1
Perfluorododecanesulfonic acid (PFDSO)	79780-39-5	PFAS by ID SOP	ND		6.9	0.90	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		3.4	0.47	ng/L	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		3.4	0.52	ng/L	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.4	0.45	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.4	0.41	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		3.4	0.38	ng/L	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		3.4	0.59	ng/L	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		3.4	0.40	ng/L	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		3.4	0.71	ng/L	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	0.71	J	3.4	0.47	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.4	0.52	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.4	0.45	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.4	0.54	ng/L	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	ND		3.4	1.7	ng/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		101	25-150
13C2_6:2FTS		102	25-150
13C2_8:2FTS		103	25-150
13C2_PFDaA		90	25-150
13C2_PFTeDA		87	25-150
13C3_PFBS		100	25-150
13C3_PFHxS		99	25-150
13C3-HFPO-DA		97	25-150
13C4_PFBA		97	25-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: YB10008-006
Description: FIELD BLANK	Matrix: Aqueous
Date Sampled: 02/06/2023 1310	Project Name: 00542644-Walmart
Date Received: 02/10/2023	Project Number: 40258010

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		97	25-150
13C5_PFHxA		98	25-150
13C5_PFPeA		99	25-150
13C6_PFDA		99	25-150
13C7_PFUdA		101	25-150
13C8_PFOA		101	25-150
13C8_PFOS		96	25-150
13C8_PFOSA		91	10-150
13C9_PFNA		99	25-150
d-EtFOSA		67	10-150
d5-EtFOSAA		91	25-150
d9-EtFOSE		83	10-150
d-MeFOSA		68	10-150
d3-MeFOSAA		99	25-150
d7-MeFOSE		87	10-150

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 ND = Not detected at or above the DL N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

QC Summary

PFAS by LC/MS/MS - MB

Sample ID: YQ67285-001

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Parameter	Result	Q	Dil	LOQ	MDL	Units	Analysis Date
9CI-PF3ONS	ND		1	8.0	0.48	ng/L	02/21/2023 1551
11CI-PF3OUdS	ND		1	8.0	0.66	ng/L	02/21/2023 1551
8:2 FTS	ND		1	8.0	1.6	ng/L	02/21/2023 1551
6:2 FTS	ND		1	8.0	2.0	ng/L	02/21/2023 1551
4:2 FTS	ND		1	8.0	0.87	ng/L	02/21/2023 1551
GenX	ND		1	8.0	2.1	ng/L	02/21/2023 1551
ADONA	ND		1	8.0	0.48	ng/L	02/21/2023 1551
EtFOSA	ND		1	8.0	1.4	ng/L	02/21/2023 1551
EtFOSAA	ND		1	8.0	0.75	ng/L	02/21/2023 1551
EtFOSE	ND		1	8.0	0.95	ng/L	02/21/2023 1551
MeFOSA	ND		1	16	1.3	ng/L	02/21/2023 1551
MeFOSAA	ND		1	8.0	0.93	ng/L	02/21/2023 1551
MeFOSE	ND		1	8.0	1.3	ng/L	02/21/2023 1551
PFBS	ND		1	4.0	0.41	ng/L	02/21/2023 1551
PFDS	ND		1	4.0	0.78	ng/L	02/21/2023 1551
PFHpS	ND		1	4.0	0.50	ng/L	02/21/2023 1551
PFNS	ND		1	4.0	0.71	ng/L	02/21/2023 1551
PFOSA	ND		1	4.0	0.61	ng/L	02/21/2023 1551
PFPeS	ND		1	4.0	0.59	ng/L	02/21/2023 1551
PFDOS	ND		1	8.0	1.0	ng/L	02/21/2023 1551
PFHxS	ND		1	4.0	0.55	ng/L	02/21/2023 1551
PFBA	ND		1	4.0	0.60	ng/L	02/21/2023 1551
PFDA	ND		1	4.0	0.52	ng/L	02/21/2023 1551
PFDoA	ND		1	4.0	0.47	ng/L	02/21/2023 1551
PFHpA	ND		1	4.0	0.45	ng/L	02/21/2023 1551
PFHxA	ND		1	4.0	0.69	ng/L	02/21/2023 1551
PFNA	ND		1	4.0	0.46	ng/L	02/21/2023 1551
PFOA	ND		1	4.0	0.83	ng/L	02/21/2023 1551
PFPeA	ND		1	4.0	0.54	ng/L	02/21/2023 1551
PFTeDA	ND		1	4.0	0.60	ng/L	02/21/2023 1551
PFTTrDA	ND		1	4.0	0.53	ng/L	02/21/2023 1551
PFUdA	ND		1	4.0	0.63	ng/L	02/21/2023 1551
PFOS	ND		1	4.0	2.0	ng/L	02/21/2023 1551

Surrogate	Q	% Rec	Acceptance Limit
13C2_4:2FTS		50	25-150
13C2_6:2FTS		51	25-150
13C2_8:2FTS		51	25-150
13C2_PFDoA		50	25-150
13C2_PFTeDA		43	25-150
13C3_PFBS		49	25-150
13C3_PFHxS		50	25-150
13C3-HFPO-DA		50	25-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MB

Sample ID: YQ67285-001

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		50	25-150
13C4_PFHpA		50	25-150
13C5_PFHxA		50	25-150
13C5_PFPeA		50	25-150
13C6_PFDA		51	25-150
13C7_PFUdA		52	25-150
13C8_PFOA		52	25-150
13C8_PFOS		48	25-150
13C8_PFOSA		48	10-150
13C9_PFNA		52	25-150
d-EtFOSA		39	10-150
d5-EtFOSAA		47	25-150
d9-EtFOSE		46	10-150
d-MeFOSA		40	10-150
d3-MeFOSAA		49	25-150
d7-MeFOSE		50	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and \geq DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - LCS

Sample ID: YQ67285-002

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Parameter	Spike Amount (ng/L)	Result (ng/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	15	16		1	109	50-150	02/21/2023 1604
11CI-PF3OUdS	15	16		1	109	50-150	02/21/2023 1604
8:2 FTS	15	18		1	118	50-150	02/21/2023 1604
6:2 FTS	15	17		1	115	50-150	02/21/2023 1604
4:2 FTS	15	18		1	120	50-150	02/21/2023 1604
GenX	32	38		1	119	50-150	02/21/2023 1604
ADONA	15	16		1	109	50-150	02/21/2023 1604
EtFOSA	16	19		1	121	50-150	02/21/2023 1604
EtFOSAA	16	19		1	118	50-150	02/21/2023 1604
EtFOSE	16	18		1	113	50-150	02/21/2023 1604
MeFOSA	16	19		1	120	50-150	02/21/2023 1604
MeFOSAA	16	18		1	113	50-150	02/21/2023 1604
MeFOSE	16	18		1	112	50-150	02/21/2023 1604
PFBS	14	15		1	107	50-150	02/21/2023 1604
PFDS	15	16		1	106	50-150	02/21/2023 1604
PFHpS	15	16		1	104	50-150	02/21/2023 1604
PFNS	15	17		1	108	50-150	02/21/2023 1604
PFOSA	16	18		1	116	50-150	02/21/2023 1604
PFPeS	15	16		1	107	50-150	02/21/2023 1604
PFDOS	15	15		1	99	50-150	02/21/2023 1604
PFHxS	15	15		1	106	50-150	02/21/2023 1604
PFBA	16	17		1	108	50-150	02/21/2023 1604
PFDA	16	18		1	112	50-150	02/21/2023 1604
PFDoA	16	16		1	101	50-150	02/21/2023 1604
PFHpA	16	17		1	109	50-150	02/21/2023 1604
PFHxA	16	17		1	106	50-150	02/21/2023 1604
PFNA	16	18		1	110	50-150	02/21/2023 1604
PFOA	16	17		1	107	50-150	02/21/2023 1604
PFPeA	16	17		1	107	50-150	02/21/2023 1604
PFTeDA	16	17		1	107	50-150	02/21/2023 1604
PFTTrDA	16	17		1	108	50-150	02/21/2023 1604
PFUdA	16	18		1	111	50-150	02/21/2023 1604
PFOS	15	16		1	107	50-150	02/21/2023 1604
Surrogate	Q	% Rec	Acceptance Limit				
13C2_4:2FTS		92	25-150				
13C2_6:2FTS		91	25-150				
13C2_8:2FTS		89	25-150				
13C2_PFDaA		94	25-150				
13C2_PFTeDA		83	25-150				
13C3_PFBs		90	25-150				
13C3_PFHxS		92	25-150				
13C3-HFPO-DA		90	25-150				

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - LCS

Sample ID: YQ67285-002

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		90	25-150
13C4_PFHpA		89	25-150
13C5_PFHxA		93	25-150
13C5_PFPeA		92	25-150
13C6_PFDA		88	25-150
13C7_PFUdA		90	25-150
13C8_PFOA		93	25-150
13C8_PFOS		87	25-150
13C8_PFOSA		86	10-150
13C9_PFNA		93	25-150
d-EtFOSA		71	10-150
d5-EtFOSAA		87	25-150
d9-EtFOSE		95	10-150
d-MeFOSA		69	10-150
d3-MeFOSAA		90	25-150
d7-MeFOSE		88	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and \geq DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - Duplicate

Sample ID: YB10008-002DU

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Parameter	Sample Amount (ng/L)	Result (ng/L)	Q	Dil	% RPD	%RPD Limit	Analysis Date
9CI-PF3ONS	ND	ND		1	0.00	20	02/21/2023 1708
11CI-PF3OUdS	ND	ND		1	0.00	20	02/21/2023 1708
8:2 FTS	ND	ND		1	0.00	20	02/21/2023 1708
6:2 FTS	ND	ND		1	0.00	20	02/21/2023 1708
4:2 FTS	ND	ND		1	0.00	20	02/21/2023 1708
GenX	ND	ND		1	0.00	20	02/21/2023 1708
ADONA	ND	ND		1	0.00	20	02/21/2023 1708
EtFOSA	ND	ND		1	0.00	20	02/21/2023 1708
EtFOSAA	19	18		1	2.3	20	02/21/2023 1708
EtFOSE	ND	ND		1	0.00	20	02/21/2023 1708
MeFOSA	ND	ND		1	0.00	20	02/21/2023 1708
MeFOSAA	66	66		1	0.29	20	02/21/2023 1708
MeFOSE	ND	ND		1	0.00	20	02/21/2023 1708
PFBS	15	15		1	4.4	20	02/21/2023 1708
PFDS	ND	ND		1	0.00	20	02/21/2023 1708
PFHpS	1.3	1.5	J	1	12	20	02/21/2023 1708
PFNS	ND	ND		1	0.00	20	02/21/2023 1708
PFOSA	2.1	1.9	J	1	9.1	20	02/21/2023 1708
PFPeS	6.7	6.7		1	0.22	20	02/21/2023 1708
PFDOS	ND	ND		1	0.00	20	02/21/2023 1708
PFHxS	14	14		1	2.4	20	02/21/2023 1708
PFBA	17	19		1	6.4	20	02/21/2023 1708
PFDA	ND	ND		1	0.00	20	02/21/2023 1708
PFDoA	ND	ND		1	0.00	20	02/21/2023 1708
PFHpA	11	10		1	5.4	20	02/21/2023 1708
PFHxA	28	27		1	2.0	20	02/21/2023 1708
PFNA	ND	0.51	J,+	1	41	20	02/21/2023 1708
PFOA	43	41		1	3.7	20	02/21/2023 1708
PFPeA	15	14		1	7.1	20	02/21/2023 1708
PFTeDA	ND	ND		1	0.00	20	02/21/2023 1708
PFTTrDA	ND	ND		1	0.00	20	02/21/2023 1708
PFUdA	ND	ND		1	0.00	20	02/21/2023 1708
PFOS	40	40		1	0.24	20	02/21/2023 1708
Surrogate	Q	% Rec	Acceptance Limit				
13C2_4:2FTS		70	25-150				
13C2_6:2FTS		65	25-150				
13C2_8:2FTS		64	25-150				
13C2_PFDaA		59	25-150				
13C2_PFTeDA		29	25-150				
13C3_PFBs		59	25-150				
13C3_PFHxS		59	25-150				
13C3-HFPO-DA		58	25-150				

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - Duplicate

Sample ID: YB10008-002DU

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		47	25-150
13C4_PFHpA		60	25-150
13C5_PFHxA		61	25-150
13C5_PFPeA		60	25-150
13C6_PFDA		60	25-150
13C7_PFUdA		63	25-150
13C8_PFOA		62	25-150
13C8_PFOS		57	25-150
13C8_PFOSA		56	10-150
13C9_PFNA		64	25-150
d-EtFOSA		33	10-150
d5-EtFOSAA		56	25-150
d9-EtFOSE		47	10-150
d-MeFOSA		35	10-150
d3-MeFOSAA		58	25-150
d7-MeFOSE		49	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and \geq DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MS

Sample ID: YB10008-003MS

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Parameter	Sample Amount (ng/L)	Spike Amount (ng/L)	Result (ng/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	ND	14	15		1	110	50-150	02/21/2023 1733
11CI-PF3OUdS	ND	14	14		1	101	50-150	02/21/2023 1733
8:2 FTS	ND	14	17		1	119	50-150	02/21/2023 1733
6:2 FTS	ND	14	17		1	116	50-150	02/21/2023 1733
4:2 FTS	ND	14	17		1	123	50-150	02/21/2023 1733
GenX	ND	30	36		1	120	50-150	02/21/2023 1733
ADONA	ND	14	15		1	106	50-150	02/21/2023 1733
EtFOSA	ND	15	17		1	111	50-150	02/21/2023 1733
EtFOSAA	4.1	15	21		1	111	50-150	02/21/2023 1733
EtFOSE	ND	15	18		1	120	50-150	02/21/2023 1733
MeFOSA	ND	15	17		1	113	50-150	02/21/2023 1733
MeFOSAA	8.6	15	25		1	111	50-150	02/21/2023 1733
MeFOSE	ND	15	17		1	111	50-150	02/21/2023 1733
PFBS	24	13	39		1	108	50-150	02/21/2023 1733
PFDS	ND	15	15		1	102	50-150	02/21/2023 1733
PFHpS	20	14	35		1	103	50-150	02/21/2023 1733
PFNS	ND	14	15		1	105	50-150	02/21/2023 1733
PFOSA	19	15	37		1	119	50-150	02/21/2023 1733
PFPeS	28	14	43		1	107	50-150	02/21/2023 1733
PFDOS	ND	15	14		1	99	50-150	02/21/2023 1733
PFHxS	110	14	130		1	108	50-150	02/21/2023 1733
PFBA	15	15	31		1	108	50-150	02/21/2023 1733
PFDA	0.81	15	17		1	106	50-150	02/21/2023 1733
PFDoA	ND	15	17		1	110	50-150	02/21/2023 1733
PFHpA	21	15	37		1	105	50-150	02/21/2023 1733
PFHxA	25	15	42		1	112	50-150	02/21/2023 1733
PFNA	4.1	15	21		1	110	50-150	02/21/2023 1733
PFOA	190	15	220	N	1	166	50-150	02/21/2023 1733
PFPeA	11	15	27		1	111	50-150	02/21/2023 1733
PFTeDA	ND	15	16		1	108	50-150	02/21/2023 1733
PFTTrDA	ND	15	16		1	107	50-150	02/21/2023 1733
PFUdA	ND	15	17		1	115	50-150	02/21/2023 1733
PFOS	940	14	980	N	1	319	50-150	02/21/2023 1733
Surrogate	Q	% Rec	Acceptance Limit					
13C2_4:2FTS	N	195	25-150					
13C2_6:2FTS		144	25-150					
13C2_8:2FTS		107	25-150					
13C2_PFDoA		87	25-150					
13C2_PFTeDA		80	25-150					
13C3_PFBS		90	25-150					
13C3_PFHxS		92	25-150					
13C3-HFPO-DA		86	25-150					

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MS

Sample ID: YB10008-003MS

Matrix: Aqueous

Batch: 67285

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 02/10/2023 1807

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		42	25-150
13C4_PFHpA		94	25-150
13C5_PFHxA		89	25-150
13C5_PFPeA		78	25-150
13C6_PFDA		95	25-150
13C7_PFUdA		91	25-150
13C8_PFOA		96	25-150
13C8_PFOS		87	25-150
13C8_PFOSA		91	10-150
13C9_PFNA		92	25-150
d-EtFOSA		75	10-150
d5-EtFOSAA		90	25-150
d9-EtFOSE		78	10-150
d-MeFOSA		76	10-150
d3-MeFOSAA		94	25-150
d7-MeFOSE		85	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and \geq DL

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

**Chain of Custody
and
Miscellaneous Documents**

Internal Transfer Chain of Custody



Samples Pre-Logged into eCOC.

State Of Origin: WI
 Cert. Needed: Yes No
 Owner Received Date: 2/8/2023 Results Requested By: 3/9/2023



Workorder: 40258010 Workorder Name: 00542644-WALMART

Angela Lamo
 Pace Analytical Green Bay
 1241 Bellevue Street
 Suite 9
 Green Bay, WI 54302
 Phone (920)469-2438

Pace Analytical West Columbia
 106 Vantage Point Drive
 West Columbia, SC 29172
 Phone (803)791-9700



YB10008

JSH

Item	Sample ID	Sample Type	Collection Date/Time	Lab ID	Matrix	U-Reserved	Preserved	Comments
1	MW-1	PS	2/8/2023 13:15	40258010001	Water	3		
2	MW-4	PS	2/8/2023 13:50	40258010002	Water	3		
3	MW-5	PS	2/8/2023 14:25	40258010003	Water	3		
4	MW-6	PS	2/8/2023 14:10	40258010004	Water	3		
5	MW-7	PS	2/8/2023 14:50	40258010005	Water	3		
6	FIELD BLANK	PS	2/8/2023 13:10	40258010008	Water	3		

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice	Y	N	Samples Intact	Y	N
1	<i>[Signature]</i>	2/12/23 16:00	<i>[Signature]</i>							
2										
3	FedEx	2/12/23 9:55	<i>[Signature]</i>	2/12/23 9:55						

Cooler Temperature on Receipt: 10 °C Custody Seal: *[Signature]* or N Received on Ice: Y or N Samples Intact: Y or N

**In order to maintain client confidentiality, location name of the sampling site, sampler's name and signature may not be provided on this COC document.
 This chain of custody is considered complete as is since this information is available in the owner's laboratory.

PACE ANALYTICAL SERVICES, LLC

DC# Title: ENV-FRM-WCQI-0286 v02_Samples Receipt Checklist (SRC)
 Effective Date: 8/2/2022

Sample Receipt Checklist (SRC)

Client: PACE Cooler Inspected by/date: CDR / 2/10/23 Lot #: YB10008

Means of receipt: <input type="checkbox"/> Pace <input type="checkbox"/> Client <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other: _____	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	1. Were custody seals present on the cooler?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	2. If custody seals were present, were they intact and unbroken?
pH Strip ID: NA Chlorine Strip ID: NA Tested by: NA	
Original temperature upon receipt / Derived (Corrected) temperature upon receipt %Solid Snap-Cup ID: NA	
1.0 / 1.0 °C NA / NA °C NA / NA °C NA / NA °C	
Method: <input checked="" type="checkbox"/> Temperature Blank <input type="checkbox"/> Against Bottles IR Gun ID: 8 IR Gun Correction Factor: 0 °C	
Method of coolant: <input checked="" type="checkbox"/> Wet Ice <input type="checkbox"/> Ice Packs <input type="checkbox"/> Dry Ice <input type="checkbox"/> None	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	3. Were all coolers received at or below 6.0°C? If no, was Project Manager notified? PM was Notified by: phone / email / face-to-face (circle one).
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	4. Is the commercial courier's packing slip attached to this form?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Were proper custody procedures (relinquished/received) followed?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. Were sample IDs listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7. Was collection date & time listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8. Did all container label information (ID, date, time) agree with the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. Were tests to be performed listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. Did all samples arrive in the proper containers for each test and/or in good condition (unbroken, lids on, etc.)?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Was adequate sample volume available?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12. Were all samples received within 1/2 the holding time or 48 hours, whichever comes first?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. Were all samples containers accounted for? (No missing/excess)
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	14. Were VOA, 80150 and RSK-175 samples free of bubbles >"pea-size" (1/4" or 6mm in diameter) in any of the VOA vials?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	15. Were all DRO/metals/nutrient samples received at a pH of < 2?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	16. Were all cyanide samples received at a pH > 12 and sulfide samples received at a pH > 9?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	17. Were all applicable NH ₃ /TKN/cyanide/phenol/625.1/608.3 (< 0.5mg/L) samples free of residual chlorine?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	18. Was the quote number listed on the container label? If yes, Quote # _____

Sample Preservation (Must be completed for any sample(s) incorrectly preserved or with headspace.)

Sample(s) _____ were received incorrectly preserved and were adjusted accordingly in sample receiving with _____ mL of circle one: H₂SO₄, HNO₃, HCl, NaOH using SR # _____
 Time of preservation _____. If more than one preservative is needed, please note in the comments below.

Sample(s) NA were received with bubbles >6 mm in diameter.

Samples(s) NA were received with TRC > 0.5 mg/L (If #19 is no) and were adjusted accordingly in sample receiving with sodium thiosulfate (Na₂S₂O₃) with Unique ID: NA

Comments:
