

From: Borski, Jennifer - DNR
To: "[Hodgson, Scott A.](#)"
Cc: "johnahlgrimm@yahoo.com"
Subject: RE: Ahlgrimm Explosives
Date: Friday, November 17, 2017 1:27:00 PM

Scott and John,

Thank you. I request that you submit the additional technical detail within 60 days, by Tuesday, January 16, 2018, in order to keep this site moving forward. Once I receive the additional information, DNR will complete our review and provide a written response.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Jennifer Borski

Phone: (920) 424-7887

jennifer.borski@wisconsin.gov

From: Hodgson, Scott A. [mailto:Scott.Hodgson@terracon.com]
Sent: Friday, November 17, 2017 1:07 PM
To: Borski, Jennifer - DNR
Cc: 'johnahlgrimm@yahoo.com'
Subject: Ahlgrimm Explosives

Jennifer,

John and I have discussed the options and we would like you to pause the technical response letter. We will submit a brief work plan to you to construct the offsite upgradient monitoring well and collect the additional soil samples as we discussed. We will submit that data to you for additional review and response. Please let me know if you have any questions.

Scott A. Hodgson, P.G.

Senior Project Manager | Environmental Services

Terracon

9856 S. 57th Street | Franklin, WI 53132

D (414) 209 7640 | F (414) 423 0566 | M (920) 791 9206*

sahodgson@terracon.com | www.terracon.com

***Note new mobile number**

Terracon provides environmental, facilities, geotechnical, and materials consulting engineering services delivered with responsiveness, resourcefulness, and reliability.

Private and confidential as detailed here (www.terracon.com/disclaimer). If you cannot access hyperlink, please e-mail sender.