

Linda Hanefeld  
Remediation and Redevelopment Team Supervisor  
Wisconsin Department of Natural Resources  
South Central Region  
3911 Fish Hatchery Rd  
Fitchburg WI 53711

ARCADIS U.S., Inc.  
126 North Jefferson Street  
Suite 400  
Milwaukee  
Wisconsin 53202  
Tel 414 276 7742  
Fax 414 276 7603  
[www.arcadis-us.com](http://www.arcadis-us.com)

#### ENVIRONMENT

Subject:  
Bi-Monthly Progress Report, Madison-Kipp Corporation (MKC) Site, 201 Waubesa Street, Madison, Wisconsin.

Dear Ms. Hanefeld:

Date:  
March 14, 2013

On behalf of MKC, this Bi-Monthly Progress Report provides a summary of the activities completed from February 28 through March 13, 2013 as part of the MKC site located at 201 Waubesa Street in Madison, Wisconsin (site).

#### Tasks Completed – February 28 through March 13, 2013

The following tasks were completed during the period of February 28 through March 13, 2013 and are presented in chronological order.

- Submitted the *Sub-Slab Depressurization System Monitoring, 150 S. Marquette Street* letter to the property owner. Copies of this letter were provided to the Wisconsin Department of Natural Resources (WDNR) and Wisconsin Department of Health Services (WDHS).
- Activities related to the *In-Situ Chemical Oxidation Groundwater Pilot Test Work Plan* and the *Implementation Summary and Recommendations -- In-Situ Chemical Oxidation Groundwater Pilot Test* are on-going.
- Field coordination for the installation of a permanent soil vapor extraction system is on-going.
- Activities related to the *Underground Storage Tank Site Investigation Work Plan*.
- Participated in a bi-weekly conference call with the WDNR on March 6, 2013.
- Weekly soil vapor extraction (SVE) system monitoring and blower maintenance was performed by MKC personnel on March 4 and March 12, 2013. Data

Contact:  
Jennine Trask

Phone:  
414.277.6203

Email:  
[Jennine.Trask@arcadis-us.com](mailto:Jennine.Trask@arcadis-us.com)

Our ref:  
WI001283.0006

collected during the weekly and monthly Operation, Maintenance, and Monitoring (OM&M) is included in Attachment A. The emission tables are also included in Attachment A. A review of the tables indicated the emissions rates are several orders of magnitude lower than the NR445 Emission Threshold Values and therefore, carbon change-out is not currently scheduled. ARCADIS will continue to monitor the need for carbon change-out.

### **Tasks In-Progress**

The following tasks are scheduled to be completed from March 14 through March 29, 2013.

- Proposed investigation activities as outlined in the *Underground Storage Tank Site Investigation Work Plan*, dated January 14, 2013.
- Proposed supplemental groundwater sampling activities related to the *In-Situ Chemical Oxidation Groundwater Pilot Test Work Plan* and the *Implementation Summary and Recommendations -- In-Situ Chemical Oxidation Groundwater Pilot Test* are on-going.
- Preparation of a *Site Investigation Report* and the summary of on-site excavation activities as presented in the *Final Revised Work Plan for Polychlorinated Biphenyl Recommended Activities* are on-going.
- Field coordination for the installation of a permanent soil vapor extraction system is on-going.
- Perform weekly and monthly SVE system OM&M activities.
- Participate in bi-weekly conference calls with the WDNR.

If you have any questions or require any additional information, please contact us at 414.276.7742.

Sincerely,

ARCADIS U.S., Inc.

Christopher D. Kubacki, PE  
Project Engineer

Jennine L. Trask, PE  
Project Manager

Attachments:

Attachment A – SVE Summary Tables

Copies:

David Crass – Michael Best  
Mark Meunier – Madison Kipp  
Bob Nauta – RJD Environmental Services (electronic)  
Steve Tinker – Wisconsin Department of Justice (electronic)  
Mike Schmoller – WDNR (electronic)

**Table 1. Phase I SVE System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.**

Sample Location	Effluent			Influent	Effluent	Influent	Effluent
Sample Date	3/9/2012	3/10/2012	3/11/2012	3/16/2012	3/16/2012	3/23/2012	3/23/2012
1,1-Dichloroethene	<0.15	<0.3	<0.3	<2.1	<0.03	<1.5	<0.045
1,2,4-Trimethylbenzene	<0.26	<0.52	<0.52	<3.6	<b>0.17 J</b>	<2.6	<b>0.079 J</b>
1,2-Dichloroethane	<0.16	<0.31	<0.31	<2.2	<0.031	<1.6	<0.047
1,3,5-Trimethylbenzene	<0.26	<0.51	<0.51	<3.6	<b>0.069 J</b>	<2.6	<0.077
1,4-Dichlorobenzene	<0.22	<0.44	<0.44	<3.1	<b>0.049 J</b>	<2.2	<0.066
Benzene	<0.09	<0.18	<0.18	<1.3	<b>0.71</b>	<0.9	<b>0.69</b>
Chloroethane	<0.08	<0.16	<0.16	<1.1	<0.016	<0.8	<0.024
Chloroform	<0.16	<0.31	<0.31	<2.2	<0.031	<1.6	<0.047
Chloromethane	<b>5.2</b>	<b>0.86 J</b>	<0.13	<0.91	<b>0.30 J</b>	<0.65	<b>0.65 J</b>
cis-1,2-Dichloroethene	<0.07	<0.14	<0.14	<b>78</b>	<b>0.5</b>	<b>190</b>	<b>14</b>
Dichlorodifluoromethane	<0.19	<b>0.94 J</b>	<b>0.56 J</b>	<2.6	<b>0.55</b>	<1.9	<b>0.44 J</b>
Ethylbenzene	<0.11	<0.22	<0.22	<1.5	<b>0.084 J</b>	<1.1	<0.033
Methylene Chloride	<0.065	<0.13	<0.13	<0.91	<b>0.26 J B</b>	<0.65	<b>0.50 J</b>
Styrene	<0.15	<0.3	<0.3	<2.1	<0.03	<1.5	<0.045
Tetrachloroethene	<0.055	<0.11	<0.11	<b>1,500</b>	<b>14</b>	<b>1,900</b>	<b>38</b>
Toluene	<b>0.23 J</b>	<b>0.32 J</b>	<b>0.22 J</b>	<1.3	<b>0.33</b>	<b>1.0 J</b>	<b>0.14 J</b>
Trichloroethene	<0.15	<0.3	<0.3	<b>76</b>	<b>0.2</b>	<b>130</b>	<b>1.2</b>
Trichlorofluoromethane	<0.17	<0.34	<0.34	<2.4	<b>0.21</b>	<1.7	<b>0.18 J</b>
Vinyl chloride	<0.15	<b>10</b>	<b>13</b>	<b>16</b>	<b>18</b>	<b>37</b>	<b>33</b>
Xylene (total)	<0.11	<0.22	<0.22	<1.5	<b>0.53</b>	<1.1	<b>0.17 J</b>
Xylene, o-	<0.11	<0.22	<0.22	<1.5	<b>0.17 J</b>	<1.1	<b>0.052 J</b>

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation with the dilution air valve fully closed.

System flow and vacuum variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Influent sampling began on 3/16/12 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

**Bold** Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

**Table 1. Phase I SVE System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.**

Sample Location	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent
Sample Date	3/30/2012	3/30/2012	4/11/2012	4/11/2012	5/9/2012	5/9/2012	6/14/2012	6/12/2012
1,1-Dichloroethene	<1.5	<0.12	<4	<b>0.16 J</b>	<4	<1.2	<5	<1.4
1,2,4-Trimethylbenzene	<b>5.7 J</b>	<b>2.4</b>	<0.98	<0.021	<4	<1.2	<5	<1.4
1,2-Dichloroethane	<1.6	<0.12	<0.84	<0.018	<4	<1.2	<5	<1.4
1,3,5-Trimethylbenzene	<2.6	<b>0.69 J</b>	<0.89	<0.019	<4	<1.2	<5	<1.4
1,4-Dichlorobenzene	<2.2	<0.18	<0.84	<0.018	<4	<1.2	<5	<1.4
Benzene	<0.9	<b>0.57 J</b>	<b>11</b>	<b>0.15 J</b>	<4	<1.2	<5	<1.4
Chloroethane	<0.8	<b>0.56 J</b>	<1.5	<0.033	<10	<3	<13	<3.5
Chloroform	<1.6	<0.12	<1.1	<b>0.037 J</b>	<4	<1.2	<5	<1.4
Chloromethane	<0.65	<b>0.87 J</b>	<1.6	<b>0.6</b>	<10	<3	<13	<3.5
cis-1,2-Dichloroethene	<b>150</b>	<b>17</b>	<b>240</b>	<b>19</b>	<b>170</b>	<b>230</b>	<b>150</b>	<b>180</b>
Dichlorodifluoromethane	<1.9	<b>0.73 J</b>	<0.94	<b>0.47 J</b>	<10	<3	<13	<3.5
Ethylbenzene	<b>2.2 J</b>	<b>0.66 J</b>	<0.7	<0.015	<4	<1.2	<5	<1.4
Methylene Chloride	<0.65	<b>0.62 J</b>	<b>2.5 J B</b>	<b>0.16 J B</b>	<10	<3	<13	<3.5
Styrene	<1.5	<0.12	<0.52	<0.011	<4	<1.2	<5	<1.4
Tetrachloroethene	<b>890</b>	<b>98</b>	<b>700</b>	<b>0.16 J</b>	<b>440</b>	<b>36</b>	<b>580</b>	<1.4
Toluene	<b>6.1 J</b>	<b>2.7</b>	<b>1.2 J</b>	<0.014	<4	<b>2</b>	<5	<b>2.2</b>
Trichloroethene	<b>100</b>	<b>4.4</b>	<b>110</b>	<b>0.061 J</b>	<b>80</b>	<b>3</b>	<b>71</b>	<b>8.7</b>
Trichlorofluoromethane	<1.7	<0.14	<0.98	<b>0.12 J</b>	<4	<1.2	<5	<1.4
Vinyl chloride	<b>34</b>	<b>31</b>	<b>8.7 J</b>	<b>7.6</b>	<4	<b>3</b>	<5	<1.4
Xylene (total)	<b>10</b>	<b>3.5</b>	<0.75	<0.016	<4	<1.2	<5	<b>1.4</b>
Xylene, o-	<b>3.1 J</b>	<b>1.1</b>	<0.75	<0.016	<4	<1.2	<5	<1.4

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation with the dilution air valve fully closed.

System flow and vacuum variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Influent sampling began on 3/16/12 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

**Bold** Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

**Table 1. Phase I SVE System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.**

Sample Location Sample Date	Influent 7/10/2012	Effluent 7/10/2012	Influent 8/14/2012	Effluent 8/14/2012	Influent 9/12/2012	Effluent 9/16/2012	Influent 10/16/2012	Effluent 10/16/2012
	7/10/2012	7/10/2012	8/14/2012	8/14/2012	9/12/2012	9/16/2012	10/16/2012	10/16/2012
1,1-Dichloroethene	<7.3	<0.4	<2	<1	<2.4	<0.75	<12	<0.4
1,2,4-Trimethylbenzene	<7.3	<b>2</b>	<2	<b>3.4</b>	<2.4	<0.75	<12	<0.4
1,2-Dichloroethane	<7.3	<b>1.2</b>	<2	<1	<2.4	<0.75	<12	<0.4
1,3,5-Trimethylbenzene	<7.3	<b>0.62</b>	<2	<b>1.3</b>	<2.4	<0.75	<12	<0.4
1,4-Dichlorobenzene	<7.3	<b>1.5</b>	<2	<b>2</b>	<2.4	<0.75	<12	<0.4
Benzene	<7.3	<b>0.41</b>	<2	<1	<2.4	<0.75	<12	<0.4
Chloroethane	<18	<1	<5	<2.5	<6	<1.9	<29	<1
Chloroform	<7.3	<b>0.67</b>	<2	<1	<2.4	<0.75	<12	<0.4
Chloromethane	<18	<b>1.1</b>	<5	<2.5	<6	<1.9	<29	<1
cis-1,2-Dichloroethene	<b>190</b>	<b>65</b>	<b>51</b>	<b>120</b>	<b>84</b>	<b>110</b>	<b>400</b>	<b>42</b>
Dichlorodifluoromethane	<18	<1	<5	<2.5	<6	<1.9	<29	<1
Ethylbenzene	<7.3	<b>1.1</b>	<2	<1	<2.4	<0.75	<12	<0.4
Methylene Chloride	<18	<b>1.4</b>	<5	<2.5	<6	<1.9	<29	<1
Styrene	<7.3	<b>0.84</b>	<2	<1	<2.4	<0.75	<12	<0.4
Tetrachloroethene	<b>650</b>	<0.4	<b>250</b>	<1	<b>290</b>	<b>1.9</b>	<b>1500</b>	<b>41</b>
Toluene	<7.3	<b>12</b>	<2	<b>1.2</b>	<2.4	<0.75	<12	<0.4
Trichloroethene	<b>96</b>	<b>3.4</b>	<b>27</b>	<b>7.6</b>	<b>38</b>	<b>7.9</b>	<b>160</b>	<b>5.1</b>
Trichlorofluoromethane	<7.3	<0.4	<2	<1	<2.4	<0.75	<12	<0.4
Vinyl chloride	<7.3	<b>2.4</b>	<2	<b>1.6</b>	<2.4	<b>1.8</b>	<b>20</b>	<b>0.74</b>
Xylene (total)	<7.3	<b>4.1</b>	<2	<b>2.5</b>	<2.4	<0.75	<12	<0.4
Xylene, o-	<7.3	<b>1.1</b>	<2	<1	<2.4	<0.75	<12	<0.4

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation with the dilution air valve fully closed.

System flow and vacuum variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Influent sampling began on 3/16/12 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

**Bold** Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

**Table 1. Phase I SVE System Analytical Data, Madison-Kipp Corporation, Madison, Wisconsin.**

Sample Location	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent
Sample Date	11/14/2012	11/14/2012	12/18/2012	12/18/2012	1/16/2013	1/16/2013	2/15/2013	2/15/2013
1,1-Dichloroethene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
1,2,4-Trimethylbenzene	<0.8	<1.2	<9.1	<b>0.26</b>	<2.6	<0.3	<6	<0.2
1,2-Dichloroethane	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
1,3,5-Trimethylbenzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
1,4-Dichlorobenzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
Benzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
Chloroethane	<2	<3	<23	<0.5	<6.6	<0.75	<15	<0.5
Chloroform	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
Chloromethane	<2	<3	<23	<0.5	<6.6	<0.75	<15	<b>0.57</b>
cis-1,2-Dichloroethene	<b>20</b>	<b>32</b>	<b>380</b>	<b>33</b>	<b>250</b>	<b>27</b>	<b>95</b>	<b>23</b>
Dichlorodifluoromethane	<2	<3	<23	<b>0.54</b>	<6.6	<0.75	<15	<b>0.67</b>
Ethylbenzene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
Methylene Chloride	<2	<3	<23	<0.5	<6.6	<0.75	<15	<0.5
Styrene	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
Tetrachloroethene	<b>150</b>	<b>170</b>	<b>1200</b>	<b>36</b>	<b>460</b>	<b>42</b>	<b>260</b>	<b>4.5</b>
Toluene	<0.8	<1.2	<9.1	<b>2</b>	<2.6	<b>1.8</b>	<6	<b>0.38</b>
Trichloroethene	<b>13</b>	<b>11</b>	<b>140</b>	<b>3.9</b>	<b>74</b>	<b>4.7</b>	<b>36</b>	<b>0.82</b>
Trichlorofluoromethane	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2
Vinyl chloride	<0.8	<b>4.3</b>	<b>12</b>	<b>5.9</b>	<b>3.1</b>	<b>4.2</b>	<6	<b>4.5</b>
Xylene (total)	<0.8	<1.2	<9.1	<b>0.37</b>	<2.6	<0.3	<b>6.9</b>	<0.2
Xylene, o-	<0.8	<1.2	<9.1	<0.2	<2.6	<0.3	<6	<0.2

Only detected constituents are noted. Constituent concentrations are reported as ppbv.

Between March 9 and October 16, 2012, the system operated with the dilution air valve 50 percent open to maintain system operation within maximum range of blower vacuum. On October 16, 2012, the blower was replaced and modified to allow more efficient system performance and operation with the dilution air valve fully closed.

System flow and vacuum variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

Influent sampling began on 3/16/12 to evaluate the effectiveness of carbon treatment.

System sampling occurred daily for the first three days of startup, weekly for the next three weeks, and monthly thereafter.

< Constituent not detected above noted laboratory detection limit.

-- Not monitored or sampled.

B Compound was found in the blank and sample.

**Bold** Constituent detected above laboratory detection limit.

J Constituent concentration is an approximate value.

ppbv Parts per billion by volume.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			VOCs (ppm)
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	
SVE-1	03/09/12	-6.5	-88.4	20	109.7 <sup>1</sup>
SVE-1	03/09/12	-5.5	-74.8	30	47.4 <sup>2</sup>
SVE-1	03/10/12	-6	-81.6	30	27.3
SVE-1	03/11/12	-6	-81.6	30	25.1
SVE-1	03/16/12	-5.5	-74.8	20	15.9
SVE-1	03/23/12	-6	-81.6	25	--
SVE-1	03/23/12	-6	-81.6	25	13.5
SVE-1	03/29/12 <sup>3</sup>	-3	-40.8	20	--
SVE-1	03/29/12 <sup>4</sup>	-4	-54.4	30	--
SVE-1	03/30/12	-5	-68.0	25	14.8
SVE-1	04/11/12	-5	-68.0	25	14.1
SVE-1	04/16/12	-5	-68.0	25	--
SVE-1	04/23/12	-5	-68.0	100	--
SVE-1	04/30/12	-5	-68.0	30	--
SVE-1	05/07/12	-5	-68.0	10	--
SVE-1	05/09/12	-5	-68.0	30	4.3
SVE-1	05/14/12	-5	-68.0	30	--
SVE-1	05/21/12	-5	-68.0	10	--
SVE-1	05/30/12	-4	-54.4	20	--
SVE-1	06/04/12	-5	-68.0	30	--
SVE-1	06/11/12	-5	-68.0	30	--
SVE-1	06/12/12	-4.5	-61.2	28	6
SVE-1	06/14/12	-3.5	-47.6	22	--
SVE-1	06/18/12	-2	-27.2	20	--
SVE-1	06/25/12	-2	-27.2	10	--
SVE-1	07/02/12	-2	-27.2	20	--
SVE-1	07/09/12	-2	-27.2	20	--
SVE-1	07/10/12	-2	-27.2	18	12.6
SVE-1	07/16/12	-2	-27.2	20	--
SVE-1	07/23/12	-2	-27.2	20	--
SVE-1	07/30/12	-2	-27.2	20	--
SVE-1	08/06/12	-2	-27.2	20	--
SVE-1	08/14/12	-2	-27.2	19	34.69
SVE-1	08/20/12	-2	-27.2	20	--
SVE-1	08/27/12	-2	-27.2	20	--
SVE-1	09/04/12	-1	-13.6	20	--
SVE-1	09/10/12	-2	-27.2	20	--
SVE-1	09/12/12	-2	-27.2	12	1.02
SVE-1	09/17/12	-2	-27.2	20	--
SVE-1	09/24/12	-2	-27.2	20	--
SVE-1	10/01/12	-2	-27.2	20	--
SVE-1	10/08/12	-2	-27.2	20	--
SVE-1	10/16/12	-3.75	-51.0	30	0
SVE-1	10/22/12	-4	-54.4	30	--
SVE-1	10/29/12	-4	-54.4	30	--
SVE-1	11/05/12	-4	-54.4	30	--
SVE-1	11/12/12	-4	-54.4	25	--
SVE-1	11/14/12	-4	-54.4	30	0

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			VOCs (ppm)
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	
SVE-1	11/19/12	-4	-54.4	20	--
SVE-1	11/26/12	-4	-54.4	20	--
SVE-1	12/03/12	-4	-54.4	40	--
SVE-1	12/10/12	-4	-54.4	20	--
SVE-1	12/14/12	-3.5	-47.6	40	--
SVE-1	12/17/12	-3.5	-47.6	40	--
SVE-1	12/18/12	-3.5	-47.6	35	0.2
SVE-1	01/02/13	--	--	60	--
SVE-1	01/07/13	--	--	--	--
SVE-1	01/16/13	-10	-136.0	0	NM
SVE-1	01/21/13	-6.5	-88.4	30	--
SVE-1	01/28/13	-5.5	-74.8	40	--
SVE-1	02/04/13	-2.5	-34.0	50	--
SVE-1	02/11/13	-3	-40.8	20	--
SVE-1	02/15/13	-5	-68.0	--	9.7
SVE-1	02/18/13	-8.5	-115.6	20	--
SVE-1	02/22/13	-6	-81.6	20	--
SVE-1	02/24/13	-5	-68.0	20	--
SVE-1	03/04/13	-7	-95.2	15	--
SVE-2	03/09/12	-3	-40.8	40	105.8 <sup>1</sup>
SVE-2	03/09/12	-4	-54.4	60	11.5 <sup>2</sup>
SVE-2	03/10/12	-3.5	-47.6	55	10.3
SVE-2	03/11/12	-3.5	-47.6	50	8.2
SVE-2	03/16/12	-3.5	-47.6	50	5.3
SVE-2	03/23/12	-3.25	-44.2	40	--
SVE-2	03/23/12	-3.25	-44.2	40	6.1
SVE-2	03/29/12 <sup>3</sup>	-1.5	-20.4	25	--
SVE-2	03/29/12 <sup>4</sup>	-2.5	-34.0	37	--
SVE-2	03/30/12	-3	-40.8	40	6.9
SVE-2	04/11/12	-2.5	-34.0	35	6.3
SVE-2	04/16/12	-2.5	-34.0	40	--
SVE-2	04/23/12	-2.5	-34.0	120	--
SVE-2	04/30/12	-3	-40.8	40	--
SVE-2	05/07/12	-2.5	-34.0	30	--
SVE-2	05/09/12	-3	-40.8	35	2.6
SVE-2	05/14/12	-3	-40.8	50	--
SVE-2	05/21/12	-2.5	-34.0	45	--
SVE-2	05/30/12	-2.5	-34.0	40	--
SVE-2	06/04/12	-3	-40.8	45	--
SVE-2	06/11/12	-2.5	-34.0	45	--
SVE-2	06/12/12	-2.5	-34.0	40	6.6
SVE-2	06/14/12	-3.5	-47.6	25	--
SVE-2	06/18/12	-1	-13.6	20	--
SVE-2	06/25/12	-1	-13.6	20	--
SVE-2	07/02/12	<-1 <sup>5</sup>	NM	20	--
SVE-2	07/09/12	-1	-13.6	20	--

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-2	07/10/12	-1	-13.6	20	8.8
SVE-2	07/16/12	<-1 <sup>5</sup>	NM	10	--
SVE-2	07/23/12	<-1 <sup>5</sup>	NM	20	--
SVE-2	07/30/12	-1	-13.6	10	--
SVE-2	08/06/12	<-1 <sup>5</sup>	NM	20	--
SVE-2	08/14/12	--	-8.4	19	32.36
SVE-2	08/20/12	--	-8.0	20	--
SVE-2	08/27/12	--	-7.0	20	--
SVE-2	09/04/12	--	-6.0	20	--
SVE-2	09/10/12	--	-6.0	20	--
SVE-2	09/12/12	--	-6.5	20	22.26
SVE-2	09/17/12	--	-5.5	20	--
SVE-2	09/24/12	--	-9.0	20	--
SVE-2	10/01/12	--	-8.0	20	--
SVE-2	10/08/12	--	-9.0	20	--
SVE-2	10/16/12	--	>-15.0 <sup>7</sup>	50	1.6
SVE-2	10/22/12	<-2 <sup>5</sup>	NM	50	--
SVE-2	10/29/12	<-2 <sup>5</sup>	NM	50	--
SVE-2	11/05/12	<-2 <sup>5</sup>	NM	50	--
SVE-2	11/12/12	<-2 <sup>5</sup>	NM	45	--
SVE-2	11/14/12	<-2 <sup>5</sup>	NM	55	1.2
SVE-2	11/19/12	<-1 <sup>5</sup>	NM	60	--
SVE-2	11/26/12	<-1 <sup>5</sup>	NM	50	--
SVE-2	12/03/12	<-1 <sup>5</sup>	NM	50	--
SVE-2	12/10/12	<-2 <sup>5</sup>	NM	60	--
SVE-2	12/14/12	<-2 <sup>5</sup>	NM	50	--
SVE-2	12/17/12	<-2 <sup>5</sup>	NM	50	--
SVE-2	12/18/12	<-2 <sup>5</sup>	NM	50	2.7
SVE-2	01/02/13	--	--	60	--
SVE-2	01/07/13	<-2 <sup>5</sup>	NM	55	--
SVE-2	01/16/13	<-2 <sup>5</sup>	NM	60	0.3
SVE-2	01/21/13	-6	-81.6	20	--
SVE-2	01/28/13	-7	-95.2	20	--
SVE-2	02/04/13	-2.5	-34.0	50	--
SVE-2	02/11/13	<-2 <sup>5</sup>	NM	15	--
SVE-2	02/15/13	-2	-27.2	40	12
SVE-2	02/18/13	-2	-27.2	35	--
SVE-2	02/22/13	-4	-54.4	35	--
SVE-2	02/24/13 <sup>8</sup>	-3	-40.8	70	--
SVE-2	03/04/13	-2.5	-34.0	30	--
SVE-3	03/09/12	-2.25	-30.6	60	85.3 <sup>1</sup>
SVE-3	03/09/12	-3	-40.8	85	5.92 <sup>2</sup>
SVE-3	03/10/12	-2.5	-34.0	80	6.1
SVE-3	03/11/12	-2.5	-34.0	75	4.5
SVE-3	03/16/12	-2.5	-34.0	60	1.6

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			VOCs (ppm)
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	
SVE-3	03/23/12	-3	-40.8	60	--
SVE-3	03/23/12	-3	-40.8	60	4.4
SVE-3	03/29/12 <sup>3</sup>	-2	-27.2	30	--
SVE-3	03/29/12 <sup>4</sup>	-2.5	-34.0	50	--
SVE-3	03/30/12	-4	-54.4	50	6.1
SVE-3	04/11/12	-3	-40.8	50	4.9
SVE-3	04/16/12	-2.5	-34.0	50	--
SVE-3	04/23/12	-2.5	-34.0	140	--
SVE-3	04/30/12	-2.6	-35.3	50	--
SVE-3	05/07/12	-3	-40.8	50	--
SVE-3	05/09/12	-3	-40.8	40	5.9
SVE-3	05/14/12	-3	-40.8	50	--
SVE-3	05/21/12	-3	-40.8	50	--
SVE-3	05/30/12	-3.5	-47.6	50	--
SVE-3	06/04/12	-3	-40.8	50	--
SVE-3	06/11/12	-2.5	-34.0	50	--
SVE-3	06/12/12	-2.25	-30.6	50	9.3
SVE-3	06/14/12	-2	-27.2	40	--
SVE-3	06/18/12	-1	-13.6	20	--
SVE-3	06/25/12	-1	-13.6	25	--
SVE-3	07/02/12	-1	-13.6	20	--
SVE-3	07/09/12	-1	-13.6	20	--
SVE-3	07/10/12	-1	-13.6	21	7.6
SVE-3	07/16/12	-1	-13.6	20	--
SVE-3	07/23/12	<-1 <sup>5</sup>	NM	20	--
SVE-3	07/30/12	-1	-13.6	20	--
SVE-3	08/06/12	<-1 <sup>5</sup>	NM	25	--
SVE-3	08/14/12	--	-9.8	21	33.73
SVE-3	08/20/12	--	-10.5	30	--
SVE-3	08/27/12	--	-9.0	20	--
SVE-3	09/04/12	--	-8.0	20	--
SVE-3	09/10/12	--	-9.0	20	--
SVE-3	09/12/12	--	-7.0	20	0.88
SVE-3	09/17/12	--	-6.5	20	--
SVE-3	09/24/12	--	-15.0	20	--
SVE-3	10/01/12	--	-7.0	20	--
SVE-3	10/08/12	--	>-15.0 <sup>7</sup>	20	--
SVE-3	10/16/12	--	>-15.0 <sup>7</sup>	55	0.2
SVE-3	10/22/12	<-2 <sup>5</sup>	NM	50	--
SVE-3	10/29/12	<-2 <sup>5</sup>	NM	55	--
SVE-3	11/05/12	<-2 <sup>5</sup>	NM	50	--
SVE-3	11/12/12	<-2 <sup>5</sup>	NM	50	--
SVE-3	11/14/12	<-2 <sup>5</sup>	NM	50	0.5
SVE-3	11/19/12	<-2 <sup>5</sup>	NM	50	--
SVE-3	11/26/12	<-2 <sup>5</sup>	NM	50	--

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-3	12/03/12	<-2 <sup>5</sup>	NM	40	--
SVE-3	12/10/12	<-2 <sup>5</sup>	NM	50	--
SVE-3	12/14/12	<-2 <sup>5</sup>	NM	40	--
SVE-3	12/17/12	<-2 <sup>5</sup>	NM	45	--
SVE-3	12/18/12	<-2 <sup>5</sup>	NM	40	2.8
SVE-3	01/02/13	--	--	70	--
SVE-3	01/07/13	<-2 <sup>5</sup>	NM	60	--
SVE-3	01/16/13	-4	-54.4	40	0
SVE-3	01/21/13	-6	-81.6	30	--
SVE-3	01/28/13	-11	-149.5	10	--
SVE-3	02/04/13	-10	-136.0	10	--
SVE-3	02/11/13	-3	-40.8	20	--
SVE-3	02/15/13	-3	-40.8	30	15.6
SVE-3	02/18/13	-2.5	-34.0	30	--
SVE-3	02/22/13	-4	-54.4	30	--
SVE-3	02/24/13 <sup>8</sup>	-5	-68.0	50	--
SVE-3	03/04/13	-3	-40.8	35	--
SVE-4	03/09/12	-6.5	-88.4	32.5	105.1 <sup>1</sup>
SVE-4	03/09/12	-6.5	-88.4	32	5.1 <sup>2</sup>
SVE-4	03/10/12	-6.5	-88.4	30	2.1
SVE-4	03/11/12	-6.5	-88.4	28	5.2
SVE-4	03/16/12	-7	-95.2	28	3.1
SVE-4	03/23/12	-8	-108.8	27	--
SVE-4	03/23/12	-7	-95.2	27	9.7
SVE-4	03/29/12 <sup>3</sup>	-3.5	-47.6	25	--
SVE-4	03/29/12 <sup>4</sup>	-4.5	-61.2	30	--
SVE-4	03/30/12	-7	-95.2	25	10.3
SVE-4	04/11/12	-4	-54.4	20	10
SVE-4	04/16/12	-7.5	-102.0	17	--
SVE-4	04/23/12	-7.5	-102.0	20	--
SVE-4	04/30/12	-7.6	-103.3	27	--
SVE-4	05/07/12	-7	-95.2	18	--
SVE-4	05/09/12	-7	-95.2	18	9.4
SVE-4	05/14/12	-7	-95.2	20	--
SVE-4	05/21/12	-7	-95.2	30	--
SVE-4	05/30/12	-7	-95.2	33	--
SVE-4	06/04/12	-7	-95.2	30	--
SVE-4	06/11/12	-7	-95.2	30	--
SVE-4	06/12/12	-7	-95.2	23	8.3
SVE-4	06/14/12	-5.75	-78.2	23	--
SVE-4	06/18/12	-4	-54.4	17	--
SVE-4	06/25/12	-4	-54.4	18	--
SVE-4	07/02/12	-4	-54.4	18	--
SVE-4	07/09/12	-4	-54.4	20	--
SVE-4	07/10/12	-4.2	-57.1	22	9.8

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-4	07/16/12	-5	-68.0	20	--
SVE-4	07/23/12	-4	-54.4	18	--
SVE-4	07/30/12	-4	-54.4	18	--
SVE-4	08/06/12	-4	-54.4	18	--
SVE-4	08/14/12	-4.2	-57.1	27	32.28 <sup>6</sup>
SVE-4	08/20/12	-4	-54.4	18	--
SVE-4	08/27/12	-4	-54.4	18	--
SVE-4	09/04/12	-4	-54.4	20	--
SVE-4	09/10/12	-4	-54.4	20	--
SVE-4	09/12/12	-4	-54.4	17	1.58
SVE-4	09/17/12	-4	-54.4	20	--
SVE-4	09/24/12	-3.5	-47.6	15	--
SVE-4	10/01/12	-4	-54.4	15	--
SVE-4	10/08/12	-3	-40.8	20	--
SVE-4	10/16/12	-5	-68.0	27	1.4
SVE-4	10/22/12	-5	-68.0	25	--
SVE-4	10/29/12	-5	-68.0	25	--
SVE-4	11/05/12	-6	-81.6	25	--
SVE-4	11/12/12	-5.5	-74.8	25	--
SVE-4	11/14/12	-6	-81.6	22	0
SVE-4	11/19/12	-6	-81.6	22	--
SVE-4	11/26/12	-6	-81.6	25	--
SVE-4	12/03/12	-6	-81.6	22	--
SVE-4	12/10/12	-7	-95.2	22	--
SVE-4	12/14/12	-6	-81.6	25	--
SVE-4	12/17/12	-6	-81.6	25	--
SVE-4	12/18/12	-6	-81.6	24	5
SVE-4	01/02/13	--	--	25	--
SVE-4	01/07/13	-4	-54.4	15	--
SVE-4	01/16/13	-7.5	-102.0	20	0.3
SVE-4	01/21/13	-6	-81.6	17	--
SVE-4	01/28/13	-11	-149.5	8	--
SVE-4	02/04/13	-10	-136.0	0	--
SVE-4	02/11/13	-7	-95.2	0	--
SVE-4	02/15/13	-5	-68.0	16	11.2
SVE-4	02/18/13	-7	-95.2	15	--
SVE-4	02/22/13	-7	-95.2	15	--
SVE-4	02/24/13	-7	-95.2	0	--
SVE-4	03/04/13	-7	-95.2	20	--
SVE-5	03/09/12	-6.5	-88.4	35	47.2 <sup>1</sup>
SVE-5	03/09/12	-6.5	-88.4	34	15.0 <sup>2</sup>
SVE-5	03/10/12	-6.5	-88.4	33	10.8
SVE-5	03/11/12	-6.5	-88.4	32	3.6
SVE-5	03/16/12	-6	-81.6	34	2.9

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-5	03/23/12	-7	-95.2	32	--
SVE-5	03/23/12	-6	-81.6	32	3
SVE-5	03/29/12 <sup>3</sup>	-4.5	-61.2	30	--
SVE-5	03/29/12 <sup>4</sup>	-5.5	-74.8	37	--
SVE-5	03/30/12	-7	-95.2	35	2.8
SVE-5	04/11/12	-6	-81.6	27	3.3
SVE-5	04/16/12	-6	-81.6	27	--
SVE-5	04/23/12	-6	-81.6	25	--
SVE-5	04/30/12	-7	-95.2	38	--
SVE-5	05/07/12	-6	-81.6	26	--
SVE-5	05/09/12	-6	-81.6	27	1
SVE-5	05/14/12	-6	-81.6	27	--
SVE-5	05/21/12	-6	-81.6	28	--
SVE-5	05/30/12	-6	-81.6	38	--
SVE-5	06/04/12	-6	-81.6	35	--
SVE-5	06/11/12	-6	-81.6	35	--
SVE-5	06/12/12	-5.25	-71.4	30	3.6
SVE-5	06/14/12	-5	-68.0	29	--
SVE-5	06/18/12	-4	-54.4	22	--
SVE-5	06/25/12	-4	-54.4	22	--
SVE-5	07/02/12	-4	-54.4	22	--
SVE-5	07/09/12	-4	-54.4	22	--
SVE-5	07/10/12	-3.2	-43.5	30	5.3
SVE-5	07/16/12	-4	-54.4	25	--
SVE-5	07/23/12	-4	-54.4	20	--
SVE-5	07/30/12	-5	-68.0	15	--
SVE-5	08/06/12	-4	-54.4	20	--
SVE-5	08/14/12	-4	-54.4	29	28.95 <sup>6</sup>
SVE-5	08/20/12	-5	-68.0	20	--
SVE-5	08/27/12	-4	-54.4	23	--
SVE-5	09/04/12	-5	-68.0	25	--
SVE-5	09/10/12	-5	-68.0	23	--
SVE-5	09/12/12	-3.75	-51.0	23	1.33
SVE-5	09/17/12	-3	-40.8	25	--
SVE-5	09/24/12	-3	-40.8	25	--
SVE-5	10/01/12	-3	-40.8	25	--
SVE-5	10/08/12	-2	-27.2	25	--
SVE-5	10/16/12	-5.5	-74.8	27	0.6
SVE-5	10/22/12	-6	-81.6	25	--
SVE-5	10/29/12	-6	-81.6	25	--
SVE-5	11/05/12	-6	-81.6	25	--
SVE-5	11/12/12	-5.5	-74.8	22	--
SVE-5	11/14/12	-6	-81.6	20	0.2
SVE-5	11/19/12	-5	-68.0	25	--
SVE-5	11/26/12	-5	-68.0	27	--
SVE-5	12/03/12	-5	-68.0	27	--
SVE-5	12/10/12	-5	-68.0	25	--

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-5	12/14/12	-5.5	-74.8	28	--
SVE-5	12/17/12	-6	-81.6	25	--
SVE-5	12/18/12	-6	-81.6	28	0.8
SVE-5	01/02/13	--	--	25	--
SVE-5	01/07/13	-6	-81.6	30	--
SVE-5	01/16/13	-5	-68.0	24	0
SVE-5	01/21/13	-5	-68.0	18	--
SVE-5	01/28/13	-11	-149.5	NM	--
SVE-5	02/04/13	-1	-13.6	50	--
SVE-5	02/11/13	-5	-68.0	20	--
SVE-5	02/15/13	-4.5	-61.2	25	10.1
SVE-5	02/18/13	-6	-81.6	22	--
SVE-5	02/22/13	-5.5	-74.8	31	--
SVE-5	02/24/13	-5	-68.0	15	--
SVE-5	03/04/13	-5	-68.0	30	--
SVE-6	03/09/12	-8.5	-115.6	19	37.5 <sup>1</sup>
SVE-6	03/09/12	-8	-108.8	19	3.7 <sup>2</sup>
SVE-6	03/10/12	-8	-108.8	20	1.3
SVE-6	03/11/12	-8	-108.8	20	2.8
SVE-6	03/16/12	-7.5	-102.0	16	1.9
SVE-6	03/23/12	-9	-122.4	--	--
SVE-6	03/23/12	-9	-122.4	17	2.2
SVE-6	03/29/12 <sup>3</sup>	-6	-81.6	23	--
SVE-6	03/29/12 <sup>4</sup>	-7	-95.2	24	--
SVE-6	03/30/12	-9	-122.4	17	2
SVE-6	04/11/12	-7	-95.2	17	2.3
SVE-6	04/16/12	-8	-108.8	5	--
SVE-6	04/23/12	-7.5	-102.0	19	--
SVE-6	04/30/12	-9	-122.4	25	--
SVE-6	05/07/12	-6	-81.6	18	--
SVE-6	05/09/12	-6	-81.6	13	0.5
SVE-6	05/14/12	-7	-95.2	15	--
SVE-6	05/21/12	-7	-95.2	25	--
SVE-6	05/30/12	-7	-95.2	24	--
SVE-6	06/04/12	-7	-95.2	20	--
SVE-6	06/11/12	-7	-95.2	20	--
SVE-6	06/17/12	-5	-68.0	15	--
SVE-6	06/23/12	-6	-81.6	15	--
SVE-6	06/12/12	-6.75	-91.8	16	3.1
SVE-6	06/12/12	-6	-81.6	15	
SVE-6	06/12/12	-6	-81.6	16	
SVE-6	06/14/12	-6	-81.6	19	--
SVE-6	06/18/12	-5	-68.0	15	--
SVE-6	06/25/12	-5	-68.0	15	--
SVE-6	07/02/12	-5	-68.0	15	--

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			VOCs (ppm)
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	
SVE-6	07/09/12	-5	-68.0	15	--
SVE-6	07/10/12	-4.6	-62.6	21	3.9
SVE-6	07/16/12	-5	-68.0	15	--
SVE-6	07/23/12	-5	-68.0	15	--
SVE-6	07/30/12	-5	-68.0	13	--
SVE-6	08/06/12	-5	-68.0	12	--
SVE-6	08/14/12	-5	-68.0	18	24.71 <sup>6</sup>
SVE-6	08/20/12	-5	-68.0	12	--
SVE-6	08/27/12	-5	-68.0	8	--
SVE-6	09/04/12	-4	-54.4	12	--
SVE-6	09/10/12	-4	-54.4	12	--
SVE-6	09/12/12	-4.75	-64.6	10	0.79
SVE-6	09/17/12	-4	-54.4	12	--
SVE-6	09/24/12	-4	-54.4	22	--
SVE-6	10/01/12	-4	-54.4	25	--
SVE-6	10/08/12	-3	-40.8	20	--
SVE-6	10/16/12	-6	-81.6	20	0
SVE-6	10/22/12	-6	-81.6	20	--
SVE-6	10/29/12	-6	-81.6	20	--
SVE-6	11/05/12	-6	-81.6	20	--
SVE-6	11/12/12	-6	-81.6	20	--
SVE-6	11/14/12	-6	-81.6	18	0
SVE-6	11/19/12	-6	-81.6	17	--
SVE-6	11/26/12	-6	-81.6	25	--
SVE-6	12/03/12	-5	-68.0	25	--
SVE-6	12/10/12	-6	-81.6	17	--
SVE-6	12/14/12	-7	-95.2	22	--
SVE-6	12/17/12	-7	-95.2	20	--
SVE-6	12/18/12	-7	-95.2	19	0.3
SVE-6	01/02/13	--	--	20	--
SVE-6	01/07/13	-5	-68.0	22.5	--
SVE-6	01/16/13	-6.5	-88.4	25	0
SVE-6	01/21/13	-10	-136.0	10	--
SVE-6	01/28/13	-6	-81.6	30	--
SVE-6	02/04/13	-4	-54.4	0	--
SVE-6	02/11/13	-6	-81.6	15	--
SVE-6	02/15/13	-7.5	-102.0	23	8.7
SVE-6	02/18/13	-6	-81.6	15	--
SVE-6	02/22/13	-7	-95.2	26	--
SVE-6	02/24/13	-8	-108.8	10	--
SVE-6	03/04/13	-5	-68.0	18	--
SVE-7	03/09/12	-6	-81.6	40	96.2 <sup>1</sup>
SVE-7	03/09/12	-5.5	-74.8	30	11.8 <sup>2</sup>
SVE-7	03/10/12	-5.5	-74.8	30	10.5
SVE-7	03/11/12	-5.25	-71.4	30	7.3

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-7	03/16/12	-5.5	-74.8	30	3.6
SVE-7	03/23/12	-6	-81.6	35	--
SVE-7	03/23/12	-6	-81.6	35	3.4
SVE-7	03/29/12 <sup>3</sup>	-3.5	-47.6	20	--
SVE-7	03/29/12 <sup>4</sup>	-4	-54.4	30	--
SVE-7	03/30/12	-5	-68.0	30	3
SVE-7	04/11/12	-4	-54.4	25	7
SVE-7	04/16/12	-5	-68.0	25	--
SVE-7	04/23/12	-5	-68.0	120	--
SVE-7	04/30/12	-5	-68.0	30	--
SVE-7	05/07/12	-5	-68.0	25	--
SVE-7	05/09/12	-5	-68.0	30	0.6
SVE-7	05/14/12	-5	-68.0	30	--
SVE-7	05/21/12	-5	-68.0	40	--
SVE-7	05/30/12	-4	-54.4	30	--
SVE-7	06/04/12	-5	-68.0	40	--
SVE-7	06/11/12	-4	-54.4	40	--
SVE-7	06/12/12	-4.5	-61.2	35	4
SVE-7	06/14/12	-3.5	-47.6	25	--
SVE-7	06/18/12	-2.5	-34.0	20	--
SVE-7	06/25/12	-2	-27.2	15	--
SVE-7	07/02/12	-2	-27.2	20	--
SVE-7	07/09/12	-1	-13.6	20	--
SVE-7	07/10/12	-2.4	-32.4	16	4.9
SVE-7	07/16/12	-1	-13.6	10	--
SVE-7	07/23/12	-1	-13.6	20	--
SVE-7	07/30/12	-1	-13.6	20	--
SVE-7	08/06/12	-2	-27.2	20	--
SVE-7	08/14/12	-2.3	-31.3	20	25.27 <sup>6</sup>
SVE-7	08/20/12	-2	-27.2	20	--
SVE-7	08/27/12	-1	-13.6	20	--
SVE-7	09/04/12	-1	-13.6	20	--
SVE-7	09/10/12	-1	-13.6	20	--
SVE-7	09/12/12	-2	-27.2	12	1.12
SVE-7	09/17/12	-1	-13.6	20	--
SVE-7	09/24/12	-2	-27.2	20	--
SVE-7	10/01/12	-2	-27.2	20	--
SVE-7	10/08/12	-2	-27.2	20	--
SVE-7	10/16/12	-3.5	-47.6	40	0.7
SVE-7	10/22/12	-3.5	-47.6	30	--
SVE-7	10/29/12	-2	-27.2	45	--
SVE-7	11/05/12	-3	-40.8	40	--
SVE-7	11/12/12	-3	-40.8	40	--
SVE-7	11/14/12	-3.5	-47.6	30	0.3
SVE-7	11/19/12	-4	-54.4	30	--
SVE-7	11/26/12	-4	-54.4	35	--

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-7	12/03/12	-4	-54.4	30	--
SVE-7	12/10/12	-4	-54.4	30	--
SVE-7	12/14/12	-4	-54.4	30	--
SVE-7	12/17/12	-4	-54.4	30	--
SVE-7	12/18/12	-4	-54.4	30	0.5
SVE-7	01/02/13	--	--	50	--
SVE-7	01/07/13	-3	-40.8	40	--
SVE-7	01/16/13	-4.5	-61.2	30	0
SVE-7	01/21/13	-7	-95.2	15	--
SVE-7	01/28/13	-12	-163.1	10	--
SVE-7	02/04/13	-5	-68.0	30	--
SVE-7	02/11/13	-4	-54.4	10	--
SVE-7	02/15/13	-5	-68.0	NM	9.7
SVE-7	02/18/13	-5	-68.0	20	--
SVE-7	02/22/13	-4.5	-61.2	20	--
SVE-7	02/24/13 <sup>8</sup>	-5	-68.0	60	--
SVE-7	03/04/13	-3.5	-47.6	20	--
SVE-8	03/09/12	-7	-95.2	30	34.2 <sup>1</sup>
SVE-8	03/09/12	-7	-95.2	30	7.2 <sup>2</sup>
SVE-8	03/10/12	-7	-95.2	31	4.3
SVE-8	03/11/12	-6.5	-88.4	33	6.7
SVE-8	03/16/12	-6.5	-88.4	32	2.4
SVE-8	03/23/12	-7	-95.2	35	--
SVE-8	03/23/12	-7	-95.2	35	2.5
SVE-8	03/29/12 <sup>3</sup>	-5	-68.0	29	--
SVE-8	03/29/12 <sup>4</sup>	-5.5	-74.8	35	--
SVE-8	03/30/12	-6	-81.6	37	2.9
SVE-8	04/11/12	-6	-81.6	27	2
SVE-8	04/16/12	-6	-81.6	25	--
SVE-8	04/23/12	-6	-81.6	25	--
SVE-8	04/30/12	-6	-81.6	40	--
SVE-8	05/07/12	-6	-81.6	25	--
SVE-8	05/09/12	-6	-81.6	27	0.5
SVE-8	05/14/12	-6	-81.6	27	--
SVE-8	05/21/12	-6	-81.6	38	--
SVE-8	05/30/12	-6	-81.6	38	--
SVE-8	06/04/12	-7	-95.2	35	--
SVE-8	06/11/12	-6	-81.6	35	--
SVE-8	06/12/12	-5.5	-74.8	28	3.4
SVE-8	06/14/12	-5	-68.0	27	--
SVE-8	06/18/12	-3	-40.8	18	--
SVE-8	06/25/12	-4	-54.4	20	--
SVE-8	07/02/12	-4	-54.4	18	--
SVE-8	07/09/12	-4	-54.4	20	--
SVE-8	07/10/12	-3.9	-53.0	24	4.3

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			VOCs (ppm)
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	
SVE-8	07/16/12	-4	-54.4	22	--
SVE-8	07/23/12	-4	-54.4	20	--
SVE-8	07/30/12	-4	-54.4	20	--
SVE-8	08/06/12	-4	-54.4	18	--
SVE-8	08/14/12	-4	-54.4	27	23.24 <sup>6</sup>
SVE-8	08/20/12	-4	-54.4	25	--
SVE-8	08/27/12	-4	-54.4	22	--
SVE-8	09/04/12	-4	-54.4	22	--
SVE-8	09/10/12	-4	-54.4	25	--
SVE-8	09/12/12	-4	-54.4	21	1.95
SVE-8	09/17/12	-4	-54.4	22	--
SVE-8	09/24/12	-3	-40.8	22	--
SVE-8	10/01/12	-3	-40.8	25	--
SVE-8	10/08/12	-3	-40.8	22	--
SVE-8	10/16/12	-5	-68.0	40	0
SVE-8	10/22/12	-5	-68.0	30	--
SVE-8	10/29/12	-5	-68.0	32	--
SVE-8	11/05/12	-5	-68.0	30	--
SVE-8	11/12/12	-5	-68.0	30	--
SVE-8	11/14/12	-5	-68.0	30	0
SVE-8	11/19/12	-5	-68.0	30	--
SVE-8	11/26/12	-5	-68.0	32	--
SVE-8	12/03/12	-5	-68.0	30	--
SVE-8	12/10/12	-5	-68.0	30	--
SVE-8	12/14/12	-5.5	-74.8	30	--
SVE-8	12/17/12	-5.5	-74.8	30	--
SVE-8	12/18/12	-5	-68.0	30	0.9
SVE-8	01/02/13	--	--	22	--
SVE-8	01/07/13	-9	-122.4	~8	--
SVE-8	01/16/13	-3	-40.8	18	0
SVE-8	01/21/13	-9.5	-129.2	18	--
SVE-8	01/28/13	-10	-136.0	10	--
SVE-8	02/04/13	-10	-136.0	0	--
SVE-8	02/11/13	-6	-81.6	0	--
SVE-8	02/15/13	-8	-108.8	10	6.8
SVE-8	02/18/13	-7	-95.2	10	--
SVE-8	02/22/13	-1.5	-20.4	17	--
SVE-8	02/24/13	-9	-122.4	0	--
SVE-8	03/04/13	-7	-95.2	15	--
SVE-9	03/09/12	-9.5	-129.2	13	196.1 <sup>1</sup>
SVE-9	03/09/12	-9	-122.4	15	172.1 <sup>2</sup>
SVE-9	03/10/12	-9	-122.4	15	144.5
SVE-9	03/11/12	-9	-122.4	15	131.2
SVE-9	03/16/12	-9	-122.4	15	26.3
SVE-9	03/23/12	-9.5	-129.2	17	--
SVE-9	03/23/12	-10	-136.0	17	29.7

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-9	03/29/12 <sup>3</sup>	-7	-95.2	13	--
SVE-9	03/29/12 <sup>4</sup>	-8.5	-115.6	17	--
SVE-9	03/30/12	-9	-122.4	17	30.6
SVE-9	04/11/12	-8.5	-115.6	13	5
SVE-9	04/16/12	-9	-122.4	7	--
SVE-9	04/23/12	-9	-122.4	4	--
SVE-9	04/30/12	-9	-122.4	22	--
SVE-9	05/07/12	-9	-122.4	8	--
SVE-9	05/09/12	-8	-108.8	13	4.3
SVE-9	05/14/12	-8	-108.8	10	--
SVE-9	05/21/12	-8	-108.8	25	--
SVE-9	05/30/12	-8	-108.8	25	--
SVE-9	06/04/12	-8	-108.8	22	--
SVE-9	06/11/12	-8	-108.8	22	--
SVE-9	06/12/12	-8	-108.8	18	6.9
SVE-9	06/14/12	-7.25	-98.6	17	--
SVE-9	06/18/12	-6	-81.6	12	--
SVE-9	06/25/12	-6	-81.6	14	--
SVE-9	07/02/12	-6	-81.6	12	--
SVE-9	07/09/12	-6	-81.6	15	--
SVE-9	07/10/12	-5.5	-74.8	17	12
SVE-9	07/16/12	-6	-81.6	15	--
SVE-9	07/23/12	-6	-81.6	15	--
SVE-9	07/30/12	-6	-81.6	13	--
SVE-9	08/06/12	-6	-81.6	12	--
SVE-9	08/14/12	-5.7	-77.5	20	28.9 <sup>6</sup>
SVE-9	08/20/12	-6	-81.6	15	--
SVE-9	08/27/12	-5	-68.0	15	--
SVE-9	09/04/12	-5	-68.0	15	--
SVE-9	09/10/12	-5	-68.0	15	--
SVE-9	09/12/12	-5.5	-74.8	14	1.76
SVE-9	09/17/12	-5	-68.0	12	--
SVE-9	09/24/12	-5	-68.0	12	--
SVE-9	10/01/12	-5	-68.0	12	--
SVE-9	10/08/12	-5	-68.0	12	--
SVE-9	10/16/12	-7	-95.2	20	0.2
SVE-9	10/22/12	-7	-95.2	15	--
SVE-9	10/29/12	-7	-95.2	20	--
SVE-9	11/05/12	-7	-95.2	20	--
SVE-9	11/12/12	-7	-95.2	20	--
SVE-9	11/14/12	-7	-95.2	17	0.6
SVE-9	11/19/12	-7	-95.2	17	--
SVE-9	11/26/12	-7	-95.2	17	--
SVE-9	12/03/12	-7	-95.2	15	--
SVE-9	12/10/12	-7	-95.2	17	--
SVE-9	12/14/12	-8	-108.8	18	--
SVE-9	12/17/12	-7	-95.2	20	--

Footnotes on Page 14.

**Table 2. Extraction Well Manifold Monitoring Data, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Well ID	Date	System Manifold			
		Vacuum (in Hg)	Vacuum (in H <sub>2</sub> O)	Flow Rate (cfm)	VOCs (ppm)
SVE-9	12/18/12	-8	-108.8	17	2.7
SVE-9	01/02/13	--	--	10	--
SVE-9	01/07/13	-11	-149.5	0	--
SVE-9	01/16/13	-10	-136.0	8	0
SVE-9	01/21/13	-10.5	-142.7	NM	--
SVE-9	01/28/13	-5	-68.0	NM	--
SVE-9	02/04/13	-12	-163.1	0	--
SVE-9	02/11/13	-7	-95.2	0	--
SVE-9	02/15/13	-7	-95.2	17	11.7
SVE-9	02/18/13	-6	-81.6	NM	--
SVE-9	02/22/13	-8.5	-115.6	9	--
SVE-9	02/24/13	-10	-136.0	10	--
SVE-9	03/04/13	-8	-108.8	10	--

Start system at 1:15 pm on March 9, 2012.

Vacuum measured with inline vacuum gauge in units of in Hg. Vacuum converted to in H<sub>2</sub>O for comparison.

Extraction well flow rate measured with inline air flow meter.

VOCs measured with a PID (calibrated to 100 ppm isobutylene).

System flow and vacuum variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

- 1 Vacuum measured at well head at 12:55 pm.
- 2 Vacuum measured at well head at 5:30 pm.
- 3 System restarted with make-up air valve open 100 percent to reduce backpressure on blower.
- 4 Make-up air valve closed to 50 percent open to continue operation of system consistent with previous settings.
- 5 Vacuum measured at well head indicates influence is still being achieved at this well.
- 6 PID results were analyzed from tedlar bag approximately four hours after collection due to instrument malfunction.
- 7 Gauge reading above calibrated range.
- 8 Influent flow inconsistent with previous readings.
- <-1 or <-2 Vacuum reading below minimum gauge reading of 1 or 2 inches of mercury, respectively.
- Not monitored.
- cfm Cubic feet per minute.
- in Hg Inches of mercury.
- in H<sub>2</sub>O Inches of water column.
- NM Not measurable.
- PID Photoionization detector.
- ppm Parts per million.

**Table 3. Estimate of Post-Carbon Emissions, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Date	Total VOC Concentration <sup>1</sup>	System Flow Rate	Emission Rate <sup>2</sup>
	µg/m <sup>3</sup>	cfm	lb/hr
3/9/2012 <sup>3</sup>	16.03	450	--
3/10/2012	43.89	450	7.39E-05
3/11/2012	47.07	450	7.93E-05
3/16/2012	154.42	450	2.60E-04
3/23/2012	418.29	450	7.05E-04
3/30/2012 <sup>4</sup>	887.68	450	1.50E-03
4/11/2012	101.77	450	1.71E-04
5/9/2012	1,250.95	450	2.11E-03
6/12/2012	775.20	450	1.31E-03
7/10/2012	400.50	450	6.75E-04
8/14/2012	598.85	450	1.01E-03
9/16/2012	516.30	450	8.70E-04
10/16/2012 <sup>5,7</sup>	496.55	450	8.36E-04
11/14/2012 <sup>6,7</sup>	1,455.85	275	1.50E-03
12/18/2012 <sup>7</sup>	425.55	275	4.38E-04
1/16/2013	445.88	275	4.59E-04
2/15/2013	149.37	275	1.54E-04
<b>Average Emission Rate =</b>			<b>7.58E-04</b>
<b>NR 445 Emission Threshold =</b>			<b>5.7</b>
<b>lb/hr</b>			<b>lb/hr</b>

<sup>1</sup> Total VOC concentration was based on the sum of all detected analyte concentrations in post-carbon effluent samples for dates shown. When compounds are not detected above the laboratory reporting limit, emissions are calculated using 1/2 the reporting limit.

<sup>2</sup> Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ µg})$$

<sup>3</sup> Phase I SVE system began operation on 3/9/12.

<sup>4</sup> System was shut down between 3/24/12 and 3/29/12.

<sup>5</sup> System was shut down between 10/13/12 and 10/16/12.

<sup>6</sup> System was shut down between 11/13/12 and 11/14/12.

<sup>7</sup> System flow rate optimized 10/16/12 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

cfm Cubic feet per minute.

lb/hr Pounds per hour.

µg/m<sup>3</sup> Micrograms per cubic meter.

VOC Volatile organic compound.

**Table 4. Estimate of Post-Carbon Emissions of cis-1,2-Dichloroethene, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Date	Total cis-1,2-DCE Concentration <sup>1</sup>	System Flow Rate	Emission Rate <sup>2</sup>	Percent of NR 445 Emission Threshold <sup>5</sup>
	µg/m <sup>3</sup>	cfm	lb/hr	%
3/9/2012 <sup>3</sup>	0.14	450	--	--
3/10/2012	0.28	450	4.72E-07	2.84E-07
3/11/2012	0.28	450	4.72E-07	2.84E-07
3/16/2012	2.0	450	3.37E-06	2.03E-06
3/23/2012	57	450	9.60E-05	5.78E-05
3/30/2012 <sup>4</sup>	69	450	1.16E-04	7.00E-05
4/11/2012	75	450	1.26E-04	7.61E-05
5/9/2012	930	450	1.57E-03	9.44E-04
6/12/2012	720	450	1.21E-03	7.31E-04
7/10/2012	260	450	4.38E-04	2.64E-04
8/14/2012	460	450	7.75E-04	4.67E-04
9/16/2012	420	450	7.07E-04	4.26E-04
10/16/2012 <sup>6,8</sup>	170	450	2.86E-04	1.72E-04
11/14/2012 <sup>7,8</sup>	130	275	1.34E-04	8.06E-05
12/18/2012 <sup>8</sup>	130	275	1.34E-04	8.06E-05
1/16/2013	110	275	1.13E-04	6.82E-05
2/15/2013	90	275	9.26E-05	5.58E-05

Average Emission Rate = **3.63E-04** lb/hr

NR 445 Emission Threshold = **166** lb/hr

<sup>1</sup> VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

<sup>2</sup> Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ µg})$$

<sup>3</sup> Phase I SVE system began operation on 3/9/12.

<sup>4</sup> System was shut down between 3/24/12 and 3/29/12.

<sup>5</sup> Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

<sup>6</sup> System was shut down between 10/13/12 and 10/16/12.

<sup>7</sup> System was shut down between 11/13/12 and 11/14/12.

<sup>8</sup> System flow rate optimized 10/16/12 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

lb/hr Pounds per hour.

µg/m<sup>3</sup> Micrograms per cubic meter.

cis-1,2-DCE cis-1,2-Dichloroethene

**Table 5. Estimate of Post-Carbon Emissions of Tetrachloroethene, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Date	Total PCE Concentration <sup>1</sup>	System Flow Rate	Emission Rate <sup>2</sup>	Percent of NR 445 Emission Threshold <sup>5</sup>
	µg/m <sup>3</sup>	cfm	lb/hr	%
3/9/2012 <sup>3</sup>	0.19	450	--	--
3/10/2012	0.38	450	6.32E-07	1.78E-06
3/11/2012	0.38	450	6.32E-07	1.78E-06
3/16/2012	93	450	1.57E-04	4.42E-04
3/23/2012	260	450	4.38E-04	1.24E-03
3/30/2012 <sup>4</sup>	660	450	1.11E-03	3.14E-03
4/11/2012	1.1	450	1.85E-06	5.23E-06
5/9/2012	240	450	4.04E-04	1.14E-03
6/12/2012	9.4	450	1.58E-05	4.47E-05
7/10/2012	2.7	450	4.55E-06	1.28E-05
8/14/2012	6.8	450	1.15E-05	3.24E-05
9/16/2012	13	450	2.19E-05	6.19E-05
10/16/2012 <sup>6,8</sup>	280	450	4.72E-04	1.33E-03
11/14/2012 <sup>7,8</sup>	1200	275	1.24E-03	3.49E-03
12/18/2012 <sup>8</sup>	240	275	2.47E-04	6.98E-04
1/16/2013	280	275	2.88E-04	8.14E-04
2/15/2013	30	275	3.09E-05	8.72E-05
<b>Average Emission Rate =</b>			<b>2.78E-04</b>	<b>lb/hr</b>
<b>NR 445 Emission Threshold =</b>			<b>35.4</b>	<b>lb/hr</b>

<sup>1</sup> VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

<sup>2</sup> Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ µg})$$

<sup>3</sup> Phase I SVE system began operation on 3/9/12.

<sup>4</sup> System was shut down between 3/24/12 and 3/29/12.

<sup>5</sup> Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

<sup>6</sup> System was shut down between 10/13/12 and 10/16/12.

<sup>7</sup> System was shut down between 11/13/12 and 11/14/12.

<sup>8</sup> System flow rate optimized 10/16/12 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

lb/hr Pounds per hour.

µg/m<sup>3</sup> Micrograms per cubic meter.

PCE Tetrachloroethene.

**Table 6. Estimate of Post-Carbon Emissions of Trichloroethene, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Date	Total TCE Concentration <sup>1</sup> µg/m <sup>3</sup>	System Flow Rate <sup>8</sup> cfm	Emission Rate <sup>2</sup> lb/hr	Percent of NR 445 Emission Threshold <sup>5</sup> %
	µg/m <sup>3</sup>	cfm	lb/hr	%
3/9/2012 <sup>3</sup>	0.41	450	--	--
3/10/2012	0.80	450	1.35E-06	2.40E-06
3/11/2012	0.80	450	1.35E-06	2.40E-06
3/16/2012	1.1	450	1.85E-06	3.30E-06
3/23/2012	6.5	450	1.09E-05	1.95E-05
3/30/2012 <sup>4</sup>	24	450	4.04E-05	7.21E-05
4/11/2012	0.3	450	5.56E-07	9.91E-07
5/9/2012	16	450	2.69E-05	4.80E-05
6/12/2012	47	450	7.92E-05	1.41E-04
7/10/2012	19	450	3.20E-05	5.70E-05
8/14/2012	41	450	6.91E-05	1.23E-04
9/16/2012	43	450	7.24E-05	1.29E-04
10/16/2012 <sup>6,8</sup>	27	450	4.55E-04	8.11E-04
11/14/2012 <sup>7,8</sup>	59	275	6.07E-04	1.08E-03
12/18/2012 <sup>8</sup>	21	275	2.16E-04	3.85E-04
1/16/2013	25	275	2.57E-04	4.59E-04
2/15/2013	4	275	4.53E-05	8.07E-05
		Average Emission Rate =	1.20E-04	lb/hr
		NR 445 Emission Threshold =	56.1	lb/hr

<sup>1</sup> VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

<sup>2</sup> Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \text{ µg})$$

<sup>3</sup> Phase I SVE system began operation on 3/9/12.

<sup>4</sup> System was shut down between 3/24/12 and 3/29/12.

<sup>5</sup> Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

<sup>6</sup> System was shut down between 10/13/12 and 10/16/12.

<sup>7</sup> System was shut down between 11/13/12 and 11/14/12.

<sup>8</sup> System flow rate optimized 10/16/12 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

lb/hr Pounds per hour.

µg/m<sup>3</sup> Micrograms per cubic meter.

TCE Trichloroethene.

**Table 7. Estimate of Post-Carbon Emissions of Vinyl Chloride, Phase I SVE System, Madison-Kipp Corporation, Madison, Wisconsin.**

Date	Total VC Concentration <sup>1</sup>	System Flow Rate <sup>8</sup>	Emission Rate <sup>2</sup>	Emission Rate <sup>2</sup>	Percent of NR 445 Emission Threshold <sup>5</sup>
	µg/m <sup>3</sup>	cfm	lb/hr	lb/yr	%
3/9/2012 <sup>3</sup>	0.19	450	--	--	--
3/10/2012	27	450	4.55E-05	0.398	0.05
3/11/2012	34	450	5.73E-05	0.502	0.06
3/16/2012	45	450	7.58E-05	0.664	0.08
3/23/2012	84	450	1.41E-04	1.239	0.15
3/30/2012 <sup>4</sup>	79	450	1.33E-04	1.166	0.14
4/11/2012	19	450	3.20E-05	0.280	0.03
5/9/2012	7.7	450	1.30E-05	0.114	0.01
6/12/2012	3.5	450	5.89E-06	0.052	0.01
7/10/2012	6	450	1.01E-05	0.089	0.01
8/14/2012	4	450	6.74E-06	0.059	0.01
9/16/2012	5	450	7.58E-06	0.066	0.01
10/16/2012 <sup>6,8</sup>	2	450	3.20E-06	0.028	0.00
11/14/2012 <sup>7,8</sup>	11	275	1.13E-05	0.099	0.01
12/18/2012 <sup>8</sup>	15	275	1.54E-05	0.135	0.02
1/16/2013	11	275	1.13E-05	0.099	0.01
2/15/2013	12	275	1.24E-05	0.108	0.01

**Average Emission Rate =** -- **0.319** lb/yr

**NR 445 Emission Threshold =** -- **830** lb/yr

<sup>1</sup> VOC concentration was based on the detected analyte concentration in post-carbon effluent samples for dates shown. When compound was not detected above the laboratory reporting limit, emissions were calculated using 1/2 the reporting limit.

<sup>2</sup> Emission rates were determined using the following equation:

$$\text{Emission Rate} = \text{Conc.} * \text{Flow Rate} * 60 \text{ min/hr} * (1 \text{ m}^3/35.31 \text{ ft}^3) * (1 \text{ lb}/4.54 \times 10^8 \mu\text{g}) * 24 \text{ hr/day} * 365 \text{ days/yr}$$

<sup>3</sup> Phase I SVE system began operation on 3/9/12.

<sup>4</sup> System was shut down between 3/24/12 and 3/29/12.

<sup>5</sup> Post-carbon emissions presented as a percentage of the threshold level using the following equation:

$$\text{Percent of Threshold} = (\text{Emission rate} / \text{NR 445 Emission Threshold}) * 100$$

<sup>6</sup> System was shut down between 10/13/12 and 10/16/12.

<sup>7</sup> System was shut down between 11/13/12 and 11/14/12.

<sup>8</sup> System flow rate optimized 10/16/12 by closing make-up air valve.

System flow variable due to freezing conditions at the influent lines starting 1/7/2013. System flow balanced by opening make-up air valve.

lb/yr Pounds per year.

lb/hr Pounds per hour.

µg/m<sup>3</sup> Micrograms per cubic meter.

VC Vinyl Chloride.