

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	Preventive Action	Enforcement Standard	MW-1						
			14-24' 4/8/2010	14-24' 3/29/2011	14-24' 4/11/2012	14-24' 1/15/2013	14-24' 4/21/2013	14-24' 7/18/2013	14-24' 10/9/2013
Sample Interval (feet bbls)	Limit								
Sample Date									
VOCs (µg/L)									
1,1,1,2-Tetrachloroethane	7	70	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	0.5	5	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	0.7	7	1.1	0.95	0.94 J	0.84 J	<0.31	<0.31	0.62 J
1,2,4-Trimethylbenzene	96	480	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	0.005	0.05	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	60	600	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	0.5	5	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	96	480	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18
Benzene	0.5	5	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074
Bromoform	0.44	4.4	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28
Bromomethane	1	10	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	0.5	5	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26
Chloroform	0.6	6	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2
Chloromethane	3	30	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	7	70	51	58	38	41	23	25	27
Dichlorodifluoromethane	200	1,000	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	140	700	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	NE	NE	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	12	60	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	0.5	5	<1	<1	8.5	<0.68	<0.68	<0.68	<0.68
Naphthalene	10	100	<0.25	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	NE	NE	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	NE	NE	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	NE	NE	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	NE	NE	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15
Styrene	10	100	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	NE	NE	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	0.5	5	32	9	23	22	10	11	18
Toluene	160	800	<0.5	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	20	100	0.97	0.93	0.77 J	0.78 J	<0.25	<0.25	<0.25
Trichloroethene	0.5	5	33	20	24	25	23	18	23
Vinyl chloride	0.02	0.2	1.5	1.1	0.86	0.63	<0.1	<0.1	<0.1
Xylenes, Total	400	2,000	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 2.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID Sample Interval (feet bbls) Sample Date	Preventive Action Limit	Enforcement Standard	MW-1						
			14-24' 4/8/2010	14-24' 3/29/2011	14-24' 4/11/2012	14-24' 1/15/2013	14-24' 4/21/2013	14-24' 7/18/2013	14-24' 10/9/2013
Total PCBs (µg/L)									
Aroclor 1016	0.003	0.03	NA	NA	NA	<0.17	NA	NA	NA
Aroclor 1232	0.003	0.03	NA	NA	NA	<0.091	NA	NA	NA
Aroclor 1242	0.003	0.03	NA	NA	NA	<0.13	NA	NA	NA
Dissolved PCBs (µg/L)									
Aroclor 1016	0.003	0.03	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	0.003	0.03	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	0.003	0.03	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	0.003	0.03	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	0.003	0.03	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	0.003	0.03	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	0.003	0.03	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bbls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2S							MW-2D		
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	39-44'	39-44'	39-44'
Sample Interval (feet bbls)	4/8/2010	3/30/2011	4/11/2012	1/14/2013	4/20/2013	7/18/2013	10/10/2013	4/8/2010	10/1/2010	3/30/2011
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<8	<0.25	<4
1,1,2-Trichloroethane	<0.25	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<8	<0.25	<4
1,1-Dichloroethene	<0.5	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<16	<0.5	<8
1,2,4-Trimethylbenzene	<0.2	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
1,2-Dibromoethane	<0.2	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<6.4	<0.2	<3.2
1,2-Dichlorobenzene	<0.2	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<6.4	<0.2	<3.2
1,2-Dichloropropane	<0.5	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<16	<0.5	<8
1,3,5-Trimethylbenzene	<0.2	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<6.4	<0.2	<3.2
Benzene	<0.2	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<6.4	<0.2	<3.2
Bromoform	<0.2	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<6.4	<0.2	<3.2
Bromomethane	<0.5	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<16	<0.5	<8
Carbon tetrachloride	<0.8	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<26	<0.8	<13
Chloroform	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<6.4	<0.2	<3.2
Chloromethane	<0.3	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<9.6	<0.3	<4.8
cis-1,2-Dichloroethene	<0.5	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<16	0.67	<8
Dichlorodifluoromethane	<0.5	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<16	<0.5	<8
Ethylbenzene	<0.5	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<16	<0.5	<8
Isopropylbenzene	<0.2	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
Methyl tert-butyl ether	<0.5	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<16	<0.5	<8
Methylene Chloride	<1	<1	8.6	<0.68	<0.68	<0.68	<0.68	<32	<1	<16
Naphthalene	<0.25	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<8	<0.25	<4
n-Butylbenzene	<0.2	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<6.4	<0.2	<3.2
N-Propylbenzene	<0.5	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<16	<0.5	<8
p-Isopropyltoluene	<0.2	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<6.4	<0.2	<3.2
sec-Butylbenzene	<0.25	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<8	<0.25	<4
Styrene	<0.5	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<16	<0.5	<8
tert-Butylbenzene	<0.2	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<6.4	<0.2	<3.2
Tetrachloroethene	1.6	1.3	1.2	1.3	1.3	0.81 J	1.1	1,400	1,300	1,000
Toluene	<0.5	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<16	<0.5	<8
trans-1,2-Dichloroethene	<0.5	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<16	<0.5	<8
Trichloroethene	<0.2	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	20	16	9.8
Vinyl chloride	<0.2	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<6.4	<0.2	<3.2
Xylenes, Total	<0.5	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<16	<0.5	<8

Footnotes on Page 4.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2S							MW-2D		
	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	19-29'	39-44'	39-44'	39-44'
Sample Interval (feet bls)	4/8/2010	3/30/2011	4/11/2012	1/14/2013	4/20/2013	7/18/2013	10/10/2013	4/8/2010	10/1/2010	3/30/2011
Total PCBs										
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.091	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2D (continued)					MW-3S				
	39-44'	39-44'	39-44'	39-44'	39-44'	19-29'	19-29'	19-29'	19-29'	19-29'
Sample Interval (feet bbls)	4/11/2012	1/15/2013	4/20/2013	7/18/2013	10/10/2013	4/7/2010	3/29/2011	4/12/2012	11/30/2012	1/15/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.31	<0.5	<0.5	<0.25	<0.25	<8	<6.3	<1.6	<1.3	<0.25
1,1,2-Trichloroethane	<0.3	<0.56	<0.56	<0.28	<0.28	<8	<6.3	<1.5	<1.4	<0.28
1,1-Dichloroethene	<0.29	<0.62	<0.62	<0.31	<0.31	<16	<13	<1.5	<1.6	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.28	<0.28	<0.14	<0.14	<6.4	<5	<1.1	<0.7	<0.14
1,2-Dibromoethane	<0.45	<0.72	<0.72	<0.36	<0.36	NA	NA	<2.3	<1.8	<0.36
1,2-Dichlorobenzene	<0.21	<0.54	<0.54	<0.27	<0.27	<6.4	<5	<1.1	<1.4	<0.27
1,2-Dichloropropane	<0.36	<0.4	<0.4	<0.2	<0.2	<16	<13	<1.8	<1	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.36	<0.36	<0.18	<0.18	<6.4	<5	<1.2	<0.9	<0.18
Benzene	<0.12	<0.15	<0.15	<0.074	<0.074	<6.4	<5	<0.6	1.5 J	0.42 J
Bromoform	<0.45	<0.56	<0.56	<0.28	<0.28	<6.4	<5	<2.3	<1.4	<0.28
Bromomethane	<0.49	<0.62	<0.62	<0.31	<0.31	<16	<13	<2.5	<1.6	<0.31
Carbon tetrachloride	<0.28	<0.52	<0.52	<0.26	<0.26	<26	<20	<1.4	<1.3	<0.26
Chloroform	<0.25	<0.4	<0.4	<0.2	<0.2	<6.4	<5	3.7 J	5	1.6
Chloromethane	<0.24	<0.36	<0.36	<0.18	<0.18	<9.6	<7.5	<1.2	<0.9	<0.18
cis-1,2-Dichloroethene	<0.22	<0.24	<0.24	<0.12	<0.12	83	37	89	98	<0.12
Dichlorodifluoromethane	<0.26	<0.4	<0.4	<0.2	<0.2	<16	<13	<1.3	<1	<0.2
Ethylbenzene	<0.14	<0.26	<0.26	<0.13	<0.13	<16	<13	<0.7	<0.65	0.36 J
Isopropylbenzene	<0.21	<0.28	<0.28	<0.14	<0.14	<6.4	<5	<1.1	<0.7	<0.14
Methyl tert-butyl ether	<0.28	<0.48	<0.48	<0.24	<0.24	<16	<13	<1.4	<1.2	<0.24
Methylene Chloride	8.1	<1.4	<1.4	<0.68	<0.68	<32	<25	<3.2	<3.4	<0.68
Naphthalene	<0.24	<0.32	<0.32	<0.16	<0.16	<8	<6.3	<1.2	<0.8	<0.16
n-Butylbenzene	<0.21	<0.26	<0.26	<0.13	<0.13	<6.4	<5	<1.1	<0.65	<0.13
N-Propylbenzene	<0.19	<0.26	<0.26	<0.13	<0.13	<16	<13	<0.95	<0.65	<0.13
p-Isopropyltoluene	<0.24	<0.34	<0.34	<0.17	<0.17	<6.4	<5	<1.2	<0.85	<0.17
sec-Butylbenzene	<0.19	<0.3	<0.3	<0.15	<0.15	<8	<6.3	<0.95	<0.75	<0.15
Styrene	<0.26	<0.2	<0.2	<0.1	<0.1	<16	<13	<1.3	<0.5	<0.1
tert-Butylbenzene	<0.24	<0.28	<0.28	<0.14	<0.14	<6.4	<5	<1.2	<0.7	<0.14
Tetrachloroethene	610	720	910	580	440	2,000	1,100	1,600	2,400	88
Toluene	<0.15	<0.22	<0.22	<0.11	<0.11	<16	<13	<0.75	<0.55	0.38 J
trans-1,2-Dichloroethene	<0.27	<0.5	<0.5	<0.25	<0.25	<16	<13	5.4	6	<0.25
Trichloroethene	5.4	5.1	6.4	4.1	3	130	66	120	160	<0.19
Vinyl chloride	<0.13	<0.2	<0.2	<0.1	<0.1	<6.4	<5	<0.65	<0.5	<0.1
Xylenes, Total	<0.3	<0.14	<0.14	<0.068	<0.068	<16	<13	<1.5	<0.34	2.4

Footnotes on Page 6.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-2D (continued)					MW-3S				
	39-44'	39-44'	39-44'	39-44'	39-44'	19-29'	19-29'	19-29'	19-29'	19-29'
Sample Interval (feet bls)	4/11/2012	1/15/2013	4/20/2013	7/18/2013	10/10/2013	4/7/2010	3/29/2011	4/12/2012	11/30/2012	1/15/2013
Total PCBs										
Aroclor 1016	NA	<0.18	NA	NA	NA	NA	NA	NA	NA	<0.18
Aroclor 1232	NA	<0.096	NA	NA	NA	NA	NA	NA	NA	<0.096
Aroclor 1242	NA	<0.14	NA	NA	NA	NA	NA	NA	NA	<0.14
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3S (continued)					MW-3D				
	19-29'	19-29'	19-29'	19-29'	19-29'	48-53'	48-53'	48-53'	48-53'	48-53'
Sample Interval (feet bbls)	2/12/2013	3/12/2013	4/16/2013	7/16/2013	10/10/2013	4/7/2010	10/1/2010	3/30/2011	4/12/2012	11/30/2012
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.5	<0.5	<8	<0.25	<5	<0.31	<1.3
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.56	<0.56	<8	<0.25	<5	<0.3	<1.4
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.62	<0.62	<16	<0.5	<10	<0.29	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<6.4	<0.2	<4	<0.22	<0.7
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.72	<0.72	NA	NA	NA	<0.45	<1.8
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.54	<0.54	<6.4	<0.2	<4	<0.21	<1.4
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.4	<0.4	<16	<0.5	<10	<0.36	<1
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.36	<0.36	<6.4	<0.2	<4	<0.23	<0.9
Benzene	0.88	1	0.6	0.70 J	1	<6.4	0.31	<4	0.39 J	<0.37
Bromoform	<0.28	<0.28	<0.28	<0.56	<0.56	<6.4	<0.2	<4	<0.45	<1.4
Bromomethane	<0.31	<0.31	<0.31	<0.62	<0.62	<16	<0.5	<10	<0.49	<1.6
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.52	<0.52	<26	<0.8	<16	<0.28	<1.3
Chloroform	3	4.1	2.7	2.8	3.7	<6.4	0.78	<4	0.93 J	<1
Chloromethane	<0.18	<0.18	<0.18	<0.36	<0.36	<9.6	<0.3	<6	<0.24	<0.9
cis-1,2-Dichloroethene	1.6	5	<0.12	14	58	510	310	300	350	520
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.4	<0.4	<16	<0.5	<10	<0.26	<1
Ethylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<16	<0.5	<10	<0.14	<0.65
Isopropylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<6.4	<0.2	<4	<0.21	<0.7
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.48	<0.48	<16	<0.5	<10	<0.28	<1.2
Methylene Chloride	<0.68	<0.68	<0.68	<1.4	<1.4	<32	<1	<20	<0.63	<3.4
Naphthalene	<0.16	<0.16	<0.16	<0.32	<0.32	<8	<0.25	<5	<0.24	<0.8
n-Butylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<6.4	<0.2	<4	<0.21	<0.65
N-Propylbenzene	<0.13	<0.13	<0.13	<0.26	<0.26	<16	<0.5	<10	<0.19	<0.65
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.34	<0.34	<6.4	<0.2	<4	<0.24	<0.85
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.3	<0.3	<8	<0.25	<5	<0.19	<0.75
Styrene	<0.1	<0.1	<0.1	<0.2	<0.2	<16	<0.5	<10	<0.26	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.28	<0.28	<6.4	<0.2	<4	<0.24	<0.7
Tetrachloroethene	600	750	20	840	1,000	1,700	1,500	1,200	1,100	1,800
Toluene	<0.11	<0.11	<0.11	<0.22	<0.22	<16	<0.5	<10	<0.15	<0.55
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.5	4.9	<16	6.6	<10	5.9	7.7
Trichloroethene	6.8	16	<0.19	26	100	270	200	170	160	250
Vinyl chloride	<0.1	<0.1	<0.1	<0.2	<0.2	<6.4	<0.2	<4	<0.13	<0.5
Xylenes, Total	<0.068	<0.068	<0.068	<0.14	<0.14	<16	<0.5	<10	<0.3	<0.34

Footnotes on Page 8.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3S (continued)					MW-3D				
	19-29'	19-29'	19-29'	19-29'	19-29'	48-53'	48-53'	48-53'	48-53'	48-53'
Sample Interval (feet bls)	2/12/2013	3/12/2013	4/16/2013	7/16/2013	10/10/2013	4/7/2010	10/1/2010	3/30/2011	4/12/2012	11/30/2012
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

* Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D						MW-3D2			
	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	76-81'	76-81'	76-81'	76-81'
Sample Interval (feet bbls)	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	12/31/2009	4/7/2010	7/1/2010	10/1/2010
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.5	<0.25	<6.3	<13	<13	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<6.3	<13	<13	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<13	<25	<25	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<5	<10	<10	<0.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.72	<0.36	NA	NA	NA	NA
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.54	<0.27	<5	<10	<10	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.4	<0.2	<13	<25	<25	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<5	<10	<10	<0.2
Benzene	0.32 J	0.29 J	<0.074	0.27 J	<0.15	0.36 J	<5	<10	<10	<0.2
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.56	<0.28	<5	<10	<10	<0.2
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.62	<0.31	<13	<25	<25	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.52	<0.26	<20	<40	<40	<0.8
Chloroform	0.89 J	<0.2	<0.2	<0.2	<0.4	0.85 J	<5	<10	<10	0.37
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.36	<0.18	<7.5	<15	<15	<0.3
cis-1,2-Dichloroethene	290	200	54	210	200	180	520	510	460	400
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.4	<0.2	<13	<25	<25	<25	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<13	<25	<25	<0.5
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<5	<10	<10	<0.2
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.48	<0.24	<13	<25	<25	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<1.4	<0.68	<25	<50	<50	<1
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.32	<0.16	<6.3	<13	240	<0.25
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<5	<10	<10	<0.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.26	<0.13	<13	<25	<25	<0.5
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.34	<0.17	<5	<10	<10	<0.2
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.3	<0.15	<6.3	<13	<13	<0.25
Styrene	<0.1	<0.1	<0.1	<0.1	<0.2	<0.1	<13	<25	<25	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<5	<10	<10	<0.2
Tetrachloroethene	660	760	150	740	920	620	4,900	4,400	3,900	3,900
Toluene	<0.11	<0.11	<0.11	<0.11	<0.22	<0.11	<13	<25	<25	<0.5
trans-1,2-Dichloroethene	6	4	1.1	4.2	4.8	5.2	<13	<25	<25	7
Trichloroethene	140	130	30	120	130	100	280	240	240	240
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.2	<0.1	<5	<10	<10	0.65
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.14	<0.068	<13	<25	<25	<0.5

Footnotes on Page 10.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D						MW-3D2			
	48-53'	48-53'	48-53'	48-53'	48-53'	48-53'	76-81'	76-81'	76-81'	76-81'
Sample Interval (feet bls)	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013	12/31/2009	4/7/2010	7/1/2010	10/1/2010
Total PCBs										
Aroclor 1016	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	<0.096	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	<0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D2 (continued)								
	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'
Sample Interval (feet bbls)	3/30/2011	4/12/2012	11/30/2012	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013
VOCs (µg/L)									
1,1,1,2-Tetrachloroethane	<13	<1.6	<1.3	<0.5	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<13	<1.5	<1.4	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<25	<1.5	<1.6	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<10	<1.1	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	NA	<2.3	<1.8	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<10	<1.1	<1.4	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<25	<1.8	<1	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<10	<1.2	<0.9	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<10	<0.6	<0.37	<0.15	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<10	<2.3	<1.4	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<25	<2.5	<1.6	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<40	<1.4	<1.3	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<10	<1.3	<1	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<15	<1.2	<0.9	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	440	440	420	320	250	100	45	10	21
Dichlorodifluoromethane	<25	<1.3	<1	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<25	<0.7	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<10	<1.1	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<25	<1.4	<1.2	<0.48	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<50	<3.2	<3.4	<1.4	7.3	<0.68	<0.68	<0.68	<0.68
Naphthalene	13	<1.2	<0.8	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<10	<1.1	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<25	<0.95	<0.65	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<10	<1.2	<0.85	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<13	<0.95	<0.75	<0.3	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<25	<1.3	<0.5	<0.2	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<10	<1.2	<0.7	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	3,800	2,600	2,800	1,200	1,700	800	850	440	150
Toluene	<25	<0.75	<0.55	<0.22	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<25	6.4	5.6	4.9	3.2	0.62 J	<0.25	<0.25	0.52 J
Trichloroethene	230	190	190	110	120	50	24	8.7	9.8
Vinyl chloride	<10	<0.65	<0.5	<0.2	0.22 J	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<25	<1.5	<0.34	<0.14	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 12.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D2 (continued)								
	Sample Interval (feet bbls)	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'	76-81'
Sample Date	3/30/2011	4/12/2012	11/30/2012	1/16/2013	2/12/2013	3/13/2013	4/16/2013	7/16/2013	10/10/2013
Total PCBs									
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.093	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA
Dissolved PCBs									
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bbls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D3								MW-4S	
	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	35-50'	35-50'
Sample Interval (feet bbls)	7/24/2012	11/27/2012	1/18/2013	2/15/2013	3/13/2013	4/19/2013	7/16/2013	10/7/2013	4/8/2010	3/30/2011
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.2
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2
Benzene	<0.074	<0.074	0.30 J	<0.074	<0.074	<0.074	<0.074	<0.074	<0.2	<0.2
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2
Bromomethane	<0.31	<0.31	<0.31	<0.31 *	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3
cis-1,2-Dichloroethene	2.2	6.8	15	7.7	6.2	4	1.2	<0.12	<0.5	<0.5
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<1
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	1.4	<0.25
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.2	<0.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.2	<0.2
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Tetrachloroethene	6.6	1.7	1.3	0.72 J	0.95 J	0.63 J	<0.17	<0.17	1.5	1.6
Toluene	<0.11	<0.11	0.21 J	<0.11	<0.11	0.53	2.8	<0.11	<0.5	<0.5
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5
Trichloroethene	1.1	1.1	0.40 J	<0.19	<0.19	<0.19	0.31 J	0.5	<0.2	<0.2
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.5	<0.5

Footnotes on Page 14.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-3D3								MW-4S	
	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	214-224'	35-50'	35-50'
Sample Interval (feet bls)	7/24/2012	11/27/2012	1/18/2013	2/15/2013	3/13/2013	4/19/2013	7/16/2013	10/7/2013	4/8/2010	3/30/2011
Total PCBs										
Aroclor 1016	NA	NA	<0.18	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.096	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.14	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4S (continued)					MW-4D				
	35-50'	35-50'	35-50'	35-50'	35-50'	65-70'	65-70'	65-70'	65-70'	65-70'
Sample Interval (feet bbls)	4/10/2012	1/15/2013	4/18/2013	7/18/2013	10/8/2013	4/8/2010	3/30/2011	4/10/2012	1/16/2013	4/18/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25	<0.3	<0.28	<0.28
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.29	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.22	<0.14	<0.14
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.2	<0.2	<0.45	<0.36	<0.36
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2	<0.21	<0.27	<0.27
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.36	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2	<0.23	<0.18	<0.18
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.2	<0.2	<0.12	<0.074	<0.074
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2	<0.45	<0.28	<0.28
Bromomethane	<0.49	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.49	<0.31	<0.31
Carbon tetrachloride	<0.28	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8	<0.28	<0.26	<0.26
Chloroform	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3	<0.24	<0.18	<0.18
cis-1,2-Dichloroethene	<0.22	<0.12	<0.12	<0.12	<0.12	<0.5	<0.5	<0.22	<0.12	<0.12
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.26	<0.2	<0.2
Ethylbenzene	<0.14	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5	<0.14	<0.13	<0.13
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.21	<0.14	<0.14
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5	<0.28	<0.24	<0.24
Methylene Chloride	<0.63	<0.68	<0.68	<0.68	<0.68	<1	<1	<0.63	<0.68	<0.68
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.25	<0.25	<0.24	<0.16	<0.16
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.2	<0.2	<0.21	<0.13	<0.13
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5	<0.19	<0.13	<0.13
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.2	<0.2	<0.24	<0.17	<0.17
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.19	<0.15	<0.15
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.5	<0.5	<0.26	<0.1	<0.1
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2	<0.24	<0.14	<0.14
Tetrachloroethene	0.96 J	1.4	1.8	0.90 J	1.2	0.9	0.7	<0.22	<0.17	0.51 J
Toluene	0.20 J	<0.11	<0.11	0.26 J	<0.11	<0.5	<0.5	<0.15	<0.11	<0.11
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.27	<0.25	<0.25
Trichloroethene	<0.18	<0.19	<0.19	<0.19	<0.19	<0.2	<0.2	<0.18	<0.19	<0.19
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.13	<0.1	<0.1
Xylenes, Total	<0.3	<0.068	<0.068	0.28 J	<0.068	<0.5	<0.5	<0.3	<0.068	<0.068

Footnotes on Page 16.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4S (continued)					MW-4D				
	35-50'	35-50'	35-50'	35-50'	35-50'	65-70'	65-70'	65-70'	65-70'	65-70'
Sample Interval (feet bls)	4/10/2012	1/15/2013	4/18/2013	7/18/2013	10/8/2013	4/8/2010	3/30/2011	4/10/2012	1/16/2013	4/18/2013
Total PCBs										
Aroclor 1016	NA	<0.17	NA	NA	NA	NA	NA	NA	<0.17	NA
Aroclor 1232	NA	<0.091	NA	NA	NA	NA	NA	NA	<0.093	NA
Aroclor 1242	NA	<0.13	NA	NA	NA	NA	NA	NA	<0.13	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4D (continued)				MW-4D2				MW-5S	
	65-70'	65-70'	91-96'	91-96'	91-96'	91-96'	91-96'	91-96'	34-44'	34-44'
Sample Interval (feet bbls)	7/17/2013	10/8/2013	3/30/2011	4/10/2012	1/16/2013	4/18/2013	7/18/2013	10/7/2013	4/7/2010	10/1/2010
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
1,2-Dibromoethane	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	NA	NA
1,2-Dichlorobenzene	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2
Benzene	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.2	<0.2
Bromoform	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2
Bromomethane	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8
Chloroform	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	0.55
Chloromethane	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3
cis-1,2-Dichloroethene	<0.12	<0.12	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	1.4	10
Dichlorodifluoromethane	<0.2	<0.2	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5
Ethylbenzene	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
Isopropylbenzene	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Methyl tert-butyl ether	<0.24	<0.24	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5
Methylene Chloride	<0.68	<0.68	<1	<0.63	<0.68	<0.68	<0.68	<0.68	<1	<1
Naphthalene	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	1.4	<0.25
n-Butylbenzene	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.2	<0.2
N-Propylbenzene	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.5	<0.5
p-Isopropyltoluene	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.2	<0.2
sec-Butylbenzene	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25
Styrene	<0.1	<0.1	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.2	<0.2
Tetrachloroethene	<0.17	<0.17	1.9	0.73 J	1.2	0.92 J	1.2	0.84 J	41	670
Toluene	0.36 J	<0.11	<0.5	0.40 J	<0.11	0.45 J	0.39 J	<0.11	<0.5	<0.5
trans-1,2-Dichloroethene	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.5	0.5
Trichloroethene	<0.19	<0.19	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	1	13
Vinyl chloride	<0.1	<0.1	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2
Xylenes, Total	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.5	<0.5

Footnotes on Page 18.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-4D (continued)				MW-4D2				MW-5S	
	65-70'	65-70'	91-96'	91-96'	91-96'	91-96'	91-96'	91-96'	34-44'	34-44'
Sample Interval (feet bbls)	7/17/2013	10/8/2013	3/30/2011	4/10/2012	1/16/2013	4/18/2013	7/18/2013	10/7/2013	4/7/2010	10/1/2010
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	<0.16	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	<0.087	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	<0.12	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bbls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5S							MW-5D		
	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	75-80'	75-80'	75-80'
Sample Interval (feet bbls)	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	4/7/2010	4/12/2012	11/28/2012
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<5	<0.31	<1.3
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<5	<0.3	<1.4
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<10	<0.29	<1.6
1,2,4-Trimethylbenzene	<0.22	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<4	<0.22	<0.7
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	NA	<0.45	<1.8
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<4	<0.21	<1.4
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.36	<1
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<4	<0.23	<0.9
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<4	0.29 J	1.1 J
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<4	<0.45	<1.4
Bromomethane	<0.49	<0.31	0.73 J	<0.31 *	<0.31	<0.31	<0.31	<10	<0.49	<1.6
Carbon tetrachloride	1.2	1.1	<0.26	1.4	1.1	1.3	1.3	<16	<0.28	<1.3
Chloroform	0.84 J	0.79 J	0.79 J	<0.2	<0.2	<0.2	0.61 J	<4	<0.25	<1
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<6	<0.24	<0.9
cis-1,2-Dichloroethene	13	4.2	3.8	2.7	2	2.9	2.9	48	26	93
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.26	<1
Ethylbenzene	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<10	<0.14	<0.65
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<4	<0.21	<0.7
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<10	<0.28	<1.2
Methylene Chloride	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<20	<0.63	<3.4
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<5	<0.24	<0.8
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<4	<0.21	<0.65
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<10	<0.19	<0.65
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<4	<0.24	<0.85
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<5	<0.19	<0.75
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10	<0.26	<0.5
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<4	<0.24	<0.7
Tetrachloroethene	360	240	260	210	130	190	170	1,100	400	2,000
Toluene	<0.15	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<10	0.30 J	<0.55
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<10	1.3	3.9 J
Trichloroethene	9.8	4.7	4.4	3.8	2.8	3	2.9	100	48	190
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<4	<0.13	<0.5
Xylenes, Total	<0.3	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<10	<0.3	<0.34

Footnotes on Page 20.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5S							MW-5D		
	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	34-44'	75-80'	75-80'	75-80'
Sample Interval (feet bls)	4/12/2012	11/28/2012	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	4/7/2010	4/12/2012	11/28/2012
Total PCBs										
Aroclor 1016	NA	NA	<0.17	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.091	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.13	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D (continued)					MW-5D2				
	75-80'	75-80'	75-80'	75-80'	75-80'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'
Sample Interval (feet bbls)	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/9/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.5	<0.5	<0.5	<1.3	<1.3	<0.25	<0.25	<0.25	<0.5	<0.25
1,1,2-Trichloroethane	<0.56	<0.56	<0.56	<1.4	<1.4	<0.28	<0.28	<0.28	<0.56	<0.28
1,1-Dichloroethene	<0.62	<0.62	<0.62	<1.6	<1.6	<0.31	<0.31	<0.31	<0.62	<0.31
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.28	<0.7	<0.7	<0.14	<0.14	<0.14	<0.28	<0.14
1,2-Dibromoethane	<0.72	<0.72	<0.72	<1.8	<1.8	<0.36	<0.36	<0.36	<0.72	<0.36
1,2-Dichlorobenzene	<0.54	<0.54	<0.54	<1.4	<1.4	<0.27	<0.27	<0.27	<0.54	<0.27
1,2-Dichloropropane	<0.4	<0.4	<0.4	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.2
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.36	<0.9	<0.9	<0.18	<0.18	<0.18	<0.36	<0.18
Benzene	1.2	1	0.88 J	1.5 J	2.8	<0.074	<0.074	<0.074	<0.15	<0.074
Bromoform	<0.56	<0.56	<0.56	<1.4	<1.4	<0.28	<0.28	<0.28	<0.56	<0.28
Bromomethane	<0.62	<0.62 *	<0.62	<1.6	<1.6	<0.31	<0.31 *	<0.31	<0.62	<0.31
Carbon tetrachloride	<0.52	<0.52	<0.52	<1.3	<1.3	<0.26	<0.26	<0.26	<0.52	<0.26
Chloroform	1.0 J	<0.4	<0.4	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.2
Chloromethane	<0.36	<0.36	<0.36	<0.9	<0.9	<0.18	<0.18	<0.18	<0.36	<0.18
cis-1,2-Dichloroethene	110	94	100	120	140	6.6	9.2	4.7	3.6	1.5
Dichlorodifluoromethane	<0.4	<0.4	<0.4	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.2
Ethylbenzene	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13	<0.13	<0.26	<0.13
Isopropylbenzene	<0.28	<0.28	<0.28	<0.7	<0.7	<0.14	<0.14	<0.14	<0.28	<0.14
Methyl tert-butyl ether	<0.48	<0.48	<0.48	<1.2	<1.2	<0.24	<0.24	<0.24	<0.48	<0.24
Methylene Chloride	<1.4	<1.4	<1.4	<3.4	<3.4	<0.68	<0.68	<0.68	<1.4	5.7
Naphthalene	<0.32	<0.32	<0.32	<0.8	<0.8	<0.16	<0.16	<0.16	<0.32	<0.16
n-Butylbenzene	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13	<0.13	<0.26	<0.13
N-Propylbenzene	<0.26	<0.26	<0.26	<0.65	<0.65	<0.13	<0.13	<0.13	<0.26	<0.13
p-Isopropyltoluene	<0.34	<0.34	<0.34	<0.85	<0.85	<0.17	<0.17	<0.17	<0.34	<0.17
sec-Butylbenzene	<0.3	<0.3	<0.3	<0.75	<0.75	<0.15	<0.15	<0.15	<0.3	<0.15
Styrene	<0.2	<0.2	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.2	<0.1
tert-Butylbenzene	<0.28	<0.28	<0.28	<0.7	<0.7	<0.14	<0.14	<0.14	<0.28	<0.14
Tetrachloroethene	1,800	1,700	1,200	2,000	2,000	650	650	640	710	110
Toluene	<0.22	<0.22	<0.22	<0.55	<0.55	0.7	0.22 J	0.35 J	2.4	0.43 J
trans-1,2-Dichloroethene	3.9	3.1	3.4	3.8 J	2.9 J	<0.25	<0.25	<0.25	<0.5	<0.25
Trichloroethene	180	180	170	160	110	9.5	8.4	7.4	8.1	6.1
Vinyl chloride	<0.2	<0.2	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.2	<0.1
Xylenes, Total	<0.14	<0.14	<0.14	<0.34	<0.34	<0.068	<0.068	<0.068	<0.14	<0.068

Footnotes on Page 22.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D (continued)					MW-5D2				
	75-80'	75-80'	75-80'	75-80'	75-80'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'	165.8-170.8'
Sample Interval (feet bls)	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/4/2013	1/17/2013	2/13/2013	4/19/2013	7/18/2013	10/9/2013
Total PCBs										
Aroclor 1016	<0.17	NA	NA	NA	NA	<0.19	NA	NA	NA	NA
Aroclor 1232	<0.094	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
Aroclor 1242	<0.13	NA	NA	NA	NA	<0.14	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D3						MW-6S			
	Sample Interval (feet bbls)	225-235'	225-235'	225-235'	225-235'	225-235'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'
Sample Date	11/28/2012	1/18/2013	2/13/2013	4/21/2013	7/17/2013	10/7/2013	12/31/2009	4/7/2010	7/1/2010	10/1/2010
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.25	<0.25	<0.25	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.5	<0.5	<0.5	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	4.3	3.3	1.3	2.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.2	<0.2	<0.2	<0.2
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.2	<0.2	<0.2	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	0.92	7.3	0.27	4.6
Benzene	<0.074	0.28 J	<0.074	<0.074	<0.074	<0.074	7.6	7.9	5	5.3
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.2	<0.2	<0.2	<0.2
Bromomethane	<0.31	<0.31	<0.31 *	<0.31	<0.31	<0.31	<0.5	<0.5	<0.5	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.8	<0.8	<0.8	<0.8
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.3	<0.3	<0.3	<0.3
cis-1,2-Dichloroethene	3.1	12	12	1.6	2.1	4.5	<0.5	<0.5	<0.5	<0.5
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	0.32 J	<0.13	23	14	6	13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	12	9.4	5.3	7.5
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.5	<0.5	<0.5	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<1	<1	<1	<1
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	26	14	6.4	10
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	1.6	1.6	0.92	1.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	4.9	3.7	1.9	3.3
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	1.7	1.6	0.72	1.1
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	1.9	1.8	1.5	1.5
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.53	0.51	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	0.27	0.31	0.22	0.24
Tetrachloroethene	19	0.59 J	0.83 J	1.8	0.78 J	1.5	<0.5	<0.5	<0.5	<0.5
Toluene	<0.11	<0.11	<0.11	0.29 J	0.53	0.20 J	3.3	3.3	1.2	1.8
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5
Trichloroethene	2.6	<0.19	<0.19	<0.19	<0.19	0.29 J	<0.2	<0.2	<0.2	<0.2
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.2	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	0.68 J	<0.068	9.6	8.2	2.6	4.5

Footnotes on Page 24.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-5D3						MW-6S			
	Sample Interval (feet bls)	225-235'	225-235'	225-235'	225-235'	225-235'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'
Sample Date	11/28/2012	1/18/2013	2/13/2013	4/21/2013	7/17/2013	10/7/2013	12/31/2009	4/7/2010	7/1/2010	10/1/2010
Total PCBs										
Aroclor 1016	NA	<0.16	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	<0.09	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	<0.13	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6S						MW-6D			
	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'
Sample Interval (feet bbls)	12/28/2010	4/11/2012	1/17/2013	4/20/2013	7/18/2013	10/7/2013	12/31/2009	4/7/2010	7/1/2010	10/1/2010
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<13	<20	<13	<0.25
1,1,2-Trichloroethane	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<13	<20	<13	<0.25
1,1-Dichloroethene	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<25	<40	<25	<0.5
1,2,4-Trimethylbenzene	3.2	4.8	12	0.92 J	<0.14	1.4	330	130	130	160
1,2-Dibromoethane	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	15	<16	<10	11
1,2-Dichlorobenzene	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<10	<16	<10	<0.2
1,2-Dichloropropane	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<25	<40	<25	7.2
1,3,5-Trimethylbenzene	0.39	1.5	3.4	<0.18	<0.18	<0.18	23	<16	<10	13
Benzene	5	4.1	9.3	1.9	0.34 J	2.6	3,900	3,200	2,900	<0.2
Bromoform	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<10	<16	<10	<0.2
Bromomethane	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<25	<40	<25	<0.5
Carbon tetrachloride	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<40	<64	<40	<0.8
Chloroform	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<10	<16	<10	<0.2
Chloromethane	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<15	<24	<15	<0.3
cis-1,2-Dichloroethene	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<25	<40	<25	1.4
Dichlorodifluoromethane	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<25	<40	<25	<0.5
Ethylbenzene	15	9.8	40	0.18 J	<0.13	8	47	<40	26	39
Isopropylbenzene	6.4	4.1	12	<0.14	<0.14	3.2	54	43	32	45
Methyl tert-butyl ether	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<25	<40	<25	<0.5
Methylene Chloride	<1	8.3	<0.68	<0.68	<0.68	<0.68	<50	<80	<50	<1
Naphthalene	16	19	43	<0.16	<0.16	3.8	380	280	370	370
n-Butylbenzene	0.86	<0.21	<0.13	<0.13	<0.13	<0.13	12	<16	<10	10
N-Propylbenzene	3	1.8	6.8	<0.13	<0.13	1.3	49	<40	27	36
p-Isopropyltoluene	0.83	<0.24	2.4	<0.17	<0.17	<0.17	<10	<16	<10	6.5
sec-Butylbenzene	1	0.56 J	1.8	<0.15	<0.15	<0.15	<13	<20	<13	4.7
Styrene	1.1	<0.26	0.64 J	<0.1	<0.1	<0.1	<25	<40	<25	3.5
tert-Butylbenzene	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<10	<16	<10	<0.2
Tetrachloroethene	<0.5	<0.22	<0.17	0.53 J	<0.17	<0.17	36	45	27	30
Toluene	2	2.5	6.3	0.82	<0.11	1.1	130	100	88	120
trans-1,2-Dichloroethene	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<25	<40	<25	<0.5
Trichloroethene	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<10	<16	<10	4.5
Vinyl chloride	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<10	<16	<10	<0.2
Xylenes, Total	6.4	7.8	25	1.8	<0.068	3.3	630	320	250	450

Footnotes on Page 26.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6S						MW-6D			
	Sample Interval (feet bls)	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	31.4-41.4'	65.5-70.5'	65.5-70.5'	65.5-70.5'
Sample Date	12/28/2010	4/11/2012	1/17/2013	4/20/2013	7/18/2013	10/7/2013	12/31/2009	4/7/2010	7/1/2010	10/1/2010
Total PCBs										
Aroclor 1016	NA	NA	<0.17	NA						
Aroclor 1232	NA	NA	<0.094	NA						
Aroclor 1242	NA	NA	<0.13	NA						
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6D (continued)							MW-7		
	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	25-35'	25-35'	25-35'
Sample Interval (feet bbls)	12/28/2010	3/31/2011	4/12/2012	1/16/2013	4/20/2013	7/18/2013	10/7/2013	8/26/2011	4/10/2012	1/14/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<2.5	<10	<0.62	<0.5	<0.5	<0.5	<0.25	<0.25	<0.31	<0.25
1,1,2-Trichloroethane	<2.5	<10	<0.6	<0.56	<0.56	<0.56	<0.28	<0.25	<0.3	<0.28
1,1-Dichloroethene	<5	<20	<0.58	<0.62	<0.62	<0.62	<0.31	<0.5	<0.29	<0.31
1,2,4-Trimethylbenzene	180	74	19	23	11	16	41	<0.2	<0.22	<0.14
1,2-Dibromoethane	9.7	<8	<0.9	<0.72	<0.72	<0.72	<0.36	<0.2	<0.45	<0.36
1,2-Dichlorobenzene	<2	<8	<0.42	<0.54	<0.54	<0.54	<0.27	<0.2	<0.21	<0.27
1,2-Dichloropropane	6	<20	<0.72	<0.4	1.9 J	<0.4	<0.2	<0.5	<0.36	<0.2
1,3,5-Trimethylbenzene	13	<8	<0.46	<0.36	<0.36	<0.36	0.71 J	<0.2	<0.23	<0.18
Benzene	2,900	2,100	1,500	1,300	600	810	1,000	<0.2	<0.12	<0.074
Bromoform	<2	<8	<0.9	<0.56	<0.56	<0.56	<0.28	<0.2	<0.45	<0.28
Bromomethane	<5	<20	<0.98	<0.62	<0.62	<0.62	<0.31	<0.5	<0.49	<0.31
Carbon tetrachloride	<8	<32	<0.56	<0.52	<0.52	<0.52	<0.26	<0.8	<0.28	<0.26
Chloroform	<2	<8	3.6	<0.4	<0.4	<0.4	<0.2	<0.2	<0.25	<0.2
Chloromethane	<3	<12	<0.48	<0.36	<0.36	<0.36	<0.18	<0.3	<0.24	<0.18
cis-1,2-Dichloroethene	<5	<20	<0.44	<0.24	<0.24	<0.24	0.89 J	<0.5	<0.22	<0.12
Dichlorodifluoromethane	<5	<20	<0.52	<0.4	<0.4	<0.4	<0.2	<0.5	<0.26	<0.2
Ethylbenzene	35	<20	8.7	7.5	3.5	7.1	8.1	<0.5	<0.14	<0.13
Isopropylbenzene	40	35	23	30	16	27	29	<0.2	<0.21	<0.14
Methyl tert-butyl ether	<5	<20	<0.56	<0.48	<0.48	<0.48	<0.24	<0.5	<0.28	<0.24
Methylene Chloride	<10	<40	<1.3	<1.4	<1.4	<1.4	<0.68	<1	<0.63	<0.68
Naphthalene	360	190	110	54	3.9	50	72	<0.25	<0.24	<0.16
n-Butylbenzene	7.9	<8	<0.42	<0.26	<0.26	5	<0.13	<0.2	<0.21	<0.13
N-Propylbenzene	31	21	11	13	5.4	12	14	<0.5	<0.19	<0.13
p-Isopropyltoluene	5.1	<8	2.6	3.8	1.7 J	3.2	3.4	<0.2	<0.24	<0.17
sec-Butylbenzene	4.2	<10	2.2	3.4	2	3.2	3.2	<0.25	<0.19	<0.15
Styrene	12	<20	<0.52	<0.2	<0.2	<0.2	1	<0.5	<0.26	<0.1
tert-Butylbenzene	<2	<8	<0.48	<0.28	<0.28	<0.28	<0.14	<0.2	<0.24	<0.14
Tetrachloroethene	26	28	20	25	22	23	17	<0.5	<0.22	<0.17
Toluene	120	58	36	30	9.4	24	38	<0.5	<0.15	<0.11
trans-1,2-Dichloroethene	<5	<20	<0.54	<0.5	<0.5	<0.5	<0.25	<0.5	<0.27	<0.25
Trichloroethene	4.5	<8	3.9	11	13	12	18	<0.2	<0.18	<0.19
Vinyl chloride	<2	<8	<0.26	<0.2	<0.2	<0.2	<0.1	<0.2	<0.13	<0.1
Xylenes, Total	400	130	40	40	12	34	63	<0.5	<0.3	<0.068

Footnotes on Page 28.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-6D (continued)							MW-7		
	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	65.5-70.5'	25-35'	25-35'	25-35'
Sample Interval (feet bls)	12/28/2010	3/31/2011	4/12/2012	1/16/2013	4/20/2013	7/18/2013	10/7/2013	8/26/2011	4/10/2012	1/14/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	<0.17	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	<0.094	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	<0.13	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-7 (continued)			MW-8						MW-9D
	Sample Interval (feet bbls)	25-35'	25-35'	25-35'	24-34'	24-34'	24-34'	24-34'	24-34'	44-49'
Sample Date	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013	9/9/2011
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28	<0.25
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31	<0.5
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14	<0.2
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36	<0.2
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27	<0.2
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2	<0.5
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18	<0.2
Benzene	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074	<0.2
Bromoform	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28	<0.2
Bromomethane	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31	<0.5
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26	<0.8
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18	<0.3
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.5	<0.22	<0.12	<0.12	<0.12	<0.12	<0.5
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2	<0.5
Ethylbenzene	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13	<0.5
Isopropylbenzene	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14	<0.2
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.5	<0.28	<0.24	<0.24	<0.24	<0.24	<0.5
Methylene Chloride	<0.68	<0.68	<0.68	<1	<0.63	<0.68	<0.68	<0.68	<0.68	<1
Naphthalene	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16	<0.25
n-Butylbenzene	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13	<0.2
N-Propylbenzene	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13	<0.5
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17	<0.2
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15	<0.25
Styrene	<0.1	<0.1	<0.1	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14	<0.2
Tetrachloroethene	<0.17	<0.17	<0.17	<0.5	<0.22	<0.17	<0.17	<0.17	<0.17	<0.5
Toluene	<0.11	<0.11	<0.11	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11	<0.5
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25	<0.5
Trichloroethene	<0.19	<0.19	<0.19	<0.2	<0.18	<0.19	<0.19	<0.19	<0.19	<0.2
Vinyl chloride	<0.1	<0.1	<0.1	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068	<0.5

Footnotes on Page 30.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-7 (continued)			MW-8						MW-9D
	25-35'	25-35'	25-35'	24-34'	24-34'	24-34'	24-34'	24-34'	24-34'	
Sample Interval (feet bls)	4/16/2013	7/17/2013	10/3/2013	8/26/2011	4/10/2012	1/15/2013	4/16/2013	7/17/2013	10/3/2013	9/9/2011
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-9D (continued)					MW-9D2					
	44-49'	44-49'	44-49'	44-49'	44-49'	64-69'	64-69'	64-69'	64-69'	64-69'	64-69'
Sample Interval (feet bbls)	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013
VOCs (µg/L)											
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.25	<0.3	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.5	<0.29	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.22	<0.14	<0.14	<0.14	<0.14	<0.2	<0.22	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.2	<0.45	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.2	<0.21	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.5	<0.36	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.2	<0.23	<0.18	<0.18	<0.18	<0.18
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.2	<0.12	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.2	<0.45	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.49	<0.31	<0.31	<0.31	<0.31	<0.5	<0.49	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.28	<0.26	<0.26	<0.26	<0.26	<0.8	<0.28	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.3	<0.24	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.22	<0.12	<0.12	<0.12	<0.12	12	11	14	16	16	18
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.5	<0.26	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.14	<0.13	<0.13	<0.13	<0.13	<0.5	<0.14	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.2	<0.21	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	7.4	9.3	20	10	12	15
Methylene Chloride	9	<0.68	<0.68	<0.68	<0.68	<1	8.8	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.25	<0.24	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.2	<0.21	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.5	<0.19	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.2	<0.24	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.25	<0.19	<0.15	<0.15	<0.15	<0.15
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.5	<0.26	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.2	<0.24	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.22	<0.17	<0.17	<0.17	<0.17	29	10	26	28	30	34
Toluene	<0.15	<0.11	<0.11	<0.11	<0.11	<0.5	<0.15	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.5	<0.27	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.18	<0.19	<0.19	<0.19	<0.19	5	3.8	5.5	6	6.3	7.4
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.2	<0.13	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.3	<0.068	<0.068	<0.068	<0.068	<0.5	<0.3	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 32.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-9D (continued)					MW-9D2					
	44-49'	44-49'	44-49'	44-49'	44-49'	64-69'	64-69'	64-69'	64-69'	64-69'	64-69'
Sample Interval (feet bls)	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013	9/9/2011	4/11/2012	1/15/2013	4/18/2013	7/18/2013	10/4/2013
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-10S						MW-11S			
	Sample Interval (feet bbls)	11-21'	11-21'	11-21'	11-21'	11-21'	24-34'	24-34'	24-34'	24-34'
Sample Date	4/10/2012	5/9/2012	1/15/2013	4/17/2013	7/17/2013	10/9/2013	4/12/2012	5/9/2012	1/15/2013	4/17/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.3	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	<0.29	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	0.76 J	<0.14	<0.14	<0.14	<0.14	<0.14	0.55 J	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.45	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.21	<0.27	<0.27	<0.27	<0.27	<0.27	<0.21	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.36	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.23	<0.18	<0.18	<0.18
Benzene	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	<0.12	<0.074	<0.074	<0.074
Bromoform	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.45	<0.28	<0.28	<0.28
Bromomethane	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.49	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.28	<0.26	<0.26	<0.26
Chloroform	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2
Chloromethane	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.24	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	<0.22	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.26	<0.2	<0.2	<0.2
Ethylbenzene	0.20 J	<0.13	<0.13	<0.13	<0.13	<0.13	<0.14	<0.13	<0.13	<0.13
Isopropylbenzene	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.21	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.28	<0.24	<0.24	<0.24
Methylene Chloride	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<0.63	<0.68	<0.68	<0.68
Naphthalene	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.24	<0.16	<0.16	<0.16
n-Butylbenzene	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.21	<0.13	<0.13	<0.13
N-Propylbenzene	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.19	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.24	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.19	<0.15	<0.15	<0.15
Styrene	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.26	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.24	<0.14	<0.14	<0.14
Tetrachloroethene	<0.22	<0.17	0.85 J	<0.17	<0.17	<0.17	<0.22	<0.17	<0.17	<0.17
Toluene	0.54	<0.11	<0.11	<0.11	<0.11	<0.11	0.73	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	<0.27	<0.25	<0.25	<0.25
Trichloroethene	<0.18	<0.19	<0.19	<0.19	<0.19	<0.19	<0.18	<0.19	<0.19	<0.19
Vinyl chloride	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1	<0.13	<0.1	<0.1	<0.1
Xylenes, Total	0.83 J	<0.068	<0.068	<0.068	<0.068	<0.068	0.86 J	<0.068	<0.068	<0.068

Footnotes on Page 34.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-10S						MW-11S			
	Sample Interval (feet bls)	11-21'	11-21'	11-21'	11-21'	11-21'	24-34'	24-34'	24-34'	24-34'
Sample Date	4/10/2012	5/9/2012	1/15/2013	4/17/2013	7/17/2013	10/9/2013	4/12/2012	5/9/2012	1/15/2013	4/17/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-11S (continued)				MW-12S				MP-13	
	24-34'	24-34'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	44-48'	44-48'
Sample Interval (feet bbls)	7/18/2013	10/4/2013	4/12/2012	5/9/2012	1/16/2013	4/17/2013	7/18/2013	10/4/2013	12/6/2012	1/19/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.31	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.3	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.29	<0.31	<0.31	<0.31	<0.31	<0.31	0.92 J	1.1
1,2,4-Trimethylbenzene	<0.14	<0.14	1.2	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.21	<0.27	0.79 J	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.36	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.23	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.12	<0.074	<0.074	<0.074	<0.074	<0.074	0.34 J	0.38 J
Bromoform	<0.28	<0.28	<0.45	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.49	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.28	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.24	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.22	<0.12	<0.12	<0.12	<0.12	<0.12	540	450
Dichlorodifluoromethane	<0.2	<0.2	<0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.14	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.21	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.28	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.63	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.24	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.21	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.19	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.24	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.19	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.24	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.17	<0.17	0.78 J	1.7	0.93 J	<0.17	1.3	1.5	640	760
Toluene	<0.11	<0.11	0.64	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.27	<0.25	<0.25	<0.25	<0.25	<0.25	7.3	6.7
Trichloroethene	<0.19	<0.19	<0.18	0.26 J	<0.19	<0.19	<0.19	<0.19	230	200
Vinyl chloride	<0.1	<0.1	<0.13	<0.1	<0.1	<0.1	<0.1	<0.1	15	17
Xylenes, Total	<0.068	<0.068	1.6	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 36.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-11S (continued)		MW-12S						MP-13	
	24-34'	24-34'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	44-48'	44-48'
Sample Interval (feet bls)	7/18/2013	10/4/2013	4/12/2012	5/9/2012	1/16/2013	4/17/2013	7/18/2013	10/4/2013	12/6/2012	1/19/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	<0.16	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	<0.085	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	<0.12	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									
	44-48'	44-48'	44-48'	44-48'	67-71'	67-71'	67-71'	67-71'	67-71'	67-71'
Sample Interval (feet bbls)	2/21/2013	4/17/2013	7/22/2013	10/7/2013	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.5	<0.25	<0.25	<1.3	<1.3	<1.3	<2.5	<1.3	<1.3
1,1,2-Trichloroethane	<0.28	<0.56	<0.28	<0.28	<1.4	<1.4	<1.4	<2.8	<1.4	<1.4
1,1-Dichloroethene	0.88 J	0.62	0.85 J	1.1	2.8 J	3.1 J	<1.6	<3.1	<1.6	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.28	<0.14	<0.14	<0.7	<0.7	<0.7	<1.4	<0.7	<0.7
1,2-Dibromoethane	<0.36	<0.72	<0.36	<0.36	<1.8	<1.8	<1.8	<3.6	<1.8	<1.8
1,2-Dichlorobenzene	<0.27	<0.54	<0.27	<0.27	<1.4	<1.4	<1.4	<2.7	<1.4	<1.4
1,2-Dichloropropane	<0.2	<0.4	<0.2	<0.2	<1	<1	<1	<2	<1	<1
1,3,5-Trimethylbenzene	<0.18	<0.36	<0.18	<0.18	<0.9	<0.9	<0.9	<1.8	<0.9	<0.9
Benzene	0.32 J	0.38 J	0.34 J	0.46 J	<0.37	1.1 J	<0.37	<0.74	<0.37	<0.37
Bromoform	<0.28	<0.56	<0.28	<0.28	<1.4	<1.4	<1.4	<2.8	<1.4	<1.4
Bromomethane	<0.31	<0.62	<0.31	<0.31	<1.6	<1.6	<1.6	<3.1	<1.6	<1.6
Carbon tetrachloride	<0.26	<0.52	<0.26	<0.26	<1.3	<1.3	<1.3	<2.6	<1.3	<1.3
Chloroform	<0.2	<0.4	<0.2	<0.2	<1	<1	<1	<2	<1	<1
Chloromethane	<0.18	<0.36	<0.18	<0.18	<0.9	<0.9	<0.9	<1.8	<0.9	<0.9
cis-1,2-Dichloroethene	460	460	430	480	3,500	3,100	2,900	3,200	2,300	1,500
Dichlorodifluoromethane	<0.2	<0.4	<0.2	<0.2	<1	<1	<1	<2	<1	<1
Ethylbenzene	<0.13	<0.26	<0.13	<0.13	<0.65	<0.65	<0.65	<1.3	<0.65	<0.65
Isopropylbenzene	<0.14	<0.28	<0.14	<0.14	<0.7	<0.7	<0.7	<1.4	<0.7	<0.7
Methyl tert-butyl ether	<0.24	<0.48	<0.24	<0.24	<1.2	<1.2	<1.2	<2.4	<1.2	<1.2
Methylene Chloride	<0.68	<1.4	<0.68	<0.68	<3.4	<3.4	<3.4	<6.8	<3.4	<3.4
Naphthalene	<0.16	<0.32	<0.16	<0.16	<0.8	<0.8	<0.8	<1.6	<0.8	<0.8
n-Butylbenzene	<0.13	<0.26	<0.13	<0.13	<0.65	<0.65	<0.65	<1.3	<0.65	<0.65
N-Propylbenzene	<0.13	<0.26	<0.13	<0.13	<0.65	<0.65	<0.65	<1.3	<0.65	<0.65
p-Isopropyltoluene	<0.17	<0.34	<0.17	<0.17	<0.85	<0.85	<0.85	<1.7	<0.85	<0.85
sec-Butylbenzene	<0.15	<0.3	<0.15	<0.15	<0.75	<0.75	<0.75	<1.5	<0.75	<0.75
Styrene	<0.1	<0.2	<0.1	<0.1	<0.5	<0.5	<0.5	<1	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.28	<0.14	<0.14	<0.7	<0.7	<0.7	<1.4	<0.7	<0.7
Tetrachloroethene	630	680	720	800	3,800	4,300	2,900	3,800	2,800	2,000
Toluene	<0.11	<0.22	<0.11	<0.11	<0.55	<0.55	<0.55	<1.1	<0.55	<0.55
trans-1,2-Dichloroethene	6.1	6.9	6.9	8.4	60	56	48	52	37	27
Trichloroethene	220	230	220	290	1,100	1,000	800	940	630	510
Vinyl chloride	17	13	13	17	150	180	140	130	110	92
Xylenes, Total	<0.068	<0.14	<0.068	<0.068	<0.34	<0.34	<0.34	<0.68	<0.34	<0.34

Footnotes on Page 38.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									
	44-48'	44-48'	44-48'	44-48'	67-71'	67-71'	67-71'	67-71'	67-71'	67-71'
Sample Interval (feet bls)	2/21/2013	4/17/2013	7/22/2013	10/7/2013	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	<0.16	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	<0.085	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	<0.12	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									
	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	102-106'	102-106'	102-106'	102-106'
Sample Interval (feet bbls)	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	12/4/2012	1/18/2013	2/21/2013	4/17/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<2.5	4.8 J	4.5 J	<5	<2.5	<1.3	<1.3	<0.5	<0.5	<1.3
1,1,2-Trichloroethane	<2.8	<2.8	<1.4	<5.6	<2.8	<1.4	<1.4	<0.56	<0.56	<1.4
1,1-Dichloroethene	<3.1	<3.1	4.2 J	<6.2	<3.1	<1.6	<1.6	<0.62	<0.62	<1.6
1,2,4-Trimethylbenzene	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<0.7	<0.28	<0.28	<0.7
1,2-Dibromoethane	<3.6	<3.6	<1.8	<7.2	<3.6	<1.8	<1.8	<0.72	<0.72	<1.8
1,2-Dichlorobenzene	<2.7	<2.7	<1.4	<5.4	<2.7	<1.4	<1.4	<0.54	<0.54	<1.4
1,2-Dichloropropane	<2	<2	<1	<4	<2	<1	<1	<0.4	<0.4	<1
1,3,5-Trimethylbenzene	<1.8	<1.8	<0.9	<3.6	<1.8	<0.9	<0.9	<0.36	<0.36	<0.9
Benzene	<0.74	<0.74	<0.37	<1.5	<0.74	<0.37	<0.37	<0.15	<0.15	<0.37
Bromoform	<2.8	<2.8	<1.4	<5.6	<2.8	<1.4	<1.4	<0.56	<0.56	<1.4
Bromomethane	<3.1	<3.1	<1.6	<6.2	<3.1	<1.6	<1.6	<0.62	<0.62	<1.6
Carbon tetrachloride	<2.6	<2.6	<1.3	<5.2	<2.6	<1.3	<1.3	<0.52	<0.52	<1.3
Chloroform	<2	<2	<1	<4	<2	<1	<1	<0.4	<0.4	<1
Chloromethane	<1.8	<1.8	<0.9	<3.6	<1.8	<0.9	<0.9	<0.36	<0.36	<0.9
cis-1,2-Dichloroethene	1,900	1,800	2,100	2,700	1,700	1,200	1,100	690	520	720
Dichlorodifluoromethane	<2	<2	<1	<4	<2	<1	<1	<0.4	<0.4	<1
Ethylbenzene	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<0.65	<0.26	<0.26	<0.65
Isopropylbenzene	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<0.7	<0.28	<0.28	<0.7
Methyl tert-butyl ether	<2.4	<2.4	<1.2	<4.8	<2.4	<1.2	<1.2	<0.48	<0.48	<1.2
Methylene Chloride	<6.8	<6.8	<3.4	<14	<6.8	<3.4	<3.4	<1.4	<1.4	<3.4
Naphthalene	<1.6	<1.6	<0.8	<3.2	<1.6	<0.8	<0.8	<0.32	<0.32	<0.8
n-Butylbenzene	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<0.65	<0.26	<0.26	<0.65
N-Propylbenzene	<1.3	<1.3	<0.65	<2.6	<1.3	<0.65	<0.65	<0.26	<0.26	<0.65
p-Isopropyltoluene	<1.7	<1.7	<0.85	<3.4	<1.7	<0.85	<0.85	<0.34	<0.34	<0.85
sec-Butylbenzene	<1.5	<1.5	<0.75	<3	<1.5	<0.75	<0.75	<0.3	<0.3	<0.75
Styrene	<1	<1	<0.5	<2	<1	<0.5	<0.5	<0.2	<0.2	<0.5
tert-Butylbenzene	<1.4	<1.4	<0.7	<2.8	<1.4	<0.7	<0.7	<0.28	<0.28	<0.7
Tetrachloroethene	5,600	6,800	7,000	7,900	6,800	5,400	1,800	1,100	670	1,400
Toluene	<1.1	<1.1	<0.55	<2.2	<1.1	<0.55	<0.55	<0.22	<0.22	<0.55
trans-1,2-Dichloroethene	29	38	38	48	29	19	15	9.5	4.8	6.6
Trichloroethene	940	1,100	1,100	1,200	900	660	440	330	270	500
Vinyl chloride	64	120	110	99	75	48	33	23	13	20
Xylenes, Total	<0.68	<0.68	<0.34	<1.4	<0.68	<0.34	<0.34	<0.14	<0.14	<0.34

Footnotes on Page 40.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									
	81-85'	81-85'	81-85'	81-85'	81-85'	81-85'	102-106'	102-106'	102-106'	102-106'
Sample Interval (feet bls)	12/6/2012	1/19/2013	2/21/2013	4/17/2013	7/22/2013	10/7/2013	12/4/2012	1/18/2013	2/21/2013	4/17/2013
Total PCBs										
Aroclor 1016	<0.15	NA	NA	NA	NA	NA	<0.15	NA	NA	NA
Aroclor 1232	<0.083	NA	NA	NA	NA	NA	<0.083	NA	NA	NA
Aroclor 1242	<0.12	NA	NA	NA	NA	NA	<0.12	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									
	102-106'	102-106'	121-125'	121-125'	121-125'	121-125'	121-125'	135-139'	135-139'	135-139'
Sample Interval (feet bbls)	7/22/2013	10/7/2013	12/4/2012	1/18/2013	4/17/2013	7/22/2013	10/7/2013	12/4/2012	1/17/2013	4/17/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<1.3	<1.3	<0.5	<1.3	<5	<2.5	1.1	<0.5	<1.3	<2.5
1,1,2-Trichloroethane	<1.4	<1.4	<0.56	<1.4	<5.6	<2.8	<0.28	<0.56	<1.4	<2.8
1,1-Dichloroethene	<1.6	<1.6	<0.62	<1.6	<6.2	<3.1	<0.31	1.5 J	<1.6	<3.1
1,2,4-Trimethylbenzene	<0.7	<0.7	<0.28	<0.7	<2.8	<1.4	<0.14	<0.28	<0.7	<1.4
1,2-Dibromoethane	<1.8	<1.8	<0.72	<1.8	<7.2	<3.6	<0.36	<0.72	<1.8	<3.6
1,2-Dichlorobenzene	<1.4	<1.4	<0.54	<1.4	<5.4	<2.7	<0.27	<0.54	<1.4	<2.7
1,2-Dichloropropane	<1	<1	<0.4	<1	<4	<2	<0.2	<0.4	<1	<2
1,3,5-Trimethylbenzene	<0.9	<0.9	<0.36	<0.9	<3.6	<1.8	<0.18	<0.36	<0.9	<1.8
Benzene	<0.37	<0.37	<0.15	<0.37	<1.5	<0.74	0.29 J	0.41 J	1.1 J	<0.74
Bromoform	<1.4	<1.4	<0.56	<1.4	<5.6	<2.8	<0.28	<0.56	<1.4	<2.8
Bromomethane	<1.6	<1.6	<0.62	<1.6	<6.2	<3.1	<0.31	<0.62	<1.6	<3.1
Carbon tetrachloride	<1.3	<1.3	<0.52	<1.3	<5.2	<2.6	<0.26	<0.52	<1.3	<2.6
Chloroform	<1	<1	<0.4	<1	<4	<2	<0.2	<0.4	<1	<2
Chloromethane	<0.9	<0.9	<0.36	<0.9	<3.6	<1.8	<0.18	<0.36	<0.9	<1.8
cis-1,2-Dichloroethene	660	600	910	1,000	930	760	650	1,100	910	540
Dichlorodifluoromethane	<1	<1	<0.4	<1	<4	<2	<0.2	<0.4	<1	<2
Ethylbenzene	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13	<0.26	<0.65	<1.3
Isopropylbenzene	<0.7	<0.7	<0.28	<0.7	<2.8	<1.4	<0.14	<0.28	<0.7	<1.4
Methyl tert-butyl ether	<1.2	<1.2	<0.48	<1.2	<4.8	<2.4	<0.24	<0.48	<1.2	<2.4
Methylene Chloride	<3.4	<3.4	<1.4	<3.4	<14	<6.8	<0.68	<1.4	<3.4	<6.8
Naphthalene	<0.8	<0.8	<0.32	<0.8	<3.2	<1.6	<0.16	<0.32	<0.8	<1.6
n-Butylbenzene	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13	<0.26	<0.65	<1.3
N-Propylbenzene	<0.65	<0.65	<0.26	<0.65	<2.6	<1.3	<0.13	<0.26	<0.65	<1.3
p-Isopropyltoluene	<0.85	<0.85	<0.34	<0.85	<3.4	<1.7	<0.17	<0.34	<0.85	<1.7
sec-Butylbenzene	<0.75	<0.75	<0.3	<0.75	<3	<1.5	<0.15	<0.3	<0.75	<1.5
Styrene	<0.5	<0.5	<0.2	<0.5	<2	<1	<0.1	<0.2	<0.5	<1
tert-Butylbenzene	<0.7	<0.7	<0.28	<0.7	<2.8	<1.4	<0.14	<0.28	<0.7	<1.4
Tetrachloroethene	1,500	1,900	1,500	2,600	7,000	6,300	6,500	1,900	2,300	3,800
Toluene	<0.55	<0.55	<0.22	<0.55	<2.2	<1.1	<0.11	<0.22	<0.55	<1.1
trans-1,2-Dichloroethene	6	7	12	17	12 J	12	9.7	17	15	8.5 J
Trichloroethene	450	490	340	460	600	510	550	450	430	310
Vinyl chloride	19	20	36	54	13	9.3	8.1	50	42	11
Xylenes, Total	<0.34	<0.34	<0.14	<0.34	<1.4	<0.68	<0.068	<0.14	<0.34	<0.68

Footnotes on Page 42.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)									
	Sample Interval (feet bbls)	102-106'	102-106'	121-125'	121-125'	121-125'	121-125'	121-125'	135-139'	135-139'
Sample Date	7/22/2013	10/7/2013	12/4/2012	1/18/2013	4/17/2013	7/22/2013	10/7/2013	12/4/2012	1/17/2013	4/17/2013
Total PCBs										
Aroclor 1016	NA	NA	<0.15	NA	NA	NA	NA	<0.15	NA	NA
Aroclor 1232	NA	NA	<0.084	NA	NA	NA	NA	<0.083	NA	NA
Aroclor 1242	NA	NA	<0.12	NA	NA	NA	NA	<0.12	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bbls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)							MP-14	
	135-139'	135-139'	163-167'	163-167'	163-167'	163-167'	163-167'	70-75'	70-75'
Sample Interval (feet bbls)	7/22/2013	10/7/2013	12/4/2012	1/16/2013	4/17/2013	7/22/2013	10/7/2013	1/21/2013	4/16/2013
VOCs (µg/L)									
1,1,1,2-Tetrachloroethane	<2.5	<1.3	<1.3	<0.25	<0.5	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<2.8	<1.4	<1.4	<0.28	<0.56	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<3.1	<1.6	<1.6	0.97 J	<0.62	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<1.4	<0.7	<0.7	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<3.6	<1.8	<1.8	<0.36	<0.72	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<2.7	<1.4	<1.4	<0.27	<0.54	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<2	<1	<1	<0.2	<0.4	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<1.8	<0.9	<0.9	<0.18	<0.36	<0.18	<0.18	<0.18	<0.18
Benzene	<0.74	<0.37	<0.37	<0.074	<0.15	<0.074	<0.074	<0.074	<0.074
Bromoform	<2.8	<1.4	<1.4	<0.28	<0.56	<0.28	<0.28	<0.28	<0.28
Bromomethane	<3.1	<1.6	<1.6	<0.31	<0.62	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<2.6	<1.3	<1.3	<0.26	<0.52	<0.26	<0.26	<0.26	<0.26
Chloroform	<2	<1	<1	<0.2	<0.4	<0.2	<0.2	<0.2	<0.2
Chloromethane	<1.8	<0.9	<0.9	<0.18	<0.36	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	420	380	970	730	460	200	170	<0.12	<0.12
Dichlorodifluoromethane	<2	<1	<1	<0.2	<0.4	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<1.3	<0.65	<0.65	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<1.4	<0.7	<0.7	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<2.4	<1.2	<1.2	<0.24	<0.48	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<6.8	<3.4	<3.4	<0.68	<1.4	<0.68	<0.68	<0.68	<0.68
Naphthalene	<1.6	<0.8	<0.8	<0.16	<0.32	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<1.3	<0.65	<0.65	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<1.3	<0.65	<0.65	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<1.7	<0.85	<0.85	<0.17	<0.34	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<1.5	<0.75	<0.75	<0.15	<0.3	<0.15	<0.15	<0.15	<0.15
Styrene	<1	<0.5	<0.5	<0.1	<0.2	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<1.4	<0.7	<0.7	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	4,200	6,500	1,400	930	840	510	680	0.71 J	<0.17
Toluene	<1.1	<0.55	<0.55	<0.11	<0.22	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	5.4 J	<1.3	15	13	7.5	3.3	2.6	<0.25	<0.25
Trichloroethene	260	310	370	250	200	92	96	<0.19	<0.19
Vinyl chloride	8.1	5.8	41	27	6.8	0.74	0.72	<0.1	<0.1
Xylenes, Total	<0.68	<0.34	<0.34	<0.068	<0.14	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 44.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-13 (continued)							MP-14	
	Sample Interval (feet bls)	135-139'	135-139'	163-167'	163-167'	163-167'	163-167'	70-75'	70-75'
Sample Date	7/22/2013	10/7/2013	12/4/2012	1/16/2013	4/17/2013	7/22/2013	10/7/2013	1/21/2013	4/16/2013
Total PCBs									
Aroclor 1016	NA	NA	<0.15	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	<0.083	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	<0.12	NA	NA	NA	NA	NA	NA
Dissolved PCBs									
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)									
	Sample Interval (feet bbls)	70-75'	70-75'	70-75'	100-105'	100-105'	100-105'	100-105'	100-105'	135-140'
Sample Date	7/16/2013	7/22/2013	10/8/2013	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	1/21/2013	4/16/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	17
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	0.72 J	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	<0.17	<0.17	<0.17	1.5	<0.17	<0.17	<0.17	1.7	1.7	430
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	0.24 J	31
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 46.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)									
	70-75'	70-75'	70-75'	100-105'	100-105'	100-105'	100-105'	100-105'	135-140'	135-140'
Sample Interval (feet bls)	7/16/2013	7/22/2013	10/8/2013	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	1/21/2013	4/16/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)							MP-15	
	135-140'	135-140'	135-140'	170 - 178'	170-178'	170-178'	170-178'	88-92'	88-92'
Sample Interval (feet bbls)	7/16/2013	7/22/2013	10/8/2013	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	1/22/2013
Sample Date	7/16/2013	7/22/2013	10/8/2013	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	1/22/2013
VOCs (µg/L)									
1,1,1,2-Tetrachloroethane	<0.5	<0.25	<0.5	<0.25	<0.25	<0.5	<0.25	<0.5	<0.25
1,1,2-Trichloroethane	<0.56	<0.28	<0.56	<0.28	<0.28	<0.56	<0.28	<0.56	<0.28
1,1-Dichloroethene	<0.62	<0.31	<0.62	<0.31	<0.31	<0.62	<0.31	<0.62	<0.31
1,2,4-Trimethylbenzene	<0.28	<0.14	<0.28	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14
1,2-Dibromoethane	<0.72	<0.36	<0.72	<0.36	<0.36	<0.72	<0.36	<0.72	<0.36
1,2-Dichlorobenzene	<0.54	<0.27	<0.54	<0.27	<0.27	<0.54	<0.27	<0.54	<0.27
1,2-Dichloropropane	<0.4	<0.2	<0.4	<0.2	<0.2	<0.4	<0.2	<0.4	<0.2
1,3,5-Trimethylbenzene	<0.36	<0.18	<0.36	<0.18	<0.18	<0.36	<0.18	<0.36	<0.18
Benzene	<0.15	<0.074	<0.15	<0.074	<0.074	<0.15	<0.074	<0.15	<0.074
Bromoform	<0.56	<0.28	<0.56	<0.28	<0.28	<0.56	<0.28	<0.56	<0.28
Bromomethane	<0.62	<0.31	<0.62	<0.31	<0.31	<0.62	<0.31	<0.62	<0.31
Carbon tetrachloride	<0.52	<0.26	<0.52	<0.26	<0.26	<0.52	<0.26	<0.52	<0.26
Chloroform	<0.4	<0.2	<0.4	<0.2	<0.2	<0.4	<0.2	<0.4	<0.2
Chloromethane	<0.36	<0.18	<0.36	<0.18	<0.18	<0.36	<0.18	<0.36	<0.18
cis-1,2-Dichloroethene	27	29	27	<0.12	<0.12	22	21	22	7.5
Dichlorodifluoromethane	<0.4	<0.2	<0.4	<0.2	<0.2	<0.4	<0.2	<0.4	<0.2
Ethylbenzene	<0.26	<0.13	<0.26	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13
Isopropylbenzene	<0.28	<0.14	<0.28	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14
Methyl tert-butyl ether	<0.48	<0.24	<0.48	<0.24	<0.24	<0.48	<0.24	<0.48	2.3
Methylene Chloride	<1.4	<0.68	<1.4	<0.68	<0.68	<1.4	<0.68	<1.4	<0.68
Naphthalene	<0.32	<0.16	<0.32	<0.16	<0.16	<0.32	<0.16	<0.32	<0.16
n-Butylbenzene	<0.26	<0.13	<0.26	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13
N-Propylbenzene	<0.26	<0.13	<0.26	<0.13	<0.13	<0.26	<0.13	<0.26	<0.13
p-Isopropyltoluene	<0.34	<0.17	<0.34	<0.17	<0.17	<0.34	<0.17	<0.34	<0.17
sec-Butylbenzene	<0.3	<0.15	<0.3	<0.15	<0.15	<0.3	<0.15	<0.3	<0.15
Styrene	<0.2	<0.1	<0.2	<0.1	<0.1	<0.2	<0.1	<0.2	<0.1
tert-Butylbenzene	<0.28	<0.14	<0.28	<0.14	<0.14	<0.28	<0.14	<0.28	<0.14
Tetrachloroethene	820	920	970	1.2	9.2	520	520	640	130
Toluene	<0.22	<0.11	<0.22	<0.11	<0.11	<0.22	<0.11	<0.22	<0.11
trans-1,2-Dichloroethene	<0.5	<0.25	<0.5	<0.25	<0.25	<0.5	<0.25	<0.5	<0.25
Trichloroethene	53	51	53	<0.19	0.78	42	37	37	11
Vinyl chloride	<0.2	<0.1	0.53 J	<0.1	<0.1	<0.2	<0.1	<0.2	<0.1
Xylenes, Total	<0.14	<0.068	<0.14	<0.068	<0.068	<0.14	<0.068	<0.14	<0.068

Footnotes on Page 48.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-14 (continued)							MP-15		
	Sample Interval (feet bls)	135-140'	135-140'	135-140'	170 - 178'	170-178'	170-178'	170-178'	88-92'	88-92'
Sample Date	7/16/2013	7/22/2013	10/8/2013	1/21/2013	4/16/2013	7/16/2013	7/22/2013	10/8/2013	1/22/2013	4/15/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

 Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)									
	88-92'	88-92'	100-105'	100-105'	100-105'	100-105'	120-125'	120-125'	120-125'	120-125'
Sample Interval (feet bbls)	7/22/2013	10/8/2013	1/22/2013	4/15/2013	7/22/2013	10/8/2013	1/22/2013	4/15/2013	7/22/2013	10/8/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.5	<1.3	<1.3
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	<0.56	<0.56	<1.4	<1.4
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.62	<0.62	<1.6	<1.6
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.28	<0.7	<0.7
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.72	<0.72	<0.72	<1.8	<1.8
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.54	<0.54	<0.54	<1.4	<1.4
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.4	<1	<1
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.36	<0.36	<0.9	<0.9
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.15	<0.15	<0.15	<0.37	<0.37
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	<0.56	<0.56	<1.4	<1.4
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.62	<0.62	<1.6	<1.6
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.52	<0.52	<0.52	<1.3	<1.3
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.4	<1	<1
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.36	<0.36	<0.9	<0.9
cis-1,2-Dichloroethene	14	20	9.3	37	68	76	200	230	250	220
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.4	<1	<1
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.26	<0.65	<0.65
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.28	<0.7	<0.7
Methyl tert-butyl ether	<0.24	3.3	2.2	1.3	<0.24	<0.48	<0.48	<0.48	<1.2	<1.2
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<1.4	<1.4	<1.4	<3.4	<3.4
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.32	<0.32	<0.32	<0.8	<0.8
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.26	<0.65	<0.65
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.26	<0.65	<0.65
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.34	<0.34	<0.34	<0.85	<0.85
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.3	<0.3	<0.3	<0.75	<0.75
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.2	<0.5	<0.5
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.28	<0.7	<0.7
Tetrachloroethene	130	220	230	440	660	690	1,100	1,900	2,100	1,800
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.22	<0.22	<0.22	<0.55	<0.55
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	0.51 J	<0.5	1.3 J	1.7 J	<1.3	<1.3
Trichloroethene	12	19	16	41	65	72	160	210	220	190
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	1	1.9 J	<0.5
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.14	<0.14	<0.14	<0.34	<0.34

Footnotes on Page 50.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)									
	88-92'	88-92'	100-105'	100-105'	100-105'	100-105'	120-125'	120-125'	120-125'	120-125'
Sample Interval (feet bls)	7/22/2013	10/8/2013	1/22/2013	4/15/2013	7/22/2013	10/8/2013	1/22/2013	4/15/2013	7/22/2013	10/8/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)								MP-16	
	Sample Interval (feet bbls)	142-146'	142-146'	142-146'	142-146'	177 - 187'	177-187'	177-187'	177-187'	80-84'
Sample Date	1/22/2013	4/15/2013	7/22/2013	10/8/2013	1/22/2013	4/15/2013	7/22/2013	10/8/2013	1/22/2013	4/16/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.5	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.72	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.54	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.15	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.56	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.62	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.52	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	9.7	75	110	140	9.5	6.7	6	16	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	2	<0.24	<0.24	<0.48	2.5	1.6	0.86 J	0.90 J	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<1.4	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.32	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.26	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.34	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.3	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	170	580	640	840	240	140	110	100	0.76 J	<0.17
Toluene	<0.11	<0.11	<0.11	<0.22	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	0.86 J	0.97 J	1.4 J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene		14	78	100	130	17	12	7.7	12	<0.19
Vinyl chloride	<0.1	0.39 J	0.58	0.76 J	<0.1	<0.1	<0.1	0.34 J	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.14	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 52.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-15 (continued)								MP-16	
	142-146'	142-146'	142-146'	142-146'	177 - 187'	177-187'	177-187'	177-187'	80-84'	80-84'
Sample Interval (feet bls)	1/22/2013	4/15/2013	7/22/2013	10/8/2013	1/22/2013	4/15/2013	7/22/2013	10/8/2013	1/22/2013	4/16/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16 (continued)									
	80-84'	80-84'	80-84'	80-84'	106-116'	106-116'	106-116'	106-116'	140-144'	140-144'
Sample Interval (feet bbls)	1/22/2013	4/16/2013	7/23/2013	10/9/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	1/22/2013	4/16/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	2.6	5.8	9.5	10	1.9	1.2
Dichlorodifluoromethane	<0.2	<0.2	<0.2 *	<0.2	<0.2	<0.2	<0.2 *	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	0.76 J	<0.17	<0.17	0.76 J	23	330	90	94	14	11
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	3.8	44	12	13	2.1	2
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 54.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16 (continued)									
	80-84'	80-84'	80-84'	80-84'	106-116'	106-116'	106-116'	106-116'	140-144'	140-144'
Sample Interval (feet bls)	1/22/2013	4/16/2013	7/23/2013	10/9/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	1/22/2013	4/16/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16 (continued)						MW-17			
	140-144'	140-144'	175-179'	175-179'	175-179'	175-179'	160-170'	160-170'	160-170'	160-170'
Sample Interval (feet bbls)	7/23/2013	10/9/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	1/17/2013	4/20/2013	7/18/2013	10/8/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.25	<0.5
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	11	<0.28	<0.56
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.62	<0.31	<0.62
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.14	<0.28
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.72	<0.72	<0.36	<0.72
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.54	<0.54	<0.27	<0.54
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.2	<0.4
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.36	<0.18	<0.36
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	20	1.2	<0.074	<0.15
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.56	<0.56	<0.28	<0.56
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.62	<0.62	<0.31	<0.62
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	1.2 J	<0.52	<0.26	<0.52
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	1.8 J	<0.4	0.86 J	<0.4
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.36	<0.36	<0.18	<0.36
cis-1,2-Dichloroethene	<0.12	<0.12	1.9	0.99 J	<0.12	<0.12	3.5	1.7 J	1.6	<0.24
Dichlorodifluoromethane	<0.2 *	<0.2	<0.2	<0.2	<0.2 *	<0.2	<0.4	<0.4	<0.2	<0.4
Ethylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.13	<0.26
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.14	<0.28
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.48	<0.48	<0.24	<0.48
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<1.4	<1.4	<0.68	<1.4
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.32	<0.32	<0.16	<0.32
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.13	<0.26
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.26	<0.26	<0.13	<0.26
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.34	<0.34	<0.17	<0.34
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.3	<0.3	<0.15	<0.3
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.1	<0.2
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	<0.14	<0.28
Tetrachloroethene	23	37	13	6.7	2.2	3.7	1,300	790	470	800
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	1.8	<0.22	0.69	<0.22
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	1.5 J	<0.5	0.68 J	<0.5
Trichloroethene	3	6.1	2.2	1.2	0.42 J	0.98	86	46	33	49
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.1	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	<0.068	<0.068	<0.068	3.1	<0.14	0.56 J	<0.14

Footnotes on Page 56.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MP-16 (continued)						MW-17			
	140-144'	140-144'	175-179'	175-179'	175-179'	175-179'	160-170'	160-170'	160-170'	160-170'
Sample Interval (feet bls)	7/23/2013	10/9/2013	1/22/2013	4/16/2013	7/23/2013	10/9/2013	1/17/2013	4/20/2013	7/18/2013	10/8/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	<0.17	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	<0.093	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	<0.13	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-18S							MW-19D		
	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'	60-90'	60-90'	60-90'
Sample Interval (feet bbls)	11/28/2012	1/15/2013	2/12/2013	3/12/2013	4/19/2013	7/17/2013	10/9/2013	11/29/2012	1/16/2013	2/11/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<1.3	<0.25	<0.5	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,1,2-Trichloroethane	<1.4	<0.28	<0.56	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
1,1-Dichloroethene	<1.6	<0.31	<0.62	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6
1,2,4-Trimethylbenzene	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
1,2-Dibromoethane	<1.8	<0.36	<0.72	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
1,2-Dichlorobenzene	<1.4	<0.27	<0.54	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
1,2-Dichloropropane	<1	<0.2	<0.4	<1	<1	<1	<1	<1	<1	<1
1,3,5-Trimethylbenzene	<0.9	<0.18	<0.36	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9
Benzene	3.2	0.46 J	1.4	1.9 J	2.2 J	<0.37	1.3 J	<0.37	<0.37	<0.37
Bromoform	<1.4	<0.28	<0.56	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Bromomethane	<1.6	<0.31	<0.62	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6 *
Carbon tetrachloride	<1.3	<0.26	<0.52	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
Chloroform	7.2	2.3	4.5	7.5	6.2	<1	5.2	<1	<1	<1
Chloromethane	<0.9	<0.18	<0.36	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9	<0.9
cis-1,2-Dichloroethene	150	40	77	110	99	70	78	530	170	450
Dichlorodifluoromethane	<1	<0.2	<0.4	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65
Isopropylbenzene	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Methyl tert-butyl ether	<1.2	<0.24	<0.48	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Methylene Chloride	<3.4	<0.68	<1.4	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4	<3.4
Naphthalene	<0.8	<0.16	<0.32	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8
n-Butylbenzene	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65
N-Propylbenzene	<0.65	<0.13	<0.26	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65
p-Isopropyltoluene	<0.85	<0.17	<0.34	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85
sec-Butylbenzene	<0.75	<0.15	<0.3	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75
Styrene	<0.5	<0.1	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
tert-Butylbenzene	<0.7	<0.14	<0.28	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Tetrachloroethene	3,300	690	1,900	2,600	2,600	2,900	1,800	2,400	1,700	2,700
Toluene	1.1 J	<0.11	<0.22	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55
trans-1,2-Dichloroethene	7.4	2.6	3.8	5.3	4.1 J	2.6 J	4.6 J	7.2	<1.3	4.4 J
Trichloroethene	230	59	130	160	170	140	150	230	69	180
Vinyl chloride	<0.5	<0.1	<0.2	<0.5	<0.5	<0.5	<0.5	9.1	3.2	8
Xylenes, Total	<0.34	<0.068	<0.14	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34

Footnotes on Page 58.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-18S							MW-19D		
	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'	20-30'	60-90'	60-90'	60-90'
Sample Interval (feet bls)	11/28/2012	1/15/2013	2/12/2013	3/12/2013	4/19/2013	7/17/2013	10/9/2013	11/29/2012	1/16/2013	2/11/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-19D (continued)				MW-19D2					
	60-90'	60-90'	60-90'	60-90'	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'
Sample Interval (feet bbls)	3/11/2013	4/19/2013	7/17/2013	10/9/2013	11/29/2012	1/17/2013	2/11/2013	3/12/2013	4/18/2013	7/17/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<1.3	<1.3	<1.3	<1.3	<0.5	<0.5	<0.5	<0.5	<1.3	<0.5
1,1,2-Trichloroethane	<1.4	<1.4	<1.4	<1.4	<0.56	<0.56	<0.56	<0.56	<1.4	<0.56
1,1-Dichloroethene	<1.6	<1.6	<1.6	<1.6	<0.62	<0.62	<0.62	<0.62	<1.6	<0.62
1,2,4-Trimethylbenzene	<0.7	<0.7	<0.7	<0.7	<0.28	<0.28	<0.28	<0.28	<0.7	<0.28
1,2-Dibromoethane	<1.8	<1.8	<1.8	<1.8	<0.72	<0.72	<0.72	<0.72	<1.8	<0.72
1,2-Dichlorobenzene	<1.4	<1.4	<1.4	<1.4	<0.54	<0.54	<0.54	<0.54	<1.4	<0.54
1,2-Dichloropropane	<1	<1	<1	<1	<0.4	<0.4	<0.4	<0.4	<1	<0.4
1,3,5-Trimethylbenzene	<0.9	<0.9	<0.9	<0.9	<0.36	<0.36	<0.36	<0.36	<0.9	<0.36
Benzene	<0.37	<0.37	<0.37	<0.37	<0.15	<0.15	<0.15	<0.15	<0.37	<0.15
Bromoform	<1.4	<1.4	<1.4	<1.4	<0.56	<0.56	<0.56	<0.56	<1.4	<0.56
Bromomethane	<1.6	<1.6	<1.6	<1.6	<0.62	<0.62	<0.62 *	<0.62	<1.6	<0.62
Carbon tetrachloride	<1.3	<1.3	<1.3	<1.3	<0.52	<0.52	<0.52	<0.52	<1.3	<0.52
Chloroform	<1	<1	<1	<1	<0.4	<0.4	<0.4	<0.4	<1	<0.4
Chloromethane	<0.9	<0.9	<0.9	<0.9	<0.36	<0.36	<0.36	<0.36	<0.9	<0.36
cis-1,2-Dichloroethene	420	520	540	300	250	320	270	260	200	<0.24
Dichlorodifluoromethane	<1	<1	<1	<1	<0.4	<0.4	<0.4	<0.4	<1	<0.4
Ethylbenzene	<0.65	<0.65	<0.65	<0.65	<0.26	<0.26	<0.26	<0.26	<0.65	<0.26
Isopropylbenzene	<0.7	<0.7	<0.7	<0.7	<0.28	<0.28	<0.28	<0.28	<0.7	<0.28
Methyl tert-butyl ether	<1.2	<1.2	<1.2	<1.2	<0.48	<0.48	<0.48	<0.48	<1.2	<0.48
Methylene Chloride	<3.4	<3.4	<3.4	<3.4	<1.4	<1.4	<1.4	<1.4	<3.4	<1.4
Naphthalene	<0.8	<0.8	<0.8	<0.8	<0.32	<0.32	<0.32	<0.32	<0.8	<0.32
n-Butylbenzene	<0.65	<0.65	<0.65	<0.65	<0.26	<0.26	<0.26	<0.26	<0.65	<0.26
N-Propylbenzene	<0.65	<0.65	<0.65	<0.65	<0.26	<0.26	<0.26	<0.26	<0.65	<0.26
p-Isopropyltoluene	<0.85	<0.85	<0.85	<0.85	<0.34	<0.34	<0.34	<0.34	<0.85	<0.34
sec-Butylbenzene	<0.75	<0.75	<0.75	<0.75	<0.3	<0.3	<0.3	<0.3	<0.75	<0.3
Styrene	<0.5	<0.5	<0.5	<0.5	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2
tert-Butylbenzene	<0.7	<0.7	<0.7	<0.7	<0.28	<0.28	<0.28	<0.28	<0.7	<0.28
Tetrachloroethene	2,100	2,200	2,700	1,500	680	1,200	1,300	1,400	1,000	820
Toluene	<0.55	<0.55	<0.55	<0.55	<0.22	<0.22	<0.22	<0.22	<0.55	<0.22
trans-1,2-Dichloroethene	5.1	6.3	8.1	4.1 J	3.4	4.9	4.2	4.2	2.6 J	<0.5
Trichloroethene	180	200	240	150	110	160	150	150	130	<0.38
Vinyl chloride	11	18	20	6.6	0.93 J	<0.2	<0.2	<0.2	<0.5	<0.2
Xylenes, Total	<0.34	<0.34	<0.34	<0.34	<0.14	<0.14	<0.14	<0.14	<0.34	<0.14

Footnotes on Page 60.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-19D (continued)					MW-19D2				
	60-90'	60-90'	60-90'	60-90'		110-140'	110-140'	110-140'	110-140'	110-140'
Sample Interval (feet bbls)	3/11/2013	4/19/2013	7/17/2013	10/9/2013	11/29/2012	1/17/2013	2/11/2013	3/12/2013	4/18/2013	7/17/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bbls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-19D2 (continued)		MW-20D						MW-20D2	
	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'		
Sample Interval (feet bbls)	7/17/2013	10/9/2013	11/29/2012	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013	10/9/2013	11/29/2012
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.5	<0.5	<1.3	<0.25	<0.25	<0.25	<1.3	<0.5	<1.3	<0.5
1,1,2-Trichloroethane	<0.56	<0.56	<1.4	<0.28	<0.28	<0.28	<1.4	<0.56	<1.4	<0.56
1,1-Dichloroethene	<0.62	<0.62	<1.6	<0.31	<0.31	<0.31	<1.6	<0.62	<1.6	<0.62
1,2,4-Trimethylbenzene	<0.28	<0.28	<0.7	<0.14	<0.14	<0.14	<0.7	<0.28	<0.7	<0.28
1,2-Dibromoethane	<0.72	<0.72	<1.8	<0.36	<0.36	<0.36	<1.8	<0.72	<1.8	<0.72
1,2-Dichlorobenzene	<0.54	<0.54	<1.4	<0.27	<0.27	<0.27	<1.4	<0.54	<1.4	<0.54
1,2-Dichloropropane	<0.4	<0.4	<1	<0.2	<0.2	<0.2	<1	<0.4	<1	<0.4
1,3,5-Trimethylbenzene	<0.36	<0.36	<0.9	<0.18	<0.18	<0.18	<0.9	<0.36	<0.9	<0.36
Benzene	<0.15	<0.15	<0.37	<0.074	<0.074	<0.074	<0.37	<0.15	<0.37	<0.15
Bromoform	<0.56	<0.56	<1.4	<0.28	<0.28	<0.28	<1.4	<0.56	<1.4	<0.56
Bromomethane	<0.62	<0.62	<1.6	<0.31	<0.31	<0.31	<1.6	<0.62	<1.6	<0.62
Carbon tetrachloride	<0.52	<0.52	<1.3	<0.26	<0.26	<0.26	<1.3	<0.52	<1.3	<0.52
Chloroform	<0.4	<0.4	<1	<0.2	<0.2	<0.2	<1	<0.4	<1	<0.4
Chloromethane	<0.36	<0.36	<0.9	<0.18	<0.18	<0.18	<0.9	<0.36	<0.9	<0.36
cis-1,2-Dichloroethene	98	120	370	0.69 J	20	39	220	180	170	330
Dichlorodifluoromethane	<0.4	<0.4	<1	<0.2	<0.2	<0.2	<1	<0.4	<1	<0.4
Ethylbenzene	<0.26	<0.26	<0.65	<0.13	<0.13	<0.13	<0.65	<0.26	<0.65	<0.26
Isopropylbenzene	<0.28	<0.28	<0.7	<0.14	<0.14	<0.14	<0.7	<0.28	<0.7	<0.28
Methyl tert-butyl ether	<0.48	<0.48	<1.2	<0.24	<0.24	<0.24	<1.2	<0.48	<1.2	<0.48
Methylene Chloride	<1.4	<1.4	<3.4	<0.68	<0.68	<0.68	<3.4	<1.4	<3.4	<1.4
Naphthalene	<0.32	<0.32	<0.8	<0.16	<0.16	<0.16	<0.8	<0.32	<0.8	<0.32
n-Butylbenzene	<0.26	<0.26	<0.65	<0.13	<0.13	<0.13	<0.65	<0.26	<0.65	<0.26
N-Propylbenzene	<0.26	<0.26	<0.65	<0.13	<0.13	<0.13	<0.65	<0.26	<0.65	<0.26
p-Isopropyltoluene	<0.34	<0.34	<0.85	<0.17	<0.17	<0.17	<0.85	<0.34	<0.85	<0.34
sec-Butylbenzene	<0.3	<0.3	<0.75	<0.15	<0.15	<0.15	<0.75	<0.3	<0.75	<0.3
Styrene	<0.2	<0.2	<0.5	<0.1	<0.1	<0.1	<0.5	<0.2	<0.5	<0.2
tert-Butylbenzene	<0.28	<0.28	<0.7	<0.14	<0.14	<0.14	<0.7	<0.28	<0.7	<0.28
Tetrachloroethene	1,200	950	1,600	190	690	650	1,100	1,000	1,200	1,300
Toluene	<0.22	<0.22	<0.55	0.45 J	<0.11	<0.11	<0.55	<0.22	<0.55	<0.22
trans-1,2-Dichloroethene	<0.5	<0.5	5	<0.25	<0.25	<0.25	<1.3	2.2	<1.3	4.3
Trichloroethene	110	120	170	0.54	20	29	100	100	89	150
Vinyl chloride	<0.2	<0.2	3.2	<0.1	<0.1	<0.1	1.0 J	<0.2	<0.5	1.7
Xylenes, Total	<0.14	<0.14	<0.34	<0.068	<0.068	<0.068	<0.34	<0.14	<0.34	<0.14

Footnotes on Page 62.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-19D2 (continued)		MW-20D								MW-20D2
	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	60-90'	
Sample Interval (feet bls)	7/17/2013	10/9/2013	11/29/2012	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013	10/9/2013	11/29/2012	
Total PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dissolved PCBs											
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-20D2 (continued)						MW-21D			
	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'	60-90'	60-90'
Sample Interval (feet bbls)	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013	10/15/2013	11/28/2012	1/17/2013	2/14/2013	3/12/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<1.3	<0.25	<0.25	<0.5	<0.25	<0.5	<0.5
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<1.4	<0.28	<0.28	<0.56	<0.28	<0.56	<0.56
1,1-Dichloroethene	<0.31	<0.31	<0.31	<1.6	<0.31	<0.31	<0.62	<0.31	<0.62	<0.62
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.7	<0.14	<0.14	<0.28	<0.14	<0.28	<0.28
1,2-Dibromoethane	<0.36	<0.36	<0.36	<1.8	<0.36	<0.36	<0.72	<0.36	<0.72	<0.72
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<1.4	<0.27	<0.27	<0.54	<0.27	<0.54	<0.54
1,2-Dichloropropane	<0.2	<0.2	<0.2	<1	<0.2	<0.2	<0.4	<0.2	<0.4	<0.4
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.9	<0.18	<0.18	<0.36	<0.18	<0.36	<0.36
Benzene	<0.074	0.19 J	<0.074	<0.37	<0.074	<0.074	<0.15	<0.074	<0.15	<0.15
Bromoform	<0.28	<0.28	<0.28	<1.4	<0.28	<0.28	<0.56	<0.28	<0.56	<0.56
Bromomethane	<0.31	<0.31	<0.31	<1.6	<0.31	<0.31	<0.62	<0.31	<0.62 *	<0.62
Carbon tetrachloride	<0.26	<0.26	<0.26	<1.3	<0.26	<0.26	<0.52	<0.26	<0.52	<0.52
Chloroform	0.47 J	<0.2	<0.2	<1	<0.2	<0.2	<0.4	<0.2	<0.4	<0.4
Chloromethane	<0.18	<0.18	<0.18	<0.9	<0.18	<0.18	<0.36	<0.18	<0.36	<0.36
cis-1,2-Dichloroethene	<0.12	2.8	2.8	30	<0.12	1.4	380	85	270	310
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<1	<0.2	<0.2	<0.4	<0.2	<0.4	<0.4
Ethylbenzene	<0.13	<0.13	<0.13	<0.65	<0.13	<0.13	<0.26	0.43 J	<0.26	<0.26
Isopropylbenzene	<0.14	<0.14	<0.14	<0.7	<0.14	<0.14	<0.28	<0.14	<0.28	<0.28
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<1.2	<0.24	<0.24	<0.48	<0.24	<0.48	<0.48
Methylene Chloride	<0.68	<0.68	<0.68	<3.4	<0.68	<0.68	<1.4	<0.68	<1.4	<1.4
Naphthalene	<0.16	<0.16	<0.16	<0.8	<0.16	<0.16	<0.32	<0.16	<0.32	<0.32
n-Butylbenzene	<0.13	<0.13	<0.13	<0.65	<0.13	<0.13	<0.26	<0.13	<0.26	<0.26
N-Propylbenzene	<0.13	<0.13	<0.13	<0.65	<0.13	<0.13	<0.26	<0.13	<0.26	<0.26
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.85	<0.17	<0.17	<0.34	<0.17	<0.34	<0.34
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.75	<0.15	<0.15	<0.3	<0.15	<0.3	<0.3
Styrene	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.2	<0.1	<0.2	<0.2
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.7	<0.14	<0.14	<0.28	<0.14	<0.28	<0.28
Tetrachloroethene	190	700	490	1,100	53	380	1,200	700	1,600	1,500
Toluene	0.34 J	<0.11	<0.11	<0.55	<0.11	<0.11	<0.22	0.38 J	<0.22	<0.22
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<1.3	<0.25	<0.25	5.1	<0.25	<0.5	2.9
Trichloroethene	<0.19	7.9	5.3	41	<0.19	4.5	180	23	130	160
Vinyl chloride	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	1.4	<0.1	<0.2	<0.2
Xylenes, Total	<0.068	<0.068	<0.068	<0.34	<0.068	<0.068	<0.14	2.5	<0.14	<0.14

Footnotes on Page 64.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-20D2 (continued)						MW-21D			
	Sample Interval (feet bls)	110-140'	110-140'	110-140'	110-140'	110-140'	110-140'	60-90'	60-90'	60-90'
Sample Date	1/16/2013	2/12/2013	3/12/2013	4/18/2013	7/17/2013	10/15/2013	11/28/2012	1/17/2013	2/14/2013	3/12/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

 Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-21D (continued)						MW-21D2			
	60-90'	60-90'	60-90'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'
Sample Interval (feet bbls)	4/17/2013	7/18/2013	10/10/2013	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/15/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<1.3	<1.3	<1.3	<1.3	<0.25	<1.3	<1.3	<2.5	<1.3	<0.5
1,1,2-Trichloroethane	<1.4	<1.4	<1.4	<1.4	1.4	<1.4	<1.4	<2.8	<1.4	<0.56
1,1-Dichloroethene	<1.6	<1.6	<1.6	<1.6	<0.31	<1.6	<1.6	<3.1	<1.6	<0.62
1,2,4-Trimethylbenzene	<0.7	<0.7	<0.7	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28
1,2-Dibromoethane	<1.8	<1.8	<1.8	<1.8	<0.36	<1.8	<1.8	<3.6	<1.8	<0.72
1,2-Dichlorobenzene	<1.4	<1.4	<1.4	<1.4	<0.27	<1.4	<1.4	<2.7	<1.4	<0.54
1,2-Dichloropropane	<1	<1	<1	<1	<0.2	<1	<1	<2	<1	<0.4
1,3,5-Trimethylbenzene	<0.9	<0.9	<0.9	<0.9	<0.18	<0.9	<0.9	<1.8	<0.9	<0.36
Benzene	<0.37	<0.37	<0.37	<0.37	0.25 J	<0.37	<0.37	<0.74	<0.37	<0.15
Bromoform	<1.4	<1.4	<1.4	<1.4	<0.28	<1.4	<1.4	<2.8	<1.4	<0.56
Bromomethane	<1.6	<1.6	<1.6	<1.6	<0.31	<1.6 *	<1.6	<3.1	<1.6	<0.62
Carbon tetrachloride	<1.3	<1.3	<1.3	<1.3	<0.26	<1.3	<1.3	<2.6	<1.3	<0.52
Chloroform	<1	<1	<1	<1	<0.2	<1	<1	<2	<1	<0.4
Chloromethane	<0.9	<0.9	<0.9	<0.9	<0.18	<0.9	<0.9	<1.8	<0.9	<0.36
cis-1,2-Dichloroethene	310	370	360	300	<0.12	<0.6	<0.6	190	220	110
Dichlorodifluoromethane	<1	<1	<1	<1	<0.2	<1	<1	<2	<1	<0.4
Ethylbenzene	<0.65	<0.65	<0.65	<0.65	0.62	<0.65	<0.65	<1.3	<0.65	<0.26
Isopropylbenzene	<0.7	<0.7	<0.7	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28
Methyl tert-butyl ether	<1.2	<1.2	<1.2	<1.2	<0.24	<1.2	<1.2	<2.4	<1.2	<0.48
Methylene Chloride	<3.4	<3.4	<3.4	<3.4	<0.68	<3.4	<3.4	<6.8	<3.4	<1.4
Naphthalene	<0.8	<0.8	<0.8	<0.8	<0.16	<0.8	<0.8	<1.6	<0.8	<0.32
n-Butylbenzene	<0.65	<0.65	<0.65	<0.65	<0.13	<0.65	<0.65	<1.3	<0.65	<0.26
N-Propylbenzene	<0.65	<0.65	<0.65	<0.65	<0.13	<0.65	<0.65	<1.3	<0.65	<0.26
p-Isopropyltoluene	<0.85	<0.85	<0.85	<0.85	<0.17	<0.85	<0.85	<1.7	<0.85	<0.34
sec-Butylbenzene	<0.75	<0.75	<0.75	<0.75	<0.15	<0.75	<0.75	<1.5	<0.75	<0.3
Styrene	<0.5	<0.5	<0.5	<0.5	<0.1	<0.5	<0.5	<1	<0.5	<0.2
tert-Butylbenzene	<0.7	<0.7	<0.7	<0.7	<0.14	<0.7	<0.7	<1.4	<0.7	<0.28
Tetrachloroethene	1,100	1,700	1,600	2,600	1,200	3,900	2,200	3,500	2,500	1,500
Toluene	<0.55	<0.55	<0.55	<0.55	0.48 J	<0.55	<0.55	<1.1	<0.55	<0.22
trans-1,2-Dichloroethene	<1.3	5.2	6.2	2.7 J	<0.25	<1.3	<1.3	<2.5	<1.3	<0.5
Trichloroethene	140	180	160	160	<0.19	11	14	150	210	120
Vinyl chloride	<0.5	<0.5	<0.5	<0.5	<0.1	<0.5	<0.5	<1	<0.5	<0.2
Xylenes, Total	<0.34	<0.34	<0.34	<0.34	4.3	<0.34	<0.34	<0.68	<0.34	<0.14

Footnotes on Page 66.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-21D (continued)			MW-21D2						
	60-90'	60-90'	60-90'	110-170'	110-170'	110-170'	110-170'	110-170'	110-170'	
Sample Interval (feet bls)	4/17/2013	7/18/2013	10/10/2013	11/28/2012	1/17/2013	2/14/2013	3/12/2013	4/17/2013	7/18/2013	10/15/2013
Total PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dissolved PCBs										
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-22S					MW-22D				
	25-35'	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Interval (feet bbls)	1/15/2013	3/7/2013	4/19/2013	7/16/2013	10/10/2013	1/15/2013	3/8/2013	4/19/2013	7/16/2013	10/10/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	NA	<0.25	<0.25	<0.25	<0.25	NA	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	NA	<0.28	<0.28	<0.28	<0.28	NA	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	NA	<0.31	<0.31	<0.31	<0.31	NA	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	0.86 J	NA	<0.14	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	NA	<0.36	<0.36	<0.36	<0.36	NA	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	NA	<0.27	<0.27	<0.27	<0.27	NA	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	NA	<0.2	<0.2	<0.2	<0.2	NA	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	NA	<0.18	<0.18	<0.18	<0.18	NA	<0.18	<0.18	<0.18
Benzene	1.1	NA	<0.074	<0.074	<0.074	<0.074	NA	<0.074	<0.074	<0.074
Bromoform	<0.28	NA	<0.28	<0.28	<0.28	<0.28	NA	<0.28	<0.28	<0.28
Bromomethane	<0.31	NA	<0.31	<0.31	<0.31	<0.31	NA	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	NA	<0.26	<0.26	<0.26	<0.26	NA	<0.26	<0.26	<0.26
Chloroform	1	NA	0.91 J	1.4	<0.2	<0.2	NA	<0.2	<0.2	<0.2
Chloromethane	<0.18	NA	<0.18	<0.18	<0.18	0.47 J	NA	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	1.8	NA	6.1	3.8	97	3.6	NA	4.9	3.7	<0.12
Dichlorodifluoromethane	<0.2	NA	<0.2	<0.2	<0.2	<0.2	NA	<0.2	<0.2	<0.2
Ethylbenzene	0.5	NA	<0.13	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	NA	<0.14	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	NA	<0.24	<0.24	<0.24	<0.24	NA	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	NA	<0.68	<0.68	<0.68	<0.68	NA	<0.68	<0.68	<0.68
Naphthalene	<0.16	NA	<0.16	<0.16	<0.16	<0.16	NA	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	NA	<0.13	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	NA	<0.13	<0.13	<0.13	<0.13	NA	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	NA	<0.17	<0.17	<0.17	<0.17	NA	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	NA	<0.15	<0.15	<0.15	<0.15	NA	<0.15	<0.15	<0.15
Styrene	<0.1	NA	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	NA	<0.14	<0.14	<0.14	<0.14	NA	<0.14	<0.14	<0.14
Tetrachloroethene	180	NA	160	210	13	520	NA	450	270	190
Toluene	1.7	NA	<0.11	<0.11	<0.11	<0.11	NA	<0.11	0.37 J	<0.11
trans-1,2-Dichloroethene	<0.25	NA	<0.25	<0.25	<0.25	<0.25	NA	<0.25	<0.25	<0.25
Trichloroethene	4.8	NA	5.4	8.5	6.1	5.8	NA	5.8	5	4.9
Vinyl chloride	<0.1	NA	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1
Xylenes, Total	1.5	NA	<0.068	<0.068	<0.068	<0.068	NA	<0.068	<0.068	<0.068

Footnotes on Page 68.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-22S					MW-22D				
	25-35'	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Interval (feet bls)	1/15/2013	3/7/2013	4/19/2013	7/16/2013	10/10/2013	1/15/2013	3/8/2013	4/19/2013	7/16/2013	10/10/2013
Total PCBs										
Aroclor 1016	12	<0.033	4	<0.064	<0.064	2.4	<0.033	<0.064	<0.063	<0.063
Aroclor 1232	<0.49	13	<0.19	<0.19	12	<0.092	2.6	<0.19	<0.19	3.3
Aroclor 1242	<0.69	<0.099	<0.19	4.7	<0.19	<0.13	<0.1	<0.19	0.97	<0.19
Dissolved PCBs										
Aroclor 1016	NA	<0.037	<0.068	<0.065	<0.063	NA	<0.033	<0.064	<0.064	<0.065
Aroclor 1221	NA	<0.11	<0.2	<0.19	<0.19	NA	<0.1	<0.19	<0.19	<0.19
Aroclor 1232	NA	<0.11	<0.2	<0.19	<0.19	NA	<0.1	<0.19	<0.19	<0.19
Aroclor 1242	NA	<0.11	<0.2	<0.19	<0.19	NA	<0.1	<0.19	<0.19	<0.19
Aroclor 1248	NA	<0.11	<0.2	<0.19	<0.19	NA	<0.1	<0.19	<0.19	<0.19
Aroclor 1254	NA	<0.11	<0.2	<0.19	<0.19	NA	<0.1	<0.19	<0.19	<0.19
Aroclor 1260	NA	<0.038	<0.071	<0.068	<0.066	NA	<0.035	<0.067	<0.067	<0.068

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-23S				MW-23D					
	Sample Interval (feet bbls)	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Date	1/15/2013	4/19/2013	9/5/2013	10/10/2013	1/14/2013	3/8/2013	4/19/2013	4/20/2013	7/17/2013	10/10/2013
VOCs (µg/L)										
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	NA	<0.25	NA	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	1.8	<0.28	NA	<0.28	NA	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	NA	<0.31	NA	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	NA	<0.36	NA	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	NA	<0.27	NA	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	NA	<0.2	NA	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	NA	<0.18	NA	<0.18	<0.18
Benzene	0.73	<0.074	<0.074	<0.074	0.32 J	NA	<0.074	NA	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	NA	<0.28	NA	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	NA	<0.31	NA	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	NA	<0.26	NA	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	NA	<0.2	NA	<0.2	<0.2
Chloromethane	1.2	<0.18	<0.18	<0.18	<0.18	NA	<0.18	NA	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	3.7	27	16	<0.12	NA	<0.12	NA	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	NA	<0.2	NA	<0.2	<0.2
Ethylbenzene	0.43 J	<0.13	<0.13	<0.13	0.20 J	NA	<0.13	NA	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	NA	<0.24	NA	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	NA	<0.68	NA	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	NA	<0.16	NA	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	NA	<0.13	NA	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	NA	<0.13	NA	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	NA	<0.17	NA	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	NA	<0.15	NA	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	NA	<0.1	NA	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	NA	<0.14	NA	<0.14	<0.14
Tetrachloroethene	290	580	240	130	100	NA	86	NA	170	160
Toluene	1.3	<0.11	<0.11	<0.11	0.6	NA	<0.11	NA	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	NA	<0.25	NA	<0.25	<0.25
Trichloroethene	0.64	1.4	17	15	<0.19	NA	0.53	NA	0.21 J	<0.19
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	NA	<0.1	NA	<0.1	<0.1
Xylenes, Total	0.95 J	<0.068	<0.068	<0.068	0.68 J	NA	<0.068	NA	<0.068	<0.068

Footnotes on Page 70.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-23S				MW-23D					
	Sample Interval (feet bbls)	25-35'	25-35'	25-35'	25-35'	45-50'	45-50'	45-50'	45-50'	45-50'
Sample Date	1/15/2013	4/19/2013	9/5/2013	10/10/2013	1/14/2013	3/8/2013	4/19/2013	4/20/2013	7/17/2013	10/10/2013
Total PCBs										
Aroclor 1016	<0.19	NA	<0.028	<0.066	<0.16	<0.034	NA	<0.065	<0.067 *	<0.064
Aroclor 1232	<0.11	NA	<0.083	<0.2	<0.089	<0.1	NA	<0.19	<0.2	<0.19
Aroclor 1242	<0.15	NA	<0.083	<0.2	0.24 J	<0.1	NA	<0.19	<0.2	<0.19
Dissolved PCBs										
Aroclor 1016	NA	NA	<0.026	<0.064	NA	<0.034	NA	<0.066	<0.068 *	<0.065
Aroclor 1221	NA	NA	<0.078	<0.19	NA	<0.1	NA	<0.2	<0.2	<0.19
Aroclor 1232	NA	NA	<0.078	<0.19	NA	<0.1	NA	<0.2	<0.2	<0.19
Aroclor 1242	NA	NA	<0.078	<0.19	NA	<0.1	NA	<0.2	<0.2	<0.19
Aroclor 1248	NA	NA	<0.078	<0.19	NA	<0.1	NA	<0.2	<0.2	<0.19
Aroclor 1254	NA	NA	<0.078	<0.19	NA	<0.1	NA	<0.2	<0.2	<0.19
Aroclor 1260	NA	NA	<0.027	<0.067	NA	<0.035	NA	<0.069 *	<0.071	<0.067

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bbls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-24			MW-25D			MW-25D2		
	Sample Interval (feet bbls)	30-40'	30-40'	30-40'	120-130'	120-130'	120-130'	160-170'	160-170'
Sample Date	4/29/2013	7/19/2013	10/8/2013	5/6/2013	7/19/2013	10/9/2013	5/6/2013	7/19/2013	10/4/2013
VOCs (µg/L)									
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chloromethane	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Dichlorodifluoromethane	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Ethylbenzene	<0.13	0.31 J	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68	<0.68	5.3	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	3	3	3.3	0.76 J	2.8	3.1	<0.17	<0.17	<0.17
Toluene	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19
Vinyl chloride	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Xylenes, Total	<0.068	0.37 J	<0.068	<0.068	0.36 J	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 72.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-24			MW-25D			MW-25D2		
	Sample Interval (feet bls)	30-40'	30-40'	30-40'	120-130'	120-130'	120-130'	160-170'	160-170'
Sample Date	4/29/2013	7/19/2013	10/8/2013	5/6/2013	7/19/2013	10/9/2013	5/6/2013	7/19/2013	10/4/2013
Total PCBs									
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved PCBs									
Aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA	NA	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-26S		MW-27D	MW-27D2
	7-17'	7-17'	130-140'	170-180'
Sample Interval (feet bbls)	8/23/2013	10/9/2013	12/26/2013	12/26/2013
VOCs (µg/L)				
1,1,1,2-Tetrachloroethane	<0.25	<0.25	<0.25	<0.25
1,1,2-Trichloroethane	<0.28	<0.28	<0.28	<0.20
1,1-Dichloroethene	<0.31	<0.31	<0.31	<0.19
1,2,4-Trimethylbenzene	<0.14	<0.14	<0.14	<0.14
1,2-Dibromoethane	<0.36	<0.36	<0.36	<0.36
1,2-Dichlorobenzene	<0.27	<0.27	<0.27	<0.27
1,2-Dichloropropane	<0.2	<0.2	<0.20	<0.20
1,3,5-Trimethylbenzene	<0.18	<0.18	<0.18	<0.18
Benzene	<0.074	<0.074	<0.074	<0.074
Bromoform	<0.28	<0.28	<0.28	<0.28
Bromomethane	<0.31	<0.31	<0.31	<0.31
Carbon tetrachloride	<0.26	<0.26	<0.26	<0.26
Chloroform	<0.2	<0.2	<0.20	<0.20
Chloromethane	<0.18	<0.18	<0.18	<0.18
cis-1,2-Dichloroethene	<0.12	<0.12	0.85 J	3.7
Dichlorodifluoromethane	<0.2	<0.2	<0.32	<0.20
Ethylbenzene	<0.13	<0.13	<0.13	<0.13
Isopropylbenzene	<0.14	<0.14	<0.14	<0.14
Methyl tert-butyl ether	<0.24	<0.24	<0.24	<0.24
Methylene Chloride	<0.68	<0.68	<0.68	<0.68
Naphthalene	<0.16	<0.16	<0.16	<0.16
n-Butylbenzene	<0.13	<0.13	<0.13	<0.13
N-Propylbenzene	<0.13	<0.13	<0.13	<0.13
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.17
sec-Butylbenzene	<0.15	<0.15	<0.15	<0.15
Styrene	<0.1	<0.1	<0.10	<0.10
tert-Butylbenzene	<0.14	<0.14	<0.14	<0.14
Tetrachloroethene	1.4	<0.17	1.8	11
Toluene	<0.11	<0.11	0.53	0.20 J
trans-1,2-Dichloroethene	<0.25	<0.25	<0.25	<0.25
Trichloroethene	<0.19	<0.19	1.3	7.2
Vinyl chloride	<0.1	<0.1	<0.10	<0.10
Xylenes, Total	<0.068	<0.068	<0.068	<0.068

Footnotes on Page 74.

Groundwater VOC and PCB Analytical Results, Madison-Kipp Corporation, 201 Waubesa Street, Madison, Wisconsin.

Well ID	MW-26S		MW-27D	MW-27D2
Sample Interval (feet bls)	7-17'	7-17'	130-140'	170-180'
Sample Date	8/23/2013	10/9/2013	12/26/2013	12/26/2013
Total PCBs				
Aroclor 1016	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA
Dissolved PCBs				
Aroclor 1016	NA	NA	NA	NA
Aroclor 1221	NA	NA	NA	NA
Aroclor 1232	NA	NA	NA	NA
Aroclor 1242	NA	NA	NA	NA
Aroclor 1248	NA	NA	NA	NA
Aroclor 1254	NA	NA	NA	NA
Aroclor 1260	NA	NA	NA	NA

Only VOCs and total PCBs detected in one or more water samples are listed on the table. Refer to laboratory analytical reports for a complete list of constituents analyzed.

100 Concentration exceeds the NR 140 Wis. adm. code Preventive Action Limit.

100 Concentration exceeds the NR 140 Wis. adm. code Enforcement Standard.

< Constituent not detected above noted laboratory detection limit.

*

Data is suspect and not used in evaluation.

B Compound was found in the blank and the sample.

bls Below land surface.

DUP Duplicate sample.

J Result is between the method detection limit and the limit of quantitation.

µg/L Micrograms per liter.

NA Not analyzed.

NE Not established.

ND Total detected PCBs were reported less than the laboratory detection limit.

PCBs Polychlorinated Biphenyls.

VOCs Volatile Organic Compounds.