



Excellence Delivered As Promised

November 18, 2019

File #34265.003

Mr. John Sager
Wisconsin Department of Natural Resources
1701 North 4th Street
Superior, WI 54880

Re: Facility-Wide ERP Groundwater Monitoring Report for 2019
Superior Refining Company LLC, Superior, WI
WDNR BRRTS# 16-16-559511 and Facility ID: 816009590

Dear John:

On behalf of Superior Refining Company LLC (SRC), Gannett Fleming, Inc. (GF) is submitting the 2019 annual report for the facility-wide groundwater monitoring network (WDNR BRRTS# 02-16-559511) at the subject refinery in Superior. The report summarizes network field activities completed in 2019, the groundwater sampling protocol used, and laboratory analytical results. In addition, it includes pertinent site background information for reference.

Periodic reporting of site remediation progress to the Wisconsin Department of Natural Resources (WDNR) is required pursuant to ss. NR 700.11(1) and 724.13(3), Wisconsin Administrative Code. A completed certification page for the report is also attached.

Pertinent Site Background

Figure 1 is a location map showing the refinery, its approximate property boundary, and the area around the refinery and was prepared using the most recent USGS topographic map. The refinery occupies portions of Sections 25, 26, 30, and 36; Township 49 North; Range 14 West; in Superior Township of Douglas County. Figure 2 shows the locations of the 23 monitoring wells (MW-1, MW-1/T67, MW-2, MW-2/T66, MW-3/T50, MW-3D, MW-5/T40, MW-5/T70, MW-7, MW-8R, MW-9B, and MW-11 through MW-22) and 8 piezometers (PZ-2/T66, PZ-3D, PZ-8R, PZ-11, PZ-13, PZ-16, PZ17, and PZ-21) in the network.

The topography at the refinery slopes gently to the east. Surface elevations range from approximately 650 to 660 feet above mean sea level (MSL). The closest natural surface water body is Newton Creek, located approximately 850 feet east of the refinery's closest

L:\CLERICAL\projects\34200\34265.003\reports\ccw_R34265_032_ERP\GW_monitoring rpt_2019.docx

Gannett Fleming, Inc.

8040 Excelsior Drive, Suite 303 • Madison, WI 53717-1338

t 608.836.1500

www.gannettfleming.com

Mr. John Sager
Wisconsin Department of Natural Resources
November 18, 2019

-2-

aboveground storage tank (AST), as shown on Figure 1. The creek flows about 1.5 miles to Hog Island Inlet, which connects to Lake Superior Bay. Storm water retention and fire water ponds, along with two artificial wetlands for wastewater treatment plant discharge polishing, are located just northwest of the Newton Creek headwaters, near the intersection of Stinson/24th Avenue and Bardon Avenue.

Other than the process areas, which are generally paved, most of the refinery property is unpaved. Depending on time of year and topography, the depth to groundwater in the network monitoring wells ranges from <1.0 to >5.9 feet below ground surface (bgs). The direction of shallow groundwater flow below the refinery is to the east (see Figure 2).

The hydraulic conductivity of the native clay underlying the refinery is on the order of 10^{-7} centimeters per second. Assuming a horizontal hydraulic gradient of 0.003 and effective porosity of 0.06, the estimated horizontal groundwater flow velocity is approximately 0.01 foot per year (ft/yr). The red-brown lean clay till is relatively homogenous and extends to approximately 100 feet bgs beneath the site.

On October 1, 2011, Calumet Superior LLC (Calumet) acquired the refinery from Murphy Oil (Murphy). In May 2014, the WDNR approved Calumet's April 2014 *Site Investigation and Remedial Action Plan* (SI/RAP) for the refinery. Effective November 8, 2017, Husky Superior Refining Holding Corp (Husky Superior) purchased Calumet and changed its legal name to Superior Refining Company LLC. Effective April 4, 2018, the April 2014 SI/RAP became a component of the March 2018 Negotiated Agreement between SRC and the WDNR.

In conjunction with the SI/RAP, a network of 23 wells and 8 piezometers for monitoring overall groundwater quality was established. Twice a year, starting in 2015, all wells and piezometers in the network are gauged (to check for free product, track seasonal changes in water levels, and prepare groundwater contour maps), and the perimeter wells and all piezometers are purged and sampled.

As part of the Negotiated Agreement, a single new refinery-wide Environmental Repair Program (ERP) site was created at the refinery, and this site is referred to as a facility-wide ERP. Table 1 provides a summary of ERP well locations, designations, and monitoring parameters for reference. Note that:

Mr. John Sager
Wisconsin Department of Natural Resources
November 18, 2019

-3-

1. MW-1, MW-2, MW-3D, MW-8R, and MW-9B are also classified as "pond" wells. Once a year, samples from these wells are analyzed for volatile organic compounds (VOCs) using Method 8260 and select inorganics, in conjunction with wastewater treatment Ponds 1 and 6 post-closure monitoring. As stipulated by the WDNR Groundwater and Environmental Monitoring System (GEMS) program, MW-8R serves as an upgradient monitoring well, located approximately 2,500 feet southwest of the ponds.
2. MW-1/T67, MW-2/T66, MW-3/T50, MW-5/T40, and MW-5/T70 are gauged along with the perimeter wells and piezometers. However, they are not routinely purged and sampled as part of the ERP monitoring program. Consequently, these wells are not classified as perimeter wells and are designated as "other" wells in Table 1.
3. The piezometers and perimeter wells are purged using a modified purge method, as approved by the WDNR in 2015. All the piezometers and perimeter wells are purged twice prior to sampling. At each perimeter well, field staff either bail the well dry or stop purging at a volume of 4 gallons per visit, or up to 8 gallons total after the second time. At each piezometer, field staff either bail the piezometer dry or stop purging at a volume of 6.5 gallons per visit, or up to 13 gallons total after the second time. This modified method replaces the practice of simply bailing all wells and piezometers dry each time, as described on page 16 of the April 2014 SI/RAP, and increases the probability that the wells and piezometers will reach static conditions between gauging and purging events.
4. Field work is generally conducted by staff from Insight Environmental of Superior and/or GF of Madison. Insight Environmental typically conducts the routine gauging and purging. GF joins Insight Environmental twice a year for the groundwater sampling events.
5. In April 2018, there was an explosion and fire at the refinery. During response activities, the 4-inch-diameter steel pipe that serves as a protective cover for MW-7 (constructed of 2-inch-diameter, Schedule 40 PVC) was bent. As a precautionary measure, SRC plans to abandon the well and install MW-7R to replace MW-7 in 2020. Originally planned for 2019, the well abandonment/installation work was delayed due to implementation of a new policy on ground disturbance at the refinery.

Mr. John Sager
Wisconsin Department of Natural Resources
November 18, 2019

-4-

Dates and Descriptions of Field Activities in 2019

- On April 23, Insight Environmental gauged the entire network of wells and piezometers for the first time in 2019 (see Table 2). In addition, on April 23-24 and May 7-8, Insight Environmental purged the perimeter wells and all the piezometers prior to sampling.
- On May 20, GF and Insight Environmental completed the first round of groundwater monitoring in 2019 and sampled the piezometers and perimeter wells for petroleum volatile organic compounds (PVOCs) and naphthalene.
- On September 9, Insight Environmental gauged all the wells and piezometers for the second time (see Table 2). In addition, on September 9 and 23, Insight Environmental purged the perimeter wells and all the piezometers prior to sampling.
- On October 8, GF and Insight Environmental completed the second round of groundwater monitoring and sampled the piezometers and perimeter wells for PVOCs and naphthalene. Samples from the five pond wells (i.e., MW-1, MW-2, MW-3D, MW-8R, and MW-9B) were analyzed for VOCs and select inorganics for the GEMS program, as described in the *Pertinent Site Background* section (Note #1) above.

Groundwater Sample Collection/Preservation and Laboratory Analytical Results

GF and Insight Environmental used a new disposable polyethylene bailer with nylon rope to collect each groundwater sample and immediately transferred the sample into laboratory-supplied vials pre-filled with the appropriate volume of hydrochloric acid preservative. The sample vials were labelled, placed on ice stored in a cooler, shipped overnight to Pace Analytical of Green Bay (Wisconsin laboratory certification #405132750), and analyzed for PVOCs and naphthalene using Method 8021 (or 8260 for the pond wells, once a year).

The PVOC/naphthalene analytical results for 2019 (with MW-1, MW-2, MW-3D, MW-8R, and MW-9B flagged as *ERP and GEMS* well locations) are summarized in Table 3. Only the PVOC/naphthalene data for 2019 are presented in this report; complete VOC and inorganic analytical results for the five pond wells were submitted to WDNR GEMS program staff on November 5, 2019. Attachment A includes copies of the laboratory reports and chain of custody records for the groundwater samples collected in 2019.

Mr. John Sager
Wisconsin Department of Natural Resources
November 18, 2019

-5-

Findings

Results from the fifth year of ERP groundwater monitoring in 2019 document that:

- The depth to groundwater in the perimeter wells ranged from 2.12 to 11.12 feet below top of casing (i.e., from approximately -0.5 to 8.1 feet bgs), and no free product was observed. Calculated vertical gradients were all negative/downward and ranged from 0.05 to 0.50. All water level elevation data are presented in Table 2. Negative vertical gradients are shown in parenthesis in red.
- The direction of shallow groundwater flow below the refinery is to the east (see Figure 2), which is consistent with previously determined groundwater flow directions. Likewise, the range of horizontal gradients (i.e., from 0.003 to 0.008) is consistent with those previously observed.
- All analytical results were non-detect for PVOCS and naphthalene in 2019, and the detection limits for PVOCS and naphthalene were all below their respective PALs, as shown in Table 3. PVOC/naphthalene analytical results were also all non-detect in 2015-2018, except the toluene concentration in the sample collected from MW-7 on October 9, 2018, was 1.9 micrograms per liter ($\mu\text{g}/\ell$). This is nearly two orders of magnitude below toluene's NR 140 preventative action limit (PAL) of 160 $\mu\text{g}/\ell$.

2020 Replacement Well Installation and Monitoring Plan

In 2020, SRC will:

- Properly abandon MW-7 and install MW-7R to replace the bent well. The March 1994 boring log for MW-7, a copy of which is included in Appendix A to the April 2014 SI/RAP on file with the WDNR, documents that subsurface conditions consisted of unimpacted, native red-brown lean clay till. In addition, no known releases of petroleum hydrocarbons have occurred in the immediate area. Consequently, MW-7R will be blind drilled following protocol used in October 2014 when perimeter wells MW-15 through MW-22 and the eight network piezometers were installed. Following completion, MW-7R will be developed prior to gauging and sampling the new well, its top of casing elevation and location will be surveyed, and paperwork on state-approved forms for the abandonment of MW-7 and drilling and installation of MW-7R will be submitted to you.
- Continue to gauge fluid levels in all the wells and piezometers, and purge and sample all the piezometers and perimeter wells twice a year.

Gannett Fleming

Mr. John Sager
Wisconsin Department of Natural Resources
November 18, 2019

-6-

- Continue to use a modified purge method, as described in the *Pertinent Site Background* section (Note #3) above.
- Continue to lab analyze the groundwater samples for PVOCS/naphthalene using:
 - Method 8021 on a routine basis.
 - Method 8260 when monitoring the five pond wells for VOCs once a year.

Contact Matt Turner at SRC or me if you have any questions or need additional information.

Sincerely,

GANNETT FLEMING, INC.



Clifford C. Wright, P.E., P.G.
Project Engineer


CCW/jec

Enc.


ecc: Matt Turner (Superior Refining Company LLC)
Tony Miller and Dennis Kugle (GF)

ENGINEERING AND HYDROGEOLOGIST CERTIFICATIONS


I hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.


| | |
|--|---------------------------|
| Print Name Clifford C. Wright | Title Project Engineer |
| Signature  | Date 11/18/2019 |

P.E. Seal for E-31265:



I hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03(1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

| | |
|--|----------------------------|
| Print Name Clifford C. Wright | Title Project Geologist |
| Signature  | Date 11/18/2019 |




Site Location Map

SUPERIOR REFINING COMPANY LLC REFINERY
SUPERIOR, WISCONSIN

Gannett Fleming

Gannett Fleming, Inc.
8040 Excelsior Drive
Madison WI 53717-1338
(608) 836-1500
www.gannettfleming.com



**SUPERIOR REFINING COMPANY LLC
SUPERIOR, WISCONSIN**

TABLE 1

ERP WELL LOCATION, DESIGNATION, AND MONITORING PARAMETER SUMMARY

| Well ID | Well Location | Well Designation(s) | | | ERP Monitoring Parameter(s) | |
|----------|--|---------------------|-----------|-------|-----------------------------|------------------|
| | | Perimeter | Pond/GEMS | Other | Water Level | PVOC/Naphthalene |
| MW-1 | Northeast corner of refinery | X | X | | X | X |
| MW-1/T67 | Tank 67 basin | | | X | X | |
| MW-2 | Northeast corner of refinery | X | X | | X | X |
| MW-2/T66 | Southeast of Tank 65 basin | | | X | X | |
| MW-3D | Northeast corner of refinery | X | X | | X | X |
| MW-3/T50 | Tank 50 basin | | | X | X | |
| MW-5/T40 | Tank 40 basin | | | X | X | |
| MW-5/T70 | Tank 70 basin | | | X | X | |
| MW-7 | Central area of refinery | X | | | X | X |
| MW-8R | Tanks 106/112/114; SW corner of refinery | X | X | | X | X |
| MW-9B | Northwest of wastewater treatment plant | X | X | | X | X |
| MW-11 | Near intersection of Stinson & Bardon Ave. | X | | | X | X |
| MW-12 | South central property boundary | X | | | X | X |
| MW-13 | South central property boundary | X | | | X | X |
| MW-14 | South central property boundary | X | | | X | X |
| MW-15 | North of refinery | X | | | X | X |
| MW-16 | Northeast corner of refinery | X | | | X | X |
| MW-17 | Southeast of wastewater treatment plant | X | | | X | X |
| MW-18 | Near intersection of Stinson & Bardon Ave. | X | | | X | X |
| MW-19 | South tank farm | X | | | X | X |
| MW-20 | South tank farm | X | | | X | X |
| MW-21 | South tank farm | X | | | X | X |
| MW-22 | South tank farm | X | | | X | X |

NOTES:

Water Level = Measure depth to water, twice a year, for groundwater elevation.

PVOC/Naphthalene = Sample, twice a year, for petroleum volatile organic compounds/naphthalene.

ERP = Wisconsin Department of Natural Resources (WDNR) Environmental Repair Program.

GEMS = WDNR Groundwater and Environmental Monitoring System.

SUPERIOR REFINING COMPANY LLC
SUPERIOR, WISCONSIN

TABLE 2

WATER LEVEL ELEVATION DATA FOR ERP WELLS AND PIEZOMETERS (2016-2019)

| Description | Monitoring Well ID and Reference Information | | | | | | | | | | | | | |
|-------------------------|--|----------|--------|----------|----------|--------|--------|----------|----------|----------|--------|--------|--------|--------|
| | MW-1 | MW-1/T67 | MW-2 | MW-2/T66 | PZ-2/T66 | MW-3D | PZ-3D | MW-3/T50 | MW-5/T40 | MW-5/T70 | MW-7 | MW-8R | PZ-8R | MW-9B |
| Top of casing (ft MSL) | 659.46 | 657.75 | 658.03 | 659.51 | 659.07 | 655.53 | 656.29 | 663.73 | 660.62 | 660.37 | 661.12 | 663.75 | 664.19 | 655.82 |
| Ground surface (ft MSL) | 655.43 | 656.41 | 654.99 | 657.01 | 656.30 | 653.79 | 653.49 | 659.96 | 658.03 | 657.86 | 659.59 | 661.45 | 661.38 | 654.38 |
| Top of screen (ft MSL) | 649.0 | 653.4 | 648.5 | 654.4 | 621.6 | 650.3 | 618.8 | 659.2 | 655.2 | 655.4 | 654.7 | 659.8 | 626.7 | 651.1 |
| Bottom of well (ft MSL) | 633.8 | 638.4 | 633.5 | 639.4 | 616.6 | 635.3 | 613.8 | 649.2 | 645.2 | 645.4 | 639.5 | 649.8 | 621.7 | 636.1 |
| Measurement Date | Depth to Water from Top of Casing (feet) | | | | | | | | | | | | | |
| 05/04/16 | 6.61 | 2.54 | 5.21 | 4.41 | 12.88 | 3.32 | 14.31 | 6.04 | 3.75 | 3.81 | 4.25 | 4.91 | 9.69 | 3.19 |
| 09/07/16 | 8.24 | 2.15 | 7.71 | 6.06 | 16.20 | 3.65 | 17.15 | 4.75 | 3.51 | 3.69 | 5.09 | 4.91 | 11.17 | 6.58 |
| 04/26/17 | 6.91 | 2.08 | 4.59 | 3.17 | 12.66 | 1.81 | 13.77 | 4.30 | 3.20 | 3.43 | 4.11 | 2.58 | 6.56 | 2.62 |
| 09/27/17 | 6.31 | 1.84 | 4.28 | 3.23 | 14.31 | 1.99 | 15.50 | 4.37 | 3.15 | 3.74 | 3.95 | 2.72 | 10.35 | 3.75 |
| 05/21/18 | 6.96 | 2.74 | 7.10 | 4.82 | 12.20 | 3.13 | 13.19 | 6.53 | 4.75 | 4.29 | 4.39 | 3.35 | 9.20 | 3.02 |
| 09/10/18 | 8.21 | 2.29 | 5.28 | 4.35 | 17.30 | 3.18 | 18.18 | 6.48 | 3.45 | 2.83 | 4.62 | 3.78 | 12.44 | 7.87 |
| 04/23/19 | 6.98 | 4.09 | 6.92 | 4.38 | 13.50 | 2.12 | 13.67 | 3.62 | 3.27 | 3.42 | 4.91 | 3.59 | 10.38 | 2.83 |
| 09/09/19 | 8.46 | 6.42 | 7.81 | 5.27 | 15.75 | 2.48 | 16.62 | 5.02 | 3.62 | 4.22 | nm | 5.06 | 10.46 | 7.68 |
| | Water Elevation (ft MSL) | | | | | | | | | | | | | |
| 05/04/16 | 652.85 | 655.21 | 652.82 | 655.10 | 646.19 | 652.21 | 641.98 | 657.69 | 656.87 | 656.56 | 656.87 | 658.84 | 654.50 | 652.63 |
| 09/07/16 | 651.22 | 655.60 | 650.32 | 653.45 | 642.87 | 651.88 | 639.14 | 658.98 | 657.11 | 656.68 | 656.03 | 658.84 | 653.02 | 649.24 |
| 04/26/17 | 652.55 | 655.67 | 653.44 | 656.34 | 646.41 | 653.72 | 642.52 | 659.43 | 657.42 | 656.94 | 657.01 | 661.17 | 657.63 | 653.20 |
| 09/27/17 | 653.15 | 655.91 | 653.75 | 656.28 | 644.76 | 653.54 | 640.79 | 659.36 | 657.47 | 656.63 | 657.17 | 661.03 | 653.84 | 652.07 |
| 05/21/18 | 652.50 | 655.01 | 650.93 | 654.69 | 646.87 | 652.40 | 643.10 | 657.20 | 655.87 | 656.08 | 656.73 | 660.40 | 654.99 | 652.80 |
| 09/10/18 | 651.25 | 655.46 | 652.75 | 655.16 | 641.77 | 652.35 | 638.11 | 657.25 | 657.17 | 657.54 | 656.50 | 659.97 | 651.75 | 647.95 |
| 04/23/19 | 652.48 | 653.66 | 651.11 | 655.13 | 645.57 | 653.41 | 642.62 | 660.11 | 657.35 | 656.95 | 656.21 | 660.16 | 653.81 | 652.99 |
| 09/09/19 | 651.00 | 651.33 | 650.22 | 654.24 | 643.32 | 653.05 | 639.67 | 658.71 | 657.00 | 656.15 | nm | 658.69 | 653.73 | 648.14 |
| | Calculated Vertical Gradient | | | | | | | | | | | | | |
| 05/04/16 | -- | -- | -- | -- | (0.32) | -- | (0.39) | -- | -- | -- | -- | -- | (0.14) | -- |
| 09/07/16 | -- | -- | -- | -- | (0.39) | -- | (0.48) | -- | -- | -- | -- | -- | (0.19) | -- |
| 04/26/17 | -- | -- | -- | -- | (0.36) | -- | (0.42) | -- | -- | -- | -- | -- | (0.12) | -- |
| 09/27/17 | -- | -- | -- | -- | (0.41) | -- | (0.48) | -- | -- | -- | -- | -- | (0.24) | -- |
| 05/21/18 | -- | -- | -- | -- | (0.28) | -- | (0.35) | -- | -- | -- | -- | -- | (0.18) | -- |
| 09/10/18 | -- | -- | -- | -- | (0.48) | -- | (0.54) | -- | -- | -- | -- | -- | (0.27) | -- |
| 04/23/19 | -- | -- | -- | -- | (0.34) | -- | (0.41) | -- | -- | -- | -- | -- | (0.21) | -- |
| 09/09/19 | -- | -- | -- | -- | (0.39) | -- | (0.50) | -- | -- | -- | -- | -- | (0.17) | -- |

TABLE 2

WATER LEVEL ELEVATION DATA FOR ERP WELLS AND PIEZOMETERS (2016-2019)

| Description | Monitoring Well ID and Reference Information | | | | | | | | | | | | | | | | |
|-------------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | MW-11 | PZ-11 | MW-12 | MW-13 | PZ-13 | MW-14 | MW-15 | MW-16 | PZ-16 | MW-17 | PZ-17 | MW-18 | MW-19 | MW-20 | MW-21 | PZ-21 | MW-22 |
| Top of casing (ft MSL) | 654.98 | 655.25 | 656.70 | 659.10 | 658.97 | 661.16 | 659.89 | 658.85 | 658.65 | 654.30 | 654.58 | 651.89 | 658.94 | 659.06 | 659.29 | 659.52 | 659.19 |
| Ground surface (ft MSL) | 652.44 | 652.61 | 653.92 | 656.08 | 656.13 | 658.14 | 657.55 | 655.86 | 655.79 | 651.47 | 651.79 | 649.36 | 656.85 | 655.99 | 656.73 | 656.72 | 657.07 |
| Top of screen (ft MSL) | 647.7 | 617.8 | 649.0 | 651.3 | 621.5 | 653.1 | 654.4 | 653.4 | 621.2 | 648.8 | 617.1 | 646.4 | 653.4 | 653.6 | 653.8 | 622.0 | 653.7 |
| Bottom of well (ft MSL) | 632.7 | 612.8 | 634.0 | 636.3 | 616.5 | 638.1 | 639.4 | 638.4 | 616.2 | 633.8 | 612.1 | 631.4 | 638.4 | 638.6 | 638.8 | 617.0 | 638.7 |
| Measurement Date | Depth to Water from Top of Casing (feet) | | | | | | | | | | | | | | | | |
| 05/04/16 | 4.42 | 12.01 | 4.30 | 4.46 | 11.70 | 4.39 | 3.65 | 3.40 | 16.96 | 5.09 | 13.91 | 4.72 | 3.65 | 4.49 | 3.76 | 11.62 | 4.26 |
| 09/07/16 | 7.51 | 12.55 | 9.05 | 9.02 | 12.48 | 4.57 | 3.44 | 5.56 | 20.57 | 5.40 | 16.86 | 5.98 | 4.59 | 4.60 | 4.80 | 12.96 | 5.91 |
| 04/26/17 | 3.16 | 11.49 | 4.78 | 3.71 | 11.42 | 2.48 | 2.88 | 3.31 | 16.43 | 4.91 | 13.75 | 2.85 | 2.36 | 3.78 | 4.49 | 11.25 | 2.62 |
| 09/27/17 | 3.70 | 11.71 | 4.22 | 3.53 | 11.55 | 3.52 | 3.00 | 3.31 | 18.98 | 4.93 | 15.69 | 3.10 | 2.31 | 3.41 | 3.11 | 12.02 | 2.69 |
| 05/21/18 | 3.90 | 11.22 | 5.27 | 5.09 | 11.08 | 8.47 | 2.08 | 3.31 | 16.22 | 6.40 | 13.30 | 4.71 | 3.61 | 4.67 | 3.82 | 11.15 | 3.80 |
| 09/10/18 | 9.46 | 12.45 | 5.43 | 3.95 | 12.91 | 3.81 | 3.46 | 5.05 | 22.96 | 4.60 | 18.85 | 4.91 | 4.30 | 4.76 | 7.05 | 13.29 | 4.95 |
| 04/23/19 | 5.16 | 11.20 | 5.12 | 6.29 | 11.14 | 8.67 | 3.04 | 7.60 | 16.40 | 4.89 | 13.56 | 3.42 | 2.31 | 3.56 | 4.21 | 11.62 | 3.24 |
| 09/09/19 | 9.72 | 11.62 | 6.40 | 11.12 | 12.10 | 4.00 | 6.19 | 6.44 | 18.92 | 6.02 | 16.04 | 4.72 | 3.69 | 4.96 | 4.68 | 13.06 | 4.72 |
| | Water Elevation (ft MSL) | | | | | | | | | | | | | | | | |
| 05/04/16 | 650.56 | 643.24 | 652.40 | 654.64 | 647.27 | 656.77 | 656.24 | 655.45 | 641.69 | 649.21 | 640.67 | 647.17 | 655.29 | 654.57 | 655.53 | 647.90 | 654.93 |
| 09/07/16 | 647.47 | 642.70 | 647.65 | 650.08 | 646.49 | 656.59 | 656.45 | 653.29 | 638.08 | 648.90 | 637.72 | 645.91 | 654.35 | 654.46 | 654.49 | 646.56 | 653.28 |
| 04/26/17 | 651.82 | 643.76 | 651.92 | 655.39 | 647.55 | 658.68 | 657.01 | 655.54 | 642.22 | 649.39 | 640.83 | 649.04 | 656.58 | 655.28 | 654.80 | 648.27 | 656.57 |
| 09/27/17 | 651.28 | 643.54 | 652.48 | 655.57 | 647.42 | 657.64 | 656.89 | 655.54 | 639.67 | 649.37 | 638.89 | 648.79 | 656.63 | 655.65 | 656.18 | 647.50 | 656.50 |
| 05/21/18 | 651.08 | 644.03 | 651.43 | 654.01 | 647.89 | 652.69 | 657.81 | 655.54 | 642.43 | 647.90 | 641.28 | 647.18 | 655.33 | 654.39 | 655.47 | 648.37 | 655.39 |
| 09/10/18 | 645.52 | 642.80 | 651.27 | 655.15 | 646.06 | 657.35 | 656.43 | 653.80 | 635.69 | 649.70 | 635.73 | 646.98 | 654.64 | 654.30 | 652.24 | 646.23 | 654.24 |
| 04/23/19 | 649.82 | 644.05 | 651.58 | 652.81 | 647.83 | 652.49 | 656.85 | 651.25 | 642.25 | 649.41 | 641.02 | 648.47 | 656.63 | 655.50 | 655.08 | 647.90 | 655.95 |
| 09/09/19 | 645.26 | 643.63 | 650.30 | 647.98 | 646.87 | 657.16 | 653.70 | 652.41 | 639.73 | 648.28 | 638.54 | 647.17 | 655.25 | 654.10 | 654.61 | 646.46 | 654.47 |
| | Calculated Vertical Gradient | | | | | | | | | | | | | | | | |
| 05/04/16 | -- | (0.29) | -- | -- | (0.30) | -- | -- | -- | (0.51) | -- | (0.32) | -- | -- | -- | -- | (0.29) | -- |
| 09/07/16 | -- | (0.19) | -- | -- | (0.15) | -- | -- | -- | (0.56) | -- | (0.42) | -- | -- | -- | -- | (0.30) | -- |
| 04/26/17 | -- | (0.32) | -- | -- | (0.32) | -- | -- | -- | (0.49) | -- | (0.32) | -- | -- | -- | -- | (0.24) | -- |
| 09/27/17 | -- | (0.31) | -- | -- | (0.33) | -- | -- | -- | (0.58) | -- | (0.39) | -- | -- | -- | -- | (0.32) | -- |
| 05/21/18 | -- | (0.28) | -- | -- | (0.25) | -- | -- | -- | (0.48) | -- | (0.25) | -- | -- | -- | -- | (0.27) | -- |
| 09/10/18 | -- | (0.11) | -- | -- | (0.37) | -- | -- | -- | (0.67) | -- | (0.52) | -- | -- | -- | -- | (0.23) | -- |
| 04/23/19 | -- | (0.23) | -- | -- | (0.20) | -- | -- | -- | (0.34) | -- | (0.31) | -- | -- | -- | -- | (0.27) | -- |
| 09/09/19 | -- | (0.07) | -- | -- | (0.05) | -- | -- | -- | (0.47) | -- | (0.37) | -- | -- | -- | -- | (0.30) | -- |

NOTES:

Site datum = NAVD 88 feet above mean sea level (ft MSL). No measurable thickness of free product observed in any of the monitoring wells.

Negative/downward calculated vertical gradients are enclosed in parenthesis and (red).

-- = Not applicable.

SUPERIOR REFINING COMPANY LLC
SUPERIOR, WISCONSIN

TABLE 3

PVOC/NAPHTHALENE DATA FOR ERP PIEZOMETERS AND PERIMETER WELLS (2019)

| Sample ID | Substance Concentration ($\mu\text{g/l}$) and Results Qualifier (if any) | | | | | | |
|---|--|--------------|-------------------------|-------------|---------|-------------------|---------|
| Sample Date | Benzene | Ethylbenzene | Methyl tert butyl ether | Naphthalene | Toluene | Trimethylbenzenes | Xylenes |
| NR 140 PAL | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |
| NR 140 ES | 5.0 | 700 | 60 | 100 | 800 | 480 | RQ |
| MW-1 (ERP and GEMS) | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.25 | <0.22 | <1.2 | <1.2 | <0.17 | 1.71 | U |
| MW-2 (ERP and GEMS) | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.25 | <0.22 | <1.2 | <1.2 | <0.17 | 1.71 | U |
| PZ-2/T66 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-3D (ERP and GEMS)⁽¹⁾ | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.25 | <0.22 | <1.2 | <1.2 | <0.17 | 1.71 | U |
| PZ-3D | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-7 | | | | | | | |
| 2019 | Well not sampled due to bent casing and suspect surface water infiltration | | | | | | |
| MW-8R (ERP and GEMS) | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.25 | <0.22 | <1.2 | <1.2 | <0.17 | 1.71 | U |
| PZ-8R | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-9B (ERP and GEMS)⁽²⁾ | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.25 | <0.22 | <1.2 | <1.2 | <0.17 | 1.71 | U |
| MW-11 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| PZ-11 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-12 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-13 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| PZ-13 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-14 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-15 | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | <0.32 | <0.51 | <0.16 | 0.67 | U |

TABLE 3

PVOC/NAPHTHALENE DATA FOR ERP PIEZOMETERS AND PERIMETER WELLS (2019)

| Sample ID | Substance Concentration ($\mu\text{g}/\ell$) and Results Qualifier (if any) | | | | | | | |
|--------------|---|---------|--------------|-------------------------|-------------|---------|-------------------|---------|
| | Sample Date | Benzene | Ethylbenzene | Methyl tert butyl ether | Naphthalene | Toluene | Trimethylbenzenes | Xylenes |
| NR 140 PAL | | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |
| NR 140 ES | | 5.0 | 700 | 60 | 100 | 800 | 480 | RQ |
| MW-16 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| PZ-16 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-17 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| PZ-17 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-18 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-19 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-20 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-21 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| PZ-21 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |
| MW-22 | | | | | | | | |
| 05/20/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.49 | 0.67 | U |
| 10/08/19 | <0.31 | <0.33 | | <0.32 | <0.51 | <0.16 | 0.67 | U |

NOTES:

Concentrations are in micrograms per liter ($\mu\text{g}/\ell$). No results are at or above an NR 140 ES or PAL.

NR 140 ES = Wisconsin Administrative Code NR 140 Enforcement Standard.

NR 140 PAL = Wisconsin Administrative Code NR 140 Preventative Action Limit.

RQ = Results qualifier.

U = Compound not detected at or above the detection limit, which is the value shown.

FOOTNOTES:

(1) MW-3D is a replacement for MW-3B.

(2) MW-9B is a replacement for MW-9.

ATTACHMENT A

LABORATORY REPORTS AND CHAIN-OF-CUSTODY RECORDS FOR
GROUNDWATER SAMPLES COLLECTED IN 2019

May 24, 2019

Project #34265.003

SRC ERP GW

Reviewed by CCW

5/24/19

Clifford Wright
Gannett Fleming
8025 Excelsior Drive
Madison, WI 53717

RE: Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Dear Clifford Wright:

Enclosed are the analytical results for sample(s) received by the laboratory on May 21, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 34265.003 SUPERIOR REFINING CO
 Pace Project No.: 40187985

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|------------|--------|----------------|----------------|
| 40187985001 | MW-1 | Water | 05/20/19 11:00 | 05/21/19 08:37 |
| 40187985002 | MW-2 | Water | 05/20/19 11:30 | 05/21/19 08:37 |
| 40187985003 | PZ-2/T66 | Water | 05/20/19 12:25 | 05/21/19 08:37 |
| 40187985004 | MW-3D | Water | 05/20/19 11:45 | 05/21/19 08:37 |
| 40187985005 | PZ-3D | Water | 05/20/19 11:40 | 05/21/19 08:37 |
| 40187985006 | MW-8R | Water | 05/20/19 10:30 | 05/21/19 08:37 |
| 40187985007 | PZ-8R | Water | 05/20/19 10:35 | 05/21/19 08:37 |
| 40187985008 | MW-9B | Water | 05/20/19 11:55 | 05/21/19 08:37 |
| 40187985009 | MW-11 | Water | 05/20/19 14:45 | 05/21/19 08:37 |
| 40187985010 | PZ-11 | Water | 05/20/19 14:50 | 05/21/19 08:37 |
| 40187985011 | MW-12 | Water | 05/20/19 14:40 | 05/21/19 08:37 |
| 40187985012 | MW-13 | Water | 05/20/19 14:30 | 05/21/19 08:37 |
| 40187985013 | PZ-13 | Water | 05/20/19 14:25 | 05/21/19 08:37 |
| 40187985014 | MW-14 | Water | 05/20/19 14:15 | 05/21/19 08:37 |
| 40187985015 | MW-15 | Water | 05/20/19 10:50 | 05/21/19 08:37 |
| 40187985016 | MW-16 | Water | 05/20/19 11:20 | 05/21/19 08:37 |
| 40187985017 | PZ-16 | Water | 05/20/19 11:15 | 05/21/19 08:37 |
| 40187985018 | MW-17 | Water | 05/20/19 12:10 | 05/21/19 08:37 |
| 40187985019 | PZ-17 | Water | 05/20/19 12:05 | 05/21/19 08:37 |
| 40187985020 | MW-18 | Water | 05/20/19 12:15 | 05/21/19 08:37 |
| 40187985021 | MW-19 | Water | 05/20/19 15:05 | 05/21/19 08:37 |
| 40187985022 | MW-20 | Water | 05/20/19 15:30 | 05/21/19 08:37 |
| 40187985023 | MW-21 | Water | 05/20/19 15:25 | 05/21/19 08:37 |
| 40187985024 | PZ-21 | Water | 05/20/19 15:20 | 05/21/19 08:37 |
| 40187985025 | MW-22 | Water | 05/20/19 15:10 | 05/21/19 08:37 |
| 40187985026 | TRIP BLANK | Water | 05/20/19 00:00 | 05/21/19 08:37 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|-------------|------------|----------|----------|-------------------|------------|
| 40187985001 | MW-1 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985002 | MW-2 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985003 | PZ-2/T66 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985004 | MW-3D | EPA 8021 | ALD | 10 | PASI-G |
| 40187985005 | PZ-3D | EPA 8021 | ALD | 10 | PASI-G |
| 40187985006 | MW-8R | EPA 8021 | ALD | 10 | PASI-G |
| 40187985007 | PZ-8R | EPA 8021 | ALD | 10 | PASI-G |
| 40187985008 | MW-9B | EPA 8021 | ALD | 10 | PASI-G |
| 40187985009 | MW-11 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985010 | PZ-11 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985011 | MW-12 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985012 | MW-13 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985013 | PZ-13 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985014 | MW-14 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985015 | MW-15 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985016 | MW-16 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985017 | PZ-16 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985018 | MW-17 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985019 | PZ-17 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985020 | MW-18 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985021 | MW-19 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985022 | MW-20 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985023 | MW-21 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985024 | PZ-21 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985025 | MW-22 | EPA 8021 | ALD | 10 | PASI-G |
| 40187985026 | TRIP BLANK | EPA 8021 | ALD | 10 | PASI-G |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Method: EPA 8021
Description: 8021 GCV Short List
Client: Gannett Fleming Inc.
Date: May 24, 2019

General Information:

26 samples were analyzed for EPA 8021. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

| Sample: MW-1 | Lab ID: 40187985001 | Collected: 05/20/19 11:00 | Received: 05/21/19 08:37 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 18:44 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 18:44 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 18:44 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 18:44 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 18:44 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 18:44 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 18:44 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 18:44 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 18:44 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/22/19 18:44 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

| Sample: MW-2 | Lab ID: 40187985002 | Collected: 05/20/19 11:30 | Received: 05/21/19 08:37 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 19:10 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 19:10 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 19:10 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 19:10 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 19:10 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 19:10 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 19:10 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 19:10 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 19:10 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/22/19 19:10 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: PZ-2/T66 Lab ID: 40187985003 Collected: 05/20/19 12:25 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 19:35 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 19:35 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 19:35 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 19:35 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 19:35 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 19:35 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 19:35 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 19:35 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 19:35 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 100 | % | 85-115 | | 1 | | 05/22/19 19:35 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

| Sample: MW-3D | Lab ID: 40187985004 | Collected: 05/20/19 11:45 | Received: 05/21/19 08:37 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 20:01 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 20:01 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 20:01 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 20:01 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 20:01 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 20:01 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 20:01 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 20:01 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 20:01 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/22/19 20:01 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

| Sample: PZ-3D | Lab ID: 40187985005 | Collected: 05/20/19 11:40 | Received: 05/21/19 08:37 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 20:26 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 20:26 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 20:26 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 20:26 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 20:26 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 20:26 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 20:26 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 20:26 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 20:26 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/22/19 20:26 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-8R **Lab ID: 40187985006** Collected: 05/20/19 10:30 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 20:52 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 20:52 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 20:52 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 20:52 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 20:52 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 20:52 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 20:52 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 20:52 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 20:52 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 100 | % | 85-115 | | 1 | | 05/22/19 20:52 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: PZ-8R **Lab ID: 40187985007** Collected: 05/20/19 10:35 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 21:18 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 21:18 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 21:18 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 21:18 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 21:18 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 21:18 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 21:18 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 21:18 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 21:18 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/22/19 21:18 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-9B **Lab ID: 40187985008** Collected: 05/20/19 11:55 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/22/19 21:43 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 21:43 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/22/19 21:43 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/22/19 21:43 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/22/19 21:43 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/22/19 21:43 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/22/19 21:43 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/22/19 21:43 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/22/19 21:43 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/22/19 21:43 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-11 **Lab ID: 40187985009** Collected: 05/20/19 14:45 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 11:52 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 11:52 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 11:52 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 11:52 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 11:52 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 11:52 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 11:52 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 11:52 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 11:52 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/23/19 11:52 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: PZ-11 **Lab ID: 40187985010** Collected: 05/20/19 14:50 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 12:18 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 12:18 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 12:18 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 12:18 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 12:18 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 12:18 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 12:18 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 12:18 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 12:18 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 101 | % | 85-115 | | 1 | | 05/23/19 12:18 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-12 **Lab ID: 40187985011** Collected: 05/20/19 14:40 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 12:43 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 12:43 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 12:43 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 12:43 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 12:43 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 12:43 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 12:43 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 12:43 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 12:43 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/23/19 12:43 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-13 **Lab ID: 40187985012** Collected: 05/20/19 14:30 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 13:09 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 13:09 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 13:09 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 13:09 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 13:09 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 13:09 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 13:09 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 13:09 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 13:09 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 103 | % | 85-115 | | 1 | | 05/23/19 13:09 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Sample: PZ-13 Lab ID: 40187985013 Collected: 05/20/19 14:25 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 13:35 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 13:35 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 13:35 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 13:35 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 13:35 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 13:35 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 13:35 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 13:35 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 13:35 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 101 | % | 85-115 | | 1 | | 05/23/19 13:35 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-14 **Lab ID: 40187985014** Collected: 05/20/19 14:15 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 14:00 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 14:00 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 14:00 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 14:00 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 14:00 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 14:00 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 14:00 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 14:00 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 14:00 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 100 | % | 85-115 | | 1 | | 05/23/19 14:00 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-15 Lab ID: 40187985015 Collected: 05/20/19 10:50 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 14:26 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 14:26 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 14:26 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 14:26 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 14:26 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 14:26 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 14:26 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 14:26 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 14:26 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/23/19 14:26 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-16 **Lab ID: 40187985016** Collected: 05/20/19 11:20 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 14:51 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 14:51 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 14:51 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 14:51 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 14:51 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 14:51 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 14:51 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 14:51 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 14:51 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 100 | % | 85-115 | | 1 | | 05/23/19 14:51 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Sample: PZ-16 Lab ID: 40187985017 Collected: 05/20/19 11:15 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 15:17 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 15:17 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 15:17 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 15:17 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 15:17 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 15:17 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 15:17 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 15:17 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 15:17 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 101 | % | 85-115 | | 1 | | 05/23/19 15:17 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Sample: MW-17 Lab ID: 40187985018 Collected: 05/20/19 12:10 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 15:42 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 15:42 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 15:42 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 15:42 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 15:42 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 15:42 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 15:42 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 15:42 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 15:42 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/23/19 15:42 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: PZ-17 **Lab ID: 40187985019** Collected: 05/20/19 12:05 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 16:59 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 16:59 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 16:59 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 16:59 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 16:59 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 16:59 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 16:59 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 16:59 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 16:59 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 101 | % | 85-115 | | 1 | | 05/23/19 16:59 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-18 **Lab ID: 40187985020** Collected: 05/20/19 12:15 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 17:25 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 17:25 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 17:25 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 17:25 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 17:25 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 17:25 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 17:25 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 17:25 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 17:25 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/23/19 17:25 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-19 **Lab ID: 40187985021** Collected: 05/20/19 15:05 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 17:51 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 17:51 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 17:51 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 17:51 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 17:51 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 17:51 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 17:51 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 17:51 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 17:51 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 101 | % | 85-115 | | 1 | | 05/23/19 17:51 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-20 **Lab ID: 40187985022** Collected: 05/20/19 15:30 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 18:16 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 18:16 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 18:16 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 18:16 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 18:16 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 18:16 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 18:16 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 18:16 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 18:16 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 101 | % | 85-115 | | 1 | | 05/23/19 18:16 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Sample: MW-21 Lab ID: 40187985023 Collected: 05/20/19 15:25 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 18:42 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 18:42 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 18:42 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 18:42 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 18:42 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 18:42 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 18:42 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 18:42 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 18:42 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 100 | % | 85-115 | | 1 | | 05/23/19 18:42 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: PZ-21 **Lab ID: 40187985024** Collected: 05/20/19 15:20 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 19:07 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 19:07 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 19:07 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 19:07 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 19:07 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 19:07 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 19:07 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 19:07 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 19:07 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/23/19 19:07 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

Sample: MW-22 **Lab ID: 40187985025** Collected: 05/20/19 15:10 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 19:33 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 19:33 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 19:33 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 19:33 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 19:33 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 19:33 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 19:33 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 19:33 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 19:33 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 102 | % | 85-115 | | 1 | | 05/23/19 19:33 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

Sample: TRIP BLANK Lab ID: 40187985026 Collected: 05/20/19 00:00 Received: 05/21/19 08:37 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 05/23/19 19:58 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 19:58 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 05/23/19 19:58 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 05/23/19 19:58 | 91-20-3 | |
| Toluene | <0.49 | ug/L | 1.6 | 0.49 | 1 | | 05/23/19 19:58 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 05/23/19 19:58 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 05/23/19 19:58 | 108-67-8 | |
| m&p-Xylene | <0.66 | ug/L | 2.2 | 0.66 | 1 | | 05/23/19 19:58 | 179601-23-1 | |
| o-Xylene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 05/23/19 19:58 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 101 | % | 85-115 | | 1 | | 05/23/19 19:58 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

QC Batch: 322026 Analysis Method: EPA 8021

QC Batch Method: EPA 8021 Analysis Description: 8021 GCV BTEX

Associated Lab Samples: 40187985001, 40187985002, 40187985003, 40187985004, 40187985005, 40187985006, 40187985007,
40187985008

METHOD BLANK: 1870034 Matrix: Water

Associated Lab Samples: 40187985001, 40187985002, 40187985003, 40187985004, 40187985005, 40187985006, 40187985007,
40187985008

| Parameter | Units | Blank Result | Reporting Limit | | Analyzed | Qualifiers |
|----------------------------|-------|--------------|-----------------|----------------|----------|------------|
| | | | Limit | Analyzed | | |
| 1,2,4-Trimethylbenzene | ug/L | <0.34 | 1.1 | 05/22/19 10:20 | | |
| 1,3,5-Trimethylbenzene | ug/L | <0.33 | 1.1 | 05/22/19 10:20 | | |
| Benzene | ug/L | <0.31 | 1.0 | 05/22/19 10:20 | | |
| Ethylbenzene | ug/L | <0.33 | 1.1 | 05/22/19 10:20 | | |
| m&p-Xylene | ug/L | <0.66 | 2.2 | 05/22/19 10:20 | | |
| Methyl-tert-butyl ether | ug/L | <0.32 | 1.1 | 05/22/19 10:20 | | |
| Naphthalene | ug/L | <0.51 | 1.7 | 05/22/19 10:20 | | |
| o-Xylene | ug/L | <0.32 | 1.0 | 05/22/19 10:20 | | |
| Toluene | ug/L | <0.49 | 1.6 | 05/22/19 10:20 | | |
| a,a,a-Trifluorotoluene (S) | % | 101 | 85-115 | 05/22/19 10:20 | | |

LABORATORY CONTROL SAMPLE & LCSD: 1870035

1870036

| Parameter | Units | Spike Conc. | LCS | LCSD | LCS | LCSD | % Rec | RPD | Max RPD | Qualifiers |
|----------------------------|-------|-------------|--------|--------|-------|-------|--------|-----|---------|------------|
| | | | Result | Result | % Rec | % Rec | Limits | | | |
| 1,2,4-Trimethylbenzene | ug/L | 20 | 21.7 | 20.2 | 108 | 101 | 87-118 | 7 | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | 20 | 21.5 | 20.1 | 107 | 100 | 84-115 | 7 | 20 | |
| Benzene | ug/L | 20 | 21.8 | 21.0 | 109 | 105 | 85-115 | 4 | 20 | |
| Ethylbenzene | ug/L | 20 | 21.9 | 20.5 | 109 | 103 | 85-115 | 6 | 20 | |
| m&p-Xylene | ug/L | 40 | 44.0 | 41.1 | 110 | 103 | 85-115 | 7 | 20 | |
| Methyl-tert-butyl ether | ug/L | 20 | 21.6 | 20.3 | 108 | 102 | 85-115 | 6 | 20 | |
| Naphthalene | ug/L | 20 | 21.2 | 20.3 | 106 | 102 | 83-119 | 4 | 20 | |
| o-Xylene | ug/L | 20 | 21.6 | 20.2 | 108 | 101 | 85-115 | 7 | 20 | |
| Toluene | ug/L | 20 | 21.9 | 20.8 | 109 | 104 | 85-115 | 5 | 20 | |
| a,a,a-Trifluorotoluene (S) | % | | | | 102 | 100 | 85-115 | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40187985

QC Batch: 322193 Analysis Method: EPA 8021

QC Batch Method: EPA 8021 Analysis Description: 8021 GCV BTEX

Associated Lab Samples: 40187985009, 40187985010, 40187985011, 40187985012, 40187985013, 40187985014, 40187985015,
40187985016, 40187985017, 40187985018, 40187985019, 40187985020, 40187985021, 40187985022,
40187985023, 40187985024, 40187985025, 40187985026

METHOD BLANK: 1870815

Matrix: Water

Associated Lab Samples: 40187985009, 40187985010, 40187985011, 40187985012, 40187985013, 40187985014, 40187985015,
40187985016, 40187985017, 40187985018, 40187985019, 40187985020, 40187985021, 40187985022,
40187985023, 40187985024, 40187985025, 40187985026

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,2,4-Trimethylbenzene | ug/L | <0.34 | 1.1 | 05/23/19 10:10 | |
| 1,3,5-Trimethylbenzene | ug/L | <0.33 | 1.1 | 05/23/19 10:10 | |
| Benzene | ug/L | <0.31 | 1.0 | 05/23/19 10:10 | |
| Ethylbenzene | ug/L | <0.33 | 1.1 | 05/23/19 10:10 | |
| m&p-Xylene | ug/L | <0.66 | 2.2 | 05/23/19 10:10 | |
| Methyl-tert-butyl ether | ug/L | <0.32 | 1.1 | 05/23/19 10:10 | |
| Naphthalene | ug/L | <0.51 | 1.7 | 05/23/19 10:10 | |
| o-Xylene | ug/L | <0.32 | 1.0 | 05/23/19 10:10 | |
| Toluene | ug/L | <0.49 | 1.6 | 05/23/19 10:10 | |
| a,a,a-Trifluorotoluene (S) | % | 102 | 85-115 | 05/23/19 10:10 | |

LABORATORY CONTROL SAMPLE & LCSD: 1870816

1870817

| Parameter | Units | Spike Conc. | LCS Result | LCSD Result | LCS % Rec | LCSD % Rec | % Rec Limits | RPD | Max RPD | Qualifiers |
|----------------------------|-------|-------------|------------|-------------|-----------|------------|--------------|-----|---------|------------|
| 1,2,4-Trimethylbenzene | ug/L | 20 | 19.9 | 20.2 | 100 | 101 | 87-118 | 1 | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | 20 | 19.9 | 20.2 | 100 | 101 | 84-115 | 1 | 20 | |
| Benzene | ug/L | 20 | 21.0 | 21.3 | 105 | 107 | 85-115 | 2 | 20 | |
| Ethylbenzene | ug/L | 20 | 20.4 | 20.7 | 102 | 103 | 85-115 | 1 | 20 | |
| m&p-Xylene | ug/L | 40 | 40.9 | 41.4 | 102 | 103 | 85-115 | 1 | 20 | |
| Methyl-tert-butyl ether | ug/L | 20 | 19.7 | 20.1 | 98 | 101 | 85-115 | 2 | 20 | |
| Naphthalene | ug/L | 20 | 18.4 | 19.6 | 92 | 98 | 83-119 | 6 | 20 | |
| o-Xylene | ug/L | 20 | 20.2 | 20.5 | 101 | 102 | 85-115 | 1 | 20 | |
| Toluene | ug/L | 20 | 20.8 | 21.1 | 104 | 106 | 85-115 | 2 | 20 | |
| a,a,a-Trifluorotoluene (S) | % | | | | 101 | 101 | 85-115 | | | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1871407

1871408

| Parameter | Units | MS 40187985009 Result | MSD Spike Conc. | MS 40187985009 Result | MSD Spike Conc. | MS 40187985009 % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Qual |
|-------------------------|-------|-----------------------|-----------------|-----------------------|-----------------|----------------------|-----------|--------------|--------|---------|------|
| 1,2,4-Trimethylbenzene | ug/L | <0.34 | 20 | 20 | 21.9 | 22.7 | 110 | 113 | 72-135 | 3 | 20 |
| 1,3,5-Trimethylbenzene | ug/L | <0.33 | 20 | 20 | 21.9 | 22.5 | 110 | 112 | 67-134 | 3 | 20 |
| Benzene | ug/L | <0.31 | 20 | 20 | 22.4 | 23.0 | 112 | 115 | 85-122 | 3 | 20 |
| Ethylbenzene | ug/L | <0.33 | 20 | 20 | 22.5 | 23.0 | 113 | 115 | 85-129 | 2 | 20 |
| m&p-Xylene | ug/L | <0.66 | 40 | 40 | 45.1 | 46.3 | 113 | 116 | 85-124 | 2 | 20 |
| Methyl-tert-butyl ether | ug/L | <0.32 | 20 | 20 | 20.8 | 21.8 | 104 | 109 | 85-118 | 5 | 20 |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO
 Pace Project No.: 40187985

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | | 1871407 | | 1871408 | | | | | | | | | |
|--|-------|-------------|-------------|-------------|-----------|-----------|------------|----------|-----------|--------------|-----|---------|----------|
| Parameter | Units | MS | | MSD | | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Max Qual |
| | | 40187985009 | Spike Conc. | Spike Conc. | MS Result | | | | | | | | |
| Naphthalene | ug/L | <0.51 | 20 | 20 | 20.0 | 22.1 | 100 | 111 | 78-132 | 10 | 20 | | |
| o-Xylene | ug/L | <0.32 | 20 | 20 | 22.1 | 22.7 | 111 | 114 | 85-124 | 3 | 20 | | |
| Toluene | ug/L | <0.49 | 20 | 20 | 22.6 | 23.2 | 113 | 116 | 85-122 | 2 | 20 | | |
| a,a,a-Trifluorotoluene (S) | % | | | | | | 102 | 102 | 85-115 | | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40187985

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|------------|-----------------|----------|-------------------|------------------|
| 40187985001 | MW-1 | EPA 8021 | 322026 | | |
| 40187985002 | MW-2 | EPA 8021 | 322026 | | |
| 40187985003 | PZ-2/T66 | EPA 8021 | 322026 | | |
| 40187985004 | MW-3D | EPA 8021 | 322026 | | |
| 40187985005 | PZ-3D | EPA 8021 | 322026 | | |
| 40187985006 | MW-8R | EPA 8021 | 322026 | | |
| 40187985007 | PZ-8R | EPA 8021 | 322026 | | |
| 40187985008 | MW-9B | EPA 8021 | 322026 | | |
| 40187985009 | MW-11 | EPA 8021 | 322193 | | |
| 40187985010 | PZ-11 | EPA 8021 | 322193 | | |
| 40187985011 | MW-12 | EPA 8021 | 322193 | | |
| 40187985012 | MW-13 | EPA 8021 | 322193 | | |
| 40187985013 | PZ-13 | EPA 8021 | 322193 | | |
| 40187985014 | MW-14 | EPA 8021 | 322193 | | |
| 40187985015 | MW-15 | EPA 8021 | 322193 | | |
| 40187985016 | MW-16 | EPA 8021 | 322193 | | |
| 40187985017 | PZ-16 | EPA 8021 | 322193 | | |
| 40187985018 | MW-17 | EPA 8021 | 322193 | | |
| 40187985019 | PZ-17 | EPA 8021 | 322193 | | |
| 40187985020 | MW-18 | EPA 8021 | 322193 | | |
| 40187985021 | MW-19 | EPA 8021 | 322193 | | |
| 40187985022 | MW-20 | EPA 8021 | 322193 | | |
| 40187985023 | MW-21 | EPA 8021 | 322193 | | |
| 40187985024 | PZ-21 | EPA 8021 | 322193 | | |
| 40187985025 | MW-22 | EPA 8021 | 322193 | | |
| 40187985026 | TRIP BLANK | EPA 8021 | 322193 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

| | | |
|---------------------|---|--|
| Company Name: | Gannett Fleming, Inc. | |
| Branch/Location: | Madison, WI | |
| Project Contact: | Cliff Wright | |
| Phone: | 608/836-1500 x6722 | |
| Project Number: | 34265.003 | |
| Project Name: | Superior Refining Company (SRC) | |
| Project State: | WI | |
| Sampled By (Print): | Marcus Mussey | |
| Sampled By (Sign): |  | |
| PO #: | Regulatory Program: | |

| | | | |
|----------------------|--|--|--|
| Data Package Options | | MS/MSD | Matrix Codes |
| (billable) | | <input type="checkbox"/> On your sample <input type="checkbox"/> EPA Level III <input type="checkbox"/> EPA Level IV | <input checked="" type="checkbox"/> NOT needed on your sample |
| | | | A = Air B = Biota C = Charcoal O = Oil S = Soil SI = Sludge W = Water DW = Drinking Water GW = Ground Water SW = Surface Water WW = Waste Water WP = Wipe |

| PACE LAB # | CLIENT FIELD ID | COLLECTION | | MATRIX | Analyses Requested P VOCs / Naph 8021 | Y/N N | Pick Letter B | Preservation Codes A=None B=HCL C=H2SO4 D=HNO3 E=DI Water I=Sodium Thiosulfate J=Other |
|------------|-----------------|------------|-------|--------|---|----------|------------------|---|
| | | DATE | TIME | | | | | |
| 001 | MW-1 | 5/20 | 11:00 | GW | 3 | | | |
| 002 | MW-2 | | 11:30 | | | | | |
| 003 | PZ-2/T66 | | 12:25 | | | | | |
| 004 | MW-3D | | 11:45 | | | | | |
| 005 | PZ-3D | | 11:40 | | | | | |
| 006 | MW-8R | | 10:30 | | | | | |
| 007 | PZ-8R | | 10:35 | | | | | |
| 008 | MW-9B | | 11:55 | | | | | |
| 009 | MW-11 | | 14:45 | | | | | |
| 010 | PZ-11 | | 14:50 | | | | | |
| 011 | MW-12 | | 14:40 | | | | | |
| 012 | MW-13 | | 14:30 | | | | | |
| 013 | PZ-13 | | 14:25 | | | | | |

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
Date Needed:

Transmit Prelim Rush Results by (complete what you want):

| | | | | | |
|------------|--|---------------------------|-------------------------------------|----------------------------|---|
| Email #1: | Relinquished By: <i>Marcus Mussey</i> | Date/Time: 5/20, 17:00 | Received By: <i>Goin' Postal</i> | Date/Time: | PACE Project No. <i>40187985</i> |
| Email #2: | Relinquished By: <i>Ted G</i> | Date/Time: 5/21/9 0837 | Received By: <i>Susan Mylue</i> | Date/Time: 5/21/19 0837 | Receipt Temp = <i>2</i> °C |
| Telephone: | Relinquished By: | Date/Time: | Received By: | Date/Time: | Sample Receipt pH OK / Adjusted |
| Fax: | Relinquished By: | Date/Time: | Received By: | Date/Time: | Cooler Custody Seal Present / Not Present Intact / Not Intact |

Samples on HOLD are subject to
special pricing and release of liability

CHAIN OF CUSTODY

*Preservation Codes
A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
H=Sodium Bisulfite Solution I=Sodium Thiosulfate J=Other

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of 2

COC No.
40187985

| | |
|-----------------------------------|--------------------------------------|
| Quote #: | Pace 2019 |
| Mail To Contact: | Cliff Wright |
| Mail To Company: | Gannett Fleming |
| Mail To Address: | 8025 Excelsior Dr. Madison, WI 53717 |
| Invoice To Contact: | See "Mail to Contact" info above |
| Invoice To Company: | " |
| Invoice To Address: | " |
| Invoice To Phone: | 608/836-1500 x6722 |
| CLIENT COMMENTS (Lab Use Only) | LAB COMMENTS (Lab Use Only) |
| | Profile # |

(Please Print Clearly)

| | |
|----------------------------|---|
| Company Name: | Gannett Fleming, Inc. |
| Branch/Location: | Madison, WI |
| Project Contact: | Cliff Wright |
| Phone: | 608/836-1500 x6722 |
| Project Number: | 34265.003 |
| Project Name: | Superior Refining Company (SRC) |
| Project State: | WI |
| Sampled By (Print): | Marcus Mussey |
| Sampled By (Sign): |  |

 Pace Analytical®
www.pacelabs.com

CHAIN OF CUSTODY

***Preservation Codes**

| | | | | | | |
|-----------------------------|-------|----------------------------------|----------------------|------------|------------|--------|
| A=None | B=HCL | C=H ₂ SO ₄ | D=HNO ₃ | E=DI Water | F=Methanol | G=NaOH |
| H=Sodium Bisulfate Solution | | | I=Sodium Thiosulfate | | J=Other | |

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
Date Needed:

| | | | |
|------------------|--------------|--------------|--------------|
| Relinquished By: | Date/Time: | Received By: | Date/Time: |
| Marius Mussey | 5/20, 17:00 | Goin Postal | |
| Ted Gp | 5/21/19 0833 | Reinhardt | 5/21/19 0833 |
| Relinquished By: | Date/Time: | Received By: | Date/Time: |

PACE Project No.

90187985

3. Wardrobe

Receipt Temp = 70

Sample Receipt pH

OK / Adjusted

Present / Not Present
Intact / Not Intact

Version 6.0 06/14/06

**Samples on HOLD are subject to
special pricing and release of liability**

Relinquished By: _____ **Date/Time:** _____ **Received By:** _____ **Date/Time:** _____

Sample Preservation Receipt Form

Client Name: Garnett Fleming Project # 60187985

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 904
Green Bay, WI 54302
Page 38 of 41

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/
Time:

| Pace Lab # | AG1U | AG1H | AG4S | AG4U | AG5U | AG2S | BG3U | BP1U | BP2N | BP2Z | BP3U | BP3B | BP3N | BP3S | DG9A | DG9T | VG9U | VG9H | VG9M | VG9D | JGFU | WGFU | WPFU | SP5T | ZPLC | GN | VOA Vials (>6mm) * | H2SO4 pH ≤ | NaOH+Zn Act pH ≥9 | NaOH pH ≥12 | HNO3 pH ≤ | pH after adjusted | Volume (mL) |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|--------------------|------------|-------------------|-------------|-----------|-------------------|-------------|
| 001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 002 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 003 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 004 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 011 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 013 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 014 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 016 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 017 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 018 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |
| 020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 | | | | |

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:


Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

| | | | | | | | |
|------|---------------------------|------|----------------------------|------|-------------------------|------|-------------------------------|
| AG1U | 1 liter amber glass | BP1U | 1 liter plastic unpres | DG9A | 40 mL amber ascorbic | JGFU | 4 oz amber jar unpres |
| AG1H | 1 liter amber glass HCL | BP2N | 500 mL plastic HNO3 | DG9T | 40 mL amber Na Thio | WGFU | 4 oz clear jar unpres |
| AG4S | 125 mL amber glass H2SO4 | BP2Z | 500 mL plastic NaOH, Znact | VG9U | 40 mL clear vial unpres | WPFU | 4 oz plastic jar unpres |
| AG4U | 120 mL amber glass unpres | BP3U | 250 mL plastic unpres | VG9H | 40 mL clear vial HCL | | |
| AG5U | 100 mL amber glass unpres | BP3B | 250 mL plastic NaOH | VG9M | 40 mL clear vial MeOH | SP5T | 120 mL plastic Na Thiosulfate |
| AG2S | 500 mL amber glass H2SO4 | BP3N | 250 mL plastic HNO3 | VG9D | 40 mL clear vial DI | ZPLC | ziploc bag |
| BG3U | 250 mL clear glass unpres | BP3S | 250 mL plastic H2SO4 | | | GN: | |

Client Name:

Garnett Fleming Sample Preservation Receipt Form
Project #: C60187985

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 941
Green Bay, WI 54302-4041
Page 40 of 41

Document Name:
Sample Condition Upon Receipt (SCUR)

Document Revised: 25Apr2018

Document No.:
F-GB-C-031-Rev.07Issuing Authority:
Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: Gannett Fleming

Project #:

WO# : 40187985

Courier: CS Logistics Fed Ex Speedee UPS Waltee Client Pace Other: _____Tracking #: 814690267785

40187985

Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used SR - 9 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begunCooler Temperature Uncorr: 1.5 /Corr: 2Temp Blank Present: yes noBiological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C.

Person examining contents:
Date: 5-21-19
Initials: SL

| | | |
|--|---|---|
| Chain of Custody Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2. |
| Chain of Custody Relinquished: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 3. |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: - VOA Samples frozen upon receipt | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. Date/Time: |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. |
| Rush Turn Around Time Requested: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. |
| Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 8. | |
| Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. |
| Filtered volume received for Dissolved tests: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 11. |
| Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: | <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 12. <i>015-1 vial ID now packaged with others</i> <i>5-21-19</i> |
| Trip Blank Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 13. |
| Trip Blank Custody Seals Present | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Pace Trip Blank Lot # (if purchased): | <u>4231</u> | |

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Ron for DMDate: 6/1/21/19

October 15, 2019

Clifford Wright
Gannett Fleming
8040 Excelsior Drive, Ste 303
Madison, WI 53717

Project #34256.003
SRC Oct 2019
Reviewed by CCW
10/15/19

RE: Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

Dear Clifford Wright:

Enclosed are the analytical results for sample(s) received by the laboratory on October 09, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|------------|--------|----------------|----------------|
| 40196877001 | PZ-2/T66 | Water | 10/08/19 14:30 | 10/09/19 09:10 |
| 40196877002 | PZ-3D | Water | 10/08/19 11:35 | 10/09/19 09:10 |
| 40196877003 | PZ-8R | Water | 10/08/19 10:50 | 10/09/19 09:10 |
| 40196877004 | MW-11 | Water | 10/08/19 09:35 | 10/09/19 09:10 |
| 40196877005 | PZ-11 | Water | 10/08/19 09:40 | 10/09/19 09:10 |
| 40196877006 | MW-12 | Water | 10/08/19 09:20 | 10/09/19 09:10 |
| 40196877007 | MW-13 | Water | 10/08/19 09:10 | 10/09/19 09:10 |
| 40196877008 | PZ-13 | Water | 10/08/19 09:15 | 10/09/19 09:10 |
| 40196877009 | MW-14 | Water | 10/08/19 09:00 | 10/09/19 09:10 |
| 40196877010 | MW-15 | Water | 10/08/19 13:40 | 10/09/19 09:10 |
| 40196877011 | MW-16 | Water | 10/08/19 13:50 | 10/09/19 09:10 |
| 40196877012 | MW-17 | Water | 10/08/19 14:10 | 10/09/19 09:10 |
| 40196877013 | MW-18 | Water | 10/08/19 14:25 | 10/09/19 09:10 |
| 40196877014 | MW-19 | Water | 10/08/19 09:45 | 10/09/19 09:10 |
| 40196877015 | MW-20 | Water | 10/08/19 10:20 | 10/09/19 09:10 |
| 40196877016 | MW-21 | Water | 10/08/19 10:10 | 10/09/19 09:10 |
| 40196877017 | PZ-21 | Water | 10/08/19 10:15 | 10/09/19 09:10 |
| 40196877018 | MW-1/CW | Water | 10/08/19 08:20 | 10/09/19 09:10 |
| 40196877019 | MW-2/CW | Water | 10/08/19 08:15 | 10/09/19 09:10 |
| 40196877020 | MW-3/CW | Water | 10/08/19 08:25 | 10/09/19 09:10 |
| 40196877021 | MW-4/CW | Water | 10/08/19 08:10 | 10/09/19 09:10 |
| 40196877022 | TRIP BLANK | Water | 10/08/19 00:00 | 10/09/19 09:10 |
| 40196877023 | PZ-16 | Water | 10/08/19 13:55 | 10/09/19 09:10 |
| 40196877024 | PZ-17 | Water | 10/08/19 14:15 | 10/09/19 09:10 |
| 40196877025 | MW-22 | Water | 10/08/19 10:00 | 10/09/19 09:10 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|-------------|------------|----------|----------|-------------------|------------|
| 40196877001 | PZ-2/T66 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877002 | PZ-3D | EPA 8021 | ALD | 10 | PASI-G |
| 40196877003 | PZ-8R | EPA 8021 | ALD | 10 | PASI-G |
| 40196877004 | MW-11 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877005 | PZ-11 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877006 | MW-12 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877007 | MW-13 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877008 | PZ-13 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877009 | MW-14 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877010 | MW-15 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877011 | MW-16 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877012 | MW-17 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877013 | MW-18 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877014 | MW-19 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877015 | MW-20 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877016 | MW-21 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877017 | PZ-21 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877018 | MW-1/CW | EPA 8260 | HNW | 12 | PASI-G |
| 40196877019 | MW-2/CW | EPA 8260 | HNW | 12 | PASI-G |
| 40196877020 | MW-3/CW | EPA 8260 | HNW | 12 | PASI-G |
| 40196877021 | MW-4/CW | EPA 8260 | HNW | 12 | PASI-G |
| 40196877022 | TRIP BLANK | EPA 8021 | ALD | 10 | PASI-G |
| 40196877023 | PZ-16 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877024 | PZ-17 | EPA 8021 | ALD | 10 | PASI-G |
| 40196877025 | MW-22 | EPA 8021 | ALD | 10 | PASI-G |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| Lab Sample ID | Client Sample ID | | | | | |
|--------------------|------------------------|--------|-------|--------------|----------------|------------|
| Method | Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
| 40196877020 | MW-3/CW | | | | | |
| EPA 8260 | 1,2,4-Trimethylbenzene | 802 | ug/L | 140 | 10/11/19 01:12 | |
| EPA 8260 | 1,3,5-Trimethylbenzene | 167 | ug/L | 146 | 10/11/19 01:12 | |
| EPA 8260 | Benzene | 4140 | ug/L | 50.0 | 10/11/19 01:12 | |
| EPA 8260 | Ethylbenzene | 1060 | ug/L | 50.0 | 10/11/19 01:12 | |
| EPA 8260 | Naphthalene | 83.7J | ug/L | 250 | 10/11/19 01:12 | |
| EPA 8260 | Toluene | 85.9J | ug/L | 250 | 10/11/19 01:12 | |
| EPA 8260 | m&p-Xylene | 1850 | ug/L | 100 | 10/11/19 01:12 | |
| EPA 8260 | o-Xylene | 176 | ug/L | 50.0 | 10/11/19 01:12 | |
| 40196877021 | MW-4/CW | | | | | |
| EPA 8260 | 1,2,4-Trimethylbenzene | 1.6J | ug/L | 2.8 | 10/11/19 02:16 | |
| EPA 8260 | 1,3,5-Trimethylbenzene | 11.9 | ug/L | 2.9 | 10/11/19 02:16 | |
| EPA 8260 | Benzene | 96.2 | ug/L | 1.0 | 10/11/19 02:16 | |
| EPA 8260 | Ethylbenzene | 0.52J | ug/L | 1.0 | 10/11/19 02:16 | |
| EPA 8260 | Toluene | 0.97J | ug/L | 5.0 | 10/11/19 02:16 | |
| EPA 8260 | m&p-Xylene | 19.0 | ug/L | 2.0 | 10/11/19 02:16 | |
| EPA 8260 | o-Xylene | 11.2 | ug/L | 1.0 | 10/11/19 02:16 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

Method: EPA 8021
Description: 8021 GCV Short List
Client: Gannett Fleming Inc.
Date: October 15, 2019

General Information:

21 samples were analyzed for EPA 8021. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

Method: EPA 8260
Description: 8260 MSV UST
Client: Gannett Fleming Inc.
Date: October 15, 2019

General Information:

4 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: PZ-2/T66 Lab ID: 40196877001 Collected: 10/08/19 14:30 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 12:45 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 12:45 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 12:45 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 12:45 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 12:45 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 12:45 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 12:45 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 12:45 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 12:45 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 12:45 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: PZ-3D **Lab ID: 40196877002** Collected: 10/08/19 11:35 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 13:11 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 13:11 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 13:11 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 13:11 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 13:11 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 13:11 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 13:11 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 13:11 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 13:11 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 13:11 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: PZ-8R **Lab ID: 40196877003** Collected: 10/08/19 10:50 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 13:37 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 13:37 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 13:37 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 13:37 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 13:37 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 13:37 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 13:37 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 13:37 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 13:37 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 98 | % | 85-115 | | 1 | | 10/11/19 13:37 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| Sample: MW-11 | Lab ID: 40196877004 | Collected: 10/08/19 09:35 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 14:02 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 14:02 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 14:02 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 14:02 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 14:02 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 14:02 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 14:02 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 14:02 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 14:02 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 96 | % | 85-115 | | 1 | | 10/11/19 14:02 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| Sample: PZ-11 | Lab ID: 40196877005 | Collected: 10/08/19 09:40 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 14:28 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 14:28 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 14:28 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 14:28 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 14:28 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 14:28 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 14:28 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 14:28 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 14:28 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 14:28 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-12 **Lab ID: 40196877006** Collected: 10/08/19 09:20 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 14:53 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 14:53 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 14:53 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 14:53 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 14:53 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 14:53 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 14:53 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 14:53 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 14:53 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 14:53 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-13 **Lab ID: 40196877007** Collected: 10/08/19 09:10 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 15:19 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 15:19 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 15:19 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 15:19 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 15:19 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 15:19 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 15:19 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 15:19 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 15:19 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 15:19 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: PZ-13 Lab ID: 40196877008 Collected: 10/08/19 09:15 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 15:44 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 15:44 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 15:44 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 15:44 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 15:44 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 15:44 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 15:44 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 15:44 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 15:44 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 15:44 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-14 **Lab ID: 40196877009** Collected: 10/08/19 09:00 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 16:10 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 16:10 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 16:10 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 16:10 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 16:10 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 16:10 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 16:10 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 16:10 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 16:10 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 16:10 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-15 Lab ID: 40196877010 Collected: 10/08/19 13:40 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 17:52 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 17:52 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 17:52 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 17:52 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 17:52 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 17:52 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 17:52 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 17:52 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 17:52 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 98 | % | 85-115 | | 1 | | 10/11/19 17:52 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| Sample: MW-16 | Lab ID: 40196877011 | Collected: 10/08/19 13:50 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 18:17 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 18:17 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 18:17 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 18:17 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 18:17 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 18:17 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 18:17 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 18:17 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 18:17 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 98 | % | 85-115 | | 1 | | 10/11/19 18:17 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-17 **Lab ID: 40196877012** Collected: 10/08/19 14:10 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 18:43 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 18:43 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 18:43 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 18:43 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 18:43 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 18:43 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 18:43 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 18:43 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 18:43 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 18:43 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-18 **Lab ID: 40196877013** Collected: 10/08/19 14:25 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 19:08 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 19:08 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 19:08 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 19:08 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 19:08 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 19:08 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 19:08 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 19:08 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 19:08 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 19:08 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| Sample: MW-19 | Lab ID: 40196877014 | Collected: 10/08/19 09:45 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 19:34 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 19:34 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 19:34 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 19:34 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 19:34 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 19:34 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 19:34 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 19:34 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 19:34 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 19:34 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-20 **Lab ID: 40196877015** Collected: 10/08/19 10:20 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 19:59 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 19:59 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 19:59 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 19:59 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 19:59 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 19:59 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 19:59 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 19:59 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 19:59 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 98 | % | 85-115 | | 1 | | 10/11/19 19:59 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-21 **Lab ID: 40196877016** Collected: 10/08/19 10:10 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 20:25 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 20:25 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 20:25 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 20:25 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 20:25 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 20:25 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 20:25 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 20:25 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 20:25 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 20:25 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: PZ-21 **Lab ID: 40196877017** Collected: 10/08/19 10:15 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 20:50 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 20:50 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 20:50 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 20:50 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 20:50 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 20:50 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 20:50 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 20:50 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 20:50 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 98 | % | 85-115 | | 1 | | 10/11/19 20:50 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| Sample: TRIP BLANK | Lab ID: 40196877022 | Collected: 10/08/19 00:00 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 16:35 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 16:35 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 16:35 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 16:35 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 16:35 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 16:35 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 16:35 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 16:35 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 16:35 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 16:35 | 98-08-8 | HS |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: PZ-16 Lab ID: 40196877023 Collected: 10/08/19 13:55 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 21:16 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 21:16 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 21:16 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 21:16 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 21:16 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 21:16 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 21:16 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 21:16 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 21:16 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 21:16 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: PZ-17 **Lab ID: 40196877024** Collected: 10/08/19 14:15 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 21:42 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 21:42 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 21:42 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 21:42 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 21:42 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 21:42 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 21:42 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 21:42 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 21:42 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 97 | % | 85-115 | | 1 | | 10/11/19 21:42 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

Sample: MW-22 **Lab ID: 40196877025** Collected: 10/08/19 10:00 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8021 GCV Short List | Analytical Method: EPA 8021 | | | | | | | | |
| Benzene | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/11/19 11:13 | 71-43-2 | |
| Ethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 11:13 | 100-41-4 | |
| Methyl-tert-butyl ether | <0.32 | ug/L | 1.1 | 0.32 | 1 | | 10/11/19 11:13 | 1634-04-4 | |
| Naphthalene | <0.51 | ug/L | 1.7 | 0.51 | 1 | | 10/11/19 11:13 | 91-20-3 | |
| Toluene | <0.16 | ug/L | 1.0 | 0.16 | 1 | | 10/11/19 11:13 | 108-88-3 | |
| 1,2,4-Trimethylbenzene | <0.34 | ug/L | 1.1 | 0.34 | 1 | | 10/11/19 11:13 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 11:13 | 108-67-8 | |
| m&p-Xylene | <0.32 | ug/L | 2.0 | 0.32 | 1 | | 10/11/19 11:13 | 179601-23-1 | |
| o-Xylene | <0.15 | ug/L | 1.0 | 0.15 | 1 | | 10/11/19 11:13 | 95-47-6 | |
| Surrogates | | | | | | | | | |
| a,a,a-Trifluorotoluene (S) | 99 | % | 85-115 | | 1 | | 10/11/19 11:13 | 98-08-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

QC Batch: 337099 Analysis Method: EPA 8021

QC Batch Method: EPA 8021 Analysis Description: 8021 GCV BTEX

Associated Lab Samples: 40196877001, 40196877002, 40196877003, 40196877004, 40196877005, 40196877006, 40196877007,
40196877008, 40196877009, 40196877010, 40196877011, 40196877012, 40196877013, 40196877014,
40196877015, 40196877016, 40196877017, 40196877022, 40196877023, 40196877024

METHOD BLANK: 1957929 Matrix: Water

Associated Lab Samples: 40196877001, 40196877002, 40196877003, 40196877004, 40196877005, 40196877006, 40196877007,
40196877008, 40196877009, 40196877010, 40196877011, 40196877012, 40196877013, 40196877014,
40196877015, 40196877016, 40196877017, 40196877022, 40196877023, 40196877024

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,2,4-Trimethylbenzene | ug/L | <0.34 | 1.1 | 10/11/19 09:38 | |
| 1,3,5-Trimethylbenzene | ug/L | <0.33 | 1.1 | 10/11/19 09:38 | |
| Benzene | ug/L | <0.31 | 1.0 | 10/11/19 09:38 | |
| Ethylbenzene | ug/L | <0.33 | 1.1 | 10/11/19 09:38 | |
| m&p-Xylene | ug/L | <0.32 | 2.0 | 10/11/19 09:38 | |
| Methyl-tert-butyl ether | ug/L | <0.32 | 1.1 | 10/11/19 09:38 | |
| Naphthalene | ug/L | <0.51 | 1.7 | 10/11/19 09:38 | |
| o-Xylene | ug/L | <0.15 | 1.0 | 10/11/19 09:38 | |
| Toluene | ug/L | <0.16 | 1.0 | 10/11/19 09:38 | |
| a,a,a-Trifluorotoluene (S) | % | 104 | 85-115 | 10/11/19 09:38 | |

LABORATORY CONTROL SAMPLE & LCSD: 1957930

1957931

| Parameter | Units | Spike Conc. | LCS Result | LCSD Result | LCS % Rec | LCSD % Rec | % Rec Limits | RPD | Max RPD | Qualifiers |
|----------------------------|-------|-------------|------------|-------------|-----------|------------|--------------|-----|---------|------------|
| 1,2,4-Trimethylbenzene | ug/L | 20 | 22.8 | 19.4 | 114 | 97 | 87-118 | 16 | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | 20 | 22.2 | 18.8 | 111 | 94 | 84-115 | 17 | 20 | |
| Benzene | ug/L | 20 | 22.4 | 18.7 | 112 | 93 | 85-115 | 18 | 20 | |
| Ethylbenzene | ug/L | 20 | 23.1 | 19.2 | 115 | 96 | 85-115 | 18 | 20 | |
| m&p-Xylene | ug/L | 40 | 44.8 | 37.7 | 112 | 94 | 85-115 | 17 | 20 | |
| Methyl-tert-butyl ether | ug/L | 20 | 21.5 | 18.9 | 107 | 94 | 85-115 | 13 | 20 | |
| Naphthalene | ug/L | 20 | 20.1 | 18.0 | 101 | 90 | 83-119 | 11 | 20 | |
| o-Xylene | ug/L | 20 | 22.3 | 18.8 | 111 | 94 | 85-115 | 17 | 20 | |
| Toluene | ug/L | 20 | 22.6 | 18.9 | 113 | 94 | 85-115 | 18 | 20 | |
| a,a,a-Trifluorotoluene (S) | % | | | 104 | 98 | 85-115 | | | | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1958315

1958316

| Parameter | Units | MS | | MSD | | MS | | MSD | | % Rec Limits | RPD | Max RPD | Qual |
|-------------------------|-------|-------------|-------------|-------------|-----------|------------|-------|-------|--------|--------------|-----|---------|------|
| | | 40196877001 | Spike Conc. | Spike Conc. | MS Result | MSD Result | % Rec | % Rec | % Rec | | | | |
| 1,2,4-Trimethylbenzene | ug/L | <0.34 | 20 | 20 | 20.6 | 21.0 | 103 | 105 | 72-135 | 2 | 20 | | |
| 1,3,5-Trimethylbenzene | ug/L | <0.33 | 20 | 20 | 20.1 | 20.5 | 101 | 102 | 67-134 | 2 | 20 | | |
| Benzene | ug/L | <0.31 | 20 | 20 | 20.3 | 20.7 | 102 | 103 | 85-122 | 2 | 20 | | |
| Ethylbenzene | ug/L | <0.33 | 20 | 20 | 21.0 | 21.4 | 105 | 107 | 85-129 | 2 | 20 | | |
| m&p-Xylene | ug/L | <0.32 | 40 | 40 | 40.8 | 41.7 | 102 | 104 | 85-124 | 2 | 20 | | |
| Methyl-tert-butyl ether | ug/L | <0.32 | 20 | 20 | 19.9 | 20.1 | 99 | 100 | 85-118 | 1 | 20 | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | | 1958315 | | 1958316 | | | | | | | | | |
|--|-------|-------------|-------------|-------------|-----------|-----------|------------|----------|-----------|--------------|-----|---------|----------|
| Parameter | Units | MS | | MSD | | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Max Qual |
| | | 40196877001 | Spike Conc. | Spike Conc. | MS Result | | | | | | | | |
| Naphthalene | ug/L | <0.51 | 20 | 20 | 19.1 | 19.6 | 96 | 98 | 78-132 | 2 | 20 | | |
| o-Xylene | ug/L | <0.15 | 20 | 20 | 20.3 | 20.7 | 101 | 104 | 85-124 | 2 | 20 | | |
| Toluene | ug/L | <0.16 | 20 | 20 | 20.7 | 21.1 | 103 | 105 | 85-122 | 2 | 20 | | |
| a,a,a-Trifluorotoluene (S) | % | | | | | 99 | 99 | 99 | 85-115 | | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| | | | |
|-------------------------|-------------|-----------------------|---------------|
| QC Batch: | 337100 | Analysis Method: | EPA 8021 |
| QC Batch Method: | EPA 8021 | Analysis Description: | 8021 GCV BTEX |
| Associated Lab Samples: | 40196877025 | | |

METHOD BLANK: 1957934 Matrix: Water

Associated Lab Samples: 40196877025

| Parameter | Units | Blank | Reporting | | Qualifiers |
|----------------------------|-------|--------|-----------|----------------|------------|
| | | Result | Limit | Analyzed | |
| 1,2,4-Trimethylbenzene | ug/L | <0.34 | 1.1 | 10/11/19 09:31 | |
| 1,3,5-Trimethylbenzene | ug/L | <0.33 | 1.1 | 10/11/19 09:31 | |
| Benzene | ug/L | <0.31 | 1.0 | 10/11/19 09:31 | |
| Ethylbenzene | ug/L | <0.33 | 1.1 | 10/11/19 09:31 | |
| m&p-Xylene | ug/L | <0.32 | 2.0 | 10/11/19 09:31 | |
| Methyl-tert-butyl ether | ug/L | <0.32 | 1.1 | 10/11/19 09:31 | |
| Naphthalene | ug/L | <0.51 | 1.7 | 10/11/19 09:31 | |
| o-Xylene | ug/L | <0.15 | 1.0 | 10/11/19 09:31 | |
| Toluene | ug/L | <0.16 | 1.0 | 10/11/19 09:31 | |
| a,a,a-Trifluorotoluene (S) | % | 100 | 85-115 | 10/11/19 09:31 | |

LABORATORY CONTROL SAMPLE & LCSD: 1957935

1957936

| Parameter | Units | Spike | LCS | LCSD | LCS | LCSD | % Rec | RPD | Max RPD | Qualifiers |
|----------------------------|-------|-------|--------|--------|-------|-------|--------|-----|---------|------------|
| | | Conc. | Result | Result | % Rec | % Rec | Limits | | | |
| 1,2,4-Trimethylbenzene | ug/L | 20 | 19.3 | 19.4 | 96 | 97 | 87-118 | 1 | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | 20 | 19.4 | 19.5 | 97 | 97 | 84-115 | 0 | 20 | |
| Benzene | ug/L | 20 | 20.8 | 20.9 | 104 | 105 | 85-115 | 1 | 20 | |
| Ethylbenzene | ug/L | 20 | 20.0 | 20.1 | 100 | 100 | 85-115 | 0 | 20 | |
| m&p-Xylene | ug/L | 40 | 40.2 | 40.3 | 100 | 101 | 85-115 | 0 | 20 | |
| Methyl-tert-butyl ether | ug/L | 20 | 19.7 | 19.3 | 98 | 97 | 85-115 | 2 | 20 | |
| Naphthalene | ug/L | 20 | 18.1 | 18.2 | 90 | 91 | 83-119 | 1 | 20 | |
| o-Xylene | ug/L | 20 | 20.1 | 20.1 | 101 | 101 | 85-115 | 0 | 20 | |
| Toluene | ug/L | 20 | 21.0 | 21.0 | 105 | 105 | 85-115 | 0 | 20 | |
| a,a,a-Trifluorotoluene (S) | % | | | | 102 | 101 | 85-115 | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

QC Batch: 336991 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 40196877018, 40196877019, 40196877020, 40196877021

METHOD BLANK: 1957025 Matrix: Water

Associated Lab Samples: 40196877018, 40196877019, 40196877020, 40196877021

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|--------------------------|-------|--------------|-----------------|----------------|------------|
| 1,2,4-Trimethylbenzene | ug/L | <0.84 | 2.8 | 10/10/19 18:46 | |
| 1,3,5-Trimethylbenzene | ug/L | <0.87 | 2.9 | 10/10/19 18:46 | |
| Benzene | ug/L | <0.25 | 1.0 | 10/10/19 18:46 | |
| Ethylbenzene | ug/L | <0.22 | 1.0 | 10/10/19 18:46 | |
| m&p-Xylene | ug/L | <0.47 | 2.0 | 10/10/19 18:46 | |
| Methyl-tert-butyl ether | ug/L | <1.2 | 4.2 | 10/10/19 18:46 | |
| Naphthalene | ug/L | <1.2 | 5.0 | 10/10/19 18:46 | |
| o-Xylene | ug/L | <0.26 | 1.0 | 10/10/19 18:46 | |
| Toluene | ug/L | <0.17 | 5.0 | 10/10/19 18:46 | |
| 4-Bromofluorobenzene (S) | % | 94 | 70-130 | 10/10/19 18:46 | |
| Dibromofluoromethane (S) | % | 101 | 70-130 | 10/10/19 18:46 | |
| Toluene-d8 (S) | % | 99 | 70-130 | 10/10/19 18:46 | |

LABORATORY CONTROL SAMPLE: 1957026

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|--------------------------|-------|-------------|------------|-----------|--------------|------------|
| Benzene | ug/L | 50 | 51.1 | 102 | 70-130 | |
| Ethylbenzene | ug/L | 50 | 52.4 | 105 | 80-124 | |
| m&p-Xylene | ug/L | 100 | 104 | 104 | 70-130 | |
| Methyl-tert-butyl ether | ug/L | 50 | 41.8 | 84 | 54-137 | |
| o-Xylene | ug/L | 50 | 51.1 | 102 | 70-130 | |
| Toluene | ug/L | 50 | 50.2 | 100 | 80-126 | |
| 4-Bromofluorobenzene (S) | % | | | 107 | 70-130 | |
| Dibromofluoromethane (S) | % | | | 105 | 70-130 | |
| Toluene-d8 (S) | % | | | 99 | 70-130 | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1957038 1957252

| Parameter | Units | MS | | MSD | | MS | | MSD | | % Rec | | RPD | Max RPD | Qual | |
|--------------------------|-------|-------------|--------|-------------|-------------|-----------|------------|-------|-----------|----------|--------|-----|---------|------|--|
| | | 40196877018 | Result | Spike Conc. | Spike Conc. | MS Result | MSD Result | % Rec | MSD % Rec | MS % Rec | Limits | RPD | | | |
| Benzene | ug/L | <0.25 | 50 | 50 | 51.4 | 52.3 | 103 | 105 | 105 | 70-130 | 2 | 20 | | | |
| Ethylbenzene | ug/L | <0.22 | 50 | 50 | 54.6 | 54.2 | 109 | 108 | 80-125 | 1 | 20 | | | | |
| m&p-Xylene | ug/L | <0.47 | 100 | 100 | 108 | 106 | 108 | 106 | 106 | 70-130 | 3 | 20 | | | |
| Methyl-tert-butyl ether | ug/L | <1.2 | 50 | 50 | 42.1 | 43.0 | 84 | 86 | 86 | 51-145 | 2 | 20 | | | |
| o-Xylene | ug/L | <0.26 | 50 | 50 | 53.3 | 52.1 | 107 | 104 | 104 | 70-130 | 2 | 20 | | | |
| Toluene | ug/L | <0.17 | 50 | 50 | 52.6 | 51.1 | 105 | 102 | 102 | 80-131 | 3 | 20 | | | |
| 4-Bromofluorobenzene (S) | % | | | | | | 106 | 107 | 107 | 70-130 | | | | | |
| Dibromofluoromethane (S) | % | | | | | | 102 | 104 | 104 | 70-130 | | | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SUPERIOR REFINING CO

Pace Project No.: 40196877

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | | | 1957038 | 1957252 | | | | | | | | |
|--|-------|-----------|-----------------|-----------|-----------------|-----------|-----------|----------|--------------|-----|---------|------|
| Parameter | Units | MS Result | MSD Spike Conc. | MS Result | MSD Spike Conc. | MS Result | MSD % Rec | MS % Rec | % Rec Limits | RPD | Max RPD | Qual |
| Toluene-d8 (S) | % | | | | | | 99 | 97 | 70-130 | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 34265.003 SUPERIOR REFINING CO
Pace Project No.: 40196877

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 34265.003 SUPERIOR REFINING CO


Pace Project No.: 40196877

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|------------|-----------------|----------|-------------------|------------------|
| 40196877001 | PZ-2/T66 | EPA 8021 | 337099 | | |
| 40196877002 | PZ-3D | EPA 8021 | 337099 | | |
| 40196877003 | PZ-8R | EPA 8021 | 337099 | | |
| 40196877004 | MW-11 | EPA 8021 | 337099 | | |
| 40196877005 | PZ-11 | EPA 8021 | 337099 | | |
| 40196877006 | MW-12 | EPA 8021 | 337099 | | |
| 40196877007 | MW-13 | EPA 8021 | 337099 | | |
| 40196877008 | PZ-13 | EPA 8021 | 337099 | | |
| 40196877009 | MW-14 | EPA 8021 | 337099 | | |
| 40196877010 | MW-15 | EPA 8021 | 337099 | | |
| 40196877011 | MW-16 | EPA 8021 | 337099 | | |
| 40196877012 | MW-17 | EPA 8021 | 337099 | | |
| 40196877013 | MW-18 | EPA 8021 | 337099 | | |
| 40196877014 | MW-19 | EPA 8021 | 337099 | | |
| 40196877015 | MW-20 | EPA 8021 | 337099 | | |
| 40196877016 | MW-21 | EPA 8021 | 337099 | | |
| 40196877017 | PZ-21 | EPA 8021 | 337099 | | |
| 40196877022 | TRIP BLANK | EPA 8021 | 337099 | | |
| 40196877023 | PZ-16 | EPA 8021 | 337099 | | |
| 40196877024 | PZ-17 | EPA 8021 | 337099 | | |
| 40196877025 | MW-22 | EPA 8021 | 337100 | | |
| 40196877018 | MW-1/CW | EPA 8260 | 336991 | | |
| 40196877019 | MW-2/CW | EPA 8260 | 336991 | | |
| 40196877020 | MW-3/CW | EPA 8260 | 336991 | | |
| 40196877021 | MW-4/CW | EPA 8260 | 336991 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

| | |
|-------------------------------|---|
| <i>(Please Print Clearly)</i> | |
| Company Name: | Gannett Fleming, Inc. |
| Branch/Location: | Madison, WI |
| Project Contact: | Cliff Wright |
| Phone: | 608/836-1500 x6722 |
| Project Number: | 34265.003 |
| Project Name: | Superior Refining Company (SRC) |
| Project State: | WI |
| Sampled By (Print): | Marcus Mussey |
| Sampled By (Sign): |  |



CHAIN OF CUSTODY

***Preservation Codes**

| | | | | | | |
|-----------------------------|----------------------|----------------------------------|--------------------|------------|------------|--------|
| A=None | B=HCl | C=H ₂ SO ₄ | D=HNO ₃ | E=DI Water | F=Methanol | G=NaOH |
| H=Sodium Bisulfate Solution | I=Sodium Thiosulfate | J=Other | | | | |

| PO #: | | Regulatory Program: |
|--|--|--|
| Data Package Options | MS/MSD | Matrix Codes |
| (billable) | | |
| <input type="checkbox"/> EPA Level III | <input type="checkbox"/> On your sample (billable) | A = Air B = Biota C = Charcoal O = Oil S = Soil SI = Sludge |
| <input type="checkbox"/> EPA Level IV | <input checked="" type="checkbox"/> NOT needed on your sample | W = Water DW = Drinking Water GW = Ground Water SW = Surface Water WW = Waste Water WP = Wipe |

| PACE LAB # | CLIENT FIELD ID | COLLECTION | | MATERIAL |
|------------|-----------------|------------|-------|----------|
| | | DATE | TIME | |
| 001 | PZ-2/T66 | 10/8 | 14:30 | GLY |
| 002 | PZ-3D | | 11:35 | |
| 003 | PZ-8R | | 10:50 | |
| 004 | MW-11 | | 9:35 | |
| 005 | PZ-11 | | 9:40 | |
| 006 | MW-12 | | 9:20 | |
| 007 | MW-13 | | 9:10 | |
| 008 | PZ-13 | | 9:15 | |
| 009 | MW-14 | | 9:00 | |
| 010 | MW-15 | | 13:40 | |
| 011 | MW-16 | | 13:50 | |
| 012 | MW-17 | | 14:10 | |
| 013 | MW-18 | | 14:25 | |

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:

Email #2:

Telephone:

**Samples on HOLD are subject to
special pricing and release of liability.**

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of 2

COC No.

4619687 [e 400]

Page 40 of 45

Sample Preservation Receipt Form

Client Name: Garrett Fleming

Project #: 4090877

Sample Preservation Receipt Form

Client Name: Gannett Fleming

Project # 401961871

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/
Time:

| Pace Lab # | Glass | | | | | Plastic | | | | | Vials | | | | | Jars | | | General | | | VOA Vials (>6mm)* | H2SO4 pH ≤2 | NaOH+Zn Act pH ≥9 | NaOH pH ≥12 | HNO3 pH ≤2 | pH after adjusted | Volume (mL) |
|------------|-------|------|------|------|------|---------|------|------|------|------|-------|------|------|------|------|------|------|------|---------|------|------|-------------------|-------------|-------------------|-------------|------------|-------------------|--------------|
| | AG1U | AG1H | AG4S | AG4U | AG5U | AG2S | BG3U | BP1U | BP2N | BP2Z | BP3U | BP3B | BP3N | BP3S | DG9A | DG9T | VG9U | VG9H | VG9M | VG9D | JGFU | WG FU | WPFU | SP5T | ZPLC | GN | | |
| 001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 002 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 003 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 004 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 011 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 013 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 014 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 016 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 017 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 018 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:


Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

| | | | | | | | |
|------|---------------------------|------|----------------------------|------|-------------------------|------|-------------------------------|
| AG1U | 1 liter amber glass | BP1U | 1 liter plastic unpres | DG9A | 40 mL amber ascorbic | JGFU | 4 oz amber jar unpres |
| AG1H | 1 liter amber glass HCL | BP2N | 500 mL plastic HNO3 | DG9T | 40 mL amber Na Thio | WGFU | 4 oz clear jar unpres |
| AG4S | 125 mL amber glass H2SO4 | BP2Z | 500 mL plastic NaOH, Znact | VG9U | 40 mL clear vial unpres | WPFU | 4 oz plastic jar unpres |
| AG4U | 120 mL amber glass unpres | BP3U | 250 mL plastic unpres | VG9H | 40 mL clear vial HCL | | |
| AG5U | 100 mL amber glass unpres | BP3B | 250 mL plastic NaOH | VG9M | 40 mL clear vial MeOH | SP5T | 120 mL plastic Na Thiosulfate |
| AG2S | 500 mL amber glass H2SO4 | BP3N | 250 mL plastic HNO3 | VG9D | 40 mL clear vial DI | ZPLC | ziploc bag |
| BG3U | 250 mL clear glass unpres | BP3S | 250 mL plastic H2SO4 | GN: | | | |

Sample Preservation Receipt Form

Client Name: Gannett Fleming

Project #: 4090877



| | | |
|----------------|--------------------------------------|---|
| Document Name: | Sample Condition Upon Receipt (SCUR) | Document Revised: 25Apr2018 |
| Document No.: | F-GB-C-031-Rev.07 | Issuing Authority: Pace Green Bay Quality Office |

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO# : 40196877

Client Name: Gunnell FlemingCourier: CS Logistics Fed Ex Speedee UPS Waltco Client Pace Other: _____Tracking #: 8149 6215 5835Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used SR - NA Type of Ice: Blue Dry None Samples on ice, cooling process has begunCooler Temperature Uncorr: 20°C /Corr:Temp Blank Present: yes noBiological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C.

Person examining contents:

Date: 10/9/19Initials: PL

| | | |
|--|--|--|
| Chain of Custody Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2. |
| Chain of Custody Relinquished: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 3. <u>YR 10/9/19 PL</u> |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: - VOA Samples frozen upon receipt | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. Date/Time: |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. |
| Rush Turn Around Time Requested: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. |
| Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 8. Only two trip blanks in shipment one for each project. <u>10/11/19 PL</u> | |
| Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. |
| Filtered volume received for Dissolved tests | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 11. |
| Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 12. <u>014 V69 H +ne 0955</u> <u>10/9/19 PL</u> |
| Trip Blank Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 13. |
| Trip Blank Custody Seals Present | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Pace Trip Blank Lot # (if purchased): <u>433</u> | | |

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

HMP for DMDate: 10/9/19

October 22, 2019

Project #34265.003
SRC GEMS
Reviewed by CCW
10/23/19

Clifford Wright
Gannett Fleming
8040 Excelsior Drive, Ste 303
Madison, WI 53717

RE: Project: 34265.003 SRC
Pace Project No.: 40196879

Dear Clifford Wright:

Enclosed are the analytical results for sample(s) received by the laboratory on October 09, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 34265.003 SRC

Pace Project No.: 40196879

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 34265.003 SRC
Pace Project No.: 40196879

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|------------|--------|----------------|----------------|
| 40196879001 | MW-1 | Water | 10/08/19 11:15 | 10/09/19 09:10 |
| 40196879002 | MW-2 | Water | 10/08/19 11:25 | 10/09/19 09:10 |
| 40196879003 | MW-3D | Water | 10/08/19 11:45 | 10/09/19 09:10 |
| 40196879004 | MW-8R | Water | 10/08/19 11:00 | 10/09/19 09:10 |
| 40196879005 | MW-9B | Water | 10/08/19 12:00 | 10/09/19 09:10 |
| 40196879006 | TRIP BLANK | Water | 10/08/19 00:00 | 10/09/19 09:10 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 34265.003 SRC
 Pace Project No.: 40196879

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|-------------|------------|-----------|----------|-------------------|------------|
| 40196879001 | MW-1 | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 8260 | HNW | 63 | PASI-G |
| | | | AXL | 4 | PASI-G |
| | | EPA 310.2 | DAW | 1 | PASI-G |
| 40196879002 | MW-2 | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 8260 | HNW | 63 | PASI-G |
| | | | AXL | 4 | PASI-G |
| | | EPA 310.2 | DAW | 1 | PASI-G |
| 40196879003 | MW-3D | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 8260 | HNW | 63 | PASI-G |
| | | | AXL | 4 | PASI-G |
| | | EPA 310.2 | DAW | 1 | PASI-G |
| 40196879004 | MW-8R | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 8260 | HNW | 63 | PASI-G |
| | | | AXL | 4 | PASI-G |
| | | EPA 310.2 | DAW | 1 | PASI-G |
| 40196879005 | MW-9B | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 6010 | TXW | 1 | PASI-G |
| | | EPA 8260 | HNW | 63 | PASI-G |
| | | | AXL | 4 | PASI-G |
| | | EPA 310.2 | DAW | 1 | PASI-G |
| 40196879006 | TRIP BLANK | EPA 8260 | HNW | 63 | PASI-G |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 34265.003 SRC

Pace Project No.: 40196879

| Lab Sample ID | Client Sample ID | | | | | |
|--------------------|----------------------------|--------|------------|--------------|----------------|------------|
| Method | Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
| 40196879001 | MW-1 | | | | | |
| EPA 6010 | Total Hardness by 2340B | 325000 | ug/L | 2000 | 10/14/19 18:43 | |
| | Field pH | 7.6 | Std. Units | | 10/08/19 11:15 | |
| | Field Specific Conductance | 662 | umhos/cm | | 10/08/19 11:15 | |
| | Static Water Level | 651.00 | feet | | 10/08/19 11:15 | |
| | Temperature, Water (C) | 10.6 | deg C | | 10/08/19 11:15 | |
| EPA 310.2 | Alkalinity, Total as CaCO3 | 420 | mg/L | 47.0 | 10/18/19 13:16 | |
| 40196879002 | MW-2 | | | | | |
| EPA 6010 | Total Hardness by 2340B | 389000 | ug/L | 2000 | 10/14/19 18:45 | |
| | Field pH | 7.5 | Std. Units | | 10/08/19 11:25 | |
| | Field Specific Conductance | 814 | umhos/cm | | 10/08/19 11:25 | |
| | Static Water Level | 650.22 | feet | | 10/08/19 11:25 | |
| | Temperature, Water (C) | 12.0 | deg C | | 10/08/19 11:25 | |
| EPA 310.2 | Alkalinity, Total as CaCO3 | 458 | mg/L | 47.0 | 10/18/19 13:17 | |
| 40196879003 | MW-3D | | | | | |
| EPA 6010 | Total Hardness by 2340B | 412000 | ug/L | 2000 | 10/14/19 18:48 | |
| | Field pH | 7.6 | Std. Units | | 10/08/19 11:45 | |
| | Field Specific Conductance | 711 | umhos/cm | | 10/08/19 11:45 | |
| | Static Water Level | 653.05 | feet | | 10/08/19 11:45 | |
| | Temperature, Water (C) | 12.7 | deg C | | 10/08/19 11:45 | |
| EPA 310.2 | Alkalinity, Total as CaCO3 | 408 | mg/L | 47.0 | 10/18/19 13:18 | |
| 40196879004 | MW-8R | | | | | |
| EPA 6010 | Total Hardness by 2340B | 353000 | ug/L | 2000 | 10/14/19 18:58 | |
| | Field pH | 7.3 | Std. Units | | 10/08/19 11:00 | |
| | Field Specific Conductance | 1110 | umhos/cm | | 10/08/19 11:00 | |
| | Static Water Level | 658.69 | feet | | 10/08/19 11:00 | |
| | Temperature, Water (C) | 12.7 | deg C | | 10/08/19 11:00 | |
| EPA 310.2 | Alkalinity, Total as CaCO3 | 603 | mg/L | 117 | 10/18/19 13:18 | |
| 40196879005 | MW-9B | | | | | |
| EPA 6010 | Total Hardness by 2340B | 536000 | ug/L | 2000 | 10/14/19 18:55 | |
| | Field pH | 7.4 | Std. Units | | 10/08/19 12:00 | |
| | Field Specific Conductance | 585 | umhos/cm | | 10/08/19 12:00 | |
| | Static Water Level | 648.14 | feet | | 10/08/19 12:00 | |
| | Temperature, Water (C) | 12.1 | deg C | | 10/08/19 12:00 | |
| EPA 310.2 | Alkalinity, Total as CaCO3 | 351 | mg/L | 47.0 | 10/18/19 13:19 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SRC
Pace Project No.: 40196879

Method: EPA 6010
Description: 6010 MET ICP
Client: Gannett Fleming Inc.
Date: October 22, 2019

General Information:

5 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SRC

Pace Project No.: 40196879

Method: EPA 6010

Description: 6010 MET ICP, Dissolved

Client: Gannett Fleming Inc.

Date: October 22, 2019

General Information:

5 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SRC
Pace Project No.: 40196879

Method: EPA 8260
Description: 8260 MSV
Client: Gannett Fleming Inc.
Date: October 22, 2019

General Information:

6 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SRC
Pace Project No.: 40196879

Method:

Description: Field Data
Client: Gannett Fleming Inc.
Date: October 22, 2019

General Information:

5 samples were analyzed for . All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 34265.003 SRC
Pace Project No.: 40196879

Method: **EPA 310.2**
Description: 310.2 Alkalinity
Client: Gannett Fleming Inc.
Date: October 22, 2019

General Information:

5 samples were analyzed for EPA 310.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 337970

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40196871010,40196954005

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 1962869)
 - Alkalinity, Total as CaCO₃
- MS (Lab ID: 1962871)
 - Alkalinity, Total as CaCO₃
- MSD (Lab ID: 1962870)
 - Alkalinity, Total as CaCO₃

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-1 | Lab ID: 40196879001 | Collected: 10/08/19 11:15 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|--------------------------------|--|---------------------------|--------------------------|---------------|----|----------------|----------------|-----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: EPA 6010 Preparation Method: EPA 3010 | | | | | | | | |
| Total Hardness by 2340B | 325000 | ug/L | 2000 | 150 | 1 | 10/11/19 08:09 | 10/14/19 18:43 | | |
| 6010 MET ICP, Dissolved | Analytical Method: EPA 6010 | | | | | | | | |
| Lead, Dissolved | <6.4 | ug/L | 21.4 | 6.4 | 1 | | 10/16/19 00:15 | 7439-92-1 | |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:07 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:07 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:07 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.55 | ug/L | 5.0 | 0.55 | 1 | | 10/11/19 00:07 | 79-00-5 | |
| 1,1-Dichloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:07 | 75-34-3 | |
| 1,1-Dichloroethene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:07 | 75-35-4 | |
| 1,1-Dichloropropene | <0.54 | ug/L | 1.8 | 0.54 | 1 | | 10/11/19 00:07 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <0.63 | ug/L | 5.0 | 0.63 | 1 | | 10/11/19 00:07 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.59 | ug/L | 5.0 | 0.59 | 1 | | 10/11/19 00:07 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/11/19 00:07 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.84 | ug/L | 2.8 | 0.84 | 1 | | 10/11/19 00:07 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <1.8 | ug/L | 5.9 | 1.8 | 1 | | 10/11/19 00:07 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 00:07 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:07 | 95-50-1 | |
| 1,2-Dichloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:07 | 107-06-2 | |
| 1,2-Dichloropropane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:07 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.87 | ug/L | 2.9 | 0.87 | 1 | | 10/11/19 00:07 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.63 | ug/L | 2.1 | 0.63 | 1 | | 10/11/19 00:07 | 541-73-1 | |
| 1,3-Dichloropropane | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 00:07 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 00:07 | 106-46-7 | |
| 2,2-Dichloropropane | <2.3 | ug/L | 7.6 | 2.3 | 1 | | 10/11/19 00:07 | 594-20-7 | |
| 2-Chlorotoluene | <0.93 | ug/L | 5.0 | 0.93 | 1 | | 10/11/19 00:07 | 95-49-8 | |
| 4-Chlorotoluene | <0.76 | ug/L | 2.5 | 0.76 | 1 | | 10/11/19 00:07 | 106-43-4 | |
| Benzene | <0.25 | ug/L | 1.0 | 0.25 | 1 | | 10/11/19 00:07 | 71-43-2 | |
| Bromobenzene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:07 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/11/19 00:07 | 74-97-5 | |
| Bromodichloromethane | <0.36 | ug/L | 1.2 | 0.36 | 1 | | 10/11/19 00:07 | 75-27-4 | |
| Bromoform | <4.0 | ug/L | 13.2 | 4.0 | 1 | | 10/11/19 00:07 | 75-25-2 | |
| Bromomethane | <0.97 | ug/L | 5.0 | 0.97 | 1 | | 10/11/19 00:07 | 74-83-9 | |
| Carbon tetrachloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 00:07 | 56-23-5 | |
| Chlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:07 | 108-90-7 | |
| Chloroethane | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 00:07 | 75-00-3 | |
| Chloroform | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 00:07 | 67-66-3 | |
| Chloromethane | <2.2 | ug/L | 7.3 | 2.2 | 1 | | 10/11/19 00:07 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 8.7 | 2.6 | 1 | | 10/11/19 00:07 | 124-48-1 | |
| Dibromomethane | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 00:07 | 74-95-3 | |
| Dichlorodifluoromethane | <0.50 | ug/L | 5.0 | 0.50 | 1 | | 10/11/19 00:07 | 75-71-8 | |
| Ethylbenzene | <0.22 | ug/L | 1.0 | 0.22 | 1 | | 10/11/19 00:07 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 00:07 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <0.39 | ug/L | 5.0 | 0.39 | 1 | | 10/11/19 00:07 | 98-82-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-1 | Lab ID: 40196879001 | Collected: 10/08/19 11:15 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|------------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| Methyl-tert-butyl ether | <1.2 | ug/L | 4.2 | 1.2 | 1 | | 10/11/19 00:07 | 1634-04-4 | |
| Methylene Chloride | <0.58 | ug/L | 5.0 | 0.58 | 1 | | 10/11/19 00:07 | 75-09-2 | |
| Naphthalene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 00:07 | 91-20-3 | |
| Styrene | <0.47 | ug/L | 1.6 | 0.47 | 1 | | 10/11/19 00:07 | 100-42-5 | |
| Tetrachloroethene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 00:07 | 127-18-4 | |
| Toluene | <0.17 | ug/L | 5.0 | 0.17 | 1 | | 10/11/19 00:07 | 108-88-3 | |
| Trichloroethene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 00:07 | 79-01-6 | |
| Trichlorofluoromethane | <0.21 | ug/L | 1.0 | 0.21 | 1 | | 10/11/19 00:07 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 00:07 | 75-01-4 | |
| cis-1,2-Dichloroethene | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:07 | 156-59-2 | |
| cis-1,3-Dichloropropene | <3.6 | ug/L | 12.1 | 3.6 | 1 | | 10/11/19 00:07 | 10061-01-5 | |
| m&p-Xylene | <0.47 | ug/L | 2.0 | 0.47 | 1 | | 10/11/19 00:07 | 179601-23-1 | |
| n-Butylbenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:07 | 104-51-8 | |
| n-Propylbenzene | <0.81 | ug/L | 5.0 | 0.81 | 1 | | 10/11/19 00:07 | 103-65-1 | |
| o-Xylene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 00:07 | 95-47-6 | |
| p-Isopropyltoluene | <0.80 | ug/L | 2.7 | 0.80 | 1 | | 10/11/19 00:07 | 99-87-6 | |
| sec-Butylbenzene | <0.85 | ug/L | 5.0 | 0.85 | 1 | | 10/11/19 00:07 | 135-98-8 | |
| tert-Butylbenzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/11/19 00:07 | 98-06-6 | |
| trans-1,2-Dichloroethene | <1.1 | ug/L | 3.6 | 1.1 | 1 | | 10/11/19 00:07 | 156-60-5 | |
| trans-1,3-Dichloropropene | <4.4 | ug/L | 14.6 | 4.4 | 1 | | 10/11/19 00:07 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 94 | % | 70-130 | | 1 | | 10/11/19 00:07 | 460-00-4 | |
| Dibromofluoromethane (S) | 113 | % | 70-130 | | 1 | | 10/11/19 00:07 | 1868-53-7 | |
| Toluene-d8 (S) | 90 | % | 70-130 | | 1 | | 10/11/19 00:07 | 2037-26-5 | |
| Field Data | Analytical Method: | | | | | | | | |
| Field pH | 7.6 | Std. Units | | | 1 | | 10/08/19 11:15 | | |
| Field Specific Conductance | 662 | umhos/cm | | | 1 | | 10/08/19 11:15 | | |
| Static Water Level | 651.00 | feet | | | 1 | | 10/08/19 11:15 | | |
| Temperature, Water (C) | 10.6 | deg C | | | 1 | | 10/08/19 11:15 | | |
| 310.2 Alkalinity | Analytical Method: EPA 310.2 | | | | | | | | |
| Alkalinity, Total as CaCO3 | 420 | mg/L | 47.0 | 14.1 | 2 | | 10/18/19 13:16 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-2 | Lab ID: 40196879002 | Collected: 10/08/19 11:25 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|--------------------------------|--|---------------------------|--------------------------|---------------|----|----------------|----------------|-----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: EPA 6010 Preparation Method: EPA 3010 | | | | | | | | |
| Total Hardness by 2340B | 389000 | ug/L | 2000 | 150 | 1 | 10/11/19 08:09 | 10/14/19 18:45 | | |
| 6010 MET ICP, Dissolved | Analytical Method: EPA 6010 | | | | | | | | |
| Lead, Dissolved | <6.4 | ug/L | 21.4 | 6.4 | 1 | | 10/16/19 00:22 | 7439-92-1 | |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:29 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:29 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:29 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.55 | ug/L | 5.0 | 0.55 | 1 | | 10/11/19 00:29 | 79-00-5 | |
| 1,1-Dichloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:29 | 75-34-3 | |
| 1,1-Dichloroethene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:29 | 75-35-4 | |
| 1,1-Dichloropropene | <0.54 | ug/L | 1.8 | 0.54 | 1 | | 10/11/19 00:29 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <0.63 | ug/L | 5.0 | 0.63 | 1 | | 10/11/19 00:29 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.59 | ug/L | 5.0 | 0.59 | 1 | | 10/11/19 00:29 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/11/19 00:29 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.84 | ug/L | 2.8 | 0.84 | 1 | | 10/11/19 00:29 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <1.8 | ug/L | 5.9 | 1.8 | 1 | | 10/11/19 00:29 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 00:29 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:29 | 95-50-1 | |
| 1,2-Dichloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:29 | 107-06-2 | |
| 1,2-Dichloropropane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:29 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.87 | ug/L | 2.9 | 0.87 | 1 | | 10/11/19 00:29 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.63 | ug/L | 2.1 | 0.63 | 1 | | 10/11/19 00:29 | 541-73-1 | |
| 1,3-Dichloropropane | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 00:29 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 00:29 | 106-46-7 | |
| 2,2-Dichloropropane | <2.3 | ug/L | 7.6 | 2.3 | 1 | | 10/11/19 00:29 | 594-20-7 | |
| 2-Chlorotoluene | <0.93 | ug/L | 5.0 | 0.93 | 1 | | 10/11/19 00:29 | 95-49-8 | |
| 4-Chlorotoluene | <0.76 | ug/L | 2.5 | 0.76 | 1 | | 10/11/19 00:29 | 106-43-4 | |
| Benzene | <0.25 | ug/L | 1.0 | 0.25 | 1 | | 10/11/19 00:29 | 71-43-2 | |
| Bromobenzene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:29 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/11/19 00:29 | 74-97-5 | |
| Bromodichloromethane | <0.36 | ug/L | 1.2 | 0.36 | 1 | | 10/11/19 00:29 | 75-27-4 | |
| Bromoform | <4.0 | ug/L | 13.2 | 4.0 | 1 | | 10/11/19 00:29 | 75-25-2 | |
| Bromomethane | <0.97 | ug/L | 5.0 | 0.97 | 1 | | 10/11/19 00:29 | 74-83-9 | |
| Carbon tetrachloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 00:29 | 56-23-5 | |
| Chlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:29 | 108-90-7 | |
| Chloroethane | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 00:29 | 75-00-3 | |
| Chloroform | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 00:29 | 67-66-3 | |
| Chloromethane | <2.2 | ug/L | 7.3 | 2.2 | 1 | | 10/11/19 00:29 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 8.7 | 2.6 | 1 | | 10/11/19 00:29 | 124-48-1 | |
| Dibromomethane | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 00:29 | 74-95-3 | |
| Dichlorodifluoromethane | <0.50 | ug/L | 5.0 | 0.50 | 1 | | 10/11/19 00:29 | 75-71-8 | |
| Ethylbenzene | <0.22 | ug/L | 1.0 | 0.22 | 1 | | 10/11/19 00:29 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 00:29 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <0.39 | ug/L | 5.0 | 0.39 | 1 | | 10/11/19 00:29 | 98-82-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-2 | Lab ID: 40196879002 | Collected: 10/08/19 11:25 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|------------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| Methyl-tert-butyl ether | <1.2 | ug/L | 4.2 | 1.2 | 1 | | 10/11/19 00:29 | 1634-04-4 | |
| Methylene Chloride | <0.58 | ug/L | 5.0 | 0.58 | 1 | | 10/11/19 00:29 | 75-09-2 | |
| Naphthalene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 00:29 | 91-20-3 | |
| Styrene | <0.47 | ug/L | 1.6 | 0.47 | 1 | | 10/11/19 00:29 | 100-42-5 | |
| Tetrachloroethene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 00:29 | 127-18-4 | |
| Toluene | <0.17 | ug/L | 5.0 | 0.17 | 1 | | 10/11/19 00:29 | 108-88-3 | |
| Trichloroethene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 00:29 | 79-01-6 | |
| Trichlorofluoromethane | <0.21 | ug/L | 1.0 | 0.21 | 1 | | 10/11/19 00:29 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 00:29 | 75-01-4 | |
| cis-1,2-Dichloroethene | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:29 | 156-59-2 | |
| cis-1,3-Dichloropropene | <3.6 | ug/L | 12.1 | 3.6 | 1 | | 10/11/19 00:29 | 10061-01-5 | |
| m&p-Xylene | <0.47 | ug/L | 2.0 | 0.47 | 1 | | 10/11/19 00:29 | 179601-23-1 | |
| n-Butylbenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:29 | 104-51-8 | |
| n-Propylbenzene | <0.81 | ug/L | 5.0 | 0.81 | 1 | | 10/11/19 00:29 | 103-65-1 | |
| o-Xylene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 00:29 | 95-47-6 | |
| p-Isopropyltoluene | <0.80 | ug/L | 2.7 | 0.80 | 1 | | 10/11/19 00:29 | 99-87-6 | |
| sec-Butylbenzene | <0.85 | ug/L | 5.0 | 0.85 | 1 | | 10/11/19 00:29 | 135-98-8 | |
| tert-Butylbenzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/11/19 00:29 | 98-06-6 | |
| trans-1,2-Dichloroethene | <1.1 | ug/L | 3.6 | 1.1 | 1 | | 10/11/19 00:29 | 156-60-5 | |
| trans-1,3-Dichloropropene | <4.4 | ug/L | 14.6 | 4.4 | 1 | | 10/11/19 00:29 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 94 | % | 70-130 | | 1 | | 10/11/19 00:29 | 460-00-4 | |
| Dibromofluoromethane (S) | 114 | % | 70-130 | | 1 | | 10/11/19 00:29 | 1868-53-7 | |
| Toluene-d8 (S) | 90 | % | 70-130 | | 1 | | 10/11/19 00:29 | 2037-26-5 | |
| Field Data | Analytical Method: | | | | | | | | |
| Field pH | 7.5 | Std. Units | | | 1 | | 10/08/19 11:25 | | |
| Field Specific Conductance | 814 | umhos/cm | | | 1 | | 10/08/19 11:25 | | |
| Static Water Level | 650.22 | feet | | | 1 | | 10/08/19 11:25 | | |
| Temperature, Water (C) | 12.0 | deg C | | | 1 | | 10/08/19 11:25 | | |
| 310.2 Alkalinity | Analytical Method: EPA 310.2 | | | | | | | | |
| Alkalinity, Total as CaCO3 | 458 | mg/L | 47.0 | 14.1 | 2 | | 10/18/19 13:17 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-3D | Lab ID: 40196879003 | Collected: 10/08/19 11:45 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|--------------------------------|--|---------------------------|--------------------------|---------------|----|----------------|----------------|-----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: EPA 6010 Preparation Method: EPA 3010 | | | | | | | | |
| Total Hardness by 2340B | 412000 | ug/L | 2000 | 150 | 1 | 10/11/19 08:09 | 10/14/19 18:48 | | |
| 6010 MET ICP, Dissolved | Analytical Method: EPA 6010 | | | | | | | | |
| Lead, Dissolved | <6.4 | ug/L | 21.4 | 6.4 | 1 | | 10/16/19 00:25 | 7439-92-1 | |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:52 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:52 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:52 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.55 | ug/L | 5.0 | 0.55 | 1 | | 10/11/19 00:52 | 79-00-5 | |
| 1,1-Dichloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:52 | 75-34-3 | |
| 1,1-Dichloroethene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:52 | 75-35-4 | |
| 1,1-Dichloropropene | <0.54 | ug/L | 1.8 | 0.54 | 1 | | 10/11/19 00:52 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <0.63 | ug/L | 5.0 | 0.63 | 1 | | 10/11/19 00:52 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.59 | ug/L | 5.0 | 0.59 | 1 | | 10/11/19 00:52 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/11/19 00:52 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.84 | ug/L | 2.8 | 0.84 | 1 | | 10/11/19 00:52 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <1.8 | ug/L | 5.9 | 1.8 | 1 | | 10/11/19 00:52 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 00:52 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:52 | 95-50-1 | |
| 1,2-Dichloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:52 | 107-06-2 | |
| 1,2-Dichloropropane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 00:52 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.87 | ug/L | 2.9 | 0.87 | 1 | | 10/11/19 00:52 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.63 | ug/L | 2.1 | 0.63 | 1 | | 10/11/19 00:52 | 541-73-1 | |
| 1,3-Dichloropropane | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 00:52 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 00:52 | 106-46-7 | |
| 2,2-Dichloropropane | <2.3 | ug/L | 7.6 | 2.3 | 1 | | 10/11/19 00:52 | 594-20-7 | |
| 2-Chlorotoluene | <0.93 | ug/L | 5.0 | 0.93 | 1 | | 10/11/19 00:52 | 95-49-8 | |
| 4-Chlorotoluene | <0.76 | ug/L | 2.5 | 0.76 | 1 | | 10/11/19 00:52 | 106-43-4 | |
| Benzene | <0.25 | ug/L | 1.0 | 0.25 | 1 | | 10/11/19 00:52 | 71-43-2 | |
| Bromobenzene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 00:52 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/11/19 00:52 | 74-97-5 | |
| Bromodichloromethane | <0.36 | ug/L | 1.2 | 0.36 | 1 | | 10/11/19 00:52 | 75-27-4 | |
| Bromoform | <4.0 | ug/L | 13.2 | 4.0 | 1 | | 10/11/19 00:52 | 75-25-2 | |
| Bromomethane | <0.97 | ug/L | 5.0 | 0.97 | 1 | | 10/11/19 00:52 | 74-83-9 | |
| Carbon tetrachloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 00:52 | 56-23-5 | |
| Chlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:52 | 108-90-7 | |
| Chloroethane | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 00:52 | 75-00-3 | |
| Chloroform | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 00:52 | 67-66-3 | |
| Chloromethane | <2.2 | ug/L | 7.3 | 2.2 | 1 | | 10/11/19 00:52 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 8.7 | 2.6 | 1 | | 10/11/19 00:52 | 124-48-1 | |
| Dibromomethane | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 00:52 | 74-95-3 | |
| Dichlorodifluoromethane | <0.50 | ug/L | 5.0 | 0.50 | 1 | | 10/11/19 00:52 | 75-71-8 | |
| Ethylbenzene | <0.22 | ug/L | 1.0 | 0.22 | 1 | | 10/11/19 00:52 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 00:52 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <0.39 | ug/L | 5.0 | 0.39 | 1 | | 10/11/19 00:52 | 98-82-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-3D | Lab ID: 40196879003 | Collected: 10/08/19 11:45 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|----------------------------|------------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| Methyl-tert-butyl ether | <1.2 | ug/L | 4.2 | 1.2 | 1 | | 10/11/19 00:52 | 1634-04-4 | |
| Methylene Chloride | <0.58 | ug/L | 5.0 | 0.58 | 1 | | 10/11/19 00:52 | 75-09-2 | |
| Naphthalene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 00:52 | 91-20-3 | |
| Styrene | <0.47 | ug/L | 1.6 | 0.47 | 1 | | 10/11/19 00:52 | 100-42-5 | |
| Tetrachloroethene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 00:52 | 127-18-4 | |
| Toluene | <0.17 | ug/L | 5.0 | 0.17 | 1 | | 10/11/19 00:52 | 108-88-3 | |
| Trichloroethene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 00:52 | 79-01-6 | |
| Trichlorofluoromethane | <0.21 | ug/L | 1.0 | 0.21 | 1 | | 10/11/19 00:52 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 00:52 | 75-01-4 | |
| cis-1,2-Dichloroethene | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 00:52 | 156-59-2 | |
| cis-1,3-Dichloropropene | <3.6 | ug/L | 12.1 | 3.6 | 1 | | 10/11/19 00:52 | 10061-01-5 | |
| m&p-Xylene | <0.47 | ug/L | 2.0 | 0.47 | 1 | | 10/11/19 00:52 | 179601-23-1 | |
| n-Butylbenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 00:52 | 104-51-8 | |
| n-Propylbenzene | <0.81 | ug/L | 5.0 | 0.81 | 1 | | 10/11/19 00:52 | 103-65-1 | |
| o-Xylene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 00:52 | 95-47-6 | |
| p-Isopropyltoluene | <0.80 | ug/L | 2.7 | 0.80 | 1 | | 10/11/19 00:52 | 99-87-6 | |
| sec-Butylbenzene | <0.85 | ug/L | 5.0 | 0.85 | 1 | | 10/11/19 00:52 | 135-98-8 | |
| tert-Butylbenzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/11/19 00:52 | 98-06-6 | |
| trans-1,2-Dichloroethene | <1.1 | ug/L | 3.6 | 1.1 | 1 | | 10/11/19 00:52 | 156-60-5 | |
| trans-1,3-Dichloropropene | <4.4 | ug/L | 14.6 | 4.4 | 1 | | 10/11/19 00:52 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 94 | % | 70-130 | | 1 | | 10/11/19 00:52 | 460-00-4 | |
| Dibromofluoromethane (S) | 114 | % | 70-130 | | 1 | | 10/11/19 00:52 | 1868-53-7 | |
| Toluene-d8 (S) | 90 | % | 70-130 | | 1 | | 10/11/19 00:52 | 2037-26-5 | |
| Field Data | Analytical Method: | | | | | | | | |
| Field pH | 7.6 | Std. Units | | | 1 | | 10/08/19 11:45 | | |
| Field Specific Conductance | 711 | umhos/cm | | | 1 | | 10/08/19 11:45 | | |
| Static Water Level | 653.05 | feet | | | 1 | | 10/08/19 11:45 | | |
| Temperature, Water (C) | 12.7 | deg C | | | 1 | | 10/08/19 11:45 | | |
| 310.2 Alkalinity | Analytical Method: EPA 310.2 | | | | | | | | |
| Alkalinity, Total as CaCO3 | 408 | mg/L | 47.0 | 14.1 | 2 | | 10/18/19 13:18 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-8R | Lab ID: 40196879004 | Collected: 10/08/19 11:00 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|--------------------------------|--|---------------------------|--------------------------|---------------|----|----------------|----------------|-----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: EPA 6010 Preparation Method: EPA 3010 | | | | | | | | |
| Total Hardness by 2340B | 353000 | ug/L | 2000 | 150 | 1 | 10/11/19 08:09 | 10/14/19 18:58 | | |
| 6010 MET ICP, Dissolved | Analytical Method: EPA 6010 | | | | | | | | |
| Lead, Dissolved | <6.4 | ug/L | 21.4 | 6.4 | 1 | | 10/16/19 00:27 | 7439-92-1 | |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 02:38 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 02:38 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 02:38 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.55 | ug/L | 5.0 | 0.55 | 1 | | 10/11/19 02:38 | 79-00-5 | |
| 1,1-Dichloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 02:38 | 75-34-3 | |
| 1,1-Dichloroethene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 02:38 | 75-35-4 | |
| 1,1-Dichloropropene | <0.54 | ug/L | 1.8 | 0.54 | 1 | | 10/11/19 02:38 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <0.63 | ug/L | 5.0 | 0.63 | 1 | | 10/11/19 02:38 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.59 | ug/L | 5.0 | 0.59 | 1 | | 10/11/19 02:38 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/11/19 02:38 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.84 | ug/L | 2.8 | 0.84 | 1 | | 10/11/19 02:38 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <1.8 | ug/L | 5.9 | 1.8 | 1 | | 10/11/19 02:38 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 02:38 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 02:38 | 95-50-1 | |
| 1,2-Dichloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 02:38 | 107-06-2 | |
| 1,2-Dichloropropane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 02:38 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.87 | ug/L | 2.9 | 0.87 | 1 | | 10/11/19 02:38 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.63 | ug/L | 2.1 | 0.63 | 1 | | 10/11/19 02:38 | 541-73-1 | |
| 1,3-Dichloropropane | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 02:38 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 02:38 | 106-46-7 | |
| 2,2-Dichloropropane | <2.3 | ug/L | 7.6 | 2.3 | 1 | | 10/11/19 02:38 | 594-20-7 | |
| 2-Chlorotoluene | <0.93 | ug/L | 5.0 | 0.93 | 1 | | 10/11/19 02:38 | 95-49-8 | |
| 4-Chlorotoluene | <0.76 | ug/L | 2.5 | 0.76 | 1 | | 10/11/19 02:38 | 106-43-4 | |
| Benzene | <0.25 | ug/L | 1.0 | 0.25 | 1 | | 10/11/19 02:38 | 71-43-2 | |
| Bromobenzene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 02:38 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/11/19 02:38 | 74-97-5 | |
| Bromodichloromethane | <0.36 | ug/L | 1.2 | 0.36 | 1 | | 10/11/19 02:38 | 75-27-4 | |
| Bromoform | <4.0 | ug/L | 13.2 | 4.0 | 1 | | 10/11/19 02:38 | 75-25-2 | |
| Bromomethane | <0.97 | ug/L | 5.0 | 0.97 | 1 | | 10/11/19 02:38 | 74-83-9 | |
| Carbon tetrachloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 02:38 | 56-23-5 | |
| Chlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 02:38 | 108-90-7 | |
| Chloroethane | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 02:38 | 75-00-3 | |
| Chloroform | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 02:38 | 67-66-3 | |
| Chloromethane | <2.2 | ug/L | 7.3 | 2.2 | 1 | | 10/11/19 02:38 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 8.7 | 2.6 | 1 | | 10/11/19 02:38 | 124-48-1 | |
| Dibromomethane | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 02:38 | 74-95-3 | |
| Dichlorodifluoromethane | <0.50 | ug/L | 5.0 | 0.50 | 1 | | 10/11/19 02:38 | 75-71-8 | |
| Ethylbenzene | <0.22 | ug/L | 1.0 | 0.22 | 1 | | 10/11/19 02:38 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 02:38 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <0.39 | ug/L | 5.0 | 0.39 | 1 | | 10/11/19 02:38 | 98-82-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

Sample: MW-8R **Lab ID: 40196879004** Collected: 10/08/19 11:00 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|------------------------------|------------|--------|------|----|----------|----------------|-------------|------|
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| Methyl-tert-butyl ether | <1.2 | ug/L | 4.2 | 1.2 | 1 | | 10/11/19 02:38 | 1634-04-4 | |
| Methylene Chloride | <0.58 | ug/L | 5.0 | 0.58 | 1 | | 10/11/19 02:38 | 75-09-2 | |
| Naphthalene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 02:38 | 91-20-3 | |
| Styrene | <0.47 | ug/L | 1.6 | 0.47 | 1 | | 10/11/19 02:38 | 100-42-5 | |
| Tetrachloroethene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 02:38 | 127-18-4 | |
| Toluene | <0.17 | ug/L | 5.0 | 0.17 | 1 | | 10/11/19 02:38 | 108-88-3 | |
| Trichloroethene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 02:38 | 79-01-6 | |
| Trichlorofluoromethane | <0.21 | ug/L | 1.0 | 0.21 | 1 | | 10/11/19 02:38 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 02:38 | 75-01-4 | |
| cis-1,2-Dichloroethene | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 02:38 | 156-59-2 | |
| cis-1,3-Dichloropropene | <3.6 | ug/L | 12.1 | 3.6 | 1 | | 10/11/19 02:38 | 10061-01-5 | |
| m&p-Xylene | <0.47 | ug/L | 2.0 | 0.47 | 1 | | 10/11/19 02:38 | 179601-23-1 | |
| n-Butylbenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 02:38 | 104-51-8 | |
| n-Propylbenzene | <0.81 | ug/L | 5.0 | 0.81 | 1 | | 10/11/19 02:38 | 103-65-1 | |
| o-Xylene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 02:38 | 95-47-6 | |
| p-Isopropyltoluene | <0.80 | ug/L | 2.7 | 0.80 | 1 | | 10/11/19 02:38 | 99-87-6 | |
| sec-Butylbenzene | <0.85 | ug/L | 5.0 | 0.85 | 1 | | 10/11/19 02:38 | 135-98-8 | |
| tert-Butylbenzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/11/19 02:38 | 98-06-6 | |
| trans-1,2-Dichloroethene | <1.1 | ug/L | 3.6 | 1.1 | 1 | | 10/11/19 02:38 | 156-60-5 | |
| trans-1,3-Dichloropropene | <4.4 | ug/L | 14.6 | 4.4 | 1 | | 10/11/19 02:38 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 95 | % | 70-130 | | 1 | | 10/11/19 02:38 | 460-00-4 | |
| Dibromofluoromethane (S) | 105 | % | 70-130 | | 1 | | 10/11/19 02:38 | 1868-53-7 | |
| Toluene-d8 (S) | 100 | % | 70-130 | | 1 | | 10/11/19 02:38 | 2037-26-5 | |
| Field Data | Analytical Method: | | | | | | | | |
| Field pH | 7.3 | Std. Units | | | 1 | | 10/08/19 11:00 | | |
| Field Specific Conductance | 1110 | umhos/cm | | | 1 | | 10/08/19 11:00 | | |
| Static Water Level | 658.69 | feet | | | 1 | | 10/08/19 11:00 | | |
| Temperature, Water (C) | 12.7 | deg C | | | 1 | | 10/08/19 11:00 | | |
| 310.2 Alkalinity | Analytical Method: EPA 310.2 | | | | | | | | |
| Alkalinity, Total as CaCO3 | 603 | mg/L | 117 | 35.2 | 5 | | 10/18/19 13:18 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: MW-9B | Lab ID: 40196879005 | Collected: 10/08/19 12:00 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|--------------------------------|--|---------------------------|--------------------------|---------------|----|----------------|----------------|-----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: EPA 6010 Preparation Method: EPA 3010 | | | | | | | | |
| Total Hardness by 2340B | 536000 | ug/L | 2000 | 150 | 1 | 10/11/19 08:09 | 10/14/19 18:55 | | |
| 6010 MET ICP, Dissolved | Analytical Method: EPA 6010 | | | | | | | | |
| Lead, Dissolved | <6.4 | ug/L | 21.4 | 6.4 | 1 | | 10/16/19 00:30 | 7439-92-1 | |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 02:59 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 02:59 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 02:59 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.55 | ug/L | 5.0 | 0.55 | 1 | | 10/11/19 02:59 | 79-00-5 | |
| 1,1-Dichloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 02:59 | 75-34-3 | |
| 1,1-Dichloroethene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 02:59 | 75-35-4 | |
| 1,1-Dichloropropene | <0.54 | ug/L | 1.8 | 0.54 | 1 | | 10/11/19 02:59 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <0.63 | ug/L | 5.0 | 0.63 | 1 | | 10/11/19 02:59 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.59 | ug/L | 5.0 | 0.59 | 1 | | 10/11/19 02:59 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/11/19 02:59 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.84 | ug/L | 2.8 | 0.84 | 1 | | 10/11/19 02:59 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <1.8 | ug/L | 5.9 | 1.8 | 1 | | 10/11/19 02:59 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 02:59 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 02:59 | 95-50-1 | |
| 1,2-Dichloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 02:59 | 107-06-2 | |
| 1,2-Dichloropropane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/11/19 02:59 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.87 | ug/L | 2.9 | 0.87 | 1 | | 10/11/19 02:59 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.63 | ug/L | 2.1 | 0.63 | 1 | | 10/11/19 02:59 | 541-73-1 | |
| 1,3-Dichloropropane | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/11/19 02:59 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 02:59 | 106-46-7 | |
| 2,2-Dichloropropane | <2.3 | ug/L | 7.6 | 2.3 | 1 | | 10/11/19 02:59 | 594-20-7 | |
| 2-Chlorotoluene | <0.93 | ug/L | 5.0 | 0.93 | 1 | | 10/11/19 02:59 | 95-49-8 | |
| 4-Chlorotoluene | <0.76 | ug/L | 2.5 | 0.76 | 1 | | 10/11/19 02:59 | 106-43-4 | |
| Benzene | <0.25 | ug/L | 1.0 | 0.25 | 1 | | 10/11/19 02:59 | 71-43-2 | |
| Bromobenzene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/11/19 02:59 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/11/19 02:59 | 74-97-5 | |
| Bromodichloromethane | <0.36 | ug/L | 1.2 | 0.36 | 1 | | 10/11/19 02:59 | 75-27-4 | |
| Bromoform | <4.0 | ug/L | 13.2 | 4.0 | 1 | | 10/11/19 02:59 | 75-25-2 | |
| Bromomethane | <0.97 | ug/L | 5.0 | 0.97 | 1 | | 10/11/19 02:59 | 74-83-9 | |
| Carbon tetrachloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 02:59 | 56-23-5 | |
| Chlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 02:59 | 108-90-7 | |
| Chloroethane | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 02:59 | 75-00-3 | |
| Chloroform | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/11/19 02:59 | 67-66-3 | |
| Chloromethane | <2.2 | ug/L | 7.3 | 2.2 | 1 | | 10/11/19 02:59 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 8.7 | 2.6 | 1 | | 10/11/19 02:59 | 124-48-1 | |
| Dibromomethane | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/11/19 02:59 | 74-95-3 | |
| Dichlorodifluoromethane | <0.50 | ug/L | 5.0 | 0.50 | 1 | | 10/11/19 02:59 | 75-71-8 | |
| Ethylbenzene | <0.22 | ug/L | 1.0 | 0.22 | 1 | | 10/11/19 02:59 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 02:59 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <0.39 | ug/L | 5.0 | 0.39 | 1 | | 10/11/19 02:59 | 98-82-8 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

Sample: MW-9B **Lab ID: 40196879005** Collected: 10/08/19 12:00 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|----------------------------|------------------------------|------------|--------|------|----|----------|----------------|-------------|------|
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| Methyl-tert-butyl ether | <1.2 | ug/L | 4.2 | 1.2 | 1 | | 10/11/19 02:59 | 1634-04-4 | |
| Methylene Chloride | <0.58 | ug/L | 5.0 | 0.58 | 1 | | 10/11/19 02:59 | 75-09-2 | |
| Naphthalene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/11/19 02:59 | 91-20-3 | |
| Styrene | <0.47 | ug/L | 1.6 | 0.47 | 1 | | 10/11/19 02:59 | 100-42-5 | |
| Tetrachloroethene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/11/19 02:59 | 127-18-4 | |
| Toluene | <0.17 | ug/L | 5.0 | 0.17 | 1 | | 10/11/19 02:59 | 108-88-3 | |
| Trichloroethene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 02:59 | 79-01-6 | |
| Trichlorofluoromethane | <0.21 | ug/L | 1.0 | 0.21 | 1 | | 10/11/19 02:59 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/11/19 02:59 | 75-01-4 | |
| cis-1,2-Dichloroethene | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/11/19 02:59 | 156-59-2 | |
| cis-1,3-Dichloropropene | <3.6 | ug/L | 12.1 | 3.6 | 1 | | 10/11/19 02:59 | 10061-01-5 | |
| m&p-Xylene | <0.47 | ug/L | 2.0 | 0.47 | 1 | | 10/11/19 02:59 | 179601-23-1 | |
| n-Butylbenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/11/19 02:59 | 104-51-8 | |
| n-Propylbenzene | <0.81 | ug/L | 5.0 | 0.81 | 1 | | 10/11/19 02:59 | 103-65-1 | |
| o-Xylene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/11/19 02:59 | 95-47-6 | |
| p-Isopropyltoluene | <0.80 | ug/L | 2.7 | 0.80 | 1 | | 10/11/19 02:59 | 99-87-6 | |
| sec-Butylbenzene | <0.85 | ug/L | 5.0 | 0.85 | 1 | | 10/11/19 02:59 | 135-98-8 | |
| tert-Butylbenzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/11/19 02:59 | 98-06-6 | |
| trans-1,2-Dichloroethene | <1.1 | ug/L | 3.6 | 1.1 | 1 | | 10/11/19 02:59 | 156-60-5 | |
| trans-1,3-Dichloropropene | <4.4 | ug/L | 14.6 | 4.4 | 1 | | 10/11/19 02:59 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 93 | % | 70-130 | | 1 | | 10/11/19 02:59 | 460-00-4 | |
| Dibromofluoromethane (S) | 102 | % | 70-130 | | 1 | | 10/11/19 02:59 | 1868-53-7 | |
| Toluene-d8 (S) | 99 | % | 70-130 | | 1 | | 10/11/19 02:59 | 2037-26-5 | |
| Field Data | Analytical Method: | | | | | | | | |
| Field pH | 7.4 | Std. Units | | | 1 | | 10/08/19 12:00 | | |
| Field Specific Conductance | 585 | umhos/cm | | | 1 | | 10/08/19 12:00 | | |
| Static Water Level | 648.14 | feet | | | 1 | | 10/08/19 12:00 | | |
| Temperature, Water (C) | 12.1 | deg C | | | 1 | | 10/08/19 12:00 | | |
| 310.2 Alkalinity | Analytical Method: EPA 310.2 | | | | | | | | |
| Alkalinity, Total as CaCO3 | 351 | mg/L | 47.0 | 14.1 | 2 | | 10/18/19 13:19 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

| Sample: TRIP BLANK | Lab ID: 40196879006 | Collected: 10/08/19 00:00 | Received: 10/09/19 09:10 | Matrix: Water | | | | | |
|-----------------------------|-----------------------------|---------------------------|--------------------------|---------------|----|----------|----------------|-----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/10/19 22:42 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/10/19 22:42 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/10/19 22:42 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.55 | ug/L | 5.0 | 0.55 | 1 | | 10/10/19 22:42 | 79-00-5 | |
| 1,1-Dichloroethane | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/10/19 22:42 | 75-34-3 | |
| 1,1-Dichloroethene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/10/19 22:42 | 75-35-4 | |
| 1,1-Dichloropropene | <0.54 | ug/L | 1.8 | 0.54 | 1 | | 10/10/19 22:42 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <0.63 | ug/L | 5.0 | 0.63 | 1 | | 10/10/19 22:42 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.59 | ug/L | 5.0 | 0.59 | 1 | | 10/10/19 22:42 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/10/19 22:42 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.84 | ug/L | 2.8 | 0.84 | 1 | | 10/10/19 22:42 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <1.8 | ug/L | 5.9 | 1.8 | 1 | | 10/10/19 22:42 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/10/19 22:42 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/10/19 22:42 | 95-50-1 | |
| 1,2-Dichloroethane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/10/19 22:42 | 107-06-2 | |
| 1,2-Dichloropropane | <0.28 | ug/L | 1.0 | 0.28 | 1 | | 10/10/19 22:42 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.87 | ug/L | 2.9 | 0.87 | 1 | | 10/10/19 22:42 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.63 | ug/L | 2.1 | 0.63 | 1 | | 10/10/19 22:42 | 541-73-1 | |
| 1,3-Dichloropropane | <0.83 | ug/L | 2.8 | 0.83 | 1 | | 10/10/19 22:42 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/10/19 22:42 | 106-46-7 | |
| 2,2-Dichloropropane | <2.3 | ug/L | 7.6 | 2.3 | 1 | | 10/10/19 22:42 | 594-20-7 | |
| 2-Chlorotoluene | <0.93 | ug/L | 5.0 | 0.93 | 1 | | 10/10/19 22:42 | 95-49-8 | |
| 4-Chlorotoluene | <0.76 | ug/L | 2.5 | 0.76 | 1 | | 10/10/19 22:42 | 106-43-4 | |
| Benzene | <0.25 | ug/L | 1.0 | 0.25 | 1 | | 10/10/19 22:42 | 71-43-2 | |
| Bromobenzene | <0.24 | ug/L | 1.0 | 0.24 | 1 | | 10/10/19 22:42 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/10/19 22:42 | 74-97-5 | |
| Bromodichloromethane | <0.36 | ug/L | 1.2 | 0.36 | 1 | | 10/10/19 22:42 | 75-27-4 | |
| Bromoform | <4.0 | ug/L | 13.2 | 4.0 | 1 | | 10/10/19 22:42 | 75-25-2 | |
| Bromomethane | <0.97 | ug/L | 5.0 | 0.97 | 1 | | 10/10/19 22:42 | 74-83-9 | |
| Carbon tetrachloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/10/19 22:42 | 56-23-5 | |
| Chlorobenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/10/19 22:42 | 108-90-7 | |
| Chloroethane | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/10/19 22:42 | 75-00-3 | |
| Chloroform | <1.3 | ug/L | 5.0 | 1.3 | 1 | | 10/10/19 22:42 | 67-66-3 | |
| Chloromethane | <2.2 | ug/L | 7.3 | 2.2 | 1 | | 10/10/19 22:42 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 8.7 | 2.6 | 1 | | 10/10/19 22:42 | 124-48-1 | |
| Dibromomethane | <0.94 | ug/L | 3.1 | 0.94 | 1 | | 10/10/19 22:42 | 74-95-3 | |
| Dichlorodifluoromethane | <0.50 | ug/L | 5.0 | 0.50 | 1 | | 10/10/19 22:42 | 75-71-8 | |
| Ethylbenzene | <0.22 | ug/L | 1.0 | 0.22 | 1 | | 10/10/19 22:42 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/10/19 22:42 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <0.39 | ug/L | 5.0 | 0.39 | 1 | | 10/10/19 22:42 | 98-82-8 | |
| Methyl-tert-butyl ether | <1.2 | ug/L | 4.2 | 1.2 | 1 | | 10/10/19 22:42 | 1634-04-4 | |
| Methylene Chloride | <0.58 | ug/L | 5.0 | 0.58 | 1 | | 10/10/19 22:42 | 75-09-2 | |
| Naphthalene | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/10/19 22:42 | 91-20-3 | |
| Styrene | <0.47 | ug/L | 1.6 | 0.47 | 1 | | 10/10/19 22:42 | 100-42-5 | |
| Tetrachloroethene | <0.33 | ug/L | 1.1 | 0.33 | 1 | | 10/10/19 22:42 | 127-18-4 | |
| Toluene | <0.17 | ug/L | 5.0 | 0.17 | 1 | | 10/10/19 22:42 | 108-88-3 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 34265.003 SRC

Pace Project No.: 40196879

Sample: TRIP BLANK Lab ID: 40196879006 Collected: 10/08/19 00:00 Received: 10/09/19 09:10 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------|-----------------------------|-------|--------|------|----|----------|----------------|-------------|------|
| 8260 MSV | Analytical Method: EPA 8260 | | | | | | | | |
| Trichloroethene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/10/19 22:42 | 79-01-6 | |
| Trichlorofluoromethane | <0.21 | ug/L | 1.0 | 0.21 | 1 | | 10/10/19 22:42 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/10/19 22:42 | 75-01-4 | |
| cis-1,2-Dichloroethene | <0.27 | ug/L | 1.0 | 0.27 | 1 | | 10/10/19 22:42 | 156-59-2 | |
| cis-1,3-Dichloropropene | <3.6 | ug/L | 12.1 | 3.6 | 1 | | 10/10/19 22:42 | 10061-01-5 | |
| m&p-Xylene | <0.47 | ug/L | 2.0 | 0.47 | 1 | | 10/10/19 22:42 | 179601-23-1 | |
| n-Butylbenzene | <0.71 | ug/L | 2.4 | 0.71 | 1 | | 10/10/19 22:42 | 104-51-8 | |
| n-Propylbenzene | <0.81 | ug/L | 5.0 | 0.81 | 1 | | 10/10/19 22:42 | 103-65-1 | |
| o-Xylene | <0.26 | ug/L | 1.0 | 0.26 | 1 | | 10/10/19 22:42 | 95-47-6 | |
| p-Isopropyltoluene | <0.80 | ug/L | 2.7 | 0.80 | 1 | | 10/10/19 22:42 | 99-87-6 | |
| sec-Butylbenzene | <0.85 | ug/L | 5.0 | 0.85 | 1 | | 10/10/19 22:42 | 135-98-8 | |
| tert-Butylbenzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/10/19 22:42 | 98-06-6 | |
| trans-1,2-Dichloroethene | <1.1 | ug/L | 3.6 | 1.1 | 1 | | 10/10/19 22:42 | 156-60-5 | |
| trans-1,3-Dichloropropene | <4.4 | ug/L | 14.6 | 4.4 | 1 | | 10/10/19 22:42 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 94 | % | 70-130 | | 1 | | 10/10/19 22:42 | 460-00-4 | |
| Dibromofluoromethane (S) | 101 | % | 70-130 | | 1 | | 10/10/19 22:42 | 1868-53-7 | |
| Toluene-d8 (S) | 100 | % | 70-130 | | 1 | | 10/10/19 22:42 | 2037-26-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

QC Batch: 337581 Analysis Method: EPA 6010

QC Batch Method: EPA 6010 Analysis Description: ICP Metals, Trace, Dissolved

Associated Lab Samples: 40196879001, 40196879002, 40196879003, 40196879004, 40196879005

METHOD BLANK: 1960966 Matrix: Water

Associated Lab Samples: 40196879001, 40196879002, 40196879003, 40196879004, 40196879005

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------------|-------|--------------|-----------------|----------------|------------|
| Lead, Dissolved | ug/L | <6.4 | 21.4 | 10/16/19 00:10 | |

LABORATORY CONTROL SAMPLE: 1960967

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------|-------|-------------|------------|-----------|--------------|------------|
| Lead, Dissolved | ug/L | 500 | 484 | 97 | 80-120 | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1960968 1960969

| Parameter | Units | 40196879001 MS Result | Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Qual |
|-----------------|-------|-----------------------|-------------|-----------------|-----------|------------|----------|-----------|--------------|-----|---------|------|
| Lead, Dissolved | ug/L | <6.4 | 500 | 500 | 494 | 502 | 98 | 100 | 75-125 | 2 | 20 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

QC Batch: 337104 Analysis Method: EPA 6010

QC Batch Method: EPA 3010 Analysis Description: 6010 MET

Associated Lab Samples: 40196879001, 40196879002, 40196879003, 40196879004, 40196879005

METHOD BLANK: 1957946 Matrix: Water

Associated Lab Samples: 40196879001, 40196879002, 40196879003, 40196879004, 40196879005

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-------------------------|-------|--------------|-----------------|----------------|------------|
| Total Hardness by 2340B | ug/L | 335J | 2000 | 10/14/19 17:55 | |

LABORATORY CONTROL SAMPLE: 1957947

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-------------------------|-------|-------------|------------|-----------|--------------|------------|
| Total Hardness by 2340B | ug/L | | 34600 | | | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1957948 1957949

| Parameter | Units | MS Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Qual |
|-------------------------|-------|-----------|----------------|-----------------|-----------|------------|----------|-----------|--------------|-----|---------|------|
| Total Hardness by 2340B | ug/L | 2030000 | 12136482001 | | 2140000 | 2080000 | | | | 3 | 20 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

QC Batch: 336973 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Associated Lab Samples: 40196879001, 40196879002, 40196879003

METHOD BLANK: 1956910 Matrix: Water

Associated Lab Samples: 40196879001, 40196879002, 40196879003

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1,2-Tetrachloroethane | ug/L | <0.27 | 1.0 | 10/10/19 15:53 | |
| 1,1,1-Trichloroethane | ug/L | <0.24 | 1.0 | 10/10/19 15:53 | |
| 1,1,2,2-Tetrachloroethane | ug/L | <0.28 | 1.0 | 10/10/19 15:53 | |
| 1,1,2-Trichloroethane | ug/L | <0.55 | 5.0 | 10/10/19 15:53 | |
| 1,1-Dichloroethane | ug/L | <0.27 | 1.0 | 10/10/19 15:53 | |
| 1,1-Dichloroethene | ug/L | <0.24 | 1.0 | 10/10/19 15:53 | |
| 1,1-Dichloropropene | ug/L | <0.54 | 1.8 | 10/10/19 15:53 | |
| 1,2,3-Trichlorobenzene | ug/L | <0.63 | 5.0 | 10/10/19 15:53 | |
| 1,2,3-Trichloropropane | ug/L | <0.59 | 5.0 | 10/10/19 15:53 | |
| 1,2,4-Trichlorobenzene | ug/L | <0.95 | 5.0 | 10/10/19 15:53 | |
| 1,2,4-Trimethylbenzene | ug/L | <0.84 | 2.8 | 10/10/19 15:53 | |
| 1,2-Dibromo-3-chloropropane | ug/L | <1.8 | 5.9 | 10/10/19 15:53 | |
| 1,2-Dibromoethane (EDB) | ug/L | <0.83 | 2.8 | 10/10/19 15:53 | |
| 1,2-Dichlorobenzene | ug/L | <0.71 | 2.4 | 10/10/19 15:53 | |
| 1,2-Dichloroethane | ug/L | <0.28 | 1.0 | 10/10/19 15:53 | |
| 1,2-Dichloropropane | ug/L | <0.28 | 1.0 | 10/10/19 15:53 | |
| 1,3,5-Trimethylbenzene | ug/L | <0.87 | 2.9 | 10/10/19 15:53 | |
| 1,3-Dichlorobenzene | ug/L | <0.63 | 2.1 | 10/10/19 15:53 | |
| 1,3-Dichloropropane | ug/L | <0.83 | 2.8 | 10/10/19 15:53 | |
| 1,4-Dichlorobenzene | ug/L | <0.94 | 3.1 | 10/10/19 15:53 | |
| 2,2-Dichloropropane | ug/L | <2.3 | 7.6 | 10/10/19 15:53 | |
| 2-Chlorotoluene | ug/L | <0.93 | 5.0 | 10/10/19 15:53 | |
| 4-Chlorotoluene | ug/L | <0.76 | 2.5 | 10/10/19 15:53 | |
| Benzene | ug/L | <0.25 | 1.0 | 10/10/19 15:53 | |
| Bromobenzene | ug/L | <0.24 | 1.0 | 10/10/19 15:53 | |
| Bromochloromethane | ug/L | <0.36 | 5.0 | 10/10/19 15:53 | |
| Bromodichloromethane | ug/L | <0.36 | 1.2 | 10/10/19 15:53 | |
| Bromoform | ug/L | <4.0 | 13.2 | 10/10/19 15:53 | |
| Bromomethane | ug/L | <0.97 | 5.0 | 10/10/19 15:53 | |
| Carbon tetrachloride | ug/L | <0.17 | 1.0 | 10/10/19 15:53 | |
| Chlorobenzene | ug/L | <0.71 | 2.4 | 10/10/19 15:53 | |
| Chloroethane | ug/L | <1.3 | 5.0 | 10/10/19 15:53 | |
| Chloroform | ug/L | <1.3 | 5.0 | 10/10/19 15:53 | |
| Chloromethane | ug/L | <2.2 | 7.3 | 10/10/19 15:53 | |
| cis-1,2-Dichloroethene | ug/L | <0.27 | 1.0 | 10/10/19 15:53 | |
| cis-1,3-Dichloropropene | ug/L | <3.6 | 12.1 | 10/10/19 15:53 | |
| Dibromochloromethane | ug/L | <2.6 | 8.7 | 10/10/19 15:53 | |
| Dibromomethane | ug/L | <0.94 | 3.1 | 10/10/19 15:53 | |
| Dichlorodifluoromethane | ug/L | <0.50 | 5.0 | 10/10/19 15:53 | |
| Ethylbenzene | ug/L | <0.22 | 1.0 | 10/10/19 15:53 | |
| Hexachloro-1,3-butadiene | ug/L | <1.2 | 5.0 | 10/10/19 15:53 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

METHOD BLANK: 1956910

Matrix: Water

Associated Lab Samples: 40196879001, 40196879002, 40196879003

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Isopropylbenzene (Cumene) | ug/L | <0.39 | 5.0 | 10/10/19 15:53 | |
| m&p-Xylene | ug/L | <0.47 | 2.0 | 10/10/19 15:53 | |
| Methyl-tert-butyl ether | ug/L | <1.2 | 4.2 | 10/10/19 15:53 | |
| Methylene Chloride | ug/L | <0.58 | 5.0 | 10/10/19 15:53 | |
| n-Butylbenzene | ug/L | <0.71 | 2.4 | 10/10/19 15:53 | |
| n-Propylbenzene | ug/L | <0.81 | 5.0 | 10/10/19 15:53 | |
| Naphthalene | ug/L | <1.2 | 5.0 | 10/10/19 15:53 | |
| o-Xylene | ug/L | <0.26 | 1.0 | 10/10/19 15:53 | |
| p-Isopropyltoluene | ug/L | <0.80 | 2.7 | 10/10/19 15:53 | |
| sec-Butylbenzene | ug/L | <0.85 | 5.0 | 10/10/19 15:53 | |
| Styrene | ug/L | <0.47 | 1.6 | 10/10/19 15:53 | |
| tert-Butylbenzene | ug/L | <0.30 | 1.0 | 10/10/19 15:53 | |
| Tetrachloroethene | ug/L | <0.33 | 1.1 | 10/10/19 15:53 | |
| Toluene | ug/L | <0.17 | 5.0 | 10/10/19 15:53 | |
| trans-1,2-Dichloroethene | ug/L | <1.1 | 3.6 | 10/10/19 15:53 | |
| trans-1,3-Dichloropropene | ug/L | <4.4 | 14.6 | 10/10/19 15:53 | |
| Trichloroethene | ug/L | <0.26 | 1.0 | 10/10/19 15:53 | |
| Trichlorofluoromethane | ug/L | <0.21 | 1.0 | 10/10/19 15:53 | |
| Vinyl chloride | ug/L | <0.17 | 1.0 | 10/10/19 15:53 | |
| 4-Bromofluorobenzene (S) | % | 94 | 70-130 | 10/10/19 15:53 | |
| Dibromofluoromethane (S) | % | 113 | 70-130 | 10/10/19 15:53 | |
| Toluene-d8 (S) | % | 91 | 70-130 | 10/10/19 15:53 | |

LABORATORY CONTROL SAMPLE: 1956911

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/L | 50 | 58.0 | 116 | 70-130 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 46.9 | 94 | 70-130 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 51.0 | 102 | 70-130 | |
| 1,1-Dichloroethane | ug/L | 50 | 61.8 | 124 | 73-150 | |
| 1,1-Dichloroethene | ug/L | 50 | 59.3 | 119 | 73-138 | |
| 1,2,4-Trichlorobenzene | ug/L | 50 | 46.3 | 93 | 70-130 | |
| 1,2-Dibromo-3-chloropropane | ug/L | 50 | 39.8 | 80 | 64-129 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 51.3 | 103 | 70-130 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 48.0 | 96 | 70-130 | |
| 1,2-Dichloroethane | ug/L | 50 | 60.3 | 121 | 75-140 | |
| 1,2-Dichloropropane | ug/L | 50 | 55.0 | 110 | 73-135 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 48.6 | 97 | 70-130 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 49.6 | 99 | 70-130 | |
| Benzene | ug/L | 50 | 55.0 | 110 | 70-130 | |
| Bromodichloromethane | ug/L | 50 | 54.4 | 109 | 70-130 | |
| Bromoform | ug/L | 50 | 50.9 | 102 | 68-129 | |
| Bromomethane | ug/L | 50 | 24.8 | 50 | 18-159 | |
| Carbon tetrachloride | ug/L | 50 | 57.8 | 116 | 70-130 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

LABORATORY CONTROL SAMPLE: 1956911

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---------------------------|-------|-------------|------------|-----------|--------------|------------|
| Chlorobenzene | ug/L | 50 | 52.2 | 104 | 70-130 | |
| Chloroethane | ug/L | 50 | 43.3 | 87 | 53-147 | |
| Chloroform | ug/L | 50 | 57.6 | 115 | 74-136 | |
| Chloromethane | ug/L | 50 | 28.6 | 57 | 29-115 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 56.2 | 112 | 70-130 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 47.0 | 94 | 70-130 | |
| Dibromochloromethane | ug/L | 50 | 51.0 | 102 | 70-130 | |
| Dichlorodifluoromethane | ug/L | 50 | 22.6 | 45 | 10-130 | |
| Ethylbenzene | ug/L | 50 | 50.6 | 101 | 80-124 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 50.5 | 101 | 70-130 | |
| m&p-Xylene | ug/L | 100 | 105 | 105 | 70-130 | |
| Methyl-tert-butyl ether | ug/L | 50 | 45.4 | 91 | 54-137 | |
| Methylene Chloride | ug/L | 50 | 57.7 | 115 | 73-138 | |
| o-Xylene | ug/L | 50 | 51.3 | 103 | 70-130 | |
| Styrene | ug/L | 50 | 51.3 | 103 | 70-130 | |
| Tetrachloroethene | ug/L | 50 | 54.9 | 110 | 70-130 | |
| Toluene | ug/L | 50 | 50.2 | 100 | 80-126 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 61.1 | 122 | 73-145 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 43.6 | 87 | 70-130 | |
| Trichloroethene | ug/L | 50 | 56.9 | 114 | 70-130 | |
| Trichlorofluoromethane | ug/L | 50 | 52.4 | 105 | 76-147 | |
| Vinyl chloride | ug/L | 50 | 40.9 | 82 | 51-120 | |
| 4-Bromofluorobenzene (S) | % | | | 100 | 70-130 | |
| Dibromofluoromethane (S) | % | | | 110 | 70-130 | |
| Toluene-d8 (S) | % | | | 91 | 70-130 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

QC Batch: 336992 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Associated Lab Samples: 40196879004, 40196879005, 40196879006

METHOD BLANK: 1957027 Matrix: Water

Associated Lab Samples: 40196879004, 40196879005, 40196879006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1,2-Tetrachloroethane | ug/L | <0.27 | 1.0 | 10/10/19 18:46 | |
| 1,1,1-Trichloroethane | ug/L | <0.24 | 1.0 | 10/10/19 18:46 | |
| 1,1,2,2-Tetrachloroethane | ug/L | <0.28 | 1.0 | 10/10/19 18:46 | |
| 1,1,2-Trichloroethane | ug/L | <0.55 | 5.0 | 10/10/19 18:46 | |
| 1,1-Dichloroethane | ug/L | <0.27 | 1.0 | 10/10/19 18:46 | |
| 1,1-Dichloroethene | ug/L | <0.24 | 1.0 | 10/10/19 18:46 | |
| 1,1-Dichloropropene | ug/L | <0.54 | 1.8 | 10/10/19 18:46 | |
| 1,2,3-Trichlorobenzene | ug/L | <0.63 | 5.0 | 10/10/19 18:46 | |
| 1,2,3-Trichloropropane | ug/L | <0.59 | 5.0 | 10/10/19 18:46 | |
| 1,2,4-Trichlorobenzene | ug/L | <0.95 | 5.0 | 10/10/19 18:46 | |
| 1,2,4-Trimethylbenzene | ug/L | <0.84 | 2.8 | 10/10/19 18:46 | |
| 1,2-Dibromo-3-chloropropane | ug/L | <1.8 | 5.9 | 10/10/19 18:46 | |
| 1,2-Dibromoethane (EDB) | ug/L | <0.83 | 2.8 | 10/10/19 18:46 | |
| 1,2-Dichlorobenzene | ug/L | <0.71 | 2.4 | 10/10/19 18:46 | |
| 1,2-Dichloroethane | ug/L | <0.28 | 1.0 | 10/10/19 18:46 | |
| 1,2-Dichloropropane | ug/L | <0.28 | 1.0 | 10/10/19 18:46 | |
| 1,3,5-Trimethylbenzene | ug/L | <0.87 | 2.9 | 10/10/19 18:46 | |
| 1,3-Dichlorobenzene | ug/L | <0.63 | 2.1 | 10/10/19 18:46 | |
| 1,3-Dichloropropane | ug/L | <0.83 | 2.8 | 10/10/19 18:46 | |
| 1,4-Dichlorobenzene | ug/L | <0.94 | 3.1 | 10/10/19 18:46 | |
| 2,2-Dichloropropane | ug/L | <2.3 | 7.6 | 10/10/19 18:46 | |
| 2-Chlorotoluene | ug/L | <0.93 | 5.0 | 10/10/19 18:46 | |
| 4-Chlorotoluene | ug/L | <0.76 | 2.5 | 10/10/19 18:46 | |
| Benzene | ug/L | <0.25 | 1.0 | 10/10/19 18:46 | |
| Bromobenzene | ug/L | <0.24 | 1.0 | 10/10/19 18:46 | |
| Bromochloromethane | ug/L | <0.36 | 5.0 | 10/10/19 18:46 | |
| Bromodichloromethane | ug/L | <0.36 | 1.2 | 10/10/19 18:46 | |
| Bromoform | ug/L | <4.0 | 13.2 | 10/10/19 18:46 | |
| Bromomethane | ug/L | <0.97 | 5.0 | 10/10/19 18:46 | |
| Carbon tetrachloride | ug/L | <0.17 | 1.0 | 10/10/19 18:46 | |
| Chlorobenzene | ug/L | <0.71 | 2.4 | 10/10/19 18:46 | |
| Chloroethane | ug/L | <1.3 | 5.0 | 10/10/19 18:46 | |
| Chloroform | ug/L | <1.3 | 5.0 | 10/10/19 18:46 | |
| Chloromethane | ug/L | <2.2 | 7.3 | 10/10/19 18:46 | |
| cis-1,2-Dichloroethene | ug/L | <0.27 | 1.0 | 10/10/19 18:46 | |
| cis-1,3-Dichloropropene | ug/L | <3.6 | 12.1 | 10/10/19 18:46 | |
| Dibromochloromethane | ug/L | <2.6 | 8.7 | 10/10/19 18:46 | |
| Dibromomethane | ug/L | <0.94 | 3.1 | 10/10/19 18:46 | |
| Dichlorodifluoromethane | ug/L | <0.50 | 5.0 | 10/10/19 18:46 | |
| Ethylbenzene | ug/L | <0.22 | 1.0 | 10/10/19 18:46 | |
| Hexachloro-1,3-butadiene | ug/L | <1.2 | 5.0 | 10/10/19 18:46 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

METHOD BLANK: 1957027

Matrix: Water

Associated Lab Samples: 40196879004, 40196879005, 40196879006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Isopropylbenzene (Cumene) | ug/L | <0.39 | 5.0 | 10/10/19 18:46 | |
| m&p-Xylene | ug/L | <0.47 | 2.0 | 10/10/19 18:46 | |
| Methyl-tert-butyl ether | ug/L | <1.2 | 4.2 | 10/10/19 18:46 | |
| Methylene Chloride | ug/L | <0.58 | 5.0 | 10/10/19 18:46 | |
| n-Butylbenzene | ug/L | <0.71 | 2.4 | 10/10/19 18:46 | |
| n-Propylbenzene | ug/L | <0.81 | 5.0 | 10/10/19 18:46 | |
| Naphthalene | ug/L | <1.2 | 5.0 | 10/10/19 18:46 | |
| o-Xylene | ug/L | <0.26 | 1.0 | 10/10/19 18:46 | |
| p-Isopropyltoluene | ug/L | <0.80 | 2.7 | 10/10/19 18:46 | |
| sec-Butylbenzene | ug/L | <0.85 | 5.0 | 10/10/19 18:46 | |
| Styrene | ug/L | <0.47 | 1.6 | 10/10/19 18:46 | |
| tert-Butylbenzene | ug/L | <0.30 | 1.0 | 10/10/19 18:46 | |
| Tetrachloroethene | ug/L | <0.33 | 1.1 | 10/10/19 18:46 | |
| Toluene | ug/L | <0.17 | 5.0 | 10/10/19 18:46 | |
| trans-1,2-Dichloroethene | ug/L | <1.1 | 3.6 | 10/10/19 18:46 | |
| trans-1,3-Dichloropropene | ug/L | <4.4 | 14.6 | 10/10/19 18:46 | |
| Trichloroethene | ug/L | <0.26 | 1.0 | 10/10/19 18:46 | |
| Trichlorofluoromethane | ug/L | <0.21 | 1.0 | 10/10/19 18:46 | |
| Vinyl chloride | ug/L | <0.17 | 1.0 | 10/10/19 18:46 | |
| 4-Bromofluorobenzene (S) | % | 94 | 70-130 | 10/10/19 18:46 | |
| Dibromofluoromethane (S) | % | 101 | 70-130 | 10/10/19 18:46 | |
| Toluene-d8 (S) | % | 99 | 70-130 | 10/10/19 18:46 | |

LABORATORY CONTROL SAMPLE: 1957028

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/L | 50 | 54.0 | 108 | 70-130 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 48.0 | 96 | 70-130 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 48.1 | 96 | 70-130 | |
| 1,1-Dichloroethane | ug/L | 50 | 49.3 | 99 | 73-150 | |
| 1,1-Dichloroethene | ug/L | 50 | 47.3 | 95 | 73-138 | |
| 1,2,4-Trichlorobenzene | ug/L | 50 | 44.4 | 89 | 70-130 | |
| 1,2-Dibromo-3-chloropropane | ug/L | 50 | 43.4 | 87 | 64-129 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 46.9 | 94 | 70-130 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 48.9 | 98 | 70-130 | |
| 1,2-Dichloroethane | ug/L | 50 | 51.5 | 103 | 75-140 | |
| 1,2-Dichloropropane | ug/L | 50 | 49.1 | 98 | 73-135 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 47.4 | 95 | 70-130 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 47.5 | 95 | 70-130 | |
| Benzene | ug/L | 50 | 51.1 | 102 | 70-130 | |
| Bromodichloromethane | ug/L | 50 | 50.0 | 100 | 70-130 | |
| Bromoform | ug/L | 50 | 45.7 | 91 | 68-129 | |
| Bromomethane | ug/L | 50 | 18.2 | 36 | 18-159 | |
| Carbon tetrachloride | ug/L | 50 | 48.8 | 98 | 70-130 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

LABORATORY CONTROL SAMPLE: 1957028

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---------------------------|-------|-------------|------------|-----------|--------------|------------|
| Chlorobenzene | ug/L | 50 | 49.8 | 100 | 70-130 | |
| Chloroethane | ug/L | 50 | 38.1 | 76 | 53-147 | |
| Chloroform | ug/L | 50 | 48.6 | 97 | 74-136 | |
| Chloromethane | ug/L | 50 | 24.3 | 49 | 29-115 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 48.5 | 97 | 70-130 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 50.4 | 101 | 70-130 | |
| Dibromochloromethane | ug/L | 50 | 51.7 | 103 | 70-130 | |
| Dichlorodifluoromethane | ug/L | 50 | 20.9 | 42 | 10-130 | |
| Ethylbenzene | ug/L | 50 | 52.4 | 105 | 80-124 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 52.0 | 104 | 70-130 | |
| m&p-Xylene | ug/L | 100 | 104 | 104 | 70-130 | |
| Methyl-tert-butyl ether | ug/L | 50 | 41.8 | 84 | 54-137 | |
| Methylene Chloride | ug/L | 50 | 47.6 | 95 | 73-138 | |
| o-Xylene | ug/L | 50 | 51.1 | 102 | 70-130 | |
| Styrene | ug/L | 50 | 46.2 | 92 | 70-130 | |
| Tetrachloroethene | ug/L | 50 | 45.3 | 91 | 70-130 | |
| Toluene | ug/L | 50 | 50.2 | 100 | 80-126 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 49.1 | 98 | 73-145 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 47.4 | 95 | 70-130 | |
| Trichloroethene | ug/L | 50 | 51.0 | 102 | 70-130 | |
| Trichlorofluoromethane | ug/L | 50 | 40.8 | 82 | 76-147 | |
| Vinyl chloride | ug/L | 50 | 32.6 | 65 | 51-120 | |
| 4-Bromofluorobenzene (S) | % | | | 107 | 70-130 | |
| Dibromofluoromethane (S) | % | | | 105 | 70-130 | |
| Toluene-d8 (S) | % | | | 99 | 70-130 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 34265.003 SRC

Pace Project No.: 40196879

QC Batch: 337970 Analysis Method: EPA 310.2
QC Batch Method: EPA 310.2 Analysis Description: 310.2 Alkalinity
Associated Lab Samples: 40196879001, 40196879002, 40196879003, 40196879004, 40196879005

METHOD BLANK: 1962867 Matrix: Water

Associated Lab Samples: 40196879001, 40196879002, 40196879003, 40196879004, 40196879005

| Parameter | Units | Blank | Reporting | Analyzed | Qualifiers |
|--|-------|--------|-----------|----------------|------------|
| | | Result | Limit | | |
| Alkalinity, Total as CaCO ₃ | mg/L | <7.0 | 23.5 | 10/18/19 13:06 | |

LABORATORY CONTROL SAMPLE: 1962868

| Parameter | Units | Spike | LCS | LCS | % Rec | Qualifiers |
|--|-------|-------|--------|-------|--------|------------|
| | | Conc. | Result | % Rec | Limits | |
| Alkalinity, Total as CaCO ₃ | mg/L | 100 | 97.1 | 97 | 90-110 | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1962869 1962870

| Parameter | Units | MS | MSD | MS | MSD | MS | MSD | % Rec | % Rec | RPD | Max |
|--|-------|-------------|-------|-------|--------|--------|-------|-------|--------|-----|-------|
| | | 40196871010 | Spike | Spike | Result | Result | % Rec | RPD | Qual | RPD | Qual |
| Alkalinity, Total as CaCO ₃ | mg/L | 218 | 200 | 200 | 374 | 393 | 78 | 87 | 90-110 | 5 | 20 M0 |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1962871 1962872

| Parameter | Units | MS | MSD | MS | MSD | MS | MSD | % Rec | % Rec | RPD | Max |
|--|-------|-------------|-------|-------|--------|--------|-------|-------|--------|-----|-------|
| | | 40196954005 | Spike | Spike | Result | Result | % Rec | RPD | Qual | RPD | Qual |
| Alkalinity, Total as CaCO ₃ | mg/L | 402 | 500 | 500 | 834 | 856 | 87 | 91 | 90-110 | 3 | 20 M0 |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 34265.003 SRC
Pace Project No.: 40196879

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 34265.003 SRC
Pace Project No.: 40196879

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|------------|-----------------|----------|-------------------|------------------|
| 40196879001 | MW-1 | EPA 3010 | 337104 | EPA 6010 | 337207 |
| 40196879002 | MW-2 | EPA 3010 | 337104 | EPA 6010 | 337207 |
| 40196879003 | MW-3D | EPA 3010 | 337104 | EPA 6010 | 337207 |
| 40196879004 | MW-8R | EPA 3010 | 337104 | EPA 6010 | 337207 |
| 40196879005 | MW-9B | EPA 3010 | 337104 | EPA 6010 | 337207 |
| 40196879001 | MW-1 | EPA 6010 | 337581 | | |
| 40196879002 | MW-2 | EPA 6010 | 337581 | | |
| 40196879003 | MW-3D | EPA 6010 | 337581 | | |
| 40196879004 | MW-8R | EPA 6010 | 337581 | | |
| 40196879005 | MW-9B | EPA 6010 | 337581 | | |
| 40196879001 | MW-1 | EPA 8260 | 336973 | | |
| 40196879002 | MW-2 | EPA 8260 | 336973 | | |
| 40196879003 | MW-3D | EPA 8260 | 336973 | | |
| 40196879004 | MW-8R | EPA 8260 | 336992 | | |
| 40196879005 | MW-9B | EPA 8260 | 336992 | | |
| 40196879006 | TRIP BLANK | EPA 8260 | 336992 | | |
| 40196879001 | MW-1 | | | | |
| 40196879002 | MW-2 | | | | |
| 40196879003 | MW-3D | | | | |
| 40196879004 | MW-8R | | | | |
| 40196879005 | MW-9B | | | | |
| 40196879001 | MW-1 | EPA 310.2 | 337970 | | |
| 40196879002 | MW-2 | EPA 310.2 | 337970 | | |
| 40196879003 | MW-3D | EPA 310.2 | 337970 | | |
| 40196879004 | MW-8R | EPA 310.2 | 337970 | | |
| 40196879005 | MW-9B | EPA 310.2 | 337970 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Client Name: Gannett Fleming

Project # 40196879

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9 of
Green Bay, WI 54302
Page 35 of 36

Page 35

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper: 10 05 0891

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/
Time:

16
Volume
(mL)

| Pace Lab # | Glass | | | | | Plastic | | | | | Vials | | | | | Jars | | | General | | | VOA Vials (>6mm)* | H2SO4 pH ≤2 | NaOH+Zn Act pH ≥9 | NaOH pH ≥12 | HNO3 pH ≤2 | pH after adjusted | | |
|------------|-------|------|------|------|------|---------|------|------|------|------|-------|------|------|------|------|------|------|------|---------|------|------|-------------------|-------------|-------------------|-------------|------------|-------------------|--------------|--------------|
| | AG1U | AG1H | AG4S | AG4U | AG5U | AG2S | BG3U | BP1U | BP2N | BP2Z | BP3U | BP3B | BP3N | BP3S | DG9A | DG9T | VG9U | VG9H | VG9M | VG9D | JGFU | WGFU | WPFU | SP5T | ZPLC | GN | | | |
| 001 | | | | | | | | | | | 2 | 2 | 2 | | | | 3 | | | | | | | | | | | 2.5 / 5 / 10 | |
| 002 | | | | | | | | | | | 2 | 2 | 2 | | | | 3 | | | | | | | | | | | 2.5 / 5 / 10 | |
| 003 | | | | | | | | | | | 4 | 4 | 4 | | | | 3 | | | | | | | | | | | 2.5 / 5 / 10 | |
| 004 | | | | | | | | | | | 1 | 2 | 2 | | | | 3 | | | | | | | | | | | 2.5 / 5 / 10 | |
| 005 | | | | | | | | | | | 1 | 2 | 2 | | | | 3 | | | | | | | | | | | 2.5 / 5 / 10 | |
| 006 | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | 2.5 / 5 / 10 |
| 007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 011 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 013 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 014 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 016 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 017 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 018 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

| | | | | | | | |
|------|---------------------------|------|----------------------------|------|-------------------------|------|-------------------------------|
| AG1U | 1 liter amber glass | BP1U | 1 liter plastic unpres | DG9A | 40 mL amber ascorbic | JGFU | 4 oz amber jar unpres |
| AG1H | 1 liter amber glass HCL | BP2N | 500 mL plastic HNO3 | DG9T | 40 mL amber Na Thio | WGFU | 4 oz clear jar unpres |
| AG4S | 125 mL amber glass H2SO4 | BP2Z | 500 mL plastic NaOH, Znact | VG9U | 40 mL clear vial unpres | WPFU | 4 oz plastic jar unpres |
| AG4U | 120 mL amber glass unpres | BP3U | 250 mL plastic unpres | VG9H | 40 mL clear vial HCL | | |
| AG5U | 100 mL amber glass unpres | BP3B | 250 mL plastic NaOH | VG9M | 40 mL clear vial MeOH | SP5T | 120 mL plastic Na Thiosulfate |
| AG2S | 500 mL amber glass H2SO4 | BP3N | 250 mL plastic HNO3 | VG9D | 40 mL clear vial DI | ZPLC | ziploc bag |
| BG3U | 250 mL clear glass unpres | BP3S | 250 mL plastic H2SO4 | | | GN: | |



| | | |
|----------------|--------------------------------------|---|
| Document Name: | Sample Condition Upon Receipt (SCUR) | Document Revised: 25Apr2018 |
| Document No.: | F-GB-C-031-Rev.07 | Issuing Authority: Pace Green Bay Quality Office |

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO# : 40196879

Client Name: Gunnell FlemingCourier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____Tracking #: 8149 6215 5835Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used SR - NA Type of Ice: We Blue Dry None Samples on ice, cooling process has begunCooler Temperature Uncorr: 40 /Corr:Temp Blank Present: yes noBiological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C.

Person examining contents:
Date: 10/9/19 AG
Initials: _____

| | | |
|--|--|---------------------------------------|
| Chain of Custody Present: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2. |
| Chain of Custody Relinquished: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 3. <u>YR</u> <u>10/9/19</u> <u>PS</u> |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: - VOA Samples frozen upon receipt | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. Date/Time: |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. |
| Rush Turn Around Time Requested: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. |
| Sufficient Volume: For Analysis: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 8. <u>Rec'd 2 trip blanks. Split b/w two projects.</u> <u>10/9/19</u> <u>PS</u> | |
| Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. |
| Filtered volume received for Dissolved tests | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 11. |
| Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 12. <u>YR</u> |
| Trip Blank Present: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 13. |
| Trip Blank Custody Seals Present | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Pace Trip Blank Lot # (if purchased): | <u>433</u> | |

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

_____Project Manager Review: HMR for DMDate: 10/9/19