

Notice: Use this form to request a written response (on agency letterhead) from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Public Records law [ss. 19.31 - 19.39, Wis. Stats.].

Definitions

"Property" refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

"Liability Clarification" refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55, Wis. Stats.

"Technical Assistance" refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

"Post-closure modification" refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

Select the Correct Form

This form should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification
- Post-Closure Modifications
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

Do **not** use this form if one of the following applies:

- Request for an **off-site liability exemption or clarification** for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the **Lender Liability Exemption**, s 292.21, Wis. Stats., **if no response or review by DNR is requested**. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an **exemption to develop on a historic fill site or licensed landfill**. Use DNR's Form 4400-226 or 4400-226A.
- **Request for closure** for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure - GIS Registry Form 4400-202.

All forms, publications and additional information are available on the internet at: dnr.wi.gov/topic/Brownfields/Pubs.html.

Instructions

1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program and the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/r/RR690.pdf>

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 2 of 7

Section 1. Contact and Recipient Information

Requester Information

This is the person requesting technical assistance or a post-closure modification review, that his or her liability be clarified or a specialized agreement and is identified as the requester in Section 7. DNR will address its response letter to this person.

Last Name	First	MI	Organization/ Business Name
McClung	Kurt		Endpoint Solutions Corp
Mailing Address			City
6871 South Lovers Lane			Franklin
			State
			WI
			ZIP Code
			53132
Phone # (include area code)	Fax # (include area code)	Email	
(414) 858-1210		kurt@endpointcorporation.com	

The requester listed above: (select all that apply)

- Is currently the owner
 Is considering selling the Property
 Is renting or leasing the Property
 Is considering acquiring the Property
 Is a lender with a mortgagee interest in the Property
 Other. Explain the status of the Property with respect to the applicant:

Consultant

Contact Information (to be contacted with questions about this request)

Select if same as requester

Contact Last Name	First	MI	Organization/ Business Name
McClung	Kurt		Endpoint Solutions Corp
Mailing Address			City
6871 South Lovers Lane			Franklin
			State
			WI
			ZIP Code
			53132
Phone # (include area code)	Fax # (include area code)	Email	
(414) 858-1210		kurt@endpointcorporation.com	

Environmental Consultant (if applicable)

Contact Last Name	First	MI	Organization/ Business Name
McClung	Kurt		Endpoint Solutions Corp
Mailing Address			City
6871 South Lovers Lane			Franklin
			State
			WI
			ZIP Code
			53132
Phone # (include area code)	Fax # (include area code)	Email	
(414) 858-1210		kurt@endpointcorporation.com	

Attorney (if applicable)

Contact Last Name	First	MI	Organization/ Business Name
Bonniwell	Nancy		von Briesen & Roper, S.C.
Mailing Address			City
20975 Swenson Drive, Suite 400			Waukesha
			State
			WI
			ZIP Code
			53186
Phone # (include area code)	Fax # (include area code)	Email	
(262) 646-1527		nbonniwell@vonbriesen.com	

Property Owner (if different from requester)

Contact Last Name	First	MI	Organization/ Business Name
Higgins	Mike		Complete Recycling Services, LLC
Mailing Address			City
2529 East Norwich Avenue			St Francis
			State
			WI
			ZIP Code
			53235
Phone # (include area code)	Fax # (include area code)	Email	
		mhiggins@completerecyclingservices.com	

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 3 of 7

Section 2. Property Information

Property Name Mid-America Steel Drum Company Inc/Kitzinger		FID No. (if known) 241063570	
BRRTS No. (if known) 0241560089		Parcel Identification Number 5849973001	
Street Address 2529 East Norwich Avenue		City St. Francis	State ZIP Code WI 53235
County Milwaukee	Municipality where the Property is located <input checked="" type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village of St. Francis	Property is composed of: <input checked="" type="radio"/> Single tax parcel <input type="radio"/> Multiple tax parcels	Property Size Acres 4.78

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests are completed within 60 days. Please plan accordingly.

No Yes

Date requested by: _____

Reason: _____

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. Include the fee that is required for your request in Section 3, 4 or 5.

Yes. Do not include a separate fee. This request will be billed separately through the VPLE Program.

Fill out the information in Section 3, 4 or 5 which corresponds with the type of request:

Section 3. Technical Assistance or Post-Closure Modifications;

Section 4. Liability Clarification; or Section 5. Specialized Agreement.

Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [Numbers in brackets are for WI DNR Use]

- No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - Include a fee of \$350. Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event.
- Review of Site Investigation Work Plan - NR 716.09, [135] - Include a fee of \$700.
- Review of Site Investigation Report - NR 716.15, [137] - Include a fee of \$1050.
- Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - Include a fee of \$1050.
- Review of a Remedial Action Options Report - NR 722.13, [143] - Include a fee of \$1050.
- Review of a Remedial Action Design Report - NR 724.09, [148] - Include a fee of \$1050.
- Review of a Remedial Action Documentation Report - NR 724.15, [152] - Include a fee of \$350
- Review of a Long-term Monitoring Plan - NR 724.17, [25] - Include a fee of \$425.
- Review of an Operation and Maintenance Plan - NR 724.13, [192] - Include a fee of \$425.

Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226)

- Schedule a Technical Assistance Meeting - Include a fee of \$700.
- Hazardous Waste Determination - Include a fee of \$700.
- Other Technical Assistance - Include a fee of \$700. Explain your request in an attachment.

Post-Closure Modifications - NR 727, [181]

- Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. Include a fee of \$1050, and:
 - Include a fee of \$300 for sites with residual soil contamination; and
 - Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 4 of 7

Section 4. Request for Liability Clarification

Select the type of liability clarification requested. Use the available space given or attach information, explanations, or specific questions that you need answered in DNR's reply. Complete Sections 6 and 7 of this form. [Numbers in brackets are for DNR Use]

"Lender" liability exemption clarification - s. 292.21, Wis. Stats. [686]

❖ Include a fee of \$700.

Provide the following documentation:

- (1) ownership status of the real Property, and/or the personal Property and fixtures;
- (2) an environmental assessment, in accordance with s. 292.21, Wis. Stats.;
- (3) the date the environmental assessment was conducted by the lender;
- (4) the date of the Property acquisition; for foreclosure actions, include a copy of the signed and dated court order confirming the sheriff's sale.
- (5) documentation showing how the Property was acquired and the steps followed under the appropriate state statutes.
- (6) a copy of the Property deed with the correct legal description; and,
- (7) the Lender Liability Exemption Environmental Assessment Tracking Form (Form 4400-196).
- (8) If no sampling was done, please provide reasoning as to why it was not conducted. Include this either in the accompanying environmental assessment or as an attachment to this form, and cite language in s. 292.21(1)(c)2, h.-i., Wis. Stats.:
 - h. The collection and analysis of representative samples of soil or other materials in the ground that are suspected of being contaminated based on observations made during a visual inspection of the real Property or based on aerial photographs, or other information available to the lender, including stained or discolored soil or other materials in the ground and including soil or materials in the ground in areas with dead or distressed vegetation. The collection and analysis shall identify contaminants in the soil or other materials in the ground and shall quantify concentrations.
 - i. The collection and analysis of representative samples of unknown wastes or potentially hazardous substances found on the real Property and the determination of concentrations of hazardous waste and hazardous substances found in tanks, drums or other containers or in piles or lagoons on the real Property.

"Representative" liability exemption clarification (e.g. trustees, receivers, etc.) - s. 292.21, Wis. Stats. [686]

❖ Include a fee of \$700.

Provide the following documentation:

- (1) ownership status of the Property;
- (2) the date of Property acquisition by the representative;
- (3) the means by which the Property was acquired;
- (4) documentation that the representative has no beneficial interest in any entity that owns, possesses, or controls the Property;
- (5) documentation that the representative has not caused any discharge of a hazardous substance on the Property; and
- (6) a copy of the Property deed with the correct legal description.

Clarification of local governmental unit (LGU) liability exemption at sites with: (select all that apply)

- hazardous substances spills - s. 292.11(9)(e), Wis. Stats. [649];
- Perceived environmental contamination - [649];
- hazardous waste - s. 292.24 (2), Wis. Stats. [649]; and/or
- solid waste - s. 292.23 (2), Wis. Stats. [649].

❖ Include a fee of \$700, a summary of the environmental liability clarification being requested, and the following:

- (1) clear supporting documentation showing the acquisition method used, and the steps followed under the appropriate state statute(s).
- (2) current and proposed ownership status of the Property;
- (3) date and means by which the Property was acquired by the LGU, where applicable;
- (4) a map and the ¼, ¼ section location of the Property;
- (5) summary of current uses of the Property;
- (6) intended or potential use(s) of the Property;
- (7) descriptions of other investigations that have taken place on the Property; and
- (8) (for solid waste clarifications) a summary of the license history of the facility.

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 5 of 7

Section 4. Request for Liability Clarification (cont.)

- Lease liability clarification - s. 292.55, Wis. Stats. [646]
- ❖ Include a fee of \$700 for a single Property, or \$1400 for multiple Properties and the information listed below:
 - (1) a copy of the proposed lease;
 - (2) the name of the current owner of the Property and the person who will lease the Property;
 - (3) a description of the lease holder's association with any persons who have possession, control, or caused a discharge of a hazardous substance on the Property;
 - (4) map(s) showing the Property location and any suspected or known sources of contamination detected on the Property;
 - (5) a description of the intended use of the Property by the lease holder, with reference to the maps to indicate which areas will be used. Explain how the use will not interfere with any future investigation or cleanup at the Property; and
 - (6) all reports or investigations (e.g. Phase I and Phase II Environmental Assessments and/or Site Investigation Reports conducted under s. NR 716, Wis. Adm. Code) that identify areas of the Property where a discharge has occurred.

General or other environmental liability clarification - s. 292.55, Wis. Stats. [682] - Explain your request below.

- ❖ Include a fee of \$700 and an adequate summary of relevant environmental work to date.

No Action Required (NAR) - NR 716.05, [682]

- ❖ Include a fee of \$700.

Use where an environmental discharge has or has not occurred, and applicant wants a DNR determination that no further assessment or clean-up work is required. Usually this is requested after a Phase I and Phase II environmental assessment has been conducted; the assessment reports should be submitted with this form. This is not a closure letter.

Clarify the liability associated with a "closed" Property - s. 292.55, Wis. Stats. [682]

- ❖ Include a fee of \$700.

- Include a copy of any closure documents if a state agency other than DNR approved the closure.

Use this space or attach additional sheets to provide necessary information, explanations or specific questions to be answered by the DNR.

Requested meeting attendees include the following:

Paul Grittner
Pamela Mylotta
Kurt McClung, Endpoint Solutions Corp (Requester)
Mike Higgins, Complete Recycling Services, LLC (RP)
Karen Kitzinger, Estate of Karl Kitzinger
Nancy Bonniwell, von Briesen & Roper, SC

The agenda for the meeting includes a review of recent sampling results, a plan for additional delineation, and a request for DNR concurrence. An amended SI Work Plan will follow.

Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: dnr.wi.gov/topic/Brownfields/lgu.html#tabx4.

- Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]
- ❖ Include a fee of \$700, and the information listed below:
 - (1) Phase I and II Environmental Site Assessment Reports,
 - (2) a copy of the Property deed with the correct legal description.
- Agreement for assignment of tax foreclosure judgement - s. 75.106, Wis. Stats. [666]
- ❖ Include a fee of \$700, and the information listed below:
 - (1) Phase I and II Environmental Site Assessment Reports,
 - (2) a copy of the Property deed with the correct legal description.
- Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]
- ❖ Include a fee of \$1400, and the information listed below:
 - (1) a draft schedule for remediation; and,
 - (2) the name, mailing address, phone and email for each party to the agreement.

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 6 of 7

Section 6. Other Information Submitted

Identify all materials that are included with this request.

Send both a paper copy of the signed form and all reports and supporting materials, and an electronic copy of the form and all reports, including Environmental Site Assessment Reports, and supporting materials on a compact disk.

Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.

- Phase I Environmental Site Assessment Report - Date: _____
- Phase II Environmental Site Assessment Report - Date: _____
- Legal Description of Property (required for all liability requests and specialized agreements)
- Map of the Property (required for all liability requests and specialized agreements)

Analytical results of the following sampled media: Select all that apply and include date of collection.

- Groundwater
- Soil
- Sediment
- Other medium - Describe: _____

Date of Collection: _____

- A copy of the closure letter and submittal materials
- Draft tax cancellation agreement
- Draft agreement for assignment of tax foreclosure judgment
- Other report(s) or information - Describe: Site Investigation (SI) progress update & recommended additional SI

For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?

- Yes - Date (if known): _____
- No

Note: The Notification for Hazardous Substance Discharge Form - Non-Emergency Only (Form 4400-225) is accessible through the RR Program Submittal Portal application. Directions for using the form and the Submittal Portal application are available on the [Submittal Portal web page](#).

Section 7. Certification by the Person who completed this form

- I am the person submitting this request (requester)
- I prepared this request for: _____
Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.

Kend McElroy
Signature

6/28/2024
Date Signed

Senior Engineer
Title

(414) 858-1210
Telephone Number (include area code)

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 7 of 7

Section 8. DNR Contacts and Addresses for Request Submittals

Send or deliver one paper copy and one electronic copy on a compact disk of the completed request, supporting materials, and fee to the region where the property is located to the address below. Contact a [DNR regional brownfields specialist](#) with any questions about this form or a specific situation involving a contaminated property. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>.

DNR NORTHERN REGION
Attn: RR Program Assistant
Department of Natural Resources
223 E Steinfest Rd Antigo, WI 54409

DNR NORTHEAST REGION
Attn: RR Program Assistant
Department of Natural Resources
2984 Shawano Avenue
Green Bay WI 54313

DNR SOUTH CENTRAL REGION
Attn: RR Program Assistant
Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg WI 53711

DNR SOUTHEAST REGION
Attn: RR Program Assistant
Milwaukee DNR Office
1027 West St. Paul Ave
Milwaukee WI 53233

DNR WEST CENTRAL REGION
Attn: RR Program Assistant
Department of Natural Resources
1300 Clairemont Ave.
Eau Claire WI 54702

The State of Wisconsin Department of Natural Resources


● *Region Offices*




Note: These are the Remediation and Redevelopment Program's designated regions. Other DNR program regional boundaries may be different.

DNR Use Only			
Date Received	Date Assigned	BRRTS Activity Code	BRRTS No. (if used)
DNR Reviewer		Comments	
Fee Enclosed? <input type="radio"/> Yes <input type="radio"/> No	Fee Amount \$	Date Additional Information Requested	Date Requested for DNR Response Letter
Date Approved	Final Determination		

P:\Complete Recycling - 1009\CAD\001-001\Basemap-Complete Recycling USE THIS FILE TO START FIGURES.dwg




- PROPERTY BOUNDARY
- - - FENCE
- - - EXISTING FIBER OPTIC LINE
- - - EXISTING ELECTRIC LINE
- - - EXISTING GAS LINE
- - - EXISTING WATER LINE
- - - EXISTING PVC PIPE/CULVERT
- - - EXISTING CATCH BASIN
- - - EXISTING GAS METER
- ⊗ SOIL BORING LOCATION (2024)
- SOIL BORING LOCATION
- ⊕ EXISTING MONITORING WELL
- ⊞ EXISTING PIEZOMETER
- ⊙ EXISTING SEWER MANHOLE
- ⊕ EXISTING POWER POLE
- ⊕ EXISTING WATER VALVE
- ⊕ EXISTING HYDRANT
- ⊕ EXISTING ELECTRIC MANHOLE



DETAILED SITE LAYOUT	
2517 & 2529 E. NORWICH AVENUE ST. FRANCIS, WISCONSIN	
Endpoint Solutions	
6871 S. Lovers Lane Franklin, WI 53132 Phone: (414) 427-1200	
DRAWN BY: NWD	DATE: 05/07/2024
REVIEWED BY: KM	PROJECT NO: 1009-001-001

Figure 1

P:\Complete Recycling - 1009\CAD\001-001\Basemap-Complete Recycling USE THIS FILE TO START FIGURES.dwg



EAST NORWICH AVE

SOUTH PENNSYLVANIA AVE

CULVERT 24"

CULVERT 24"

FORMER BUILDING

FORMER BUILDING

EXISTING BUILDING

EXISTING BUILDING

EXISTING BUILDING

EXISTING BUILDING

METAL OVERHANG

TRANSFORMER

ASPHALT

GRAVEL

654.08

648.04

660

660.57

661.41

660.80

656.53

667.25

657.77

660.21

677.16

675.55

655

665

670

675

670

675

655

655.38

70

75

75



DETAILED SITE LAYOUT

2517 & 2529 E. NORWICH AVENUE
ST. FRANCIS, WISCONSIN

Endpoint Solutions

6871 S Lovers Lane
Franklin, WI 53132
Phone (414) 427-1200

DRAWN BY: NWD
REVIEWED BY: KM



DATE: 05/07/2024
PROJECT NO: 1009-001-001

Figure 1

EAST NORWICH AVE

SOUTH PENNSYLVANIA AVE

P:\Complete Recycling - 1009\CAD\001-001\Basemap-Complete Recycling USE THIS FILE TO START FIGURES.dwg



- PROPERTY BOUNDARY
- - - FENCE
- - - EXISTING FIBER OPTIC LINE
- - - EXISTING ELECTRIC LINE
- - - EXISTING GAS LINE
- - - EXISTING WATER LINE
- - - EXISTING PVC PIPE/CULVERT
- - - EXISTING CATCH BASIN
- - - EXISTING GAS METER
- ⊗ SOIL BORING LOCATION (2024)
- SOIL BORING LOCATION
- ⊕ EXISTING MONITORING WELL
- EXISTING PIEZOMETER
- ⊗ EXISTING SEWER MANHOLE
- ⊗ EXISTING POWER POLE
- ⊗ EXISTING WATER VALVE
- ⊗ EXISTING HYDRANT
- ⊗ EXISTING ELECTRIC MANHOLE

DETAILED SITE LAYOUT

2517 & 2529 E. NORWICH AVENUE
ST. FRANCIS, WISCONSIN

Endpoint Solutions

6871 S Lovers Lane
Franklin, WI 53132
Phone (414) 427-1200

DRAWN BY: NWD	DATE: 05/07/2024	Figure 1
REVIEWED BY: KM	PROJECT NO: 1009-001-001	

TABLE 1
Soil Sampling Analytical Results
Former Kitzinger Site
2529 East Norwich Avenue, St. Francis, Wisconsin
BRRTS 02-41-560089

	Date Collected	Depth (feet bgs)	Benzene	n-Butyl benzene	sec-Butyl benzene	tert-Butyl benzene	1,2-Dichloro benzene	1,4-Dichloro benzene	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	trans-1,2-DCE	Ethylbenzene	Isopropyl benzene (Cumene)	p-Isopropyl toluene	Methylene Chloride	Naphthalene	n-Propyl benzene	PCE	Toluene	1,1,1-TCA	TCE	1,2,4-TMB	1,3,5-TMB	Vinyl Chloride	m&p-Xylene	o-Xylene
NR 720 RCL for Industrial Direct Contact			7.07	108	145	183	376	16.4	22.2	2.87	1,190	2,340	1,850	35.4	268	162	1,150	24.1	264	145	818	640	8.41	219	182	2.08	260	
NR 720 RCL for Groundwater Pathway			0.0051	NS	NS	NS	1.168	0.144	0.4834	0.0028	0.005	0.0412	0.0626	1.57	NS	NS	0.0026	0.6582	NS	0.0045	1.1072	0.1402	0.0036	1.3787		0.0001	3.96	
GP24-11	4/30/2024	1-3	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	0.088 J	<0.042	<0.049	0.129	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	2.17	<0.031	0.49	5.4	0.036 J	<0.031	<0.036	<0.062	0.035 J
		5-7	<0.025	5.5	2.57	0.142	<0.026	<0.035	0.292	<0.042	0.103 J	0.47	<0.03	9.4	1.61	5.5	<0.1	1.91	3.0	0.106 J	3.9	5.0	0.053 J	27.5	10.7	0.315	39	16.9
		15-17	<0.25	<0.29	<0.3	<0.33	<0.026	<0.35	7.4	<0.042	0.61 J	58	2.09	18.9	0.68 J	<0.3	<1.0	1.49 J	1.11	0.87 J	18.5	44	<0.39	7.6	2.06	1.0 J	58	21.2
GP24-12	4/30/2024	1-3	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	<0.039	<0.031	<0.03	0.081 J	<0.035	<0.031	<0.036	<0.062	<0.03
		6-8	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	<0.039	<0.031	<0.03	<0.039	<0.035	<0.031	<0.036	<0.062	<0.03
		26-28	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	<0.039	<0.031	<0.03	<0.039	<0.035	<0.031	<0.036	<0.062	<0.03
GP24-13	5/1/2024	1-3	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	<0.039	<0.031	<0.03	<0.039	<0.035	<0.031	<0.036	<0.062	<0.03
		6-8	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	<0.039	<0.031	<0.03	<0.039	<0.035	<0.031	<0.036	<0.062	<0.03
GP24-14	5/1/2024	1-3	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	0.36	<0.031	0.039 J	0.62	<0.035	<0.031	<0.036	<0.062	<0.03
		5-7	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	0.183	<0.042	<0.049	0.157	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	1.09	<0.031	0.39	1.92	<0.035	<0.031	<0.036	<0.062	<0.03
		8-10	<0.25	11.2	6.1	<0.33	<0.26	<0.35	<0.33	<0.42	<0.49	<0.27	<0.3	<0.23	1.23 J	4.3	<1.0	<1.2	4.0	<0.39	<0.31	<0.3	<0.39	13.5	<0.31	<0.36	<0.62	<0.3
GP24-15	5/1/2024	2-4	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	<0.039	<0.031	0.033 J	0.139 J	<0.035	<0.031	<0.036	<0.062	<0.03
		9-11	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	<0.033	<0.042	<0.049	<0.027	<0.03	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	0.069 J	<0.031	<0.03	0.264	<0.035	<0.031	<0.036	<0.062	<0.03
		23-25	<0.025	<0.029	<0.03	<0.033	<0.026	<0.035	0.058 J	<0.042	<0.049	1.61	0.81	<0.023	<0.035	<0.03	<0.1	<0.12	<0.025	<0.039	<0.031	<0.03	2.64	<0.035	<0.031	<0.036	<0.062	<0.03

Notes

All results are expressed in milligrams per kilogram (mg/kg), equivalent to parts per million (ppm).
Results presented in *italic* type exceed the NR 720 RCL for Industrial Direct Contact (applicable to 0 to 4 feet)
Results presented in **bold** type exceed the NR 720 RCL for Groundwater Pathway
All detections in soil are presented. VOCs detected in groundwater are also presented.
J - Results between the limit of detection and limit of quantitation
bgs - below ground surface
NS - No Standard
DCA - Dichloroethane
DCE - Dichloroethene
PCE - Tetrachloroethene
TCA - Trichloroethane
TCE - Trichloroethene
TMB - Trimethylbenzenes
VOCs - volatile organic compounds
NR 720 RCL - Wisconsin Administrative Code Chapter NR 720 Residual Contaminant Level (December 2018)

TABLE 2
Groundwater Elevation Summary

Former Kitzinger Site
2529 East Norwich Avenue, St. Francis, Wisconsin
BRRS 02-41-560089

MW-1 Off-Site Shallow Stick-up			
Ground Elevation			657.10
Top of Casing Elevation			659.28
Top of Screen Elevation			654.90
Bottom of Screen Elevation			644.90
Date	Depth To Water	Groundwater Elevation	Comments
12/7/2017	NM		
3/21/2018	6.10	653.18	
6/28/2018	NM		
6/21/2019	4.61	654.67	
1/27/2020	4.10	655.18	LF Green sampled DF Property
4/14/2022	3.69	655.59	
11/3/2022	5.96	653.32	
11/16/2023	5.50	653.78	
5/28/2024	3.90	655.38	

MW-2 Off-Site Shallow Flushmount			
Ground Elevation			666.04
Top of Casing Elevation (2022)			665.77
Top of Screen Elevation			662.12
Bottom of Screen Elevation			652.12
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM		
3/21/2018	6.60	658.95	
6/28/2018	NM		
6/21/2019	5.72	659.83	
1/27/2020	11.90	653.65	LF Green sampled DF Property
4/14/2022	5.49	660.28	Resurveyed 4/21/2022
11/3/2022	7.04	658.73	
11/16/2023	6.07	659.70	
5/28/2024	5.20	660.57	

PMW-2 Off-Site Deep Stick-up					
Ground Elevation					665.73
Top of Casing Elevation (2022)					665.47
Top of Screen Elevation					649.15
Bottom of Screen Elevation					639.15
Date	Depth To Water	Depth to Product	Product Thickness	Un-Corrected Groundwater Elevation	Comments
12/8/2017	14.30	13.87	0.43	654.35	
3/21/2018	14.25	-	-	654.40	
6/28/2018	NM	-	-	-	
6/21/2019	11.49	-	-	657.16	
1/27/2020	8.90	-	-	659.75	LF Green sampled DF Property
4/14/2022	9.16	-	-	656.31	Resurveyed 4/21/2022
11/3/2022	9.20	-	-	656.27	
11/16/2023	9.75	-	-	655.72	
5/28/2024	8.57	-	-	656.90	

MW-3 Off-Site Shallow Flushmount			
Ground Elevation			659.24
Top of Casing Elevation			658.66
Top of Screen Elevation			655.32
Bottom of Screen Elevation			645.32
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	5.38	653.28	
3/21/2018	5.60	653.06	
6/28/2018	NM	-	
6/21/2019	3.95	654.71	
1/27/2020	3.95	654.71	LF Green sampled DF Property
4/14/2022	4.55	654.11	
11/3/2022	NM		
11/16/2023	NM		
5/28/2024	NM		

MW-4 Off-Site Shallow Stick-up			
Ground Elevation			658.57
Top of Casing Elevation (2022)			660.74
Top of Screen Elevation			654.57
Bottom of Screen Elevation			644.57
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM	-	
3/21/2018	7.71	653.03	
6/28/2018	NM	-	
6/21/2019	6.81	653.93	
1/27/2020	4.40	656.34	LF Green sampled DF Property
4/14/2022	6.79	653.95	Resurveyed 4/21/2022
11/3/2022	8.10	652.64	
11/16/2023	NM		
5/28/2024	NM		

TABLE 2
Groundwater Elevation Summary
Former Kitzinger Site
2529 East Norwich Avenue, St. Francis, Wisconsin
BRRS 02-41-560089

MW-5 Shallow Flushmount			
Ground Elevation			662.64
Top of Casing Elevation			662.03
Top of Screen Elevation			658.66
Bottom of Screen Elevation			648.66
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	9.20	652.83	
3/21/2018	9.30	652.73	
6/28/2018	NM	-	
6/21/2019	7.67	654.36	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	7.78	654.25	
11/3/2022	9.44	652.59	
11/16/2023	8.79	653.24	
5/28/2024	7.95	654.08	

MW-6 Shallow Flushmount			
Ground Elevation			663.81
Top of Casing Elevation			663.58
Top of Screen Elevation			658.85
Bottom of Screen Elevation			648.85
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM	-	Could not locate
3/21/2018	10.20	653.38	
6/28/2018	NM	-	
6/21/2019	8.00	655.58	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	8.37	655.21	Resurveyed 4/21/2022
11/3/2022	10.24	653.34	
11/16/2023	9.45	654.13	
5/28/2024	NM	-	

MW-7 Shallow Flushmount			
Ground Elevation			659.10
Top of Casing Elevation (2022)			658.67
Top of Screen Elevation			655.91
Bottom of Screen Elevation			645.91
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	8.16	651.04	
3/21/2018	NM	-	
6/28/2018	NM	-	
6/21/2019	NM	-	6 feet NAPL
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	4.24	654.43	TOC cut down, resurveyed 4/21/2022
11/3/2022	4.37	654.30	
11/16/2023	NM		
5/28/2024	NM		

PMW-7 Off-Site Deep Flushmount			
Ground Elevation			659.03
Top of Casing Elevation			658.71
Top of Screen Elevation			643.41
Bottom of Screen Elevation			633.41
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM	-	
3/21/2018	NM	-	
6/28/2018	NM	-	
6/21/2019	6.21	652.50	
1/27/2020	6.00	652.71	LF Green sampled DF Property
4/14/2022	7.38	651.33	
11/3/2022	NM		
11/16/2023	NM		
5/28/2024	NM		

MW-8 Shallow Stick-up			
Ground Elevation			659.89
Top of Casing Elevation			663.73
Top of Screen Elevation			656.96
Bottom of Screen Elevation			651.96
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	12.55	651.18	
3/21/2018	6.88	656.85	
6/28/2018	NM	-	
6/21/2019	5.99	657.74	
1/27/2020	2.00	661.73	LF Green sampled DF Property
4/14/2022			ABANDONED

PMW-8 Off-Site Deep Stick-up			
Ground Elevation			659.54
Top of Casing Elevation (2022)			659.10
Top of Screen Elevation			635.75
Bottom of Screen Elevation			630.75
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM	-	
3/21/2018	12.50	649.90	
6/28/2018	NM	-	
6/21/2019	9.96	652.44	
1/27/2020	7.10	655.30	LF Green sampled DF Property
4/14/2022	9.40	649.70	Resurveyed 4/21/2022
11/3/2022	8.84	650.26	
11/16/2023	NM		
5/28/2024	7.62	651.48	

TABLE 2
Groundwater Elevation Summary

Former Kitzinger Site
2529 East Norwich Avenue, St. Francis, Wisconsin
BRRTS 02-41-560089

MW-9 Shallow Flushmount			
Ground Elevation			656.94
Top of Casing Elevation			659.28
Top of Screen Elevation			653.29
Bottom of Screen Elevation			643.29
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM	-	
3/21/2018	NM	-	
6/28/2018	NM	-	
6/21/2019	11.77	647.51	
1/27/2020	11.90	647.38	LF Green sampled DF Property
4/14/2022	NM	-	
11/3/2022	12.30	646.98	
11/16/2023	NM	-	
5/28/2024	11.24	648.04	

MW-14 Shallow Flushmount			
Ground Elevation			667.19
Top of Casing Elevation			666.73
Top of Screen Elevation			661.22
Bottom of Screen Elevation			651.22
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	14.00	652.73	
3/21/2018	NM	-	
6/28/2018	NM	-	
6/21/2019	9.42	657.31	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	11.44	655.29	
11/3/2022	13.33	653.40	
11/16/2023	NM	-	
5/28/2024	10.03	656.70	

MW-15 Shallow Flushmount					
Ground Elevation					665.57
Top of Casing Elevation					664.96
Top of Screen Elevation					660.11
Bottom of Screen Elevation					650.11
Date	Depth To Water	Depth to Product	Product Thickness	Un-Corrected Groundwater Elevation	Comments
12/8/2017	10.80	-	-	654.16	could not measure NAPL thickness
3/21/2018	NM	-	-	-	
6/28/2018	NM	-	-	-	
6/21/2019	8.71	-	-	656.25	
1/27/2020	NM	-	-	-	LF Green sampled DF Property
4/14/2022	9.29	-	-	655.67	
11/3/2022	10.77	-	-	654.19	
11/16/2023	NM	-	-	-	
5/28/2024	8.91	-	-	656.05	

MW-16 Shallow Flushmount			
Ground Elevation			658.42
Top of Casing Elevation			658.11
Top of Screen Elevation			655.31
Bottom of Screen Elevation			645.31
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM	-	
3/21/2018	NM	-	
6/28/2018	NM	-	
6/21/2019	2.45	655.66	
1/27/2020	3.20	654.91	LF Green sampled DF Property
4/14/2022	NM	-	
11/3/2022	NM	-	
11/16/2023	NM	-	
5/28/2024	NM	-	

MW-17 Shallow Flushmount			
Ground Elevation			659.11
Top of Casing Elevation			658.70
Top of Screen Elevation			640.10
Bottom of Screen Elevation			630.10
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	NM	-	
3/21/2018	NM	-	
6/28/2018	NM	-	
6/21/2019	5.91	652.79	
1/27/2020	6.20	652.50	LF Green sampled DF Property
4/14/2022	NM	-	
11/3/2022	NM	-	
11/16/2023	NM	-	
5/28/2024	NM	-	

TABLE 2
Groundwater Elevation Summary
Former Kitzinger Site
2529 East Norwich Avenue, St. Francis, Wisconsin
BRRS 02-41-560089

SMW-3				Shallow Flushmount	
Ground Elevation				668.81	
Top of Casing Elevation				668.17	
Top of Screen Elevation				660.32	
Bottom of Screen Elevation				650.32	
Date	Depth To Water	Groundwater Elevation	Comments		
12/8/2017	NM		could not locate well		
3/21/2018	4.84	663.33			
6/28/2018	4.85	663.32			
6/21/2019	4.52	663.65			
1/27/2020	NM	-	LF Green sampled DF Property		
4/14/2022	NM		Well Damaged		
11/3/2022			ABANDONED		

SMW-3R				Shallow Flushmount	
Ground Elevation				669.07	
Top of Casing Elevation				668.41	
Top of Screen Elevation				660.56	
Bottom of Screen Elevation				650.56	
Date	Depth To Water	Groundwater Elevation	Comments		
5/28/2024	11.88	656.53			

SMW-4				Shallow Flushmount	
Ground Elevation				667.88	
Top of Casing Elevation				667.23	
Top of Screen Elevation				659.43	
Bottom of Screen Elevation				649.43	
Date	Depth To Water	Groundwater Elevation	Comments		
11/22/2017	8.23	659.00			
12/8/2017	6.30	660.93			
3/21/2018	7.63	659.60			
6/28/2018	6.42	660.81			
6/21/2019	6.18	661.05			
1/27/2020	NM	-	LF Green sampled DF Property		
4/14/2022	6.65	660.58			
11/3/2022	6.51	660.72			
11/16/2023	6.45	660.78			
5/28/2024	5.82	661.41			

SPM-4				Deep Flushmount	
Ground Elevation				667.86	
Top of Casing Elevation				667.53	
Top of Screen Elevation				643.23	
Bottom of Screen Elevation				633.23	
Date	Depth To Water	Groundwater Elevation	Comments		
11/22/2017	3.85	663.68			
12/8/2017	14.05	653.48			
3/21/2018	14.91	652.62			
6/28/2018	11.98	655.55			
6/21/2019	11.45	656.08			
1/27/2020	NM	-	LF Green sampled DF Property		
4/14/2022	14.08	653.45			
11/3/2022	13.77	653.76			
11/16/2023	NM		Not located		
5/28/2024	12.50	655.03			

KMW-1				Shallow Flushmount	
Ground Elevation				670.32	
Top of Casing Elevation				669.97	
Top of Screen Elevation				-	
Bottom of Screen Elevation				-	
Date	Depth To Water	Groundwater Elevation	Comments		
11/22/2017	NM	-	not found		
12/8/2017	NM	-	not found		
3/20/2018	NM	-	not found		
6/27/2018	NM	-	not found		
6/21/2019	NM	-	not found		
1/27/2020	NM	-	not found		
4/14/2022	NM	-	not found		
11/3/2022	7.19	662.78			
11/16/2023	4.82	665.15			
5/28/2024	2.72	667.25			

KMW-2				Shallow Flushmount	
Ground Elevation				678.01	
Top of Casing Elevation				677.65	
Top of Screen Elevation					
Bottom of Screen Elevation				662.55	
Date	Depth To Water	Groundwater Elevation	Comments		
11/22/2017	2.72	674.93			
12/8/2017	2.58	675.07			
3/20/2018	3.55	674.10			
6/27/2018	0.90	676.75			
6/21/2019	1.30	676.35			
1/27/2020	NM	-	LF Green sampled DF Property		
4/14/2022	NM	-	inaccessible		
11/3/2022	1.57	676.08			
11/16/2023	1.47	676.18			
5/28/2024	0.49	677.16			

TABLE 2
Groundwater Elevation Summary

Former Kitzinger Site
2529 East Norwich Avenue, St. Francis, Wisconsin
BRRS 02-41-560089

KMW-3 Shallow Flushmount			
Ground Elevation			678.25
Top of Casing Elevation			677.83
Top of Screen Elevation			
Bottom of Screen Elevation			662.73
Date	Depth To Water	Groundwater Elevation	Comments
11/22/2017	4.49	673.34	
12/8/2017	4.63	673.20	
3/20/2018	8.43	669.40	
6/27/2018	2.93	674.90	
6/21/2019	2.05	675.78	flushmount needs repair
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	8.23	669.60	
11/3/2022	3.40	674.43	
11/16/2023	3.80	674.03	
5/28/2024	2.28	675.55	

KMW-4 Shallow Flushmount			
Ground Elevation			670.76
Top of Casing Elevation			670.15
Top of Screen Elevation			667.15
Bottom of Screen Elevation			652.15
Date	Depth To Water	Groundwater Elevation	Comments
			not installed
12/8/2017	17.55	652.60	
3/20/2018	13.28	656.87	
6/28/2018	8.70	661.45	
6/21/2019	9.62	660.53	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	9.96	660.19	
11/3/2022	16.50	653.65	
11/16/2023	17.70	652.45	
5/28/2024	9.94	660.21	

KMW-5 Shallow Stick-up			
Ground Elevation			671.94
Top of Casing Elevation			671.61
Top of Screen Elevation			666.36
Bottom of Screen Elevation			651.36
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	dry		
3/20/2018	17.20	654.41	
6/27/2018	10.98	660.63	
6/21/2019	11.09	660.52	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	9.41	662.20	
11/3/2022	12.04	659.57	
11/16/2023	11.89	659.72	
5/28/2024	10.81	660.80	

KMW-6 Shallow Flushmount			
Ground Elevation			672.06
Top of Casing Elevation			671.61
Top of Screen Elevation			668.91
Bottom of Screen Elevation			653.91
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	dry		
3/20/2018	5.83	665.78	
6/27/2018	3.30	668.31	
6/21/2019	NM	-	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	15.94	655.67	
11/3/2022	12.47	659.14	
11/16/2023	11.89	659.72	
5/28/2024	13.84	657.77	

KPZ-1 Deep Flushmount			
Ground Elevation			670.80
Top of Casing Elevation			670.26
Top of Screen Elevation			647.96
Bottom of Screen Elevation			637.96
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	19.15	651.11	
3/20/2018	19.30	650.96	KPZ-2 TD in field notes
6/28/2018	18.18	652.08	
6/21/2019	17.21	653.05	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	18.73	651.53	
11/3/2022	18.67	651.59	
11/16/2023	18.84	651.42	
5/28/2024	17.19	653.07	

KPZ-2 Deep Stick-up			
Ground Elevation			672.18
Top of Casing Elevation			671.92
Top of Screen Elevation			644.62
Bottom of Screen Elevation			634.62
Date	Depth To Water	Groundwater Elevation	Comments
12/8/2017	19.50	652.42	
3/21/2018	18.42	653.50	KPZ-1 TD in field notes
6/28/2018	16.33	655.59	
6/21/2019	15.98	655.94	
1/27/2020	NM	-	LF Green sampled DF Property
4/14/2022	16.77	655.15	
11/3/2022	16.99	654.93	
11/16/2023	16.75	655.17	
5/28/2024	16.04	655.88	

PZ-3 Deep Flushmount			
Date Installed			11/27/2017
Ground Elevation			672.01
Top of Casing Elevation			671.49
Top of Screen Elevation			649.19
Bottom of Screen Elevation			639.19
Date	Depth To Water	Groundwater Elevation	Comments
5/28/2024	15.13	655.13	

PZ-4 Deep Flushmount			
Date Installed			11/27/2017
Ground Elevation			667.25
Top of Casing Elevation			667.04
Top of Screen Elevation			639.74
Bottom of Screen Elevation			629.74
Date	Depth To Water	Groundwater Elevation	Comments
5/28/2024	12.58	659.34	

Notes:

Top of Casing and Ground Elevations were obtained from a December 2017 and April 2018 land survey, except where noted.

NM = Not Measured

dry = Well did not have measurable water in casing.

TABLE 3

Geochemical Indicator Parameter Measurements

Former Kitzinger Site

2529 East Norwich Avenue, St. Francis, Wisconsin

BRRS 02-41-560089

MW-1						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
4/14/2021	6.98	1.220	0.19	7.2	-019.3	282.7
11/4/2022	7.45	1.041	0.78	14.6	179.9	58.72
5/29/2024	7.00	0.988	0.38	12.4	-045.5	14.62

MW-2						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	not measured- NAPL present					
6/28/2018	not measured/not sampled					
4/15/2022	6.17	2.278	0.46	9.0	-028.2	23.1
11/7/2022	6.58	1.394	0.71	12.7	176.0	4.03
5/30/2024	6.48	1.043	0.65	11.5	-056.7	18.44

PMW-2						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
4/15/2022	6.32	2.927	1.45	10.0	-047.1	13.7
11/7/2022	6.94	1.042	0.62	12.0	143.7	5.09
5/30/2024	6.45	1.236	0.33	11.3	-118.0	24.05

TABLE 3

Geochemical Indicator Parameter Measurements

Former Kitzinger Site

2529 East Norwich Avenue, St. Francis, Wisconsin

BRRTS 02-41-560089

MW-8						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	7.23	0.609	5.21	9.3	-071.0	12.0
6/28/2018	not measured/not sampled					
4/14/2022	abandoned					

PMW-8						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
4/14/2022	7.01	0.828	0.34	9.4	-074.7	72.1
11/4/2022	7.63	0.799	0.81	14.6	154.9	33.3
5/29/2024	7.27	0.83	0.32	10.7	-193.2	94.3

MW-14						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	not measured- 1.0 feet of water column in well					
6/28/2018	not measured/not sampled					
4/15/2022	6.87	2.047	6.99	8.4	207.3	1.6
11/7/2022	7.20	1.651	1.07	15.2	202.0	1.07
5/29/2024	6.91	2.140	27.0	12.2	191.8	5.04

TABLE 3

Geochemical Indicator Parameter Measurements

Former Kitzinger Site

2529 East Norwich Avenue, St. Francis, Wisconsin

BRRTS 02-41-560089

MW-15						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	not measured- NAPL present					
6/28/2018	not measured/not sampled					
4/15/2022	6.42	3.555	0.06	7.8	-086.7	71.3
11/7/2022	7.13	2.373	0.83	15.9	162.4	11.13
5/29/2024	6.74	2.460	2.7	11.8	-228.1	18.00

SMW-3						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	not measured/not sampled					
6/28/2018	6.98	0.828	0.30	13.2	-098.0	34.2
4/15/2022	not measured/not sampled; well damaged					
11/3/2022	Well Abandoned 11/3/2022					

SMW-3R						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
5/30/2024	6.88	1.003	0.29	13.2	-085.5	7.43

TABLE 3

Geochemical Indicator Parameter Measurements

Former Kitzinger Site

2529 East Norwich Avenue, St. Francis, Wisconsin

BRRS 02-41-560089

SMW-4						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	7.36	0.508	5.65	10.0	-074.0	33.0
6/28/2018	6.87	0.612	0.23	14.6	024.0	57.1
4/15/2022	6.97	1.262	2.11	9.6	-056.3	7.19
11/7/2022	7.02	0.627	0.82	11.1	179.0	5.41
5/30/2024	6.64	0.556	0.31	11.8	-035.0	68.99

SPM-4						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	7.35	0.956	5.12	9.2	-098.0	11.6
6/28/2018	7.12	1.130	0.47	13.4	-041.0	27.0
4/15/2022	6.83	0.628	1.43	9.8	-015.2	26.4
11/7/2022	7.29	1.062	0.94	10.0	178.8	2.38
5/30/2024	6.89	1.224	0.34	11.4	-095.6	23.18

KMW-1						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
4/15/2022	not measured/not sampled; inaccessible					
11/4/2022	7.08	2.285	0.97	14.4	219.9	4.32
5/28/2024	6.81	2.755	0.46	10.2	149.2	25.73

TABLE 3

Geochemical Indicator Parameter Measurements

Former Kitzinger Site

2529 East Norwich Avenue, St. Francis, Wisconsin

BRRS 02-41-560089

KMW-2						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	7.27	0.962	14.84	14.3	-089.0	11.1
6/27/2018	7.38	1.391	0.69	17.8	-015.0	8.0
4/15/2022	not measured/not sampled; inaccessible					
11/4/2022	7.58	1.004	1.34	14.2	184.3	8.24
5/28/2024	7.19	1.389	0.37	11.8	015.8	22.90

KMW-3						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	7.38	1.820	1.55	16.2	097.0	27.9
6/27/2018	7.03	2.450	0.93	18.5	022.0	27.5
4/14/2022	6.87	2.076	1.19	7.8	054.8	19.2
11/7/2022	7.22	2.269	1.42	12.9	265.2	4.71
5/29/2024	6.91	2.975	0.46	11.0	037.0	20.55

KMW-4						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	not measured- 0.5 feet of water column in well					
6/28/2018	6.93	2.290	0.32	12.6	065.0	36.9
4/15/2022	6.90	2.455	8.67	7.0	232.9	1.47
11/7/2022	6.98	2.888	3.09	13.0	221.7	3.81
5/28/2024	6.81	2.782	1.36	10.9	195.8	8.73

TABLE 3

Geochemical Indicator Parameter Measurements

Former Kitzinger Site

2529 East Norwich Avenue, St. Francis, Wisconsin

BRRTS 02-41-560089

KMW-5						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	not measured- dry well					
6/27/2018	6.98	1.260	0.85	13.3	040.0	26.4
4/14/2022	6.74	0.821	8.43	6.8	192.3	10.0
11/4/2022	7.24	0.974	0.96	14.8	182.0	11.36
5/29/2024	6.93	0.989	0.44	10.6	129.0	11.70

KMW-6						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	not measured- dry well					
6/27/2018	7.14	1.690	1.98	14.0	016.0	36.5
4/15/2022	6.87	1.032	0.78	7.9	003.6	4.37
11/7/2022	7.09	1.207	1.12	15.0	220.7	4.22
5/29/2024	7.03	1.131	0.37	11.7	-014.1	10.19

KPZ-1						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/ Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	7.41	0.980	3.58	9.3	130.0	15.8
6/28/2018	7.33	1.239	1.11	13.2	053.0	22.5
4/15/2022	7.17	1.145	2.01	8.4	239.1	4.12
11/7/2022	7.50	0.996	0.82	12.3	186.0	6.77
5/28/2024	7.28	1.100	7.57	11.9	185.9	22.10

TABLE 3

Geochemical Indicator Parameter Measurements

Former Kitzinger Site

2529 East Norwich Avenue, St. Francis, Wisconsin

BRRS 02-41-560089

KPZ-2						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
12/8/2017	7.96	0.115	8.46	9.8	115.0	1.60
6/28/2018	8.03	0.403	0.57	16.1	029.0	28.1
4/15/2022	7.92	0.387	1.86	8.3	174.3	2.24
11/7/2022	8.14	0.312	0.89	11.3	170.0	1.75
5/29/2024	8.02	0.324	0.41	10.7	082.6	18.41

PZ-3						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
5/29/2024	7.40	0.516	3.70	12.5	153.0	10.71

PZ-4						
Field Measurements						
Date Sampled	pH	Conductivity	Dissovled Oxygen	Temperature	Reduction/Oxidation Potential	Turbidity
	SU	mS/cm	mg/L	° Celsius	mV	NTU
5/29/2024	6.74	2.186	2.90	11.9	140.2	7.16

NOTES:
 LNAPL = light non-aqueous phase liquid (ie. free-phase hydrocarbons, or free product)
 SU = standard units
 mS/cm = milliSiemens per centimeter
 mV = millivolts
 NTU = Normal Turbidity Unit
 NM = not measured
 mg/L = milligrams/liter

TABLE 4
Groundwater Sampling Analytical Results
Former Kitzinger Site
2529 East Norwich Avenue, St. Francis, Wisconsin
BRRTS 02-41-560089

Date Collected	Benzene	n-Butyl benzene	sec-Butyl benzene	tert-Butyl benzene	Chloroethane	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	trans-1,2-DCE	Ethylbenzene	Isopropyl benzene (Cumene)	p-Isopropyl toluene	Methylene Chloride	Naphthalene	n-Propyl benzene	PCE	Toluene	1,1,1-TCA	1,1,2-TCA	TCE	1,2,4-TMB	1,3,5-TMB	Vinyl chloride	Xylenes	
NR 140 ES	5.0	NS	NS	NS	400	6.0	850	5.0	7.0	70	100	700	NS	NS	5.0	100	NS	5.0	800	200	5.0	5.0	480		0.2	2,000	
NR 140 PAL	0.5	NS	NS	NS	80	0.6	85	0.5	0.7	7.0	20	140	NS	NS	0.5	10	NS	0.5	160	40	0.5	0.5	96		0.02	400	
PZ-4	5/29/24	<0.3	<0.71	<0.33	<0.37	<0.62	<0.33	28.5	<0.43	<u>1.18J</u>	<u>38</u>	1.37J	<0.33	<0.34	<0.47	<0.79	<1.4	<0.39	8.9	<0.33	19.1	<0.42	117	<0.35	<0.41	3.4	<1.01
	5/29/24 D	<0.3	<0.71	<0.33	<0.37	<0.62	<0.33	26.6	<0.43	<u>0.82J</u>	<u>32</u>	1.07J	<0.33	<0.34	<0.47	<0.79	<1.4	<0.39	8.5	<0.33	15.6	<0.42	108	<0.35	<0.41	2.51	<1.01

Notes

All results are expressed in micrograms per liter (µg/L), equivalent to parts per billion (ppb).

Results presented in *underlined italic type* exceed the NR 140 PAL

Results presented in **bold type** exceed the NR 140 ES

J - Results between the limit of detection and limit of quantitation

NS - No Standard

DCA - Dichloroethane

DCE - Dichloroethene

PCE - Tetrachloroethene

TCA - Trichloroethane

TCE - Trichloroethene

TMB - Trimethylbenzenes

VOCs - volatile organic compounds

NR 140 PAL - Wisconsin Administrative Code Chapter NR 140 Preventive Action Limit (February 2017)

NR 140 ES - Wisconsin Administrative Code Chapter NR 140 Enforcement Standard (February 2017)

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

KURT MCCLUNG
ENDPOINT SOLUTIONS
6871 SOUTH LOVER'S LANE
FRANKLIN, WI 53132

Report Date 09-May-24

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913A
Sample ID GP24-1 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	81.1	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/3/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/3/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/3/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/3/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/3/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/3/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/3/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/3/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913A
Sample ID GP24-1 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/3/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/3/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/3/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/3/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/3/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/3/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/3/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	95	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	103	Rec %			1	8260B		5/3/2024	CJR	1
SUR - Dibromofluoromethane	92	Rec %			1	8260B		5/3/2024	CJR	1
SUR - Toluene-d8	99	Rec %			1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913B
Sample ID GP24-1 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.9	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/3/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/3/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/3/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/3/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/3/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/3/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/3/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/3/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/3/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/3/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/3/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/3/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913B
Sample ID GP24-1 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/3/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/3/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/3/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
SUR - Toluene-d8	105	Rec %			1	8260B		5/3/2024	CJR	1
SUR - Dibromofluoromethane	101	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	108	Rec %			1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913C
Sample ID GP24-1 (13-15)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.9	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/3/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/3/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/3/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/3/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/3/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/3/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/3/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/3/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/3/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/3/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/3/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/3/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913C
Sample ID GP24-1 (13-15)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/3/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/3/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/3/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		5/3/2024	CJR	1
SUR - Dibromofluoromethane	89	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	103	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	101	Rec %			1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913D
Sample ID GP24-2 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	79.1	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	0.039 "J"	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	0.133 "J"	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913D
Sample ID GP24-2 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	0.53	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	0.051 "J"	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	105	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913E
Sample ID GP24-2 (6-8)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.3	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/3/2024	CJR	1
sec-Butylbenzene	0.095 "J"	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
n-Butylbenzene	0.059 "J"	mg/kg	0.029	0.12	1	8260B		5/3/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/3/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/3/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/3/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/3/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/3/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/3/2024	CJR	1
cis-1,2-Dichloroethene	0.264	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/3/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Isopropylbenzene	0.105 "J"	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/3/2024	CJR	1
n-Propylbenzene	0.034 "J"	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/3/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/3/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913E
Sample ID GP24-2 (6-8)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/3/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/3/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/3/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		5/3/2024	CJR	1
SUR - Dibromofluoromethane	91	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	98	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	108	Rec %			1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913F
Sample ID GP24-2 (11-13)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.1	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/3/2024	CJR	1
sec-Butylbenzene	0.38	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
n-Butylbenzene	0.56	mg/kg	0.029	0.12	1	8260B		5/3/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/3/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/3/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/3/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/3/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/3/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/3/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/3/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethane	0.106 "J"	mg/kg	0.033	0.13	1	8260B		5/3/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/3/2024	CJR	1
cis-1,2-Dichloroethene	1.99	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/3/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
Ethylbenzene	0.074 "J"	mg/kg	0.023	0.096	1	8260B		5/3/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Isopropylbenzene	0.40	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
p-Isopropyltoluene	0.67	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
Naphthalene	0.33 "J"	mg/kg	0.12	0.38	1	8260B		5/3/2024	CJR	1
n-Propylbenzene	0.57	mg/kg	0.025	0.1	1	8260B		5/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/3/2024	CJR	1
Tetrachloroethene	0.37	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/3/2024	CJR	1
1,1,1-Trichloroethane	0.273	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913F
Sample ID GP24-2 (11-13)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/3/2024	CJR	1
Trichloroethene (TCE)	0.97	mg/kg	0.039	0.16	1	8260B		5/3/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/3/2024	CJR	1
1,2,4-Trimethylbenzene	4.8	mg/kg	0.035	0.14	1	8260B		5/3/2024	CJR	1
1,3,5-Trimethylbenzene	0.89	mg/kg	0.031	0.13	1	8260B		5/3/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/3/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/3/2024	CJR	1
o-Xylene	0.077 "J"	mg/kg	0.03	0.12	1	8260B		5/3/2024	CJR	1
SUR - Toluene-d8	101	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	97	Rec %			1	8260B		5/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	99	Rec %			1	8260B		5/3/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			1	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913G
Sample ID GP24-3 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	76.5	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.25	mg/kg	0.25		1	10 8260B		5/3/2024	CJR	1
Bromobenzene	< 0.4	mg/kg	0.4		1.6	10 8260B		5/3/2024	CJR	1
Bromodichloromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/3/2024	CJR	1
Bromoform	< 0.35	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
tert-Butylbenzene	< 0.33	mg/kg	0.33		1.4	10 8260B		5/3/2024	CJR	1
sec-Butylbenzene	0.44 "J"	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
n-Butylbenzene	1.14 "J"	mg/kg	0.29		1.2	10 8260B		5/3/2024	CJR	1
Carbon Tetrachloride	< 0.32	mg/kg	0.32		1.3	10 8260B		5/3/2024	CJR	1
Chlorobenzene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/3/2024	CJR	1
Chloroethane	< 1	mg/kg	1		4.1	10 8260B		5/3/2024	CJR	1
Chloroform	< 0.32	mg/kg	0.32		1.3	10 8260B		5/3/2024	CJR	1
Chloromethane	< 0.64	mg/kg	0.64		2.6	10 8260B		5/3/2024	CJR	1
2-Chlorotoluene	< 0.34	mg/kg	0.34		1.4	10 8260B		5/3/2024	CJR	1
4-Chlorotoluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.55	mg/kg	0.55		2.2	10 8260B		5/3/2024	CJR	1
Dibromochloromethane	< 0.38	mg/kg	0.38		1.6	10 8260B		5/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.36	mg/kg	0.36		1.5	10 8260B		5/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.26	mg/kg	0.26		1.1	10 8260B		5/3/2024	CJR	1
Dichlorodifluoromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/3/2024	CJR	1
1,2-Dichloroethane	< 0.42	mg/kg	0.42		1.7	10 8260B		5/3/2024	CJR	1
1,1-Dichloroethane	2.8	mg/kg	0.33		1.3	10 8260B		5/3/2024	CJR	1
1,1-Dichloroethene	< 0.49	mg/kg	0.49		2	10 8260B		5/3/2024	CJR	1
cis-1,2-Dichloroethene	4.7	mg/kg	0.27		1.1	10 8260B		5/3/2024	CJR	1
trans-1,2-Dichloroethene	0.69 "J"	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
1,2-Dichloropropane	< 0.4	mg/kg	0.4		1.6	10 8260B		5/3/2024	CJR	1
1,3-Dichloropropane	< 0.31	mg/kg	0.31		1.3	10 8260B		5/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
Di-isopropyl ether	< 0.28	mg/kg	0.28		1.1	10 8260B		5/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.25	mg/kg	0.25		1	10 8260B		5/3/2024	CJR	1
Ethylbenzene	1.13	mg/kg	0.23		0.96	10 8260B		5/3/2024	CJR	1
Hexachlorobutadiene	< 1	mg/kg	1		4.2	10 8260B		5/3/2024	CJR	1
Isopropylbenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
p-Isopropyltoluene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
Methylene chloride	< 1	mg/kg	1		4.2	10 8260B		5/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.36	mg/kg	0.36		1.5	10 8260B		5/3/2024	CJR	1
Naphthalene	1.52 "J"	mg/kg	1.2		3.8	10 8260B		5/3/2024	CJR	1
n-Propylbenzene	0.54 "J"	mg/kg	0.25		1	10 8260B		5/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.41	mg/kg	0.41		1.7	10 8260B		5/3/2024	CJR	1
Tetrachloroethene	2.86	mg/kg	0.39		1.6	10 8260B		5/3/2024	CJR	1
Toluene	1.09 "J"	mg/kg	0.31		1.3	10 8260B		5/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.45	mg/kg	0.45		1.8	10 8260B		5/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.8	mg/kg	1.8		5.6	10 8260B		5/3/2024	CJR	1
1,1,1-Trichloroethane	1.35	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913G
Sample ID GP24-3 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.37	mg/kg	0.37	1.5	10	8260B		5/3/2024	CJR	1
Trichloroethene (TCE)	5.8	mg/kg	0.39	1.6	10	8260B		5/3/2024	CJR	1
Trichlorofluoromethane	< 0.66	mg/kg	0.66	2.7	10	8260B		5/3/2024	CJR	1
1,2,4-Trimethylbenzene	5.0	mg/kg	0.35	1.4	10	8260B		5/3/2024	CJR	1
1,3,5-Trimethylbenzene	2.05	mg/kg	0.31	1.3	10	8260B		5/3/2024	CJR	1
Vinyl Chloride	2.7	mg/kg	0.36	1.5	10	8260B		5/3/2024	CJR	1
m&p-Xylene	2.61	mg/kg	0.62	2.5	10	8260B		5/3/2024	CJR	1
o-Xylene	3.7	mg/kg	0.3	1.2	10	8260B		5/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	93	Rec %			10	8260B		5/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	109	Rec %			10	8260B		5/3/2024	CJR	1
SUR - Dibromofluoromethane	89	Rec %			10	8260B		5/3/2024	CJR	1
SUR - Toluene-d8	106	Rec %			10	8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913H
Sample ID GP24-3 (8-10)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.7	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.25	mg/kg	0.25		1	10 8260B		5/3/2024	CJR	1
Bromobenzene	< 0.4	mg/kg	0.4		1.6	10 8260B		5/3/2024	CJR	1
Bromodichloromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/3/2024	CJR	1
Bromoform	< 0.35	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
tert-Butylbenzene	< 0.33	mg/kg	0.33		1.4	10 8260B		5/3/2024	CJR	1
sec-Butylbenzene	2.13	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
n-Butylbenzene	4.6	mg/kg	0.29		1.2	10 8260B		5/3/2024	CJR	1
Carbon Tetrachloride	< 0.32	mg/kg	0.32		1.3	10 8260B		5/3/2024	CJR	1
Chlorobenzene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/3/2024	CJR	1
Chloroethane	< 1	mg/kg	1		4.1	10 8260B		5/3/2024	CJR	1
Chloroform	< 0.32	mg/kg	0.32		1.3	10 8260B		5/3/2024	CJR	1
Chloromethane	< 0.64	mg/kg	0.64		2.6	10 8260B		5/3/2024	CJR	1
2-Chlorotoluene	< 0.34	mg/kg	0.34		1.4	10 8260B		5/3/2024	CJR	1
4-Chlorotoluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.55	mg/kg	0.55		2.2	10 8260B		5/3/2024	CJR	1
Dibromochloromethane	< 0.38	mg/kg	0.38		1.6	10 8260B		5/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.36	mg/kg	0.36		1.5	10 8260B		5/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.26	mg/kg	0.26		1.1	10 8260B		5/3/2024	CJR	1
Dichlorodifluoromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/3/2024	CJR	1
1,2-Dichloroethane	< 0.42	mg/kg	0.42		1.7	10 8260B		5/3/2024	CJR	1
1,1-Dichloroethane	< 0.33	mg/kg	0.33		1.3	10 8260B		5/3/2024	CJR	1
1,1-Dichloroethene	< 0.49	mg/kg	0.49		2	10 8260B		5/3/2024	CJR	1
cis-1,2-Dichloroethene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/3/2024	CJR	1
trans-1,2-Dichloroethene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
1,2-Dichloropropane	< 0.4	mg/kg	0.4		1.6	10 8260B		5/3/2024	CJR	1
1,3-Dichloropropane	< 0.31	mg/kg	0.31		1.3	10 8260B		5/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
Di-isopropyl ether	< 0.28	mg/kg	0.28		1.1	10 8260B		5/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.25	mg/kg	0.25		1	10 8260B		5/3/2024	CJR	1
Ethylbenzene	0.55 "J"	mg/kg	0.23		0.96	10 8260B		5/3/2024	CJR	1
Hexachlorobutadiene	< 1	mg/kg	1		4.2	10 8260B		5/3/2024	CJR	1
Isopropylbenzene	0.60 "J"	mg/kg	0.35		1.4	10 8260B		5/3/2024	CJR	1
p-Isopropyltoluene	7.6	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
Methylene chloride	< 1	mg/kg	1		4.2	10 8260B		5/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.36	mg/kg	0.36		1.5	10 8260B		5/3/2024	CJR	1
Naphthalene	< 1.2	mg/kg	1.2		3.8	10 8260B		5/3/2024	CJR	1
n-Propylbenzene	1.56	mg/kg	0.25		1	10 8260B		5/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.41	mg/kg	0.41		1.7	10 8260B		5/3/2024	CJR	1
Tetrachloroethene	< 0.39	mg/kg	0.39		1.6	10 8260B		5/3/2024	CJR	1
Toluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.45	mg/kg	0.45		1.8	10 8260B		5/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.8	mg/kg	1.8		5.6	10 8260B		5/3/2024	CJR	1
1,1,1-Trichloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913H
Sample ID GP24-3 (8-10)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.37	mg/kg	0.37	1.5	10	8260B	5/3/2024	5/3/2024	CJR	1
Trichloroethene (TCE)	< 0.39	mg/kg	0.39	1.6	10	8260B	5/3/2024	5/3/2024	CJR	1
Trichlorofluoromethane	< 0.66	mg/kg	0.66	2.7	10	8260B	5/3/2024	5/3/2024	CJR	1
1,2,4-Trimethylbenzene	8.5	mg/kg	0.35	1.4	10	8260B	5/3/2024	5/3/2024	CJR	1
1,3,5-Trimethylbenzene	2.68	mg/kg	0.31	1.3	10	8260B	5/3/2024	5/3/2024	CJR	1
Vinyl Chloride	< 0.36	mg/kg	0.36	1.5	10	8260B	5/3/2024	5/3/2024	CJR	1
m&p-Xylene	0.83 "J"	mg/kg	0.62	2.5	10	8260B	5/3/2024	5/3/2024	CJR	1
o-Xylene	0.50 "J"	mg/kg	0.3	1.2	10	8260B	5/3/2024	5/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	92	Rec %			10	8260B	5/3/2024	5/3/2024	CJR	1
SUR - Toluene-d8	104	Rec %			10	8260B	5/3/2024	5/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	Rec %			10	8260B	5/3/2024	5/3/2024	CJR	1
SUR - Dibromofluoromethane	90	Rec %			10	8260B	5/3/2024	5/3/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913I
Sample ID GP24-4 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.5	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.25	mg/kg	0.25		1	10 8260B		5/4/2024	CJR	1
Bromobenzene	< 0.4	mg/kg	0.4		1.6	10 8260B		5/4/2024	CJR	1
Bromodichloromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/4/2024	CJR	1
Bromoform	< 0.35	mg/kg	0.35		1.4	10 8260B		5/4/2024	CJR	1
tert-Butylbenzene	< 0.33	mg/kg	0.33		1.4	10 8260B		5/4/2024	CJR	1
sec-Butylbenzene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/4/2024	CJR	1
n-Butylbenzene	< 0.29	mg/kg	0.29		1.2	10 8260B		5/4/2024	CJR	1
Carbon Tetrachloride	< 0.32	mg/kg	0.32		1.3	10 8260B		5/4/2024	CJR	1
Chlorobenzene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/4/2024	CJR	1
Chloroethane	< 1	mg/kg	1		4.1	10 8260B		5/4/2024	CJR	1
Chloroform	< 0.32	mg/kg	0.32		1.3	10 8260B		5/4/2024	CJR	1
Chloromethane	< 0.64	mg/kg	0.64		2.6	10 8260B		5/4/2024	CJR	1
2-Chlorotoluene	< 0.34	mg/kg	0.34		1.4	10 8260B		5/4/2024	CJR	1
4-Chlorotoluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.55	mg/kg	0.55		2.2	10 8260B		5/4/2024	CJR	1
Dibromochloromethane	< 0.38	mg/kg	0.38		1.6	10 8260B		5/4/2024	CJR	1
1,4-Dichlorobenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/4/2024	CJR	1
1,3-Dichlorobenzene	< 0.36	mg/kg	0.36		1.5	10 8260B		5/4/2024	CJR	1
1,2-Dichlorobenzene	< 0.26	mg/kg	0.26		1.1	10 8260B		5/4/2024	CJR	1
Dichlorodifluoromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/4/2024	CJR	1
1,2-Dichloroethane	< 0.42	mg/kg	0.42		1.7	10 8260B		5/4/2024	CJR	1
1,1-Dichloroethane	< 0.33	mg/kg	0.33		1.3	10 8260B		5/4/2024	CJR	1
1,1-Dichloroethene	< 0.49	mg/kg	0.49		2	10 8260B		5/4/2024	CJR	1
cis-1,2-Dichloroethene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/4/2024	CJR	1
trans-1,2-Dichloroethene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/4/2024	CJR	1
1,2-Dichloropropane	< 0.4	mg/kg	0.4		1.6	10 8260B		5/4/2024	CJR	1
1,3-Dichloropropane	< 0.31	mg/kg	0.31		1.3	10 8260B		5/4/2024	CJR	1
trans-1,3-Dichloropropene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/4/2024	CJR	1
cis-1,3-Dichloropropene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/4/2024	CJR	1
Di-isopropyl ether	< 0.28	mg/kg	0.28		1.1	10 8260B		5/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.25	mg/kg	0.25		1	10 8260B		5/4/2024	CJR	1
Ethylbenzene	< 0.23	mg/kg	0.23		0.96	10 8260B		5/4/2024	CJR	1
Hexachlorobutadiene	< 1	mg/kg	1		4.2	10 8260B		5/4/2024	CJR	1
Isopropylbenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/4/2024	CJR	1
p-Isopropyltoluene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/4/2024	CJR	1
Methylene chloride	< 1	mg/kg	1		4.2	10 8260B		5/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.36	mg/kg	0.36		1.5	10 8260B		5/4/2024	CJR	1
Naphthalene	< 1.2	mg/kg	1.2		3.8	10 8260B		5/4/2024	CJR	1
n-Propylbenzene	< 0.25	mg/kg	0.25		1	10 8260B		5/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.41	mg/kg	0.41		1.7	10 8260B		5/4/2024	CJR	1
Tetrachloroethene	1.39 "J"	mg/kg	0.39		1.6	10 8260B		5/4/2024	CJR	1
Toluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.45	mg/kg	0.45		1.8	10 8260B		5/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.8	mg/kg	1.8		5.6	10 8260B		5/4/2024	CJR	1
1,1,1-Trichloroethane	9.0	mg/kg	0.3		1.2	10 8260B		5/4/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913I
Sample ID GP24-4 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.37	mg/kg	0.37	1.5	10	8260B	5/4/2024	5/4/2024	CJR	1
Trichloroethene (TCE)	11.7	mg/kg	0.39	1.6	10	8260B	5/4/2024	5/4/2024	CJR	1
Trichlorofluoromethane	< 0.66	mg/kg	0.66	2.7	10	8260B	5/4/2024	5/4/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	mg/kg	0.35	1.4	10	8260B	5/4/2024	5/4/2024	CJR	1
1,3,5-Trimethylbenzene	0.49 "J"	mg/kg	0.31	1.3	10	8260B	5/4/2024	5/4/2024	CJR	1
Vinyl Chloride	< 0.36	mg/kg	0.36	1.5	10	8260B	5/4/2024	5/4/2024	CJR	1
m&p-Xylene	< 0.62	mg/kg	0.62	2.5	10	8260B	5/4/2024	5/4/2024	CJR	1
o-Xylene	0.34 "J"	mg/kg	0.3	1.2	10	8260B	5/4/2024	5/4/2024	CJR	1
SUR - Toluene-d8	106	Rec %			10	8260B	5/4/2024	5/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	102	Rec %			10	8260B	5/4/2024	5/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	Rec %			10	8260B	5/4/2024	5/4/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			10	8260B	5/4/2024	5/4/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913J
Sample ID GP24-4 (8-10)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.4	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.25	mg/kg	0.25		1	10 8260B		5/8/2024	CJR	1
Bromobenzene	< 0.4	mg/kg	0.4		1.6	10 8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/8/2024	CJR	1
Bromoform	< 0.35	mg/kg	0.35		1.4	10 8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.33	mg/kg	0.33		1.4	10 8260B		5/8/2024	CJR	1
sec-Butylbenzene	4.1	mg/kg	0.3		1.2	10 8260B		5/8/2024	CJR	1
n-Butylbenzene	11.2	mg/kg	0.29		1.2	10 8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.32	mg/kg	0.32		1.3	10 8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/8/2024	CJR	1
Chloroethane	< 1	mg/kg	1		4.1	10 8260B		5/8/2024	CJR	1
Chloroform	< 0.32	mg/kg	0.32		1.3	10 8260B		5/8/2024	CJR	1
Chloromethane	< 0.64	mg/kg	0.64		2.6	10 8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.34	mg/kg	0.34		1.4	10 8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.55	mg/kg	0.55		2.2	10 8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.38	mg/kg	0.38		1.6	10 8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.36	mg/kg	0.36		1.5	10 8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.26	mg/kg	0.26		1.1	10 8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.42	mg/kg	0.42		1.7	10 8260B		5/8/2024	CJR	1
1,1-Dichloroethane	6.1	mg/kg	0.33		1.3	10 8260B		5/8/2024	CJR	1
1,1-Dichloroethene	0.70 "J"	mg/kg	0.49		2	10 8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	23.3	mg/kg	0.27		1.1	10 8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.4	mg/kg	0.4		1.6	10 8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.31	mg/kg	0.31		1.3	10 8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.28	mg/kg	0.28		1.1	10 8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.25	mg/kg	0.25		1	10 8260B		5/8/2024	CJR	1
Ethylbenzene	56	mg/kg	0.23		0.96	10 8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 1	mg/kg	1		4.2	10 8260B		5/8/2024	CJR	1
Isopropylbenzene	4.3	mg/kg	0.35		1.4	10 8260B		5/8/2024	CJR	1
p-Isopropyltoluene	12.7	mg/kg	0.3		1.2	10 8260B		5/8/2024	CJR	1
Methylene chloride	< 1	mg/kg	1		4.2	10 8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.36	mg/kg	0.36		1.5	10 8260B		5/8/2024	CJR	1
Naphthalene	7.3	mg/kg	1.2		3.8	10 8260B		5/8/2024	CJR	1
n-Propylbenzene	9.6	mg/kg	0.25		1	10 8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.41	mg/kg	0.41		1.7	10 8260B		5/8/2024	CJR	1
Tetrachloroethene	0.97 "J"	mg/kg	0.39		1.6	10 8260B		5/8/2024	CJR	1
Toluene	38	mg/kg	0.31		1.3	10 8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.45	mg/kg	0.45		1.8	10 8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.8	mg/kg	1.8		5.6	10 8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	58	mg/kg	0.3		1.2	10 8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913J
Sample ID GP24-4 (8-10)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.37	mg/kg	0.37	1.5	10	8260B	5/8/2024	5/8/2024	CJR	1
Trichloroethene (TCE)	< 0.39	mg/kg	0.39	1.6	10	8260B	5/8/2024	5/8/2024	CJR	1
Trichlorofluoromethane	< 0.66	mg/kg	0.66	2.7	10	8260B	5/8/2024	5/8/2024	CJR	1
1,2,4-Trimethylbenzene	92	mg/kg	0.35	1.4	10	8260B	5/8/2024	5/8/2024	CJR	1
1,3,5-Trimethylbenzene	22.7	mg/kg	0.31	1.3	10	8260B	5/8/2024	5/8/2024	CJR	1
Vinyl Chloride	1.8	mg/kg	0.36	1.5	10	8260B	5/8/2024	5/8/2024	CJR	1
m&p-Xylene	192	mg/kg	0.62	2.5	10	8260B	5/8/2024	5/8/2024	CJR	1
o-Xylene	68	mg/kg	0.3	1.2	10	8260B	5/8/2024	5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	95	Rec %			10	8260B	5/8/2024	5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	110	Rec %			10	8260B	5/8/2024	5/8/2024	CJR	1
SUR - Dibromofluoromethane	91	Rec %			10	8260B	5/8/2024	5/8/2024	CJR	1
SUR - Toluene-d8	99	Rec %			10	8260B	5/8/2024	5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913K
Sample ID GP24-5 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.4	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	0.034 "J"	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	0.84	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	0.032 "J"	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	0.077 "J"	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913K
Sample ID GP24-5 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	0.96	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	0.056 "J"	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	0.139 "J"	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	0.073 "J"	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	103	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	102	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	96	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913L
Sample ID GP24-5 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	64.6	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	19.5	mg/kg	2.5		10	100	8260B	5/8/2024	CJR	1
Bromobenzene	< 4	mg/kg	4		16	100	8260B	5/8/2024	CJR	1
Bromodichloromethane	< 4.6	mg/kg	4.6		19	100	8260B	5/8/2024	CJR	1
Bromoform	< 3.5	mg/kg	3.5		14	100	8260B	5/8/2024	CJR	1
tert-Butylbenzene	< 3.3	mg/kg	3.3		14	100	8260B	5/8/2024	CJR	1
sec-Butylbenzene	19.9	mg/kg	3		12	100	8260B	5/8/2024	CJR	1
n-Butylbenzene	89	mg/kg	2.9		12	100	8260B	5/8/2024	CJR	1
Carbon Tetrachloride	< 3.2	mg/kg	3.2		13	100	8260B	5/8/2024	CJR	1
Chlorobenzene	< 2.7	mg/kg	2.7		11	100	8260B	5/8/2024	CJR	1
Chloroethane	< 10	mg/kg	10		41	100	8260B	5/8/2024	CJR	1
Chloroform	< 3.2	mg/kg	3.2		13	100	8260B	5/8/2024	CJR	1
Chloromethane	< 6.4	mg/kg	6.4		26	100	8260B	5/8/2024	CJR	1
2-Chlorotoluene	< 3.4	mg/kg	3.4		14	100	8260B	5/8/2024	CJR	1
4-Chlorotoluene	< 3.1	mg/kg	3.1		13	100	8260B	5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 5.5	mg/kg	5.5		22	100	8260B	5/8/2024	CJR	1
Dibromochloromethane	< 3.8	mg/kg	3.8		16	100	8260B	5/8/2024	CJR	1
1,4-Dichlorobenzene	< 3.5	mg/kg	3.5		14	100	8260B	5/8/2024	CJR	1
1,3-Dichlorobenzene	< 3.6	mg/kg	3.6		15	100	8260B	5/8/2024	CJR	1
1,2-Dichlorobenzene	< 2.6	mg/kg	2.6		11	100	8260B	5/8/2024	CJR	1
Dichlorodifluoromethane	< 4.6	mg/kg	4.6		19	100	8260B	5/8/2024	CJR	1
1,2-Dichloroethane	34	mg/kg	4.2		17	100	8260B	5/8/2024	CJR	1
1,1-Dichloroethane	168	mg/kg	3.3		13	100	8260B	5/8/2024	CJR	1
1,1-Dichloroethene	< 4.9	mg/kg	4.9		20	100	8260B	5/8/2024	CJR	1
cis-1,2-Dichloroethene	930	mg/kg	2.7		11	100	8260B	5/8/2024	CJR	1
trans-1,2-Dichloroethene	5.2 "J"	mg/kg	3		12	100	8260B	5/8/2024	CJR	1
1,2-Dichloropropane	< 4	mg/kg	4		16	100	8260B	5/8/2024	CJR	1
1,3-Dichloropropane	< 3.1	mg/kg	3.1		13	100	8260B	5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 2.7	mg/kg	2.7		11	100	8260B	5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 3.5	mg/kg	3.5		14	100	8260B	5/8/2024	CJR	1
Di-isopropyl ether	< 2.8	mg/kg	2.8		11	100	8260B	5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 2.5	mg/kg	2.5		10	100	8260B	5/8/2024	CJR	1
Ethylbenzene	2030	mg/kg	11.5		48	500	8260B	5/9/2024	CJR	1
Hexachlorobutadiene	< 10	mg/kg	10		42	100	8260B	5/8/2024	CJR	1
Isopropylbenzene	73	mg/kg	3.5		14	100	8260B	5/8/2024	CJR	1
p-Isopropyltoluene	23.5	mg/kg	3		12	100	8260B	5/8/2024	CJR	1
Methylene chloride	< 10	mg/kg	10		42	100	8260B	5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 3.6	mg/kg	3.6		15	100	8260B	5/8/2024	CJR	1
Naphthalene	420	mg/kg	12		38	100	8260B	5/8/2024	CJR	1
n-Propylbenzene	76	mg/kg	2.5		10	100	8260B	5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 3	mg/kg	3		12	100	8260B	5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 4.1	mg/kg	4.1		17	100	8260B	5/8/2024	CJR	1
Tetrachloroethene	25.5	mg/kg	3.9		16	100	8260B	5/8/2024	CJR	1
Toluene	1260	mg/kg	3.1		13	100	8260B	5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 4.5	mg/kg	4.5		18	100	8260B	5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 18	mg/kg	18		56	100	8260B	5/8/2024	CJR	1
1,1,1-Trichloroethane	< 3	mg/kg	3		12	100	8260B	5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913L
Sample ID GP24-5 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 3.7	mg/kg	3.7		15 100	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	1010	mg/kg	3.9		16 100	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 6.6	mg/kg	6.6		27 100	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	570	mg/kg	3.5		14 100	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	148	mg/kg	3.1		13 100	8260B		5/8/2024	CJR	1
Vinyl Chloride	66	mg/kg	3.6		15 100	8260B		5/8/2024	CJR	1
m&p-Xylene	9200	mg/kg	31		125 500	8260B		5/9/2024	CJR	1
o-Xylene	3080	mg/kg	15		60 500	8260B		5/9/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	96	Rec %			100	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	108	Rec %			100	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	89	Rec %			100	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	99	Rec %			100	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913M
Sample ID GP24-6 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	65.5	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	0.039 "J"	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	0.104 "J"	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	0.114 "J"	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	0.42	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	0.109	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	0.136 "J"	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	0.064 "J"	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	2.3	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	0.29	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	0.18	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913M
Sample ID GP24-6 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	15.1	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	0.39	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	0.172	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	0.294	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	0.21	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	100	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	92	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	104	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913N
Sample ID GP24-6 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.0	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	0.045 "J"	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	0.60	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	0.97	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	0.44	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	1.66	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	0.83	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913N
Sample ID GP24-6 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	4.7	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	2.78	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	105	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	96	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	93	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	98	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 50439130
Sample ID GP24-7 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	77.1	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	0.033 "J"	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	0.103 "J"	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	0.217	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	0.129 "J"	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	0.37	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	0.104 "J"	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	0.10 "J"	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	0.25	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	0.081 "J"	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	0.141	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	0.60	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	0.077 "J"	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	15.2	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	0.165	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	0.76	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 50439130
Sample ID GP24-7 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	6.3	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	0.61	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	0.298	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	0.86	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	0.44	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	101	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	100	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	102	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913P
Sample ID GP24-7 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	77.9	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	0.221 "J"	mg/kg	0.125	0.5	5	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.2	mg/kg	0.2	0.8	5	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.23	mg/kg	0.23	0.95	5	8260B		5/8/2024	CJR	1
Bromoform	< 0.175	mg/kg	0.175	0.7	5	8260B		5/8/2024	CJR	1
tert-Butylbenzene	0.315 "J"	mg/kg	0.165	0.7	5	8260B		5/8/2024	CJR	1
sec-Butylbenzene	8.6	mg/kg	0.15	0.6	5	8260B		5/8/2024	CJR	1
n-Butylbenzene	20	mg/kg	0.145	0.6	5	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.16	mg/kg	0.16	0.65	5	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.135	mg/kg	0.135	0.55	5	8260B		5/8/2024	CJR	1
Chloroethane	< 0.5	mg/kg	0.5	2.05	5	8260B		5/8/2024	CJR	1
Chloroform	< 0.16	mg/kg	0.16	0.65	5	8260B		5/8/2024	CJR	1
Chloromethane	< 0.32	mg/kg	0.32	1.3	5	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.17	mg/kg	0.17	0.7	5	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.155	mg/kg	0.155	0.65	5	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.275	mg/kg	0.275	1.1	5	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.19	mg/kg	0.19	0.8	5	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.175	mg/kg	0.175	0.7	5	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.18	mg/kg	0.18	0.75	5	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	0.217 "J"	mg/kg	0.13	0.55	5	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.23	mg/kg	0.23	0.95	5	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	0.235 "J"	mg/kg	0.21	0.85	5	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	1.11	mg/kg	0.165	0.65	5	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.245	mg/kg	0.245	1	5	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	2.39	mg/kg	0.135	0.55	5	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.15	mg/kg	0.15	0.6	5	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.2	mg/kg	0.2	0.8	5	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.155	mg/kg	0.155	0.65	5	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.135	mg/kg	0.135	0.55	5	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.175	mg/kg	0.175	0.7	5	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.14	mg/kg	0.14	0.55	5	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.125	mg/kg	0.125	0.5	5	8260B		5/8/2024	CJR	1
Ethylbenzene	71	mg/kg	0.115	0.48	5	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.5	mg/kg	0.5	2.1	5	8260B		5/8/2024	CJR	1
Isopropylbenzene	8.0	mg/kg	0.175	0.7	5	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	8.4	mg/kg	0.15	0.6	5	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.5	mg/kg	0.5	2.1	5	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.18	mg/kg	0.18	0.75	5	8260B		5/8/2024	CJR	1
Naphthalene	21.1	mg/kg	0.6	1.9	5	8260B		5/8/2024	CJR	1
n-Propylbenzene	16.8	mg/kg	0.125	0.5	5	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.15	mg/kg	0.15	0.6	5	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.205	mg/kg	0.205	0.85	5	8260B		5/8/2024	CJR	1
Tetrachloroethene	0.47 "J"	mg/kg	0.195	0.8	5	8260B		5/8/2024	CJR	1
Toluene	68	mg/kg	0.155	0.65	5	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.225	mg/kg	0.225	0.9	5	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.9	mg/kg	0.9	2.8	5	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.15	mg/kg	0.15	0.6	5	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913P
Sample ID GP24-7 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.185	mg/kg	0.185	0.75	5	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	0.282 "J"	mg/kg	0.195	0.8	5	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.33	mg/kg	0.33	1.35	5	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	94	mg/kg	1.75	7	50	8260B		5/9/2024	CJR	1
1,3,5-Trimethylbenzene	27	mg/kg	0.155	0.65	5	8260B		5/8/2024	CJR	1
Vinyl Chloride	1.52	mg/kg	0.18	0.75	5	8260B		5/8/2024	CJR	1
m&p-Xylene	178	mg/kg	3.1	12.5	50	8260B		5/9/2024	CJR	1
o-Xylene	72	mg/kg	1.5	6	50	8260B		5/9/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			5	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	114	Rec %			5	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	88	Rec %			5	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	98	Rec %			5	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913Q
Sample ID GP24-8 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	78.5	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	0.44	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	0.034 "J"	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	0.045 "J"	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	0.085 "J"	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	1.51	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	0.241	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	0.41	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	0.036 "J"	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	0.203 "J"	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	0.069 "J"	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	3.8	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	8.3	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	0.281	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913Q
Sample ID GP24-8 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	22.8	mg/kg	0.39	1.6	10	8260B		5/9/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	0.239	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	0.175	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	1.83	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	0.71	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	111	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	100	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	104	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913R
Sample ID GP24-8 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.6	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913R
Sample ID GP24-8 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	106	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	105	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	91	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	104	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913S
Sample ID GP24-9 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.5	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	0.32	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	0.033 "J"	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913S
Sample ID GP24-9 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	0.70	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	90	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	110	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913T
Sample ID GP24-9 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	81.6	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	0.45	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	0.82	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	1.74	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	2.12	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	1.49	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	1.05	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	1.36	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913T
Sample ID GP24-9 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	8.4	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	2.17	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	62	mg/kg	0.62	2.5	10	8260B		5/9/2024	CJR	1
o-Xylene	1.0	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	87	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	105	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913U
Sample ID GP24-10 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	72.8	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.125	mg/kg	0.125	0.5	5	8260B		5/9/2024	CJR	1
Bromobenzene	< 0.2	mg/kg	0.2	0.8	5	8260B		5/9/2024	CJR	1
Bromodichloromethane	< 0.23	mg/kg	0.23	0.95	5	8260B		5/9/2024	CJR	1
Bromoform	< 0.175	mg/kg	0.175	0.7	5	8260B		5/9/2024	CJR	1
tert-Butylbenzene	< 0.165	mg/kg	0.165	0.7	5	8260B		5/9/2024	CJR	1
sec-Butylbenzene	< 0.15	mg/kg	0.15	0.6	5	8260B		5/9/2024	CJR	1
n-Butylbenzene	< 0.145	mg/kg	0.145	0.6	5	8260B		5/9/2024	CJR	1
Carbon Tetrachloride	< 0.16	mg/kg	0.16	0.65	5	8260B		5/9/2024	CJR	1
Chlorobenzene	< 0.135	mg/kg	0.135	0.55	5	8260B		5/9/2024	CJR	1
Chloroethane	< 0.5	mg/kg	0.5	2.05	5	8260B		5/9/2024	CJR	1
Chloroform	< 0.16	mg/kg	0.16	0.65	5	8260B		5/9/2024	CJR	1
Chloromethane	< 0.32	mg/kg	0.32	1.3	5	8260B		5/9/2024	CJR	1
2-Chlorotoluene	< 0.17	mg/kg	0.17	0.7	5	8260B		5/9/2024	CJR	1
4-Chlorotoluene	< 0.155	mg/kg	0.155	0.65	5	8260B		5/9/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.275	mg/kg	0.275	1.1	5	8260B		5/9/2024	CJR	1
Dibromochloromethane	< 0.19	mg/kg	0.19	0.8	5	8260B		5/9/2024	CJR	1
1,4-Dichlorobenzene	< 0.175	mg/kg	0.175	0.7	5	8260B		5/9/2024	CJR	1
1,3-Dichlorobenzene	< 0.18	mg/kg	0.18	0.75	5	8260B		5/9/2024	CJR	1
1,2-Dichlorobenzene	< 0.13	mg/kg	0.13	0.55	5	8260B		5/9/2024	CJR	1
Dichlorodifluoromethane	< 0.23	mg/kg	0.23	0.95	5	8260B		5/9/2024	CJR	1
1,2-Dichloroethane	< 0.21	mg/kg	0.21	0.85	5	8260B		5/9/2024	CJR	1
1,1-Dichloroethane	3.5	mg/kg	0.165	0.65	5	8260B		5/9/2024	CJR	1
1,1-Dichloroethene	0.267 "J"	mg/kg	0.245	1	5	8260B		5/9/2024	CJR	1
cis-1,2-Dichloroethene	1.41	mg/kg	0.135	0.55	5	8260B		5/9/2024	CJR	1
trans-1,2-Dichloroethene	< 0.15	mg/kg	0.15	0.6	5	8260B		5/9/2024	CJR	1
1,2-Dichloropropane	< 0.2	mg/kg	0.2	0.8	5	8260B		5/9/2024	CJR	1
1,3-Dichloropropane	< 0.155	mg/kg	0.155	0.65	5	8260B		5/9/2024	CJR	1
trans-1,3-Dichloropropene	< 0.135	mg/kg	0.135	0.55	5	8260B		5/9/2024	CJR	1
cis-1,3-Dichloropropene	< 0.175	mg/kg	0.175	0.7	5	8260B		5/9/2024	CJR	1
Di-isopropyl ether	< 0.14	mg/kg	0.14	0.55	5	8260B		5/9/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.125	mg/kg	0.125	0.5	5	8260B		5/9/2024	CJR	1
Ethylbenzene	0.196 "J"	mg/kg	0.115	0.48	5	8260B		5/9/2024	CJR	1
Hexachlorobutadiene	< 0.5	mg/kg	0.5	2.1	5	8260B		5/9/2024	CJR	1
Isopropylbenzene	< 0.175	mg/kg	0.175	0.7	5	8260B		5/9/2024	CJR	1
p-Isopropyltoluene	< 0.15	mg/kg	0.15	0.6	5	8260B		5/9/2024	CJR	1
Methylene chloride	< 0.5	mg/kg	0.5	2.1	5	8260B		5/9/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.18	mg/kg	0.18	0.75	5	8260B		5/9/2024	CJR	1
Naphthalene	< 0.6	mg/kg	0.6	1.9	5	8260B		5/9/2024	CJR	1
n-Propylbenzene	< 0.125	mg/kg	0.125	0.5	5	8260B		5/9/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.15	mg/kg	0.15	0.6	5	8260B		5/9/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.205	mg/kg	0.205	0.85	5	8260B		5/9/2024	CJR	1
Tetrachloroethene	28.7	mg/kg	0.195	0.8	5	8260B		5/9/2024	CJR	1
Toluene	0.35 "J"	mg/kg	0.155	0.65	5	8260B		5/9/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.225	mg/kg	0.225	0.9	5	8260B		5/9/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.9	mg/kg	0.9	2.8	5	8260B		5/9/2024	CJR	1
1,1,1-Trichloroethane	15	mg/kg	0.15	0.6	5	8260B		5/9/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913U
Sample ID GP24-10 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.185	mg/kg	0.185	0.75	5	8260B		5/9/2024	CJR	1
Trichloroethene (TCE)	32	mg/kg	0.195	0.8	5	8260B		5/9/2024	CJR	1
Trichlorofluoromethane	< 0.33	mg/kg	0.33	1.35	5	8260B		5/9/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.175	mg/kg	0.175	0.7	5	8260B		5/9/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.155	mg/kg	0.155	0.65	5	8260B		5/9/2024	CJR	1
Vinyl Chloride	< 0.18	mg/kg	0.18	0.75	5	8260B		5/9/2024	CJR	1
m&p-Xylene	0.36 "J"	mg/kg	0.31	1.25	5	8260B		5/9/2024	CJR	1
o-Xylene	0.44 "J"	mg/kg	0.15	0.6	5	8260B		5/9/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	94	Rec %			5	8260B		5/9/2024	CJR	1
SUR - 4-Bromofluorobenzene	102	Rec %			5	8260B		5/9/2024	CJR	1
SUR - Dibromofluoromethane	97	Rec %			5	8260B		5/9/2024	CJR	1
SUR - Toluene-d8	109	Rec %			5	8260B		5/9/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913V
Sample ID GP24-10 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.0	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	0.64	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	6.0	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	0.292	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	1.56	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	2.76	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913V
Sample ID GP24-10 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	0.268	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	0.161	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	92	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	100	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	105	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913W
Sample ID GP24-11 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	73.2	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	0.088 "J"	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	0.129	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	2.17	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	0.49	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913W
Sample ID GP24-11 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	5.4	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	0.036 "J"	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	0.035 "J"	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	92	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	104	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	92	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	103	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913X
Sample ID GP24-11 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.9	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	0.142	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	2.57	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	5.5	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	0.292	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	0.103 "J"	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	0.47	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	9.4	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	1.61	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	5.5	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	1.91	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	3.0	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	0.106 "J"	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	3.9	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	5.0	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913X
Sample ID GP24-11 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	0.053 "J"	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	27.5	mg/kg	0.35	1.4	10	8260B		5/9/2024	CJR	1
1,3,5-Trimethylbenzene	10.7	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	0.315	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	39	mg/kg	0.62	2.5	10	8260B		5/9/2024	CJR	1
o-Xylene	16.9	mg/kg	0.3	1.2	10	8260B		5/9/2024	CJR	1
SUR - Toluene-d8	94	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	87	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	108	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	92	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913Y
Sample ID GP24-11 (15-17)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.6	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.25	mg/kg	0.25		1	10 8260B		5/9/2024	CJR	1
Bromobenzene	< 0.4	mg/kg	0.4		1.6	10 8260B		5/9/2024	CJR	1
Bromodichloromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/9/2024	CJR	1
Bromoform	< 0.35	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
tert-Butylbenzene	< 0.33	mg/kg	0.33		1.4	10 8260B		5/9/2024	CJR	1
sec-Butylbenzene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
n-Butylbenzene	< 0.29	mg/kg	0.29		1.2	10 8260B		5/9/2024	CJR	1
Carbon Tetrachloride	< 0.32	mg/kg	0.32		1.3	10 8260B		5/9/2024	CJR	1
Chlorobenzene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/9/2024	CJR	1
Chloroethane	< 1	mg/kg	1		4.1	10 8260B		5/9/2024	CJR	1
Chloroform	< 0.32	mg/kg	0.32		1.3	10 8260B		5/9/2024	CJR	1
Chloromethane	< 0.64	mg/kg	0.64		2.6	10 8260B		5/9/2024	CJR	1
2-Chlorotoluene	< 0.34	mg/kg	0.34		1.4	10 8260B		5/9/2024	CJR	1
4-Chlorotoluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/9/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.55	mg/kg	0.55		2.2	10 8260B		5/9/2024	CJR	1
Dibromochloromethane	< 0.38	mg/kg	0.38		1.6	10 8260B		5/9/2024	CJR	1
1,4-Dichlorobenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
1,3-Dichlorobenzene	< 0.36	mg/kg	0.36		1.5	10 8260B		5/9/2024	CJR	1
1,2-Dichlorobenzene	< 0.26	mg/kg	0.26		1.1	10 8260B		5/9/2024	CJR	1
Dichlorodifluoromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/9/2024	CJR	1
1,2-Dichloroethane	< 0.42	mg/kg	0.42		1.7	10 8260B		5/9/2024	CJR	1
1,1-Dichloroethane	7.4	mg/kg	0.33		1.3	10 8260B		5/9/2024	CJR	1
1,1-Dichloroethene	0.61 "J"	mg/kg	0.49		2	10 8260B		5/9/2024	CJR	1
cis-1,2-Dichloroethene	58	mg/kg	0.27		1.1	10 8260B		5/9/2024	CJR	1
trans-1,2-Dichloroethene	2.09	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
1,2-Dichloropropane	< 0.4	mg/kg	0.4		1.6	10 8260B		5/9/2024	CJR	1
1,3-Dichloropropane	< 0.31	mg/kg	0.31		1.3	10 8260B		5/9/2024	CJR	1
trans-1,3-Dichloropropene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/9/2024	CJR	1
cis-1,3-Dichloropropene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
Di-isopropyl ether	< 0.28	mg/kg	0.28		1.1	10 8260B		5/9/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.25	mg/kg	0.25		1	10 8260B		5/9/2024	CJR	1
Ethylbenzene	18.9	mg/kg	0.23		0.96	10 8260B		5/9/2024	CJR	1
Hexachlorobutadiene	< 1	mg/kg	1		4.2	10 8260B		5/9/2024	CJR	1
Isopropylbenzene	0.68 "J"	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
p-Isopropyltoluene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
Methylene chloride	< 1	mg/kg	1		4.2	10 8260B		5/9/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.36	mg/kg	0.36		1.5	10 8260B		5/9/2024	CJR	1
Naphthalene	1.49 "J"	mg/kg	1.2		3.8	10 8260B		5/9/2024	CJR	1
n-Propylbenzene	1.11	mg/kg	0.25		1	10 8260B		5/9/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.41	mg/kg	0.41		1.7	10 8260B		5/9/2024	CJR	1
Tetrachloroethene	0.87 "J"	mg/kg	0.39		1.6	10 8260B		5/9/2024	CJR	1
Toluene	18.5	mg/kg	0.31		1.3	10 8260B		5/9/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.45	mg/kg	0.45		1.8	10 8260B		5/9/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.8	mg/kg	1.8		5.6	10 8260B		5/9/2024	CJR	1
1,1,1-Trichloroethane	44	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913Y
Sample ID GP24-11 (15-17)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.37	mg/kg	0.37	1.5	10	8260B	5/9/2024	5/9/2024	CJR	1
Trichloroethene (TCE)	< 0.39	mg/kg	0.39	1.6	10	8260B	5/9/2024	5/9/2024	CJR	1
Trichlorofluoromethane	< 0.66	mg/kg	0.66	2.7	10	8260B	5/9/2024	5/9/2024	CJR	1
1,2,4-Trimethylbenzene	7.6	mg/kg	0.35	1.4	10	8260B	5/9/2024	5/9/2024	CJR	1
1,3,5-Trimethylbenzene	2.06	mg/kg	0.31	1.3	10	8260B	5/9/2024	5/9/2024	CJR	1
Vinyl Chloride	1.0 "J"	mg/kg	0.36	1.5	10	8260B	5/9/2024	5/9/2024	CJR	1
m&p-Xylene	58	mg/kg	0.62	2.5	10	8260B	5/9/2024	5/9/2024	CJR	1
o-Xylene	21.2	mg/kg	0.3	1.2	10	8260B	5/9/2024	5/9/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			10	8260B	5/9/2024	5/9/2024	CJR	1
SUR - Toluene-d8	102	Rec %			10	8260B	5/9/2024	5/9/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	108	Rec %			10	8260B	5/9/2024	5/9/2024	CJR	1
SUR - 4-Bromofluorobenzene	110	Rec %			10	8260B	5/9/2024	5/9/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913Z
Sample ID GP24-12 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	77.7	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 5043913Z
Sample ID GP24-12 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	0.081 "J"	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	89	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	89	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	101	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913AA
Sample ID GP24-12 (6-8)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.4	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913AA
Sample ID GP24-12 (6-8)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	104	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	103	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	91	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913BB
Sample ID GP24-12 (26-28)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.2	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/7/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/7/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/7/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/7/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/7/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/7/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/7/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/7/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/7/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/7/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/7/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/7/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/7/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/7/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/7/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/7/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/7/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/7/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/7/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/7/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/7/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/7/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913BB
Sample ID GP24-12 (26-28)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/7/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/7/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/7/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/7/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/7/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/7/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/7/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/7/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	95	Rec %			1	8260B		5/7/2024	CJR	1
SUR - 4-Bromofluorobenzene	95	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Dibromofluoromethane	92	Rec %			1	8260B		5/7/2024	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		5/7/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913CC
Sample ID GP24-13 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.2	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913CC
Sample ID GP24-13 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	94	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	100	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	102	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913DD
Sample ID GP24-13 (6-8)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.3	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913DD
Sample ID GP24-13 (6-8)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	108	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	99	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	109	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	91	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913EE
Sample ID GP24-14 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.7	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	0.36	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	0.039 "J"	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913EE
Sample ID GP24-14 (1-3)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	0.62	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	105	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	102	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	88	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913FF
Sample ID GP24-14 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.2	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	0.183	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	0.157	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	1.09	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	0.39	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913FF
Sample ID GP24-14 (5-7)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	1.92	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	97	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	96	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	96	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	104	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913GG
Sample ID GP24-14 (8-10)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	79.9	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.25	mg/kg	0.25		1	10 8260B		5/9/2024	CJR	1
Bromobenzene	< 0.4	mg/kg	0.4		1.6	10 8260B		5/9/2024	CJR	1
Bromodichloromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/9/2024	CJR	1
Bromoform	< 0.35	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
tert-Butylbenzene	< 0.33	mg/kg	0.33		1.4	10 8260B		5/9/2024	CJR	1
sec-Butylbenzene	6.1	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
n-Butylbenzene	11.2	mg/kg	0.29		1.2	10 8260B		5/9/2024	CJR	1
Carbon Tetrachloride	< 0.32	mg/kg	0.32		1.3	10 8260B		5/9/2024	CJR	1
Chlorobenzene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/9/2024	CJR	1
Chloroethane	< 1	mg/kg	1		4.1	10 8260B		5/9/2024	CJR	1
Chloroform	< 0.32	mg/kg	0.32		1.3	10 8260B		5/9/2024	CJR	1
Chloromethane	< 0.64	mg/kg	0.64		2.6	10 8260B		5/9/2024	CJR	1
2-Chlorotoluene	< 0.34	mg/kg	0.34		1.4	10 8260B		5/9/2024	CJR	1
4-Chlorotoluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/9/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.55	mg/kg	0.55		2.2	10 8260B		5/9/2024	CJR	1
Dibromochloromethane	< 0.38	mg/kg	0.38		1.6	10 8260B		5/9/2024	CJR	1
1,4-Dichlorobenzene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
1,3-Dichlorobenzene	< 0.36	mg/kg	0.36		1.5	10 8260B		5/9/2024	CJR	1
1,2-Dichlorobenzene	< 0.26	mg/kg	0.26		1.1	10 8260B		5/9/2024	CJR	1
Dichlorodifluoromethane	< 0.46	mg/kg	0.46		1.9	10 8260B		5/9/2024	CJR	1
1,2-Dichloroethane	< 0.42	mg/kg	0.42		1.7	10 8260B		5/9/2024	CJR	1
1,1-Dichloroethane	< 0.33	mg/kg	0.33		1.3	10 8260B		5/9/2024	CJR	1
1,1-Dichloroethene	< 0.49	mg/kg	0.49		2	10 8260B		5/9/2024	CJR	1
cis-1,2-Dichloroethene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/9/2024	CJR	1
trans-1,2-Dichloroethene	< 0.3	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
1,2-Dichloropropane	< 0.4	mg/kg	0.4		1.6	10 8260B		5/9/2024	CJR	1
1,3-Dichloropropane	< 0.31	mg/kg	0.31		1.3	10 8260B		5/9/2024	CJR	1
trans-1,3-Dichloropropene	< 0.27	mg/kg	0.27		1.1	10 8260B		5/9/2024	CJR	1
cis-1,3-Dichloropropene	< 0.35	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
Di-isopropyl ether	< 0.28	mg/kg	0.28		1.1	10 8260B		5/9/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.25	mg/kg	0.25		1	10 8260B		5/9/2024	CJR	1
Ethylbenzene	< 0.23	mg/kg	0.23		0.96	10 8260B		5/9/2024	CJR	1
Hexachlorobutadiene	< 1	mg/kg	1		4.2	10 8260B		5/9/2024	CJR	1
Isopropylbenzene	1.23 "J"	mg/kg	0.35		1.4	10 8260B		5/9/2024	CJR	1
p-Isopropyltoluene	4.3	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
Methylene chloride	< 1	mg/kg	1		4.2	10 8260B		5/9/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.36	mg/kg	0.36		1.5	10 8260B		5/9/2024	CJR	1
Naphthalene	< 1.2	mg/kg	1.2		3.8	10 8260B		5/9/2024	CJR	1
n-Propylbenzene	4.0	mg/kg	0.25		1	10 8260B		5/9/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.41	mg/kg	0.41		1.7	10 8260B		5/9/2024	CJR	1
Tetrachloroethene	< 0.39	mg/kg	0.39		1.6	10 8260B		5/9/2024	CJR	1
Toluene	< 0.31	mg/kg	0.31		1.3	10 8260B		5/9/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.45	mg/kg	0.45		1.8	10 8260B		5/9/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.8	mg/kg	1.8		5.6	10 8260B		5/9/2024	CJR	1
1,1,1-Trichloroethane	< 0.3	mg/kg	0.3		1.2	10 8260B		5/9/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913GG
Sample ID GP24-14 (8-10)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.37	mg/kg	0.37	1.5	10	8260B		5/9/2024	CJR	1
Trichloroethene (TCE)	< 0.39	mg/kg	0.39	1.6	10	8260B		5/9/2024	CJR	1
Trichlorofluoromethane	< 0.66	mg/kg	0.66	2.7	10	8260B		5/9/2024	CJR	1
1,2,4-Trimethylbenzene	13.5	mg/kg	0.35	1.4	10	8260B		5/9/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.31	mg/kg	0.31	1.3	10	8260B		5/9/2024	CJR	1
Vinyl Chloride	< 0.36	mg/kg	0.36	1.5	10	8260B		5/9/2024	CJR	1
m&p-Xylene	< 0.62	mg/kg	0.62	2.5	10	8260B		5/9/2024	CJR	1
o-Xylene	< 0.3	mg/kg	0.3	1.2	10	8260B		5/9/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	102	Rec %			10	8260B		5/9/2024	CJR	1
SUR - 4-Bromofluorobenzene	105	Rec %			10	8260B		5/9/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			10	8260B		5/9/2024	CJR	1
SUR - Toluene-d8	99	Rec %			10	8260B		5/9/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913HH
Sample ID GP24-15 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	94.2	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	0.033 "J"	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913HH
Sample ID GP24-15 (2-4)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	0.139 "J"	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	98	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	93	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	105	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913II
Sample ID GP24-15 (9-11)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.0	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	0.069 "J"	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913II
Sample ID GP24-15 (9-11)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	0.264	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	92	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	87	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	98	Rec %			1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913JJ
Sample ID GP24-15 (23-25)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.1	%			1	5021		5/3/2024	ZJW	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		5/8/2024	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		5/8/2024	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		5/8/2024	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		5/8/2024	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		5/8/2024	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		5/8/2024	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		5/8/2024	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		5/8/2024	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		5/8/2024	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		5/8/2024	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethane	0.058 "J"	mg/kg	0.033	0.13	1	8260B		5/8/2024	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		5/8/2024	CJR	1
cis-1,2-Dichloroethene	1.61	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
trans-1,2-Dichloroethene	0.81	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		5/8/2024	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		5/8/2024	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		5/8/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		5/8/2024	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		5/8/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		5/8/2024	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		5/8/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		5/8/2024	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		5/8/2024	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		5/8/2024	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1

Project Name COMPLETE RECYCLING SOLUTIONS
Project # 999-1009-001-001

Invoice # E43913

Lab Code 543913JJ
Sample ID GP24-15 (23-25)
Sample Matrix Soil
Sample Date 4/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		5/8/2024	CJR	1
Trichloroethene (TCE)	2.64	mg/kg	0.039	0.16	1	8260B		5/8/2024	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		5/8/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		5/8/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		5/8/2024	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		5/8/2024	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		5/8/2024	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		5/8/2024	CJR	1
SUR - Toluene-d8	104	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		5/8/2024	CJR	1
SUR - 4-Bromofluorobenzene	96	Rec %			1	8260B		5/8/2024	CJR	1
SUR - Dibromofluoromethane	94	Rec %			1	8260B		5/8/2024	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, LLC

Lab I.D. #
 QUOTE # :
 Project #: 999-1009-001-001
 Sampler: (signature)

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcabc.com

Sample Handling Request
 Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): Complete Recycling Solutions / ST. FRANCIS, WI

Reports To: Kurt McClung / Ryan Johnson
 Invoice To: _____

Company: Endpoint Solutions
 Address: 6871 S Lavett Lane
 City State Zip: Frankia, WI

Company: _____
 Address: _____
 City State Zip: _____
 Phone: _____
 Email: Kurt@EndpointSolutions.com

Analysis Requested: DRO (Mod DRO Sep 95) GRO (Mod GRO Sep 95) LEAD NITRATE/NITRITE OIL & GREASE PAH (EPA 8270) PCB PVOC (EPA 8021) PVOC + NAPHTHALENE SULFATE TOTAL SUSPENDED SOLIDS VOC DW (EPA 524.2) VOC (EPA 8260) VOC AIR (TO - 15) 8-RCRA METALS

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
SDU139113 A	GP24-1 (1-3)	4/30/24	925	N	2	Soil	Meth/Amore	
B	GP24-1 (5-7)		935					
C	GP24-1 (13-15)		940					
D	GP24-2 (1-3)		955					
E	GP24-2 (6-8)		1000					
F	GP24-2 (11-13)		1010					
G	GP24-3 (2-4)		1025					
H	GP24-3 (8-10)		1030					
I	GP24-4 (2-4)		1055					
J	GP24-4 (8-10)		1100					
K	GP24-5 (1-3)		1130					
L	GP24-5 (5-7)		1135					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time _____ Date _____
 Received in Laboratory By: (sign) _____ Time _____ Date _____

Lab I.D. # _____
 QUOTE #: _____
 Project #: _____
 Sampler: (signature) _____
 Project (Name/Location): _____

Environmental Lab, LLC
 www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request
 Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Reports To: _____ Invoice To: _____
 Company: **SAME** Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 Email: _____ Email: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID	
50323M	6P24-6(2-4)	4/30/24	1220	N	2	Soil	MEDH/ADW																	
N	6P24-6(5-7)		1225																					
O	6P24-7(2-4)		1250																					
P	6P24-7(5-7)		1255																					
Q	6P24-8(1-3)		1315																					
R	6P24-8(5-7)		1320																					
S	6P24-9(1-3)		1330																					
T	6P24-9(5-7)		1335																					
U	6P24-10(1-3)		1350																					
V	6P24-10(5-7)		1355																					
W	6P24-11(1-3)		1410																					
X	6P24-11(5-7)		1415																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice: X
 Cooler seal intact upon receipt: X Yes ___ No

Relinquished By: (sign) _____ Time _____ Date _____
 Received By: (sign) _____ Time _____ Date _____

Received in Laboratory By: Abhishit Time: 730 Date: 5/12/24



Lab I.D. # _____
 QUOTE # : _____
 Project #: _____
 Sampler: (signature) _____
 Project (Name / Location): _____

Environmental Lab, LLC
 www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request
 Rush Analysis Date Required: _____
 (Flushes accepted only with prior authorization)
 Normal Turn Around

Reports To: _____
 Company: SA ME
 Address: _____
 City State Zip: _____
 Phone: _____
 Email: _____

Invoice To: _____
 Company: SA ME
 Address: _____
 City State Zip: _____
 Phone: _____
 Email: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID
SU43913 Y	GP24-11(15-17)	4/30/24	1420	N	2	Soil	AMETH/ANAL																
Z	GP24-12(1-3)		1450																				
SU43913 A/A	GP24-12(6-8)		1455																				
BB	GP24-12(26-28)		1515																				
CC	GP24-13(1-3)	5/1/24	1035																				
DD	GP24-13(6-8)		1040																				
EE	GP24-14(1-3)		1050																				
FF	GP24-14(5-7)		1055																				
GG	GP24-14(8-10)		1100																				
HH	GP24-15(2-4)		1120																				
II	GP24-15(9-11)		1125																				
JJ	GP24-15(23-25)		1135																				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice: 2
 Cooler seal intact upon receipt: 2 Yes ___ No

Relinquished By: (sign) _____ Time _____ Date _____
 Received in Laboratory By: _____ Time: 730 Date: 5/2/24

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

RYAN JOHNSON
ENDPOINT SOLUTIONS
6871 SOUTH LOVER'S LANE
FRANKLIN, WI 53132

Report Date 06-Jun-24

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029A
Sample ID KMW-2
Sample Matrix Water
Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029A
Sample ID KMW-2
Sample Matrix Water
Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B	5/31/2024	5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B	5/31/2024	5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B	5/31/2024	5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B	5/31/2024	5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B	5/31/2024	5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B	5/31/2024	5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B	5/31/2024	5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B	5/31/2024	5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B	5/31/2024	5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B	5/31/2024	5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B	5/31/2024	5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B	5/31/2024	5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B	5/31/2024	5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B	5/31/2024	5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B	5/31/2024	5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B	5/31/2024	5/31/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B	5/31/2024	5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B	5/31/2024	5/31/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B	5/31/2024	5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B	5/31/2024	5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B	5/31/2024	5/31/2024	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	5/31/2024	5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	5/31/2024	5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	5/31/2024	5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029B
 Sample ID KMW-1
 Sample Matrix Water
 Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	0.94 "J"	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	3.8	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	1.99 "J"	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	0.45 "J"	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	0.47 "J"	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029B
Sample ID KMW-1
Sample Matrix Water
Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/31/2024	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		5/31/2024	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029C
 Sample ID KPZ-1
 Sample Matrix Water
 Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	0.39 "J"	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029C
Sample ID KPZ-1
Sample Matrix Water
Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	5/31/2024	5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	5/31/2024	5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	5/31/2024	5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029D
Sample ID KMW-4
Sample Matrix Water
Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	0.35 "J"	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	0.70 "J"	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	3.05	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	7.3	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	25.2	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029D
Sample ID KMW-4
Sample Matrix Water
Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		5/31/2024	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/31/2024	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029E
Sample ID KMW-3
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029E
Sample ID KMW-3
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		5/31/2024	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/31/2024	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029F
 Sample ID KPZ-2
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029F
Sample ID KPZ-2
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		5/31/2024	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/31/2024	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029G
 Sample ID KMW-5
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	3.8	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	0.47 "J"	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029G
Sample ID KMW-5
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	5/31/2024	5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	5/31/2024	5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	5/31/2024	5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029H
 Sample ID MW-1
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	4.1	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	0.41 "J"	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029H
Sample ID MW-1
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	5/31/2024	5/31/2024	CJR	1
Vinyl Chloride	0.32 "J"	ug/l	0.15	0.61	1	8260B	5/31/2024	5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	5/31/2024	5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029I
Sample ID PZ-3
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029I
Sample ID PZ-3
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	5/31/2024	5/31/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	5/31/2024	5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	5/31/2024	5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029J
 Sample ID KMW-6
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	5.5	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	1.19 "J"	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	27.4	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029J
Sample ID KMW-6
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	5/31/2024	5/31/2024	CJR	1
Vinyl Chloride	0.31 "J"	ug/l	0.15	0.61	1	8260B	5/31/2024	5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	5/31/2024	5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029K
 Sample ID PZ-4
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		5/31/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		5/31/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		5/31/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		5/31/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		5/31/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		5/31/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		5/31/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		5/31/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		5/31/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		5/31/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		5/31/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		5/31/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		5/31/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/31/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		5/31/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/31/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		5/31/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethane	28.5	ug/l	0.43	1.74	1	8260B		5/31/2024	CJR	1
1,1-Dichloroethene	1.18 "J"	ug/l	0.43	1.76	1	8260B		5/31/2024	CJR	1
cis-1,2-Dichloroethene	38	ug/l	0.32	1.29	1	8260B		5/31/2024	CJR	1
trans-1,2-Dichloroethene	1.37 "J"	ug/l	0.5	2.02	1	8260B		5/31/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		5/31/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		5/31/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		5/31/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		5/31/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		5/31/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		5/31/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		5/31/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		5/31/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		5/31/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		5/31/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		5/31/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		5/31/2024	CJR	1
Tetrachloroethene	8.9	ug/l	0.47	1.91	1	8260B		5/31/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		5/31/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		5/31/2024	CJR	1
1,1,1-Trichloroethane	19.1	ug/l	0.33	1.34	1	8260B		5/31/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		5/31/2024	CJR	1
Trichloroethene (TCE)	117	ug/l	0.38	1.55	1	8260B		5/31/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		5/31/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029K
Sample ID PZ-4
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	5/31/2024	5/31/2024	CJR	1
Vinyl Chloride	3.4	ug/l	0.15	0.61	1	8260B	5/31/2024	5/31/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	5/31/2024	5/31/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B	5/31/2024	5/31/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029L
 Sample ID MW-14
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/1/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/1/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/1/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/1/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/1/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/1/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/1/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/1/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/1/2024	CJR	1
Chloroform	0.69 "J"	ug/l	0.33	1.33	1	8260B		6/1/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/1/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/1/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/1/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/1/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/1/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/1/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/1/2024	CJR	1
1,1-Dichloroethane	6.7	ug/l	0.43	1.74	1	8260B		6/1/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2024	CJR	1
cis-1,2-Dichloroethene	1.76	ug/l	0.32	1.29	1	8260B		6/1/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/1/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/1/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/1/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/1/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/1/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/1/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/1/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/1/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/1/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/1/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/1/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/1/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/1/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/1/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2024	CJR	1
Tetrachloroethene	3.8	ug/l	0.47	1.91	1	8260B		6/1/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/1/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/1/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/1/2024	CJR	1
1,1,1-Trichloroethane	14.9	ug/l	0.33	1.34	1	8260B		6/1/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/1/2024	CJR	1
Trichloroethene (TCE)	61	ug/l	0.38	1.55	1	8260B		6/1/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/1/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/1/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029L
Sample ID MW-14
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/1/2024	CJR	1
Vinyl Chloride	0.51 "J"	ug/l	0.15	0.61	1	8260B		6/1/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/1/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/1/2024	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		6/1/2024	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/1/2024	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		6/1/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029M
 Sample ID MW-15
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/4/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/4/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
tert-Butylbenzene	1.63	ug/l	0.37	1.49	1	8260B		6/4/2024	CJR	1
sec-Butylbenzene	11.2	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
n-Butylbenzene	9.2	ug/l	0.71	2.9	1	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/4/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/4/2024	CJR	1
Chloroethane	1.55 "J"	ug/l	0.62	2.54	1	8260B		6/4/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/4/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	0.58 "J"	ug/l	0.43	1.74	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	0.37 "J"	ug/l	0.32	1.29	1	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	0.64 "J"	ug/l	0.5	2.02	1	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/4/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/4/2024	CJR	1
Isopropylbenzene	18.6	ug/l	0.34	1.38	1	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/4/2024	CJR	1
n-Propylbenzene	29.2	ug/l	0.39	1.6	1	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/4/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029M
Sample ID MW-15
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/4/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		6/4/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/4/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029N
 Sample ID PMW-8
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	7.1 "J"	ug/l	3	12.5	10	8260B		6/1/2024	CJR	1
Bromobenzene	< 3.4	ug/l	3.4	14	10	8260B		6/1/2024	CJR	1
Bromodichloromethane	< 3.6	ug/l	3.6	14.7	10	8260B		6/1/2024	CJR	1
Bromoform	< 4.2	ug/l	4.2	17.2	10	8260B		6/1/2024	CJR	1
tert-Butylbenzene	< 3.7	ug/l	3.7	14.9	10	8260B		6/1/2024	CJR	1
sec-Butylbenzene	8.5 "J"	ug/l	3.3	13.4	10	8260B		6/1/2024	CJR	1
n-Butylbenzene	22.5 "J"	ug/l	7.1	29	10	8260B		6/1/2024	CJR	1
Carbon Tetrachloride	< 3.4	ug/l	3.4	13.9	10	8260B		6/1/2024	CJR	1
Chlorobenzene	< 2.9	ug/l	2.9	11.9	10	8260B		6/1/2024	CJR	1
Chloroethane	560	ug/l	6.2	25.4	10	8260B		6/1/2024	CJR	1
Chloroform	< 3.3	ug/l	3.3	13.3	10	8260B		6/1/2024	CJR	1
Chloromethane	< 7.4	ug/l	7.4	30.3	10	8260B		6/1/2024	CJR	1
2-Chlorotoluene	< 3.4	ug/l	3.4	13.7	10	8260B		6/1/2024	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.3	10	8260B		6/1/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 7.4	ug/l	7.4	30.1	10	8260B		6/1/2024	CJR	1
Dibromochloromethane	< 3.6	ug/l	3.6	14.6	10	8260B		6/1/2024	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	20.1	10	8260B		6/1/2024	CJR	1
1,3-Dichlorobenzene	< 3.5	ug/l	3.5	14.4	10	8260B		6/1/2024	CJR	1
1,2-Dichlorobenzene	< 4	ug/l	4	16.5	10	8260B		6/1/2024	CJR	1
Dichlorodifluoromethane	< 3	ug/l	3	12.3	10	8260B		6/1/2024	CJR	1
1,2-Dichloroethane	63	ug/l	4.3	17.5	10	8260B		6/1/2024	CJR	1
1,1-Dichloroethane	430	ug/l	4.3	17.4	10	8260B		6/1/2024	CJR	1
1,1-Dichloroethene	< 4.3	ug/l	4.3	17.6	10	8260B		6/1/2024	CJR	1
cis-1,2-Dichloroethene	1210	ug/l	3.2	12.9	10	8260B		6/1/2024	CJR	1
trans-1,2-Dichloroethene	26.4	ug/l	5	20.2	10	8260B		6/1/2024	CJR	1
1,2-Dichloropropane	< 3.9	ug/l	3.9	15.8	10	8260B		6/1/2024	CJR	1
1,3-Dichloropropane	< 3.8	ug/l	3.8	15.5	10	8260B		6/1/2024	CJR	1
trans-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		6/1/2024	CJR	1
cis-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		6/1/2024	CJR	1
Di-isopropyl ether	< 4.8	ug/l	4.8	19.6	10	8260B		6/1/2024	CJR	1
EDB (1,2-Dibromoethane)	< 3.9	ug/l	3.9	15.9	10	8260B		6/1/2024	CJR	1
Ethylbenzene	235	ug/l	3.3	13.7	10	8260B		6/1/2024	CJR	1
Hexachlorobutadiene	< 8.1	ug/l	8.1	34.4	10	8260B		6/1/2024	CJR	1
Isopropylbenzene	15.6	ug/l	3.4	13.8	10	8260B		6/1/2024	CJR	1
p-Isopropyltoluene	37	ug/l	4.7	19.1	10	8260B		6/1/2024	CJR	1
Methylene chloride	8.1 "J"	ug/l	7.9	32.3	10	8260B		6/1/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	19.1	10	8260B		6/1/2024	CJR	1
Naphthalene	52 "J"	ug/l	14	55.6	10	8260B		6/1/2024	CJR	1
n-Propylbenzene	27.2	ug/l	3.9	16	10	8260B		6/1/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 4.3	ug/l	4.3	17.7	10	8260B		6/1/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 5.5	ug/l	5.5	22.5	10	8260B		6/1/2024	CJR	1
Tetrachloroethene	< 4.7	ug/l	4.7	19.1	10	8260B		6/1/2024	CJR	1
Toluene	125	ug/l	3.3	13.5	10	8260B		6/1/2024	CJR	1
1,2,4-Trichlorobenzene	< 6.3	ug/l	6.3	25.7	10	8260B		6/1/2024	CJR	1
1,2,3-Trichlorobenzene	< 14	ug/l	14	59.4	10	8260B		6/1/2024	CJR	1
1,1,1-Trichloroethane	22.8	ug/l	3.3	13.4	10	8260B		6/1/2024	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	17.2	10	8260B		6/1/2024	CJR	1
Trichloroethene (TCE)	< 3.8	ug/l	3.8	15.5	10	8260B		6/1/2024	CJR	1
Trichlorofluoromethane	< 3.3	ug/l	3.3	13.5	10	8260B		6/1/2024	CJR	1
1,2,4-Trimethylbenzene	520	ug/l	3.5	14.4	10	8260B		6/1/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029N
Sample ID PMW-8
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	158	ug/l	4.1	16.6	10	8260B		6/1/2024	CJR	1
Vinyl Chloride	850	ug/l	1.5	6.1	10	8260B		6/1/2024	CJR	1
m&p-Xylene	1470	ug/l	6.4	26.3	10	8260B		6/1/2024	CJR	1
o-Xylene	150	ug/l	3.7	15.1	10	8260B		6/1/2024	CJR	1
SUR - Dibromofluoromethane	96	REC %				10 8260B		6/1/2024	CJR	1
SUR - Toluene-d8	90	REC %				10 8260B		6/1/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				10 8260B		6/1/2024	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				10 8260B		6/1/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 50440290
 Sample ID PMW-2
 Sample Matrix Water
 Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 300	ug/l	300	1250	1000	8260B		6/4/2024	CJR	1
Bromobenzene	< 340	ug/l	340	1400	1000	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 360	ug/l	360	1470	1000	8260B		6/4/2024	CJR	1
Bromoform	< 420	ug/l	420	1720	1000	8260B		6/4/2024	CJR	1
tert-Butylbenzene	< 370	ug/l	370	1490	1000	8260B		6/4/2024	CJR	1
sec-Butylbenzene	< 330	ug/l	330	1340	1000	8260B		6/4/2024	CJR	1
n-Butylbenzene	< 710	ug/l	710	2900	1000	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 340	ug/l	340	1390	1000	8260B		6/4/2024	CJR	1
Chlorobenzene	< 290	ug/l	290	1190	1000	8260B		6/4/2024	CJR	1
Chloroethane	2480 "J"	ug/l	620	2540	1000	8260B		6/4/2024	CJR	1
Chloroform	< 330	ug/l	330	1330	1000	8260B		6/4/2024	CJR	1
Chloromethane	< 740	ug/l	740	3030	1000	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 340	ug/l	340	1370	1000	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 400	ug/l	400	1630	1000	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 740	ug/l	740	3010	1000	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 360	ug/l	360	1460	1000	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 490	ug/l	490	2010	1000	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 350	ug/l	350	1440	1000	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 400	ug/l	400	1650	1000	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 300	ug/l	300	1230	1000	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	< 430	ug/l	430	1750	1000	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	7800	ug/l	430	1740	1000	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	620 "J"	ug/l	430	1760	1000	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	53000	ug/l	320	1290	1000	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	< 500	ug/l	500	2020	1000	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 390	ug/l	390	1580	1000	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 380	ug/l	380	1550	1000	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 410	ug/l	410	1670	1000	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 410	ug/l	410	1670	1000	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 480	ug/l	480	1960	1000	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 390	ug/l	390	1590	1000	8260B		6/4/2024	CJR	1
Ethylbenzene	1770	ug/l	330	1370	1000	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 810	ug/l	810	3440	1000	8260B		6/4/2024	CJR	1
Isopropylbenzene	< 340	ug/l	340	1380	1000	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 470	ug/l	470	1910	1000	8260B		6/4/2024	CJR	1
Methylene chloride	< 790	ug/l	790	3230	1000	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 470	ug/l	470	1910	1000	8260B		6/4/2024	CJR	1
Naphthalene	< 1400	ug/l	1400	5560	1000	8260B		6/4/2024	CJR	1
n-Propylbenzene	< 390	ug/l	390	1600	1000	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 430	ug/l	430	1770	1000	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 550	ug/l	550	2250	1000	8260B		6/4/2024	CJR	1
Tetrachloroethene	< 470	ug/l	470	1910	1000	8260B		6/4/2024	CJR	1
Toluene	8900	ug/l	330	1350	1000	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 630	ug/l	630	2570	1000	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 1400	ug/l	1400	5940	1000	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	22100	ug/l	330	1340	1000	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 420	ug/l	420	1720	1000	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	< 380	ug/l	380	1550	1000	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 330	ug/l	330	1350	1000	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	540 "J"	ug/l	350	1440	1000	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 50440290
Sample ID PMW-2
Sample Matrix Water
Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 410	ug/l	410	1660	1000	8260B		6/4/2024	CJR	1
Vinyl Chloride	2310	ug/l	150	610	1000	8260B		6/4/2024	CJR	1
m&p-Xylene	7500	ug/l	640	2630	1000	8260B		6/4/2024	CJR	1
o-Xylene	2950	ug/l	370	1510	1000	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1000	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	94	REC %			1000	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	94	REC %			1000	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1000	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029P
Sample ID MW-2
Sample Matrix Water
Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 60	ug/l	60	250	200	8260B		6/4/2024	CJR	1
Bromobenzene	< 68	ug/l	68	280	200	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 72	ug/l	72	294	200	8260B		6/4/2024	CJR	1
Bromoform	< 84	ug/l	84	344	200	8260B		6/4/2024	CJR	1
tert-Butylbenzene	< 74	ug/l	74	298	200	8260B		6/4/2024	CJR	1
sec-Butylbenzene	< 66	ug/l	66	268	200	8260B		6/4/2024	CJR	1
n-Butylbenzene	< 142	ug/l	142	580	200	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 68	ug/l	68	278	200	8260B		6/4/2024	CJR	1
Chlorobenzene	< 58	ug/l	58	238	200	8260B		6/4/2024	CJR	1
Chloroethane	1370	ug/l	124	508	200	8260B		6/4/2024	CJR	1
Chloroform	< 66	ug/l	66	266	200	8260B		6/4/2024	CJR	1
Chloromethane	< 148	ug/l	148	606	200	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 68	ug/l	68	274	200	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 80	ug/l	80	326	200	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	602	200	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 72	ug/l	72	292	200	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 98	ug/l	98	402	200	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 70	ug/l	70	288	200	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 80	ug/l	80	330	200	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 60	ug/l	60	246	200	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	214 "J"	ug/l	86	350	200	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	2690	ug/l	86	348	200	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	< 86	ug/l	86	352	200	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	19700	ug/l	64	258	200	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	< 100	ug/l	100	404	200	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 78	ug/l	78	316	200	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 76	ug/l	76	310	200	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 82	ug/l	82	334	200	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 82	ug/l	82	334	200	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 96	ug/l	96	392	200	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 78	ug/l	78	318	200	8260B		6/4/2024	CJR	1
Ethylbenzene	74 "J"	ug/l	66	274	200	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 162	ug/l	162	688	200	8260B		6/4/2024	CJR	1
Isopropylbenzene	< 68	ug/l	68	276	200	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 94	ug/l	94	382	200	8260B		6/4/2024	CJR	1
Methylene chloride	< 158	ug/l	158	646	200	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 94	ug/l	94	382	200	8260B		6/4/2024	CJR	1
Naphthalene	< 280	ug/l	280	1112	200	8260B		6/4/2024	CJR	1
n-Propylbenzene	< 78	ug/l	78	320	200	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 86	ug/l	86	354	200	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 110	ug/l	110	450	200	8260B		6/4/2024	CJR	1
Tetrachloroethene	< 94	ug/l	94	382	200	8260B		6/4/2024	CJR	1
Toluene	420	ug/l	66	270	200	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 126	ug/l	126	514	200	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 280	ug/l	280	1188	200	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	1030	ug/l	66	268	200	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 84	ug/l	84	344	200	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	168 "J"	ug/l	76	310	200	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 66	ug/l	66	270	200	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	< 70	ug/l	70	288	200	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029P
Sample ID MW-2
Sample Matrix Water
Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 82	ug/l	82	332	200	8260B		6/4/2024	CJR	1
Vinyl Chloride	5500	ug/l	30	122	200	8260B		6/4/2024	CJR	1
m&p-Xylene	340 "J"	ug/l	128	526	200	8260B		6/4/2024	CJR	1
o-Xylene	206 "J"	ug/l	74	302	200	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	97	REC %			200	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	96	REC %			200	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			200	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			200	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029Q
 Sample ID SPM-4
 Sample Matrix Water
 Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 300	ug/l	300	1250	1000	8260B		6/4/2024	CJR	1
Bromobenzene	< 340	ug/l	340	1400	1000	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 360	ug/l	360	1470	1000	8260B		6/4/2024	CJR	1
Bromoform	< 420	ug/l	420	1720	1000	8260B		6/4/2024	CJR	1
tert-Butylbenzene	< 370	ug/l	370	1490	1000	8260B		6/4/2024	CJR	1
sec-Butylbenzene	< 330	ug/l	330	1340	1000	8260B		6/4/2024	CJR	1
n-Butylbenzene	< 710	ug/l	710	2900	1000	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 340	ug/l	340	1390	1000	8260B		6/4/2024	CJR	1
Chlorobenzene	< 290	ug/l	290	1190	1000	8260B		6/4/2024	CJR	1
Chloroethane	2110 "J"	ug/l	620	2540	1000	8260B		6/4/2024	CJR	1
Chloroform	< 330	ug/l	330	1330	1000	8260B		6/4/2024	CJR	1
Chloromethane	< 740	ug/l	740	3030	1000	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 340	ug/l	340	1370	1000	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 400	ug/l	400	1630	1000	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 740	ug/l	740	3010	1000	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 360	ug/l	360	1460	1000	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 490	ug/l	490	2010	1000	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 350	ug/l	350	1440	1000	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 400	ug/l	400	1650	1000	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 300	ug/l	300	1230	1000	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	820 "J"	ug/l	430	1750	1000	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	10800	ug/l	430	1740	1000	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	3700	ug/l	430	1760	1000	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	116000	ug/l	320	1290	1000	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	2010 "J"	ug/l	500	2020	1000	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 390	ug/l	390	1580	1000	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 380	ug/l	380	1550	1000	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 410	ug/l	410	1670	1000	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 410	ug/l	410	1670	1000	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 480	ug/l	480	1960	1000	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 390	ug/l	390	1590	1000	8260B		6/4/2024	CJR	1
Ethylbenzene	2720	ug/l	330	1370	1000	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 810	ug/l	810	3440	1000	8260B		6/4/2024	CJR	1
Isopropylbenzene	< 340	ug/l	340	1380	1000	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 470	ug/l	470	1910	1000	8260B		6/4/2024	CJR	1
Methylene chloride	< 790	ug/l	790	3230	1000	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 470	ug/l	470	1910	1000	8260B		6/4/2024	CJR	1
Naphthalene	< 1400	ug/l	1400	5560	1000	8260B		6/4/2024	CJR	1
n-Propylbenzene	< 390	ug/l	390	1600	1000	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 430	ug/l	430	1770	1000	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 550	ug/l	550	2250	1000	8260B		6/4/2024	CJR	1
Tetrachloroethene	< 470	ug/l	470	1910	1000	8260B		6/4/2024	CJR	1
Toluene	17400	ug/l	330	1350	1000	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 630	ug/l	630	2570	1000	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 1400	ug/l	1400	5940	1000	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	77000	ug/l	330	1340	1000	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 420	ug/l	420	1720	1000	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	< 380	ug/l	380	1550	1000	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 330	ug/l	330	1350	1000	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	850 "J"	ug/l	350	1440	1000	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029Q
Sample ID SPM-4
Sample Matrix Water
Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 410	ug/l	410	1660	1000	8260B		6/4/2024	CJR	1
Vinyl Chloride	11400	ug/l	150	610	1000	8260B		6/4/2024	CJR	1
m&p-Xylene	7900	ug/l	640	2630	1000	8260B		6/4/2024	CJR	1
o-Xylene	3130	ug/l	370	1510	1000	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1000	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1000	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	94	REC %			1000	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	99	REC %			1000	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029R
 Sample ID SMW-4
 Sample Matrix Water
 Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	1.1 "J"	ug/l	0.3	1.25	1	8260B		6/4/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/4/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/4/2024	CJR	1
sec-Butylbenzene	2.83	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
n-Butylbenzene	1.67 "J"	ug/l	0.71	2.9	1	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/4/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/4/2024	CJR	1
Chloroethane	9.6	ug/l	0.62	2.54	1	8260B		6/4/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/4/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	1.98	ug/l	0.43	1.75	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	21.3	ug/l	0.43	1.74	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	9.2	ug/l	0.32	1.29	1	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/4/2024	CJR	1
Ethylbenzene	0.79 "J"	ug/l	0.33	1.37	1	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/4/2024	CJR	1
Isopropylbenzene	4.5	ug/l	0.34	1.38	1	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/4/2024	CJR	1
n-Propylbenzene	2.34	ug/l	0.39	1.6	1	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/4/2024	CJR	1
Tetrachloroethene	0.84 "J"	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Toluene	0.38 "J"	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	4.9	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	12.9	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	9.1	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029R
Sample ID SMW-4
Sample Matrix Water
Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	0.67 "J"	ug/l	0.41	1.66	1	8260B		6/4/2024	CJR	1
Vinyl Chloride	2.41	ug/l	0.15	0.61	1	8260B		6/4/2024	CJR	1
m&p-Xylene	4.2	ug/l	0.64	2.63	1	8260B		6/4/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029S
 Sample ID SMW-3R
 Sample Matrix Water
 Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 60	ug/l	60	250	200	8260B		6/4/2024	CJR	1
Bromobenzene	< 68	ug/l	68	280	200	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 72	ug/l	72	294	200	8260B		6/4/2024	CJR	1
Bromoform	< 84	ug/l	84	344	200	8260B		6/4/2024	CJR	1
tert-Butylbenzene	< 74	ug/l	74	298	200	8260B		6/4/2024	CJR	1
sec-Butylbenzene	< 66	ug/l	66	268	200	8260B		6/4/2024	CJR	1
n-Butylbenzene	< 142	ug/l	142	580	200	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 68	ug/l	68	278	200	8260B		6/4/2024	CJR	1
Chlorobenzene	< 58	ug/l	58	238	200	8260B		6/4/2024	CJR	1
Chloroethane	910	ug/l	124	508	200	8260B		6/4/2024	CJR	1
Chloroform	< 66	ug/l	66	266	200	8260B		6/4/2024	CJR	1
Chloromethane	< 148	ug/l	148	606	200	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 68	ug/l	68	274	200	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 80	ug/l	80	326	200	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	602	200	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 72	ug/l	72	292	200	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 98	ug/l	98	402	200	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 70	ug/l	70	288	200	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 80	ug/l	80	330	200	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 60	ug/l	60	246	200	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	174 "J"	ug/l	86	350	200	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	3300	ug/l	86	348	200	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	390	ug/l	86	352	200	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	28300	ug/l	64	258	200	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	228 "J"	ug/l	100	404	200	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 78	ug/l	78	316	200	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 76	ug/l	76	310	200	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 82	ug/l	82	334	200	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 82	ug/l	82	334	200	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 96	ug/l	96	392	200	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 78	ug/l	78	318	200	8260B		6/4/2024	CJR	1
Ethylbenzene	2960	ug/l	66	274	200	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 162	ug/l	162	688	200	8260B		6/4/2024	CJR	1
Isopropylbenzene	< 68	ug/l	68	276	200	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 94	ug/l	94	382	200	8260B		6/4/2024	CJR	1
Methylene chloride	< 158	ug/l	158	646	200	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 94	ug/l	94	382	200	8260B		6/4/2024	CJR	1
Naphthalene	< 280	ug/l	280	1112	200	8260B		6/4/2024	CJR	1
n-Propylbenzene	98 "J"	ug/l	78	320	200	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 86	ug/l	86	354	200	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 110	ug/l	110	450	200	8260B		6/4/2024	CJR	1
Tetrachloroethene	< 94	ug/l	94	382	200	8260B		6/4/2024	CJR	1
Toluene	3150	ug/l	66	270	200	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 126	ug/l	126	514	200	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 280	ug/l	280	1188	200	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	8500	ug/l	66	268	200	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 84	ug/l	84	344	200	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	< 76	ug/l	76	310	200	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 66	ug/l	66	270	200	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	1040	ug/l	70	288	200	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029S
Sample ID SMW-3R
Sample Matrix Water
Sample Date 5/30/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	214 "J"	ug/l	82	332	200	8260B		6/4/2024	CJR	1
Vinyl Chloride	4900	ug/l	30	122	200	8260B		6/4/2024	CJR	1
m&p-Xylene	9800	ug/l	128	526	200	8260B		6/4/2024	CJR	1
o-Xylene	4000	ug/l	74	302	200	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			200	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			200	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	93	REC %			200	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	97	REC %			200	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029T
Sample ID DUP-1
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/4/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/4/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/4/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/4/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/4/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/4/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/4/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/4/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/4/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/4/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/4/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029T
Sample ID DUP-1
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/4/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		6/4/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/4/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029U
 Sample ID DUP-2
 Sample Matrix Water
 Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/4/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/4/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/4/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/4/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/4/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/4/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/4/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/4/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/4/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/4/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/4/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/4/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/4/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/4/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/4/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/4/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/4/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethane	26.6	ug/l	0.43	1.74	1	8260B		6/4/2024	CJR	1
1,1-Dichloroethene	0.82 "J"	ug/l	0.43	1.76	1	8260B		6/4/2024	CJR	1
cis-1,2-Dichloroethene	31.6	ug/l	0.32	1.29	1	8260B		6/4/2024	CJR	1
trans-1,2-Dichloroethene	1.07 "J"	ug/l	0.5	2.02	1	8260B		6/4/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/4/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/4/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/4/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/4/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/4/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/4/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/4/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/4/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/4/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/4/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/4/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/4/2024	CJR	1
Tetrachloroethene	8.5	ug/l	0.47	1.91	1	8260B		6/4/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/4/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/4/2024	CJR	1
1,1,1-Trichloroethane	15.6	ug/l	0.33	1.34	1	8260B		6/4/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/4/2024	CJR	1
Trichloroethene (TCE)	108	ug/l	0.38	1.55	1	8260B		6/4/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/4/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029U
Sample ID DUP-2
Sample Matrix Water
Sample Date 5/29/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/4/2024	CJR	1
Vinyl Chloride	2.51	ug/l	0.15	0.61	1	8260B		6/4/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/4/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/4/2024	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		6/4/2024	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/4/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/4/2024	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/4/2024	CJR	1

Project Name COMPLETE RECYCLING
 Project # 999-1009-001

Invoice # E44029

Lab Code 5044029V
 Sample ID TB-1
 Sample Matrix Water
 Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/3/2024	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/3/2024	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/3/2024	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/3/2024	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/3/2024	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/3/2024	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/3/2024	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/3/2024	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/3/2024	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/3/2024	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/3/2024	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/3/2024	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/3/2024	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/3/2024	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/3/2024	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/3/2024	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/3/2024	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/3/2024	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/3/2024	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/3/2024	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/3/2024	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/3/2024	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/3/2024	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/3/2024	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/3/2024	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/3/2024	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/3/2024	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/3/2024	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/3/2024	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/3/2024	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/3/2024	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/3/2024	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/3/2024	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/3/2024	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/3/2024	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/3/2024	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/3/2024	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/3/2024	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/3/2024	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/3/2024	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/3/2024	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/3/2024	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/3/2024	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/3/2024	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/3/2024	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/3/2024	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/3/2024	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/3/2024	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/3/2024	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/3/2024	CJR	1

Project Name COMPLETE RECYCLING
Project # 999-1009-001

Invoice # E44029

Lab Code 5044029V
Sample ID TB-1
Sample Matrix Water
Sample Date 5/28/2024

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/3/2024	6/3/2024	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/3/2024	6/3/2024	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/3/2024	6/3/2024	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/3/2024	6/3/2024	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B	6/3/2024	6/3/2024	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B	6/3/2024	6/3/2024	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B	6/3/2024	6/3/2024	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B	6/3/2024	6/3/2024	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, LLC

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mtsynergy@wi.twcabc.com

Sample Handling Request

Rush Analysis Date Required: _____
(Rushes accepted only with prior authorization)
Normal Turn Around

Lab I.D. # _____
QUOTE # : 999-1009-0031

Sampler: (signature) _____
Project (Name / Location): Complete Recycling / ST. Francis, WI

Reports To: First McClung Ryan Johnson
Company: Freepark Solutions
Address: 6871 S Lears Lane
City State Zip: Franklin, WI

Company: _____
Address: _____
City State Zip: _____

City State Zip: _____
Phone: _____
Email: _____

Company: _____
Address: _____
City State Zip: _____

Phone: _____
Email: _____

Lab I.D. _____ Sample I.D. _____

Collection Date _____ Time _____

Filtered Y/N _____

No. of Containers _____

Sample Type (Matrix)* _____

Preservation _____

DRO (Mod DRO Sep 95) _____

GRO (Mod GRO Sep 95) _____

LEAD _____

NITRATE/NITRITE _____

OIL & GREASE _____

PAH (EPA 8270) _____

PCB _____

PVOC (EPA 8021) _____

PVOC + NAPHTHALENE _____

SULFATE _____

TOTAL SUSPENDED SOLIDS _____

VOC DW (EPA 524.2) _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID		
5044029A	Kmw-2	5/28/24	1125	N	3	GW	HCl																		
	Kmw-1		1216																						
	KP3-1		1320																						
	Kmw-4		1340																						
	Kmw-3	5/29/24	830																						
	KP2-2		920																						
	Kmw-5		1000																						
	PW-1		1105																						
	P2-3		1210																						
	Kmw-6		1300																						
	P2-4		1350																						
	PW-14		1445																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: CS
Temp. of Temp. Blank: _____ °C On Ice: R
Cooler seal intact upon receipt: X Yes ___ No

Relinquished By: (sign) _____

Time _____ Date 5/30/24

Received By: (sign) _____

Time _____ Date _____

Received in Laboratory By: _____

Time _____ Date _____

Time: 245

Date: 05.31.24

Lab I.D. #

QUOTE # :

Project #:

Sampler: (signature)

Project (Name / Location):

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Environmental Lab, LLC

Sample Handling Request
Rush Analysis _____ Date Required: _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Analysis Requested

Other Analysis

Reports To:

Invoice To:

Company

Company

Address

Address

City State Zip

City State Zip

Phone

Phone

Email

Email

Lab I.D.

Sample I.D.

Collection Date Time

Filtered Y/N

No. of Containers

Sample Type (Matrix)*

Preservation

- DRO (Mod DRO Sep 95)
- GRO (Mod GRO Sep 95)
- LEAD
- NITRATE/NITRITE
- OIL & GREASE
- PAH (EPA 8270)
- PCB
- PVOC (EPA 8021)
- PVOC + NAPHTHALENE
- SULFATE
- TOTAL SUSPENDED SOLIDS
- VOC DW (EPA 524.2)
- VOC (EPA 8260)
- VOC AIR (TO - 15)
- 8-RCRA METALS

PID/
FID

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Lab I.D.	Sample I.D.	Collection Date Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	
5044029M	AMU-15	5/29/24	N	3	BW	HCl																
N	PMU-8	5/29/24																				
O	PMU-2	5/30/24																				
P	mu-2	9/10																				
Q	SPM-4	10/05																				
R	SMU-4	10/50																				
S	SMU-3R	11/30																				
T	Pup-1	5/29/24																				
U	Pup-2	5/29/24																				
V	TB-1	5/28/24																				

Sample Integrity - To be completed by receiving lab.

Method of Shipment: ES

Temp. of Temp. Blank: _____ °C On Ice: F

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time _____ Date 1605 5/30/24

Received By: (sign) _____ Time _____ Date _____

Received in Laboratory By: gsg Time: 745a Date: 05.31.24