



AECOM
1035 Kepler Dr
Green Bay, WI 54311
www.aecom.com

920 468 1978 tel
920 468 3312 fax

April 21, 2016

Ms. Jennifer Borski
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
625 E. County Road Y, STE. 700
Oshkosh, Wisconsin 54901-9731

Subject: Response to Notice of Non-Compliance, FV Steel and Wire Company site, 111 North Douglas Street, Hortonville, Outagamie County, Wisconsin — BRRTS No. 02-45-560221 AECOM Project No. 60428891

Dear Ms. Borski,

FV Steel and Wire Company and Keystone Consolidated Industries, Inc. (Keystone) provide this letter and attachments in response to the Notice of Non-Compliance letter dated April 8, 2016.

Per your request in the letter and as discussed in our phone conversation of April 13, 2016, please find as attachments to this letter summary data tables for soil and groundwater analytical results for sampling conducted by Keystone. A figure showing the sampling locations is also included for your reference. The full site investigation report that details activities undertaken by Keystone at the site is currently in draft stage and under review, with the expectation that it will be submitted to DNR within the next 30 business days.

Also attached for reference is the Notification of Property Owners letter sent to the adjacent property owner regarding sample results obtained from monitoring well MW-11 located on their property.

In regard to your request for updated property ownership and contact information, the real property located at 111 North Douglas Street, Hortonville, WI (Parcel ID Number 240031100) is owned by FV Steel and Wire Company, a subsidiary of Keystone Consolidated Industries, Inc. The Registered Agent for FV Steel and Wire Company is Corporation Service Company, 8040 Excelsior Drive, Suite 400, Madison, WI 53717. The direct contacts for FV Steel and Wire Company are Bert Downing, Jr. and Kevin Lombardozzi, Three Lincoln Centre, 5430 LBJ Freeway, Suite 1700, Dallas, Texas 75240. The site is currently unoccupied.

If you have any questions regarding the attached information, site ownership or contacts please contact Kevin Lombardozi (kevin@valhi.net; 972-448-1480) or me (steve.schubring@aecom.com; 920-406-3149).

Respectfully,

AECOM Technical Services, Inc.



Steven R. Schubring, P.G.
Project Manager

Cc: Courtney Riley, Keystone Consolidated, Inc.
Kevin Lombardozi, Keystone Consolidated, Inc.
Andy Nace, Keystone Consolidated, Inc.
Chad Erdmann, Manager, Environmental Engineering, Keystone Steel & Wire

Attachments:

Site Figure
Table 1a – Soil Analytical Detections Results
Table 1b - Soil Analytical Results, All
Table 2 – Groundwater Analytical Results
Notification of Property Owners Letter




**SITE OVERVIEW:
MONITORING WELLS AND 2015 BORING LOCATIONS**
Fox Valley Steel & Wire Company
111 N. Douglas Street, Hortonville, WI

Legend

- ⊕ Soil Boring ● Well Location
- ⊕ Production Well — Railroad
- ▭ Project Area

Notes:

1. MW wells are monitoring wells less than 15 feet below ground surface. PZ wells are piezometers set between 50 and 80 feet below ground surface.



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

Drawn: S. DAY 4/21/2016

Approved: R. MOTTL 4/21/2016

Scale: AS SHOWN

PROJECT NUMBER 60301459

FIGURE NUMBER 2

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-9	GP-9	GP-10	GP-10	GP-11	GP-11	GP-12	GP-12	GP-13	GP-13	GP-14	GP-14
	Direct Contact		Ground water Pathway	0' - 6'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	6' - 6.5'	0.5' - 1'	6' - 6.5'	3' - 1'	5.5' - 6'	1' - 1.5'	5.5' - 6'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UES	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1-Trichloroethane	640,000	640,000	140.2	2760^C	<25	2400^C	<25	260^C	<25	<25	<25	777^C	<25	45 ^J	<25
Chloroform	423	2,130	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	79.4	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	359	<50	<50	<50	<50	<50	<50	<50
Methylene chloride	60,700	1,070,000	2.6	46^{J C}	<32.3	<32.3	<32.3	<32.3	<32.3	40^{J C}	52^{J C}	43^{J C}	<32.3	51^{J C}	39^{J C}
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	95.2	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	557^C	<25	283^C	<25	40^{J C}	<25	<25	<25	129^C	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	37 ^J	<25	<25	<25	48 ^J	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	2540^{AC}	<25	2590^{AC}	<25	380^C	<25	<25	<25	234^C	<25	77.3^C	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	454	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
Benzo(a)anthracene	148	2,110	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	35.9	<27.7
Benzo(a)pyrene	15	211	470	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	35.9^A	<27.7
Benzo(b)fluoranthene	148	2110	479	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	43.6	<27.7
Benzo(g,h,i)perylene	--	--	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	33.3	<27.7
Chrysene	14,800	211,000	144.6	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	38.5	<27.7
Fluoranthene	2290000	22000000	88877.8	<26.4	<28.9	<25.2	<28.5	31.3	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7
Indeno(1,2,3-cd)pyrene	148	2,110	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	30.8	<27.7
Naphthalene	5150	26,000	658.2	<26.4	<28.9	32.7	<28.5	31.3	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7
Phenanthrene	--	--	--	<26.4	<28.9	<78.1	<28.5	<65.3	<28	<50.2	<29.3	<31.8	<28.2	33.4	<27.7
Pyrene	1,720,000	16,500,000	54132.2	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	46.2	<27.7

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-15	GP-15	GP-16	GP-16	GP-17	GP-17	GP-18	GP-18	GP-19	GP-19	GP-20	GP-20	
	Direct Contact		Ground water Pathway	0.5' - 1'	5.5' - 6'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	9" - 1.5'	5.5' - 6'	
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	
VOCs (ug/kg)																
1,1,1-Trichloroethane	640,000	640,000	140.2	30 ^J	<25	80.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroform	423	2,130	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Methylene chloride	60,700	1,070,000	2.6	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Trichloroethene	1,260	8,810	3.60	36 ^{J C}	<25	67.8 ^C	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	
PAHs (ug/kg)																
Benzo(a)anthracene	148	2,110	--	<26.1	<27.4	<27.4	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(a)pyrene	15	211	470	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(b)fluoranthene	148	2110	479	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(g,h,i)perylene	--	--	--	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Chrysene	14,800	211,000	144.6	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Fluoranthene	2290000	22000000	88877.8	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Indeno(1,2,3-cd)pyrene	148	2,110	--	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	5150	26,000	658.2	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Phenanthrene	--	--	--	<34	<27.4	<27.8	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Pyrene	1,720,000	16,500,000	54132.2	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-21	GP-21	GP-22	GP-22	GP-23	GP-23	GP-24	GP-24	GP-25	GP-25	GP-26	GP-26
	Direct Contact		Ground water Pathway	1' - 1.5'	5' - 5.5'	2' - 2.5'	6' - 6.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0' - 1'	5.5' - 6'	1' - 1.5'	5' - 5.5'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroform	423	2,130	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methylene chloride	60,700	1,070,000	2.6	<32.3	42^{J C}	55^{J C}	<32.3	65^{J C}	<32.3	62^{J C}	61^{J C}	<32.3	<32.3	45^{JB C}	51^{JB C}
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-27	GP-27	GP-28	GP-28	GP-29	GP-29	GP-30	GP-30	GP-31	GP-31	GP-32	GP-32
	Direct Contact		Ground water Pathway	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	5' - 5.5'	1.5' - 2'	6' - 7'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	UEC	UEC
VOCs (ug/kg)															
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroform	423	2,130	3.3	15 ^{JB C}	16 ^{JB C}	16 ^{JB C}	14 ^{JB C}	15 ^{JB C}	18 ^{JB C}	15 ^{JB C}	16 ^{JB C}	17 ^{JB C}	15 ^{JB C}	14 ^{JB C}	22 ^{JB C}
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methylene chloride	60,700	1,070,000	2.6	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	283 ^C	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	175 ^C	<25	<25	<25	23 ^C	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-33	GP-33	GP-34	GP-34	GP-35	GP-35	GP-36	GP-36	GP-37	GP-37	GP-38	GP-38
	Direct Contact		Ground water Pathway	0.5' - 1'	5' - 5.5'	0.5' - 1'	5' - 5.5'	0' - 0.5'	5' - 5.5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 2'	5' - 5.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroform	423	2,130	3.3	16 ^{JB C}	13 ^{JB C}	16 ^{JB C}	16 ^{JB C}	18 ^{JB C}	15 ^{JB C}	19 ^{JB C}	14 ^{JB C}	15 ^{JB C}	18 ^{JB C}	<25	16 ^{JB C}
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methylene chloride	60,700	1,070,000	2.6	<32.3	67 ^{JB C}	64 ^{JB C}	72 ^{JB C}	<32.3	64 ^{JB C}	49 ^{JB C}	<32.3	49 ^{JB C}	49 ^{JB C}	59 ^{JB C}	56 ^{JB C}
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	39 ^J	37 ^J	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	<25	51 ^{J C}	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-39	GP-39	GP-40	GP-40	GP-41	GP-41	GP-42	GP-42	GP-43	GP-43	GP-44	GP-44
	Direct Contact		Ground water Pathway	3" - 1'	4.5' - 5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	3" - 1'	5' - 5.5'	3" - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1-Trichloroethane	640,000	640,000	140.2	47 ^J	89.7	<25	<25	<25	<25	36 ^J	<25	<25	<25	<25	<25
Chloroform	423	2,130	3.3	<25	19 ^{JB C}	16 ^{JB C}	14 ^{JB C}	18 ^{JB C}	14 ^{JB C}	13 ^{JB C}	<25	<25	16 ^{JB C}	20 ^{JB C}	17 ^{JB C}
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methylene chloride	60,700	1,070,000	2.6	58 ^{JB C}	42 ^{J C}	<32.3	74 ^{JB C}	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	27 ^{J C}	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	82.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-45	GP-45	GP-46	GP-46	GP-47	GP-47	GP-48	GP-48	GP-49	GP-49	GP-50	GP-50
	Direct Contact		Ground water Pathway	3" - 1'	5.5' - 6'	6" - 16"	5' - 5.5'	9" - 1.5'	4.5' - 5'	4.5' - 5'	5' - 5.5'	9" - 1.5'	4' - 4.5'	1' - 1.5'	4' - 4.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroform	423	2,130	3.3	16 ^{JB C}	19 ^{JB C}	13 ^{JB C}	15 ^{JB C}	12 ^{JB C}	13 ^{JB C}	14 ^{JB C}	17 ^{JB C}	16 ^{JB C}	18 ^{JB C}	17 ^{JB C}	15 ^{JB C}
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methylene chloride	60,700	1,070,000	2.6	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	46 ^{J C}	51 ^{J C}
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	37 ^J	92.8
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-01A	KS-02A	KS-02B	KS-03A	KS-03B	KS-04A	KS-04B	KS-05A	KS-05B	KS-06A	KS-07A	KS-07B	
	Direct Contact		Ground water Pathway	2.5	2.5	1.5	4.2	2.2	2.5	0.5	5.0	1.0	5.0	5.0	1.5	
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015
				AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	
VOCs (ug/kg)																
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.9	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50.5	<50	<50	<50	<50	<50	<50	<50	<50
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	105	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PAHs (ug/kg)																
Benzo(a)anthracene	148	2,110	--	<6.4	<6.2	<6.7	<6.7	<6.2	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	<6.6	<6.4	<6.9	<6.9	<6.3	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	<7	<6.8	<7.4	<7.3	<6.8	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	<8.6	<8.2	<9	<8.9	<8.2	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	<7	<6.8	<7.4	<7.3	<6.7	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-08A	KS-09A	KS-09B	KS-10A	KS-11A	KS-11B	KS-12A	KS-12B	KS-13A	KS-13B	KS-13C	KS-14A
	Direct Contact		Ground water Pathway	5.5	4.0	2.0	4.1	5.4	1.1	6.6	1.5	10	1.5	5.0	5.0
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015
VOCs (ug/kg)															
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.9	<46.4
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50.5	<50
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PAHs (ug/kg)															
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-15A	KS-15B	KS-16A	KS-17A	KS-18A	KS-18B	KS-19A	KS-19B	KS-20A	KS-20B	KS-21A	KS-21B	
	Direct Contact		Ground water Pathway	4.5	2.0	4.5	2.5	3.5	1.5	3.5	0.6	3.5	2.0	5.5	2.75	
	Non-Industrial	Industrial		4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015
				AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	
VOCs (ug/kg)																
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
PAHs (ug/kg)																
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-22A	KS-22B	KS-23A	KS-23B	KS-24A	KS-24B	KS-25A	KS-25B	KS-TB1
	Direct Contact		Ground water Pathway	5.25	2.5	3.9	1.0	4.1	1.0	3.9	1.0	
	Non-Industrial	Industrial		4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/22/2015
				AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM
VOCs (ug/kg)												
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<49.4	<46.4
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<53.2	<50
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA
PAHs (ug/kg)												
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1a
Summary of Soil Analytical Results - Compound Detects
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-9	GP-9	GP-10	GP-10	GP-11	GP-11	GP-12	GP-12	GP-13	GP-13	GP-14	GP-14
	Direct Contact		Ground water Pathway	0' - 6'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	6' - 6.5'	0.5' - 1'	6' - 6.5'	3' - 1'	5.5' - 6'	1' - 1.5'	5.5' - 6'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
VOCs (ug/kg)				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	640,000	640,000	140.2	2760 ^C	<25	2400 ^C	<25	260 ^C	<25	<25	<25	777 ^C	<25	45 ^J	<25
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<26.2	<25.2	<25.2	<25.2
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloropropene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichlorobenzene	48,900	493,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	5	95	51.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	22,000	98,700	408	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	8	99	0.2	<110	<110	<110	<110	<110	<110	<110	<110	<115	<110	<110	<110
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	376,000	376,000	1168	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	1,330	6,620	3.3	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<31	<29.8	<29.8	<29.8
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	297,000	297,000	1152.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropane	1,490,000	1,490,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene, Total	2,200	10,600	0.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
1,4-Dichlorobenzene	3,480	17,500	144	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1-Butanol	6,110,000	61,600,000	--	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1560	<1500	<1500	<1500
2,2-Dichloropropane	527,000	527,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone	28,400,000	28,400,000	1666.1	<306	<306	<306	<306	<306	<306	<306	<306	<319	<306	<306	<306
2-Chlorotoluene	907,000	907,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	244,000	1,770,000	--	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<39.2	<37.6	<37.6	<37.6
4-Chlorotoluene	253,000	253,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	<136	<136	<136	<136	<136	<136	<136	<136	<142	<136	<136	<136
Acetone	64,800,000	100,000,000	3676.6	<361	<361	<361	<361	<361	<361	<361	<361	<375	<361	<361	<361
Acrylonitrile	314	1,530	--	<116	<116	<116	<116	<116	<116	<116	<116	<121	<116	<116	<116
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	354,000	679,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromochloromethane	232,000	976,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromomethane	10,300	46,000	5	<36	<36	<36	<36	<36	<36	<36	<36	<37.5	<36	<36	<36
Carbon disulfide	738,000	738,000	592	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	2,120,000	2,120,000	226.6	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<31.5	<30.2	<30.2	<30.2

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-9	GP-9	GP-10	GP-10	GP-11	GP-11	GP-12	GP-12	GP-13	GP-13	GP-14	GP-14	
	Direct Contact		Ground water Pathway	0' - 6'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	6' - 6.5'	0.5' - 1'	6' - 6.5'	3' - 1'	5.5' - 6'	1' - 1.5'	5.5' - 6'	
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	
VOCs (ug/kg)																
Chloroform	423	2,130	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloromethane	171,000	720,000	15.5	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<43.4	<41.7	<41.7	<41.7	
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Dibromomethane	35,000	151,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane	135,000	571,000	3086.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Diisopropyl ether	2,260,000	2,260,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	79.4	<25	<25	<25	<25	<25	<25	<25	
Hexachlorobutadiene	6,220	22,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Isopropylbenzene	268,000	268,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	359	<50	<50	<50	<50	<50	<50	<50	
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Methylene chloride	60,700	1,070,000	2.6	46 ^{J C}	<32.3	<32.3	<32.3	<32.3	<32.3	40 ^{J C}	52 ^{J C}	43 ^{J C}	<32.3	51 ^{J C}	39 ^{J C}	
n-Butylbenzene	108,000	108,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
n-Propylbenzene	264000	264000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	5,150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	95.2	<25	<25	<25	<25	<25	<25	<25	
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
sec-Butylbenzene	145,000	145,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
tert-Butylbenzene	183,000	183,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	30,700	153,000	4.5	557 ^C	<25	283 ^C	<25	40 ^{J C}	<25	<25	<25	129 ^C	<25	<25	<25	
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	37 ^J	<25	<25	<25	48 ^J	<25	<25	<25	
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	1,260	8,810	3.60	2540 ^{AC}	<25	2590 ^{AC}	<25	380 ^C	<25	<25	<25	234 ^C	<25	77.3 ^C	<25	
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Vinyl acetate	1,400,000	2750000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	454	<75	<75	<75	<75	<75	<75	<75	
PAHs (ug/kg)																
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acenaphthene	3,440,000	33,000,000	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7	
Acenaphthylene	--	--	--	<132	<145	<126	<143	<130	<140	<132	<146	<132	<141	<128	<138	
Anthracene	17,200,000	100,000,000	197727.3	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7	
Benzo(a)anthracene	148	2,110	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	35.9	<27.7	
Benzo(a)pyrene	15	211	470	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	35.9 ^A	<27.7	

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			GP-9	GP-9	GP-10	GP-10	GP-11	GP-11	GP-12	GP-12	GP-13	GP-13	GP-14	GP-14
	Direct Contact		Ground water Pathway	0' - 6'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	6' - 6.5'	0.5' - 1'	6' - 6.5'	3' - 1'	5.5' - 6'	1' - 1.5'	5.5' - 6'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
PAHs (ug/kg)				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
Benzo(b)fluoranthene	148	2110	479	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	43.6	<27.7
Benzo(g,h,i)perylene	--	--	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	33.3	<27.7
Benzo(k)fluoranthene	1480	21100	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7
Chrysene	14,800	211,000	144.6	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	38.5	<27.7
Dibenzo(a,h)anthracene	15	211	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7
Fluoranthene	2290000	22000000	88877.8	<26.4	<28.9	<25.2	<28.5	31.3	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7
Fluorene	2,290,000	22,000,000	14,802.7	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7
Indeno(1,2,3-cd)pyrene	148	2,110	--	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	30.8	<27.7
Naphthalene	5150	26,000	658.2	<26.4	<28.9	32.7	<28.5	31.3	<28	<26.4	<29.3	<26.5	<28.2	<25.7	<27.7
Phenanthrene	--	--	--	<26.4	<28.9	<78.1	<28.5	<65.3	<28	<50.2	<29.3	<31.8	<28.2	33.4	<27.7
Pyrene	1,720,000	16,500,000	54132.2	<26.4	<28.9	<25.2	<28.5	<26.1	<28	<26.4	<29.3	<26.5	<28.2	46.2	<27.7

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-15	GP-15	GP-16	GP-16	GP-17	GP-17	GP-18	GP-18	GP-19	GP-19	GP-20	GP-20
	Direct Contact		Ground water Pathway	0.5' - 1'	5.5' - 6'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	9" - 1.5'	5.5' - 6'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	640,000	640,000	140.2	30 ^J	<25	80.2	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloropropene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichlorobenzene	48,900	493,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	5	95	51.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	22,000	98,700	408	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	8	99	0.2	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	376,000	376,000	1168	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	1,330	6,620	3.3	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	297,000	297,000	1152.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropane	1,490,000	1,490,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene, Total	2,200	10,600	0.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
1,4-Dichlorobenzene	3,480	17,500	144	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1-Butanol	6,110,000	61,600,000	--	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500
2,2-Dichloropropane	527,000	527,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone	28,400,000	28,400,000	1666.1	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306
2-Chlorotoluene	907,000	907,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	244,000	1,770,000	--	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6
4-Chlorotoluene	253,000	253,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136
Acetone	64,800,000	100,000,000	3676.6	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361
Acrylonitrile	314	1,530	--	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	354,000	679,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromochloromethane	232,000	976,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromomethane	10,300	46,000	5	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36
Carbon disulfide	738,000	738,000	592	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	2,120,000	2,120,000	226.6	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-15	GP-15	GP-16	GP-16	GP-17	GP-17	GP-18	GP-18	GP-19	GP-19	GP-20	GP-20	
	Direct Contact		Ground water Pathway	0.5' - 1'	5.5' - 6'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	9" - 1.5'	5.5' - 6'	
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	
VOCs (ug/kg)																
Chloroform	423	2,130	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloromethane	171,000	720,000	15.5	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Dibromomethane	35,000	151,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane	135,000	571,000	3086.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Diisopropyl ether	2,260,000	2,260,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Hexachlorobutadiene	6,220	22,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Isopropylbenzene	268,000	268,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Methylene chloride	60,700	1,070,000	2.6	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	
n-Butylbenzene	108,000	108,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
n-Propylbenzene	264000	264000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	5,150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
sec-Butylbenzene	145,000	145,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
tert-Butylbenzene	183,000	183,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	1,260	8,810	3.60	36 ^{J C}	<25	67.8 ^C	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Vinyl acetate	1,400,000	2750000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	
PAHs (ug/kg)																
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acenaphthene	3,440,000	33,000,000	--	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Acenaphthylene	--	--	--	<131	<137	<126	<142	NA	NA	NA	NA	NA	NA	NA	NA	
Anthracene	17,200,000	100,000,000	197727.3	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(a)anthracene	148	2,110	--	<26.1	<27.4	<27.4	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(a)pyrene	15	211	470	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA	

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			GP-15	GP-15	GP-16	GP-16	GP-17	GP-17	GP-18	GP-18	GP-19	GP-19	GP-20	GP-20
	Direct Contact		Ground water Pathway	0.5' - 1'	5.5' - 6'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5' - 5.5'	9" - 1.5'	5.5' - 6'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
PAHs (ug/kg)															
Benzo(b)fluoranthene	148	2110	479	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	<34	<27.4	<27.8	<28.3	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	<26.1	<27.4	<25.2	<28.3	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-21	GP-21	GP-22	GP-22	GP-23	GP-23	GP-24	GP-24	GP-25	GP-25	GP-26	GP-26
	Direct Contact		Ground water Pathway	1' - 1.5'	5' - 5.5'	2' - 2.5'	6' - 6.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0' - 1'	5.5' - 6'	1' - 1.5'	5' - 5.5'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloropropene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichlorobenzene	48,900	493,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	5	95	51.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	22,000	98,700	408	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	8	99	0.2	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	376,000	376,000	1168	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	1,330	6,620	3.3	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	297,000	297,000	1152.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropane	1,490,000	1,490,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene, Total	2,200	10,600	0.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
1,4-Dichlorobenzene	3,480	17,500	144	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1-Butanol	6,110,000	61,600,000	--	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500
2,2-Dichloropropane	527,000	527,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone	28,400,000	28,400,000	1666.1	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306
2-Chlorotoluene	907,000	907,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	244,000	1,770,000	--	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6
4-Chlorotoluene	253,000	253,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136
Acetone	64,800,000	100,000,000	3676.6	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361
Acrylonitrile	314	1,530	--	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	354,000	679,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromochloromethane	232,000	976,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromomethane	10,300	46,000	5	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36
Carbon disulfide	738,000	738,000	592	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	2,120,000	2,120,000	226.6	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-21	GP-21	GP-22	GP-22	GP-23	GP-23	GP-24	GP-24	GP-25	GP-25	GP-26	GP-26
	Direct Contact		Ground water Pathway	1' - 1.5'	5' - 5.5'	2' - 2.5'	6' - 6.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0' - 1'	5.5' - 6'	1' - 1.5'	5' - 5.5'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
Chloroform	423	2,130	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloromethane	171,000	720,000	15.5	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dibromomethane	35,000	151,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	135,000	571,000	3086.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Diisopropyl ether	2,260,000	2,260,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Hexachlorobutadiene	6,220	22,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	268,000	268,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Methylene chloride	60,700	1,070,000	2.6	<32.3	42 ^{J C}	55 ^{J C}	<32.3	65 ^{J C}	<32.3	62 ^{J C}	61 ^{J C}	<32.3	<32.3	45 ^{JB C}	51 ^{JB C}
n-Butylbenzene	108,000	108,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	264000	264000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5,150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	145,000	145,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	183,000	183,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl acetate	1,400,000	2750000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			GP-21	GP-21	GP-22	GP-22	GP-23	GP-23	GP-24	GP-24	GP-25	GP-25	GP-26	GP-26
	Direct Contact		Ground water Pathway	1' - 1.5'	5' - 5.5'	2' - 2.5'	6' - 6.5'	1' - 1.5'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0' - 1'	5.5' - 6'	1' - 1.5'	5' - 5.5'
	Non-Industrial	Industrial		9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010	9/27/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
PAHs (ug/kg)															
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-27	GP-27	GP-28	GP-28	GP-29	GP-29	GP-30	GP-30	GP-31	GP-31	GP-32	GP-32
	Direct Contact		Ground water Pathway	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	5' - 5.5'	1.5' - 2'	6' - 7'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloropropene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichlorobenzene	48,900	493,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	5	95	51.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	22,000	98,700	408	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	8	99	0.2	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	376,000	376,000	1168	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	1,330	6,620	3.3	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	297,000	297,000	1152.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropane	1,490,000	1,490,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene, Total	2,200	10,600	0.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
1,4-Dichlorobenzene	3,480	17,500	144	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1-Butanol	6,110,000	61,600,000	--	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500
2,2-Dichloropropane	527,000	527,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone	28,400,000	28,400,000	1666.1	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306
2-Chlorotoluene	907,000	907,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	244,000	1,770,000	--	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6
4-Chlorotoluene	253,000	253,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136
Acetone	64,800,000	100,000,000	3676.6	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361
Acrylonitrile	314	1,530	--	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	354,000	679,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromochloromethane	232,000	976,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromomethane	10,300	46,000	5	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36
Carbon disulfide	738,000	738,000	592	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	2,120,000	2,120,000	226.6	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-27	GP-27	GP-28	GP-28	GP-29	GP-29	GP-30	GP-30	GP-31	GP-31	GP-32	GP-32
	Direct Contact		Ground water Pathway	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	5' - 5.5'	1.5' - 2'	6' - 7'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	9/28/2010	9/28/2010
VOCs (ug/kg)				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
Chloroform	423	2,130	3.3	15 ^{JB C}	16 ^{JB C}	16 ^{JB C}	14 ^{JB C}	15 ^{JB C}	18 ^{JB C}	15 ^{JB C}	16 ^{JB C}	17 ^{JB C}	15 ^{JB C}	14 ^{JB C}	22 ^{JB C}
Chloromethane	171,000	720,000	15.5	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dibromomethane	35,000	151,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	135,000	571,000	3086.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Diisopropyl ether	2,260,000	2,260,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Hexachlorobutadiene	6,220	22,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	268,000	268,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Methylene chloride	60,700	1,070,000	2.6	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3
n-Butylbenzene	108,000	108,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	264000	264000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5,150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	145,000	145,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	183,000	183,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	283 ^C	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	1,260	8,810	3.60	175 ^C	<25	<25	<25	23 ^C	<25	<25	<25	<25	<25	<25	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl acetate	1,400,000	2750000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			GP-27	GP-27	GP-28	GP-28	GP-29	GP-29	GP-30	GP-30	GP-31	GP-31	GP-32	GP-32
	Direct Contact		Ground water Pathway	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	0.5'-1'	5' - 5.5'	1' - 1.5'	5.5' - 6'	1' - 1.5'	5' - 5.5'	1.5' - 2'	6' - 7'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	9/28/2010
PAHs (ug/kg)				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-33	GP-33	GP-34	GP-34	GP-35	GP-35	GP-36	GP-36	GP-37	GP-37	GP-38	GP-38
	Direct Contact		Ground water Pathway	0.5' - 1'	5' - 5.5'	0.5' - 1'	5' - 5.5'	0' - 0.5'	5' - 5.5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 2'	5' - 5.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloropropene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichlorobenzene	48,900	493,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	5	95	51.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	22,000	98,700	408	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	8	99	0.2	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	376,000	376,000	1168	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	1,330	6,620	3.3	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	297,000	297,000	1152.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropane	1,490,000	1,490,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene, Total	2,200	10,600	0.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
1,4-Dichlorobenzene	3,480	17,500	144	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1-Butanol	6,110,000	61,600,000	--	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500
2,2-Dichloropropane	527,000	527,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone	28,400,000	28,400,000	1666.1	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306
2-Chlorotoluene	907,000	907,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	244,000	1,770,000	--	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6
4-Chlorotoluene	253,000	253,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136
Acetone	64,800,000	100,000,000	3676.6	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361
Acrylonitrile	314	1,530	--	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	354,000	679,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromochloromethane	232,000	976,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromomethane	10,300	46,000	5	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36
Carbon disulfide	738,000	738,000	592	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	2,120,000	2,120,000	226.6	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-33	GP-33	GP-34	GP-34	GP-35	GP-35	GP-36	GP-36	GP-37	GP-37	GP-38	GP-38
	Direct Contact		Ground water Pathway	0.5' - 1'	5' - 5.5'	0.5' - 1'	5' - 5.5'	0' - 0.5'	5' - 5.5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 2'	5' - 5.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
VOCs (ug/kg)															
Chloroform	423	2,130	3.3	16 ^{JB C}	13 ^{JB C}	16 ^{JB C}	16 ^{JB C}	18 ^{JB C}	15 ^{JB C}	19 ^{JB C}	14 ^{JB C}	15 ^{JB C}	18 ^{JB C}	<25	16 ^{JB C}
Chloromethane	171,000	720,000	15.5	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dibromomethane	35,000	151,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	135,000	571,000	3086.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Diisopropyl ether	2,260,000	2,260,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Hexachlorobutadiene	6,220	22,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	268,000	268,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Methylene chloride	60,700	1,070,000	2.6	<32.3	67 ^{JB C}	64 ^{JB C}	72 ^{JB C}	<32.3	64 ^{JB C}	49 ^{JB C}	<32.3	49 ^{JB C}	49 ^{JB C}	59 ^{JB C}	56 ^{JB C}
n-Butylbenzene	108,000	108,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	264,000	264,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5,150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	145,000	145,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	183,000	183,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	39 ^J	37 ^J	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	1,260	8,810	3.60	<25	51 ^{J C}	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl acetate	1,400,000	2750000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			GP-33	GP-33	GP-34	GP-34	GP-35	GP-35	GP-36	GP-36	GP-37	GP-37	GP-38	GP-38
	Direct Contact		Ground water Pathway	0.5' - 1'	5' - 5.5'	0.5' - 1'	5' - 5.5'	0' - 0.5'	5' - 5.5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	1' - 2'	5' - 5.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/27/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
PAHs (ug/kg)															
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-39	GP-39	GP-40	GP-40	GP-41	GP-41	GP-42	GP-42	GP-43	GP-43	GP-44	GP-44	
	Direct Contact		Ground water Pathway	3" - 1'	4.5' - 5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	3" - 1'	5' - 5.5'	3" - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	
VOCs (ug/kg)																
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,1-Trichloroethane	640,000	640,000	140.2	47 ^J	89.7	<25	<25	<25	<25	36 ^J	<25	<25	<25	<25	<25	
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,2-Trichloroethane	1,480	7,340	3.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloropropene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,3-Trichlorobenzene	48,900	493,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,3-Trichloropropane	5	95	51.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	22,000	98,700	408	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	8	99	0.2	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichlorobenzene	376,000	376,000	1168	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichloropropane	1,330	6,620	3.3	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	297,000	297,000	1152.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichloropropane	1,490,000	1,490,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichloropropene, Total	2,200	10,600	0.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
1,4-Dichlorobenzene	3,480	17,500	144	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1-Butanol	6,110,000	61,600,000	--	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	
2,2-Dichloropropane	527,000	527,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone	28,400,000	28,400,000	1666.1	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	
2-Chlorotoluene	907,000	907,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Hexanone	244,000	1,770,000	--	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	
4-Chlorotoluene	253,000	253,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	
Acetone	64,800,000	100,000,000	3676.6	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	
Acrylonitrile	314	1,530	--	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromobenzene	354,000	679,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromochloromethane	232,000	976,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromomethane	10,300	46,000	5	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	
Carbon disulfide	738,000	738,000	592	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroethane	2,120,000	2,120,000	226.6	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-39	GP-39	GP-40	GP-40	GP-41	GP-41	GP-42	GP-42	GP-43	GP-43	GP-44	GP-44	
	Direct Contact		Ground water Pathway	3" - 1'	4.5' - 5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	3" - 1'	5' - 5.5'	3" - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	
VOCs (ug/kg)																
Chloroform	423	2,130	3.3	<25	19 ^{JB C}	16 ^{JB C}	14 ^{JB C}	18 ^{JB C}	14 ^{JB C}	13 ^{JB C}	<25	<25	16 ^{JB C}	20 ^{JB C}	17 ^{JB C}	
Chloromethane	171,000	720,000	15.5	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Dibromomethane	35,000	151,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane	135,000	571,000	3086.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Diisopropyl ether	2,260,000	2,260,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Hexachlorobutadiene	6,220	22,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Isopropylbenzene	268,000	268,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Methylene chloride	60,700	1,070,000	2.6	58 ^{JB C}	42 ^{J C}	<32.3	74 ^{JB C}	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	
n-Butylbenzene	108,000	108,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
n-Propylbenzene	264000	264000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	5,150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
sec-Butylbenzene	145,000	145,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
tert-Butylbenzene	183,000	183,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	30,700	153,000	4.5	27 ^{J C}	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Toluene	818,000	818,000	1107.2	<25	82.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Vinyl acetate	1,400,000	2750000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	
PAHs (ug/kg)																
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			GP-39	GP-39	GP-40	GP-40	GP-41	GP-41	GP-42	GP-42	GP-43	GP-43	GP-44	GP-44
	Direct Contact		Ground water Pathway	3" - 1'	4.5' - 5'	0.5' - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'	3" - 1'	5' - 5.5'	3" - 1'	5' - 5.5'	1' - 1.5'	5' - 5.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
PAHs (ug/kg)															
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-45	GP-45	GP-46	GP-46	GP-47	GP-47	GP-48	GP-48	GP-49	GP-49	GP-50	GP-50
	Direct Contact		Ground water Pathway	3" - 1'	5.5' - 6'	6" - 16"	5' - 5.5'	9" - 1.5'	4.5' - 5'	4.5' - 5'	5' - 5.5'	9" - 1.5'	4' - 4.5'	1' - 1.5'	4' - 4.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
VOCs (ug/kg)				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2	<25.2
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloropropene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichlorobenzene	48,900	493,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	5	95	51.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	22,000	98,700	408	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	8	99	0.2	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110	<110
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	376,000	376,000	1168	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	1,330	6,620	3.3	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8	<29.8
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	297,000	297,000	1152.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropane	1,490,000	1,490,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene, Total	2,200	10,600	0.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
1,4-Dichlorobenzene	3,480	17,500	144	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1-Butanol	6,110,000	61,600,000	--	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500
2,2-Dichloropropane	527,000	527,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone	28,400,000	28,400,000	1666.1	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306	<306
2-Chlorotoluene	907,000	907,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	244,000	1,770,000	--	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6	<37.6
4-Chlorotoluene	253,000	253,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136	<136
Acetone	64,800,000	100,000,000	3676.6	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361	<361
Acrylonitrile	314	1,530	--	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116	<116
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	354,000	679,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromochloromethane	232,000	976,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromomethane	10,300	46,000	5	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36	<36
Carbon disulfide	738,000	738,000	592	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	2,120,000	2,120,000	226.6	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2	<30.2

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			GP-45	GP-45	GP-46	GP-46	GP-47	GP-47	GP-48	GP-48	GP-49	GP-49	GP-50	GP-50
	Direct Contact		Ground water Pathway	3" - 1'	5.5' - 6'	6" - 16"	5' - 5.5'	9" - 1.5'	4.5' - 5'	4.5' - 5'	5' - 5.5'	9" - 1.5'	4' - 4.5'	1' - 1.5'	4' - 4.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
VOCs (ug/kg)				16 ^{JB C}	19 ^{JB C}	13 ^{JB C}	15 ^{JB C}	12 ^{JB C}	13 ^{JB C}	14 ^{JB C}	17 ^{JB C}	16 ^{JB C}	18 ^{JB C}	17 ^{JB C}	15 ^{JB C}
Chloroform	423	2,130	3.3	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7
Chloromethane	171,000	720,000	15.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dibromochloromethane	933	4,400	32	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibromomethane	35,000	151,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	135,000	571,000	3086.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Diisopropyl ether	2,260,000	2,260,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Hexachlorobutadiene	6,220	22,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	268,000	268,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Methylene chloride	60,700	1,070,000	2.6	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	<32.3	46 ^{J C}	51 ^{J C}
n-Butylbenzene	108,000	108,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	264000	264000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5,150	26,000	658.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	145,000	145,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	183,000	183,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	37 ^J	92.8
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl acetate	1,400,000	2750000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75
PAHs (ug/kg)															
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			GP-45	GP-45	GP-46	GP-46	GP-47	GP-47	GP-48	GP-48	GP-49	GP-49	GP-50	GP-50
	Direct Contact		Ground water Pathway	3" - 1'	5.5' - 6'	6" - 16"	5' - 5.5'	9" - 1.5'	4.5' - 5'	4.5' - 5'	5' - 5.5'	9" - 1.5'	4' - 4.5'	1' - 1.5'	4' - 4.5'
	Non-Industrial	Industrial		9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010	9/28/2010
				UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC	UEC
PAHs (ug/kg)															
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-01A	KS-02A	KS-02B	KS-03A	KS-03B	KS-04A	KS-04B	KS-05A	KS-05B	KS-06A	KS-07A	KS-07B	
	Direct Contact		Ground water Pathway	2.5	2.5	1.5	4.2	2.2	2.5	0.5	5.0	1.0	5.0	5.0	1.5	
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015
				AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	
VOCs (ug/kg)																
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloropropene	--	--	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,2,3-Trichlorobenzene	48,900	493,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,2,3-Trichloropropane	5	95	51.9	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,2,4-Trichlorobenzene	22,000	98,700	408	<47.6	<47.6	<47.6	<47.6	<48	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dibromo-3-chloropropane	8	99	0.2	<91.2	<91.2	<91.2	<91.2	<92.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	376,000	376,000	1168	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	1,330	6,620	3.3	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,3-Dichlorobenzene	297,000	297,000	1152.8	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,3-Dichloropropane	1,490,000	1,490,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1,3-Dichloropropene, Total	2,200	10,600	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	3,480	17,500	144	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
1-Butanol	6,110,000	61,600,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2,2-Dichloropropane	527,000	527,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
2-Butanone	28,400,000	28,400,000	1666.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorotoluene	907,000	907,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
2-Hexanone	244,000	1,770,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene	253,000	253,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	64,800,000	100,000,000	3676.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	314	1,530	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	354,000	679,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Bromochloromethane	232,000	976,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Bromomethane	10,300	46,000	5	<69.9	<69.9	<69.9	<69.9	<70.6	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9
Carbon disulfide	738,000	738,000	592	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	2,120,000	2,120,000	226.6	<67	<67	<67	<67	<67.7	<67	<67	<67	<67	<67	<67	<67	<67

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-01A	KS-02A	KS-02B	KS-03A	KS-03B	KS-04A	KS-04B	KS-05A	KS-05B	KS-06A	KS-07A	KS-07B
	Direct Contact		Ground water Pathway	2.5	2.5	1.5	4.2	2.2	2.5	0.5	5.0	1.0	5.0	5.0	1.5
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015
VOCs (ug/kg)															
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.9	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4
Chloromethane	171,000	720,000	15.5	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Dibromomethane	35,000	151,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Dichlorodifluoromethane	135,000	571,000	3086.3	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Diisopropyl ether	2,260,000	2,260,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Hexachlorobutadiene	6,220	22,100	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Isopropylbenzene	268,000	268,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50.5	<50	<50	<50	<50	<50	<50	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
n-Butylbenzene	108,000	108,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
n-Propylbenzene	264000	264000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Naphthalene	5,150	26,000	658.2	<40	<40	<40	<40	<40.4	<40	<40	<40	<40	<40	<40	<40
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	105	<25.3	<25	<25	<25	<25	<25	<25	<25
sec-Butylbenzene	145,000	145,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	183,000	183,000	--	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Vinyl acetate	1,400,000	2750000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25.3	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PAHs (ug/kg)															
1-Methylnaphthalene	15,600	53,100	--	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	<8.3	<8	<8.7	<8.6	<7.9	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	<9.6	<9.2	<10.1	<10	<9.2	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	<6.4	<6.2	<6.7	<6.7	<6.2	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	<6.6	<6.4	<6.9	<6.9	<6.3	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			KS-01A	KS-02A	KS-02B	KS-03A	KS-03B	KS-04A	KS-04B	KS-05A	KS-05B	KS-06A	KS-07A	KS-07B	
	Direct Contact		Ground water Pathway	2.5	2.5	1.5	4.2	2.2	2.5	0.5	5.0	1.0	5.0	5.0	1.5	
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015
PAHs (ug/kg)																
Benzo(b)fluoranthene	148	2110	479	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	<7	<6.8	<7.4	<7.3	<6.8	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	<10.2	<9.8	<10.7	<10.7	<9.8	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	<8.6	<8.2	<9	<8.9	<8.2	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	<6.8	<6.5	<7.1	<7.1	<6.5	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	<7	<6.8	<7.4	<7.3	<6.7	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	<9.2	<8.9	<9.7	<9.6	<8.9	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-08A	KS-09A	KS-09B	KS-10A	KS-11A	KS-11B	KS-12A	KS-12B	KS-13A	KS-13B	KS-13C	KS-14A
	Direct Contact		Ground water Pathway	5.5	4.0	2.0	4.1	5.4	1.1	6.6	1.5	10	1.5	5.0	5.0
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015
VOCs (ug/kg)															
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,1,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,1-Dichloropropene	--	--	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,2,3-Trichlorobenzene	48,900	493,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,2,3-Trichloropropane	5	95	51.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,2,4-Trichlorobenzene	22,000	98,700	408	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<48	<47.6
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,2-Dibromo-3-chloropropane	8	99	0.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<92.2	<91.2
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,2-Dichlorobenzene	376,000	376,000	1168	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,2-Dichloropropane	1,330	6,620	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,3-Dichlorobenzene	297,000	297,000	1152.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,3-Dichloropropane	1,490,000	1,490,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1,3-Dichloropropene, Total	2,200	10,600	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	3,480	17,500	144	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
1-Butanol	6,110,000	61,600,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2,2-Dichloropropane	527,000	527,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
2-Butanone	28,400,000	28,400,000	1666.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorotoluene	907,000	907,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
2-Hexanone	244,000	1,770,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene	253,000	253,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	64,800,000	100,000,000	3676.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	314	1,530	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Bromobenzene	354,000	679,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Bromochloromethane	232,000	976,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Bromomethane	10,300	46,000	5	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<70.6	<69.9
Carbon disulfide	738,000	738,000	592	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Chloroethane	2,120,000	2,120,000	226.6	<67	<67	<67	<67	<67	<67	<67	<67	<67	<67	<67.7	<67

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-08A	KS-09A	KS-09B	KS-10A	KS-11A	KS-11B	KS-12A	KS-12B	KS-13A	KS-13B	KS-13C	KS-14A
	Direct Contact		Ground water Pathway	5.5	4.0	2.0	4.1	5.4	1.1	6.6	1.5	10	1.5	5.0	5.0
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015
VOCs (ug/kg)															
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.9	<46.4
Chloromethane	171,000	720,000	15.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Dibromomethane	35,000	151,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Dichlorodifluoromethane	135,000	571,000	3086.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Diisopropyl ether	2,260,000	2,260,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Hexachlorobutadiene	6,220	22,100	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Isopropylbenzene	268,000	268,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50.5	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
n-Butylbenzene	108,000	108,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
n-Propylbenzene	264000	264000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Naphthalene	5,150	26,000	658.2	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40.4	<40
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
sec-Butylbenzene	145,000	145,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
tert-Butylbenzene	183,000	183,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Vinyl acetate	1,400,000	2750000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25.3	<25
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PAHs (ug/kg)															
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			KS-08A	KS-09A	KS-09B	KS-10A	KS-11A	KS-11B	KS-12A	KS-12B	KS-13A	KS-13B	KS-13C	KS-14A
	Direct Contact		Ground water Pathway	5.5	4.0	2.0	4.1	5.4	1.1	6.6	1.5	10	1.5	5.0	5.0
	Non-Industrial	Industrial		4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/21/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015
PAHs (ug/kg)															
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-15A	KS-15B	KS-16A	KS-17A	KS-18A	KS-18B	KS-19A	KS-19B	KS-20A	KS-20B	KS-21A	KS-21B	
	Direct Contact		Ground water Pathway	4.5	2.0	4.5	2.5	3.5	1.5	3.5	0.6	3.5	2.0	5.5	2.75	
	Non-Industrial	Industrial		4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	
				AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	
VOCs (ug/kg)																
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,2-Trichloroethane	1,480	7,340	3.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloropropene	--	--	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,3-Trichlorobenzene	48,900	493,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,3-Trichloropropane	5	95	51.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,4-Trichlorobenzene	22,000	98,700	408	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dibromo-3-chloropropane	8	99	0.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichlorobenzene	376,000	376,000	1168	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichloropropane	1,330	6,620	3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,3-Dichlorobenzene	297,000	297,000	1152.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,3-Dichloropropane	1,490,000	1,490,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,3-Dichloropropene, Total	2,200	10,600	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	3,480	17,500	144	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1-Butanol	6,110,000	61,600,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2,2-Dichloropropane	527,000	527,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
2-Butanone	28,400,000	28,400,000	1666.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Chlorotoluene	907,000	907,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
2-Hexanone	244,000	1,770,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Chlorotoluene	253,000	253,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	64,800,000	100,000,000	3676.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acrylonitrile	314	1,530	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromobenzene	354,000	679,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromochloromethane	232,000	976,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromomethane	10,300	46,000	5	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	
Carbon disulfide	738,000	738,000	592	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroethane	2,120,000	2,120,000	226.6	<67	<67	<67	<67	<67	<67	<67	<67	<67	<67	<67	<67	

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-15A	KS-15B	KS-16A	KS-17A	KS-18A	KS-18B	KS-19A	KS-19B	KS-20A	KS-20B	KS-21A	KS-21B
	Direct Contact		Ground water Pathway	4.5	2.0	4.5	2.5	3.5	1.5	3.5	0.6	3.5	2.0	5.5	2.75
	Non-Industrial	Industrial		4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015
VOCs (ug/kg)															
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4
Chloromethane	171,000	720,000	15.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dibromomethane	35,000	151,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dichlorodifluoromethane	135,000	571,000	3086.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Diisopropyl ether	2,260,000	2,260,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Hexachlorobutadiene	6,220	22,100	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Isopropylbenzene	268,000	268,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
n-Butylbenzene	108,000	108,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
n-Propylbenzene	264000	264000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Naphthalene	5,150	26,000	658.2	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
sec-Butylbenzene	145,000	145,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	183,000	183,000	--	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Vinyl acetate	1,400,000	2750000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PAHs (ug/kg)															
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			KS-15A	KS-15B	KS-16A	KS-17A	KS-18A	KS-18B	KS-19A	KS-19B	KS-20A	KS-20B	KS-21A	KS-21B
	Direct Contact		Ground water Pathway	4.5	2.0	4.5	2.5	3.5	1.5	3.5	0.6	3.5	2.0	5.5	2.75
	Non-Industrial	Industrial		4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/22/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015
PAHs (ug/kg)															
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-22A	KS-22B	KS-23A	KS-23B	KS-24A	KS-24B	KS-25A	KS-25B	KS-TB1
	Direct Contact		Ground water Pathway	5.25	2.5	3.9	1.0	4.1	1.0	3.9	1.0	4/22/2015
	Non-Industrial	Industrial		4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	
VOCs (ug/kg)												
1,1,1,2-Tetrachloroethane	2,590	12,900	53.4	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,1,1-Trichloroethane	640,000	640,000	140.2	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,1,2-Tetrachloroethane	753	3,690	0.2	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,1,2-Trichloroethane	1,480	7,340	3.2	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,1-Dichloroethane	4,720	23,700	482.8	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,1-Dichloroethene	342,000	1,190,000	5	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,1-Dichloropropene	--	--	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,2,3-Trichlorobenzene	48,900	493,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,2,3-Trichloropropane	5	95	51.9	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,2,4-Trichlorobenzene	22,000	98,700	408	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<50.6	<47.6
1,2,4-Trimethylbenzene	89,800	219,000	1382.1	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,2-Dibromo-3-chloropropane	8	99	0.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<97.1	<91.2
1,2-Dibromoethane (EDB)	47	230	0.0282	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,2-Dichlorobenzene	376,000	376,000	1168	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,2-Dichloroethane	608	3,030	2.8	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,2-Dichloropropane	1,330	6,620	3.3	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,3,5-Trimethylbenzene	182,000	182,000	1382.1	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,3-Dichlorobenzene	297,000	297,000	1152.8	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,3-Dichloropropane	1,490,000	1,490,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1,3-Dichloropropene, Total	2,200	10,600	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	3,480	17,500	144	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
1-Butanol	6,110,000	61,600,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
2,2-Dichloropropane	527,000	527,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
2-Butanone	28,400,000	28,400,000	1666.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorotoluene	907,000	907,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
2-Hexanone	244,000	1,770,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene	253,000	253,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
4-Methyl-2-pentanone	3,360,000	3,360,000	226.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	64,800,000	100,000,000	3676.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	314	1,530	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	1,490	7,410	5.1	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Bromobenzene	354,000	679,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Bromochloromethane	232,000	976,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Bromodichloromethane	390	1,960	0.3	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Bromoform	61,500	218,000	2.3	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Bromomethane	10,300	46,000	5	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<74.4	<69.9
Carbon disulfide	738,000	738,000	592	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	854	4,250	3.9	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Chlorobenzene	392,000	761,000	135.8	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Chloroethane	2,120,000	2,120,000	226.6	<67	<67	<67	<67	<67	<67	<67	<71.3	<67

Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

Parameters	Generic RCLs			KS-22A	KS-22B	KS-23A	KS-23B	KS-24A	KS-24B	KS-25A	KS-25B	KS-TB1
	Direct Contact		Ground water Pathway	5.25	2.5	3.9	1.0	4.1	1.0	3.9	1.0	4/22/2015
	Non-Industrial	Industrial		4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	
VOCs (ug/kg)												
Chloroform	423	2,130	3.3	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<49.4	<46.4
Chloromethane	171,000	720,000	15.5	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
cis-1,2-Dichloroethene	156,000	2,040,000	41.2	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
cis-1,3-Dichloropropene	1,220,000	1,220,000	0.3	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Dibromochloromethane	933	4,400	32	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Dibromomethane	35,000	151,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Dichlorodifluoromethane	135,000	571,000	3086.3	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Diisopropyl ether	2,260,000	2,260,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Ethylbenzene	7,470	37,000	1570	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Hexachlorobutadiene	6,220	22,100	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Isopropylbenzene	268,000	268,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
m&p-Xylene	388,000	388,000	3940	<50	<50	<50	<50	<50	<50	<50	<53.2	<50
Methyl-tert-butyl ether	59,400	293,000	27	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Methylene chloride	60,700	1,070,000	2.6	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
n-Butylbenzene	108,000	108,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
n-Propylbenzene	264000	264000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Naphthalene	5,150	26,000	658.2	<40	<40	<40	<40	<40	<40	<40	<42.6	<40
o-Xylene	434,000	434,000	3940	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
p-Isopropyltoluene	162,000	162,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
sec-Butylbenzene	145,000	145,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Styrene	867,000	867,000	220	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
tert-Butylbenzene	183,000	183,000	--	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Tetrachloroethene	30,700	153,000	4.5	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Toluene	818,000	818,000	1107.2	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
trans-1,2-Dichloroethene	1,560,000	1,670,000	58.8	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
trans-1,3-Dichloropropene	1,570,000	1,570,000	0.3	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Trichloroethene	1,260	8,810	3.60	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Trichlorofluoromethane	1,120,000	1,230,000	4,475.8	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Vinyl acetate	1,400,000	2750000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	67	2,030	0.10	<25	<25	<25	<25	<25	<25	<25	<26.6	<25
Xylenes, Total	258,000	258,000	3,940	NA	NA	NA	NA	NA	NA	NA	NA	NA
PAHs (ug/kg)												
1-Methylnaphthalene	15,600	53,100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	229,000	2,200,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthene	3,440,000	33,000,000	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene	17,200,000	100,000,000	197727.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	15	211	470	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Table 1b
Summary of Soil Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944**

Parameters	Generic RCLs			KS-22A	KS-22B	KS-23A	KS-23B	KS-24A	KS-24B	KS-25A	KS-25B	KS-TB1
	Direct Contact		Ground water Pathway	5.25	2.5	3.9	1.0	4.1	1.0	3.9	1.0	
	Non-Industrial	Industrial		4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/23/2015	4/22/2015
				AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM	AECOM
PAHs (ug/kg)												
Benzo(b)fluoranthene	148	2110	479	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	1480	21100	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene	14,800	211,000	144.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	15	211	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	2290000	22000000	88877.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene	2,290,000	22,000,000	14,802.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	148	2,110	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	5150	26,000	658.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	--	--	--	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene	1,720,000	16,500,000	54132.2	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

VOCs = Volatile Organic Compounds

PAHs = Polynuclear Aromatic Hydrocarbons

NA = Not analyzed

ug/kg = micrograms per kilogram

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{JB} Estimated value, compound also detected in method blank.

-- No Generic RCL established.

^A Parameter exceeds Generic RCL for Non-Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^B Parameter exceeds Generic RCL for Industrial Direct Contact. (WDNR RCL Calculator WDNR PUB-RR-890, Jan 2015)

^C Parameter exceeds Generic RCL for Groundwater Pathway. (WDNR RCL Calculator using a DAF=2, WDNR PUB-RR-890, Jan 2015)

The 2010-2012 samples were collected by United Engineering Consultants, Inc (UEC); West Allis, WI.

The 2015 sample were collected by AECOM, Green Bay, WI.

The 2015 non-detect results are reported on a wet weight basis.

Table 2
Summary of Groundwater Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-1						
	Preventative Action Limit	Enforcement Standard	11/29/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<2	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<2	<2	<0.588	<2	<0.50
Bromomethane	1	10	<2	<6.21	<6.21	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<2	<20	<20	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<2	<2	<0.511	<2	<2.5
Chloromethane	3	30	<2	14.5	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<2	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	0.36J	<2	<2	<2	<2	0.72J	0.28 J
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	<2	<2	<2	<2	<2	<2	<0.41
cis-1,2-Dichloroethene	7	70	0.82J	<3.72	<3.72	<3.72	<3.72	<3.72	0.48 J
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-1						
	Preventative Action Limit	Enforcement Standard	11/29/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	0.86 ^J	<10	<10	<10	<5	<10	<0.50
Toluene	160	800	<2	<2	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	4.26	2.6	7.04	6.96	5.04	6.87	2.5
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	5.84	3.14	9.29	10.6	7.29	9.91	6.7
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-2						
	Preventative Action Limit	Enforcement Standard	11/29/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<2	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<2	<2	<0.588	<2	<0.50
Bromomethane	1	10	<2	<6.21	<6.21	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<10	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<2	<20	<20	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<2	<2	<0.511	<2	<2.5
Chloromethane	3	30	<2	19.1	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<2	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	1.4J	<2	<2	1.2J	0.71J	1.6J	2.8
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	<2	<2	<2	0.78J	<2	<2	<0.41
cis-1,2-Dichloroethene	7	70	2.12	<3.72	<3.72	3.96	1.4J	3.4J	15.6
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-2						
	Preventative Action Limit	Enforcement Standard	11/29/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	1.8J	<10	<10	1.9JB	<5	<10	<0.50
Toluene	160	800	<2	<2	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	5.81	9.45	9.25	6.33	5.2	11.5	1.3
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	16.1	13.5	17	22.3	12.2	25.9	5.5
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^B Analyte detected in the associated Method Blank.

Table 2
Summary of Groundwater Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-3						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<2	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<2	<2	<0.588	<2	<0.50
Bromomethane	1	10	<2	<6.21	<6.21	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<2	<20	<20	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<2	<2	<0.511	<2	<2.5
Chloromethane	3	30	<2	20.5	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<2	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	21.6	<2	18.6	12.8	9.03	18.3	16.6
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	9.83	<2	10.3	18.2	3.88	7.98	6.7
cis-1,2-Dichloroethene	7	70	1.7J	<3.72	3.3J	<3.72	2.7J	1.3J	2.1
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-3						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	0.85J	<10	<10	<10	<5	<10	<0.50
Toluene	160	800	0.47J	<2	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	14.5	3.24	12.5	19.1	2.12	10.1	7.5
1,1,2-Trichloroethane	0.5	5	0.23J	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	6.69	1.1J	6.72	9.99	2.8	11.7	4.0
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	0.5J	<2	<2	<0.18
o-Xylene	400	2,000	1.2J	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	0.46J	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-4						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<2	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<2	<2	<0.588	<2	<0.50
Bromomethane	1	10	0.45J	<6.21	<6.21	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<2	<20	<20	<20	<20	<20	<0.37
Chloroform	0.6	6	0.36JB	<2	<2	<2	<0.511	<2	<2.5
Chloromethane	3	30	0.39JB	<3.27	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<2	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	2.64	1J	0.68J	8.08	1.1J	8.99	1.2
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	0.79J	<2	<2	2.81	<2	2.73	<0.41
cis-1,2-Dichloroethene	7	70	<2	<3.72	<3.72	<3.72	<3.72	<3.72	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-4						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	0.83 ^J	<10	<10	<10	<5	<10	<0.50
Toluene	160	800	0.3 ^J	<2	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	5.06	3.57	2.07	3.4	3.16	4.09	2.7
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	5.09	3.6	2.26	3.72	4.09	4.63	2.4
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	0.55 ^J	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^B Analyte detected in the associated Method Blank.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-5					
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012	4/28/2015
VOCs								
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<2	<2	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<2	<2	<2	<0.50
Bromomethane	1	10	<2	<6.21	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<2	<20	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<2	<2	<2	<2.5
Chloromethane	3	30	0.4J	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<2	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<2	<2	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	<2	<2	<2	<2	0.86J	0.37 J
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	<2	<2	<2	<2	<2	<0.41
cis-1,2-Dichloroethene	7	70	<2	<3.72	<3.72	<3.72	<3.72	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-5					
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012	4/28/2015
VOCs								
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	<2	<10	<10	<10	<10	<0.50
Toluene	160	800	0.36J	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	0.38J	0.71J	<2	0.64J	1.8J	<0.50
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	0.87J	<2	<2	1.1J	4.48	0.40 J
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-6				
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012
VOCs							
Acetone ¹	1800	9000	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	NA
Bromobenzene	NE	NE	NA	NA	NA	NA	NA
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA
Bromodichloromethane	0.06	0.6	<2	<2	<2	<2	NA
Bromoform	0.44	4.4	<2	<2	<2	<2	NA
Bromomethane	1	10	<2	<6.21	<6.21	<6.21	NA
2-Butanone ¹	NE	NE	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA
Carbon disulfide ¹	200	1000	2.75	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	NA
Chlorobenzene	NE	NE	<2	<2	<2	<2	NA
Chloroethane	80	400	<2	<20	<20	<20	NA
Chloroform	0.6	6	<2	<2	<2	<2	NA
Chloromethane	3	30	<2	<3.27	<3.27	<3.27	NA
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<2	NA
Dibromochloromethane	6	60	<2	<2	<2	<2	NA
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<2	<2	NA
Dibromomethane	NE	NE	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA
1,1-Dichloroethane	85	850	<2	<2	<2	<2	NA
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	NA
1,1-Dichloroethene	0.7	7	<2	<2	<2	<2	NA
cis-1,2-Dichloroethene	7	70	<2	<3.72	<3.72	<3.72	NA
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	NA
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	NA
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA
Ethylbenzene	140	700	<2	<2	<2	<2	NA

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-6				
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012
VOCs							
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA
Methylene Chloride	0.5	5	<2	<2	<2	<2	NA
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	NA
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA
Styrene	10	100	<2	<2	<2	<2	NA
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	NA
Tetrachloroethene	0.5	5	0.5 ^J	<10	<10	<10	NA
Toluene	160	800	<2	<2	<2	<2	NA
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	40	200	<2	<2	<2	<2	NA
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	NA
Trichloroethene	0.5	5	<2	<2	<2	<2	NA
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA
Vinyl chloride	0.02	0.2	<2	<2	<2	<2	NA
o-Xylene	400	2,000	<2	<2	<2	<2	NA
m&p-Xylene	400	2,000	<4	<4	<4	<4	NA

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-7						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012	11/24/2010	4/28/2015
VOCs									
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<2	<2	<2	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<2	<2	<2	<2	<0.50
Bromomethane	1	10	0.79JB	<6.21	<6.21	<6.21	<6.21	<2	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	<2	<2	<2	<2	<2	<2	NA
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<20	<20	<20	<20	<2	<0.50
Chloroform	0.6	6	0.33J	<3.27	<3.27	<3.27	<3.27	0.32J	<2.5
Chloromethane	3	30	NA	NA	NA	NA	NA	NA	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	<2	<2	<2	<2	<2	<2	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<2	<2	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	NA	NA	NA	NA	NA	NA	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	<2	<2	<2	<2	<2	3.22	<0.22
1,1-Dichloroethane	85	850	<2	<2	<2	<2	<2	<2	<0.24
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	1.5J	<0.17
1,1-Dichloroethene	0.7	7	<2	<3.72	<3.72	<3.72	<3.72	<2	<0.41
cis-1,2-Dichloroethene	7	70	<2	<2	<2	<2	<2	<2	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	NA	NA	NA	NA	NA	NA	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.50
Diisopropyl ether	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Ethylbenzene	140	700	NA	NA	NA	NA	NA	NA	<0.50
Hexachloro-1,3-butadiene	NE	NE	<20	<20	<20	<20	<20	<20	NA
2-Hexanone ¹	NE	NE	NA	NA	NA	NA	NA	NA	NA

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-7						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012	11/24/2010	4/28/2015
VOCs									
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<20	<20	<20	<20	<20	<20	NA
4-Methyl-2-pentanone ¹	NE	NE	NA	NA	NA	NA	NA	NA	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Styrene	10	100	NA	NA	NA	NA	NA	NA	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	0.94 ^J	<10	<10	<10	<10	0.74 ^J	0.56 ^J
Toluene	160	800	<2	<2	<2	<2	<2	0.36 ^J	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	<2	<2	<2	<2	<2	8.18	<0.50
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	0.59^J	<2	<2	0.73^J	<2	4.25	<0.33
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<2	<2	1 ^J	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^B Analyte detected in the associated Method Blank.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-8					
	Preventative Action Limit	Enforcement Standard	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs								
Acetone ¹	1800	9000	<40	<40	76	<40	<40	NA
Benzene	0.5	5	<2	<2	0.64J	<2	0.56J	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<2	<0.588	<2	<0.50
Bromomethane	1	10	<6.21	<6.21	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<20	<20	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<2	<0.511	<2	<2.5
Chloromethane	3	30	25.2	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	1.3J	0.87J	16.9	5.67	24.5	8.2
1,2-Dichloroethane	0.5	5	<2	<2	0.78J	<2	0.8J	<0.17
1,1-Dichloroethene	0.7	7	<2	<2	7.41	2.64	10.4	3.5
cis-1,2-Dichloroethene	7	70	<3.72	<3.72	<3.72	<3.72	<3.72	0.75 J
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-8					
	Preventative Action Limit	Enforcement Standard	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs								
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	<10	<10	<10	<5	<10	<0.50
Toluene	160	800	<2	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	2.37	2.62	11.5	5.53	14.5	4.3
1,1,2-Trichloroethane	0.5	5	<2	<2	1J	<2	<2	<0.20
Trichloroethene	0.5	5	1.2J	0.77J	3.8	3.88	4	2.9
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	0.73J	<2	1.3J	<0.18
o-Xylene	400	2,000	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-9					
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012	4/28/2015
VOCs								
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<0.501	<2	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<0.588	<2	<2	<0.50
Bromomethane	1	10	<2	<6.21	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<2	<2	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<0.511	<2	<2	<2.5
Chloromethane	3	30	<2	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<0.636	<2	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<0.278	<2	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	0.92J	<2	<2	<2	<2	<0.24
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	<2	<2	<2	<2	<2	<0.41
cis-1,2-Dichloroethene	7	70	<2	<3.72	<3.72	<3.72	<3.72	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-9					
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	10/10/2012	4/28/2015
VOCs								
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	0.69 ^J	<10	<5	<10	<10	<0.50
Toluene	160	800	<2	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	1.2 ^J	0.57 ^J	0.57 ^J	1.1 ^J	1.2 ^J	<0.50
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	1.6^J	<2	<2	2.77	3.17	<0.33
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
Summary of Groundwater Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-10						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Acetone ¹	1800	9000	<40	<40	<40	<40	<40	<40	NA
Benzene	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<0.501	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<0.588	<2	<0.588	<2	<0.50
Bromomethane	1	10	<2	<6.21	<6.21	<6.21	2.3J	<6.21	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<2	<2	<2	<0.50
Chloroethane	80	400	<2	<20	<20	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<0.511	<2	<0.511	<2	<2.5
Chloromethane	3	30	0.46J	<3.27	<3.27	<3.27	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<0.636	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<0.278	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	6.39	<2	<2	8.46	<2	5	0.57 J
1,2-Dichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	1.8J	<2	<2	3.16	<2	1.6J	<0.41
cis-1,2-Dichloroethene	7	70	<2	<3.72	<3.72	<3.72	<3.72	<3.72	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-10						
	Preventative Action Limit	Enforcement Standard	11/24/2010	4/27/2011	7/29/2011	10/31/2011	4/4/2012	10/10/2012	4/28/2015
VOCs									
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	<20	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	0.54 ^J	<10	<5	<10	<5	<10	<0.50
Toluene	160	800	0.6 ^J	<2	<2	<2	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	4.76	<2	1.2 ^J	6.52	<2	6.48	1.2
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<2	<2	<2	<0.20
Trichloroethene	0.5	5	1.8^J	<2	<2	2.12	<2	3.9	1.3
Trichlorofluoromethane	NE	NE	NA	NA	NA	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<2	<2	<2	<0.18
o-Xylene	400	2,000	1.1 ^J	<2	<2	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	0.43 ^J	<4	<4	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
Summary of Groundwater Analytical Results
Fox Valley Steel and Wire Company
111 N. Douglas Street
Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-11			
	Preventative Action Limit	Enforcement Standard	11/1/2011	4/4/2012	10/10/2012	4/28/2015
VOCs						
Acetone ¹	1800	9000	47.3	<40	<40	NA
Benzene	0.5	5	0.41J	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<0.588	<2	<0.50
Bromomethane	1	10	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	5.2J	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<0.50
Chloroethane	80	400	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<0.511	<2	<2.5
Chloromethane	3	30	1.4J	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	2.32	<2	0.88J	1.2
1,2-Dichloroethane	0.5	5	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	1J	<2	<2	<0.41
cis-1,2-Dichloroethene	7	70	<3.72	<3.72	<3.72	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-11			
	Preventative Action Limit	Enforcement Standard	11/1/2011	4/4/2012	10/10/2012	4/28/2015
VOCs						
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	2.5J	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	<10	<5	<10	<0.50
Toluene	160	800	0.86JB	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	1.9J	0.42J	2.53	0.87 J
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<0.20
Trichloroethene	0.5	5	<2	<2	<2	<0.33
Trichlorofluoromethane	NE	NE	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^B Analyte detected in the associated Method Blank.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-12		
	Preventative Action Limit	Enforcement Standard	11/1/2011	10/10/2012	4/28/2015
VOCs					
Acetone ¹	1800	9000	116	<40	NA
Benzene	0.5	5	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<2	<0.50
Bromoform	0.44	4.4	<2	<2	<0.50
Bromomethane	1	10	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	11J	<20	NA
n-Butylbenzene	NE	NE	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<0.50
Chloroethane	80	400	<20	<20	<0.37
Chloroform	0.6	6	<2	<2	<2.5
Chloromethane	3	30	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<2	<0.18
Dibromomethane	NE	NE	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	<0.22
1,1-Dichloroethane	85	850	<2	<2	<0.24
1,2-Dichloroethane	0.5	5	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	<2	<2	<0.41
cis-1,2-Dichloroethene	7	70	<3.72	<3.72	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-12		
	Preventative Action Limit	Enforcement Standard	11/1/2011	10/10/2012	4/28/2015
VOCs					
Hexachloro-1,3-butadiene	NE	NE	NA	NA	<2.1
2-Hexanone ¹	NE	NE	2.1J	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	8.5J	<20	NA
Naphthalene	10	100	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	<0.50
Styrene	10	100	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<0.25
Tetrachloroethene	0.5	5	<10	<10	<0.50
Toluene	160	800	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	<2	0.5J	<0.50
1,1,2-Trichloroethane	0.5	5	<2	<2	<0.20
Trichloroethene	0.5	5	0.67J	<2	<0.33
Trichlorofluoromethane	NE	NE	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-13				TRIP BLANK
	Preventative Action Limit	Enforcement Standard	11/1/2011	4/4/2012	10/10/2012	4/28/2015	4/28/2015
VOCs							
Acetone ¹	1800	9000	<40	<40	<40	NA	NA
Benzene	0.5	5	<2	<2	<2	<0.50	<0.50
Bromobenzene	NE	NE	NA	NA	NA	<0.23	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	<0.34	<0.34
Bromodichloromethane	0.06	0.6	<2	<0.501	<2	<0.50	<0.50
Bromoform	0.44	4.4	<2	<0.588	<2	<0.50	<0.50
Bromomethane	1	10	<6.21	<6.21	<6.21	<2.4	<2.4
2-Butanone ¹	NE	NE	<20	<20	<20	NA	NA
n-Butylbenzene	NE	NE	NA	NA	NA	<0.50	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	<2.2	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	<0.18	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	NA	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<0.50	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<0.50	<0.50
Chloroethane	80	400	<20	<20	<20	<0.37	<0.37
Chloroform	0.6	6	<2	<0.511	<2	<2.5	<2.5
Chloromethane	3	30	<3.27	<3.27	<3.27	<0.50	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	<0.50	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	<0.21	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<0.636	<2	<2.2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<0.50	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<0.278	<2	<0.18	<0.18
Dibromomethane	NE	NE	NA	NA	NA	<0.43	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	<0.50	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	<0.50	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	<0.50	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	<0.22	<0.22
1,1-Dichloroethane	85	850	0.93J	<2	<2	<0.24	<0.24
1,2-Dichloroethane	0.5	5	<2	<2	<2	<0.17	<0.17
1,1-Dichloroethene	0.7	7	<2	<2	<2	<0.41	<0.41
cis-1,2-Dichloroethene	7	70	<3.72	<3.72	<3.72	<0.26	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<0.26	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<0.23	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	<0.50	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	<0.48	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	<0.44	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	<0.50	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	<0.23	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	<0.50	<0.50
Ethylbenzene	140	700	<2	<2	<2	<0.50	<0.50

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-13				TRIP BLANK
	Preventative Action Limit	Enforcement Standard	11/1/2011	4/4/2012	10/10/2012	4/28/2015	4/28/2015
VOCs							
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	<2.1	<2.1
2-Hexanone ¹	NE	NE	<20	<10	<20	NA	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	<0.14	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	<0.50	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<0.23	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<0.17	<0.17
4-Methyl-2-pentanone ¹	NE	NE	<20	<20	<20	NA	NA
Naphthalene	10	100	NA	NA	NA	<2.5	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	<0.50	<0.50
Styrene	10	100	<2	<2	<2	<0.50	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	<0.18	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<0.25	<0.25
Tetrachloroethene	0.5	5	<10	<5	<10	<0.50	<0.50
Toluene	160	800	<2	<2	<2	<0.50	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	<2.1	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	<2.2	<2.2
1,1,1-Trichloroethane	40	200	0.38 ^J	<2	<2	<0.50	<0.50
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<0.20	<0.20
Trichloroethene	0.5	5	1.7^J	<2	<2	<0.33	<0.33
Trichlorofluoromethane	NE	NE	NA	NA	NA	<0.18	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	<0.50	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	<0.50	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	<0.50	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<0.18	<0.18
o-Xylene	400	2,000	<2	<2	<2	<0.50	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<1.0	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PW-115	
	Preventative Action Limit	Enforcement Standard	4/4/2012	11/7/2012
VOCs				
Acetone ¹	1800	9000	<40	<40
Benzene	0.5	5	<2	<2
Bromobenzene	NE	NE	NA	NA
Bromochloromethane	NE	NE	NA	NA
Bromodichloromethane	0.06	0.6	<0.501	<2
Bromoform	0.44	4.4	<0.588	<2
Bromomethane	1	10	<6.21	<6.21
2-Butanone ¹	NE	NE	<20	<10
n-Butylbenzene	NE	NE	NA	NA
sec-Butylbenzene	NE	NE	NA	NA
tert-Butylbenzene	NE	NE	NA	NA
Carbon disulfide ¹	200	1000	<2	<2
Carbon tetrachloride	0.5	5	<2	<2
Chlorobenzene	NE	NE	<2	<2
Chloroethane	80	400	<20	<20
Chloroform	0.6	6	<0.511	<2
Chloromethane	3	30	<3.27	<3.27
2-Chlorotoluene	NE	NE	NA	NA
4-Chlorotoluene	NE	NE	NA	NA
1,2-Dibromo-3-chloropropane	0.02	0.2	<0.636	<2
Dibromochloromethane	6	60	<2	<2
1,2-Dibromoethane (EDB)	0.005	0.05	<0.278	<2
Dibromomethane	NE	NE	NA	NA
1,2-Dichlorobenzene	60	600	NA	NA
1,3-Dichlorobenzene	120	600	NA	NA
1,4-Dichlorobenzene	15	75	NA	NA
Dichlorodifluoromethane	200	1000	NA	NA
1,1-Dichloroethane	85	850	508	401
1,2-Dichloroethane	0.5	5	1.2J	1.2J
1,1-Dichloroethene	0.7	7	7.2	3.29
cis-1,2-Dichloroethene	7	70	28.1	25.3
trans-1,2-Dichloroethene	20	100	<2	1.2J
1,2-Dichloropropane	0.5	5	<2	<2
1,3-Dichloropropane	NE	NE	NA	NA
2,2-Dichloropropane	NE	NE	NA	NA
1,1-Dichloropropene	NE	NE	NA	NA
cis-1,3-Dichloropropene	0.04	0.4	NA	NA
trans-1,3-Dichloropropene	0.04	0.4	NA	NA
Diisopropyl ether	NE	NE	NA	NA
Ethylbenzene	140	700	<2	<2

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PW-115	
	Preventative Action Limit	Enforcement Standard	4/4/2012	11/7/2012
VOCs				
Hexachloro-1,3-butadiene	NE	NE	NA	NA
2-Hexanone ¹	NE	NE	<20	<20
Isopropylbenzene (Cumene)	NE	NE	NA	NA
p-Isopropyltoluene	NE	NE	NA	NA
Methylene Chloride	0.5	5	<2	<2
Methyl-tert-butyl ether	12	60	<2	<2
4-Methyl-2-pentanone ¹	NE	NE	<20	<20
Naphthalene	10	100	NA	NA
n-Propylbenzene	NE	NE	NA	NA
Styrene	10	100	<2	<2
1,1,1,2-Tetrachloroethane	7	70	NA	NA
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2
Tetrachloroethene	0.5	5	<5	<10
Toluene	160	800	<2	<2
1,2,3-Trichlorobenzene	NE	NE	NA	NA
1,2,4-Trichlorobenzene	14	70	NA	NA
1,1,1-Trichloroethane	40	200	<2	<2
1,1,2-Trichloroethane	0.5	5	<2	<2
Trichloroethene	0.5	5	7.38	5.54
Trichlorofluoromethane	NE	NE	NA	NA
1,2,3-Trichloropropane	NE	NE	NA	NA
1,2,4-Trimethylbenzene	96	480	NA	NA
1,3,5-Trimethylbenzene	96	480	NA	NA
Vinyl chloride	0.02	0.2	1J	1.2J
o-Xylene	400	2,000	<2	<2
m&p-Xylene	400	2,000	<4	<4

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PZ-1	PZ-1 DUP
	Preventative Action Limit	Enforcement Standard	3/11/2016	3/11/2016
VOCs				
Benzene	0.5	5	<0.50	<0.50
Bromobenzene	NE	NE	<0.23	<0.23
Bromochloromethane	NE	NE	<0.34	<0.34
Bromodichloromethane	0.06	0.6	<0.50	<0.50
Bromoform	0.44	4.4	<0.50	<0.50
Bromomethane	1	10	<2.4	<2.4
n-Butylbenzene	NE	NE	<0.50	<0.50
sec-Butylbenzene	NE	NE	<2.2	<2.2
Carbon tetrachloride	0.5	5	<0.50	<0.50
Chlorobenzene	NE	NE	<0.50	<0.50
Chloroethane	80	400	<0.37	<0.37
Chloroform	0.6	6	<2.5	<2.5
Chloromethane	3	30	<0.50	<0.50
2-Chlorotoluene	NE	NE	<0.50	<0.50
4-Chlorotoluene	NE	NE	<0.21	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2.2	<2.2
Dibromochloromethane	6	60	<0.50	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<0.18	<0.18
Dibromomethane	NE	NE	<0.43	<0.43
1,2-Dichlorobenzene	60	600	<0.50	<0.50
1,3-Dichlorobenzene	120	600	<0.50	<0.50
1,4-Dichlorobenzene	15	75	<0.50	<0.50
Dichlorodifluoromethane	200	1000	<0.22	<0.22
1,1-Dichloroethane	85	850	<0.24	<0.24
1,2-Dichloroethane	0.5	5	<0.17	<0.17
1,1-Dichloroethene	0.7	7	<0.41	<0.41
cis-1,2-Dichloroethene	7	70	<0.26	<0.26
trans-1,2-Dichloroethene	20	100	<0.26	<0.26
1,2-Dichloropropane	0.5	5	<0.23	<0.23
1,3-Dichloropropane	NE	NE	<0.50	<0.50
2,2-Dichloropropane	NE	NE	<0.48	<0.48
1,1-Dichloropropene	NE	NE	<0.44	<0.44
cis-1,3-Dichloropropene	0.04	0.4	<0.50	<0.50
trans-1,3-Dichloropropene	0.04	0.4	<0.23	<0.23
Diisopropyl ether	NE	NE	<0.50	<0.50
Ethylbenzene	140	700	<0.50	<0.50
Hexachloro-1,3-butadiene	NE	NE	<2.1	<2.1
Isopropylbenzene (Cumene)	NE	NE	<0.14 L3, M0	<0.14 L3
p-Isopropyltoluene	NE	NE	<0.50	<0.50
Methylene Chloride	0.5	5	<0.23	<0.23
Methyl-tert-butyl ether	12	60	<0.17	<0.17

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PZ-1	PZ-1 DUP
	Preventative Action Limit	Enforcement Standard	3/11/2016	3/11/2016
VOCs				
Naphthalene	10	100	<2.5	<2.5
n-Propylbenzene	NE	NE	<0.50	<0.50
Styrene	10	100	<0.50	<0.50
tert-Butylbenzene	NE	NE	<0.18	<0.18
1,1,1,2-Tetrachloroethane	7	70	<0.18	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<0.25	<0.25
Tetrachloroethene	0.5	5	<0.50 L3, M0	<0.50 L3
Toluene	160	800	<0.50	<0.50
1,2,3-Trichlorobenzene	NE	NE	<2.1	<2.1
1,2,4-Trichlorobenzene	14	70	<2.2	<2.2
1,1,1-Trichloroethane	40	200	<0.50	<0.50
1,1,2-Trichloroethane	0.5	5	<0.20	<0.20
Trichloroethene	0.5	5	0.98J	0.64J
Trichlorofluoromethane	NE	NE	<0.18	<0.18
1,2,3-Trichloropropane	NE	NE	<0.50	<0.50
1,2,4-Trimethylbenzene	96	480	<0.50	<0.50
1,3,5-Trimethylbenzene	96	480	<0.50	<0.50
Vinyl chloride	0.02	0.2	<0.18	<0.18
o-Xylene	400	2,000	<0.50	<0.50
m&p-Xylene	400	2,000	<1.0	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^{L3} Analyte recovery in the laboratory control sample exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

^{M0} Matrix Spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PZ-2
	Preventative Action Limit	Enforcement Standard	3/11/2016
VOCs			
Benzene	0.5	5	<0.50
Bromobenzene	NE	NE	<0.23
Bromochloromethane	NE	NE	<0.34
Bromodichloromethane	0.06	0.6	<0.50
Bromoform	0.44	4.4	<0.50
Bromomethane	1	10	<2.4
n-Butylbenzene	NE	NE	<0.50
sec-Butylbenzene	NE	NE	<2.2
Carbon tetrachloride	0.5	5	<0.50
Chlorobenzene	NE	NE	<0.50
Chloroethane	80	400	<0.37
Chloroform	0.6	6	<2.5
Chloromethane	3	30	<0.50
2-Chlorotoluene	NE	NE	<0.50
4-Chlorotoluene	NE	NE	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2.2
Dibromochloromethane	6	60	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<0.18
Dibromomethane	NE	NE	<0.43
1,2-Dichlorobenzene	60	600	<0.50
1,3-Dichlorobenzene	120	600	<0.50
1,4-Dichlorobenzene	15	75	<0.50
Dichlorodifluoromethane	200	1000	<0.22
1,1-Dichloroethane	85	850	1.4
1,2-Dichloroethane	0.5	5	<0.17
1,1-Dichloroethene	0.7	7	<0.41
cis-1,2-Dichloroethene	7	70	0.41J
trans-1,2-Dichloroethene	20	100	<0.26
1,2-Dichloropropane	0.5	5	<0.23
1,3-Dichloropropane	NE	NE	<0.50
2,2-Dichloropropane	NE	NE	<0.48
1,1-Dichloropropene	NE	NE	<0.44
cis-1,3-Dichloropropene	0.04	0.4	<0.50
trans-1,3-Dichloropropene	0.04	0.4	<0.23
Diisopropyl ether	NE	NE	<0.50
Ethylbenzene	140	700	<0.50
Hexachloro-1,3-butadiene	NE	NE	<2.1
Isopropylbenzene (Cumene)	NE	NE	<0.14 L3
p-Isopropyltoluene	NE	NE	<0.50
Methylene Chloride	0.5	5	<0.23
Methyl-tert-butyl ether	12	60	<0.17

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PZ-2
	Preventative Action Limit	Enforcement Standard	3/11/2016
VOCs			
Naphthalene	10	100	<2.5
n-Propylbenzene	NE	NE	<0.50
Styrene	10	100	<0.50
tert-Butylbenzene	NE	NE	<0.18
1,1,1,2-Tetrachloroethane	7	70	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<0.25
Tetrachloroethene	0.5	5	<0.50 L3
Toluene	160	800	<0.50
1,2,3-Trichlorobenzene	NE	NE	<2.1
1,2,4-Trichlorobenzene	14	70	<2.2
1,1,1-Trichloroethane	40	200	<0.50
1,1,2-Trichloroethane	0.5	5	<0.20
Trichloroethene	0.5	5	<0.33
Trichlorofluoromethane	NE	NE	<0.18
1,2,3-Trichloropropane	NE	NE	<0.50
1,2,4-Trimethylbenzene	96	480	<0.50
1,3,5-Trimethylbenzene	96	480	<0.50
Vinyl chloride	0.02	0.2	<0.18
o-Xylene	400	2,000	<0.50
m&p-Xylene	400	2,000	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^{L3} Analyte recovery in the laboratory control sample exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PZ-3	TRIP BLANK
	Preventative Action Limit	Enforcement Standard	3/12/2016	3/11/2016
VOCs				
Benzene	0.5	5	<10.0	<0.50
Bromobenzene	NE	NE	<4.6	<0.23
Bromochloromethane	NE	NE	<6.8	<0.34
Bromodichloromethane	0.06	0.6	<10.0	<0.50
Bromoform	0.44	4.4	<10.0	<0.50
Bromomethane	1	10	<48.7	<2.4
n-Butylbenzene	NE	NE	<10.0	<0.50
sec-Butylbenzene	NE	NE	<43.7	<2.2
Carbon tetrachloride	0.5	5	<10.0	<0.50
Chlorobenzene	NE	NE	<10.0	<0.50
Chloroethane	80	400	<7.5	<0.37
Chloroform	0.6	6	<50.0	<2.5
Chloromethane	3	30	<10.0	<0.50
2-Chlorotoluene	NE	NE	<10.0	<0.50
4-Chlorotoluene	NE	NE	<4.3	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<43.3	<2.2
Dibromochloromethane	6	60	<10.0	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<3.6	<0.18
Dibromomethane	NE	NE	<8.5	<0.43
1,2-Dichlorobenzene	60	600	<10.0	<0.50
1,3-Dichlorobenzene	120	600	<10.0	<0.50
1,4-Dichlorobenzene	15	75	<10.0	<0.50
Dichlorodifluoromethane	200	1000	<4.5	<0.22
1,1-Dichloroethane	85	850	1590	<0.24
1,2-Dichloroethane	0.5	5	<3.4	<0.17
1,1-Dichloroethene	0.7	7	45.9	<0.41
cis-1,2-Dichloroethene	7	70	38.7	<0.26
trans-1,2-Dichloroethene	20	100	<5.1	<0.26
1,2-Dichloropropane	0.5	5	<4.7	<0.23
1,3-Dichloropropane	NE	NE	<10.0	<0.50
2,2-Dichloropropane	NE	NE	<9.7	<0.48
1,1-Dichloropropene	NE	NE	<8.8	<0.44
cis-1,3-Dichloropropene	0.04	0.4	<10.0	<0.50
trans-1,3-Dichloropropene	0.04	0.4	<4.6	<0.23
Diisopropyl ether	NE	NE	<10.0	<0.50
Ethylbenzene	140	700	<10.0	<0.50
Hexachloro-1,3-butadiene	NE	NE	<42.1	<2.1
Isopropylbenzene (Cumene)	NE	NE	<2.9 L3	<0.14L3
p-Isopropyltoluene	NE	NE	<10.0	<0.50
Methylene Chloride	0.5	5	<4.7	<0.23
Methyl-tert-butyl ether	12	60	<3.5	<0.17

Table 2
 Summary of Groundwater Analytical Results
 Fox Valley Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		PZ-3	TRIP BLANK
	Preventative Action Limit	Enforcement Standard	3/12/2016	3/11/2016
VOCs				
Naphthalene	10	100	<50.0	<2.5
n-Propylbenzene	NE	NE	<10.0	<0.50
Styrene	10	100	<10.0	<0.50
tert-Butylbenzene	NE	NE	<3.6	<0.18
1,1,1,2-Tetrachloroethane	7	70	<3.6	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<5.0	<0.25
Tetrachloroethene	0.5	5	<10.0 L3	<0.50L3
Toluene	160	800	<10.0	<0.50
1,2,3-Trichlorobenzene	NE	NE	<42.7	<2.1
1,2,4-Trichlorobenzene	14	70	<44.2	<2.2
1,1,1-Trichloroethane	40	200	<10.0	<0.50
1,1,2-Trichloroethane	0.5	5	<3.9	<0.20
Trichloroethene	0.5	5	11.9J	<0.33
Trichlorofluoromethane	NE	NE	<3.7	<0.18
1,2,3-Trichloropropane	NE	NE	<10.0	<0.50
1,2,4-Trimethylbenzene	96	480	<10.0	<0.50
1,3,5-Trimethylbenzene	96	480	<10.0	<0.50
Vinyl chloride	0.02	0.2	3.9J	<0.18
o-Xylene	400	2,000	<10.0	<0.50
m&p-Xylene	400	2,000	<20.0	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^{L3} Analyte recovery in the laboratory control sample exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.



AECOM
1035 Kepler Drive
Green Bay, Wisconsin 54311

920.468.1978 tel
920.468.3312 fax

April 20, 2016

Ricky and Lisa Wirth
N2729 North Douglas Street
Hortonville, WI 54944

**Subject: Groundwater Samples Results from Monitoring Well MW-11
FV Steel and Wire Company Site,
Located at 111 North Douglas Street, Hortonville, Outagamie County, Wisconsin –
BRRTS No. 02-45-560221
AECOM Project No. 60428891**

Dear Wirth Family:

AECOM Technical Services, Inc. (AECOM) is providing this letter and attached analytical results for a groundwater sample collected from Monitoring Well MW-11 on property owned by you at N2729 North Douglas Street in Hortonville, Wisconsin. The groundwater sample was collected for the ongoing environmental project at the FV Steel and Wire Company site, located at 111 North Douglas Street, Hortonville, Outagamie County, Wisconsin. The following text provides information required in Wisconsin Administrative Code Chapter NR 716.14 (2).

1. Responsible Party Name, Address, and Telephone Number

FV Steel and Wire Company
Three Lincoln Center
5430 Lyndon B. Johnson FWY Street 1740
Dallas, TX 75240-2601
Contact: Kevin Lombardozzi
kevinl@VALHI.NET
(972) 448-1480

2. Site Name and Site Property Address

FV Steel and Wire Company
111 North Douglas Street
Hortonville, WI 54944

3. Wisconsin Department of Natural Resources Bureau of Remediation & Redevelopment Tracking System Number

02-45-560221

4. WDNR Contact

Wisconsin Department of Natural Resources
625 East County Road Y, Suite. 700
Oshkosh, WI 54901-9731
Contact: Ms. Jennifer Borski
920-424-7887

5. Reason for Sampling

Groundwater monitoring continues to be conducted as part of the on-going site investigation and remedial actions at the former FVSW property.

6. Contaminant Type

Volatile Organic Compounds (VOCs)

7. Sample Type

Groundwater

8. Map Showing Sample Location

Figure 1 is attached which depicts the location of Monitoring Well MW-11 north of the subject site.

9. Sample Date, Specific Contaminants Detected, and Chapter NR 140 Exceedances

The April 28, 2015, sample results are included on the attached table along with the data from the previous consultant for comparison. The data are reported in micrograms per liter (ug/L). A review of the table indicates that the only VOCs detected in the water sample were 1,1-dichloroethane (1.2 ug/L) and 1,1,1-trichloroethane (0.87 ug/L), well below their respective Wisconsin Administrative Code Chapter NR 140 preventive action limits (85 and 40 ug/L) and enforcement standards (850 and 200 ug/L). A review of the historical results also indicates these concentrations are consistent with previous results from 2011 and 2012.


10. Laboratory Report

A copy of the applicable sections of the May 2015 Pace laboratory report is attached.

Please contact AECOM at 920-468-1978 if you have any questions about this information.

Yours sincerely,

AECOM Technical Services, Inc.



Robert J. Mottl
Project Geologist
Robert.mottl@aecom.com



Steve R. Schubring
Operations Manager
steve.schubring@aecom.com

Attachments:

- Figure: MW-11 Well Location
- Table – MW-11 GW Results
- Pace Laboratory Report

c: Jennifer Borski, Wisconsin Department of Natural Resources
Kevin Lombardozzi.
Chad Erdmann



**SITE OVERVIEW:
MONITORING WELLS AND 2015 BORING LOCATIONS
Fox Valley Steel & Wire
111 N. Douglas Street, Hortonville, WI**

Legend

- ⊕ Soil Boring ● Well Location
- ⊕ Production Well — Railroad
- ▭ Project Area

Notes:

1. MW wells are monitoring wells less than 15 feet below ground surface. PZ wells are piezometers set between 50 and 80 feet below ground surface.



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

Drawn: S. DAY 4/13/2016

Approved: R. MOTTL 4/13/2016

Scale: AS SHOWN

PROJECT NUMBER 60428891

FIGURE NUMBER

Table 2
 Summary of Groundwater Analytical Results
 FV Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-11			
	Preventative Action Limit	Enforcement Standard	11/1/2011	4/4/2012	10/10/2012	4/28/2015
VOCs						
Acetone ¹	1800	9000	47.3	<40	<40	NA
Benzene	0.5	5	0.41J	<2	<2	<0.50
Bromobenzene	NE	NE	NA	NA	NA	<0.23
Bromochloromethane	NE	NE	NA	NA	NA	<0.34
Bromodichloromethane	0.06	0.6	<2	<0.501	<2	<0.50
Bromoform	0.44	4.4	<2	<0.588	<2	<0.50
Bromomethane	1	10	<6.21	<6.21	<6.21	<2.4
2-Butanone ¹	NE	NE	5.2J	<20	<20	NA
n-Butylbenzene	NE	NE	NA	NA	NA	<0.50
sec-Butylbenzene	NE	NE	NA	NA	NA	<2.2
tert-Butylbenzene	NE	NE	NA	NA	NA	<0.18
Carbon disulfide ¹	200	1000	<2	<2	<2	NA
Carbon tetrachloride	0.5	5	<2	<2	<2	<0.50
Chlorobenzene	NE	NE	<2	<2	<2	<0.50
Chloroethane	80	400	<20	<20	<20	<0.37
Chloroform	0.6	6	<2	<0.511	<2	<2.5
Chloromethane	3	30	1.4J	<3.27	<3.27	<0.50
2-Chlorotoluene	NE	NE	NA	NA	NA	<0.50
4-Chlorotoluene	NE	NE	NA	NA	NA	<0.21
1,2-Dibromo-3-chloropropane	0.02	0.2	<2	<0.636	<2	<2.2
Dibromochloromethane	6	60	<2	<2	<2	<0.50
1,2-Dibromoethane (EDB)	0.005	0.05	<2	<0.278	<2	<0.18
Dibromomethane	NE	NE	NA	NA	NA	<0.43
1,2-Dichlorobenzene	60	600	NA	NA	NA	<0.50
1,3-Dichlorobenzene	120	600	NA	NA	NA	<0.50
1,4-Dichlorobenzene	15	75	NA	NA	NA	<0.50
Dichlorodifluoromethane	200	1000	NA	NA	NA	<0.22
1,1-Dichloroethane	85	850	2.32	<2	0.88J	1.2
1,2-Dichloroethane	0.5	5	<2	<2	<2	<0.17
1,1-Dichloroethene	0.7	7	1J	<2	<2	<0.41
cis-1,2-Dichloroethene	7	70	<3.72	<3.72	<3.72	<0.26
trans-1,2-Dichloroethene	20	100	<2	<2	<2	<0.26
1,2-Dichloropropane	0.5	5	<2	<2	<2	<0.23
1,3-Dichloropropane	NE	NE	NA	NA	NA	<0.50
2,2-Dichloropropane	NE	NE	NA	NA	NA	<0.48
1,1-Dichloropropene	NE	NE	NA	NA	NA	<0.44
cis-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	<0.50
trans-1,3-Dichloropropene	0.04	0.4	NA	NA	NA	<0.23
Diisopropyl ether	NE	NE	NA	NA	NA	<0.50
Ethylbenzene	140	700	<2	<2	<2	<0.50

Table 2
 Summary of Groundwater Analytical Results
 FV Steel and Wire Company
 111 N. Douglas Street
 Hortonville, Wisconsin 54944

	WI NR140 GW Quality		MW-11			
	Preventative Action Limit	Enforcement Standard	11/1/2011	4/4/2012	10/10/2012	4/28/2015
VOCs						
Hexachloro-1,3-butadiene	NE	NE	NA	NA	NA	<2.1
2-Hexanone ¹	NE	NE	<20	<20	<20	NA
Isopropylbenzene (Cumene)	NE	NE	NA	NA	NA	<0.14
p-Isopropyltoluene	NE	NE	NA	NA	NA	<0.50
Methylene Chloride	0.5	5	<2	<2	<2	<0.23
Methyl-tert-butyl ether	12	60	<2	<2	<2	<0.17
4-Methyl-2-pentanone ¹	NE	NE	2.5J	<20	<20	NA
Naphthalene	10	100	NA	NA	NA	<2.5
n-Propylbenzene	NE	NE	NA	NA	NA	<0.50
Styrene	10	100	<2	<2	<2	<0.50
1,1,1,2-Tetrachloroethane	7	70	NA	NA	NA	<0.18
1,1,2,2-Tetrachloroethane	0.02	0.2	<2	<2	<2	<0.25
Tetrachloroethene	0.5	5	<10	<5	<10	<0.50
Toluene	160	800	0.86JB	<2	<2	<0.50
1,2,3-Trichlorobenzene	NE	NE	NA	NA	NA	<2.1
1,2,4-Trichlorobenzene	14	70	NA	NA	NA	<2.2
1,1,1-Trichloroethane	40	200	1.9J	0.42J	2.53	0.87 J
1,1,2-Trichloroethane	0.5	5	<2	<2	<2	<0.20
Trichloroethene	0.5	5	<2	<2	<2	<0.33
Trichlorofluoromethane	NE	NE	NA	NA	NA	<0.18
1,2,3-Trichloropropane	NE	NE	NA	NA	NA	<0.50
1,2,4-Trimethylbenzene	96	480	NA	NA	NA	<0.50
1,3,5-Trimethylbenzene	96	480	NA	NA	NA	<0.50
Vinyl chloride	0.02	0.2	<2	<2	<2	<0.18
o-Xylene	400	2,000	<2	<2	<2	<0.50
m&p-Xylene	400	2,000	<4	<4	<4	<1.0

Notes:

All concentrations are in micrograms per Liter (ug/L), unless otherwise noted

< Indicates the compound was below the method detection limit

^J Estimated concentration above the method detection limit and below the limit of quantitation.

^B Analyte detected in the associated Method Blank.