

October 19, 2022

Gary Braun
AECOM
1555 N. RiverCenter Drive
Suite 214
Milwaukee, WI 53212

RE: Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Dear Gary Braun:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40252799001	PZ-2	Water	10/06/22 09:00	10/07/22 15:00
40252799002	PZ-MW1C	Water	10/06/22 14:00	10/07/22 15:00
40252799003	PZ-MW1B	Water	10/06/22 12:15	10/07/22 15:00
40252799004	PZ-MW1A	Water	10/06/22 11:15	10/07/22 15:00
40252799005	PZ-3	Water	10/04/22 14:45	10/07/22 15:00
40252799006	MW-14	Water	10/04/22 14:00	10/07/22 15:00
40252799007	MW-12	Water	10/04/22 13:30	10/07/22 15:00
40252799008	MW-5	Water	10/04/22 12:50	10/07/22 15:00
40252799009	MW-3	Water	10/04/22 12:00	10/07/22 15:00
40252799010	MW-8	Water	10/04/22 11:00	10/07/22 15:00
40252799011	MW-4	Water	10/04/22 10:30	10/07/22 15:00
40252799012	MW-13	Water	10/04/22 08:00	10/07/22 15:00
40252799013	MW-11	Water	10/04/22 09:00	10/07/22 15:00
40252799014	MW-10	Water	10/04/22 09:45	10/07/22 15:00
40252799015	MW-1	Water	10/05/22 14:00	10/07/22 15:00
40252799016	MW-7	Water	10/05/22 13:15	10/07/22 15:00
40252799017	MW-6	Water	10/05/22 12:30	10/07/22 15:00
40252799018	TRIP BLANK	Water	10/05/22 00:00	10/07/22 15:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40252799001	PZ-2	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799002	PZ-MW1C	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799003	PZ-MW1B	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799004	PZ-MW1A	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799005	PZ-3	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799006	MW-14	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799007	MW-12	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799008	MW-5	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799009	MW-3	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40252799010	MW-8	EPA 8260	EIB	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40252799011	MW-4	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G
40252799012	MW-13	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G
40252799013	MW-11	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G
40252799014	MW-10	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G
40252799015	MW-1	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G
40252799016	MW-7	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G
40252799017	MW-6	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G
40252799018	TRIP BLANK	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40252799001	PZ-2					
EPA 8260	1,1-Dichloroethane	0.48J	ug/L	1.0	10/11/22 19:22	
EPA 8260	Tetrachloroethene	0.48J	ug/L	1.0	10/11/22 19:22	
EPA 8260	1,1,1-Trichloroethane	1.3	ug/L	1.0	10/11/22 19:22	
EPA 8260	Trichloroethene	2.6	ug/L	1.0	10/11/22 19:22	
EPA 300.0	Chloride	180	mg/L	40.0	10/13/22 00:32	
EPA 353.2	Nitrogen, NO2 plus NO3	11.3	mg/L	0.50	10/19/22 13:24	
40252799002	PZ-MW1C					
EPA 8260	1,1-Dichloroethane	323	ug/L	2.5	10/12/22 09:51	
EPA 8260	1,1-Dichloroethene	6.7	ug/L	2.5	10/12/22 09:51	
EPA 8260	cis-1,2-Dichloroethene	28.5	ug/L	2.5	10/12/22 09:51	
EPA 8260	Trichloroethene	15.2	ug/L	2.5	10/12/22 09:51	
EPA 300.0	Chloride	59.3	mg/L	10.0	10/13/22 00:48	
40252799003	PZ-MW1B					
EPA 8260	1,1-Dichloroethane	2510	ug/L	25.0	10/12/22 10:11	
EPA 8260	1,2-Dichloroethane	8.6	ug/L	5.0	10/12/22 01:17	
EPA 8260	1,1-Dichloroethene	90.9	ug/L	5.0	10/12/22 01:17	
EPA 8260	cis-1,2-Dichloroethene	18.8	ug/L	5.0	10/12/22 01:17	
EPA 8260	Trichloroethene	37.1	ug/L	5.0	10/12/22 01:17	
EPA 8260	Vinyl chloride	4.5J	ug/L	5.0	10/12/22 01:17	
EPA 300.0	Chloride	92.1	mg/L	10.0	10/13/22 01:05	
40252799004	PZ-MW1A					
EPA 8260	1,1-Dichloroethane	233	ug/L	1.0	10/11/22 19:42	
EPA 8260	1,1-Dichloroethene	21.6	ug/L	1.0	10/11/22 19:42	
EPA 8260	cis-1,2-Dichloroethene	22.2	ug/L	1.0	10/11/22 19:42	
EPA 8260	trans-1,2-Dichloroethene	0.59J	ug/L	1.0	10/11/22 19:42	
EPA 8260	Trichloroethene	5.3	ug/L	1.0	10/11/22 19:42	
EPA 8260	Vinyl chloride	0.83J	ug/L	1.0	10/11/22 19:42	
EPA 300.0	Chloride	137	mg/L	10.0	10/13/22 01:21	
40252799005	PZ-3					
EPA 8260	1,1-Dichloroethane	1000	ug/L	10.0	10/12/22 00:58	
EPA 8260	1,1-Dichloroethene	32.4	ug/L	10.0	10/12/22 00:58	
EPA 8260	cis-1,2-Dichloroethene	49.7	ug/L	10.0	10/12/22 00:58	
EPA 8260	Trichloroethene	11.7	ug/L	10.0	10/12/22 00:58	
EPA 8260	Vinyl chloride	2.8J	ug/L	10.0	10/12/22 00:58	
EPA 300.0	Chloride	47.8	mg/L	2.0	10/13/22 01:38	
40252799006	MW-14					
EPA 8260	1,1-Dichloroethane	0.74J	ug/L	1.0	10/11/22 20:02	
EPA 8260	cis-1,2-Dichloroethene	11.1	ug/L	1.0	10/11/22 20:02	
EPA 8260	Trichloroethene	10.8	ug/L	1.0	10/11/22 20:02	
EPA 300.0	Chloride	2.0J	mg/L	2.0	10/13/22 01:54	
EPA 353.2	Nitrogen, NO2 plus NO3	0.095J	mg/L	0.25	10/19/22 10:53	
40252799007	MW-12					
EPA 300.0	Chloride	14.8	mg/L	2.0	10/13/22 02:10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40252799008	MW-5					
EPA 8260	Trichloroethene	0.45J	ug/L	1.0	10/11/22 20:41	
EPA 300.0	Chloride	152	mg/L	20.0	10/13/22 03:16	
40252799009	MW-3					
EPA 8260	1,1-Dichloroethane	20.4	ug/L	1.0	10/11/22 21:01	
EPA 8260	1,1-Dichloroethene	9.6	ug/L	1.0	10/11/22 21:01	
EPA 8260	cis-1,2-Dichloroethene	1.3	ug/L	1.0	10/11/22 21:01	
EPA 8260	Ethylbenzene	1.1	ug/L	1.0	10/11/22 21:01	
EPA 8260	1,1,1-Trichloroethane	8.4	ug/L	1.0	10/11/22 21:01	
EPA 8260	Trichloroethene	5.8	ug/L	1.0	10/11/22 21:01	
EPA 8260	Vinyl chloride	0.36J	ug/L	1.0	10/11/22 21:01	
EPA 8260	Xylene (Total)	5.8	ug/L	3.0	10/11/22 21:01	
EPA 8260	m&p-Xylene	4.3	ug/L	2.0	10/11/22 21:01	
EPA 8260	o-Xylene	1.5	ug/L	1.0	10/11/22 21:01	
EPA 300.0	Chloride	2980	mg/L	100	10/13/22 03:32	
40252799010	MW-8					
EPA 8260	Benzene	0.35J	ug/L	1.0	10/11/22 21:20	
EPA 8260	1,1-Dichloroethane	8.7	ug/L	1.0	10/11/22 21:20	
EPA 8260	1,2-Dichloroethane	0.43J	ug/L	1.0	10/11/22 21:20	
EPA 8260	1,1-Dichloroethene	5.6	ug/L	1.0	10/11/22 21:20	
EPA 8260	cis-1,2-Dichloroethene	1.0	ug/L	1.0	10/11/22 21:20	
EPA 8260	1,1,1-Trichloroethane	2.3	ug/L	1.0	10/11/22 21:20	
EPA 8260	Trichloroethene	2.7	ug/L	1.0	10/11/22 21:20	
EPA 8260	Vinyl chloride	0.92J	ug/L	1.0	10/11/22 21:20	
EPA 300.0	Chloride	3110	mg/L	200	10/13/22 03:48	
40252799011	MW-4					
EPA 8260	1,1-Dichloroethane	2.4	ug/L	1.0	10/11/22 21:40	
EPA 8260	1,1-Dichloroethene	0.60J	ug/L	1.0	10/11/22 21:40	
EPA 8260	cis-1,2-Dichloroethene	0.51J	ug/L	1.0	10/11/22 21:40	
EPA 8260	1,1,1-Trichloroethane	1.1	ug/L	1.0	10/11/22 21:40	
EPA 8260	Trichloroethene	1.9	ug/L	1.0	10/11/22 21:40	
EPA 300.0	Chloride	554	mg/L	40.0	10/13/22 12:48	
40252799012	MW-13					
EPA 300.0	Chloride	9.7	mg/L	2.0	10/13/22 13:31	
EPA 353.2	Nitrogen, NO2 plus NO3	2.1	mg/L	0.25	10/19/22 11:02	
40252799013	MW-11					
EPA 300.0	Chloride	99.5	mg/L	10.0	10/13/22 13:46	
40252799014	MW-10					
EPA 8260	1,1-Dichloroethane	2.1	ug/L	1.0	10/11/22 22:39	
EPA 8260	1,1-Dichloroethene	0.61J	ug/L	1.0	10/11/22 22:39	
EPA 8260	1,1,1-Trichloroethane	1.2	ug/L	1.0	10/11/22 22:39	
EPA 8260	Trichloroethene	1.3	ug/L	1.0	10/11/22 22:39	
EPA 300.0	Chloride	285	mg/L	20.0	10/13/22 14:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40252799015	MW-1					
EPA 8260	cis-1,2-Dichloroethene	0.65J	ug/L	1.0	10/11/22 22:59	
EPA 8260	1,1,1-Trichloroethane	1.7	ug/L	1.0	10/11/22 22:59	
EPA 8260	Trichloroethene	5.4	ug/L	1.0	10/11/22 22:59	
EPA 300.0	Chloride	6.6	mg/L	2.0	10/13/22 14:14	
EPA 353.2	Nitrogen, NO2 plus NO3	0.21J	mg/L	0.25	10/19/22 11:04	
40252799016	MW-7					
EPA 8260	Tetrachloroethene	0.45J	ug/L	1.0	10/11/22 23:19	
EPA 300.0	Chloride	13.2	mg/L	2.0	10/13/22 15:12	
40252799017	MW-6					
EPA 300.0	Chloride	13.2	mg/L	2.0	10/13/22 15:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: PZ-2 **Lab ID: 40252799001** Collected: 10/06/22 09:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 19:22	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:22	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 19:22	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 19:22	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 19:22	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 19:22	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 19:22	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 19:22	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 19:22	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 19:22	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 19:22	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 19:22	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 19:22	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 19:22	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 19:22	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 19:22	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 19:22	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 19:22	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 19:22	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 19:22	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 19:22	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:22	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 19:22	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 19:22	75-71-8	
1,1-Dichloroethane	0.48J	ug/L	1.0	0.30	1		10/11/22 19:22	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 19:22	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 19:22	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 19:22	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 19:22	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 19:22	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 19:22	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 19:22	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 19:22	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:22	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 19:22	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 19:22	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 19:22	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 19:22	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 19:22	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 19:22	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 19:22	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 19:22	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 19:22	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:22	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:22	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: PZ-2 **Lab ID: 40252799001** Collected: 10/06/22 09:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 19:22	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 19:22	79-34-5	
Tetrachloroethene	0.48J	ug/L	1.0	0.41	1		10/11/22 19:22	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 19:22	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 19:22	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 19:22	120-82-1	
1,1,1-Trichloroethane	1.3	ug/L	1.0	0.30	1		10/11/22 19:22	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 19:22	79-00-5	
Trichloroethene	2.6	ug/L	1.0	0.32	1		10/11/22 19:22	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 19:22	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 19:22	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 19:22	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:22	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 19:22	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 19:22	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 19:22	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:22	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/22 19:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/11/22 19:22	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/22 19:22	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:00		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	180	mg/L	40.0	8.6	20		10/13/22 00:32	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	11.3	mg/L	0.50	0.12	2		10/19/22 13:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: PZ-MW1C **Lab ID: 40252799002** Collected: 10/06/22 14:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.74	ug/L	2.5	0.74	2.5		10/12/22 09:51	71-43-2	
Bromobenzene	<0.90	ug/L	2.5	0.90	2.5		10/12/22 09:51	108-86-1	
Bromochloromethane	<0.89	ug/L	12.5	0.89	2.5		10/12/22 09:51	74-97-5	
Bromodichloromethane	<1.0	ug/L	2.5	1.0	2.5		10/12/22 09:51	75-27-4	
Bromoform	<9.5	ug/L	12.5	9.5	2.5		10/12/22 09:51	75-25-2	
Bromomethane	<3.0	ug/L	12.5	3.0	2.5		10/12/22 09:51	74-83-9	
n-Butylbenzene	<2.1	ug/L	2.5	2.1	2.5		10/12/22 09:51	104-51-8	
sec-Butylbenzene	<1.1	ug/L	2.5	1.1	2.5		10/12/22 09:51	135-98-8	
tert-Butylbenzene	<1.5	ug/L	2.5	1.5	2.5		10/12/22 09:51	98-06-6	
Carbon tetrachloride	<0.92	ug/L	2.5	0.92	2.5		10/12/22 09:51	56-23-5	
Chlorobenzene	<2.1	ug/L	2.5	2.1	2.5		10/12/22 09:51	108-90-7	
Chloroethane	<3.4	ug/L	12.5	3.4	2.5		10/12/22 09:51	75-00-3	
Chloroform	<3.0	ug/L	12.5	3.0	2.5		10/12/22 09:51	67-66-3	
Chloromethane	<4.1	ug/L	12.5	4.1	2.5		10/12/22 09:51	74-87-3	
2-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		10/12/22 09:51	95-49-8	
4-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		10/12/22 09:51	106-43-4	
1,2-Dibromo-3-chloropropane	<5.9	ug/L	12.5	5.9	2.5		10/12/22 09:51	96-12-8	
Dibromochloromethane	<6.6	ug/L	12.5	6.6	2.5		10/12/22 09:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.77	ug/L	2.5	0.77	2.5		10/12/22 09:51	106-93-4	
Dibromomethane	<2.5	ug/L	12.5	2.5	2.5		10/12/22 09:51	74-95-3	
1,2-Dichlorobenzene	<0.81	ug/L	2.5	0.81	2.5		10/12/22 09:51	95-50-1	
1,3-Dichlorobenzene	<0.88	ug/L	2.5	0.88	2.5		10/12/22 09:51	541-73-1	
1,4-Dichlorobenzene	<2.2	ug/L	2.5	2.2	2.5		10/12/22 09:51	106-46-7	
Dichlorodifluoromethane	<1.1	ug/L	12.5	1.1	2.5		10/12/22 09:51	75-71-8	
1,1-Dichloroethane	323	ug/L	2.5	0.74	2.5		10/12/22 09:51	75-34-3	
1,2-Dichloroethane	<0.73	ug/L	2.5	0.73	2.5		10/12/22 09:51	107-06-2	
1,1-Dichloroethene	6.7	ug/L	2.5	1.5	2.5		10/12/22 09:51	75-35-4	
cis-1,2-Dichloroethene	28.5	ug/L	2.5	1.2	2.5		10/12/22 09:51	156-59-2	
trans-1,2-Dichloroethene	<1.3	ug/L	2.5	1.3	2.5		10/12/22 09:51	156-60-5	
1,2-Dichloropropane	<1.1	ug/L	2.5	1.1	2.5		10/12/22 09:51	78-87-5	
1,3-Dichloropropane	<0.76	ug/L	2.5	0.76	2.5		10/12/22 09:51	142-28-9	
2,2-Dichloropropane	<10.4	ug/L	12.5	10.4	2.5		10/12/22 09:51	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	2.5	1.0	2.5		10/12/22 09:51	563-58-6	
cis-1,3-Dichloropropene	<0.90	ug/L	2.5	0.90	2.5		10/12/22 09:51	10061-01-5	
trans-1,3-Dichloropropene	<8.7	ug/L	12.5	8.7	2.5		10/12/22 09:51	10061-02-6	
Diisopropyl ether	<2.8	ug/L	12.5	2.8	2.5		10/12/22 09:51	108-20-3	
Ethylbenzene	<0.81	ug/L	2.5	0.81	2.5		10/12/22 09:51	100-41-4	
Hexachloro-1,3-butadiene	<6.8	ug/L	12.5	6.8	2.5		10/12/22 09:51	87-68-3	
Isopropylbenzene (Cumene)	<2.5	ug/L	12.5	2.5	2.5		10/12/22 09:51	98-82-8	
p-Isopropyltoluene	<2.6	ug/L	12.5	2.6	2.5		10/12/22 09:51	99-87-6	
Methylene Chloride	<0.80	ug/L	12.5	0.80	2.5		10/12/22 09:51	75-09-2	
Methyl-tert-butyl ether	<2.8	ug/L	12.5	2.8	2.5		10/12/22 09:51	1634-04-4	
Naphthalene	<2.8	ug/L	12.5	2.8	2.5		10/12/22 09:51	91-20-3	
n-Propylbenzene	<0.86	ug/L	2.5	0.86	2.5		10/12/22 09:51	103-65-1	
Styrene	<0.89	ug/L	2.5	0.89	2.5		10/12/22 09:51	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: PZ-MW1C **Lab ID: 40252799002** Collected: 10/06/22 14:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.89	ug/L	2.5	0.89	2.5		10/12/22 09:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.94	ug/L	2.5	0.94	2.5		10/12/22 09:51	79-34-5	
Tetrachloroethene	<1.0	ug/L	2.5	1.0	2.5		10/12/22 09:51	127-18-4	
Toluene	<0.72	ug/L	2.5	0.72	2.5		10/12/22 09:51	108-88-3	
1,2,3-Trichlorobenzene	<2.5	ug/L	12.5	2.5	2.5		10/12/22 09:51	87-61-6	
1,2,4-Trichlorobenzene	<2.4	ug/L	12.5	2.4	2.5		10/12/22 09:51	120-82-1	
1,1,1-Trichloroethane	<0.76	ug/L	2.5	0.76	2.5		10/12/22 09:51	71-55-6	
1,1,2-Trichloroethane	<0.86	ug/L	12.5	0.86	2.5		10/12/22 09:51	79-00-5	
Trichloroethene	15.2	ug/L	2.5	0.80	2.5		10/12/22 09:51	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	2.5	1.0	2.5		10/12/22 09:51	75-69-4	
1,2,3-Trichloropropane	<1.4	ug/L	12.5	1.4	2.5		10/12/22 09:51	96-18-4	
1,2,4-Trimethylbenzene	<1.1	ug/L	2.5	1.1	2.5		10/12/22 09:51	95-63-6	
1,3,5-Trimethylbenzene	<0.89	ug/L	2.5	0.89	2.5		10/12/22 09:51	108-67-8	
Vinyl chloride	<0.44	ug/L	2.5	0.44	2.5		10/12/22 09:51	75-01-4	
Xylene (Total)	<2.6	ug/L	7.5	2.6	2.5		10/12/22 09:51	1330-20-7	
m&p-Xylene	<1.8	ug/L	5.0	1.8	2.5		10/12/22 09:51	179601-23-1	
o-Xylene	<0.87	ug/L	2.5	0.87	2.5		10/12/22 09:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		2.5		10/12/22 09:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		2.5		10/12/22 09:51	2199-69-1	
Toluene-d8 (S)	102	%	70-130		2.5		10/12/22 09:51	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:07		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	59.3	mg/L	10.0	2.2	5		10/13/22 00:48	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 10:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: PZ-MW1B **Lab ID: 40252799003** Collected: 10/06/22 12:15 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<1.5	ug/L	5.0	1.5	5		10/12/22 01:17	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		10/12/22 01:17	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		10/12/22 01:17	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		10/12/22 01:17	75-27-4	
Bromoform	<19.0	ug/L	25.0	19.0	5		10/12/22 01:17	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		10/12/22 01:17	74-83-9	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		10/12/22 01:17	104-51-8	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		10/12/22 01:17	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		10/12/22 01:17	98-06-6	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		10/12/22 01:17	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		10/12/22 01:17	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		10/12/22 01:17	75-00-3	
Chloroform	<5.9	ug/L	25.0	5.9	5		10/12/22 01:17	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		10/12/22 01:17	74-87-3	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		10/12/22 01:17	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		10/12/22 01:17	106-43-4	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		10/12/22 01:17	96-12-8	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		10/12/22 01:17	124-48-1	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		10/12/22 01:17	106-93-4	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		10/12/22 01:17	74-95-3	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		10/12/22 01:17	95-50-1	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		10/12/22 01:17	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		10/12/22 01:17	106-46-7	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		10/12/22 01:17	75-71-8	
1,1-Dichloroethane	2510	ug/L	25.0	7.4	25		10/12/22 10:11	75-34-3	
1,2-Dichloroethane	8.6	ug/L	5.0	1.5	5		10/12/22 01:17	107-06-2	
1,1-Dichloroethene	90.9	ug/L	5.0	2.9	5		10/12/22 01:17	75-35-4	
cis-1,2-Dichloroethene	18.8	ug/L	5.0	2.4	5		10/12/22 01:17	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		10/12/22 01:17	156-60-5	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		10/12/22 01:17	78-87-5	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		10/12/22 01:17	142-28-9	
2,2-Dichloropropane	<20.9	ug/L	25.0	20.9	5		10/12/22 01:17	594-20-7	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		10/12/22 01:17	563-58-6	
cis-1,3-Dichloropropene	<1.8	ug/L	5.0	1.8	5		10/12/22 01:17	10061-01-5	
trans-1,3-Dichloropropene	<17.3	ug/L	25.0	17.3	5		10/12/22 01:17	10061-02-6	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		10/12/22 01:17	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		10/12/22 01:17	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		10/12/22 01:17	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		10/12/22 01:17	98-82-8	
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		10/12/22 01:17	99-87-6	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		10/12/22 01:17	75-09-2	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		10/12/22 01:17	1634-04-4	
Naphthalene	<5.6	ug/L	25.0	5.6	5		10/12/22 01:17	91-20-3	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		10/12/22 01:17	103-65-1	
Styrene	<1.8	ug/L	5.0	1.8	5		10/12/22 01:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: PZ-MW1B **Lab ID: 40252799003** Collected: 10/06/22 12:15 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		10/12/22 01:17	630-20-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		10/12/22 01:17	79-34-5	
Tetrachloroethene	<2.0	ug/L	5.0	2.0	5		10/12/22 01:17	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		10/12/22 01:17	108-88-3	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		10/12/22 01:17	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		10/12/22 01:17	120-82-1	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		10/12/22 01:17	71-55-6	
1,1,2-Trichloroethane	<1.7	ug/L	25.0	1.7	5		10/12/22 01:17	79-00-5	
Trichloroethene	37.1	ug/L	5.0	1.6	5		10/12/22 01:17	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		10/12/22 01:17	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/L	25.0	2.8	5		10/12/22 01:17	96-18-4	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		10/12/22 01:17	95-63-6	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		10/12/22 01:17	108-67-8	
Vinyl chloride	4.5J	ug/L	5.0	0.87	5		10/12/22 01:17	75-01-4	
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		10/12/22 01:17	1330-20-7	
m&p-Xylene	<3.5	ug/L	10.0	3.5	5		10/12/22 01:17	179601-23-1	
o-Xylene	<1.7	ug/L	5.0	1.7	5		10/12/22 01:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		5		10/12/22 01:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		5		10/12/22 01:17	2199-69-1	
Toluene-d8 (S)	101	%	70-130		5		10/12/22 01:17	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:10		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	92.1	mg/L	10.0	2.2	5		10/13/22 01:05	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 10:49		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: **PZ-MW1A** Lab ID: **40252799004** Collected: 10/06/22 11:15 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 19:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 19:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 19:42	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 19:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 19:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 19:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 19:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 19:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 19:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 19:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 19:42	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 19:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 19:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 19:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 19:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 19:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 19:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 19:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 19:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 19:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 19:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 19:42	75-71-8	
1,1-Dichloroethane	233	ug/L	1.0	0.30	1		10/11/22 19:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 19:42	107-06-2	
1,1-Dichloroethene	21.6	ug/L	1.0	0.58	1		10/11/22 19:42	75-35-4	
cis-1,2-Dichloroethene	22.2	ug/L	1.0	0.47	1		10/11/22 19:42	156-59-2	
trans-1,2-Dichloroethene	0.59J	ug/L	1.0	0.53	1		10/11/22 19:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 19:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 19:42	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 19:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 19:42	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:42	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 19:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 19:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 19:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 19:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 19:42	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 19:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 19:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 19:42	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 19:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:42	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: **PZ-MW1A** Lab ID: **40252799004** Collected: 10/06/22 11:15 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 19:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 19:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 19:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 19:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 19:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 19:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 19:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 19:42	79-00-5	
Trichloroethene	5.3	ug/L	1.0	0.32	1		10/11/22 19:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 19:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 19:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 19:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:42	108-67-8	
Vinyl chloride	0.83J	ug/L	1.0	0.17	1		10/11/22 19:42	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 19:42	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 19:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/22 19:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		10/11/22 19:42	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/22 19:42	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:11		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	137	mg/L	10.0	2.2	5		10/13/22 01:21	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 10:52		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: PZ-3 **Lab ID: 40252799005** Collected: 10/04/22 14:45 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<3.0	ug/L	10.0	3.0	10		10/12/22 00:58	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		10/12/22 00:58	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		10/12/22 00:58	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		10/12/22 00:58	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		10/12/22 00:58	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		10/12/22 00:58	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		10/12/22 00:58	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		10/12/22 00:58	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		10/12/22 00:58	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		10/12/22 00:58	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		10/12/22 00:58	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		10/12/22 00:58	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		10/12/22 00:58	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		10/12/22 00:58	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		10/12/22 00:58	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		10/12/22 00:58	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		10/12/22 00:58	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		10/12/22 00:58	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		10/12/22 00:58	106-93-4	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		10/12/22 00:58	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		10/12/22 00:58	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		10/12/22 00:58	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		10/12/22 00:58	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		10/12/22 00:58	75-71-8	
1,1-Dichloroethane	1000	ug/L	10.0	3.0	10		10/12/22 00:58	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		10/12/22 00:58	107-06-2	
1,1-Dichloroethene	32.4	ug/L	10.0	5.8	10		10/12/22 00:58	75-35-4	
cis-1,2-Dichloroethene	49.7	ug/L	10.0	4.7	10		10/12/22 00:58	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		10/12/22 00:58	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		10/12/22 00:58	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		10/12/22 00:58	142-28-9	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		10/12/22 00:58	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		10/12/22 00:58	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		10/12/22 00:58	10061-01-5	
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		10/12/22 00:58	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		10/12/22 00:58	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		10/12/22 00:58	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		10/12/22 00:58	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		10/12/22 00:58	98-82-8	
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		10/12/22 00:58	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		10/12/22 00:58	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		10/12/22 00:58	1634-04-4	
Naphthalene	<11.3	ug/L	50.0	11.3	10		10/12/22 00:58	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		10/12/22 00:58	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		10/12/22 00:58	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: PZ-3 **Lab ID: 40252799005** Collected: 10/04/22 14:45 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		10/12/22 00:58	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		10/12/22 00:58	79-34-5	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		10/12/22 00:58	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		10/12/22 00:58	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		10/12/22 00:58	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		10/12/22 00:58	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		10/12/22 00:58	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		10/12/22 00:58	79-00-5	
Trichloroethene	11.7	ug/L	10.0	3.2	10		10/12/22 00:58	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		10/12/22 00:58	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		10/12/22 00:58	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		10/12/22 00:58	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		10/12/22 00:58	108-67-8	
Vinyl chloride	2.8J	ug/L	10.0	1.7	10		10/12/22 00:58	75-01-4	
Xylene (Total)	<10.5	ug/L	30.0	10.5	10		10/12/22 00:58	1330-20-7	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		10/12/22 00:58	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		10/12/22 00:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		10		10/12/22 00:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		10/12/22 00:58	2199-69-1	
Toluene-d8 (S)	102	%	70-130		10		10/12/22 00:58	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:12		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	47.8	mg/L	2.0	0.43	1		10/13/22 01:38	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 10:52		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-14 **Lab ID: 40252799006** Collected: 10/04/22 14:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 20:02	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:02	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 20:02	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 20:02	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 20:02	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 20:02	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 20:02	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 20:02	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 20:02	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 20:02	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 20:02	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 20:02	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 20:02	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 20:02	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 20:02	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 20:02	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 20:02	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 20:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 20:02	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 20:02	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 20:02	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:02	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 20:02	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 20:02	75-71-8	
1,1-Dichloroethane	0.74J	ug/L	1.0	0.30	1		10/11/22 20:02	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 20:02	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 20:02	75-35-4	
cis-1,2-Dichloroethene	11.1	ug/L	1.0	0.47	1		10/11/22 20:02	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 20:02	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 20:02	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:02	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 20:02	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 20:02	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:02	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 20:02	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 20:02	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 20:02	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 20:02	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 20:02	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 20:02	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 20:02	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 20:02	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 20:02	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:02	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:02	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-14 **Lab ID: 40252799006** Collected: 10/04/22 14:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 20:02	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 20:02	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 20:02	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 20:02	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 20:02	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 20:02	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:02	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 20:02	79-00-5	
Trichloroethene	10.8	ug/L	1.0	0.32	1		10/11/22 20:02	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 20:02	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 20:02	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 20:02	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:02	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 20:02	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 20:02	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 20:02	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/22 20:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/11/22 20:02	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		10/11/22 20:02	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:14		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2.0J	mg/L	2.0	0.43	1		10/13/22 01:54	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.095J	mg/L	0.25	0.059	1		10/19/22 10:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-12 **Lab ID: 40252799007** Collected: 10/04/22 13:30 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 20:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:21	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 20:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 20:21	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 20:21	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 20:21	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 20:21	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 20:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 20:21	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 20:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 20:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 20:21	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 20:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 20:21	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 20:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 20:21	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 20:21	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 20:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 20:21	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 20:21	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 20:21	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:21	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 20:21	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 20:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:21	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 20:21	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 20:21	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 20:21	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 20:21	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 20:21	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:21	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 20:21	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 20:21	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:21	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 20:21	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 20:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 20:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 20:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 20:21	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 20:21	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 20:21	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 20:21	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 20:21	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:21	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:21	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-12 **Lab ID: 40252799007** Collected: 10/04/22 13:30 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 20:21	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 20:21	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 20:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 20:21	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 20:21	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 20:21	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:21	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 20:21	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/22 20:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 20:21	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 20:21	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 20:21	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:21	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 20:21	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 20:21	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 20:21	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:21	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/22 20:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/11/22 20:21	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/22 20:21	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:15		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	14.8	mg/L	2.0	0.43	1		10/13/22 02:10	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 10:54		M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-5 **Lab ID: 40252799008** Collected: 10/04/22 12:50 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 20:41	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:41	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 20:41	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 20:41	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 20:41	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 20:41	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 20:41	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 20:41	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 20:41	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 20:41	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 20:41	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 20:41	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 20:41	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 20:41	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 20:41	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 20:41	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 20:41	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 20:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 20:41	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 20:41	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 20:41	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:41	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 20:41	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 20:41	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:41	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 20:41	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 20:41	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 20:41	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 20:41	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 20:41	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:41	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 20:41	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 20:41	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:41	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 20:41	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 20:41	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 20:41	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 20:41	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 20:41	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 20:41	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 20:41	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 20:41	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 20:41	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:41	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-5 **Lab ID: 40252799008** Collected: 10/04/22 12:50 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 20:41	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 20:41	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 20:41	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 20:41	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 20:41	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 20:41	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 20:41	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 20:41	79-00-5	
Trichloroethene	0.45J	ug/L	1.0	0.32	1		10/11/22 20:41	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 20:41	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 20:41	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 20:41	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 20:41	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 20:41	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 20:41	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 20:41	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 20:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/11/22 20:41	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/11/22 20:41	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/22 20:41	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:17		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	152	mg/L	20.0	4.3	10		10/13/22 03:16	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 10:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-3 **Lab ID: 40252799009** Collected: 10/04/22 12:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 21:01	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 21:01	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 21:01	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 21:01	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 21:01	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 21:01	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 21:01	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 21:01	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 21:01	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 21:01	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 21:01	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 21:01	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 21:01	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 21:01	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 21:01	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 21:01	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 21:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 21:01	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 21:01	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 21:01	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:01	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 21:01	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 21:01	75-71-8	
1,1-Dichloroethane	20.4	ug/L	1.0	0.30	1		10/11/22 21:01	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 21:01	107-06-2	
1,1-Dichloroethene	9.6	ug/L	1.0	0.58	1		10/11/22 21:01	75-35-4	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.47	1		10/11/22 21:01	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 21:01	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 21:01	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 21:01	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 21:01	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 21:01	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:01	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 21:01	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 21:01	108-20-3	
Ethylbenzene	1.1	ug/L	1.0	0.33	1		10/11/22 21:01	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 21:01	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 21:01	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 21:01	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 21:01	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 21:01	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 21:01	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:01	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:01	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-3 **Lab ID: 40252799009** Collected: 10/04/22 12:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 21:01	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 21:01	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 21:01	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 21:01	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 21:01	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 21:01	120-82-1	
1,1,1-Trichloroethane	8.4	ug/L	1.0	0.30	1		10/11/22 21:01	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 21:01	79-00-5	
Trichloroethene	5.8	ug/L	1.0	0.32	1		10/11/22 21:01	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 21:01	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 21:01	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 21:01	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:01	108-67-8	
Vinyl chloride	0.36J	ug/L	1.0	0.17	1		10/11/22 21:01	75-01-4	
Xylene (Total)	5.8	ug/L	3.0	1.0	1		10/11/22 21:01	1330-20-7	
m&p-Xylene	4.3	ug/L	2.0	0.70	1		10/11/22 21:01	179601-23-1	
o-Xylene	1.5	ug/L	1.0	0.35	1		10/11/22 21:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/22 21:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/11/22 21:01	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/22 21:01	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:18		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2980	mg/L	100	21.6	50		10/13/22 03:32	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 10:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-8 **Lab ID: 40252799010** Collected: 10/04/22 11:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	0.35J	ug/L	1.0	0.30	1		10/11/22 21:20	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 21:20	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 21:20	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 21:20	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 21:20	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 21:20	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 21:20	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 21:20	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 21:20	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 21:20	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 21:20	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 21:20	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 21:20	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 21:20	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 21:20	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 21:20	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 21:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 21:20	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 21:20	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 21:20	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:20	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 21:20	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 21:20	75-71-8	
1,1-Dichloroethane	8.7	ug/L	1.0	0.30	1		10/11/22 21:20	75-34-3	
1,2-Dichloroethane	0.43J	ug/L	1.0	0.29	1		10/11/22 21:20	107-06-2	
1,1-Dichloroethene	5.6	ug/L	1.0	0.58	1		10/11/22 21:20	75-35-4	
cis-1,2-Dichloroethene	1.0	ug/L	1.0	0.47	1		10/11/22 21:20	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 21:20	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 21:20	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 21:20	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 21:20	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 21:20	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:20	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 21:20	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 21:20	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 21:20	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 21:20	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 21:20	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 21:20	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 21:20	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 21:20	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 21:20	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:20	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:20	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-8 **Lab ID: 40252799010** Collected: 10/04/22 11:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 21:20	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 21:20	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 21:20	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 21:20	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 21:20	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 21:20	120-82-1	
1,1,1-Trichloroethane	2.3	ug/L	1.0	0.30	1		10/11/22 21:20	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 21:20	79-00-5	
Trichloroethene	2.7	ug/L	1.0	0.32	1		10/11/22 21:20	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 21:20	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 21:20	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 21:20	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:20	108-67-8	
Vinyl chloride	0.92J	ug/L	1.0	0.17	1		10/11/22 21:20	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 21:20	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 21:20	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/22 21:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/11/22 21:20	2199-69-1	
Toluene-d8 (S)	80	%	70-130		1		10/11/22 21:20	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:20		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	3110	mg/L	200	43.1	100		10/13/22 03:48	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 11:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-4 **Lab ID: 40252799011** Collected: 10/04/22 10:30 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 21:40	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:40	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 21:40	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 21:40	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 21:40	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 21:40	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 21:40	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 21:40	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 21:40	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 21:40	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 21:40	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 21:40	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 21:40	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 21:40	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 21:40	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 21:40	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 21:40	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 21:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 21:40	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 21:40	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 21:40	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:40	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 21:40	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 21:40	75-71-8	
1,1-Dichloroethane	2.4	ug/L	1.0	0.30	1		10/11/22 21:40	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 21:40	107-06-2	
1,1-Dichloroethene	0.60J	ug/L	1.0	0.58	1		10/11/22 21:40	75-35-4	
cis-1,2-Dichloroethene	0.51J	ug/L	1.0	0.47	1		10/11/22 21:40	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 21:40	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 21:40	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 21:40	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 21:40	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 21:40	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:40	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 21:40	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 21:40	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 21:40	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 21:40	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 21:40	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 21:40	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 21:40	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 21:40	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 21:40	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:40	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:40	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-4 **Lab ID: 40252799011** Collected: 10/04/22 10:30 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 21:40	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 21:40	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 21:40	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 21:40	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 21:40	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 21:40	120-82-1	
1,1,1-Trichloroethane	1.1	ug/L	1.0	0.30	1		10/11/22 21:40	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 21:40	79-00-5	
Trichloroethene	1.9	ug/L	1.0	0.32	1		10/11/22 21:40	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 21:40	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 21:40	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 21:40	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 21:40	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 21:40	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 21:40	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 21:40	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 21:40	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/22 21:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/11/22 21:40	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/22 21:40	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:21		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	554	mg/L	40.0	8.6	20		10/13/22 12:48	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 11:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-13 **Lab ID: 40252799012** Collected: 10/04/22 08:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 22:00	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:00	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 22:00	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:00	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 22:00	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 22:00	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:00	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 22:00	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 22:00	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 22:00	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:00	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 22:00	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 22:00	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 22:00	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:00	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:00	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 22:00	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 22:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 22:00	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 22:00	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:00	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:00	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 22:00	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 22:00	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:00	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 22:00	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 22:00	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 22:00	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 22:00	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 22:00	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:00	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 22:00	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:00	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:00	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 22:00	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:00	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:00	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 22:00	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 22:00	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:00	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 22:00	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:00	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 22:00	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:00	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:00	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-13 **Lab ID: 40252799012** Collected: 10/04/22 08:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 22:00	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 22:00	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:00	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 22:00	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:00	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 22:00	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:00	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 22:00	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/22 22:00	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:00	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 22:00	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 22:00	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:00	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 22:00	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 22:00	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 22:00	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:00	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/22 22:00	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/11/22 22:00	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/11/22 22:00	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:22		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	9.7	mg/L	2.0	0.43	1		10/13/22 13:31	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	2.1	mg/L	0.25	0.059	1		10/19/22 11:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-11 **Lab ID: 40252799013** Collected: 10/04/22 09:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 22:20	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 22:20	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:20	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 22:20	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 22:20	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:20	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 22:20	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 22:20	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 22:20	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:20	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 22:20	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 22:20	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 22:20	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:20	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:20	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 22:20	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 22:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 22:20	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 22:20	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:20	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:20	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 22:20	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 22:20	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:20	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 22:20	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 22:20	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 22:20	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 22:20	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 22:20	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:20	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 22:20	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:20	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:20	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 22:20	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:20	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:20	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 22:20	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 22:20	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:20	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 22:20	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:20	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 22:20	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:20	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:20	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-11 **Lab ID: 40252799013** Collected: 10/04/22 09:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 22:20	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 22:20	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:20	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 22:20	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:20	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 22:20	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:20	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 22:20	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/22 22:20	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:20	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 22:20	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 22:20	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:20	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 22:20	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 22:20	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 22:20	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/22 22:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/11/22 22:20	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/22 22:20	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:23		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	99.5	mg/L	10.0	2.2	5		10/13/22 13:46	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 11:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-10 **Lab ID: 40252799014** Collected: 10/04/22 09:45 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 22:39	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 22:39	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:39	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 22:39	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 22:39	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:39	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 22:39	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 22:39	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 22:39	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:39	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 22:39	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 22:39	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 22:39	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:39	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:39	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 22:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 22:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 22:39	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 22:39	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:39	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:39	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 22:39	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 22:39	75-71-8	
1,1-Dichloroethane	2.1	ug/L	1.0	0.30	1		10/11/22 22:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 22:39	107-06-2	
1,1-Dichloroethene	0.61J	ug/L	1.0	0.58	1		10/11/22 22:39	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 22:39	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 22:39	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 22:39	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:39	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 22:39	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:39	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:39	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 22:39	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:39	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:39	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 22:39	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 22:39	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:39	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 22:39	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:39	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 22:39	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:39	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-10 **Lab ID: 40252799014** Collected: 10/04/22 09:45 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 22:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 22:39	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:39	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 22:39	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 22:39	120-82-1	
1,1,1-Trichloroethane	1.2	ug/L	1.0	0.30	1		10/11/22 22:39	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 22:39	79-00-5	
Trichloroethene	1.3	ug/L	1.0	0.32	1		10/11/22 22:39	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:39	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 22:39	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 22:39	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:39	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 22:39	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 22:39	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 22:39	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/22 22:39	460-00-4	pH
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/11/22 22:39	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/22 22:39	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:25		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	285	mg/L	20.0	4.3	10		10/13/22 14:00	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 11:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-1 **Lab ID: 40252799015** Collected: 10/05/22 14:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 22:59	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:59	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 22:59	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:59	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 22:59	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 22:59	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:59	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 22:59	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 22:59	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 22:59	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 22:59	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 22:59	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 22:59	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 22:59	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:59	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 22:59	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 22:59	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 22:59	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 22:59	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 22:59	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:59	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:59	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 22:59	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 22:59	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:59	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 22:59	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 22:59	75-35-4	
cis-1,2-Dichloroethene	0.65J	ug/L	1.0	0.47	1		10/11/22 22:59	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 22:59	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 22:59	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 22:59	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 22:59	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:59	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:59	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 22:59	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:59	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 22:59	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 22:59	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 22:59	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:59	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 22:59	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 22:59	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 22:59	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:59	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:59	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-1 **Lab ID: 40252799015** Collected: 10/05/22 14:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 22:59	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 22:59	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 22:59	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 22:59	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 22:59	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 22:59	120-82-1	
1,1,1-Trichloroethane	1.7	ug/L	1.0	0.30	1		10/11/22 22:59	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 22:59	79-00-5	
Trichloroethene	5.4	ug/L	1.0	0.32	1		10/11/22 22:59	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 22:59	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 22:59	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 22:59	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 22:59	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 22:59	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 22:59	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 22:59	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 22:59	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/22 22:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/11/22 22:59	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		10/11/22 22:59	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:26		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	6.6	mg/L	2.0	0.43	1		10/13/22 14:14	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.21J	mg/L	0.25	0.059	1		10/19/22 11:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: MW-7 **Lab ID: 40252799016** Collected: 10/05/22 13:15 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 23:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 23:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 23:19	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 23:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 23:19	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 23:19	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 23:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 23:19	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 23:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 23:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 23:19	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 23:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 23:19	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 23:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 23:19	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 23:19	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 23:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 23:19	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 23:19	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 23:19	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 23:19	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 23:19	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 23:19	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 23:19	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 23:19	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 23:19	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 23:19	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 23:19	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 23:19	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 23:19	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 23:19	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 23:19	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:19	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 23:19	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 23:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 23:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 23:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 23:19	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 23:19	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 23:19	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 23:19	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 23:19	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 23:19	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:19	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-7 **Lab ID: 40252799016** Collected: 10/05/22 13:15 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 23:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 23:19	79-34-5	
Tetrachloroethene	0.45J	ug/L	1.0	0.41	1		10/11/22 23:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 23:19	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 23:19	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 23:19	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 23:19	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 23:19	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/22 23:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 23:19	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 23:19	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 23:19	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:19	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 23:19	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 23:19	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 23:19	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 23:19	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/22 23:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/22 23:19	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/22 23:19	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:28		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	13.2	mg/L	2.0	0.43	1		10/13/22 15:12	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 11:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-6 **Lab ID: 40252799017** Collected: 10/05/22 12:30 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 23:39	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 23:39	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 23:39	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 23:39	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 23:39	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 23:39	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 23:39	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 23:39	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 23:39	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 23:39	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 23:39	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 23:39	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 23:39	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 23:39	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 23:39	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 23:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 23:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 23:39	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 23:39	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 23:39	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 23:39	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 23:39	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 23:39	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 23:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 23:39	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 23:39	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 23:39	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 23:39	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 23:39	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 23:39	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 23:39	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 23:39	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:39	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 23:39	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 23:39	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 23:39	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 23:39	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 23:39	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 23:39	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 23:39	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 23:39	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 23:39	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 23:39	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Sample: MW-6 **Lab ID: 40252799017** Collected: 10/05/22 12:30 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 23:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 23:39	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 23:39	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 23:39	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 23:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 23:39	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 23:39	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 23:39	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/22 23:39	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 23:39	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 23:39	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 23:39	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 23:39	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 23:39	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 23:39	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 23:39	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 23:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/22 23:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		10/11/22 23:39	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/22 23:39	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		10/11/22 11:30		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	13.2	mg/L	2.0	0.43	1		10/13/22 15:29	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		10/19/22 11:05		M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: TRIP BLANK **Lab ID: 40252799018** Collected: 10/05/22 00:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/22 19:02	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:02	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/11/22 19:02	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 19:02	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/11/22 19:02	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/22 19:02	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 19:02	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/22 19:02	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/22 19:02	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/22 19:02	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/22 19:02	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/22 19:02	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/11/22 19:02	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/22 19:02	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 19:02	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/22 19:02	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/22 19:02	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/22 19:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/22 19:02	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/22 19:02	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 19:02	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:02	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/22 19:02	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/22 19:02	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 19:02	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/22 19:02	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/22 19:02	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/22 19:02	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/22 19:02	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/22 19:02	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/22 19:02	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/11/22 19:02	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/22 19:02	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:02	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/11/22 19:02	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 19:02	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/22 19:02	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/22 19:02	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/22 19:02	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/22 19:02	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/22 19:02	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/22 19:02	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/11/22 19:02	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:02	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:02	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Sample: TRIP BLANK **Lab ID: 40252799018** Collected: 10/05/22 00:00 Received: 10/07/22 15:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/22 19:02	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/22 19:02	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/22 19:02	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/22 19:02	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/22 19:02	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/22 19:02	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/22 19:02	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/11/22 19:02	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/22 19:02	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/22 19:02	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/11/22 19:02	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/22 19:02	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/22 19:02	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/22 19:02	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/22 19:02	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/22 19:02	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/22 19:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/22 19:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/22 19:02	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/22 19:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

QC Batch:	428221	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007, 40252799008, 40252799009, 40252799010, 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017, 40252799018

METHOD BLANK: 2466551 Matrix: Water
Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007, 40252799008, 40252799009, 40252799010, 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017, 40252799018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/11/22 17:05	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/11/22 17:05	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/11/22 17:05	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	10/11/22 17:05	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/11/22 17:05	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/11/22 17:05	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/11/22 17:05	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/11/22 17:05	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	10/11/22 17:05	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/11/22 17:05	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/11/22 17:05	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/11/22 17:05	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/11/22 17:05	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/11/22 17:05	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/11/22 17:05	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/11/22 17:05	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/11/22 17:05	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/11/22 17:05	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/11/22 17:05	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/11/22 17:05	
2,2-Dichloropropane	ug/L	<4.2	5.0	10/11/22 17:05	
2-Chlorotoluene	ug/L	<0.89	5.0	10/11/22 17:05	
4-Chlorotoluene	ug/L	<0.89	5.0	10/11/22 17:05	
Benzene	ug/L	<0.30	1.0	10/11/22 17:05	
Bromobenzene	ug/L	<0.36	1.0	10/11/22 17:05	
Bromochloromethane	ug/L	<0.36	5.0	10/11/22 17:05	
Bromodichloromethane	ug/L	<0.42	1.0	10/11/22 17:05	
Bromoform	ug/L	<3.8	5.0	10/11/22 17:05	
Bromomethane	ug/L	<1.2	5.0	10/11/22 17:05	
Carbon tetrachloride	ug/L	<0.37	1.0	10/11/22 17:05	
Chlorobenzene	ug/L	<0.86	1.0	10/11/22 17:05	
Chloroethane	ug/L	<1.4	5.0	10/11/22 17:05	
Chloroform	ug/L	<1.2	5.0	10/11/22 17:05	
Chloromethane	ug/L	<1.6	5.0	10/11/22 17:05	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/11/22 17:05	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	10/11/22 17:05	
Dibromochloromethane	ug/L	<2.6	5.0	10/11/22 17:05	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

METHOD BLANK: 2466551

Matrix: Water

Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007, 40252799008, 40252799009, 40252799010, 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017, 40252799018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	10/11/22 17:05	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/11/22 17:05	
Diisopropyl ether	ug/L	<1.1	5.0	10/11/22 17:05	
Ethylbenzene	ug/L	<0.33	1.0	10/11/22 17:05	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/11/22 17:05	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/11/22 17:05	
m&p-Xylene	ug/L	<0.70	2.0	10/11/22 17:05	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/11/22 17:05	
Methylene Chloride	ug/L	<0.32	5.0	10/11/22 17:05	
n-Butylbenzene	ug/L	<0.86	1.0	10/11/22 17:05	
n-Propylbenzene	ug/L	<0.35	1.0	10/11/22 17:05	
Naphthalene	ug/L	<1.1	5.0	10/11/22 17:05	
o-Xylene	ug/L	<0.35	1.0	10/11/22 17:05	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/11/22 17:05	
sec-Butylbenzene	ug/L	<0.42	1.0	10/11/22 17:05	
Styrene	ug/L	<0.36	1.0	10/11/22 17:05	
tert-Butylbenzene	ug/L	<0.59	1.0	10/11/22 17:05	
Tetrachloroethene	ug/L	<0.41	1.0	10/11/22 17:05	
Toluene	ug/L	<0.29	1.0	10/11/22 17:05	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/11/22 17:05	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	10/11/22 17:05	
Trichloroethene	ug/L	<0.32	1.0	10/11/22 17:05	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/11/22 17:05	
Vinyl chloride	ug/L	<0.17	1.0	10/11/22 17:05	
Xylene (Total)	ug/L	<1.0	3.0	10/11/22 17:05	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	10/11/22 17:05	
4-Bromofluorobenzene (S)	%	101	70-130	10/11/22 17:05	
Toluene-d8 (S)	%	100	70-130	10/11/22 17:05	

LABORATORY CONTROL SAMPLE: 2466552

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	56.0	112	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	49.1	98	69-130	
1,1,2-Trichloroethane	ug/L	50	52.9	106	70-130	
1,1-Dichloroethane	ug/L	50	53.0	106	70-130	
1,1-Dichloroethene	ug/L	50	51.7	103	74-131	
1,2,4-Trichlorobenzene	ug/L	50	45.1	90	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.5	93	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	48.7	97	70-130	
1,2-Dichlorobenzene	ug/L	50	50.0	100	70-130	
1,2-Dichloroethane	ug/L	50	53.3	107	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

LABORATORY CONTROL SAMPLE: 2466552

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	51.1	102	80-121	
1,3-Dichlorobenzene	ug/L	50	52.7	105	70-130	
1,4-Dichlorobenzene	ug/L	50	52.1	104	70-130	
Benzene	ug/L	50	50.5	101	70-130	
Bromodichloromethane	ug/L	50	52.7	105	70-130	
Bromoform	ug/L	50	55.7	111	70-130	
Bromomethane	ug/L	50	28.7	57	21-147	
Carbon tetrachloride	ug/L	50	56.5	113	80-146	
Chlorobenzene	ug/L	50	53.7	107	70-130	
Chloroethane	ug/L	50	34.3	69	52-165	
Chloroform	ug/L	50	57.2	114	80-123	
Chloromethane	ug/L	50	30.5	61	51-122	
cis-1,2-Dichloroethene	ug/L	50	52.1	104	70-130	
cis-1,3-Dichloropropene	ug/L	50	51.6	103	70-130	
Dibromochloromethane	ug/L	50	53.7	107	70-130	
Dichlorodifluoromethane	ug/L	50	16.5	33	25-121	
Ethylbenzene	ug/L	50	54.5	109	80-120	
Isopropylbenzene (Cumene)	ug/L	50	55.9	112	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	51.8	104	70-130	
Methylene Chloride	ug/L	50	53.2	106	70-130	
o-Xylene	ug/L	50	53.8	108	70-130	
Styrene	ug/L	50	54.9	110	70-130	
Tetrachloroethene	ug/L	50	55.2	110	70-130	
Toluene	ug/L	50	53.5	107	80-120	
trans-1,2-Dichloroethene	ug/L	50	55.5	111	70-130	
trans-1,3-Dichloropropene	ug/L	50	53.1	106	70-130	
Trichloroethene	ug/L	50	55.2	110	70-130	
Trichlorofluoromethane	ug/L	50	48.3	97	65-160	
Vinyl chloride	ug/L	50	37.9	76	63-134	
Xylene (Total)	ug/L	150	162	108	70-130	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2467159 2467160

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40252799001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	1.3	50	50	57.4	57.1	112	112	70-134	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	52.9	53.1	106	106	61-135	0	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.1	54.1	102	108	70-130	6	20		
1,1-Dichloroethane	ug/L	0.48J	50	50	53.1	53.4	105	106	70-130	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	52.9	52.0	106	104	71-130	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	45.0	44.9	90	90	68-131	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2467159 2467160												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40252799001 Result	Spike Conc.	Spike Conc.	MS Result							
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	48.9	49.9	98	100	51-141	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50.3	50.8	101	102	70-130	1	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.3	52.2	103	104	70-130	2	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	53.4	53.6	107	107	70-137	0	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	52.0	52.0	104	104	80-121	0	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	54.3	54.8	109	110	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	53.6	54.7	107	109	70-130	2	20	
Benzene	ug/L	<0.30	50	50	51.4	51.5	103	103	70-130	0	20	
Bromodichloromethane	ug/L	<0.42	50	50	53.1	52.8	106	106	70-130	0	20	
Bromoform	ug/L	<3.8	50	50	55.7	56.4	111	113	70-133	1	20	
Bromomethane	ug/L	<1.2	50	50	38.4	34.9	77	70	21-149	9	22	
Carbon tetrachloride	ug/L	<0.37	50	50	56.9	57.1	114	114	80-146	0	20	
Chlorobenzene	ug/L	<0.86	50	50	53.0	54.0	106	108	70-130	2	20	
Chloroethane	ug/L	<1.4	50	50	34.7	36.6	69	73	52-165	5	20	
Chloroform	ug/L	<1.2	50	50	57.5	57.8	115	116	80-123	1	20	
Chloromethane	ug/L	<1.6	50	50	37.6	38.4	75	77	42-125	2	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	53.3	53.8	107	108	70-130	1	20	
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	50.7	51.9	101	104	70-130	2	20	
Dibromochloromethane	ug/L	<2.6	50	50	53.1	54.1	106	108	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	24.5	24.4	49	49	25-121	1	20	
Ethylbenzene	ug/L	<0.33	50	50	53.8	54.8	108	110	80-121	2	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	54.6	54.7	109	109	70-130	0	20	
m&p-Xylene	ug/L	<0.70	100	100	108	110	108	110	70-130	2	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	53.5	51.2	107	102	70-130	4	20	
Methylene Chloride	ug/L	<0.32	50	50	56.2	54.6	112	109	70-130	3	20	
o-Xylene	ug/L	<0.35	50	50	53.9	53.9	108	108	70-130	0	20	
Styrene	ug/L	<0.36	50	50	53.7	54.1	107	108	70-132	1	20	
Tetrachloroethene	ug/L	0.48J	50	50	54.8	54.3	109	108	70-130	1	20	
Toluene	ug/L	<0.29	50	50	51.8	52.6	104	105	80-120	2	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	55.7	50.8	111	102	70-130	9	20	
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	51.5	53.0	103	106	70-130	3	20	
Trichloroethene	ug/L	2.6	50	50	57.0	57.6	109	110	70-130	1	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	50.1	51.0	100	102	65-160	2	20	
Vinyl chloride	ug/L	<0.17	50	50	43.8	44.2	88	88	60-137	1	20	
Xylene (Total)	ug/L	<1.0	150	150	162	164	108	109	70-130	1	20	
1,2-Dichlorobenzene-d4 (S)	%						98	98	70-130			
4-Bromofluorobenzene (S)	%						101	101	70-130			
Toluene-d8 (S)	%						101	103	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

QC Batch:	428393	Analysis Method:	SM 4500-S F (2000)
QC Batch Method:	SM 4500-S F (2000)	Analysis Description:	4500S2F Sulfide, Iodometric
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007, 40252799008, 40252799009, 40252799010, 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017

METHOD BLANK: 2467228 Matrix: Water
Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007, 40252799008, 40252799009, 40252799010, 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	10/11/22 10:53	

LABORATORY CONTROL SAMPLE: 2467229

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	44.8	41.6	93	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2467230 2467231

Parameter	Units	40252799001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfide	mg/L	<1.2	44.8	44.8	37.6	38.8	84	87	80-120	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

QC Batch: 428324 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007, 40252799008, 40252799009, 40252799010

METHOD BLANK: 2466918 Matrix: Water
Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007, 40252799008, 40252799009, 40252799010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	10/12/22 19:06	

LABORATORY CONTROL SAMPLE: 2466919

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.2	106	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2466920 2466921

Parameter	Units	40252735001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	517	400	400	893	886	94	92	90-110	1	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2466922 2466923

Parameter	Units	40252799010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	3110	2000	2000	4910	4920	90	90	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

QC Batch: 428570 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017

METHOD BLANK: 2468253 Matrix: Water
Associated Lab Samples: 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	10/13/22 12:05	

LABORATORY CONTROL SAMPLE: 2468254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	20.3	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2468255 2468256

Parameter	Units	2468255		2468256		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Chloride	mg/L	554	400	400	943	939	97	96	90-110	0	15

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2468257 2468258

Parameter	Units	2468257		2468258		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Chloride	mg/L	35.9	20	20	55.0	55.1	96	96	90-110	0	15

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

QC Batch: 429126 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007

METHOD BLANK: 2471484 Matrix: Water
Associated Lab Samples: 40252799001, 40252799002, 40252799003, 40252799004, 40252799005, 40252799006, 40252799007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	10/19/22 10:35	

LABORATORY CONTROL SAMPLE: 2471485

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2471486 2471487

Parameter	Units	40252564008		2471487		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.2	2.2	89	89	90-110	0	20 M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2471488 2471489

Parameter	Units	40252799007		2471489		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.2	2.2	87	87	90-110	1	20 M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

QC Batch:	429127	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40252799008, 40252799009, 40252799010, 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017

METHOD BLANK: 2471490 Matrix: Water
Associated Lab Samples: 40252799008, 40252799009, 40252799010, 40252799011, 40252799012, 40252799013, 40252799014, 40252799015, 40252799016, 40252799017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	10/19/22 10:56	

LABORATORY CONTROL SAMPLE: 2471491

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2471492 2471493

Parameter	Units	40252799017 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.2	2.2	89	89	90-110	1	20	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2471494 2471495

Parameter	Units	40252667006 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Nitrogen, NO2 plus NO3	mg/L	6.4	2.5	2.5	8.8	8.7	97	95	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40252799

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40252799001	PZ-2	EPA 8260	428221		
40252799002	PZ-MW1C	EPA 8260	428221		
40252799003	PZ-MW1B	EPA 8260	428221		
40252799004	PZ-MW1A	EPA 8260	428221		
40252799005	PZ-3	EPA 8260	428221		
40252799006	MW-14	EPA 8260	428221		
40252799007	MW-12	EPA 8260	428221		
40252799008	MW-5	EPA 8260	428221		
40252799009	MW-3	EPA 8260	428221		
40252799010	MW-8	EPA 8260	428221		
40252799011	MW-4	EPA 8260	428221		
40252799012	MW-13	EPA 8260	428221		
40252799013	MW-11	EPA 8260	428221		
40252799014	MW-10	EPA 8260	428221		
40252799015	MW-1	EPA 8260	428221		
40252799016	MW-7	EPA 8260	428221		
40252799017	MW-6	EPA 8260	428221		
40252799018	TRIP BLANK	EPA 8260	428221		
40252799001	PZ-2	SM 4500-S F (2000)	428393		
40252799002	PZ-MW1C	SM 4500-S F (2000)	428393		
40252799003	PZ-MW1B	SM 4500-S F (2000)	428393		
40252799004	PZ-MW1A	SM 4500-S F (2000)	428393		
40252799005	PZ-3	SM 4500-S F (2000)	428393		
40252799006	MW-14	SM 4500-S F (2000)	428393		
40252799007	MW-12	SM 4500-S F (2000)	428393		
40252799008	MW-5	SM 4500-S F (2000)	428393		
40252799009	MW-3	SM 4500-S F (2000)	428393		
40252799010	MW-8	SM 4500-S F (2000)	428393		
40252799011	MW-4	SM 4500-S F (2000)	428393		
40252799012	MW-13	SM 4500-S F (2000)	428393		
40252799013	MW-11	SM 4500-S F (2000)	428393		
40252799014	MW-10	SM 4500-S F (2000)	428393		
40252799015	MW-1	SM 4500-S F (2000)	428393		
40252799016	MW-7	SM 4500-S F (2000)	428393		
40252799017	MW-6	SM 4500-S F (2000)	428393		
40252799001	PZ-2	EPA 300.0	428324		
40252799002	PZ-MW1C	EPA 300.0	428324		
40252799003	PZ-MW1B	EPA 300.0	428324		
40252799004	PZ-MW1A	EPA 300.0	428324		
40252799005	PZ-3	EPA 300.0	428324		
40252799006	MW-14	EPA 300.0	428324		
40252799007	MW-12	EPA 300.0	428324		
40252799008	MW-5	EPA 300.0	428324		
40252799009	MW-3	EPA 300.0	428324		
40252799010	MW-8	EPA 300.0	428324		
40252799011	MW-4	EPA 300.0	428570		
40252799012	MW-13	EPA 300.0	428570		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40252799

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40252799013	MW-11	EPA 300.0	428570		
40252799014	MW-10	EPA 300.0	428570		
40252799015	MW-1	EPA 300.0	428570		
40252799016	MW-7	EPA 300.0	428570		
40252799017	MW-6	EPA 300.0	428570		
40252799001	PZ-2	EPA 353.2	429126		
40252799002	PZ-MW1C	EPA 353.2	429126		
40252799003	PZ-MW1B	EPA 353.2	429126		
40252799004	PZ-MW1A	EPA 353.2	429126		
40252799005	PZ-3	EPA 353.2	429126		
40252799006	MW-14	EPA 353.2	429126		
40252799007	MW-12	EPA 353.2	429126		
40252799008	MW-5	EPA 353.2	429127		
40252799009	MW-3	EPA 353.2	429127		
40252799010	MW-8	EPA 353.2	429127		
40252799011	MW-4	EPA 353.2	429127		
40252799012	MW-13	EPA 353.2	429127		
40252799013	MW-11	EPA 353.2	429127		
40252799014	MW-10	EPA 353.2	429127		
40252799015	MW-1	EPA 353.2	429127		
40252799016	MW-7	EPA 353.2	429127		
40252799017	MW-6	EPA 353.2	429127		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: AECOM
 Branch/Location: Oshkosh
 Project Contact: Chris Lutzen
 Phone: 262-278-9823
 Project Number: 60428891
 Project Name: FV Steel & Wire
 Project State: WI
 Sampled By (Print): Chris Lutzen
 Sampled By (Sign): *Chris Lutzen*
 PO #: N/A Regulatory Program: WDNR



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page of

COC No. 40252799

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N														
Pick Letter	B	J	A	C														
Analyses Requested	VOCs	Sulfide	Chloride	Nitrate-Nitrite														

Quote #: N/A
 Mail To Contact: Gary Braun
 Mail To Company: AECOM
 Mail To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Contact: Gary Braun
 Invoice To Company: AECOM
 Invoice To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Phone: -

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyses Requested	VOCs	Sulfide	Chloride	Nitrate-Nitrite										
		DATE	TIME																
	MW-10	10/4/22	945	GW		3	1	1	1										
	MW-1	10/19/22	1400	GW		3	1	1	1										
	MW-7	10/15/22	1315	GW		3	1	1	1										
	MW-6	10/14/22	1230	GW		3	1	1	1										
	Tri-P Blank	10/6/22	800	GW															

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
		7001
	014	
	015	
	016	
	017	
	018	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____
 Transmit Prelim Rush Results by (complete what you want): _____
 Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *Chris Lutzen* Date/Time: 10/17/22
Chris Lutzen
 Relinquished By: *Stump & Pace* Date/Time: 10/17/22 1500
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____

Received By: *Stump & Pace* Date/Time: 10/17/22 1040
Stump & Pace
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. 40252799
 Receipt Temp = 5.5, 3 °C
 Sample Receipt pH Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: AECOM

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

WO#: 40252799



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 5.2.5 / Corr: 5.5.3

Temp Blank Present: yes no 10/7/22 Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 10/7/22 Initials: SB

Labeled By Initials: MP

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

January 04, 2023

Gary Braun
AECOM
1555 N. RiverCenter Drive
Suite 214
Milwaukee, WI 53212

RE: Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Dear Gary Braun:

Enclosed are the analytical results for sample(s) received by the laboratory on December 16, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab
A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
GMP+ Certification #: GMP050884
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #: 74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

South Carolina Certification #: 83006001
Texas Certification #: T104704529-21-8
Virginia VELAP Certification ID: 11873
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-21-00008
Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40256177001	MW-11	Water	12/15/22 12:30	12/16/22 11:00
40256177002	PZ-2	Water	12/13/22 15:30	12/16/22 11:00
40256177003	MW-10	Water	12/15/22 09:00	12/16/22 11:00
40256177004	MW-4	Water	12/15/22 09:55	12/16/22 11:00
40256177005	MW-8	Water	12/15/22 13:00	12/16/22 11:00
40256177006	MW-3	Water	12/15/22 13:30	12/16/22 11:00
40256177007	MW-1	Water	12/15/22 10:25	12/16/22 11:00
40256177008	PZ-MW1A	Water	12/13/22 11:00	12/16/22 11:00
40256177009	PZ-MW1B	Water	12/13/22 10:00	12/16/22 11:00
40256177010	PZ-MW1C	Water	12/13/22 13:00	12/16/22 11:00
40256177011	MW-14	Water	12/15/22 11:00	12/16/22 11:00
40256177012	PZ-3	Water	12/13/22 14:15	12/16/22 11:00
40256177013	MW-12	Water	12/15/22 10:50	12/16/22 11:00
40256177014	MW-5	Water	12/15/22 09:45	12/16/22 11:00
40256177015	MW-7	Water	12/15/22 12:00	12/16/22 11:00
40256177016	MW-6	Water	12/15/22 11:45	12/16/22 11:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40256177001	MW-11	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177002	PZ-2	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177003	MW-10	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177004	MW-4	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177005	MW-8	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177006	MW-3	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177007	MW-1	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177008	PZ-MW1A	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40256177009	PZ-MW1B	SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
40256177010	PZ-MW1C	EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
40256177011	MW-14	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	DAW	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40256177012	PZ-3	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	AR3	1	PASI-M
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
40256177013	MW-12	EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	AR3	1	PASI-M
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
40256177014	MW-5	SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	AR3	1	PASI-M
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
40256177015	MW-7	EPA 300.0	AR3	1	PASI-M
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	JAV	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	AR3	1	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40256177016	MW-6	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	JAV	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	AR3	1	PASI-M
		EPA 353.2	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40256177001	MW-11					
EPA 300.0	Chloride	111	mg/L	10.0	12/23/22 18:57	
EPA 353.2	Nitrogen, NO2 plus NO3	0.13J	mg/L	0.25	12/21/22 13:48	
40256177002	PZ-2					
EPA 8260	1,1-Dichloroethane	0.31J	ug/L	1.0	12/20/22 10:26	
EPA 8260	Tetrachloroethene	1.3	ug/L	1.0	12/20/22 10:26	
EPA 8260	1,1,1-Trichloroethane	0.81J	ug/L	1.0	12/20/22 10:26	
EPA 8260	Trichloroethene	1.6	ug/L	1.0	12/20/22 10:26	
EPA 300.0	Chloride	142	mg/L	100	12/23/22 20:14	
EPA 353.2	Nitrogen, NO2 plus NO3	9.5	mg/L	0.25	12/21/22 13:49	
40256177003	MW-10					
EPA 8015B Modified	Methane	2.5J	ug/L	2.8	12/27/22 13:02	
EPA 8260	1,1-Dichloroethane	0.80J	ug/L	1.0	12/20/22 11:44	
EPA 8260	1,1,1-Trichloroethane	0.51J	ug/L	1.0	12/20/22 11:44	
EPA 8260	Trichloroethene	0.50J	ug/L	1.0	12/20/22 11:44	
EPA 300.0	Chloride	61.1	mg/L	20.0	12/23/22 20:27	
EPA 353.2	Nitrogen, NO2 plus NO3	0.35	mg/L	0.25	12/21/22 13:50	
40256177004	MW-4					
EPA 8015B Modified	Methane	4.8	ug/L	2.8	12/27/22 13:09	
EPA 8260	1,1-Dichloroethane	2.6	ug/L	1.0	12/20/22 12:03	
EPA 8260	1,1-Dichloroethene	0.73J	ug/L	1.0	12/20/22 12:03	
EPA 8260	cis-1,2-Dichloroethene	0.54J	ug/L	1.0	12/20/22 12:03	
EPA 8260	1,1,1-Trichloroethane	0.81J	ug/L	1.0	12/20/22 12:03	
EPA 8260	Trichloroethene	1.7	ug/L	1.0	12/20/22 12:03	
EPA 300.0	Chloride	472	mg/L	40.0	12/23/22 20:40	
EPA 353.2	Nitrogen, NO2 plus NO3	0.34	mg/L	0.25	12/21/22 13:50	
40256177005	MW-8					
EPA 8015B Modified	Ethane	2.6J	ug/L	5.6	12/27/22 13:16	
EPA 8015B Modified	Ethene	0.28J	ug/L	5.0	12/27/22 13:16	
EPA 8015B Modified	Methane	30.2	ug/L	2.8	12/27/22 13:16	
EPA 8260	Benzene	0.39J	ug/L	1.0	12/20/22 12:23	
EPA 8260	1,1-Dichloroethane	9.8	ug/L	1.0	12/20/22 12:23	
EPA 8260	1,2-Dichloroethane	0.46J	ug/L	1.0	12/20/22 12:23	
EPA 8260	1,1-Dichloroethene	3.8	ug/L	1.0	12/20/22 12:23	
EPA 8260	cis-1,2-Dichloroethene	0.92J	ug/L	1.0	12/20/22 12:23	
EPA 8260	1,1,1-Trichloroethane	1.6	ug/L	1.0	12/20/22 12:23	
EPA 8260	1,1,2-Trichloroethane	0.37J	ug/L	5.0	12/20/22 12:23	
EPA 8260	Trichloroethene	2.1	ug/L	1.0	12/20/22 12:23	
EPA 8260	Vinyl chloride	0.89J	ug/L	1.0	12/20/22 12:23	
EPA 300.0	Chloride	5410	mg/L	400	12/23/22 20:53	
40256177006	MW-3					
EPA 8015B Modified	Ethane	1.1J	ug/L	5.6	12/27/22 13:23	
EPA 8015B Modified	Ethene	0.38J	ug/L	5.0	12/27/22 13:23	
EPA 8015B Modified	Methane	13.0	ug/L	2.8	12/27/22 13:23	
EPA 8260	1,1-Dichloroethane	16.0	ug/L	1.0	12/20/22 12:42	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40256177006	MW-3					
EPA 8260	1,1-Dichloroethene	7.8	ug/L	1.0	12/20/22 12:42	
EPA 8260	cis-1,2-Dichloroethene	1.4	ug/L	1.0	12/20/22 12:42	
EPA 8260	1,1,1-Trichloroethane	5.2	ug/L	1.0	12/20/22 12:42	
EPA 8260	Trichloroethene	4.8	ug/L	1.0	12/20/22 12:42	
EPA 300.0	Chloride	2770	mg/L	200	12/23/22 21:06	
40256177007	MW-1					
EPA 8015B Modified	Methane	6.3	ug/L	2.8	12/27/22 13:30	
EPA 8260	1,1,1-Trichloroethane	0.89J	ug/L	1.0	12/20/22 13:02	
EPA 8260	Trichloroethene	3.9	ug/L	1.0	12/20/22 13:02	
EPA 300.0	Chloride	7.8	mg/L	4.0	12/23/22 21:18	
EPA 353.2	Nitrogen, NO2 plus NO3	0.67	mg/L	0.25	12/21/22 13:52	
40256177008	PZ-MW1A					
EPA 8260	1,1-Dichloroethane	195	ug/L	2.0	12/20/22 17:12	
EPA 8260	1,1-Dichloroethene	18.7	ug/L	2.0	12/20/22 17:12	
EPA 8260	cis-1,2-Dichloroethene	18.5	ug/L	2.0	12/20/22 17:12	
EPA 8260	Trichloroethene	4.4	ug/L	2.0	12/20/22 17:12	
EPA 8260	Vinyl chloride	0.84J	ug/L	2.0	12/20/22 17:12	
EPA 300.0	Chloride	132	mg/L	10.0	12/23/22 21:31	
40256177009	PZ-MW1B					
EPA 8015B Modified	Ethene	0.54J	ug/L	5.0	12/27/22 13:44	
EPA 8015B Modified	Methane	7.3	ug/L	2.8	12/27/22 13:44	
EPA 8260	1,1-Dichloroethane	568	ug/L	5.0	12/21/22 16:40	
EPA 8260	1,1-Dichloroethene	20.9	ug/L	5.0	12/21/22 16:40	
EPA 8260	cis-1,2-Dichloroethene	36.1	ug/L	5.0	12/21/22 16:40	
EPA 8260	Trichloroethene	36.5	ug/L	5.0	12/21/22 16:40	
EPA 8260	Vinyl chloride	1.2J	ug/L	5.0	12/21/22 16:40	
EPA 300.0	Chloride	52.8	mg/L	10.0	12/23/22 21:44	
40256177010	PZ-MW1C					
EPA 8015B Modified	Ethene	1.5J	ug/L	5.0	12/27/22 13:51	
EPA 8015B Modified	Methane	16.5	ug/L	2.8	12/27/22 13:51	
EPA 8260	Chloroethane	4.0J	ug/L	12.5	12/20/22 16:52	
EPA 8260	1,1-Dichloroethane	2340	ug/L	25.0	12/22/22 11:51	
EPA 8260	1,2-Dichloroethane	6.9	ug/L	2.5	12/20/22 16:52	
EPA 8260	1,1-Dichloroethene	116	ug/L	2.5	12/20/22 16:52	
EPA 8260	cis-1,2-Dichloroethene	17.5	ug/L	2.5	12/20/22 16:52	
EPA 8260	Trichloroethene	38.1	ug/L	2.5	12/20/22 16:52	
EPA 8260	Vinyl chloride	6.7	ug/L	2.5	12/20/22 16:52	
EPA 300.0	Chloride	88.4	mg/L	10.0	12/23/22 21:57	
40256177011	MW-14					
EPA 8260	cis-1,2-Dichloroethene	2.9	ug/L	1.0	12/20/22 14:39	
EPA 8260	Trichloroethene	4.4	ug/L	1.0	12/20/22 14:39	
EPA 300.0	Chloride	1.6J	mg/L	2.0	12/23/22 22:48	
EPA 353.2	Nitrogen, NO2 plus NO3	0.076J	mg/L	0.25	12/21/22 13:58	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40256177012	PZ-3					
EPA 8015B Modified	Ethene	0.40J	ug/L	5.0	12/27/22 14:24	
EPA 8015B Modified	Methane	1.4J	ug/L	2.8	12/27/22 14:24	
EPA 8260	1,1-Dichloroethane	911	ug/L	10.0	12/20/22 15:17	
EPA 8260	1,1-Dichloroethene	25.4	ug/L	10.0	12/20/22 15:17	
EPA 8260	cis-1,2-Dichloroethene	51.8	ug/L	10.0	12/20/22 15:17	
EPA 8260	Trichloroethene	8.9J	ug/L	10.0	12/20/22 15:17	
EPA 300.0	Chloride	39.8	mg/L	1.2	12/31/22 12:57	
40256177013	MW-12					
EPA 300.0	Chloride	7.6	mg/L	1.2	12/31/22 13:26	
40256177014	MW-5					
EPA 300.0	Chloride	97.4	mg/L	1.2	12/31/22 13:11	
40256177015	MW-7					
EPA 300.0	Chloride	10.8	mg/L	1.2	12/31/22 13:55	
40256177016	MW-6					
EPA 8015B Modified	Methane	1.7J	ug/L	2.8	12/27/22 14:52	
EPA 300.0	Chloride	10.5	mg/L	1.2	12/31/22 13:40	
EPA 353.2	Nitrogen, NO2 plus NO3	0.53	mg/L	0.25	12/21/22 14:01	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-11 **Lab ID: 40256177001** Collected: 12/15/22 12:30 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 12:48	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 12:48	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		12/27/22 12:48	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 11:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 11:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 11:24	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 11:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 11:24	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 11:24	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 11:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 11:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 11:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 11:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 11:24	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 11:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 11:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 11:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 11:24	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 11:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 11:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 11:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 11:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 11:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 11:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 11:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 11:24	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 11:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 11:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/22 11:24	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/20/22 11:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 11:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 11:24	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 11:24	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 11:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 11:24	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:24	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 11:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 11:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 11:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 11:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 11:24	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-11 **Lab ID: 40256177001** Collected: 12/15/22 12:30 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 11:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 11:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 11:24	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 11:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 11:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:24	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 11:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 11:24	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 11:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 11:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 11:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 11:24	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 11:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 11:24	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		12/20/22 11:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 11:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 11:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 11:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 11:24	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 11:24	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 11:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 11:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		12/20/22 11:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		12/20/22 11:24	2199-69-1	
Toluene-d8 (S)	109	%	70-130		1		12/20/22 11:24	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:27		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	111	mg/L	10.0	2.2	5		12/23/22 18:57	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.13J	mg/L	0.25	0.059	1		12/21/22 13:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: PZ-2 **Lab ID: 40256177002** Collected: 12/13/22 15:30 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 12:55	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 12:55	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		12/27/22 12:55	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 10:26	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 10:26	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 10:26	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 10:26	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 10:26	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 10:26	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 10:26	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 10:26	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 10:26	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 10:26	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 10:26	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 10:26	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 10:26	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 10:26	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 10:26	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 10:26	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 10:26	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 10:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 10:26	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 10:26	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 10:26	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 10:26	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 10:26	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 10:26	75-71-8	
1,1-Dichloroethane	0.31J	ug/L	1.0	0.30	1		12/20/22 10:26	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 10:26	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/22 10:26	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/20/22 10:26	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 10:26	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 10:26	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 10:26	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 10:26	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 10:26	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 10:26	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 10:26	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 10:26	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 10:26	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 10:26	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 10:26	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: PZ-2 **Lab ID: 40256177002** Collected: 12/13/22 15:30 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 10:26	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 10:26	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 10:26	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 10:26	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 10:26	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 10:26	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 10:26	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 10:26	79-34-5	
Tetrachloroethene	1.3	ug/L	1.0	0.41	1		12/20/22 10:26	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 10:26	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 10:26	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 10:26	120-82-1	
1,1,1-Trichloroethane	0.81J	ug/L	1.0	0.30	1		12/20/22 10:26	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 10:26	79-00-5	
Trichloroethene	1.6	ug/L	1.0	0.32	1		12/20/22 10:26	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 10:26	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 10:26	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 10:26	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 10:26	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 10:26	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 10:26	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 10:26	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 10:26	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		12/20/22 10:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/20/22 10:26	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		12/20/22 10:26	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:37		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	142	mg/L	100	21.6	50		12/23/22 20:14	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	9.5	mg/L	0.25	0.059	1		12/21/22 13:49		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-10 **Lab ID: 40256177003** Collected: 12/15/22 09:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 13:02	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 13:02	74-85-1	
Methane	2.5J	ug/L	2.8	0.58	1		12/27/22 13:02	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 11:44	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:44	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 11:44	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 11:44	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 11:44	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 11:44	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 11:44	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 11:44	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 11:44	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 11:44	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 11:44	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 11:44	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 11:44	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 11:44	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 11:44	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 11:44	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 11:44	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 11:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 11:44	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 11:44	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 11:44	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 11:44	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 11:44	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 11:44	75-71-8	
1,1-Dichloroethane	0.80J	ug/L	1.0	0.30	1		12/20/22 11:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 11:44	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/22 11:44	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/20/22 11:44	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 11:44	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 11:44	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 11:44	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 11:44	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 11:44	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:44	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 11:44	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 11:44	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 11:44	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 11:44	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 11:44	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: MW-10 **Lab ID: 40256177003** Collected: 12/15/22 09:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 11:44	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 11:44	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 11:44	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 11:44	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 11:44	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:44	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 11:44	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 11:44	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 11:44	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 11:44	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 11:44	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 11:44	120-82-1	
1,1,1-Trichloroethane	0.51J	ug/L	1.0	0.30	1		12/20/22 11:44	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 11:44	79-00-5	
Trichloroethene	0.50J	ug/L	1.0	0.32	1		12/20/22 11:44	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 11:44	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 11:44	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 11:44	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 11:44	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 11:44	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 11:44	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 11:44	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 11:44	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		12/20/22 11:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		12/20/22 11:44	2199-69-1	
Toluene-d8 (S)	110	%	70-130		1		12/20/22 11:44	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:40		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	61.1	mg/L	20.0	4.3	10		12/23/22 20:27	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.35	mg/L	0.25	0.059	1		12/21/22 13:50		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-4 **Lab ID: 40256177004** Collected: 12/15/22 09:55 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 13:09	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 13:09	74-85-1	
Methane	4.8	ug/L	2.8	0.58	1		12/27/22 13:09	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 12:03	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:03	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 12:03	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 12:03	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 12:03	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 12:03	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 12:03	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 12:03	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 12:03	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 12:03	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 12:03	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 12:03	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 12:03	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 12:03	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 12:03	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 12:03	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 12:03	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 12:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 12:03	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 12:03	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 12:03	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:03	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 12:03	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 12:03	75-71-8	
1,1-Dichloroethane	2.6	ug/L	1.0	0.30	1		12/20/22 12:03	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 12:03	107-06-2	
1,1-Dichloroethene	0.73J	ug/L	1.0	0.58	1		12/20/22 12:03	75-35-4	
cis-1,2-Dichloroethene	0.54J	ug/L	1.0	0.47	1		12/20/22 12:03	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 12:03	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 12:03	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 12:03	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 12:03	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 12:03	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:03	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 12:03	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 12:03	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 12:03	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 12:03	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 12:03	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-4 **Lab ID: 40256177004** Collected: 12/15/22 09:55 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 12:03	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 12:03	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 12:03	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 12:03	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:03	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:03	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 12:03	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 12:03	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 12:03	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 12:03	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 12:03	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 12:03	120-82-1	
1,1,1-Trichloroethane	0.81J	ug/L	1.0	0.30	1		12/20/22 12:03	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 12:03	79-00-5	
Trichloroethene	1.7	ug/L	1.0	0.32	1		12/20/22 12:03	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 12:03	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 12:03	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 12:03	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:03	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 12:03	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 12:03	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 12:03	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:03	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		12/20/22 12:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/20/22 12:03	2199-69-1	
Toluene-d8 (S)	110	%	70-130		1		12/20/22 12:03	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:42		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	472	mg/L	40.0	8.6	20		12/23/22 20:40	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.34	mg/L	0.25	0.059	1		12/21/22 13:50		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: MW-8 **Lab ID: 40256177005** Collected: 12/15/22 13:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	2.6J	ug/L	5.6	0.39	1		12/27/22 13:16	74-84-0	
Ethene	0.28J	ug/L	5.0	0.25	1		12/27/22 13:16	74-85-1	
Methane	30.2	ug/L	2.8	0.58	1		12/27/22 13:16	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	0.39J	ug/L	1.0	0.30	1		12/20/22 12:23	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:23	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 12:23	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 12:23	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 12:23	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 12:23	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 12:23	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 12:23	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 12:23	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 12:23	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 12:23	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 12:23	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 12:23	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 12:23	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 12:23	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 12:23	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 12:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 12:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 12:23	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 12:23	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 12:23	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:23	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 12:23	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 12:23	75-71-8	
1,1-Dichloroethane	9.8	ug/L	1.0	0.30	1		12/20/22 12:23	75-34-3	
1,2-Dichloroethane	0.46J	ug/L	1.0	0.29	1		12/20/22 12:23	107-06-2	
1,1-Dichloroethene	3.8	ug/L	1.0	0.58	1		12/20/22 12:23	75-35-4	
cis-1,2-Dichloroethene	0.92J	ug/L	1.0	0.47	1		12/20/22 12:23	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 12:23	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 12:23	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 12:23	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 12:23	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 12:23	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:23	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 12:23	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 12:23	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 12:23	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 12:23	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 12:23	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-8 Lab ID: 40256177005 Collected: 12/15/22 13:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 12:23	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 12:23	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 12:23	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 12:23	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:23	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 12:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 12:23	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 12:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 12:23	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 12:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 12:23	120-82-1	
1,1,1-Trichloroethane	1.6	ug/L	1.0	0.30	1		12/20/22 12:23	71-55-6	
1,1,2-Trichloroethane	0.37J	ug/L	5.0	0.34	1		12/20/22 12:23	79-00-5	
Trichloroethene	2.1	ug/L	1.0	0.32	1		12/20/22 12:23	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 12:23	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 12:23	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 12:23	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:23	108-67-8	
Vinyl chloride	0.89J	ug/L	1.0	0.17	1		12/20/22 12:23	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 12:23	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 12:23	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		12/20/22 12:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/20/22 12:23	2199-69-1	
Toluene-d8 (S)	110	%	70-130		1		12/20/22 12:23	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:44		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	5410	mg/L	400	86.2	200		12/23/22 20:53	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 13:51		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-3 **Lab ID: 40256177006** Collected: 12/15/22 13:30 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	1.1J	ug/L	5.6	0.39	1		12/27/22 13:23	74-84-0	
Ethene	0.38J	ug/L	5.0	0.25	1		12/27/22 13:23	74-85-1	
Methane	13.0	ug/L	2.8	0.58	1		12/27/22 13:23	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 12:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 12:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 12:42	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 12:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 12:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 12:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 12:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 12:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 12:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 12:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 12:42	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 12:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 12:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 12:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 12:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 12:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 12:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 12:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 12:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 12:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 12:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 12:42	75-71-8	
1,1-Dichloroethane	16.0	ug/L	1.0	0.30	1		12/20/22 12:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 12:42	107-06-2	
1,1-Dichloroethene	7.8	ug/L	1.0	0.58	1		12/20/22 12:42	75-35-4	
cis-1,2-Dichloroethene	1.4	ug/L	1.0	0.47	1		12/20/22 12:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 12:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 12:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 12:42	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 12:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 12:42	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:42	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 12:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 12:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 12:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 12:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 12:42	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: MW-3 **Lab ID: 40256177006** Collected: 12/15/22 13:30 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 12:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 12:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 12:42	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 12:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:42	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 12:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 12:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 12:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 12:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 12:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 12:42	120-82-1	
1,1,1-Trichloroethane	5.2	ug/L	1.0	0.30	1		12/20/22 12:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 12:42	79-00-5	
Trichloroethene	4.8	ug/L	1.0	0.32	1		12/20/22 12:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 12:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 12:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 12:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 12:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 12:42	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 12:42	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 12:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 12:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		12/20/22 12:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		12/20/22 12:42	2199-69-1	
Toluene-d8 (S)	110	%	70-130		1		12/20/22 12:42	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:46		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2770	mg/L	200	43.1	100		12/23/22 21:06	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 13:52		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-1 **Lab ID: 40256177007** Collected: 12/15/22 10:25 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 13:30	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 13:30	74-85-1	
Methane	6.3	ug/L	2.8	0.58	1		12/27/22 13:30	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 13:02	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 13:02	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 13:02	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 13:02	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 13:02	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 13:02	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 13:02	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 13:02	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 13:02	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 13:02	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 13:02	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 13:02	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 13:02	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 13:02	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 13:02	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 13:02	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 13:02	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 13:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 13:02	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 13:02	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 13:02	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 13:02	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 13:02	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 13:02	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 13:02	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 13:02	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/22 13:02	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/20/22 13:02	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 13:02	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 13:02	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 13:02	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 13:02	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 13:02	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 13:02	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 13:02	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 13:02	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 13:02	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 13:02	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 13:02	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-1 **Lab ID: 40256177007** Collected: 12/15/22 10:25 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 13:02	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 13:02	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 13:02	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 13:02	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 13:02	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 13:02	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 13:02	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 13:02	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 13:02	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 13:02	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 13:02	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 13:02	120-82-1	
1,1,1-Trichloroethane	0.89J	ug/L	1.0	0.30	1		12/20/22 13:02	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 13:02	79-00-5	
Trichloroethene	3.9	ug/L	1.0	0.32	1		12/20/22 13:02	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 13:02	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 13:02	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 13:02	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 13:02	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 13:02	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 13:02	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 13:02	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 13:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		12/20/22 13:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		12/20/22 13:02	2199-69-1	
Toluene-d8 (S)	107	%	70-130		1		12/20/22 13:02	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:49		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	7.8	mg/L	4.0	0.86	2		12/23/22 21:18	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.67	mg/L	0.25	0.059	1		12/21/22 13:52		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: PZ-MW1A **Lab ID: 40256177008** Collected: 12/13/22 11:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 13:37	74-84-0	HS
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 13:37	74-85-1	HS
Methane	<0.58	ug/L	2.8	0.58	1		12/27/22 13:37	74-82-8	HS
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.59	ug/L	2.0	0.59	2		12/20/22 17:12	71-43-2	
Bromobenzene	<0.72	ug/L	2.0	0.72	2		12/20/22 17:12	108-86-1	
Bromochloromethane	<0.72	ug/L	10.0	0.72	2		12/20/22 17:12	74-97-5	
Bromodichloromethane	<0.83	ug/L	2.0	0.83	2		12/20/22 17:12	75-27-4	
Bromoform	<7.6	ug/L	10.0	7.6	2		12/20/22 17:12	75-25-2	
Bromomethane	<2.4	ug/L	10.0	2.4	2		12/20/22 17:12	74-83-9	
n-Butylbenzene	<1.7	ug/L	2.0	1.7	2		12/20/22 17:12	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.0	0.85	2		12/20/22 17:12	135-98-8	
tert-Butylbenzene	<1.2	ug/L	2.0	1.2	2		12/20/22 17:12	98-06-6	
Carbon tetrachloride	<0.74	ug/L	2.0	0.74	2		12/20/22 17:12	56-23-5	
Chlorobenzene	<1.7	ug/L	2.0	1.7	2		12/20/22 17:12	108-90-7	
Chloroethane	<2.8	ug/L	10.0	2.8	2		12/20/22 17:12	75-00-3	
Chloroform	<2.4	ug/L	10.0	2.4	2		12/20/22 17:12	67-66-3	
Chloromethane	<3.3	ug/L	10.0	3.3	2		12/20/22 17:12	74-87-3	
2-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		12/20/22 17:12	95-49-8	
4-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		12/20/22 17:12	106-43-4	
1,2-Dibromo-3-chloropropane	<4.7	ug/L	10.0	4.7	2		12/20/22 17:12	96-12-8	
Dibromochloromethane	<5.3	ug/L	10.0	5.3	2		12/20/22 17:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.62	ug/L	2.0	0.62	2		12/20/22 17:12	106-93-4	
Dibromomethane	<2.0	ug/L	10.0	2.0	2		12/20/22 17:12	74-95-3	
1,2-Dichlorobenzene	<0.65	ug/L	2.0	0.65	2		12/20/22 17:12	95-50-1	
1,3-Dichlorobenzene	<0.70	ug/L	2.0	0.70	2		12/20/22 17:12	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/L	2.0	1.8	2		12/20/22 17:12	106-46-7	
Dichlorodifluoromethane	<0.91	ug/L	10.0	0.91	2		12/20/22 17:12	75-71-8	
1,1-Dichloroethane	195	ug/L	2.0	0.59	2		12/20/22 17:12	75-34-3	
1,2-Dichloroethane	<0.58	ug/L	2.0	0.58	2		12/20/22 17:12	107-06-2	
1,1-Dichloroethene	18.7	ug/L	2.0	1.2	2		12/20/22 17:12	75-35-4	
cis-1,2-Dichloroethene	18.5	ug/L	2.0	0.94	2		12/20/22 17:12	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	2.0	1.1	2		12/20/22 17:12	156-60-5	
1,2-Dichloropropane	<0.90	ug/L	2.0	0.90	2		12/20/22 17:12	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	2		12/20/22 17:12	142-28-9	
2,2-Dichloropropane	<8.4	ug/L	10.0	8.4	2		12/20/22 17:12	594-20-7	
1,1-Dichloropropene	<0.82	ug/L	2.0	0.82	2		12/20/22 17:12	563-58-6	
cis-1,3-Dichloropropene	<0.72	ug/L	2.0	0.72	2		12/20/22 17:12	10061-01-5	
trans-1,3-Dichloropropene	<6.9	ug/L	10.0	6.9	2		12/20/22 17:12	10061-02-6	
Diisopropyl ether	<2.2	ug/L	10.0	2.2	2		12/20/22 17:12	108-20-3	
Ethylbenzene	<0.65	ug/L	2.0	0.65	2		12/20/22 17:12	100-41-4	
Hexachloro-1,3-butadiene	<5.5	ug/L	10.0	5.5	2		12/20/22 17:12	87-68-3	
Isopropylbenzene (Cumene)	<2.0	ug/L	10.0	2.0	2		12/20/22 17:12	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: PZ-MW1A **Lab ID: 40256177008** Collected: 12/13/22 11:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<2.1	ug/L	10.0	2.1	2		12/20/22 17:12	99-87-6	
Methylene Chloride	<0.64	ug/L	10.0	0.64	2		12/20/22 17:12	75-09-2	
Methyl-tert-butyl ether	<2.3	ug/L	10.0	2.3	2		12/20/22 17:12	1634-04-4	
Naphthalene	<2.3	ug/L	10.0	2.3	2		12/20/22 17:12	91-20-3	
n-Propylbenzene	<0.69	ug/L	2.0	0.69	2		12/20/22 17:12	103-65-1	
Styrene	<0.71	ug/L	2.0	0.71	2		12/20/22 17:12	100-42-5	
1,1,1,2-Tetrachloroethane	<0.71	ug/L	2.0	0.71	2		12/20/22 17:12	630-20-6	
1,1,2,2-Tetrachloroethane	<0.76	ug/L	2.0	0.76	2		12/20/22 17:12	79-34-5	
Tetrachloroethene	<0.82	ug/L	2.0	0.82	2		12/20/22 17:12	127-18-4	
Toluene	<0.58	ug/L	2.0	0.58	2		12/20/22 17:12	108-88-3	
1,2,3-Trichlorobenzene	<2.0	ug/L	10.0	2.0	2		12/20/22 17:12	87-61-6	
1,2,4-Trichlorobenzene	<1.9	ug/L	10.0	1.9	2		12/20/22 17:12	120-82-1	
1,1,1-Trichloroethane	<0.61	ug/L	2.0	0.61	2		12/20/22 17:12	71-55-6	
1,1,2-Trichloroethane	<0.69	ug/L	10.0	0.69	2		12/20/22 17:12	79-00-5	
Trichloroethene	4.4	ug/L	2.0	0.64	2		12/20/22 17:12	79-01-6	
Trichlorofluoromethane	<0.84	ug/L	2.0	0.84	2		12/20/22 17:12	75-69-4	
1,2,3-Trichloropropane	<1.1	ug/L	10.0	1.1	2		12/20/22 17:12	96-18-4	
1,2,4-Trimethylbenzene	<0.90	ug/L	2.0	0.90	2		12/20/22 17:12	95-63-6	
1,3,5-Trimethylbenzene	<0.71	ug/L	2.0	0.71	2		12/20/22 17:12	108-67-8	
Vinyl chloride	0.84J	ug/L	2.0	0.35	2		12/20/22 17:12	75-01-4	
Xylene (Total)	<2.1	ug/L	6.0	2.1	2		12/20/22 17:12	1330-20-7	
m&p-Xylene	<1.4	ug/L	4.0	1.4	2		12/20/22 17:12	179601-23-1	
o-Xylene	<0.70	ug/L	2.0	0.70	2		12/20/22 17:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		2		12/20/22 17:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		2		12/20/22 17:12	2199-69-1	
Toluene-d8 (S)	109	%	70-130		2		12/20/22 17:12	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:51		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	132	mg/L	10.0	2.2	5		12/23/22 21:31	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 13:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: PZ-MW1B **Lab ID: 40256177009** Collected: 12/13/22 10:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 13:44	74-84-0	
Ethene	0.54J	ug/L	5.0	0.25	1		12/27/22 13:44	74-85-1	
Methane	7.3	ug/L	2.8	0.58	1		12/27/22 13:44	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<1.5	ug/L	5.0	1.5	5		12/21/22 16:40	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		12/21/22 16:40	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		12/21/22 16:40	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		12/21/22 16:40	75-27-4	
Bromoform	<19.0	ug/L	25.0	19.0	5		12/21/22 16:40	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		12/21/22 16:40	74-83-9	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		12/21/22 16:40	104-51-8	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		12/21/22 16:40	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		12/21/22 16:40	98-06-6	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		12/21/22 16:40	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		12/21/22 16:40	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		12/21/22 16:40	75-00-3	
Chloroform	<5.9	ug/L	25.0	5.9	5		12/21/22 16:40	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		12/21/22 16:40	74-87-3	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		12/21/22 16:40	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		12/21/22 16:40	106-43-4	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		12/21/22 16:40	96-12-8	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		12/21/22 16:40	124-48-1	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		12/21/22 16:40	106-93-4	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		12/21/22 16:40	74-95-3	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		12/21/22 16:40	95-50-1	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		12/21/22 16:40	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		12/21/22 16:40	106-46-7	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		12/21/22 16:40	75-71-8	
1,1-Dichloroethane	568	ug/L	5.0	1.5	5		12/21/22 16:40	75-34-3	
1,2-Dichloroethane	<1.5	ug/L	5.0	1.5	5		12/21/22 16:40	107-06-2	
1,1-Dichloroethene	20.9	ug/L	5.0	2.9	5		12/21/22 16:40	75-35-4	
cis-1,2-Dichloroethene	36.1	ug/L	5.0	2.4	5		12/21/22 16:40	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		12/21/22 16:40	156-60-5	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		12/21/22 16:40	78-87-5	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		12/21/22 16:40	142-28-9	
2,2-Dichloropropane	<20.9	ug/L	25.0	20.9	5		12/21/22 16:40	594-20-7	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		12/21/22 16:40	563-58-6	
cis-1,3-Dichloropropene	<1.8	ug/L	5.0	1.8	5		12/21/22 16:40	10061-01-5	
trans-1,3-Dichloropropene	<17.3	ug/L	25.0	17.3	5		12/21/22 16:40	10061-02-6	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		12/21/22 16:40	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		12/21/22 16:40	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		12/21/22 16:40	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		12/21/22 16:40	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: PZ-MW1B **Lab ID: 40256177009** Collected: 12/13/22 10:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		12/21/22 16:40	99-87-6	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		12/21/22 16:40	75-09-2	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		12/21/22 16:40	1634-04-4	
Naphthalene	<5.6	ug/L	25.0	5.6	5		12/21/22 16:40	91-20-3	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		12/21/22 16:40	103-65-1	
Styrene	<1.8	ug/L	5.0	1.8	5		12/21/22 16:40	100-42-5	
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		12/21/22 16:40	630-20-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		12/21/22 16:40	79-34-5	
Tetrachloroethene	<2.0	ug/L	5.0	2.0	5		12/21/22 16:40	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		12/21/22 16:40	108-88-3	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		12/21/22 16:40	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		12/21/22 16:40	120-82-1	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		12/21/22 16:40	71-55-6	
1,1,2-Trichloroethane	<1.7	ug/L	25.0	1.7	5		12/21/22 16:40	79-00-5	
Trichloroethene	36.5	ug/L	5.0	1.6	5		12/21/22 16:40	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		12/21/22 16:40	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/L	25.0	2.8	5		12/21/22 16:40	96-18-4	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		12/21/22 16:40	95-63-6	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		12/21/22 16:40	108-67-8	
Vinyl chloride	1.2J	ug/L	5.0	0.87	5		12/21/22 16:40	75-01-4	
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		12/21/22 16:40	1330-20-7	
m&p-Xylene	<3.5	ug/L	10.0	3.5	5		12/21/22 16:40	179601-23-1	
o-Xylene	<1.7	ug/L	5.0	1.7	5		12/21/22 16:40	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		5		12/21/22 16:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		5		12/21/22 16:40	2199-69-1	
Toluene-d8 (S)	109	%	70-130		5		12/21/22 16:40	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:53		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	52.8	mg/L	10.0	2.2	5		12/23/22 21:44	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 13:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: **PZ-MW1C** Lab ID: **40256177010** Collected: 12/13/22 13:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 13:51	74-84-0	
Ethene	1.5J	ug/L	5.0	0.25	1		12/27/22 13:51	74-85-1	
Methane	16.5	ug/L	2.8	0.58	1		12/27/22 13:51	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.74	ug/L	2.5	0.74	2.5		12/20/22 16:52	71-43-2	
Bromobenzene	<0.90	ug/L	2.5	0.90	2.5		12/20/22 16:52	108-86-1	
Bromochloromethane	<0.89	ug/L	12.5	0.89	2.5		12/20/22 16:52	74-97-5	
Bromodichloromethane	<1.0	ug/L	2.5	1.0	2.5		12/20/22 16:52	75-27-4	
Bromoform	<9.5	ug/L	12.5	9.5	2.5		12/20/22 16:52	75-25-2	
Bromomethane	<3.0	ug/L	12.5	3.0	2.5		12/20/22 16:52	74-83-9	
n-Butylbenzene	<2.1	ug/L	2.5	2.1	2.5		12/20/22 16:52	104-51-8	
sec-Butylbenzene	<1.1	ug/L	2.5	1.1	2.5		12/20/22 16:52	135-98-8	
tert-Butylbenzene	<1.5	ug/L	2.5	1.5	2.5		12/20/22 16:52	98-06-6	
Carbon tetrachloride	<0.92	ug/L	2.5	0.92	2.5		12/20/22 16:52	56-23-5	
Chlorobenzene	<2.1	ug/L	2.5	2.1	2.5		12/20/22 16:52	108-90-7	
Chloroethane	4.0J	ug/L	12.5	3.4	2.5		12/20/22 16:52	75-00-3	
Chloroform	<3.0	ug/L	12.5	3.0	2.5		12/20/22 16:52	67-66-3	
Chloromethane	<4.1	ug/L	12.5	4.1	2.5		12/20/22 16:52	74-87-3	
2-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		12/20/22 16:52	95-49-8	
4-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		12/20/22 16:52	106-43-4	
1,2-Dibromo-3-chloropropane	<5.9	ug/L	12.5	5.9	2.5		12/20/22 16:52	96-12-8	
Dibromochloromethane	<6.6	ug/L	12.5	6.6	2.5		12/20/22 16:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.77	ug/L	2.5	0.77	2.5		12/20/22 16:52	106-93-4	
Dibromomethane	<2.5	ug/L	12.5	2.5	2.5		12/20/22 16:52	74-95-3	
1,2-Dichlorobenzene	<0.81	ug/L	2.5	0.81	2.5		12/20/22 16:52	95-50-1	
1,3-Dichlorobenzene	<0.88	ug/L	2.5	0.88	2.5		12/20/22 16:52	541-73-1	
1,4-Dichlorobenzene	<2.2	ug/L	2.5	2.2	2.5		12/20/22 16:52	106-46-7	
Dichlorodifluoromethane	<1.1	ug/L	12.5	1.1	2.5		12/20/22 16:52	75-71-8	
1,1-Dichloroethane	2340	ug/L	25.0	7.4	25		12/22/22 11:51	75-34-3	
1,2-Dichloroethane	6.9	ug/L	2.5	0.73	2.5		12/20/22 16:52	107-06-2	
1,1-Dichloroethene	116	ug/L	2.5	1.5	2.5		12/20/22 16:52	75-35-4	
cis-1,2-Dichloroethene	17.5	ug/L	2.5	1.2	2.5		12/20/22 16:52	156-59-2	
trans-1,2-Dichloroethene	<1.3	ug/L	2.5	1.3	2.5		12/20/22 16:52	156-60-5	
1,2-Dichloropropane	<1.1	ug/L	2.5	1.1	2.5		12/20/22 16:52	78-87-5	
1,3-Dichloropropane	<0.76	ug/L	2.5	0.76	2.5		12/20/22 16:52	142-28-9	
2,2-Dichloropropane	<10.4	ug/L	12.5	10.4	2.5		12/20/22 16:52	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	2.5	1.0	2.5		12/20/22 16:52	563-58-6	
cis-1,3-Dichloropropene	<0.90	ug/L	2.5	0.90	2.5		12/20/22 16:52	10061-01-5	
trans-1,3-Dichloropropene	<8.7	ug/L	12.5	8.7	2.5		12/20/22 16:52	10061-02-6	
Diisopropyl ether	<2.8	ug/L	12.5	2.8	2.5		12/20/22 16:52	108-20-3	
Ethylbenzene	<0.81	ug/L	2.5	0.81	2.5		12/20/22 16:52	100-41-4	
Hexachloro-1,3-butadiene	<6.8	ug/L	12.5	6.8	2.5		12/20/22 16:52	87-68-3	
Isopropylbenzene (Cumene)	<2.5	ug/L	12.5	2.5	2.5		12/20/22 16:52	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: PZ-MW1C **Lab ID: 40256177010** Collected: 12/13/22 13:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<2.6	ug/L	12.5	2.6	2.5		12/20/22 16:52	99-87-6	
Methylene Chloride	<0.80	ug/L	12.5	0.80	2.5		12/20/22 16:52	75-09-2	
Methyl-tert-butyl ether	<2.8	ug/L	12.5	2.8	2.5		12/20/22 16:52	1634-04-4	
Naphthalene	<2.8	ug/L	12.5	2.8	2.5		12/20/22 16:52	91-20-3	
n-Propylbenzene	<0.86	ug/L	2.5	0.86	2.5		12/20/22 16:52	103-65-1	
Styrene	<0.89	ug/L	2.5	0.89	2.5		12/20/22 16:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.89	ug/L	2.5	0.89	2.5		12/20/22 16:52	630-20-6	
1,1,2,2-Tetrachloroethane	<0.94	ug/L	2.5	0.94	2.5		12/20/22 16:52	79-34-5	
Tetrachloroethene	<1.0	ug/L	2.5	1.0	2.5		12/20/22 16:52	127-18-4	
Toluene	<0.72	ug/L	2.5	0.72	2.5		12/20/22 16:52	108-88-3	
1,2,3-Trichlorobenzene	<2.5	ug/L	12.5	2.5	2.5		12/20/22 16:52	87-61-6	
1,2,4-Trichlorobenzene	<2.4	ug/L	12.5	2.4	2.5		12/20/22 16:52	120-82-1	
1,1,1-Trichloroethane	<0.76	ug/L	2.5	0.76	2.5		12/20/22 16:52	71-55-6	
1,1,2-Trichloroethane	<0.86	ug/L	12.5	0.86	2.5		12/20/22 16:52	79-00-5	
Trichloroethene	38.1	ug/L	2.5	0.80	2.5		12/20/22 16:52	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	2.5	1.0	2.5		12/20/22 16:52	75-69-4	
1,2,3-Trichloropropane	<1.4	ug/L	12.5	1.4	2.5		12/20/22 16:52	96-18-4	
1,2,4-Trimethylbenzene	<1.1	ug/L	2.5	1.1	2.5		12/20/22 16:52	95-63-6	
1,3,5-Trimethylbenzene	<0.89	ug/L	2.5	0.89	2.5		12/20/22 16:52	108-67-8	
Vinyl chloride	6.7	ug/L	2.5	0.44	2.5		12/20/22 16:52	75-01-4	
Xylene (Total)	<2.6	ug/L	7.5	2.6	2.5		12/20/22 16:52	1330-20-7	
m&p-Xylene	<1.8	ug/L	5.0	1.8	2.5		12/20/22 16:52	179601-23-1	
o-Xylene	<0.87	ug/L	2.5	0.87	2.5		12/20/22 16:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		2.5		12/20/22 16:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		2.5		12/20/22 16:52	2199-69-1	
Toluene-d8 (S)	108	%	70-130		2.5		12/20/22 16:52	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:56		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	88.4	mg/L	10.0	2.2	5		12/23/22 21:57	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 13:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-14 **Lab ID: 40256177011** Collected: 12/15/22 11:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 14:17	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 14:17	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		12/27/22 14:17	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 14:39	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 14:39	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 14:39	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 14:39	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 14:39	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 14:39	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 14:39	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 14:39	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 14:39	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 14:39	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 14:39	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 14:39	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 14:39	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 14:39	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 14:39	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 14:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 14:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 14:39	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 14:39	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 14:39	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:39	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 14:39	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 14:39	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 14:39	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/22 14:39	75-35-4	
cis-1,2-Dichloroethene	2.9	ug/L	1.0	0.47	1		12/20/22 14:39	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 14:39	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 14:39	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:39	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 14:39	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 14:39	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:39	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 14:39	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 14:39	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 14:39	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 14:39	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 14:39	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: MW-14 **Lab ID: 40256177011** Collected: 12/15/22 11:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 14:39	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 14:39	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 14:39	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 14:39	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:39	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:39	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 14:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 14:39	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 14:39	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 14:39	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 14:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 14:39	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:39	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 14:39	79-00-5	
Trichloroethene	4.4	ug/L	1.0	0.32	1		12/20/22 14:39	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 14:39	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 14:39	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 14:39	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:39	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 14:39	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 14:39	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 14:39	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		12/20/22 14:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		12/20/22 14:39	2199-69-1	
Toluene-d8 (S)	108	%	70-130		1		12/20/22 14:39	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 11:59		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	1.6J	mg/L	2.0	0.43	1		12/23/22 22:48	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.076J	mg/L	0.25	0.059	1		12/21/22 13:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: PZ-3 **Lab ID: 40256177012** Collected: 12/13/22 14:15 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 14:24	74-84-0	
Ethene	0.40J	ug/L	5.0	0.25	1		12/27/22 14:24	74-85-1	
Methane	1.4J	ug/L	2.8	0.58	1		12/27/22 14:24	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<3.0	ug/L	10.0	3.0	10		12/20/22 15:17	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		12/20/22 15:17	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		12/20/22 15:17	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		12/20/22 15:17	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		12/20/22 15:17	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		12/20/22 15:17	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		12/20/22 15:17	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		12/20/22 15:17	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		12/20/22 15:17	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		12/20/22 15:17	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		12/20/22 15:17	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		12/20/22 15:17	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		12/20/22 15:17	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		12/20/22 15:17	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		12/20/22 15:17	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		12/20/22 15:17	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		12/20/22 15:17	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		12/20/22 15:17	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		12/20/22 15:17	106-93-4	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		12/20/22 15:17	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		12/20/22 15:17	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		12/20/22 15:17	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		12/20/22 15:17	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		12/20/22 15:17	75-71-8	
1,1-Dichloroethane	911	ug/L	10.0	3.0	10		12/20/22 15:17	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		12/20/22 15:17	107-06-2	
1,1-Dichloroethene	25.4	ug/L	10.0	5.8	10		12/20/22 15:17	75-35-4	
cis-1,2-Dichloroethene	51.8	ug/L	10.0	4.7	10		12/20/22 15:17	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		12/20/22 15:17	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		12/20/22 15:17	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		12/20/22 15:17	142-28-9	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		12/20/22 15:17	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		12/20/22 15:17	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		12/20/22 15:17	10061-01-5	
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		12/20/22 15:17	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		12/20/22 15:17	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		12/20/22 15:17	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		12/20/22 15:17	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		12/20/22 15:17	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: PZ-3 **Lab ID: 40256177012** Collected: 12/13/22 14:15 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		12/20/22 15:17	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		12/20/22 15:17	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		12/20/22 15:17	1634-04-4	
Naphthalene	<11.3	ug/L	50.0	11.3	10		12/20/22 15:17	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		12/20/22 15:17	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		12/20/22 15:17	100-42-5	
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		12/20/22 15:17	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		12/20/22 15:17	79-34-5	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		12/20/22 15:17	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		12/20/22 15:17	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		12/20/22 15:17	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		12/20/22 15:17	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		12/20/22 15:17	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		12/20/22 15:17	79-00-5	
Trichloroethene	8.9J	ug/L	10.0	3.2	10		12/20/22 15:17	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		12/20/22 15:17	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		12/20/22 15:17	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		12/20/22 15:17	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		12/20/22 15:17	108-67-8	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		12/20/22 15:17	75-01-4	
Xylene (Total)	<10.5	ug/L	30.0	10.5	10		12/20/22 15:17	1330-20-7	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		12/20/22 15:17	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		12/20/22 15:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		10		12/20/22 15:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		12/20/22 15:17	2199-69-1	
Toluene-d8 (S)	112	%	70-130		10		12/20/22 15:17	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 12:01		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Minneapolis									
Chloride	39.8	mg/L	1.2	0.39	1		12/31/22 12:57	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 13:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-12 **Lab ID: 40256177013** Collected: 12/15/22 10:50 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 14:31	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 14:31	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		12/27/22 14:31	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 14:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 14:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 14:19	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 14:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 14:19	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 14:19	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 14:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 14:19	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 14:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 14:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 14:19	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 14:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 14:19	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 14:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 14:19	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 14:19	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 14:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 14:19	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 14:19	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 14:19	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:19	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 14:19	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 14:19	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:19	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 14:19	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/22 14:19	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/20/22 14:19	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 14:19	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 14:19	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:19	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 14:19	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 14:19	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:19	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 14:19	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 14:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 14:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 14:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 14:19	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: MW-12 **Lab ID: 40256177013** Collected: 12/15/22 10:50 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 14:19	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 14:19	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 14:19	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 14:19	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:19	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:19	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 14:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 14:19	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 14:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 14:19	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 14:19	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 14:19	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:19	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 14:19	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		12/20/22 14:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 14:19	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 14:19	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 14:19	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:19	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 14:19	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 14:19	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 14:19	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:19	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		12/20/22 14:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		12/20/22 14:19	2199-69-1	
Toluene-d8 (S)	111	%	70-130		1		12/20/22 14:19	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 12:04		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Minneapolis									
Chloride	7.6	mg/L	1.2	0.39	1		12/31/22 13:26	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 13:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-5 **Lab ID: 40256177014** Collected: 12/15/22 09:45 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 14:38	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 14:38	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		12/27/22 14:38	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/22 14:00	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:00	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/20/22 14:00	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 14:00	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/20/22 14:00	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/22 14:00	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 14:00	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/22 14:00	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/22 14:00	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/22 14:00	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/22 14:00	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/22 14:00	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/20/22 14:00	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/22 14:00	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 14:00	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/22 14:00	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/20/22 14:00	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/22 14:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/22 14:00	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/22 14:00	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 14:00	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:00	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/22 14:00	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/22 14:00	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:00	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/22 14:00	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/22 14:00	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/20/22 14:00	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/22 14:00	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/22 14:00	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:00	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/20/22 14:00	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/22 14:00	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:00	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/20/22 14:00	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 14:00	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/22 14:00	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/22 14:00	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/22 14:00	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-5 **Lab ID: 40256177014** Collected: 12/15/22 09:45 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/22 14:00	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/22 14:00	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/22 14:00	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/20/22 14:00	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:00	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:00	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/22 14:00	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/20/22 14:00	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/22 14:00	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/22 14:00	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/22 14:00	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/22 14:00	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/22 14:00	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/20/22 14:00	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		12/20/22 14:00	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/22 14:00	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/20/22 14:00	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/22 14:00	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/22 14:00	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/22 14:00	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/22 14:00	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/22 14:00	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/22 14:00	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		12/20/22 14:00	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		12/20/22 14:00	2199-69-1	
Toluene-d8 (S)	109	%	70-130		1		12/20/22 14:00	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 12:06		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Minneapolis									
Chloride	97.4	mg/L	1.2	0.39	1		12/31/22 13:11	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 14:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-7 **Lab ID: 40256177015** Collected: 12/15/22 12:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 14:45	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 14:45	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		12/27/22 14:45	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/23/22 17:10	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:10	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/23/22 17:10	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/23/22 17:10	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/23/22 17:10	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/23/22 17:10	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/23/22 17:10	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/23/22 17:10	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/23/22 17:10	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/23/22 17:10	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/23/22 17:10	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/23/22 17:10	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/23/22 17:10	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/23/22 17:10	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/23/22 17:10	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/23/22 17:10	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/23/22 17:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/23/22 17:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/23/22 17:10	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/23/22 17:10	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/23/22 17:10	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/23/22 17:10	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/23/22 17:10	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/23/22 17:10	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/23/22 17:10	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/23/22 17:10	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/23/22 17:10	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/23/22 17:10	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/23/22 17:10	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/23/22 17:10	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/23/22 17:10	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/23/22 17:10	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/23/22 17:10	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:10	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/23/22 17:10	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/23/22 17:10	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/23/22 17:10	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/23/22 17:10	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/23/22 17:10	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Sample: MW-7 **Lab ID: 40256177015** Collected: 12/15/22 12:00 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/23/22 17:10	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/23/22 17:10	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/23/22 17:10	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/23/22 17:10	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/23/22 17:10	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:10	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/23/22 17:10	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/23/22 17:10	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/23/22 17:10	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/23/22 17:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/23/22 17:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/23/22 17:10	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		12/23/22 17:10	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/23/22 17:10	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		12/23/22 17:10	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/23/22 17:10	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/23/22 17:10	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/23/22 17:10	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/23/22 17:10	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/23/22 17:10	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/23/22 17:10	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/23/22 17:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		12/23/22 17:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		12/23/22 17:10	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		12/23/22 17:10	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 12:08		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Minneapolis									
Chloride	10.8	mg/L	1.2	0.39	1		12/31/22 13:55	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/21/22 14:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-6 **Lab ID: 40256177016** Collected: 12/15/22 11:45 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		12/27/22 14:52	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		12/27/22 14:52	74-85-1	
Methane	1.7J	ug/L	2.8	0.58	1		12/27/22 14:52	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/23/22 17:29	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:29	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/23/22 17:29	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		12/23/22 17:29	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		12/23/22 17:29	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/23/22 17:29	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/23/22 17:29	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/23/22 17:29	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/23/22 17:29	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/23/22 17:29	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/23/22 17:29	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/23/22 17:29	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		12/23/22 17:29	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/23/22 17:29	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/23/22 17:29	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/23/22 17:29	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		12/23/22 17:29	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/23/22 17:29	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/23/22 17:29	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/23/22 17:29	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/23/22 17:29	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/23/22 17:29	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/23/22 17:29	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/23/22 17:29	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/23/22 17:29	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/23/22 17:29	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/23/22 17:29	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/23/22 17:29	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/23/22 17:29	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/23/22 17:29	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/23/22 17:29	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		12/23/22 17:29	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/23/22 17:29	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:29	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		12/23/22 17:29	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/23/22 17:29	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/23/22 17:29	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/23/22 17:29	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/23/22 17:29	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Sample: MW-6 **Lab ID: 40256177016** Collected: 12/15/22 11:45 Received: 12/16/22 11:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/23/22 17:29	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/23/22 17:29	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/23/22 17:29	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		12/23/22 17:29	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/23/22 17:29	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:29	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/23/22 17:29	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		12/23/22 17:29	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/23/22 17:29	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/23/22 17:29	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/23/22 17:29	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/23/22 17:29	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		12/23/22 17:29	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		12/23/22 17:29	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		12/23/22 17:29	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/23/22 17:29	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		12/23/22 17:29	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/23/22 17:29	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/23/22 17:29	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/23/22 17:29	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/23/22 17:29	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/23/22 17:29	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/23/22 17:29	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		12/23/22 17:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		12/23/22 17:29	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		12/23/22 17:29	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		12/19/22 12:11		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Minneapolis									
Chloride	10.5	mg/L	1.2	0.39	1		12/31/22 13:40	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.53	mg/L	0.25	0.059	1		12/21/22 14:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

QC Batch:	434356	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

METHOD BLANK: 2499868 Matrix: Water
Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	12/27/22 12:25	
Ethene	ug/L	<0.25	5.0	12/27/22 12:25	
Methane	ug/L	<0.58	2.8	12/27/22 12:25	

LABORATORY CONTROL SAMPLE & LCSD: 2499869 2499870

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	53.6	48.4	52.3	90	98	74-120	8	20	
Ethene	ug/L	50	45.6	48.8	91	98	71-122	7	20	
Methane	ug/L	28.6	25.7	28.1	90	98	73-120	9	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2500083 2500084

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40256177006 Result	Spike Conc.	Spike Conc.	MS Result						
Ethane	ug/L	1.1J	53.6	53.6	49.0	52.1	89	95	70-120	6	20
Ethene	ug/L	0.38J	50	50	44.9	48.5	89	96	68-122	8	20
Methane	ug/L	13.0	28.6	28.6	33.2	35.5	71	79	10-200	7	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

QC Batch:	434022	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014

METHOD BLANK: 2498781 Matrix: Water
Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	12/20/22 08:10	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	12/20/22 08:10	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	12/20/22 08:10	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	12/20/22 08:10	
1,1-Dichloroethane	ug/L	<0.30	1.0	12/20/22 08:10	
1,1-Dichloroethene	ug/L	<0.58	1.0	12/20/22 08:10	
1,1-Dichloropropene	ug/L	<0.41	1.0	12/20/22 08:10	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	12/20/22 08:10	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	12/20/22 08:10	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	12/20/22 08:10	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	12/20/22 08:10	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	12/20/22 08:10	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	12/20/22 08:10	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	12/20/22 08:10	
1,2-Dichloroethane	ug/L	<0.29	1.0	12/20/22 08:10	
1,2-Dichloropropane	ug/L	<0.45	1.0	12/20/22 08:10	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	12/20/22 08:10	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	12/20/22 08:10	
1,3-Dichloropropane	ug/L	<0.30	1.0	12/20/22 08:10	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	12/20/22 08:10	
2,2-Dichloropropane	ug/L	<4.2	5.0	12/20/22 08:10	
2-Chlorotoluene	ug/L	<0.89	5.0	12/20/22 08:10	
4-Chlorotoluene	ug/L	<0.89	5.0	12/20/22 08:10	
Benzene	ug/L	<0.30	1.0	12/20/22 08:10	
Bromobenzene	ug/L	<0.36	1.0	12/20/22 08:10	
Bromochloromethane	ug/L	<0.36	5.0	12/20/22 08:10	
Bromodichloromethane	ug/L	<0.42	1.0	12/20/22 08:10	
Bromoform	ug/L	<3.8	5.0	12/20/22 08:10	
Bromomethane	ug/L	<1.2	5.0	12/20/22 08:10	
Carbon tetrachloride	ug/L	<0.37	1.0	12/20/22 08:10	
Chlorobenzene	ug/L	<0.86	1.0	12/20/22 08:10	
Chloroethane	ug/L	<1.4	5.0	12/20/22 08:10	
Chloroform	ug/L	<1.2	5.0	12/20/22 08:10	
Chloromethane	ug/L	<1.6	5.0	12/20/22 08:10	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	12/20/22 08:10	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	12/20/22 08:10	
Dibromochloromethane	ug/L	<2.6	5.0	12/20/22 08:10	
Dibromomethane	ug/L	<0.99	5.0	12/20/22 08:10	
Dichlorodifluoromethane	ug/L	<0.46	5.0	12/20/22 08:10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

METHOD BLANK: 2498781

Matrix: Water

Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	12/20/22 08:10	
Ethylbenzene	ug/L	<0.33	1.0	12/20/22 08:10	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	12/20/22 08:10	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	12/20/22 08:10	
m&p-Xylene	ug/L	<0.70	2.0	12/20/22 08:10	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	12/20/22 08:10	
Methylene Chloride	ug/L	<0.32	5.0	12/20/22 08:10	
n-Butylbenzene	ug/L	<0.86	1.0	12/20/22 08:10	
n-Propylbenzene	ug/L	<0.35	1.0	12/20/22 08:10	
Naphthalene	ug/L	<1.1	5.0	12/20/22 08:10	
o-Xylene	ug/L	<0.35	1.0	12/20/22 08:10	
p-Isopropyltoluene	ug/L	<1.0	5.0	12/20/22 08:10	
sec-Butylbenzene	ug/L	<0.42	1.0	12/20/22 08:10	
Styrene	ug/L	<0.36	1.0	12/20/22 08:10	
tert-Butylbenzene	ug/L	<0.59	1.0	12/20/22 08:10	
Tetrachloroethene	ug/L	<0.41	1.0	12/20/22 08:10	
Toluene	ug/L	<0.29	1.0	12/20/22 08:10	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	12/20/22 08:10	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	12/20/22 08:10	
Trichloroethene	ug/L	<0.32	1.0	12/20/22 08:10	
Trichlorofluoromethane	ug/L	<0.42	1.0	12/20/22 08:10	
Vinyl chloride	ug/L	<0.17	1.0	12/20/22 08:10	
Xylene (Total)	ug/L	<1.0	3.0	12/20/22 08:10	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	12/20/22 08:10	
4-Bromofluorobenzene (S)	%	97	70-130	12/20/22 08:10	
Toluene-d8 (S)	%	110	70-130	12/20/22 08:10	

LABORATORY CONTROL SAMPLE: 2498782

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.9	98	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	47.3	95	69-130	
1,1,2-Trichloroethane	ug/L	50	55.2	110	70-130	
1,1-Dichloroethane	ug/L	50	47.4	95	70-130	
1,1-Dichloroethene	ug/L	50	54.4	109	74-131	
1,2,4-Trichlorobenzene	ug/L	50	41.9	84	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	37.0	74	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	53.1	106	70-130	
1,2-Dichlorobenzene	ug/L	50	46.7	93	70-130	
1,2-Dichloroethane	ug/L	50	46.9	94	70-137	
1,2-Dichloropropane	ug/L	50	47.3	95	80-121	
1,3-Dichlorobenzene	ug/L	50	49.7	99	70-130	
1,4-Dichlorobenzene	ug/L	50	47.6	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

LABORATORY CONTROL SAMPLE: 2498782

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	47.8	96	70-130	
Bromodichloromethane	ug/L	50	46.6	93	70-130	
Bromoform	ug/L	50	58.2	116	70-130	
Bromomethane	ug/L	50	36.1	72	21-147	
Carbon tetrachloride	ug/L	50	51.2	102	80-146	
Chlorobenzene	ug/L	50	53.5	107	70-130	
Chloroethane	ug/L	50	49.7	99	52-165	
Chloroform	ug/L	50	49.5	99	80-123	
Chloromethane	ug/L	50	36.1	72	51-122	
cis-1,2-Dichloroethene	ug/L	50	47.8	96	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.9	94	70-130	
Dibromochloromethane	ug/L	50	49.8	100	70-130	
Dichlorodifluoromethane	ug/L	50	35.9	72	25-121	
Ethylbenzene	ug/L	50	55.3	111	80-120	
Isopropylbenzene (Cumene)	ug/L	50	52.6	105	70-130	
m&p-Xylene	ug/L	100	110	110	70-130	
Methyl-tert-butyl ether	ug/L	50	47.1	94	70-130	
Methylene Chloride	ug/L	50	50.0	100	70-130	
o-Xylene	ug/L	50	54.0	108	70-130	
Styrene	ug/L	50	50.9	102	70-130	
Tetrachloroethene	ug/L	50	60.4	121	70-130	
Toluene	ug/L	50	53.8	108	80-120	
trans-1,2-Dichloroethene	ug/L	50	50.8	102	70-130	
trans-1,3-Dichloropropene	ug/L	50	54.1	108	70-130	
Trichloroethene	ug/L	50	50.5	101	70-130	
Trichlorofluoromethane	ug/L	50	55.1	110	65-160	
Vinyl chloride	ug/L	50	45.9	92	63-134	
Xylene (Total)	ug/L	150	164	109	70-130	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			108	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2500220 2500221

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40256177002 Result	Spike Conc.	Spike Conc.	MS Result							
1,1,1-Trichloroethane	ug/L	0.81J	50	50	49.9	48.1	98	94	70-134	4	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	49.7	47.0	99	94	61-135	5	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	56.2	53.9	112	108	70-130	4	20	
1,1-Dichloroethane	ug/L	0.31J	50	50	48.3	47.2	96	94	70-130	2	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	55.8	51.7	112	103	71-130	8	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	47.7	47.8	95	96	68-131	0	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	38.3	37.8	77	76	51-141	1	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	53.8	51.3	108	103	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2500220		2500221		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40256177002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichlorobenzene	ug/L	<0.33	50	50	49.9	47.4	100	95	70-130	5	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	48.2	46.8	96	94	70-137	3	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	45.4	46.3	91	93	80-121	2	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.1	49.1	104	98	70-130	6	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	49.7	46.8	99	94	70-130	6	20		
Benzene	ug/L	<0.30	50	50	48.0	48.0	96	96	70-130	0	20		
Bromodichloromethane	ug/L	<0.42	50	50	46.4	45.7	93	91	70-130	2	20		
Bromoform	ug/L	<3.8	50	50	57.2	55.5	114	111	70-133	3	20		
Bromomethane	ug/L	<1.2	50	50	39.3	39.8	79	80	21-149	1	22		
Carbon tetrachloride	ug/L	<0.37	50	50	51.5	49.1	103	98	80-146	5	20		
Chlorobenzene	ug/L	<0.86	50	50	54.7	52.5	109	105	70-130	4	20		
Chloroethane	ug/L	<1.4	50	50	51.6	48.5	103	97	52-165	6	20		
Chloroform	ug/L	<1.2	50	50	49.7	49.7	99	99	80-123	0	20		
Chloromethane	ug/L	<1.6	50	50	36.6	36.2	73	72	42-125	1	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	48.3	47.2	97	94	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	47.6	45.8	95	92	70-130	4	20		
Dibromochloromethane	ug/L	<2.6	50	50	50.1	50.0	100	100	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	35.9	34.0	72	68	25-121	6	20		
Ethylbenzene	ug/L	<0.33	50	50	56.0	54.2	112	108	80-121	3	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	54.1	52.1	108	104	70-130	4	20		
m&p-Xylene	ug/L	<0.70	100	100	115	107	115	107	70-130	7	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	47.8	46.0	96	92	70-130	4	20		
Methylene Chloride	ug/L	<0.32	50	50	49.6	50.4	99	101	70-130	2	20		
o-Xylene	ug/L	<0.35	50	50	54.9	54.3	110	109	70-130	1	20		
Styrene	ug/L	<0.36	50	50	52.2	52.7	104	105	70-132	1	20		
Tetrachloroethene	ug/L	1.3	50	50	63.8	61.5	125	120	70-130	4	20		
Toluene	ug/L	<0.29	50	50	54.8	54.2	110	108	80-120	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	51.8	50.1	104	100	70-130	3	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	56.6	53.5	113	107	70-130	6	20		
Trichloroethene	ug/L	1.6	50	50	52.0	50.4	101	98	70-130	3	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	54.8	52.6	110	105	65-160	4	20		
Vinyl chloride	ug/L	<0.17	50	50	46.2	43.9	92	88	60-137	5	20		
Xylene (Total)	ug/L	<1.0	150	150	170	162	113	108	70-130	5	20		
1,2-Dichlorobenzene-d4 (S)	%						103	98	70-130				
4-Bromofluorobenzene (S)	%						101	100	70-130				
Toluene-d8 (S)	%						109	109	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

QC Batch: 434189 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40256177015, 40256177016

METHOD BLANK: 2499244 Matrix: Water

Associated Lab Samples: 40256177015, 40256177016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	12/23/22 08:23	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	12/23/22 08:23	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	12/23/22 08:23	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	12/23/22 08:23	
1,1-Dichloroethane	ug/L	<0.30	1.0	12/23/22 08:23	
1,1-Dichloroethene	ug/L	<0.58	1.0	12/23/22 08:23	
1,1-Dichloropropene	ug/L	<0.41	1.0	12/23/22 08:23	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	12/23/22 08:23	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	12/23/22 08:23	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	12/23/22 08:23	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	12/23/22 08:23	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	12/23/22 08:23	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	12/23/22 08:23	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	12/23/22 08:23	
1,2-Dichloroethane	ug/L	<0.29	1.0	12/23/22 08:23	
1,2-Dichloropropane	ug/L	<0.45	1.0	12/23/22 08:23	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	12/23/22 08:23	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	12/23/22 08:23	
1,3-Dichloropropane	ug/L	<0.30	1.0	12/23/22 08:23	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	12/23/22 08:23	
2,2-Dichloropropane	ug/L	<4.2	5.0	12/23/22 08:23	
2-Chlorotoluene	ug/L	<0.89	5.0	12/23/22 08:23	
4-Chlorotoluene	ug/L	<0.89	5.0	12/23/22 08:23	
Benzene	ug/L	<0.30	1.0	12/23/22 08:23	
Bromobenzene	ug/L	<0.36	1.0	12/23/22 08:23	
Bromochloromethane	ug/L	<0.36	5.0	12/23/22 08:23	
Bromodichloromethane	ug/L	<0.42	1.0	12/23/22 08:23	
Bromoform	ug/L	<3.8	5.0	12/23/22 08:23	
Bromomethane	ug/L	<1.2	5.0	12/23/22 08:23	
Carbon tetrachloride	ug/L	<0.37	1.0	12/23/22 08:23	
Chlorobenzene	ug/L	<0.86	1.0	12/23/22 08:23	
Chloroethane	ug/L	<1.4	5.0	12/23/22 08:23	
Chloroform	ug/L	<1.2	5.0	12/23/22 08:23	
Chloromethane	ug/L	<1.6	5.0	12/23/22 08:23	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	12/23/22 08:23	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	12/23/22 08:23	
Dibromochloromethane	ug/L	<2.6	5.0	12/23/22 08:23	
Dibromomethane	ug/L	<0.99	5.0	12/23/22 08:23	
Dichlorodifluoromethane	ug/L	<0.46	5.0	12/23/22 08:23	
Diisopropyl ether	ug/L	<1.1	5.0	12/23/22 08:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

METHOD BLANK: 2499244

Matrix: Water

Associated Lab Samples: 40256177015, 40256177016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	12/23/22 08:23	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	12/23/22 08:23	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	12/23/22 08:23	
m&p-Xylene	ug/L	<0.70	2.0	12/23/22 08:23	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	12/23/22 08:23	
Methylene Chloride	ug/L	<0.32	5.0	12/23/22 08:23	
n-Butylbenzene	ug/L	<0.86	1.0	12/23/22 08:23	
n-Propylbenzene	ug/L	<0.35	1.0	12/23/22 08:23	
Naphthalene	ug/L	<1.1	5.0	12/23/22 08:23	
o-Xylene	ug/L	<0.35	1.0	12/23/22 08:23	
p-Isopropyltoluene	ug/L	<1.0	5.0	12/23/22 08:23	
sec-Butylbenzene	ug/L	<0.42	1.0	12/23/22 08:23	
Styrene	ug/L	<0.36	1.0	12/23/22 08:23	
tert-Butylbenzene	ug/L	<0.59	1.0	12/23/22 08:23	
Tetrachloroethene	ug/L	<0.41	1.0	12/23/22 08:23	
Toluene	ug/L	<0.29	1.0	12/23/22 08:23	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	12/23/22 08:23	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	12/23/22 08:23	
Trichloroethene	ug/L	<0.32	1.0	12/23/22 08:23	
Trichlorofluoromethane	ug/L	<0.42	1.0	12/23/22 08:23	
Vinyl chloride	ug/L	<0.17	1.0	12/23/22 08:23	
Xylene (Total)	ug/L	<1.0	3.0	12/23/22 08:23	
1,2-Dichlorobenzene-d4 (S)	%	98	70-130	12/23/22 08:23	
4-Bromofluorobenzene (S)	%	95	70-130	12/23/22 08:23	
Toluene-d8 (S)	%	100	70-130	12/23/22 08:23	

LABORATORY CONTROL SAMPLE: 2499245

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.9	98	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	43.8	88	69-130	
1,1,2-Trichloroethane	ug/L	50	46.8	94	70-130	
1,1-Dichloroethane	ug/L	50	46.9	94	70-130	
1,1-Dichloroethene	ug/L	50	63.3	127	74-131	
1,2,4-Trichlorobenzene	ug/L	50	42.5	85	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	40.1	80	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	48.1	96	70-130	
1,2-Dichlorobenzene	ug/L	50	47.6	95	70-130	
1,2-Dichloroethane	ug/L	50	49.6	99	70-137	
1,2-Dichloropropane	ug/L	50	47.5	95	80-121	
1,3-Dichlorobenzene	ug/L	50	47.7	95	70-130	
1,4-Dichlorobenzene	ug/L	50	46.3	93	70-130	
Benzene	ug/L	50	48.2	96	70-130	
Bromodichloromethane	ug/L	50	47.3	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

LABORATORY CONTROL SAMPLE: 2499245

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	45.4	91	70-130	
Bromomethane	ug/L	50	48.1	96	21-147	
Carbon tetrachloride	ug/L	50	50.8	102	80-146	
Chlorobenzene	ug/L	50	50.3	101	70-130	
Chloroethane	ug/L	50	60.8	122	52-165	
Chloroform	ug/L	50	49.1	98	80-123	
Chloromethane	ug/L	50	39.4	79	51-122	
cis-1,2-Dichloroethene	ug/L	50	48.0	96	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.1	90	70-130	
Dibromochloromethane	ug/L	50	47.8	96	70-130	
Dichlorodifluoromethane	ug/L	50	32.2	64	25-121	
Ethylbenzene	ug/L	50	51.4	103	80-120	
Isopropylbenzene (Cumene)	ug/L	50	53.0	106	70-130	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	61.3	123	70-130	
Methylene Chloride	ug/L	50	63.4	127	70-130	
o-Xylene	ug/L	50	51.2	102	70-130	
Styrene	ug/L	50	49.9	100	70-130	
Tetrachloroethene	ug/L	50	47.1	94	70-130	
Toluene	ug/L	50	48.7	97	80-120	
trans-1,2-Dichloroethene	ug/L	50	63.1	126	70-130	
trans-1,3-Dichloropropene	ug/L	50	43.2	86	70-130	
Trichloroethene	ug/L	50	49.8	100	70-130	
Trichlorofluoromethane	ug/L	50	55.1	110	65-160	
Vinyl chloride	ug/L	50	42.8	86	63-134	
Xylene (Total)	ug/L	150	156	104	70-130	
1,2-Dichlorobenzene-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			95	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2499786 2499787

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40256206002	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	49.5	49.2	99	98	70-134	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	44.9	45.9	90	92	61-135	2	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	46.1	47.6	92	95	70-130	3	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	46.4	46.9	93	94	70-130	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	64.1	66.7	128	133	71-130	4	20	M1	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	42.2	43.2	84	86	68-131	2	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	42.2	42.5	84	85	51-141	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	46.8	47.9	94	96	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	46.9	48.0	94	96	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	48.9	48.8	98	98	70-137	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2499786		2499787		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40256206002 Result	MS Spike Conc.	MSD Spike Conc.									
1,2-Dichloropropane	ug/L	<0.45	50	50	45.5	47.5	91	95	80-121	4	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	47.3	49.5	95	99	70-130	4	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	46.6	47.1	93	94	70-130	1	20		
Benzene	ug/L	<0.30	50	50	48.1	48.6	96	97	70-130	1	20		
Bromodichloromethane	ug/L	<0.42	50	50	46.8	47.8	94	96	70-130	2	20		
Bromoform	ug/L	<3.8	50	50	45.9	46.8	92	94	70-133	2	20		
Bromomethane	ug/L	<1.2	50	50	50.9	56.4	102	113	21-149	10	22		
Carbon tetrachloride	ug/L	<0.37	50	50	51.1	51.1	102	102	80-146	0	20		
Chlorobenzene	ug/L	<0.86	50	50	49.4	50.7	99	101	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	63.3	63.3	127	127	52-165	0	20		
Chloroform	ug/L	<1.2	50	50	48.5	48.8	97	98	80-123	1	20		
Chloromethane	ug/L	<1.6	50	50	38.8	38.5	78	77	42-125	1	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	47.5	47.9	95	96	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	45.4	45.6	91	91	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	47.1	48.5	94	97	70-130	3	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	30.8	30.9	62	62	25-121	0	20		
Ethylbenzene	ug/L	<0.33	50	50	51.5	52.0	103	104	80-121	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	53.3	54.2	107	108	70-130	2	20		
m&p-Xylene	ug/L	<0.70	100	100	103	105	103	105	70-130	2	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	59.7	61.6	119	123	70-130	3	20		
Methylene Chloride	ug/L	<0.32	50	50	61.9	65.9	124	132	70-130	6	20	M1	
o-Xylene	ug/L	<0.35	50	50	49.9	51.7	100	103	70-130	3	20		
Styrene	ug/L	<0.36	50	50	48.6	49.4	97	99	70-132	2	20		
Tetrachloroethene	ug/L	<0.41	50	50	46.4	47.1	93	94	70-130	2	20		
Toluene	ug/L	<0.29	50	50	48.5	49.1	97	98	80-120	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	62.9	63.6	126	127	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	42.1	43.5	84	87	70-130	3	20		
Trichloroethene	ug/L	<0.32	50	50	49.3	49.3	99	99	70-130	0	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	55.6	55.6	111	111	65-160	0	20		
Vinyl chloride	ug/L	<0.17	50	50	41.9	41.9	84	84	60-137	0	20		
Xylene (Total)	ug/L	<1.0	150	150	153	157	102	104	70-130	3	20		
1,2-Dichlorobenzene-d4 (S)	%						95	98	70-130				
4-Bromofluorobenzene (S)	%						94	95	70-130				
Toluene-d8 (S)	%						99	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

QC Batch:	434103	Analysis Method:	SM 4500-S F (2000)
QC Batch Method:	SM 4500-S F (2000)	Analysis Description:	4500S2F Sulfide, Iodometric
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

METHOD BLANK: 2499037 Matrix: Water
Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	12/19/22 10:39	

LABORATORY CONTROL SAMPLE: 2499038

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	54.4	43.6	80	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2499039 2499040

Parameter	Units	40256177001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfide	mg/L	<1.2	54.4	54.4	38.8	48.4	71	89	80-120	22	10	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

QC Batch: 860951 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

METHOD BLANK: 4548690 Matrix: Water
Associated Lab Samples: 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.39	1.2	12/31/22 11:44	

LABORATORY CONTROL SAMPLE: 4548691

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	50	54.5	109	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4548692 4548693

Parameter	Units	10637715002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	583	500	500	1180	1190	119	121	80-120	1	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

QC Batch: 434308 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011

METHOD BLANK: 2499693 Matrix: Water
Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	12/23/22 17:14	

LABORATORY CONTROL SAMPLE: 2499694

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	20.2	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2499695 2499696

Parameter	Units	40256067001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	108	200	200	297	296	94	94	90-110	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2499697 2499698

Parameter	Units	40256177001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	111	100	100	206	205	95	94	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

QC Batch:	434355	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

METHOD BLANK: 2499859 Matrix: Water
Associated Lab Samples: 40256177001, 40256177002, 40256177003, 40256177004, 40256177005, 40256177006, 40256177007, 40256177008, 40256177009, 40256177010, 40256177011, 40256177012, 40256177013, 40256177014, 40256177015, 40256177016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	12/21/22 13:47	

LABORATORY CONTROL SAMPLE: 2499860

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2499861 2499862

Parameter	Units	40256177010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.6	2.6	104	103	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2499863 2499864

Parameter	Units	40256025002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	0.27	2.5	2.5	2.9	2.9	106	103	90-110	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1q Sample was received with headspace.

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40256177

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40256177001	MW-11	EPA 8015B Modified	434356		
40256177002	PZ-2	EPA 8015B Modified	434356		
40256177003	MW-10	EPA 8015B Modified	434356		
40256177004	MW-4	EPA 8015B Modified	434356		
40256177005	MW-8	EPA 8015B Modified	434356		
40256177006	MW-3	EPA 8015B Modified	434356		
40256177007	MW-1	EPA 8015B Modified	434356		
40256177008	PZ-MW1A	EPA 8015B Modified	434356		
40256177009	PZ-MW1B	EPA 8015B Modified	434356		
40256177010	PZ-MW1C	EPA 8015B Modified	434356		
40256177011	MW-14	EPA 8015B Modified	434356		
40256177012	PZ-3	EPA 8015B Modified	434356		
40256177013	MW-12	EPA 8015B Modified	434356		
40256177014	MW-5	EPA 8015B Modified	434356		
40256177015	MW-7	EPA 8015B Modified	434356		
40256177016	MW-6	EPA 8015B Modified	434356		
40256177001	MW-11	EPA 8260	434022		
40256177002	PZ-2	EPA 8260	434022		
40256177003	MW-10	EPA 8260	434022		
40256177004	MW-4	EPA 8260	434022		
40256177005	MW-8	EPA 8260	434022		
40256177006	MW-3	EPA 8260	434022		
40256177007	MW-1	EPA 8260	434022		
40256177008	PZ-MW1A	EPA 8260	434022		
40256177009	PZ-MW1B	EPA 8260	434022		
40256177010	PZ-MW1C	EPA 8260	434022		
40256177011	MW-14	EPA 8260	434022		
40256177012	PZ-3	EPA 8260	434022		
40256177013	MW-12	EPA 8260	434022		
40256177014	MW-5	EPA 8260	434022		
40256177015	MW-7	EPA 8260	434189		
40256177016	MW-6	EPA 8260	434189		
40256177001	MW-11	SM 4500-S F (2000)	434103		
40256177002	PZ-2	SM 4500-S F (2000)	434103		
40256177003	MW-10	SM 4500-S F (2000)	434103		
40256177004	MW-4	SM 4500-S F (2000)	434103		
40256177005	MW-8	SM 4500-S F (2000)	434103		
40256177006	MW-3	SM 4500-S F (2000)	434103		
40256177007	MW-1	SM 4500-S F (2000)	434103		
40256177008	PZ-MW1A	SM 4500-S F (2000)	434103		
40256177009	PZ-MW1B	SM 4500-S F (2000)	434103		
40256177010	PZ-MW1C	SM 4500-S F (2000)	434103		
40256177011	MW-14	SM 4500-S F (2000)	434103		
40256177012	PZ-3	SM 4500-S F (2000)	434103		
40256177013	MW-12	SM 4500-S F (2000)	434103		
40256177014	MW-5	SM 4500-S F (2000)	434103		
40256177015	MW-7	SM 4500-S F (2000)	434103		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40256177

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40256177016	MW-6	SM 4500-S F (2000)	434103		
40256177001	MW-11	EPA 300.0	434308		
40256177002	PZ-2	EPA 300.0	434308		
40256177003	MW-10	EPA 300.0	434308		
40256177004	MW-4	EPA 300.0	434308		
40256177005	MW-8	EPA 300.0	434308		
40256177006	MW-3	EPA 300.0	434308		
40256177007	MW-1	EPA 300.0	434308		
40256177008	PZ-MW1A	EPA 300.0	434308		
40256177009	PZ-MW1B	EPA 300.0	434308		
40256177010	PZ-MW1C	EPA 300.0	434308		
40256177011	MW-14	EPA 300.0	434308		
40256177012	PZ-3	EPA 300.0	860951		
40256177013	MW-12	EPA 300.0	860951		
40256177014	MW-5	EPA 300.0	860951		
40256177015	MW-7	EPA 300.0	860951		
40256177016	MW-6	EPA 300.0	860951		
40256177001	MW-11	EPA 353.2	434355		
40256177002	PZ-2	EPA 353.2	434355		
40256177003	MW-10	EPA 353.2	434355		
40256177004	MW-4	EPA 353.2	434355		
40256177005	MW-8	EPA 353.2	434355		
40256177006	MW-3	EPA 353.2	434355		
40256177007	MW-1	EPA 353.2	434355		
40256177008	PZ-MW1A	EPA 353.2	434355		
40256177009	PZ-MW1B	EPA 353.2	434355		
40256177010	PZ-MW1C	EPA 353.2	434355		
40256177011	MW-14	EPA 353.2	434355		
40256177012	PZ-3	EPA 353.2	434355		
40256177013	MW-12	EPA 353.2	434355		
40256177014	MW-5	EPA 353.2	434355		
40256177015	MW-7	EPA 353.2	434355		
40256177016	MW-6	EPA 353.2	434355		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name:	AECOM
Branch/Location:	Oshkosh
Project Contact:	Chris Lutzen
Phone:	262-278-9823
Project Number:	60428891
Project Name:	FV Steel & Wire
Project State:	WI
Sampled By (Print):	Chris Lutzen
Sampled By (Sign):	<i>Chris Lutzen</i>
PO #:	N/A
Regulatory Program:	WDNR



UPPER MIDWEST REGION

Page of

MN: 612-607-1700 WI: 920-469-2436

COC No. 40256177

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N					
Pick Letter	B	J	A	C	B					
Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene					

Quote #:	N/A	
Mail To Contact:	Gary Braun	
Mail To Company:	AECOM	
Mail To Address:	1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212	
Invoice To Contact:	Gary Braun	
Invoice To Company:	AECOM	
Invoice To Address:	1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212	
Invoice To Phone:	-	
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
		7001
	001	
	002	
	003	
	004	
	005	
	006	
	007	
	008	
	009	
	010	
	011	
	012	
	013	

Data Package Options (billable)	MS/MSD	Matrix Codes
<input type="checkbox"/> EPA Level III	<input type="checkbox"/> On your sample (billable)	A = Air W = Water
<input type="checkbox"/> EPA Level IV	<input type="checkbox"/> NOT needed on your sample	B = Biota DW = Drinking Water
		C = Charcoal GW = Ground Water
		O = Oil SW = Surface Water
		S = Soil WW = Waste Water
		Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	N	N	N	N	N
		DATE	TIME							
	MW-11	12/15/22	1230	Gw		3	1	1	1	3
	PZ-2	12/13/22	1530	Gw		3	1	1	1	3
	MW-10	12/15/22	900	Gw		3	1	1	1	3
	MW-4	12/15/22	955	Gw		3	1	1	1	3
	MW-8	12/15/22	1300	Gw		3	1	1	1	3
	MW-3	12/15/22	1330	Gw		3	1	1	1	3
	MW-1	12/15/22	1025	Gw		3	1	1	1	3
	PZ-MW1A	12/13/22	1100	Gw		3	1	1	1	3
	PZ-MW1B	12/13/22	1000	Gw		3	1	1	1	3
	PZ-MW1C	12/13/22	1300	Gw		3	1	1	1	3
	MW-14	12/15/22	1100	Gw		3	1	1	1	3
	PZ-3	12/13/22	1415	Gw		3	1	1	1	3
	MW-12	12/15/22	1050	Gw		3	1	1	1	3

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>Chris Lutzen</i> Date/Time: 12/16/2022 1100	Received By: <i>Chris Lutzen</i> Date/Time: 12/16/2022 1100	PACE Project No. 40256177
	Relinquished By: <i>Chris Lutzen</i> Date/Time:	Received By: <i>Chris Lutzen</i> Date/Time:	
Transmit Prelim Rush Results by (complete what you want)	Relinquished By: Date/Time:	Received By: Date/Time:	Sample Receipt pH OK / Adjusted
Email #1:	Relinquished By: Date/Time:	Received By: Date/Time:	Cooler Custody Seal Present / Not Present
Email #2:	Relinquished By: Date/Time:	Received By: Date/Time:	Intact / Not Intact
Telephone:	Relinquished By: Date/Time:	Received By: Date/Time:	
Fax:	Relinquished By: Date/Time:	Received By: Date/Time:	
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: Date/Time:	Received By: Date/Time:	

(Please Print Clearly)

Company Name:	AECOM
Branch/Location:	Oshkosh
Project Contact:	Chris Lutzen
Phone:	262-278-9823
Project Number:	60428891
Project Name:	FV Steel & Wire
Project State:	WI
Sampled By (Print):	<i>Chris Lutzen</i>
Sampled By (Sign):	<i>Chris Lutzen</i>
PO #:	N/A
Regulatory Program:	WDNR



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page of

COC No. *4056177*

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N				
Pick Letter	B	J	A	C	B				
Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene				

Quote #:	N/A	
Mail To Contact:	Gary Braun	
Mail To Company:	AECOM	
Mail To Address:	1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212	
Invoice To Contact:	Gary Braun	
Invoice To Company:	AECOM	
Invoice To Address:	1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212	
Invoice To Phone:	-	
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
		7001
	014	
	015	
	016	

Data Package Options (billable)	MS/MSD	Matrix Codes
<input type="checkbox"/> EPA Level III	<input type="checkbox"/> On your sample (billable)	A = Air W = Water
<input type="checkbox"/> EPA Level IV	<input type="checkbox"/> NOT needed on your sample	B = Biota DW = Drinking Water
		C = Charcoal GW = Ground Water
		O = Oil SW = Surface Water
		S = Soil WW = Waste Water
		Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
	MW-5	12/15/22	945	GW
	MW-7	12/15/22	1200	GW
	MW-6	12/15/22	1145	GW

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>Chris Lutzen</i>	Date/Time: 12/16/2022 1100	Received By: <i>Chris Lutzen</i>	Date/Time: 12/16/22 1100
	Relinquished By: <i>Chris Lutzen</i>	Date/Time:	Received By:	Date/Time:
Transmit Prelim Rush Results by (complete what you want)	Relinquished By:	Date/Time:	Received By:	Date/Time:
Email #1:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Email #2:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Telephone:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Fax:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Samples on HOLD are subject to special pricing and release of liability	Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. *4056177*

Receipt Temp = *0* °C

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact

Effective Date: 8/16/2022

Client Name: **AECOM**

Sample Preservation Receipt Form

Project # **2250177**

All containers needing preservation have been checked and noted below.
Lab Lot# of pH paper. **1000722**

Yes No N/A

Lab Std #/ID of preservation (if pH adjusted).

Initial when completed **PB**

Date/Time

Pace Lab #	Glass						Plastic						Vials					Jars				General		VOA Vials (>6mm) *	H2SO4 pH s2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH s2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN 1	GN 2			
001																																				2.5 / 5
002																																				2.5 / 5
003																																				2.5 / 5
004																																				2.5 / 5
005																																				2.5 / 5
006																																				2.5 / 5
007																																				2.5 / 5
008																																				2.5 / 5
009																																				2.5 / 5
010																																				2.5 / 5
011																																				2.5 / 5
012																																				2.5 / 5
013																																				2.5 / 5
014																																				2.5 / 5
015																																				2.5 / 5
016																																				2.5 / 5
017																																				2.5 / 5
018																																				2.5 / 5
019																																				2.5 / 5
020																																				2.5 / 5

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other.

Headspace in VOA Vials (>6mm): Yes No N/A

*If yes look in headspace column

AG1U	1 liter amber glass
BG1U	1 liter clear glass
AG1H	1 liter amber glass HCL
AG4S	125 mL amber glass H2SO4
AG5U	100 mL amber glass unpres
AG2S	500 mL amber glass H2SO4
BG3U	250 mL clear glass unpres

BP1U	1 liter plastic unpres
BP3U	250 mL plastic unpres
BP3B	250 mL plastic NaOH
BP3N	250 mL plastic HNO3
BP3S	250 mL plastic H2SO4
BP2Z	500 mL plastic NaOH + Zn

VG9C	40 mL clear ascorbic w/ HCl
DG9T	40 mL amber Na Thio
VG9U	40 mL clear vial unpres
VG9H	40 mL clear vial HCL
VG9M	40 mL clear vial MeOH
VG9D	40 mL clear vial DI

JGFU	4 oz amber jar unpres
JG9U	9 oz amber jar unpres
WGFU	4 oz clear jar unpres
WPFU	4 oz plastic jar unpres
SP5T	120 mL plastic Na Thiosulfate
ZPLC	ziploc bag
GN 1	
GN 2	

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: AECOM

WO#: 40256177

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR - 125 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr. 0 / Corr. 0

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 8/16/22 Initials: RS
 Labeled By Initials: AK

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume.		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

March 07, 2023

Gary Braun
AECOM
1555 N. RiverCenter Drive
Suite 214
Milwaukee, WI 53212

RE: Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Dear Gary Braun:

Enclosed are the analytical results for sample(s) received by the laboratory on February 24, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40258640001	MW-10	Water	02/20/23 14:15	02/24/23 13:06
40258640002	MW-3	Water	02/20/23 14:35	02/24/23 13:06
40258640003	MW-8	Water	02/20/23 14:45	02/24/23 13:06
40258640004	MW-11	Water	02/20/23 15:45	02/24/23 13:06
40258640005	MW-6	Water	02/21/23 09:40	02/24/23 13:06
40258640006	MW-7	Water	02/21/23 09:50	02/24/23 13:06
40258640007	MW-12	Water	02/21/23 10:10	02/24/23 13:06
40258640008	MW-14	Water	02/21/23 10:20	02/24/23 13:06
40258640009	MW-1	Water	02/21/23 10:40	02/24/23 13:06
40258640010	MW-5	Water	02/21/23 11:00	02/24/23 13:06
40258640011	PZ-3	Water	02/21/23 12:40	02/24/23 13:06
40258640012	PZMW-1A	Water	02/21/23 13:00	02/24/23 13:06
40258640013	PZMW-1B	Water	02/21/23 13:30	02/24/23 13:06
40258640014	PZMW-1C	Water	02/21/23 13:50	02/24/23 13:06
40258640015	PZ-2	Water	02/21/23 14:50	02/24/23 13:06
40258640016	MW-4	Water	02/21/23 15:40	02/24/23 13:06
40258640017	PZ-4A	Water	02/22/23 09:45	02/24/23 13:06
40258640018	PZ-4B	Water	02/22/23 09:35	02/24/23 13:06
40258640019	PZ-5A	Water	02/22/23 10:30	02/24/23 13:06
40258640020	PZ-5B	Water	02/22/23 10:40	02/24/23 13:06
40258640021	PZ-7A	Water	02/22/23 13:00	02/24/23 13:06
40258640022	TRIP BLANK	Water	02/22/23 13:00	02/24/23 13:06

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40258640001	MW-10	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40258640002	MW-3	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40258640003	MW-8	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40258640004	MW-11	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40258640005	MW-6	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40258640006	MW-7	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40258640007	MW-12	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40258640008	MW-14	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40258640009	MW-1	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40258640010	MW-5	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40258640011	PZ-3	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40258640012	PZMW-1A	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40258640013	PZMW-1B	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40258640014	PZMW-1C	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40258640015	PZ-2	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40258640015	PZ-2	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	TMK	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40258640016	MW-4	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
40258640017	PZ-4A	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40258640018	PZ-4B	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40258640019	PZ-5A	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40258640020	PZ-5B	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40258640021	PZ-7A	EPA 353.2	DAW	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40258640022	TRIP BLANK	EPA 353.2	DAW	1	PASI-G
		EPA 8260	EIB	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40258640001	MW-10					
EPA 300.0	Chloride	280	mg/L	20.0	02/28/23 14:00	
EPA 353.2	Nitrogen, NO2 plus NO3	0.48	mg/L	0.25	03/01/23 10:17	
40258640002	MW-3					
EPA 8015B Modified	Ethane	0.63J	ug/L	5.6	02/28/23 10:37	
EPA 8015B Modified	Methane	16.1	ug/L	2.8	02/28/23 10:37	
EPA 8260	1,1-Dichloroethane	6.9	ug/L	1.0	02/27/23 16:01	
EPA 8260	1,1-Dichloroethene	2.8	ug/L	1.0	02/27/23 16:01	
EPA 8260	cis-1,2-Dichloroethene	3.3	ug/L	1.0	02/27/23 16:01	
EPA 8260	1,1,1-Trichloroethane	1.1	ug/L	1.0	02/27/23 16:01	
EPA 8260	Trichloroethene	1.6	ug/L	1.0	02/27/23 16:01	
EPA 300.0	Chloride	645	mg/L	200	02/28/23 14:13	
40258640003	MW-8					
EPA 8015B Modified	Ethane	0.43J	ug/L	5.6	02/28/23 10:44	
EPA 8015B Modified	Methane	3.9	ug/L	2.8	02/28/23 10:44	
EPA 8260	Benzene	0.36J	ug/L	1.0	02/27/23 16:19	
EPA 8260	Chloroform	2.0J	ug/L	5.0	02/27/23 16:19	
EPA 8260	1,1-Dichloroethane	8.0	ug/L	1.0	02/27/23 16:19	
EPA 8260	1,1-Dichloroethene	3.0	ug/L	1.0	02/27/23 16:19	
EPA 8260	cis-1,2-Dichloroethene	0.83J	ug/L	1.0	02/27/23 16:19	
EPA 8260	1,1,1-Trichloroethane	1.7	ug/L	1.0	02/27/23 16:19	
EPA 8260	Trichloroethene	1.8	ug/L	1.0	02/27/23 16:19	
EPA 300.0	Chloride	403	mg/L	40.0	03/06/23 12:27	
EPA 353.2	Nitrogen, NO2 plus NO3	0.21J	mg/L	0.25	03/01/23 10:18	
40258640004	MW-11					
EPA 8015B Modified	Methane	2.6J	ug/L	2.8	02/28/23 10:51	
EPA 8260	1,1,1-Trichloroethane	0.32J	ug/L	1.0	02/27/23 16:38	
EPA 300.0	Chloride	119	mg/L	10.0	02/28/23 14:38	
EPA 353.2	Nitrogen, NO2 plus NO3	0.20J	mg/L	0.25	03/01/23 10:19	
40258640005	MW-6					
EPA 300.0	Chloride	10.4	mg/L	2.0	02/28/23 14:51	
EPA 353.2	Nitrogen, NO2 plus NO3	2.6	mg/L	0.25	03/01/23 10:19	
40258640006	MW-7					
EPA 300.0	Chloride	11.6	mg/L	2.0	02/28/23 15:04	
40258640007	MW-12					
EPA 300.0	Chloride	10.2	mg/L	2.0	02/28/23 15:59	
EPA 353.2	Nitrogen, NO2 plus NO3	0.10J	mg/L	0.25	03/01/23 10:21	
40258640008	MW-14					
EPA 8260	cis-1,2-Dichloroethene	5.3	ug/L	1.0	02/27/23 17:52	
EPA 8260	Trichloroethene	3.5	ug/L	1.0	02/27/23 17:52	
EPA 300.0	Chloride	0.96J	mg/L	2.0	02/28/23 16:12	
EPA 353.2	Nitrogen, NO2 plus NO3	0.22J	mg/L	0.25	03/01/23 10:21	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40258640009	MW-1					
EPA 8260	1,1,1-Trichloroethane	0.71J	ug/L	1.0	02/27/23 18:11	
EPA 8260	Trichloroethene	2.6	ug/L	1.0	02/27/23 18:11	
EPA 300.0	Chloride	9.8	mg/L	2.0	02/28/23 16:25	
EPA 353.2	Nitrogen, NO2 plus NO3	0.77	mg/L	0.25	03/01/23 10:24	
40258640010	MW-5					
EPA 300.0	Chloride	52.0	mg/L	20.0	03/05/23 23:30	
EPA 353.2	Nitrogen, NO2 plus NO3	0.24J	mg/L	0.25	03/01/23 10:24	
40258640011	PZ-3					
EPA 8260	1,1-Dichloroethane	968	ug/L	10.0	02/27/23 20:59	
EPA 8260	1,1-Dichloroethene	17.1	ug/L	10.0	02/27/23 20:59	
EPA 8260	cis-1,2-Dichloroethene	65.0	ug/L	10.0	02/27/23 20:59	
EPA 8260	Trichloroethene	9.0J	ug/L	10.0	02/27/23 20:59	
EPA 300.0	Chloride	41.4	mg/L	2.0	03/06/23 00:21	
40258640012	PZMW-1A					
EPA 8260	1,1-Dichloroethane	216	ug/L	2.0	02/27/23 21:37	
EPA 8260	1,1-Dichloroethene	19.7	ug/L	2.0	02/27/23 21:37	
EPA 8260	cis-1,2-Dichloroethene	21.3	ug/L	2.0	02/27/23 21:37	
EPA 8260	Trichloroethene	4.2	ug/L	2.0	02/27/23 21:37	
EPA 300.0	Chloride	122	mg/L	10.0	03/06/23 13:04	
40258640013	PZMW-1B					
EPA 8015B Modified	Ethene	0.31J	ug/L	5.0	02/28/23 12:12	
EPA 8015B Modified	Methane	1.3J	ug/L	2.8	02/28/23 12:12	
EPA 8260	1,1-Dichloroethane	303	ug/L	5.0	02/27/23 21:18	
EPA 8260	1,1-Dichloroethene	11.2	ug/L	5.0	02/27/23 21:18	
EPA 8260	cis-1,2-Dichloroethene	43.0	ug/L	5.0	02/27/23 21:18	
EPA 8260	Trichloroethene	11.6	ug/L	5.0	02/27/23 21:18	
SM 4500-S F (2000)	Sulfide	1.2J	mg/L	4.0	02/27/23 11:19	1q
EPA 300.0	Chloride	90.6	mg/L	10.0	03/06/23 13:17	
40258640014	PZMW-1C					
EPA 8015B Modified	Ethane	0.47J	ug/L	5.6	02/28/23 12:19	
EPA 8015B Modified	Ethene	1.8J	ug/L	5.0	02/28/23 12:19	
EPA 8015B Modified	Methane	23.8	ug/L	2.8	02/28/23 12:19	
EPA 8260	1,1-Dichloroethane	2450	ug/L	25.0	02/27/23 20:41	
EPA 8260	1,1-Dichloroethene	84.3	ug/L	25.0	02/27/23 20:41	
EPA 8260	cis-1,2-Dichloroethene	17.9J	ug/L	25.0	02/27/23 20:41	
EPA 8260	Trichloroethene	33.1	ug/L	25.0	02/27/23 20:41	
EPA 300.0	Chloride	92.6	mg/L	10.0	03/06/23 14:09	
40258640015	PZ-2					
EPA 8015B Modified	Methane	1.5J	ug/L	2.8	02/28/23 12:26	
EPA 8260	Tetrachloroethene	0.64J	ug/L	1.0	02/27/23 18:49	
EPA 8260	1,1,1-Trichloroethane	0.60J	ug/L	1.0	02/27/23 18:49	
EPA 8260	Trichloroethene	0.92J	ug/L	1.0	02/27/23 18:49	
EPA 300.0	Chloride	200	mg/L	40.0	03/06/23 01:13	
EPA 353.2	Nitrogen, NO2 plus NO3	12.0	mg/L	0.50	03/01/23 11:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40258640016	MW-4					
EPA 8015B Modified	Methane	2.2J	ug/L	2.8	03/03/23 10:30	
EPA 8260	1,1-Dichloroethane	2.1	ug/L	1.0	02/27/23 19:07	
EPA 8260	1,1-Dichloroethene	0.62J	ug/L	1.0	02/27/23 19:07	
EPA 8260	1,1,1-Trichloroethane	1.3	ug/L	1.0	02/27/23 19:07	
EPA 8260	Trichloroethene	1.3	ug/L	1.0	02/27/23 19:07	
EPA 300.0	Chloride	347	mg/L	100	03/06/23 01:26	
EPA 353.2	Nitrogen, NO2 plus NO3	0.35	mg/L	0.25	03/01/23 10:30	
40258640017	PZ-4A					
EPA 8260	1,1-Dichloroethane	0.64J	ug/L	1.0	02/28/23 12:56	
EPA 8260	cis-1,2-Dichloroethene	2.1	ug/L	1.0	02/28/23 12:56	
EPA 8260	Trichloroethene	3.5	ug/L	1.0	02/28/23 12:56	
EPA 300.0	Chloride	74.4	mg/L	10.0	03/06/23 14:21	
40258640018	PZ-4B					
EPA 8015B Modified	Ethane	3.0J	ug/L	5.6	03/03/23 10:44	
EPA 8015B Modified	Ethene	0.95J	ug/L	5.0	03/03/23 10:44	
EPA 8015B Modified	Methane	34.0	ug/L	2.8	03/03/23 10:44	
EPA 8260	1,1-Dichloroethane	36.9	ug/L	1.0	02/28/23 13:15	
EPA 8260	1,1-Dichloroethene	6.4	ug/L	1.0	02/28/23 13:15	
EPA 8260	cis-1,2-Dichloroethene	11.7	ug/L	1.0	02/28/23 13:15	
EPA 8260	Trichloroethene	11.7	ug/L	1.0	02/28/23 13:15	
EPA 300.0	Chloride	4380	mg/L	200	03/06/23 14:34	
EPA 353.2	Nitrogen, NO2 plus NO3	0.082J	mg/L	0.25	03/01/23 10:33	
40258640019	PZ-5A					
EPA 8015B Modified	Ethane	0.96J	ug/L	5.6	03/03/23 10:51	
EPA 8015B Modified	Ethene	0.50J	ug/L	5.0	03/03/23 10:51	
EPA 8015B Modified	Methane	1.2J	ug/L	2.8	03/03/23 10:51	
EPA 8260	1,1-Dichloroethane	0.39J	ug/L	1.0	02/28/23 13:34	
EPA 8260	Trichloroethene	0.37J	ug/L	1.0	02/28/23 13:34	
EPA 300.0	Chloride	94.9	mg/L	10.0	03/06/23 14:47	
40258640020	PZ-5B					
EPA 8015B Modified	Ethane	0.57J	ug/L	5.6	03/03/23 10:58	
EPA 8015B Modified	Ethene	0.49J	ug/L	5.0	03/03/23 10:58	
EPA 8015B Modified	Methane	45.8	ug/L	2.8	03/03/23 10:58	
EPA 8260	1,1-Dichloroethane	11.7	ug/L	1.0	02/28/23 13:52	
EPA 8260	cis-1,2-Dichloroethene	26.9	ug/L	1.0	02/28/23 13:52	
EPA 8260	Trichloroethene	1.4	ug/L	1.0	02/28/23 13:52	
EPA 300.0	Chloride	185	mg/L	20.0	03/06/23 12:41	
40258640021	PZ-7A					
EPA 300.0	Chloride	127	mg/L	10.0	03/06/23 12:55	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: MW-10 **Lab ID: 40258640001** Collected: 02/20/23 14:15 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 10:30	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 10:30	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 10:30	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 15:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 15:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 15:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 15:42	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 15:42	75-25-2	R1
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 15:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 15:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 15:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 15:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 15:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 15:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 15:42	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 15:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 15:42	74-87-3	R1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 15:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 15:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 15:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 15:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 15:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 15:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 15:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 15:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 15:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 15:42	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 15:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 15:42	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 15:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 15:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 15:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 15:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 15:42	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 15:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 15:42	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 15:42	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 15:42	10061-02-6	R1
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 15:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 15:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 15:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 15:42	98-82-8	R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-10 **Lab ID: 40258640001** Collected: 02/20/23 14:15 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 15:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 15:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 15:42	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 15:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 15:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 15:42	100-42-5	R1
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 15:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 15:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 15:42	127-18-4	R1
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 15:42	108-88-3	M1,R1
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 15:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 15:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 15:42	71-55-6	R1
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 15:42	79-00-5	R1
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/27/23 15:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 15:42	75-69-4	R1
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 15:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 15:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 15:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 15:42	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 15:42	1330-20-7	RS
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 15:42	179601-23-1	R1
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 15:42	95-47-6	R1
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		02/27/23 15:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		02/27/23 15:42	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		02/27/23 15:42	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:05		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	280	mg/L	20.0	4.3	10		02/28/23 14:00	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.48	mg/L	0.25	0.059	1		03/01/23 10:17		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-3 **Lab ID: 40258640002** Collected: 02/20/23 14:35 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	0.63J	ug/L	5.6	0.39	1		02/28/23 10:37	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 10:37	74-85-1	
Methane	16.1	ug/L	2.8	0.58	1		02/28/23 10:37	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 16:01	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 16:01	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:01	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 16:01	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 16:01	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:01	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 16:01	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 16:01	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 16:01	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:01	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 16:01	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 16:01	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 16:01	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:01	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:01	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 16:01	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 16:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 16:01	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 16:01	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:01	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:01	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 16:01	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 16:01	75-71-8	
1,1-Dichloroethane	6.9	ug/L	1.0	0.30	1		02/27/23 16:01	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 16:01	107-06-2	
1,1-Dichloroethene	2.8	ug/L	1.0	0.58	1		02/27/23 16:01	75-35-4	
cis-1,2-Dichloroethene	3.3	ug/L	1.0	0.47	1		02/27/23 16:01	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 16:01	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 16:01	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 16:01	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 16:01	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:01	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:01	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 16:01	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:01	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:01	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 16:01	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 16:01	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-3 **Lab ID: 40258640002** Collected: 02/20/23 14:35 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:01	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 16:01	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:01	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 16:01	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:01	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 16:01	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 16:01	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:01	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 16:01	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:01	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 16:01	120-82-1	
1,1,1-Trichloroethane	1.1	ug/L	1.0	0.30	1		02/27/23 16:01	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 16:01	79-00-5	
Trichloroethene	1.6	ug/L	1.0	0.32	1		02/27/23 16:01	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:01	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 16:01	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 16:01	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:01	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 16:01	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 16:01	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 16:01	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		02/27/23 16:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		02/27/23 16:01	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		02/27/23 16:01	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:13		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	645	mg/L	200	43.1	100		02/28/23 14:13	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:17		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-8 **Lab ID: 40258640003** Collected: 02/20/23 14:45 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	0.43J	ug/L	5.6	0.39	1		02/28/23 10:44	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 10:44	74-85-1	
Methane	3.9	ug/L	2.8	0.58	1		02/28/23 10:44	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	0.36J	ug/L	1.0	0.30	1		02/27/23 16:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 16:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:19	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 16:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 16:19	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:19	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 16:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 16:19	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 16:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 16:19	75-00-3	
Chloroform	2.0J	ug/L	5.0	1.2	1		02/27/23 16:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 16:19	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:19	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 16:19	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 16:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 16:19	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 16:19	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:19	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:19	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 16:19	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 16:19	75-71-8	
1,1-Dichloroethane	8.0	ug/L	1.0	0.30	1		02/27/23 16:19	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 16:19	107-06-2	
1,1-Dichloroethene	3.0	ug/L	1.0	0.58	1		02/27/23 16:19	75-35-4	
cis-1,2-Dichloroethene	0.83J	ug/L	1.0	0.47	1		02/27/23 16:19	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 16:19	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 16:19	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 16:19	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 16:19	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:19	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:19	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 16:19	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 16:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 16:19	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: MW-8 **Lab ID: 40258640003** Collected: 02/20/23 14:45 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:19	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 16:19	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:19	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 16:19	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:19	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:19	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 16:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 16:19	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 16:19	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:19	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 16:19	120-82-1	
1,1,1-Trichloroethane	1.7	ug/L	1.0	0.30	1		02/27/23 16:19	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 16:19	79-00-5	
Trichloroethene	1.8	ug/L	1.0	0.32	1		02/27/23 16:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:19	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 16:19	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 16:19	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:19	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 16:19	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 16:19	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 16:19	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:19	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		02/27/23 16:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		02/27/23 16:19	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		02/27/23 16:19	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:44		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	403	mg/L	40.0	8.6	20		03/06/23 12:27	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.21J	mg/L	0.25	0.059	1		03/01/23 10:18		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-11 **Lab ID: 40258640004** Collected: 02/20/23 15:45 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 10:51	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 10:51	74-85-1	
Methane	2.6J	ug/L	2.8	0.58	1		02/28/23 10:51	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 16:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:38	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 16:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 16:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 16:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 16:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 16:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 16:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 16:38	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 16:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 16:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 16:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 16:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 16:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 16:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 16:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 16:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 16:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 16:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 16:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 16:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 16:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 16:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 16:38	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 16:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:38	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:38	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 16:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 16:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 16:38	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: MW-11 **Lab ID: 40258640004** Collected: 02/20/23 15:45 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 16:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:38	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 16:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:38	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 16:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 16:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 16:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 16:38	120-82-1	
1,1,1-Trichloroethane	0.32J	ug/L	1.0	0.30	1		02/27/23 16:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 16:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/27/23 16:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 16:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 16:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 16:38	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 16:38	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 16:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		02/27/23 16:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		02/27/23 16:38	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		02/27/23 16:38	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:45		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	119	mg/L	10.0	2.2	5		02/28/23 14:38	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.20J	mg/L	0.25	0.059	1		03/01/23 10:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-6 **Lab ID: 40258640005** Collected: 02/21/23 09:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 10:58	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 10:58	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 10:58	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 16:57	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:57	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 16:57	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:57	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 16:57	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 16:57	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:57	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 16:57	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 16:57	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 16:57	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 16:57	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 16:57	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 16:57	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 16:57	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:57	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 16:57	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 16:57	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 16:57	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 16:57	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 16:57	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:57	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:57	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 16:57	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 16:57	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 16:57	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 16:57	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 16:57	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 16:57	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 16:57	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 16:57	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 16:57	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 16:57	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:57	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:57	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 16:57	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:57	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 16:57	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 16:57	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 16:57	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: MW-6 **Lab ID: 40258640005** Collected: 02/21/23 09:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:57	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 16:57	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 16:57	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 16:57	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:57	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:57	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 16:57	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 16:57	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 16:57	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 16:57	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 16:57	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 16:57	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 16:57	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 16:57	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/27/23 16:57	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 16:57	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 16:57	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 16:57	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 16:57	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 16:57	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 16:57	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 16:57	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 16:57	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		02/27/23 16:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		02/27/23 16:57	2199-69-1	
Toluene-d8 (S)	90	%	70-130		1		02/27/23 16:57	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:47		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	10.4	mg/L	2.0	0.43	1		02/28/23 14:51	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	2.6	mg/L	0.25	0.059	1		03/01/23 10:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: MW-7 **Lab ID: 40258640006** Collected: 02/21/23 09:50 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 11:23	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 11:23	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 11:23	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 17:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 17:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 17:15	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 17:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 17:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 17:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 17:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 17:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 17:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 17:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 17:15	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 17:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 17:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 17:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 17:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 17:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 17:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 17:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 17:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 17:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 17:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 17:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 17:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 17:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 17:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 17:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 17:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:15	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 17:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 17:15	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:15	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 17:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 17:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 17:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 17:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 17:15	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-7 **Lab ID: 40258640006** Collected: 02/21/23 09:50 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 17:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 17:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 17:15	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 17:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 17:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 17:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 17:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 17:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 17:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 17:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 17:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/27/23 17:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 17:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 17:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 17:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 17:15	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 17:15	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 17:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		02/27/23 17:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		1		02/27/23 17:15	2199-69-1	
Toluene-d8 (S)	89	%	70-130		1		02/27/23 17:15	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:49		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	11.6	mg/L	2.0	0.43	1		02/28/23 15:04	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-12 **Lab ID: 40258640007** Collected: 02/21/23 10:10 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 11:30	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 11:30	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 11:30	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 17:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 17:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 17:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 17:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 17:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 17:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 17:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 17:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 17:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 17:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 17:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 17:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 17:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 17:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 17:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 17:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 17:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 17:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 17:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 17:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 17:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 17:34	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 17:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 17:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 17:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 17:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 17:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:34	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 17:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 17:34	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:34	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 17:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 17:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 17:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 17:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 17:34	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: MW-12 **Lab ID: 40258640007** Collected: 02/21/23 10:10 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 17:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 17:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 17:34	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 17:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:34	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 17:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 17:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 17:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 17:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 17:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 17:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 17:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/27/23 17:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 17:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 17:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 17:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 17:34	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 17:34	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 17:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		02/27/23 17:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		02/27/23 17:34	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		02/27/23 17:34	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:50		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	10.2	mg/L	2.0	0.43	1		02/28/23 15:59	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.10J	mg/L	0.25	0.059	1		03/01/23 10:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-14 **Lab ID: 40258640008** Collected: 02/21/23 10:20 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 11:37	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 11:37	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 11:37	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 17:52	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:52	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 17:52	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 17:52	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 17:52	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 17:52	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 17:52	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 17:52	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 17:52	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 17:52	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 17:52	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 17:52	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 17:52	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 17:52	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 17:52	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 17:52	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 17:52	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 17:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 17:52	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 17:52	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 17:52	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:52	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 17:52	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 17:52	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:52	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 17:52	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 17:52	75-35-4	
cis-1,2-Dichloroethene	5.3	ug/L	1.0	0.47	1		02/27/23 17:52	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 17:52	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 17:52	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:52	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 17:52	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 17:52	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:52	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 17:52	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 17:52	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 17:52	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 17:52	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 17:52	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-14 **Lab ID: 40258640008** Collected: 02/21/23 10:20 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 17:52	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 17:52	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 17:52	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 17:52	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:52	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 17:52	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 17:52	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 17:52	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 17:52	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 17:52	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 17:52	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 17:52	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 17:52	79-00-5	
Trichloroethene	3.5	ug/L	1.0	0.32	1		02/27/23 17:52	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 17:52	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 17:52	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 17:52	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 17:52	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 17:52	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 17:52	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 17:52	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 17:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		02/27/23 17:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		02/27/23 17:52	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		02/27/23 17:52	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:52		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	0.96J	mg/L	2.0	0.43	1		02/28/23 16:12	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.22J	mg/L	0.25	0.059	1		03/01/23 10:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-1 **Lab ID: 40258640009** Collected: 02/21/23 10:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 11:44	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 11:44	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 11:44	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 18:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 18:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 18:11	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 18:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 18:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 18:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 18:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 18:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 18:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 18:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 18:11	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 18:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 18:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 18:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 18:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 18:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 18:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 18:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 18:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 18:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 18:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 18:11	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 18:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 18:11	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 18:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 18:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 18:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 18:11	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 18:11	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 18:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 18:11	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:11	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 18:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 18:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 18:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 18:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 18:11	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: MW-1 **Lab ID: 40258640009** Collected: 02/21/23 10:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 18:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 18:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 18:11	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 18:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:11	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 18:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 18:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 18:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 18:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 18:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 18:11	120-82-1	
1,1,1-Trichloroethane	0.71J	ug/L	1.0	0.30	1		02/27/23 18:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 18:11	79-00-5	
Trichloroethene	2.6	ug/L	1.0	0.32	1		02/27/23 18:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 18:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 18:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 18:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 18:11	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 18:11	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 18:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		02/27/23 18:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		1		02/27/23 18:11	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		02/27/23 18:11	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:53		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	9.8	mg/L	2.0	0.43	1		02/28/23 16:25	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.77	mg/L	0.25	0.059	1		03/01/23 10:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-5 **Lab ID: 40258640010** Collected: 02/21/23 11:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 11:51	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 11:51	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 11:51	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 18:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:30	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 18:30	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 18:30	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 18:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 18:30	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 18:30	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 18:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 18:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 18:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 18:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 18:30	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 18:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 18:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 18:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 18:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 18:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 18:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 18:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 18:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 18:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 18:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 18:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 18:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 18:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 18:30	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 18:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 18:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 18:30	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 18:30	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 18:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 18:30	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:30	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 18:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 18:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 18:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 18:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 18:30	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-5 **Lab ID: 40258640010** Collected: 02/21/23 11:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 18:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 18:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 18:30	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 18:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:30	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 18:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 18:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 18:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 18:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 18:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 18:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 18:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 18:30	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/27/23 18:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 18:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 18:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 18:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 18:30	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 18:30	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 18:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		02/27/23 18:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		02/27/23 18:30	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		02/27/23 18:30	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 09:55		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	52.0	mg/L	20.0	4.3	10		03/05/23 23:30	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.24J	mg/L	0.25	0.059	1		03/01/23 10:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZ-3 **Lab ID: 40258640011** Collected: 02/21/23 12:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 11:58	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 11:58	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 11:58	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<3.0	ug/L	10.0	3.0	10		02/27/23 20:59	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		02/27/23 20:59	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		02/27/23 20:59	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		02/27/23 20:59	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		02/27/23 20:59	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		02/27/23 20:59	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		02/27/23 20:59	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		02/27/23 20:59	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		02/27/23 20:59	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		02/27/23 20:59	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		02/27/23 20:59	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		02/27/23 20:59	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		02/27/23 20:59	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		02/27/23 20:59	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		02/27/23 20:59	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		02/27/23 20:59	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		02/27/23 20:59	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		02/27/23 20:59	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		02/27/23 20:59	106-93-4	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		02/27/23 20:59	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		02/27/23 20:59	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		02/27/23 20:59	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		02/27/23 20:59	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		02/27/23 20:59	75-71-8	
1,1-Dichloroethane	968	ug/L	10.0	3.0	10		02/27/23 20:59	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		02/27/23 20:59	107-06-2	
1,1-Dichloroethene	17.1	ug/L	10.0	5.8	10		02/27/23 20:59	75-35-4	
cis-1,2-Dichloroethene	65.0	ug/L	10.0	4.7	10		02/27/23 20:59	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		02/27/23 20:59	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		02/27/23 20:59	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		02/27/23 20:59	142-28-9	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		02/27/23 20:59	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		02/27/23 20:59	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		02/27/23 20:59	10061-01-5	
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		02/27/23 20:59	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		02/27/23 20:59	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		02/27/23 20:59	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		02/27/23 20:59	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		02/27/23 20:59	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-3 **Lab ID: 40258640011** Collected: 02/21/23 12:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		02/27/23 20:59	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		02/27/23 20:59	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		02/27/23 20:59	1634-04-4	
Naphthalene	<11.3	ug/L	50.0	11.3	10		02/27/23 20:59	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		02/27/23 20:59	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		02/27/23 20:59	100-42-5	
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		02/27/23 20:59	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		02/27/23 20:59	79-34-5	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		02/27/23 20:59	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		02/27/23 20:59	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		02/27/23 20:59	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		02/27/23 20:59	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		02/27/23 20:59	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		02/27/23 20:59	79-00-5	
Trichloroethene	9.0J	ug/L	10.0	3.2	10		02/27/23 20:59	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		02/27/23 20:59	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		02/27/23 20:59	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		02/27/23 20:59	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		02/27/23 20:59	108-67-8	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		02/27/23 20:59	75-01-4	
Xylene (Total)	<10.5	ug/L	30.0	10.5	10		02/27/23 20:59	1330-20-7	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		02/27/23 20:59	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		02/27/23 20:59	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		10		02/27/23 20:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	93	%	70-130		10		02/27/23 20:59	2199-69-1	
Toluene-d8 (S)	91	%	70-130		10		02/27/23 20:59	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:11		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	41.4	mg/L	2.0	0.43	1		03/06/23 00:21	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZMW-1A Lab ID: 40258640012 Collected: 02/21/23 13:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 12:05	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 12:05	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		02/28/23 12:05	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.59	ug/L	2.0	0.59	2		02/27/23 21:37	71-43-2	
Bromobenzene	<0.72	ug/L	2.0	0.72	2		02/27/23 21:37	108-86-1	
Bromochloromethane	<0.72	ug/L	10.0	0.72	2		02/27/23 21:37	74-97-5	
Bromodichloromethane	<0.83	ug/L	2.0	0.83	2		02/27/23 21:37	75-27-4	
Bromoform	<7.6	ug/L	10.0	7.6	2		02/27/23 21:37	75-25-2	
Bromomethane	<2.4	ug/L	10.0	2.4	2		02/27/23 21:37	74-83-9	
n-Butylbenzene	<1.7	ug/L	2.0	1.7	2		02/27/23 21:37	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.0	0.85	2		02/27/23 21:37	135-98-8	
tert-Butylbenzene	<1.2	ug/L	2.0	1.2	2		02/27/23 21:37	98-06-6	
Carbon tetrachloride	<0.74	ug/L	2.0	0.74	2		02/27/23 21:37	56-23-5	
Chlorobenzene	<1.7	ug/L	2.0	1.7	2		02/27/23 21:37	108-90-7	
Chloroethane	<2.8	ug/L	10.0	2.8	2		02/27/23 21:37	75-00-3	
Chloroform	<2.4	ug/L	10.0	2.4	2		02/27/23 21:37	67-66-3	
Chloromethane	<3.3	ug/L	10.0	3.3	2		02/27/23 21:37	74-87-3	
2-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		02/27/23 21:37	95-49-8	
4-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		02/27/23 21:37	106-43-4	
1,2-Dibromo-3-chloropropane	<4.7	ug/L	10.0	4.7	2		02/27/23 21:37	96-12-8	
Dibromochloromethane	<5.3	ug/L	10.0	5.3	2		02/27/23 21:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.62	ug/L	2.0	0.62	2		02/27/23 21:37	106-93-4	
Dibromomethane	<2.0	ug/L	10.0	2.0	2		02/27/23 21:37	74-95-3	
1,2-Dichlorobenzene	<0.65	ug/L	2.0	0.65	2		02/27/23 21:37	95-50-1	
1,3-Dichlorobenzene	<0.70	ug/L	2.0	0.70	2		02/27/23 21:37	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/L	2.0	1.8	2		02/27/23 21:37	106-46-7	
Dichlorodifluoromethane	<0.91	ug/L	10.0	0.91	2		02/27/23 21:37	75-71-8	
1,1-Dichloroethane	216	ug/L	2.0	0.59	2		02/27/23 21:37	75-34-3	
1,2-Dichloroethane	<0.58	ug/L	2.0	0.58	2		02/27/23 21:37	107-06-2	
1,1-Dichloroethene	19.7	ug/L	2.0	1.2	2		02/27/23 21:37	75-35-4	
cis-1,2-Dichloroethene	21.3	ug/L	2.0	0.94	2		02/27/23 21:37	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	2.0	1.1	2		02/27/23 21:37	156-60-5	
1,2-Dichloropropane	<0.90	ug/L	2.0	0.90	2		02/27/23 21:37	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	2		02/27/23 21:37	142-28-9	
2,2-Dichloropropane	<8.4	ug/L	10.0	8.4	2		02/27/23 21:37	594-20-7	
1,1-Dichloropropene	<0.82	ug/L	2.0	0.82	2		02/27/23 21:37	563-58-6	
cis-1,3-Dichloropropene	<0.72	ug/L	2.0	0.72	2		02/27/23 21:37	10061-01-5	
trans-1,3-Dichloropropene	<6.9	ug/L	10.0	6.9	2		02/27/23 21:37	10061-02-6	
Diisopropyl ether	<2.2	ug/L	10.0	2.2	2		02/27/23 21:37	108-20-3	
Ethylbenzene	<0.65	ug/L	2.0	0.65	2		02/27/23 21:37	100-41-4	
Hexachloro-1,3-butadiene	<5.5	ug/L	10.0	5.5	2		02/27/23 21:37	87-68-3	
Isopropylbenzene (Cumene)	<2.0	ug/L	10.0	2.0	2		02/27/23 21:37	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZMW-1A **Lab ID: 40258640012** Collected: 02/21/23 13:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<2.1	ug/L	10.0	2.1	2		02/27/23 21:37	99-87-6	
Methylene Chloride	<0.64	ug/L	10.0	0.64	2		02/27/23 21:37	75-09-2	
Methyl-tert-butyl ether	<2.3	ug/L	10.0	2.3	2		02/27/23 21:37	1634-04-4	
Naphthalene	<2.3	ug/L	10.0	2.3	2		02/27/23 21:37	91-20-3	
n-Propylbenzene	<0.69	ug/L	2.0	0.69	2		02/27/23 21:37	103-65-1	
Styrene	<0.71	ug/L	2.0	0.71	2		02/27/23 21:37	100-42-5	
1,1,1,2-Tetrachloroethane	<0.71	ug/L	2.0	0.71	2		02/27/23 21:37	630-20-6	
1,1,2,2-Tetrachloroethane	<0.76	ug/L	2.0	0.76	2		02/27/23 21:37	79-34-5	
Tetrachloroethene	<0.82	ug/L	2.0	0.82	2		02/27/23 21:37	127-18-4	
Toluene	<0.58	ug/L	2.0	0.58	2		02/27/23 21:37	108-88-3	
1,2,3-Trichlorobenzene	<2.0	ug/L	10.0	2.0	2		02/27/23 21:37	87-61-6	
1,2,4-Trichlorobenzene	<1.9	ug/L	10.0	1.9	2		02/27/23 21:37	120-82-1	
1,1,1-Trichloroethane	<0.61	ug/L	2.0	0.61	2		02/27/23 21:37	71-55-6	
1,1,2-Trichloroethane	<0.69	ug/L	10.0	0.69	2		02/27/23 21:37	79-00-5	
Trichloroethene	4.2	ug/L	2.0	0.64	2		02/27/23 21:37	79-01-6	
Trichlorofluoromethane	<0.84	ug/L	2.0	0.84	2		02/27/23 21:37	75-69-4	
1,2,3-Trichloropropane	<1.1	ug/L	10.0	1.1	2		02/27/23 21:37	96-18-4	
1,2,4-Trimethylbenzene	<0.90	ug/L	2.0	0.90	2		02/27/23 21:37	95-63-6	
1,3,5-Trimethylbenzene	<0.71	ug/L	2.0	0.71	2		02/27/23 21:37	108-67-8	
Vinyl chloride	<0.35	ug/L	2.0	0.35	2		02/27/23 21:37	75-01-4	
Xylene (Total)	<2.1	ug/L	6.0	2.1	2		02/27/23 21:37	1330-20-7	
m&p-Xylene	<1.4	ug/L	4.0	1.4	2		02/27/23 21:37	179601-23-1	
o-Xylene	<0.70	ug/L	2.0	0.70	2		02/27/23 21:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		2		02/27/23 21:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		2		02/27/23 21:37	2199-69-1	
Toluene-d8 (S)	92	%	70-130		2		02/27/23 21:37	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:17		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	122	mg/L	10.0	2.2	5		03/06/23 13:04	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZMW-1B **Lab ID: 40258640013** Collected: 02/21/23 13:30 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 12:12	74-84-0	
Ethene	0.31J	ug/L	5.0	0.25	1		02/28/23 12:12	74-85-1	
Methane	1.3J	ug/L	2.8	0.58	1		02/28/23 12:12	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<1.5	ug/L	5.0	1.5	5		02/27/23 21:18	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		02/27/23 21:18	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		02/27/23 21:18	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		02/27/23 21:18	75-27-4	
Bromoform	<19.0	ug/L	25.0	19.0	5		02/27/23 21:18	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		02/27/23 21:18	74-83-9	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		02/27/23 21:18	104-51-8	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		02/27/23 21:18	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		02/27/23 21:18	98-06-6	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		02/27/23 21:18	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		02/27/23 21:18	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		02/27/23 21:18	75-00-3	
Chloroform	<5.9	ug/L	25.0	5.9	5		02/27/23 21:18	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		02/27/23 21:18	74-87-3	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		02/27/23 21:18	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		02/27/23 21:18	106-43-4	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		02/27/23 21:18	96-12-8	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		02/27/23 21:18	124-48-1	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		02/27/23 21:18	106-93-4	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		02/27/23 21:18	74-95-3	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		02/27/23 21:18	95-50-1	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		02/27/23 21:18	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		02/27/23 21:18	106-46-7	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		02/27/23 21:18	75-71-8	
1,1-Dichloroethane	303	ug/L	5.0	1.5	5		02/27/23 21:18	75-34-3	
1,2-Dichloroethane	<1.5	ug/L	5.0	1.5	5		02/27/23 21:18	107-06-2	
1,1-Dichloroethene	11.2	ug/L	5.0	2.9	5		02/27/23 21:18	75-35-4	
cis-1,2-Dichloroethene	43.0	ug/L	5.0	2.4	5		02/27/23 21:18	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		02/27/23 21:18	156-60-5	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		02/27/23 21:18	78-87-5	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		02/27/23 21:18	142-28-9	
2,2-Dichloropropane	<20.9	ug/L	25.0	20.9	5		02/27/23 21:18	594-20-7	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		02/27/23 21:18	563-58-6	
cis-1,3-Dichloropropene	<1.8	ug/L	5.0	1.8	5		02/27/23 21:18	10061-01-5	
trans-1,3-Dichloropropene	<17.3	ug/L	25.0	17.3	5		02/27/23 21:18	10061-02-6	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		02/27/23 21:18	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		02/27/23 21:18	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		02/27/23 21:18	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		02/27/23 21:18	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZMW-1B **Lab ID: 40258640013** Collected: 02/21/23 13:30 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		02/27/23 21:18	99-87-6	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		02/27/23 21:18	75-09-2	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		02/27/23 21:18	1634-04-4	
Naphthalene	<5.6	ug/L	25.0	5.6	5		02/27/23 21:18	91-20-3	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		02/27/23 21:18	103-65-1	
Styrene	<1.8	ug/L	5.0	1.8	5		02/27/23 21:18	100-42-5	
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		02/27/23 21:18	630-20-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		02/27/23 21:18	79-34-5	
Tetrachloroethene	<2.0	ug/L	5.0	2.0	5		02/27/23 21:18	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		02/27/23 21:18	108-88-3	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		02/27/23 21:18	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		02/27/23 21:18	120-82-1	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		02/27/23 21:18	71-55-6	
1,1,2-Trichloroethane	<1.7	ug/L	25.0	1.7	5		02/27/23 21:18	79-00-5	
Trichloroethene	11.6	ug/L	5.0	1.6	5		02/27/23 21:18	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		02/27/23 21:18	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/L	25.0	2.8	5		02/27/23 21:18	96-18-4	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		02/27/23 21:18	95-63-6	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		02/27/23 21:18	108-67-8	
Vinyl chloride	<0.87	ug/L	5.0	0.87	5		02/27/23 21:18	75-01-4	
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		02/27/23 21:18	1330-20-7	
m&p-Xylene	<3.5	ug/L	10.0	3.5	5		02/27/23 21:18	179601-23-1	
o-Xylene	<1.7	ug/L	5.0	1.7	5		02/27/23 21:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		5		02/27/23 21:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	93	%	70-130		5		02/27/23 21:18	2199-69-1	
Toluene-d8 (S)	91	%	70-130		5		02/27/23 21:18	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	1.2J	mg/L	4.0	1.2	1		02/27/23 11:19		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	90.6	mg/L	10.0	2.2	5		03/06/23 13:17	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZMW-1C **Lab ID: 40258640014** Collected: 02/21/23 13:50 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	0.47J	ug/L	5.6	0.39	1		02/28/23 12:19	74-84-0	
Ethene	1.8J	ug/L	5.0	0.25	1		02/28/23 12:19	74-85-1	
Methane	23.8	ug/L	2.8	0.58	1		02/28/23 12:19	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<7.4	ug/L	25.0	7.4	25		02/27/23 20:41	71-43-2	
Bromobenzene	<9.0	ug/L	25.0	9.0	25		02/27/23 20:41	108-86-1	
Bromochloromethane	<8.9	ug/L	125	8.9	25		02/27/23 20:41	74-97-5	
Bromodichloromethane	<10.4	ug/L	25.0	10.4	25		02/27/23 20:41	75-27-4	
Bromoform	<95.0	ug/L	125	95.0	25		02/27/23 20:41	75-25-2	
Bromomethane	<29.8	ug/L	125	29.8	25		02/27/23 20:41	74-83-9	
n-Butylbenzene	<21.4	ug/L	25.0	21.4	25		02/27/23 20:41	104-51-8	
sec-Butylbenzene	<10.6	ug/L	25.0	10.6	25		02/27/23 20:41	135-98-8	
tert-Butylbenzene	<14.7	ug/L	25.0	14.7	25		02/27/23 20:41	98-06-6	
Carbon tetrachloride	<9.2	ug/L	25.0	9.2	25		02/27/23 20:41	56-23-5	
Chlorobenzene	<21.4	ug/L	25.0	21.4	25		02/27/23 20:41	108-90-7	
Chloroethane	<34.5	ug/L	125	34.5	25		02/27/23 20:41	75-00-3	
Chloroform	<29.6	ug/L	125	29.6	25		02/27/23 20:41	67-66-3	
Chloromethane	<40.9	ug/L	125	40.9	25		02/27/23 20:41	74-87-3	
2-Chlorotoluene	<22.2	ug/L	125	22.2	25		02/27/23 20:41	95-49-8	
4-Chlorotoluene	<22.4	ug/L	125	22.4	25		02/27/23 20:41	106-43-4	
1,2-Dibromo-3-chloropropane	<59.2	ug/L	125	59.2	25		02/27/23 20:41	96-12-8	
Dibromochloromethane	<66.1	ug/L	125	66.1	25		02/27/23 20:41	124-48-1	
1,2-Dibromoethane (EDB)	<7.7	ug/L	25.0	7.7	25		02/27/23 20:41	106-93-4	
Dibromomethane	<24.8	ug/L	125	24.8	25		02/27/23 20:41	74-95-3	
1,2-Dichlorobenzene	<8.1	ug/L	25.0	8.1	25		02/27/23 20:41	95-50-1	
1,3-Dichlorobenzene	<8.8	ug/L	25.0	8.8	25		02/27/23 20:41	541-73-1	
1,4-Dichlorobenzene	<22.3	ug/L	25.0	22.3	25		02/27/23 20:41	106-46-7	
Dichlorodifluoromethane	<11.4	ug/L	125	11.4	25		02/27/23 20:41	75-71-8	
1,1-Dichloroethane	2450	ug/L	25.0	7.4	25		02/27/23 20:41	75-34-3	
1,2-Dichloroethane	<7.3	ug/L	25.0	7.3	25		02/27/23 20:41	107-06-2	
1,1-Dichloroethene	84.3	ug/L	25.0	14.6	25		02/27/23 20:41	75-35-4	
cis-1,2-Dichloroethene	17.9J	ug/L	25.0	11.8	25		02/27/23 20:41	156-59-2	
trans-1,2-Dichloroethene	<13.2	ug/L	25.0	13.2	25		02/27/23 20:41	156-60-5	
1,2-Dichloropropane	<11.2	ug/L	25.0	11.2	25		02/27/23 20:41	78-87-5	
1,3-Dichloropropane	<7.6	ug/L	25.0	7.6	25		02/27/23 20:41	142-28-9	
2,2-Dichloropropane	<104	ug/L	125	104	25		02/27/23 20:41	594-20-7	
1,1-Dichloropropene	<10.3	ug/L	25.0	10.3	25		02/27/23 20:41	563-58-6	
cis-1,3-Dichloropropene	<9.0	ug/L	25.0	9.0	25		02/27/23 20:41	10061-01-5	
trans-1,3-Dichloropropene	<86.6	ug/L	125	86.6	25		02/27/23 20:41	10061-02-6	
Diisopropyl ether	<27.5	ug/L	125	27.5	25		02/27/23 20:41	108-20-3	
Ethylbenzene	<8.1	ug/L	25.0	8.1	25		02/27/23 20:41	100-41-4	
Hexachloro-1,3-butadiene	<68.4	ug/L	125	68.4	25		02/27/23 20:41	87-68-3	
Isopropylbenzene (Cumene)	<25.0	ug/L	125	25.0	25		02/27/23 20:41	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZMW-1C **Lab ID: 40258640014** Collected: 02/21/23 13:50 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<26.1	ug/L	125	26.1	25		02/27/23 20:41	99-87-6	
Methylene Chloride	<8.0	ug/L	125	8.0	25		02/27/23 20:41	75-09-2	
Methyl-tert-butyl ether	<28.2	ug/L	125	28.2	25		02/27/23 20:41	1634-04-4	
Naphthalene	<28.2	ug/L	125	28.2	25		02/27/23 20:41	91-20-3	
n-Propylbenzene	<8.6	ug/L	25.0	8.6	25		02/27/23 20:41	103-65-1	
Styrene	<8.9	ug/L	25.0	8.9	25		02/27/23 20:41	100-42-5	
1,1,1,2-Tetrachloroethane	<8.9	ug/L	25.0	8.9	25		02/27/23 20:41	630-20-6	
1,1,2,2-Tetrachloroethane	<9.4	ug/L	25.0	9.4	25		02/27/23 20:41	79-34-5	
Tetrachloroethene	<10.2	ug/L	25.0	10.2	25		02/27/23 20:41	127-18-4	
Toluene	<7.2	ug/L	25.0	7.2	25		02/27/23 20:41	108-88-3	
1,2,3-Trichlorobenzene	<25.5	ug/L	125	25.5	25		02/27/23 20:41	87-61-6	
1,2,4-Trichlorobenzene	<23.8	ug/L	125	23.8	25		02/27/23 20:41	120-82-1	
1,1,1-Trichloroethane	<7.6	ug/L	25.0	7.6	25		02/27/23 20:41	71-55-6	
1,1,2-Trichloroethane	<8.6	ug/L	125	8.6	25		02/27/23 20:41	79-00-5	
Trichloroethene	33.1	ug/L	25.0	8.0	25		02/27/23 20:41	79-01-6	
Trichlorofluoromethane	<10.5	ug/L	25.0	10.5	25		02/27/23 20:41	75-69-4	
1,2,3-Trichloropropane	<13.9	ug/L	125	13.9	25		02/27/23 20:41	96-18-4	
1,2,4-Trimethylbenzene	<11.2	ug/L	25.0	11.2	25		02/27/23 20:41	95-63-6	
1,3,5-Trimethylbenzene	<8.9	ug/L	25.0	8.9	25		02/27/23 20:41	108-67-8	
Vinyl chloride	<4.4	ug/L	25.0	4.4	25		02/27/23 20:41	75-01-4	
Xylene (Total)	<26.2	ug/L	75.0	26.2	25		02/27/23 20:41	1330-20-7	
m&p-Xylene	<17.5	ug/L	50.0	17.5	25		02/27/23 20:41	179601-23-1	
o-Xylene	<8.7	ug/L	25.0	8.7	25		02/27/23 20:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		25		02/27/23 20:41	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		25		02/27/23 20:41	2199-69-1	
Toluene-d8 (S)	92	%	70-130		25		02/27/23 20:41	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:21		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	92.6	mg/L	10.0	2.2	5		03/06/23 14:09	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-2 **Lab ID: 40258640015** Collected: 02/21/23 14:50 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		02/28/23 12:26	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		02/28/23 12:26	74-85-1	
Methane	1.5J	ug/L	2.8	0.58	1		02/28/23 12:26	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 18:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:49	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 18:49	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 18:49	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 18:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 18:49	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 18:49	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 18:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 18:49	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 18:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 18:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 18:49	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 18:49	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 18:49	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 18:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 18:49	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 18:49	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 18:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 18:49	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 18:49	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 18:49	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:49	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 18:49	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 18:49	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 18:49	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 18:49	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 18:49	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 18:49	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 18:49	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 18:49	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 18:49	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 18:49	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 18:49	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:49	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 18:49	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 18:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 18:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 18:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 18:49	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-2 **Lab ID: 40258640015** Collected: 02/21/23 14:50 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 18:49	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 18:49	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 18:49	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 18:49	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:49	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:49	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 18:49	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 18:49	79-34-5	
Tetrachloroethene	0.64J	ug/L	1.0	0.41	1		02/27/23 18:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 18:49	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 18:49	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 18:49	120-82-1	
1,1,1-Trichloroethane	0.60J	ug/L	1.0	0.30	1		02/27/23 18:49	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 18:49	79-00-5	
Trichloroethene	0.92J	ug/L	1.0	0.32	1		02/27/23 18:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 18:49	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 18:49	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 18:49	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 18:49	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 18:49	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 18:49	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 18:49	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 18:49	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		02/27/23 18:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		02/27/23 18:49	2199-69-1	
Toluene-d8 (S)	90	%	70-130		1		02/27/23 18:49	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:23		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	200	mg/L	40.0	8.6	20		03/06/23 01:13	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	12.0	mg/L	0.50	0.12	2		03/01/23 11:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-4 **Lab ID: 40258640016** Collected: 02/21/23 15:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		03/03/23 10:30	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		03/03/23 10:30	74-85-1	
Methane	2.2J	ug/L	2.8	0.58	1		03/03/23 10:30	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 19:07	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 19:07	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 19:07	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 19:07	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 19:07	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 19:07	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 19:07	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 19:07	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 19:07	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 19:07	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 19:07	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 19:07	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 19:07	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 19:07	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 19:07	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 19:07	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 19:07	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 19:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 19:07	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 19:07	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 19:07	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 19:07	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 19:07	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 19:07	75-71-8	
1,1-Dichloroethane	2.1	ug/L	1.0	0.30	1		02/27/23 19:07	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 19:07	107-06-2	
1,1-Dichloroethene	0.62J	ug/L	1.0	0.58	1		02/27/23 19:07	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 19:07	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 19:07	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 19:07	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 19:07	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 19:07	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 19:07	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 19:07	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 19:07	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 19:07	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 19:07	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 19:07	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 19:07	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: MW-4 **Lab ID: 40258640016** Collected: 02/21/23 15:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 19:07	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 19:07	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 19:07	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 19:07	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 19:07	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 19:07	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 19:07	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 19:07	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 19:07	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 19:07	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 19:07	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 19:07	120-82-1	
1,1,1-Trichloroethane	1.3	ug/L	1.0	0.30	1		02/27/23 19:07	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 19:07	79-00-5	
Trichloroethene	1.3	ug/L	1.0	0.32	1		02/27/23 19:07	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 19:07	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 19:07	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 19:07	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 19:07	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 19:07	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 19:07	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 19:07	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 19:07	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		02/27/23 19:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		02/27/23 19:07	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		02/27/23 19:07	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:24		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	347	mg/L	100	21.6	50		03/06/23 01:26	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.35	mg/L	0.25	0.059	1		03/01/23 10:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZ-4A **Lab ID: 40258640017** Collected: 02/22/23 09:45 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		03/03/23 10:37	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		03/03/23 10:37	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		03/03/23 10:37	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/28/23 12:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 12:56	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/28/23 12:56	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 12:56	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/28/23 12:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/28/23 12:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 12:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/28/23 12:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/28/23 12:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/28/23 12:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 12:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/28/23 12:56	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/28/23 12:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/28/23 12:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 12:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 12:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/28/23 12:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/28/23 12:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/28/23 12:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/28/23 12:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 12:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 12:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/28/23 12:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/28/23 12:56	75-71-8	
1,1-Dichloroethane	0.64J	ug/L	1.0	0.30	1		02/28/23 12:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/28/23 12:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/28/23 12:56	75-35-4	
cis-1,2-Dichloroethene	2.1	ug/L	1.0	0.47	1		02/28/23 12:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/28/23 12:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/28/23 12:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/28/23 12:56	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/28/23 12:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/28/23 12:56	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/28/23 12:56	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/28/23 12:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 12:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 12:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/28/23 12:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/28/23 12:56	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-4A **Lab ID: 40258640017** Collected: 02/22/23 09:45 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/28/23 12:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/28/23 12:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 12:56	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/28/23 12:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 12:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/28/23 12:56	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/28/23 12:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/28/23 12:56	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/28/23 12:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/28/23 12:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/28/23 12:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/28/23 12:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/28/23 12:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/28/23 12:56	79-00-5	
Trichloroethene	3.5	ug/L	1.0	0.32	1		02/28/23 12:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 12:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/28/23 12:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/28/23 12:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 12:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/28/23 12:56	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/28/23 12:56	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/28/23 12:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/28/23 12:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		02/28/23 12:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		02/28/23 12:56	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		02/28/23 12:56	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:28		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	74.4	mg/L	10.0	2.2	5		03/06/23 14:21	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZ-4B **Lab ID: 40258640018** Collected: 02/22/23 09:35 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	3.0J	ug/L	5.6	0.39	1		03/03/23 10:44	74-84-0	
Ethene	0.95J	ug/L	5.0	0.25	1		03/03/23 10:44	74-85-1	
Methane	34.0	ug/L	2.8	0.58	1		03/03/23 10:44	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/28/23 13:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/28/23 13:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 13:15	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/28/23 13:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/28/23 13:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 13:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/28/23 13:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/28/23 13:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/28/23 13:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 13:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/28/23 13:15	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/28/23 13:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/28/23 13:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 13:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 13:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/28/23 13:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/28/23 13:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/28/23 13:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/28/23 13:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 13:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/28/23 13:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/28/23 13:15	75-71-8	
1,1-Dichloroethane	36.9	ug/L	1.0	0.30	1		02/28/23 13:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/28/23 13:15	107-06-2	
1,1-Dichloroethene	6.4	ug/L	1.0	0.58	1		02/28/23 13:15	75-35-4	
cis-1,2-Dichloroethene	11.7	ug/L	1.0	0.47	1		02/28/23 13:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/28/23 13:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/28/23 13:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/28/23 13:15	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/28/23 13:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/28/23 13:15	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:15	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/28/23 13:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 13:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 13:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/28/23 13:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/28/23 13:15	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZ-4B **Lab ID: 40258640018** Collected: 02/22/23 09:35 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/28/23 13:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/28/23 13:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 13:15	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/28/23 13:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/28/23 13:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/28/23 13:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/28/23 13:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/28/23 13:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/28/23 13:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/28/23 13:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/28/23 13:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/28/23 13:15	79-00-5	
Trichloroethene	11.7	ug/L	1.0	0.32	1		02/28/23 13:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 13:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/28/23 13:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/28/23 13:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/28/23 13:15	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/28/23 13:15	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/28/23 13:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		02/28/23 13:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		02/28/23 13:15	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		02/28/23 13:15	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:29		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	4380	mg/L	200	43.1	100		03/06/23 14:34	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.082J	mg/L	0.25	0.059	1		03/01/23 10:33		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-5A **Lab ID: 40258640019** Collected: 02/22/23 10:30 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	0.96J	ug/L	5.6	0.39	1		03/03/23 10:51	74-84-0	
Ethene	0.50J	ug/L	5.0	0.25	1		03/03/23 10:51	74-85-1	
Methane	1.2J	ug/L	2.8	0.58	1		03/03/23 10:51	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/28/23 13:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/28/23 13:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 13:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/28/23 13:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/28/23 13:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 13:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/28/23 13:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/28/23 13:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/28/23 13:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 13:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/28/23 13:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/28/23 13:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/28/23 13:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 13:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 13:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/28/23 13:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/28/23 13:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/28/23 13:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/28/23 13:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 13:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/28/23 13:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/28/23 13:34	75-71-8	
1,1-Dichloroethane	0.39J	ug/L	1.0	0.30	1		02/28/23 13:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/28/23 13:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/28/23 13:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/28/23 13:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/28/23 13:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/28/23 13:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/28/23 13:34	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/28/23 13:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/28/23 13:34	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:34	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/28/23 13:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 13:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 13:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/28/23 13:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/28/23 13:34	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZ-5A **Lab ID: 40258640019** Collected: 02/22/23 10:30 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/28/23 13:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/28/23 13:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 13:34	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/28/23 13:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:34	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/28/23 13:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/28/23 13:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/28/23 13:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/28/23 13:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/28/23 13:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/28/23 13:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/28/23 13:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/28/23 13:34	79-00-5	
Trichloroethene	0.37J	ug/L	1.0	0.32	1		02/28/23 13:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 13:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/28/23 13:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/28/23 13:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/28/23 13:34	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/28/23 13:34	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/28/23 13:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		02/28/23 13:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		02/28/23 13:34	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		02/28/23 13:34	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:31		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	94.9	mg/L	10.0	2.2	5		03/06/23 14:47	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-5B **Lab ID: 40258640020** Collected: 02/22/23 10:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	0.57J	ug/L	5.6	0.39	1		03/03/23 10:58	74-84-0	
Ethene	0.49J	ug/L	5.0	0.25	1		03/03/23 10:58	74-85-1	
Methane	45.8	ug/L	2.8	0.58	1		03/03/23 10:58	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/28/23 13:52	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:52	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/28/23 13:52	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 13:52	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/28/23 13:52	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/28/23 13:52	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 13:52	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/28/23 13:52	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/28/23 13:52	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/28/23 13:52	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 13:52	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/28/23 13:52	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/28/23 13:52	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/28/23 13:52	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 13:52	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 13:52	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/28/23 13:52	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/28/23 13:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/28/23 13:52	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/28/23 13:52	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 13:52	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:52	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/28/23 13:52	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/28/23 13:52	75-71-8	
1,1-Dichloroethane	11.7	ug/L	1.0	0.30	1		02/28/23 13:52	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/28/23 13:52	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/28/23 13:52	75-35-4	
cis-1,2-Dichloroethene	26.9	ug/L	1.0	0.47	1		02/28/23 13:52	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/28/23 13:52	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/28/23 13:52	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/28/23 13:52	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/28/23 13:52	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/28/23 13:52	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:52	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/28/23 13:52	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 13:52	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 13:52	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/28/23 13:52	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/28/23 13:52	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-5B **Lab ID: 40258640020** Collected: 02/22/23 10:40 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/28/23 13:52	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/28/23 13:52	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 13:52	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/28/23 13:52	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:52	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/28/23 13:52	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/28/23 13:52	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/28/23 13:52	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/28/23 13:52	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/28/23 13:52	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/28/23 13:52	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/28/23 13:52	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/28/23 13:52	79-00-5	
Trichloroethene	1.4	ug/L	1.0	0.32	1		02/28/23 13:52	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 13:52	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/28/23 13:52	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/28/23 13:52	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 13:52	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/28/23 13:52	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/28/23 13:52	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/28/23 13:52	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/28/23 13:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		02/28/23 13:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		02/28/23 13:52	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		02/28/23 13:52	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:32		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	185	mg/L	20.0	4.3	10		03/06/23 12:41	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: PZ-7A **Lab ID: 40258640021** Collected: 02/22/23 13:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		03/03/23 11:05	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		03/03/23 11:05	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		03/03/23 11:05	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/28/23 15:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 15:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/28/23 15:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 15:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/28/23 15:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/28/23 15:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 15:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/28/23 15:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/28/23 15:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/28/23 15:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/28/23 15:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/28/23 15:18	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/28/23 15:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/28/23 15:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 15:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/28/23 15:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/28/23 15:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/28/23 15:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/28/23 15:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/28/23 15:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 15:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 15:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/28/23 15:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/28/23 15:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/28/23 15:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/28/23 15:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/28/23 15:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/28/23 15:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/28/23 15:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/28/23 15:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/28/23 15:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/28/23 15:18	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/28/23 15:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/28/23 15:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/28/23 15:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 15:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/28/23 15:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/28/23 15:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/28/23 15:18	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: PZ-7A **Lab ID: 40258640021** Collected: 02/22/23 13:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/28/23 15:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/28/23 15:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/28/23 15:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/28/23 15:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/28/23 15:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/28/23 15:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/28/23 15:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/28/23 15:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/28/23 15:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/28/23 15:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/28/23 15:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/28/23 15:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/28/23 15:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/28/23 15:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/28/23 15:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/28/23 15:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/28/23 15:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/28/23 15:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/28/23 15:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/28/23 15:18	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/28/23 15:18	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/28/23 15:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/28/23 15:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		02/28/23 15:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		02/28/23 15:18	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		02/28/23 15:18	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		02/27/23 11:35		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	127	mg/L	10.0	2.2	5		03/06/23 12:55	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/01/23 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Sample: TRIP BLANK **Lab ID: 40258640022** Collected: 02/22/23 13:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/27/23 14:41	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 14:41	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/27/23 14:41	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 14:41	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/27/23 14:41	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/27/23 14:41	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 14:41	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/27/23 14:41	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/27/23 14:41	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/27/23 14:41	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/27/23 14:41	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/27/23 14:41	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/27/23 14:41	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/27/23 14:41	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 14:41	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/27/23 14:41	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/27/23 14:41	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/27/23 14:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/27/23 14:41	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/27/23 14:41	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 14:41	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 14:41	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/27/23 14:41	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/27/23 14:41	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 14:41	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/27/23 14:41	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/27/23 14:41	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/27/23 14:41	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/27/23 14:41	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/27/23 14:41	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/27/23 14:41	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/27/23 14:41	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/27/23 14:41	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/27/23 14:41	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/27/23 14:41	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 14:41	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/27/23 14:41	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/27/23 14:41	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/27/23 14:41	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/27/23 14:41	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/27/23 14:41	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/27/23 14:41	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/27/23 14:41	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/27/23 14:41	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/27/23 14:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Sample: TRIP BLANK **Lab ID: 40258640022** Collected: 02/22/23 13:00 Received: 02/24/23 13:06 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/27/23 14:41	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/27/23 14:41	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/27/23 14:41	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/27/23 14:41	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/27/23 14:41	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/27/23 14:41	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/27/23 14:41	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/27/23 14:41	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/27/23 14:41	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/27/23 14:41	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/27/23 14:41	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/27/23 14:41	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/27/23 14:41	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/27/23 14:41	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		02/27/23 14:41	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/27/23 14:41	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/27/23 14:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		02/27/23 14:41	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		02/27/23 14:41	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		02/27/23 14:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

QC Batch:	438732	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015

METHOD BLANK: 2520665 Matrix: Water
Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	02/28/23 09:17	
Ethene	ug/L	<0.25	5.0	02/28/23 09:17	
Methane	ug/L	<0.58	2.8	02/28/23 09:17	

LABORATORY CONTROL SAMPLE & LCSD: 2520666 2520667

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	53.6	48.5	53.8	90	100	74-120	10	20	
Ethene	ug/L	50	45.3	50.5	91	101	71-122	11	20	
Methane	ug/L	28.6	25.4	28.6	89	100	73-120	12	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520891 2520892

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258404002 Result	Spike Conc.	Spike Conc.	Result						
Ethane	ug/L	<0.39	53.6	53.6	48.9	50.2	91	94	70-120	3	20
Ethene	ug/L	<0.25	50	50	45.7	46.7	91	93	68-122	2	20
Methane	ug/L	<0.58	28.6	28.6	25.6	26.4	90	93	10-200	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

QC Batch: 439077 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 8015B Modified Analysis Description: Methane, Ethane, Ethene GCV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40258640016, 40258640017, 40258640018, 40258640019, 40258640020, 40258640021

METHOD BLANK: 2522285 Matrix: Water
Associated Lab Samples: 40258640016, 40258640017, 40258640018, 40258640019, 40258640020, 40258640021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	03/03/23 09:47	
Ethene	ug/L	<0.25	5.0	03/03/23 09:47	
Methane	ug/L	<0.58	2.8	03/03/23 09:47	

LABORATORY CONTROL SAMPLE & LCSD: 2522286 2522287

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	53.6	51.5	55.7	96	104	74-120	8	20	
Ethene	ug/L	50	48.3	52.0	97	104	71-122	8	20	
Methane	ug/L	28.6	28.0	30.4	98	106	73-120	8	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2522429 2522430

Parameter	Units	40258640017 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	<0.39	53.6	53.6	50.3	53.9	94	101	70-120	7	20	
Ethene	ug/L	<0.25	50	50	46.6	50.8	93	102	68-122	9	20	
Methane	ug/L	<0.58	28.6	28.6	27.3	29.4	95	103	10-200	8	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

QC Batch:	438669	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019, 40258640020

METHOD BLANK:	2520542	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019, 40258640020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	02/27/23 12:43	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	02/27/23 12:43	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	02/27/23 12:43	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	02/27/23 12:43	
1,1-Dichloroethane	ug/L	<0.30	1.0	02/27/23 12:43	
1,1-Dichloroethene	ug/L	<0.58	1.0	02/27/23 12:43	
1,1-Dichloropropene	ug/L	<0.41	1.0	02/27/23 12:43	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	02/27/23 12:43	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	02/27/23 12:43	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	02/27/23 12:43	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	02/27/23 12:43	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	02/27/23 12:43	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	02/27/23 12:43	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	02/27/23 12:43	
1,2-Dichloroethane	ug/L	<0.29	1.0	02/27/23 12:43	
1,2-Dichloropropane	ug/L	<0.45	1.0	02/27/23 12:43	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	02/27/23 12:43	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	02/27/23 12:43	
1,3-Dichloropropane	ug/L	<0.30	1.0	02/27/23 12:43	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	02/27/23 12:43	
2,2-Dichloropropane	ug/L	<4.2	5.0	02/27/23 12:43	
2-Chlorotoluene	ug/L	<0.89	5.0	02/27/23 12:43	
4-Chlorotoluene	ug/L	<0.89	5.0	02/27/23 12:43	
Benzene	ug/L	<0.30	1.0	02/27/23 12:43	
Bromobenzene	ug/L	<0.36	1.0	02/27/23 12:43	
Bromochloromethane	ug/L	<0.36	5.0	02/27/23 12:43	
Bromodichloromethane	ug/L	<0.42	1.0	02/27/23 12:43	
Bromoform	ug/L	<3.8	5.0	02/27/23 12:43	
Bromomethane	ug/L	<1.2	5.0	02/27/23 12:43	
Carbon tetrachloride	ug/L	<0.37	1.0	02/27/23 12:43	
Chlorobenzene	ug/L	<0.86	1.0	02/27/23 12:43	
Chloroethane	ug/L	<1.4	5.0	02/27/23 12:43	
Chloroform	ug/L	<1.2	5.0	02/27/23 12:43	
Chloromethane	ug/L	<1.6	5.0	02/27/23 12:43	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	02/27/23 12:43	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	02/27/23 12:43	
Dibromochloromethane	ug/L	<2.6	5.0	02/27/23 12:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

METHOD BLANK: 2520542

Matrix: Water

Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019, 40258640020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	02/27/23 12:43	
Dichlorodifluoromethane	ug/L	<0.46	5.0	02/27/23 12:43	
Diisopropyl ether	ug/L	<1.1	5.0	02/27/23 12:43	
Ethylbenzene	ug/L	<0.33	1.0	02/27/23 12:43	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	02/27/23 12:43	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	02/27/23 12:43	
m&p-Xylene	ug/L	<0.70	2.0	02/27/23 12:43	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	02/27/23 12:43	
Methylene Chloride	ug/L	<0.32	5.0	02/27/23 12:43	
n-Butylbenzene	ug/L	<0.86	1.0	02/27/23 12:43	
n-Propylbenzene	ug/L	<0.35	1.0	02/27/23 12:43	
Naphthalene	ug/L	<1.1	5.0	02/27/23 12:43	
o-Xylene	ug/L	<0.35	1.0	02/27/23 12:43	
p-Isopropyltoluene	ug/L	<1.0	5.0	02/27/23 12:43	
sec-Butylbenzene	ug/L	<0.42	1.0	02/27/23 12:43	
Styrene	ug/L	<0.36	1.0	02/27/23 12:43	
tert-Butylbenzene	ug/L	<0.59	1.0	02/27/23 12:43	
Tetrachloroethene	ug/L	<0.41	1.0	02/27/23 12:43	
Toluene	ug/L	<0.29	1.0	02/27/23 12:43	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	02/27/23 12:43	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	02/27/23 12:43	
Trichloroethene	ug/L	<0.32	1.0	02/27/23 12:43	
Trichlorofluoromethane	ug/L	<0.42	1.0	02/27/23 12:43	
Vinyl chloride	ug/L	<0.17	1.0	02/27/23 12:43	
Xylene (Total)	ug/L	<1.0	3.0	02/27/23 12:43	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130	02/27/23 12:43	
4-Bromofluorobenzene (S)	%	96	70-130	02/27/23 12:43	
Toluene-d8 (S)	%	98	70-130	02/27/23 12:43	

LABORATORY CONTROL SAMPLE: 2520543

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.1	96	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	46.3	93	69-130	
1,1,2-Trichloroethane	ug/L	50	48.8	98	70-130	
1,1-Dichloroethane	ug/L	50	57.9	116	70-130	
1,1-Dichloroethene	ug/L	50	50.6	101	74-131	
1,2,4-Trichlorobenzene	ug/L	50	47.9	96	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	41.0	82	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	50.8	102	70-130	
1,2-Dichlorobenzene	ug/L	50	50.2	100	70-130	
1,2-Dichloroethane	ug/L	50	51.7	103	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

LABORATORY CONTROL SAMPLE: 2520543

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	48.3	97	80-121	
1,3-Dichlorobenzene	ug/L	50	49.2	98	70-130	
1,4-Dichlorobenzene	ug/L	50	47.3	95	70-130	
Benzene	ug/L	50	54.2	108	70-130	
Bromodichloromethane	ug/L	50	50.0	100	70-130	
Bromoform	ug/L	50	44.3	89	70-130	
Bromomethane	ug/L	50	49.8	100	21-147	
Carbon tetrachloride	ug/L	50	59.3	119	80-146	
Chlorobenzene	ug/L	50	51.6	103	70-130	
Chloroethane	ug/L	50	48.4	97	52-165	
Chloroform	ug/L	50	49.2	98	80-123	
Chloromethane	ug/L	50	40.5	81	51-122	
cis-1,2-Dichloroethene	ug/L	50	58.8	118	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.8	102	70-130	
Dibromochloromethane	ug/L	50	50.2	100	70-130	
Dichlorodifluoromethane	ug/L	50	25.1	50	25-121	
Ethylbenzene	ug/L	50	52.4	105	80-120	
Isopropylbenzene (Cumene)	ug/L	50	51.8	104	70-130	
m&p-Xylene	ug/L	100	104	104	70-130	
Methyl-tert-butyl ether	ug/L	50	57.5	115	70-130	
Methylene Chloride	ug/L	50	61.4	123	70-130	
o-Xylene	ug/L	50	50.7	101	70-130	
Styrene	ug/L	50	59.7	119	70-130	
Tetrachloroethene	ug/L	50	53.8	108	70-130	
Toluene	ug/L	50	50.8	102	80-120	
trans-1,2-Dichloroethene	ug/L	50	64.2	128	70-130	
trans-1,3-Dichloropropene	ug/L	50	48.8	98	70-130	
Trichloroethene	ug/L	50	51.1	102	70-130	
Trichlorofluoromethane	ug/L	50	50.0	100	65-160	
Vinyl chloride	ug/L	50	44.9	90	63-134	
Xylene (Total)	ug/L	150	154	103	70-130	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			93	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520594 2520595

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258640001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	60.6	49.1	121	98	70-134	21	20	R1	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	38.9	42.3	78	85	61-135	8	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	42.6	59.3	85	119	70-130	33	20	R1	
1,1-Dichloroethane	ug/L	<0.30	50	50	58.7	62.9	117	126	70-130	7	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	42.2	44.9	84	90	71-130	6	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	43.2	45.8	86	92	68-131	6	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Parameter	Units	2520594		2520595		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258640001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	37.2	39.4	74	79	51-141	6	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	48.4	54.9	97	110	70-130	13	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	43.8	48.2	88	96	70-130	9	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	45.9	47.6	92	95	70-137	4	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	43.0	45.9	86	92	80-121	6	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	43.4	48.4	87	97	70-130	11	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	41.3	46.1	83	92	70-130	11	20		
Benzene	ug/L	<0.30	50	50	52.4	50.5	105	101	70-130	4	20		
Bromodichloromethane	ug/L	<0.42	50	50	45.2	48.5	90	97	70-130	7	20		
Bromoform	ug/L	<3.8	50	50	35.6	46.9	71	94	70-133	28	20	R1	
Bromomethane	ug/L	<1.2	50	50	40.4	48.4	81	97	21-149	18	22		
Carbon tetrachloride	ug/L	<0.37	50	50	61.5	50.8	123	102	80-146	19	20		
Chlorobenzene	ug/L	<0.86	50	50	45.5	52.2	91	104	70-130	14	20		
Chloroethane	ug/L	<1.4	50	50	43.9	48.8	88	98	52-165	11	20		
Chloroform	ug/L	<1.2	50	50	60.1	49.0	120	98	80-123	20	20		
Chloromethane	ug/L	<1.6	50	50	29.1	40.8	58	82	42-125	33	20	R1	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	61.2	64.1	122	128	70-130	5	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	47.0	52.6	94	105	70-130	11	20		
Dibromochloromethane	ug/L	<2.6	50	50	47.5	56.3	95	113	70-130	17	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	16.6	19.5	33	39	25-121	16	20		
Ethylbenzene	ug/L	<0.33	50	50	43.4	52.9	87	106	80-121	20	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	40.5	54.1	81	108	70-130	29	20	R1	
m&p-Xylene	ug/L	<0.70	100	100	84.9	106	85	106	70-130	22	20	R1	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	47.1	49.5	94	99	70-130	5	20		
Methylene Chloride	ug/L	<0.32	50	50	52.6	47.6	105	95	70-130	10	20		
o-Xylene	ug/L	<0.35	50	50	40.8	52.2	82	104	70-130	25	20	R1	
Styrene	ug/L	<0.36	50	50	47.4	61.4	95	123	70-132	26	20	R1	
Tetrachloroethene	ug/L	<0.41	50	50	46.2	63.1	92	126	70-130	31	20	R1	
Toluene	ug/L	<0.29	50	50	44.6	62.5	89	125	80-120	34	20	M1,R1	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	60.8	58.8	122	118	70-130	3	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	42.0	59.9	84	120	70-130	35	20	R1	
Trichloroethene	ug/L	<0.32	50	50	45.2	48.9	90	98	70-130	8	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	40.7	59.3	81	119	65-160	37	20	R1	
Vinyl chloride	ug/L	<0.17	50	50	31.9	33.9	64	68	60-137	6	20		
Xylene (Total)	ug/L	<1.0	150	150	126	158	84	105	70-130	23	20	RS	
1,2-Dichlorobenzene-d4 (S)	%						97	96	70-130				
4-Bromofluorobenzene (S)	%						94	92	70-130				
Toluene-d8 (S)	%						97	127	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

QC Batch: 438670

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640021, 40258640022

METHOD BLANK: 2520544

Matrix: Water

Associated Lab Samples: 40258640021, 40258640022

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	02/27/23 12:16	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	02/27/23 12:16	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	02/27/23 12:16	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	02/27/23 12:16	
1,1-Dichloroethane	ug/L	<0.30	1.0	02/27/23 12:16	
1,1-Dichloroethene	ug/L	<0.58	1.0	02/27/23 12:16	
1,1-Dichloropropene	ug/L	<0.41	1.0	02/27/23 12:16	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	02/27/23 12:16	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	02/27/23 12:16	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	02/27/23 12:16	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	02/27/23 12:16	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	02/27/23 12:16	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	02/27/23 12:16	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	02/27/23 12:16	
1,2-Dichloroethane	ug/L	<0.29	1.0	02/27/23 12:16	
1,2-Dichloropropane	ug/L	<0.45	1.0	02/27/23 12:16	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	02/27/23 12:16	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	02/27/23 12:16	
1,3-Dichloropropane	ug/L	<0.30	1.0	02/27/23 12:16	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	02/27/23 12:16	
2,2-Dichloropropane	ug/L	<4.2	5.0	02/27/23 12:16	
2-Chlorotoluene	ug/L	<0.89	5.0	02/27/23 12:16	
4-Chlorotoluene	ug/L	<0.89	5.0	02/27/23 12:16	
Benzene	ug/L	<0.30	1.0	02/27/23 12:16	
Bromobenzene	ug/L	<0.36	1.0	02/27/23 12:16	
Bromochloromethane	ug/L	<0.36	5.0	02/27/23 12:16	
Bromodichloromethane	ug/L	<0.42	1.0	02/27/23 12:16	
Bromoform	ug/L	<3.8	5.0	02/27/23 12:16	
Bromomethane	ug/L	<1.2	5.0	02/27/23 12:16	
Carbon tetrachloride	ug/L	<0.37	1.0	02/27/23 12:16	
Chlorobenzene	ug/L	<0.86	1.0	02/27/23 12:16	
Chloroethane	ug/L	<1.4	5.0	02/27/23 12:16	
Chloroform	ug/L	<1.2	5.0	02/27/23 12:16	
Chloromethane	ug/L	<1.6	5.0	02/27/23 12:16	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	02/27/23 12:16	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	02/27/23 12:16	
Dibromochloromethane	ug/L	<2.6	5.0	02/27/23 12:16	
Dibromomethane	ug/L	<0.99	5.0	02/27/23 12:16	
Dichlorodifluoromethane	ug/L	<0.46	5.0	02/27/23 12:16	
Diisopropyl ether	ug/L	<1.1	5.0	02/27/23 12:16	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

METHOD BLANK: 2520544 Matrix: Water
Associated Lab Samples: 40258640021, 40258640022

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	02/27/23 12:16	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	02/27/23 12:16	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	02/27/23 12:16	
m&p-Xylene	ug/L	<0.70	2.0	02/27/23 12:16	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	02/27/23 12:16	
Methylene Chloride	ug/L	<0.32	5.0	02/27/23 12:16	
n-Butylbenzene	ug/L	<0.86	1.0	02/27/23 12:16	
n-Propylbenzene	ug/L	<0.35	1.0	02/27/23 12:16	
Naphthalene	ug/L	<1.1	5.0	02/27/23 12:16	
o-Xylene	ug/L	<0.35	1.0	02/27/23 12:16	
p-Isopropyltoluene	ug/L	<1.0	5.0	02/27/23 12:16	
sec-Butylbenzene	ug/L	<0.42	1.0	02/27/23 12:16	
Styrene	ug/L	<0.36	1.0	02/27/23 12:16	
tert-Butylbenzene	ug/L	<0.59	1.0	02/27/23 12:16	
Tetrachloroethene	ug/L	<0.41	1.0	02/27/23 12:16	
Toluene	ug/L	<0.29	1.0	02/27/23 12:16	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	02/27/23 12:16	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	02/27/23 12:16	
Trichloroethene	ug/L	<0.32	1.0	02/27/23 12:16	
Trichlorofluoromethane	ug/L	<0.42	1.0	02/27/23 12:16	
Vinyl chloride	ug/L	<0.17	1.0	02/27/23 12:16	
Xylene (Total)	ug/L	<1.0	3.0	02/27/23 12:16	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	02/27/23 12:16	
4-Bromofluorobenzene (S)	%	99	70-130	02/27/23 12:16	
Toluene-d8 (S)	%	101	70-130	02/27/23 12:16	

LABORATORY CONTROL SAMPLE: 2520545

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	60.1	120	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	50.7	101	69-130	
1,1,2-Trichloroethane	ug/L	50	50.3	101	70-130	
1,1-Dichloroethane	ug/L	50	54.6	109	70-130	
1,1-Dichloroethene	ug/L	50	53.4	107	74-131	
1,2,4-Trichlorobenzene	ug/L	50	48.7	97	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	49.5	99	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	51.1	102	70-130	
1,2-Dichlorobenzene	ug/L	50	52.8	106	70-130	
1,2-Dichloroethane	ug/L	50	52.5	105	70-137	
1,2-Dichloropropane	ug/L	50	53.7	107	80-121	
1,3-Dichlorobenzene	ug/L	50	53.7	107	70-130	
1,4-Dichlorobenzene	ug/L	50	48.6	97	70-130	
Benzene	ug/L	50	54.2	108	70-130	
Bromodichloromethane	ug/L	50	55.2	110	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

LABORATORY CONTROL SAMPLE: 2520545

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	52.0	104	70-130	
Bromomethane	ug/L	50	33.4	67	21-147	
Carbon tetrachloride	ug/L	50	64.0	128	80-146	
Chlorobenzene	ug/L	50	54.4	109	70-130	
Chloroethane	ug/L	50	48.9	98	52-165	
Chloroform	ug/L	50	56.6	113	80-123	
Chloromethane	ug/L	50	41.6	83	51-122	
cis-1,2-Dichloroethene	ug/L	50	54.2	108	70-130	
cis-1,3-Dichloropropene	ug/L	50	52.7	105	70-130	
Dibromochloromethane	ug/L	50	51.3	103	70-130	
Dichlorodifluoromethane	ug/L	50	28.5	57	25-121	
Ethylbenzene	ug/L	50	55.3	111	80-120	
Isopropylbenzene (Cumene)	ug/L	50	54.8	110	70-130	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	47.6	95	70-130	
Methylene Chloride	ug/L	50	52.0	104	70-130	
o-Xylene	ug/L	50	51.3	103	70-130	
Styrene	ug/L	50	61.9	124	70-130	
Tetrachloroethene	ug/L	50	55.3	111	70-130	
Toluene	ug/L	50	54.3	109	80-120	
trans-1,2-Dichloroethene	ug/L	50	55.4	111	70-130	
trans-1,3-Dichloropropene	ug/L	50	49.8	100	70-130	
Trichloroethene	ug/L	50	54.3	109	70-130	
Trichlorofluoromethane	ug/L	50	52.4	105	65-160	
Vinyl chloride	ug/L	50	45.6	91	63-134	
Xylene (Total)	ug/L	150	156	104	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520649 2520650

Parameter	Units	2520649		2520650		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258590001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
1,1,1-Trichloroethane	ug/L	<0.00030 mg/L	50	50	58.4	60.4	117	121	70-134	3	20
1,1,2,2-Tetrachloroethane	ug/L	<0.00038 mg/L	50	50	49.3	51.5	99	103	61-135	4	20
1,1,2-Trichloroethane	ug/L	<0.00034 mg/L	50	50	48.8	50.2	98	100	70-130	3	20
1,1-Dichloroethane	ug/L	<0.00030 mg/L	50	50	53.1	54.8	106	110	70-130	3	20
1,1-Dichloroethene	ug/L	<0.00058 mg/L	50	50	51.3	53.5	103	107	71-130	4	20
1,2,4-Trichlorobenzene	ug/L	<0.00095 mg/L	50	50	48.9	50.1	98	100	68-131	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Parameter	Units	40258590001		2520649		2520650		% Rec	% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec								
1,2-Dibromo-3-chloropropane	ug/L	<0.0024 mg/L	50	50	52.7	52.0	105	104	51-141	1	20				
1,2-Dibromoethane (EDB)	ug/L	<0.00031 mg/L	50	50	48.8	51.5	98	103	70-130	5	20				
1,2-Dichlorobenzene	ug/L	<0.00033 mg/L	50	50	51.7	53.5	103	107	70-130	3	20				
1,2-Dichloroethane	ug/L	<0.00029 mg/L	50	50	50.9	53.2	102	106	70-137	4	20				
1,2-Dichloropropane	ug/L	<0.00045 mg/L	50	50	52.2	55.3	104	111	80-121	6	20				
1,3-Dichlorobenzene	ug/L	<0.00035 mg/L	50	50	51.8	52.8	104	106	70-130	2	20				
1,4-Dichlorobenzene	ug/L	<0.00089 mg/L	50	50	46.6	48.1	93	96	70-130	3	20				
Benzene	ug/L	<0.00030 mg/L	50	50	52.5	55.4	105	111	70-130	5	20				
Bromodichloromethane	ug/L	<0.00042 mg/L	50	50	53.6	56.5	107	113	70-130	5	20				
Bromoform	ug/L	<0.0038 mg/L	50	50	50.2	53.7	100	107	70-133	7	20				
Bromomethane	ug/L	<0.0012 mg/L	50	50	34.3	37.1	69	74	21-149	8	22				
Carbon tetrachloride	ug/L	<0.00037 mg/L	50	50	61.7	64.7	123	129	80-146	5	20				
Chlorobenzene	ug/L	<0.00086 mg/L	50	50	52.9	53.8	106	108	70-130	2	20				
Chloroethane	ug/L	<0.0014 mg/L	50	50	46.6	48.5	93	97	52-165	4	20				
Chloroform	ug/L	<0.0012 mg/L	50	50	55.2	57.8	110	116	80-123	5	20				
Chloromethane	ug/L	<0.0016 mg/L	50	50	36.7	37.8	73	76	42-125	3	20				
cis-1,2-Dichloroethene	ug/L	<0.00047 mg/L	50	50	52.0	55.0	104	110	70-130	6	20				
cis-1,3-Dichloropropene	ug/L	<0.00036 mg/L	50	50	51.9	54.7	104	109	70-130	5	20				
Dibromochloromethane	ug/L	<0.0026 mg/L	50	50	50.2	52.0	100	104	70-130	4	20				
Dichlorodifluoromethane	ug/L	<0.00046 mg/L	50	50	21.9	22.4	44	45	25-121	2	20				
Ethylbenzene	ug/L	<0.00033 mg/L	50	50	54.0	55.2	108	110	80-121	2	20				
Isopropylbenzene (Cumene)	ug/L	<0.0010 mg/L	50	50	53.6	55.3	107	111	70-130	3	20				
m&p-Xylene	ug/L	<0.00070 mg/L	100	100	105	106	105	106	70-130	2	20				
Methyl-tert-butyl ether	ug/L	<0.0011 mg/L	50	50	46.5	49.2	93	98	70-130	6	20				
Methylene Chloride	ug/L	<0.00032 mg/L	50	50	50.4	52.1	101	104	70-130	3	20				
o-Xylene	ug/L	<0.00035 mg/L	50	50	51.2	52.1	102	104	70-130	2	20				
Styrene	ug/L	<0.00036 mg/L	50	50	61.7	63.0	123	126	70-132	2	20				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520649		2520650		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258590001 Result	MS Spike Conc.	MSD Spike Conc.									
Tetrachloroethene	ug/L	<0.00041 mg/L	50	50	53.1	53.4	106	107	70-130	1	20		
Toluene	ug/L	<0.00029 mg/L	50	50	53.3	54.3	107	109	80-120	2	20		
trans-1,2-Dichloroethene	ug/L	<0.00053 mg/L	50	50	53.5	56.2	107	112	70-130	5	20		
trans-1,3-Dichloropropene	ug/L	<0.00035 mg/L	50	50	48.0	50.0	96	100	70-130	4	20		
Trichloroethene	ug/L	<0.00032 mg/L	50	50	52.8	55.5	106	111	70-130	5	20		
Trichlorofluoromethane	ug/L	<0.00042 mg/L	50	50	49.9	51.9	100	104	65-160	4	20		
Vinyl chloride	ug/L	<0.00017 mg/L	50	50	41.5	43.2	83	86	60-137	4	20		
Xylene (Total)	ug/L	<0.0010 mg/L	150	150	156	159	104	106	70-130	2	20		
1,2-Dichlorobenzene-d4 (S)	%						102	100	70-130				
4-Bromofluorobenzene (S)	%						99	100	70-130				
Toluene-d8 (S)	%						101	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

QC Batch: 438659

Analysis Method: SM 4500-S F (2000)

QC Batch Method: SM 4500-S F (2000)

Analysis Description: 4500S2F Sulfide, Iodometric

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010

METHOD BLANK: 2520514

Matrix: Water

Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	02/27/23 09:01	

LABORATORY CONTROL SAMPLE: 2520515

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	44.4	44.0	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520516 2520517

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40258640001 Result	Spike Conc.	Spike Conc.	Result							
Sulfide	mg/L	<1.2	44.4	44.4	42.4	44.4	95	100	80-120	5	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

QC Batch:	438690	Analysis Method:	SM 4500-S F (2000)
QC Batch Method:	SM 4500-S F (2000)	Analysis Description:	4500S2F Sulfide, Iodometric
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019, 40258640020, 40258640021

METHOD BLANK: 2520602 Matrix: Water

Associated Lab Samples: 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019, 40258640020, 40258640021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	02/27/23 11:07	

LABORATORY CONTROL SAMPLE: 2520603

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	43.2	43.6	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520604 2520605

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258640011 Result	Spike Conc.	Spike Conc.	Result						
Sulfide	mg/L	<1.2	43.2	43.2	42.4	42.0	98	97	80-120	1	10

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

QC Batch:	438639	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640001, 40258640002, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009

METHOD BLANK: 2520455 Matrix: Water
Associated Lab Samples: 40258640001, 40258640002, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	02/26/23 22:40	

LABORATORY CONTROL SAMPLE: 2520456

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.2	106	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520457 2520458

Parameter	Units	40258513001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	98.1	200	200	298	296	100	99	90-110	1	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520459 2520460

Parameter	Units	40258640009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	9.8	20	20	30.6	30.4	104	103	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

QC Batch:	438773	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019

METHOD BLANK: 2520815 Matrix: Water
Associated Lab Samples: 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	03/03/23 14:21	

LABORATORY CONTROL SAMPLE: 2520816

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.1	106	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520817 2520818

Parameter	Units	40258257001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	772	1000	1000	1760	1730	99	96	90-110	1	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520819 2520820

Parameter	Units	40258640019 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	94.9	100	100	193	193	98	98	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

QC Batch: 439097	Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0	Analysis Description: 300.0 IC Anions
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640003, 40258640020, 40258640021

METHOD BLANK: 2522425 Matrix: Water

Associated Lab Samples: 40258640003, 40258640020, 40258640021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	03/06/23 11:29	

LABORATORY CONTROL SAMPLE: 2522426

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	19.6	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2522427 2522428

Parameter	Units	2522427		2522428		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40258586001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Chloride	mg/L	350	400	400	747	736	99	97	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

QC Batch:	438848	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019, 40258640020

METHOD BLANK: 2521063 Matrix: Water
Associated Lab Samples: 40258640001, 40258640002, 40258640003, 40258640004, 40258640005, 40258640006, 40258640007, 40258640008, 40258640009, 40258640010, 40258640011, 40258640012, 40258640013, 40258640014, 40258640015, 40258640016, 40258640017, 40258640018, 40258640019, 40258640020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	03/01/23 10:15	

LABORATORY CONTROL SAMPLE: 2521064

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.7	109	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2521065 2521066

Parameter	Units	40258640010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	0.24J	2.5	2.5	2.6	2.7	95	97	90-110	2	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2521067 2521068

Parameter	Units	40258640020 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.6	2.6	104	104	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40258640

QC Batch: 438850 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40258640021

METHOD BLANK: 2521071 Matrix: Water
Associated Lab Samples: 40258640021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	03/01/23 10:36	

LABORATORY CONTROL SAMPLE: 2521072

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2521073 2521074

Parameter	Units	40258610007		2521073		2521074		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MS Spike Conc.	MS Result	MS Spike Conc.	MS Result	MS Spike Conc.					
Nitrogen, NO2 plus NO3	mg/L	1.8	2.5	2.5	2.5	4.2	4.1	97	95	90-110	1	20

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2521075 2521076

Parameter	Units	40258611003		2521075		2521076		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MS Spike Conc.	MS Result	MS Spike Conc.	MS Result	MS Spike Conc.					
Nitrogen, NO2 plus NO3	mg/L	0.77	2.5	2.5	2.5	3.3	3.2	99	96	90-110	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1q Sample was received with headspace.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

RS The RPD value in one of the constituent analytes was outside the control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40258640001	MW-10	EPA 8015B Modified	438732		
40258640002	MW-3	EPA 8015B Modified	438732		
40258640003	MW-8	EPA 8015B Modified	438732		
40258640004	MW-11	EPA 8015B Modified	438732		
40258640005	MW-6	EPA 8015B Modified	438732		
40258640006	MW-7	EPA 8015B Modified	438732		
40258640007	MW-12	EPA 8015B Modified	438732		
40258640008	MW-14	EPA 8015B Modified	438732		
40258640009	MW-1	EPA 8015B Modified	438732		
40258640010	MW-5	EPA 8015B Modified	438732		
40258640011	PZ-3	EPA 8015B Modified	438732		
40258640012	PZMW-1A	EPA 8015B Modified	438732		
40258640013	PZMW-1B	EPA 8015B Modified	438732		
40258640014	PZMW-1C	EPA 8015B Modified	438732		
40258640015	PZ-2	EPA 8015B Modified	438732		
40258640016	MW-4	EPA 8015B Modified	439077		
40258640017	PZ-4A	EPA 8015B Modified	439077		
40258640018	PZ-4B	EPA 8015B Modified	439077		
40258640019	PZ-5A	EPA 8015B Modified	439077		
40258640020	PZ-5B	EPA 8015B Modified	439077		
40258640021	PZ-7A	EPA 8015B Modified	439077		
40258640001	MW-10	EPA 8260	438669		
40258640002	MW-3	EPA 8260	438669		
40258640003	MW-8	EPA 8260	438669		
40258640004	MW-11	EPA 8260	438669		
40258640005	MW-6	EPA 8260	438669		
40258640006	MW-7	EPA 8260	438669		
40258640007	MW-12	EPA 8260	438669		
40258640008	MW-14	EPA 8260	438669		
40258640009	MW-1	EPA 8260	438669		
40258640010	MW-5	EPA 8260	438669		
40258640011	PZ-3	EPA 8260	438669		
40258640012	PZMW-1A	EPA 8260	438669		
40258640013	PZMW-1B	EPA 8260	438669		
40258640014	PZMW-1C	EPA 8260	438669		
40258640015	PZ-2	EPA 8260	438669		
40258640016	MW-4	EPA 8260	438669		
40258640017	PZ-4A	EPA 8260	438669		
40258640018	PZ-4B	EPA 8260	438669		
40258640019	PZ-5A	EPA 8260	438669		
40258640020	PZ-5B	EPA 8260	438669		
40258640021	PZ-7A	EPA 8260	438670		
40258640022	TRIP BLANK	EPA 8260	438670		
40258640001	MW-10	SM 4500-S F (2000)	438659		
40258640002	MW-3	SM 4500-S F (2000)	438659		
40258640003	MW-8	SM 4500-S F (2000)	438659		
40258640004	MW-11	SM 4500-S F (2000)	438659		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40258640005	MW-6	SM 4500-S F (2000)	438659		
40258640006	MW-7	SM 4500-S F (2000)	438659		
40258640007	MW-12	SM 4500-S F (2000)	438659		
40258640008	MW-14	SM 4500-S F (2000)	438659		
40258640009	MW-1	SM 4500-S F (2000)	438659		
40258640010	MW-5	SM 4500-S F (2000)	438659		
40258640011	PZ-3	SM 4500-S F (2000)	438690		
40258640012	PZMW-1A	SM 4500-S F (2000)	438690		
40258640013	PZMW-1B	SM 4500-S F (2000)	438690		
40258640014	PZMW-1C	SM 4500-S F (2000)	438690		
40258640015	PZ-2	SM 4500-S F (2000)	438690		
40258640016	MW-4	SM 4500-S F (2000)	438690		
40258640017	PZ-4A	SM 4500-S F (2000)	438690		
40258640018	PZ-4B	SM 4500-S F (2000)	438690		
40258640019	PZ-5A	SM 4500-S F (2000)	438690		
40258640020	PZ-5B	SM 4500-S F (2000)	438690		
40258640021	PZ-7A	SM 4500-S F (2000)	438690		
40258640001	MW-10	EPA 300.0	438639		
40258640002	MW-3	EPA 300.0	438639		
40258640003	MW-8	EPA 300.0	439097		
40258640004	MW-11	EPA 300.0	438639		
40258640005	MW-6	EPA 300.0	438639		
40258640006	MW-7	EPA 300.0	438639		
40258640007	MW-12	EPA 300.0	438639		
40258640008	MW-14	EPA 300.0	438639		
40258640009	MW-1	EPA 300.0	438639		
40258640010	MW-5	EPA 300.0	438773		
40258640011	PZ-3	EPA 300.0	438773		
40258640012	PZMW-1A	EPA 300.0	438773		
40258640013	PZMW-1B	EPA 300.0	438773		
40258640014	PZMW-1C	EPA 300.0	438773		
40258640015	PZ-2	EPA 300.0	438773		
40258640016	MW-4	EPA 300.0	438773		
40258640017	PZ-4A	EPA 300.0	438773		
40258640018	PZ-4B	EPA 300.0	438773		
40258640019	PZ-5A	EPA 300.0	438773		
40258640020	PZ-5B	EPA 300.0	439097		
40258640021	PZ-7A	EPA 300.0	439097		
40258640001	MW-10	EPA 353.2	438848		
40258640002	MW-3	EPA 353.2	438848		
40258640003	MW-8	EPA 353.2	438848		
40258640004	MW-11	EPA 353.2	438848		
40258640005	MW-6	EPA 353.2	438848		
40258640006	MW-7	EPA 353.2	438848		
40258640007	MW-12	EPA 353.2	438848		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40258640

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40258640008	MW-14	EPA 353.2	438848		
40258640009	MW-1	EPA 353.2	438848		
40258640010	MW-5	EPA 353.2	438848		
40258640011	PZ-3	EPA 353.2	438848		
40258640012	PZMW-1A	EPA 353.2	438848		
40258640013	PZMW-1B	EPA 353.2	438848		
40258640014	PZMW-1C	EPA 353.2	438848		
40258640015	PZ-2	EPA 353.2	438848		
40258640016	MW-4	EPA 353.2	438848		
40258640017	PZ-4A	EPA 353.2	438848		
40258640018	PZ-4B	EPA 353.2	438848		
40258640019	PZ-5A	EPA 353.2	438848		
40258640020	PZ-5B	EPA 353.2	438848		
40258640021	PZ-7A	EPA 353.2	438850		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: AECOM
 Branch/Location: Oshkosh
 Project Contact: Chris Lutzen
 Phone: 262-278-9823
 Project Number: 60428891
 Project Name: FV Steel & Wire
 Project State: WI
 Sampled By (Print): *Jacob Senfuta*
 Sampled By (Sign): *Jacob Senfuta*
 PO #: N/A



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page 1 of 2
 40258 640

COC No.

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N						
Pick Letter	B	J	A	C	B						
Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene						

Quote #: N/A
 Mail To Contact: Gary Braun
 Mail To Company: AECOM
 Mail To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Contact: Gary Braun
 Invoice To Company: AECOM
 Invoice To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Phone: -

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A= Air W= Water
 B= Biota DW= Drinking Water
 C= Charcoal GW= Ground Water
 O= Oil SW= Surface Water
 S= Soil WW= Waste Water
 Sl= Sludge WP= Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
	MW-10	2-20-23	1415	GW
	MW-3		1435	
	MW-8		1445	
	MW-11		1545	
	MW-6	2/24/23	0940	
	MW-7		950	
	MW-12		1010	
	MW-14		1020	
	MW-1		1040	
	MW-5		1100	
	PZ-3		1240	
	PZMW-1A		1300	
	PZMW-1B		1330	

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
High turbidity	001	7001
High turbidity	002	
High turbidity	003	
High turbidity	004	
High turbidity	005	
High turbidity	006	
	007	
High turbidity	008	
	009	
High turbidity	010	
	011	
	012	
	013	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed	Relinquished By: <i>Hugh E. ...</i> Date/Time: 0800	Received By: <i>M. ...</i> Date/Time: 2/24/23 1020	PACE Project No Receipt Temp = 3.0 °C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / Not Present Intact / Not Intact
Transmit Prelim Rush Results by (complete what you want)	Relinquished By: <i>M. ...</i> Date/Time: 2/24/23 1300	Received By: <i>Juan He pace</i> Date/Time: 2/24/23 1300	
Email #1:	Relinquished By:	Received By:	
Email #2:	Relinquished By:	Received By:	
Telephone:	Relinquished By:	Received By:	
Fax:	Relinquished By:	Received By:	
Samples on HOLD are subject to special pricing and release of liability	Relinquished By:	Received By:	

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: AECOM - Oshkosh

WO# : 40258640

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 125 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 3.0 / Corr: 3.0

Temp Blank Present: Yes No Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 7/24/23 Initials: YN
 Labeled By Initials: SE

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: Pace <u>Green</u> Bay, Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>494</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log

March 24, 2023

Gary Braun
AECOM
1555 N. RiverCenter Drive
Suite 214
Milwaukee, WI 53212

RE: Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Dear Gary Braun:

Enclosed are the analytical results for sample(s) received by the laboratory on March 15, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40259414001	PZ-6	Water	03/14/23 11:00	03/15/23 14:05
40259414002	PZ-7B	Water	03/14/23 12:30	03/15/23 14:05
40259414003	TRIP BLANK	Water	03/14/23 07:00	03/15/23 14:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40259414001	PZ-6	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40259414002	PZ-7B	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	EIB	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
40259414003	TRIP BLANK	EPA 8260	EIB	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40259414001	PZ-6					
EPA 8015B Modified	Methane	5.8	ug/L	2.8	03/20/23 08:47	
EPA 300.0	Chloride	233	mg/L	20.0	03/23/23 16:30	
40259414002	PZ-7B					
EPA 8015B Modified	Ethane	0.48J	ug/L	5.6	03/20/23 08:54	
EPA 8015B Modified	Ethane	0.43J	ug/L	5.0	03/20/23 08:54	
EPA 8260	1,1-Dichloroethane	0.34J	ug/L	1.0	03/16/23 17:38	
EPA 8260	Trichloroethene	1.5	ug/L	1.0	03/16/23 17:38	
EPA 300.0	Chloride	68.5	mg/L	10.0	03/23/23 16:44	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Sample: PZ-6 **Lab ID: 40259414001** Collected: 03/14/23 11:00 Received: 03/15/23 14:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		03/20/23 08:47	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		03/20/23 08:47	74-85-1	
Methane	5.8	ug/L	2.8	0.58	1		03/20/23 08:47	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/16/23 17:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/16/23 17:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		03/16/23 17:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		03/16/23 17:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/16/23 17:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/16/23 17:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/16/23 17:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/16/23 17:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/16/23 17:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/16/23 17:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/16/23 17:18	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		03/16/23 17:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/16/23 17:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/16/23 17:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/16/23 17:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		03/16/23 17:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/16/23 17:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/16/23 17:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/16/23 17:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/16/23 17:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/16/23 17:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/16/23 17:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/16/23 17:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		03/16/23 17:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/16/23 17:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/16/23 17:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/16/23 17:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/16/23 17:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/16/23 17:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/16/23 17:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		03/16/23 17:18	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/16/23 17:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		03/16/23 17:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/16/23 17:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/16/23 17:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/16/23 17:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/16/23 17:18	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Sample: PZ-6 **Lab ID: 40259414001** Collected: 03/14/23 11:00 Received: 03/15/23 14:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/16/23 17:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/16/23 17:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/16/23 17:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		03/16/23 17:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/16/23 17:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/16/23 17:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		03/16/23 17:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/16/23 17:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/16/23 17:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/16/23 17:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/16/23 17:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/16/23 17:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		03/16/23 17:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		03/16/23 17:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/16/23 17:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		03/16/23 17:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/16/23 17:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/16/23 17:18	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		03/16/23 17:18	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/16/23 17:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/16/23 17:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		03/16/23 17:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		03/16/23 17:18	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		03/16/23 17:18	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		03/17/23 15:27		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	233	mg/L	20.0	4.3	10		03/23/23 16:30	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/20/23 13:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

Sample: PZ-7B **Lab ID: 40259414002** Collected: 03/14/23 12:30 Received: 03/15/23 14:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	0.48J	ug/L	5.6	0.39	1		03/20/23 08:54	74-84-0	
Ethene	0.43J	ug/L	5.0	0.25	1		03/20/23 08:54	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		03/20/23 08:54	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/16/23 17:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:38	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/16/23 17:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		03/16/23 17:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		03/16/23 17:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/16/23 17:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/16/23 17:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/16/23 17:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/16/23 17:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/16/23 17:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/16/23 17:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/16/23 17:38	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		03/16/23 17:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/16/23 17:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/16/23 17:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/16/23 17:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		03/16/23 17:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/16/23 17:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/16/23 17:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/16/23 17:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/16/23 17:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/16/23 17:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/16/23 17:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/16/23 17:38	75-71-8	
1,1-Dichloroethane	0.34J	ug/L	1.0	0.30	1		03/16/23 17:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/16/23 17:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/16/23 17:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/16/23 17:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/16/23 17:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/16/23 17:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/16/23 17:38	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		03/16/23 17:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/16/23 17:38	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:38	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		03/16/23 17:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/16/23 17:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/16/23 17:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/16/23 17:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/16/23 17:38	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Sample: PZ-7B **Lab ID: 40259414002** Collected: 03/14/23 12:30 Received: 03/15/23 14:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/16/23 17:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/16/23 17:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/16/23 17:38	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		03/16/23 17:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/16/23 17:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:38	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/16/23 17:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		03/16/23 17:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/16/23 17:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/16/23 17:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/16/23 17:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/16/23 17:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/16/23 17:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		03/16/23 17:38	79-00-5	
Trichloroethene	1.5	ug/L	1.0	0.32	1		03/16/23 17:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/16/23 17:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		03/16/23 17:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/16/23 17:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/16/23 17:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/16/23 17:38	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		03/16/23 17:38	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/16/23 17:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/16/23 17:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		03/16/23 17:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		03/16/23 17:38	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		03/16/23 17:38	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		03/17/23 15:29		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	68.5	mg/L	10.0	2.2	5		03/23/23 16:44	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/20/23 13:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

Sample: TRIP BLANK **Lab ID: 40259414003** Collected: 03/14/23 07:00 Received: 03/15/23 14:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/16/23 15:14	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/16/23 15:14	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/16/23 15:14	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		03/16/23 15:14	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		03/16/23 15:14	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/16/23 15:14	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/16/23 15:14	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/16/23 15:14	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/16/23 15:14	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/16/23 15:14	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/16/23 15:14	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/16/23 15:14	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		03/16/23 15:14	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/16/23 15:14	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/16/23 15:14	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/16/23 15:14	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		03/16/23 15:14	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/16/23 15:14	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/16/23 15:14	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/16/23 15:14	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/16/23 15:14	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/16/23 15:14	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/16/23 15:14	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/16/23 15:14	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		03/16/23 15:14	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/16/23 15:14	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/16/23 15:14	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/16/23 15:14	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/16/23 15:14	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/16/23 15:14	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/16/23 15:14	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		03/16/23 15:14	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/16/23 15:14	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		03/16/23 15:14	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		03/16/23 15:14	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/16/23 15:14	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/16/23 15:14	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/16/23 15:14	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/16/23 15:14	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/16/23 15:14	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/16/23 15:14	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/16/23 15:14	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		03/16/23 15:14	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/16/23 15:14	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/16/23 15:14	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Sample: TRIP BLANK **Lab ID: 40259414003** Collected: 03/14/23 07:00 Received: 03/15/23 14:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/16/23 15:14	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		03/16/23 15:14	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/16/23 15:14	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/16/23 15:14	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/16/23 15:14	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/16/23 15:14	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/16/23 15:14	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		03/16/23 15:14	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		03/16/23 15:14	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/16/23 15:14	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		03/16/23 15:14	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/16/23 15:14	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/16/23 15:14	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/16/23 15:14	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		03/16/23 15:14	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/16/23 15:14	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/16/23 15:14	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86	%	70-130		1		03/16/23 15:14	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		03/16/23 15:14	2199-69-1	
Toluene-d8 (S)	90	%	70-130		1		03/16/23 15:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

QC Batch: 440242 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 8015B Modified Analysis Description: Methane, Ethane, Ethene GCV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40259414001, 40259414002

METHOD BLANK: 2528839 Matrix: Water
Associated Lab Samples: 40259414001, 40259414002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	03/20/23 08:15	
Ethene	ug/L	<0.25	5.0	03/20/23 08:15	
Methane	ug/L	<0.58	2.8	03/20/23 08:15	

LABORATORY CONTROL SAMPLE & LCSD: 2528840

Parameter	Units	2528841								Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD			
Ethane	ug/L	53.6	46.2	50.9	86	95	74-120	10	20		
Ethene	ug/L	50	42.3	47.4	85	95	71-122	11	20		
Methane	ug/L	28.6	24.4	27.2	85	95	73-120	11	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2528946 2528947

Parameter	Units	2528946										Max RPD	Qual
		40259414001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD			
Ethane	ug/L	<0.39	53.6	53.6	48.7	51.5	91	96	70-120	6	20		
Ethene	ug/L	<0.25	50	50	45.2	47.5	90	95	68-122	5	20		
Methane	ug/L	5.8	28.6	28.6	29.5	32.4	83	93	10-200	9	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

QC Batch: 440035

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40259414001, 40259414002, 40259414003

METHOD BLANK: 2527626

Matrix: Water

Associated Lab Samples: 40259414001, 40259414002, 40259414003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	03/16/23 12:08	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	03/16/23 12:08	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	03/16/23 12:08	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	03/16/23 12:08	
1,1-Dichloroethane	ug/L	<0.30	1.0	03/16/23 12:08	
1,1-Dichloroethene	ug/L	<0.58	1.0	03/16/23 12:08	
1,1-Dichloropropene	ug/L	<0.41	1.0	03/16/23 12:08	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	03/16/23 12:08	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	03/16/23 12:08	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	03/16/23 12:08	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	03/16/23 12:08	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	03/16/23 12:08	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	03/16/23 12:08	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	03/16/23 12:08	
1,2-Dichloroethane	ug/L	<0.29	1.0	03/16/23 12:08	
1,2-Dichloropropane	ug/L	<0.45	1.0	03/16/23 12:08	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	03/16/23 12:08	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	03/16/23 12:08	
1,3-Dichloropropane	ug/L	<0.30	1.0	03/16/23 12:08	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	03/16/23 12:08	
2,2-Dichloropropane	ug/L	<4.2	5.0	03/16/23 12:08	
2-Chlorotoluene	ug/L	<0.89	5.0	03/16/23 12:08	
4-Chlorotoluene	ug/L	<0.89	5.0	03/16/23 12:08	
Benzene	ug/L	<0.30	1.0	03/16/23 12:08	
Bromobenzene	ug/L	<0.36	1.0	03/16/23 12:08	
Bromochloromethane	ug/L	<0.36	5.0	03/16/23 12:08	
Bromodichloromethane	ug/L	<0.42	1.0	03/16/23 12:08	
Bromoform	ug/L	<3.8	5.0	03/16/23 12:08	
Bromomethane	ug/L	<1.2	5.0	03/16/23 12:08	
Carbon tetrachloride	ug/L	<0.37	1.0	03/16/23 12:08	
Chlorobenzene	ug/L	<0.86	1.0	03/16/23 12:08	
Chloroethane	ug/L	<1.4	5.0	03/16/23 12:08	
Chloroform	ug/L	<1.2	5.0	03/16/23 12:08	
Chloromethane	ug/L	<1.6	5.0	03/16/23 12:08	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	03/16/23 12:08	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	03/16/23 12:08	
Dibromochloromethane	ug/L	<2.6	5.0	03/16/23 12:08	
Dibromomethane	ug/L	<0.99	5.0	03/16/23 12:08	
Dichlorodifluoromethane	ug/L	<0.46	5.0	03/16/23 12:08	
Diisopropyl ether	ug/L	<1.1	5.0	03/16/23 12:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

METHOD BLANK: 2527626 Matrix: Water
Associated Lab Samples: 40259414001, 40259414002, 40259414003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	03/16/23 12:08	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	03/16/23 12:08	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	03/16/23 12:08	
m&p-Xylene	ug/L	<0.70	2.0	03/16/23 12:08	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	03/16/23 12:08	
Methylene Chloride	ug/L	<0.32	5.0	03/16/23 12:08	
n-Butylbenzene	ug/L	<0.86	1.0	03/16/23 12:08	
n-Propylbenzene	ug/L	<0.35	1.0	03/16/23 12:08	
Naphthalene	ug/L	<1.1	5.0	03/16/23 12:08	
o-Xylene	ug/L	<0.35	1.0	03/16/23 12:08	
p-Isopropyltoluene	ug/L	<1.0	5.0	03/16/23 12:08	
sec-Butylbenzene	ug/L	<0.42	1.0	03/16/23 12:08	
Styrene	ug/L	<0.36	1.0	03/16/23 12:08	
tert-Butylbenzene	ug/L	<0.59	1.0	03/16/23 12:08	
Tetrachloroethene	ug/L	<0.41	1.0	03/16/23 12:08	
Toluene	ug/L	<0.29	1.0	03/16/23 12:08	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	03/16/23 12:08	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	03/16/23 12:08	
Trichloroethene	ug/L	<0.32	1.0	03/16/23 12:08	
Trichlorofluoromethane	ug/L	<0.42	1.0	03/16/23 12:08	
Vinyl chloride	ug/L	<0.17	1.0	03/16/23 12:08	
Xylene (Total)	ug/L	<1.0	3.0	03/16/23 12:08	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	03/16/23 12:08	
4-Bromofluorobenzene (S)	%	86	70-130	03/16/23 12:08	
Toluene-d8 (S)	%	94	70-130	03/16/23 12:08	

LABORATORY CONTROL SAMPLE: 2527627

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	60.7	121	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	42.2	84	69-130	
1,1,2-Trichloroethane	ug/L	50	45.6	91	70-130	
1,1-Dichloroethane	ug/L	50	45.9	92	70-130	
1,1-Dichloroethene	ug/L	50	62.4	125	74-131	
1,2,4-Trichlorobenzene	ug/L	50	51.4	103	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	42.4	85	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	50.2	100	70-130	
1,2-Dichlorobenzene	ug/L	50	52.8	106	70-130	
1,2-Dichloroethane	ug/L	50	47.5	95	70-137	
1,2-Dichloropropane	ug/L	50	45.6	91	80-121	
1,3-Dichlorobenzene	ug/L	50	53.3	107	70-130	
1,4-Dichlorobenzene	ug/L	50	48.3	97	70-130	
Benzene	ug/L	50	49.9	100	70-130	
Bromodichloromethane	ug/L	50	52.4	105	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

LABORATORY CONTROL SAMPLE: 2527627

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	59.3	119	70-130	
Bromomethane	ug/L	50	44.8	90	21-147	
Carbon tetrachloride	ug/L	50	68.8	138	80-146	
Chlorobenzene	ug/L	50	54.3	109	70-130	
Chloroethane	ug/L	50	52.6	105	52-165	
Chloroform	ug/L	50	53.0	106	80-123	
Chloromethane	ug/L	50	42.2	84	51-122	
cis-1,2-Dichloroethene	ug/L	50	52.4	105	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.8	98	70-130	
Dibromochloromethane	ug/L	50	53.3	107	70-130	
Dichlorodifluoromethane	ug/L	50	42.1	84	25-121	
Ethylbenzene	ug/L	50	52.2	104	80-120	
Isopropylbenzene (Cumene)	ug/L	50	54.7	109	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	46.5	93	70-130	
Methylene Chloride	ug/L	50	54.2	108	70-130	
o-Xylene	ug/L	50	52.1	104	70-130	
Styrene	ug/L	50	63.6	127	70-130	
Tetrachloroethene	ug/L	50	60.5	121	70-130	
Toluene	ug/L	50	51.2	102	80-120	
trans-1,2-Dichloroethene	ug/L	50	56.7	113	70-130	
trans-1,3-Dichloropropene	ug/L	50	44.0	88	70-130	
Trichloroethene	ug/L	50	53.7	107	70-130	
Trichlorofluoromethane	ug/L	50	64.9	130	65-160	
Vinyl chloride	ug/L	50	49.6	99	63-134	
Xylene (Total)	ug/L	150	160	107	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			89	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2527778 2527779

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40259399001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	60.4	59.9	121	120	70-134	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	41.1	42.4	82	85	61-135	3	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	44.0	44.7	88	89	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	46.1	45.5	92	91	70-130	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	62.5	62.7	125	125	71-130	0	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	51.4	53.0	103	106	68-131	3	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	41.6	42.5	83	85	51-141	2	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	49.1	49.6	98	99	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	52.5	52.6	105	105	70-130	0	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	47.8	47.1	96	94	70-137	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2527778		2527779		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40259399001 Result	MS Spike Conc.	MSD Spike Conc.									
1,2-Dichloropropane	ug/L	<0.45	50	50	45.7	45.1	91	90	80-121	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	53.2	53.1	106	106	70-130	0	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.1	48.7	96	97	70-130	1	20		
Benzene	ug/L	<0.30	50	50	49.8	50.2	100	100	70-130	1	20		
Bromodichloromethane	ug/L	<0.42	50	50	52.1	52.2	104	104	70-130	0	20		
Bromoform	ug/L	<3.8	50	50	58.9	58.8	118	118	70-133	0	20		
Bromomethane	ug/L	<1.2	50	50	50.6	53.4	101	107	21-149	5	22		
Carbon tetrachloride	ug/L	<0.37	50	50	69.8	68.1	140	136	80-146	2	20		
Chlorobenzene	ug/L	<0.86	50	50	53.7	53.8	107	108	70-130	0	20		
Chloroethane	ug/L	<1.4	50	50	53.3	50.9	107	102	52-165	5	20		
Chloroform	ug/L	<1.2	50	50	53.4	53.0	107	106	80-123	1	20		
Chloromethane	ug/L	<1.6	50	50	41.2	40.1	82	80	42-125	3	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	53.0	52.8	106	106	70-130	0	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	48.7	48.6	97	97	70-130	0	20		
Dibromochloromethane	ug/L	<2.6	50	50	52.7	52.5	105	105	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	38.7	37.1	77	74	25-121	4	20		
Ethylbenzene	ug/L	<0.33	50	50	51.6	50.8	103	102	80-121	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	54.5	54.0	109	108	70-130	1	20		
m&p-Xylene	ug/L	<0.70	100	100	106	105	106	105	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	46.4	46.1	93	92	70-130	1	20		
Methylene Chloride	ug/L	<0.32	50	50	54.9	54.6	110	109	70-130	0	20		
o-Xylene	ug/L	<0.35	50	50	52.0	51.1	104	102	70-130	2	20		
Styrene	ug/L	<0.36	50	50	62.5	61.7	125	123	70-132	1	20		
Tetrachloroethene	ug/L	<0.41	50	50	59.8	60.2	120	120	70-130	1	20		
Toluene	ug/L	<0.29	50	50	50.8	50.3	102	101	80-120	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	57.2	56.5	114	113	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	43.4	44.5	87	89	70-130	3	20		
Trichloroethene	ug/L	23.1	50	50	78.8	78.4	112	111	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	64.0	63.5	128	127	65-160	1	20		
Vinyl chloride	ug/L	<0.17	50	50	49.8	48.2	100	96	60-137	3	20		
Xylene (Total)	ug/L	<1.0	150	150	158	156	105	104	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						100	100	70-130				
4-Bromofluorobenzene (S)	%						90	90	70-130				
Toluene-d8 (S)	%						95	96	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

QC Batch: 440197	Analysis Method: SM 4500-S F (2000)
QC Batch Method: SM 4500-S F (2000)	Analysis Description: 4500S2F Sulfide, Iodometric
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40259414001, 40259414002

METHOD BLANK: 2528397 Matrix: Water

Associated Lab Samples: 40259414001, 40259414002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	03/17/23 14:46	

LABORATORY CONTROL SAMPLE: 2528398

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	43.2	38.0	88	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2528399 2528400

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		10645775001	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Sulfide	mg/L	ND	43.2	43.2	38.0	34.8	87	80	80-120	9	10		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

QC Batch: 440331

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40259414001, 40259414002

METHOD BLANK: 2529121

Matrix: Water

Associated Lab Samples: 40259414001, 40259414002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	03/21/23 20:22	

LABORATORY CONTROL SAMPLE: 2529122

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.0	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2529123 2529124

Parameter	Units	2529123		2529124		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40258766001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Chloride	mg/L	340	400	400	751	750	103	102	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

QC Batch: 440254 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40259414001, 40259414002

METHOD BLANK: 2528889 Matrix: Water
Associated Lab Samples: 40259414001, 40259414002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	03/20/23 12:59	

LABORATORY CONTROL SAMPLE: 2528890

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2528891 2528892

Parameter	Units	2528891		2528892		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrogen, NO2 plus NO3	mg/L	0.54	2.5	2.5	3.0	3.0	100	99	90-110	0	20

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2528893 2528894

Parameter	Units	2528893		2528894		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrogen, NO2 plus NO3	mg/L	5.9	2.5	2.5	8.3	8.3	97	97	90-110	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40259414

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1q Sample was received with headspace.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40259414

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40259414001	PZ-6	EPA 8015B Modified	440242		
40259414002	PZ-7B	EPA 8015B Modified	440242		
40259414001	PZ-6	EPA 8260	440035		
40259414002	PZ-7B	EPA 8260	440035		
40259414003	TRIP BLANK	EPA 8260	440035		
40259414001	PZ-6	SM 4500-S F (2000)	440197		
40259414002	PZ-7B	SM 4500-S F (2000)	440197		
40259414001	PZ-6	EPA 300.0	440331		
40259414002	PZ-7B	EPA 300.0	440331		
40259414001	PZ-6	EPA 353.2	440254		
40259414002	PZ-7B	EPA 353.2	440254		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name:	AECOM
Branch/Location:	Oshkosh
Project Contact:	Chris Lutzen
Phone:	262-278-9823
Project Number:	60428891
Project Name:	FV Steel & Wire
Project State:	WI
Sampled By (Print):	Jacob Jenkins
Sampled By (Sign):	<i>Jacob Jenkins</i>
PO #:	N/A
Regulatory Program:	WDNR



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page of

COC No. 40259414

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N					
	B	J	A	C	B					
Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene					

Quote #:	N/A	
Mail To Contact:	Gary Braun	
Mail To Company:	AECOM	
Mail To Address:	1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212	
Invoice To Contact:	Gary Braun	
Invoice To Company:	AECOM	
Invoice To Address:	1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212	
Invoice To Phone:	-	
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
		7001

Data Package Options (billable)	MS/MSD	Matrix Codes
<input type="checkbox"/> EPA Level III	<input type="checkbox"/> On your sample (billable)	A = Air W = Water
<input type="checkbox"/> EPA Level IV	<input type="checkbox"/> NOT needed on your sample	B = Biota DW = Drinking Water
		C = Charcoal GW = Ground Water
		O = Oil SW = Surface Water
		S = Soil WW = Waste Water
		Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	P2-6	3-14-23	1100	GW
002	P2-7B	3-14-23	1230	GW
003	Tripl Blank	3-14-23	0700	W

J. Jenkins
3-14-23

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed	Relinquished By: <i>Jacob Jenkins</i> Date/Time: 1440 3-14-23	Received By: <i>[Signature]</i> Date/Time: 3/15/23 1120
Transmit Prelim Rush Results by (complete what you want)	Relinquished By: <i>[Signature]</i> Date/Time: 3/15/23 1405	Received By: <i>[Signature]</i> Date/Time: 3/16/23 1405
Email #1:	Relinquished By:	Received By:
Email #2:	Relinquished By:	Received By:
Telephone:	Relinquished By:	Received By:
Fax:	Relinquished By:	Received By:
Samples on HOLD are subject to special pricing and release of liability	Relinquished By:	Received By:

PACE Project No.
Receipt Temp = 1.5 °C
Sample Receipt pH
<input checked="" type="radio"/> OK <input type="radio"/> Adjusted
Cooler Custody Seal
Present / <input checked="" type="radio"/> Not Present
Intact / <input checked="" type="radio"/> Not Intact

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: AECOM

WO#: 40259414



Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr 0.5 / Corr 1.5

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 3/15/23 Initials: SG
 Labeled By Initials: YAJ

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W3</u>		
Trip Blank Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<u>3/15/23</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>1/2 Trip Blanks unsealed</u>
Pace Trip Blank Lot # (if purchased):		<u>3/15/2386</u>

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

poly bottles arrived separately 3/16/2386

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

June 13, 2023

Gary Braun
AECOM
1555 N. RiverCenter Drive
Suite 214
Milwaukee, WI 53212

RE: Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Dear Gary Braun:

Enclosed are the analytical results for sample(s) received by the laboratory on June 01, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40262961001	PZ-7B	Water	06/01/23 11:40	06/01/23 14:22
40262961002	PZ-7A	Water	06/01/23 09:50	06/01/23 14:22
40262961003	MW-12	Water	05/30/23 14:50	06/01/23 14:22
40262961004	MW-14	Water	05/30/23 14:20	06/01/23 14:22
40262961005	PZ-MW-1C	Water	05/30/23 15:00	06/01/23 14:22
40262961006	PZ-MW-1B	Water	05/30/23 15:20	06/01/23 14:22
40262961007	MW-10	Water	06/01/23 11:45	06/01/23 14:22
40262961008	PZ-6	Water	06/01/23 10:30	06/01/23 14:22
40262961009	PZ-5B	Water	05/31/23 15:30	06/01/23 14:22
40262961010	PZ-5A	Water	05/31/23 13:20	06/01/23 14:22
40262961011	PZ-3	Water	05/31/23 11:25	06/01/23 14:22
40262961012	MW-11	Water	05/31/23 11:40	06/01/23 14:22
40262961013	MW-8	Water	05/31/23 10:20	06/01/23 14:22
40262961014	PZ-4A	Water	05/31/23 14:21	06/01/23 14:22
40262961015	PZ-4B	Water	05/31/23 13:10	06/01/23 14:22
40262961016	PZ-MW-1A	Water	05/31/23 11:45	06/01/23 14:22
40262961017	MW-4	Water	05/31/23 11:00	06/01/23 14:22
40262961018	MW-3	Water	05/31/23 10:20	06/01/23 14:22
40262961019	MW-5	Water	05/30/23 15:40	06/01/23 14:22
40262961020	MW-1	Water	05/30/23 13:45	06/01/23 14:22
40262961021	PZ-2	Water	05/30/23 13:15	06/01/23 14:22
40262961022	MW-7	Water	05/30/23 12:00	06/01/23 14:22
40262961023	MW-6	Water	05/30/23 11:35	06/01/23 14:22
40262961024	TB	Water	06/01/23 13:30	06/01/23 14:22

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40262961001	PZ-7B	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961002	PZ-7A	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961003	MW-12	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961004	MW-14	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961005	PZ-MW-1C	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961006	PZ-MW-1B	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961007	MW-10	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961008	PZ-6	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40262961009	PZ-5B	SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
40262961010	PZ-5A	EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
40262961011	PZ-3	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961012	MW-11	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	TMK	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
40262961013	MW-8	EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
40262961014	PZ-4A	SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
40262961015	PZ-4B	EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40262961016	PZ-MW-1A	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40262961017	MW-4	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40262961018	MW-3	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40262961019	MW-5	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40262961020	MW-1	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40262961021	PZ-2	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40262961022	MW-7	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40262961023	MW-6	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	SRK	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40262961024	TB	EPA 8260	SMT	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40262961001	PZ-7B					
EPA 8260	1,1-Dichloroethane	0.35J	ug/L	1.0	06/06/23 10:28	
EPA 8260	Trichloroethene	1.7	ug/L	1.0	06/06/23 10:28	
EPA 300.0	Chloride	70.7	mg/L	10.0	06/12/23 06:05	
EPA 353.2	Nitrogen, NO2 plus NO3	0.54	mg/L	0.25	06/06/23 10:56	
40262961002	PZ-7A					
EPA 300.0	Chloride	141	mg/L	10.0	06/12/23 06:20	
40262961003	MW-12					
EPA 300.0	Chloride	11.3	mg/L	2.0	06/12/23 06:35	
40262961004	MW-14					
EPA 8260	cis-1,2-Dichloroethene	1.3	ug/L	1.0	06/05/23 11:43	
EPA 8260	Trichloroethene	1.9	ug/L	1.0	06/05/23 11:43	
EPA 300.0	Chloride	2.0	mg/L	2.0	06/12/23 06:49	
40262961005	PZ-MW-1C					
EPA 8015B Modified	Ethene	0.83J	ug/L	5.0	06/08/23 10:31	
EPA 8015B Modified	Methane	3.4	ug/L	2.8	06/08/23 10:31	
EPA 8260	1,1-Dichloroethane	3040	ug/L	25.0	06/05/23 15:59	
EPA 8260	1,2-Dichloroethane	7.6J	ug/L	25.0	06/05/23 15:59	
EPA 8260	1,1-Dichloroethene	47.7	ug/L	25.0	06/05/23 15:59	
EPA 8260	cis-1,2-Dichloroethene	17.5J	ug/L	25.0	06/05/23 15:59	
EPA 8260	Trichloroethene	35.1	ug/L	25.0	06/05/23 15:59	
EPA 300.0	Chloride	89.1	mg/L	40.0	06/12/23 07:04	
40262961006	PZ-MW-1B					
EPA 8015B Modified	Ethene	0.28J	ug/L	5.0	06/08/23 10:38	
EPA 8015B Modified	Methane	1.7J	ug/L	2.8	06/08/23 10:38	
EPA 8260	1,1-Dichloroethane	519	ug/L	5.0	06/05/23 16:33	
EPA 8260	1,1-Dichloroethene	9.3	ug/L	5.0	06/05/23 16:33	
EPA 8260	cis-1,2-Dichloroethene	40.6	ug/L	5.0	06/05/23 16:33	
EPA 8260	Trichloroethene	25.1	ug/L	5.0	06/05/23 16:33	
EPA 8260	Vinyl chloride	1.3J	ug/L	5.0	06/05/23 16:33	
EPA 300.0	Chloride	64.9	mg/L	10.0	06/12/23 07:19	
40262961007	MW-10					
EPA 8260	1,1,1-Trichloroethane	0.49J	ug/L	1.0	06/05/23 12:00	
EPA 8260	Trichloroethene	0.93J	ug/L	1.0	06/05/23 12:00	
EPA 300.0	Chloride	145	mg/L	40.0	06/12/23 07:34	
EPA 353.2	Nitrogen, NO2 plus NO3	1.8	mg/L	0.25	06/06/23 11:00	
40262961008	PZ-6					
EPA 8015B Modified	Methane	3.4	ug/L	2.8	06/08/23 10:52	
EPA 300.0	Chloride	273	mg/L	20.0	06/12/23 07:49	
40262961009	PZ-5B					
EPA 8015B Modified	Methane	53.1	ug/L	2.8	06/08/23 10:59	
EPA 8260	1,1-Dichloroethane	17.1	ug/L	1.0	06/05/23 12:17	
EPA 8260	cis-1,2-Dichloroethene	35.1	ug/L	1.0	06/05/23 12:17	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40262961009	PZ-5B					
EPA 8260	Trichloroethene	2.1	ug/L	1.0	06/05/23 12:17	
EPA 8260	Vinyl chloride	0.27J	ug/L	1.0	06/05/23 12:17	
EPA 300.0	Chloride	240	mg/L	20.0	06/12/23 08:04	
40262961010	PZ-5A					
EPA 8260	1,1-Dichloroethane	2.6	ug/L	1.0	06/05/23 12:34	
EPA 300.0	Chloride	143	mg/L	10.0	06/12/23 09:03	
40262961011	PZ-3					
EPA 8015B Modified	Ethene	0.30J	ug/L	5.0	06/08/23 11:44	
EPA 8015B Modified	Methane	0.63J	ug/L	2.8	06/08/23 11:44	
EPA 8260	1,1-Dichloroethane	1040	ug/L	10.0	06/05/23 16:16	
EPA 8260	1,1-Dichloroethene	27.0	ug/L	10.0	06/05/23 16:16	
EPA 8260	cis-1,2-Dichloroethene	58.1	ug/L	10.0	06/05/23 16:16	
EPA 8260	Trichloroethene	10.1	ug/L	10.0	06/05/23 16:16	
EPA 8260	Vinyl chloride	2.8J	ug/L	10.0	06/05/23 16:16	
EPA 300.0	Chloride	52.9	mg/L	2.0	06/12/23 09:18	
40262961012	MW-11					
EPA 8260	1,1,1-Trichloroethane	0.38J	ug/L	1.0	06/05/23 12:51	
EPA 300.0	Chloride	103	mg/L	10.0	06/12/23 09:33	
40262961013	MW-8					
EPA 8015B Modified	Methane	2.2J	ug/L	2.8	06/08/23 11:58	
EPA 8260	Benzene	0.61J	ug/L	1.0	06/05/23 13:08	
EPA 8260	1,1-Dichloroethane	11.9	ug/L	1.0	06/05/23 13:08	
EPA 8260	1,2-Dichloroethane	0.83J	ug/L	1.0	06/05/23 13:08	
EPA 8260	1,1-Dichloroethene	4.3	ug/L	1.0	06/05/23 13:08	
EPA 8260	cis-1,2-Dichloroethene	0.93J	ug/L	1.0	06/05/23 13:08	
EPA 8260	1,1,1-Trichloroethane	1.5	ug/L	1.0	06/05/23 13:08	
EPA 8260	1,1,2-Trichloroethane	0.41J	ug/L	1.0	06/05/23 13:08	
EPA 8260	Trichloroethene	2.6	ug/L	1.0	06/05/23 13:08	
EPA 8260	Vinyl chloride	1.8	ug/L	1.0	06/05/23 13:08	
EPA 300.0	Chloride	719	mg/L	40.0	06/13/23 02:46	
EPA 353.2	Nitrogen, NO2 plus NO3	0.18J	mg/L	0.25	06/06/23 11:06	
40262961014	PZ-4A					
EPA 8260	1,1-Dichloroethane	0.69J	ug/L	1.0	06/05/23 13:25	
EPA 8260	cis-1,2-Dichloroethene	1.6	ug/L	1.0	06/05/23 13:25	
EPA 8260	Trichloroethene	3.3	ug/L	1.0	06/05/23 13:25	
EPA 300.0	Chloride	87.4	mg/L	10.0	06/13/23 03:30	
EPA 353.2	Nitrogen, NO2 plus NO3	0.77	mg/L	0.25	06/06/23 11:11	MO
40262961015	PZ-4B					
EPA 8015B Modified	Ethane	2.1J	ug/L	5.6	06/08/23 12:12	
EPA 8015B Modified	Ethene	0.35J	ug/L	5.0	06/08/23 12:12	
EPA 8015B Modified	Methane	43.8	ug/L	2.8	06/08/23 12:12	
EPA 8260	1,1-Dichloroethane	46.6	ug/L	1.0	06/05/23 13:42	
EPA 8260	1,2-Dichloroethane	0.36J	ug/L	1.0	06/05/23 13:42	
EPA 8260	1,1-Dichloroethene	7.9	ug/L	1.0	06/05/23 13:42	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40262961015	PZ-4B					
EPA 8260	cis-1,2-Dichloroethene	12.5	ug/L	1.0	06/05/23 13:42	
EPA 8260	Trichloroethene	14.5	ug/L	1.0	06/05/23 13:42	
EPA 8260	Vinyl chloride	0.58J	ug/L	1.0	06/05/23 13:42	
EPA 300.0	Chloride	4320	mg/L	200	06/13/23 03:45	
40262961016	PZ-MW-1A					
EPA 8260	1,1-Dichloroethane	220	ug/L	2.0	06/05/23 16:50	
EPA 8260	1,1-Dichloroethene	19.1	ug/L	2.0	06/05/23 16:50	
EPA 8260	cis-1,2-Dichloroethene	20.5	ug/L	2.0	06/05/23 16:50	
EPA 8260	Trichloroethene	4.9	ug/L	2.0	06/05/23 16:50	
EPA 8260	Vinyl chloride	0.76J	ug/L	2.0	06/05/23 16:50	
EPA 300.0	Chloride	121	mg/L	10.0	06/13/23 04:00	
40262961017	MW-4					
EPA 8015B Modified	Methane	1.4J	ug/L	2.8	06/08/23 12:26	
EPA 8260	Chloroform	1.8J	ug/L	5.0	06/05/23 13:59	
EPA 8260	1,1-Dichloroethane	1.2	ug/L	1.0	06/05/23 13:59	
EPA 8260	1,1,1-Trichloroethane	0.56J	ug/L	1.0	06/05/23 13:59	
EPA 8260	Trichloroethene	1.5	ug/L	1.0	06/05/23 13:59	
EPA 300.0	Chloride	314	mg/L	100	06/13/23 04:15	
EPA 353.2	Nitrogen, NO2 plus NO3	0.72J	mg/L	1.2	06/06/23 11:15	D3
40262961018	MW-3					
EPA 8015B Modified	Ethane	1.4J	ug/L	5.6	06/08/23 12:33	
EPA 8015B Modified	Ethene	0.29J	ug/L	5.0	06/08/23 12:33	
EPA 8015B Modified	Methane	15.2	ug/L	2.8	06/08/23 12:33	
EPA 8260	1,1-Dichloroethane	27.0	ug/L	1.0	06/05/23 14:16	
EPA 8260	1,1-Dichloroethene	10.4	ug/L	1.0	06/05/23 14:16	
EPA 8260	cis-1,2-Dichloroethene	1.2	ug/L	1.0	06/05/23 14:16	
EPA 8260	1,1,1-Trichloroethane	7.6	ug/L	1.0	06/05/23 14:16	
EPA 8260	Trichloroethene	5.7	ug/L	1.0	06/05/23 14:16	
EPA 300.0	Chloride	1330	mg/L	100	06/13/23 04:30	
40262961019	MW-5					
EPA 300.0	Chloride	88.7	mg/L	20.0	06/13/23 05:29	
40262961020	MW-1					
EPA 8260	1,1,1-Trichloroethane	0.70J	ug/L	1.0	06/05/23 14:50	
EPA 8260	Trichloroethene	3.7	ug/L	1.0	06/05/23 14:50	
EPA 300.0	Chloride	7.9	mg/L	2.0	06/13/23 05:44	
EPA 353.2	Nitrogen, NO2 plus NO3	0.41J	mg/L	1.2	06/06/23 11:17	D3
40262961021	PZ-2					
EPA 8015B Modified	Ethane	0.74J	ug/L	5.6	06/09/23 09:28	
EPA 8015B Modified	Methane	9.3	ug/L	2.8	06/09/23 09:28	
EPA 8260	1,1-Dichloroethane	20.8	ug/L	1.0	06/05/23 15:08	
EPA 8260	1,1-Dichloroethene	2.0	ug/L	1.0	06/05/23 15:08	
EPA 8260	cis-1,2-Dichloroethene	8.3	ug/L	1.0	06/05/23 15:08	
EPA 8260	Vinyl chloride	0.67J	ug/L	1.0	06/05/23 15:08	
EPA 300.0	Chloride	2680	mg/L	100	06/13/23 05:59	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40262961021	PZ-2					
EPA 353.2	Nitrogen, NO2 plus NO3	1.5	mg/L	0.25	06/06/23 11:17	
40262961022	MW-7					
EPA 300.0	Chloride	53.3	mg/L	2.0	06/13/23 06:14	
40262961023	MW-6					
EPA 300.0	Chloride	17.6	mg/L	2.0	06/13/23 06:28	
EPA 353.2	Nitrogen, NO2 plus NO3	0.14J	mg/L	0.25	06/06/23 13:24	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-7B **Lab ID: 40262961001** Collected: 06/01/23 11:40 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:03	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 10:03	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 10:03	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/06/23 10:28	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/06/23 10:28	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/06/23 10:28	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/06/23 10:28	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/06/23 10:28	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/06/23 10:28	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/06/23 10:28	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/06/23 10:28	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/06/23 10:28	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/06/23 10:28	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/06/23 10:28	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/06/23 10:28	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/06/23 10:28	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/06/23 10:28	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/06/23 10:28	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/06/23 10:28	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/06/23 10:28	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/06/23 10:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/06/23 10:28	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/06/23 10:28	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/06/23 10:28	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/06/23 10:28	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/06/23 10:28	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/06/23 10:28	75-71-8	
1,1-Dichloroethane	0.35J	ug/L	1.0	0.30	1		06/06/23 10:28	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/06/23 10:28	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/06/23 10:28	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/06/23 10:28	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/06/23 10:28	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/06/23 10:28	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/06/23 10:28	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/06/23 10:28	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/06/23 10:28	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/06/23 10:28	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/06/23 10:28	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/06/23 10:28	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/06/23 10:28	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/06/23 10:28	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/06/23 10:28	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-7B **Lab ID: 40262961001** Collected: 06/01/23 11:40 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/06/23 10:28	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/06/23 10:28	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/06/23 10:28	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/06/23 10:28	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/06/23 10:28	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/06/23 10:28	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/06/23 10:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/06/23 10:28	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/06/23 10:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/06/23 10:28	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/06/23 10:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/06/23 10:28	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/06/23 10:28	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/06/23 10:28	79-00-5	
Trichloroethene	1.7	ug/L	1.0	0.32	1		06/06/23 10:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/06/23 10:28	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/06/23 10:28	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/06/23 10:28	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/06/23 10:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/06/23 10:28	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/06/23 10:28	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/06/23 10:28	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/06/23 10:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		06/06/23 10:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		06/06/23 10:28	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		06/06/23 10:28	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:01		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	70.7	mg/L	10.0	2.2	5		06/12/23 06:05	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.54	mg/L	0.25	0.059	1		06/06/23 10:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-7A **Lab ID: 40262961002** Collected: 06/01/23 09:50 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:10	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 10:10	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 10:10	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		06/06/23 11:07	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/06/23 11:07	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/06/23 11:07	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/06/23 11:07	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/06/23 11:07	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/06/23 11:07	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/06/23 11:07	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/06/23 11:07	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/06/23 11:07	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/06/23 11:07	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/06/23 11:07	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/06/23 11:07	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/06/23 11:07	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/06/23 11:07	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/06/23 11:07	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/06/23 11:07	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/06/23 11:07	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/06/23 11:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/06/23 11:07	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/06/23 11:07	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/06/23 11:07	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/06/23 11:07	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/06/23 11:07	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/06/23 11:07	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/06/23 11:07	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/06/23 11:07	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/06/23 11:07	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/06/23 11:07	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/06/23 11:07	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/06/23 11:07	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/06/23 11:07	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/06/23 11:07	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/06/23 11:07	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/06/23 11:07	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/06/23 11:07	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/06/23 11:07	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/06/23 11:07	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/06/23 11:07	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/06/23 11:07	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-7A **Lab ID: 40262961002** Collected: 06/01/23 09:50 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/06/23 11:07	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/06/23 11:07	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/06/23 11:07	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/06/23 11:07	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/06/23 11:07	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/06/23 11:07	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/06/23 11:07	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/06/23 11:07	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/06/23 11:07	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/06/23 11:07	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/06/23 11:07	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/06/23 11:07	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/06/23 11:07	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/06/23 11:07	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/06/23 11:07	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/06/23 11:07	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/06/23 11:07	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/06/23 11:07	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/06/23 11:07	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/06/23 11:07	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/06/23 11:07	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/06/23 11:07	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/06/23 11:07	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	108	%	70-130		1		06/06/23 11:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		06/06/23 11:07	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		06/06/23 11:07	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:09		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	141	mg/L	10.0	2.2	5		06/12/23 06:20	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 10:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-12 **Lab ID: 40262961003** Collected: 05/30/23 14:50 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:17	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 10:17	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 10:17	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/06/23 11:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/06/23 11:27	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/06/23 11:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/06/23 11:27	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/06/23 11:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/06/23 11:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/06/23 11:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/06/23 11:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/06/23 11:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/06/23 11:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/06/23 11:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/06/23 11:27	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/06/23 11:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/06/23 11:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/06/23 11:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/06/23 11:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/06/23 11:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/06/23 11:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/06/23 11:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/06/23 11:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/06/23 11:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/06/23 11:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/06/23 11:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/06/23 11:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/06/23 11:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/06/23 11:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/06/23 11:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/06/23 11:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/06/23 11:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/06/23 11:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/06/23 11:27	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/06/23 11:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/06/23 11:27	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/06/23 11:27	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/06/23 11:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/06/23 11:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/06/23 11:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/06/23 11:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/06/23 11:27	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-12 **Lab ID: 40262961003** Collected: 05/30/23 14:50 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/06/23 11:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/06/23 11:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/06/23 11:27	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/06/23 11:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/06/23 11:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/06/23 11:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/06/23 11:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/06/23 11:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/06/23 11:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/06/23 11:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/06/23 11:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/06/23 11:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/06/23 11:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/06/23 11:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/06/23 11:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/06/23 11:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/06/23 11:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/06/23 11:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/06/23 11:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/06/23 11:27	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/06/23 11:27	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/06/23 11:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/06/23 11:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	109	%	70-130		1		06/06/23 11:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		06/06/23 11:27	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		06/06/23 11:27	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:10		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	11.3	mg/L	2.0	0.43	1		06/12/23 06:35	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.30	mg/L	1.2	0.30	5		06/06/23 10:57		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-14 **Lab ID: 40262961004** Collected: 05/30/23 14:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:24	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 10:24	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 10:24	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 11:43	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 11:43	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 11:43	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 11:43	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 11:43	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 11:43	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 11:43	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 11:43	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 11:43	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 11:43	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 11:43	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 11:43	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 11:43	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 11:43	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 11:43	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 11:43	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 11:43	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 11:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 11:43	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 11:43	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 11:43	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 11:43	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 11:43	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 11:43	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 11:43	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 11:43	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 11:43	75-35-4	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.47	1		06/05/23 11:43	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 11:43	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 11:43	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 11:43	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 11:43	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 11:43	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 11:43	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 11:43	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 11:43	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 11:43	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 11:43	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 11:43	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: MW-14 **Lab ID: 40262961004** Collected: 05/30/23 14:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 11:43	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 11:43	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 11:43	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 11:43	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 11:43	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 11:43	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 11:43	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 11:43	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 11:43	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 11:43	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 11:43	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 11:43	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 11:43	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 11:43	79-00-5	
Trichloroethene	1.9	ug/L	1.0	0.32	1		06/05/23 11:43	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 11:43	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 11:43	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 11:43	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 11:43	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 11:43	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 11:43	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 11:43	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 11:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 11:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		06/05/23 11:43	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		06/05/23 11:43	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:12		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2.0	mg/L	2.0	0.43	1		06/12/23 06:49	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.30	mg/L	1.2	0.30	5		06/06/23 10:58		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: **PZ-MW-1C** Lab ID: **40262961005** Collected: 05/30/23 15:00 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:31	74-84-0	
Ethene	0.83J	ug/L	5.0	0.25	1		06/08/23 10:31	74-85-1	
Methane	3.4	ug/L	2.8	0.58	1		06/08/23 10:31	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<7.4	ug/L	25.0	7.4	25		06/05/23 15:59	71-43-2	
Bromobenzene	<9.0	ug/L	25.0	9.0	25		06/05/23 15:59	108-86-1	
Bromochloromethane	<8.9	ug/L	25.0	8.9	25		06/05/23 15:59	74-97-5	
Bromodichloromethane	<10.4	ug/L	25.0	10.4	25		06/05/23 15:59	75-27-4	
Bromoform	<10.7	ug/L	25.0	10.7	25		06/05/23 15:59	75-25-2	
Bromomethane	<29.8	ug/L	125	29.8	25		06/05/23 15:59	74-83-9	
n-Butylbenzene	<21.4	ug/L	25.0	21.4	25		06/05/23 15:59	104-51-8	
sec-Butylbenzene	<10.6	ug/L	25.0	10.6	25		06/05/23 15:59	135-98-8	
tert-Butylbenzene	<14.7	ug/L	25.0	14.7	25		06/05/23 15:59	98-06-6	
Carbon tetrachloride	<9.2	ug/L	25.0	9.2	25		06/05/23 15:59	56-23-5	
Chlorobenzene	<21.4	ug/L	25.0	21.4	25		06/05/23 15:59	108-90-7	
Chloroethane	<34.5	ug/L	125	34.5	25		06/05/23 15:59	75-00-3	
Chloroform	<12.6	ug/L	125	12.6	25		06/05/23 15:59	67-66-3	
Chloromethane	<40.9	ug/L	125	40.9	25		06/05/23 15:59	74-87-3	L1
2-Chlorotoluene	<22.2	ug/L	125	22.2	25		06/05/23 15:59	95-49-8	
4-Chlorotoluene	<22.4	ug/L	125	22.4	25		06/05/23 15:59	106-43-4	
1,2-Dibromo-3-chloropropane	<59.2	ug/L	125	59.2	25		06/05/23 15:59	96-12-8	
Dibromochloromethane	<66.1	ug/L	125	66.1	25		06/05/23 15:59	124-48-1	
1,2-Dibromoethane (EDB)	<7.7	ug/L	25.0	7.7	25		06/05/23 15:59	106-93-4	
Dibromomethane	<24.8	ug/L	125	24.8	25		06/05/23 15:59	74-95-3	
1,2-Dichlorobenzene	<8.1	ug/L	25.0	8.1	25		06/05/23 15:59	95-50-1	
1,3-Dichlorobenzene	<8.8	ug/L	25.0	8.8	25		06/05/23 15:59	541-73-1	
1,4-Dichlorobenzene	<22.3	ug/L	25.0	22.3	25		06/05/23 15:59	106-46-7	
Dichlorodifluoromethane	<11.4	ug/L	125	11.4	25		06/05/23 15:59	75-71-8	
1,1-Dichloroethane	3040	ug/L	25.0	7.4	25		06/05/23 15:59	75-34-3	
1,2-Dichloroethane	7.6J	ug/L	25.0	7.3	25		06/05/23 15:59	107-06-2	
1,1-Dichloroethene	47.7	ug/L	25.0	14.6	25		06/05/23 15:59	75-35-4	
cis-1,2-Dichloroethene	17.5J	ug/L	25.0	11.8	25		06/05/23 15:59	156-59-2	
trans-1,2-Dichloroethene	<13.2	ug/L	25.0	13.2	25		06/05/23 15:59	156-60-5	
1,2-Dichloropropane	<11.2	ug/L	25.0	11.2	25		06/05/23 15:59	78-87-5	
1,3-Dichloropropane	<7.6	ug/L	25.0	7.6	25		06/05/23 15:59	142-28-9	
2,2-Dichloropropane	<10.5	ug/L	25.0	10.5	25		06/05/23 15:59	594-20-7	
1,1-Dichloropropene	<10.3	ug/L	25.0	10.3	25		06/05/23 15:59	563-58-6	
cis-1,3-Dichloropropene	<5.9	ug/L	25.0	5.9	25		06/05/23 15:59	10061-01-5	
trans-1,3-Dichloropropene	<6.6	ug/L	25.0	6.6	25		06/05/23 15:59	10061-02-6	
Diisopropyl ether	<27.5	ug/L	125	27.5	25		06/05/23 15:59	108-20-3	
Ethylbenzene	<8.1	ug/L	25.0	8.1	25		06/05/23 15:59	100-41-4	
Hexachloro-1,3-butadiene	<68.4	ug/L	125	68.4	25		06/05/23 15:59	87-68-3	
Isopropylbenzene (Cumene)	<25.0	ug/L	125	25.0	25		06/05/23 15:59	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-MW-1C **Lab ID: 40262961005** Collected: 05/30/23 15:00 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<26.1	ug/L	125	26.1	25		06/05/23 15:59	99-87-6	
Methylene Chloride	<8.0	ug/L	125	8.0	25		06/05/23 15:59	75-09-2	
Methyl-tert-butyl ether	<28.2	ug/L	125	28.2	25		06/05/23 15:59	1634-04-4	
Naphthalene	<47.9	ug/L	125	47.9	25		06/05/23 15:59	91-20-3	
n-Propylbenzene	<8.6	ug/L	25.0	8.6	25		06/05/23 15:59	103-65-1	
Styrene	<8.9	ug/L	25.0	8.9	25		06/05/23 15:59	100-42-5	
1,1,1,2-Tetrachloroethane	<8.9	ug/L	25.0	8.9	25		06/05/23 15:59	630-20-6	
1,1,2,2-Tetrachloroethane	<9.4	ug/L	25.0	9.4	25		06/05/23 15:59	79-34-5	
Tetrachloroethene	<10.2	ug/L	25.0	10.2	25		06/05/23 15:59	127-18-4	
Toluene	<7.2	ug/L	25.0	7.2	25		06/05/23 15:59	108-88-3	
1,2,3-Trichlorobenzene	<25.5	ug/L	125	25.5	25		06/05/23 15:59	87-61-6	
1,2,4-Trichlorobenzene	<23.8	ug/L	125	23.8	25		06/05/23 15:59	120-82-1	
1,1,1-Trichloroethane	<7.6	ug/L	25.0	7.6	25		06/05/23 15:59	71-55-6	
1,1,2-Trichloroethane	<8.6	ug/L	25.0	8.6	25		06/05/23 15:59	79-00-5	
Trichloroethene	35.1	ug/L	25.0	8.0	25		06/05/23 15:59	79-01-6	
Trichlorofluoromethane	<10.5	ug/L	25.0	10.5	25		06/05/23 15:59	75-69-4	
1,2,3-Trichloropropane	<13.9	ug/L	25.0	13.9	25		06/05/23 15:59	96-18-4	
1,2,4-Trimethylbenzene	<11.2	ug/L	25.0	11.2	25		06/05/23 15:59	95-63-6	
1,3,5-Trimethylbenzene	<8.9	ug/L	25.0	8.9	25		06/05/23 15:59	108-67-8	
Vinyl chloride	<4.4	ug/L	25.0	4.4	25		06/05/23 15:59	75-01-4	
Xylene (Total)	<26.2	ug/L	75.0	26.2	25		06/05/23 15:59	1330-20-7	
m&p-Xylene	<17.5	ug/L	50.0	17.5	25		06/05/23 15:59	179601-23-1	
o-Xylene	<8.7	ug/L	25.0	8.7	25		06/05/23 15:59	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		25		06/05/23 15:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		25		06/05/23 15:59	2199-69-1	
Toluene-d8 (S)	99	%	70-130		25		06/05/23 15:59	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:13		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	89.1	mg/L	40.0	8.6	20		06/12/23 07:04	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 10:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-MW-1B **Lab ID: 40262961006** Collected: 05/30/23 15:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:38	74-84-0	
Ethene	0.28J	ug/L	5.0	0.25	1		06/08/23 10:38	74-85-1	
Methane	1.7J	ug/L	2.8	0.58	1		06/08/23 10:38	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<1.5	ug/L	5.0	1.5	5		06/05/23 16:33	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		06/05/23 16:33	108-86-1	
Bromochloromethane	<1.8	ug/L	5.0	1.8	5		06/05/23 16:33	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		06/05/23 16:33	75-27-4	
Bromoform	<2.1	ug/L	5.0	2.1	5		06/05/23 16:33	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		06/05/23 16:33	74-83-9	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		06/05/23 16:33	104-51-8	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		06/05/23 16:33	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		06/05/23 16:33	98-06-6	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		06/05/23 16:33	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		06/05/23 16:33	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		06/05/23 16:33	75-00-3	
Chloroform	<2.5	ug/L	25.0	2.5	5		06/05/23 16:33	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		06/05/23 16:33	74-87-3	L1
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		06/05/23 16:33	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		06/05/23 16:33	106-43-4	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		06/05/23 16:33	96-12-8	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		06/05/23 16:33	124-48-1	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		06/05/23 16:33	106-93-4	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		06/05/23 16:33	74-95-3	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		06/05/23 16:33	95-50-1	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		06/05/23 16:33	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		06/05/23 16:33	106-46-7	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		06/05/23 16:33	75-71-8	
1,1-Dichloroethane	519	ug/L	5.0	1.5	5		06/05/23 16:33	75-34-3	
1,2-Dichloroethane	<1.5	ug/L	5.0	1.5	5		06/05/23 16:33	107-06-2	
1,1-Dichloroethene	9.3	ug/L	5.0	2.9	5		06/05/23 16:33	75-35-4	
cis-1,2-Dichloroethene	40.6	ug/L	5.0	2.4	5		06/05/23 16:33	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		06/05/23 16:33	156-60-5	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		06/05/23 16:33	78-87-5	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		06/05/23 16:33	142-28-9	
2,2-Dichloropropane	<2.1	ug/L	5.0	2.1	5		06/05/23 16:33	594-20-7	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		06/05/23 16:33	563-58-6	
cis-1,3-Dichloropropene	<1.2	ug/L	5.0	1.2	5		06/05/23 16:33	10061-01-5	
trans-1,3-Dichloropropene	<1.3	ug/L	5.0	1.3	5		06/05/23 16:33	10061-02-6	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		06/05/23 16:33	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		06/05/23 16:33	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		06/05/23 16:33	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		06/05/23 16:33	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-MW-1B **Lab ID: 40262961006** Collected: 05/30/23 15:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		06/05/23 16:33	99-87-6	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		06/05/23 16:33	75-09-2	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		06/05/23 16:33	1634-04-4	
Naphthalene	<9.6	ug/L	25.0	9.6	5		06/05/23 16:33	91-20-3	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		06/05/23 16:33	103-65-1	
Styrene	<1.8	ug/L	5.0	1.8	5		06/05/23 16:33	100-42-5	
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		06/05/23 16:33	630-20-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		06/05/23 16:33	79-34-5	
Tetrachloroethene	<2.0	ug/L	5.0	2.0	5		06/05/23 16:33	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		06/05/23 16:33	108-88-3	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		06/05/23 16:33	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		06/05/23 16:33	120-82-1	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		06/05/23 16:33	71-55-6	
1,1,2-Trichloroethane	<1.7	ug/L	5.0	1.7	5		06/05/23 16:33	79-00-5	
Trichloroethene	25.1	ug/L	5.0	1.6	5		06/05/23 16:33	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		06/05/23 16:33	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/L	5.0	2.8	5		06/05/23 16:33	96-18-4	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		06/05/23 16:33	95-63-6	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		06/05/23 16:33	108-67-8	
Vinyl chloride	1.3J	ug/L	5.0	0.87	5		06/05/23 16:33	75-01-4	
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		06/05/23 16:33	1330-20-7	
m&p-Xylene	<3.5	ug/L	10.0	3.5	5		06/05/23 16:33	179601-23-1	
o-Xylene	<1.7	ug/L	5.0	1.7	5		06/05/23 16:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		5		06/05/23 16:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		5		06/05/23 16:33	2199-69-1	
Toluene-d8 (S)	99	%	70-130		5		06/05/23 16:33	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:14		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	64.9	mg/L	10.0	2.2	5		06/12/23 07:19	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 10:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-10 **Lab ID: 40262961007** Collected: 06/01/23 11:45 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:45	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 10:45	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 10:45	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 12:00	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:00	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:00	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:00	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 12:00	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 12:00	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:00	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 12:00	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 12:00	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 12:00	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:00	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 12:00	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 12:00	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 12:00	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:00	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:00	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 12:00	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 12:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 12:00	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 12:00	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:00	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:00	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 12:00	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 12:00	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:00	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 12:00	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 12:00	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 12:00	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 12:00	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 12:00	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:00	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:00	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:00	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 12:00	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 12:00	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:00	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:00	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 12:00	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 12:00	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-10 **Lab ID: 40262961007** Collected: 06/01/23 11:45 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:00	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 12:00	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:00	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 12:00	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:00	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:00	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:00	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 12:00	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:00	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 12:00	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:00	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 12:00	120-82-1	
1,1,1-Trichloroethane	0.49J	ug/L	1.0	0.30	1		06/05/23 12:00	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 12:00	79-00-5	
Trichloroethene	0.93J	ug/L	1.0	0.32	1		06/05/23 12:00	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:00	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 12:00	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 12:00	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:00	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 12:00	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 12:00	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 12:00	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:00	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 12:00	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		06/05/23 12:00	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 12:00	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:15		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	145	mg/L	40.0	8.6	20		06/12/23 07:34	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	1.8	mg/L	0.25	0.059	1		06/06/23 11:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-6 **Lab ID: 40262961008** Collected: 06/01/23 10:30 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:52	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 10:52	74-85-1	
Methane	3.4	ug/L	2.8	0.58	1		06/08/23 10:52	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 11:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 11:25	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 11:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 11:25	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 11:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 11:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 11:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 11:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 11:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 11:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 11:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 11:25	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 11:25	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 11:25	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 11:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 11:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 11:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 11:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 11:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 11:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 11:25	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 11:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 11:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 11:25	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 11:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 11:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 11:25	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 11:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 11:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 11:25	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 11:25	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 11:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 11:25	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 11:25	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 11:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 11:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 11:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 11:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 11:25	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-6 Lab ID: 40262961008 Collected: 06/01/23 10:30 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 11:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 11:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 11:25	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 11:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 11:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 11:25	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 11:25	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 11:25	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 11:25	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 11:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 11:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 11:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 11:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 11:25	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 11:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 11:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 11:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 11:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 11:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 11:25	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 11:25	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 11:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 11:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		06/05/23 11:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		06/05/23 11:25	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		06/05/23 11:25	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:17		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	273	mg/L	20.0	4.3	10		06/12/23 07:49	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 11:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-5B **Lab ID: 40262961009** Collected: 05/31/23 15:30 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 10:59	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 10:59	74-85-1	
Methane	53.1	ug/L	2.8	0.58	1		06/08/23 10:59	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 12:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:17	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:17	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:17	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 12:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 12:17	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:17	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 12:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 12:17	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 12:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 12:17	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 12:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 12:17	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:17	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 12:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 12:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 12:17	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 12:17	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:17	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:17	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 12:17	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 12:17	75-71-8	
1,1-Dichloroethane	17.1	ug/L	1.0	0.30	1		06/05/23 12:17	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 12:17	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 12:17	75-35-4	
cis-1,2-Dichloroethene	35.1	ug/L	1.0	0.47	1		06/05/23 12:17	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 12:17	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 12:17	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:17	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:17	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:17	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 12:17	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 12:17	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 12:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 12:17	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-5B **Lab ID: 40262961009** Collected: 05/31/23 15:30 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:17	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 12:17	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:17	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 12:17	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:17	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:17	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:17	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 12:17	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 12:17	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 12:17	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:17	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 12:17	79-00-5	
Trichloroethene	2.1	ug/L	1.0	0.32	1		06/05/23 12:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:17	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 12:17	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 12:17	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:17	108-67-8	
Vinyl chloride	0.27J	ug/L	1.0	0.17	1		06/05/23 12:17	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 12:17	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 12:17	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 12:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/05/23 12:17	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/05/23 12:17	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:19		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	240	mg/L	20.0	4.3	10		06/12/23 08:04	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 11:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-5A **Lab ID: 40262961010** Collected: 05/31/23 13:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 11:06	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 11:06	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 11:06	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 12:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:34	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:34	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 12:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 12:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 12:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 12:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 12:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 12:34	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 12:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 12:34	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 12:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 12:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 12:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 12:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 12:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 12:34	75-71-8	
1,1-Dichloroethane	2.6	ug/L	1.0	0.30	1		06/05/23 12:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 12:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 12:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 12:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 12:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 12:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:34	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:34	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 12:34	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 12:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 12:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 12:34	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-5A **Lab ID: 40262961010** Collected: 05/31/23 13:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 12:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:34	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 12:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:34	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 12:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 12:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 12:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 12:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 12:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 12:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 12:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 12:34	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 12:34	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 12:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 12:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/05/23 12:34	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/05/23 12:34	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:20		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	143	mg/L	10.0	2.2	5		06/12/23 09:03	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 11:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-3 **Lab ID: 40262961011** Collected: 05/31/23 11:25 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 11:44	74-84-0	
Ethene	0.30J	ug/L	5.0	0.25	1		06/08/23 11:44	74-85-1	
Methane	0.63J	ug/L	2.8	0.58	1		06/08/23 11:44	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<3.0	ug/L	10.0	3.0	10		06/05/23 16:16	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		06/05/23 16:16	108-86-1	
Bromochloromethane	<3.6	ug/L	10.0	3.6	10		06/05/23 16:16	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		06/05/23 16:16	75-27-4	
Bromoform	<4.3	ug/L	10.0	4.3	10		06/05/23 16:16	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		06/05/23 16:16	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		06/05/23 16:16	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		06/05/23 16:16	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		06/05/23 16:16	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		06/05/23 16:16	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		06/05/23 16:16	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		06/05/23 16:16	75-00-3	
Chloroform	<5.0	ug/L	50.0	5.0	10		06/05/23 16:16	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		06/05/23 16:16	74-87-3	L1
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		06/05/23 16:16	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		06/05/23 16:16	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		06/05/23 16:16	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		06/05/23 16:16	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		06/05/23 16:16	106-93-4	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		06/05/23 16:16	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		06/05/23 16:16	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		06/05/23 16:16	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		06/05/23 16:16	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		06/05/23 16:16	75-71-8	
1,1-Dichloroethane	1040	ug/L	10.0	3.0	10		06/05/23 16:16	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		06/05/23 16:16	107-06-2	
1,1-Dichloroethene	27.0	ug/L	10.0	5.8	10		06/05/23 16:16	75-35-4	
cis-1,2-Dichloroethene	58.1	ug/L	10.0	4.7	10		06/05/23 16:16	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		06/05/23 16:16	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		06/05/23 16:16	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		06/05/23 16:16	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	10.0	4.2	10		06/05/23 16:16	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		06/05/23 16:16	563-58-6	
cis-1,3-Dichloropropene	<2.4	ug/L	10.0	2.4	10		06/05/23 16:16	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/L	10.0	2.7	10		06/05/23 16:16	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		06/05/23 16:16	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		06/05/23 16:16	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		06/05/23 16:16	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		06/05/23 16:16	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-3 **Lab ID: 40262961011** Collected: 05/31/23 11:25 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		06/05/23 16:16	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		06/05/23 16:16	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		06/05/23 16:16	1634-04-4	
Naphthalene	<19.2	ug/L	50.0	19.2	10		06/05/23 16:16	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		06/05/23 16:16	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		06/05/23 16:16	100-42-5	
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		06/05/23 16:16	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		06/05/23 16:16	79-34-5	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		06/05/23 16:16	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		06/05/23 16:16	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		06/05/23 16:16	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		06/05/23 16:16	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		06/05/23 16:16	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	10.0	3.4	10		06/05/23 16:16	79-00-5	
Trichloroethene	10.1	ug/L	10.0	3.2	10		06/05/23 16:16	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		06/05/23 16:16	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	10.0	5.6	10		06/05/23 16:16	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		06/05/23 16:16	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		06/05/23 16:16	108-67-8	
Vinyl chloride	2.8J	ug/L	10.0	1.7	10		06/05/23 16:16	75-01-4	
Xylene (Total)	<10.5	ug/L	30.0	10.5	10		06/05/23 16:16	1330-20-7	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		06/05/23 16:16	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		06/05/23 16:16	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		10		06/05/23 16:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		06/05/23 16:16	2199-69-1	
Toluene-d8 (S)	98	%	70-130		10		06/05/23 16:16	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:22		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	52.9	mg/L	2.0	0.43	1		06/12/23 09:18	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 11:05		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-11 **Lab ID: 40262961012** Collected: 05/31/23 11:40 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 11:51	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 11:51	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 11:51	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 12:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:51	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:51	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 12:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 12:51	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:51	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 12:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 12:51	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 12:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 12:51	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 12:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 12:51	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 12:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 12:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 12:51	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 12:51	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:51	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:51	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 12:51	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 12:51	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 12:51	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 12:51	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 12:51	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 12:51	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 12:51	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:51	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:51	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:51	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 12:51	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 12:51	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 12:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 12:51	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-11 **Lab ID: 40262961012** Collected: 05/31/23 11:40 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:51	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 12:51	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:51	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 12:51	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:51	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:51	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 12:51	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 12:51	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 12:51	120-82-1	
1,1,1-Trichloroethane	0.38J	ug/L	1.0	0.30	1		06/05/23 12:51	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 12:51	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 12:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:51	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 12:51	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 12:51	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 12:51	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 12:51	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 12:51	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 12:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/05/23 12:51	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 12:51	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:23		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	103	mg/L	10.0	2.2	5		06/12/23 09:33	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.30	mg/L	1.2	0.30	5		06/06/23 11:05		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-8 **Lab ID: 40262961013** Collected: 05/31/23 10:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 11:58	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 11:58	74-85-1	
Methane	2.2J	ug/L	2.8	0.58	1		06/08/23 11:58	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	0.61J	ug/L	1.0	0.30	1		06/05/23 13:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:08	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:08	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 13:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 13:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 13:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 13:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 13:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 13:08	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 13:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 13:08	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 13:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 13:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 13:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 13:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 13:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 13:08	75-71-8	
1,1-Dichloroethane	11.9	ug/L	1.0	0.30	1		06/05/23 13:08	75-34-3	
1,2-Dichloroethane	0.83J	ug/L	1.0	0.29	1		06/05/23 13:08	107-06-2	
1,1-Dichloroethene	4.3	ug/L	1.0	0.58	1		06/05/23 13:08	75-35-4	
cis-1,2-Dichloroethene	0.93J	ug/L	1.0	0.47	1		06/05/23 13:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 13:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 13:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 13:08	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:08	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 13:08	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 13:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 13:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 13:08	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-8 **Lab ID: 40262961013** Collected: 05/31/23 10:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 13:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:08	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 13:08	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:08	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 13:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 13:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 13:08	120-82-1	
1,1,1-Trichloroethane	1.5	ug/L	1.0	0.30	1		06/05/23 13:08	71-55-6	
1,1,2-Trichloroethane	0.41J	ug/L	1.0	0.34	1		06/05/23 13:08	79-00-5	
Trichloroethene	2.6	ug/L	1.0	0.32	1		06/05/23 13:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 13:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 13:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:08	108-67-8	
Vinyl chloride	1.8	ug/L	1.0	0.17	1		06/05/23 13:08	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 13:08	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 13:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 13:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		06/05/23 13:08	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		06/05/23 13:08	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:24		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	719	mg/L	40.0	8.6	20		06/13/23 02:46	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.18J	mg/L	0.25	0.059	1		06/06/23 11:06		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-4A **Lab ID: 40262961014** Collected: 05/31/23 14:21 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 12:05	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 12:05	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 12:05	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 13:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:25	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:25	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 13:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 13:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 13:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 13:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 13:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 13:25	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 13:25	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 13:25	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 13:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 13:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 13:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 13:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:25	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 13:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 13:25	75-71-8	
1,1-Dichloroethane	0.69J	ug/L	1.0	0.30	1		06/05/23 13:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 13:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 13:25	75-35-4	
cis-1,2-Dichloroethene	1.6	ug/L	1.0	0.47	1		06/05/23 13:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 13:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 13:25	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 13:25	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:25	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 13:25	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 13:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 13:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 13:25	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-4A **Lab ID: 40262961014** Collected: 05/31/23 14:21 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 13:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:25	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 13:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:25	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:25	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 13:25	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:25	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 13:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 13:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 13:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 13:25	79-00-5	
Trichloroethene	3.3	ug/L	1.0	0.32	1		06/05/23 13:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 13:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 13:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 13:25	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 13:25	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 13:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		06/05/23 13:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		06/05/23 13:25	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/05/23 13:25	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:26		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	87.4	mg/L	10.0	2.2	5		06/13/23 03:30	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.77	mg/L	0.25	0.059	1		06/06/23 11:11		M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-4B **Lab ID: 40262961015** Collected: 05/31/23 13:10 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	2.1J	ug/L	5.6	0.39	1		06/08/23 12:12	74-84-0	
Ethene	0.35J	ug/L	5.0	0.25	1		06/08/23 12:12	74-85-1	
Methane	43.8	ug/L	2.8	0.58	1		06/08/23 12:12	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 13:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:42	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:42	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 13:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 13:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 13:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 13:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 13:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 13:42	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 13:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 13:42	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 13:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 13:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 13:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 13:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 13:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 13:42	75-71-8	
1,1-Dichloroethane	46.6	ug/L	1.0	0.30	1		06/05/23 13:42	75-34-3	
1,2-Dichloroethane	0.36J	ug/L	1.0	0.29	1		06/05/23 13:42	107-06-2	
1,1-Dichloroethene	7.9	ug/L	1.0	0.58	1		06/05/23 13:42	75-35-4	
cis-1,2-Dichloroethene	12.5	ug/L	1.0	0.47	1		06/05/23 13:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 13:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 13:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 13:42	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:42	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 13:42	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 13:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 13:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 13:42	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: PZ-4B **Lab ID: 40262961015** Collected: 05/31/23 13:10 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 13:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:42	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 13:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:42	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 13:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 13:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 13:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 13:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 13:42	79-00-5	
Trichloroethene	14.5	ug/L	1.0	0.32	1		06/05/23 13:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 13:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 13:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:42	108-67-8	
Vinyl chloride	0.58J	ug/L	1.0	0.17	1		06/05/23 13:42	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 13:42	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 13:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		06/05/23 13:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		06/05/23 13:42	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		06/05/23 13:42	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:27		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	4320	mg/L	200	43.1	100		06/13/23 03:45	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 11:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-MW-1A **Lab ID: 40262961016** Collected: 05/31/23 11:45 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 12:19	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 12:19	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 12:19	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.59	ug/L	2.0	0.59	2		06/05/23 16:50	71-43-2	
Bromobenzene	<0.72	ug/L	2.0	0.72	2		06/05/23 16:50	108-86-1	
Bromochloromethane	<0.72	ug/L	2.0	0.72	2		06/05/23 16:50	74-97-5	
Bromodichloromethane	<0.83	ug/L	2.0	0.83	2		06/05/23 16:50	75-27-4	
Bromoform	<0.86	ug/L	2.0	0.86	2		06/05/23 16:50	75-25-2	
Bromomethane	<2.4	ug/L	10.0	2.4	2		06/05/23 16:50	74-83-9	
n-Butylbenzene	<1.7	ug/L	2.0	1.7	2		06/05/23 16:50	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.0	0.85	2		06/05/23 16:50	135-98-8	
tert-Butylbenzene	<1.2	ug/L	2.0	1.2	2		06/05/23 16:50	98-06-6	
Carbon tetrachloride	<0.74	ug/L	2.0	0.74	2		06/05/23 16:50	56-23-5	
Chlorobenzene	<1.7	ug/L	2.0	1.7	2		06/05/23 16:50	108-90-7	
Chloroethane	<2.8	ug/L	10.0	2.8	2		06/05/23 16:50	75-00-3	
Chloroform	<1.0	ug/L	10.0	1.0	2		06/05/23 16:50	67-66-3	
Chloromethane	<3.3	ug/L	10.0	3.3	2		06/05/23 16:50	74-87-3	L1
2-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		06/05/23 16:50	95-49-8	
4-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		06/05/23 16:50	106-43-4	
1,2-Dibromo-3-chloropropane	<4.7	ug/L	10.0	4.7	2		06/05/23 16:50	96-12-8	
Dibromochloromethane	<5.3	ug/L	10.0	5.3	2		06/05/23 16:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.62	ug/L	2.0	0.62	2		06/05/23 16:50	106-93-4	
Dibromomethane	<2.0	ug/L	10.0	2.0	2		06/05/23 16:50	74-95-3	
1,2-Dichlorobenzene	<0.65	ug/L	2.0	0.65	2		06/05/23 16:50	95-50-1	
1,3-Dichlorobenzene	<0.70	ug/L	2.0	0.70	2		06/05/23 16:50	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/L	2.0	1.8	2		06/05/23 16:50	106-46-7	
Dichlorodifluoromethane	<0.91	ug/L	10.0	0.91	2		06/05/23 16:50	75-71-8	
1,1-Dichloroethane	220	ug/L	2.0	0.59	2		06/05/23 16:50	75-34-3	
1,2-Dichloroethane	<0.58	ug/L	2.0	0.58	2		06/05/23 16:50	107-06-2	
1,1-Dichloroethene	19.1	ug/L	2.0	1.2	2		06/05/23 16:50	75-35-4	
cis-1,2-Dichloroethene	20.5	ug/L	2.0	0.94	2		06/05/23 16:50	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	2.0	1.1	2		06/05/23 16:50	156-60-5	
1,2-Dichloropropane	<0.90	ug/L	2.0	0.90	2		06/05/23 16:50	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	2		06/05/23 16:50	142-28-9	
2,2-Dichloropropane	<0.84	ug/L	2.0	0.84	2		06/05/23 16:50	594-20-7	
1,1-Dichloropropene	<0.82	ug/L	2.0	0.82	2		06/05/23 16:50	563-58-6	
cis-1,3-Dichloropropene	<0.47	ug/L	2.0	0.47	2		06/05/23 16:50	10061-01-5	
trans-1,3-Dichloropropene	<0.53	ug/L	2.0	0.53	2		06/05/23 16:50	10061-02-6	
Diisopropyl ether	<2.2	ug/L	10.0	2.2	2		06/05/23 16:50	108-20-3	
Ethylbenzene	<0.65	ug/L	2.0	0.65	2		06/05/23 16:50	100-41-4	
Hexachloro-1,3-butadiene	<5.5	ug/L	10.0	5.5	2		06/05/23 16:50	87-68-3	
Isopropylbenzene (Cumene)	<2.0	ug/L	10.0	2.0	2		06/05/23 16:50	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-MW-1A **Lab ID: 40262961016** Collected: 05/31/23 11:45 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<2.1	ug/L	10.0	2.1	2		06/05/23 16:50	99-87-6	
Methylene Chloride	<0.64	ug/L	10.0	0.64	2		06/05/23 16:50	75-09-2	
Methyl-tert-butyl ether	<2.3	ug/L	10.0	2.3	2		06/05/23 16:50	1634-04-4	
Naphthalene	<3.8	ug/L	10.0	3.8	2		06/05/23 16:50	91-20-3	
n-Propylbenzene	<0.69	ug/L	2.0	0.69	2		06/05/23 16:50	103-65-1	
Styrene	<0.71	ug/L	2.0	0.71	2		06/05/23 16:50	100-42-5	
1,1,1,2-Tetrachloroethane	<0.71	ug/L	2.0	0.71	2		06/05/23 16:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.76	ug/L	2.0	0.76	2		06/05/23 16:50	79-34-5	
Tetrachloroethene	<0.82	ug/L	2.0	0.82	2		06/05/23 16:50	127-18-4	
Toluene	<0.58	ug/L	2.0	0.58	2		06/05/23 16:50	108-88-3	
1,2,3-Trichlorobenzene	<2.0	ug/L	10.0	2.0	2		06/05/23 16:50	87-61-6	
1,2,4-Trichlorobenzene	<1.9	ug/L	10.0	1.9	2		06/05/23 16:50	120-82-1	
1,1,1-Trichloroethane	<0.61	ug/L	2.0	0.61	2		06/05/23 16:50	71-55-6	
1,1,2-Trichloroethane	<0.69	ug/L	2.0	0.69	2		06/05/23 16:50	79-00-5	
Trichloroethene	4.9	ug/L	2.0	0.64	2		06/05/23 16:50	79-01-6	
Trichlorofluoromethane	<0.84	ug/L	2.0	0.84	2		06/05/23 16:50	75-69-4	
1,2,3-Trichloropropane	<1.1	ug/L	2.0	1.1	2		06/05/23 16:50	96-18-4	
1,2,4-Trimethylbenzene	<0.90	ug/L	2.0	0.90	2		06/05/23 16:50	95-63-6	
1,3,5-Trimethylbenzene	<0.71	ug/L	2.0	0.71	2		06/05/23 16:50	108-67-8	
Vinyl chloride	0.76J	ug/L	2.0	0.35	2		06/05/23 16:50	75-01-4	
Xylene (Total)	<2.1	ug/L	6.0	2.1	2		06/05/23 16:50	1330-20-7	
m&p-Xylene	<1.4	ug/L	4.0	1.4	2		06/05/23 16:50	179601-23-1	
o-Xylene	<0.70	ug/L	2.0	0.70	2		06/05/23 16:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		2		06/05/23 16:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		2		06/05/23 16:50	2199-69-1	
Toluene-d8 (S)	99	%	70-130		2		06/05/23 16:50	2037-26-5	pH
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:29		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	121	mg/L	10.0	2.2	5		06/13/23 04:00	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 11:14		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-4 **Lab ID: 40262961017** Collected: 05/31/23 11:00 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 12:26	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 12:26	74-85-1	
Methane	1.4J	ug/L	2.8	0.58	1		06/08/23 12:26	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 13:59	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:59	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:59	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:59	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 13:59	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 13:59	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:59	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 13:59	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 13:59	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 13:59	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 13:59	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 13:59	75-00-3	
Chloroform	1.8J	ug/L	5.0	0.50	1		06/05/23 13:59	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 13:59	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:59	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 13:59	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 13:59	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 13:59	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 13:59	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 13:59	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:59	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:59	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 13:59	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 13:59	75-71-8	
1,1-Dichloroethane	1.2	ug/L	1.0	0.30	1		06/05/23 13:59	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 13:59	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 13:59	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 13:59	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 13:59	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 13:59	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 13:59	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:59	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:59	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 13:59	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 13:59	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:59	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 13:59	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 13:59	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 13:59	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: MW-4 **Lab ID: 40262961017** Collected: 05/31/23 11:00 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:59	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 13:59	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 13:59	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 13:59	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:59	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:59	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 13:59	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 13:59	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 13:59	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 13:59	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 13:59	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 13:59	120-82-1	
1,1,1-Trichloroethane	0.56J	ug/L	1.0	0.30	1		06/05/23 13:59	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 13:59	79-00-5	
Trichloroethene	1.5	ug/L	1.0	0.32	1		06/05/23 13:59	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 13:59	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 13:59	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 13:59	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 13:59	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 13:59	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 13:59	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 13:59	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 13:59	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		06/05/23 13:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		06/05/23 13:59	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 13:59	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:30		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	314	mg/L	100	21.6	50		06/13/23 04:15	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.72J	mg/L	1.2	0.30	5		06/06/23 11:15		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-3 **Lab ID: 40262961018** Collected: 05/31/23 10:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	1.4J	ug/L	5.6	0.39	1		06/08/23 12:33	74-84-0	
Ethene	0.29J	ug/L	5.0	0.25	1		06/08/23 12:33	74-85-1	
Methane	15.2	ug/L	2.8	0.58	1		06/08/23 12:33	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 14:16	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:16	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 14:16	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:16	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 14:16	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 14:16	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 14:16	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 14:16	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 14:16	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 14:16	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 14:16	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 14:16	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 14:16	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 14:16	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 14:16	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 14:16	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 14:16	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 14:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 14:16	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 14:16	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 14:16	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:16	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 14:16	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 14:16	75-71-8	
1,1-Dichloroethane	27.0	ug/L	1.0	0.30	1		06/05/23 14:16	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 14:16	107-06-2	
1,1-Dichloroethene	10.4	ug/L	1.0	0.58	1		06/05/23 14:16	75-35-4	
cis-1,2-Dichloroethene	1.2	ug/L	1.0	0.47	1		06/05/23 14:16	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 14:16	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 14:16	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 14:16	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:16	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 14:16	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 14:16	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 14:16	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 14:16	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 14:16	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 14:16	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 14:16	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: MW-3 **Lab ID: 40262961018** Collected: 05/31/23 10:20 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 14:16	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 14:16	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 14:16	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 14:16	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:16	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:16	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 14:16	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 14:16	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 14:16	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 14:16	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 14:16	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 14:16	120-82-1	
1,1,1-Trichloroethane	7.6	ug/L	1.0	0.30	1		06/05/23 14:16	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 14:16	79-00-5	
Trichloroethene	5.7	ug/L	1.0	0.32	1		06/05/23 14:16	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:16	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 14:16	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 14:16	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:16	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 14:16	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 14:16	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 14:16	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:16	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		06/05/23 14:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/05/23 14:16	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 14:16	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:32		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	1330	mg/L	100	21.6	50		06/13/23 04:30	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.30	mg/L	1.2	0.30	5		06/06/23 11:15		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: MW-5 **Lab ID: 40262961019** Collected: 05/30/23 15:40 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 12:40	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 12:40	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 12:40	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 14:33	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:33	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 14:33	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:33	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 14:33	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 14:33	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 14:33	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 14:33	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 14:33	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 14:33	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 14:33	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 14:33	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 14:33	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 14:33	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 14:33	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 14:33	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 14:33	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 14:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 14:33	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 14:33	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 14:33	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:33	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 14:33	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 14:33	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 14:33	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 14:33	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 14:33	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 14:33	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 14:33	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 14:33	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 14:33	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:33	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 14:33	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 14:33	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 14:33	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 14:33	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 14:33	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 14:33	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 14:33	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: MW-5 **Lab ID: 40262961019** Collected: 05/30/23 15:40 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 14:33	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 14:33	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 14:33	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 14:33	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:33	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:33	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 14:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 14:33	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 14:33	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 14:33	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 14:33	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 14:33	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 14:33	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 14:33	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 14:33	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:33	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 14:33	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 14:33	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:33	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 14:33	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 14:33	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 14:33	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		06/05/23 14:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		06/05/23 14:33	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/05/23 14:33	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 11:34		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	88.7	mg/L	20.0	4.3	10		06/13/23 05:29	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.30	mg/L	1.2	0.30	5		06/06/23 11:16		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-1 **Lab ID: 40262961020** Collected: 05/30/23 13:45 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/08/23 12:47	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/08/23 12:47	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/08/23 12:47	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 14:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:50	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 14:50	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:50	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 14:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 14:50	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 14:50	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 14:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 14:50	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 14:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 14:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 14:50	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 14:50	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 14:50	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 14:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 14:50	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 14:50	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 14:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 14:50	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 14:50	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 14:50	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:50	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 14:50	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 14:50	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 14:50	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 14:50	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 14:50	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 14:50	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 14:50	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 14:50	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 14:50	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:50	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 14:50	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 14:50	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 14:50	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 14:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 14:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 14:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 14:50	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-1 **Lab ID: 40262961020** Collected: 05/30/23 13:45 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 14:50	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 14:50	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 14:50	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 14:50	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:50	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:50	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 14:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 14:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 14:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 14:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 14:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 14:50	120-82-1	
1,1,1-Trichloroethane	0.70J	ug/L	1.0	0.30	1		06/05/23 14:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 14:50	79-00-5	
Trichloroethene	3.7	ug/L	1.0	0.32	1		06/05/23 14:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 14:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 14:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 14:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 14:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 14:50	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 14:50	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 14:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 14:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 14:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		06/05/23 14:50	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 14:50	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 13:22		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	7.9	mg/L	2.0	0.43	1		06/13/23 05:44	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.41J	mg/L	1.2	0.30	5		06/06/23 11:17		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-2 **Lab ID: 40262961021** Collected: 05/30/23 13:15 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	0.74J	ug/L	5.6	0.39	1		06/09/23 09:28	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/09/23 09:28	74-85-1	
Methane	9.3	ug/L	2.8	0.58	1		06/09/23 09:28	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 15:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:08	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 15:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:08	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 15:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 15:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 15:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 15:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 15:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 15:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 15:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 15:08	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 15:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 15:08	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 15:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 15:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 15:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 15:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 15:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 15:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 15:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 15:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 15:08	75-71-8	
1,1-Dichloroethane	20.8	ug/L	1.0	0.30	1		06/05/23 15:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 15:08	107-06-2	
1,1-Dichloroethene	2.0	ug/L	1.0	0.58	1		06/05/23 15:08	75-35-4	
cis-1,2-Dichloroethene	8.3	ug/L	1.0	0.47	1		06/05/23 15:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 15:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 15:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:08	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 15:08	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 15:08	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 15:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 15:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 15:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 15:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 15:08	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: PZ-2 **Lab ID: 40262961021** Collected: 05/30/23 13:15 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 15:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 15:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 15:08	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 15:08	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:08	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 15:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 15:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 15:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 15:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 15:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 15:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 15:08	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 15:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 15:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 15:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:08	108-67-8	
Vinyl chloride	0.67J	ug/L	1.0	0.17	1		06/05/23 15:08	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 15:08	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 15:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 15:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/05/23 15:08	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 15:08	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 13:30		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2680	mg/L	100	21.6	50		06/13/23 05:59	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	1.5	mg/L	0.25	0.059	1		06/06/23 11:17		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: MW-7 **Lab ID: 40262961022** Collected: 05/30/23 12:00 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/09/23 09:35	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/09/23 09:35	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/09/23 09:35	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 15:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:25	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 15:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:25	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 15:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 15:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 15:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 15:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 15:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 15:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 15:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 15:25	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 15:25	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 15:25	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 15:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 15:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 15:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 15:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 15:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 15:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 15:25	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 15:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 15:25	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 15:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 15:25	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 15:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 15:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 15:25	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:25	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 15:25	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 15:25	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 15:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 15:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 15:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 15:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 15:25	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: MW-7 **Lab ID: 40262961022** Collected: 05/30/23 12:00 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 15:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 15:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 15:25	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 15:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:25	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 15:25	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 15:25	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 15:25	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 15:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 15:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 15:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 15:25	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 15:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 15:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 15:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 15:25	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 15:25	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 15:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		06/05/23 15:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		06/05/23 15:25	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 15:25	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 13:31		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	53.3	mg/L	2.0	0.43	1		06/13/23 06:14	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/06/23 13:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-6 **Lab ID: 40262961023** Collected: 05/30/23 11:35 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		06/09/23 09:42	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		06/09/23 09:42	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		06/09/23 09:42	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 15:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:42	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 15:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:42	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 15:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 15:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 15:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 15:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 15:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 15:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 15:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 15:42	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 15:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 15:42	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 15:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 15:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 15:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 15:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 15:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 15:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 15:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 15:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 15:42	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 15:42	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 15:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 15:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 15:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 15:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:42	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 15:42	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 15:42	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 15:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 15:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 15:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 15:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 15:42	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: MW-6 **Lab ID: 40262961023** Collected: 05/30/23 11:35 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 15:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 15:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 15:42	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 15:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:42	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 15:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 15:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 15:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 15:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 15:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 15:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 15:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 15:42	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 15:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 15:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 15:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 15:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 15:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 15:42	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 15:42	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 15:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 15:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		06/05/23 15:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/05/23 15:42	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 15:42	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		06/06/23 13:32		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	17.6	mg/L	2.0	0.43	1		06/13/23 06:28	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.14J	mg/L	0.25	0.059	1		06/06/23 13:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Sample: TB **Lab ID: 40262961024** Collected: 06/01/23 13:30 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/05/23 12:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:56	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:56	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:56	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		06/05/23 12:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/05/23 12:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/23 12:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/05/23 12:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/23 12:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/05/23 12:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/05/23 12:56	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		06/05/23 12:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/05/23 12:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/05/23 12:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/05/23 12:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/05/23 12:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/05/23 12:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/05/23 12:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/05/23 12:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/05/23 12:56	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/05/23 12:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/05/23 12:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/05/23 12:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/05/23 12:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/05/23 12:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:56	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:56	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		06/05/23 12:56	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		06/05/23 12:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/05/23 12:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/05/23 12:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/05/23 12:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/05/23 12:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/05/23 12:56	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		06/05/23 12:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Sample: TB **Lab ID: 40262961024** Collected: 06/01/23 13:30 Received: 06/01/23 14:22 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/05/23 12:56	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/23 12:56	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/05/23 12:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/05/23 12:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/05/23 12:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/05/23 12:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/05/23 12:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		06/05/23 12:56	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/05/23 12:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/05/23 12:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		06/05/23 12:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/05/23 12:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/05/23 12:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/05/23 12:56	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/05/23 12:56	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/05/23 12:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/05/23 12:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		06/05/23 12:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		06/05/23 12:56	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/05/23 12:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch:	446878	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961001, 40262961002, 40262961003, 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012, 40262961013, 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020

METHOD BLANK: 2564845 Matrix: Water
Associated Lab Samples: 40262961001, 40262961002, 40262961003, 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012, 40262961013, 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	06/08/23 09:27	
Ethene	ug/L	<0.25	5.0	06/08/23 09:27	
Methane	ug/L	<0.58	2.8	06/08/23 09:27	

LABORATORY CONTROL SAMPLE & LCSD: 2564846 2564847

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	53.6	45.7	50.0	85	93	80-120	9	20	
Ethene	ug/L	50	42.6	46.5	85	93	80-120	9	20	
Methane	ug/L	28.6	23.6	26.3	83	92	80-120	11	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2565311 2565312

Parameter	Units	40262961001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	<0.39	53.6	53.6	47.2	50.0	88	93	77-120	6	20	
Ethene	ug/L	<0.25	50	50	44.1	46.7	88	93	76-120	6	20	
Methane	ug/L	<0.58	28.6	28.6	24.7	26.4	86	93	12-198	7	26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch: 447031	Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 8015B Modified	Analysis Description: Methane, Ethane, Ethene GCV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961021, 40262961022, 40262961023

METHOD BLANK: 2565748 Matrix: Water
Associated Lab Samples: 40262961021, 40262961022, 40262961023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	06/09/23 08:55	
Ethene	ug/L	<0.25	5.0	06/09/23 08:55	
Methane	ug/L	<0.58	2.8	06/09/23 08:55	

LABORATORY CONTROL SAMPLE & LCSD: 2565749 2565750

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	53.6	48.2	51.7	90	97	80-120	7	20	
Ethene	ug/L	50	45.0	48.2	90	96	80-120	7	20	
Methane	ug/L	28.6	26.2	28.3	92	99	80-120	8	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2565801 2565802

Parameter	Units	40262961022 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	<0.39	53.6	53.6	48.3	50.8	90	95	77-120	5	20	
Ethene	ug/L	<0.25	50	50	44.9	46.5	90	93	76-120	3	20	
Methane	ug/L	<0.58	28.6	28.6	25.2	26.9	88	94	12-198	6	26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch: 446531	Analysis Method: EPA 8260
QC Batch Method: EPA 8260	Analysis Description: 8260 MSV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961024

METHOD BLANK: 2563174 Matrix: Water
Associated Lab Samples: 40262961024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	06/05/23 11:01	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	06/05/23 11:01	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	06/05/23 11:01	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	06/05/23 11:01	
1,1-Dichloroethane	ug/L	<0.30	1.0	06/05/23 11:01	
1,1-Dichloroethene	ug/L	<0.58	1.0	06/05/23 11:01	
1,1-Dichloropropene	ug/L	<0.41	1.0	06/05/23 11:01	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	06/05/23 11:01	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	06/05/23 11:01	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	06/05/23 11:01	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	06/05/23 11:01	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	06/05/23 11:01	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	06/05/23 11:01	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	06/05/23 11:01	
1,2-Dichloroethane	ug/L	<0.29	1.0	06/05/23 11:01	
1,2-Dichloropropane	ug/L	<0.45	1.0	06/05/23 11:01	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	06/05/23 11:01	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	06/05/23 11:01	
1,3-Dichloropropane	ug/L	<0.30	1.0	06/05/23 11:01	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	06/05/23 11:01	
2,2-Dichloropropane	ug/L	<0.42	1.0	06/05/23 11:01	
2-Chlorotoluene	ug/L	<0.89	5.0	06/05/23 11:01	
4-Chlorotoluene	ug/L	<0.89	5.0	06/05/23 11:01	
Benzene	ug/L	<0.30	1.0	06/05/23 11:01	
Bromobenzene	ug/L	<0.36	1.0	06/05/23 11:01	
Bromochloromethane	ug/L	<0.36	1.0	06/05/23 11:01	
Bromodichloromethane	ug/L	<0.42	1.0	06/05/23 11:01	
Bromoform	ug/L	<0.43	1.0	06/05/23 11:01	
Bromomethane	ug/L	<1.2	5.0	06/05/23 11:01	
Carbon tetrachloride	ug/L	<0.37	1.0	06/05/23 11:01	
Chlorobenzene	ug/L	<0.86	1.0	06/05/23 11:01	
Chloroethane	ug/L	<1.4	5.0	06/05/23 11:01	
Chloroform	ug/L	<0.50	5.0	06/05/23 11:01	
Chloromethane	ug/L	<1.6	5.0	06/05/23 11:01	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	06/05/23 11:01	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	06/05/23 11:01	
Dibromochloromethane	ug/L	<2.6	5.0	06/05/23 11:01	
Dibromomethane	ug/L	<0.99	5.0	06/05/23 11:01	
Dichlorodifluoromethane	ug/L	<0.46	5.0	06/05/23 11:01	
Diisopropyl ether	ug/L	<1.1	5.0	06/05/23 11:01	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

METHOD BLANK: 2563174

Matrix: Water

Associated Lab Samples: 40262961024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	06/05/23 11:01	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	06/05/23 11:01	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	06/05/23 11:01	
m&p-Xylene	ug/L	<0.70	2.0	06/05/23 11:01	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	06/05/23 11:01	
Methylene Chloride	ug/L	<0.32	5.0	06/05/23 11:01	
n-Butylbenzene	ug/L	<0.86	1.0	06/05/23 11:01	
n-Propylbenzene	ug/L	<0.35	1.0	06/05/23 11:01	
Naphthalene	ug/L	<1.9	5.0	06/05/23 11:01	
o-Xylene	ug/L	<0.35	1.0	06/05/23 11:01	
p-Isopropyltoluene	ug/L	<1.0	5.0	06/05/23 11:01	
sec-Butylbenzene	ug/L	<0.42	1.0	06/05/23 11:01	
Styrene	ug/L	<0.36	1.0	06/05/23 11:01	
tert-Butylbenzene	ug/L	<0.59	1.0	06/05/23 11:01	
Tetrachloroethene	ug/L	<0.41	1.0	06/05/23 11:01	
Toluene	ug/L	<0.29	1.0	06/05/23 11:01	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	06/05/23 11:01	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	06/05/23 11:01	
Trichloroethene	ug/L	<0.32	1.0	06/05/23 11:01	
Trichlorofluoromethane	ug/L	<0.42	1.0	06/05/23 11:01	
Vinyl chloride	ug/L	<0.17	1.0	06/05/23 11:01	
Xylene (Total)	ug/L	<1.0	3.0	06/05/23 11:01	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	06/05/23 11:01	
4-Bromofluorobenzene (S)	%	100	70-130	06/05/23 11:01	
Toluene-d8 (S)	%	99	70-130	06/05/23 11:01	

LABORATORY CONTROL SAMPLE: 2563175

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.0	96	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	43.2	86	69-130	
1,1,2-Trichloroethane	ug/L	50	47.3	95	70-130	
1,1-Dichloroethane	ug/L	50	49.2	98	70-130	
1,1-Dichloroethene	ug/L	50	51.5	103	74-131	
1,2,4-Trichlorobenzene	ug/L	50	41.6	83	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	41.8	84	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	46.5	93	70-130	
1,2-Dichlorobenzene	ug/L	50	45.8	92	70-130	
1,2-Dichloroethane	ug/L	50	46.4	93	70-137	
1,2-Dichloropropane	ug/L	50	46.8	94	80-121	
1,3-Dichlorobenzene	ug/L	50	46.3	93	70-130	
1,4-Dichlorobenzene	ug/L	50	43.2	86	70-130	
Benzene	ug/L	50	48.5	97	70-130	
Bromodichloromethane	ug/L	50	46.5	93	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

LABORATORY CONTROL SAMPLE: 2563175

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	46.3	93	70-130	
Bromomethane	ug/L	50	39.6	79	21-147	
Carbon tetrachloride	ug/L	50	48.0	96	80-146	
Chlorobenzene	ug/L	50	48.3	97	70-130	
Chloroethane	ug/L	50	51.9	104	52-165	
Chloroform	ug/L	50	50.7	101	80-123	
Chloromethane	ug/L	50	41.1	82	51-122	
cis-1,2-Dichloroethene	ug/L	50	46.6	93	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.6	91	70-130	
Dibromochloromethane	ug/L	50	43.2	86	70-130	
Dichlorodifluoromethane	ug/L	50	42.9	86	25-121	
Ethylbenzene	ug/L	50	49.1	98	80-120	
Isopropylbenzene (Cumene)	ug/L	50	48.6	97	70-130	
m&p-Xylene	ug/L	100	97.2	97	70-130	
Methyl-tert-butyl ether	ug/L	50	43.7	87	70-130	
Methylene Chloride	ug/L	50	52.8	106	70-130	
o-Xylene	ug/L	50	47.3	95	70-130	
Styrene	ug/L	50	58.1	116	70-130	
Tetrachloroethene	ug/L	50	50.9	102	70-130	
Toluene	ug/L	50	49.1	98	80-120	
trans-1,2-Dichloroethene	ug/L	50	51.0	102	70-130	
trans-1,3-Dichloropropene	ug/L	50	45.1	90	70-130	
Trichloroethene	ug/L	50	47.5	95	70-130	
Trichlorofluoromethane	ug/L	50	52.6	105	65-160	
Vinyl chloride	ug/L	50	50.8	102	63-134	
Xylene (Total)	ug/L	150	144	96	70-130	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563355 2563356

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40263031010	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	48.0	51.3	96	103	70-134	7	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	45.9	51.2	92	102	61-135	11	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	48.8	52.8	98	106	70-130	8	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	47.8	50.9	96	102	70-130	6	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	50.9	53.8	102	108	71-130	6	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	42.5	47.6	85	95	68-131	11	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	42.0	47.6	84	95	51-141	12	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	46.9	51.8	94	104	70-130	10	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	46.7	50.9	93	102	70-130	8	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	46.9	51.0	94	102	70-137	8	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Parameter	Units	2563355		2563356		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40263031010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
1,2-Dichloropropane	ug/L	<0.45	50	50	47.4	50.8	95	102	80-121	7	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	47.2	51.3	94	103	70-130	8	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	43.8	48.0	88	96	70-130	9	20	
Benzene	ug/L	<0.30	50	50	48.0	52.1	96	104	70-130	8	20	
Bromodichloromethane	ug/L	<0.42	50	50	47.0	51.4	94	103	70-130	9	20	
Bromoform	ug/L	<0.43	50	50	48.4	53.1	97	106	70-133	9	20	
Bromomethane	ug/L	<1.2	50	50	43.8	47.9	88	96	21-149	9	22	
Carbon tetrachloride	ug/L	<0.37	50	50	48.4	52.1	97	104	80-146	7	20	
Chlorobenzene	ug/L	<0.86	50	50	48.9	53.0	98	106	70-130	8	20	
Chloroethane	ug/L	<1.4	50	50	50.6	52.3	101	105	52-165	3	20	
Chloroform	ug/L	<0.50	50	50	50.2	54.3	100	109	80-123	8	20	
Chloromethane	ug/L	<1.6	50	50	38.5	40.5	77	81	42-125	5	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	46.6	49.6	93	99	70-130	6	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	46.1	50.6	92	101	70-130	9	20	
Dibromochloromethane	ug/L	<2.6	50	50	44.8	49.5	90	99	70-130	10	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	38.2	39.6	76	79	25-121	4	20	
Ethylbenzene	ug/L	<0.33	50	50	49.9	52.8	100	106	80-121	6	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	48.9	51.5	98	103	70-130	5	20	
m&p-Xylene	ug/L	<0.70	100	100	98.0	105	98	105	70-130	7	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	44.1	49.0	88	98	70-130	10	20	
Methylene Chloride	ug/L	<0.32	50	50	50.4	54.0	101	108	70-130	7	20	
o-Xylene	ug/L	<0.35	50	50	47.3	50.8	95	102	70-130	7	20	
Styrene	ug/L	<0.36	50	50	58.6	62.9	117	126	70-132	7	20	
Tetrachloroethene	ug/L	<0.41	50	50	51.3	54.7	103	109	70-130	6	20	
Toluene	ug/L	<0.29	50	50	49.9	53.1	100	106	80-120	6	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	51.6	54.3	103	109	70-130	5	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	46.7	49.7	93	99	70-130	6	20	
Trichloroethene	ug/L	<0.32	50	50	47.9	52.3	96	105	70-130	9	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	50.7	53.4	101	107	65-160	5	20	
Vinyl chloride	ug/L	<0.17	50	50	48.5	51.4	97	103	60-137	6	20	
Xylene (Total)	ug/L	<1.0	150	150	145	155	97	104	70-130	7	20	
1,2-Dichlorobenzene-d4 (S)	%						99	102	70-130			
4-Bromofluorobenzene (S)	%						98	99	70-130			
Toluene-d8 (S)	%						103	103	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch:	446532	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012, 40262961013, 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020, 40262961021, 40262961022, 40262961023

METHOD BLANK: 2563176 Matrix: Water
Associated Lab Samples: 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012, 40262961013, 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020, 40262961021, 40262961022, 40262961023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	06/05/23 09:59	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	06/05/23 09:59	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	06/05/23 09:59	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	06/05/23 09:59	
1,1-Dichloroethane	ug/L	<0.30	1.0	06/05/23 09:59	
1,1-Dichloroethene	ug/L	<0.58	1.0	06/05/23 09:59	
1,1-Dichloropropene	ug/L	<0.41	1.0	06/05/23 09:59	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	06/05/23 09:59	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	06/05/23 09:59	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	06/05/23 09:59	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	06/05/23 09:59	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	06/05/23 09:59	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	06/05/23 09:59	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	06/05/23 09:59	
1,2-Dichloroethane	ug/L	<0.29	1.0	06/05/23 09:59	
1,2-Dichloropropane	ug/L	<0.45	1.0	06/05/23 09:59	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	06/05/23 09:59	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	06/05/23 09:59	
1,3-Dichloropropane	ug/L	<0.30	1.0	06/05/23 09:59	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	06/05/23 09:59	
2,2-Dichloropropane	ug/L	<0.42	1.0	06/05/23 09:59	
2-Chlorotoluene	ug/L	<0.89	5.0	06/05/23 09:59	
4-Chlorotoluene	ug/L	<0.89	5.0	06/05/23 09:59	
Benzene	ug/L	<0.30	1.0	06/05/23 09:59	
Bromobenzene	ug/L	<0.36	1.0	06/05/23 09:59	
Bromochloromethane	ug/L	<0.36	1.0	06/05/23 09:59	
Bromodichloromethane	ug/L	<0.42	1.0	06/05/23 09:59	
Bromoform	ug/L	<0.43	1.0	06/05/23 09:59	
Bromomethane	ug/L	<1.2	5.0	06/05/23 09:59	
Carbon tetrachloride	ug/L	<0.37	1.0	06/05/23 09:59	
Chlorobenzene	ug/L	<0.86	1.0	06/05/23 09:59	
Chloroethane	ug/L	<1.4	5.0	06/05/23 09:59	
Chloroform	ug/L	<0.50	5.0	06/05/23 09:59	
Chloromethane	ug/L	<1.6	5.0	06/05/23 09:59	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	06/05/23 09:59	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	06/05/23 09:59	
Dibromochloromethane	ug/L	<2.6	5.0	06/05/23 09:59	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

METHOD BLANK: 2563176

Matrix: Water

Associated Lab Samples: 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012, 40262961013, 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020, 40262961021, 40262961022, 40262961023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	06/05/23 09:59	
Dichlorodifluoromethane	ug/L	<0.46	5.0	06/05/23 09:59	
Diisopropyl ether	ug/L	<1.1	5.0	06/05/23 09:59	
Ethylbenzene	ug/L	<0.33	1.0	06/05/23 09:59	
Hexachloro-1,3-butadiene	ug/L	10.5	5.0	06/05/23 09:59	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	06/05/23 09:59	
m&p-Xylene	ug/L	<0.70	2.0	06/05/23 09:59	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	06/05/23 09:59	
Methylene Chloride	ug/L	<0.32	5.0	06/05/23 09:59	
n-Butylbenzene	ug/L	<0.86	1.0	06/05/23 09:59	
n-Propylbenzene	ug/L	<0.35	1.0	06/05/23 09:59	
Naphthalene	ug/L	<1.9	5.0	06/05/23 09:59	
o-Xylene	ug/L	<0.35	1.0	06/05/23 09:59	
p-Isopropyltoluene	ug/L	<1.0	5.0	06/05/23 09:59	
sec-Butylbenzene	ug/L	<0.42	1.0	06/05/23 09:59	
Styrene	ug/L	<0.36	1.0	06/05/23 09:59	
tert-Butylbenzene	ug/L	<0.59	1.0	06/05/23 09:59	
Tetrachloroethene	ug/L	<0.41	1.0	06/05/23 09:59	
Toluene	ug/L	<0.29	1.0	06/05/23 09:59	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	06/05/23 09:59	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	06/05/23 09:59	
Trichloroethene	ug/L	<0.32	1.0	06/05/23 09:59	
Trichlorofluoromethane	ug/L	<0.42	1.0	06/05/23 09:59	
Vinyl chloride	ug/L	<0.17	1.0	06/05/23 09:59	
Xylene (Total)	ug/L	<1.0	3.0	06/05/23 09:59	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	06/05/23 09:59	
4-Bromofluorobenzene (S)	%	106	70-130	06/05/23 09:59	
Toluene-d8 (S)	%	100	70-130	06/05/23 09:59	

LABORATORY CONTROL SAMPLE: 2563177

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	53.8	108	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	49.4	99	69-130	
1,1,2-Trichloroethane	ug/L	50	50.6	101	70-130	
1,1-Dichloroethane	ug/L	50	55.2	110	70-130	
1,1-Dichloroethene	ug/L	50	57.1	114	74-131	
1,2,4-Trichlorobenzene	ug/L	50	47.6	95	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	45.3	91	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	50.0	100	70-130	
1,2-Dichlorobenzene	ug/L	50	49.0	98	70-130	
1,2-Dichloroethane	ug/L	50	55.3	111	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

LABORATORY CONTROL SAMPLE: 2563177

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	53.2	106	80-121	
1,3-Dichlorobenzene	ug/L	50	49.9	100	70-130	
1,4-Dichlorobenzene	ug/L	50	47.4	95	70-130	
Benzene	ug/L	50	53.9	108	70-130	
Bromodichloromethane	ug/L	50	54.5	109	70-130	
Bromoform	ug/L	50	44.8	90	70-130	
Bromomethane	ug/L	50	43.5	87	21-147	
Carbon tetrachloride	ug/L	50	55.3	111	80-146	
Chlorobenzene	ug/L	50	49.0	98	70-130	
Chloroethane	ug/L	50	58.3	117	52-165	
Chloroform	ug/L	50	50.5	101	80-123	
Chloromethane	ug/L	50	61.7	123	51-122	L1
cis-1,2-Dichloroethene	ug/L	50	51.2	102	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.4	97	70-130	
Dibromochloromethane	ug/L	50	45.9	92	70-130	
Dichlorodifluoromethane	ug/L	50	50.6	101	25-121	
Ethylbenzene	ug/L	50	49.9	100	80-120	
Isopropylbenzene (Cumene)	ug/L	50	49.8	100	70-130	
m&p-Xylene	ug/L	100	97.7	98	70-130	
Methyl-tert-butyl ether	ug/L	50	51.9	104	70-130	
Methylene Chloride	ug/L	50	57.6	115	70-130	
o-Xylene	ug/L	50	49.0	98	70-130	
Styrene	ug/L	50	58.0	116	70-130	
Tetrachloroethene	ug/L	50	49.8	100	70-130	
Toluene	ug/L	50	49.2	98	80-120	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	70-130	
trans-1,3-Dichloropropene	ug/L	50	43.9	88	70-130	
Trichloroethene	ug/L	50	54.2	108	70-130	
Trichlorofluoromethane	ug/L	50	56.5	113	65-160	
Vinyl chloride	ug/L	50	60.6	121	63-134	
Xylene (Total)	ug/L	150	147	98	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563245 2563246

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40262961008	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	43.1	47.7	86	95	70-134	10	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	41.3	46.7	83	93	61-135	12	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	43.4	46.3	87	93	70-130	7	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	43.8	48.2	88	96	70-130	10	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	45.4	50.8	91	102	71-130	11	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	41.0	43.8	82	88	68-131	7	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563245		2563246		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40262961008 Result	MS Spike Conc.	MSD Spike Conc.									
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	38.1	42.8	76	86	51-141	11	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	43.8	46.7	88	93	70-130	7	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	41.2	45.1	82	90	70-130	9	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	43.8	47.8	88	96	70-137	9	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	42.5	46.6	85	93	80-121	9	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	41.1	45.3	82	91	70-130	10	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	39.7	43.9	79	88	70-130	10	20		
Benzene	ug/L	<0.30	50	50	43.0	47.4	86	95	70-130	10	20		
Bromodichloromethane	ug/L	<0.42	50	50	44.2	47.7	88	95	70-130	8	20		
Bromoform	ug/L	<0.43	50	50	38.9	42.1	78	84	70-133	8	20		
Bromomethane	ug/L	<1.2	50	50	35.5	42.5	71	85	21-149	18	22		
Carbon tetrachloride	ug/L	<0.37	50	50	44.4	50.4	89	101	80-146	13	20		
Chlorobenzene	ug/L	<0.86	50	50	41.8	45.6	84	91	70-130	9	20		
Chloroethane	ug/L	<1.4	50	50	46.2	53.9	92	108	52-165	15	20		
Chloroform	ug/L	<0.50	50	50	40.4	44.5	81	89	80-123	10	20		
Chloromethane	ug/L	<1.6	50	50	48.7	52.4	97	105	42-125	7	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	40.6	45.2	81	90	70-130	11	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	38.6	42.5	77	85	70-130	10	20		
Dibromochloromethane	ug/L	<2.6	50	50	39.4	42.5	79	85	70-130	7	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	38.7	43.2	77	86	25-121	11	20		
Ethylbenzene	ug/L	<0.33	50	50	42.3	46.0	85	92	80-121	8	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	42.8	46.4	86	93	70-130	8	20		
m&p-Xylene	ug/L	<0.70	100	100	82.5	89.9	82	90	70-130	9	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	41.5	45.4	83	91	70-130	9	20		
Methylene Chloride	ug/L	<0.32	50	50	46.0	49.9	92	100	70-130	8	20		
o-Xylene	ug/L	<0.35	50	50	40.9	44.2	82	88	70-130	8	20		
Styrene	ug/L	<0.36	50	50	48.9	53.2	98	106	70-132	8	20		
Tetrachloroethene	ug/L	<0.41	50	50	42.3	45.7	85	91	70-130	8	20		
Toluene	ug/L	<0.29	50	50	42.3	45.9	85	92	80-120	8	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	42.6	47.2	85	94	70-130	10	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	38.0	41.0	76	82	70-130	8	20		
Trichloroethene	ug/L	<0.32	50	50	43.7	47.5	87	95	70-130	8	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	44.5	48.9	89	98	65-160	9	20		
Vinyl chloride	ug/L	<0.17	50	50	46.7	52.8	93	106	60-137	12	20		
Xylene (Total)	ug/L	<1.0	150	150	123	134	82	89	70-130	8	20		
1,2-Dichlorobenzene-d4 (S)	%							100	102	70-130			
4-Bromofluorobenzene (S)	%							104	105	70-130			
Toluene-d8 (S)	%							99	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch: 446535 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40262961001, 40262961002, 40262961003

METHOD BLANK: 2563184 Matrix: Water
Associated Lab Samples: 40262961001, 40262961002, 40262961003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	06/06/23 07:31	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	06/06/23 07:31	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	06/06/23 07:31	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	06/06/23 07:31	
1,1-Dichloroethane	ug/L	<0.30	1.0	06/06/23 07:31	
1,1-Dichloroethene	ug/L	<0.58	1.0	06/06/23 07:31	
1,1-Dichloropropene	ug/L	<0.41	1.0	06/06/23 07:31	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	06/06/23 07:31	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	06/06/23 07:31	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	06/06/23 07:31	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	06/06/23 07:31	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	06/06/23 07:31	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	06/06/23 07:31	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	06/06/23 07:31	
1,2-Dichloroethane	ug/L	<0.29	1.0	06/06/23 07:31	
1,2-Dichloropropane	ug/L	<0.45	1.0	06/06/23 07:31	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	06/06/23 07:31	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	06/06/23 07:31	
1,3-Dichloropropane	ug/L	<0.30	1.0	06/06/23 07:31	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	06/06/23 07:31	
2,2-Dichloropropane	ug/L	<0.42	1.0	06/06/23 07:31	
2-Chlorotoluene	ug/L	<0.89	5.0	06/06/23 07:31	
4-Chlorotoluene	ug/L	<0.89	5.0	06/06/23 07:31	
Benzene	ug/L	<0.30	1.0	06/06/23 07:31	
Bromobenzene	ug/L	<0.36	1.0	06/06/23 07:31	
Bromochloromethane	ug/L	<0.36	1.0	06/06/23 07:31	
Bromodichloromethane	ug/L	<0.42	1.0	06/06/23 07:31	
Bromoform	ug/L	<0.43	1.0	06/06/23 07:31	
Bromomethane	ug/L	<1.2	5.0	06/06/23 07:31	
Carbon tetrachloride	ug/L	<0.37	1.0	06/06/23 07:31	
Chlorobenzene	ug/L	<0.86	1.0	06/06/23 07:31	
Chloroethane	ug/L	<1.4	5.0	06/06/23 07:31	
Chloroform	ug/L	<0.50	5.0	06/06/23 07:31	
Chloromethane	ug/L	<1.6	5.0	06/06/23 07:31	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	06/06/23 07:31	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	06/06/23 07:31	
Dibromochloromethane	ug/L	<2.6	5.0	06/06/23 07:31	
Dibromomethane	ug/L	<0.99	5.0	06/06/23 07:31	
Dichlorodifluoromethane	ug/L	<0.46	5.0	06/06/23 07:31	
Diisopropyl ether	ug/L	<1.1	5.0	06/06/23 07:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

METHOD BLANK: 2563184

Matrix: Water

Associated Lab Samples: 40262961001, 40262961002, 40262961003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	06/06/23 07:31	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	06/06/23 07:31	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	06/06/23 07:31	
m&p-Xylene	ug/L	<0.70	2.0	06/06/23 07:31	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	06/06/23 07:31	
Methylene Chloride	ug/L	<0.32	5.0	06/06/23 07:31	
n-Butylbenzene	ug/L	<0.86	1.0	06/06/23 07:31	
n-Propylbenzene	ug/L	<0.35	1.0	06/06/23 07:31	
Naphthalene	ug/L	<1.9	5.0	06/06/23 07:31	
o-Xylene	ug/L	<0.35	1.0	06/06/23 07:31	
p-Isopropyltoluene	ug/L	<1.0	5.0	06/06/23 07:31	
sec-Butylbenzene	ug/L	<0.42	1.0	06/06/23 07:31	
Styrene	ug/L	<0.36	1.0	06/06/23 07:31	
tert-Butylbenzene	ug/L	<0.59	1.0	06/06/23 07:31	
Tetrachloroethene	ug/L	<0.41	1.0	06/06/23 07:31	
Toluene	ug/L	<0.29	1.0	06/06/23 07:31	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	06/06/23 07:31	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	06/06/23 07:31	
Trichloroethene	ug/L	<0.32	1.0	06/06/23 07:31	
Trichlorofluoromethane	ug/L	<0.42	1.0	06/06/23 07:31	
Vinyl chloride	ug/L	<0.17	1.0	06/06/23 07:31	
Xylene (Total)	ug/L	<1.0	3.0	06/06/23 07:31	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	06/06/23 07:31	
4-Bromofluorobenzene (S)	%	107	70-130	06/06/23 07:31	
Toluene-d8 (S)	%	101	70-130	06/06/23 07:31	

LABORATORY CONTROL SAMPLE: 2563185

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.2	96	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	50.4	101	69-130	
1,1,2-Trichloroethane	ug/L	50	48.2	96	70-130	
1,1-Dichloroethane	ug/L	50	49.4	99	70-130	
1,1-Dichloroethene	ug/L	50	51.2	102	74-131	
1,2,4-Trichlorobenzene	ug/L	50	44.8	90	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	43.2	86	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	45.4	91	70-130	
1,2-Dichlorobenzene	ug/L	50	49.8	100	70-130	
1,2-Dichloroethane	ug/L	50	50.1	100	70-137	
1,2-Dichloropropane	ug/L	50	47.4	95	80-121	
1,3-Dichlorobenzene	ug/L	50	49.7	99	70-130	
1,4-Dichlorobenzene	ug/L	50	47.1	94	70-130	
Benzene	ug/L	50	50.8	102	70-130	
Bromodichloromethane	ug/L	50	46.6	93	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

LABORATORY CONTROL SAMPLE: 2563185

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	39.9	80	70-130	
Bromomethane	ug/L	50	47.9	96	21-147	
Carbon tetrachloride	ug/L	50	47.1	94	80-146	
Chlorobenzene	ug/L	50	47.6	95	70-130	
Chloroethane	ug/L	50	54.6	109	52-165	
Chloroform	ug/L	50	49.0	98	80-123	
Chloromethane	ug/L	50	50.1	100	51-122	
cis-1,2-Dichloroethene	ug/L	50	48.5	97	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.1	92	70-130	
Dibromochloromethane	ug/L	50	42.2	84	70-130	
Dichlorodifluoromethane	ug/L	50	41.1	82	25-121	
Ethylbenzene	ug/L	50	51.7	103	80-120	
Isopropylbenzene (Cumene)	ug/L	50	49.9	100	70-130	
m&p-Xylene	ug/L	100	98.4	98	70-130	
Methyl-tert-butyl ether	ug/L	50	48.6	97	70-130	
Methylene Chloride	ug/L	50	50.3	101	70-130	
o-Xylene	ug/L	50	48.1	96	70-130	
Styrene	ug/L	50	58.1	116	70-130	
Tetrachloroethene	ug/L	50	43.5	87	70-130	
Toluene	ug/L	50	49.3	99	80-120	
trans-1,2-Dichloroethene	ug/L	50	51.7	103	70-130	
trans-1,3-Dichloropropene	ug/L	50	44.5	89	70-130	
Trichloroethene	ug/L	50	48.8	98	70-130	
Trichlorofluoromethane	ug/L	50	52.2	104	65-160	
Vinyl chloride	ug/L	50	52.6	105	63-134	
Xylene (Total)	ug/L	150	147	98	70-130	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			108	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563595 2563596

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40262961001	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	48.5	47.3	97	95	70-134	3	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50.8	51.1	102	102	61-135	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	48.8	47.1	98	94	70-130	4	20		
1,1-Dichloroethane	ug/L	0.35J	50	50	50.1	49.6	99	99	70-130	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	51.6	50.7	103	101	71-130	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	44.1	44.1	88	88	68-131	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	42.5	42.8	85	86	51-141	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	46.8	45.2	94	90	70-130	3	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50.6	48.8	101	98	70-130	4	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.6	49.6	101	99	70-137	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563595			2563596										
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40262961001 Result	Spike Conc.	Spike Conc.	MS Conc.								
1,2-Dichloropropane	ug/L	<0.45	50	50	47.9	48.2	96	96	80-121	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	51.0	49.2	102	98	70-130	4	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.9	46.6	98	93	70-130	5	20		
Benzene	ug/L	<0.30	50	50	51.1	49.7	102	99	70-130	3	20		
Bromodichloromethane	ug/L	<0.42	50	50	48.1	46.2	96	92	70-130	4	20		
Bromoform	ug/L	<0.43	50	50	40.9	40.0	82	80	70-133	2	20		
Bromomethane	ug/L	<1.2	50	50	52.0	54.2	104	108	21-149	4	22		
Carbon tetrachloride	ug/L	<0.37	50	50	48.2	45.4	96	91	80-146	6	20		
Chlorobenzene	ug/L	<0.86	50	50	48.8	47.3	98	95	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	56.6	53.5	113	107	52-165	6	20		
Chloroform	ug/L	<0.50	50	50	50.3	48.2	101	96	80-123	4	20		
Chloromethane	ug/L	<1.6	50	50	51.5	49.0	103	98	42-125	5	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	47.5	46.4	94	92	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	45.8	45.6	92	91	70-130	0	20		
Dibromochloromethane	ug/L	<2.6	50	50	43.2	42.1	86	84	70-130	3	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	41.1	40.0	82	80	25-121	3	20		
Ethylbenzene	ug/L	<0.33	50	50	52.7	51.1	105	102	80-121	3	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	51.1	49.0	102	98	70-130	4	20		
m&p-Xylene	ug/L	<0.70	100	100	99.5	96.0	100	96	70-130	4	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	47.4	47.0	95	94	70-130	1	20		
Methylene Chloride	ug/L	<0.32	50	50	51.4	49.4	103	99	70-130	4	20		
o-Xylene	ug/L	<0.35	50	50	49.5	48.5	99	97	70-130	2	20		
Styrene	ug/L	<0.36	50	50	59.0	57.5	118	115	70-132	3	20		
Tetrachloroethene	ug/L	<0.41	50	50	44.4	42.4	89	85	70-130	5	20		
Toluene	ug/L	<0.29	50	50	50.3	48.4	101	97	80-120	4	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	52.3	49.4	105	99	70-130	6	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	45.5	44.4	91	89	70-130	2	20		
Trichloroethene	ug/L	1.7	50	50	51.8	49.0	100	95	70-130	6	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	52.4	51.3	105	103	65-160	2	20		
Vinyl chloride	ug/L	<0.17	50	50	52.6	50.6	105	101	60-137	4	20		
Xylene (Total)	ug/L	<1.0	150	150	149	145	99	96	70-130	3	20		
1,2-Dichlorobenzene-d4 (S)	%						99	100	70-130				
4-Bromofluorobenzene (S)	%						104	106	70-130				
Toluene-d8 (S)	%						101	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch: 446674 Analysis Method: SM 4500-S F (2000)
QC Batch Method: SM 4500-S F (2000) Analysis Description: 4500S2F Sulfide, Iodometric
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40262961020, 40262961021, 40262961022, 40262961023

METHOD BLANK: 2563692 Matrix: Water
Associated Lab Samples: 40262961020, 40262961021, 40262961022, 40262961023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	06/06/23 13:16	

LABORATORY CONTROL SAMPLE: 2563693

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	43.2	37.2	86	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563694 2563695

Parameter	Units	40262961020		2563695		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Sulfide	mg/L	<1.2	43.2	37.6	38.4	87	89	80-120	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch:	446979	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961001, 40262961002, 40262961003, 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012

METHOD BLANK: 2565496 Matrix: Water
Associated Lab Samples: 40262961001, 40262961002, 40262961003, 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	06/12/23 02:37	

LABORATORY CONTROL SAMPLE: 2565497

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.4	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2565500 2565501

Parameter	Units	40262961012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	103	100	100	207	206	104	103	90-110	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2566147 2566148

Parameter	Units	40262776001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	324	400	400	727	718	101	98	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch:	447059	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961013, 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020, 40262961021, 40262961022, 40262961023

METHOD BLANK: 2566151 Matrix: Water
Associated Lab Samples: 40262961013, 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020, 40262961021, 40262961022, 40262961023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	06/13/23 02:16	

LABORATORY CONTROL SAMPLE: 2566152

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.7	108	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2566153 2566154

Parameter	Units	40262961013 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Result	MSD Result							
Chloride	mg/L	719	400	400	1110	1110	97	97	90-110	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2566155 2566156

Parameter	Units	40263055001 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Result	MSD Result							
Chloride	mg/L	221	400	400	662	657	110	109	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch:	446619	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961001, 40262961002, 40262961003, 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012, 40262961013

METHOD BLANK: 2563477 Matrix: Water
Associated Lab Samples: 40262961001, 40262961002, 40262961003, 40262961004, 40262961005, 40262961006, 40262961007, 40262961008, 40262961009, 40262961010, 40262961011, 40262961012, 40262961013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	06/06/23 10:47	

LABORATORY CONTROL SAMPLE: 2563478

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563479 2563480

Parameter	Units	40262744002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	0.096J	2.5	2.5	2.8	2.8	109	108	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563481 2563482

Parameter	Units	40262961013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	0.18J	2.5	2.5	2.8	2.8	104	105	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

QC Batch:	446620	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020, 40262961021, 40262961022, 40262961023

METHOD BLANK: 2563489 Matrix: Water
Associated Lab Samples: 40262961014, 40262961015, 40262961016, 40262961017, 40262961018, 40262961019, 40262961020, 40262961021, 40262961022, 40262961023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	06/06/23 11:08	

LABORATORY CONTROL SAMPLE: 2563490

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563491 2563492

Parameter	Units	40262961014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	0.77	2.5	2.5	3.6	3.6	113	113	90-110	0	20	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2563493 2563494

Parameter	Units	40262917004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	9.1	12.5	12.5	22.2	22.2	105	105	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|--|
| 1q | Sample was received with headspace. |
| D3 | Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference. |
| L1 | Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high. |
| M0 | Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits. |
| pH | Post-analysis pH measurement indicates insufficient VOA sample preservation. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40262961001	PZ-7B	EPA 8015B Modified	446878		
40262961002	PZ-7A	EPA 8015B Modified	446878		
40262961003	MW-12	EPA 8015B Modified	446878		
40262961004	MW-14	EPA 8015B Modified	446878		
40262961005	PZ-MW-1C	EPA 8015B Modified	446878		
40262961006	PZ-MW-1B	EPA 8015B Modified	446878		
40262961007	MW-10	EPA 8015B Modified	446878		
40262961008	PZ-6	EPA 8015B Modified	446878		
40262961009	PZ-5B	EPA 8015B Modified	446878		
40262961010	PZ-5A	EPA 8015B Modified	446878		
40262961011	PZ-3	EPA 8015B Modified	446878		
40262961012	MW-11	EPA 8015B Modified	446878		
40262961013	MW-8	EPA 8015B Modified	446878		
40262961014	PZ-4A	EPA 8015B Modified	446878		
40262961015	PZ-4B	EPA 8015B Modified	446878		
40262961016	PZ-MW-1A	EPA 8015B Modified	446878		
40262961017	MW-4	EPA 8015B Modified	446878		
40262961018	MW-3	EPA 8015B Modified	446878		
40262961019	MW-5	EPA 8015B Modified	446878		
40262961020	MW-1	EPA 8015B Modified	446878		
40262961021	PZ-2	EPA 8015B Modified	447031		
40262961022	MW-7	EPA 8015B Modified	447031		
40262961023	MW-6	EPA 8015B Modified	447031		
40262961001	PZ-7B	EPA 8260	446535		
40262961002	PZ-7A	EPA 8260	446535		
40262961003	MW-12	EPA 8260	446535		
40262961004	MW-14	EPA 8260	446532		
40262961005	PZ-MW-1C	EPA 8260	446532		
40262961006	PZ-MW-1B	EPA 8260	446532		
40262961007	MW-10	EPA 8260	446532		
40262961008	PZ-6	EPA 8260	446532		
40262961009	PZ-5B	EPA 8260	446532		
40262961010	PZ-5A	EPA 8260	446532		
40262961011	PZ-3	EPA 8260	446532		
40262961012	MW-11	EPA 8260	446532		
40262961013	MW-8	EPA 8260	446532		
40262961014	PZ-4A	EPA 8260	446532		
40262961015	PZ-4B	EPA 8260	446532		
40262961016	PZ-MW-1A	EPA 8260	446532		
40262961017	MW-4	EPA 8260	446532		
40262961018	MW-3	EPA 8260	446532		
40262961019	MW-5	EPA 8260	446532		
40262961020	MW-1	EPA 8260	446532		
40262961021	PZ-2	EPA 8260	446532		
40262961022	MW-7	EPA 8260	446532		
40262961023	MW-6	EPA 8260	446532		
40262961024	TB	EPA 8260	446531		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40262961

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40262961001	PZ-7B	SM 4500-S F (2000)	446673		
40262961002	PZ-7A	SM 4500-S F (2000)	446673		
40262961003	MW-12	SM 4500-S F (2000)	446673		
40262961004	MW-14	SM 4500-S F (2000)	446673		
40262961005	PZ-MW-1C	SM 4500-S F (2000)	446673		
40262961006	PZ-MW-1B	SM 4500-S F (2000)	446673		
40262961007	MW-10	SM 4500-S F (2000)	446673		
40262961008	PZ-6	SM 4500-S F (2000)	446673		
40262961009	PZ-5B	SM 4500-S F (2000)	446673		
40262961010	PZ-5A	SM 4500-S F (2000)	446673		
40262961011	PZ-3	SM 4500-S F (2000)	446673		
40262961012	MW-11	SM 4500-S F (2000)	446673		
40262961013	MW-8	SM 4500-S F (2000)	446673		
40262961014	PZ-4A	SM 4500-S F (2000)	446673		
40262961015	PZ-4B	SM 4500-S F (2000)	446673		
40262961016	PZ-MW-1A	SM 4500-S F (2000)	446673		
40262961017	MW-4	SM 4500-S F (2000)	446673		
40262961018	MW-3	SM 4500-S F (2000)	446673		
40262961019	MW-5	SM 4500-S F (2000)	446673		
40262961020	MW-1	SM 4500-S F (2000)	446674		
40262961021	PZ-2	SM 4500-S F (2000)	446674		
40262961022	MW-7	SM 4500-S F (2000)	446674		
40262961023	MW-6	SM 4500-S F (2000)	446674		
40262961001	PZ-7B	EPA 300.0	446979		
40262961002	PZ-7A	EPA 300.0	446979		
40262961003	MW-12	EPA 300.0	446979		
40262961004	MW-14	EPA 300.0	446979		
40262961005	PZ-MW-1C	EPA 300.0	446979		
40262961006	PZ-MW-1B	EPA 300.0	446979		
40262961007	MW-10	EPA 300.0	446979		
40262961008	PZ-6	EPA 300.0	446979		
40262961009	PZ-5B	EPA 300.0	446979		
40262961010	PZ-5A	EPA 300.0	446979		
40262961011	PZ-3	EPA 300.0	446979		
40262961012	MW-11	EPA 300.0	446979		
40262961013	MW-8	EPA 300.0	447059		
40262961014	PZ-4A	EPA 300.0	447059		
40262961015	PZ-4B	EPA 300.0	447059		
40262961016	PZ-MW-1A	EPA 300.0	447059		
40262961017	MW-4	EPA 300.0	447059		
40262961018	MW-3	EPA 300.0	447059		
40262961019	MW-5	EPA 300.0	447059		
40262961020	MW-1	EPA 300.0	447059		
40262961021	PZ-2	EPA 300.0	447059		
40262961022	MW-7	EPA 300.0	447059		
40262961023	MW-6	EPA 300.0	447059		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40262961

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40262961001	PZ-7B	EPA 353.2	446619		
40262961002	PZ-7A	EPA 353.2	446619		
40262961003	MW-12	EPA 353.2	446619		
40262961004	MW-14	EPA 353.2	446619		
40262961005	PZ-MW-1C	EPA 353.2	446619		
40262961006	PZ-MW-1B	EPA 353.2	446619		
40262961007	MW-10	EPA 353.2	446619		
40262961008	PZ-6	EPA 353.2	446619		
40262961009	PZ-5B	EPA 353.2	446619		
40262961010	PZ-5A	EPA 353.2	446619		
40262961011	PZ-3	EPA 353.2	446619		
40262961012	MW-11	EPA 353.2	446619		
40262961013	MW-8	EPA 353.2	446619		
40262961014	PZ-4A	EPA 353.2	446620		
40262961015	PZ-4B	EPA 353.2	446620		
40262961016	PZ-MW-1A	EPA 353.2	446620		
40262961017	MW-4	EPA 353.2	446620		
40262961018	MW-3	EPA 353.2	446620		
40262961019	MW-5	EPA 353.2	446620		
40262961020	MW-1	EPA 353.2	446620		
40262961021	PZ-2	EPA 353.2	446620		
40262961022	MW-7	EPA 353.2	446620		
40262961023	MW-6	EPA 353.2	446620		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: AECOM
 Branch/Location: Oshkosh
 Project Contact: Chris Lutzen
 Phone: 262-278-9823
 Project Number: 60428891
 Project Name: FV Steel & Wire
 Project State: WI
 Sampled By (Print): *Chris Lutzen*
 Sampled By (Sign): *Chris Lutzen*
 PO #: N/A Regulatory Program: WDNR



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page of

COC No. 40262961

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N					
Pick Letter	B	J	A	C	B					
Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene					

Quote #: N/A
 Mail To Contact: Gary Braun
 Mail To Company: AECOM
 Mail To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Contact: Gary Braun
 Invoice To Company: AECOM
 Invoice To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Phone: -
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile # 7001

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene
		DATE	TIME							
001	PZ-7B	6/1/23	1140	GW	3	1	1	1	3	
002	PZ-7A	6/1/23	950	GW	3	1	1	1	3	
003	MW-12	5/30/23	1450	GW	3	1	1	1	3	
004	MW-14	5/30/23	1420	GW	3	1	1	1	3	
005	PZ-MW-1C	5/30/23	1500	GW	3	1	1	1	3	
006	PZ-MW-1B	5/30/23	1520	GW	3	1	1	1	3	
007	MW-10	6/1/23	1145	GW	3	1	1	1	3	
008	PZ-6	6/1/23	1030	GW	3	1	1	1	3	
009	PZ-5B	5/31/23	1530	GW	3	1	1	1	3	
010	PZ-5A	5/31/23	1320	GW	3	1	1	1	3	
011	PZ-3	5/31/23	1125	GW	3	1	1	1	3	
012	MW-11	5/31/23	1140	GW	3	1	1	1	3	
013	MW-8	5/31/23	1020	GW	3	1	1	1	3	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: *6/1/23*
 Relinquished By: *Chris Lutzen* Date/Time: *6/1/23 1422*
 Received By: *[Signature]* Date/Time: *6/1/23 1422*

Transmit Prelim Rush Results by (complete what you want)

Email #1: Relinquished By: Date/Time: Received By: Date/Time:
 Email #2: Relinquished By: Date/Time: Received By: Date/Time:
 Telephone: Relinquished By: Date/Time: Received By: Date/Time:
 Fax: Relinquished By: Date/Time: Received By: Date/Time:

Samples on HOLD are subject to special pricing and release of liability

PACE Project No.
 Receipt Temp = 2.5 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact

(Please Print Clearly)

UPPER MIDWEST REGION

Page of

MN: 612-607-1700 WI: 920-469-2436



COC No. 40262961

Company Name: AECOM
 Branch/Location: Oshkosh
 Project Contact: Chris Lutzen
 Phone: 262-278-9823
 Project Number: 60428891
 Project Name: FV Steel & Wire
 Project State: WI
 Sampled By (Print): Chris Lutzen
 Sampled By (Sign): *Chris Lutzen*
 PO #: N/A Regulatory Program: WDNR

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N					
	B	J	A	C	B					
Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene					

Quote #: N/A
 Mail To Contact: Gary Braun
 Mail To Company: AECOM
 Mail To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Contact: Gary Braun
 Invoice To Company: AECOM
 Invoice To Address: 1555 N RiverCenter Dr, Ste 214 Milwaukee, WI 53212
 Invoice To Phone: -
 CLIENT COMMENTS: LAB COMMENTS (Lab Use Only) Profile # 7001

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyses Requested	VOCs	Sulfide	Chloride	Nitrate+Nitrite	Methane, Ethane, Ethene
		DATE	TIME							
014	PZ-4A	5/31/23	1421	GW		3	1	1	1	3
015	PZ-4B	5/31/23	1310	GW		3	1	1	1	3
016	PZ-Mw1A	5/31/23	1145	GW		3	1	1	1	3
017	Mw-4	5/31/23	1100	GW		3	1	1	1	3
018	Mw-3	5/31/23	1020	GW		3	1	1	1	3
019	Mw-5	5/31/23	1540	GW		3	1	1	1	3
020	Mw-1	5/31/23	1345	GW		3	1	1	1	3
021	PZ-2	5/31/23	1315	GW		3	1	1	1	3
022	Mw-7	5/31/23	1200	GW		3	1	1	1	3
023	Mw-6	5/31/23	1155	GW		3	1	1	1	3
024	TB	6/1/23	1330	W		2				

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____
 Relinquished By: *Chris Lutzen* Date/Time: 6/1/23 1422
 Received By: *[Signature]* Date/Time: 6/1/23 1422

Transmit Prelim Rush Results by (complete what you want)
 Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Email #1: _____ Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Email #2: _____ Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Telephone: _____ Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Fax: _____ Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. _____
 Receipt Temp = 2.5 °C
 Sample Receipt pH 6.7 Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: AECOM

WO#: **40262961**

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 1.5 /Corr: 2.5

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 6/1/23 /Initials: SG
 Labeled By Initials: NP

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

001 3/16 water label on bubble bag 9 transferred
002 1/16 water label on bubble bag 9 transferred 6/1/23 SG

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in



September 11, 2023

Gary Braun
AECOM
1555 N. RiverCenter Drive
Suite 214
Milwaukee, WI 53212

RE: Project: 60428891 FV STEEL & WIRE
Pace Project No.: 40267388

Dear Gary Braun:

Enclosed are the analytical results for sample(s) received by the laboratory on August 30, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Christopher Hyska".

Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40267388001	PZ-2	Water	08/28/23 16:35	08/30/23 09:40
40267388002	PZ-MW1C	Water	08/28/23 15:50	08/30/23 09:40
40267388003	PZ-7A	Water	08/29/23 09:30	08/30/23 09:40
40267388004	PZ-MW1A	Water	08/29/23 09:50	08/30/23 09:40
40267388005	PZ-7B	Water	08/29/23 10:30	08/30/23 09:40
40267388006	PZ-MW1B	Water	08/29/23 11:00	08/30/23 09:40
40267388007	PZ-3	Water	08/29/23 12:51	08/30/23 09:40
40267388008	PZ-6	Water	08/29/23 13:30	08/30/23 09:40
40267388009	PZ-4A	Water	08/29/23 14:30	08/30/23 09:40
40267388010	PZ-5A	Water	08/29/23 14:45	08/30/23 09:40
40267388011	PZ-4B	Water	08/29/23 15:10	08/30/23 09:40
40267388012	PZ-5B	Water	08/29/23 15:15	08/30/23 09:40
40267388013	TRIP BLANK	Water	08/29/23 07:00	08/30/23 09:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40267388001	PZ-2	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388002	PZ-MW1C	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388003	PZ-7A	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388004	PZ-MW1A	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388005	PZ-7B	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388006	PZ-MW1B	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388007	PZ-3	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388008	PZ-6	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40267388009	PZ-4A	SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
40267388010	PZ-5A	EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40267388011	PZ-4B	EPA 353.2	MT	1	PASI-G
		EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40267388012	PZ-5B	EPA 8015B Modified	KHB	3	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	EXM	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	CXJ	65	PASI-G
40267388013	TRIP BLANK	EPA 353.2	MT	1	PASI-G
		EPA 8260	CXJ	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40267388001	PZ-2					
EPA 8015B Modified	Ethane	1.0J	ug/L	5.6	09/01/23 13:23	
EPA 8015B Modified	Methane	14.5	ug/L	2.8	09/01/23 13:23	
EPA 8260	1,1-Dichloroethane	22.8	ug/L	1.0	08/31/23 15:32	
EPA 8260	1,1-Dichloroethene	3.1	ug/L	1.0	08/31/23 15:32	
EPA 8260	cis-1,2-Dichloroethene	8.5	ug/L	1.0	08/31/23 15:32	
EPA 8260	Trichloroethene	0.39J	ug/L	1.0	08/31/23 15:32	
EPA 8260	Vinyl chloride	0.79J	ug/L	1.0	08/31/23 15:32	L1
EPA 300.0	Chloride	2430	mg/L	200	09/01/23 13:15	
EPA 353.2	Nitrogen, NO2 plus NO3	1.4	mg/L	0.25	09/11/23 11:57	
40267388002	PZ-MW1C					
EPA 8015B Modified	Ethene	0.88J	ug/L	5.0	09/01/23 11:44	
EPA 8015B Modified	Methane	2.9	ug/L	2.8	09/01/23 11:44	
EPA 8260	1,1-Dichloroethane	2960	ug/L	25.0	08/31/23 17:30	
EPA 8260	1,1-Dichloroethene	141	ug/L	25.0	08/31/23 17:30	
EPA 8260	cis-1,2-Dichloroethene	15.0J	ug/L	25.0	08/31/23 17:30	
EPA 8260	Trichloroethene	34.8	ug/L	25.0	08/31/23 17:30	
EPA 300.0	Chloride	82.5	mg/L	10.0	08/31/23 13:34	
40267388003	PZ-7A					
EPA 300.0	Chloride	102	mg/L	10.0	08/31/23 13:48	
40267388004	PZ-MW1A					
EPA 8260	1,1-Dichloroethane	250	ug/L	2.0	08/31/23 18:28	
EPA 8260	1,1-Dichloroethene	23.9	ug/L	2.0	08/31/23 18:28	
EPA 8260	cis-1,2-Dichloroethene	17.0	ug/L	2.0	08/31/23 18:28	
EPA 8260	Trichloroethene	4.5	ug/L	2.0	08/31/23 18:28	
EPA 8260	Vinyl chloride	1.2J	ug/L	2.0	08/31/23 18:28	L1
EPA 300.0	Chloride	115	mg/L	10.0	08/31/23 14:02	
40267388005	PZ-7B					
EPA 8260	cis-1,2-Dichloroethene	0.50J	ug/L	1.0	08/31/23 14:33	
EPA 8260	Trichloroethene	1.7	ug/L	1.0	08/31/23 14:33	
EPA 300.0	Chloride	72.9	mg/L	10.0	08/31/23 14:17	
EPA 353.2	Nitrogen, NO2 plus NO3	0.62	mg/L	0.25	09/11/23 12:01	
40267388006	PZ-MW1B					
EPA 8015B Modified	Ethene	0.43J	ug/L	5.0	09/01/23 12:12	
EPA 8015B Modified	Methane	4.8	ug/L	2.8	09/01/23 12:12	
EPA 8260	1,1-Dichloroethane	563	ug/L	5.0	08/31/23 18:09	
EPA 8260	1,1-Dichloroethene	19.2	ug/L	5.0	08/31/23 18:09	
EPA 8260	cis-1,2-Dichloroethene	41.4	ug/L	5.0	08/31/23 18:09	
EPA 8260	Trichloroethene	26.2	ug/L	5.0	08/31/23 18:09	
EPA 300.0	Chloride	57.6	mg/L	10.0	08/31/23 14:31	
40267388007	PZ-3					
EPA 8015B Modified	Ethene	0.59J	ug/L	5.0	09/01/23 12:19	
EPA 8015B Modified	Methane	3.9	ug/L	2.8	09/01/23 12:19	
EPA 8260	1,1-Dichloroethane	1030	ug/L	10.0	08/31/23 17:49	
EPA 8260	1,1-Dichloroethene	35.9	ug/L	10.0	08/31/23 17:49	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SUMMARY OF DETECTION**

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40267388007	PZ-3					
EPA 8260	cis-1,2-Dichloroethene	51.9	ug/L	10.0	08/31/23 17:49	
EPA 8260	Trichloroethene	10.3	ug/L	10.0	08/31/23 17:49	
EPA 300.0	Chloride	57.9	mg/L	2.0	08/31/23 15:29	
40267388008	PZ-6					
EPA 8015B Modified	Methane	4.7	ug/L	2.8	09/01/23 12:26	
SM 4500-S F (2000)	Sulfide	1.6J	mg/L	4.0	08/31/23 13:25	
EPA 300.0	Chloride	266	mg/L	20.0	08/31/23 15:43	
40267388009	PZ-4A					
EPA 8260	1,1-Dichloroethane	0.62J	ug/L	1.0	08/31/23 16:11	
EPA 8260	cis-1,2-Dichloroethene	1.7	ug/L	1.0	08/31/23 16:11	
EPA 8260	Trichloroethene	3.6	ug/L	1.0	08/31/23 16:11	
EPA 300.0	Chloride	81.6	mg/L	10.0	08/31/23 15:58	
EPA 353.2	Nitrogen, NO2 plus NO3	0.49	mg/L	0.25	09/11/23 12:05	
40267388010	PZ-5A					
EPA 8260	1,1-Dichloroethane	4.1	ug/L	1.0	08/31/23 16:31	
EPA 300.0	Chloride	160	mg/L	20.0	08/31/23 16:12	
40267388011	PZ-4B					
EPA 8015B Modified	Ethane	1.3J	ug/L	5.6	09/01/23 13:09	
EPA 8015B Modified	Ethene	0.29J	ug/L	5.0	09/01/23 13:09	
EPA 8015B Modified	Methane	36.9	ug/L	2.8	09/01/23 13:09	
EPA 8260	1,1-Dichloroethane	39.9	ug/L	1.0	08/31/23 16:51	
EPA 8260	1,1-Dichloroethene	7.6	ug/L	1.0	08/31/23 16:51	
EPA 8260	cis-1,2-Dichloroethene	9.9	ug/L	1.0	08/31/23 16:51	
EPA 8260	Trichloroethene	14.3	ug/L	1.0	08/31/23 16:51	
EPA 300.0	Chloride	3210	mg/L	200	08/31/23 16:26	
40267388012	PZ-5B					
EPA 8015B Modified	Methane	42.6	ug/L	2.8	09/01/23 13:16	
EPA 8260	1,1-Dichloroethane	17.3	ug/L	1.0	08/31/23 17:10	
EPA 8260	cis-1,2-Dichloroethene	31.4	ug/L	1.0	08/31/23 17:10	
EPA 8260	Trichloroethene	1.9	ug/L	1.0	08/31/23 17:10	
EPA 300.0	Chloride	241	mg/L	20.0	08/31/23 17:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-2 Lab ID: 40267388001 Collected: 08/28/23 16:35 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	1.0J	ug/L	5.6	0.39	1		09/01/23 13:23	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 13:23	74-85-1	
Methane	14.5	ug/L	2.8	0.58	1		09/01/23 13:23	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 15:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 15:32	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 15:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 15:32	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 15:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 15:32	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 15:32	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 15:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 15:32	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 15:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 15:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 15:32	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 15:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 15:32	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 15:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 15:32	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 15:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 15:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 15:32	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 15:32	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 15:32	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 15:32	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 15:32	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 15:32	75-71-8	
1,1-Dichloroethane	22.8	ug/L	1.0	0.30	1		08/31/23 15:32	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 15:32	107-06-2	
1,1-Dichloroethene	3.1	ug/L	1.0	0.58	1		08/31/23 15:32	75-35-4	
cis-1,2-Dichloroethene	8.5	ug/L	1.0	0.47	1		08/31/23 15:32	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 15:32	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 15:32	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 15:32	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 15:32	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 15:32	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 15:32	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 15:32	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 15:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 15:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 15:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 15:32	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-2 Lab ID: 40267388001 Collected: 08/28/23 16:35 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 15:32	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 15:32	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 15:32	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 15:32	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 15:32	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 15:32	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 15:32	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 15:32	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 15:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 15:32	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 15:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 15:32	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 15:32	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 15:32	79-00-5	
Trichloroethene	0.39J	ug/L	1.0	0.32	1		08/31/23 15:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 15:32	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 15:32	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 15:32	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 15:32	108-67-8	
Vinyl chloride	0.79J	ug/L	1.0	0.17	1		08/31/23 15:32	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 15:32	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 15:32	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 15:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		08/31/23 15:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		08/31/23 15:32	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		08/31/23 15:32	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:04		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2430	mg/L	200	43.1	100		09/01/23 13:15	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	1.4	mg/L	0.25	0.059	1		09/11/23 11:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-MW1C Lab ID: 40267388002 Collected: 08/28/23 15:50 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 11:44	74-84-0	
Ethene	0.88J	ug/L	5.0	0.25	1		09/01/23 11:44	74-85-1	
Methane	2.9	ug/L	2.8	0.58	1		09/01/23 11:44	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<7.4	ug/L	25.0	7.4	25		08/31/23 17:30	71-43-2	
Bromobenzene	<9.0	ug/L	25.0	9.0	25		08/31/23 17:30	108-86-1	
Bromochloromethane	<8.9	ug/L	25.0	8.9	25		08/31/23 17:30	74-97-5	
Bromodichloromethane	<10.4	ug/L	25.0	10.4	25		08/31/23 17:30	75-27-4	
Bromoform	<10.7	ug/L	25.0	10.7	25		08/31/23 17:30	75-25-2	
Bromomethane	<29.8	ug/L	125	29.8	25		08/31/23 17:30	74-83-9	
n-Butylbenzene	<21.4	ug/L	25.0	21.4	25		08/31/23 17:30	104-51-8	
sec-Butylbenzene	<10.6	ug/L	25.0	10.6	25		08/31/23 17:30	135-98-8	
tert-Butylbenzene	<14.7	ug/L	25.0	14.7	25		08/31/23 17:30	98-06-6	
Carbon tetrachloride	<9.2	ug/L	25.0	9.2	25		08/31/23 17:30	56-23-5	
Chlorobenzene	<21.4	ug/L	25.0	21.4	25		08/31/23 17:30	108-90-7	
Chloroethane	<34.5	ug/L	125	34.5	25		08/31/23 17:30	75-00-3	
Chloroform	<12.6	ug/L	125	12.6	25		08/31/23 17:30	67-66-3	
Chloromethane	<40.9	ug/L	125	40.9	25		08/31/23 17:30	74-87-3	
2-Chlorotoluene	<22.2	ug/L	125	22.2	25		08/31/23 17:30	95-49-8	
4-Chlorotoluene	<22.4	ug/L	125	22.4	25		08/31/23 17:30	106-43-4	
1,2-Dibromo-3-chloropropane	<59.2	ug/L	125	59.2	25		08/31/23 17:30	96-12-8	
Dibromochloromethane	<66.1	ug/L	125	66.1	25		08/31/23 17:30	124-48-1	
1,2-Dibromoethane (EDB)	<7.7	ug/L	25.0	7.7	25		08/31/23 17:30	106-93-4	
Dibromomethane	<24.8	ug/L	125	24.8	25		08/31/23 17:30	74-95-3	
1,2-Dichlorobenzene	<8.1	ug/L	25.0	8.1	25		08/31/23 17:30	95-50-1	
1,3-Dichlorobenzene	<8.8	ug/L	25.0	8.8	25		08/31/23 17:30	541-73-1	
1,4-Dichlorobenzene	<22.3	ug/L	25.0	22.3	25		08/31/23 17:30	106-46-7	
Dichlorodifluoromethane	<11.4	ug/L	125	11.4	25		08/31/23 17:30	75-71-8	
1,1-Dichloroethane	2960	ug/L	25.0	7.4	25		08/31/23 17:30	75-34-3	
1,2-Dichloroethane	<7.3	ug/L	25.0	7.3	25		08/31/23 17:30	107-06-2	
1,1-Dichloroethene	141	ug/L	25.0	14.6	25		08/31/23 17:30	75-35-4	
cis-1,2-Dichloroethene	15.0J	ug/L	25.0	11.8	25		08/31/23 17:30	156-59-2	
trans-1,2-Dichloroethene	<13.2	ug/L	25.0	13.2	25		08/31/23 17:30	156-60-5	
1,2-Dichloropropane	<11.2	ug/L	25.0	11.2	25		08/31/23 17:30	78-87-5	
1,3-Dichloropropane	<7.6	ug/L	25.0	7.6	25		08/31/23 17:30	142-28-9	
2,2-Dichloropropane	<10.5	ug/L	25.0	10.5	25		08/31/23 17:30	594-20-7	
1,1-Dichloropropene	<10.3	ug/L	25.0	10.3	25		08/31/23 17:30	563-58-6	
cis-1,3-Dichloropropene	<5.9	ug/L	25.0	5.9	25		08/31/23 17:30	10061-01-5	
trans-1,3-Dichloropropene	<6.6	ug/L	25.0	6.6	25		08/31/23 17:30	10061-02-6	
Diisopropyl ether	<27.5	ug/L	125	27.5	25		08/31/23 17:30	108-20-3	
Ethylbenzene	<8.1	ug/L	25.0	8.1	25		08/31/23 17:30	100-41-4	
Hexachloro-1,3-butadiene	<68.4	ug/L	125	68.4	25		08/31/23 17:30	87-68-3	
Isopropylbenzene (Cumene)	<25.0	ug/L	125	25.0	25		08/31/23 17:30	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: **PZ-MW1C** Lab ID: **40267388002** Collected: 08/28/23 15:50 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<26.1	ug/L	125	26.1	25		08/31/23 17:30	99-87-6	
Methylene Chloride	<8.0	ug/L	125	8.0	25		08/31/23 17:30	75-09-2	
Methyl-tert-butyl ether	<28.2	ug/L	125	28.2	25		08/31/23 17:30	1634-04-4	
Naphthalene	<47.9	ug/L	125	47.9	25		08/31/23 17:30	91-20-3	
n-Propylbenzene	<8.6	ug/L	25.0	8.6	25		08/31/23 17:30	103-65-1	
Styrene	<8.9	ug/L	25.0	8.9	25		08/31/23 17:30	100-42-5	
1,1,1,2-Tetrachloroethane	<8.9	ug/L	25.0	8.9	25		08/31/23 17:30	630-20-6	
1,1,2,2-Tetrachloroethane	<9.4	ug/L	25.0	9.4	25		08/31/23 17:30	79-34-5	
Tetrachloroethene	<10.2	ug/L	25.0	10.2	25		08/31/23 17:30	127-18-4	
Toluene	<7.2	ug/L	25.0	7.2	25		08/31/23 17:30	108-88-3	
1,2,3-Trichlorobenzene	<25.5	ug/L	125	25.5	25		08/31/23 17:30	87-61-6	
1,2,4-Trichlorobenzene	<23.8	ug/L	125	23.8	25		08/31/23 17:30	120-82-1	
1,1,1-Trichloroethane	<7.6	ug/L	25.0	7.6	25		08/31/23 17:30	71-55-6	
1,1,2-Trichloroethane	<8.6	ug/L	25.0	8.6	25		08/31/23 17:30	79-00-5	
Trichloroethene	34.8	ug/L	25.0	8.0	25		08/31/23 17:30	79-01-6	
Trichlorofluoromethane	<10.5	ug/L	25.0	10.5	25		08/31/23 17:30	75-69-4	
1,2,3-Trichloropropane	<13.9	ug/L	25.0	13.9	25		08/31/23 17:30	96-18-4	
1,2,4-Trimethylbenzene	<11.2	ug/L	25.0	11.2	25		08/31/23 17:30	95-63-6	
1,3,5-Trimethylbenzene	<8.9	ug/L	25.0	8.9	25		08/31/23 17:30	108-67-8	
Vinyl chloride	<4.4	ug/L	25.0	4.4	25		08/31/23 17:30	75-01-4	L1
Xylene (Total)	<26.2	ug/L	75.0	26.2	25		08/31/23 17:30	1330-20-7	
m&p-Xylene	<17.5	ug/L	50.0	17.5	25		08/31/23 17:30	179601-23-1	
o-Xylene	<8.7	ug/L	25.0	8.7	25		08/31/23 17:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		25		08/31/23 17:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		25		08/31/23 17:30	2199-69-1	
Toluene-d8 (S)	105	%	70-130		25		08/31/23 17:30	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:11		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	82.5	mg/L	10.0	2.2	5		08/31/23 13:34	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 11:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-7A Lab ID: 40267388003 Collected: 08/29/23 09:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 11:51	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 11:51	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		09/01/23 11:51	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 15:52	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 15:52	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 15:52	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 15:52	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 15:52	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 15:52	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 15:52	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 15:52	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 15:52	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 15:52	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 15:52	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 15:52	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 15:52	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 15:52	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 15:52	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 15:52	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 15:52	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 15:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 15:52	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 15:52	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 15:52	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 15:52	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 15:52	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 15:52	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 15:52	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 15:52	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		08/31/23 15:52	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		08/31/23 15:52	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 15:52	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 15:52	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 15:52	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 15:52	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 15:52	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 15:52	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 15:52	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 15:52	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 15:52	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 15:52	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 15:52	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: **PZ-7A** Lab ID: **40267388003** Collected: 08/29/23 09:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 15:52	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 15:52	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 15:52	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 15:52	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 15:52	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 15:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 15:52	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 15:52	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 15:52	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 15:52	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 15:52	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 15:52	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 15:52	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 15:52	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		08/31/23 15:52	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 15:52	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 15:52	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 15:52	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 15:52	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 15:52	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 15:52	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 15:52	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 15:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		08/31/23 15:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		08/31/23 15:52	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		08/31/23 15:52	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:13		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	102	mg/L	10.0	2.2	5		08/31/23 13:48	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-MW1A Lab ID: 40267388004 Collected: 08/29/23 09:50 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 11:58	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 11:58	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		09/01/23 11:58	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.59	ug/L	2.0	0.59	2		08/31/23 18:28	71-43-2	
Bromobenzene	<0.72	ug/L	2.0	0.72	2		08/31/23 18:28	108-86-1	
Bromochloromethane	<0.72	ug/L	2.0	0.72	2		08/31/23 18:28	74-97-5	
Bromodichloromethane	<0.83	ug/L	2.0	0.83	2		08/31/23 18:28	75-27-4	
Bromoform	<0.86	ug/L	2.0	0.86	2		08/31/23 18:28	75-25-2	
Bromomethane	<2.4	ug/L	10.0	2.4	2		08/31/23 18:28	74-83-9	
n-Butylbenzene	<1.7	ug/L	2.0	1.7	2		08/31/23 18:28	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.0	0.85	2		08/31/23 18:28	135-98-8	
tert-Butylbenzene	<1.2	ug/L	2.0	1.2	2		08/31/23 18:28	98-06-6	
Carbon tetrachloride	<0.74	ug/L	2.0	0.74	2		08/31/23 18:28	56-23-5	
Chlorobenzene	<1.7	ug/L	2.0	1.7	2		08/31/23 18:28	108-90-7	
Chloroethane	<2.8	ug/L	10.0	2.8	2		08/31/23 18:28	75-00-3	
Chloroform	<1.0	ug/L	10.0	1.0	2		08/31/23 18:28	67-66-3	
Chloromethane	<3.3	ug/L	10.0	3.3	2		08/31/23 18:28	74-87-3	
2-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		08/31/23 18:28	95-49-8	
4-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		08/31/23 18:28	106-43-4	
1,2-Dibromo-3-chloropropane	<4.7	ug/L	10.0	4.7	2		08/31/23 18:28	96-12-8	
Dibromochloromethane	<5.3	ug/L	10.0	5.3	2		08/31/23 18:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.62	ug/L	2.0	0.62	2		08/31/23 18:28	106-93-4	
Dibromomethane	<2.0	ug/L	10.0	2.0	2		08/31/23 18:28	74-95-3	
1,2-Dichlorobenzene	<0.65	ug/L	2.0	0.65	2		08/31/23 18:28	95-50-1	
1,3-Dichlorobenzene	<0.70	ug/L	2.0	0.70	2		08/31/23 18:28	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/L	2.0	1.8	2		08/31/23 18:28	106-46-7	
Dichlorodifluoromethane	<0.91	ug/L	10.0	0.91	2		08/31/23 18:28	75-71-8	
1,1-Dichloroethane	250	ug/L	2.0	0.59	2		08/31/23 18:28	75-34-3	
1,2-Dichloroethane	<0.58	ug/L	2.0	0.58	2		08/31/23 18:28	107-06-2	
1,1-Dichloroethene	23.9	ug/L	2.0	1.2	2		08/31/23 18:28	75-35-4	
cis-1,2-Dichloroethene	17.0	ug/L	2.0	0.94	2		08/31/23 18:28	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	2.0	1.1	2		08/31/23 18:28	156-60-5	
1,2-Dichloropropane	<0.90	ug/L	2.0	0.90	2		08/31/23 18:28	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	2		08/31/23 18:28	142-28-9	
2,2-Dichloropropane	<0.84	ug/L	2.0	0.84	2		08/31/23 18:28	594-20-7	
1,1-Dichloropropene	<0.82	ug/L	2.0	0.82	2		08/31/23 18:28	563-58-6	
cis-1,3-Dichloropropene	<0.47	ug/L	2.0	0.47	2		08/31/23 18:28	10061-01-5	
trans-1,3-Dichloropropene	<0.53	ug/L	2.0	0.53	2		08/31/23 18:28	10061-02-6	
Diisopropyl ether	<2.2	ug/L	10.0	2.2	2		08/31/23 18:28	108-20-3	
Ethylbenzene	<0.65	ug/L	2.0	0.65	2		08/31/23 18:28	100-41-4	
Hexachloro-1,3-butadiene	<5.5	ug/L	10.0	5.5	2		08/31/23 18:28	87-68-3	
Isopropylbenzene (Cumene)	<2.0	ug/L	10.0	2.0	2		08/31/23 18:28	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: **PZ-MW1A** Lab ID: **40267388004** Collected: 08/29/23 09:50 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<2.1	ug/L	10.0	2.1	2		08/31/23 18:28	99-87-6	
Methylene Chloride	<0.64	ug/L	10.0	0.64	2		08/31/23 18:28	75-09-2	
Methyl-tert-butyl ether	<2.3	ug/L	10.0	2.3	2		08/31/23 18:28	1634-04-4	
Naphthalene	<3.8	ug/L	10.0	3.8	2		08/31/23 18:28	91-20-3	
n-Propylbenzene	<0.69	ug/L	2.0	0.69	2		08/31/23 18:28	103-65-1	
Styrene	<0.71	ug/L	2.0	0.71	2		08/31/23 18:28	100-42-5	
1,1,1,2-Tetrachloroethane	<0.71	ug/L	2.0	0.71	2		08/31/23 18:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.76	ug/L	2.0	0.76	2		08/31/23 18:28	79-34-5	
Tetrachloroethene	<0.82	ug/L	2.0	0.82	2		08/31/23 18:28	127-18-4	
Toluene	<0.58	ug/L	2.0	0.58	2		08/31/23 18:28	108-88-3	
1,2,3-Trichlorobenzene	<2.0	ug/L	10.0	2.0	2		08/31/23 18:28	87-61-6	
1,2,4-Trichlorobenzene	<1.9	ug/L	10.0	1.9	2		08/31/23 18:28	120-82-1	
1,1,1-Trichloroethane	<0.61	ug/L	2.0	0.61	2		08/31/23 18:28	71-55-6	
1,1,2-Trichloroethane	<0.69	ug/L	2.0	0.69	2		08/31/23 18:28	79-00-5	
Trichloroethene	4.5	ug/L	2.0	0.64	2		08/31/23 18:28	79-01-6	
Trichlorofluoromethane	<0.84	ug/L	2.0	0.84	2		08/31/23 18:28	75-69-4	
1,2,3-Trichloropropane	<1.1	ug/L	2.0	1.1	2		08/31/23 18:28	96-18-4	
1,2,4-Trimethylbenzene	<0.90	ug/L	2.0	0.90	2		08/31/23 18:28	95-63-6	
1,3,5-Trimethylbenzene	<0.71	ug/L	2.0	0.71	2		08/31/23 18:28	108-67-8	
Vinyl chloride	1.2J	ug/L	2.0	0.35	2		08/31/23 18:28	75-01-4	L1
Xylene (Total)	<2.1	ug/L	6.0	2.1	2		08/31/23 18:28	1330-20-7	
m&p-Xylene	<1.4	ug/L	4.0	1.4	2		08/31/23 18:28	179601-23-1	
o-Xylene	<0.70	ug/L	2.0	0.70	2		08/31/23 18:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		2		08/31/23 18:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		2		08/31/23 18:28	2199-69-1	
Toluene-d8 (S)	105	%	70-130		2		08/31/23 18:28	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:16		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	115	mg/L	10.0	2.2	5		08/31/23 14:02	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-7B Lab ID: 40267388005 Collected: 08/29/23 10:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 12:05	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 12:05	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		09/01/23 12:05	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 14:33	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 14:33	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 14:33	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 14:33	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 14:33	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 14:33	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 14:33	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 14:33	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 14:33	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 14:33	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 14:33	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 14:33	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 14:33	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 14:33	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 14:33	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 14:33	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 14:33	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 14:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 14:33	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 14:33	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 14:33	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 14:33	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 14:33	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 14:33	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 14:33	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 14:33	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		08/31/23 14:33	75-35-4	
cis-1,2-Dichloroethene	0.50J	ug/L	1.0	0.47	1		08/31/23 14:33	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 14:33	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 14:33	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 14:33	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 14:33	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 14:33	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 14:33	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 14:33	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 14:33	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 14:33	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 14:33	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 14:33	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: **PZ-7B** Lab ID: **40267388005** Collected: 08/29/23 10:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 14:33	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 14:33	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 14:33	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 14:33	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 14:33	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 14:33	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 14:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 14:33	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 14:33	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 14:33	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 14:33	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 14:33	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 14:33	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 14:33	79-00-5	
Trichloroethene	1.7	ug/L	1.0	0.32	1		08/31/23 14:33	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 14:33	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 14:33	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 14:33	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 14:33	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 14:33	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 14:33	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 14:33	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 14:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		08/31/23 14:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		08/31/23 14:33	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		08/31/23 14:33	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:19		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	72.9	mg/L	10.0	2.2	5		08/31/23 14:17	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.62	mg/L	0.25	0.059	1		09/11/23 12:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-MW1B Lab ID: 40267388006 Collected: 08/29/23 11:00 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 12:12	74-84-0	
Ethene	0.43J	ug/L	5.0	0.25	1		09/01/23 12:12	74-85-1	
Methane	4.8	ug/L	2.8	0.58	1		09/01/23 12:12	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<1.5	ug/L	5.0	1.5	5		08/31/23 18:09	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		08/31/23 18:09	108-86-1	
Bromochloromethane	<1.8	ug/L	5.0	1.8	5		08/31/23 18:09	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		08/31/23 18:09	75-27-4	
Bromoform	<2.1	ug/L	5.0	2.1	5		08/31/23 18:09	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		08/31/23 18:09	74-83-9	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		08/31/23 18:09	104-51-8	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		08/31/23 18:09	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		08/31/23 18:09	98-06-6	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		08/31/23 18:09	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		08/31/23 18:09	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		08/31/23 18:09	75-00-3	
Chloroform	<2.5	ug/L	25.0	2.5	5		08/31/23 18:09	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		08/31/23 18:09	74-87-3	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		08/31/23 18:09	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		08/31/23 18:09	106-43-4	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		08/31/23 18:09	96-12-8	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		08/31/23 18:09	124-48-1	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		08/31/23 18:09	106-93-4	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		08/31/23 18:09	74-95-3	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		08/31/23 18:09	95-50-1	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		08/31/23 18:09	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		08/31/23 18:09	106-46-7	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		08/31/23 18:09	75-71-8	
1,1-Dichloroethane	563	ug/L	5.0	1.5	5		08/31/23 18:09	75-34-3	
1,2-Dichloroethane	<1.5	ug/L	5.0	1.5	5		08/31/23 18:09	107-06-2	
1,1-Dichloroethene	19.2	ug/L	5.0	2.9	5		08/31/23 18:09	75-35-4	
cis-1,2-Dichloroethene	41.4	ug/L	5.0	2.4	5		08/31/23 18:09	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		08/31/23 18:09	156-60-5	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		08/31/23 18:09	78-87-5	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		08/31/23 18:09	142-28-9	
2,2-Dichloropropane	<2.1	ug/L	5.0	2.1	5		08/31/23 18:09	594-20-7	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		08/31/23 18:09	563-58-6	
cis-1,3-Dichloropropene	<1.2	ug/L	5.0	1.2	5		08/31/23 18:09	10061-01-5	
trans-1,3-Dichloropropene	<1.3	ug/L	5.0	1.3	5		08/31/23 18:09	10061-02-6	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		08/31/23 18:09	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		08/31/23 18:09	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		08/31/23 18:09	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		08/31/23 18:09	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-MW1B **Lab ID: 40267388006** Collected: 08/29/23 11:00 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		08/31/23 18:09	99-87-6	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		08/31/23 18:09	75-09-2	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		08/31/23 18:09	1634-04-4	
Naphthalene	<9.6	ug/L	25.0	9.6	5		08/31/23 18:09	91-20-3	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		08/31/23 18:09	103-65-1	
Styrene	<1.8	ug/L	5.0	1.8	5		08/31/23 18:09	100-42-5	
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		08/31/23 18:09	630-20-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		08/31/23 18:09	79-34-5	
Tetrachloroethene	<2.0	ug/L	5.0	2.0	5		08/31/23 18:09	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		08/31/23 18:09	108-88-3	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		08/31/23 18:09	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		08/31/23 18:09	120-82-1	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		08/31/23 18:09	71-55-6	
1,1,2-Trichloroethane	<1.7	ug/L	5.0	1.7	5		08/31/23 18:09	79-00-5	
Trichloroethene	26.2	ug/L	5.0	1.6	5		08/31/23 18:09	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		08/31/23 18:09	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/L	5.0	2.8	5		08/31/23 18:09	96-18-4	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		08/31/23 18:09	95-63-6	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		08/31/23 18:09	108-67-8	
Vinyl chloride	<0.87	ug/L	5.0	0.87	5		08/31/23 18:09	75-01-4	L1
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		08/31/23 18:09	1330-20-7	
m&p-Xylene	<3.5	ug/L	10.0	3.5	5		08/31/23 18:09	179601-23-1	
o-Xylene	<1.7	ug/L	5.0	1.7	5		08/31/23 18:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		5		08/31/23 18:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		5		08/31/23 18:09	2199-69-1	
Toluene-d8 (S)	105	%	70-130		5		08/31/23 18:09	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:21		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	57.6	mg/L	10.0	2.2	5		08/31/23 14:31	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-3 Lab ID: 40267388007 Collected: 08/29/23 12:51 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 12:19	74-84-0	
Ethene	0.59J	ug/L	5.0	0.25	1		09/01/23 12:19	74-85-1	
Methane	3.9	ug/L	2.8	0.58	1		09/01/23 12:19	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<3.0	ug/L	10.0	3.0	10		08/31/23 17:49	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		08/31/23 17:49	108-86-1	
Bromochloromethane	<3.6	ug/L	10.0	3.6	10		08/31/23 17:49	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		08/31/23 17:49	75-27-4	
Bromoform	<4.3	ug/L	10.0	4.3	10		08/31/23 17:49	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		08/31/23 17:49	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		08/31/23 17:49	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		08/31/23 17:49	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		08/31/23 17:49	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		08/31/23 17:49	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		08/31/23 17:49	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		08/31/23 17:49	75-00-3	
Chloroform	<5.0	ug/L	50.0	5.0	10		08/31/23 17:49	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		08/31/23 17:49	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		08/31/23 17:49	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		08/31/23 17:49	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		08/31/23 17:49	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		08/31/23 17:49	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		08/31/23 17:49	106-93-4	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		08/31/23 17:49	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		08/31/23 17:49	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		08/31/23 17:49	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		08/31/23 17:49	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		08/31/23 17:49	75-71-8	
1,1-Dichloroethane	1030	ug/L	10.0	3.0	10		08/31/23 17:49	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		08/31/23 17:49	107-06-2	
1,1-Dichloroethene	35.9	ug/L	10.0	5.8	10		08/31/23 17:49	75-35-4	
cis-1,2-Dichloroethene	51.9	ug/L	10.0	4.7	10		08/31/23 17:49	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		08/31/23 17:49	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		08/31/23 17:49	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		08/31/23 17:49	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	10.0	4.2	10		08/31/23 17:49	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		08/31/23 17:49	563-58-6	
cis-1,3-Dichloropropene	<2.4	ug/L	10.0	2.4	10		08/31/23 17:49	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/L	10.0	2.7	10		08/31/23 17:49	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		08/31/23 17:49	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		08/31/23 17:49	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		08/31/23 17:49	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		08/31/23 17:49	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-3 Lab ID: 40267388007 Collected: 08/29/23 12:51 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		08/31/23 17:49	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		08/31/23 17:49	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		08/31/23 17:49	1634-04-4	
Naphthalene	<19.2	ug/L	50.0	19.2	10		08/31/23 17:49	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		08/31/23 17:49	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		08/31/23 17:49	100-42-5	
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		08/31/23 17:49	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		08/31/23 17:49	79-34-5	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		08/31/23 17:49	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		08/31/23 17:49	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		08/31/23 17:49	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		08/31/23 17:49	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		08/31/23 17:49	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	10.0	3.4	10		08/31/23 17:49	79-00-5	
Trichloroethene	10.3	ug/L	10.0	3.2	10		08/31/23 17:49	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		08/31/23 17:49	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	10.0	5.6	10		08/31/23 17:49	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		08/31/23 17:49	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		08/31/23 17:49	108-67-8	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		08/31/23 17:49	75-01-4	L1
Xylene (Total)	<10.5	ug/L	30.0	10.5	10		08/31/23 17:49	1330-20-7	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		08/31/23 17:49	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		08/31/23 17:49	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		10		08/31/23 17:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		08/31/23 17:49	2199-69-1	
Toluene-d8 (S)	104	%	70-130		10		08/31/23 17:49	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:23		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	57.9	mg/L	2.0	0.43	1		08/31/23 15:29	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-6 Lab ID: 40267388008 Collected: 08/29/23 13:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 12:26	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 12:26	74-85-1	
Methane	4.7	ug/L	2.8	0.58	1		09/01/23 12:26	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 14:53	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 14:53	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 14:53	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 14:53	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 14:53	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 14:53	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 14:53	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 14:53	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 14:53	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 14:53	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 14:53	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 14:53	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 14:53	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 14:53	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 14:53	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 14:53	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 14:53	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 14:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 14:53	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 14:53	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 14:53	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 14:53	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 14:53	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 14:53	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 14:53	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 14:53	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		08/31/23 14:53	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		08/31/23 14:53	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 14:53	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 14:53	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 14:53	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 14:53	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 14:53	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 14:53	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 14:53	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 14:53	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 14:53	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 14:53	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 14:53	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-6 Lab ID: 40267388008 Collected: 08/29/23 13:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 14:53	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 14:53	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 14:53	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 14:53	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 14:53	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 14:53	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 14:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 14:53	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 14:53	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 14:53	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 14:53	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 14:53	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 14:53	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 14:53	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		08/31/23 14:53	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 14:53	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 14:53	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 14:53	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 14:53	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 14:53	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 14:53	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 14:53	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 14:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		08/31/23 14:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		08/31/23 14:53	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		08/31/23 14:53	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	1.6J	mg/L	4.0	1.2	1		08/31/23 13:25		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	266	mg/L	20.0	4.3	10		08/31/23 15:43	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-4A Lab ID: 40267388009 Collected: 08/29/23 14:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 12:33	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 12:33	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		09/01/23 12:33	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 16:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:11	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 16:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:11	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 16:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 16:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 16:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 16:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 16:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 16:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 16:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 16:11	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 16:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 16:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 16:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 16:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 16:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 16:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 16:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 16:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 16:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 16:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 16:11	75-71-8	
1,1-Dichloroethane	0.62J	ug/L	1.0	0.30	1		08/31/23 16:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 16:11	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		08/31/23 16:11	75-35-4	
cis-1,2-Dichloroethene	1.7	ug/L	1.0	0.47	1		08/31/23 16:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 16:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 16:11	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 16:11	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 16:11	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 16:11	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 16:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 16:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 16:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 16:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 16:11	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: **PZ-4A** Lab ID: **40267388009** Collected: 08/29/23 14:30 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 16:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 16:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 16:11	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 16:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:11	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 16:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 16:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 16:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 16:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 16:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 16:11	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 16:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 16:11	79-00-5	
Trichloroethene	3.6	ug/L	1.0	0.32	1		08/31/23 16:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 16:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 16:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 16:11	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 16:11	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 16:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		08/31/23 16:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		08/31/23 16:11	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		08/31/23 16:11	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:28		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	81.6	mg/L	10.0	2.2	5		08/31/23 15:58	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.49	mg/L	0.25	0.059	1		09/11/23 12:05		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-5A Lab ID: 40267388010 Collected: 08/29/23 14:45 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 13:03	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 13:03	74-85-1	
Methane	<0.58	ug/L	2.8	0.58	1		09/01/23 13:03	74-82-8	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 16:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:31	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 16:31	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:31	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 16:31	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 16:31	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 16:31	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 16:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 16:31	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 16:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 16:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 16:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 16:31	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 16:31	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 16:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 16:31	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 16:31	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 16:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 16:31	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 16:31	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 16:31	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:31	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 16:31	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 16:31	75-71-8	
1,1-Dichloroethane	4.1	ug/L	1.0	0.30	1		08/31/23 16:31	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 16:31	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		08/31/23 16:31	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		08/31/23 16:31	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 16:31	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 16:31	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 16:31	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:31	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 16:31	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 16:31	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 16:31	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 16:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 16:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 16:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 16:31	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-5A **Lab ID: 40267388010** Collected: 08/29/23 14:45 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 16:31	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 16:31	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 16:31	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 16:31	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:31	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:31	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 16:31	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 16:31	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 16:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 16:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 16:31	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 16:31	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 16:31	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 16:31	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		08/31/23 16:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:31	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 16:31	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 16:31	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:31	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 16:31	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 16:31	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 16:31	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		08/31/23 16:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		08/31/23 16:31	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		08/31/23 16:31	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:30		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	160	mg/L	20.0	4.3	10		08/31/23 16:12	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:06		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-4B Lab ID: 40267388011 Collected: 08/29/23 15:10 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	1.3J	ug/L	5.6	0.39	1		09/01/23 13:09	74-84-0	
Ethene	0.29J	ug/L	5.0	0.25	1		09/01/23 13:09	74-85-1	
Methane	36.9	ug/L	2.8	0.58	1		09/01/23 13:09	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 16:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:51	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 16:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:51	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 16:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 16:51	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 16:51	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 16:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 16:51	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 16:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 16:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 16:51	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 16:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 16:51	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 16:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 16:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 16:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 16:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 16:51	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 16:51	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 16:51	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:51	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 16:51	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 16:51	75-71-8	
1,1-Dichloroethane	39.9	ug/L	1.0	0.30	1		08/31/23 16:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 16:51	107-06-2	
1,1-Dichloroethene	7.6	ug/L	1.0	0.58	1		08/31/23 16:51	75-35-4	
cis-1,2-Dichloroethene	9.9	ug/L	1.0	0.47	1		08/31/23 16:51	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 16:51	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 16:51	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 16:51	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:51	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 16:51	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 16:51	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 16:51	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 16:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 16:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 16:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 16:51	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: **PZ-4B** Lab ID: **40267388011** Collected: 08/29/23 15:10 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 16:51	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 16:51	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 16:51	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 16:51	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:51	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:51	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 16:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 16:51	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 16:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 16:51	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 16:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 16:51	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 16:51	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 16:51	79-00-5	
Trichloroethene	14.3	ug/L	1.0	0.32	1		08/31/23 16:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 16:51	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 16:51	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 16:51	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 16:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 16:51	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 16:51	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 16:51	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 16:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		08/31/23 16:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		08/31/23 16:51	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		08/31/23 16:51	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:32		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	3210	mg/L	200	43.1	100		08/31/23 16:26	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:06		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-5B Lab ID: 40267388012 Collected: 08/29/23 15:15 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	<0.39	ug/L	5.6	0.39	1		09/01/23 13:16	74-84-0	
Ethene	<0.25	ug/L	5.0	0.25	1		09/01/23 13:16	74-85-1	
Methane	42.6	ug/L	2.8	0.58	1		09/01/23 13:16	74-82-8	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 17:10	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 17:10	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 17:10	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 17:10	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 17:10	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 17:10	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 17:10	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 17:10	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 17:10	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 17:10	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 17:10	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 17:10	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 17:10	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 17:10	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 17:10	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 17:10	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 17:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 17:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 17:10	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 17:10	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 17:10	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 17:10	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 17:10	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 17:10	75-71-8	
1,1-Dichloroethane	17.3	ug/L	1.0	0.30	1		08/31/23 17:10	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 17:10	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		08/31/23 17:10	75-35-4	
cis-1,2-Dichloroethene	31.4	ug/L	1.0	0.47	1		08/31/23 17:10	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 17:10	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 17:10	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 17:10	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 17:10	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 17:10	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 17:10	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 17:10	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 17:10	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 17:10	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 17:10	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 17:10	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: PZ-5B **Lab ID: 40267388012** Collected: 08/29/23 15:15 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 17:10	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 17:10	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 17:10	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 17:10	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 17:10	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 17:10	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 17:10	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 17:10	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 17:10	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 17:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 17:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 17:10	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 17:10	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 17:10	79-00-5	
Trichloroethene	1.9	ug/L	1.0	0.32	1		08/31/23 17:10	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 17:10	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 17:10	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 17:10	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 17:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 17:10	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 17:10	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 17:10	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 17:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		08/31/23 17:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		08/31/23 17:10	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		08/31/23 17:10	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		08/31/23 13:34		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	241	mg/L	20.0	4.3	10		08/31/23 17:09	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		09/11/23 12:07		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: TRIP BLANK Lab ID: 40267388013 Collected: 08/29/23 07:00 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		08/31/23 12:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 12:55	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		08/31/23 12:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 12:55	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		08/31/23 12:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		08/31/23 12:55	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 12:55	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/31/23 12:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		08/31/23 12:55	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/31/23 12:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		08/31/23 12:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		08/31/23 12:55	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		08/31/23 12:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		08/31/23 12:55	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 12:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		08/31/23 12:55	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		08/31/23 12:55	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		08/31/23 12:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		08/31/23 12:55	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		08/31/23 12:55	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 12:55	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 12:55	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		08/31/23 12:55	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		08/31/23 12:55	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 12:55	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		08/31/23 12:55	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		08/31/23 12:55	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		08/31/23 12:55	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		08/31/23 12:55	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		08/31/23 12:55	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		08/31/23 12:55	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		08/31/23 12:55	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		08/31/23 12:55	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		08/31/23 12:55	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		08/31/23 12:55	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 12:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		08/31/23 12:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		08/31/23 12:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		08/31/23 12:55	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		08/31/23 12:55	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		08/31/23 12:55	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		08/31/23 12:55	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		08/31/23 12:55	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		08/31/23 12:55	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		08/31/23 12:55	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Sample: TRIP BLANK Lab ID: 40267388013 Collected: 08/29/23 07:00 Received: 08/30/23 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		08/31/23 12:55	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/31/23 12:55	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		08/31/23 12:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		08/31/23 12:55	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		08/31/23 12:55	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/31/23 12:55	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		08/31/23 12:55	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		08/31/23 12:55	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		08/31/23 12:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		08/31/23 12:55	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		08/31/23 12:55	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		08/31/23 12:55	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		08/31/23 12:55	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/31/23 12:55	75-01-4	L1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		08/31/23 12:55	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		08/31/23 12:55	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		08/31/23 12:55	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		08/31/23 12:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		08/31/23 12:55	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		08/31/23 12:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

QC Batch:	453801	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

METHOD BLANK:	2606660	Matrix:	Water
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	09/01/23 10:59	
Ethene	ug/L	<0.25	5.0	09/01/23 10:59	
Methane	ug/L	<0.58	2.8	09/01/23 10:59	

Parameter	Units	2606661		2606662		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCS % Rec							
Ethane	ug/L	53.6	47.4	51.8	88	97	80-120	9	20			
Ethene	ug/L	50	43.8	47.7	88	95	80-120	8	20			
Methane	ug/L	28.6	25.3	27.8	88	97	80-120	10	20			

Parameter	Units	2607002		2607003		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
Ethane	ug/L	<0.39	53.6	53.6	46.3	50.1	86	94	77-120	8	20	
Ethene	ug/L	<0.25	50	50	42.9	46.2	86	92	76-120	8	20	
Methane	ug/L	<0.58	28.6	28.6	24.4	26.7	86	93	12-198	9	26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

QC Batch: 453685 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012, 40267388013

METHOD BLANK: 2605967 Matrix: Water
Associated Lab Samples: 40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012, 40267388013

Table with 6 columns: Parameter, Units, Blank Result, Reporting Limit, Analyzed, Qualifiers. Lists various chemical compounds and their detection results.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

METHOD BLANK: 2605967

Matrix: Water

Associated Lab Samples: 40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012, 40267388013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	08/31/23 09:19	
Ethylbenzene	ug/L	<0.33	1.0	08/31/23 09:19	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	08/31/23 09:19	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	08/31/23 09:19	
m&p-Xylene	ug/L	<0.70	2.0	08/31/23 09:19	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	08/31/23 09:19	
Methylene Chloride	ug/L	<0.32	5.0	08/31/23 09:19	
n-Butylbenzene	ug/L	<0.86	1.0	08/31/23 09:19	
n-Propylbenzene	ug/L	<0.35	1.0	08/31/23 09:19	
Naphthalene	ug/L	<1.9	5.0	08/31/23 09:19	
o-Xylene	ug/L	<0.35	1.0	08/31/23 09:19	
p-Isopropyltoluene	ug/L	<1.0	5.0	08/31/23 09:19	
sec-Butylbenzene	ug/L	<0.42	1.0	08/31/23 09:19	
Styrene	ug/L	<0.36	1.0	08/31/23 09:19	
tert-Butylbenzene	ug/L	<0.59	1.0	08/31/23 09:19	
Tetrachloroethene	ug/L	<0.41	1.0	08/31/23 09:19	
Toluene	ug/L	<0.29	1.0	08/31/23 09:19	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	08/31/23 09:19	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	08/31/23 09:19	
Trichloroethene	ug/L	<0.32	1.0	08/31/23 09:19	
Trichlorofluoromethane	ug/L	<0.42	1.0	08/31/23 09:19	
Vinyl chloride	ug/L	<0.17	1.0	08/31/23 09:19	
Xylene (Total)	ug/L	<1.0	3.0	08/31/23 09:19	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130	08/31/23 09:19	
4-Bromofluorobenzene (S)	%	103	70-130	08/31/23 09:19	
Toluene-d8 (S)	%	103	70-130	08/31/23 09:19	

LABORATORY CONTROL SAMPLE: 2605968

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.8	102	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	54.3	109	69-130	
1,1,2-Trichloroethane	ug/L	50	52.2	104	70-130	
1,1-Dichloroethane	ug/L	50	55.9	112	70-130	
1,1-Dichloroethene	ug/L	50	65.0	130	74-131	
1,2,4-Trichlorobenzene	ug/L	50	40.4	81	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.2	94	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	48.2	96	70-130	
1,2-Dichlorobenzene	ug/L	50	49.4	99	70-130	
1,2-Dichloroethane	ug/L	50	50.6	101	70-137	
1,2-Dichloropropane	ug/L	50	54.1	108	80-121	
1,3-Dichlorobenzene	ug/L	50	50.3	101	70-130	
1,4-Dichlorobenzene	ug/L	50	49.8	100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

LABORATORY CONTROL SAMPLE: 2605968

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	54.0	108	70-130	
Bromodichloromethane	ug/L	50	54.2	108	70-130	
Bromoform	ug/L	50	47.5	95	70-130	
Bromomethane	ug/L	50	62.5	125	21-147	
Carbon tetrachloride	ug/L	50	55.5	111	80-146	
Chlorobenzene	ug/L	50	51.8	104	70-130	
Chloroethane	ug/L	50	63.8	128	52-165	
Chloroform	ug/L	50	52.5	105	80-123	
Chloromethane	ug/L	50	59.5	119	51-122	
cis-1,2-Dichloroethene	ug/L	50	46.8	94	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.5	101	70-130	
Dibromochloromethane	ug/L	50	51.3	103	70-130	
Dichlorodifluoromethane	ug/L	50	44.2	88	25-121	
Ethylbenzene	ug/L	50	54.3	109	80-120	
Isopropylbenzene (Cumene)	ug/L	50	51.9	104	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	45.8	92	70-130	
Methylene Chloride	ug/L	50	52.7	105	70-130	
o-Xylene	ug/L	50	52.8	106	70-130	
Styrene	ug/L	50	62.4	125	70-130	
Tetrachloroethene	ug/L	50	48.2	96	70-130	
Toluene	ug/L	50	53.5	107	80-120	
trans-1,2-Dichloroethene	ug/L	50	50.2	100	70-130	
trans-1,3-Dichloropropene	ug/L	50	50.1	100	70-130	
Trichloroethene	ug/L	50	50.5	101	70-130	
Trichlorofluoromethane	ug/L	50	63.9	128	65-160	
Vinyl chloride	ug/L	50	67.6	135	63-134 L1	
Xylene (Total)	ug/L	150	161	107	70-130	
1,2-Dichlorobenzene-d4 (S)	%			94	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

QC Batch:	453678	Analysis Method:	SM 4500-S F (2000)
QC Batch Method:	SM 4500-S F (2000)	Analysis Description:	4500S2F Sulfide, Iodometric
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

METHOD BLANK:	2605948	Matrix:	Water
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	08/31/23 12:46	

LABORATORY CONTROL SAMPLE:	2605949					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	46.8	47.2	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2605952			2605953								
Parameter	Units	40267388001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfide	mg/L	<1.2	46.8	46.8	46.8	48.0	100	103	80-120	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

QC Batch:	453690	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

METHOD BLANK:	2605986	Matrix:	Water
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.43	2.0	08/31/23 12:12	

LABORATORY CONTROL SAMPLE: 2605987						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	20.4	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2605988												2605989	
Parameter	Units	40267388001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Chloride	mg/L	2430	2000	2000	4500	4260	104	92	90-110	5	15		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2605990												2605991	
Parameter	Units	40267388011 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Chloride	mg/L	3210	2000	2000	5160	5170	98	98	90-110	0	15		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

QC Batch:	454357	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

METHOD BLANK:	2609571	Matrix:	Water
Associated Lab Samples:	40267388001, 40267388002, 40267388003, 40267388004, 40267388005, 40267388006, 40267388007, 40267388008, 40267388009, 40267388010, 40267388011, 40267388012		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	09/11/23 11:56	

LABORATORY CONTROL SAMPLE: 2609572						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2609573												2609574	
Parameter	Units	40267388001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Nitrogen, NO2 plus NO3	mg/L	1.4	2.5	2.5	4.0	4.0	103	103	90-110	0	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2609575												2609576	
Parameter	Units	40267476001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Nitrogen, NO2 plus NO3	mg/L	3.2	2.5	2.5	5.8	5.7	103	101	90-110	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1q Sample was received with headspace.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40267388001	PZ-2	EPA 8015B Modified	453801		
40267388002	PZ-MW1C	EPA 8015B Modified	453801		
40267388003	PZ-7A	EPA 8015B Modified	453801		
40267388004	PZ-MW1A	EPA 8015B Modified	453801		
40267388005	PZ-7B	EPA 8015B Modified	453801		
40267388006	PZ-MW1B	EPA 8015B Modified	453801		
40267388007	PZ-3	EPA 8015B Modified	453801		
40267388008	PZ-6	EPA 8015B Modified	453801		
40267388009	PZ-4A	EPA 8015B Modified	453801		
40267388010	PZ-5A	EPA 8015B Modified	453801		
40267388011	PZ-4B	EPA 8015B Modified	453801		
40267388012	PZ-5B	EPA 8015B Modified	453801		
40267388001	PZ-2	EPA 8260	453685		
40267388002	PZ-MW1C	EPA 8260	453685		
40267388003	PZ-7A	EPA 8260	453685		
40267388004	PZ-MW1A	EPA 8260	453685		
40267388005	PZ-7B	EPA 8260	453685		
40267388006	PZ-MW1B	EPA 8260	453685		
40267388007	PZ-3	EPA 8260	453685		
40267388008	PZ-6	EPA 8260	453685		
40267388009	PZ-4A	EPA 8260	453685		
40267388010	PZ-5A	EPA 8260	453685		
40267388011	PZ-4B	EPA 8260	453685		
40267388012	PZ-5B	EPA 8260	453685		
40267388013	TRIP BLANK	EPA 8260	453685		
40267388001	PZ-2	SM 4500-S F (2000)	453678		
40267388002	PZ-MW1C	SM 4500-S F (2000)	453678		
40267388003	PZ-7A	SM 4500-S F (2000)	453678		
40267388004	PZ-MW1A	SM 4500-S F (2000)	453678		
40267388005	PZ-7B	SM 4500-S F (2000)	453678		
40267388006	PZ-MW1B	SM 4500-S F (2000)	453678		
40267388007	PZ-3	SM 4500-S F (2000)	453678		
40267388008	PZ-6	SM 4500-S F (2000)	453678		
40267388009	PZ-4A	SM 4500-S F (2000)	453678		
40267388010	PZ-5A	SM 4500-S F (2000)	453678		
40267388011	PZ-4B	SM 4500-S F (2000)	453678		
40267388012	PZ-5B	SM 4500-S F (2000)	453678		
40267388001	PZ-2	EPA 300.0	453690		
40267388002	PZ-MW1C	EPA 300.0	453690		
40267388003	PZ-7A	EPA 300.0	453690		
40267388004	PZ-MW1A	EPA 300.0	453690		
40267388005	PZ-7B	EPA 300.0	453690		
40267388006	PZ-MW1B	EPA 300.0	453690		
40267388007	PZ-3	EPA 300.0	453690		
40267388008	PZ-6	EPA 300.0	453690		
40267388009	PZ-4A	EPA 300.0	453690		
40267388010	PZ-5A	EPA 300.0	453690		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV STEEL & WIRE

Pace Project No.: 40267388

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40267388011	PZ-4B	EPA 300.0	453690		
40267388012	PZ-5B	EPA 300.0	453690		
40267388001	PZ-2	EPA 353.2	454357		
40267388002	PZ-MW1C	EPA 353.2	454357		
40267388003	PZ-7A	EPA 353.2	454357		
40267388004	PZ-MW1A	EPA 353.2	454357		
40267388005	PZ-7B	EPA 353.2	454357		
40267388006	PZ-MW1B	EPA 353.2	454357		
40267388007	PZ-3	EPA 353.2	454357		
40267388008	PZ-6	EPA 353.2	454357		
40267388009	PZ-4A	EPA 353.2	454357		
40267388010	PZ-5A	EPA 353.2	454357		
40267388011	PZ-4B	EPA 353.2	454357		
40267388012	PZ-5B	EPA 353.2	454357		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

Sample Condition Upon Receipt Form (SCUR)

Client Name: Aecom
 Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____
 Tracking #: R.A. 8-30-23

Project #: _____

WO#: 40267388



40267388

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR-121 Type of Ice: Wet Blue Dry None Meltwater Only
 Cooler Temperature Uncorr: 1.0 /Corr: 0.5
 Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 8-30-23 Initials: R.A
 Labeled By Initials: EL

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>506</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logit
 Page 2 of 2



November 13, 2023

Gary Braun
AECOM
1555 N. RiverCenter Drive
Suite 214
Milwaukee, WI 53212

RE: Project: 60428891 FV Steel & Wire
Pace Project No.: 40270429

Dear Gary Braun:

Enclosed are the analytical results for sample(s) received by the laboratory on November 01, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Christopher Hyska".

Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40270429001	MW-1	Water	10/30/23 12:50	11/01/23 12:00
40270429002	MW-3	Water	10/30/23 16:45	11/01/23 12:00
40270429003	MW-4	Water	10/30/23 16:25	11/01/23 12:00
40270429004	MW-5	Water	10/30/23 16:20	11/01/23 12:00
40270429005	MW-6	Water	10/30/23 16:05	11/01/23 12:00
40270429006	MW-7	Water	10/30/23 15:50	11/01/23 12:00
40270429007	MW-8	Water	10/30/23 16:50	11/01/23 12:00
40270429008	MW-10	Water	10/30/23 15:10	11/01/23 12:00
40270429009	MW-11	Water	10/30/23 15:45	11/01/23 12:00
40270429010	MW-12	Water	10/30/23 13:30	11/01/23 12:00
40270429011	MW-14	Water	10/30/23 12:15	11/01/23 12:00
40270429012	PZ-2	Water	10/31/23 11:30	11/01/23 12:00
40270429013	PZ-3	Water	10/30/23 14:15	11/01/23 12:00
40270429014	PZ-MW1A	Water	10/31/23 12:00	11/01/23 12:00
40270429015	PZ-MW1B	Water	10/31/23 10:05	11/01/23 12:00
40270429016	PZ-MW1C	Water	10/31/23 13:00	11/01/23 12:00
40270429017	PZ-4A	Water	10/30/23 13:40	11/01/23 12:00
40270429018	PZ-4B	Water	10/31/23 08:35	11/01/23 12:00
40270429019	PZ-5A	Water	11/01/23 09:00	11/01/23 12:00
40270429020	PZ-5B	Water	11/01/23 09:25	11/01/23 12:00
40270429021	PZ-6	Water	10/31/23 14:25	11/01/23 12:00
40270429022	PZ-7A	Water	11/01/23 08:20	11/01/23 12:00
40270429023	PZ-7B	Water	11/01/23 09:25	11/01/23 12:00
40270429024	TRIP BLANK	Water	10/30/23 06:00	11/01/23 12:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40270429001	MW-1	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429002	MW-3	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429003	MW-4	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429004	MW-5	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429005	MW-6	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429006	MW-7	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429007	MW-8	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429008	MW-10	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429009	MW-11	EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429010	MW-12	EPA 8260	SMT	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40270429011	MW-14	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429012	PZ-2	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429013	PZ-3	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429014	PZ-MW1A	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429015	PZ-MW1B	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429016	PZ-MW1C	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429017	PZ-4A	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429018	PZ-4B	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
40270429019	PZ-5A	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40270429020	PZ-5B	EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	SMT	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
40270429021	PZ-6	EPA 353.2	MT	1	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
40270429022	PZ-7A	EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	CXJ	65	PASI-G
40270429023	PZ-7B	SM 4500-S F (2000)	HNT	1	PASI-G
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	CXJ	65	PASI-G
		SM 4500-S F (2000)	HNT	1	PASI-G
40270429024	TRIP BLANK	EPA 300.0	HMB	1	PASI-G
		EPA 353.2	MT	1	PASI-G
		EPA 8260	CXJ	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40270429001	MW-1					
EPA 8260	cis-1,2-Dichloroethene	0.56J	ug/L	1.0	11/03/23 19:21	
EPA 8260	1,1,1-Trichloroethane	0.87J	ug/L	1.0	11/03/23 19:21	
EPA 8260	Trichloroethene	4.0	ug/L	1.0	11/03/23 19:21	
EPA 300.0	Chloride	10.2	mg/L	10.0	11/08/23 18:13	
EPA 353.2	Nitrogen, NO2 plus NO3	0.47	mg/L	0.25	11/09/23 10:02	
40270429002	MW-3					
EPA 8260	Benzene	0.31J	ug/L	1.0	11/03/23 19:38	
EPA 8260	1,1-Dichloroethane	23.1	ug/L	1.0	11/03/23 19:38	
EPA 8260	1,1-Dichloroethene	13.4	ug/L	1.0	11/03/23 19:38	
EPA 8260	cis-1,2-Dichloroethene	1.3	ug/L	1.0	11/03/23 19:38	
EPA 8260	1,1,1-Trichloroethane	9.0	ug/L	1.0	11/03/23 19:38	
EPA 8260	Trichloroethene	4.6	ug/L	1.0	11/03/23 19:38	
EPA 8260	Vinyl chloride	0.59J	ug/L	1.0	11/03/23 19:38	
EPA 300.0	Chloride	3760	mg/L	200	11/08/23 18:28	
40270429003	MW-4					
EPA 8260	1,1-Dichloroethane	3.5	ug/L	1.0	11/03/23 19:04	
EPA 8260	1,1-Dichloroethene	1.0	ug/L	1.0	11/03/23 19:04	
EPA 8260	1,1,1-Trichloroethane	0.55J	ug/L	1.0	11/03/23 19:04	
EPA 8260	Trichloroethene	1.9	ug/L	1.0	11/03/23 19:04	
EPA 300.0	Chloride	686	mg/L	100	11/09/23 04:27	
EPA 353.2	Nitrogen, NO2 plus NO3	0.29	mg/L	0.25	11/09/23 10:04	
40270429004	MW-5					
EPA 8260	Trichloroethene	0.57J	ug/L	1.0	11/03/23 19:56	
EPA 300.0	Chloride	122	mg/L	20.0	11/09/23 05:10	
40270429005	MW-6					
EPA 300.0	Chloride	44.4	mg/L	10.0	11/09/23 06:07	
EPA 353.2	Nitrogen, NO2 plus NO3	0.077J	mg/L	0.25	11/09/23 10:07	
40270429006	MW-7					
EPA 300.0	Chloride	38.4	mg/L	10.0	11/09/23 06:22	
40270429007	MW-8					
EPA 8260	Benzene	0.46J	ug/L	1.0	11/03/23 20:47	
EPA 8260	1,1-Dichloroethane	10.3	ug/L	1.0	11/03/23 20:47	
EPA 8260	1,2-Dichloroethane	0.46J	ug/L	1.0	11/03/23 20:47	
EPA 8260	1,1-Dichloroethene	3.8	ug/L	1.0	11/03/23 20:47	
EPA 8260	cis-1,2-Dichloroethene	0.81J	ug/L	1.0	11/03/23 20:47	
EPA 8260	1,1,1-Trichloroethane	1.5	ug/L	1.0	11/03/23 20:47	
EPA 8260	Trichloroethene	2.1	ug/L	1.0	11/03/23 20:47	
EPA 8260	Vinyl chloride	0.97J	ug/L	1.0	11/03/23 20:47	
SM 4500-S F (2000)	Sulfide	1.4J	mg/L	4.0	11/02/23 14:12	
EPA 300.0	Chloride	5440	mg/L	1000	11/09/23 11:41	
40270429008	MW-10					
EPA 8260	1,1-Dichloroethane	1.7	ug/L	1.0	11/03/23 21:05	
EPA 8260	1,1,1-Trichloroethane	0.95J	ug/L	1.0	11/03/23 21:05	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40270429008	MW-10					
EPA 8260	Trichloroethene	1.1	ug/L	1.0	11/03/23 21:05	
EPA 300.0	Chloride	359	mg/L	20.0	11/09/23 06:50	
EPA 353.2	Nitrogen, NO2 plus NO3	0.12J	mg/L	0.25	11/09/23 10:13	M0
40270429009	MW-11					
EPA 8260	1,1,1-Trichloroethane	0.36J	ug/L	1.0	11/03/23 21:22	
EPA 300.0	Chloride	94.5	mg/L	10.0	11/09/23 07:05	
EPA 353.2	Nitrogen, NO2 plus NO3	0.24J	mg/L	0.25	11/09/23 10:17	
40270429010	MW-12					
SM 4500-S F (2000)	Sulfide	1.2J	mg/L	4.0	11/02/23 14:17	1q
EPA 300.0	Chloride	15.2	mg/L	10.0	11/09/23 07:19	
40270429011	MW-14					
EPA 300.0	Chloride	2.4	mg/L	2.0	11/09/23 07:33	
EPA 353.2	Nitrogen, NO2 plus NO3	2.5	mg/L	0.25	11/09/23 10:19	
40270429012	PZ-2					
EPA 8260	1,1-Dichloroethane	16.1	ug/L	1.0	11/03/23 22:14	
EPA 8260	1,1-Dichloroethene	2.0	ug/L	1.0	11/03/23 22:14	
EPA 8260	cis-1,2-Dichloroethene	7.8	ug/L	1.0	11/03/23 22:14	
EPA 8260	Trichloroethene	0.52J	ug/L	1.0	11/03/23 22:14	
EPA 8260	Vinyl chloride	0.43J	ug/L	1.0	11/03/23 22:14	
EPA 300.0	Chloride	2180	mg/L	200	11/09/23 11:55	
EPA 353.2	Nitrogen, NO2 plus NO3	4.4	mg/L	0.25	11/09/23 10:19	
40270429013	PZ-3					
EPA 8260	1,1-Dichloroethane	833	ug/L	10.0	11/03/23 23:40	
EPA 8260	1,1-Dichloroethene	28.5	ug/L	10.0	11/03/23 23:40	
EPA 8260	cis-1,2-Dichloroethene	52.4	ug/L	10.0	11/03/23 23:40	
EPA 8260	Trichloroethene	10.2	ug/L	10.0	11/03/23 23:40	
EPA 8260	Vinyl chloride	2.0J	ug/L	10.0	11/03/23 23:40	
EPA 300.0	Chloride	59.3	mg/L	10.0	11/13/23 04:05	
40270429014	PZ-MW1A					
EPA 8260	1,1-Dichloroethane	480	ug/L	2.0	11/03/23 23:57	
EPA 8260	1,1-Dichloroethene	18.4	ug/L	2.0	11/03/23 23:57	
EPA 8260	cis-1,2-Dichloroethene	39.6	ug/L	2.0	11/03/23 23:57	
EPA 8260	Trichloroethene	27.6	ug/L	2.0	11/03/23 23:57	
EPA 8260	Vinyl chloride	1.7J	ug/L	2.0	11/03/23 23:57	
EPA 300.0	Chloride	53.2	mg/L	10.0	11/13/23 04:49	
40270429015	PZ-MW1B					
EPA 8260	1,1-Dichloroethane	2270	ug/L	40.0	11/06/23 10:54	
EPA 8260	1,2-Dichloroethane	6.1	ug/L	5.0	11/04/23 00:15	
EPA 8260	1,1-Dichloroethene	111	ug/L	5.0	11/04/23 00:15	
EPA 8260	cis-1,2-Dichloroethene	20.1	ug/L	5.0	11/04/23 00:15	
EPA 8260	Trichloroethene	42.4	ug/L	5.0	11/04/23 00:15	
EPA 8260	Vinyl chloride	7.0	ug/L	5.0	11/04/23 00:15	
EPA 300.0	Chloride	88.2	mg/L	10.0	11/13/23 05:03	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SUMMARY OF DETECTION**

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40270429016	PZ-MW1C					
EPA 8260	1,1-Dichloroethane	212	ug/L	2.0	11/06/23 10:37	
EPA 8260	1,1-Dichloroethene	21.6	ug/L	2.0	11/06/23 10:37	
EPA 8260	cis-1,2-Dichloroethene	17.9	ug/L	2.0	11/06/23 10:37	
EPA 8260	Trichloroethene	5.3	ug/L	2.0	11/06/23 10:37	
EPA 8260	Vinyl chloride	0.72J	ug/L	2.0	11/06/23 10:37	
EPA 300.0	Chloride	105	mg/L	10.0	11/13/23 05:17	
40270429017	PZ-4A					
EPA 8260	1,1-Dichloroethane	0.59J	ug/L	1.0	11/03/23 22:31	
EPA 8260	cis-1,2-Dichloroethene	1.7	ug/L	1.0	11/03/23 22:31	
EPA 8260	Trichloroethene	3.0	ug/L	1.0	11/03/23 22:31	
EPA 300.0	Chloride	75.2	mg/L	10.0	11/13/23 05:32	
EPA 353.2	Nitrogen, NO2 plus NO3	0.26	mg/L	0.25	11/09/23 10:23	
40270429018	PZ-4B					
EPA 8260	1,1-Dichloroethane	37.8	ug/L	1.0	11/03/23 22:48	
EPA 8260	1,1-Dichloroethene	6.8	ug/L	1.0	11/03/23 22:48	
EPA 8260	cis-1,2-Dichloroethene	12.4	ug/L	1.0	11/03/23 22:48	
EPA 8260	Trichloroethene	17.6	ug/L	1.0	11/03/23 22:48	
EPA 8260	Vinyl chloride	0.45J	ug/L	1.0	11/03/23 22:48	
EPA 300.0	Chloride	3300	mg/L	200	11/13/23 05:46	
40270429019	PZ-5A					
EPA 8260	1,1-Dichloroethane	3.1	ug/L	1.0	11/03/23 23:06	
EPA 300.0	Chloride	164	mg/L	20.0	11/13/23 06:44	
40270429020	PZ-5B					
EPA 8260	1,1-Dichloroethane	14.9	ug/L	1.0	11/03/23 23:23	
EPA 8260	cis-1,2-Dichloroethene	37.6	ug/L	1.0	11/03/23 23:23	
EPA 8260	Trichloroethene	2.0	ug/L	1.0	11/03/23 23:23	
EPA 300.0	Chloride	252	mg/L	20.0	11/13/23 06:58	
40270429021	PZ-6					
EPA 300.0	Chloride	282	mg/L	20.0	11/13/23 07:12	
40270429022	PZ-7A					
EPA 300.0	Chloride	109	mg/L	20.0	11/13/23 07:27	
40270429023	PZ-7B					
EPA 8260	cis-1,2-Dichloroethene	0.51J	ug/L	1.0	11/02/23 20:32	
EPA 8260	Trichloroethene	1.8	ug/L	1.0	11/02/23 20:32	
EPA 300.0	Chloride	79.2	mg/L	10.0	11/13/23 07:41	
EPA 353.2	Nitrogen, NO2 plus NO3	0.70	mg/L	0.25	11/09/23 10:30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-1 Lab ID: 40270429001 Collected: 10/30/23 12:50 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 19:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:21	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:21	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 19:21	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 19:21	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:21	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 19:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 19:21	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 19:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 19:21	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 19:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 19:21	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:21	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 19:21	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 19:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 19:21	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 19:21	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:21	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:21	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 19:21	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 19:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 19:21	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 19:21	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 19:21	75-35-4	
cis-1,2-Dichloroethene	0.56J	ug/L	1.0	0.47	1		11/03/23 19:21	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 19:21	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 19:21	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 19:21	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:21	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:21	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 19:21	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 19:21	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 19:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 19:21	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:21	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 19:21	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:21	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 19:21	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:21	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:21	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-1 **Lab ID: 40270429001** Collected: 10/30/23 12:50 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:21	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 19:21	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 19:21	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:21	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 19:21	120-82-1	
1,1,1-Trichloroethane	0.87J	ug/L	1.0	0.30	1		11/03/23 19:21	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 19:21	79-00-5	
Trichloroethene	4.0	ug/L	1.0	0.32	1		11/03/23 19:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:21	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 19:21	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 19:21	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:21	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 19:21	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 19:21	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 19:21	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:21	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 19:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/03/23 19:21	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 19:21	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 13:37		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	10.2	mg/L	10.0	3.0	5		11/08/23 18:13	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.47	mg/L	0.25	0.059	1		11/09/23 10:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-3 Lab ID: 40270429002 Collected: 10/30/23 16:45 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	0.31J	ug/L	1.0	0.30	1		11/03/23 19:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:38	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:38	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 19:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 19:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 19:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 19:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 19:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 19:38	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 19:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 19:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 19:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 19:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 19:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 19:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 19:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 19:38	75-71-8	
1,1-Dichloroethane	23.1	ug/L	1.0	0.30	1		11/03/23 19:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 19:38	107-06-2	
1,1-Dichloroethene	13.4	ug/L	1.0	0.58	1		11/03/23 19:38	75-35-4	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.47	1		11/03/23 19:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 19:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 19:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 19:38	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:38	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 19:38	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 19:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 19:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 19:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 19:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:38	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 19:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-3 **Lab ID: 40270429002** Collected: 10/30/23 16:45 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 19:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 19:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 19:38	120-82-1	
1,1,1-Trichloroethane	9.0	ug/L	1.0	0.30	1		11/03/23 19:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 19:38	79-00-5	
Trichloroethene	4.6	ug/L	1.0	0.32	1		11/03/23 19:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 19:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 19:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:38	108-67-8	
Vinyl chloride	0.59J	ug/L	1.0	0.17	1		11/03/23 19:38	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 19:38	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 19:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 19:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/03/23 19:38	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 19:38	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 13:39		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	3760	mg/L	200	59.1	100		11/08/23 18:28	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-4 Lab ID: 40270429003 Collected: 10/30/23 16:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 19:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:04	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:04	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 19:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 19:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 19:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 19:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 19:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 19:04	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 19:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 19:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 19:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 19:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 19:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 19:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 19:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 19:04	75-71-8	
1,1-Dichloroethane	3.5	ug/L	1.0	0.30	1		11/03/23 19:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 19:04	107-06-2	
1,1-Dichloroethene	1.0	ug/L	1.0	0.58	1		11/03/23 19:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 19:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 19:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 19:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 19:04	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:04	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 19:04	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 19:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 19:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 19:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 19:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:04	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 19:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-4 **Lab ID: 40270429003** Collected: 10/30/23 16:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 19:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 19:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 19:04	120-82-1	
1,1,1-Trichloroethane	0.55J	ug/L	1.0	0.30	1		11/03/23 19:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 19:04	79-00-5	
Trichloroethene	1.9	ug/L	1.0	0.32	1		11/03/23 19:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 19:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 19:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 19:04	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 19:04	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 19:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 19:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 19:04	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 19:04	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:06		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	686	mg/L	100	29.6	50		11/09/23 04:27	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.29	mg/L	0.25	0.059	1		11/09/23 10:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-5 Lab ID: 40270429004 Collected: 10/30/23 16:20 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 19:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:56	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:56	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:56	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 19:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 19:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 19:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 19:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 19:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 19:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 19:56	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 19:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 19:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 19:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 19:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 19:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 19:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 19:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 19:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 19:56	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 19:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 19:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 19:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 19:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 19:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 19:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 19:56	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:56	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 19:56	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 19:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 19:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 19:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 19:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 19:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 19:56	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 19:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-5 Lab ID: 40270429004 Collected: 10/30/23 16:20 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 19:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 19:56	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 19:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 19:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 19:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 19:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 19:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 19:56	79-00-5	
Trichloroethene	0.57J	ug/L	1.0	0.32	1		11/03/23 19:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 19:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 19:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 19:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 19:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 19:56	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 19:56	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 19:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 19:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 19:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 19:56	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 19:56	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:07		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	122	mg/L	20.0	5.9	10		11/09/23 05:10	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:07		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-6 Lab ID: 40270429005 Collected: 10/30/23 16:05 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 20:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:13	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 20:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:13	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 20:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 20:13	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 20:13	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 20:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 20:13	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 20:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 20:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 20:13	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 20:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 20:13	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 20:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 20:13	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 20:13	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 20:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 20:13	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 20:13	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 20:13	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:13	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 20:13	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 20:13	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 20:13	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 20:13	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 20:13	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 20:13	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 20:13	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 20:13	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 20:13	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:13	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 20:13	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 20:13	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 20:13	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 20:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 20:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 20:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 20:13	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 20:13	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 20:13	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 20:13	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 20:13	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:13	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:13	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-6 Lab ID: 40270429005 Collected: 10/30/23 16:05 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 20:13	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 20:13	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 20:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 20:13	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 20:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 20:13	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 20:13	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 20:13	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 20:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:13	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 20:13	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 20:13	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:13	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 20:13	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 20:13	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 20:13	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:13	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 20:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 20:13	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 20:13	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:09		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	44.4	mg/L	10.0	3.0	5		11/09/23 06:07	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.077J	mg/L	0.25	0.059	1		11/09/23 10:07		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-7 Lab ID: 40270429006 Collected: 10/30/23 15:50 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 20:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:30	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 20:30	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:30	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 20:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 20:30	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 20:30	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 20:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 20:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 20:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 20:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 20:30	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 20:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 20:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 20:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 20:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 20:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 20:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 20:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 20:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 20:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 20:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 20:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 20:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 20:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 20:30	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 20:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 20:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 20:30	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 20:30	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 20:30	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 20:30	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 20:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 20:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 20:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 20:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 20:30	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 20:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 20:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 20:30	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 20:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-7 Lab ID: 40270429006 Collected: 10/30/23 15:50 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 20:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 20:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 20:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 20:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 20:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 20:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 20:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 20:30	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 20:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 20:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 20:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 20:30	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 20:30	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 20:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 20:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 20:30	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 20:30	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:10		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	38.4	mg/L	10.0	3.0	5		11/09/23 06:22	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-8 Lab ID: 40270429007 Collected: 10/30/23 16:50 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	0.46J	ug/L	1.0	0.30	1		11/03/23 20:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:47	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 20:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:47	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 20:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 20:47	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 20:47	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 20:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 20:47	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 20:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 20:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 20:47	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 20:47	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 20:47	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 20:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 20:47	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 20:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 20:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 20:47	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 20:47	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 20:47	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:47	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 20:47	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 20:47	75-71-8	
1,1-Dichloroethane	10.3	ug/L	1.0	0.30	1		11/03/23 20:47	75-34-3	
1,2-Dichloroethane	0.46J	ug/L	1.0	0.29	1		11/03/23 20:47	107-06-2	
1,1-Dichloroethene	3.8	ug/L	1.0	0.58	1		11/03/23 20:47	75-35-4	
cis-1,2-Dichloroethene	0.81J	ug/L	1.0	0.47	1		11/03/23 20:47	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 20:47	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 20:47	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 20:47	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:47	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 20:47	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 20:47	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 20:47	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 20:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 20:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 20:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 20:47	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 20:47	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 20:47	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 20:47	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 20:47	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:47	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-8 Lab ID: 40270429007 Collected: 10/30/23 16:50 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 20:47	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 20:47	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 20:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 20:47	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 20:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 20:47	120-82-1	
1,1,1-Trichloroethane	1.5	ug/L	1.0	0.30	1		11/03/23 20:47	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 20:47	79-00-5	
Trichloroethene	2.1	ug/L	1.0	0.32	1		11/03/23 20:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 20:47	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 20:47	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 20:47	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 20:47	108-67-8	
Vinyl chloride	0.97J	ug/L	1.0	0.17	1		11/03/23 20:47	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 20:47	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 20:47	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 20:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		11/03/23 20:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 20:47	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 20:47	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	1.4J	mg/L	4.0	1.2	1		11/02/23 14:12		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	5440	mg/L	1000	296	500		11/09/23 11:41	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:09		M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-10 Lab ID: 40270429008 Collected: 10/30/23 15:10 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 21:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:05	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:05	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:05	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 21:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 21:05	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:05	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 21:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 21:05	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 21:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 21:05	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 21:05	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 21:05	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:05	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 21:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 21:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 21:05	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 21:05	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:05	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:05	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 21:05	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 21:05	75-71-8	
1,1-Dichloroethane	1.7	ug/L	1.0	0.30	1		11/03/23 21:05	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 21:05	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 21:05	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 21:05	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 21:05	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 21:05	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:05	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:05	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:05	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 21:05	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 21:05	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 21:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 21:05	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:05	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 21:05	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:05	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 21:05	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:05	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:05	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-10 **Lab ID: 40270429008** Collected: 10/30/23 15:10 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:05	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 21:05	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:05	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 21:05	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 21:05	120-82-1	
1,1,1-Trichloroethane	0.95J	ug/L	1.0	0.30	1		11/03/23 21:05	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 21:05	79-00-5	
Trichloroethene	1.1	ug/L	1.0	0.32	1		11/03/23 21:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:05	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 21:05	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 21:05	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 21:05	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 21:05	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 21:05	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 21:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 21:05	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 21:05	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:14		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	359	mg/L	20.0	5.9	10		11/09/23 06:50	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.12J	mg/L	0.25	0.059	1		11/09/23 10:13		M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-11 Lab ID: 40270429009 Collected: 10/30/23 15:45 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 21:22	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:22	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:22	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:22	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 21:22	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 21:22	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:22	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 21:22	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 21:22	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 21:22	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:22	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 21:22	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 21:22	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 21:22	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:22	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:22	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 21:22	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 21:22	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 21:22	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 21:22	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:22	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:22	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 21:22	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 21:22	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:22	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 21:22	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 21:22	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 21:22	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 21:22	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 21:22	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:22	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:22	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:22	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 21:22	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 21:22	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:22	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:22	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 21:22	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 21:22	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:22	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 21:22	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:22	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 21:22	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:22	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:22	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-11 Lab ID: 40270429009 Collected: 10/30/23 15:45 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:22	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 21:22	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:22	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 21:22	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:22	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 21:22	120-82-1	
1,1,1-Trichloroethane	0.36J	ug/L	1.0	0.30	1		11/03/23 21:22	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 21:22	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 21:22	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:22	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 21:22	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 21:22	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:22	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 21:22	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 21:22	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 21:22	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:22	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 21:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 21:22	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 21:22	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:15		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	94.5	mg/L	10.0	3.0	5		11/09/23 07:05	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.24J	mg/L	0.25	0.059	1		11/09/23 10:17		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-12 Lab ID: 40270429010 Collected: 10/30/23 13:30 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 21:39	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:39	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:39	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:39	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 21:39	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 21:39	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:39	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 21:39	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 21:39	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 21:39	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:39	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 21:39	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 21:39	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 21:39	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:39	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:39	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 21:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 21:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 21:39	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 21:39	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:39	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:39	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 21:39	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 21:39	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 21:39	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 21:39	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 21:39	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 21:39	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 21:39	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:39	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:39	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:39	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 21:39	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 21:39	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:39	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:39	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 21:39	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 21:39	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:39	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 21:39	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:39	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 21:39	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:39	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-12 **Lab ID: 40270429010** Collected: 10/30/23 13:30 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 21:39	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:39	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 21:39	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 21:39	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:39	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 21:39	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 21:39	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:39	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 21:39	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 21:39	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:39	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 21:39	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 21:39	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 21:39	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 21:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 21:39	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 21:39	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	1.2J	mg/L	4.0	1.2	1		11/02/23 14:17		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	15.2	mg/L	10.0	3.0	5		11/09/23 07:19	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:18		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-14 Lab ID: 40270429011 Collected: 10/30/23 12:15 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 21:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:56	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:56	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:56	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 21:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 21:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 21:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 21:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 21:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 21:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 21:56	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 21:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 21:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 21:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 21:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 21:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 21:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 21:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 21:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 21:56	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 21:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 21:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 21:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 21:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 21:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:56	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:56	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 21:56	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 21:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 21:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 21:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 21:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 21:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 21:56	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 21:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: MW-14 **Lab ID: 40270429011** Collected: 10/30/23 12:15 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 21:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 21:56	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 21:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 21:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 21:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 21:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 21:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 21:56	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 21:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 21:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 21:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 21:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 21:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 21:56	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 21:56	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 21:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 21:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 21:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 21:56	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/03/23 21:56	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:19		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2.4	mg/L	2.0	0.59	1		11/09/23 07:33	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	2.5	mg/L	0.25	0.059	1		11/09/23 10:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-2 Lab ID: 40270429012 Collected: 10/31/23 11:30 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 22:14	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:14	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 22:14	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:14	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 22:14	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 22:14	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 22:14	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 22:14	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 22:14	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 22:14	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 22:14	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 22:14	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 22:14	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 22:14	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 22:14	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 22:14	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 22:14	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 22:14	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 22:14	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 22:14	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 22:14	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:14	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 22:14	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 22:14	75-71-8	
1,1-Dichloroethane	16.1	ug/L	1.0	0.30	1		11/03/23 22:14	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 22:14	107-06-2	
1,1-Dichloroethene	2.0	ug/L	1.0	0.58	1		11/03/23 22:14	75-35-4	
cis-1,2-Dichloroethene	7.8	ug/L	1.0	0.47	1		11/03/23 22:14	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 22:14	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 22:14	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 22:14	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:14	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 22:14	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 22:14	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 22:14	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 22:14	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 22:14	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 22:14	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 22:14	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 22:14	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 22:14	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 22:14	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 22:14	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:14	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:14	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-2 **Lab ID: 40270429012** Collected: 10/31/23 11:30 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 22:14	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 22:14	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 22:14	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 22:14	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 22:14	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 22:14	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 22:14	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 22:14	79-00-5	
Trichloroethene	0.52J	ug/L	1.0	0.32	1		11/03/23 22:14	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:14	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 22:14	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 22:14	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:14	108-67-8	
Vinyl chloride	0.43J	ug/L	1.0	0.17	1		11/03/23 22:14	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 22:14	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 22:14	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:14	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 22:14	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/03/23 22:14	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 22:14	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:20		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	2180	mg/L	200	59.1	100		11/09/23 11:55	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	4.4	mg/L	0.25	0.059	1		11/09/23 10:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-3 Lab ID: 40270429013 Collected: 10/30/23 14:15 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<3.0	ug/L	10.0	3.0	10		11/03/23 23:40	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		11/03/23 23:40	108-86-1	
Bromochloromethane	<3.6	ug/L	10.0	3.6	10		11/03/23 23:40	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		11/03/23 23:40	75-27-4	
Bromoform	<4.3	ug/L	10.0	4.3	10		11/03/23 23:40	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		11/03/23 23:40	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		11/03/23 23:40	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		11/03/23 23:40	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		11/03/23 23:40	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		11/03/23 23:40	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		11/03/23 23:40	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		11/03/23 23:40	75-00-3	
Chloroform	<5.0	ug/L	50.0	5.0	10		11/03/23 23:40	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		11/03/23 23:40	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		11/03/23 23:40	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		11/03/23 23:40	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		11/03/23 23:40	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		11/03/23 23:40	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		11/03/23 23:40	106-93-4	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		11/03/23 23:40	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		11/03/23 23:40	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		11/03/23 23:40	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		11/03/23 23:40	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		11/03/23 23:40	75-71-8	
1,1-Dichloroethane	833	ug/L	10.0	3.0	10		11/03/23 23:40	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		11/03/23 23:40	107-06-2	
1,1-Dichloroethene	28.5	ug/L	10.0	5.8	10		11/03/23 23:40	75-35-4	
cis-1,2-Dichloroethene	52.4	ug/L	10.0	4.7	10		11/03/23 23:40	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		11/03/23 23:40	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		11/03/23 23:40	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		11/03/23 23:40	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	10.0	4.2	10		11/03/23 23:40	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		11/03/23 23:40	563-58-6	
cis-1,3-Dichloropropene	<2.4	ug/L	10.0	2.4	10		11/03/23 23:40	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/L	10.0	2.7	10		11/03/23 23:40	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		11/03/23 23:40	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		11/03/23 23:40	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		11/03/23 23:40	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		11/03/23 23:40	98-82-8	
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		11/03/23 23:40	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		11/03/23 23:40	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		11/03/23 23:40	1634-04-4	
Naphthalene	<19.2	ug/L	50.0	19.2	10		11/03/23 23:40	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		11/03/23 23:40	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		11/03/23 23:40	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-3 **Lab ID: 40270429013** Collected: 10/30/23 14:15 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		11/03/23 23:40	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		11/03/23 23:40	79-34-5	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		11/03/23 23:40	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		11/03/23 23:40	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		11/03/23 23:40	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		11/03/23 23:40	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		11/03/23 23:40	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	10.0	3.4	10		11/03/23 23:40	79-00-5	
Trichloroethene	10.2	ug/L	10.0	3.2	10		11/03/23 23:40	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		11/03/23 23:40	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	10.0	5.6	10		11/03/23 23:40	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		11/03/23 23:40	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		11/03/23 23:40	108-67-8	
Vinyl chloride	2.0J	ug/L	10.0	1.7	10		11/03/23 23:40	75-01-4	
Xylene (Total)	<10.5	ug/L	30.0	10.5	10		11/03/23 23:40	1330-20-7	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		11/03/23 23:40	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		11/03/23 23:40	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		10		11/03/23 23:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		10		11/03/23 23:40	2199-69-1	
Toluene-d8 (S)	99	%	70-130		10		11/03/23 23:40	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:21		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	59.3	mg/L	10.0	3.0	5		11/13/23 04:05	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-MW1A Lab ID: 40270429014 Collected: 10/31/23 12:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.59	ug/L	2.0	0.59	2		11/03/23 23:57	71-43-2	
Bromobenzene	<0.72	ug/L	2.0	0.72	2		11/03/23 23:57	108-86-1	
Bromochloromethane	<0.72	ug/L	2.0	0.72	2		11/03/23 23:57	74-97-5	
Bromodichloromethane	<0.83	ug/L	2.0	0.83	2		11/03/23 23:57	75-27-4	
Bromoform	<0.86	ug/L	2.0	0.86	2		11/03/23 23:57	75-25-2	
Bromomethane	<2.4	ug/L	10.0	2.4	2		11/03/23 23:57	74-83-9	
n-Butylbenzene	<1.7	ug/L	2.0	1.7	2		11/03/23 23:57	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.0	0.85	2		11/03/23 23:57	135-98-8	
tert-Butylbenzene	<1.2	ug/L	2.0	1.2	2		11/03/23 23:57	98-06-6	
Carbon tetrachloride	<0.74	ug/L	2.0	0.74	2		11/03/23 23:57	56-23-5	
Chlorobenzene	<1.7	ug/L	2.0	1.7	2		11/03/23 23:57	108-90-7	
Chloroethane	<2.8	ug/L	10.0	2.8	2		11/03/23 23:57	75-00-3	
Chloroform	<1.0	ug/L	10.0	1.0	2		11/03/23 23:57	67-66-3	
Chloromethane	<3.3	ug/L	10.0	3.3	2		11/03/23 23:57	74-87-3	
2-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		11/03/23 23:57	95-49-8	
4-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		11/03/23 23:57	106-43-4	
1,2-Dibromo-3-chloropropane	<4.7	ug/L	10.0	4.7	2		11/03/23 23:57	96-12-8	
Dibromochloromethane	<5.3	ug/L	10.0	5.3	2		11/03/23 23:57	124-48-1	
1,2-Dibromoethane (EDB)	<0.62	ug/L	2.0	0.62	2		11/03/23 23:57	106-93-4	
Dibromomethane	<2.0	ug/L	10.0	2.0	2		11/03/23 23:57	74-95-3	
1,2-Dichlorobenzene	<0.65	ug/L	2.0	0.65	2		11/03/23 23:57	95-50-1	
1,3-Dichlorobenzene	<0.70	ug/L	2.0	0.70	2		11/03/23 23:57	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/L	2.0	1.8	2		11/03/23 23:57	106-46-7	
Dichlorodifluoromethane	<0.91	ug/L	10.0	0.91	2		11/03/23 23:57	75-71-8	
1,1-Dichloroethane	480	ug/L	2.0	0.59	2		11/03/23 23:57	75-34-3	
1,2-Dichloroethane	<0.58	ug/L	2.0	0.58	2		11/03/23 23:57	107-06-2	
1,1-Dichloroethene	18.4	ug/L	2.0	1.2	2		11/03/23 23:57	75-35-4	
cis-1,2-Dichloroethene	39.6	ug/L	2.0	0.94	2		11/03/23 23:57	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	2.0	1.1	2		11/03/23 23:57	156-60-5	
1,2-Dichloropropane	<0.90	ug/L	2.0	0.90	2		11/03/23 23:57	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	2		11/03/23 23:57	142-28-9	
2,2-Dichloropropane	<0.84	ug/L	2.0	0.84	2		11/03/23 23:57	594-20-7	
1,1-Dichloropropene	<0.82	ug/L	2.0	0.82	2		11/03/23 23:57	563-58-6	
cis-1,3-Dichloropropene	<0.47	ug/L	2.0	0.47	2		11/03/23 23:57	10061-01-5	
trans-1,3-Dichloropropene	<0.53	ug/L	2.0	0.53	2		11/03/23 23:57	10061-02-6	
Diisopropyl ether	<2.2	ug/L	10.0	2.2	2		11/03/23 23:57	108-20-3	
Ethylbenzene	<0.65	ug/L	2.0	0.65	2		11/03/23 23:57	100-41-4	
Hexachloro-1,3-butadiene	<5.5	ug/L	10.0	5.5	2		11/03/23 23:57	87-68-3	
Isopropylbenzene (Cumene)	<2.0	ug/L	10.0	2.0	2		11/03/23 23:57	98-82-8	
p-Isopropyltoluene	<2.1	ug/L	10.0	2.1	2		11/03/23 23:57	99-87-6	
Methylene Chloride	<0.64	ug/L	10.0	0.64	2		11/03/23 23:57	75-09-2	
Methyl-tert-butyl ether	<2.3	ug/L	10.0	2.3	2		11/03/23 23:57	1634-04-4	
Naphthalene	<3.8	ug/L	10.0	3.8	2		11/03/23 23:57	91-20-3	
n-Propylbenzene	<0.69	ug/L	2.0	0.69	2		11/03/23 23:57	103-65-1	
Styrene	<0.71	ug/L	2.0	0.71	2		11/03/23 23:57	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: **PZ-MW1A** Lab ID: **40270429014** Collected: 10/31/23 12:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.71	ug/L	2.0	0.71	2		11/03/23 23:57	630-20-6	
1,1,2,2-Tetrachloroethane	<0.76	ug/L	2.0	0.76	2		11/03/23 23:57	79-34-5	
Tetrachloroethene	<0.82	ug/L	2.0	0.82	2		11/03/23 23:57	127-18-4	
Toluene	<0.58	ug/L	2.0	0.58	2		11/03/23 23:57	108-88-3	
1,2,3-Trichlorobenzene	<2.0	ug/L	10.0	2.0	2		11/03/23 23:57	87-61-6	
1,2,4-Trichlorobenzene	<1.9	ug/L	10.0	1.9	2		11/03/23 23:57	120-82-1	
1,1,1-Trichloroethane	<0.61	ug/L	2.0	0.61	2		11/03/23 23:57	71-55-6	
1,1,2-Trichloroethane	<0.69	ug/L	2.0	0.69	2		11/03/23 23:57	79-00-5	
Trichloroethene	27.6	ug/L	2.0	0.64	2		11/03/23 23:57	79-01-6	
Trichlorofluoromethane	<0.84	ug/L	2.0	0.84	2		11/03/23 23:57	75-69-4	
1,2,3-Trichloropropane	<1.1	ug/L	2.0	1.1	2		11/03/23 23:57	96-18-4	
1,2,4-Trimethylbenzene	<0.90	ug/L	2.0	0.90	2		11/03/23 23:57	95-63-6	
1,3,5-Trimethylbenzene	<0.71	ug/L	2.0	0.71	2		11/03/23 23:57	108-67-8	
Vinyl chloride	1.7J	ug/L	2.0	0.35	2		11/03/23 23:57	75-01-4	
Xylene (Total)	<2.1	ug/L	6.0	2.1	2		11/03/23 23:57	1330-20-7	
m&p-Xylene	<1.4	ug/L	4.0	1.4	2		11/03/23 23:57	179601-23-1	
o-Xylene	<0.70	ug/L	2.0	0.70	2		11/03/23 23:57	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		2		11/03/23 23:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		2		11/03/23 23:57	2199-69-1	
Toluene-d8 (S)	98	%	70-130		2		11/03/23 23:57	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:22		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	53.2	mg/L	10.0	3.0	5		11/13/23 04:49	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-MW1B Lab ID: 40270429015 Collected: 10/31/23 10:05 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<1.5	ug/L	5.0	1.5	5		11/04/23 00:15	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		11/04/23 00:15	108-86-1	
Bromochloromethane	<1.8	ug/L	5.0	1.8	5		11/04/23 00:15	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		11/04/23 00:15	75-27-4	
Bromoform	<2.1	ug/L	5.0	2.1	5		11/04/23 00:15	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		11/04/23 00:15	74-83-9	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		11/04/23 00:15	104-51-8	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		11/04/23 00:15	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		11/04/23 00:15	98-06-6	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		11/04/23 00:15	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		11/04/23 00:15	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		11/04/23 00:15	75-00-3	
Chloroform	<2.5	ug/L	25.0	2.5	5		11/04/23 00:15	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		11/04/23 00:15	74-87-3	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		11/04/23 00:15	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		11/04/23 00:15	106-43-4	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		11/04/23 00:15	96-12-8	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		11/04/23 00:15	124-48-1	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		11/04/23 00:15	106-93-4	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		11/04/23 00:15	74-95-3	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		11/04/23 00:15	95-50-1	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		11/04/23 00:15	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		11/04/23 00:15	106-46-7	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		11/04/23 00:15	75-71-8	
1,1-Dichloroethane	2270	ug/L	40.0	11.8	40		11/06/23 10:54	75-34-3	
1,2-Dichloroethane	6.1	ug/L	5.0	1.5	5		11/04/23 00:15	107-06-2	
1,1-Dichloroethene	111	ug/L	5.0	2.9	5		11/04/23 00:15	75-35-4	
cis-1,2-Dichloroethene	20.1	ug/L	5.0	2.4	5		11/04/23 00:15	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		11/04/23 00:15	156-60-5	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		11/04/23 00:15	78-87-5	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		11/04/23 00:15	142-28-9	
2,2-Dichloropropane	<2.1	ug/L	5.0	2.1	5		11/04/23 00:15	594-20-7	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		11/04/23 00:15	563-58-6	
cis-1,3-Dichloropropene	<1.2	ug/L	5.0	1.2	5		11/04/23 00:15	10061-01-5	
trans-1,3-Dichloropropene	<1.3	ug/L	5.0	1.3	5		11/04/23 00:15	10061-02-6	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		11/04/23 00:15	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		11/04/23 00:15	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		11/04/23 00:15	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		11/04/23 00:15	98-82-8	
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		11/04/23 00:15	99-87-6	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		11/04/23 00:15	75-09-2	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		11/04/23 00:15	1634-04-4	
Naphthalene	<9.6	ug/L	25.0	9.6	5		11/04/23 00:15	91-20-3	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		11/04/23 00:15	103-65-1	
Styrene	<1.8	ug/L	5.0	1.8	5		11/04/23 00:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: **PZ-MW1B** Lab ID: **40270429015** Collected: 10/31/23 10:05 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		11/04/23 00:15	630-20-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		11/04/23 00:15	79-34-5	
Tetrachloroethene	<2.0	ug/L	5.0	2.0	5		11/04/23 00:15	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		11/04/23 00:15	108-88-3	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		11/04/23 00:15	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		11/04/23 00:15	120-82-1	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		11/04/23 00:15	71-55-6	
1,1,2-Trichloroethane	<1.7	ug/L	5.0	1.7	5		11/04/23 00:15	79-00-5	
Trichloroethene	42.4	ug/L	5.0	1.6	5		11/04/23 00:15	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		11/04/23 00:15	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/L	5.0	2.8	5		11/04/23 00:15	96-18-4	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		11/04/23 00:15	95-63-6	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		11/04/23 00:15	108-67-8	
Vinyl chloride	7.0	ug/L	5.0	0.87	5		11/04/23 00:15	75-01-4	
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		11/04/23 00:15	1330-20-7	
m&p-Xylene	<3.5	ug/L	10.0	3.5	5		11/04/23 00:15	179601-23-1	
o-Xylene	<1.7	ug/L	5.0	1.7	5		11/04/23 00:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		5		11/04/23 00:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		5		11/04/23 00:15	2199-69-1	
Toluene-d8 (S)	98	%	70-130		5		11/04/23 00:15	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:24		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	88.2	mg/L	10.0	3.0	5		11/13/23 05:03	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:22		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-MW1C Lab ID: 40270429016 Collected: 10/31/23 13:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.59	ug/L	2.0	0.59	2		11/06/23 10:37	71-43-2	
Bromobenzene	<0.72	ug/L	2.0	0.72	2		11/06/23 10:37	108-86-1	
Bromochloromethane	<0.72	ug/L	2.0	0.72	2		11/06/23 10:37	74-97-5	
Bromodichloromethane	<0.83	ug/L	2.0	0.83	2		11/06/23 10:37	75-27-4	
Bromoform	<0.86	ug/L	2.0	0.86	2		11/06/23 10:37	75-25-2	
Bromomethane	<2.4	ug/L	10.0	2.4	2		11/06/23 10:37	74-83-9	
n-Butylbenzene	<1.7	ug/L	2.0	1.7	2		11/06/23 10:37	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.0	0.85	2		11/06/23 10:37	135-98-8	
tert-Butylbenzene	<1.2	ug/L	2.0	1.2	2		11/06/23 10:37	98-06-6	
Carbon tetrachloride	<0.74	ug/L	2.0	0.74	2		11/06/23 10:37	56-23-5	
Chlorobenzene	<1.7	ug/L	2.0	1.7	2		11/06/23 10:37	108-90-7	
Chloroethane	<2.8	ug/L	10.0	2.8	2		11/06/23 10:37	75-00-3	
Chloroform	<1.0	ug/L	10.0	1.0	2		11/06/23 10:37	67-66-3	
Chloromethane	<3.3	ug/L	10.0	3.3	2		11/06/23 10:37	74-87-3	
2-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		11/06/23 10:37	95-49-8	
4-Chlorotoluene	<1.8	ug/L	10.0	1.8	2		11/06/23 10:37	106-43-4	
1,2-Dibromo-3-chloropropane	<4.7	ug/L	10.0	4.7	2		11/06/23 10:37	96-12-8	
Dibromochloromethane	<5.3	ug/L	10.0	5.3	2		11/06/23 10:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.62	ug/L	2.0	0.62	2		11/06/23 10:37	106-93-4	
Dibromomethane	<2.0	ug/L	10.0	2.0	2		11/06/23 10:37	74-95-3	
1,2-Dichlorobenzene	<0.65	ug/L	2.0	0.65	2		11/06/23 10:37	95-50-1	
1,3-Dichlorobenzene	<0.70	ug/L	2.0	0.70	2		11/06/23 10:37	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/L	2.0	1.8	2		11/06/23 10:37	106-46-7	
Dichlorodifluoromethane	<0.91	ug/L	10.0	0.91	2		11/06/23 10:37	75-71-8	
1,1-Dichloroethane	212	ug/L	2.0	0.59	2		11/06/23 10:37	75-34-3	
1,2-Dichloroethane	<0.58	ug/L	2.0	0.58	2		11/06/23 10:37	107-06-2	
1,1-Dichloroethene	21.6	ug/L	2.0	1.2	2		11/06/23 10:37	75-35-4	
cis-1,2-Dichloroethene	17.9	ug/L	2.0	0.94	2		11/06/23 10:37	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	2.0	1.1	2		11/06/23 10:37	156-60-5	
1,2-Dichloropropane	<0.90	ug/L	2.0	0.90	2		11/06/23 10:37	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	2		11/06/23 10:37	142-28-9	
2,2-Dichloropropane	<0.84	ug/L	2.0	0.84	2		11/06/23 10:37	594-20-7	
1,1-Dichloropropene	<0.82	ug/L	2.0	0.82	2		11/06/23 10:37	563-58-6	
cis-1,3-Dichloropropene	<0.47	ug/L	2.0	0.47	2		11/06/23 10:37	10061-01-5	
trans-1,3-Dichloropropene	<0.53	ug/L	2.0	0.53	2		11/06/23 10:37	10061-02-6	
Diisopropyl ether	<2.2	ug/L	10.0	2.2	2		11/06/23 10:37	108-20-3	
Ethylbenzene	<0.65	ug/L	2.0	0.65	2		11/06/23 10:37	100-41-4	
Hexachloro-1,3-butadiene	<5.5	ug/L	10.0	5.5	2		11/06/23 10:37	87-68-3	
Isopropylbenzene (Cumene)	<2.0	ug/L	10.0	2.0	2		11/06/23 10:37	98-82-8	
p-Isopropyltoluene	<2.1	ug/L	10.0	2.1	2		11/06/23 10:37	99-87-6	
Methylene Chloride	<0.64	ug/L	10.0	0.64	2		11/06/23 10:37	75-09-2	
Methyl-tert-butyl ether	<2.3	ug/L	10.0	2.3	2		11/06/23 10:37	1634-04-4	
Naphthalene	<3.8	ug/L	10.0	3.8	2		11/06/23 10:37	91-20-3	
n-Propylbenzene	<0.69	ug/L	2.0	0.69	2		11/06/23 10:37	103-65-1	
Styrene	<0.71	ug/L	2.0	0.71	2		11/06/23 10:37	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-MW1C **Lab ID: 40270429016** Collected: 10/31/23 13:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.71	ug/L	2.0	0.71	2		11/06/23 10:37	630-20-6	
1,1,2,2-Tetrachloroethane	<0.76	ug/L	2.0	0.76	2		11/06/23 10:37	79-34-5	
Tetrachloroethene	<0.82	ug/L	2.0	0.82	2		11/06/23 10:37	127-18-4	
Toluene	<0.58	ug/L	2.0	0.58	2		11/06/23 10:37	108-88-3	
1,2,3-Trichlorobenzene	<2.0	ug/L	10.0	2.0	2		11/06/23 10:37	87-61-6	
1,2,4-Trichlorobenzene	<1.9	ug/L	10.0	1.9	2		11/06/23 10:37	120-82-1	
1,1,1-Trichloroethane	<0.61	ug/L	2.0	0.61	2		11/06/23 10:37	71-55-6	
1,1,2-Trichloroethane	<0.69	ug/L	2.0	0.69	2		11/06/23 10:37	79-00-5	
Trichloroethene	5.3	ug/L	2.0	0.64	2		11/06/23 10:37	79-01-6	
Trichlorofluoromethane	<0.84	ug/L	2.0	0.84	2		11/06/23 10:37	75-69-4	
1,2,3-Trichloropropane	<1.1	ug/L	2.0	1.1	2		11/06/23 10:37	96-18-4	
1,2,4-Trimethylbenzene	<0.90	ug/L	2.0	0.90	2		11/06/23 10:37	95-63-6	
1,3,5-Trimethylbenzene	<0.71	ug/L	2.0	0.71	2		11/06/23 10:37	108-67-8	
Vinyl chloride	0.72J	ug/L	2.0	0.35	2		11/06/23 10:37	75-01-4	
Xylene (Total)	<2.1	ug/L	6.0	2.1	2		11/06/23 10:37	1330-20-7	
m&p-Xylene	<1.4	ug/L	4.0	1.4	2		11/06/23 10:37	179601-23-1	
o-Xylene	<0.70	ug/L	2.0	0.70	2		11/06/23 10:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		2		11/06/23 10:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		2		11/06/23 10:37	2199-69-1	
Toluene-d8 (S)	97	%	70-130		2		11/06/23 10:37	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:26		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	105	mg/L	10.0	3.0	5		11/13/23 05:17	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:22		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-4A Lab ID: 40270429017 Collected: 10/30/23 13:40 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 22:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:31	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 22:31	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:31	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 22:31	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 22:31	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 22:31	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 22:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 22:31	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 22:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 22:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 22:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 22:31	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 22:31	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 22:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 22:31	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 22:31	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 22:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 22:31	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 22:31	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 22:31	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:31	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 22:31	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 22:31	75-71-8	
1,1-Dichloroethane	0.59J	ug/L	1.0	0.30	1		11/03/23 22:31	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 22:31	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 22:31	75-35-4	
cis-1,2-Dichloroethene	1.7	ug/L	1.0	0.47	1		11/03/23 22:31	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 22:31	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 22:31	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 22:31	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:31	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 22:31	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 22:31	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 22:31	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 22:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 22:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 22:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 22:31	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 22:31	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 22:31	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 22:31	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 22:31	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:31	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:31	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-4A **Lab ID: 40270429017** Collected: 10/30/23 13:40 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 22:31	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 22:31	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 22:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 22:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 22:31	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 22:31	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 22:31	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 22:31	79-00-5	
Trichloroethene	3.0	ug/L	1.0	0.32	1		11/03/23 22:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:31	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 22:31	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 22:31	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:31	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 22:31	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 22:31	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 22:31	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 22:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/03/23 22:31	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 22:31	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:27		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	75.2	mg/L	10.0	3.0	5		11/13/23 05:32	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.26	mg/L	0.25	0.059	1		11/09/23 10:23		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-4B Lab ID: 40270429018 Collected: 10/31/23 08:35 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 22:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:48	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 22:48	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:48	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 22:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 22:48	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 22:48	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 22:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 22:48	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 22:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 22:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 22:48	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 22:48	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 22:48	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 22:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 22:48	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 22:48	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 22:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 22:48	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 22:48	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 22:48	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:48	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 22:48	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 22:48	75-71-8	
1,1-Dichloroethane	37.8	ug/L	1.0	0.30	1		11/03/23 22:48	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 22:48	107-06-2	
1,1-Dichloroethene	6.8	ug/L	1.0	0.58	1		11/03/23 22:48	75-35-4	
cis-1,2-Dichloroethene	12.4	ug/L	1.0	0.47	1		11/03/23 22:48	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 22:48	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 22:48	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 22:48	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:48	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 22:48	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 22:48	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 22:48	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 22:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 22:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 22:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 22:48	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 22:48	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 22:48	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 22:48	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 22:48	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:48	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:48	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: **PZ-4B** Lab ID: **40270429018** Collected: 10/31/23 08:35 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 22:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 22:48	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 22:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 22:48	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 22:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 22:48	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 22:48	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 22:48	79-00-5	
Trichloroethene	17.6	ug/L	1.0	0.32	1		11/03/23 22:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 22:48	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 22:48	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 22:48	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 22:48	108-67-8	
Vinyl chloride	0.45J	ug/L	1.0	0.17	1		11/03/23 22:48	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 22:48	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 22:48	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 22:48	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 22:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/03/23 22:48	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 22:48	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:28		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	3300	mg/L	200	59.1	100		11/13/23 05:46	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-5A Lab ID: 40270429019 Collected: 11/01/23 09:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 23:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 23:06	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 23:06	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 23:06	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 23:06	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 23:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 23:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 23:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 23:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 23:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 23:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 23:06	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 23:06	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 23:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 23:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 23:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 23:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 23:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 23:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 23:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 23:06	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 23:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 23:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 23:06	75-71-8	
1,1-Dichloroethane	3.1	ug/L	1.0	0.30	1		11/03/23 23:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 23:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 23:06	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 23:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 23:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 23:06	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 23:06	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 23:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 23:06	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 23:06	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 23:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 23:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 23:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 23:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 23:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 23:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 23:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 23:06	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 23:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 23:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 23:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-5A **Lab ID: 40270429019** Collected: 11/01/23 09:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 23:06	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 23:06	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 23:06	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 23:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 23:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 23:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 23:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 23:06	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 23:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 23:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 23:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 23:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 23:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 23:06	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 23:06	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 23:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 23:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 23:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/03/23 23:06	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 23:06	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:29		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	164	mg/L	20.0	5.9	10		11/13/23 06:44	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-5B Lab ID: 40270429020 Collected: 11/01/23 09:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 23:23	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 23:23	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 23:23	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 23:23	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 23:23	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 23:23	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 23:23	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 23:23	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 23:23	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 23:23	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 23:23	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 23:23	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 23:23	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 23:23	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 23:23	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 23:23	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 23:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 23:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 23:23	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 23:23	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 23:23	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 23:23	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 23:23	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 23:23	75-71-8	
1,1-Dichloroethane	14.9	ug/L	1.0	0.30	1		11/03/23 23:23	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 23:23	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 23:23	75-35-4	
cis-1,2-Dichloroethene	37.6	ug/L	1.0	0.47	1		11/03/23 23:23	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 23:23	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 23:23	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 23:23	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 23:23	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 23:23	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 23:23	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 23:23	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 23:23	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 23:23	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 23:23	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 23:23	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 23:23	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 23:23	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 23:23	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 23:23	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 23:23	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 23:23	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-5B Lab ID: 40270429020 Collected: 11/01/23 09:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 23:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 23:23	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 23:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 23:23	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 23:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 23:23	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 23:23	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 23:23	79-00-5	
Trichloroethene	2.0	ug/L	1.0	0.32	1		11/03/23 23:23	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 23:23	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 23:23	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 23:23	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 23:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 23:23	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 23:23	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 23:23	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 23:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/03/23 23:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 23:23	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/03/23 23:23	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/02/23 14:33		1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	252	mg/L	20.0	5.9	10		11/13/23 06:58	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-6 Lab ID: 40270429021 Collected: 10/31/23 14:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 20:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 20:15	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 20:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 20:15	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 20:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 20:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 20:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 20:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 20:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 20:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 20:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 20:15	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 20:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 20:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 20:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 20:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 20:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 20:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 20:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 20:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 20:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 20:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 20:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 20:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 20:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 20:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 20:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/02/23 20:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 20:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 20:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 20:15	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 20:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 20:15	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 20:15	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 20:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 20:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 20:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 20:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 20:15	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 20:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 20:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 20:15	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 20:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 20:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 20:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-6 Lab ID: 40270429021 Collected: 10/31/23 14:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 20:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 20:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/02/23 20:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 20:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 20:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 20:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 20:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 20:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/02/23 20:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 20:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 20:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 20:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 20:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/02/23 20:15	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 20:15	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 20:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 20:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/02/23 20:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/02/23 20:15	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/02/23 20:15	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/07/23 09:59		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	282	mg/L	20.0	5.9	10		11/13/23 07:12	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-7A Lab ID: 40270429022 Collected: 11/01/23 08:20 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 22:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 22:50	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 22:50	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 22:50	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 22:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 22:50	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 22:50	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 22:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 22:50	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 22:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 22:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 22:50	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 22:50	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 22:50	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 22:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 22:50	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 22:50	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 22:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 22:50	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 22:50	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 22:50	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 22:50	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 22:50	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 22:50	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 22:50	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 22:50	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 22:50	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/02/23 22:50	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 22:50	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 22:50	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 22:50	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 22:50	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 22:50	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 22:50	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 22:50	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 22:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 22:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 22:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 22:50	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 22:50	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 22:50	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 22:50	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 22:50	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 22:50	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 22:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-7A Lab ID: 40270429022 Collected: 11/01/23 08:20 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 22:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 22:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/02/23 22:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 22:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 22:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 22:50	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 22:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 22:50	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/02/23 22:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 22:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 22:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 22:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 22:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/02/23 22:50	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 22:50	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 22:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 22:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/02/23 22:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/02/23 22:50	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/02/23 22:50	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/07/23 10:21		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	109	mg/L	20.0	5.9	10		11/13/23 07:27	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/09/23 10:29		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-7B Lab ID: 40270429023 Collected: 11/01/23 09:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 20:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 20:32	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 20:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 20:32	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 20:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 20:32	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 20:32	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 20:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 20:32	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 20:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 20:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 20:32	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 20:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 20:32	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 20:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 20:32	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 20:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 20:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 20:32	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 20:32	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 20:32	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 20:32	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 20:32	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 20:32	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 20:32	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 20:32	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 20:32	75-35-4	
cis-1,2-Dichloroethene	0.51J	ug/L	1.0	0.47	1		11/02/23 20:32	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 20:32	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 20:32	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 20:32	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 20:32	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 20:32	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 20:32	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 20:32	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 20:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 20:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 20:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 20:32	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 20:32	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 20:32	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 20:32	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 20:32	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 20:32	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 20:32	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: PZ-7B Lab ID: 40270429023 Collected: 11/01/23 09:25 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 20:32	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 20:32	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/02/23 20:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 20:32	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 20:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 20:32	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 20:32	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 20:32	79-00-5	
Trichloroethene	1.8	ug/L	1.0	0.32	1		11/02/23 20:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 20:32	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 20:32	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 20:32	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 20:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/02/23 20:32	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 20:32	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 20:32	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 20:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/02/23 20:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/02/23 20:32	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/02/23 20:32	2037-26-5	
4500S2F Sulfide, Iodometric									
Analytical Method: SM 4500-S F (2000)									
Pace Analytical Services - Green Bay									
Sulfide	<1.2	mg/L	4.0	1.2	1		11/07/23 10:22		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Chloride	79.2	mg/L	10.0	3.0	5		11/13/23 07:41	16887-00-6	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2									
Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.70	mg/L	0.25	0.059	1		11/09/23 10:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: TRIP BLANK Lab ID: 40270429024 Collected: 10/30/23 06:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 19:23	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 19:23	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 19:23	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 19:23	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 19:23	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 19:23	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 19:23	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 19:23	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 19:23	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 19:23	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 19:23	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 19:23	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 19:23	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 19:23	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 19:23	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 19:23	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 19:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 19:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 19:23	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 19:23	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 19:23	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 19:23	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 19:23	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 19:23	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 19:23	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 19:23	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 19:23	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/02/23 19:23	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 19:23	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 19:23	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 19:23	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 19:23	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 19:23	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 19:23	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 19:23	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 19:23	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 19:23	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 19:23	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 19:23	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 19:23	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 19:23	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 19:23	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 19:23	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 19:23	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 19:23	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Sample: TRIP BLANK Lab ID: 40270429024 Collected: 10/30/23 06:00 Received: 11/01/23 12:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 19:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 19:23	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/02/23 19:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 19:23	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 19:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 19:23	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 19:23	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 19:23	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/02/23 19:23	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 19:23	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 19:23	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 19:23	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 19:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/02/23 19:23	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 19:23	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 19:23	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 19:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/02/23 19:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/02/23 19:23	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/02/23 19:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch: 459350 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40270429001, 40270429002, 40270429003, 40270429004, 40270429005, 40270429006, 40270429007, 40270429008, 40270429009, 40270429010, 40270429011, 40270429012, 40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020

METHOD BLANK: 2638058 Matrix: Water
Associated Lab Samples: 40270429001, 40270429002, 40270429003, 40270429004, 40270429005, 40270429006, 40270429007, 40270429008, 40270429009, 40270429010, 40270429011, 40270429012, 40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020

Table with 6 columns: Parameter, Units, Blank Result, Reporting Limit, Analyzed, Qualifiers. Lists various chemical compounds and their detection results.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

METHOD BLANK: 2638058

Matrix: Water

Associated Lab Samples: 40270429001, 40270429002, 40270429003, 40270429004, 40270429005, 40270429006, 40270429007, 40270429008, 40270429009, 40270429010, 40270429011, 40270429012, 40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	11/03/23 14:24	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/03/23 14:24	
Diisopropyl ether	ug/L	<1.1	5.0	11/03/23 14:24	
Ethylbenzene	ug/L	<0.33	1.0	11/03/23 14:24	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/03/23 14:24	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/03/23 14:24	
m&p-Xylene	ug/L	<0.70	2.0	11/03/23 14:24	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/03/23 14:24	
Methylene Chloride	ug/L	<0.32	5.0	11/03/23 14:24	
n-Butylbenzene	ug/L	<0.86	1.0	11/03/23 14:24	
n-Propylbenzene	ug/L	<0.35	1.0	11/03/23 14:24	
Naphthalene	ug/L	<1.9	5.0	11/03/23 14:24	
o-Xylene	ug/L	<0.35	1.0	11/03/23 14:24	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/03/23 14:24	
sec-Butylbenzene	ug/L	<0.42	1.0	11/03/23 14:24	
Styrene	ug/L	<0.36	1.0	11/03/23 14:24	
tert-Butylbenzene	ug/L	<0.59	1.0	11/03/23 14:24	
Tetrachloroethene	ug/L	<0.41	1.0	11/03/23 14:24	
Toluene	ug/L	<0.29	1.0	11/03/23 14:24	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/03/23 14:24	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/03/23 14:24	
Trichloroethene	ug/L	<0.32	1.0	11/03/23 14:24	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/03/23 14:24	
Vinyl chloride	ug/L	<0.17	1.0	11/03/23 14:24	
Xylene (Total)	ug/L	<1.0	3.0	11/03/23 14:24	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	11/03/23 14:24	
4-Bromofluorobenzene (S)	%	86	70-130	11/03/23 14:24	
Toluene-d8 (S)	%	98	70-130	11/03/23 14:24	

LABORATORY CONTROL SAMPLE: 2638059

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	44.6	89	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	47.0	94	70-130	
1,1,2-Trichloroethane	ug/L	50	50.0	100	70-130	
1,1-Dichloroethane	ug/L	50	48.3	97	70-130	
1,1-Dichloroethene	ug/L	50	54.7	109	73-140	
1,2,4-Trichlorobenzene	ug/L	50	41.1	82	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	33.1	66	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	45.9	92	70-130	
1,2-Dichlorobenzene	ug/L	50	51.0	102	70-130	
1,2-Dichloroethane	ug/L	50	44.5	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

LABORATORY CONTROL SAMPLE: 2638059

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	47.8	96	77-127	
1,3-Dichlorobenzene	ug/L	50	48.9	98	70-130	
1,4-Dichlorobenzene	ug/L	50	50.0	100	70-130	
Benzene	ug/L	50	50.4	101	70-130	
Bromodichloromethane	ug/L	50	47.2	94	70-130	
Bromoform	ug/L	50	42.6	85	70-130	
Bromomethane	ug/L	50	37.1	74	22-141	
Carbon tetrachloride	ug/L	50	48.3	97	70-135	
Chlorobenzene	ug/L	50	53.8	108	70-130	
Chloroethane	ug/L	50	48.9	98	59-141	
Chloroform	ug/L	50	49.4	99	80-124	
Chloromethane	ug/L	50	47.2	94	29-150	
cis-1,2-Dichloroethene	ug/L	50	51.1	102	70-130	
cis-1,3-Dichloropropene	ug/L	50	40.0	80	70-130	
Dibromochloromethane	ug/L	50	43.7	87	70-130	
Dichlorodifluoromethane	ug/L	50	45.0	90	10-147	
Ethylbenzene	ug/L	50	50.8	102	80-125	
Isopropylbenzene (Cumene)	ug/L	50	48.6	97	70-130	
m&p-Xylene	ug/L	100	106	106	70-130	
Methyl-tert-butyl ether	ug/L	50	37.8	76	64-131	
Methylene Chloride	ug/L	50	54.5	109	70-137	
o-Xylene	ug/L	50	51.2	102	70-130	
Styrene	ug/L	50	61.3	123	70-130	
Tetrachloroethene	ug/L	50	53.3	107	70-130	
Toluene	ug/L	50	52.5	105	80-120	
trans-1,2-Dichloroethene	ug/L	50	55.5	111	70-131	
trans-1,3-Dichloropropene	ug/L	50	37.5	75	70-130	
Trichloroethene	ug/L	50	48.6	97	70-130	
Trichlorofluoromethane	ug/L	50	51.3	103	69-141	
Vinyl chloride	ug/L	50	47.5	95	51-145	
Xylene (Total)	ug/L	150	158	105	70-130	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			91	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638665 2638666

Parameter	Units	2638665		2638666		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40270429003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
1,1,1-Trichloroethane	ug/L	0.55J	50	50	45.3	45.9	89	91	70-132	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50.5	49.7	101	99	70-131	2	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.7	51.4	103	103	70-130	1	20	
1,1-Dichloroethane	ug/L	3.5	50	50	50.1	50.5	93	94	70-131	1	20	
1,1-Dichloroethene	ug/L	1.0	50	50	53.1	54.0	104	106	69-146	2	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	45.0	46.5	88	91	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638665		2638666		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40270429003 Result	MS Spike Conc.	MSD Spike Conc.									
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	35.4	35.0	71	70	56-130	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	48.0	48.0	96	96	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.3	51.6	103	103	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	42.9	43.6	86	87	70-130	1	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	48.1	48.4	96	97	77-129	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	49.0	50.3	98	101	70-130	3	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50.5	51.9	101	104	70-130	3	20		
Benzene	ug/L	<0.30	50	50	50.3	50.8	101	102	70-130	1	20		
Bromodichloromethane	ug/L	<0.42	50	50	46.4	46.8	93	94	70-130	1	20		
Bromoform	ug/L	<0.43	50	50	44.5	44.5	89	89	70-130	0	20		
Bromomethane	ug/L	<1.2	50	50	38.7	43.0	77	86	12-159	11	26		
Carbon tetrachloride	ug/L	<0.37	50	50	49.1	49.2	98	98	70-135	0	20		
Chlorobenzene	ug/L	<0.86	50	50	53.7	53.9	107	108	70-130	1	20		
Chloroethane	ug/L	<1.4	50	50	46.8	46.7	94	93	56-143	0	20		
Chloroform	ug/L	<0.50	50	50	47.5	48.6	95	97	80-126	2	20		
Chloromethane	ug/L	<1.6	50	50	41.9	42.1	84	84	22-156	1	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	49.6	49.9	99	99	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	40.6	41.4	81	83	70-130	2	20		
Dibromochloromethane	ug/L	<2.6	50	50	45.6	45.5	91	91	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	39.1	39.3	78	79	10-147	1	20		
Ethylbenzene	ug/L	<0.33	50	50	49.9	50.3	100	101	80-126	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	48.3	48.0	97	96	70-130	1	20		
m&p-Xylene	ug/L	<0.70	100	100	104	104	104	104	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	37.7	38.3	75	77	64-136	2	20		
Methylene Chloride	ug/L	<0.32	50	50	52.2	52.8	104	106	70-137	1	20		
o-Xylene	ug/L	<0.35	50	50	50.6	50.5	101	101	70-130	0	20		
Styrene	ug/L	<0.36	50	50	60.3	60.4	121	121	70-133	0	20		
Tetrachloroethene	ug/L	<0.41	50	50	54.5	54.3	109	109	70-131	0	20		
Toluene	ug/L	<0.29	50	50	52.7	52.1	105	104	80-121	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	52.6	53.3	105	107	70-135	1	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	40.1	40.2	80	80	70-130	0	20		
Trichloroethene	ug/L	1.9	50	50	50.9	51.4	98	99	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	49.3	49.6	99	99	67-142	1	20		
Vinyl chloride	ug/L	<0.17	50	50	44.0	45.1	88	90	45-147	2	20		
Xylene (Total)	ug/L	<1.0	150	150	154	155	103	103	70-130	0	20		
1,2-Dichlorobenzene-d4 (S)	%						100	99	70-130				
4-Bromofluorobenzene (S)	%						92	91	70-130				
Toluene-d8 (S)	%						100	99	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch: 459352

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270429021, 40270429022, 40270429023, 40270429024

METHOD BLANK: 2638063

Matrix: Water

Associated Lab Samples: 40270429021, 40270429022, 40270429023, 40270429024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/02/23 16:41	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/02/23 16:41	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/02/23 16:41	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/02/23 16:41	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/02/23 16:41	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/02/23 16:41	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/02/23 16:41	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/02/23 16:41	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/02/23 16:41	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/02/23 16:41	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/02/23 16:41	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/02/23 16:41	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/02/23 16:41	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/02/23 16:41	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/02/23 16:41	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/02/23 16:41	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/02/23 16:41	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/02/23 16:41	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/02/23 16:41	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/02/23 16:41	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/02/23 16:41	
2-Chlorotoluene	ug/L	<0.89	5.0	11/02/23 16:41	
4-Chlorotoluene	ug/L	<0.89	5.0	11/02/23 16:41	
Benzene	ug/L	<0.30	1.0	11/02/23 16:41	
Bromobenzene	ug/L	<0.36	1.0	11/02/23 16:41	
Bromochloromethane	ug/L	<0.36	1.0	11/02/23 16:41	
Bromodichloromethane	ug/L	<0.42	1.0	11/02/23 16:41	
Bromoform	ug/L	<0.43	1.0	11/02/23 16:41	
Bromomethane	ug/L	<1.2	5.0	11/02/23 16:41	
Carbon tetrachloride	ug/L	<0.37	1.0	11/02/23 16:41	
Chlorobenzene	ug/L	<0.86	1.0	11/02/23 16:41	
Chloroethane	ug/L	<1.4	5.0	11/02/23 16:41	
Chloroform	ug/L	<0.50	5.0	11/02/23 16:41	
Chloromethane	ug/L	<1.6	5.0	11/02/23 16:41	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/02/23 16:41	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/02/23 16:41	
Dibromochloromethane	ug/L	<2.6	5.0	11/02/23 16:41	
Dibromomethane	ug/L	<0.99	5.0	11/02/23 16:41	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/02/23 16:41	
Diisopropyl ether	ug/L	<1.1	5.0	11/02/23 16:41	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

METHOD BLANK: 2638063

Matrix: Water

Associated Lab Samples: 40270429021, 40270429022, 40270429023, 40270429024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/02/23 16:41	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/02/23 16:41	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/02/23 16:41	
m&p-Xylene	ug/L	<0.70	2.0	11/02/23 16:41	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/02/23 16:41	
Methylene Chloride	ug/L	<0.32	5.0	11/02/23 16:41	
n-Butylbenzene	ug/L	<0.86	1.0	11/02/23 16:41	
n-Propylbenzene	ug/L	<0.35	1.0	11/02/23 16:41	
Naphthalene	ug/L	<1.9	5.0	11/02/23 16:41	
o-Xylene	ug/L	<0.35	1.0	11/02/23 16:41	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/02/23 16:41	
sec-Butylbenzene	ug/L	<0.42	1.0	11/02/23 16:41	
Styrene	ug/L	<0.36	1.0	11/02/23 16:41	
tert-Butylbenzene	ug/L	<0.59	1.0	11/02/23 16:41	
Tetrachloroethene	ug/L	<0.41	1.0	11/02/23 16:41	
Toluene	ug/L	<0.29	1.0	11/02/23 16:41	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/02/23 16:41	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/02/23 16:41	
Trichloroethene	ug/L	<0.32	1.0	11/02/23 16:41	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/02/23 16:41	
Vinyl chloride	ug/L	<0.17	1.0	11/02/23 16:41	
Xylene (Total)	ug/L	<1.0	3.0	11/02/23 16:41	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/02/23 16:41	
4-Bromofluorobenzene (S)	%	89	70-130	11/02/23 16:41	
Toluene-d8 (S)	%	98	70-130	11/02/23 16:41	

LABORATORY CONTROL SAMPLE: 2638064

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	45.1	90	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	51.1	102	70-130	
1,1,2-Trichloroethane	ug/L	50	55.0	110	70-130	
1,1-Dichloroethane	ug/L	50	47.2	94	70-130	
1,1-Dichloroethene	ug/L	50	50.1	100	73-140	
1,2,4-Trichlorobenzene	ug/L	50	42.9	86	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	36.6	73	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.9	100	70-130	
1,2-Dichlorobenzene	ug/L	50	52.9	106	70-130	
1,2-Dichloroethane	ug/L	50	42.9	86	70-130	
1,2-Dichloropropane	ug/L	50	48.8	98	77-127	
1,3-Dichlorobenzene	ug/L	50	50.6	101	70-130	
1,4-Dichlorobenzene	ug/L	50	52.1	104	70-130	
Benzene	ug/L	50	50.6	101	70-130	
Bromodichloromethane	ug/L	50	47.5	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

LABORATORY CONTROL SAMPLE: 2638064

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	48.8	98	70-130	
Bromomethane	ug/L	50	25.9	52	22-141	
Carbon tetrachloride	ug/L	50	48.9	98	70-135	
Chlorobenzene	ug/L	50	55.2	110	70-130	
Chloroethane	ug/L	50	39.3	79	59-141	
Chloroform	ug/L	50	48.7	97	80-124	
Chloromethane	ug/L	50	27.4	55	29-150	
cis-1,2-Dichloroethene	ug/L	50	49.9	100	70-130	
cis-1,3-Dichloropropene	ug/L	50	42.0	84	70-130	
Dibromochloromethane	ug/L	50	48.2	96	70-130	
Dichlorodifluoromethane	ug/L	50	19.8	40	10-147	
Ethylbenzene	ug/L	50	51.9	104	80-125	
Isopropylbenzene (Cumene)	ug/L	50	49.8	100	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	37.5	75	64-131	
Methylene Chloride	ug/L	50	50.9	102	70-137	
o-Xylene	ug/L	50	52.4	105	70-130	
Styrene	ug/L	50	62.7	125	70-130	
Tetrachloroethene	ug/L	50	55.4	111	70-130	
Toluene	ug/L	50	53.2	106	80-120	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	70-131	
trans-1,3-Dichloropropene	ug/L	50	41.3	83	70-130	
Trichloroethene	ug/L	50	50.3	101	70-130	
Trichlorofluoromethane	ug/L	50	44.9	90	69-141	
Vinyl chloride	ug/L	50	32.5	65	51-145	
Xylene (Total)	ug/L	150	160	107	70-130	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			91	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638402 2638403

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40270429021	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	43.5	41.1	87	82	70-132	6	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	48.9	47.7	98	95	70-131	2	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.2	50.0	102	100	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	45.3	43.4	91	87	70-131	4	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	47.2	45.4	94	91	69-146	4	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	45.5	46.2	91	92	70-130	2	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	35.4	31.8	71	64	56-130	11	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	47.1	46.1	94	92	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	52.0	53.0	104	106	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	41.0	40.4	82	81	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638402 2638403												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40270429021 Result	Spike Conc.	Spike Conc.	MS Result							
1,2-Dichloropropane	ug/L	<0.45	50	50	47.4	46.7	95	93	77-129	1	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.5	51.0	101	102	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	52.3	52.5	105	105	70-130	0	20	
Benzene	ug/L	<0.30	50	50	48.5	47.1	97	94	70-130	3	20	
Bromodichloromethane	ug/L	<0.42	50	50	46.3	45.7	93	91	70-130	1	20	
Bromoform	ug/L	<0.43	50	50	45.4	44.0	91	88	70-130	3	20	
Bromomethane	ug/L	<1.2	50	50	27.4	30.5	55	61	12-159	11	26	
Carbon tetrachloride	ug/L	<0.37	50	50	46.8	44.4	94	89	70-135	5	20	
Chlorobenzene	ug/L	<0.86	50	50	53.1	52.7	106	105	70-130	1	20	
Chloroethane	ug/L	<1.4	50	50	36.4	35.8	73	72	56-143	2	20	
Chloroform	ug/L	<0.50	50	50	46.8	45.6	94	91	80-126	3	20	
Chloromethane	ug/L	<1.6	50	50	23.7	23.2	47	46	22-156	2	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	48.5	46.6	97	93	70-130	4	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	41.2	40.5	82	81	70-130	2	20	
Dibromochloromethane	ug/L	<2.6	50	50	45.4	44.6	91	89	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	14.9	15.1	30	30	10-147	1	20	
Ethylbenzene	ug/L	<0.33	50	50	50.0	48.7	100	97	80-126	3	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	49.0	47.2	98	94	70-130	4	20	
m&p-Xylene	ug/L	<0.70	100	100	104	101	104	101	70-130	3	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	35.6	34.8	71	70	64-136	2	20	
Methylene Chloride	ug/L	<0.32	50	50	48.6	48.8	97	98	70-137	0	20	
o-Xylene	ug/L	<0.35	50	50	50.6	49.6	101	99	70-130	2	20	
Styrene	ug/L	<0.36	50	50	60.0	59.2	120	118	70-133	1	20	
Tetrachloroethene	ug/L	<0.41	50	50	53.9	51.3	108	103	70-131	5	20	
Toluene	ug/L	<0.29	50	50	51.3	49.6	103	99	80-121	3	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	50.2	47.6	100	95	70-135	5	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	39.9	39.1	80	78	70-130	2	20	
Trichloroethene	ug/L	<0.32	50	50	48.1	46.3	96	93	70-130	4	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	40.7	39.9	81	80	67-142	2	20	
Vinyl chloride	ug/L	<0.17	50	50	29.9	29.3	60	59	45-147	2	20	
Xylene (Total)	ug/L	<1.0	150	150	155	151	103	100	70-130	3	20	
1,2-Dichlorobenzene-d4 (S)	%						99	100	70-130			
4-Bromofluorobenzene (S)	%						90	92	70-130			
Toluene-d8 (S)	%						99	100	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch:	459314	Analysis Method:	SM 4500-S F (2000)
QC Batch Method:	SM 4500-S F (2000)	Analysis Description:	4500S2F Sulfide, Iodometric
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40270429001, 40270429002, 40270429003, 40270429004, 40270429005, 40270429006, 40270429007, 40270429008, 40270429009, 40270429010, 40270429011, 40270429012, 40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020		

METHOD BLANK:	2637912	Matrix:	Water
Associated Lab Samples:	40270429001, 40270429002, 40270429003, 40270429004, 40270429005, 40270429006, 40270429007, 40270429008, 40270429009, 40270429010, 40270429011, 40270429012, 40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	11/02/23 13:34	

LABORATORY CONTROL SAMPLE:	2637913					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	46.4	41.2	89	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2637914			2637915								
Parameter	Units	40270429002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfide	mg/L	<1.2	46.4	46.4	40.8	40.0	87	86	80-120	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch: 459709	Analysis Method: SM 4500-S F (2000)
QC Batch Method: SM 4500-S F (2000)	Analysis Description: 4500S2F Sulfide, Iodometric
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270429021, 40270429022, 40270429023

METHOD BLANK: 2640028 Matrix: Water
 Associated Lab Samples: 40270429021, 40270429022, 40270429023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfide	mg/L	<1.2	4.0	11/07/23 09:56	

LABORATORY CONTROL SAMPLE: 2640029

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfide	mg/L	44.4	42.0	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2640030 2640031

Parameter	Units	2640030		2640031		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Sulfide	mg/L	<1.2	44.4	40.4	41.6	91	93	80-120	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch: 459787

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270429001, 40270429002

METHOD BLANK: 2640502

Matrix: Water

Associated Lab Samples: 40270429001, 40270429002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.59	2.0	11/08/23 11:17	

LABORATORY CONTROL SAMPLE: 2640503

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.4	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2640504 2640505

Parameter	Units	2640504		2640505		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Chloride	mg/L	13.6	20	20	35.1	35.2	108	108	90-110	0	15

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2640506 2640507

Parameter	Units	2640506		2640507		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Chloride	mg/L	3760	2000	2000	5670	5630	95	93	90-110	1	15

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch:	459826	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40270429003, 40270429004, 40270429005, 40270429006, 40270429007, 40270429008, 40270429009, 40270429010, 40270429011, 40270429012		

METHOD BLANK:	2640662	Matrix:	Water
Associated Lab Samples:	40270429003, 40270429004, 40270429005, 40270429006, 40270429007, 40270429008, 40270429009, 40270429010, 40270429011, 40270429012		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.59	2.0	11/09/23 03:58	

LABORATORY CONTROL SAMPLE: 2640663						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.5	108	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2640664												2640665	
Parameter	Units	40270429003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Chloride	mg/L	686	1000	1000	1750	1740	107	106	90-110	1	15		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch:	459935	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020, 40270429021, 40270429022, 40270429023		

METHOD BLANK:	2641198	Matrix:	Water
Associated Lab Samples:	40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020, 40270429021, 40270429022, 40270429023		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.59	2.0	11/13/23 03:37	

LABORATORY CONTROL SAMPLE: 2641199						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.2	106	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641200												2641201	
Parameter	Units	40270429013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Chloride	mg/L	59.3	100	100	168	166	108	107	90-110	1	15		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641202												2641203	
Parameter	Units	40270259008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Chloride	mg/L	65.0	100	100	173	173	108	108	90-110	0	15		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch:	459915	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40270429001, 40270429002, 40270429003, 40270429004, 40270429005, 40270429006, 40270429007

METHOD BLANK: 2641108 Matrix: Water
 Associated Lab Samples: 40270429001, 40270429002, 40270429003, 40270429004, 40270429005, 40270429006, 40270429007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	11/09/23 09:47	

LABORATORY CONTROL SAMPLE: 2641109

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641110 2641111

Parameter	Units	2641110		2641111		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40270489001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Nitrogen, NO2 plus NO3	mg/L	12.0	5	5	16.8	16.6	95	92	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641112 2641113

Parameter	Units	2641112		2641113		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40270429007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	1.7	1.8	70	71	90-110	2	20 M0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

QC Batch:	459916	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40270429008, 40270429009, 40270429010, 40270429011, 40270429012, 40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020, 40270429021, 40270429022, 40270429023		

METHOD BLANK:	2641114	Matrix:	Water
Associated Lab Samples:	40270429008, 40270429009, 40270429010, 40270429011, 40270429012, 40270429013, 40270429014, 40270429015, 40270429016, 40270429017, 40270429018, 40270429019, 40270429020, 40270429021, 40270429022, 40270429023		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	11/09/23 10:11	

LABORATORY CONTROL SAMPLE:	2641115					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2641116			2641117								
Parameter	Units	40270429008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	0.12J	2.5	2.5	2.1	2.0	78	77	90-110	2	20	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2641118			2641119								
Parameter	Units	40270258001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.5	2.5	100	101	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1q Sample was received with headspace.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40270429001	MW-1	EPA 8260	459350		
40270429002	MW-3	EPA 8260	459350		
40270429003	MW-4	EPA 8260	459350		
40270429004	MW-5	EPA 8260	459350		
40270429005	MW-6	EPA 8260	459350		
40270429006	MW-7	EPA 8260	459350		
40270429007	MW-8	EPA 8260	459350		
40270429008	MW-10	EPA 8260	459350		
40270429009	MW-11	EPA 8260	459350		
40270429010	MW-12	EPA 8260	459350		
40270429011	MW-14	EPA 8260	459350		
40270429012	PZ-2	EPA 8260	459350		
40270429013	PZ-3	EPA 8260	459350		
40270429014	PZ-MW1A	EPA 8260	459350		
40270429015	PZ-MW1B	EPA 8260	459350		
40270429016	PZ-MW1C	EPA 8260	459350		
40270429017	PZ-4A	EPA 8260	459350		
40270429018	PZ-4B	EPA 8260	459350		
40270429019	PZ-5A	EPA 8260	459350		
40270429020	PZ-5B	EPA 8260	459350		
40270429021	PZ-6	EPA 8260	459352		
40270429022	PZ-7A	EPA 8260	459352		
40270429023	PZ-7B	EPA 8260	459352		
40270429024	TRIP BLANK	EPA 8260	459352		
40270429001	MW-1	SM 4500-S F (2000)	459314		
40270429002	MW-3	SM 4500-S F (2000)	459314		
40270429003	MW-4	SM 4500-S F (2000)	459314		
40270429004	MW-5	SM 4500-S F (2000)	459314		
40270429005	MW-6	SM 4500-S F (2000)	459314		
40270429006	MW-7	SM 4500-S F (2000)	459314		
40270429007	MW-8	SM 4500-S F (2000)	459314		
40270429008	MW-10	SM 4500-S F (2000)	459314		
40270429009	MW-11	SM 4500-S F (2000)	459314		
40270429010	MW-12	SM 4500-S F (2000)	459314		
40270429011	MW-14	SM 4500-S F (2000)	459314		
40270429012	PZ-2	SM 4500-S F (2000)	459314		
40270429013	PZ-3	SM 4500-S F (2000)	459314		
40270429014	PZ-MW1A	SM 4500-S F (2000)	459314		
40270429015	PZ-MW1B	SM 4500-S F (2000)	459314		
40270429016	PZ-MW1C	SM 4500-S F (2000)	459314		
40270429017	PZ-4A	SM 4500-S F (2000)	459314		
40270429018	PZ-4B	SM 4500-S F (2000)	459314		
40270429019	PZ-5A	SM 4500-S F (2000)	459314		
40270429020	PZ-5B	SM 4500-S F (2000)	459314		
40270429021	PZ-6	SM 4500-S F (2000)	459709		
40270429022	PZ-7A	SM 4500-S F (2000)	459709		
40270429023	PZ-7B	SM 4500-S F (2000)	459709		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60428891 FV Steel & Wire

Pace Project No.: 40270429

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40270429001	MW-1	EPA 300.0	459787		
40270429002	MW-3	EPA 300.0	459787		
40270429003	MW-4	EPA 300.0	459826		
40270429004	MW-5	EPA 300.0	459826		
40270429005	MW-6	EPA 300.0	459826		
40270429006	MW-7	EPA 300.0	459826		
40270429007	MW-8	EPA 300.0	459826		
40270429008	MW-10	EPA 300.0	459826		
40270429009	MW-11	EPA 300.0	459826		
40270429010	MW-12	EPA 300.0	459826		
40270429011	MW-14	EPA 300.0	459826		
40270429012	PZ-2	EPA 300.0	459826		
40270429013	PZ-3	EPA 300.0	459935		
40270429014	PZ-MW1A	EPA 300.0	459935		
40270429015	PZ-MW1B	EPA 300.0	459935		
40270429016	PZ-MW1C	EPA 300.0	459935		
40270429017	PZ-4A	EPA 300.0	459935		
40270429018	PZ-4B	EPA 300.0	459935		
40270429019	PZ-5A	EPA 300.0	459935		
40270429020	PZ-5B	EPA 300.0	459935		
40270429021	PZ-6	EPA 300.0	459935		
40270429022	PZ-7A	EPA 300.0	459935		
40270429023	PZ-7B	EPA 300.0	459935		
40270429001	MW-1	EPA 353.2	459915		
40270429002	MW-3	EPA 353.2	459915		
40270429003	MW-4	EPA 353.2	459915		
40270429004	MW-5	EPA 353.2	459915		
40270429005	MW-6	EPA 353.2	459915		
40270429006	MW-7	EPA 353.2	459915		
40270429007	MW-8	EPA 353.2	459915		
40270429008	MW-10	EPA 353.2	459916		
40270429009	MW-11	EPA 353.2	459916		
40270429010	MW-12	EPA 353.2	459916		
40270429011	MW-14	EPA 353.2	459916		
40270429012	PZ-2	EPA 353.2	459916		
40270429013	PZ-3	EPA 353.2	459916		
40270429014	PZ-MW1A	EPA 353.2	459916		
40270429015	PZ-MW1B	EPA 353.2	459916		
40270429016	PZ-MW1C	EPA 353.2	459916		
40270429017	PZ-4A	EPA 353.2	459916		
40270429018	PZ-4B	EPA 353.2	459916		
40270429019	PZ-5A	EPA 353.2	459916		
40270429020	PZ-5B	EPA 353.2	459916		
40270429021	PZ-6	EPA 353.2	459916		
40270429022	PZ-7A	EPA 353.2	459916		
40270429023	PZ-7B	EPA 353.2	459916		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

40270429

Pace
Pace Analytical Green Bay
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: AECOM, Inc. - Milwaukee
Street Address: 1555 N. RiverCenter Drive, Suite 214 Milwaukee, WI 53212
Contact/Report To: Gary Braun
Phone #: (414)944-6172
E-Mail: gary.braun@aecom.com
Cc E-Mail: *Jacob.Jenkins@aecom.com*
Customer Project #: 60428891
Project Name: FV Steel & Wire
Invoice To: Accounts Payable
Invoice E-Mail: usapimaging@aecom.com
Purchase Order #: (if applicable) 60428891
Quote #



LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Time Zone Collected [] AK [] PT [] MT [] CT [] ET
County / State origin of sample(s) Wisconsin
Data Deliverables [] Level II [] Level III [] Level IV [] EQUIS [] Other
Regulatory Program (DW, RCRA, etc.) as applicable
Rush (Pre-approval required): [] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Field Filtered (if applicable) [] Yes [] No Analysis

Specify Container Size **
3 3 2 6
Identify Container Preservative Type***
1 3 6 4
Analysis Requested

**Container Size. (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other
*** Preservative Types (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

* Matrix Codes (Insert in Matrix box below) Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		300 0 Chloride	353 2 Nitrogen, NO2+NO3	4500S2F Sulfide	8260 VOCs	Sample Comment
			Date	Time	Date	Time		Plastic	Glass					
MW-1	WT	G	10/30/23	1250				3	3	X	X	X	X	001 high turbidity
MW-3	WT	G	10/30/23	1645				3	3	X	X	X	X	002 high turbidity
MW-4	WT	G	10/30/23	1625				3	3	X	X	X	X	003
MW-5	WT	G	10/30/23	1620				3	2	X	X	X	X	004 high turbidity
MW-6	WT	G	10/30/23	1605				3	3	X	X	X	X	005 high turbidity
MW-7	WT	G	10/30/23	1550				3	3	X	X	X	X	006 high turbidity
MW-8	WT	G	10/30/23	1650				3	3	X	X	X	X	007 high turbidity
MW-10	WT	G	10/30/23	1510				3	3	X	X	X	X	008 high turbidity
MW-11	WT	G	10/30/23	1545				3	3	X	X	X	X	009 high turbidity
MW-12	WT	G	10/30/23	1330				3	3	X	X	X	X	010 high turbidity

Proj. Mgr: Christopher Hyska
AcctNum / Client ID:
Table #:
Profile / Template: 7001
Prelig / Bottle Ord. ID: EZ 3014707

Customer Remarks / Special Conditions / Possible Hazards:
Relinquished by/Company (Signature): *Meyers AECOM*
Date/Time: 11-1-23 1200

Collected By: *Jacob Jenkins + Virginia Golotta*
Printed Name
Signature
Received by/Company (Signature): *Matt Tom*
Received by/Company (Signature)

Additional Instructions from Pace*:
Coolers: 2
Thermometer ID: 131131
Correction Factor (°C): -0.5
Obs. Temp. (°C): 10.1, 10.0
Corrected Temp. (°C): 0.5, 0.5
Tracking Number: N/A
Delivered by: In-Person [] Courier
[] FedEx [] UPS [] Other
Page: 1 of 3

Sample Condition Upon Receipt Form (SCUR)

Client Name: AECOM

Project #:

WO#: 40270429



Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR-417131 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 0.5, 0.5 / Corr: 1.0, 1.0

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 11/1/23 / Initials: SKU
 Labeled By Initials: EL

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>ACC</u>
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>11/1/23 SKU</u>
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:	8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>	
Trip Blank Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present <u>11/1/23 SKU</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logit