

From: Neitzel, Grant D - DNR
Sent: Wednesday, February 24, 2021 3:50 PM
To: Sellwood, Stephen
Cc: Janigo, Todd
Subject: RE: [EXTERNAL] Belknap & Clough - closure packet revisions

Steve,

The DNR has reviewed the information you provided in your email below on December 18, 2020, which was in response to the DNR's request for an evaluation of emerging contaminants, including PFAS. Based on the information you provided, the DNR will not be requiring your client to sample for PFAS compounds at the City of Superior – Belknap & Clough Intersection site (BRRTS #03-16-560358). Should new information be received in the future, this decision may be reevaluated by the DNR at that time. Please let me know if there are any questions or concerns.

Thanks,
Grant

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Grant Neitzel
Phone: (715) 919-7238
grant.neitzel@wisconsin.gov

From: Sellwood, Stephen <SSellwood@trccompanies.com>
Sent: Friday, December 18, 2020 3:19 PM
To: Neitzel, Grant D - DNR <grant.neitzel@wisconsin.gov>
Subject: RE: [EXTERNAL] Belknap & Clough - closure packet revisions

Grant,

The revised closure form page you requested is attached.

Regarding emerging contaminants:

The release that was investigated at this site (BRRTS #03-16-560358) is associated with a former petroleum underground storage tank. Emerging contaminants, such as PFAS compounds, are not associated with petroleum releases. Based on the historic and current use of the site as highway right-of-way, there is no reason to suspect the presence of emerging contaminants at the site. As a result, our site investigation appropriately included petroleum compounds as contaminants of concern and did not include emerging contaminants.

Please let me know if you need any additional information.

Steve

Stephen Sellwood, PG (WI, IN, TN)
Senior Hydrogeologist



708 Heartland Trail, Suite 3000, Madison, WI 53717

T 608.826.3608 | C 608.347.8594

[LinkedIn](#) | [Twitter](#) | [Blog](#) | [TRCcompanies.com](#)