

Date Signed 3/14/62

Well / Drillhole / Borehole Filling & Sealing


Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal	Route to:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other:		

1. Well Location Information				2. Facility / Owner Information			
County CLARK		WI Unique Well # of Removed Well		Facility Name Former Deer Trail Cafe		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring # MW-3		Original Well Owner LeRoy Pederson	
1/4 SE 1/4 SW Section Township Range <input checked="" type="checkbox"/> E or Gov't Lot # 5 23 N 1 <input type="checkbox"/> W				Present Well Owner LeRoy Pederson		Mailing Address of Present Owner 1221 East 18th Street	
Well Street Address W1930 Hwy 73		Well ZIP Code 54436-		City of Present Owner Marshfield		State ZIP Code WI 54449-	
Well City, Village or Town Granton		Lot #		4. Pump, Liner, Screen, Casing & Sealing Material			
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
3. Well / Drillhole / Borehole Information							
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 6/6/2014					
Construction Type:		If a Well Construction Report is available, please attach.					
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify):				Required Method of Placing Sealing Material			
Formation Type:				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): Gravity			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		Sealing Materials			
14 ft		2 in		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Was well annular space grouted?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown					
If yes, to what depth (feet)?		Depth to Water (feet)					
5. Material Used To Fill Well / Drillhole							
Bentonite Chip		From (ft.)	To (ft.)	Sacks Sealant			
		Surface	14	0.45			
6. Comments							

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Schaper Excavating and Petroleum		License #	Date of Filling & Sealing (mm/dd/yyyy) 3/16/2015	Date Received	Noted By
Street or Route W4396 County Road E		Telephone Number (608) 742-4686		Comments	
City Pardeeville	State WI	ZIP Code 53954-	Signature of Person Doing Work 	Date Signed 3/18/15	

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ Verification Only of Fill and Seal

Route to:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other:

1. Well Location Information

County **CLARK** WI Unique Well # of Removed Well _____ Hicap # _____

Latitude / Longitude (Degrees and Minutes) _____ Method Code (see instructions) _____

_____ 'N
_____ 'W

1/4 SE 1/4 SW Section 5 Township 23 N Range 1 E ☒ W
or Gov't Lot # _____

Well Street Address

W1930 Hwy 73

Well City, Village or Town

Granton

Well ZIP Code

54436-

Subdivision Name

Lot # _____

Reason For Removal From Service WI Unique Well # of Replacement Well

No longer needed

3. Well / Drillhole / Borehole Information

☒ Monitoring Well

☐ Water Well

☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)

6/6/2014

If a Well Construction Report is available, please attach.

Construction Type:

☒ Drilled

☐ Driven (Sandpoint)

☐ Dug

☐ Other (specify): _____

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) Casing Diameter (in.)

14 ft.

2 in

Lower Drillhole Diameter (in.) Casing Depth (ft.)

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)?

Depth to Water (feet)

5. Material Used To Fill Well / Drillhole

Bentonite Chip

2. Facility / Owner Information

Facility Name

Former Deer Trail Cafe

Facility ID (FID or PWS)

License/Permit/Monitoring #

MW-2

Original Well Owner

LeRoy Pederson

Present Well Owner

LeRoy Pederson

Mailing Address of Present Owner

1221 East 18th Street

City of Present Owner

Marshfield

State

WI

ZIP Code

54449-

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?

☐ Yes ☐ No ☒ N/A

Liner(s) removed?

☐ Yes ☐ No ☒ N/A

Screen removed?

☒ Yes ☐ No ☐ N/A

Casing left in place?

☐ Yes ☒ No ☐ N/A

Was casing cut off below surface?

☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface?

☐ Yes ☒ No ☐ N/A

Did material settle after 24 hours?

☐ Yes ☒ No ☐ N/A

If yes, was hole retopped?

☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source?

☐ Yes ☐ No ☒ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity

☐ Conductor Pipe-Pumped

☐ Screened & Poured (Bentonite Chips)

☒ Other (Explain): Gravity

Sealing Materials

☐ Neat Cement Grout

☐ Clay-Sand Slurry (11 lb./gal. wt.)

☐ Sand-Cement (Concrete) Grout

☐ Bentonite-Sand Slurry

☐ Concrete

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☒ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

From (ft.)	To (ft.)	Sacks Sealant
Surface	14	0.45

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing

Schaper Excavating and Petroleum

License #

Date of Filling & Sealing (mm/dd/yyyy)

3/16/2015

Date Received

Noted By

Street or Route

W4396 County Road E

Telephone Number

(608) 742-4686

Comments

City

Pardeeville

State

WI

ZIP Code

53954-

Signature of Person Doing Work

[Signature]

Date Signed

3/18/15

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ Verification Only of Fill and Seal

Route to:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **CLARK** WI Unique Well # of Removed Well _____ Hicap # _____

Latitude / Longitude (Degrees and Minutes) _____ 'N
_____ 'W
Method Code (see instructions) _____

1/4 SE 1/4 SW Section 5 Township 23 N Range 1 ☒ E ☐ W
or Gov't Lot # _____

Well Street Address
W1930 Hwy 73

Well City, Village or Town
Granton

Well ZIP Code
54436-

Subdivision Name _____

Lot # _____

Reason For Removal From Service _____ WI Unique Well # of Replacement Well _____
No longer needed

3. Well / Drillhole / Borehole Information

☒ Monitoring Well

☐ Water Well

☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
5/22/2014

If a Well Construction Report is available, please attach.

Construction Type:

☒ Drilled

☐ Driven (Sandpoint)

☐ Dug

☐ Other (specify): _____

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **8ft** Casing Diameter (in.) **1in**

Lower Drillhole Diameter (in.) _____

Casing Depth (ft.) _____

Was well annular space grouted?

☐ Yes

☒ No

☐ Unknown

If yes, to what depth (feet)? _____

Depth to Water (feet) _____

5. Material Used To Fill Well / Drillhole

Bentonite Chip

From (ft.)	To (ft.)	Sacks Sealant
Surface		0.25

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Schaper Excavating and Petroleum		License #	Date of Filling & Sealing (mm/dd/yyyy) 3/16/2015	DNR Use Only	
Street or Route W4396 County Road E		Telephone Number (608) 742-4686		Date Received	Noted By
City Pardeeville	State WI	ZIP Code 53954-	Signature of Person Doing Work <i>Don Bruehl</i>	Date Signed 3/18/15	

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A
Liner(s) removed? ☐ Yes ☐ No ☒ N/A
Screen removed? ☒ Yes ☐ No ☐ N/A
Casing left in place? ☐ Yes ☒ No ☐ N/A
Was casing cut off below surface? ☐ Yes ☒ No ☐ N/A
Did sealing material rise to surface? ☐ Yes ☒ No ☐ N/A
Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A
If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A
If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☐ No ☒ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☒ Other (Explain): Gravity

Sealing Materials

☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ Verification Only of Fill and Seal

Route to:

☐ Drinking Water

☐ Watershed/Wastewater

☐ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County CLARK	WI Unique Well # of Removed Well GP2	Hicap #
Latitude / Longitude (Degrees and Minutes) ____° ____' ____" N ____° ____' ____" W		Method Code (see instructions)
1/4 1/4 SE 1/4 SW	Section 5	Township 23 N
or Gov't Lot #	Range 1	East West <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address W1930 Hwy 73		
Well City, Village or Town Granton		Well ZIP Code
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name Former Deer Trail Cafe
Facility ID (FID or PWS)
License/Permit/Monitoring #
Original Well Owner LeRoy Pederson
Present Well Owner LeRoy Pederson
Mailing Address of Present Owner 1221 East 18th Street
City of Present Owner Marshfield
State WI
ZIP Code 54449-

Reason For Removal From Service
No longer needed

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 5/22/2014
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	

Formation Type:

<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
Total Well Depth From Ground Surface (ft.) 8	Casing Diameter (in.)
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material

<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> Other (Explain): Gravity

Sealing Materials

<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	
Bentonite Chip	Surface	8 0.25

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing General Engineering Company	License #	Date of Filling & Sealing (mm/dd/yyyy) 5/22/2014	DNR Use Only	
Street or Route 916 Silver Lake Drive	City Portage	State WI	ZIP Code 53901-	Date Received
Telephone Number (608) 742-2169	Signature of Person Doing Work 	Comments	Noted By	
			Date Signed	