Site Investigation Report

Nicolet Trails Campground
310 E. Washington Ave.
Gillett, Wisconsin

December 11, 2015
by METCO
WDNR File Reference #: 03-43-560923
PECFA Claim #: 54124-9999-10-A

METCO

Excellence through experience™

This document was prepared by:

Jason T. Powell
Staff Scientist

Ronald J. Anderson, P.G.
Senior Hydrogeologist/Project Manager

Excellence through experience™

709 Gillette St., Ste 3 ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦www.metcohq.com

December 11, 2015

WDNR BRRTS#: 03-43-560923
PECFA Claim #: 54124-9999-10-A

City of Gillett
Attn: Beth Rank
150 N. McKenzie Ave.
Gillett, WI 54124

Dear Ms. Rank,

Enclosed is our "Site Investigation Report" concerning the Nicolet Trails Campground site in Gillett, Wisconsin. This report presents the complete data from all investigation activities.

According to the data collected during the investigation, it is the conclusion of METCO that under existing conditions and limitations, the extent and degree of petroleum contamination has been adequately defined in soil and groundwater to warrant a completed investigation as defined by the WDNR guidelines and regulations.

Due to the elevated levels of groundwater contamination, additional groundwater monitoring will likely be required by the state for trend analysis as only three rounds have been completed to date. Soil exceeding Non-Industrial Direct Contact levels will have to be addressed by either placing a cap (Geo-Membrane, clean fill, and/or gravel) along with a Cap Maintenance Plan or by excavation as the property is currently used for a public campground. This will be discussed with the City of Gillett on the appropriate way to address this issue. Per response from the City of Gillett and WDNR, METCO will prepare a workscope/cost estimate to move this site toward "closure".

We appreciate the opportunity to be of service to you on this project. Should you have any questions or require additional information, do not hesitate to contact our La Crosse office.

Sincerely,

Jason T. Powell
Staff Scientist

C: Beth Erdman – WDNR

EXECUTIVE SUMMARY

A bulk petroleum facility existed on the property from at least the 1930's until the mid to late 1980's. The facility consisted of at least five above ground storage tanks (ASTs) for the storage of gasoline, diesel, and fuel oil. Two underground storage tanks (USTs) were also affiliated with the bulk facility, their contents unknown. No other ASTs or USTs are currently known to exist on the subject property.

In the summer of 2013, the City of Gillett encountered two steel USTs on the property while installing a water line on the property. The USTs were subsequently removed from the property. On July 12, 2013, a test pit was dug in the area of the removed USTs and two soil samples (S-1 and S-2) were collected from the test pit for DRO and VOC analysis. The soil sampling results showed DRO concentrations ranging from 162 to 3,810 ppm along with various detects for VOCs. The petroleum contamination was reported to the WDNR, who then required that a site investigation be completed.

In 2013, METCO was contracted to complete the site investigation, which consisted of a Geoprobe Project, Drilling Project, and three rounds of groundwater monitoring. The results of the investigation clearly show that released petroleum products have impacted the local soil and groundwater. Results of the investigation are as follows:

- Local unconsolidated material generally consists of sand with some gravel surface to depths ranging from 2 to 7 feet bgs. From surface to depths ranging from 2 to 11 feet bgs exists a sandy silt/clay with some gravel. At depths ranging from 8 to 14 feet bgs exists a very fine to coarse grained sand. At depths ranging from 9 to 14 feet bgs exists a silt, extending to at least 16 feet bgs. Fill material consisting of sand, gravel, and concrete was encountered in the area of the removed UST's. The fill material extends to 7 feet bgs.

- Bedrock was not encountered during the site investigation, but sandstone bedrock is expected to exist at approximately 250 feet below ground surface, based on local well construction reports.

- According to data collected from the monitoring wells, the depth to groundwater ranges from 7.36 to 12.68 feet bgs depending on well location and time of year. The local horizontal groundwater flow in the immediate area of the subject property is generally to the north to northeast.

- An area of unsaturated soil contamination, which exceeds the NR720 Groundwater RCL values, exists in the area of the former bulk plant and removed UST's. This consists of an irregular shaped area, which appears to measure up to 142 feet long, up to 109 feet wide, and up to 8 feet thick. An area of unsaturated soil contamination,

which exceeds the NR720 Non-Industrial Direct Contact values, also exists in the area of the former bulk plant and removed UST's. This consists of an irregular shaped area, which appears to measure up to 78 feet long, up to 98 feet wide, and up to 4 feet thick.

- A dissolved phase contaminant plume exceeding the NR140 ES and/or PAL has formed at the watertable in the area of the former bulk plant and removed UST's and has migrated toward the north to northwest. This plume is approximately 234 feet long and 140 feet wide.

- Based on the most recent groundwater analytical results, two of the monitoring wells (MW-1 and MW-4) show NR140 Enforcement Standard (ES) and/or Preventive Action Limit (PAL) exceedances. None of the other monitoring wells show any NR140 ES and/or PAL exceedances for any contaminants of concern.

- Based on the receptor survey, there does not appear to be any significant risks of contaminant migration along utility corridors. The NR720 soil contaminant plume and the NR140 dissolved phase contaminant plume appears to come into contact with water and buried electric lines. The NR140 PAL dissolved phase contaminant plume also comes into contact with a storm sewer corridor.

According to the data collected during the investigation, it is the conclusion of METCO that under existing conditions and limitations, the extent and degree of petroleum contamination has been adequately defined in soil and groundwater to warrant a completed investigation as defined by the WDNR guidelines and regulations.

Due to the elevated levels of groundwater contamination, additional groundwater monitoring will likely be required by the state for trend analysis as only three rounds have been completed to date. Soil exceeding Non-Industrial Direct Contact levels will have to be addressed by either placing a cap (Geo-Membrane, clean fill, and/or gravel) along with a Cap Maintenance Plan or by excavation as the property is currently used for a public campground. This will be discussed with the City of Gillett on the appropriate way to address this issue. Per response from the City of Gillett and WDNR, METCO will prepare a workscope/cost estimate to move this site toward "closure".

TABLE OF CONTENTS

Table of Contents

1.0 INTRODUCTION AND BACKGROUND

A Site Investigation is required by the Wisconsin Department of Natural Resources (WDNR) by authority of Section 292.11 of the Wisconsin Statutes. According to the WDNR, any soil that tests more than 10 ppm Gasoline Range Organics (GRO) or Diesel Range Organics (DRO) requires an investigation. Any soil that tests more than the Chapter NR720 Groundwater Residual Contaminant Levels (RCLs), Direct Contact RCLs, and/or Soil Saturation (C-sat) Values may require possible remediation. Any groundwater that tests more than the Preventive Action Limits (PAL) or Enforcement Standards (ES) for compounds listed in Chapter NR140 Groundwater Quality Standards requires an investigation and possible remediation. For a further explanation of WDNR rules and regulations, see Appendix E.

This report presents data collected during the Site Investigation. The purpose of this investigation was to:

1) Determine the extent and degree of petroleum contamination in the environment.
2) Determine if any risks exist to the environment or public health.
3) As conditions warrant, bring the site to closure.

1.1 Responsible Party Information

City of Gillett
Attn: Beth Rank
150 N. McKenzie Ave.
Gillett, WI 54124
(920) 855-2255

1.2 Consultant Information

Consultant

METCO
Ronald J. Anderson P.G.
Jason T. Powell
709 Gillette Street, Suite 3
La Crosse, WI 54603
(608) 781-8879

Subcontractors

DKS Transport Services, LLC
N7349 548th Street
Menomonie, WI 54751
(715) 556-2604

Fauerbach Surveying & Engineering
P.O. Box 140
Hillsboro, WI 54634
(608) 489-3363

Geiss Soil and Samples, LLC
W4490 Pope Road
Merrill, WI 54452
(715) 539-3928

Synergy Environmental Lab
1990 Prospect Court
Appleton, WI 54914
(920) 830-2455

1.3 Site Location

Site address:
310 E. Washington St.
Gillett, WI 54124

Latitude and Longitude:
44° 53' 34" N and 88° 18' 4" W

WTM Coordinates:
654120, 492416

Township/Range:
SE ¼, NW ¼, Section 22, Township 28 North, Range 18 East, Oconto County

1.4 Site History

A bulk petroleum facility existed on the property from at least the 1930's until the mid to late 1980's. The facility consisted of at least five above ground storage tanks (ASTs) for the storage of gasoline, diesel, and fuel oil. Two underground storage tanks (USTs) were also affiliated with the bulk facility, their contents unknown. No other ASTs or USTs are currently known to exist on the subject property.

In the summer of 2013, the City of Gillett encountered two steel USTs on the property while installing a water line on the property. The USTs were subsequently removed from the property. On July 12, 2013, a test pit was dug in the area of the removed USTs and two soil samples (S-1 and S-2) were collected from the test pit for DRO and VOC analysis. The soil sampling results showed DRO concentrations ranging from 162 to 3,810 ppm along with various detects for VOCs. The petroleum contamination was reported to the WDNR, who then required that a site investigation be completed.

Other nearby LUST/ERP sites in this area include the Gillett City Trail Property (325 feet southwest), Mr B's Garage (600 feet south-southwest), and Kozak's Service Station (650 feet south-southwest). At this time, we do not suspect that these sites are impacting or being impacted by the subject property.

2.0 GEOLOGY AND RECEPTORS

2.1 Regional and Local Geology and Hydrogeology

Topography and Regional Setting

According to the USGS Hydrologic Atlas, the subject property is located in the southern portion of the Menominee-Oconto-Peshtigo River Basin. This area is characterized by an irregular rolling landscape consisting of an uneven cover of glacial deposits overlying an eroded bedrock surface.

The elevation of the site is approximately 800 feet above Mean Sea Level (MSL). See Appendix A for site location.

Soil and Bedrock

Soil samples were described by METCO field personnel. Assisting literature included the Hydrologic Atlas, Wisconsin Geologic Logs, and Wisconsin Well Constructor Reports.

Local unconsolidated materials generally consist of the following in downward stratigraphic order:

- Fill material consisting of tan to brown sand, gravel, and concrete was encountered in the area of the removed UST's. The fill material extends to 7 feet bgs.
- From surface to depths ranging from 2 to 7 feet bgs exists tan to gray to brown sand with some gravel.
- From surface to depths ranging from 2 to 11 feet bgs exists a red to tan to brown sandy silt/clay with some gravel.
- At depths ranging from 8 to 14 feet bgs exists a tan to gray very fine to coarse grained sand.
- At depths ranging from 9 to 14 feet bgs exists a gray silt, extending to at least 16 feet bgs.

Bedrock was not encountered during the site investigation, but sandstone bedrock is expected to exist at approximately 250 feet below ground surface, based on local well construction reports.

Please note that this is a generalization of the local geology and may not be consistent throughout the entire investigation area.

No other characteristics concerning the local sediments such as structures, voids, layering, lenses or secondary permeability are documented at this time.

Hydrogeology

According to data collected from the monitoring wells, the depth to groundwater ranges from 7.36 to 12.68 feet bgs depending on well location and time of year.

According to the watertable measurements collected during groundwater sampling, local horizontal groundwater flow in the immediate area of the subject property is generally to the north to northeast. Groundwater Flow Direction Maps are presented in Section 6.

We are not currently aware of any existing aquitards or perched water in this area.

2.2 Receptors

Buildings, Basements, Sumps, Utility Corridors

The extent of petroleum contamination in soil exceeding the NR720 Non-Industrial Direct Contact RCL's does come into contact with water lines and buried electric lines. Buried electric lines typically exist within 30 inches of ground surface and backfilled with native soil (clay). Due to their shallow depth and clay backfill, they do not appear to be potential contaminant migration pathways. The water lines existing throughout the campground were constructed in 2012 at approximately 18 to 30 inches bgs, and backfilled with native soil. Although soil contamination does come into contact with a water line(s), we do not anticipate any significant petroleum impacts to any water utility corridors due to the native soil backfill material.

The extent of petroleum contamination in groundwater exceeding the NR140 PAL and/or ES does come into contact with water lines, buried electric lines, and a storm sewer line. Due to the shallow depth and clay backfill of the buried electric lines, they do not appear to be potential contaminant migration pathways. Due to the depth at which the water lines exist, these do not appear to be potential migration pathways as groundwater exists at approximately 7 to 13 feet bgs across the site. According to the City of Gillett, the storm sewer utility corridor was installed in the early 1990's at 12 feet bgs, and was backfilled with native soil. Due to groundwater contaminant levels only exceeding the NR140 PAL in this area, we do not anticipate any significant petroleum impacts to the sewer utility corridor.

The extent of petroleum contamination in soil and groundwater does not appear to come into contact with any buildings.

Municipal and Private Water Supply Wells

The subject property and surrounding properties are all served by the City of Gillett municipal water. The nearest municipal well (Well #2) exists approximately 750 feet to the west of the subject property. No private potable wells are known to exist in this area.

METCO is not currently aware of any other impacts, receptors, risks, or local problems associated with the subject property.

Surface Waters

The nearest surface water is Christie Brook, which exists approximately 650 feet to the northeast of the subject property. The extent of petroleum contamination in soil and groundwater does not appear to have migrated to any surface waters.

3.0 SITE INVESTIGATION RESULTS, RISK CRITERIA

3.1 Methods of Investigation

Workscope

The workscope performed for the LUST Investigation included the following:

1) Collected site background information.
2) On January 15, 2014, METCO prepared a LUST Investigation Field Procedures Workplan.
3) On April 15-16, 2014, METCO completed twenty-three Geoprobe borings. Seventy-two soil samples and twenty-two water samples were collected for field and/or laboratory analysis.
4) On December 29-30, 2014, METCO completed six soil borings which were converted to monitoring wells. Twenty-three soil samples were collected for field and/or laboratory analysis. Upon completion, the monitoring wells were properly developed.
5) On January 26, 2015, METCO collected groundwater samples from all six monitoring wells for field and laboratory analysis (Round 1). METCO also conducted slug tests on monitoring wells MW-1 and MW-3.
6) On May 26, 2015, METCO completed ten hand-augured borings. Ten soil samples were collected for laboratory analysis. METCO also collected groundwater samples from all six monitoring wells for field and laboratory analysis (Round 2).
7) On August 31, 2015, METCO collected groundwater samples from all six

monitoring wells for field and laboratory analysis (Round 3).

Site Access Problems

No site access problems were encountered during the LUST investigation.

Analytical Methods

All samples were collected in a manner as to maintain their quality and to eliminate any possible cross contamination. METCO did not deviate from any WDNR or laboratory recommended procedures for sample collection, preservation, or transportation on this project to our knowledge.

Equipment advanced into the subsurface was cleaned between sampling locations. Cleaning consisted of washing with a biodegradable Alconox solution and rinsing with potable water. Disposable equipment was not cleaned, but immediately disposed of after use.

All samples were constantly kept on ice in a cooler and hand delivered to the laboratory.

3.2 Data Discussion

Soil Sampling Data

On April 15-16, 2014, during the Geoprobe project, twenty-three Geoprobe borings were completed with seventy-two soil samples collected for field and laboratory analysis (PID, GRO, VOC, PVOC, PAH, and Lead).

On December 29-30, 2014, during the Drilling project, six soil borings were completed with twenty-three soil samples collected for field and laboratory analysis (PID, DRO, PVOC, PAH, TCLP-Lead, TCLP-Benzene, and Lead).

On May 26, 2015, during the Groundwater sampling event, ten hand-augured borings were completed with ten soil samples collected for laboratory analysis (PVOC and PAH).

Soil analytical results are summarized in the Soil Analytical Tables with exceedances of the NR720 Groundwater RCL's, Non Industrial Direct Contact RCL's, and/or Soil Saturation Concentration (C-sat) values noted.

Soil sample locations are presented in the Detailed Site Map found in Section 6. All data is presented in the data tables in Section 7. The laboratory reports are presented in Appendix B.

Groundwater Sampling Data

On April 15-16, 2014, during the Geoprobe Project, twenty-two groundwater samples were collected for laboratory analysis (PVOC and Naphthalene).

On December 29-30, 2014, during the Drilling Project, six monitoring wells were installed and properly developed.

On January 26, 2015, Round 1 groundwater samples were collected from all six monitoring wells and analyzed for VOC, PAH, Dissolved Lead, and natural attenuation parameters (Dissolved Iron, Dissolved Manganese, Sulfates, and Nitrate/Nitrite). Field measurements for water level, temperature, pH, ORP, Dissolved Oxygen, and Specific Conductance were also collected from the six monitoring wells.

On May 26, 2015, Round 2 groundwater samples were collected from all six monitoring wells and analyzed for PVOC and Naphthalene. Field measurements for water level, temperature, pH, ORP, Dissolved Oxygen, and Specific Conductance were also collected from the six monitoring wells.

On August 31, 2015, Round 3 groundwater samples were collected from all six monitoring wells and analyzed for PVOC and Naphthalene. Field measurements for water level, temperature, pH, ORP, Dissolved Oxygen, and Specific Conductance were also collected from the six monitoring wells.

Monitoring well groundwater analytical results are summarized in the Groundwater Analytical Results Summary Table with exceedances of the NR140 Enforcement Standard (ES) and/or Preventive Action Limits (PAL) noted.

The monitoring well locations are presented in the Detailed Site Map in Section 6. All data is presented in the data tables in Section 7. The lab reports are presented in Appendix B.

Laboratory Certification

Synergy Environmental Lab
Wisconsin Lab Certification #445037560

3.3 Permeability and Hydraulic Conductivities

On January 26, 2015, METCO conducted slug tests on monitoring wells MW-1 and MW-3. The slug test data was evaluated using the curve fitting program "Hydro-Test for Windows" Produced by Dakota Environmental, Inc.

Slug test data was evaluated using the Bouwer and Rice method. Hydrogeologic parameters were estimated as follows:

Monitoring Well MW-1
Hydraulic Conductivity (K) = 4.39E-03 cm/sec
Transmissivity = 5.88E-01 cm^2/sec
Flow Velocity (V=KI/n) = 180.26985 m/yr

Monitoring Well MW-3
Hydraulic Conductivity (K) = 7.68E-04 cm/sec
Transmissivity = 1.22E-01 cm^2/sec
Flow Velocity (V=KI/n) = 31.54771 m/yr

Since the thickness of the unconfined aquifer was unknown, the bottoms of monitoring wells MW-1 and MW-3 were assumed as the lower extent of the aquifer for calculation purposes. Slug test data is presented in Appendix E.

3.4 Discussion of Results

Local unconsolidated material generally consists of sand with some gravel surface to depths ranging from 2 to 7 feet bgs. From surface to depths ranging from 2 to 11 feet bgs exists a sandy silt/clay with some gravel. At depths ranging from 8 to 14 feet bgs exists a very fine to coarse grained sand. At depths ranging from 9 to 14 feet bgs exists a silt, extending to at least 16 feet bgs. Fill material consisting of sand, gravel, and concrete was encountered in the area of the removed UST's. The fill material extends to 7 feet bgs.

Bedrock was not encountered during the site investigation, but sandstone bedrock is expected to exist at approximately 250 feet below ground surface, based on local well construction reports.

According to data collected from the monitoring wells, the depth to groundwater ranges from 7.36 to 12.68 feet bgs depending on well location and time of year. The local horizontal groundwater flow in the immediate area of the subject property is generally to the north to northeast.

An area of unsaturated soil contamination, which exceeds the NR720 Groundwater RCL values, exist in the area of the former bulk plant and removed UST's. This consists of an irregular shaped area, which appears to measure up to 142 feet long, up to 109 feet wide, and up to 8 feet thick. An area of unsaturated soil contamination, which exceeds the NR720 Non-Industrial Direct Contact values, also exist in the area of the former bulk plant and removed UST's. This consists of an irregular shaped area, which appears to measure up to 78 feet long, up to 98 feet wide, and up to 4 feet thick.

A dissolved phase contaminant plume exceeding the NR140 ES and/or PAL has formed at the watertable in the area of the former bulk plant and removed UST's and has migrated toward the north to northwest. This plume is approximately 234 feet long and 140 feet wide.

Based on the most recent groundwater analytical results, two of the monitoring wells (MW-1 and MW-4) show NR140 ES and/or PAL exceedances. None of the other monitoring wells show any NR140 ES and/or PAL exceedances for any contaminants of concern.

Based on the receptor survey, there does not appear to be any significant risks of contaminant migration along utility corridors. The NR720 soil contaminant plume and the NR140 dissolved phase contaminant plume appears to come into contact with water and buried electric lines. The NR140 PAL dissolved phase contaminant plume also comes into contact with a storm sewer corridor.

To our knowledge, this investigation has not had any major difficulties, unanticipated results, or questionable results.

The Detailed Site Map, Soil Contamination Map, Groundwater Flow Direction Maps, Groundwater Isoconcentration Map, and Geologic Cross- Section figures, which visually define the extent of contamination, are presented in Section 6.

3.6 Risk Assessment

Per the NR746.03 definitions a release from petroleum tanks is considered "high risk" if any of the four following criterion are met:

1. Verified contaminant concentrations in a private or public potable well that exceeds the preventive action limit established under Chapter, Stats. 160.
2. Petroleum product that is not in the dissolved phase (floating product) is present with a thickness of 0.01 feet or more, and verified by more than one sampling event.
3. An enforcement standard exceedance in groundwater within 1,000 feet of a well operated by a public utility, or within 100 feet of any other well used to provide water for human consumption.
4. An enforcement standard exceedance in fractured bedrock.

A "medium risk" site is defined as a site where contaminants have extended beyond the boundary of the source property, or there is confirmed contamination in the groundwater, but the site does not meet the definition of a "high risk" site.

A "low risk" site is defined as a site where contaminants are contained only within the soil on the source property and there is no confirmed contamination in groundwater.

Based on the NR746.03 definitions, the Nicolet Trails Campground site is

currently a "medium risk" site.

4.0 CONCLUSIONS

4.1 Investigation Summary

According to the data collected during the investigation, it is the conclusion of METCO that under existing conditions and limitations, the extent and degree of petroleum contamination has been adequately defined in soil and groundwater to warrant a completed investigation as defined by the WDNR guidelines and regulations.

4.2 Recommendations

Due to the elevated levels of groundwater contamination, additional groundwater monitoring will likely be required by the state for trend analysis as only three rounds have been completed to date. Soil exceeding Non-Industrial Direct Contact levels will have to be addressed by either placing a cap (Geo-Membrane, clean fill, and/or gravel) along with a Cap Maintenance Plan or by excavation as the property is currently used for a public campground. This will be discussed with the City of Gillett on the appropriate way to address this issue. Per response from the City of Gillett and WDNR, METCO will prepare a workscope/cost estimate to move this site toward "closure".

5.0 REFERENCES

Driscoll, F. G., 1986, Groundwater and Wells, St. Paul, Minnesota.

Fetter, C.W., 1988, Applied Hydrogeology, Columbus, Ohio.

Geologic Logs and Well Constructor Reports, Wisconsin Geological and Natural History Survey, Madison, Wisconsin.

Matsch, C.L. and Ojakangas, R.W., 1982, Minnesota's Geology, Minneapolis, Minnesota.

Nielson, D.M., 1991, Practical Handbook of Groundwater Monitoring, Chelsea, Michigan.

Oaks, E.L. And Hamilton, L.J., 1973, Water Resources of Wisconsin – Menominee-Oconto-Peshtigo River Basin, Hydrologic Investigations, Atlas HA-470, U.S. Geological Survey, Washington D.C.

Seamless USGS Topographic Maps on CD-ROM, 2001, National Geographic Holdings, Inc., San Francisco, California.

Walton, W.C., 1989, Groundwater Pumping Tests, Chelsea, Michigan.

Weston, R.F., 1987, Remedial Technologies for Leaking Underground Storage Tanks.

Other information and data was collected from Beth Rank, City of Gillett, Diggers Hotline, Geiss Soil and Samples, LLC., Fauerbach Surveying & Engineering, Synergy Environmental Lab, Wisconsin Department of Natural Resources, and local people.

6.0 FIGURES

DETAILED SITE MAP

NICOLET TRAILS CAMPGROUND

GILLETT, WISCONSIN

DRAWN BY : ED

DATE: 1/10/14

METCO

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- UST REMOVAL SOIL SAMPLING LOCATION
- GEOPROBE BORING LOCATION
- MONITORING WELL LOCATION
- HAND SAMPLE LOCATION (METCO 5/26/15)
- APPROXIMATE PROPERTY BOUNDARY
- CAMPSITE WATER AND ELECTRIC HOOK UP
- OVERHEAD LINES
- BURIED ELECTRIC
- WATER LINE
- BURIED ELECTRIC
- STORM SEWER
- FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET



B.3.c GROUNDWATER FLOW DIRECTION (1/26/15)

NICOLET TRAILS CAMPGROUND

METCO
765 Ginette Street, Suite 3
La Crosse, WI 54603
Tel (608) 781-8879
Fax (608) 781-8853

GILLETT, WISCONSIN

DRAWN BY : ED
DATE: 1/10/14
EDITED BY : JJ 7/20/15

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- UST REMOVAL SOIL SAMPLING LOCATION
- GEOPROBE BORING LOCATION
- MONITORING WELL LOCATION
- APPROXIMATE PROPERTY BOUNDARY
- CAMPSITE WATER AND ELECTRIC HOOK UP
- OVERHEAD LINES
- BURIED ELECTRIC
- WATER LINE
- BURIED ELECTRIC
- STORM SEWER
- FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET

EAST WASHINGTON STREET

CITY WELL #2

CITY PARK

NORTH RICHMOND AVENUE

RAILROAD STREET

GARAGE

GRAVEL DRIVE

GRASS

787.92' MSL
MW-2

786.73' MSL
MW-3

786.79' MSL
MW-4

787.00' MSL

788.00' MSL

789.01' MSL
MW-1

789.00' MSL

790.00' MSL
MW-5

790.38' MSL

790.21' MSL
MW-6

FORMER RAILROAD TRACKS

STORM DRAIN

APPROXIMATE LOCATION FORMER BULK PLANT

APPROXIMATE LOCATION OF REMOVED USTS AND FORMER LOADING RACK

REST ROOMS

FNR CONC. SLAB

FNR SHED

POLE BUILDING

GRAVEL

BIKE TRAIL/FORMER RAILROAD

GRASS DITCH

WISCONSIN ELECTRIC SUBSTATION
130 N RICHMOND AVE

SMALL ENGINE REPAIR

MW3000
MW2000
MW900
MW800
MW600
P2700

B.3.c GROUNDWATER FLOW DIRECTION (5/26/15)

NICOLET TRAILS CAMPGROUND

METCO
769 Gillette Street, Suite 1
La Crosse, WI 54603
Tel. (608) 781-8879
Fax (608) 781-8891

GILLETT, WISCONSIN

DRAWN BY : ED
DATE: 1/10/14
EDITED BY : JJ 7/20/15

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- UST REMOVAL SOIL SAMPLING LOCATION
- GEOPROBE BORING LOCATION
- MONITORING WELL LOCATION
- APPROXIMATE PROPERTY BOUNDARY
- CAMPSITE WATER AND ELECTRIC HOOK UP
- OVERHEAD LINES
- BURIED ELECTRIC
- WATER LINE
- BURIED ELECTRIC
- STORM SEWER
- FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET

EAST WASHINGTON STREET

CITY WELL #2

CITY PARK

NORTH RICHMOND AVENUE

GARAGE

GRAVEL DRIVE

GRASS

788.65' MSL
MW-2
789.00' MSL

789.71' MSL
MW-3

788.13' MSL
MW-4

FORMER R&M ROAD TRACKS

STORM DRAIN

789.00' MSL
790.00' MSL
791.00' MSL
792.00' MSL

APPROXIMATE LOCATION FORMER BULK PLANT

789.29' MSL
MW-1

791.39' MSL
MW-6

792.73' MSL
MW-5

REST ROOMS

FNR CONC. SLAB

FNR SHED

APPROXIMATE LOCATION OF REMOVED USTS AND FORMER LOADING RACK

GRASS DITCH

MW3000

MW2000

MW1900

MW800

MW600

PZ700

POLE BUILDING

GRAVEL

BIKE TRAIL/FORMER RAILROAD

RAILROAD STREET

WISCONSIN ELECTRIC SUBSTATION
130 N RICHMOND AVE

SMALL ENGINE REPAIR

B.3.c GROUNDWATER FLOW DIRECTION (8/31/15)

NICOLET TRAILS CAMPGROUND

METCO
709 Griette Street Suite 1
La Crosse, WI 54603
Tel: (608) 781-6879
Fax: (608) 781-8893

GILLETT, WISCONSIN

DRAWN BY : ED

DATE: 1/10/14

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- UST REMOVAL SOIL SAMPLING LOCATION
- GEOPROBE BORING LOCATION
- MONITORING WELL LOCATION
- HAND SAMPLE LOCATION (METCO 5/26/15)
- APPROXIMATE PROPERTY BOUNDARY
- CAMPSITE WATER AND ELECTRIC HOOK UP
- OVERHEAD LINES
- BURIED ELECTRIC
- WATER LINE
- BURIED ELECTRIC
- STORM SEWER
- FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET

EAST WASHINGTON STREET

CITY WELL #2

CITY PARK

NORTH RICHMOND AVENUE

RAILROAD STREET

GARAGE

GRAVEL DRIVE

GRASS

GRAVEL DRIVE

787.95' MSL

MW-2

788.00' MSL

789.31' MSL

MW-3

789.00' MSL

FORMER RAILROAD TRACKS

MW-4

787.21' MSL

788.00' MSL

789.00' MSL

790.00' MSL

MW-5

790.23' MSL

STORM DRAIN

APPROXIMATE LOCATION OF FORMER MILK PLANT

788.02' MSL

MW-1

APPROXIMATE LOCATION OF REMOVED USTS AND FORMER LOADING RACK

789.85' MSL

MW-6

REST ROOMS

FHR CONC. SLAB

FHR SHED

FORMER RAILROAD TRACKS

GRAVEL DRIVE

GRASS

GRASS DITCH

GRASS DITCH

GRASS DITCH

POLE BUILDING

GRAVEL

GRASS

BIKE TRAIL/FORMER RAILROAD

GRASS

WISCONSIN ELECTRIC SUBSTATION
130 N RICHMOND AVE

SMALL ENGINE REPAIR

MW3000

MW2000

MW900

MW800

MW600

PZ700


B.2.a
SOIL CONTAMINATION
NICOLET TRAILS CAMPGROUND
GILLETT, WISCONSIN
METCO
DRAWN BY : ED
DATE: 1/10/14
NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.
- ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- UST REMOVAL SOIL SAMPLING LOCATION
- GEOPROBE BORING LOCATION
- MONITORING WELL LOCATION
- HAND SAMPLE LOCATION (METCO 5/26/15)
- APPROXIMATE PROPERTY BOUNDARY
- CAMPSITE WATER AND ELECTRIC HOOK UP
- OVERHEAD LINES
- BURIED ELECTRIC
- WATER LINE
- BURIED ELECTRIC
- STORM SEWER
- FORMER UST & AST AREA
SCALE: 1 INCH = 70 FEET
EAST WASHINGTON STREET
CITY WELL #2
CITY PARK
GARAGE
GRASS
GRAVEL DRIVE
MW-1
MW-2
MW-3
MW-4
MW-5
MW-6
FORMER RAILROAD TRACKS
STORM DRAIN
POLE BUILDING
GRAVEL
NORTH RICHMOND AVENUE
REST ROOMS
FMR CONC. SLAB
FMR SHED
APPROXIMATE LOCATION FORMER BULK PLANT
APPROXIMATE LOCATION OF REMOVED USTS AND FORMER LOADING RACK
D.C.
GW RCL
GRAVEL DRIVE
GRASS DITCH
BIKE TRAIL/FORMER RAILROAD
MW1900
MW3000
MW2000
RAILROAD STREET
WISCONSIN ELECTRIC SUBSTATION 130 N RICHMOND AVE
SMALL ENGINE REPAIR
MW800
MW600
PZ700
GENERAL EXTENT OF PETROLEUM CONTAMINATION IN SOIL EXCEEDING NR720 GROUNDWATER RCLS, NON-INDUSTRIAL DIRECT CONTACT, AND/OR C-SAT VALUES

B.3.b GROUNDWATER ISOCONCENTRATION (8/31/15)

NICOLET TRAILS CAMPGROUND

METCO
709 Gillette Street, Suite 3
La Crosse, WI 54603
tel. (608) 781-8875
fax (608) 781-8893

GILLETT, WISCONSIN

DRAWN BY : ED

DATE: 1/10/14

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ▨ - ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- ● - UST REMOVAL SOIL SAMPLING LOCATION
- ✖ - GEOPROBE BORING LOCATION
- ◓ - MONITORING WELL LOCATION
- ⚠ - HAND SAMPLE LOCATION (METCO 5/26/15)
- — — — — — - APPROXIMATE PROPERTY BOUNDARY
- ⑤ - CAMPSITE WATER AND ELECTRIC HOOK UP

- = = = = = - OVERHEAD LINES
- — — — — — - BURIED ELECTRIC
- —— · —— · —— - WATER LINE
- — — — — — - BURIED ELECTRIC
- —— · · · —— - STORM SEWER
- [ ] - FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET

EAST WASHINGTON STREET

CITY WELL #2

CITY PARK

NORTH RICHMOND AVENUE

RAILROAD STREET

GARAGE

GRAVEL DRIVE

GRASS

FORMER RAILROAD TRACKS

MW-1

MW-2

MW-3

MW-4

MW-5

MW-6

PAL

ES

STORM DRAIN

APPROXIMATE LOCATION FORMER BULK PLANT

REST ROOMS

FNR CONC. SLAB

FNR SHED

APPROXIMATE LOCATION OF REMOVED USTS AND FORMER LOADING RACK

POLE BUILDING

GRASS DITCH

BIKE TRAIL/FORMER RAILROAD

MW3000

MW2000

MW900

MW800

MW600

PZ700

WISCONSIN ELECTRIC SUBSTATION
130 N RICHMOND AVE

SMALL ENGINE REPAIR

GENERAL EXTENT OF PETROLEUM CONTAMINATION IN GROUNDWATER EXCEEDING NR140 ENFORCEMENT STANDARDS (ES) AND/OR PREVENTIVE ACTION LIMITS (PAL)

B.3.a.1

GEOLOGIC CROSS SECTION

NICOLET TRAILS CAMPGROUND

GILLETT, WISCONSIN

DRAWN BY : JJ

DATE: 1/30/15

METCO
769 Gillette Street, Suite 3
La Crosse, WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8893

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- UST REMOVAL SOIL SAMPLING LOCATION
- GEOPROBE BORING LOCATION
- MONITORING WELL LOCATION
- HAND SAMPLE LOCATION (METCO 5/26/15)
- APPROXIMATE PROPERTY BOUNDARY
- CAMPSITE WATER AND ELECTRIC HOOK UP
- OVERHEAD LINES
- BURIED ELECTRIC
- WATER LINE
- BURIED ELECTRIC
- STORM SEWER
- FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET

EAST WASHINGTON STREET

CITY WELL #2

CITY PARK

NORTH RICHMOND AVENUE

RAILROAD STREET

GARAGE

GRAVEL DRIVE

GRASS

FORMER RAILROAD TRACKS

MW-2

MW-3

MW-4

MW-5

MW-6

G-23

G-17

G-22

STORM DRAIN

PAL

ES

G-4

G-12

G-10

G-9

G-13

G-14

G-15

G-16

HS-8

APPROXIMATE LOCATION FORMER BULK PLANT

MW-1

HS-9

HS-7

HS-10

HS-6

G-6

G-3

G-8

G-7

D.C.

G-11

GW RCL

HS-5

S-1

HS-4

G-1

G-20

REST ROOMS

FNR CONC. SLAB

FNR SHED

APPROXIMATE LOCATION OF REMOVED USTS AND FORMER LOADING RACK

G-19

HS-1

HS-2

HS-3

G-18

MW3000

MW2000

MW900

MW800

MW1600

PZ1700

POLE BUILDING

BIKE TRAIL/FORMER RAILROAD

WISCONSIN ELECTRIC SUBSTATION
130 N RICHMOND AVE

SMALL ENGINE REPAIR

GRASS DITCH

GENERAL EXTENT OF PETROLEUM CONTAMINATION IN SOIL EXCEEDING NR720 GROUNDWATER RCLS, NON-INDUSTRIAL DIRECT CONTACT, AND/OR C-SAT VALUES

GENERAL EXTENT OF PETROLEUM CONTAMINATION IN GROUNDWATER EXCEEDING NR140 ENFORCEMENT STANDARDS (ES) AND/OR PREVENTIVE ACTION LIMITS (PAL)

B.3.a.2
GEOLOGIC CROSS SECTION (CLOSE UP)

NICOLET TRAILS CAMPGROUND

GILLETT, WISCONSIN

DRAWN BY : JJ

DATE: 11/30/15

METCO
709 Gillette Street, Suite 3
La Crosse, WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8893
Excellence through experience

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

SCALE:
1 INCH = 25 FEET
0 25

= ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE

= UST REMOVAL SOIL SAMPLING LOCATION

= GEOPROBE BORING LOCATION

= MONITORING WELL LOCATION

= HAND SAMPLE LOCATION (METCO 5/26/15)

= APPROXIMATE PROPERTY BOUNDARY

[5] = CAMPSITE WATER AND ELECTRIC HOOK UP

= OVERHEAD LINES

= BURIED ELECTRIC

= WATER LINE

= BURIED ELECTRIC

= STORM SEWER

= FORMER UST & UST AREA



B.3.a.3
GEOLOGIC CROSS SECTION

NICOLET TRAILS CAMPGROUND

METCO
709 Gillette St Suite 3
La Crosse WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8893
Experience through experience

GILLETT, WISCONSIN

DRAWN BY : JJ

DATE: 11/30/15

- ✕ - GEOPROBE BORING LOCATION
- ✕ - GEOPROBE SOIL SAMPLING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ⊙ - SOIL SAMPLING LOCATION
- △ - HAND SAMPLE LOCATION (METCO 5/26/15)
- ▼ - WATERTABLE BASED ON ALL TIME LOW MEASUREMENTS

HORIZONTAL SCALE:
1 INCH = 25 FEET
0 25

VERTICAL SCALE:
1 INCH = 5 FEET
5 0

INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER

SOIL SAMPLE RESULTS ARE PRESENTED IN PARTS PER MILLION (PPM).

GROUNDWATER SAMPLE RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB).

GROUNDWATER FLOW IS TOWARD THE NORTH TO NORTHEAST.

NOTE: SOIL RESULTS SHOW DETECTS AND EXCEEDANCES THAT HAVE BEEN DOCUMENTED ON THE MAP. SEE DATA TABLES AND/OR LABORATORY REPORTS FOR ALL RESULTS

PID - PHOTO IONIZATION DETECTOR
DRO - DIESEL RANGE ORGANICS
PVOC - PETROLEUM VOLATILE ORGANIC COMPOUNDS
PAH - POLYNUCLEAR AROMATIC HYDROCARBONS
B - BENZENE
E - ETHYLBENZENE
MTBE - METHYL-TERT-BUTYL-ETHER
N - NAPHTHALENE
T - TOLUENE
TMB - TRIMETHYLBENZENE
X - XYLENE

NOTE: SOIL AND GROUNDWATER SAMPLE DATA IS BASED ON LABORATORY RESULTS FROM SAMPLES COLLECTED DURING THE FOLLOWING EVENTS:
- GEOPROBE PROJECT (4/15-16/14)
- DRILLING PROJECT (12/29-30/14)
- ROUND 3 GROUNDWATER SAMPLING (8/31/15)

TAN TO GRAY TO BLACK VERY FINE TO COARSE GRAINED SAND WITH SOME GRAVEL

BROWN TO RED SANDY SILT/CLAY TO SANDY CLAY WITH GRAVEL

GRAY SILT

FILL MATERIAL

BROWN FINE TO MEDIUM GRAINED SAND

A SOUTHWEST — A' NORTHEAST

805.00' MSL
800.00' MSL
795.00' MSL
790.00' MSL
785.00' MSL

APPROXIMATE LOCATION OF FORMER BULK PLANT

FORMER RAILROAD TRACKS
GRASS
MW-6
GRAVEL DRIVE
G-18
HS-6
G-6
MW-1
HS-9
G-14
G-15
MW-4

MW-6-1 3.5 FEET 0 PID
MW-6-2 8 FEET 0 PID
MW-6-3 12 FEET 0 PID
MW-6-4 16 FEET 0 PID

G-18-1 3.5 FEET 0 PID
G-18-2 8 FEET 0 PID
G-18-3 12 FEET 0 PID

HS-6 1 FEET 0175 N 0.036 TMB 0.082-0107 X PAHS

HS-9 1 FEET 9,065 T 0.041 TMB 0.158 X PAHS

G-6-1 3.5 FEET 460 PID 8.59 LEAD 22.8 B 120 E 32 N 2.54 T 430 12.4-TMB 127 13.5-TMB 4821 X PAHS

G-6-2 8 FEET 250 PID 2.13 B 5.6 E 8.8 N 1.32 T 26.5 TMB 25 X

G-6-3 12 FEET 90 PID 0.670-B 3.5 E 5.4 N 0.17 T 15.5 TMB 13.45 X

MW-1-1 3.5 FEET 935 PID 28.9 LEAD 9.5 B 22.4 E 41 N 5 T 12.4-TMB 52 13.5-TMB 12 X PAHS

MW-1-2 8 FEET 530 PID 3.79 LEAD 2550 DRO 6.3 B 1.9 E 17.6 N 3.4 T 19.4 TMB 53.5 X PAHS

MW-1-3 12 FEET 30 PID 1.08 LEAD NO PVOC OR PAH DETECTS

MW-1-4 16 FEET NO RECOVERY

ESTIMATED EXTENT OF PETROLEUM CONTAMINATION IN SOIL EXCEEDING NR720 NON-INDUSTRIAL DIRECT CONTACT LEVELS.

ESTIMATED EXTENT OF PETROLEUM CONTAMINATION IN SOIL AND GROUNDWATER (NR720 AND NR140 PAL EXCEEDANCES)

G-14-1 3.5 FEET 0 PID
G-14-2 6 FEET 25 PID 0.320-B 2.2 E 9.8 N 0.094 T 22.790 TMB 2.99 X
G-14-3 10.5 FEET 15 PID

G-15-1 3.5 FEET 0 PID
G-15-2 8 FEET 0 PID
G-15-3 11 FEET 60 PID

MW-4-1 3.5 FEET 0 PID
MW-4-2 8 FEET 0 PID
MW-4-3 12 FEET 0 PID
MW-4-4 16 FEET 0 PID

MW-6
<0.46 B
<0.73 E
<0.49 MTBE
<2.6 N
<0.39 T
<1.51 TMB
<2.06 X
NO PAH DETECTS

G-18
<0.24 B
<0.55 E
<0.23 MTBE
<1.7 N
<0.69 T
<3.6 TMB
<1.32 X

G-6
2230 B
1340 E
17.6 MTBE
180 N
141 T
2020 TMB
5130 X

MW-1
1670 B
360 E
44.9 MTBE
131 N
590 T
574 TMB
1370 X
NO PAH EXCEEDANCES

G-14
26.5 B
58 E
<0.23 MTBE
38 N
0.91 T
168-169.4 TMB
57.74 X

G-15
4.5 B
123 E
0.79 MTBE
3.9 N
1.54 T
26.3 TMB
2.93 X

MW-4
<0.46 B
<0.73 E
28.4 MTBE
<2.6 N
<0.39 T
<1.51 TMB
<2.06 X
NO PAH EXCEEDANCES

7.0 DATA TABLES, GRAPHS, AND STATISTICAL ANALYSIS

A.2. Soil Analytical Results Table
Nicolet Trails Campground BRRTS# 03-43-560923

Sample ID	Depth (feet)	Saturation U/S	Date	PID	Lead (ppm)	DRO (ppm)	GRO (ppm)	Benzene (ppm)	Ethyl Benzene (ppm)	MTBE (ppm)	Naph-thalene (ppm)	Toluene (ppm)	1,2,4-Trimethylbenzene (ppm)	1,3,5-Trimethylbenzene (ppm)	Xylene (Total) (ppm)	Other VOC's (ppb)	DIRECT CONTACT PVOC & PAH COMBINED: Exeedance Count	Hazard Index	Cumulative Cancer Risk
G-1-1	3.5	U	04/15/14	20	70.00	NS	NS	1.44	2.26	<0.025	0.760	0.930	23.3	6.5	17.9	NS	1	4.88E-01	4.2E-06
G-1-2	8.0	U	04/15/14	5	NS	NS	NS	<0.025	<0.025	<0.025	<0.0211	<0.025	0.062	0.044	<0.075	NS			
G-1-3	12.0	S	04/15/14	0	NS	NS	NS	<0.025	<0.025	<0.025	<0.0211	<0.025	<0.025	<0.025	<0.075	NS			
G-1-4	14.0	S	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-2-1	3.5	U	04/15/14	30	2.71	NS	NS	0.069	0.084	<0.025	0.066	0.139	0.640	0.610	0.591	NS	4	1.78E-02	2.1E-05
G-2-2	8.0	U	04/15/14	110	NS	NS	NS	0.069	0.093	<0.025	0.232	0.100	1.42	0.500	1.5	NS			
G-2-3	12.0	S	04/15/14	3	NS	NS	NS	<0.025	<0.025	<0.025	<0.0211	<0.025	<0.025	<0.025	<0.075	NS			
G-2-4	14.0	S	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-3-1	3.5	U	04/15/14	685	6.97	NS	NS	2.58	2.34	<0.025	10.1	0.550	11.7	4.5	15.66	NS	2	3.33E-01	4.8E-06
G-3-2	8.0	U	04/15/14	800	3.01	NS	70	0.900	2.06	<0.030	0.620	0.316	3.07	0.890	10.74	SEE VOC SHEET			
G-3-3	12.0	S	04/15/14	450	NS	NS	NS	3	9.8	<0.025	4.8	1.07	22.4	8.6	37.98	NS			
G-4-1	3.5	U	04/15/14	2	41.00	NS	NS	0.232	0.101	<0.025	0.0301	0.042	0.380	0.286	0.493	NS	0	1.10E-01	6.0E-07
G-4-2	8.0	U	04/15/14	1520	NS	NS	NS	8.6	11.9	<0.025	5.4	0.550	28.5	10.1	52.9	NS			
G-4-3	11.0	U	04/15/14	7	NS	NS	NS	<0.025	<0.025	<0.025	0.129	<0.025	<0.025	<0.025	<0.075	NS			
G-5-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-5-2	6.0	U	04/15/14	35	NS	NS	NS	<0.250	<0.250	<0.250	2.85	<0.250	2.73	2.06	0.430-0.930	NS			
G-5-3	10.0	S	04/15/14	3	NS	NS	NS	NOT SAMPLED								NS			
G-6-1	3.5	U	04/15/14	460	8.59	NS	NS	22.8	129	<0.250	32	2.54	430*	127	482.1*	NS	6	6.16E+00	4.1E-05
G-6-2	8.0	U	04/15/14	250	NS	NS	NS	2.13	5.6	<0.025	8.8	1.32	19.5	7	25	NS			
G-6-3	12.0	S	04/15/14	90	NS	NS	NS	0.670	3.5	<0.025	5.4	0.117	11.4	4.1	13.45	NS			
G-7-1	3.5	U	04/15/14	70	5.44	NS	NS	<0.025	<0.025	<0.025	<0.0211	<0.025	<0.025	<0.025	<0.075	NS	0	1.36E-02	
G-7-2	8.0	U	04/15/14	0	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS			
G-7-3	10.0	U	04/15/14	10	NS	NS	NS	NOT SAMPLED								NS			
G-8-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-8-2	8.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-8-3	10.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-9-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-9-2	8.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-9-3	10.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-10-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-10-2	8.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-10-3	10.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-11-1	3.5	U	04/15/14	0	3.70	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	0.0269	0.059	0.034-0.084	NS	0	9.80E-03	5.7E-10
G-11-2	5.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-12-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-12-2	8.0	U	04/15/14	0	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS			
G-12-3	11.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-13-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-13-2	8.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-13-3	11.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-13-4	14.0	S	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-14-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-14-2	6.0	U	04/15/14	25	NS	NS	NS	0.320	2.2	<0.025	9.8	0.094	22	0.790	2.99	NS			
G-14-3	10.5	U	04/15/14	15	NS	NS	NS	NOT SAMPLED								NS			
G-15-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-15-2	8.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-15-3	11.0	U	04/15/14	60	NS	NS	NS	NOT SAMPLED								NS			
G-16-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-16-2	8.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-16-3	12.0	S	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-17-1	3.5	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-17-2	8.0	U	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-17-3	12.0	S	04/15/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-18-1	3.5	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-18-2	8.0	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-18-3	12.0	S	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-19-1	3.5	U	04/16/14	5	65.40	NS	NS	0.048	0.173	<0.025	0.070	0.064	0.850	0.630	0.423	NS	5	1.78E-01	4.7E-05
G-19-2	8.0	U	04/16/14	85	NS	NS	NS	NOT SAMPLED								NS			
G-19-3	11.0	U	04/16/14	25	NS	NS	NS	NOT SAMPLED								NS			
G-20-1	3.5	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-20-2	8.0	S	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-20-3	10.5	S	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-21-1	3.5	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-21-2	8.0	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-21-3	9.0	S	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-22-1	3.5	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-22-2	8.0	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-22-3	12.0	S	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-22-4	14.0	S	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-23-1	3.5	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-23-2	8.0	U	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
G-23-3	12.0	S	04/16/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-3-1	3.5	U	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-3-2	8.0	U	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-3-3	12.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-3-4	16.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-4-1	3.5	U	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-4-2	8.0	U	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-4-3	12.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-4-4	16.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-5-1	3.5	U	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-5-2	8.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-5-3	12.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-5-4	16.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-6-1	3.5	U	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-6-2	8.0	U	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-6-3	12.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-6-4	16.0	S	12/29/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-1-1	3.5	U	12/30/14	105	28.90	NS	NS	9.5	22.4	<1.25	41	5	111	52	112	NS	5	2.61E+00	2.5E-05
MW-1-2	8.0	U	12/30/14	530	3.79	2550	NS	6.3	11.9	<0.25	17.6	3.4	25.5	10.9	53.5	TCLP BENZENE <0.05 TCLP LEAD <0.45			
MW-1-3	12.0	S	12/30/14	30	1.08	NS	NS	<0.025	<0.025	<0.025	<0.0211	<0.025	<0.025	<0.025	<0.075	NS			
MW-1-4	16.0	S	12/30/14	NO RECOVERY															
MW-2-1	3.5	U	12/30/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-2-2	8.0	U	12/30/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-2-3	12.0	S	12/30/14	0	NS	NS	NS	NOT SAMPLED								NS			
MW-2-4	16.0	S	12/30/14	0	NS	NS	NS	NOT SAMPLED								NS			
HS-1	1.0	U	05/26/15	NM	NS	NS	NS	<0.025	<0.025	<0.025	<0.0203	<0.025	<0.025	<0.025	<0.075	NS	5	5.67E-04	2.2E-05
HS-2	1.0	U	05/26/15	NM	NS	NS	NS	<0.025	<0.025	<0.025	0.0216	0.040	<0.025	<0.025	0.051-0.076	NS	5	2.34E-03	8.9E-05
HS-3	1.0	U	05/26/15	NM	NS	NS	NS	<0.025	<0.025	<0.025	<0.0203	<0.025	<0.025	<0.025	<0.075	NS			
HS-4	1.0	U	05/26/15	NM	NS	NS	NS	<0.025	<0.025	<0.025	<0.0203	<0.025	<0.025	<0.025	<0.075	NS			
HS-5	1.0	U	05/26/15	NM	NS	NS	NS	<0.025	<0.025	<0.025	0.0249	<0.025	<0.025	<0.025	<0.075	NS	1	5.40E-04	7.7E-06
HS-6	1.0	U	05/26/15	NM	NS	NS	NS	<0.025	<0.025	<0.025	0.175	<0.025	<0.025	0.036	0.082-0.107	NS	1	1.47E-03	8.4E-06
HS-7	1.0	U	05/26/15	NM	NS	NS	NS	2.18	0.72	<0.25	2.2	0.63	7.5	7.4	4.59	NS	2	1.43E-01	4.8E-06
HS-8	1.0	U	05/26/15	NM	NS	NS	NS	0.68	0.36	<0.025	0.0225	0.164	0.247	0.11	1.222	NS	1	1.09E-02	6.5E-06
HS-9	1.0	U	05/26/15	NM	NS	NS	NS	<0.025	<0.025	<0.025	<0.0203	0.065	0.041	<0.025	0.138	NS	4	9.42E-04	1.3E-05
HS-10	1.0	U	05/26/15	NM	NS	NS	NS	1.84	0.94	<0.25	8.2	1.21	82	33	36.2	NS	6	1.17E+00	2.0E-05
Groundwater RCL					27	-	-	0.00512	1.57	0.027	0.659	1.11	1.38		3.94	-			
Non-Industrial Direct Contact RCL					400	-	-	1.49	7.47	59.4	5.15	818	89.8	182	258	-		1.00E+00	1.00E-05
Soil Saturation Concentration (C-sat)*					-	-	-	1820*	480*	8870*	-	818*	219*	182*	258*	-			

Bold = Groundwater RCL Exceedance
Bold & Underline = Non Industrial Direct Contact RCL Exceedance
Bold & Asteric * = C-sat Exceedance

NS = Not Sampled
NM = Not Measured
(ppm) = parts per million
DRO = Diesel Range Organics
GRO = Gasoline Range Organics
PID = Photoionization Detector
PVOC's = Petroleum Volatile Organic Compounds

A.2. Soil Analytical Results Table
(PAH)
Nicolet Trails Campground BRRTS# 03-43-560923

																					DIRECT CONTACT PVOC & PAH COMBINED		
Sample	Depth (feet)	Saturation U/S	Date	Acenaph-thene (ppm)	Acenaph-thylene (ppm)	Anthracene (ppm)	Benzo(a) anthracene (ppm)	Benzo(a) pyrene (ppm)	Benzo(b) fluoranthene (ppm)	Benzo(g,h,I) perylene (ppm)	Benzo(k) fluoranthene (ppm)	Chrysene (ppm)	Dibenzo(a,h) anthracene (ppm)	Fluoranthene (ppm)	Fluorene (ppm)	Indeno(1,2,3-cd) pyrene (ppm)	1-Methyl-naphthalene (ppm)	2-Methyl-naphthalene (ppm)	Naph-thalene (ppm)	Phenan-threne (ppm)	Pyrene (ppm)	Exeedance Count	Hazard Index	Cumulative Cancer Risk
G-1-1	3.5	U	04/15/14	0.296	0.099	0.099	0.044	**0.0314**	0.043	0.034	0.0207	0.082	<0.0224	0.147	0.710	<0.0244	1.56	1.38	**0.760**	1.24	0.490	1	4.88E-01	4.2E-06
G-1-2	8.0	U	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	0.031	<0.0244	<0.0195	<0.0204	<0.0211	0.094	<0.020			
G-1-3	12.0	S	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	<0.020	<0.0244	<0.0195	<0.0204	<0.0211	<0.0247	<0.020			
G-2-1	3.5	U	04/15/14	0.145	0.057	0.084	**0.222**	**0.204**	**0.275**	0.164	0.119	**0.221**	**0.037**	0.410	0.350	0.135	0.460	0.156	0.066	0.590	0.480	4	1.78E-02	2.1E-05
G-2-2	8.0	U	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	<0.020	<0.0244	0.122	0.147	0.232	<0.0247	<0.020			
G-2-3	12.0	S	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	<0.020	<0.0244	<0.0195	<0.0204	<0.0211	<0.0247	<0.020			
G-3-1	3.5	U	04/15/14	1.74	0.490	1.15	<0.092	<0.095	<0.090	<0.115	<0.103	**0.153**	<0.112	0.320	3.16	<0.122	12.7	17.9	**10.1**	5.3	1.09	2	3.33E-01	4.8E-06
G-3-2	8.0	U	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	0.034	<0.0244	0.390	0.660	0.540	0.080	<0.020			
G-3-3	12.0	S	04/15/14	0.207	0.101	0.088	<0.0368	<0.038	<0.036	<0.046	<0.0412	<0.037	<0.0448	0.040	0.400	<0.0488	4.6	8.4	**4.8**	0.950	0.108			
G-4-1	3.5	U	04/15/14	<0.0211	<0.0195	<0.0185	0.0267	<0.019	0.035	<0.023	<0.0206	0.0289	<0.0224	0.043	<0.020	<0.0244	0.039	0.044	0.0301	0.032	0.040	0	1.10E-01	6.0E-07
G-4-2	8.0	U	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	<0.020	<0.0244	3.11	6.7	**5.4**	<0.0247	<0.020			
G-4-3	11.0	U	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	<0.020	<0.0244	0.083	0.142	0.129	<0.0247	<0.020			
G-6-1	3.5	U	04/15/14	0.630	0.380	<0.185	<0.184	<0.190	<0.180	<0.230	<0.206	<0.185	<0.224	<0.181	1.36	<0.244	**32**	53	**32**	1.85	<0.200	6	6.16E+00	4.1E-05
G-7-1	3.5	U	04/15/14	<0.0211	<0.0195	<0.0185	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	<0.020	<0.0244	<0.0195	<0.0204	<0.0211	<0.0247	<0.020	0	1.36E-02	
G-11-1	3.5	U	04/15/14	0.110	<0.0195	0.049	<0.0184	<0.019	<0.018	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	0.218	<0.0244	<0.0195	<0.0204	<0.0211	0.430	0.070	0	9.80E-03	5.7E-10
G-19-1	3.5	U	04/16/14	0.320	0.091	0.380	**0.680**	**0.470**	**0.550**	0.360	0.218	**0.520**	**0.074**	1.49	0.400	**0.261**	0.910	0.173	0.070	1.62	1.85	5	1.78E-01	4.7E-05
G-19-2	8.0	U	04/16/14	<0.0211	<0.0195	0.0224	0.045	0.0282	0.036	0.0269	0.0237	0.038	<0.0224	0.104	0.034	<0.0244	0.760	0.990	0.314	0.104	0.088			
MW-1-1	3.5	U	12/30/14	11.7	3.5	7.8	<0.92	<0.95	<0.95	<1.15	<1.03	<0.925	<1.12	1.17	**20.3**	<1.22	**123**	172	**41**	44	4.9	5	2.61E+00	2.5E-05
MW-1-2	8.0	U	12/30/14	0.58	0.233	0.53	<0.184	<0.19	<0.19	<0.23	<0.206	<0.185	<0.224	<0.181	1.21	<0.244	**20.5**	32	**17.6**	2.1	<0.2			
MW-1-3	12.0	S	12/30/14	<0.0211	<0.0195	<0.0188	<0.0184	<0.019	<0.019	<0.023	<0.0206	<0.0185	<0.0224	<0.0181	<0.02	<0.0244	<0.0195	<0.0204	<0.0211	<0.0247	<0.02			
HS-1	1.0	U	05/26/15	<0.0201	0.0284	0.055	**0.204**	**0.213**	**0.35**	0.202	0.142	**0.233**	**0.035**	0.50	<0.0184	**0.159**	0.0214	0.0232	<0.0203	0.20	0.41	5	5.67E-04	2.2E-05
HS-2	1.0	U	05/26/15	0.063	0.041	0.253	**0.89**	**0.89**	**1.27**	0.68	0.39	**0.91**	**0.143**	2.01	0.089	**0.56**	0.0271	0.039	0.0216	1.25	1.78	5	2.34E-03	8.9E-05
HS-3	1.0	U	05/26/15	<0.0201	<0.0198	<0.0171	<0.0191	<0.0143	<0.019	<0.02	<0.0174	<0.0192	<0.0201	<0.0192	<0.0184	<0.0165	<0.0205	<0.0199	<0.0203	<0.0198	<0.0192			
HS-4	1.0	U	05/26/15	<0.0201	<0.0198	<0.0171	<0.0191	<0.0143	<0.019	<0.02	<0.0174	<0.0192	<0.0201	<0.0192	<0.0184	<0.0165	<0.0205	<0.0199	<0.0203	<0.0198	<0.0192			
HS-5	1.0	U	05/26/15	<0.0201	0.0235	<0.0171	0.095	**0.094**	0.137	0.071	0.06	0.10	<0.0201	0.154	0.0303	0.057	0.051	0.040	0.0249	0.081	0.23	1	5.40E-04	7.7E-06
HS-6	1.0	U	05/26/15	0.38	0.186	0.33	0.141	**0.211**	**0.296**	0.181	0.11	**0.229**	**0.038**	0.267	0.42	0.133	1.01	0.47	0.175	0.55	1.16	1	1.47E-03	8.4E-06
HS-7	1.0	U	05/26/15	2.55	0.66	0.95	0.039	**0.0198**	0.055	0.0239	<0.0174	0.044	<0.0201	0.133	2.53	0.0204	10.8	2.03	**2.2**	7.0	0.259	2	1.43E-01	4.8E-06
HS-8	1.0	U	05/26/15	<0.0201	0.035	0.0296	0.067	**0.064**	0.117	0.066	0.044	0.061	<0.0201	0.077	<0.0184	0.050	0.039	0.038	0.0225	0.062	0.076	1	1.09E-02	6.5E-06
HS-9	1.0	U	05/26/15	<0.0201	0.0218	0.048	**0.163**	**0.123**	**0.202**	0.096	0.081	0.133	**0.0247**	0.245	<0.0184	0.079	<0.0205	0.0224	<0.0203	0.089	0.19	4	9.42E-04	1.3E-05
HS-10	1.0	U	05/26/15	0.82	0.35	0.57	**0.39**	**0.166**	**0.286**	<0.2	<0.174	**0.299**	<0.0201	0.64	1.4	<0.0165	**16.7**	24	**8.2**	2.77	0.95	6	1.17E+00	2.0E-05
Groundwater RCL				---	---	**197**	---	**0.47**	**0.48**	---	---	**0.145**	---	**88.8**	**14.8**	---	---	---	**0.659**	---	**54.5**			
Non-Industrial Direct Contact RCL				**3440**	---	**17200**	**0.148**	**0.0148**	**0.148**	---	**1.48**	**14.8**	**0.0148**	**2290**	**2290**	**0.148**	**15.6**	**229**	**5.15**	---	**1720**		**1.00E+00**	**1.00E-05**
Soil Saturation Concentration (C-sat)*				---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			

Bold = Groundwater RCL Exceedance
Bold & Underline =Industrial Direct Contact RCL Exceedance
Bold &Asteric * = C-sat Exceedance
NS = Not Sampled
(ppm) = parts per million
PAH = Polynuclear Aromatic Hydrocarbons
PID = Photoionization Detector
VOC's = Volatile Organic Compounds

A.2. Soil Analytical Results Table
Nicolet Trails Campground BRRTS# 03-43-560923

Sampling Conducted on April 15 & 16, 2014

VOC's		Bold = Groundwater RCL	Underline & Bold = Direct Contact RCL	Asteric * & Bold =Soil Saturation (C-sat) RCL
Sample ID#	G-3-2			
Sample Depth/ft.	8			
Solids Percent	91.7			
Lead/ppm	3.01	27	400	= =
Gasoline Range Organics/ppm	70	= =	= =	= =
Benzene/ppm	0.9	0.00512	1.49	1820
Bromobenzene/ppm	< 0.013	= =	354	= =
Bromodichloromethane/ppm	< 0.027	0.000326	0.39	= =
Bromoform/ppm	< 0.030	0.00233	61.6	= =
tert-Butylbenzene/ppm	< 0.020	= =	183	183
sec-Butylbenzene/ppm	0.057 "J"	= =	145	145
n-Butylbenzene/ppm	0.220	= =	108	108
Carbon Tetrachloride/ppm	< 0.025	0.00388	0.85	= =
Chlorobenzene/ppm	< 0.016	= =	392	= =
Chloroethane/ppm	< 0.042	0.227	= =	= =
Chloroform/ppm	< 0.049	0.0033	0.42	= =
Chloromethane/ppm	< 0.181	0.0155	171	= =
2-Chlorotoluene/ppm	< 0.016	= =	= =	= =
4-Chlorotoluene/ppm	< 0.014	= =	= =	= =
1,2-Dibromo-3-chloropropane/ppm	< 0.048	0.000173	0.01	= =
Dibromochloromethane/ppm	< 0.014	0.032	0.93	= =
1,4-Dichlorobenzene/ppm	< 0.033	0.144	3.48	= =
1,3-Dichlorobenzene/ppm	< 0.030	1.15	297	297
1,2-Dichlorobenzene/ppm	< 0.038	1.17	376	376
Dichlorodifluoromethane/ppm	< 0.057	3.08	135	= =
1,2-Dichloroethane (DCA)/ppm	< 0.036	0.00284	0.61	540
1,1-Dichloroethane/ppm	< 0.019	0.484	4.72	= =
1,1-Dichloroethene/ppm	< 0.021	0.00502	342	= =
cis-1,2-Dichloroethene/ppm	< 0.024	0.0412	156	= =
trans-1,2-Dichloroethene/ppm	< 0.029	0.0588	211	= =
1,2-Dichloropropane/ppm	< 0.0095	0.00332	1.33	= =
2,2-Dichloropropane/ppm	< 0.046	= =	527	527
1,3-Dichloropropane/ppm	< 0.021	= =	1490	1490
Di-isopropyl ether/ppm	<0.011	= =	2260	2260
EDB (1,2-Dibromoethane)/ppm	< 0.020	0.0000282	0.05	= =
Ethylbenzene/ppm	**2.06**	1.57	7.47	480
Hexachlorobutadiene/ppm	< 0.095	= =	6.23	= =
Isopropylbenzene/ppm	0.123	= =	= =	= =
p-Isopropyltoluene/ppm	< 0.031	= =	162	162
Methylene chloride/ppm	< 0.057	0.00256	60.7	= =
Methyl tert-butyl ether (MTBE)/ppm	< 0.030	0.027	59.4	8870
Naphthalene/ppm	0.620	0.659	5.15	= =
n-Propylbenzene/ppm	0.420	= =	= =	= =
1,1,2,2-Tetrachloroethane/ppm	< 0.012	0.000156	0.75	= =
1,1,1,2-Tetrachloroethane/ppm	< 0.023	0.0533	2.59	= =
Tetrachloroethene (PCE)/ppm	< 0.049	0.00454	30.7	= =
Toluene/ppm	0.316	1.11	818	818
1,2,4-Trichlorobenzene/ppm	< 0.079	0.408	22.1	= =
1,2,3-Trichlorobenzene/ppm	< 0.129	= =	48.9	= =
1,1,1-Trichloroethane/ppm	< 0.038	0.14	= =	= =
1,1,2-Trichloroethane/ppm	< 0.023	0.00324	1.48	= =
Trichloroethene (TCE)/ppm	< 0.028	0.00358	0.64	= =
Trichlorofluoromethane/ppm	< 0.086	= =	1120	= =
1,2,4-Trimethylbenzene/ppm	**3.07**	1.38	89.8	219
1,3,5-Trimethylbenzene/ppm	**0.890**		182	182
Vinyl Chloride/ppm	< 0.021	0.000138	0.07	= =
m&p-Xylene/ppm	**8.1**	3.94	258	258
o-Xylene/ppm	**2.64**			

NS = not sampled, NM = Not Measured
(ppm) = parts per million
DRO = Diesel Range Organics
GRO = Gasoline Range Organics
= = No Exceedences

A.1 Groundwater Analytical Table
(Geoprobe)
Nicolet Trails Campground BRRTS# 03-43-560923

Sample ID	Date	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naph-thalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
G-1-W	04/15/14	*1.77*	<0.82	<0.37	<1.2	<0.8	2.8-3.66	3.91
G-2-W	04/15/14	0.35	<0.82	<0.37	<1.2	<0.8	<1.69	<2.41
G-3-W	04/15/14	*4.3*	109	<0.37	*24.1*	5.1	22.6	59-59.81
G-4-W	04/15/14	**126**	136	<3.7	*66*	<8	**491**	*685.9*
G-5-W	04/15/14	*1.94*	<0.82	<0.37	3.8	1.19	23-23.86	19.2-20.01
G-6-W	04/15/14	**2230**	**1340**	*17.6*	**610**	141	**2020**	**5130**
G-7-W	04/15/14	**112**	34	4.2	*44*	2.8	37.7	40.4
G-8-W	04/15/14	<0.27	<0.82	<0.37	<1.2	19.5	1.32-2.18	1.79-2.60
G-9-W	04/15/14	*2.79*	<0.55	<0.23	<1.7	<0.69	<3.6	0.83-1.46
G-10-W	04/15/14	<0.24	<0.55	<0.23	<1.7	1.25	<3.6	<1.32
G-12-W	04/15/14	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
G-13-W	04/15/14	**21.6**	<0.55	0.52	<1.7	<0.69	<3.6	<1.32
G-14-W	04/15/14	**26.5**	58	<0.23	*38*	0.91	*168-169.4*	57.74
G-15-W	04/15/14	*4.5*	1.23	0.79	3.9	1.54	26.3	2.93
G-16-W	04/15/14	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
G-17-W	04/15/14	<0.24	<0.55	2.66	<1.7	<0.69	<3.6	<1.32
G-18-W	04/16/14	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
G-19-W	04/16/14	<0.24	<0.55	<0.23	<1.7	2.49	<3.6	1.04-1.67
G-20-W	04/16/14	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
G-21-W	04/16/14	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
G-22-W	04/16/14	*3.4*	<4.1	*12.5*	<6	<4	<8.45	<12.05
G-23-W	04/16/14	*1.17*	<0.82	10.3	<1.2	4	<1.69	<2.41
ENFORCE MENT STANDARD ES = Bold		**5**	**700**	**60**	**100**	**800**	**480**	**2000**
PREVENTIVE ACTION LIMIT PAL = Italics		*0.5*	*140*	*12*	*10*	*160*	*96*	*400*

NS = Not Sampled

(ppb) = parts per billion (ppm) = parts per million

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

A.1 Groundwater Analytical Table
Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-1
PVC Elevation = 799.6 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naph-thalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	789.01	10.59	<0.7	**194**	22.5	<1.1	6.1	21.5	56.3	286
05/26/15	789.29	10.31	NS	**229**	*42*	<2.45	<13	21.3	38.6	118.4
08/31/15	788.02	11.58	NS	**1670**	*360*	<4.9	**131**	*590*	**574**	*1370*
ENFORCE MENT STANDARD ES = **Bold**			**15**	**5**	**700**	**60**	**100**	**800**	**480**	**2000**
PREVENTIVE ACTION LIMIT *PAL = Italics*			*1.5*	*0.5*	*140*	*12*	*10*	*160*	*96*	*400*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-2
PVC Elevation = 798.97 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naph-thalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	787.92	11.05	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	788.02	10.95	NS	<0.46	<0.73	<0.49	<2.6	0.62	<1.51	<2.06
08/31/15	787.32	11.65	NS	<0.46	<0.73	0.84	<2.6	<0.39	<1.51	<2.06
ENFORCE MENT STANDARD ES = **Bold**			**15**	**5**	**700**	**60**	**100**	**800**	**480**	**2000**
PREVENTIVE ACTION LIMIT *PAL = Italics*			*1.5*	*0.5*	*140*	*12*	*10*	*160*	*96*	*400*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-3
PVC Elevation = 796.54 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naph-thalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	786.73	9.81	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	786.65	9.89	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
08/31/15	786.25	10.29	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
ENFORCE MENT STANDARD ES = **Bold**			**15**	**5**	**700**	**60**	**100**	**800**	**480**	**2000**
PREVENTIVE ACTION LIMIT *PAL = Italics*			*1.5*	*0.5*	*140*	*12*	*10*	*160*	*96*	*400*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-4
PVC Elevation = 798.36 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naph-thalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	786.79	11.57	<0.7	<0.44	<0.71	*37*	<1.6	<0.44	<3.1	<3.1
05/26/15	786.89	11.47	NS	<0.46	<0.73	*25.3*	<2.6	<0.39	<1.51	<2.06
08/31/15	785.97	12.39	NS	<0.46	<0.73	*28.4*	<2.6	<0.39	<1.51	<2.06
ENFORCE MENT STANDARD ES = **Bold**			**15**	**5**	**700**	**60**	**100**	**800**	**480**	**2000**
PREVENTIVE ACTION LIMIT *PAL = Italics*			*1.5*	*0.5*	*140*	*12*	*10*	*160*	*96*	*400*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-5
PVC Elevation = 797.52 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naph-thalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	790.38	7.14	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	790.65	6.87	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
08/31/15	788.15	9.37	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
ENFORCE MENT STANDARD ES = **Bold**			**15**	**5**	**700**	**60**	**100**	**800**	**480**	**2000**
PREVENTIVE ACTION LIMIT *PAL = Italics*			*1.5*	*0.5*	*140*	*12*	*10*	*160*	*96*	*400*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-6
PVC Elevation = 798.79 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naph-thalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	790.21	8.58	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	790.58	8.21	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
08/31/15	789.04	9.75	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
ENFORCE MENT STANDARD ES = **Bold**			**15**	**5**	**700**	**60**	**100**	**800**	**480**	**2000**
PREVENTIVE ACTION LIMIT *PAL = Italics*			*1.5*	*0.5*	*140*	*12*.,	*10*	*160*	*96*	*400*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
(PAH)
Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-1

Date	Ace-naphthene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a) anthracene (ppb)	Benzo(a) pyrene (ppb)	Benzo(b) fluoranthene (ppb)	Benzo(g,h,i) Perylene (ppb)	Benzo(k) fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h) anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd) pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
01/26/15	0.024	<0.021	<0.02	<0.019	<0.019	<0.019	<0.024	<0.018	<0.017	<0.025	<0.018	0.025	<0.018	0.206	0.082	0.05	0.017	<0.018
ENFORCE MENT STANDARD = **ES – Bold**			**3000**	-	**0.2**	**0.2**	-	-	**0.2**	-	**400**	**400**	-	-	-	**100**	-	**250**
PREVENTIVE ACTION LIMIT = *PAL - Italics*			*600*	-	*0.02*	*0.02*	-	-	*0.02*	-	*80*	*80*	-	-	-	*10*	-	*50*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-2

Date	Ace-naphthene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a) anthracene (ppb)	Benzo(a) pyrene (ppb)	Benzo(b) fluoranthene (ppb)	Benzo(g,h,i) Perylene (ppb)	Benzo(k) fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h) anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd) pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
01/26/15	<0.02	<0.021	<0.02	<0.019	<0.019	<0.019	<0.024	<0.018	<0.017	<0.025	<0.018	<0.017	<0.018	<0.018	<0.017	<0.018	<0.017	<0.018
ENFORCE MENT STANDARD = **ES – Bold**			**3000**	-	**0.2**	**0.2**	-	-	**0.2**	-	**400**	**400**	-	-	-	**100**	-	**250**
PREVENTIVE ACTION LIMIT = *PAL - Italics*			*600*	-	*0.02*	*0.02*	-	-	*0.02*	-	*80*	*80*	-	-	-	*10*	-	*50*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

Date	Ace-naphthene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a) anthracene (ppb)	Benzo(a) pyrene (ppb)	Benzo(b) fluoranthene (ppb)	Benzo(g,h,i) Perylene (ppb)	Benzo(k) fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h) anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd) pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
01/26/15	<0.02	<0.021	<0.02	<0.019	<0.019	<0.019	<0.024	<0.018	<0.017	<0.025	<0.018	<0.017	<0.018	<0.018	<0.017	<0.018	<0.017	<0.018
ENFORCE MENT STANDARD = **ES – Bold**			**3000**	-	**0.2**	**0.2**	-	-	**0.2**	-	**400**	**400**	-	-	-	**100**	-	**250**
PREVENTIVE ACTION LIMIT = *PAL - Italics*			*600*	-	*0.02*	*0.02*	-	-	*0.02*	-	*80*	*80*	-	-	-	*10*	-	*50*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
(PAH)
Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-4

Date	Ace-naphthene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a) anthracene (ppb)	Benzo(a) pyrene (ppb)	Benzo(b) fluoranthene (ppb)	Benzo(g,h,i) Perylene (ppb)	Benzo(k) fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h) anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd) pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
01/26/15	<0.02	<0.021	<0.02	<0.019	<0.019	<0.019	<0.024	<0.018	<0.017	<0.025	<0.018	<0.017	<0.018	<0.018	<0.017	0.023	<0.017	<0.018
ENFORCE MENT STANDARD = ES – Bold			3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	100	-	250
PREVENTIVE ACTION LIMIT = *PAL - Italics*			*600*	-	*0.02*	*0.02*	-	-	*0.02*	-	*80*	*80*	-	-	-	*10*	-	*50*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

Date	Ace-naphthene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a) anthracene (ppb)	Benzo(a) pyrene (ppb)	Benzo(b) fluoranthene (ppb)	Benzo(g,h,i) Perylene (ppb)	Benzo(k) fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h) anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd) pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
01/26/15	<0.02	<0.021	<0.02	<0.019	<0.019	<0.019	<0.024	<0.018	<0.017	<0.025	<0.018	<0.017	<0.018	<0.018	0.018	0.027	<0.017	<0.018
ENFORCE MENT STANDARD = ES – Bold			3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	100	-	250
PREVENTIVE ACTION LIMIT = *PAL - Italics*			*600*	-	*0.02*	*0.02*	-	-	*0.02*	-	*80*	*80*	-	-	-	*10*	-	*50*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

Date	Ace-naphthene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a) anthracene (ppb)	Benzo(a) pyrene (ppb)	Benzo(b) fluoranthene (ppb)	Benzo(g,h,i) Perylene (ppb)	Benzo(k) fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h) anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd) pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
01/26/15	<0.02	<0.021	<0.02	<0.019	<0.019	<0.019	<0.024	<0.018	<0.017	<0.025	<0.018	<0.017	<0.018	<0.018	<0.017	<0.018	<0.017	<0.018
ENFORCE MENT STANDARD = ES – Bold			3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	100	-	250
PREVENTIVE ACTION LIMIT = *PAL - Italics*			*600*	-	*0.02*	*0.02*	-	-	*0.02*	-	*80*	*80*	-	-	-	*10*	-	*50*

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Nicolet Trails Campground BRRTS# 03-43-560923

Well Sampling Conducted on:	01/26/15	01/26/15	01/26/15	01/26/15	01/26/15	01/26/15		
							ENFORCE MENT STANDARD = ES – Bold	*PREVENTIVE ACTION LIMIT = PAL - Italics*
VOC's								
Well Name	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6		
Lead, dissolved/ppb	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	15	*1.5*
Benzene/ppb	194	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	5	*0.5*
Bromobenzene/ppb	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	==	==
Bromodichloromethane/ppb	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	0.6	*0.06*
Bromoform/ppb	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	4.4	*0.44*
tert-Butylbenzene/ppb	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	==	==
sec-Butylbenzene/ppb	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	==	==
n-Butylbenzene/ppb	1.52 "J"	< 1	< 1	< 1	< 1	< 1	==	==
Carbon Tetrachloride/ppb	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	5	*0.5*
Chlorobenzene/ppb	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	==	==
Chloroethane/ppb	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	400	*80*
Chloroform/ppb	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	6	*0.6*
Chloromethane/ppb	< 1.9	< 1.9	< 1.9	< 1.9	< 1.9	< 1.9	30	*3*
2-Chlorotoluene/ppb	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	==	==
4-Chlorotoluene/ppb	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	==	==
1,2-Dibromo-3-chloropropane/ppb	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	0.2	*0.02*
Dibromochloromethane/ppb	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	60	*6*
1,4-Dichlorobenzene/ppb	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	75	*15*
1,3-Dichlorobenzene/ppb	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	600	*120*
1,2-Dichlorobenzene/ppb	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	600	*60*
Dichlorodifluoromethane/ppb	< 0.87	< 0.87	< 0.87	< 0.87	< 0.87	< 0.87	1000	*200*
1,2-Dichloroethane/ppb	17.3	< 0.54	< 0.54	< 0.54	< 0.54	< 0.54	5	*0.5*
1,1-Dichloroethane/ppb	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	850	*85*
1,1-Dichloroethene/ppb	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	< 0.65	7	*0.7*
cis-1,2-Dichloroethene/ppb	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	70	*7*
trans-1,2-Dichloroethene/ppb	< 0.54	< 0.54	< 0.54	< 0.54	< 0.54	< 0.54	100	*20*
1,2-Dichloropropane/ppb	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	5	*0.5*
2,2-Dichloropropane/ppb	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1	==	==
1,3-Dichloropropane/ppb	< 0.42	< 0.42	< 0.42	< 0.42	< 0.42	< 0.42	==	==
Di-isopropyl ether/ppb	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	==	==
EDB (1,2-Dibromoethane)/ppb	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	0.05	*0.005*
Ethylbenzene/ppb	22.5	< 0.71	< 0.71	< 0.71	< 0.71	< 0.71	700	*140*
Hexachlorobutadiene/ppb	< 2.2	< 2.2	< 2.2	< 2.2	< 2.2	< 2.2	==	==
Isopropylbenzene/ppb	1.45 "J"	< 0.82	< 0.82	< 0.82	< 0.82	< 0.82	==	==
p-Isopropyltoluene/ppb	1.65 "J"	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	==	==
Methylene chloride/ppb	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	5	*0.5*
Methyl tert-butyl ether (MTBE)/ppb	< 1.1	< 1.1	< 1.1	*37*	< 1.1	< 1.1	60	*12*
Naphthalene/ppb	6.1	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	100	*10*
n-Propylbenzene/ppb	2.44	< 0.77	< 0.77	< 0.77	< 0.77	< 0.77	==	==
1,1,2,2-Tetrachloroethane/ppb	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	0.2	*0.02*
1,1,1,2-Tetrachloroethane/ppb	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	70	*7*
Tetrachloroethene (PCE)/ppb	< 0.74	< 0.74	< 0.74	< 0.74	< 0.74	< 0.74	5	*0.5*
Toluene/ppb	21.5	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	800	*160*
1,2,4-Trichlorobenzene/ppb	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	70	*14*
1,2,3-Trichlorobenzene/ppb	< 2.7	< 2.7	< 2.7	< 2.7	< 2.7	< 2.7	==	==
1,1,1-Trichloroethane/ppb	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	200	*40*
1,1,2-Trichloroethane/ppb	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	5	*0.5*
Trichloroethene (TCE)/ppb	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	5	*0.5*
Trichlorofluoromethane/ppb	< 0.87	< 0.87	< 0.87	< 0.87	< 0.87	< 0.87	==	==
1,2,4-Trimethylbenzene/ppb	39	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6		
1,3,5-Trimethylbenzene/ppb	17.3	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	Total TMB's 480	*Total TMB's 96*
Vinyl Chloride/ppb	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	0.2	*0.02*
m&p-Xylene/ppb	194	< 2.2	< 2.2	< 2.2	< 2.2	< 2.2		
o-Xylene/ppb	92	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	Total Xylenes 2000	*Total Xylenes 400*

NS = not sampled, NM = Not Measured
Q = Analyte detected above laboratory method detection limit but below practical quantitation limit.
= = No Exceedences
(ppb) = parts per billion
(ppm) = parts per million
"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

A.6 Water Level Elevations
Nicolet Trails Campground BRRTS# 03-43-560923
Gillett, Wisconsin

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6
Ground Surface (feet msl)	800.02	799.43	796.84	798.65	798.01	799.16
PVC top (feet msl)	799.60	798.97	796.54	798.36	797.52	798.79
Well Depth (feet)	15	16	15	15	16	15
Top of screen (feet msl)	795.02	793.43	791.84	793.65	792.01	794.16
Bottom of screen (feet msl)	785.02	783.43	781.84	783.65	782.01	784.16
Depth to Water From Top of PVC (feet)						
01/26/15	10.59	11.05	9.81	11.57	7.14	8.58
05/26/15	10.31	10.95	9.89	11.47	6.87	8.21
08/31/15	11.58	11.65	10.29	12.39	9.37	9.75
Depth to Water From Ground Surface (feet)						
01/26/15	11.01	11.51	10.11	11.86	7.63	8.95
05/26/15	10.73	11.41	10.19	11.76	7.36	8.58
08/31/15	12.00	12.11	10.59	12.68	9.86	10.12
Groundwater Elevation (feet msl)						
01/26/15	789.01	787.92	786.73	786.79	790.38	790.21
05/26/15	789.29	788.65	789.71	788.13	792.73	791.39
08/31/15	788.02	787.95	789.31	787.21	790.23	789.85

A.7 Other
Groundwater NA Indicator Results
Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-1

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	1.14	5.74	250	6.1	373	<0.15	92	<0.06	**443**
05/26/15	1.85	7.41	65	11.2	698	NS	NS	NS	NS
08/31/15	1.58	7.66	-31	15.9	1367	NS	NS	NS	NS
ENFORCE MENT STANDARD = **ES – Bold**						**10**	-	-	**300**
PREVENTIVE ACTION LIMIT = *PAL - Italics*						*2*	-	-	60

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
Note: Elevations are presented in feet mean sea level (msl).

Well MW-2

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	2.03	6.01	294	6.9	327	0.189	95.4	<0.06	*156*
05/26/15	2.71	7.94	-425	10.5	468	NS	NS	NS	NS
08/31/15	2.37	8.04	56	16.2	1027	NS	NS	NS	NS
ENFORCE MENT STANDARD = **ES – Bold**						**10**	-	-	**300**
PREVENTIVE ACTION LIMIT = *PAL - Italics*						*2*	-	-	60

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	2.25	6.11	320	7.2	289	<0.15	85.3	<0.06	**541**
05/26/15	2.25	7.79	-192	10.1	575	NS	NS	NS	NS
08/31/15	2.14	8.09	-48	15.8	1261	NS	NS	NS	NS
ENFORCE MENT STANDARD = **ES – Bold**						**10**	-	-	**300**
PREVENTIVE ACTION LIMIT = *PAL - Italics*						*2*	-	-	60

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
Note: Elevations are presented in feet mean sea level (msl).

Well MW-4

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	2.12	6.24	309	6.5	488	<0.15	135	<0.06	*223*
05/26/15	1.93	7.48	-74	10.7	841	NS	NS	NS	NS
08/31/15	2.68	7.06	100	15.1	810	NS	NS	NS	NS
ENFORCE MENT STANDARD = **ES – Bold**						**10**	-	-	**300**
PREVENTIVE ACTION LIMIT = *PAL - Italics*						*2*	-	-	60

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
Note: Elevations are presented in feet mean sea level (msl).

A.7 Other

Groundwater NA Indicator Results

Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-5

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	1.51	5.81	210	6.2	568	<0.15	159	<0.06	**446**
05/26/15	2.33	7.31	108	10.5	1156	NS	NS	NS	NS
08/31/15	2.79	7.79	37	16.1	923	NS	NS	NS	NS
ENFORCE MENT STANDARD = **ES – Bold**						**10**	-	-	**300**
PREVENTIVE ACTION LIMIT = *PAL - Italics*						*2*	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	1.11	5.99	207	5.7	474	<0.15	88	<0.06	*241*
05/26/15	2.45	7.65	127	9.4	524	NS	NS	NS	NS
08/31/15	2.36	7.08	208	16.3	710	NS	NS	NS	NS
ENFORCE MENT STANDARD = **ES – Bold**						**10**	-	-	**300**
PREVENTIVE ACTION LIMIT = *PAL - Italics*						*2*	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

APPENDIX A/ METHODS OF INVESTIGATION

Site Investigation Report - METCO
Nicolet Trails Campground

Geoprobe Project

Geoprobe sampling was completed by Geiss Soil and Samples LLC. of Merrill, Wisconsin, under the supervision of METCO personnel. The Geoprobe consists of a truck or track-mounted, hydraulically driven unit that advances interconnected, 1-inch diameter, 4 foot long, and stainless steel rods into the subsurface.

Field observations such as soil characteristics, petroleum odors, and petroleum staining associated with all the collected samples were continuously noted throughout sampling. All Geoprobe holes were properly abandoned to ground level using bentonite clay.

The purpose of the Geoprobe Project was to cost effectively determine, if the released contaminants have impacted the soil and groundwater, and determine the general extent of contamination along those mediums. This collected information would then be used to guide the Drilling Project, if required.

Geoprobe Soil Sampling

The procedure consisted of advancing an assembled stainless steel sampler to the top of the interval to be sampled. A stop-pin was then removed, and the sampler driven until filled. The rods were retracted from the hole and the sample recovered.

Geoprobe Groundwater Sampling

This procedure consisted of advancing a stainless steel, mill slotted well point into the watertable interface. Disposable, flexible, ¼ inch diameter polyethylene tubing was then introduced through the steel rods and down to the watertable interface. A hand-held pump was used to slowly draw an undisturbed water sample into the polyethylene tube, which was then removed from the steel rods and the water sample immediately placed into sampling containers.

Drilling Project

Soil borings were conducted by Geiss Soil and Samples LLC. of Merrill, Wisconsin, under the supervision of METCO personnel. Using a truck or track-mounted auger drill rig, all borings were completed in accordance with ASTM D-1452, "Soil Investigation and Sampling by Auger Boring," using 4.25-inch, inside-diameter (ID) hollow stem augers. Soil sampling was conducted using a geoprobe. Using this procedure an assembled stainless steel sampler is advanced to the top of the interval to be sampled, a stop-pin is then removed, and the sampler driven until filled.

Field observations such as soil characteristics, petroleum odors, and petroleum

staining were continuously noted throughout the drilling process.

The purpose of the Drilling Project and subsequent well installation/sampling was to investigate subsurface conditions and characteristics, verify the extent of petroleum contamination in local soil and groundwater, and collect aquifer data.

Field Screening

Selected soil samples were scanned with a Model DL102 HNU Photo-ionization Meter equipped with a 10.6 eV lamp. Metered calibrations were done at the beginning of each workday using an isobutylene standard. A quart sized Ziploc bag was filled, by gloved hand, one-third full with the sample. The Ziploc bags were sealed and shaken vigorously for 30 seconds. Headspace development was established by allowing the sample to rest for at least 15 minutes. If ambient temperatures are below 70 degrees Fahrenheit, headspace development takes place in a heated environment, which allows the sample enough time to establish satisfactory headspace. To take readings, the HNU probe was inserted through the Ziploc seal and the highest meter response recorded.

Throughout the field projects the HNU Meter did not encounter any vast temperature or humidity changes, malfunctions, repairs, or any other obvious interferences that would affect its results.

Monitoring Well Installation, Development, and Sampling

Monitoring well installation was completed by Geiss Soil and Samples LLC. under the supervision of METCO personnel and done in accordance with Wisconsin Department of Natural Resources Chapter NR141, "Groundwater Monitoring Well Requirements." The monitoring wells were constructed of flush threaded, 2-inch inside-diameter schedule 40 polyvinyl chloride (PVC) piping. Ten-foot well screens with 0.010-inch slots were installed partially into the groundwater, with the watertable intersecting the screen. Uniform washed sand was installed around the well screens to serve as a filter pack. Bentonite was used above the filter pack to provide an annular space seal.

Locking watertight caps along with steel flush-mounted covers were installed with the wells for protection. Monitoring Well Construction Forms and a Groundwater Monitoring Well Information Form are presented in Appendix C.

The wells were surveyed by Fauerbach Surveying & Engineering of Hillsboro, Wisconsin. Measurements were recorded in feet mean sea level.

Each well was alternately surged and purged by METCO personnel with a bottom loading, disposable, polyethylene bailer for 15-20 minutes to remove fines from the well screen. Approximately 5-35 gallons of groundwater was then removed with a

small electrical submersible pump. Well Development Forms are presented in Appendix C.

Groundwater samples for laboratory analysis were collected using a bottom loading, disposable, polyethylene bailer and disposable, polyethylene twine. A minimum of four well volumes was purged from the well immediately before sampling.

Field observations such as color, turbidity, petroleum odors, and petroleum sheens associated with the collected samples were continuously noted throughout sampling.

Sample Preparation

The volume of sample, size of container, and type of sample preservation was dependent on the specific parameter for which the sample was to be analyzed. Parameter specific information is presented in the LUST Sample Guidelines located in Appendix E.

Field Sampling and Transportation Quality Control

All samples were collected in a manner as to maintain their quality and to eliminate any possible cross contamination. METCO did not deviate from any WDNR or laboratory recommended procedures for sample collection, preservation, or transportation on this project.

Equipment advanced into the subsurface was cleaned between sampling locations. Cleaning consisted of washing with a biodegradable Alconox solution and rinsing with potable water. Disposable equipment was not cleaned, but immediately disposed of after use.

All samples were constantly kept on ice in a cooler and hand delivered to the laboratory.

Laboratory Quality Control

See Appendix B for the results of any field blanks, trip blanks, temperature blanks, lab spikes, split samples, replicate spikes, and duplicates.

Investigative Wastes

Investigative waste has yet to be disposed of.

APPENDIX B/ ANALYTICAL METHODS & LABORATORY DATA REPORTS

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BETH RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date *02-May-14*

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844A
Sample ID G-1-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	70.0	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	296	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	99	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	99	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	44 "J"	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	31.4 "J"	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	43 "J"	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	34 "J"	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	20.7 "J"	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	82	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	147	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	710	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	1560	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	1380	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	760	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	1240	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	490	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	1440	ug/kg	7.9	25	1	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	2260	ug/kg	7.7	25	1	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/25/2014	CJR	1
Toluene	930	ug/kg	8.4	27	1	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	23300	ug/kg	10	33	1	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	6500	ug/kg	9.3	30	1	GRO95/8021		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844A
Sample ID G-1-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
m&p-Xylene	13000	ug/kg	16	50	1	GRO95/8021		4/25/2014	CJR	1
o-Xylene	4900	ug/kg	10	32	1	GRO95/8021		4/25/2014	CJR	1

Lab Code 5026844B
Sample ID G-1-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.4	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	31 "J"	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	< 19.5	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	< 20.4	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	< 21.1	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	94	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	62	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	44	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844C
Sample ID G-1-3
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.7	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	< 20	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	< 19.5	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	< 20.4	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	< 21.1	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	< 24.7	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Lab Code 5026844D
Sample ID G-1-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	1.77	ug/l	0.27	0.85	1	GRO95/8021		4/19/2014	CJR	1
Ethylbenzene	< 0.82	ug/l	0.82	2.6	1	GRO95/8021		4/19/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.37	ug/l	0.37	1.2	1	GRO95/8021		4/19/2014	CJR	1
Naphthalene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		4/19/2014	CJR	1
Toluene	< 0.8	ug/l	0.8	2.6	1	GRO95/8021		4/19/2014	CJR	1
1,2,4-Trimethylbenzene	2.8	ug/l	0.83	2.6	1	GRO95/8021		4/19/2014	CJR	1
1,3,5-Trimethylbenzene	< 0.86	ug/l	0.86	2.7	1	GRO95/8021		4/19/2014	CJR	1
m&p-Xylene	2.54 "J"	ug/l	1.6	5.2	1	GRO95/8021		4/19/2014	CJR	1
o-Xylene	1.37 "J"	ug/l	0.81	2.6	1	GRO95/8021		4/19/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844E
Sample ID G-2-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.5	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	2.71	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	145	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	57 "J"	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	84	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	222	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	204	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	275	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	164	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	119	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	221	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	37 "J"	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	410	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	350	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	135	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	460	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	156	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	66 "J"	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	590	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	480	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	69	ug/kg	7.9	25	1	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	84	ug/kg	7.7	25	1	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/25/2014	CJR	1
Toluene	139	ug/kg	8.4	27	1	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	640	ug/kg	10	33	1	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	610	ug/kg	9.3	30	1	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	290	ug/kg	16	50	1	GRO95/8021		4/25/2014	CJR	1
o-Xylene	301	ug/kg	10	32	1	GRO95/8021		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844F
Sample ID G-2-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.5	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	< 20	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	122	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	147	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	232	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	< 24.7	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	69	ug/kg	7.9	25	1	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	93	ug/kg	7.7	25	1	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/25/2014	CJR	1
Toluene	100	ug/kg	8.4	27	1	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	1420	ug/kg	10	33	1	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	500	ug/kg	9.3	30	1	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	1410	ug/kg	16	50	1	GRO95/8021		4/25/2014	CJR	1
o-Xylene	91	ug/kg	10	32	1	GRO95/8021		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844G
Sample ID G-2-3
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.6	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	< 20	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	< 19.5	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	< 20.4	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	< 21.1	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	< 24.7	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Lab Code 5026844H
Sample ID G-2-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	0.35 "J"	ug/l	0.27	0.85	1	GRO95/8021		4/19/2014	CJR	1
Ethylbenzene	< 0.82	ug/l	0.82	2.6	1	GRO95/8021		4/19/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.37	ug/l	0.37	1.2	1	GRO95/8021		4/19/2014	CJR	1
Naphthalene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		4/19/2014	CJR	1
Toluene	< 0.8	ug/l	0.8	2.6	1	GRO95/8021		4/19/2014	CJR	1
1,2,4-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		4/19/2014	CJR	1
1,3,5-Trimethylbenzene	< 0.86	ug/l	0.86	2.7	1	GRO95/8021		4/19/2014	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.2	1	GRO95/8021		4/19/2014	CJR	1
o-Xylene	< 0.81	ug/l	0.81	2.6	1	GRO95/8021		4/19/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844I
Sample ID G-3-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.2	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	6.97	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	1740	ug/kg	105.5	335	5	M8270D	4/23/2014	4/25/2014	MDK	1
Acenaphthylene	490	ug/kg	97.5	309.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Anthracene	1150	ug/kg	94	298.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(a)anthracene	< 92	ug/kg	92	292	5	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(a)pyrene	< 95	ug/kg	95	302.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(b)fluoranthene	< 90	ug/kg	90	286.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(g,h,i)perylene	< 115	ug/kg	115	366	5	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(k)fluoranthene	< 103	ug/kg	103	328	5	M8270D	4/23/2014	4/25/2014	MDK	1
Chrysene	153 "J"	ug/kg	92.5	293.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Dibenzo(a,h)anthracene	< 112	ug/kg	112	356.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Fluoranthene	320	ug/kg	90.5	288.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Fluorene	3160	ug/kg	100	318	5	M8270D	4/23/2014	4/25/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 122	ug/kg	122	387.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
1-Methyl naphthalene	12700	ug/kg	97.5	310.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
2-Methyl naphthalene	17900	ug/kg	102	324.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Naphthalene	10100	ug/kg	105.5	335.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Phenanthrene	5300	ug/kg	123.5	392.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
Pyrene	1090	ug/kg	100	318.5	5	M8270D	4/23/2014	4/25/2014	MDK	1
PVOC										
Benzene	2580	ug/kg	7.9	25	1	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	2340	ug/kg	7.7	25	1	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/25/2014	CJR	1
Toluene	550	ug/kg	8.4	27	1	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	11700	ug/kg	10	33	1	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	4500	ug/kg	9.3	30	1	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	14500	ug/kg	16	50	1	GRO95/8021		4/25/2014	CJR	1
o-Xylene	1160	ug/kg	10	32	1	GRO95/8021		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844J
Sample ID G-3-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.7	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	3.01	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
General										
Gasoline Range Organics	70	mg/kg	2.3	7.3	1	GRO95/8021		4/25/2014	CJR	1
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	34 "J"	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	390	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	660	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	540	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	80	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
VOC's										
Benzene	900	ug/kg	9.2	29	1	8260B		4/25/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		4/25/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		4/25/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		4/25/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		4/25/2014	CJR	1
sec-Butylbenzene	57 "J"	ug/kg	41	132	1	8260B		4/25/2014	CJR	1
n-Butylbenzene	220	ug/kg	26	82	1	8260B		4/25/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		4/25/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		4/25/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		4/25/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		4/25/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		4/25/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		4/25/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		4/25/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		4/25/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		4/25/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		4/25/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		4/25/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		4/25/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		4/25/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		4/25/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		4/25/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		4/25/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		4/25/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		4/25/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		4/25/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		4/25/2014	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844J
Sample ID G-3-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		4/25/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		4/25/2014	CJR	1
Ethylbenzene	2060	ug/kg	10	33	1	8260B		4/25/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		4/25/2014	CJR	1
Isopropylbenzene	123	ug/kg	25	80	1	8260B		4/25/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		4/25/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		4/25/2014	CJR	1
Naphthalene	620	ug/kg	114	363	1	8260B		4/25/2014	CJR	1
n-Propylbenzene	420	ug/kg	24	75	1	8260B		4/25/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		4/25/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		4/25/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		4/25/2014	CJR	1
Toluene	316	ug/kg	20	65	1	8260B		4/25/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		4/25/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		4/25/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		4/25/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		4/25/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		4/25/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	3070	ug/kg	26	81	1	8260B		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	890	ug/kg	26	84	1	8260B		4/25/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		4/25/2014	CJR	1
m&p-Xylene	8100	ug/kg	68	216	1	8260B		4/25/2014	CJR	1
o-Xylene	2640	ug/kg	31	98	1	8260B		4/25/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	Rec %			1	8260B		4/25/2014	CJR	1
SUR - 4-Bromofluorobenzene	99	Rec %			1	8260B		4/25/2014	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		4/25/2014	CJR	1
SUR - Toluene-d8	97	Rec %			1	8260B		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844K
Sample ID G-3-3
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.3	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	207	ug/kg	42.2	134	2	M8270D	4/23/2014	4/25/2014	MDK	1
Acenaphthylene	101 "J"	ug/kg	39	123.8	2	M8270D	4/23/2014	4/25/2014	MDK	1
Anthracene	88 "J"	ug/kg	37.6	119.4	2	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(a)anthracene	< 36.8	ug/kg	36.8	116.8	2	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(a)pyrene	< 38	ug/kg	38	121	2	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(b)fluoranthene	< 36	ug/kg	36	114.6	2	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(g,h,i)perylene	< 46	ug/kg	46	146.4	2	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(k)fluoranthene	< 41.2	ug/kg	41.2	131.2	2	M8270D	4/23/2014	4/25/2014	MDK	1
Chrysene	< 37	ug/kg	37	117.4	2	M8270D	4/23/2014	4/25/2014	MDK	1
Dibenzo(a,h)anthracene	< 44.8	ug/kg	44.8	142.6	2	M8270D	4/23/2014	4/25/2014	MDK	1
Fluoranthene	40 "J"	ug/kg	36.2	115.4	2	M8270D	4/23/2014	4/25/2014	MDK	1
Fluorene	400	ug/kg	40	127.2	2	M8270D	4/23/2014	4/25/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 48.8	ug/kg	48.8	155	2	M8270D	4/23/2014	4/25/2014	MDK	1
1-Methyl naphthalene	4600	ug/kg	39	124.2	2	M8270D	4/23/2014	4/25/2014	MDK	1
2-Methyl naphthalene	8400	ug/kg	40.8	129.8	2	M8270D	4/23/2014	4/25/2014	MDK	1
Naphthalene	4800	ug/kg	42.2	134.2	2	M8270D	4/23/2014	4/25/2014	MDK	1
Phenanthrene	950	ug/kg	49.4	157	2	M8270D	4/23/2014	4/25/2014	MDK	1
Pyrene	108 "J"	ug/kg	40	127.4	2	M8270D	4/23/2014	4/25/2014	MDK	1
PVOC										
Benzene	3000	ug/kg	7.9	25	1	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	9800	ug/kg	7.7	25	1	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/25/2014	CJR	1
Toluene	1070	ug/kg	8.4	27	1	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	22400	ug/kg	10	33	1	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	8600	ug/kg	9.3	30	1	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	35000	ug/kg	16	50	1	GRO95/8021		4/25/2014	CJR	1
o-Xylene	2980	ug/kg	10	32	1	GRO95/8021		4/25/2014	CJR	1

Lab Code 5026844L
Sample ID G-3-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	4.3	ug/l	0.27	0.85	1	GRO95/8021		4/19/2014	CJR	1
Ethylbenzene	109	ug/l	0.82	2.6	1	GRO95/8021		4/19/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.37	ug/l	0.37	1.2	1	GRO95/8021		4/19/2014	CJR	1
Naphthalene	24.1	ug/l	1.2	3.8	1	GRO95/8021		4/19/2014	CJR	1
Toluene	5.1	ug/l	0.8	2.6	1	GRO95/8021		4/19/2014	CJR	1
1,2,4-Trimethylbenzene	18.2	ug/l	0.83	2.6	1	GRO95/8021		4/19/2014	CJR	1
1,3,5-Trimethylbenzene	4.4	ug/l	0.86	2.7	1	GRO95/8021		4/19/2014	CJR	1
m&p-Xylene	59	ug/l	1.6	5.2	1	GRO95/8021		4/19/2014	CJR	1
o-Xylene	< 0.81	ug/l	0.81	2.6	1	GRO95/8021		4/19/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844M
Sample ID G-4-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.4	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	41.0	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	26.7 "J"	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	35 "J"	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	28.9 "J"	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	43 "J"	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	< 20	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	39 "J"	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	44 "J"	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	30.1 "J"	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	32 "J"	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	40 "J"	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	232	ug/kg	7.9	25	1	GRO95/8021		4/26/2014	CJR	1
Ethylbenzene	101	ug/kg	7.7	25	1	GRO95/8021		4/26/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/26/2014	CJR	1
Toluene	42	ug/kg	8.4	27	1	GRO95/8021		4/26/2014	CJR	1
1,2,4-Trimethylbenzene	380	ug/kg	10	33	1	GRO95/8021		4/26/2014	CJR	1
1,3,5-Trimethylbenzene	286	ug/kg	9.3	30	1	GRO95/8021		4/26/2014	CJR	1
m&p-Xylene	360	ug/kg	16	50	1	GRO95/8021		4/26/2014	CJR	1
o-Xylene	133	ug/kg	10	32	1	GRO95/8021		4/26/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844N
Sample ID G-4-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	< 20	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	3110	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	6700	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	5400	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	< 24.7	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	8600	ug/kg	7.9	25	1	GRO95/8021		4/26/2014	CJR	1
Ethylbenzene	11900	ug/kg	7.7	25	1	GRO95/8021		4/26/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/26/2014	CJR	1
Toluene	550	ug/kg	8.4	27	1	GRO95/8021		4/26/2014	CJR	1
1,2,4-Trimethylbenzene	28500	ug/kg	10	33	1	GRO95/8021		4/26/2014	CJR	1
1,3,5-Trimethylbenzene	10100	ug/kg	9.3	30	1	GRO95/8021		4/26/2014	CJR	1
m&p-Xylene	41000	ug/kg	16	50	1	GRO95/8021		4/26/2014	CJR	1
o-Xylene	11900	ug/kg	10	32	1	GRO95/8021		4/26/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844O
Sample ID G-4-3
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.3	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	< 20	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	83	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	142	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	129	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	< 24.7	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Lab Code 5026844P
Sample ID G-4-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	126	ug/l	2.7	8.5	10	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	136	ug/l	8.2	26	10	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 3.7	ug/l	3.7	12	10	GRO95/8021		4/25/2014	CJR	1
Naphthalene	66	ug/l	12	38	10	GRO95/8021		4/25/2014	CJR	1
Toluene	< 8	ug/l	8	26	10	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	380	ug/l	8.3	26	10	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	111	ug/l	8.6	27	10	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	670	ug/l	16	52	10	GRO95/8021		4/25/2014	CJR	1
o-Xylene	15.9 "J"	ug/l	8.1	26	10	GRO95/8021		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844Q
Sample ID G-5-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.2	%			1	5021		4/18/2014	MDK	1
Organic										
PVOC + Naphthalene										
Benzene	< 250	ug/kg	79	250	10	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	< 250	ug/kg	77	250	10	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 250	ug/kg	81	260	10	GRO95/8021		4/28/2014	CJR	1
Naphthalene	2850	ug/kg	220	700	10	GRO95/8021		4/28/2014	CJR	1
Toluene	< 250	ug/kg	84	270	10	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	2730	ug/kg	100	330	10	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	2060	ug/kg	93	300	10	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	< 500	ug/kg	160	500	10	GRO95/8021		4/28/2014	CJR	1
o-Xylene	430	ug/kg	100	320	10	GRO95/8021		4/28/2014	CJR	1

Lab Code 5026844R
Sample ID G-5-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	1.94	ug/l	0.27	0.85	1	GRO95/8021		4/24/2014	CJR	1
Ethylbenzene	< 0.82	ug/l	0.82	2.6	1	GRO95/8021		4/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.37	ug/l	0.37	1.2	1	GRO95/8021		4/24/2014	CJR	1
Naphthalene	3.8 "J"	ug/l	1.2	3.8	1	GRO95/8021		4/24/2014	CJR	1
Toluene	1.19 "J"	ug/l	0.8	2.6	1	GRO95/8021		4/24/2014	CJR	1
1,2,4-Trimethylbenzene	23	ug/l	0.83	2.6	1	GRO95/8021		4/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 0.86	ug/l	0.86	2.7	1	GRO95/8021		4/24/2014	CJR	1
m&p-Xylene	19.2	ug/l	1.6	5.2	1	GRO95/8021		4/24/2014	CJR	1
o-Xylene	< 0.81	ug/l	0.81	2.6	1	GRO95/8021		4/24/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844S
Sample ID G-6-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.1	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	8.59	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	630 "J"	ug/kg	211	670	10	M8270D	4/23/2014	4/25/2014	MDK	1
Acenaphthylene	380 "J"	ug/kg	195	619	10	M8270D	4/23/2014	4/25/2014	MDK	1
Anthracene	< 185	ug/kg	188	597	10	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(a)anthracene	< 184	ug/kg	184	584	10	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(a)pyrene	< 190	ug/kg	190	605	10	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(b)fluoranthene	< 180	ug/kg	180	573	10	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(g,h,i)perylene	< 230	ug/kg	230	732	10	M8270D	4/23/2014	4/25/2014	MDK	1
Benzo(k)fluoranthene	< 206	ug/kg	206	656	10	M8270D	4/23/2014	4/25/2014	MDK	1
Chrysene	< 185	ug/kg	185	587	10	M8270D	4/23/2014	4/25/2014	MDK	1
Dibenzo(a,h)anthracene	< 224	ug/kg	224	713	10	M8270D	4/23/2014	4/25/2014	MDK	1
Fluoranthene	< 181	ug/kg	181	577	10	M8270D	4/23/2014	4/25/2014	MDK	1
Fluorene	1360	ug/kg	200	636	10	M8270D	4/23/2014	4/25/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 244	ug/kg	244	775	10	M8270D	4/23/2014	4/25/2014	MDK	1
1-Methyl naphthalene	32000	ug/kg	195	621	10	M8270D	4/23/2014	4/25/2014	MDK	1
2-Methyl naphthalene	53000	ug/kg	204	649	10	M8270D	4/23/2014	4/25/2014	MDK	1
Naphthalene	32000	ug/kg	211	671	10	M8270D	4/23/2014	4/25/2014	MDK	1
Phenanthrene	1850	ug/kg	247	785	10	M8270D	4/23/2014	4/25/2014	MDK	1
Pyrene	< 200	ug/kg	200	637	10	M8270D	4/23/2014	4/25/2014	MDK	1
PVOC										
Benzene	22800	ug/kg	79	250	10	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	129000	ug/kg	77	250	10	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 250	ug/kg	81	260	10	GRO95/8021		4/28/2014	CJR	1
Toluene	2540	ug/kg	84	270	10	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	430000	ug/kg	1000	3300	100	GRO95/8021		4/30/2014	CJR	1
1,3,5-Trimethylbenzene	127000	ug/kg	93	300	10	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	470000	ug/kg	160	500	10	GRO95/8021		4/28/2014	CJR	1
o-Xylene	12100	ug/kg	100	320	10	GRO95/8021		4/28/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844T
Sample ID G-6-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.1	%			1	5021		4/18/2014	MDK	1
Organic										
PVOC + Naphthalene										
Benzene	2130	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	5600	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Naphthalene	8800	ug/kg	22	70	1	GRO95/8021		4/28/2014	CJR	1
Toluene	1320	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	19500	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	7000	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	17900	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	7100	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Lab Code 5026844U
Sample ID G-6-3
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84	%			1	5021		4/18/2014	MDK	1
Organic										
PVOC + Naphthalene										
Benzene	670	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	3500	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Naphthalene	5400	ug/kg	22	70	1	GRO95/8021		4/28/2014	CJR	1
Toluene	117	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	11400	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	4100	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	12800	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	650	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Lab Code 5026844V
Sample ID G-6-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	2230	ug/l	5.4	17	20	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	1340	ug/l	16.4	52	20	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	17.6 "J"	ug/l	7.4	24	20	GRO95/8021		4/25/2014	CJR	1
Naphthalene	610	ug/l	24	76	20	GRO95/8021		4/25/2014	CJR	1
Toluene	141	ug/l	16	52	20	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	1580	ug/l	16.6	52	20	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	440	ug/l	17.2	54	20	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	4800	ug/l	32	104	20	GRO95/8021		4/25/2014	CJR	1
o-Xylene	330	ug/l	16.2	52	20	GRO95/8021		4/25/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844W
Sample ID G-7-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	5.44	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	< 18.5	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	< 20	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	< 19.5	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	< 20.4	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	< 21.1	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	< 24.7	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	< 20	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/30/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/30/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/30/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/30/2014	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		4/30/2014	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		4/30/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/30/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/30/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 5026844X
Sample ID G-7-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.8	%			1	5021		4/18/2014	MDK	1
Organic										
PVOC + Naphthalene										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/30/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/30/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/30/2014	CJR	1
Naphthalene	< 25	ug/kg	22	70	1	GRO95/8021		4/30/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/30/2014	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		4/30/2014	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		4/30/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/30/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/30/2014	CJR	1

Lab Code 5026844Y
Sample ID G-7-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	112	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	34	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	4.2	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	44	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	2.8	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	34	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	3.7 "J"	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	38	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	2.4	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Lab Code 5026844Z
Sample ID G-8-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.27	ug/l	0.27	0.85	1	GRO95/8021		4/24/2014	CJR	1
Ethylbenzene	< 0.82	ug/l	0.82	2.6	1	GRO95/8021		4/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.37	ug/l	0.37	1.2	1	GRO95/8021		4/24/2014	CJR	1
Naphthalene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		4/24/2014	CJR	1
Toluene	19.5	ug/l	0.8	2.6	1	GRO95/8021		4/24/2014	CJR	1
1,2,4-Trimethylbenzene	1.32 "J"	ug/l	0.83	2.6	1	GRO95/8021		4/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 0.86	ug/l	0.86	2.7	1	GRO95/8021		4/24/2014	CJR	1
m&p-Xylene	1.79 "J"	ug/l	1.6	5.2	1	GRO95/8021		4/24/2014	CJR	1
o-Xylene	< 0.81	ug/l	0.81	2.6	1	GRO95/8021		4/24/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844AA
Sample ID G-9-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	2.79	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	0.83 "J"	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Lab Code 526844BB
Sample ID G-10-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	1.25 "J"	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844CC
Sample ID G-11-1
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.1	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	3.70	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	110	ug/kg	21.1	67	1	M8270D	4/23/2014	4/24/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Anthracene	49 "J"	ug/kg	18.8	59.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)anthracene	< 18.4	ug/kg	18.4	58.4	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(a)pyrene	< 19	ug/kg	19	60.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(b)fluoranthene	< 18	ug/kg	18	57.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(g,h,i)perylene	< 23	ug/kg	23	73.2	1	M8270D	4/23/2014	4/24/2014	MDK	1
Benzo(k)fluoranthene	< 20.6	ug/kg	20.6	65.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Chrysene	< 18.5	ug/kg	18.5	58.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluoranthene	< 18.1	ug/kg	18.1	57.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
Fluorene	218	ug/kg	20	63.6	1	M8270D	4/23/2014	4/24/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
1-Methyl naphthalene	< 19.5	ug/kg	19.5	62.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
2-Methyl naphthalene	< 20.4	ug/kg	20.4	64.9	1	M8270D	4/23/2014	4/24/2014	MDK	1
Naphthalene	< 21.1	ug/kg	21.1	67.1	1	M8270D	4/23/2014	4/24/2014	MDK	1
Phenanthrene	430	ug/kg	24.7	78.5	1	M8270D	4/23/2014	4/24/2014	MDK	1
Pyrene	70	ug/kg	20	63.7	1	M8270D	4/23/2014	4/24/2014	MDK	1
PVOC										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	26.9 "J"	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	59	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	34	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844DD
Sample ID G-12-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91	%			1	5021		4/18/2014	MDK	1
Organic										
PVOC + Naphthalene										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/30/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/30/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/30/2014	CJR	1
Naphthalene	< 25	ug/kg	22	70	1	GRO95/8021		4/30/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/30/2014	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		4/30/2014	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		4/30/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/30/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/30/2014	CJR	1

Lab Code 526844EE
Sample ID G-12-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Lab Code 526844FF
Sample ID G-13-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	21.6	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	0.52 "J"	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844GG
Sample ID G-14-2
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.1	%			1	5021		4/18/2014	MDK	1
Organic										
PVOC + Naphthalene										
Benzene	320	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	2200	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Naphthalene	9800	ug/kg	22	70	1	GRO95/8021		4/28/2014	CJR	1
Toluene	94	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	22000	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	790	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	2470	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	520	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Lab Code 526844HH
Sample ID G-14-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	26.5	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	58	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	38	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	0.91 "J"	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	168	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	57	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	0.74 "J"	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Lab Code 526844II
Sample ID G-15-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	4.5	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	1.23 "J"	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	0.79	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	3.9 "J"	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	1.54 "J"	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	19.2	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	7.1	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	2.21	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	0.72 "J"	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844JJ
Sample ID G-16-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

Lab Code 526844KK
Sample ID G-17-W
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/24/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	2.66	ug/l	0.23	0.74	1	8260B		4/24/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/24/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/24/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/24/2014	CJR	1

Lab Code 526844LL
Sample ID G-18-W
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/24/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/24/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/24/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/24/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/24/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844MM
Sample ID G-19-1
Sample Matrix Soil
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.5	%			1	5021		4/18/2014	MDK	1
Inorganic										
Metals										
Lead, Total	65.4	mg/Kg	0.3	0.96	1	6010B		4/23/2014	CWT	1
Organic										
PAH SIM										
Acenaphthene	320	ug/kg	21.1	67	1	M8270D	4/30/2014	5/1/2014	MDK	1
Acenaphthylene	91	ug/kg	19.5	61.9	1	M8270D	4/30/2014	5/1/2014	MDK	1
Anthracene	380	ug/kg	18.8	59.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(a)anthracene	680	ug/kg	18.4	58.4	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(a)pyrene	470	ug/kg	19	60.5	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(b)fluoranthene	550	ug/kg	18	57.3	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(g,h,i)perylene	360	ug/kg	23	73.2	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(k)fluoranthene	218	ug/kg	20.6	65.6	1	M8270D	4/30/2014	5/1/2014	MDK	1
Chrysene	520	ug/kg	18.5	58.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
Dibenzo(a,h)anthracene	74	ug/kg	22.4	71.3	1	M8270D	4/30/2014	5/1/2014	MDK	1
Fluoranthene	1490	ug/kg	18.1	57.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
Fluorene	400	ug/kg	20	63.6	1	M8270D	4/30/2014	5/1/2014	MDK	1
Indeno(1,2,3-cd)pyrene	261	ug/kg	24.4	77.5	1	M8270D	4/30/2014	5/1/2014	MDK	1
1-Methyl naphthalene	910	ug/kg	19.5	62.1	1	M8270D	4/30/2014	5/1/2014	MDK	1
2-Methyl naphthalene	173	ug/kg	20.4	64.9	1	M8270D	4/30/2014	5/1/2014	MDK	1
Naphthalene	70	ug/kg	21.1	67.1	1	M8270D	4/30/2014	5/1/2014	MDK	1
Phenanthrene	1620	ug/kg	24.7	78.5	1	M8270D	4/30/2014	5/1/2014	MDK	1
Pyrene	1850	ug/kg	20	63.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
PVOC										
Benzene	48	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	173	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Toluene	64	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	850	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	630	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	255	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	168	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844NN
Sample ID G-19-2
Sample Matrix Soil
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.9	%			1	5021		4/18/2014	MDK	1
Organic										
PAH SIM										
Acenaphthene	< 21.1	ug/kg	21.1	67	1	M8270D	4/30/2014	5/1/2014	MDK	1
Acenaphthylene	< 19.5	ug/kg	19.5	61.9	1	M8270D	4/30/2014	5/1/2014	MDK	1
Anthracene	22.4 "J"	ug/kg	18.8	59.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(a)anthracene	45 "J"	ug/kg	18.4	58.4	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(a)pyrene	28.2 "J"	ug/kg	19	60.5	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(b)fluoranthene	36 "J"	ug/kg	18	57.3	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(g,h,i)perylene	26.9 "J"	ug/kg	23	73.2	1	M8270D	4/30/2014	5/1/2014	MDK	1
Benzo(k)fluoranthene	23.7 "J"	ug/kg	20.6	65.6	1	M8270D	4/30/2014	5/1/2014	MDK	1
Chrysene	38 "J"	ug/kg	18.5	58.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
Dibenzo(a,h)anthracene	< 22.4	ug/kg	22.4	71.3	1	M8270D	4/30/2014	5/1/2014	MDK	1
Fluoranthene	104	ug/kg	18.1	57.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
Fluorene	34 "J"	ug/kg	20	63.6	1	M8270D	4/30/2014	5/1/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 24.4	ug/kg	24.4	77.5	1	M8270D	4/30/2014	5/1/2014	MDK	1
1-Methyl naphthalene	760	ug/kg	19.5	62.1	1	M8270D	4/30/2014	5/1/2014	MDK	1
2-Methyl naphthalene	990	ug/kg	20.4	64.9	1	M8270D	4/30/2014	5/1/2014	MDK	1
Naphthalene	314	ug/kg	21.1	67.1	1	M8270D	4/30/2014	5/1/2014	MDK	1
Phenanthrene	104	ug/kg	24.7	78.5	1	M8270D	4/30/2014	5/1/2014	MDK	1
Pyrene	88	ug/kg	20	63.7	1	M8270D	4/30/2014	5/1/2014	MDK	1
PVOC										
Benzene	256	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	940	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Toluene	720	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	5400	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	3200	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	2520	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	1300	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Lab Code 526844OO
Sample ID G-19-3
Sample Matrix Soil
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.5	%			1	5021		4/18/2014	MDK	1
Organic										
PVOC + Naphthalene										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/30/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/30/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/30/2014	CJR	1
Naphthalene	129	ug/kg	22	70	1	GRO95/8021		4/30/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/30/2014	CJR	1
1,2,4-Trimethylbenzene	36	ug/kg	10	33	1	GRO95/8021		4/30/2014	CJR	1
1,3,5-Trimethylbenzene	50	ug/kg	9.3	30	1	GRO95/8021		4/30/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/30/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/30/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844PP
Sample ID G-19-W
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/24/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/24/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/24/2014	CJR	1
Toluene	2.49	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/24/2014	CJR	1
m&p-Xylene	1.04 "J"	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/24/2014	CJR	1

Lab Code 526844QQ
Sample ID G-20-W
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/24/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/24/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/24/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/24/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/24/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/24/2014	CJR	1

Lab Code 526844RR
Sample ID G-21-W
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/28/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/28/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/28/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/28/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/28/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/28/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844SS
Sample ID G-22-W
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	3.4 "J"	ug/l	1.35	4.25	5	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	< 4.1	ug/l	4.1	13	5	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	12.5	ug/l	1.85	6	5	GRO95/8021		4/25/2014	CJR	1
Naphthalene	< 6	ug/l	6	19	5	GRO95/8021		4/25/2014	CJR	1
Toluene	< 4	ug/l	4	13	5	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	< 4.15	ug/l	4.15	13	5	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	< 4.3	ug/l	4.3	13.5	5	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	< 8	ug/l	8	26	5	GRO95/8021		4/25/2014	CJR	1
o-Xylene	< 4.05	ug/l	4.05	13	5	GRO95/8021		4/25/2014	CJR	1

Lab Code 526844TT
Sample ID G-23-W
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	1.17	ug/l	0.27	0.85	1	GRO95/8021		4/25/2014	CJR	1
Ethylbenzene	< 0.82	ug/l	0.82	2.6	1	GRO95/8021		4/25/2014	CJR	1
Methyl tert-butyl ether (MTBE)	10.3	ug/l	0.37	1.2	1	GRO95/8021		4/25/2014	CJR	1
Naphthalene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		4/25/2014	CJR	1
Toluene	4.0	ug/l	0.8	2.6	1	GRO95/8021		4/25/2014	CJR	1
1,2,4-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		4/25/2014	CJR	1
1,3,5-Trimethylbenzene	< 0.86	ug/l	0.86	2.7	1	GRO95/8021		4/25/2014	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.2	1	GRO95/8021		4/25/2014	CJR	1
o-Xylene	< 0.81	ug/l	0.81	2.6	1	GRO95/8021		4/25/2014	CJR	1

Lab Code 526844UU
Sample ID METH BLANK
Sample Matrix Soil
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		4/28/2014	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		4/28/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		4/28/2014	CJR	1
Naphthalene	< 25	ug/kg	22	70	1	GRO95/8021		4/28/2014	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		4/28/2014	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		4/28/2014	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		4/28/2014	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		4/28/2014	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		4/28/2014	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E26844
Project #

Lab Code 526844VV
Sample ID TRIP BLANK
Sample Matrix Water
Sample Date 4/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/23/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/23/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/23/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/23/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/23/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/23/2014	CJR	1

"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

Code	*Comment*
1	Laboratory QC within limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature *Michael Ricker*

CHAIN OF CUSTODY RECORD

Synergy
Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # № 2557

Page 1 of 5

Sample Handling Request
___ Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #

Account No. : | Quote No.:

Project #:

Sampler: (signature) E Pur

Project (Name / Location): Nicolet Trails Campground

Reports To: Beth Rank	Invoice To: Beth Rank
Company City of Gillett	Company c/o METCO
Address 150 N McKenzie Ave	Address 709 Gillette St, Ste 3
City State Zip Gillett WI 54124	City State Zip La Crosse, WI 54603
Phone (920) 855-2255	Phone (608) 781-8879
FAX	FAX 8893

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
502-6844 A	G-1-1	4/15	8:25		X		4	S	MEOH/None			X			X	X							
B	G-1-2	↓	8:30		↓		3	S	↓ ↓						X	X							
C	G-1-3		8:35				3	S							X	X							
D	G-1-W		8:50			N	3	GW	HCl								X						
E	G-2-1		9:05				4	S	MEOH/None			X			X	X							
F	G-2-2		9:10				3	S	↓ ↓						X	X							
G	G-2-3		9:15				3	S							X	X							
H	G-2-W		9:25			N	3	GW	HCl								X						
I	G-3-1		9:50				4	S	MEOH/None			X			X	X							
J	G-3-2	↓	9:55		↓		4	S	" "		X	X			X						X		

Analysis Requested | **Other Analysis**

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO
UeC Rates
Agent Status

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Client
Temp. of Temp. Blank ___ °C On Ice: X
Cooler seal intact upon receipt: ___ Yes ___ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
E Pur	2:10 pm	4/17/14			

Received in Laboratory By: Christ Hoo Time: 14:27 Date: 4/17/14

CHAIN OF ( )STODY RECORD

Synergy

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # № 2551

Page 2 of 5

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #	
Account No. :	Quote No.:
Project #:	
Sampler: (signature)	
Project (Name / Location):	Nicolet Trails Campground
Reports To:	See Page 1
Company	
Address	
City State Zip	
Phone	
FAX	
Invoice To:	
Company	
Address	
City State Zip	
Phone	
FAX	

Analysis Requested | **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
S07681 K	G-3-3	4/15	10:00		X		3	S	MEOH/None						X	X							
L	G-3-W		10:05			N	3	GW	HCl								X						
M	G-4-1		10:20				4	S	MEOH/None			X			X	X							
N	G-4-2		10:25				3	S	↓ ↓						X	X							
O	G-4-3		10:30				3	S							X	X							
P	G-4-W		10:35			N	3	GW	HCl								X						
Q	G-5-2		10:50				2	S	MEOH								X						
R	G-5-W		11:00			N	3	GW	HCl								X						
S	G-6-1		11:10				3	S	MEOH/None			X			X	X							
T	G-6-2	↓	11:15		↓		2	S	MEOH								X						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Courier
Temp. of Temp. Blank ___ °C On Ice: X
Cooler seal intact upon receipt: ___ Yes ___ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
	2:10PM	4/17/14			

Received in Laboratory By: Time: 14:27 Date: 4/17/14

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # Nº 2551

Page 3 of 5

Sample Handling Request
_____ Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #	
Account No. :	Quote No.:
Project #:	
Sampler: (signature)	
Project (Name / Location):	Nicolet Trails Campground
Reports To:	See Page 1 → Invoice To:
Company	Company
Address	Address
City State Zip	City State Zip
Phone	Phone
FAX	FAX

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
SOZUWN U	G-6-3	4/15	11:20		X		2	S	MEOH								X						
V	G-6-W		11:50			N	3	GW	HCl								X						
W	G-7-1		12:00				4	S	MEOH/None			X			X	X							
X	G-7-2		12:05				2	S	MEOH			[redacted]			[redacted]	[redacted]	X						
Y	G-7-W		12:10			N	3	GW	HCl								X						
Z	G-8-W		12:50			N	3	GW	HCl								X						
AA	G-9-W		1:10			N	3	GW	HCl								X						
BB	G-10-W		1:40			N	3	GW	HCl								X						
CC	G-11-1		1:55				4	S	MEOH/None			X			X	X							
DD	G-12-2		2:05				2	S	MEOH								X						

Analysis Requested | Other Analysis

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Client
Temp. of Temp. Blank ____ °C On Ice: X
Cooler seal intact upon receipt: X Yes ____ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
	2:10 PM	4/17/14			

Received in Laboratory By: Time: 14:22 Date: 4/17/14

CHAIN OF ( )TODY RECORD

Synergy
Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2465 • FAX 920-733-0631

Chain # N2 2551
Page 4 of 5

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #
Account No. : Quote No.:
Project #:
Sampler: (signature)
Project (Name / Location): Nicolet Trails Campground
Reports To: See Page 1 Invoice To:
Company Company
Address Address
City State Zip City State Zip
Phone Phone
FAX FAX

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
S2 blank	G-12-W	4/15	2:15		X	N	3	GW	HCl								X						
FF	G-13-W		3:20			N	3	GW	HCl								X						
GG	G-14-2		3:45				2	S	MEOH								X						
HH	G-14-W		4:10			N	3	GW	HCl								X						
II	G-15-W		4:40			N	3	GW	HCl								X						
JJ	G-16-W		4:55			N	3	GW	HCl								X						
KK	G-17-W		5:05			N	3	GW	HCl								X						
LL	G-18-W	4/16	8:20			N	3	GW	HCl								X						
MM	G-19-1		8:35				4	S	MEOH/Methanol			X			X	X							
NN	G-19-2		8:40				3	S							X	X							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Client
Temp. of Temp. Blank ____ °C On Ice X
Cooler seal intact upon receipt: X Yes ____ No

Relinquished By: (sign) Time 2:10PM Date 4/17/14 Received By: (sign) Time Date

Received in Laboratory By: Time: 14:27 Date: 4/17/14

CHAIN OF CUSTODY RECORD

Synergy
Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # Nº 2551
Page 5 of 5

Sample Handling Request
____ Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #	
Account No. :	Quote No.:
Project #:	
Sampler: (signature)	
Project (Name / Location):	Nicolet Trails Campground
Reports To:	See Page 1
Company	
Address	
City State Zip	
Phone	
FAX	

Invoice To:
Company
Address
City State Zip
Phone
FAX

Analysis Requested / **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
521899	G-19-3	4/16	8:45		X		2	S	MeOH								X						
PP	G-19-W		8:50			N	3	GW	HCl								X						
CC	G-20-W		9:15			N	3	GW	HCl								X						
RR	G-21-W		9:40			N	3	GW	HCl								X						
SS	G-22-W		10:30			N	3	GW	HCl								X						
TT	G-23-W	↓	10:55		↓	N	3	GW	HCl								X						
UU	Meth Blank	4/15					1		MeOH								X						
VV	Trip Blank	4/15					1		HCl								X						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Driven
Temp. of Temp. Blank ____ °C On Ice ✓
Cooler seal intact upon receipt: ✓ Yes ____ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
	2:00Pm	4/17/14			

Received in Laboratory By: [signature] Time: 1427 Date: 4/17/14

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BETH RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date *20-Jan-15*

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28306
Project #

Lab Code 5028306A
Sample ID MEOH BLANK
Sample Matrix Soil
Sample Date 12/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC										
Benzene	< 0.025	mg/kg	0.0079	0.025	1	GRO95/8021		1/5/2015	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.0077	0.025	1	GRO95/8021		1/5/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.0081	0.026	1	GRO95/8021		1/5/2015	CJR	1
Toluene	< 0.025	mg/kg	0.0084	0.027	1	GRO95/8021		1/5/2015	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.01	0.033	1	GRO95/8021		1/5/2015	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.0093	0.03	1	GRO95/8021		1/5/2015	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.016	0.05	1	GRO95/8021		1/5/2015	CJR	1
o-Xylene	< 0.025	mg/kg	0.01	0.032	1	GRO95/8021		1/5/2015	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28306
Project #

Lab Code 5028306B
Sample ID MW-1-1
Sample Matrix Soil
Sample Date 12/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.4	%			1	5021		1/5/2014	LPA	1
Inorganic										
Metals										
Lead, Total	28.9	mg/Kg	0.3	0.96	1	6010B		1/12/2015	CWT	1
Organic										
PAH SIM										
Acenaphthene	11.7	mg/kg	1.055	3.35	50	M8270D	1/5/2015	1/6/2015	MDK	1
Acenaphthylene	3.5	mg/kg	0.975	3.095	50	M8270D	1/5/2015	1/6/2015	MDK	1
Anthracene	7.8	mg/kg	0.94	2.985	50	M8270D	1/5/2015	1/6/2015	MDK	1
Benzo(a)anthracene	< 0.92	mg/kg	0.92	2.92	50	M8270D	1/5/2015	1/6/2015	MDK	1
Benzo(a)pyrene	< 0.95	mg/kg	0.95	3.025	50	M8270D	1/5/2015	1/6/2015	MDK	1
Benzo(b)fluoranthene	< 0.95	mg/kg	0.95	2.865	50	M8270D	1/5/2015	1/6/2015	MDK	1
Benzo(g,h,i)perylene	< 1.15	mg/kg	1.15	3.66	50	M8270D	1/5/2015	1/6/2015	MDK	1
Benzo(k)fluoranthene	< 1.03	mg/kg	1.03	3.28	50	M8270D	1/5/2015	1/6/2015	MDK	1
Chrysene	< 0.925	mg/kg	0.925	2.935	50	M8270D	1/5/2015	1/6/2015	MDK	1
Dibenzo(a,h)anthracene	< 1.12	mg/kg	1.12	3.565	50	M8270D	1/5/2015	1/6/2015	MDK	1
Fluoranthene	1.17 "J"	mg/kg	0.905	2.885	50	M8270D	1/5/2015	1/6/2015	MDK	1
Fluorene	20.3	mg/kg	1	3.18	50	M8270D	1/5/2015	1/6/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 1.22	mg/kg	1.22	3.875	50	M8270D	1/5/2015	1/6/2015	MDK	1
1-Methyl naphthalene	123	mg/kg	0.975	3.105	50	M8270D	1/5/2015	1/6/2015	MDK	1
2-Methyl naphthalene	172	mg/kg	1.02	3.245	50	M8270D	1/5/2015	1/6/2015	MDK	1
Naphthalene	41	mg/kg	1.055	3.355	50	M8270D	1/5/2015	1/6/2015	MDK	1
Phenanthrene	44	mg/kg	1.235	3.925	50	M8270D	1/5/2015	1/6/2015	MDK	1
Pyrene	4.9	mg/kg	1	3.185	50	M8270D	1/5/2015	1/6/2015	MDK	1
PVOC										
Benzene	9.5	mg/kg	0.395	1.25	50	GRO95/8021		1/5/2015	CJR	1
Ethylbenzene	22.4	mg/kg	0.385	1.25	50	GRO95/8021		1/5/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.25	mg/kg	0.405	1.3	50	GRO95/8021		1/5/2015	CJR	1
Toluene	5.0	mg/kg	0.42	1.35	50	GRO95/8021		1/5/2015	CJR	1
1,2,4-Trimethylbenzene	111	mg/kg	0.5	1.65	50	GRO95/8021		1/5/2015	CJR	1
1,3,5-Trimethylbenzene	52	mg/kg	0.465	1.5	50	GRO95/8021		1/5/2015	CJR	1
m&p-Xylene	80	mg/kg	0.8	2.5	50	GRO95/8021		1/5/2015	CJR	1
o-Xylene	32	mg/kg	0.5	1.6	50	GRO95/8021		1/5/2015	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28306
Project #

Lab Code 5028306C
Sample ID MW-1-2
Sample Matrix Soil
Sample Date 12/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.9	%			1	5021		1/5/2014	LPA	1
Inorganic										
Metals										
Lead, Total	3.79	mg/Kg	0.3	0.96	1	6010B		1/12/2015	CWT	1
TCLP Lead	< 0.45	mg/l	0.45		1	6010B		1/13/2015	ESC	1
Organic										
General										
Diesel Range Organics	2550	mg/kg	4.15	13.15	5	DRO95		1/7/2015	MDK	1
PAH SIM										
Acenaphthene	0.58 "J"	mg/kg	0.211	0.67	10	M8270D	1/5/2015	1/5/2015	MDK	1
Acenaphthylene	0.233 "J"	mg/kg	0.195	0.619	10	M8270D	1/5/2015	1/5/2015	MDK	1
Anthracene	0.53 "J"	mg/kg	0.188	0.597	10	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(a)anthracene	< 0.184	mg/kg	0.184	0.584	10	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(a)pyrene	< 0.19	mg/kg	0.19	0.605	10	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(b)fluoranthene	< 0.19	mg/kg	0.19	0.573	10	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(g,h,i)perylene	< 0.23	mg/kg	0.23	0.732	10	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(k)fluoranthene	< 0.206	mg/kg	0.206	0.656	10	M8270D	1/5/2015	1/5/2015	MDK	1
Chrysene	< 0.185	mg/kg	0.185	0.587	10	M8270D	1/5/2015	1/5/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.224	mg/kg	0.224	0.713	10	M8270D	1/5/2015	1/5/2015	MDK	1
Fluoranthene	< 0.181	mg/kg	0.181	0.577	10	M8270D	1/5/2015	1/5/2015	MDK	1
Fluorene	1.21	mg/kg	0.2	0.636	10	M8270D	1/5/2015	1/5/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.244	mg/kg	0.244	0.775	10	M8270D	1/5/2015	1/5/2015	MDK	1
1-Methyl naphthalene	20.5	mg/kg	0.195	0.621	10	M8270D	1/5/2015	1/5/2015	MDK	1
2-Methyl naphthalene	32	mg/kg	0.204	0.649	10	M8270D	1/5/2015	1/5/2015	MDK	1
Naphthalene	17.6	mg/kg	0.211	0.671	10	M8270D	1/5/2015	1/5/2015	MDK	1
Phenanthrene	2.1	mg/kg	0.247	0.785	10	M8270D	1/5/2015	1/5/2015	MDK	1
Pyrene	< 0.2	mg/kg	0.2	0.637	10	M8270D	1/5/2015	1/5/2015	MDK	1
PVOC										
Benzene	6.3	mg/kg	0.079	0.25	10	GRO95/8021		1/5/2015	CJR	1
Ethylbenzene	11.9	mg/kg	0.077	0.25	10	GRO95/8021		1/5/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	mg/kg	0.081	0.26	10	GRO95/8021		1/5/2015	CJR	1
Toluene	3.4	mg/kg	0.084	0.27	10	GRO95/8021		1/5/2015	CJR	1
1,2,4-Trimethylbenzene	25.5	mg/kg	0.1	0.33	10	GRO95/8021		1/5/2015	CJR	1
1,3,5-Trimethylbenzene	10.9	mg/kg	0.093	0.3	10	GRO95/8021		1/5/2015	CJR	1
m&p-Xylene	39	mg/kg	0.16	0.5	10	GRO95/8021		1/5/2015	CJR	1
o-Xylene	14.5	mg/kg	0.1	0.32	10	GRO95/8021		1/5/2015	CJR	1
TCLP										
TCLP Benzene	< 0.05	mg/l	0.05		1	8260B		1/14/2015	ESC	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28306
Project #

Lab Code 5028306D
Sample ID MW-1-3
Sample Matrix Soil
Sample Date 12/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.5	%			1	5021		1/5/2014	LPA	1
Inorganic										
Metals										
Lead, Total	1.08	mg/Kg	0.3	0.96	1	6010B		1/12/2015	CWT	1
Organic										
PAH SIM										
Acenaphthene	< 0.0211	mg/kg	0.0211	0.067	1	M8270D	1/5/2015	1/5/2015	MDK	1
Acenaphthylene	< 0.0195	mg/kg	0.0195	0.0619	1	M8270D	1/5/2015	1/5/2015	MDK	1
Anthracene	< 0.0188	mg/kg	0.0188	0.0597	1	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(a)anthracene	< 0.0184	mg/kg	0.0184	0.0584	1	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(a)pyrene	< 0.019	mg/kg	0.019	0.0605	1	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(b)fluoranthene	< 0.019	mg/kg	0.019	0.0573	1	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(g,h,i)perylene	< 0.023	mg/kg	0.023	0.0732	1	M8270D	1/5/2015	1/5/2015	MDK	1
Benzo(k)fluoranthene	< 0.0206	mg/kg	0.0206	0.0656	1	M8270D	1/5/2015	1/5/2015	MDK	1
Chrysene	< 0.0185	mg/kg	0.0185	0.0587	1	M8270D	1/5/2015	1/5/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.0224	mg/kg	0.0224	0.0713	1	M8270D	1/5/2015	1/5/2015	MDK	1
Fluoranthene	< 0.0181	mg/kg	0.0181	0.0577	1	M8270D	1/5/2015	1/5/2015	MDK	1
Fluorene	< 0.02	mg/kg	0.02	0.0636	1	M8270D	1/5/2015	1/5/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.0244	mg/kg	0.0244	0.0775	1	M8270D	1/5/2015	1/5/2015	MDK	1
1-Methyl naphthalene	< 0.0195	mg/kg	0.0195	0.0621	1	M8270D	1/5/2015	1/5/2015	MDK	1
2-Methyl naphthalene	< 0.0204	mg/kg	0.0204	0.0649	1	M8270D	1/5/2015	1/5/2015	MDK	1
Naphthalene	< 0.0211	mg/kg	0.0211	0.0671	1	M8270D	1/5/2015	1/5/2015	MDK	1
Phenanthrene	< 0.0247	mg/kg	0.0247	0.0785	1	M8270D	1/5/2015	1/5/2015	MDK	1
Pyrene	< 0.02	mg/kg	0.02	0.0637	1	M8270D	1/5/2015	1/5/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.0079	0.025	1	GRO95/8021		1/5/2015	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.0077	0.025	1	GRO95/8021		1/5/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.0081	0.026	1	GRO95/8021		1/5/2015	CJR	1
Toluene	< 0.025	mg/kg	0.0084	0.027	1	GRO95/8021		1/5/2015	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.01	0.033	1	GRO95/8021		1/5/2015	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.0093	0.03	1	GRO95/8021		1/5/2015	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.016	0.05	1	GRO95/8021		1/5/2015	CJR	1
o-Xylene	< 0.025	mg/kg	0.01	0.032	1	GRO95/8021		1/5/2015	CJR	1

"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

Code	*Comment*
1	Laboratory QC within limits.

CWT denotes sub contract lab - Certification #445126660

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature *Michael Ricker*

CHAIN OF CUSTODY RECORD

Synergy
Environmental Lab, Inc.
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # Nº 2700
Page 1 of 1

Sample Handling Request
____ Rush Analysis Date Required ____
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #
Account No.: Quote No.:
Project #:
Sampler: (signature)

Project (Name / Location): Nicolet Trails Campground

Reports To: Beth Rank	Invoice To: Beth Rank
Company City of Gillett	Company c/o METCO
Address 150 N. McKenzie Ave	Address 709 Gillette St, Ste 3
City State Zip Gillett, WI 54124	City State Zip La Crosse, WI 54603
Phone (920) 855-2255	Phone (608) 781-8879
FAX	FAX 8893

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	TCLP-Lead	TCLP-Benzene	PID/FID
502.830A	Meth Blank	12/30/14					1		MEOH								X									
B	MW-1-1	↓	10:35		X		4	S	/None			X			X		X									
C	MW-1-2		10:10		X		9	S		X		X			X		X							X	X	
D	MW-1-3		10:45		X		4	S				X			X		X									

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO
U+C Rates
Agent Status

Sample Integrity - To be completed by receiving lab
Method of Shipment: Driven
Temp. of Temp. Blank ____ °C On Ice: ✓
Cooler seal intact upon receipt: ✓ Yes ____ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date

Received in Laboratory By: [signature] Time: 10:00 Date: 1/3/15

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BETH RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date *17-Feb-15*

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397A
Sample ID MW-6
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		2/4/2015	CWT	1
Lead, Dissolved	< 0.7	ug/L	0.7	2.5	1	7421		2/3/2015	CWT	1
Manganese, Dissolved	241	ug/L	4.8	15.4	1	200.7		2/4/2015	CWT	1
Organic										
PAH SIM										
Acenaphthene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	1
Acenaphthylene	< 0.021	ug/l	0.021	0.068	1	M8270D	1/30/2015	1/30/2015	MDK	1
Anthracene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(a)anthracene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(a)pyrene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(b)fluoranthene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(g,h,i)perylene	< 0.024	ug/l	0.024	0.078	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(k)fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Chrysene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.025	ug/l	0.025	0.081	1	M8270D	1/30/2015	1/30/2015	MDK	1
Fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Fluorene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
1-Methyl naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
2-Methyl naphthalene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Phenanthrene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		1/29/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		1/29/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		1/29/2015	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397A
Sample ID MW-6
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		1/29/2015	CJR	I
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		1/29/2015	CJR	I
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		1/29/2015	CJR	I
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		1/29/2015	CJR	I
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		1/29/2015	CJR	I
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		1/29/2015	CJR	I
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		1/29/2015	CJR	I
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		1/29/2015	CJR	I
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		1/29/2015	CJR	I
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		1/29/2015	CJR	I
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		1/29/2015	CJR	I
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		1/29/2015	CJR	I
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		1/29/2015	CJR	I
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		1/29/2015	CJR	I
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		1/29/2015	CJR	I
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		1/29/2015	CJR	I
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		1/29/2015	CJR	I
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		1/29/2015	CJR	I
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		1/29/2015	CJR	I
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	I
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/29/2015	CJR	I
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		1/29/2015	CJR	I
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		1/29/2015	CJR	I
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		1/29/2015	CJR	I
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		1/29/2015	CJR	I
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/29/2015	CJR	I
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		1/29/2015	CJR	I
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		1/29/2015	CJR	I
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		1/29/2015	CJR	I
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		1/29/2015	CJR	I
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		1/29/2015	CJR	I
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		1/29/2015	CJR	I
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		1/29/2015	CJR	I
SUR - Dibromofluoromethane	98	REC %			1	8260B		1/29/2015	CJR	I
SUR - Toluene-d8	104	REC %			1	8260B		1/29/2015	CJR	I
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	< 0.15	mg/l	0.15	0.48	1	353.2		2/16/2015	MDK	I
Sulfate, Filtered	88.0	mg/l	18.9	60.1	10	ASTM D516-		2/16/2015	MDK	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397B
Sample ID MW-5
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		2/4/2015	CWT	1
Lead, Dissolved	< 0.7	ug/L	0.7	2.5	1	7421		2/3/2015	CWT	1
Manganese, Dissolved	446	ug/L	4.8	15.4	1	200.7		2/4/2015	CWT	1
Organic										
PAH SIM										
Acenaphthene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	1
Acenaphthylene	< 0.021	ug/l	0.021	0.068	1	M8270D	1/30/2015	1/30/2015	MDK	1
Anthracene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(a)anthracene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(a)pyrene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(b)fluoranthene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(g,h,i)perylene	< 0.024	ug/l	0.024	0.078	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(k)fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Chrysene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.025	ug/l	0.025	0.081	1	M8270D	1/30/2015	1/30/2015	MDK	1
Fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Fluorene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
1-Methyl naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
2-Methyl naphthalene	0.018 "J"	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Naphthalene	0.027 "J"	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Phenanthrene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		1/29/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		1/29/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		1/29/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		1/29/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		1/29/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		1/29/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		1/29/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		1/29/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		1/29/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		1/29/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/29/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		1/29/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		1/29/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		1/29/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		1/29/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		1/29/2015	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397B
Sample ID MW-5
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		1/29/2015	CJR	I
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		1/29/2015	CJR	I
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		1/29/2015	CJR	I
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		1/29/2015	CJR	I
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		1/29/2015	CJR	I
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		1/29/2015	CJR	I
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		1/29/2015	CJR	I
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	I
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/29/2015	CJR	I
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		1/29/2015	CJR	I
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		1/29/2015	CJR	I
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		1/29/2015	CJR	I
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		1/29/2015	CJR	I
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/29/2015	CJR	I
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		1/29/2015	CJR	I
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		1/29/2015	CJR	I
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		1/29/2015	CJR	I
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		1/29/2015	CJR	I
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		1/29/2015	CJR	I
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		1/29/2015	CJR	I
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		1/29/2015	CJR	I
SUR - Dibromofluoromethane	106	REC %			1	8260B		1/29/2015	CJR	I
SUR - Toluene-d8	97	REC %			1	8260B		1/29/2015	CJR	I
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	< 0.15	mg/l	0.15	0.48	1	353.2		2/16/2015	MDK	I
Sulfate, Filtered	159	mg/l	18.9	60.1	10	ASTM D516-		2/16/2015	MDK	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397C
Sample ID MW-4
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		2/4/2015	CWT	I
Lead, Dissolved	< 0.7	ug/L	0.7	2.5	1	7421		2/3/2015	CWT	I
Manganese, Dissolved	223	ug/L	4.8	15.4	1	200.7		2/4/2015	CWT	I
Organic										
PAH SIM										
Acenaphthene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	I
Acenaphthylene	< 0.021	ug/l	0.021	0.068	1	M8270D	1/30/2015	1/30/2015	MDK	I
Anthracene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(a)anthracene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(a)pyrene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(b)fluoranthene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(g,h,i)perylene	< 0.024	ug/l	0.024	0.078	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(k)fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Chrysene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Dibenzo(a,h)anthracene	< 0.025	ug/l	0.025	0.081	1	M8270D	1/30/2015	1/30/2015	MDK	I
Fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Fluorene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Indeno(1,2,3-cd)pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
1-Methyl naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
2-Methyl naphthalene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Naphthalene	0.023 "J"	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Phenanthrene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	I
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		1/29/2015	CJR	I
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		1/29/2015	CJR	I
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		1/29/2015	CJR	I
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		1/29/2015	CJR	I
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		1/29/2015	CJR	I
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		1/29/2015	CJR	I
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		1/29/2015	CJR	I
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		1/29/2015	CJR	I
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		1/29/2015	CJR	I
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		1/29/2015	CJR	I
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		1/29/2015	CJR	I
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		1/29/2015	CJR	I
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		1/29/2015	CJR	I
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		1/29/2015	CJR	I
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		1/29/2015	CJR	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397C
Sample ID MW-4
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		1/29/2015	CJR	I
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		1/29/2015	CJR	I
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		1/29/2015	CJR	I
Methyl tert-butyl ether (MTBE)	37	ug/l	1.1	3.7	1	8260B		1/29/2015	CJR	I
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		1/29/2015	CJR	I
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		1/29/2015	CJR	I
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		1/29/2015	CJR	I
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	I
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/29/2015	CJR	I
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		1/29/2015	CJR	I
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		1/29/2015	CJR	I
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		1/29/2015	CJR	I
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		1/29/2015	CJR	I
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/29/2015	CJR	I
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		1/29/2015	CJR	I
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		1/29/2015	CJR	I
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		1/29/2015	CJR	I
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		1/29/2015	CJR	I
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		1/29/2015	CJR	I
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		1/29/2015	CJR	I
SUR - Dibromofluoromethane	102	REC %			1	8260B		1/29/2015	CJR	I
SUR - Toluene-d8	102	REC %			1	8260B		1/29/2015	CJR	I
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		1/29/2015	CJR	I
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	< 0.15	mg/l	0.15	0.48	1	353.2		2/16/2015	MDK	I
Sulfate, Filtered	135	mg/l	18.9	60.1	10	ASTM D516-		2/16/2015	MDK	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397D
Sample ID MW-3
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		2/4/2015	CWT	I
Lead, Dissolved	< 0.7	ug/L	0.7	2.5	1	7421		2/3/2015	CWT	I
Manganese, Dissolved	541	ug/L	4.8	15.4	1	200.7		2/4/2015	CWT	I
Organic										
PAH SIM										
Acenaphthene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	I
Acenaphthylene	< 0.021	ug/l	0.021	0.068	1	M8270D	1/30/2015	1/30/2015	MDK	I
Anthracene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(a)anthracene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(a)pyrene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(b)fluoranthene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(g,h,i)perylene	< 0.024	ug/l	0.024	0.078	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(k)fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Chrysene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Dibenzo(a,h)anthracene	< 0.025	ug/l	0.025	0.081	1	M8270D	1/30/2015	1/30/2015	MDK	I
Fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Fluorene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Indeno(1,2,3-cd)pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
1-Methyl naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
2-Methyl naphthalene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Phenanthrene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	I
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		1/29/2015	CJR	I
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		1/29/2015	CJR	I
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		1/29/2015	CJR	I
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		1/29/2015	CJR	I
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		1/29/2015	CJR	I
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		1/29/2015	CJR	I
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		1/29/2015	CJR	I
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		1/29/2015	CJR	I
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		1/29/2015	CJR	I
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		1/29/2015	CJR	I
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		1/29/2015	CJR	I
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		1/29/2015	CJR	I
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		1/29/2015	CJR	I
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		1/29/2015	CJR	I
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		1/29/2015	CJR	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397D
Sample ID MW-3
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		1/29/2015	CJR	I
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		1/29/2015	CJR	I
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		1/29/2015	CJR	I
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		1/29/2015	CJR	I
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		1/29/2015	CJR	I
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		1/29/2015	CJR	I
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		1/29/2015	CJR	I
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	I
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/29/2015	CJR	I
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		1/29/2015	CJR	I
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		1/29/2015	CJR	I
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		1/29/2015	CJR	I
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		1/29/2015	CJR	I
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/29/2015	CJR	I
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		1/29/2015	CJR	I
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		1/29/2015	CJR	I
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		1/29/2015	CJR	I
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		1/29/2015	CJR	I
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		1/29/2015	CJR	I
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		1/29/2015	CJR	I
SUR - Dibromofluoromethane	101	REC %			1	8260B		1/29/2015	CJR	I
SUR - Toluene-d8	101	REC %			1	8260B		1/29/2015	CJR	I
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		1/29/2015	CJR	I
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	< 0.15	mg/l	0.15	0.48	1	353.2		2/16/2015	MDK	I
Sulfate, Filtered	85.3	mg/l	18.9	60.1	10	ASTM D516-		2/16/2015	MDK	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397E
Sample ID MW-2
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		2/4/2015	CWT	I
Lead, Dissolved	< 0.7	ug/L	0.7	2.5	1	7421		2/3/2015	CWT	I
Manganese, Dissolved	156	ug/L	4.8	15.4	1	200.7		2/4/2015	CWT	I
Organic										
PAH SIM										
Acenaphthene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	I
Acenaphthylene	< 0.021	ug/l	0.021	0.068	1	M8270D	1/30/2015	1/30/2015	MDK	I
Anthracene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(a)anthracene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(a)pyrene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(b)fluoranthene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(g,h,i)perylene	< 0.024	ug/l	0.024	0.078	1	M8270D	1/30/2015	1/30/2015	MDK	I
Benzo(k)fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Chrysene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Dibenzo(a,h)anthracene	< 0.025	ug/l	0.025	0.081	1	M8270D	1/30/2015	1/30/2015	MDK	I
Fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Fluorene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Indeno(1,2,3-cd)pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
1-Methyl naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
2-Methyl naphthalene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Naphthalene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
Phenanthrene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	I
Pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	I
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	I
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		1/29/2015	CJR	I
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		1/29/2015	CJR	I
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		1/29/2015	CJR	I
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		1/29/2015	CJR	I
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		1/29/2015	CJR	I
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		1/29/2015	CJR	I
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		1/29/2015	CJR	I
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		1/29/2015	CJR	I
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		1/29/2015	CJR	I
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		1/29/2015	CJR	I
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	I
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	I
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/29/2015	CJR	I
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	I
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	I
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	I
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		1/29/2015	CJR	I
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		1/29/2015	CJR	I
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		1/29/2015	CJR	I
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	I
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	I
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		1/29/2015	CJR	I
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		1/29/2015	CJR	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397E
Sample ID MW-2
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		1/29/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		1/29/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		1/29/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		1/29/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		1/29/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		1/29/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		1/29/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/29/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		1/29/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		1/29/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		1/29/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		1/29/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/29/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		1/29/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		1/29/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		1/29/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		1/29/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		1/29/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	83	REC %			1	8260B		1/29/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		1/29/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		1/29/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		1/29/2015	CJR	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	0.189	mg/l	0.15	0.48	1	353.2		2/16/2015	MDK	1
Sulfate, Filtered	95.4	mg/l	18.9	60.1	10	ASTM D516-		2/16/2015	MDK	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397F
Sample ID MW-1
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		2/4/2015	CWT	1
Lead, Dissolved	< 0.7	ug/L	0.7	2.5	1	7421		2/3/2015	CWT	1
Manganese, Dissolved	443	ug/L	4.8	15.4	1	200.7		2/4/2015	CWT	1
Organic										
PAH SIM										
Acenaphthene	0.024 "J"	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	1
Acenaphthylene	< 0.021	ug/l	0.021	0.068	1	M8270D	1/30/2015	1/30/2015	MDK	1
Anthracene	< 0.02	ug/l	0.02	0.064	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(a)anthracene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(a)pyrene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(b)fluoranthene	< 0.019	ug/l	0.019	0.062	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(g,h,i)perylene	< 0.024	ug/l	0.024	0.078	1	M8270D	1/30/2015	1/30/2015	MDK	1
Benzo(k)fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Chrysene	< 0.017	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.025	ug/l	0.025	0.081	1	M8270D	1/30/2015	1/30/2015	MDK	1
Fluoranthene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Fluorene	0.025 "J"	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
1-Methyl naphthalene	0.206	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
2-Methyl naphthalene	0.082	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Naphthalene	0.05 "J"	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
Phenanthrene	0.017 "J"	ug/l	0.017	0.054	1	M8270D	1/30/2015	1/30/2015	MDK	1
Pyrene	< 0.018	ug/l	0.018	0.057	1	M8270D	1/30/2015	1/30/2015	MDK	1
VOC's										
Benzene	194	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		1/29/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		1/29/2015	CJR	1
n-Butylbenzene	1.52 "J"	ug/l	1	3.3	1	8260B		1/29/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		1/29/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		1/29/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		1/29/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		1/29/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		1/29/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		1/29/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		1/29/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	1
1,2-Dichloroethane	17.3	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/29/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		1/29/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		1/29/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		1/29/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	1
Ethylbenzene	22.5	ug/l	0.71	2.3	1	8260B		1/29/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		1/29/2015	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397F
Sample ID MW-1
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Isopropylbenzene	1.45 "J"	ug/l	0.82	2.6	1	8260B		1/29/2015	CJR	1
p-Isopropyltoluene	1.65 "J"	ug/l	1.1	3.5	1	8260B		1/29/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		1/29/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		1/29/2015	CJR	1
Naphthalene	6.1	ug/l	1.6	5.2	1	8260B		1/29/2015	CJR	1
n-Propylbenzene	2.44	ug/l	0.77	2.4	1	8260B		1/29/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		1/29/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/29/2015	CJR	1
Toluene	21.5	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		1/29/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		1/29/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		1/29/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		1/29/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/29/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	1
1,2,4-Trimethylbenzene	39	ug/l	1.6	5	1	8260B		1/29/2015	CJR	1
1,3,5-Trimethylbenzene	17.3	ug/l	1.5	4.8	1	8260B		1/29/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		1/29/2015	CJR	1
m&p-Xylene	194	ug/l	2.2	6.9	1	8260B		1/29/2015	CJR	1
o-Xylene	92	ug/l	0.9	2.9	1	8260B		1/29/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		1/29/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		1/29/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		1/29/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		1/29/2015	CJR	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	< 0.15	mg/l	0.15	0.48	1	353.2		2/16/2015	MDK	1
Sulfate, Filtered	92.0	mg/l	18.9	60.1	10	ASTM D516-		2/16/2015	MDK	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28397
Project #

Lab Code 5028397G
Sample ID TB
Sample Matrix Water
Sample Date 1/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		1/29/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		1/29/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		1/29/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		1/29/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		1/29/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		1/29/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		1/29/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		1/29/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		1/29/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		1/29/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		1/29/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/29/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		1/29/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		1/29/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		1/29/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		1/29/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		1/29/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		1/29/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		1/29/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		1/29/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		1/29/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		1/29/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		1/29/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		1/29/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		1/29/2015	CJR	1
Naphthalene	1.6	ug/l	1.6	5.2	1	8260B		1/29/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		1/29/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		1/29/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		1/29/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/29/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		1/29/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		1/29/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		1/29/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		1/29/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		1/29/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/29/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		1/29/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		1/29/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		1/29/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		1/29/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		1/29/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		1/29/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/29/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		1/29/2015	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		1/29/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		1/29/2015	CJR	1

"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

Code	*Comment*
1	Laboratory QC within limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature *Michael Ricker*

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # № 316

Page 1 of 1

Sample Handling Request

___ Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #:
Account No.:
Quote No.:
Project #:
Sampler: (signature) Jon Jan[illegible]
Project (Name / Location): Nicolet Tails Campground / Gillett

Reports To: Beth Rank	Invoice To: Beth Rank c/o METCO
Company: City of Gillett	Company: METCO
Address: 150 N. McKenzie Ave	Address: 709 Gillett St., Ste 3
City State Zip: Gillett, WI 54124	City State Zip: La Crosse, WI 54603
Phone: 920-855-2255	Phone:
FAX:	FAX:

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE-NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	Dissolved Iron	Dissolved Manganese				PID/FID
5028397A	MW-6	1-26	1115			Y	7	GW	[illegible]			X	X		X				X			X		X	X				
B	MW-5	↓	1145			↓	↓	↓				X	X		X				X			X		X	X				
C	MW-4	↓	1220			↓	↓	↓				X	X		X				X			X		X	X				
D	MW-3	↓	1250			↓	↓	↓				X	X		X				X			X		X	X				
E	MW-2	↓	115			↓	↓	↓				X	X		X				X			X		X	X				
F	MW-1	↓	135			↓	↓	↓				X	X		X				X			X		X	X				
G	TB						1															X							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO (Jason P.) (Invoice to METCO)

UC Rates Apply + Agent Status

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Dunham
Temp. of Temp. Blank ___ °C On Ice: X
Cooler seal intact upon receipt: X Yes ___ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
Jon Jan[illegible]	9:30	1-27-15			

Received in Laboratory By: [illegible signature] Time: 8:00 Date: 1/28/15

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BETH RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date *11-Jun-15*

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983A
Sample ID MW-6
Sample Matrix Water
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		5/29/2015	LPA	I
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		5/29/2015	LPA	I
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		5/29/2015	LPA	I
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		5/29/2015	LPA	I
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		5/29/2015	LPA	I
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		5/29/2015	LPA	I
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		5/29/2015	LPA	I
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		5/29/2015	LPA	I
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		5/29/2015	LPA	I

Lab Code 5028983B
Sample ID MW-5
Sample Matrix Water
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		6/2/2015	LPA	I
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		6/2/2015	LPA	I
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		6/2/2015	LPA	I
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		6/2/2015	LPA	I
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		6/2/2015	LPA	I
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		6/2/2015	LPA	I
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		6/2/2015	LPA	I
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		6/2/2015	LPA	I
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		6/2/2015	LPA	I

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983C
Sample ID MW-3
Sample Matrix Water
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		6/2/2015	LPA	
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		6/2/2015	LPA	
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		6/2/2015	LPA	
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		6/2/2015	LPA	
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		6/2/2015	LPA	
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		6/2/2015	LPA	
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		6/2/2015	LPA	
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		6/2/2015	LPA	
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		6/2/2015	LPA	

Lab Code 5028983D
Sample ID MW-2
Sample Matrix Water
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		6/2/2015	LPA	
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		6/2/2015	LPA	
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		6/2/2015	LPA	
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		6/2/2015	LPA	
Toluene	0.62 "J"	ug/l	0.39	1.2	1	GRO95/8021		6/2/2015	LPA	
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		6/2/2015	LPA	
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		6/2/2015	LPA	
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		6/2/2015	LPA	
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		6/2/2015	LPA	

Lab Code 5028983E
Sample ID MW-4
Sample Matrix Water
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		6/2/2015	LPA	
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		6/2/2015	LPA	
Methyl tert-butyl ether (MTBE)	25.3	ug/l	0.49	1.6	1	GRO95/8021		6/2/2015	LPA	
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		6/2/2015	LPA	
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		6/2/2015	LPA	
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		6/2/2015	LPA	
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		6/2/2015	LPA	
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		6/2/2015	LPA	
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		6/2/2015	LPA	

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983F
Sample ID MW-1
Sample Matrix Water
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	229	ug/l	2.3	7.5	5	GRO95/8021		6/2/2015	LPA	3
Ethylbenzene	42	ug/l	3.65	11.5	5	GRO95/8021		6/2/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 2.45	ug/l	2.45	8	5	GRO95/8021		6/2/2015	LPA	1
Naphthalene	< 13	ug/l	13	41.5	5	GRO95/8021		6/2/2015	LPA	1
Toluene	21.3	ug/l	1.95	6	5	GRO95/8021		6/2/2015	LPA	1
1,2,4-Trimethylbenzene	21.8	ug/l	3.4	11	5	GRO95/8021		6/2/2015	LPA	1
1,3,5-Trimethylbenzene	16.8	ug/l	4.15	13	5	GRO95/8021		6/2/2015	LPA	1
m&p-Xylene	90	ug/l	7	22	5	GRO95/8021		6/2/2015	LPA	1
o-Xylene	28.4	ug/l	3.3	10.5	5	GRO95/8021		6/2/2015	LPA	1

Lab Code 5028983G
Sample ID HS-1
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.7	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Acenaphthylene	0.0284 "J"	mg/kg	0.0198	0.062	1	M8270C	6/1/2015	6/2/2015	MDK	1
Anthracene	0.055	mg/kg	0.0171	0.054	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)anthracene	0.204	mg/kg	0.0191	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)pyrene	0.213	mg/kg	0.0143	0.045	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(b)fluoranthene	0.35	mg/kg	0.019	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(g,h,i)perylene	0.202	mg/kg	0.02	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(k)fluoranthene	0.142	mg/kg	0.0174	0.055	1	M8270C	6/1/2015	6/2/2015	MDK	1
Chrysene	0.233	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Dibenzo(a,h)anthracene	0.035 "J"	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluoranthene	0.50	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluorene	< 0.0184	mg/kg	0.0184	0.058	1	M8270C	6/1/2015	6/2/2015	MDK	1
Indeno(1,2,3-cd)pyrene	0.159	mg/kg	0.0165	0.052	1	M8270C	6/1/2015	6/2/2015	MDK	1
1-Methyl naphthalene	0.0214 "J"	mg/kg	0.0205	0.065	1	M8270C	6/1/2015	6/2/2015	MDK	1
2-Methyl naphthalene	0.0232 "J"	mg/kg	0.0199	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Naphthalene	< 0.0203	mg/kg	0.0203	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Phenanthrene	0.20	mg/kg	0.0198	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Pyrene	0.41	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95/8021		6/1/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/1/2015	LPA	1
Toluene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.012	0.038	1	GRO95/8021		6/1/2015	LPA	1
m&p-Xylene	< 0.05	mg/kg	0.023	0.074	1	GRO95/8021		6/1/2015	LPA	1
o-Xylene	< 0.025	mg/kg	0.024	0.078	1	GRO95/8021		6/1/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983H
Sample ID HS-2
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.4	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	0.063 "J"	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Acenaphthylene	0.041 "J"	mg/kg	0.0198	0.062	1	M8270C	6/1/2015	6/2/2015	MDK	1
Anthracene	0.253	mg/kg	0.0171	0.054	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)anthracene	0.89	mg/kg	0.0191	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)pyrene	0.89	mg/kg	0.0143	0.045	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(b)fluoranthene	1.27	mg/kg	0.019	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(g,h,i)perylene	0.68	mg/kg	0.02	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(k)fluoranthene	0.39	mg/kg	0.0174	0.055	1	M8270C	6/1/2015	6/2/2015	MDK	1
Chrysene	0.91	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Dibenzo(a,h)anthracene	0.143	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluoranthene	2.01	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluorene	0.089	mg/kg	0.0184	0.058	1	M8270C	6/1/2015	6/2/2015	MDK	1
Indeno(1,2,3-cd)pyrene	0.56	mg/kg	0.0165	0.052	1	M8270C	6/1/2015	6/2/2015	MDK	1
1-Methyl naphthalene	0.0271 "J"	mg/kg	0.0205	0.065	1	M8270C	6/1/2015	6/2/2015	MDK	1
2-Methyl naphthalene	0.039 "J"	mg/kg	0.0199	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Naphthalene	0.0216 "J"	mg/kg	0.0203	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Phenanthrene	1.25	mg/kg	0.0198	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Pyrene	1.78	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95/8021		6/2/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/2/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/2/2015	LPA	1
Toluene	0.040 "J"	mg/kg	0.015	0.048	1	GRO95/8021		6/2/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/2/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.012	0.038	1	GRO95/8021		6/2/2015	LPA	1
m&p-Xylene	0.051 "J"	mg/kg	0.023	0.074	1	GRO95/8021		6/2/2015	LPA	1
o-Xylene	< 0.025	mg/kg	0.024	0.078	1	GRO95/8021		6/2/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983I
Sample ID HS-3
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.9	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Acenaphthylene	< 0.0198	mg/kg	0.0198	0.062	1	M8270C	6/1/2015	6/2/2015	MDK	1
Anthracene	< 0.0171	mg/kg	0.0171	0.054	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)anthracene	< 0.0191	mg/kg	0.0191	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)pyrene	< 0.0143	mg/kg	0.0143	0.045	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(b)fluoranthene	< 0.019	mg/kg	0.019	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(g,h,i)perylene	< 0.02	mg/kg	0.02	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(k)fluoranthene	< 0.0174	mg/kg	0.0174	0.055	1	M8270C	6/1/2015	6/2/2015	MDK	1
Chrysene	< 0.0192	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluoranthene	< 0.0192	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluorene	< 0.0184	mg/kg	0.0184	0.058	1	M8270C	6/1/2015	6/2/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.0165	mg/kg	0.0165	0.052	1	M8270C	6/1/2015	6/2/2015	MDK	1
1-Methyl naphthalene	< 0.0205	mg/kg	0.0205	0.065	1	M8270C	6/1/2015	6/2/2015	MDK	1
2-Methyl naphthalene	< 0.0199	mg/kg	0.0199	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Naphthalene	< 0.0203	mg/kg	0.0203	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Phenanthrene	< 0.0198	mg/kg	0.0198	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Pyrene	< 0.0192	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95/8021		6/1/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/1/2015	LPA	1
Toluene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.012	0.038	1	GRO95/8021		6/1/2015	LPA	1
m&p-Xylene	< 0.05	mg/kg	0.023	0.074	1	GRO95/8021		6/1/2015	LPA	1
o-Xylene	< 0.025	mg/kg	0.024	0.078	1	GRO95/8021		6/1/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983J
Sample ID HS-4
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.3	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Acenaphthylene	< 0.0198	mg/kg	0.0198	0.062	1	M8270C	6/1/2015	6/2/2015	MDK	1
Anthracene	< 0.0171	mg/kg	0.0171	0.054	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)anthracene	< 0.0191	mg/kg	0.0191	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)pyrene	< 0.0143	mg/kg	0.0143	0.045	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(b)fluoranthene	< 0.019	mg/kg	0.019	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(g,h,i)perylene	< 0.02	mg/kg	0.02	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(k)fluoranthene	< 0.0174	mg/kg	0.0174	0.055	1	M8270C	6/1/2015	6/2/2015	MDK	1
Chrysene	< 0.0192	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluoranthene	< 0.0192	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluorene	< 0.0184	mg/kg	0.0184	0.058	1	M8270C	6/1/2015	6/2/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.0165	mg/kg	0.0165	0.052	1	M8270C	6/1/2015	6/2/2015	MDK	1
1-Methyl naphthalene	< 0.0205	mg/kg	0.0205	0.065	1	M8270C	6/1/2015	6/2/2015	MDK	1
2-Methyl naphthalene	< 0.0199	mg/kg	0.0199	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Naphthalene	< 0.0203	mg/kg	0.0203	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Phenanthrene	< 0.0198	mg/kg	0.0198	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Pyrene	< 0.0192	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95/8021		6/1/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/1/2015	LPA	1
Toluene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.012	0.038	1	GRO95/8021		6/1/2015	LPA	1
m&p-Xylene	< 0.05	mg/kg	0.023	0.074	1	GRO95/8021		6/1/2015	LPA	1
o-Xylene	< 0.025	mg/kg	0.024	0.078	1	GRO95/8021		6/1/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983K
Sample ID HS-5
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.3	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Acenaphthylene	0.0235 "J"	mg/kg	0.0198	0.062	1	M8270C	6/1/2015	6/2/2015	MDK	1
Anthracene	< 0.0171	mg/kg	0.0171	0.054	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)anthracene	0.095	mg/kg	0.0191	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)pyrene	0.094	mg/kg	0.0143	0.045	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(b)fluoranthene	0.137	mg/kg	0.019	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(g,h,i)perylene	0.071	mg/kg	0.02	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(k)fluoranthene	0.06	mg/kg	0.0174	0.055	1	M8270C	6/1/2015	6/2/2015	MDK	1
Chrysene	0.10	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluoranthene	0.154	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluorene	0.0303 "J"	mg/kg	0.0184	0.058	1	M8270C	6/1/2015	6/2/2015	MDK	1
Indeno(1,2,3-cd)pyrene	0.057	mg/kg	0.0165	0.052	1	M8270C	6/1/2015	6/2/2015	MDK	1
1-Methyl naphthalene	0.051 "J"	mg/kg	0.0205	0.065	1	M8270C	6/1/2015	6/2/2015	MDK	1
2-Methyl naphthalene	0.040 "J"	mg/kg	0.0199	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Naphthalene	0.0249 "J"	mg/kg	0.0203	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Phenanthrene	0.081	mg/kg	0.0198	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Pyrene	0.23	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95 8021		6/1/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95 8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95 8021		6/1/2015	LPA	1
Toluene	< 0.025	mg/kg	0.015	0.048	1	GRO95 8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95 8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.012	0.038	1	GRO95 8021		6/1/2015	LPA	1
m&p-Xylene	< 0.05	mg/kg	0.023	0.074	1	GRO95 8021		6/1/2015	LPA	1
o-Xylene	< 0.025	mg/kg	0.024	0.078	1	GRO95 8021		6/1/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983L
Sample ID HS-6
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.5	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	0.38	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Acenaphthylene	0.186	mg/kg	0.0198	0.062	1	M8270C	6/1/2015	6/2/2015	MDK	1
Anthracene	0.33	mg/kg	0.0171	0.054	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)anthracene	0.141	mg/kg	0.0191	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)pyrene	0.211	mg/kg	0.0143	0.045	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(b)fluoranthene	0.296	mg/kg	0.019	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(g,h,i)perylene	0.181	mg/kg	0.02	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(k)fluoranthene	0.11	mg/kg	0.0174	0.055	1	M8270C	6/1/2015	6/2/2015	MDK	1
Chrysene	0.229	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Dibenzo(a,h)anthracene	0.038 "J"	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluoranthene	0.267	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluorene	0.42	mg/kg	0.0184	0.058	1	M8270C	6/1/2015	6/2/2015	MDK	1
Indeno(1,2,3-cd)pyrene	0.133	mg/kg	0.0165	0.052	1	M8270C	6/1/2015	6/2/2015	MDK	1
1-Methyl naphthalene	1.01	mg/kg	0.0205	0.065	1	M8270C	6/1/2015	6/2/2015	MDK	1
2-Methyl naphthalene	0.47	mg/kg	0.0199	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Naphthalene	0.175	mg/kg	0.0203	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Phenanthrene	0.55	mg/kg	0.0198	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Pyrene	1.16	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95/8021		6/1/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/1/2015	LPA	1
Toluene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	0.036 "J"	mg/kg	0.012	0.038	1	GRO95/8021		6/1/2015	LPA	1
m&p-Xylene	0.082	mg/kg	0.023	0.074	1	GRO95/8021		6/1/2015	LPA	1
o-Xylene	< 0.025	mg/kg	0.024	0.078	1	GRO95/8021		6/1/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983M
Sample ID HS-7
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.2	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	2.55	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Acenaphthylene	0.66	mg/kg	0.0198	0.062	1	M8270C	6/1/2015	6/2/2015	MDK	1
Anthracene	0.95	mg/kg	0.0171	0.054	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)anthracene	0.039 "J"	mg/kg	0.0191	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(a)pyrene	0.0198 "J"	mg/kg	0.0143	0.045	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(b)fluoranthene	0.055 "J"	mg/kg	0.019	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(g,h,i)perylene	0.0239 "J"	mg/kg	0.02	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Benzo(k)fluoranthene	< 0.0174	mg/kg	0.0174	0.055	1	M8270C	6/1/2015	6/2/2015	MDK	1
Chrysene	0.044 "J"	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluoranthene	0.133	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
Fluorene	2.53	mg/kg	0.0184	0.058	1	M8270C	6/1/2015	6/2/2015	MDK	1
Indeno(1,2,3-cd)pyrene	0.0204 "J"	mg/kg	0.0165	0.052	1	M8270C	6/1/2015	6/2/2015	MDK	1
1-Methyl naphthalene	10.8	mg/kg	0.0205	0.065	1	M8270C	6/1/2015	6/2/2015	MDK	1
2-Methyl naphthalene	2.03	mg/kg	0.0199	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Naphthalene	2.2	mg/kg	0.0203	0.064	1	M8270C	6/1/2015	6/2/2015	MDK	1
Phenanthrene	7.0	mg/kg	0.0198	0.063	1	M8270C	6/1/2015	6/2/2015	MDK	1
Pyrene	0.259	mg/kg	0.0192	0.061	1	M8270C	6/1/2015	6/2/2015	MDK	1
PVOC										
Benzene	2.18	mg/kg	0.14	0.46	10	GRO95 8021		6/2/2015	LPA	1
Ethylbenzene	0.72	mg/kg	0.14	0.45	10	GRO95 8021		6/2/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.25	mg/kg	0.13	0.41	10	GRO95 8021		6/2/2015	LPA	1
Toluene	0.63	mg/kg	0.15	0.48	10	GRO95 8021		6/2/2015	LPA	1
1,2,4-Trimethylbenzene	7.5	mg/kg	0.11	0.36	10	GRO95 8021		6/2/2015	LPA	1
1,3,5-Trimethylbenzene	7.4	mg/kg	0.12	0.38	10	GRO95 8021		6/2/2015	LPA	1
m&p-Xylene	3.2	mg/kg	0.23	0.74	10	GRO95 8021		6/2/2015	LPA	1
o-Xylene	1.39	mg/kg	0.24	0.78	10	GRO95 8021		6/2/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983N
Sample ID HS-8
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.0	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Acenaphthylene	0.035 "J"	mg/kg	0.0198	0.062	1	M8270C	6/8/2015	6/10/2015	MDK	1
Anthracene	0.0296 "J"	mg/kg	0.0171	0.054	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(a)anthracene	0.067	mg/kg	0.0191	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(a)pyrene	0.064	mg/kg	0.0143	0.045	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(b)fluoranthene	0.117	mg/kg	0.019	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(g,h,i)perylene	0.066	mg/kg	0.02	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(k)fluoranthene	0.044 "J"	mg/kg	0.0174	0.055	1	M8270C	6/8/2015	6/10/2015	MDK	1
Chrysene	0.061	mg/kg	0.0192	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Fluoranthene	0.077	mg/kg	0.0192	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Fluorene	< 0.0184	mg/kg	0.0184	0.058	1	M8270C	6/8/2015	6/10/2015	MDK	1
Indeno(1,2,3-cd)pyrene	0.050 "J"	mg/kg	0.0165	0.052	1	M8270C	6/8/2015	6/10/2015	MDK	1
1-Methyl naphthalene	0.039 "J"	mg/kg	0.0205	0.065	1	M8270C	6/8/2015	6/10/2015	MDK	1
2-Methyl naphthalene	0.038 "J"	mg/kg	0.0199	0.063	1	M8270C	6/8/2015	6/10/2015	MDK	1
Naphthalene	0.0225 "J"	mg/kg	0.0203	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Phenanthrene	0.062 "J"	mg/kg	0.0198	0.063	1	M8270C	6/8/2015	6/10/2015	MDK	1
Pyrene	0.076	mg/kg	0.0192	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
PVOC										
Benzene	0.68	mg/kg	0.014	0.046	1	GRO95/8021		6/1/2015	LPA	1
Ethylbenzene	0.36	mg/kg	0.014	0.045	1	GRO95/8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/1/2015	LPA	1
Toluene	0.164	mg/kg	0.015	0.048	1	GRO95/8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	0.247	mg/kg	0.011	0.036	1	GRO95/8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	0.11	mg/kg	0.012	0.038	1	GRO95/8021		6/1/2015	LPA	1
m&p-Xylene	0.91	mg/kg	0.023	0.074	1	GRO95/8021		6/1/2015	LPA	1
o-Xylene	0.312	mg/kg	0.024	0.078	1	GRO95/8021		6/1/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 50289830
Sample ID HS-9
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.3	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	< 0.0201	mg/kg	0.0201	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Acenaphthylene	0.0218 "J"	mg/kg	0.0198	0.062	1	M8270C	6/8/2015	6/10/2015	MDK	1
Anthracene	0.048 "J"	mg/kg	0.0171	0.054	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(a)anthracene	0.163	mg/kg	0.0191	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(a)pyrene	0.123	mg/kg	0.0143	0.045	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(b)fluoranthene	0.202	mg/kg	0.019	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(g,h,i)perylene	0.096	mg/kg	0.02	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Benzo(k)fluoranthene	0.081	mg/kg	0.0174	0.055	1	M8270C	6/8/2015	6/10/2015	MDK	1
Chrysene	0.133	mg/kg	0.0192	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Dibenzo(a,h)anthracene	0.0247 "J"	mg/kg	0.0201	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Fluoranthene	0.245	mg/kg	0.0192	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
Fluorene	< 0.0184	mg/kg	0.0184	0.058	1	M8270C	6/8/2015	6/10/2015	MDK	1
Indeno(1,2,3-cd)pyrene	0.079	mg/kg	0.0165	0.052	1	M8270C	6/8/2015	6/10/2015	MDK	1
1-Methyl naphthalene	< 0.0205	mg/kg	0.0205	0.065	1	M8270C	6/8/2015	6/10/2015	MDK	1
2-Methyl naphthalene	0.0224 "J"	mg/kg	0.0199	0.063	1	M8270C	6/8/2015	6/10/2015	MDK	1
Naphthalene	< 0.0203	mg/kg	0.0203	0.064	1	M8270C	6/8/2015	6/10/2015	MDK	1
Phenanthrene	0.089	mg/kg	0.0198	0.063	1	M8270C	6/8/2015	6/10/2015	MDK	1
Pyrene	0.19	mg/kg	0.0192	0.061	1	M8270C	6/8/2015	6/10/2015	MDK	1
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95/8021		6/1/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/1/2015	LPA	1
Toluene	0.065	mg/kg	0.015	0.048	1	GRO95/8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	0.041	mg/kg	0.011	0.036	1	GRO95/8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.012	0.038	1	GRO95/8021		6/1/2015	LPA	1
m&p-Xylene	0.098	mg/kg	0.023	0.074	1	GRO95/8021		6/1/2015	LPA	1
o-Xylene	0.040 "J"	mg/kg	0.024	0.078	1	GRO95/8021		6/1/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983P
Sample ID HS-10
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.2	%			1	5021		5/29/2015	LPA	1
Organic										
PAH SIM										
Acenaphthene	0.82	mg/kg	0.201	0.64	10	M8270C	6/8/2015	6/11/2015	MDK	1
Acenaphthylene	0.35 "J"	mg/kg	0.198	0.62	10	M8270C	6/8/2015	6/11/2015	MDK	1
Anthracene	0.57	mg/kg	0.171	0.54	10	M8270C	6/8/2015	6/11/2015	MDK	1
Benzo(a)anthracene	0.39 "J"	mg/kg	0.191	0.61	10	M8270C	6/8/2015	6/11/2015	MDK	1
Benzo(a)pyrene	0.166 "J"	mg/kg	0.143	0.45	10	M8270C	6/8/2015	6/11/2015	MDK	1
Benzo(b)fluoranthene	0.286 "J"	mg/kg	0.19	0.61	10	M8270C	6/8/2015	6/11/2015	MDK	1
Benzo(g,h,i)perylene	< 0.2	mg/kg	0.2	0.64	10	M8270C	6/8/2015	6/11/2015	MDK	1
Benzo(k)fluoranthene	< 0.174	mg/kg	0.174	0.55	10	M8270C	6/8/2015	6/11/2015	MDK	1
Chrysene	0.299 "J"	mg/kg	0.192	0.61	10	M8270C	6/8/2015	6/11/2015	MDK	1
Dibenzo(a,h)anthracene	< 0.201	mg/kg	0.201	0.64	10	M8270C	6/8/2015	6/11/2015	MDK	1
Fluoranthene	0.64	mg/kg	0.192	0.61	10	M8270C	6/8/2015	6/11/2015	MDK	1
Fluorene	1.4	mg/kg	0.184	0.58	10	M8270C	6/8/2015	6/11/2015	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.165	mg/kg	0.165	0.52	10	M8270C	6/8/2015	6/11/2015	MDK	1
1-Methyl naphthalene	16.7	mg/kg	0.205	0.65	10	M8270C	6/8/2015	6/11/2015	MDK	1
2-Methyl naphthalene	24	mg/kg	0.199	0.63	10	M8270C	6/8/2015	6/11/2015	MDK	1
Naphthalene	8.2	mg/kg	0.203	0.64	10	M8270C	6/8/2015	6/11/2015	MDK	1
Phenanthrene	2.77	mg/kg	0.198	0.63	10	M8270C	6/8/2015	6/11/2015	MDK	1
Pyrene	0.95	mg/kg	0.192	0.61	10	M8270C	6/8/2015	6/11/2015	MDK	1
PVOC										
Benzene	1.84	mg/kg	0.14	0.46	10	GRO95/8021		6/2/2015	LPA	1
Ethylbenzene	0.94	mg/kg	0.14	0.45	10	GRO95/8021		6/2/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.25	mg/kg	0.13	0.41	10	GRO95/8021		6/2/2015	LPA	1
Toluene	1.21	mg/kg	0.15	0.48	10	GRO95/8021		6/2/2015	LPA	1
1,2,4-Trimethylbenzene	82	mg/kg	0.11	0.36	10	GRO95/8021		6/2/2015	LPA	1
1,3,5-Trimethylbenzene	33	mg/kg	0.12	0.38	10	GRO95/8021		6/2/2015	LPA	1
m&p-Xylene	22	mg/kg	0.23	0.74	10	GRO95/8021		6/2/2015	LPA	1
o-Xylene	14.2	mg/kg	0.24	0.78	10	GRO95/8021		6/2/2015	LPA	1

Lab Code 5028983Q
Sample ID TB
Sample Matrix Water
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		6/2/2015	LPA	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		6/2/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		6/2/2015	LPA	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		6/2/2015	LPA	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		6/2/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		6/2/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		6/2/2015	LPA	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		6/2/2015	LPA	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		6/2/2015	LPA	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E28983
Project #

Lab Code 5028983R
Sample ID MEOH BLANK
Sample Matrix Soil
Sample Date 5/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC										
Benzene	< 0.025	mg/kg	0.014	0.046	1	GRO95/8021		6/1/2015	LPA	1
Ethylbenzene	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/1/2015	LPA	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/1/2015	LPA	1
Toluene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/1/2015	LPA	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/1/2015	LPA	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.012	0.038	1	GRO95/8021		6/1/2015	LPA	1
m&p-Xylene	< 0.05	mg/kg	0.023	0.074	1	GRO95/8021		6/1/2015	LPA	1
o-Xylene	< 0.025	mg/kg	0.024	0.078	1	GRO95/8021		6/1/2015	LPA	1

"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

Code	*Comment*
1	Laboratory QC within limits.
3	The matrix spike not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature *Michael Ricker*

CHAIN OF STODY RECORD

Synergy

Chain # 3837

Page 1 of 2

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
____ Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #:

Account No.: Quote No.:

Project #:

Sampler: (signature) Jon Jamm

Project (Name / Location): Nicolet Trails Campground/Gillett

Reports To: Beth Rank	Invoice To: Beth Rank C/o METCO
Company City of Gillett	Company METCO
Address 150 N. McKenzie Ave	Address 709 Gillett St., Ste. 3
City State Zip Gillett, WI 54124	City State Zip La Crosse, WI 54603
Phone 920-855-2255	Phone
FAX	FAX

Analysis Requested | **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sec 8015)	GRO (Mod GRO Sec 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC (VW, EPA 542.2)	VOC (EPA 8260)	8 RCRA METALS	PID FID
502-8103 A	MW-6	5-26	945				3	GW	HCL									X						
B	MW-5		1015					GW										X						
C	MW-3		1035					GW										X						
D	MW-2		1100					GW										X						
E	MW-4		1120					GW										X						
F	MW-1		1145					GW										X						
G	HS-1		1200		X		3	S							X	X	X							
H	HS-2		1220		X			S							X	X	X							
I	HS-3		1240		X			S							X	X	X							
J	HS-4	↓	100		X		↓	S	↓						X	X	X							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO (Jon P.) (Invoice to METCO)

Late rates apply * Agent status?

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Dunham
Temp. of Temp. Blank ____ °C On Ice: ✓
Cooler seal intact upon receipt: ✓ Yes ____ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
Jon Jamm	1250	5-28-15			

Received in Laboratory By: [illegible] Time: [illegible] Date: [illegible]

CHAIN OF STODY RECORD

Synergy

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920 733-0631

Chain # 3037

Page 2 of 2

Lab I.D. #

Account No

Quote No :

Project #

Sampler: (signature)

Project (Name / Location) Nicolet Trails Campground/Gillett

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Reports To:	Invoice To:
Company See page 1	Company See page 1
Address	Address
City State Zip	City State Zip
Phone	Phone
FAX	FAX

Analysis Requested — **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	TPH (Method 8015) Gas/DRO	TPH (Method 8015) Gas/MRO	LEAD	NITRATE NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	ARSENIC METALS	PCB LIQUID
5028183K	HS-5	5-26	120		X		3	S							X		X							
L	HS-6		140		X			S							X		X							
M	HS-7		200		X			S							X		X							
N	HS-8		220		X			S							X		X							
O	HS-9		240		X			S							X		X							
P	HS-10		300		X			S							X		X							
Q	TB							S							X		X							
R	MEOH Blank						1		HCL MeOH															

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW" Soil "S", Air "A" Oil Sludge etc.)

See page 1

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Dunham's

Temp. of Temp. Blank ____ °C On Ice: ✓

Cooler seal intact upon receipt: ✓ Yes ____ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date

Received in Laboratory By:

Time: Date:

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BETH RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date *04-Sep-15*

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E29587
Project #

Lab Code 5029587A
Sample ID MW-6
Sample Matrix Water
Sample Date 8/31/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		9/2/2015	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		9/2/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		9/2/2015	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		9/2/2015	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		9/2/2015	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		9/2/2015	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		9/2/2015	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		9/2/2015	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		9/2/2015	CJR	1

Lab Code 5029587B
Sample ID MW-5
Sample Matrix Water
Sample Date 8/31/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		9/2/2015	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		9/2/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		9/2/2015	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		9/2/2015	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		9/2/2015	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		9/2/2015	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		9/2/2015	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		9/2/2015	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		9/2/2015	CJR	1

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E29587
Project #

Lab Code 5029587C
Sample ID MW-3
Sample Matrix Water
Sample Date 8/31/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		9/2/2015	CJR	
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		9/2/2015	CJR	
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		9/2/2015	CJR	
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		9/2/2015	CJR	
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		9/2/2015	CJR	
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		9/2/2015	CJR	
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		9/2/2015	CJR	
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		9/2/2015	CJR	
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		9/2/2015	CJR	

Lab Code 5029587D
Sample ID MW-2
Sample Matrix Water
Sample Date 8/31/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		9/2/2015	CJR	
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		9/2/2015	CJR	
Methyl tert-butyl ether (MTBE)	0.84 "J"	ug/l	0.49	1.6	1	GRO95/8021		9/2/2015	CJR	
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		9/2/2015	CJR	
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		9/2/2015	CJR	
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		9/2/2015	CJR	
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		9/2/2015	CJR	
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		9/2/2015	CJR	
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		9/2/2015	CJR	

Lab Code 5029587E
Sample ID MW-4
Sample Matrix Water
Sample Date 8/31/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		9/2/2015	CJR	
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		9/2/2015	CJR	
Methyl tert-butyl ether (MTBE)	28.4	ug/l	0.49	1.6	1	GRO95/8021		9/2/2015	CJR	
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		9/2/2015	CJR	
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		9/2/2015	CJR	
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		9/2/2015	CJR	
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		9/2/2015	CJR	
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		9/2/2015	CJR	
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		9/2/2015	CJR	

Project Name NICOLET TRAILS CAMPGROUND **Invoice #** E29587
Project #

Lab Code 5029587F
Sample ID MW-1
Sample Matrix Water
Sample Date 8/31/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	1670	ug/l	4.6	15	10	GRO95/8021		9/3/2015	CJR	1
Ethylbenzene	360	ug/l	7.3	23	10	GRO95/8021		9/3/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.9	ug/l	4.9	16	10	GRO95/8021		9/3/2015	CJR	1
Naphthalene	131	ug/l	26	83	10	GRO95/8021		9/3/2015	CJR	1
Toluene	590	ug/l	3.9	12	10	GRO95/8021		9/3/2015	CJR	1
1,2,4-Trimethylbenzene	440	ug/l	6.8	22	10	GRO95/8021		9/3/2015	CJR	1
1,3,5-Trimethylbenzene	134	ug/l	8.3	26	10	GRO95/8021		9/3/2015	CJR	1
m&p-Xylene	980	ug/l	14	44	10	GRO95/8021		9/3/2015	CJR	1
o-Xylene	390	ug/l	6.6	21	10	GRO95/8021		9/3/2015	CJR	1

Lab Code 5029587G
Sample ID TB
Sample Matrix Water
Sample Date 8/31/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95 8021		9/2/2015	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95 8021		9/2/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95 8021		9/2/2015	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95 8021		9/2 2015	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95 8021		9/2/2015	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95 8021		9/2/2015	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95 8021		9/2 2015	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95 8021		9/2/2015	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95 8021		9/2/2015	CJR	1

"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

Code	*Comment*
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature *Michael Ricker*

CHAIN OF STODY RECORD

Synergy

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # 3079

Page 1 of 1

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
X Normal Turn Around

Lab I.D. #

Account No. : **Quote No.:**

Project #:

Sampler: (signature) Jason Gerum

Project (Name / Location): Nicolet Trails Campground / Gillette

Reports To: Beth Kunk	Invoice To: B. Rajk
Company: City of Gillett	Company: c/o METCO
Address: 150 N. McKenzie Ave	Address: 709 Gillette st, ste. 3
City State Zip: Gillett, WI 54124	City State Zip: La Crosse, WI 54603
Phone:	Phone:
FAX:	FAX:

Analysis Requested | Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod GRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE-NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8 RCRA METALS	PID/FID
582558-01	MW-6	8-31	130				3	GW	HCL									X						
B	MW-5		150															X						
C	MW-3		210															X						
D	MW-2		230															X						
E	MW-4		245															X						
F	MW-1		300															X						
G	TB																	X						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO / Jason P. (Invoice to METCO)

Late Rates apply * Agent status

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Drive
Temp. of Temp. Blank ___ °C On Ice: X
Cooler seal intact upon receipt: X Yes ___ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
Jason Gerum	9:00	9-1-15			

Received in Laboratory By: [signature] Time: 8:00 Date: 9/2/15

APPENDIX C/ WELL AND BOREHOLE DOCUMENTATION

State of Wisconsin
Department of Natural Resources

GROUNDWATER MONITORING WELL INFORMATION FORM

Chapter 281 and 289, Wis. Stats.
Form 4400-89

Rev. 7-98

Facility Name	Facility ID Number	License, Permit or Monitoring No.	Date	Completed By (Name and Firm)
Nicolet Trails Campground			11/11/2015	Jon Jensen/METCO

WI Unique Well No	Well Name	DNR Well ID Number	Well Location	Dir. N/E	Dir. S/W	Date Established	Well Casing Diam.	Well Casing Type	Elevations Top of Well Casing	Elevations Ground Surface	Reference MSL (√)	Reference Site Datum (√)	Depths Screen Top	Depths Initial Groundwater	Depths Well Depth	Screen Length	Well Type	Well Status	Enf. Stds.	Grad-ient	Distance to Waste
			10055.47	X																	
VO571	MW-1		10033.36	X		12/29/2014	2	P	799.6	800.02	X		5	13.25	15	10	11/mw	A	X	S	17
			10177.99	X																	
VO572	MW-2		9992.43	X		12/29/2014	2	P	798.97	799.43	X		6	10.54	16	10	11/mw	A	X	U	135
			10190.68	X																	
VO573	MW-3		10094.69	X		12/29/2014	2	P	796.54	796.84	X		5	9.48	15	10	11/mw	A	X	U	135
			10140.29	X																	
VO574	MW-4		10174.1	X		12/29/2014	2	P	798.36	798.65	X		5	10.65	15	10	11/mw	A	X	U	137
			10021.89	X																	
VO575	MW-5		10169.58	X		12/29/2014	2	P	797.52	798.01	X		6	8.05	16	10	11/mw	A	X	S	110
			10000	X																	
VO576	MW-6		10000	X		12/29/2014	2	P	798.79	799.16	X		5	7.22	15	10	11/mw	A	X	D	62

Location Coordinates Are:
☐ State Plane Coordinate ☐ Northern ☐ Central ☐ Southern
|X| Local Grid System

Grid Origin Location: (Check if estimated: ☐)

Lat. 44 ° 53 ' 34 " Long. 88 ° 18 ' 4 " or

St. Plane _____ ft. N. _____ ft. E. S/C/N Zone

Remarks:

Completion of this form is mandatory under s. NR 507.14 and NR 110.25 Wis. Adm. Code. Failure to file this form may result in forfeiture of not less than $10 nor more than $5,000 for each day of violation. Personally identifiable information provided is intended to be used by the Department for the purposes related to the waste management program.



MONITORING WELLS
TOP OF WELL & TOP OF CASING ELEVATIONS (NAVD88)

MW-1	TW = 800.02'	
	TC = 799.60'	
MW-2	TW = 799.43'	
	TC = 798.97'	
MW-3	TW = 796.84'	
	TC = 796.54'	
MW-4	TW = 798.65'	
	TC = 798.36'	
MW-5	TW = 798.01'	
	TC = 797.52'	
MW-6	TW = 799.16'	
	TC = 798.79'	

DRAWN BY: G.FAUERBACH DATE: 1-26-15 FIELD DWG. NO.: 50115 BRRTS #	REVISIONS FAUERBACH SURVEYING & ENG. PO BOX 140, HILLSBORO, WI 54634 PH/FAX 608-489-3363	PROJECT: NICOLET TRAILS CAMPGROUND 310 E. WASH. ST. GILLETT, WI 54124	SHEET NAME LOCATION MAP	PAGE 1 OF 1

WELL	RANDOM COORDINATES NORTH	EAST	TOP OF WELL ELEVATION (NAVD88)	TOP OF PVC CASING ELEVATION (NAVD88)
MW-1	10,055.47	10,033.36	800.02'	799.60'
MW-2	10,177.99	9,992.43	799.43'	798.97'
MW-3	10,190.68	10,094.69	796.84'	796.54'
MW-4	10,140.29	10,174.10	798.65'	798.36'
MW-5	10,021.89	10,169.58	798.01'	797.52'
MW-6	10,000.00	10,000.00	799.16'	798.79'

WISCONSIN
GREGORY A. FAUERBACH
S-2169
HILLSBORO
LAND SURVEYOR

2-2-15

DRAWN BY: C. FAUERBACH DATE: 1-26-15 FIELD DWG. NO.: 50115 BRRTS #	REVISIONS FAUERBACH SURVEYING & ENG. PO BOX 140, HILLSBORO, WI 54634 PH/FAX 608-489-3363	PROJECT: NICOLET TRAILS CAMPGROUND 310 E. WASH. ST. GILLETT, WI 54124	SHEET NAME DATA SHEET	PAGE 1 OF 1

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-1

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice	04/15/2014	04/15/2014	Geoprobe
Firm: Geiss Soil & Samples, LLC	MM/ DD/ YYYY	MM /DD/ YYYY	

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-1-1 (0-4 ft)	48 30		2	0-3' Tan sand and gravel	Fill			20		M				Petro Odor and Staining From 2-4 Feet
			4	3-4' Gray sandy silt/clay	ML/CL									
G-1-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			5		M				Petro Odor
			8											
G-1-3 (8-12 ft)	48 48		10	8-11' Red sandy silt/clay w/ gravel	ML/CL			0		M/W				Petro Odor
			12	11-12" Tan very fine grained sand	SW									
G-1-4 (12-14 ft)	24 24			12-13' Tan very fine grained sand	SW			0		W				Slight Petro Odor
			14	13-14' Gray silt	ML									
				EOB @ 14 feet. Groundwater sample G-1-W collected at 9-14 feet. Borehole abandoned.										
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-2

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-2-1 (0-4 ft)	48 30		2	Tan sand, gravel, and concrete	Fill			30		M				Slight Petro Odor From 3-4 Feet
			4	4-7' Tan sand and gravel	Fill									
G-2-2 (4-8 ft)	48 36		6					110		M				Petro Odor
			8	7-8' Red sandy silt/clay w/ gravel	ML/CL									
G-2-3 (8-12 ft)	48 42		10	8-11' Red sandy silt/clay	ML/CL			2.5		M/W				Petro Odor
			12	11-12' Tan very fine grained sand	SW									
G-2-4 (12-14 ft)	24 24			12-13' Tan very fine grained sand	SW			0		W				Slight Petro Odor
			14	13-14' Gray silt	ML									
				EOB @ 14 feet. Groundwater sample G-2-W collected at 9-14 feet. Borehole abandoned.										
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-3

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-3-1 (0-4 ft)	48 / 24		2	Gray sand and gravel	Fill			685		M				No Petro Odor
			4	4-5' Gray sand and gravel	Fill									
				5-6' Red sandy silt/clay	ML/CL									
G-3-2 (4-8 ft)	48 / 48		6	6-7' Tan very fine grained sand	SW			800		M				Petro Odor
				7-8' Red sandy silt/clay w/ gravel	ML/CL									
			8											
				8-10' Red sandy silt/clay	ML/CL									
G-3-3 (8-12 ft)	48 / 48		10					450		M/W				Slight Petro Odor
				10-12' Tan very fine grained sand	SW									
			12	EOB @ 12 feet. Groundwater sample G-3-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-4

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-4-1 (0-4 ft)	48 30		2	Red sandy silt/clay w/ gravel	ML/CL			2		M				No Petro Odor
			4											
G-4-2 (4-8 ft)	48 48		6	Red sandy silt/clay	ML/CL			1520		M				Petro Odor
			8											
G-4-3 (8-12 ft)	48 48		10	8-10' Red sandy silt/clay	ML/CL			7		M/W				Slight Petro Odor
				10-11' Tan very fine grained sand	SW									
			12	11-12' Gray silt	ML									
				EOB @ 12 feet. Groundwater sample G-4-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-5

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties										
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-5-1 (0-4 ft)	48 36		2	Red sandy silt/clay	ML/CL			0		M				No Petro Odor
			4											
G-5-2 (4-8 ft)	48 48		6	Red sandy silt/clay	ML/CL			35		M				Petro Odor
			8											
G-5-3 (8-12 ft)	48 48		10	8-11' Tan very fine grained sand	SW			3		W				No Petro Odor
			12	11-12' Gray silt	ML									
				EOB @ 12 feet. Groundwater sample G-5-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-6

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice	04/15/2014	04/15/2014	Geoprobe
Firm: Geiss Soil & Samples, LLC	MM/ DD/ YYYY	MM /DD/ YYYY	

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-6-1 (0-4 ft)	48 36		2	Brown sand and gravel	Fill			460		M				Petro Odor
			4	4-5' Gray sand and gravel	Fill									
G-6-2 (4-8 ft)	48 48		6	5-8' Red sandy silt/clay w/ gravel	ML/CL			250		M				Petro Odor
			8											
G-6-3 (8-12 ft)	48 48		10	8-10' Gray very fine grained sand	SW			90		W				Petro Odor
			12	10-12' Gray silt	ML									
				EOB @ 12 feet. Groundwater sample G-6-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-7

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample / Soil Properties

Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-7-1 (0-4 ft)	48 36		2	Tan sand and gravel	Fill			70		M				Petro Odor From 3-4 Feet
			4	4-5' Tan sand and gravel	Fill									
G-7-2 (4-8 ft)	48 48		6	5-8' Red sandy silt/clay w/ gravel	ML/CL			0		M				Petro Odor From 4-5 Feet
			8											
G-7-3 (8-12 ft)	48 48		10	8-10' Tan very fine to medium grained sand	SP			10		W				Petro Odor From 8-11 Feet
			12	10-12' Red silt/clay	ML/CL									
				EOB @ 12 feet. Groundwater sample G-7-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-8

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-8-1 (0-4 ft)	48 30		2	Tan sandy silt/clay	ML/CL			0		M				No Petro Odor
			4											
G-8-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8											
G-8-3 (8-12 ft)	48 48		10	8-10' Tan fine to coarse grained sand w/ gravel	SP			0		W				No Petro Odor
			12	10-12' Red silt/clay EOB @ 12 feet. Groundwater sample G-8-W collected at 7-12 feet. Borehole abandoned.	ML/CL									
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-9

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice	04/15/2014	04/15/2014	Geoprobe
Firm: Geiss Soil & Samples, LLC	MM/ DD/ YYYY	MM /DD/ YYYY	

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
				0-2' Tan sand and gravel	Fill									
G-9-1 (0-4 ft)	48 36		2					0		M				No Petro Odor
				2-4' Red sandy silt/clay	ML/CL									
			4											
G-9-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8											
				8-10' Red sandy silt/clay w/ gravel	ML/CL									
G-9-3 (8-12 ft)	48 48		10					0		M/W				No Petro Odor
				10-11' Gray very fine grained sand	SW									
				11-12' Gray silt	ML									
			12	EOB @ 12 feet. Groundwater sample G-9-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-10

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice	04/15/2014	04/15/2014	Geoprobe
Firm: Geiss Soil & Samples, LLC	MM/ DD/ YYYY	MM /DD/ YYYY	

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties										
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-10-1 (0-4 ft)	48 36		2	0-3' Red sandy clay	Fill			0		M				No Petro Odor
			4	3-4' Tan fine to coarse grained sand	SP									
				4-5' Tan fine to coarse grained sand	SP									
G-10-2 (4-8 ft)	48 48		6	5-8' Red sandy silt/clay	ML/CL			0		M				No Petro Odor
			8											
G-10-3 (8-12 ft)	48 48		10	8-10' Red sandy silt/clay	ML/CL			0		M/W				No Petro Odor
				10-12' Tan very fine grained sand	SW									
			12	EOB @ 12 feet. Groundwater sample G-10-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-11

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location	Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "
	N E Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-11-1 (0-4 ft)	48 36		2	Red sandy silt/clay w/ gravel	ML/CL			0		M				Petro Odor From 3-4 Feet
G-11-2 (4-5 ft)	48 12		4	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			6	EOB @ 5 feet. Geoprobe refusal. Borehole abandoned.										
			8											
			10											
			12											
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-12

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-12-1 (0-4 ft)	48 24		2	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			4											
G-12-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8											
				8-10.5' Red sandy silt/clay w/ gravel	ML/CL									
G-12-3 (8-12 ft)	48 48		10					0		M/W				No Petro Odor
				10.5-11.5' Tan very fine grained sand	SW									
			12	11.5-12' Gray silt	ML									
				EOB @ 12 feet. Groundwater sample G-12-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-13

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice	04/15/2014	04/15/2014	Geoprobe
Firm: Geiss Soil & Samples, LLC	MM/ DD/ YYYY	MM /DD/ YYYY	

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-13-1 (0-4 ft)	48 30		2	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			4											
G-13-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8											
G-13-3 (8-12 ft)	48 48		10	8-10.5' Red sandy silt/clay w/ gravel	ML/CL			0		M/W				Slight Petro Odor From 10.5-11.5 Feet
				10.5-11.5' Tan very fine grained sand	SW									
			12	11.5-12' Gray silt	ML									
G-13-4 (12-14 ft)	24 24			12-14' Gray silt	ML			0		W				No Petro Odor
			14	EOB @ 14 feet. Groundwater sample G-13-W collected at 9-14 feet. Borehole abandoned.										
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-14

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-14-1 (0-4 ft)	48 30		2	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			4	4-6' Gray clayey sand	SC									
G-14-2 (4-8 ft)	48 42		6	6-8' Red sandy silt/clay w/ gravel	ML/CL			25		M				Petro Odor From 4-7 Feet
			8	8-10' Red sandy silt/clay w/ gravel	ML/CL									
G-14-3 (8-12 ft)	48 48		10	10-11' Gray very fine grained sand	SW			15		M/W				Petro Odor
			12	11-12' Gray silt EOB @ 12 feet. Groundwater sample G-14-W collected at 7-12 feet. Borehole abandoned.	ML									
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-15

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-15-1 (0-4 ft)	48 30		2	0-3.5' Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			4	3.5-4' Tan medium to coarse grained sand	SP									
G-15-2 (4-8 ft)	48 30		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8											
G-15-3 (8-12 ft)	48 48		10	8-10' Gray to black very fine grained sand	SW			60		M/W				Petro Odor From 8-11 Feet
			12	10-12' Gray silt EOB @ 12 feet. Groundwater sample G-15-W collected at 7-12 feet. Borehole abandoned.	ML									
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-16

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-16-1 (0-4 ft)	48 12		2	Brown clayey sand w/ tree root (poor recovery, due to tree root)	SC			0		M				No Petro Odor
			4											
G-16-2 (4-8 ft)	48 36		6	4-7' Red sandy silt/clay	ML/CL			0		M				No Petro Odor
				7-8' Tan fine to coarse grained sand	SP									
			8	8-9' Tan very fine grained sand	SW									
G-16-3 (8-12 ft)	48 48		10	9-12' Gray silt	ML			0		W				No Petro Odor
			12	EOB @ 12 feet. Groundwater sample G-16-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Remediation / Redevelopment: X Waste Management: Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-17

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/15/2014 MM/ DD/ YYYY	04/15/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-17-1 (0-4 ft)	48 36		2	Tan clayey sand w/ gravel	SC			0		M				No Petro Odor
			4	4-5' Tan clayey sand w/ gravel	SC									
G-17-2 (4-8 ft)	48 48		6	5-8' Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8	8-10' Red sandy silt/clay w/ gravel	ML/CL									
G-17-3 (8-12 ft)	48 48		10					0		M/W				Slight Petro Odor
				10-12' Tan very fine grained sand	SW									
			12	EOB @ 12 feet. Groundwater sample G-17-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-18

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/16/2014 MM/ DD/ YYYY	04/16/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-18-1 (0-4 ft)	48 42		2	Brown sandy silt/clay	ML/CL			0		M				No Petro Odor
			4											
G-18-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8	8-11' Red sandy silt/clay w/ gravel	ML/CL									
G-18-3 (8-12 ft)	48 48		10					0		M/W				No Petro Odor
			12	11-12' Gray very fine grained sand EOB @ 12 feet. Groundwater sample G-18-W collected at 7-12 feet. Borehole abandoned.	SW									
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-19

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/16/2014 MM/ DD/ YYYY	04/16/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-19-1 (0-4 ft)	48 30		2	Brown sandy silt/clay w/ gravel	ML/CL			5		M				Petro Odor
			4											
G-19-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			85		M				Petro Odor
			8	8-10.5' Red sandy silt/clay	ML/CL									
G-19-3 (8-12 ft)	48 48		10					25		M/W				Petro Odor From 8-11 Feet
				10.5-11' Gray very fine grained sand	SW									
				11-12' Gray silt	ML									
			12	EOB @ 12 feet. Groundwater sample G-19-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-20

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/16/2014 MM/ DD/ YYYY	04/16/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location
State Plane N, E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E

Lat 44 ° 53 ' 33"
Long 88 ° 18 ' 5 "

Local Grid Location
N E
Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Soil Properties PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-20-1 (0-4 ft)	48 30		2	Brown sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			4											
G-20-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8	8-10' Red sandy silt/clay	ML/CL									
G-20-3 (8-12 ft)	48 48		10					0		M/W				No Petro Odor
				10-11' Gray very fine grained sand	SW									
			12	11-12' Gray silt	ML									
				EOB @ 12 feet. Groundwater sample G-20-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-21

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/16/2014 MM/ DD/ YYYY	04/16/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-21-1 (0-4 ft)	48 12		2	Brown sand and gravel	Fill			0		M				No Petro Odor
			4											
G-21-2 (4-8 ft)	48 48		6	Red sandy silt/clay	ML/CL			0		M				No Petro Odor
			8	8-10.5' Tan very fine grained sand	SW									
G-21-3 (8-12 ft)	48 48		10					0		W				No Petro Odor
				10.5-12' Gray silt	ML									
			12	EOB @ 12 feet. Groundwater sample G-21-W collected at 7-12 feet. Borehole abandoned.										
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-22

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/16/2014 MM/ DD/ YYYY	04/16/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-22-1 (0-4 ft)	48 48		2	Red sandy silt/clay	ML/CL			0		M				No Petro Odor
			4											
G-22-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8											
G-22-3 (8-12 ft)	48 48		10	8-11.5' Red sandy silt/clay w/ gravel	ML/CL			0		M/W				Slight Petro Odor From 11.5-12 Feet
			12	11.5-12' Gray very fine grained sand 12-12.5' Gray very fine grained sand	SW SW									
G-22-4 (12-14 ft)	24 24			12.5-14' Gray silt	ML			0		W				Slight Petro Odor
			14	EOB @ 14 feet. Groundwater sample G-22-W collected at 9-14 feet. Borehole abandoned.										
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		G-23

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	04/16/2014 MM/ DD/ YYYY	04/16/2014 MM /DD/ YYYY	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			790 Feet MSL	800 Feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
G-23-1 (0-4 ft)	48 36		2	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			4											
G-23-2 (4-8 ft)	48 48		6	Red sandy silt/clay w/ gravel	ML/CL			0		M				No Petro Odor
			8	8-11' Red sandy silt/clay w/ gravel	ML/CL									
G-23-3 (8-12 ft)	48 24		10					0		M/W				Slight Petro Odor
			12	11-12' Gray very fine grained sand EOB @ 12 feet. Groundwater sample G-23-W collected at 7-12 feet. Borehole abandoned.	SW									
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		MW-1

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	12/30/2014 MM/ DD/ YYYY	12/30/2014 MM /DD/ YYYY	Geoprobe/HSA

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
VO571		MW-1	790 Feet MSL	800 Feet MSL	8

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5"	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
MW-1-1 (0-4 ft)	48 24		2	Black clayey sand and gravel (fill)	SC			105		M				Petro Odor and Staining
			4	4-5' Black clayey sand and gravel (fill)	SC									
MW-1-2 (4-8 ft)	48 48		6	5-8' Brown sandy clay w/gravel	SC			530		M				Petro Odor
			8	8-9' Gray medium to coarse grained sand w/gravel	SP									
MW-1-3 (8-12 ft)	48 48		10	9-12' Brown sandy clay w/gravel	CL			30		M/W				Petro Odor
			12											
MW-1-4 (12-16 ft)	48 0		14	No Recovery										
			16	EOB @ 16 feet. Installed monitoring well MW-1 to 15 feet bgs										
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		MW-2

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	12/30/2014 MM/ DD/ YYYY	12/30/2014 MM /DD/ YYYY	Geoprobe/HSA

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
VO572		MW-2	790 Feet MSL	800 Feet MSL	8

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
MW-2-1 (0-4 ft)	48 24		2	Brown sandy clay	CL			0		M				No Petro Odor
			4											
MW-2-2 (4-8 ft)	48 48		6	Brown sandy clay w/gravel	CL			0		M				No Petro Odor
			8											
				8-11' Brown sandy clay w/gravel	CL									
MW-2-3 (8-12 ft)	48 48		10					0		M/W				No Petro Odor
			12	11-12' gray medium to coarse grained sand w/gravel	SP									
				12.5-15.5' Gray medium to coarse grained sand w/gravel	SP									
MW-2-4 (12-16 ft)	48 48		14					0		W				No Petro Odor
				15.5-16' Gray silt	ML									
			16	EOB @ 16 feet. Installed monitoring well MW-2 to 16 feet bgs										
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		MW-3

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice	12/29/2014	12/29/2014	Geoprobe/HSA
Firm: Geiss Soil & Samples, LLC	MM/ DD/ YYYY	MM /DD/ YYYY	

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
VO573		MW-3	790 Feet MSL	800 Feet MSL	8

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
				0-2 'Gray sand and gravel (fill)	SP									
MW-3-1 (0-4 ft)	48 24		2	2-4' Brown sandy clay	CL			0		M				No Petro Odor
			4											
MW-3-2 (4-8 ft)	48 48		6	Brown sandy clay w/gravel	CL			0		M				No Petro Odor
			8											
MW-3-3 (8-12 ft)	48 48		10	8-11' Brown sandy clay w/gravel	CL			0		M/W				No Petro Odor
			12	11-12' Gray very fine to fine grained sand	SP									
				12-14' Gray very fine to fine grained sand	SP									
MW-3-4 (12-16 ft)	48 0		14					0		W				No Petro Odor
				14-16' Gray silt	ML									
			16	EOB @ 16 feet. Installed monitoring well MW-3 to 15 feet bgs										
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other: _____

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		MW-4

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	12/29/2014 MM/ DD/ YYYY	12/29/2014 MM /DD/ YYYY	Geoprobe/HSA

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
VO574		MW-4	790 Feet MSL	800 Feet MSL	8

Local Grid Origin (estimated X) or Boring Location		Local Grid Location	
State Plane N, E	Lat 44 ° 53 ' 33"	N	E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S	Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
MW-4-1 (0-4 ft)	48 24		2	Brown fine to medium grained sand	SP			0		M				No Petro Odor
			4							M				
MW-4-2 (4-8 ft)	48 36		6	Brown sandy clay w/gravel	CL			0						No Petro Odor
			8	8-9' Brown sandy clay	CL									
MW-4-3 (8-12 ft)	48 48		10	9-12' Tan very fine to fine grained sand	SP			0		M/W				No Petro Odor
			12	12-14' Tan very fine to fine grained sand	SP									
MW-4-4 (12-16 ft)	48 48		14	14-16' Gray silt	ML			0		W				No Petro Odor
			16	EOB @ 16 feet. Installed monitoring well MW-4 to 15 feet bgs										
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		MW-5

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	12/29/2014 MM/ DD/ YYYY	12/29/2014 MM /DD/ YYYY	Geoprobe/HSA

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
VO575		MW-5	790 Feet MSL	800 Feet MSL	8

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 5 "	Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample: Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
MW-5-1 (0-4 ft)	48 42		2	Brown clayey sand	SC			0		M				No Petro Odor
			4											
MW-5-2 (4-8 ft)	48 18		6	Tan sandy clay	CL			0		M				No Petro Odor
			8											
				8-10' Tan sandy clay	CL									
MW-5-3 (8-12 ft)	48 48		10					0		M/W				No Petro Odor
				10-12' Gray silt	ML									
			12											
				12-15' gray silt	ML									
MW-5-4 (12-16 ft)	48 48		14					0		W				No Petro Odor
				15-16' gray very fine to fine grained sand	SP									
			16	EOB @ 16 feet. Installed monitoring well MW-5 to 16 feet bgs										
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		MW-6

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC	12/29/2014 MM/ DD/ YYYY	12/29/2014 MM /DD/ YYYY	Geoprobe/HSA

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
VO576		MW-6	790 Feet MSL	800 Feet MSL	8

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Lat 44 ° 53 ' 33" Long 88 ° 18 ' 5 "	N E Feet S Feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
MW-6-1 (0-4 ft)	48 42		2	Brown clayey sand	SC			0		M				No Petro Odor
			4											
MW-6-2 (4-8 ft)	48 48		6	Red sandy clay	CL			0		M				No Petro Odor
			8											
MW-6-3 (8-12 ft)	48 42		10	Tan fine to coarse grained sand w/gravel	SP			0		W				No Petro Odor
			12											
MW-6-4 (12-16 ft)	48 48		14	12-15' Tan fine to medium grained sand	SP			0		W				No Petro Odor
				15-16' Gray silt	ML									
			16	EOB @ 16 feet. Installed monitoring well MW-6 to 15 feet bgs										
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Firm: **METCO**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-1

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 05 "	feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-1 1 foot			1	Brown sandy silt/clay with gravel	SP					M				No Petro Odor
				EOB @ 1 foot.										
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name | License / Permit / Monitoring Number | Page 1 of 1

Nicolet Trails Campground | Boring Number: HS-2

Boring Drilled By: Name of crew chief (first, last) and Firm
First: Jon Last: Jensen
Firm: METCO

Drilling Date Started: 05/26/2015 (MM/ DD/ YYYY)
Drilling Date Completed: 05/26/2015 (MM /DD/ YYYY)
Drilling Method: Hand Auger

WI Unique Well No | DNR Well ID No | Well Name | Final Static Water Level: feet MSL | Surface Elevation: 800 feet MSL | Borehole Diameter: 2 inches

Local Grid Origin (estimated X) or Boring Location
State Plane N, E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E
Lat 44 ° 53 ' 33"
Long 88 ° 18 ' 05 "
Local Grid Location: N E; feet S feet W

Facility ID | County: Oconto | County Code: 43 | Civil Town / City / Village: City of Gillett

Sample Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Soil Properties: PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-2 1 foot			1	Brown sandy silt/clay with gravel	SP					M				No Petro Odor
				EOB @ 1 foot										
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-3

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No	DNR Well ID No	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Lat 44 ° 53 ' 33" Long 88 ° 18 ' 05 "	N E feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample				Soil Properties											
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-3 1 foot			1 2 3 4 5 6 7 8 9 10 11 12	Gravel Brown to gray sandy silt clay EOB @ 1 foot	SP					M				No Petro Odor

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-4

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No	DNR Well ID No	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Lat 44 ° 53 ' 33" Long 88 ° 18 ' 05 "	N E feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties										
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-4 1 foot			1	Gravel Brown to gray sandy silt/clay EOB @ 1 foot	SP					M				No Petro Odor

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-5

Boring Drilled By: Name of crew chief (first. last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No	DNR Well ID No	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N. E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 05 "	feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-5 1 foot			1	Gravel Brown to gray sandy silt clay EOB @ 1 foot	SP					M				No Petro Odor
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281. 283. 289. 291. 292. 293. 295 and 299. Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-6

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No	DNR Well ID No	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N, E SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Lat 44 ° 53 ' 33" Long 88 ° 18 ' 05 "	N E feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-6 1 foot			1	Brown sand and gravel EOB @ 1 foot	SP					M				Petro Odor
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-7

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No	DNR Well ID No	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N. E SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Lat 44 ° 53 ' 33" Long 88 ° 18 ' 05 "	N E feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-7 1 foot			1	Brown sand and gravel EOB @ 1 foot	SP					M				Slight Petro Odor

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment X Other:

Facility / Project Name: Nicolet Trails Campground
License / Permit / Monitoring Number:
Page 1 of 1
Boring Number: HS-8

Boring Drilled By: Name of crew chief (first, last) and Firm
First: Jon Last: Jensen
Firm: METCO

Drilling Date Started: 05/26/2015 (MM/ DD/ YYYY)
Drilling Date Completed: 05/26/2015 (MM /DD/ YYYY)
Drilling Method: Hand Auger

WI Unique Well No: DNR Well ID No: Well Name:
Final Static Water Level: feet MSL
Surface Elevation: 800 feet MSL
Borehole Diameter: 2 inches

Local Grid Origin (estimated X) or Boring Location
State Plane N, E
SE¼ of NW¼ of Section 22, T 28 N, R 18 E
Lat 44 ° 53 ' 33"
Long 88 ° 18 ' 05"
Local Grid Location: N E feet S feet W

Facility ID: County: Oconto
County Code: 43
Civil Town / City / Village: City of Gillett

Sample Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-8 1 foot			1	Tan Sand [illegible]	SP					M				No Petro Odor
				EOB @ 1 foot										
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-9

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N. E	Lat 44 ° 53 ' 33"	N E
SE¼ of NW¼ of Section 22 , T 28 N, R 18 E	Long 88 ° 18 ' 05 "	feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample					Soil Properties									
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-9 1 foot			1	Tan sand and gravel	SP					M				No Petro Odor
				EOB @ 1 foot										
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed / Wastewater: Waste Management:
Remediation / Redevelopment: X Other:

Facility / Project Name	License / Permit / Monitoring Number	Boring Number
Nicolet Trails Campground		HS-10

Boring Drilled By: Name of crew chief (first, last) and Firm	Drilling Date Started	Drilling Date Completed	Drilling Method
First: Jon Last: Jensen Firm: METCO	05/26/2015 MM/ DD/ YYYY	05/26/2015 MM /DD/ YYYY	Hand Auger

WI Unique Well No	DNR Well ID No	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
			feet MSL	800 feet MSL	2 inches

Local Grid Origin (estimated X) or Boring Location		Local Grid Location
State Plane N. E SE¼ of NW¼ of Section 22 , T 28 N. R 18 E	Lat 44 ° 53 ' 33" Long 88 ° 18 ' 05 "	N E feet S feet W

Facility ID	County	County Code	Civil Town / City / Village
	Oconto	43	City of Gillett

Sample Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	Soil Properties: USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
HS-10 1 foot			1	Gray sand and gravel	SP					M				Petro Odor
				EOB @ 1 foot										
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: Jon Jensen Firm: METCO

State of Wisconsin
Department of Natural Resources

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment ☐ Other ☐

MONITORING WELL CONSTRUCTION

Form 4400-113A Rev. 7-98

Facility/Project Name: Nicolet Trails Campground	Local Grid Location of Well: ____ ft. ☐N ☐S ____ ft. ☐E ☐W	Well Name: MW-1
Facility License, Permit or Monitoring No.	Local Grid Origin ☐ (estimated: ☐) or Well Location ☐ Lat. ° ' " Long. ° ' " or	Wis. Unique Well No.: V0571 / DNR Well ID No.
Facility ID	St. Plane ____ ft. N, ____ ft. E. S/C/N	Date Well Installed: 12/29/2014 (m m d d y y y y)
Type of Well — Well Code: 11 / MW	Section Location of Waste/Source: ____ 1/4 of ____ 1/4 of Sec. ____, T. ____ N. R. ____ ☐E ☐W	Well Installed By: Name (first, last) and Firm: Darrin Prentice, Geiss Soil & Samples LLC
Distance from Waste/Source ____ ft. / Enf. Stds. Apply ☐	Location of Well Relative to Waste/Source: u ☐ Upgradient s ☐ Sidegradient d ☐ Downgradient n ☐ Not Known	Gov. Lot Number

A. Protective pipe, top elevation _____ ft. MSL
B. Well casing, top elevation _____ ft. MSL
C. Land surface elevation _____ ft. MSL
D. Surface seal, bottom _____ ft. MSL or 0 ft.

12. USCS classification of soil near screen:
GP ☐ GM ☐ GC ☐ GW ☐ SW ☐ SP ☐
SM ☐ SC ☐ ML ☐ MH ☐ CL ☐ CH ☐
Bedrock ☐

13. Sieve analysis performed? ☐ Yes ☒ No

14. Drilling method used: Rotary ☐ 50 / Hollow Stem Auger ☒ 41 / Other ☐ __

15. Drilling fluid used: Water ☐ 02 / Air ☐ 01 / Drilling Mud ☐ 03 / None ☒ 99

16. Drilling additives used? ☐ Yes ☒ No
Describe _____

17. Source of water (attach analysis, if required):

E. Bentonite seal, top _____ ft. MSL or 5 ft.
F. Fine sand, top _____ ft. MSL or 3 ft.
G. Filter pack, top _____ ft. MSL or 4 ft.
H. Screen joint, top _____ ft. MSL or 5 ft.
I. Well bottom _____ ft. MSL or 15 ft.
J. Filter pack, bottom _____ ft. MSL or 16 ft.
K. Borehole, bottom _____ ft. MSL or 16 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.40 in.
N. I.D. well casing 2.06 in.



1. Cap and lock? ☒ Yes ☐ No
2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel ☒ 04 / Other ☐ __
d. Additional protection? ☐ Yes ☒ No
If yes, describe: _____
3. Surface seal: Bentonite ☒ 30 / Concrete ☒ 01 / Other ☐ __
4. Material between well casing and protective pipe: Bentonite ☒ 30 / Other ☐ __
5. Annular space seal: a. Granular/Chipped Bentonite ☒ 33
b. ____ Lbs/gal mud weight ... Bentonite-sand slurry ☐ 35
c. ____ Lbs/gal mud weight ..... Bentonite slurry ☐ 31
d. ____ % Bentonite ..... Bentonite-cement grout ☐ 50
e. ____ Ft^3 volume added for any of the above
f. How installed: Tremie ☐ 01 / Tremie pumped ☐ 02 / Gravity ☒ 08
6. Bentonite seal: a. Bentonite granules ☐ 33
b. ☐1/4 in. ☒3/8 in. ☐1/2 in. Bentonite chips ☒ 32
c. _____ Other ☐ __
7. Fine sand material: Manufacturer, product name & mesh size
a. # 15 Red Flint
b. Volume added _____ ft^3
8. Filter pack material: Manufacturer, product name & mesh size
a. # 40 Red Flint
b. Volume added _____ ft^3
9. Well casing: Flush threaded PVC schedule 40 ☒ 23 / Flush threaded PVC schedule 80 ☐ 24 / Other ☐ __
10. Screen material: PVC
a. Screen type: Factory cut ☒ 11 / Continuous slot ☐ 01 / Other ☐ __
b. Manufacturer Johnson
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.
11. Backfill material (below filter pack): None ☐ 14 / Other ☒ __

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Darrin Prentice | Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

State of Wisconsin
Department of Natural Resources

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment ☐ Other ☐

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7 98

Facility/Project Name: Nicolet Trails Campground	Local Grid Location of Well: ft. ☐N. ☐S. ft. ☐E. ☐W.	Well Name: MW-2
Facility License, Permit or Monitoring No.	Local Grid Origin ☐ (estimated ☐) or Well Location ☐ Lat. ° ' " Long. ° ' " or	Wis. Unique Well No.: V0572 DNR Well ID No.
Facility ID	St. Plane ft. N, ft. E. S/C/N	Date Well Installed: 12,29,2014 (m m d d y y y y)
Type of Well: Well Code 11/MW	Section Location of Waste/Source: 1/4 of 1/4 of Sec. T. N. R. ☐E ☐W	Well Installed By: Name (first, last) and Firm: Darrin Prentice, Geiss Soil & Samples LLC
Distance from Waste/Source ft. / Enf. Stds. Apply ☐	Location of Well Relative to Waste/Source: u ☐ Upgradient s ☐ Sidegradient d ☐ Downgradient n ☐ Not Known	Gov. Lot Number

A. Protective pipe, top elevation _____ ft. MSL
B. Well casing, top elevation _____ ft. MSL
C. Land surface elevation _____ ft. MSL
D. Surface seal, bottom _____ ft. MSL or 0 ft.

12. USCS classification of soil near screen:
GP ☐ GM ☐ GC ☐ GW ☐ SW ☐ SP ☐
SM ☐ SC ☐ ML ☐ MH ☐ CL ☐ CH ☐
Bedrock ☐

13. Sieve analysis performed? ☐ Yes ☒ No

14. Drilling method used: Rotary ☐ 50
Hollow Stem Auger ☒ 41
Other ☐ __

15. Drilling fluid used: Water ☐ 02 Air ☐ 01
Drilling Mud ☐ 03 None ☒ 99

16. Drilling additives used? ☐ Yes ☒ No
Describe _____

17. Source of water (attach analysis, if required):

E. Bentonite seal, top _____ ft. MSL or 5 ft.
F. Fine sand, top _____ ft. MSL or 3 ft.
G. Filter pack, top _____ ft. MSL or 4 ft.
H. Screen joint, top _____ ft. MSL or 6 ft.
I. Well bottom _____ ft. MSL or 16 ft.
J. Filter pack, bottom _____ ft. MSL or 17 ft.
K. Borehole, bottom _____ ft. MSL or 17 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.40 in.
N. I.D. well casing 2.06 in.



1. Cap and lock? ☒ Yes ☐ No
2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel ☒ 04 Other ☐ __
d. Additional protection? ☐ Yes ☒ No
If yes, describe: _____
3. Surface seal: Bentonite ☒ 30 Concrete ☒ 01 Other ☐ __
4. Material between well casing and protective pipe: Bentonite ☒ 30 Other ☐ __
5. Annular space seal: a. Granular/Chipped Bentonite ☒ 33
b. _____ Lbs/gal mud weight . . Bentonite-sand slurry ☐ 35
c. _____ Lbs/gal mud weight . . . . . Bentonite slurry ☐ 31
d. _____ % Bentonite . . . . . Bentonite-cement grout ☐ 50
e. _____ Ft^3 volume added for any of the above
f. How installed: Tremie ☐ 01 Tremie pumped ☐ 02 Gravity ☒ 08
6. Bentonite seal: a. Bentonite granules ☐ 33
b. ☐1/4 in. ☒3/8 in. ☐1/2 in. Bentonite chips ☒ 32
c. _____ Other ☐ __
7. Fine sand material: Manufacturer, product name & mesh size
a. #15 Red Flint
b. Volume added _____ ft^3
8. Filter pack material: Manufacturer, product name & mesh size
a. #40 Red Flint
b. Volume added _____ ft^3
9. Well casing: Flush threaded PVC schedule 40 ☒ 23
Flush threaded PVC schedule 80 ☐ 24
Other ☐ __
10. Screen material: PVC
a. Screen type: Factory cut ☒ 11 Continuous slot ☐ 01 Other ☐ __
b. Manufacturer Johnson
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.
11. Backfill material (below filter pack): None ☐ 14 Other ☒ __

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Darrin Prentice Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

State of Wisconsin
Department of Natural Resources

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment ☐ Other ☐

MONITORING WELL CONSTRUCTION

Form 4400-113A Rev 7-98

Facility/Project Name: Nicolet Trails Campground	Local Grid Location of Well: ___ ft. ☐N ☐S ___ ft. ☐E ☐W	Well Name: MW-3
Facility License, Permit or Monitoring No.	Local Grid Origin ☐ (estimated ☐) or Well Location ☐ Lat. ___ ° ___ ' ___ " Long. ___ ° ___ ' ___ " or	Wis. Unique Well No.: V0573 / DNR Well ID No.
Facility ID	St. Plane ___ ft. N, ___ ft. E. S/C/N	Date Well Installed: 12/29/2014 (m m d d y y y y)
Type of Well: Well Code 11 / MW	Section Location of Waste/Source: ___ 1/4 of ___ 1/4 of Sec. ___ T. ___ N. R. ___ ☐E ☐W	Well Installed By: Name (first, last) and Firm: Darrin Prentice, Geiss Soil & Samples LLC
Distance from Waste/Source ___ ft. / Enf. Stds. Apply ☐	Location of Well Relative to Waste/Source: u ☐ Upgradient s ☐ Sidegradient d ☐ Downgradient n ☐ Not Known	Gov. Lot Number:

A. Protective pipe, top elevation ___ ft. MSL
B. Well casing, top elevation ___ ft. MSL
C. Land surface elevation ___ ft. MSL
D. Surface seal, bottom ___ ft. MSL or 0 ft.

12. USCS classification of soil near screen:
GP ☐ GM ☐ GC ☐ GW ☐ SW ☐ SP ☐
SM ☐ SC ☐ ML ☐ MH ☐ CL ☐ CH ☐
Bedrock ☐

13. Sieve analysis performed? ☐ Yes ☒ No

14. Drilling method used: Rotary ☐ 50 / Hollow Stem Auger ☒ 41 / Other ☐ ___

15. Drilling fluid used: Water ☐ 02 / Air ☐ 01 / Drilling Mud ☐ 03 / None ☒ 99

16. Drilling additives used? ☐ Yes ☒ No
Describe ___

17. Source of water (attach analysis, if required):

E. Bentonite seal, top ___ ft. MSL or 5 ft.
F. Fine sand, top ___ ft. MSL or 3 ft.
G. Filter pack, top ___ ft. MSL or 4 ft.
H. Screen joint, top ___ ft. MSL or 5 ft.
I. Well bottom ___ ft. MSL or 15 ft.
J. Filter pack, bottom ___ ft. MSL or 16 ft.
K. Borehole, bottom ___ ft. MSL or 16 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.40 in.
N. I.D. well casing 2.06 in.



1. Cap and lock? ☒ Yes ☐ No
2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel ☒ 04 / Other ☐ ___
d. Additional protection? ☐ Yes ☒ No
If yes, describe: ___
3. Surface seal: Bentonite ☒ 30 / Concrete ☒ 01 / Other ☐ ___
4. Material between well casing and protective pipe: Bentonite ☒ 30 / Other ☐ ___
5. Annular space seal: a. Granular/Chipped Bentonite ☒ 33
b. ___ Lbs/gal mud weight ... Bentonite-sand slurry ☐ 35
c. ___ Lbs/gal mud weight ..... Bentonite slurry ☐ 31
d. ___ % Bentonite ..... Bentonite-cement grout ☐ 50
e. ___ Ft^3 volume added for any of the above
f. How installed: Tremie ☐ 01 / Tremie pumped ☐ 02 / Gravity ☒ 08
6. Bentonite seal: a. Bentonite granules ☐ 33
b. ☐1/4 in. ☒3/8 in. ☐1/2 in. Bentonite chips ☒ 32
c. ___ Other ☐ ___
7. Fine sand material: Manufacturer, product name & mesh size
a. # 15 Red Flint
b. Volume added ___ ft^3
8. Filter pack material: Manufacturer, product name & mesh size
a. # 40 Red Flint
b. Volume added ___ ft^3
9. Well casing: Flush threaded PVC schedule 40 ☒ 23 / Flush threaded PVC schedule 80 ☐ 24 / Other ☐ ___
10. Screen material: PVC
a. Screen type: Factory cut ☒ 11 / Continuous slot ☐ 01 / Other ☐ ___
b. Manufacturer Johnson
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.
11. Backfill material (below filter pack): None ☐ 14 / Other ☒ ___

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Darrin Prentice | Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

State of Wisconsin
Department of Natural Resources

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment ☐ Other ☐

MONITORING WELL CONSTRUCTION

Form 4400-113A Rev. 7-98

Facility/Project Name: Nicolet Trails Campground
Facility License, Permit or Monitoring No.:
Facility ID: _ _ _ _ _ _ _ _ _ _
Type of Well: Well Code 11 / MW
Distance from Waste/Source _____ ft. | Enf. Stds. Apply ☐

Local Grid Location of Well ☐ ft. ☐ N. ☐ S. _____ ft. ☐ E. ☐ W.
Local Grid Origin ☐ (estimated ☐) or Well Location ☐
Lat. ° ' " Long. ° ' " or
St. Plane _____ ft. N, _____ ft. E. S/C/N
Section Location of Waste/Source ☐ E ☐ W
_____ 1/4 of _____ 1/4 of Sec. _____, T. _____ N. R. _____
Location of Well Relative to Waste/Source: u ☐ Upgradient s ☐ Sidegradient d ☐ Downgradient n ☐ Not Known
Gov. Lot Number: _____

Well Name: MW-4
Wis. Unique Well No.: V0574 | DNR Well ID No.: _ _ _
Date Well Installed: 12/29/2014 (m m d d y y y y)
Well Installed By: Name (first, last) and Firm: Darrin Prentice, Geiss Soil & Samples LLC



A. Protective pipe, top elevation _____ ft. MSL
B. Well casing, top elevation _____ ft. MSL
C. Land surface elevation _____ ft. MSL
D. Surface seal, bottom _____ ft. MSL or 0 ft.

12. USCS classification of soil near screen:
GP ☐ GM ☐ GC ☐ GW ☐ SW ☐ SP ☐
SM ☐ SC ☐ ML ☐ MH ☐ CL ☐ CH ☐
Bedrock ☐
13. Sieve analysis performed? ☐ Yes ☒ No
14. Drilling method used: Rotary ☐ 50
Hollow Stem Auger ☒ 41
Other ☐ _____
15. Drilling fluid used: Water ☐ 02 Air ☐ 01
Drilling Mud ☐ 03 None ☒ 99
16. Drilling additives used? ☐ Yes ☒ No
Describe _____
17. Source of water (attach analysis, if required):
_____

E. Bentonite seal, top _____ ft. MSL or 5 ft.
F. Fine sand, top _____ ft. MSL or 3 ft.
G. Filter pack, top _____ ft. MSL or 4 ft.
H. Screen joint, top _____ ft. MSL or 5 ft.
I. Well bottom _____ ft. MSL or 15 ft.
J. Filter pack, bottom _____ ft. MSL or 16 ft.
K. Borehole, bottom _____ ft. MSL or 16 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.40 in.
N. I.D. well casing 2.06 in.

1. Cap and lock? ☒ Yes ☐ No
2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel ☒ 04 Other ☐ _____
d. Additional protection? ☐ Yes ☒ No
If yes, describe: _____
3. Surface seal: Bentonite ☒ 30 Concrete ☒ 01 Other ☐ _____
4. Material between well casing and protective pipe: Bentonite ☒ 30 Other ☐ _____
5. Annular space seal: a. Granular/Chipped Bentonite ☒ 33
b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry ☐ 35
c. _____ Lbs/gal mud weight . . . . . Bentonite slurry ☐ 31
d. _____ % Bentonite . . . . . Bentonite-cement grout ☐ 50
e. _____ Ft^3 volume added for any of the above
f. How installed: Tremie ☐ 01 Tremie pumped ☐ 02 Gravity ☒ 08
6. Bentonite seal: a. Bentonite granules ☐ 33
b. ☐ 1/4 in. ☒ 3/8 in. ☐ 1/2 in. Bentonite chips ☒ 32
c. _____ Other ☐ _____
7. Fine sand material: Manufacturer, product name & mesh size
a. # 15 Red Flint
b. Volume added _____ ft^3
8. Filter pack material: Manufacturer, product name & mesh size
a. # 40 Red Flint
b. Volume added _____ ft^3
9. Well casing: Flush threaded PVC schedule 40 ☒ 23
Flush threaded PVC schedule 80 ☐ 24
Other ☐ _____
10. Screen material: PVC
a. Screen type: Factory cut ☒ 11 Continuous slot ☐ 01 Other ☐ _____
b. Manufacturer Johnson
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.
11. Backfill material (below filter pack): None ☐ 14 Other ☒ _____

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Darrin Prentice | Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

State of Wisconsin
Department of Natural Resources

Route to: Watershed/Wastewater ☐ Waste Management: ☐
Remediation/Redevelopment ☐ Other ☐

MONITORING WELL CONSTRUCTION

Form 4400-113A Rev. 7-98

Facility/Project Name: Nicolet Trails Campground	Local Grid Location of Well ☐ N. ☐ S. ft. ☐ E. ☐ W. ft.	Well Name: MW-5
Facility License, Permit or Monitoring No.	Local Grid Origin ☐ (estimated: ☐) or Well Location ☐ Lat. ° ' " Long. ° ' " or	Wis. Unique Well No.: VO575 / DNR Well ID No.
Facility ID	St. Plane ft. N, ft. E. S/C/N	Date Well Installed: 12/29/2014 (m m d d y y y y)
Type of Well Well Code: 11 / MW	Section Location of Waste/Source 1/4 of 1/4 of Sec. , T. N, R. ☐ E ☐ W	Well Installed By: Name (first, last) and Firm: Darrin Prentice, Geiss Soil & Samples LLC
Distance from Waste/Source ft. / Enf. Stds. Apply ☐	Location of Well Relative to Waste/Source u ☐ Upgradient s ☐ Sidegradient d ☐ Downgradient n ☐ Not Known	Gov. Lot Number

A. Protective pipe, top elevation ft. MSL
B. Well casing, top elevation ft. MSL
C. Land surface elevation ft. MSL
D. Surface seal, bottom ft. MSL or 0 ft.

12. USCS classification of soil near screen:
GP ☐ GM ☐ GC ☐ GW ☐ SW ☐ SP ☐
SM ☐ SC ☐ ML ☐ MH ☐ CL ☐ CH ☐
Bedrock ☐

13. Sieve analysis performed? ☐ Yes ☒ No

14. Drilling method used: Rotary ☐ 50
Hollow Stem Auger ☒ 41
Other ☐

15. Drilling fluid used: Water ☐ 02 Air ☐ 01
Drilling Mud ☐ 03 None ☒ 99

16. Drilling additives used? ☐ Yes ☒ No
Describe

17. Source of water (attach analysis, if required):

E. Bentonite seal, top ft. MSL or 5 ft.
F. Fine sand, top ft. MSL or 3 ft.
G. Filter pack, top ft. MSL or 4 ft.
H. Screen joint, top ft. MSL or 6 ft.
I. Well bottom ft. MSL or 16 ft.
J. Filter pack, bottom ft. MSL or 17 ft.
K. Borehole, bottom ft. MSL or 17 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.40 in.
N. I.D. well casing 2.06 in.



1. Cap and lock? ☒ Yes ☐ No
2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel ☒ 04 Other ☐
d. Additional protection? ☐ Yes ☒ No
If yes, describe:
3. Surface seal: Bentonite ☒ 30 Concrete ☒ 01 Other ☐
4. Material between well casing and protective pipe: Bentonite ☒ 30 Other ☐
5. Annular space seal: a. Granular/Chipped Bentonite ☒ 33
b. Lbs/gal mud weight . . . Bentonite-sand slurry ☐ 35
c. Lbs/gal mud weight . . . . . Bentonite slurry ☐ 31
d. % Bentonite . . . . . Bentonite-cement grout ☐ 50
e. Ft³ volume added for any of the above
f. How installed: Tremie ☐ 01 Tremie pumped ☐ 02 Gravity ☒ 08
6. Bentonite seal: a. Bentonite granules ☐ 33
b. ☐1/4 in. ☒3/8 in. ☐1/2 in. Bentonite chips ☒ 32
c. Other ☐
7. Fine sand material: Manufacturer, product name & mesh size
a. #15 Red Flint
b. Volume added ft³
8. Filter pack material: Manufacturer, product name & mesh size
a. #40 Red Flint
b. Volume added ft³
9. Well casing: Flush threaded PVC schedule 40 ☒ 23 Flush threaded PVC schedule 80 ☐ 24 Other ☐
10. Screen material: PVC
a. Screen type: Factory cut ☒ 11 Continuous slot ☐ 01 Other ☐
b. Manufacturer Johnson
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.
11. Backfill material (below filter pack): None ☐ 14 Other ☒

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Darrin Prentice Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

State of Wisconsin
Department of Natural Resources

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment ☐ Other ☐

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name: Nicolet Trails Campground	Local Grid Location of Well: ___ ft. ☐N. ☐S. ___ ft. ☐E. ☐W.	Well Name: MW-6
Facility License, Permit or Monitoring No.	Local Grid Origin ☐ (estimated: ☐) or Well Location ☐ Lat. ___ ° ___ ' ___ " Long. ___ ° ___ ' ___ " or	Wis. Unique Well No.: V0576 / DNR Well ID No.
Facility ID	St. Plane ___ ft. N, ___ ft. E. S/C/N	Date Well Installed: 12/29/2014 (m m d d y y y y)
Type of Well: Well Code 11 / MW	Section Location of Waste/Source: ___ 1/4 of ___ 1/4 of Sec. ___, T. ___ N, R. ___ ☐E ☐W	Well Installed By: Name (first, last) and Firm: Darrin Prentice, Geiss Soil & Samples LLC
Distance from Waste/Source ___ ft. / Enf. Stds. Apply ☐	Location of Well Relative to Waste/Source: u ☐ Upgradient s ☐ Sidegradient g ☐ Downgradient n ☐ Not Known	Gov. Lot Number:

A. Protective pipe, top elevation _____ ft. MSL
B. Well casing, top elevation _____ ft. MSL
C. Land surface elevation _____ ft. MSL
D. Surface seal, bottom _____ ft. MSL or 0 ft.

12. USCS classification of soil near screen:
GP ☐ GM ☐ GC ☐ GW ☐ SW ☐ SP ☐
SM ☐ SC ☐ ML ☐ MH ☐ CL ☐ CH ☐
Bedrock ☐

13. Sieve analysis performed? ☐ Yes ☒ No

14. Drilling method used: Rotary ☐ 50
Hollow Stem Auger ☒ 41
Other ☐ __

15. Drilling fluid used: Water ☐ 02 Air ☐ 01
Drilling Mud ☐ 03 None ☒ 99

16. Drilling additives used? ☐ Yes ☒ No
Describe _____

17. Source of water (attach analysis, if required):

E. Bentonite seal, top _____ ft. MSL or 5 ft.
F. Fine sand, top _____ ft. MSL or 3 ft.
G. Filter pack, top _____ ft. MSL or 4 ft.
H. Screen joint, top _____ ft. MSL or 5 ft.
I. Well bottom _____ ft. MSL or 15 ft.
J. Filter pack, bottom _____ ft. MSL or 16 ft.
K. Borehole, bottom _____ ft. MSL or 16 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.40 in.
N. I.D. well casing 2.06 in.



1. Cap and lock? ☒ Yes ☐ No
2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel ☒ 04 Other ☐ __
d. Additional protection? ☐ Yes ☒ No
If yes, describe: _____
3. Surface seal: Bentonite ☒ 30 Concrete ☒ 01 Other ☐ __
4. Material between well casing and protective pipe: Bentonite ☒ 30 Other ☐ __
5. Annular space seal: a. Granular/Chipped Bentonite ☒ 33
b. ___ Lbs/gal mud weight ... Bentonite-sand slurry ☐ 35
c. ___ Lbs/gal mud weight ..... Bentonite slurry ☐ 31
d. ___ % Bentonite ..... Bentonite-cement grout ☐ 50
e. ___ Ft^3 volume added for any of the above
f. How installed: Tremie ☐ 01 Tremie pumped ☐ 02 Gravity ☒ 08
6. Bentonite seal: a. Bentonite granules ☐ 33
b. ☐1/4 in. ☒3/8 in. ☐1/2 in. Bentonite chips ☒ 32
c. _____ Other ☐ __
7. Fine sand material: Manufacturer, product name & mesh size
a. # 15 Red Flint
b. Volume added _____ ft^3
8. Filter pack material: Manufacturer, product name & mesh size
a. # 40 Red Flint
b. Volume added _____ ft^3
9. Well casing: Flush threaded PVC schedule 40 ☒ 23 Flush threaded PVC schedule 80 ☐ 24 Other ☐ __
10. Screen material: PVC
a. Screen type: Factory cut ☒ 11 Continuous slot ☐ 01 Other ☐ __
b. Manufacturer Johnson
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.
11. Backfill material (below filter pack). None ☐ 14 Other ☒ __

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Darrin Prentice | Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

State of Wisconsin
Department of Natural Resources

MONITORING WELL DEVELOPMENT

Form 4400-113B Rev. 7-98

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment [X] Other ☐ _____

Facility/Project Name	County Name	Well Name
Nicolet Trails Campground	OCONTO	MW-1
Facility License, Permit or Monitoring Number	**County Code**	**Wis. Unique Well Number** / **DNR Well ID Number**
	43	VO571 /

1. Can this well be purged dry? [X] Yes ☐ No

2. Well development method

surged with bailer and bailed	[X]	41
surged with bailer and pumped	☐	61
surged with block and bailed	☐	42
surged with block and pumped	☐	62
surged with block, bailed and pumped	☐	70
compressed air	☐	20
bailed only	☐	10
pumped only	☐	51
pumped slowly	☐	50
Other _____	☐	

3. Time spent developing well 15 min.

4. Depth of well (from top of well casisng) 15 ft.

5. Inside diameter of well 2 in.

6. Volume of water in filter pack and well casing 1.9 gal.

7. Volume of water removed from well 5 gal.

8. Volume of water added (if any) ____ gal.

9. Source of water added _____

10. Analysis performed on water added? (If yes, attach results) ☐ Yes ☐ No

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. 13.25 ft.	14.71 ft.
Date	b. 12 / 30 / 2014 (m m d d y y y y)	12 / 30 / 2014 (m m d d y y y y)
Time	c. 12 : 30 [X] p.m. ☐ a.m.	12 : 45 [X] p.m. ☐ a.m.
12. Sediment in well bottom	____ inches	____ inches
13. Water clarity	Clear ☐ 10 Turbid [X] 15 (Describe) gray, medium turbidity	Clear [X] 20 Turbid ☐ 25 (Describe) light gray, low turbidity

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids	____ mg/l	____ mg/l
15. COD	____ mg/l	____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: Eric Last Name: Dahl
Firm: METCO

17. Additional comments on development:

Name and Address of Facility Contact/Owner/Responsible Party
First Name: Beth Last Name: Rank
Facility/Firm: City of Gillett
Street: 150 North McKenzie Avenue
City/State/Zip: Gillett WI 54124-

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: [signature]
Print Name: Eric Dahl
Firm: METCO

NOTE: See instructions for more information including a list of county codes and well type codes.

State of Wisconsin
Department of Natural Resources

MONITORING WELL DEVELOPMENT

Form 4400-113B Rev. 7-98

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment [X] Other ☐ _____

Facility/Project Name	County Name	Well Name
Nicolet Trails Campground	OCONTO	MW-2
Facility License, Permit or Monitoring Number	**County Code**	**Wis. Unique Well Number** / **DNR Well ID Number**
	43	VO572 /

1. Can this well be purged dry? [X] Yes ☐ No

2. Well development method

surged with bailer and bailed	☐ 41
surged with bailer and pumped	[X] 61
surged with block and bailed	☐ 42
surged with block and pumped	☐ 62
surged with block, bailed and pumped	☐ 70
compressed air	☐ 20
bailed only	☐ 10
pumped only	☐ 51
pumped slowly	☐ 50
Other _____	☐

3. Time spent developing well 60 min.

4. Depth of well (from top of well casisng) 16 ft.

5. Inside diameter of well 2 in.

6. Volume of water in filter pack and well casing 6 gal.

7. Volume of water removed from well 20 gal.

8. Volume of water added (if any) ____ gal.

9. Source of water added _____

10. Analysis performed on water added? (If yes, attach results) ☐ Yes ☐ No

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. 10.54 ft.	11.59 ft.
Date	b. 12 / 30 / 2014 (m m d d y y y y)	12 / 30 / 2014 (m m d d y y y y)
Time	c. 10 : 30 [X] a.m. ☐ p.m.	11 : 30 [X] a.m. ☐ p.m.
12. Sediment in well bottom	____ inches	____ inches
13. Water clarity	Clear ☐ 10 Turbid [X] 15 (Describe) gray	Clear [X] 20 Turbid ☐ 25 (Describe) light tan
	high turbidity	low turbidity

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids	____ mg/l	____ mg/l
15. COD	____ mg/l	____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: Eric Last Name: Dahl
Firm: METCO

17. Additional comments on development:
Purged dry 5 times

Name and Address of Facility Contact /Owner/Responsible Party
First Name: Beth Last Name: Rank
Facility/Firm: City of Gillett
Street: 150 North McKenzie Avenue
City/State/Zip: Gillett WI 54124-

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: E Dahl
Print Name: Eric Dahl
Firm: METCO

NOTE: See instructions for more information including a list of county codes and well type codes.

State of Wisconsin
Department of Natural Resources

MONITORING WELL DEVELOPMENT

Form 4400-113B Rev. 7-98

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment [X] Other ☐ _____

Facility/Project Name	County Name	Well Name
Nicolet Trails Campground	OCONTO	MW-3

Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well ID Number
	43	VO573	

1. Can this well be purged dry? [X] Yes ☐ No

2. Well development method

surged with bailer and bailed	☐ 41
surged with bailer and pumped	[X] 61
surged with block and bailed	☐ 42
surged with block and pumped	☐ 62
surged with block, bailed and pumped	☐ 70
compressed air	☐ 20
bailed only	☐ 10
pumped only	☐ 51
pumped slowly	☐ 50
Other _____	☐

3. Time spent developing well 25 min.

4. Depth of well (from top of well casisng) 15 ft.

5. Inside diameter of well 2 in.

6. Volume of water in filter pack and well casing 6 gal.

7. Volume of water removed from well 5 gal.

8. Volume of water added (if any) gal.

9. Source of water added _____

10. Analysis performed on water added? (If yes, attach results) ☐ Yes ☐ No

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. 9.48 ft.	14.2 ft.
Date	b. 12 / 30 / 2014 (m m d d y y y y)	12 / 30 / 2014 (m m d d y y y y)
Time	c. 09 : 25 [X] a.m. ☐ p.m.	09 : 50 [X] a.m. ☐ p.m.
12. Sediment in well bottom	inches	inches
13. Water clarity	Clear [X] 10 Turbid ☐ 15	Clear [X] 20 Turbid ☐ 25
(Describe)	light tan	light tan
	low turbidity	low turbidity

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids	mg/l	mg/l
15. COD	mg/l	mg/l

16. Well developed by: Name (first, last) and Firm
First Name: Eric Last Name: Dahl
Firm: METCO

17. Additional comments on development:
Purged dry 5 times

Name and Address of Facility Contact /Owner/Responsible Party
First Name: Beth Last Name: Rank
Facility/Firm: City of Gillett
Street: 150 North McKenzie Avenue
City/State/Zip: Gillett WI 54124-

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: [signature]
Print Name: Eric Dahl
Firm: METCO

NOTE: See instructions for more information including a list of county codes and well type codes.

State of Wisconsin
Department of Natural Resources

MONITORING WELL DEVELOPMENT

Form 4400-113B Rev. 7-98

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment [X] Other ☐ _____

Facility/Project Name	County Name	Well Name
Nicolet Trails Campground	OCONTO	MW-4

Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well ID Number
	43	VO574	

1. Can this well be purged dry? [X] Yes ☐ No

2. Well development method

surged with bailer and bailed	[X]	41
surged with bailer and pumped	☐	61
surged with block and bailed	☐	42
surged with block and pumped	☐	62
surged with block, bailed and pumped	☐	70
compressed air	☐	20
bailed only	☐	10
pumped only	☐	51
pumped slowly	☐	50
Other _____	☐	

3. Time spent developing well 10 min.

4. Depth of well (from top of well casisng) 15 ft.

5. Inside diameter of well 2 in.

6. Volume of water in filter pack and well casing 4.8 gal.

7. Volume of water removed from well 5 gal.

8. Volume of water added (if any) gal.

9. Source of water added _____

10. Analysis performed on water added? (If yes, attach results) ☐ Yes ☐ No

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. 10.65 ft.	14.53 ft.
Date	b. 12 / 30 / 2014 (m m d d y y y y)	12 / 30 / 2014 (m m d d y y y y)
Time	c. 09 : 05 [X] a.m. ☐ p.m.	09 : 15 [X] a.m. ☐ p.m.
12. Sediment in well bottom	inches	inches
13. Water clarity	Clear ☐ 10 Turbid [X] 15 (Describe) tan, medium turbidity	Clear [X] 20 Turbid ☐ 25 (Describe) clear, low turbidity

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids	mg/l	mg/l
15. COD	mg/l	mg/l

16. Well developed by: Name (first, last) and Firm
First Name: Eric Last Name: Dahl
Firm: METCO

17. Additional comments on development:

Name and Address of Facility Contact /Owner/Responsible Party
First Name: Beth Last Name: Rank
Facility/Firm: City of Gillett
Street: 150 North McKenzie Avenue
City/State/Zip: Gillett WI 54124-

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: [signature]
Print Name: Eric Dahl
Firm: METCO

NOTE: See instructions for more information including a list of county codes and well type codes.

State of Wisconsin
Department of Natural Resources

MONITORING WELL DEVELOPMENT

Form 4400-113B Rev. 7-98

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment [X] Other ☐ _____

Facility/Project Name	County Name	Well Name
Nicolet Trails Campground	OCONTO	MW-5

Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well ID Number
	43	VO575	

1. Can this well be purged dry? [X] Yes ☐ No

2. Well development method

surged with bailer and bailed	☐ 41
surged with bailer and pumped	[X] 61
surged with block and bailed	☐ 42
surged with block and pumped	☐ 62
surged with block, bailed and pumped	☐ 70
compressed air	☐ 20
bailed only	☐ 10
pumped only	☐ 51
pumped slowly	☐ 50
Other _____	☐

3. Time spent developing well 40 min.

4. Depth of well (from top of well casisng) 16 ft.

5. Inside diameter of well 2 in.

6. Volume of water in filter pack and well casing 8.7 gal.

7. Volume of water removed from well 20 gal.

8. Volume of water added (if any) ____ gal.

9. Source of water added _____

10. Analysis performed on water added? ☐ Yes ☐ No
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. 8.05 ft.	13.71 ft.
Date	b. 12 / 29 / 2014 (m m d d y y y y)	12 / 29 / 2014 (m m d d y y y y)
Time	c. 01 : 30 ☐ a.m. X p.m.	02 : 10 ☐ a.m. X p.m.
12. Sediment in well bottom	____ inches	____ inches
13. Water clarity	Clear ☐ 10 Turbid [X] 15	Clear [X] 20 Turbid ☐ 25
(Describe)	tan	clear
	high turbidity	low turbidity

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids	____ mg/l	____ mg/l
15. COD	____ mg/l	____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: Eric Last Name: Dahl
Firm: METCO

17. Additional comments on development:
Purged dry 6 times

Name and Address of Facility Contact /Owner/Responsible Party
First Name: Beth Last Name: Rank
Facility/Firm: City of Gillett
Street: 150 North McKenzie Avenue
City/State/Zip: Gillett WI 54124-

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: [signature]
Print Name: Eric Dahl
Firm: METCO

NOTE: See instructions for more information including a list of county codes and well type codes.

State of Wisconsin
Department of Natural Resources

MONITORING WELL DEVELOPMENT

Form 4400-113B Rev. 7-98

Route to: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Redevelopment [X] Other ☐ _____

Facility/Project Name	County Name	Well Name
Nicolet Trails Campground	OCONTO	MW-6
Facility License, Permit or Monitoring Number	**County Code**	**Wis. Unique Well Number**	**DNR Well ID Number**
	43	VO576	

1. Can this well be purged dry? ☐ Yes X No

2. Well development method

surged with bailer and bailed	☐	41
surged with bailer and pumped	X	61
surged with block and bailed	☐	42
surged with block and pumped	☐	62
surged with block, bailed and pumped	☐	70
compressed air	☐	20
bailed only	☐	10
pumped only	☐	51
pumped slowly	☐	50
Other _____	☐	

3. Time spent developing well 25 min.

4. Depth of well (from top of well casisng) 15 ft.

5. Inside diameter of well 2 in.

6. Volume of water in filter pack and well casing 8.6 gal.

7. Volume of water removed from well 35 gal.

8. Volume of water added (if any) ____ gal.

9. Source of water added _____

10. Analysis performed on water added? (If yes, attach results) ☐ Yes ☐ No

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. 7.22 ft.	9.85 ft.
Date	b. 12 / 29 / 2014 (m m d d y y y y)	12 / 29 / 2014 (m m d d y y y y)
Time	c. 11 : 40 X a.m. ☐ p.m.	12 : 05 ☐ a.m. X p.m.
12. Sediment in well bottom	____ inches	____ inches
13. Water clarity	Clear ☐ 10 Turbid X 15 (Describe) tan	Clear X 20 Turbid ☐ 25 (Describe) clear
	high turbidity	low turbidity
14. Total suspended solids	____ mg/l	____ mg/l
15. COD	____ mg/l	____ mg/l

Fill in if drilling fluids were used and well is at solid waste facility:

16. Well developed by: Name (first, last) and Firm
First Name: Eric Last Name: Dahl
Firm: METCO

17. Additional comments on development:

Name and Address of Facility Contact /Owner/Responsible Party
First Name: Beth Last Name: Rank
Facility/Firm: City of Gillett
Street: 150 North McKenzie Avenue
City/State/Zip: Gillett WI 54124-

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: _____
Print Name: Eric Dahl
Firm: METCO

NOTE: See instructions for more information including a list of county codes and well type codes.

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-1 Gov't Lot (If applicable)

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 14 (From groundsurface)
Casing Diameter (in.) _____
Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	14	21	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-2 Gov't Lot (If applicable)

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 14 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	14	21	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO

Date of Abandonment: 4/15/2014

Signature of Person Doing Work

Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3

Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-3 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY / OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608) 781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-4 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete | WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) | Casing Diameter (in.) _____ | Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work: [signature] | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-5 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. ☐ S ☐ C ☐ N Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _

(2) FACILITY/OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work: [signature] | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-6 Gov't Lot (If applicable)

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. ☐ S ☐ C ☐ N Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work: E Dahl | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-7 Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. ☐ S ☐ C ☐ N Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO

Date of Abandonment: 4/15/2014

Signature of Person Doing Work: [signature] Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3

Telephone Number: (608) 781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-8 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. ☐ S ☐ C ☐ N Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY / OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name G-9 | Gov't Lot (If applicable) _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well _ _ _ _ _

(2) FACILITY / OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) | Casing Diameter (in.) _____ | Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work: [signature] | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-10 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY / OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work: [signature] | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No.	DNR Well ID No.	County
_ _ _ _ _		OCONTO

Common Well Name G-11 _____ Gov't Lot (If applicable)

SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W
Grid Location

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment	WI Unique Well No.
Sampling Complete	of Replacement Well _ _ _ _ _

(2) FACILITY / OWNER INFORMATION

Facility Name
Nicolet Trails Campground

Facility ID	License/Permit/Monitoring No.

Street Address of Well
310 East Washington Street

City, Village, or Town
Gillett

Present Well Owner	Original Owner
City of Gillett	

Street Address or Route of Owner
150 North McKenzie Avenue

City, State, Zip Code
Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 5 (From groundsurface) Casing Diameter (in.) _____
Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) _____

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	5	7.5	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work	Date of Abandonment
Eric Dahl/METCO	4/15/2014

Signature of Person Doing Work	Date Signed
	5/16/14

Street or Route	Telephone Number
709 Gillette Street, Suite 3	(608)781-8879

City, State, Zip Code
La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-12 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY / OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner:

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) | Casing Diameter (in.) _____ | Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work: [signature] | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-13 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 14 (From groundsurface) | Casing Diameter (in.) _____ | Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	14	21	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608) 781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-14 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-15 Gov't Lot (If applicable)

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. ☐ S ☐ C ☐ N Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____ Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-16 Gov't Lot (If applicable)

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. ☐ S ☐ C ☐ N Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface)
Casing Diameter (in.) _____
Casing Depth (ft.) _____
Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown
If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO

Date of Abandonment: 4/15/2014

Signature of Person Doing Work

Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3

Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-17 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. ☐ S ☐ C ☐ N Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/15/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/15/2014

Signature of Person Doing Work: [signature] | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-18 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/16/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/16/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608) 781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-19 | Gov't Lot (If applicable): _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/16/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/16/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-20 | Gov't Lot (If applicable):

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/16/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) | Casing Diameter (in.) _____ | Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/16/2014

Signature of Person Doing Work | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608) 781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name G-21 Gov't Lot (If applicable) _____

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well _ _ _ _ _ _

(2) FACILITY/OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date 4/16/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO

Date of Abandonment: 4/16/2014

Signature of Person Doing Work

Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3

Telephone Number: (608) 781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-22 | Gov't Lot (If applicable)

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/16/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 14 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	14	21	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/16/2014

Signature of Person Doing Work: Eric Dahl | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

State of Wisconsin
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT

Form 3300-5 2/2000

Notice: Please complete Form 3300-5 and return it to the appropiate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forteiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management [X] Remediation/Redevelopment ☐ Other _____

(1) GENERAL INFORMATION

WI Unique Well No. _ _ _ _ _ _ | DNR Well ID No. | County: OCONTO

Common Well Name: G-23 Gov't Lot (If applicable)

Grid Location: SE 1/4 of NW 1/4 of Sec. 22 ; T. 28 N; R. 18 [X] E ☐ W

_____ ft. ☐ N. ☐ S., _____ ft. ☐ E. ☐ W.

Local Grid Origin ☐ (estimated: ☐) or Well Location ☐

Lat. 44 ° 53 ' 33 . " Long 88 ° 18 ' 5 . " or

St. Plane _____ ft. N. _____ ft. E. S ☐ C ☐ N ☐ Zone

Reason For Abandonment: Sampling Complete

WI Unique Well No. of Replacement Well: _ _ _ _ _ _

(2) FACILITY/ OWNER INFORMATION

Facility Name: Nicolet Trails Campground

Facility ID | License/Permit/Monitoring No.

Street Address of Well: 310 East Washington Street

City, Village, or Town: Gillett

Present Well Owner: City of Gillett | Original Owner

Street Address or Route of Owner: 150 North McKenzie Avenue

City, State, Zip Code: Gillett WI 54124-

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: 4/16/2014

☐ Monitoring Well
☐ Water Well
[X] Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
[X] Other (Specify) Geoprobe

Formation Type:
[X] Unconsolidated Formation ☐ Bedrock

Total Well Depth (ft.) 12 (From groundsurface) Casing Diameter (in.) _____

Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) 2

Was Well Annular Space Grouted? ☐ Yes ☐ No ☐ Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) 10

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	☐ Yes	☐ No	[X] Not Applicable
Liner(s) Removed?	☐ Yes	☐ No	[X] Not Applicable
Screen Removed?	☐ Yes	☐ No	[X] Not Applicable
Casing Left in Place?	☐ Yes	[X] No	
Was Casing Cut Off Below Surface?	☐ Yes	☐ No	
Did Sealing Material Rise to Surface?	[X] Yes	☐ No	
Did Material Settle After 24 Hours?	☐ Yes	[X] No	
If Yes, Was Hole Retopped?	☐ Yes	☐ No	

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) [X] Other (Explain) Gravity

Sealing Materials
☐ Neat Cement Grout
☐ Sand-Cement (Concrete) Grout
☐ Concrete
☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Bentonite-Sand Slurry " "
[X] Bentonite Chips

For monitoring wells and monitoring well boreholes only
☐ Bentonite Chips
☐ Granular Bentonite
☐ Bentonite - Cement Grout
☐ Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole

Material	From (Ft.)	To (Ft.)	Pounds	Mix Ratio or Mud Weight
Bentonite Chips	Surface	12	18	

(6) Comments: Abandoned by Geiss Soil & Samples, LLC under METCO supervision.

(7) Name of Person or Firm Doing Sealing Work: Eric Dahl/METCO | Date of Abandonment: 4/16/2014

Signature of Person Doing Work: Eric Dahl | Date Signed: 5/16/14

Street or Route: 709 Gillette Street, Suite 3 | Telephone Number: (608)781-8879

City, State, Zip Code: La Crosse WI 54603-

FOR DNR OR COUNTY USE ONLY

Date Received | Noted By

Comments

APPENDIX D/ WASTE DISPOSAL DOCUMENTATION

Investigative waste has yet to be disposed of.

APPENDIX E/ OTHER DOCUMENTATION

A.7 Other
Nicolet Trails Campground
Slug Test Calculations

MW-1

	ft/s	cm/s	m/yr
K	1.44E-04	4.39E-03	1384.15
	sq ft/s	**sq cm/s**	
T	6.33E-04	5.88E-01	

MW-3

	ft/s	cm/s	m/yr
K	2.52E-05	7.68E-04	242.23
	sq ft/s	**sq cm/s**	
T	1.31E-04	1.22E-01	

Date	Elv. (High)	Elv. (Low)	Distance (ft)	Hyd Grad (I)
1/26/2015	790.00	787.00	96	0.0312500
5/26/2015	792.00	789.00	57	0.0526316
8/31/2015	790.00	788.00	60	0.0333333
Average				0.0390716

	K (m/yr)	I	n	Flow Velocity (m/yr)
MW-1	1384.15	0.0390716	0.3	180.26985
MW-3	242.23	0.0390716	0.3	31.54771



Aquifer Parameters by the Bouwer and Rice Slug Test	
Hydraulic Conductivity (ft/s):	1.44e-004
Transmissivity (sq ft/s):	6.33e-004

Nicolet Trails Campground MW-1 Slug Out

Nicolet Trails Campground
MW-1 (Slug Out)

Sheet1

LEVEL[ft]	TEMPERATURE[°F]
37.31	47.09
36.18	47.1
36.58	47.1
36.81	47.12
36.9	47.12
36.95	47.12
36.98	47.12
36.99	47.12
37	47.12
37.01	47.13
37.02	47.13
37.03	47.13
37.03	47.14
37.04	47.14
37.04	47.14
37.04	47.14
37.04	47.16
37.04	47.14
37.04	47.16
37.04	47.16
37.04	47.16
37.04	47.17
37.04	47.17
37.05	47.17
37.04	47.17
37.05	47.18
37.05	47.18
37.05	47.18
37.05	47.19
37.06	47.19
37.06	47.2
37.06	47.2
37.06	47.2
37.06	47.2
37.06	47.2
37.05	47.22
37.05	47.22
37.06	47.22
37.06	47.22
37.06	47.22
37.06	47.22
37.06	47.23
37.06	47.23
37.06	47.23
37.06	47.23
37.06	47.23
37.06	47.25

Time(seconds)	Drawdown
0	0.24
2	0.9
4	0.49
6	0.26
8	0.17
10	0.12
12	0.09
14	0.09
16	0.07
18	0.06
20	0.05
22	0.04
24	0.04
26	0.04
28	0.04
30	0.04
32	0.04
34	0.03
36	0.03
38	0.03
40	0.03
42	0.03
44	0.03
46	0.02
48	0.03
50	0.02
52	0.02
54	0.02
56	0.02
58	0.01
60	0.01
62	0.01
64	0.01
66	0.01
68	0.01
70	0.02
72	0.02
74	0.01
76	0.01
78	0.01
80	0.01
82	0.01
84	0.01
86	0.01
88	0.01
90	0.01
92	0.01

37.06	47.25	94	0.01
37.06	47.25	96	0.01
37.06	47.25	98	0.01
37.06	47.25	100	0.01
37.06	47.26	102	0.01
37.06	47.26	104	0.01
37.06	47.26	106	0.01
37.06	47.26	108	0.01
37.07	47.27	110	0
37.07	47.27	112	0
37.07	47.27	114	0
37.07	47.27	116	0
37.07	47.27	118	0
37.07	47.27	120	0
37.06	47.28	122	0.01
37.06	47.28	124	0.01
37.06	47.28	126	0.01
37.06	47.29	128	0.01
37.06	47.29	130	0.01
37.06	47.29	132	0.01
37.06	47.29	134	0.01
37.07	47.31	136	0
37.07	47.31	138	0
37.07	47.31	140	0
37.07	47.31	142	0



Aquifer Parameters by the Bouwer and Rice Slug Test	
Hydraulic Conductivity (ft/s):	2.52e-005
Transmissivity (sq ft/s):	1.31e-004

Nicolet Trails Campground MW-3 Slug Out

TEMPERATURE[°F]	Time(seconds)	Drawdown
46.86	0	0.24
46.86	2	1.33
46.86	4	0.81
46.86	6	0.54
46.86	8	0.32
46.86	10	0.19
46.86	12	0.13
46.86	14	0.1
46.85	16	0.09
46.85	18	0.09
46.85	20	0.07
46.85	22	0.07
46.85	24	0.06
46.85	26	0.06
46.85	28	0.05
46.85	30	0.04
46.84	32	0.04
46.85	34	0.04
46.84	36	0.04
46.84	38	0.04
46.84	40	0.04
46.84	42	0.03
46.84	44	0.04
46.84	46	0.03
46.84	48	0.03
46.84	50	0.02
46.84	52	0.02
46.84	54	0.03
46.84	56	0.02
46.84	58	0.02
46.85	60	0.03
46.85	62	0.02
46.85	64	0.02
46.85	66	0.02
46.84	68	0.02
46.84	70	0.02
46.84	72	0.02
46.84	74	0.02
46.84	76	0.02
46.84	78	0.02
46.84	80	0.02
46.84	82	0.02

46.84	84	0.02
46.84	86	0.02
46.84	88	0.02
46.85	90	0.02
46.85	92	0.02
46.85	94	0.02
46.85	96	0.02
46.85	98	0.02
46.85	100	0.02
46.85	102	0.02
46.84	104	0.02
46.84	106	0.02
46.84	108	0.02
46.84	110	0.02
46.84	112	0.02
46.84	114	0.02
46.84	116	0.02
46.84	118	0.02
46.84	120	0.02
46.84	122	0.02
46.85	124	0.02
46.85	126	0.01
46.85	128	0.01
46.85	130	0.02
46.85	132	0
46.85	134	0.01
46.85	136	0.01
46.85	138	0.02
46.85	140	0.01
46.85	142	0.01
46.85	144	0.01
46.86	146	0
46.86	148	0
46.86	150	0
46.86	152	0
46.86	154	0
46.86	156	0
46.86	158	0
46.86	160	0
46.86	162	0
46.86	164	0
46.86	166	0
46.86	168	0
46.86	170	0
46.86	172	0
46.86	174	0
46.86	176	0
46.86	178	0

46.86	180	0
46.86	182	0
46.88	184	0
46.88	186	0
46.88	188	0
46.88	190	0
46.88	192	0
46.88	194	0
46.88	196	0
46.88	198	0
46.88	200	0.01
46.88	202	0
46.88	204	0
46.86	206	0
46.88	208	0
46.88	210	0

APPENDIX F/ QUALIFICATIONS OF METCO PERSONNEL

Ronald J. Anderson, P.G.

Professional Titles

- Senior Hydrogeologist
- Project Manager

Credentials

- Licensed Professional Geologist in Wisconsin
- Licensed Professional Geologist in Minnesota
- Recognized by the State of Wisconsin Department of Natural Resources (Chapter NR712) as a qualified Hydrogeologist
- Certified by State of Wisconsin/DSPS to conduct PECFA-funded LUST projects
- Certified tank closure site assessor (#41861) in Wisconsin
- Member of the Wisconsin Groundwater Association
- Member of the Minnesota Groundwater Association
- Member of the Federation of Environmental Technologist, Inc.
- Member of the Wisconsin Fabricare Institute

Education

Includes a BA in Earth Science from the University of Minnesota-Duluth. Applicable courses successfully completed include Hydrogeology, Applied Hydrogeology, Environmental Geology, Geological Field Methods, Geology Field Camp, Geomorphology, Structural Geology, Stratigraphy/Tectonics, Mineralogy/Petrology, Glacial/Quaternary Geology, Geology of North America, Oceanography, General Chemistry, Organic Chemistry, and Environmental Conservation

Post-Graduate Education

Includes Personnel Protection and Safety, Conducting Comprehensive Environmental Property Assessments, Groundwater Flow and Well Hydraulics, Effective Techniques for Contaminated Groundwater Treatment, and numerous other continuing education classes and conferences.

Work Experience

Includes nine months with the Wisconsin Department of Natural Resources Leaking Underground Storage Tank Program regulating LUST sites and since June 1990, with METCO as a Hydrogeologist and Project Manager. Duties have included: managing, conducting, and reporting tank closure assessments; property assessment, LUST investigations; spill investigations; agricultural chemical investigations, dry cleaning chemical investigations, general geotechnical/environmental investigations; Geoprobe projects (soil, groundwater, soil gas sampling); drilling projects (soil boring and monitoring wells); and remedial projects. Since 1989, METCO has sampled/consulted over 700 environmental sites.

Jason T. Powell

Professional Title

- Staff Scientist

Credentials

- Recognized by the State of Wisconsin Department of Natural Resources (Chapter NR712) as a qualified Scientist.

Education

Includes a BS in Groundwater Management from the University of Wisconsin- Stevens Point. Applicable courses successfully completed include Hydrogeology, Applied Hydrogeology, Environmental Geology, Hydrogeology-Groundwater Flow Modeling, Groundwater Management, Structural Geology, Mineralogy, Glacial Geology, Soils, Soil Physics, Hydrology, Geochemistry, Water Chemistry, Organic Chemistry, General Chemistry, Environmental Issues.

Post-Graduate Education

40-hour OSHA Hazardous Materials Safety Training course with 8-hour refresher course.

Work Experience

With METCO since May 1992 as a Geoprobe Assistant and Geoprobe Operator. In June 1995 to July 1996 as a Environmental Technician. In July 1996 as a Staff Scientist. Duties have included: LUST investigations; general geotechnical/environmental investigations; Geoprobe projects (soil, groundwater sampling); drilling projects (soil boring and monitoring wells); remedial projects (sampling, pilot tests, system operation/maintenance) and project management.

Eric J. Dahl

Professional Title

- Hydrogeologist

Credentials

- Recognized by the State of Wisconsin Department of Natural Resources (Chapter NR712) as a qualified Hydrogeologist.
- Registered through the Wisconsin Department of Safety and Professional Services as a PECFA consultant (#823519).
- Member of the Geological Society of America

Education

Includes B.S. in Geology from the University of Wisconsin-Eau Claire. Applicable courses successfully completed include Environmental Geology, Physical Hydrogeology, Chemical Hydrogeology, Computer Modeling in Hydrogeology, Aqueous Geochemistry, Field Geology I and II, Mineralogy and Petrology I and II, Sedimentology and Stratigraphy, Petroleum and Economic Geology, Earth Resources, Earth History, and Structural Geology.

Post-Graduate Education

40-hour OSHA Hazardous Materials Safety Training course with 8-hour refresher course.

Work Experience

With METCO since November 1999 as a Hydrogeologist. Duties have included: Site Investigations, Phase I and Phase II Environmental Site Assessments, Case Closure Requests/GIS Registry, geoprobe projects (oversight, direction, and sampling), drilling projects/monitoring well installation (oversight, direction, and sampling), soil excavation projects (oversight, direction, and sampling), geoprobe operation, and operation and maintenance of remedial systems.

Thomas P. Pignet, P.E.

Professional Titles

- Chemical Engineer
- Industrial Engineer

Credentials

- Licensed Professional Engineer in Wisconsin

Education

Undergraduate: B.S. in Chemical Engineering from the University of Wisconsin. Applicable courses include the standard chemistry curriculum - basic, physical, organic, etc. - plus engineering transport phenomena, chemical unit operations (e.g. separations), fluid mechanics, etc.

Post-Graduate Education

Ph.D. in Chemical Engineering from the University of Minnesota - with applicable special training in absorption & catalysis; M.S. in Industrial Engineering from the University of Wisconsin - Milwaukee - with special emphasis on statistical techniques and data analysis. Applicable further training: continuing education, semester-length courses in [1] Understanding Environmental & Safety Regulation; [2] Hazardous & Toxic Waste Management; plus a number of 1-2 day workshops - Fire & Explosion Safety; Small Quantity Generations of Hazardous Waste.

Work Experience

Includes ten years as a research chemical engineer with a large chemical manufacturer; one year as process development engineer and demonstration-scale test analyst on a unique coal gasification project; ten years in association with UW-M, teaching and consulting to industry on energy efficiency, waste minimization and productivity improvement. One year working with a small engineering consulting firm on energy, environmental, and process improvement projects, including LUST Investigations and Remediations. With METCO since February 2000. Duties include Remedial Action Plan preparation, pilot test design and performance, remedial systems design and implementation, and general management of METCO's remedial projects.

Site Investigation Report - METCO
Nicolet Trails Campground

Jon Jensen

Professional Title

- Staff Scientist

Credentials

- Registered through the Wisconsin Department of Safety and Professional Services as a PECFA consultant (#1294924).

Education

Includes B.S. in Geography with and Environmental Science minor from University of Wisconsin – La Crosse: Applicable courses successfully completed include Interpretation of Aerial Photographs, Intro to GIS, Advanced Remote Sensing, Fundamentals of Cartography, Biogeography, and Conservation of Global Environments.

Work Experience

With METCO since July, 2014 as Staff Scientist. Duties include: soil and groundwater sampling, operation and maintenance of remedial systems, geoprobe projects (oversight, direction, and sampling), site mapping, data reduction and analysis, and reporting.

Dillon Plamann

Professional Title

- Hydrogeologist

Credentials

- Registered through the Wisconsin Department of Safety and Professional Services as a PECFA consultant (#).

Education

Includes B.S. in Hydrogeology with a Geology minor, University of Wisconsin, Stevens Point. Applicable courses successfully completed include Groundwater Geochemistry, Hydrogeology, Physical Geology, Mineralogy and Petrology, Sedimentary Geology, Structural Geology, Geomorphology, Glacial Geology, and Field Geology.

Work Experience

With METCO since May, 2015 as a Hydrogeologist. Duties include: soil and groundwater sampling, operation and maintenance of remedial systems, geoprobe projects (oversight, direction, and sampling), site mapping, data reduction and analysis, and reporting.

APPENDIX G/ STANDARD OF CARE

STANDARD OF CARE

The analysis and conclusions expressed in this report are based upon data obtained from the indicated subsurface locations and from other sources discussed in this report. Actual subsurface conditions may vary and may not become evident without further assessment.

All work conducted by METCO is in accordance with currently accepted hydrogeologic and engineering practices and they neither imply nor intend warranty.

We appreciate the opportunity to be of service to you. If you have any questions or require additional information, please do not hesitate to contact us.

"I Jason T. Powell, hereby certify that I am a scientist as that term is defined in s.NR 712.03 (3), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."

Jason T. Powell
Staff Scientist

12/11/15
Date

"I Ronald J. Anderson, hereby certify that I am a hydrogeologist as that term is defined in s.NR 712.03 (1), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."

Ronald J. Anderson PG
Senior Hydrogeologist/Project Manager

12/14/15
Date