



Excellence through experience™

709 Gillette St., Ste 3, La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

October 5, 2016

BRRTS #: 03-43-560923
PECFA #: 54124-9999-10-A

Tom Verstegen
Wisconsin Department of Natural Resources
625 E. County Rd Y, Suite 700
Oshkosh, WI 54901

Subject: Nicolet Trails Campground – Letter Report

Dear Mr. Verstegen,

Enclosed is the report for the Nicolet Trails Campground site located in Gillett, Wisconsin. **This report completes the two separate Public Bidding Deferred worksopes approved on 1/20/16 and 2/15/16.**

Free Product

Monitoring well MW-1 was checked for free product on 2/29/16, 5/26/16, and 8/24/16 with no free product, 0.75 inches, and 4.0 inches, respectively.

Groundwater Monitoring

On February 29, 2016, METCO personnel collected groundwater samples from two monitoring wells (MW-1 and MW-4) for PVOC and Naphthalene analysis. Water levels were collected from all site wells.

On May 26, 2016, METCO personnel collected groundwater samples from two monitoring wells (MW-1 and MW-4) for PVOC and Naphthalene analysis. Water level, dissolved oxygen, pH, ORP, specific conductance, and temperature measurements were collected from all site wells.

On August 24, 2016, METCO personnel collected groundwater samples from all six monitoring wells (MW-1 thru MW-6) for PVOC and Naphthalene analysis. Water level, dissolved oxygen, pH, ORP, specific conductance, and temperature measurements were collected from all sampled wells.

Investigative Waste Disposal

On June 15, 2016, DKS Transport Services, LLC of Menomonie, Wisconsin picked up and properly disposed of two investigative waste drums at the Advanced Disposal – Seven Mile Creek landfill located in Eau Claire, Wisconsin.

Capping Project

On June 14-15, 2016, DKS Construction Services of Menomonie, Wisconsin conducted a capping project under the supervision and direction of METCO. The capping was being done to address the area of direct contact soil contamination (PVOC's and PAH's) at the site.

The two adjacent rectangular areas (90'x60' and 60'x30') were staked and a Geo-Textile Fabric was laid over the entire impacted area. Once the fabric was in place, one foot of top-soil was placed over the grass areas and one foot of gravel was placed over the gravel drive area. The areas of top-soil were covered in E-Mat and seeded to help prevent the new soil cap from washing out.

Photos of the capping project have been attached.

Discussion of Results

Free Product

Free product was noted in monitoring well MW-1 during the last two sampling events (0.75 inches and 4.0 inches, respectively.) This may be due to the drop in water table elevation.

Groundwater

Monitoring well MW-1: Currently shows NR140 ES exceedances for Benzene (660 ppb), Naphthalene (223 ppb), and Trimethylbenzenes (809 ppb). It also shows NR140 PAL exceedances for Ethylbenzene (370 ppb), Toluene (239 pp), and Xylenes (1,363 ppb). Contaminant concentrations appear to be unstable to possibly increasing, however this may be due to the fluctuation in water table elevation (see attached contaminant concentration vs water table elevation graphs).

Monitoring well MW-2: Currently shows no exceedances for all contaminants of concern.

Monitoring well MW-3: Currently shows no detects for all contaminants of concern.

Monitoring well MW-4: Currently shows an NR140 PAL exceedance for MTBE (21 ppb). It also showed a NR140 PAL exceedance for Benzene (1.26 ppb) during the 5/26/16 sampling event but was no detect during the last sampling event.

Monitoring well MW-5: Currently shows no detects for all contaminants of concern.

Monitoring well MW-6: Currently shows no detects for all contaminants of concern.

Conclusions/Recommendations

METCO recommends that this site be reviewed for the possibility of "closure" for the following reasons:

[1] The extent and degree of soil and groundwater contamination are defined to a practical extent.

[2] Direct Contact soil exceedences have been addressed with the capping project and will require a Cap Maintenance Plan.

[3] Monitoring wells MW-2, -3, -5, and -6 continue to show no laboratory detections. Down-gradient monitoring well MW-4 shows NR140 PAL exceedence for MTBE but appears to be decreasing.

Source area monitoring well MW-1 shows NR140 ES exceedences for Benzene, Naphthalene, and Trimethylbenzenes and contaminant levels appear to be unstable to possibly increasing, however this may be due to the fluctuating water table elevation (see attached contaminant concentration vs water table elevation graphs).

[4] The risk of vapor intrusion is unlikely as no buildings exist near the source area and property is currently a campground.

[5] Several utility lines exist within the area of the groundwater contaminant plume, however due to the depth to groundwater (10-12 feet bgs) it is unlikely that the utility lines are acting as potential contaminant migration pathways.

[6] The nearest known potable well is Municipal Well #2 which is located approximately 750 feet west (up-gradient) and does not appear to be at risk at this time from the petroleum contamination from the subject property.

However, if due the recent free product and unstable to increasing trends in source monitoring well MW-1, the state may require additional groundwater monitoring to further assess contaminant trends prior to closure.

Per WDNR response to this report, METCO will proceed with this project.

A Detailed Site Map, Groundwater Flow Maps, Groundwater Isoconcentration Map, Data Tables, Contaminant Concentration vs. Water Table Elevation graphs, Capped Area Map, Photos from the capping project, Waste Disposal Documents, and Laboratory Documents have been attached.

If you have any questions or comments please feel free to call (608-781-8879) or email at jasonp@metcohq.com.

Sincerely,

Jason T. Powell
Staff Scientist

Attachments


c: Shane Rank - Client

DETAILED SITE MAP

NICOLET TRAILS CAMPGROUND




GILLETT, WISCONSIN
 DRAWN BY: ED
 DATE: 1/10/14



- NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.
- ☒ - ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
 - - UST REMOVAL SOIL SAMPLING LOCATION
 - ✕ - GEOPROBE BORING LOCATION
 - ⊕ - MONITORING WELL LOCATION
 - ▲ - HAND SAMPLE LOCATION (METCO 5/26/15)
 - - APPROXIMATE PROPERTY BOUNDARY
 - ☒ - CAMPSITE WATER AND ELECTRIC HOOK UP

- ==== - OVERHEAD LINES
- - BURIED ELECTRIC
- - WATER LINE
- - BURIED ELECTRIC
- - STORM SEWER
- - FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET



**B.3.c GROUNDWATER
FLOW DIRECTION (2/29/16)
NICOLET TRAILS
CAMPGROUND**

**GILLETT,
WISCONSIN**
DRAWN BY : ED
DATE: 1/10/14
EDITED BY : JJ 7/20/15




NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ☐ - ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- - UST REMOVAL SOIL SAMPLING LOCATION
- ✕ - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ▭ - CAMPSITE WATER AND ELECTRIC HOOK UP

- ≡≡≡≡ - OVERHEAD LINES
- - BURIED ELECTRIC
- — — - WATER LINE
- - BURIED ELECTRIC
- - STORM SEWER
- - FORMER UST & AST AREA
- - APPROXIMATE PROPERTY BOUNDARY

SCALE: 1 INCH = 70 FEET




CITY WELL #2

SMALL ENGINE REPAIR

B.3.c GROUNDWATER
FLOW DIRECTION (5/26/16)
NICOLET TRAILS
CAMPGROUND



GILLETT,
WISCONSIN
DRAWN BY: ED
DATE: 1/10/14
EDITED BY: JJ 7/20/15




NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ☒ - ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- - UST REMOVAL SOIL SAMPLING LOCATION
- ✕ - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- - APPROXIMATE PROPERTY BOUNDARY
- ☒ - CAMPSITE WATER AND ELECTRIC HOOK UP

- ==== - OVERHEAD LINES
- - BURIED ELECTRIC
- - WATER LINE
- - BURIED ELECTRIC
- - STORM SEWER
- - FORMER UST & AST AREA

SCALE 1 INCH = 70 FEET




CITY WELL #2

SMALL ENGINE REPAIR

B.3.c GROUNDWATER
FLOW DIRECTION (8/24/16)
NICOLET TRAILS
CAMPGROUND



GILLETT,
WISCONSIN
DRAWN BY : ED
DATE: 1/10/14
EDITED BY : JJ 7/20/15




NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ☐ - ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- - UST REMOVAL SOIL SAMPLING LOCATION
- ✕ - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ▣ - CAMPSITE WATER AND ELECTRIC HOOK UP

- ≡≡≡≡ - OVERHEAD LINES
- - BURIED ELECTRIC
- - WATER LINE
- - BURIED ELECTRIC
- - STORM SEWER
- - FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET




CITY WELL #2

B.3.b GROUNDWATER
ISOCONCENTRATION (8/24/16)

NICOLET TRAILS
CAMPGROUND



GILLETT,
WISCONSIN
DRAWN BY : ED
DATE: 1/10/14




NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER.

- ☒ - ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- - UST REMOVAL SOIL SAMPLING LOCATION
- ✕ - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ▲ - HAND SAMPLE LOCATION (METCO 5/26/15)
- - APPROXIMATE PROPERTY BOUNDARY
- ☒ - CAMPSITE WATER AND ELECTRIC HOOK UP

- ==== - OVERHEAD LINES
- - BURIED ELECTRIC
- - WATER LINE
- - BURIED ELECTRIC
- - STORM SEWER
- - FORMER UST & AST AREA

SCALE: 1 INCH = 70 FEET



GENERAL EXTENT OF PETROLEUM
CONTAMINATION IN GROUNDWATER
EXCEEDING NR140 ENFORCEMENT
STANDARDS (ES) AND/OR PREVENTIVE
ACTION LIMITS (PAL)

CITY
WELL
#2

SMALL
ENGINE
REPAIR

A.7 Other

Nicolet Trails Campground - Gillett: BRRS #03-43-560923

Free Product Levels & Recovery -- By METCO

DATE		MW-1	GALS REC./PERIOD	TOT GALS RECOVERED
05/26/16	Inches of FP	0.75	0.01	0.01
	Gals Rec. w/ Absorbent Sock	N/A		
	Gals Rec. w/ Bailer	0.01		
08/24/16	Inches of FP	4	0.03	0.04
	Gals Rec. w/ Absorbent Sock	N/A		
	Gals Rec. w/ Bailer	0.03		

A.1 Groundwater Analytical Table
 Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-1

PVC Elevation = 799.6 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
01/26/15	789.01	10.59	<0.7	194	22.5	<1.1	6.1	21.5	56.3	286
05/26/15	789.29	10.31	NS	229	42	<2.45	<13	21.3	38.6	118.4
08/31/15	788.02	11.58	NS	1670	360	<4.9	131	590	574	1370
02/29/16	789.31	10.29	NS	910	330	<4.9	153	175	635	945
05/26/16	789.26	10.34	NS	540	238	<11	149	89	589	700
08/24/16	787.44	12.16	NS	660	370	<4.9	223	239	809	1363
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-2

PVC Elevation = 798.97 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
01/26/15	787.92	11.05	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	788.02	10.95	NS	<0.46	<0.73	<0.49	<2.6	0.62	<1.51	<2.06
08/31/15	787.32	11.65	NS	<0.46	<0.73	0.84	<2.6	<0.39	<1.51	<2.06
02/29/16	788.01	10.96	NOT SAMPLED							
05/26/16	788.18	10.79	NOT SAMPLED							
08/24/16	787.73	11.24	NS	<0.46	<0.73	<0.49	<2.6	0.48	<1.51	<2.06
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

PVC Elevation = 796.54 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
01/26/15	786.73	9.81	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	786.65	9.89	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
08/31/15	786.25	10.29	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
02/29/16	786.75	9.79	NOT SAMPLED							
05/26/16	786.93	9.61	NOT SAMPLED							
08/24/16	786.57	9.97	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Nicolet Trails Campground BRRTS# 03-43-560923

Well MW-4

PVC Elevation = 798.36 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	786.79	11.57	<0.7	<0.44	<0.71	37	<1.6	<0.44	<3.1	<3.1
05/26/15	786.89	11.47	NS	<0.46	<0.73	25.3	<2.6	<0.39	<1.51	<2.06
08/31/15	785.97	12.39	NS	<0.46	<0.73	28.4	<2.6	<0.39	<1.51	<2.06
02/29/16	787.03	11.33	NS	<0.46	<0.73	27.5	<2.6	<0.39	<1.51	<2.06
05/26/16	787.18	11.18	NS	1.26	<0.71	25.5	<1.6	<0.44	<3.1	<3.1
08/24/16	786.45	11.91	NS	<0.46	<0.73	21	<2.6	<0.39	<1.51	<2.06
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

PVC Elevation = 797.52 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	790.38	7.14	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	790.65	6.87	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
08/31/15	788.15	9.37	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
02/29/16	791.04	6.48	NOT SAMPLED							
05/26/16	790.90	6.62	NOT SAMPLED							
08/24/16	788.64	8.88	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

PVC Elevation = 798.79 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
01/26/15	790.21	8.58	<0.7	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
05/26/15	790.58	8.21	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
08/31/15	789.04	9.75	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
02/29/16	791.05	7.74	NOT SAMPLED							
05/26/16	790.87	7.92	NOT SAMPLED							
08/24/16	790.14	8.65	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.6 Water Level Elevations
Nicolet Trails Campground BRRTS# 03-43-560923
Gillett, Wisconsin

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6
Ground Surface (feet msl)	800.02	799.43	796.84	798.65	798.01	799.16
PVC top (feet msl)	799.60	798.97	796.54	798.36	797.52	798.79
Well Depth (feet)	15	16	15	15	16	15
Top of screen (feet msl)	795.02	793.43	791.84	793.65	792.01	794.16
Bottom of screen (feet msl)	785.02	783.43	781.84	783.65	782.01	784.16

Depth to Water From Top of PVC (feet)

01/26/15	10.59	11.05	9.81	11.57	7.14	8.58
05/26/15	10.31	10.95	9.89	11.47	6.87	8.21
08/31/15	11.58	11.65	10.29	12.39	9.37	9.75
02/29/16	10.29	10.96	9.79	11.33	6.48	7.74
05/26/16	10.34	10.79	9.61	11.18	6.62	7.92
08/24/16	12.16	11.24	9.97	11.91	8.88	8.65

Depth to Water From Ground Surface (feet)

01/26/15	11.01	11.51	10.11	11.86	7.63	8.95
05/26/15	10.73	11.41	10.19	11.76	7.36	8.58
08/31/15	12.00	12.11	10.59	12.68	9.86	10.12
02/29/16	10.71	11.42	10.09	11.62	6.97	8.11
05/26/16	10.76	11.25	9.91	11.47	7.11	8.29
08/24/16	12.58	11.70	10.27	12.20	9.37	9.02

Groundwater Elevation (feet msl)

01/26/15	789.01	787.92	786.73	786.79	790.38	790.21
05/26/15	789.29	788.02	786.65	786.89	790.65	790.58
08/31/15	788.02	787.32	786.25	785.97	788.15	789.04
02/29/16	789.31	788.01	786.75	787.03	791.04	791.05
05/26/16	789.26	788.18	786.93	787.18	790.90	790.87
08/24/16	787.44	787.73	786.57	786.45	788.64	790.14

A.7 Other
 Groundwater NA Indicator Results
 Nicolet Trails Campground BRRS# 03-43-560923

Well MW-1

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	1.14	5.74	250	6.1	373	<0.15	92	<0.06	443
05/26/15	1.85	7.41	65	11.2	698	NS	NS	NS	NS
08/31/15	1.58	7.66	-31	15.9	1367	NS	NS	NS	NS
02/29/16	3.17	7.09	20	8.6	935	NS	NS	NS	NS
05/26/16	2.44	6.93	-150	10.6	1196	NS	NS	NS	NS
08/24/16	1.19	7.13	-150	15.1	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-2

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	2.03	6.01	294	6.9	327	0.189	95.4	<0.06	156
05/26/15	2.71	7.94	-425	10.5	468	NS	NS	NS	NS
08/31/15	2.37	8.04	56	16.2	1027	NS	NS	NS	NS
02/29/16	NOT SAMPLED					NS	NS	NS	NS
05/26/16	5.81	7.28	221	9.8	357	NS	NS	NS	NS
08/24/16	1.33	7.24	194	14.2	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
01/26/15	2.25	6.11	320	7.2	289	<0.15	85.3	<0.06	541
05/26/15	2.25	7.79	-192	10.1	575	NS	NS	NS	NS
08/31/15	2.14	8.09	-48	15.8	1261	NS	NS	NS	NS
02/29/16	NOT SAMPLED					NS	NS	NS	NS
05/26/16	7.05	7.26	213	9.8	829	NS	NS	NS	NS
08/24/16	1.21	7.4	22	15.6	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
 Note: Elevations are presented in feet mean sea level (msl).

A.7 Other
Groundwater NA Indicator Results
Nicolet Trails Campground BRRS# 03-43-560923

Well MW-4

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
01/26/15	2.12	6.24	309	6.5	488	<0.15	135	<0.06	223
05/26/15	1.93	7.48	-74	10.7	841	NS	NS	NS	NS
08/31/15	2.68	7.06	100	15.1	810	NS	NS	NS	NS
02/29/16	5.87	6.82	206	8.4	614	NS	NS	NS	NS
05/26/16	5.12	6.94	208	9.7	611	NS	NS	NS	NS
08/24/16	1.20	7.16	77	14.4	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = PAL - Italics						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
01/26/15	1.51	5.81	210	6.2	568	<0.15	159	<0.06	446
05/26/15	2.33	7.31	108	10.5	1156	NS	NS	NS	NS
08/31/15	2.79	7.79	37	16.1	923	NS	NS	NS	NS
02/29/16	NOT SAMPLED					NS	NS	NS	NS
05/26/16	5.01	6.87	254	9.6	710	NS	NS	NS	NS
08/24/16	1.64	6.98	162	14.5	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = PAL - Italics						2	-	-	60


(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-6


Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
01/26/15	1.11	5.99	207	5.7	474	<0.15	88	<0.06	241
05/26/15	2.45	7.65	127	9.4	524	NS	NS	NS	NS
08/31/15	2.36	7.08	208	16.3	710	NS	NS	NS	NS
02/29/16	NOT SAMPLED					NS	NS	NS	NS
05/26/16	3.07	6.88	265	10.2	483	NS	NS	NS	NS
08/24/16	1.65	6.75	176	16.5	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = PAL - Italics						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured ORP = Oxidation Reduction Potential
 Note: Elevations are presented in feet mean sea level (msl).


A.8 Other
Contaminant Concentration vs. Water Elevation
Nicolet Trails Campground BRRTS# 03-43-560923
Monitoring Well MW-1



A.8 Other
Contaminant Concentration vs. Water Elevation
Nicolet Trails Campground BRRS# 03-43-560923
Monitoring Well MW-1



A.8 Other
Contaminant Concentration vs. Water Elevation
Nicolet Trails Campground BRRS# 03-43-560923
Monitoring Well MW-1



GEO-TEXTILE CAP MAP

NICOLET TRAILS CAMPGROUND



109 Girardin Street, Suite 3
La Crosse, WI 54603
Tel: (608) 781-8875
Fax: (608) 781-8833

GILLETT, WISCONSIN
DRAWN BY: JP
DATE: 10/3/16




NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

- ☒ - ABANDONED MONITORING WELL LOCATION - MR B'S GARAGE
- - UST REMOVAL SOIL SAMPLING LOCATION
- ✕ - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ▲ - HAND SAMPLE LOCATION (METCO 5/26/15)
- ▭ - APPROXIMATE PROPERTY BOUNDARY
- ☒ - CAMPSITE WATER AND ELECTRIC HOOK UP

- ≡≡≡≡≡≡ - OVERHEAD LINES
- - BURIED ELECTRIC
- - WATER LINE
- - BURIED ELECTRIC
- - STORM SEWER
- - FORMER UST & AST AREA
- ▭ - AREA OF GEO-TEXTILE CAP

SCALE: 1 INCH = 70 FEET



GENERAL EXTENT OF PETROLEUM CONTAMINATION IN SOIL EXCEEDING NR/20 GROUNDWATER RCLs, NON-INDUSTRIAL DIRECT CONTACT, AND/OR C-SAT VALUES

DKS Transport
Services, LLC

N7349 548th Street
Menomonie, WI 54751

715-556-2604

INVOICE

6-15

20 16

CUSTOMER

JOB NAME

City of Gillett WI 90 METCO
709 Gillette St
La Crosse WI 54603

Nicolet Trails Campground
Gillett WI

CASH CHECK # _____ IN-HOUSE ACCOUNT

QUANTITY		DESCRIPTION	QTY.	UNIT PRICE		AMOUNT	
DATE	SHIPPED						
	/	mobilization	1	287	70	287	70
	/	Haul soil drum to Advanced Disposal - Eau Claire WI	1	108	15	108	15
	/	Haul water drum to Advanced Disposal, Eau Claire WI	1	42	11	42	11
Thank You							
						TOTAL	437 96

Due upon receipt of invoice.
1.5% per month Service Charge (18% Annual Percentage Rate) will be added to past due accounts.

SIGNATURE _____

164

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BETH RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date 04-Mar-16

Project Name NICOLET TRAILS CAMPGROUND
Project #

Invoice # E30574

Lab Code 5030574A
Sample ID MW-4
Sample Matrix Water
Sample Date 2/29/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		3/2/2016	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		3/2/2016	CJR	1
Methyl tert-butyl ether (MTBE)	27.5	ug/l	0.49	1.6	1	GRO95/8021		3/2/2016	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		3/2/2016	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		3/2/2016	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		3/2/2016	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		3/2/2016	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		3/2/2016	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		3/2/2016	CJR	1

Lab Code 5030574B
Sample ID MW-1
Sample Matrix Water
Sample Date 2/29/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	910	ug/l	4.6	15	10	GRO95/8021		3/2/2016	CJR	1
Ethylbenzene	330	ug/l	7.3	23	10	GRO95/8021		3/2/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.9	ug/l	4.9	16	10	GRO95/8021		3/2/2016	CJR	1
Naphthalene	153	ug/l	26	83	10	GRO95/8021		3/2/2016	CJR	1
Toluene	175	ug/l	3.9	12	10	GRO95/8021		3/2/2016	CJR	1
1,2,4-Trimethylbenzene	480	ug/l	6.8	22	10	GRO95/8021		3/2/2016	CJR	1
1,3,5-Trimethylbenzene	155	ug/l	8.3	26	10	GRO95/8021		3/2/2016	CJR	1
m&p-Xylene	780	ug/l	14	44	10	GRO95/8021		3/2/2016	CJR	1
o-Xylene	165	ug/l	6.6	21	10	GRO95/8021		3/2/2016	CJR	1

Project #

Lab Code 5030574C
 Sample ID TB
 Sample Matrix Water
 Sample Date 2/29/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		3/2/2016	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		3/2/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		3/2/2016	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		3/2/2016	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		3/2/2016	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		3/2/2016	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		3/2/2016	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		3/2/2016	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		3/2/2016	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

Chain # 02 286

Page 1 of 1

Sample Handling Request

Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Lab I.D. #
 Account No.: Quote No.:
 Project #:
 Sampler: (signature) *Jan Jan*

Project (Name / Location): *Nicolet Trails Campground / Gillett*

Reports To: <i>Beth Rank</i>	Invoice To: <i>B. Rank</i>
Company: <i>City of Gillett</i>	Company: <i>C/O METCO</i>
Address: <i>150 N. McKenzie Ave</i>	Address: <i>709 Gillett St, Ste. 3</i>
City State Zip: <i>Gillett, WI 54124</i>	City State Zip: <i>La Crosse, WI 54603</i>
Phone:	Phone:
FAX:	FAX:

Analysis Requested												Other Analysis			
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	B-RCA METALS	PID/ FID	
								X							
								X							
								X							

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
02050574 A	MW-4	2-29	1035				3	GW	ITL
S	MW-1	2-29	1100				3	GW	
C	TB						1		↓

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
*Lab to send copy of report to METCO/Jason P. (Invoice to METCO)
 * ute Rates apply
 * Agent Status*

Sample Integrity - To be completed by receiving lab:
 Method of Shipment: *Hand*
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes _____ No

Retinquished By: (sign) *Jan Jan* Time: *8:00 AM* Date: *3-1-16*

Received in Laboratory By: *Christina* Time: *8:00* Date: *3/2/16*

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BETH RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date 02-Jun-16

Project Name NICOLET TRAILS CAMPGROUND
Project #

Invoice # E31121

Lab Code 5031121A
Sample ID MW-4
Sample Matrix Water
Sample Date 5/26/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	1.26 "J"	ug/l	0.44	1.4	1	8260B		6/1/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/1/2016	CJR	1
Methyl tert-butyl ether (MTBE)	25.5	ug/l	1.1	3.7	1	8260B		6/1/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/1/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/1/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/1/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/1/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/1/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/1/2016	CJR	1

Lab Code 5031121B
Sample ID MW-1
Sample Matrix Water
Sample Date 5/26/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	540	ug/l	4.4	14	10	8260B		6/1/2016	CJR	1
Ethylbenzene	238	ug/l	7.1	23	10	8260B		6/1/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/1/2016	CJR	1
Naphthalene	149	ug/l	16	52	10	8260B		6/1/2016	CJR	1
Toluene	89	ug/l	4.4	14	10	8260B		6/1/2016	CJR	1
1,2,4-Trimethylbenzene	460	ug/l	16	50	10	8260B		6/1/2016	CJR	1
1,3,5-Trimethylbenzene	129	ug/l	15	48	10	8260B		6/1/2016	CJR	1
m&p-Xylene	560	ug/l	22	69	10	8260B		6/1/2016	CJR	1
o-Xylene	140	ug/l	9	29	10	8260B		6/1/2016	CJR	1

Project Name NICOLET TRAILS CAMPGROUND

Invoice # E31121

Project #

Lab Code 5031121C

Sample ID TB

Sample Matrix Water

Sample Date 5/26/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/1/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/1/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/1/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/1/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/1/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/1/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/1/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/1/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/1/2016	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: _____
 Sampler: (signature) Jan Jan

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): Nicolet Trails Campground / Gillett
 Reports To: Beth Rank Invoice To: Beth Rank
 Company: _____ Company: E/O METCO
 Address 150 N. McKenzie Ave. Address 709 Gillette St Ste. 3
 City State Zip Gillett, WI 54124 City State Zip La Crosse, WI 54603
 Phone _____ Phone _____
 FAX _____ FAX _____

Analysis Requested											Other Analysis			
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATENITRATE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>S031121 A</u>	<u>MW-4</u>	<u>5-26</u>	<u>1010</u>				<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>B</u>	<u>MW-1</u>	<u>5-26</u>	<u>1030</u>				<u>3</u>	<u>GW</u>	<u>↓</u>
<u>C</u>	<u>TB</u>						<u>1</u>		<u>↓</u>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
Lab to send copy of report to METCO / Jason P. (Invoice to METCO)
 Notes: * utc Rates apply
 * Agent status

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: _____
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) Jan Jan Time 8:00 AM Date 5-27-16
 Received By: (sign) _____ Time _____ Date _____
 Received in Laboratory By: _____ Time: 8:00 Date: 5/31/16

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

SHANE RANK
CITY OF GILLETT
105 N. MCKENZIE STREET
GILLETT, WI 54124

Report Date 09-Sep-16

Project Name NICOLET TRAILS CAMPGROUND
Project #

Invoice # E31629

Lab Code 5031629A
Sample ID MW-6
Sample Matrix Water
Sample Date 8/24/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1

Lab Code 5031629B
Sample ID MW-5
Sample Matrix Water
Sample Date 8/24/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021	8/29/2016	8/29/2016	CJR	1

Project #

Lab Code 5031629C
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 8/24/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		8/29/2016	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		8/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		8/29/2016	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		8/29/2016	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		8/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		8/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		8/29/2016	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		8/29/2016	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		8/29/2016	CJR	1

Lab Code 5031629D
 Sample ID MW-2
 Sample Matrix Water
 Sample Date 8/24/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		8/29/2016	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		8/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		8/29/2016	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		8/29/2016	CJR	1
Toluene	0.48 "J"	ug/l	0.39	1.2	1	GRO95/8021		8/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		8/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		8/29/2016	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		8/29/2016	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		8/29/2016	CJR	1

Lab Code 5031629E
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 8/24/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		8/29/2016	CJR	1
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		8/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	21	ug/l	0.49	1.6	1	GRO95/8021		8/29/2016	CJR	1
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		8/29/2016	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		8/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		8/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		8/29/2016	CJR	1
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		8/29/2016	CJR	1
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		8/29/2016	CJR	1

Project #

Lab Code 5031629F
 Sample ID MW-1
 Sample Matrix Water
 Sample Date 8/24/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	660	ug/l	4.6	15	10	GRO95/8021		9/2/2016	CJR	I
Ethylbenzene	370	ug/l	7.3	23	10	GRO95/8021		9/2/2016	CJR	I
Methyl tert-butyl ether (MTBE)	< 4.9	ug/l	4.9	16	10	GRO95/8021		9/2/2016	CJR	I
Naphthalene	223	ug/l	26	83	10	GRO95/8021		9/2/2016	CJR	I
Toluene	239	ug/l	3.9	12	10	GRO95/8021		9/2/2016	CJR	I
1,2,4-Trimethylbenzene	620	ug/l	6.8	22	10	GRO95/8021		9/2/2016	CJR	I
1,3,5-Trimethylbenzene	189	ug/l	8.3	26	10	GRO95/8021		9/2/2016	CJR	I
m&p-Xylene	1060	ug/l	14	44	10	GRO95/8021		9/2/2016	CJR	I
o-Xylene	303	ug/l	6.6	21	10	GRO95/8021		9/2/2016	CJR	I

Lab Code 5031629G
 Sample ID TB
 Sample Matrix Water
 Sample Date 8/24/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.46	ug/l	0.46	1.5	1	GRO95/8021		9/1/2016	CJR	I
Ethylbenzene	< 0.73	ug/l	0.73	2.3	1	GRO95/8021		9/1/2016	CJR	I
Methyl tert-butyl ether (MTBE)	< 0.49	ug/l	0.49	1.6	1	GRO95/8021		9/1/2016	CJR	I
Naphthalene	< 2.6	ug/l	2.6	8.3	1	GRO95/8021		9/1/2016	CJR	I
Toluene	< 0.39	ug/l	0.39	1.2	1	GRO95/8021		9/1/2016	CJR	I
1,2,4-Trimethylbenzene	< 0.68	ug/l	0.68	2.2	1	GRO95/8021		9/1/2016	CJR	I
1,3,5-Trimethylbenzene	< 0.83	ug/l	0.83	2.6	1	GRO95/8021		9/1/2016	CJR	I
m&p-Xylene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		9/1/2016	CJR	I
o-Xylene	< 0.66	ug/l	0.66	2.1	1	GRO95/8021		9/1/2016	CJR	I

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF CUSTODY RECORD



Chain # NE 3086

Page 1 of 1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: _____
Project #: _____
Sampler: (signature) *Jim Gann*

Project (Name / Location): *Nicolet Trails Campground / Gillett*

Reports To: <i>Attn: Shane Rank</i>	Invoice To: <i>Attn: Shane Rank</i>
Company: <i>City of Gillett</i>	Company: <i>c/o METCO</i>
Address: <i>150 N. McKenzie Ave.</i>	Address: <i>709 Gillette St, Ste. 3</i>
City State Zip: <i>Gillett, WI 54124</i>	City State Zip: _____
Phone: _____	Phone: _____
FAX: _____	FAX: _____

Analysis Requested												Other Analysis		
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
<i>S-31629A</i>	<i>MW-6</i>	<i>8-24</i>	<i>1000</i>				<i>3</i>	<i>GW</i>	<i>ILL</i>
<i>B</i>	<i>MW-5</i>		<i>1020</i>						
<i>C</i>	<i>MW-3</i>		<i>1045</i>						
<i>D</i>	<i>MW-2</i>		<i>1105</i>						
<i>E</i>	<i>MW-4</i>		<i>1130</i>						
<i>F</i>	<i>MW-1</i>	<i>✓</i>	<i>1200</i>						
<i>G</i>	<i>TB</i>								

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*Lab to send copy of report to METCO / Jason P. (Invoice to METCO)
* utc Rates Apply
* Agent status*

Sample Integrity - To be completed by receiving lab. Method of Shipment: <i>Overnight</i> Temp. of Temp. Blank: _____ °C On Ice <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Relinquished By: (sign) <i>Jim Gann</i>	Time: <i>8:00 AM</i>	Date: <i>8-25-16</i>	Received By: (sign) _____	Time: _____	Date: _____
	Received in Laboratory By: <i>Miche - SEC</i>	Time: <i>8:00 AM</i>	Date: <i>8-26-16</i>			