



Excellence through experience™



709 Gillette St., Ste 3, La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

June 12, 2014

WDNR#: 02-13-561778

Jim Walden
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: 205 South Klein Drive – Geoprobe Investigation Report

Dear Mr. Walden,

Enclosed is the Geoprobe Investigation Report for the 205 South Klein Drive site located in Waunakee, Wisconsin.

Site History

The subject property and surrounding properties were farmland prior to the area being developed in the 1980's. It appears the subject property was never developed and remained vacant prior to the construction of the current building in 1992. Since construction, the building has been split into two separate businesses. In 1992, the northern portion of the building was occupied by a dry cleaner (Waun-A-Clean), which operated until June 2013. The dry cleaner was operated by different individuals over this period of time. The southern portion of the building was occupied by an accounting office from 1992 to 2005, an alteration business from 2005 until October 2012, and a massage business from October 2012 until June 2013. Since June 2013, the building has been vacant.

On December 31, 2013, METCO conducted a Phase 2 Environmental Assessment (P2ESA) at the subject property. During the P2ESA, three Geoprobe borings were advanced to four feet below ground surface (bgs) with one soil sample collected from each boring at 4-feet for VOC analysis. The soil analytical results showed detects for Tetrachloroethene (PCE) in all three Geoprobe borings (GP-1 – 0.82 ppm, GP-2 – 0.87 ppm, and GP-3 – 0.77 ppm). The soil analytical results were reported to the WDNR, who required that a site investigation be completed.

Geoprobe Project

On May 19, 2014, On Site Environmental Services of Sun Prairie, WI, conducted a Geoprobe project under the supervision and direction of METCO personnel. Eight Geoprobe borings (GP-4 through GP-11) were advanced with continuous soil samples collected for field (PID)/laboratory analysis and geologic description. The Geoprobe borings were advanced to the bedrock surface (18-20 feet bgs) where refusal was encountered. Groundwater was not encountered in any of the Geoprobe borings.

Geoprobe borings GP-4, -8, and -9 were conducted in the areas of P2ESA borings GP-1, -2, and -3 with two soil samples collected from each boring (10 feet bgs and bedrock surface) for VOC analysis. Geoprobe borings GP-5, -6, -7, -10, -11 were in areas surrounding the building and subject property with three soil samples collected from each boring (3.5 feet bgs, 10 feet bgs, and the bedrock surface) for VOC laboratory analysis.

Discussion of Results

Geoprobe boring GP-4 was conducted in the area of GP-1 and showed NR720 Groundwater RCL exceedences for PCE at 10 feet bgs (0.36 ppm) and 18 feet bgs (0.55 ppm). Geoprobe refusal was encountered at 18 feet bgs.

Geoprobe boring GP-5 was conducted approximately 35 feet to the southeast of GP-1 and showed no detects for VOCs at 3.5, 10, and 20 feet bgs. Geoprobe refusal was encountered at 20 feet bgs.

Geoprobe boring GP-6 was conducted on the south side of the building and showed a NR720 Groundwater RCL exceedence for PCE at 3.5 feet bgs (0.058 ppm). The soil samples collected at 10 and 19 feet bgs showed no detects for VOCs. Geoprobe refusal was encountered at 19 feet bgs.

Geoprobe boring GP-7 was conducted to the west of the building. The soil analytical results showed no detects for VOCs at 3.5, 10, and 20 feet bgs. Geoprobe refusal was encountered at 20 feet bgs.

Geoprobe boring GP-8 was conducted in the area of GP-3 and showed NR720 Groundwater RCL exceedences for PCE at 10 feet bgs (1.15 ppm) and 19 feet bgs (1.73 ppm). Geoprobe refusal was encountered at 19 feet bgs.

Geoprobe boring GP-9 was conducted in the area of GP-2 and showed NR720 Groundwater RCL exceedences for PCE at 10 feet bgs (0.91 ppm) and 20 feet bgs (1.84 ppm). Geoprobe refusal was encountered at 20 feet bgs.

Geoprobe boring GP-10 was conducted approximately 50 feet to the northeast of GP-4 and showed no detects for VOCs at 3.5, 10, and 18 feet bgs. Geoprobe refusal was encountered at 18 feet bgs.

Geoprobe boring GP-11 was conducted to the northwest of the building. The soil analytical results showed no detects for VOCs at 3.5, 10, and 19.5 feet bgs. Geoprobe refusal was encountered at 19.5 feet bgs.

Our client would greatly appreciate any feedback from the WDNR on what is needed to get this issue "closed" as the property is currently for sale.

An Updated Site Map, Soil Contamination Map, Data Tables, Soil Boring Logs, Abandonment Forms, and Laboratory Documents have been attached.

If you have any questions or comments please feel free to call (608-781-8879) or email at jasonp@metcohq.com.


Sincerely,



Jason T. Powell
Staff Scientist

Attachments

c: Jane Rach – Summitt Credit Union




SOIL CONTAMINATION MAP	
205 SOUTH KLEIN DRIVE	
METCO 709 Clariate Street, Ste 3 La Crosse, WI 54603 Tel: (608) 781-8679 Fax: (608) 781-8993	WAUNAKEE, WISCONSIN DRAWN BY: MVR DATE: 3/31


NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER

- - 55-GALLON DRUM BR - BATHROOM
- - WOODEN POST MECH - MECHANICAL ROOM
- - EXHAUST FAN
- ▨ - DRY CLEANING EQUIPMENT
- ▨ - P2ESA SOIL BORING LOCATION
- - GEOPROBE BORING (METCO 5-19-14)

APPROXIMATE PROPERTY BOUNDARIES

FENCE
OVERHANG
UTILITY EASEMENT
WATER LINE
SANITARY SEWER
NATURAL GAS
FIBER OPTIC/PHONE
BURIED ELECTRIC





DETAILED SITE MAP	
205 SOUTH KLEIN DRIVE	WAUNAKEE, WISCONSIN
709 Clinton Street, Ste 3 La Crosse, WI 54603 Tel: (608) 781-4075 Fax: (608) 781-4893	DRAWN BY: MH/RA DATE 1/3/94

NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER

- - 55-GALLON DRUM BR - BATHROOM
- - WOODEN POST MECH - MECHANICAL ROOM
- - EXHAUST FAN
- ▨ - DRY CLEANING EQUIPMENT
- - P2ESA SOIL BORING LOCATION
- - GEOPROBE BORING (METCO 5-19-14)

APPROXIMATE PROPERTY BOUNDARIES

- FENCE
- OVERHANG
- UTILITY EASEMENT
- WATER LINE
- SANITARY SEWER
- NATURAL GAS
- FIBER OPTIC/PHONE
- BURIED ELECTRIC

SCALE:
1 INCH - 20 FEET
0 20

A.2. Pre-remedial Soil Analytical Table
205 S. Klein St. BRRTS# 02-13-561778

(ppm) = parts per million

A.2. Pre-remedial Soil Analytical Table
205 S. Klein St. BRRTS# 02-13-561778

Sample ID	Depth (feet)	Date	PID	Tetrachloro-ethene (PCE) (ppm)	Trichloro-ethene (TCE) (ppm)	Benzene (ppm)	Ethyl Benzene (ppm)	MTBE (ppm)	Naphthalene (ppm)	Toluene (ppm)	1,2,4-Trimethylbenzene (ppm)	1,3,5-Trimethylbenzene (ppm)	Xylene (Total) (ppm)	Other VOC's (ppm)
GP-1	4.0	12/31/13	NM	0.820	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-2	4.0	12/31/13	NM	0.870	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-3	4.0	12/31/13	NM	0.770	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-4-1	3.5	05/19/14	0						NOT SAMPLED					NS
GP-4-2	10.0	05/19/14	0	0.360	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-4-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-4-4	18.0	05/19/14	0	0.550	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-5-1	3.5	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-5-2	10.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-5-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-5-4	20.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-6-1	3.5	05/19/14	0	0.058	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-6-2	10.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-6-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-6-4	19.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-7-1	3.5	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-7-2	10.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-7-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-7-4	20.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-8-1	3.5	05/19/14	0						NOT SAMPLED					NS
GP-8-2	10.0	05/19/14	0	1.15	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-8-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-8-4	19.0	05/19/14	0	1.73	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-9-1	3.5	05/19/14	0						NOT SAMPLED					NS
GP-9-2	10.0	05/19/14	0	0.910	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-9-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-9-4	20.0	05/19/14	0	1.84	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-10-1	3.5	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-10-2	10.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-10-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-10-4	18.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-11-1	3.5	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-11-2	10.0	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
GP-11-3	15.0	05/19/14	0						NOT SAMPLED					NS
GP-11-4	19.5	05/19/14	0	<0.049	<0.028	<0.0092	<0.010	<0.030	<0.114	<0.020	<0.026	<0.026	<0.099	SEE VOC SHEET
Groundwater RCL				0.00454	-	0.00512	1.57	0.027	0.659	1.11	1.38	3.94	-	
Non-Industrial Direct Contact RCL				30.70	1120.00	1.49	7.47	59.4	5.15	818	89.8	182	258	-
Soil Saturation Concentration (C-sat)*				-	-	1820*	480*	8870*	-	818*	219*	182*	258*	-

Bold = Groundwater RCL Exceedance

Bold & Underline = Non Industrial Direct Contact RCL Exceedance

(ppm) = parts per million

PID = Photoionization Detector

VOC's = Volatile Organic Compounds

Route To:

Watershed / Wastewater:

Waste Management:

Remediation / Redevelopment:

Other: _____

Page 1 of 1

Facility / Project Name 205 South Klein Drive				License / Permit / Monitoring Number				Boring Number GP-1							
Boring Drilled By: Name of crew chief (first, last) and Firm First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC				Drilling Date Started 12/31/2013 MM/ DD/ YYYY		Drilling Date Completed 12/31/2013 MM/ DD/ YYYY		Drilling Method Geoprobe							
WI Unique Well No. DNR Well ID No.		Well Name		Final Static Water Level Feet MSL		Surface Elevation 935 Feet MSL		Borehole Diameter 2 inches							
Local Grid Origin (estimated X) or Boring Location State Plane N, E NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 , T 8 N, R 9 E				Lat 43° 11' 27" Long 89° 27' 50"				Local Grid Location N E Feet S Feet W							
Facility ID 113235100		County Dane		County Code 13		Civil Town / City / Village Village of Waunakee									
Sample															
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-1 0-4 feet			2	Brown silt/clay		ML									No odor
			4	EOB @ 4 feet. Borehole abandoned.											
			6												
			8												
			10												
			12												
			14												
			16												
			18												
			20												
			22												
			24												

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:

Firm: **METCO**

Route To:

Watershed / Wastewater: Remediation / Redevelopment:

Waste Management:

Other:

Page 1 of 1

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To:

Watershed / Wastewater: Remediation / Redevelopment:

Waste Management:

Other:

Page 1 of 1

Facility / Project Name 205 South Klein Drive		License / Permit / Monitoring Number				Boring Number GP-3								
Boring Drilled By: Name of crew chief (first, last) and Firm First: Darrin Last: Prentice Firm: Geiss Soil & Samples, LLC		Drilling Date Started 12/31/2013 MM/ DD/ YYYY		Drilling Date Completed 12/31/2013 MM/ DD/ YYYY		Drilling Method Geoprobe								
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL		Surface Elevation 935 Feet MSL	Borehole Diameter 2 inches								
Local Grid Origin (estimated X) or Boring Location State Plane N, E NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 , T 8 N, R 9 E				Local Grid Location Lat 43° 11' 27" N Long 89° 27' 50" E Feet S Feet W										
Facility ID 113235100	County Dane	County Code 13	Civil Town / City / Village Village of Waunakee											
Sample		Soil Properties												
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-3 0-4 feet			2	Brown silt/clay	ML									No odor
			4	EOB @ 4 feet. Borehole abandoned.										
			6											
			8											
			10											
			12											
			14											
			16											
			18											
			20											
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:

Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed / Wastewater: Remediation / Redevelopment: X Waste Management: Other:

Page 1 of 1

Facility / Project Name 205 South Klein Drive				License / Permit / Monitoring Number				Boring Number GP-4						
Boring Drilled By: Name of crew chief (first, last) and Firm First: Dustin Last: Harvey Firm: On Site Environmental Services				Drilling Date Started 05/19/2014 MM/DD/YYYY		Drilling Date Completed 05/19/2014 MM/DD/YYYY		Drilling Method Geoprobe						
WI Unique Well No.		DNR Well ID No.		Well Name		Final Static Water Level Feet MSL		Surface Elevation 935 Feet MSL		Borehole Diameter 2 inches				
Local Grid Origin (estimated X) or Boring Location State Plane N, E NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 , T 8 N, R 9 E				Lat 43° 11' 27" Long 89° 27' 50"				Local Grid Location N E Feet S Feet W						
Facility ID 113235100		County Dane		County Code 13		Civil Town / City / Village Village of Waunakee								
Sample														
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-4-1 0-5 feet	60 36		2 4 6 8 10 12 14 16 18 20 22 24	Tan sandy silt/clay w/ gravel	ML			0		Moist				No odor
GP-4-2 5-10 feet	60 48		6 8 10 12 14 16 18 20 22 24	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
GP-4-3 10-15 feet	60 48		12 14 16 18 20 22 24	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
GP-4-4 15-18 feet	60 36		18 20 22 24	Tan fine to medium grained silty sand w/ gravel EOB @ 18 feet. Geoprobe refusal. Groundwater not encountered. Borehole abandoned.	SM			0		Moist				No odor

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:

Firm: **METCO**

Route To: Watershed / Wastewater: Remediation / Redevelopment: X Waste Management: Other: _____

Page 1 of 1

Facility / Project Name				License / Permit / Monitoring Number				Boring Number							
205 South Klein Drive								GP-5							
Boring Drilled By: Name of crew chief (first, last) and Firm				Drilling Date Started		Drilling Date Completed		Drilling Method							
First: Dustin Last: Harvey Firm: On Site Environmental Services				05/19/2014 MM / DD / YYYY		05/19/2014 MM / DD / YYYY		Geoprobe							
WI Unique Well No.		DNR Well ID No.		Well Name		Final Static Water Level		Surface Elevation		Borehole Diameter					
						Feet MSL		935 Feet MSL		2 inches					
Local Grid Origin (estimated X) or Boring Location								Local Grid Location							
State Plane N, E NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 , T 8 N, R 9 E				Lat 43° 11' 27" N Long 89° 27' 50" E				N E Feet S Feet W							
Facility ID		County		County Code		Civil Town / City / Village									
113235100		Dane		13		Village of Waunakee									
Sample															
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-5-1 0-5 feet	60 36		2	Tan very fine grained sand (0-3 ft)		SW	••••• •••••		0		Moist				No odor
GP-5-2 5-10 feet	60 42		4	Brown sandy silt/clay (3-5 ft)		ML			0		Moist				No odor
GP-5-3 10-15 feet	60 48		6	Brown sandy silt/clay (5-8 ft)		ML			0		Moist				No odor
GP-5-4 15-20 feet	60 42		8	Tan fine to medium grained silty sand w/ gravel (8-10 ft)		SM	••••• •••••		0		Moist				No odor
			10	Tan fine to medium grained silty sand w/ gravel		SM	••••• •••••		0		Moist				No odor
			12			SM	••••• •••••		0		Moist				No odor
			14			SM	••••• •••••		0		Moist				No odor
			16			SM	••••• •••••		0		Moist				No odor
			18	Tan fine to medium grained silty sand w/ gravel		SM	••••• •••••		0		Moist				No odor
			20	EOB @ 20 feet. Geoprobe refusal. Groundwater not encountered. Borehole abandoned.											
			22												
			24												

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:

Firm: METCO

Route To: Watershed / Wastewater:
Remediation / Redevelopment: X Waste Management:
Other:

Page 1 of 1



Facility / Project Name		License / Permit / Monitoring Number			Boring Number									
205 South Klein Drive					GP-6									
Boring Drilled By: Name of crew chief (first, last) and Firm First: Dustin Last: Harvey Firm: On Site Environmental Services		Drilling Date Started 05/19/2014 MM/ DD/ YYYY	Drilling Date Completed 05/19/2014 MM/ DD/ YYYY	Drilling Method Geoprobe										
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL 935 Feet MSL	Surface Elevation	Borehole Diameter 2 inches									
Local Grid Origin (estimated X) or Boring Location State Plane N, E NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 , T 8 N, R 9 E Lat 43° 11' 27" N Long 89° 27' 50" E Feet S Feet W														
Facility ID 113235100		County Dane	County Code 13	Civil Town / City / Village Village of Waunakee										
Sample						Soil Properties								
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-6-1 0-5 feet	60 48		2	Brown sandy silt/clay (0-4 ft)	ML			0		Moist				No odor
GP-6-2 5-10 feet	60 36		4	Tan fine to medium grained silty sand w/ gravel (4-5 ft)	SM			0		Moist				No odor
GP-6-3 10-15 feet	60 48		6	Tan fine to medium grained silty sand w/ gravel and cobbles	SM			0		Moist				No odor
GP-6-4 15-19 feet	60 48		8	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
			10											
			12											
			14											
			16											
			18											
			20	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
			22	EOB @ 19 feet. Geoprobe refusal. Groundwater not encountered. Borehole abandoned.										
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:

Firm: METCO

Route To: Watershed / Wastewater: Remediation / Redevelopment: Waste Management: Other: _____
Page 1 of 1

Facility / Project Name		License / Permit / Monitoring Number			Boring Number									
205 South Klein Drive					GP-7									
Boring Drilled By: Name of crew chief (first, last) and Firm		Drilling Date Started	Drilling Date Completed	Drilling Method										
First: Dustin Last: Harvey Firm: On Site Environmental Services		05/19/2014 MM/DD/YYYY	05/19/2014 MM/DD/YYYY	Geoprobe										
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation	Borehole Diameter									
			935 Feet MSL	2 inches										
Local Grid Origin (estimated X) or Boring Location														
State Plane N, E NE 1/4 of NE 1/4 of Section 7, T 8 N, R 9 E		Lat 43° 11' 27" Long 89° 27' 50"	N Feet S	E Feet W										
Facility ID	County	County Code	Civil Town / City / Village											
113235100	Dane	13	Village of Waunakee											
Soil Properties														
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-7-1 0-5 feet	60 48		2	Brown sandy silt/clay (0-4 ft)	ML			0		Moist				No odor
GP-7-2 5-10 feet	60 36		4	Tan fine to medium grained silty sand w/ gravel (4-5 ft)	SM			0		Moist			No odor	
GP-7-3 10-15 feet	60 48		6	Tan fine to medium grained silty sand w/ gravel and cobbles	SM			0		Moist			No odor	
GP-7-4 15-20 feet	60 48		8	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist			No odor	
			10											
			12											
			14											
			16											
			18											
			20	EOB @ 20 feet. Geoprobe refusal. Groundwater not encountered. Borehole abandoned.	SM			0						
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: 


Firm: METCO

Route To:	Watershed / Wastewater: Remediation / Redevelopment:	Waste Management: <input checked="" type="checkbox"/> X Other: _____	Page 1 of 1
-----------	---	--	-------------

Facility / Project Name 205 South Klein Drive		License / Permit / Monitoring Number GP-8	
Boring Drilled By: Name of crew chief (first, last) and Firm First: Dustin Last: Harvey Firm: On Site Environmental Services		Drilling Date Started 05/19/2014 MM/ DD/ YYYY	Drilling Date Completed 05/19/2014 MM/ DD/ YYYY
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL 935 Feet MSL
			Surface Elevation Borehole Diameter 2 inches
Local Grid Origin (estimated X) or Boring Location State Plane N, E NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 , T 8 N, R 9 E Lat 43° 11' 27" N Long 89° 27' 50" E N E Feet S Feet W			
Facility ID 113235100	County Dane	County Code 13	Civil Town / City / Village Village of Waunakee

Sample														
Number & Type	Length Alt. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-8-1 0-5 feet	60 48		2	Brown sandy silt/clay	ML			0		Moist				No odor
GP-8-2 5-10 feet	60 48		4											
			6	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
GP-8-3 10-15 feet	60 48		8											
			10	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
			12											
GP-8-4 15-19 feet	60 48		14											
			16											
			18	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
			20	EOB @ 19 feet. Geoprobe refusal. Groundwater not encountered. Borehole abandoned.										
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: 

Firm: METCO

Route To:




Watershed / Wastewater:
Remediation / Redevelopment:

Waste Management:


X

Other:

Page 1 of 1

Facility / Project Name 205 South Klein Drive				License / Permit / Monitoring Number				Boring Number GP-9						
Boring Drilled By: Name of crew chief (first, last) and Firm First: Dustin Last: Harvey Firm: On Site Environmental Services				Drilling Date Started 05/19/2014 MM/ DD/ YYYY		Drilling Date Completed 05/19/2014 MM/ DD/ YYYY		Drilling Method Geoprobe						
WI Unique Well No. DNR Well ID No.				Well Name		Final Static Water Level Feet MSL		Surface Elevation 935 Feet MSL		Borehole Diameter 2 inches				
Local Grid Origin (estimated X) or Boring Location State Plane N, E NE% of NE% of Section 7 , T 8 N, R 9 E				Lat 43° 11' 27" Long 89° 27' 50"				N E Feet S Feet W						
Facility ID 113235100				County Dane		County Code 13		Civil Town / City / Village Village of Waunakee						
Sample														
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-9-1 0-5 feet	60 48		2	Brown sandy silt/clay	ML			0		Moist				No odor
GP-9-2 5-10 feet	60 36		4		SM			0		Moist			No odor	
GP-9-3 10-15 feet	60 36		6	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist			No odor	
GP-9-4 15-20 feet	60 48		8	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist			No odor	
			10											
			12											
			14											
			16											
			18											
			20	EOB @ 20 feet. Geoprobe refusal. Groundwater not encountered. Borehole abandoned.										
			22											
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: 

Firm: **METCO**

Route To: Watershed / Wastewater: Remediation / Redevelopment: X Waste Management: Other: _____
Page 1 of 1

Facility / Project Name				License / Permit / Monitoring Number				Boring Number							
205 South Klein Drive								GP-10							
Boring Drilled By: Name of crew chief (first, last) and Firm				Drilling Date Started		Drilling Date Completed		Drilling Method							
First: Dustin		Last: Harvey		05/19/2014		05/19/2014		Geoprobe							
Firm: On Site Environmental Services				MM/DD/YYYY		MM/DD/YYYY									
WI Unique Well No.	DNR Well ID No.	Well Name		Final Static Water Level		Surface Elevation		Borehole Diameter							
				Feet MSL		935 Feet MSL		2 inches							
Local Grid Origin (estimated X) or Boring Location								Local Grid Location							
State Plane		N, E	Lat 43° 11' 27"		N		E								
NE 1/4 of NE 1/4 of Section 7		T 8 N, R 9 E	Long 89° 27' 50"		Feet S		Feet W								
Facility ID		County		County Code		Civil Town / City / Village									
113235100		Dane		13		Village of Waunakee									
Sample															
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-10-1 0-5 feet	60 48		2	Brown sandy silt/clay		ML			0		Moist				No odor
GP-10-2 5-10 feet	60 48		4			ML			0		Moist				No odor
GP-10-3 10-15 feet	60 60		6			SW									No odor
GP-10-4 15-18 feet	60 36		8	Brown sandy silt/clay (5-9 ft)		ML			0		Moist				No odor
			10	White very fine grained sand (9-10 ft)		SW									No odor
			12			SM			0		Moist				No odor
			14			SM			0		Moist				No odor
			16			SM			0		Moist				No odor
			18	Tan fine to medium grained silty sand w/ gravel		SM			0		Moist				No odor
			20												
			22												
			24												






I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:


Firm: METCO

Route To: Watershed / Wastewater:
 Remediation / Redevelopment: Waste Management:
 Other:

Page 1 of 1

Facility / Project Name				License / Permit / Monitoring Number				Boring Number						
205 South Klein Drive								GP-11						
Boring Drilled By: Name of crew chief (first, last) and Firm First: Dustin Last: Harvey Firm: On Site Environmental Services				Drilling Date Started 05/19/2014 MM/ DD/ YYYY		Drilling Date Completed 05/19/2014 MM/ DD/ YYYY		Drilling Method Geoprobe						
WI Unique Well No.		DNR Well ID No.		Well Name		Final Static Water Level Feet MSL		Surface Elevation 935 Feet MSL		Borehole Diameter 2 inches				
Local Grid Origin (estimated X) or Boring Location														
State Plane N, E NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 , T 8 N, R 9 E				Lat 43° 11' 27" Long 89° 27' 50"				N E Feet S Feet W						
Facility ID 113235100		County Dane		County Code 13		Civil Town / City / Village Village of Waunakee								
Sample														
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
GP-11-1 0-5 feet	60 48		2	Brown sandy silt/clay	ML			0		Moist				No odor
GP-11-2 5-10 feet	60 48		4	Brown sandy silt/clay (5-9 ft)	ML			0		Moist				No odor
GP-11-3 10-15 feet	60 60		6	Tan fine to medium grained silty sand w/ gravel (9-10 ft)	SM			0		Moist				No odor
GP-11-4 15-19.5 feet	60 36		8	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
			10											
			12											
			14											
			16											
			18											
			20	Tan fine to medium grained silty sand w/ gravel	SM			0		Moist				No odor
			22	EOB @ 19.5 feet. Geoprobe refusal. Groundwater not encountered. Borehole abandoned.										
			24											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: 

Firm: **METCO**

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other:	

1. Well Location Information

County DANE	WI Unique Well # of Removed Well	Hicap #	Facility Name 205 South Klein Drive
-----------------------	----------------------------------	---------	--

Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	
43	• 11.45	° N	
89	• 27.83	° W	

1/4 NE	1/4 NE	Section or Gov't Lot #	Township 7	Range N	[x] E W
--------	--------	---------------------------	---------------	------------	------------

Well Street Address 205 South Klein Drive	Well ZIP Code 53597-
--	-------------------------

Well City, Village or Town Waunakee	Well ZIP Code 53597-
--	-------------------------

Subdivision Name	Lot #
------------------	-------

Reason For Removal From Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

Sampling Complete	
-------------------	--

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 12/31/2013
<input type="checkbox"/> Water Well	if a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Borehole / Drillhole	

Construction Type:	<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug
--------------------	----------------------------------	---	------------------------------

<input checked="" type="checkbox"/> Other (specify): Geoprobe	
--	--

Formation Type:	<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
-----------------	--	----------------------------------

Total Well Depth From Ground Surface (ft.) 4	Casing Diameter (in.)
--	-----------------------

Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)
--	--------------------

Was well annular space grouted?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
---------------------------------	------------------------------	-----------------------------	----------------------------------

If yes, to what depth (feet)?	Depth to Water (feet)
-------------------------------	-----------------------

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Pounds
---	------------	----------	--------

Bentonite Chips	Surface	4	6
-----------------	---------	---	---

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

2. Facility / Owner Information

Facility Name 205 South Klein Drive	Facility ID (FID or PWS) 113235100
--	--

License/Permit/Monitoring #

Original Well Owner Summit Credit Union
--

Present Well Owner Summit Credit Union

Mailing Address of Present Owner 2424 Rimrock Road

City of Present Owner Madison	State WI	ZIP Code 53713-
----------------------------------	-------------	--------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> [x] N/A
--------------------------	------------------------------	-----------------------------	---

Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> [x] N/A
-------------------	------------------------------	-----------------------------	---

Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> [x] N/A
-----------------	------------------------------	-----------------------------	---

Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> [x] No	<input type="checkbox"/> N/A
-----------------------	------------------------------	--	------------------------------

Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> [x] N/A
-----------------------------------	------------------------------	-----------------------------	---

Did sealing material rise to surface?	<input checked="" type="checkbox"/> [x] Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
---------------------------------------	---	-----------------------------	------------------------------

Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> [x] No	<input type="checkbox"/> N/A
-------------------------------------	------------------------------	--	------------------------------

If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> [x] N/A
----------------------------	------------------------------	-----------------------------	---

If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> [x] N/A
---	------------------------------	-----------------------------	---

Required Method of Placing Sealing Material

<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
---	--

<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> [x] Other (Explain): Gravity
--	---

Sealing Materials

<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)
--	--

<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
---	--

<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> [x] Bentonite Chips
-----------------------------------	---

For Monitoring Wells and Monitoring Well Boreholes Only:

<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
--	---

<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry
---	--

6. Comments

GP-1 Abandoned by Geiss Soil & Samples, LLC under METCO supervision.
--


7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 12/31/2013	Date Received	DNR Use Only
--	-----------	---	---------------	--------------

Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments
---	--------------------------------------	----------

City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work 	Date Signed 6/11/2014
-------------------	-------------	--------------------	------------------------------------	--------------------------

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal		Route to:			
		<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater		
		<input type="checkbox"/> Waste Management	<input checked="" type="checkbox"/> Remediation/Redevelopment		
		<input type="checkbox"/> Other: _____			
1. Well Location Information		2. Facility / Owner Information			
County DANE	WI Unique Well # of Removed Well _____	Hicap # _____	Facility Name 205 South Klein Drive		
Latitude / Longitude (Degrees and Minutes) 43 ° 11.45 ' N 89 ° 27.83 ' W		Method Code (see instructions) 1/4 NE 1/4 NE Section Township Range [x] E or Gov't Lot # 7 8 N 9 <input type="checkbox"/> W			
Facility ID (FID or PWS) 113235100		License/Permit/Monitoring # _____			
Original Well Owner Summit Credit Union		Present Well Owner Summit Credit Union			
Mailing Address of Present Owner 2424 Rimrock Road		City of Present Owner State ZIP Code Madison WI 53713-			
3. Well / Drillhole / Borehole Information					
Reason For Removal From Service Sampling Complete		WI Unique Well # of Replacement Well _____			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 12/31/2013			
If a Well Construction Report is available, please attach.					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Geoprobe					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock					
Total Well Depth From Ground Surface (ft.) 4		Casing Diameter (in.)			
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
If yes, to what depth (feet)? _____		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain): Gravity			
		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry * <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
5. Material Used To Fill Well / Drillhole					
Bentonite Chips		From (ft.) To (ft.) Pounds			
		Surface	4 6		
6. Comments					
GP-2 Abandoned by Geiss Soil & Samples, LLC under METCO supervision.					
7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing METCO		License #		Date of Filling & Sealing (mm/dd/yyyy) 12/31/2013	Date Received _____
Street or Route 709 Gillette Street, Suite 3		Telephone Number (608) 781-8879		Comments	
City La Crosse		State WI ZIP Code 54603-		Signature of Person Doing Work 	
				Date Signed 6/11/2014	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal		Route to:		
		<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	
		<input type="checkbox"/> Waste Management	<input checked="" type="checkbox"/> Remediation/Redevelopment	
		<input type="checkbox"/> Other: _____		
1. Well Location Information		2. Facility / Owner Information		
County DANE	WI Unique Well # of Removed Well	Facility Name 205 South Klein Drive		
Latitude / Longitude (Degrees and Minutes) 43 ° 11.45 ' N 89 ° 27.83 ' W		Facility ID (FID or PWS) 113235100		
Method Code (see instructions) or Gov't Lot #	Section 7	Township 8 N	Range 9 E	
Subdivision Name Waunakee	Lot # 53597-			
Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well			
3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) 12/31/2013		
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Geoprobe				
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				
Total Well Depth From Ground Surface (ft.) 4	Casing Diameter (in.)			
Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				
If yes, to what depth (feet)?	Depth to Water (feet)			
4. Pump, Liner, Screen, Casing & Sealing Material				
Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A				
Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A				
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): Gravity				
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips				
For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry				
5. Material Used To Fill Well / Drillhole				
Bentonite Chips		From (ft.) Surface	To (ft.) 4	Pounds 6
6. Comments				
GP-3 Abandoned by Geiss Soil & Samples, LLC under METCO supervision.				
7. Supervision of Work				DNR Use Only
Name of Person or Firm Doing Filling & Sealing METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 12/31/2013	Date Received	Noted By
Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments		
City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>[Signature]</i>	
			Date Signed 6/11/2014	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other:

1. Well Location Information

County DANE	WI Unique Well # of Removed Well	Hicap #	Facility Name 205 South Klein Drive
-----------------------	----------------------------------	---------	--

Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	
43	• 11.45	° N	
89	• 27.83	° W	

1/4 NE	1/4 NE	Section	Township	Range	<input checked="" type="checkbox"/> E
or Gov't Lot #		7	8	N	<input type="checkbox"/> W

Well Street Address

205 South Klein Drive

Well City, Village or Town Waunakee	Well ZIP Code 53597-
--	-------------------------

Subdivision Name	Lot #
------------------	-------

Reason For Removal From Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

Sampling Complete	
-------------------	--

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 5/19/2014
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Borehole / Drillhole	

Construction Type:

<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug
<input checked="" type="checkbox"/> Other (specify): Geoprobe		

Formation Type:

<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
--	----------------------------------

Total Well Depth From Ground Surface (ft.) 18	Casing Diameter (in.)
--	-----------------------

Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)
-------------------------------------	--------------------

Was well annular space grouted?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
---------------------------------	------------------------------	-----------------------------	----------------------------------

If yes, to what depth (feet)?	Depth to Water (feet)
-------------------------------	-----------------------

5. Material Used To Fill Well / Drillhole

Bentonite Chips	From (ft.)	To (ft.)	Pounds
	Surface	18	27

6. Comments

GP-4 Abandoned by On Site Environmental Services under METCO supervision.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014	DNR Use Only
---	-----------	---	--------------

Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments
---	--------------------------------------	----------

City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work	Date Signed 6/11/2014
-------------------	-------------	--------------------	--------------------------------	--------------------------

Well / Drillhole / Borehole Filling & Sealing
Form 3300-005 (R 4/08) Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal		Route to:		<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment
				<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other:	
1. Well Location Information				2. Facility / Owner Information		
County DANE	WI Unique Well # of Removed Well _____	Hicap # _____	Facility Name 205 South Klein Drive			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		Facility ID (FID or PWS) 113235100		
43 • 11.45 'N	89 • 27.83 'W			License/Permit/Monitoring #		
1/4 NE 1/4 NE or Gov't Lot #	Section 7	Township 8 N	Range 9 E	Original Well Owner Summit Credit Union		
Well Street Address 205 South Klein Drive				Present Well Owner Summit Credit Union		
Well City, Village or Town Waunakee		Well ZIP Code 53597-		Mailing Address of Present Owner 2424 Rimrock Road		
Subdivision Name		Lot #		City of Present Owner Madison	State WI	ZIP Code 53713-
Reason For Removal From Service		WI Unique Well # of Replacement Well _____		4. Pump, Liner, Screen, Casing & Sealing Material		
Sampling Complete				<input type="checkbox"/> Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No [x] N/A <input type="checkbox"/> Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No [x] N/A <input type="checkbox"/> Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No [x] N/A <input type="checkbox"/> Casing left in place? <input type="checkbox"/> Yes [x] No <input type="checkbox"/> N/A		
3. Well / Drillhole / Borehole Information				<input type="checkbox"/> Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No [x] N/A <input type="checkbox"/> Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No [x] N/A <input type="checkbox"/> If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No [x] N/A		
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 5/19/2014		<input type="checkbox"/> Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain): Gravity <input type="checkbox"/> Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry ** <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Geoprobe						
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock						
Total Well Depth From Ground Surface (ft.) 20		Casing Diameter (in.)				
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)				
Was well annular space grouted?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				
If yes, to what depth (feet)?		Depth to Water (feet)				
5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Pounds
Bentonite Chips				Surface	20	30
6. Comments						
GP-5 Abandoned by On Site Environmental Services under METCO supervision.						
7. Supervision of Work				DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO		License #		Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014		Date Received Noted By
Street or Route 709 Gillette Street, Suite 3				Telephone Number (608) 781-8879		Comments
City La Crosse		State WI	ZIP Code 54603-	Signature of Person Doing Work <i>[Signature]</i>		Date Signed 6/11/2014

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other:	

1. Well Location Information

County DANE	WI Unique Well # of Removed Well	Hicap #	Facility Name 205 South Klein Drive
-----------------------	----------------------------------	---------	---

Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)	Facility ID (FID or PWS)
43 ° 11.45 'N		113235100
89 ° 27.83 'W		License/Permit/Monitoring #

1/4 NE 1/4 NE	Section	Township	Range [x] E or Gov't Lot #
	7	8 N	9 W

Well Street Address 205 South Klein Drive	Original Well Owner Summit Credit Union
---	---

Well City, Village or Town Waunakee	Well ZIP Code 53597-	Present Well Owner Summit Credit Union
---	--------------------------------	--

Subdivision Name	Lot #	Mailing Address of Present Owner 2424 Rimrock Road
------------------	-------	--

Reason For Removal From Service	WI Unique Well # of Replacement Well	City of Present Owner Madison	State WI	ZIP Code 53713-
---------------------------------	--------------------------------------	---	--------------------	---------------------------

Sampling Complete	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
-------------------	--

3. Well / Drillhole / Borehole Information	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
---	---

<input type="checkbox"/> Monitoring Well	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A

Original Construction Date (mm/dd/yyyy) 5/19/2014	Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If a Well Construction Report is available, please attach.	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A

Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): Geoprobe	If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
Total Well Depth From Ground Surface (ft.) 19	<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): Gravity

Lower Drillhole Diameter (in.) 2	Casing Diameter (in.)
	Casing Depth (ft.)

Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete	Clay-Sand Slurry (11 lb/gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Bentonite Chips
--	---	--

If yes, to what depth (feet)? 19	Depth to Water (feet)	Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry
--	-----------------------	---

5. Material Used To Fill Well / Drillhole

Bentonite Chips	From (ft.) Surface	To (ft.) 19	Pounds 28.5

6. Comments

GP-6 Abandoned by On Site Environmental Services under METCO supervision.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014	DNR Use Only
--	-----------	--	--------------

Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments
--	---	----------

City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work 	Date Signed 6/11/2014
--------------------------	--------------------	---------------------------	------------------------------------	---------------------------------

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

		Route to:																																			
<input type="checkbox"/> Verification Only of Fill and Seal		<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater																																		
		<input type="checkbox"/> Waste Management	<input checked="" type="checkbox"/> Remediation/Redevelopment																																		
		<input type="checkbox"/> Other: _____																																			
1. Well Location Information <table border="1"> <tr> <td>County DANE</td> <td>WI Unique Well # of Removed Well _____</td> <td>Hicap # _____</td> <td></td> </tr> <tr> <td colspan="2">Latitude / Longitude (Degrees and Minutes)</td> <td colspan="2">Method Code (see instructions)</td> </tr> <tr> <td>43 89</td> <td>• 11.45 • 27.83</td> <td>'N 'W</td> <td></td> </tr> <tr> <td>1/4 NE or Gov't Lot #</td> <td>1/4 NE 7</td> <td>Section 8</td> <td>Township N 9</td> </tr> <tr> <td colspan="2"></td> <td>Range [x] E</td> <td><input type="checkbox"/> W</td> </tr> <tr> <td colspan="4">Well Street Address 205 South Klein Drive</td> </tr> <tr> <td colspan="2">Well City, Village or Town Waunakee</td> <td colspan="2">Well ZIP Code 53597-</td> </tr> <tr> <td colspan="2">Subdivision Name</td> <td colspan="2">Lot #</td> </tr> </table>				County DANE	WI Unique Well # of Removed Well _____	Hicap # _____		Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		43 89	• 11.45 • 27.83	'N 'W		1/4 NE or Gov't Lot #	1/4 NE 7	Section 8	Township N 9			Range [x] E	<input type="checkbox"/> W	Well Street Address 205 South Klein Drive				Well City, Village or Town Waunakee		Well ZIP Code 53597-		Subdivision Name		Lot #			
County DANE	WI Unique Well # of Removed Well _____	Hicap # _____																																			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)																																			
43 89	• 11.45 • 27.83	'N 'W																																			
1/4 NE or Gov't Lot #	1/4 NE 7	Section 8	Township N 9																																		
		Range [x] E	<input type="checkbox"/> W																																		
Well Street Address 205 South Klein Drive																																					
Well City, Village or Town Waunakee		Well ZIP Code 53597-																																			
Subdivision Name		Lot #																																			
2. Facility / Owner Information <table border="1"> <tr> <td colspan="2">Facility Name 205 South Klein Drive</td> </tr> <tr> <td colspan="2">Facility ID (FID or PWS) 113235100</td> </tr> <tr> <td colspan="2">License/Permit/Monitoring #</td> </tr> <tr> <td colspan="2">Original Well Owner Summit Credit Union</td> </tr> <tr> <td colspan="2">Present Well Owner Summit Credit Union</td> </tr> <tr> <td colspan="2">Mailing Address of Present Owner 2424 Rimrock Road</td> </tr> <tr> <td>City of Present Owner Madison</td> <td>State WI</td> <td>ZIP Code 53713-</td> </tr> </table>				Facility Name 205 South Klein Drive		Facility ID (FID or PWS) 113235100		License/Permit/Monitoring #		Original Well Owner Summit Credit Union		Present Well Owner Summit Credit Union		Mailing Address of Present Owner 2424 Rimrock Road		City of Present Owner Madison	State WI	ZIP Code 53713-																			
Facility Name 205 South Klein Drive																																					
Facility ID (FID or PWS) 113235100																																					
License/Permit/Monitoring #																																					
Original Well Owner Summit Credit Union																																					
Present Well Owner Summit Credit Union																																					
Mailing Address of Present Owner 2424 Rimrock Road																																					
City of Present Owner Madison	State WI	ZIP Code 53713-																																			
3. Well / Drillhole / Borehole Information <table border="1"> <tr> <td>Reason For Removal From Service Sampling Complete</td> <td>WI Unique Well # of Replacement Well _____</td> </tr> <tr> <td><input type="checkbox"/> Monitoring Well</td> <td>Original Construction Date (mm/dd/yyyy) 5/19/2014</td> </tr> <tr> <td><input type="checkbox"/> Water Well</td> <td>If a Well Construction Report is available, please attach.</td> </tr> <tr> <td><input checked="" type="checkbox"/> Borehole / Drillhole</td> <td></td> </tr> <tr> <td>Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug</td> <td><input checked="" type="checkbox"/> Other (specify): Geoprobe</td> </tr> <tr> <td>Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation</td> <td><input type="checkbox"/> Bedrock</td> </tr> <tr> <td>Total Well Depth From Ground Surface (ft.) 20</td> <td>Casing Diameter (in.)</td> </tr> <tr> <td>Lower Drillhole Diameter (in.) 2</td> <td>Casing Depth (ft.)</td> </tr> <tr> <td>Was well annular space grouted? If yes, to what depth (feet)?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown</td> </tr> </table>				Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well _____	<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 5/19/2014	<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	<input checked="" type="checkbox"/> Borehole / Drillhole		Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug	<input checked="" type="checkbox"/> Other (specify): Geoprobe	Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Total Well Depth From Ground Surface (ft.) 20	Casing Diameter (in.)	Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)	Was well annular space grouted? If yes, to what depth (feet)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown																
Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well _____																																				
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 5/19/2014																																				
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.																																				
<input checked="" type="checkbox"/> Borehole / Drillhole																																					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug	<input checked="" type="checkbox"/> Other (specify): Geoprobe																																				
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock																																				
Total Well Depth From Ground Surface (ft.) 20	Casing Diameter (in.)																																				
Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)																																				
Was well annular space grouted? If yes, to what depth (feet)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown																																				
4. Pump, Liner, Screen, Casing & Sealing Material <table border="1"> <tr> <td>Pump and piping removed?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A</td> </tr> <tr> <td>Liner(s) removed?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A</td> </tr> <tr> <td>Screen removed?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A</td> </tr> <tr> <td>Casing left in place?</td> <td><input type="checkbox"/> Yes <input checked="" type="checkbox"/> [x] No <input type="checkbox"/> N/A</td> </tr> <tr> <td>Was casing cut off below surface?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A</td> </tr> <tr> <td>Did sealing material rise to surface?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> </tr> <tr> <td>Did material settle after 24 hours?</td> <td><input type="checkbox"/> Yes <input checked="" type="checkbox"/> [x] No <input type="checkbox"/> N/A</td> </tr> <tr> <td>If yes, was hole retopped?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A</td> </tr> <tr> <td>If bentonite chips were used, were they hydrated with water from a known safe source?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A</td> </tr> <tr> <td>Required Method of Placing Sealing Material</td> <td><input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped</td> </tr> <tr> <td></td> <td><input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> [x] Other (Explain): Gravity</td> </tr> <tr> <td>Sealing Materials</td> <td><input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)</td> </tr> <tr> <td></td> <td><input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "</td> </tr> <tr> <td></td> <td><input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips</td> </tr> <tr> <td colspan="2">For Monitoring Wells and Monitoring Well Boreholes Only:</td> </tr> <tr> <td></td> <td><input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout</td> </tr> <tr> <td></td> <td><input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry</td> </tr> </table>				Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A	Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A	Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> [x] No <input type="checkbox"/> N/A	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> [x] No <input type="checkbox"/> N/A	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A	If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A	Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> [x] Other (Explain): Gravity	Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	For Monitoring Wells and Monitoring Well Boreholes Only:			<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry
Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A																																				
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A																																				
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A																																				
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> [x] No <input type="checkbox"/> N/A																																				
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A																																				
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A																																				
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> [x] No <input type="checkbox"/> N/A																																				
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A																																				
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> [x] N/A																																				
Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped																																				
	<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> [x] Other (Explain): Gravity																																				
Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)																																				
	<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "																																				
	<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips																																				
For Monitoring Wells and Monitoring Well Boreholes Only:																																					
	<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout																																				
	<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry																																				
5. Material Used To Fill Well / Drillhole <table border="1"> <tr> <td>From (ft.)</td> <td>To (ft.)</td> <td>Pounds</td> </tr> <tr> <td>Surface</td> <td>20</td> <td>30</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>				From (ft.)	To (ft.)	Pounds	Surface	20	30																												
From (ft.)	To (ft.)	Pounds																																			
Surface	20	30																																			
6. Comments GP-7 Abandoned by On Site Environmental Services under METCO supervision.																																					
7. Supervision of Work <table border="1"> <tr> <td>Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO</td> <td>License #</td> <td>Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014</td> <td>Date Received</td> <td>DNR Use Only</td> </tr> <tr> <td>Street or Route 709 Gillette Street, Suite 3</td> <td>Telephone Number (608) 781-8879</td> <td>Comments</td> <td colspan="2"></td> </tr> <tr> <td>City La Crosse</td> <td>State WI</td> <td>ZIP Code 54603-</td> <td>Signature of Person Doing Work <i>E. Dahl</i></td> <td>Date Signed 6/11/2014</td> </tr> </table>				Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014	Date Received	DNR Use Only	Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments			City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>E. Dahl</i>	Date Signed 6/11/2014																			
Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014	Date Received	DNR Use Only																																	
Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments																																			
City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>E. Dahl</i>	Date Signed 6/11/2014																																	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

			Route to:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment	
				<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other:		
1. Well Location Information			2. Facility / Owner Information				
County DANE	WI Unique Well # of Removed Well	Hicap #	Facility Name 205 South Klein Drive				
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)				Facility ID (FID or PWS) 113235100	
43 ° 11.45 'N	89 ° 27.83 'W					License/Permit/Monitoring #	
1/4 NE	1/4 NE	Section or Gov't Lot #	Township 7	Range 8 N	Range 9 W	Original Well Owner Summit Credit Union	
Well Street Address 205 South Klein Drive						Present Well Owner Summit Credit Union	
Well City, Village or Town Waunakee			Well ZIP Code 53597-			Mailing Address of Present Owner 2424 Rimrock Road	
Subdivision Name			Lot #			City of Present Owner Madison State WI ZIP Code 53713-	
Reason For Removal From Service		WI Unique Well # of Replacement Well					
Sampling Complete							
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 5/19/2014						Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.						<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole							<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug							
<input checked="" type="checkbox"/> Other (specify): Geoprobe							
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock							
Total Well Depth From Ground Surface (ft.) 19		Casing Diameter (in.)					
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)					
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet)					
4. Pump, Liner, Screen, Casing & Sealing Material							
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped							
<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): Gravity							
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)							
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "							
<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips							
For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout							
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry							
5. Material Used To Fill Well / Drillhole							
From (ft.) To (ft.) Pounds							
Bentonite Chips Surface 19 28.5							
6. Comments							
GP-8 Abandoned by On Site Environmental Services under METCO supervision.							
7. Supervision of Work							
Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO		License #	Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014		Date Received	DNR Use Only Noted By	
Street or Route 709 Gillette Street, Suite 3			Telephone Number (608) 781-8879		Comments		
City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>[Signature]</i>		Date Signed 6/11/2014		

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other:

1. Well Location Information

County DANE	WI Unique Well # of Removed Well	Hicap #
-----------------------	----------------------------------	---------

Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		
43	• 11.45	° N		
89	• 27.83	° W		

1/4 NE	1/4 NE	Section	Township	Range [X] E or Gov't Lot #
		7	8 N	9 W

Well Street Address 205 South Klein Drive		
--	--	--

Well City, Village or Town Waunakee	Well ZIP Code 53597-
--	-------------------------

Subdivision Name	Lot #
------------------	-------

Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well
--	--------------------------------------

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 5/19/2014
---	--

Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Geoprobe
--

Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock
--

Total Well Depth From Ground Surface (ft.) 20	Casing Diameter (in.)
--	-----------------------

Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)
-------------------------------------	--------------------

Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown
---------------------------------	---

If yes, to what depth (feet)?	Depth to Water (feet)
-------------------------------	-----------------------

5. Material Used To Fill Well / Drillhole	
Bentonite Chips	From (ft.) To (ft.) Pounds
	Surface 20 30

6. Comments

GP-9 Abandoned by On Site Environmental Services under METCO supervision.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014	Date Received	Noted By
---	-----------	---	---------------	----------

Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments
---	------------------------------------	----------

City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>E. Dahl</i>	Date Signed 6/11/2014
-------------------	-------------	--------------------	--	--------------------------

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)
<input checked="" type="checkbox"/> Other (Explain): Gravity

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other:

1. Well Location Information

County DANE	WI Unique Well # of Removed Well	Hicap #		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		
43 ° 11.45 'N	89 ° 27.83 'W			

1/4 NE 1/4 NE or Gov't Lot #	Section 7	Township 8 N	Range 9 E	<input checked="" type="checkbox"/> W
---------------------------------	-----------	--------------	-----------	---------------------------------------

Well Street Address 205 South Klein Drive				
Well City, Village or Town Waunakee		Well ZIP Code 53597-		
Subdivision Name		Lot #		

Reason For Removal From Service	WI Unique Well # of Replacement Well
Sampling Complete	

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 5/19/2014
If a Well Construction Report is available, please attach.	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Geoprobe	

Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 18	Casing Diameter (in.)
Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

5. Material Used To Fill Well / Drillhole	
Bentonite Chips	From (ft.) To (ft.) Pounds
	Surface 18 27

6. Comments	
GP-10 Abandoned by On Site Environmental Services under METCO supervision.	

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Eric Dahl/METCO	License #	Date of Filling & Sealing (mm/dd/yyyy) 5/19/2014	Date Received Noted By

Street or Route 709 Gillette Street, Suite 3	Telephone Number (608) 781-8879	Comments
---	--------------------------------------	----------

City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work	Date Signed 6/11/2014
-------------------	-------------	--------------------	--------------------------------	--------------------------

2. Facility / Owner Information		
Facility Name 205 South Klein Drive		
Facility ID (FID or PWS) 113235100		
License/Permit/Monitoring #		
Original Well Owner Summit Credit Union		
Present Well Owner Summit Credit Union		
Mailing Address of Present Owner 2424 Rimrock Road		
City of Present Owner Madison	State WI	ZIP Code 53713

4. Pump, Liner, Screen, Casing & Sealing Material	
Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured	<input checked="" type="checkbox"/> Other (Explain): Gravity
<input type="checkbox"/> Bentonite Chips	

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County: DANE WI Unique Well # of Removed Well: _____

Hicap #: _____

Latitude / Longitude (Degrees and Minutes):
 43 ° 11.45 ' N 89 ° 27.83 ' W

Method Code (see instructions): _____

1/4 NE 1/4 NE Section: 7 Township: 8 Range: [X] E
 or Gov't Lot #: _____

N 9 [] W

Well Street Address:

205 South Klein Drive

Well City, Village or Town: Waunakee

Well ZIP Code: 53597-

Subdivision Name: _____

Lot #: _____

Reason For Removal From Service: WI Unique Well # of Replacement Well: _____

Sampling Complete: _____

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 5/19/2014

If a Well Construction Report is available, please attach: _____

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobe

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 19.5

Casing Diameter (in.): _____

19.5

Lower Drillhole Diameter (in.): 2

Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet): _____

5. Material Used To Fill Well / Drillhole

Bentonite Chips

From (ft.)	To (ft.)	Pounds
Surface	19.5	29

6. Comments

GP-11 Abandoned by On Site Environmental Services under METCO supervision.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: Eric Dahl/METCO

License #:

Date of Filling & Sealing (mm/dd/yyyy): 5/19/2014

DNR Use Only

Date Received

Noted By

Street or Route:

709 Gillette Street, Suite 3

Telephone Number:

(608) 781-8879

Comments

City:

La Crosse

State:

WI

ZIP Code:

54603-

Signature of Person Doing Work:

E. Dahl

Date Signed:

6/11/2014

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JASON POWELL
 METCO
 709 GILLETTE ST
 LA CROSSE, WI 54603-2382

Report Date 29-May-14

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code	5027014A	Sample ID	GP-4-2	Sample Matrix	Soil	Sample Date	5/19/2014	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General																	
General																	
Solids Percent	92.1		%					1	5021					5/22/2014	RKM	1	
Organic																	
VOC's																	
Benzene	<9.2	ug/kg	9.2	29	1	8260B								5/23/2014	CJR	1	
Bromobenzene	<13	ug/kg	13	40	1	8260B								5/23/2014	CJR	1	
Bromodichloromethane	<27	ug/kg	27	85	1	8260B								5/23/2014	CJR	1	
Bromoform	<30	ug/kg	30	95	1	8260B								5/23/2014	CJR	1	
tert-Butylbenzene	<20	ug/kg	20	64	1	8260B								5/23/2014	CJR	1	
sec-Butylbenzene	<41	ug/kg	41	132	1	8260B								5/23/2014	CJR	1	
n-Butylbenzene	<26	ug/kg	26	82	1	8260B								5/23/2014	CJR	1	
Carbon Tetrachloride	<25	ug/kg	25	79	1	8260B								5/23/2014	CJR	1	
Chlorobenzene	<16	ug/kg	16	52	1	8260B								5/23/2014	CJR	1	
Chloroethane	<42	ug/kg	42	133	1	8260B								5/23/2014	CJR	1	
Chloroform	<49	ug/kg	49	157	1	8260B								5/23/2014	CJR	1	
Chloromethane	<181	ug/kg	181	577	1	8260B								5/23/2014	CJR	1	
2-Chlorotoluene	<16	ug/kg	16	52	1	8260B								5/23/2014	CJR	1	
4-Chlorotoluene	<14	ug/kg	14	43	1	8260B								5/23/2014	CJR	1	
1,2-Dibromo-3-chloropropane	<48	ug/kg	48	154	1	8260B								5/23/2014	CJR	1	
Dibromochloromethane	<14	ug/kg	14	45	1	8260B								5/23/2014	CJR	1	
1,4-Dichlorobenzene	<33	ug/kg	33	103	1	8260B								5/23/2014	CJR	1	
1,3-Dichlorobenzene	<30	ug/kg	30	95	1	8260B								5/23/2014	CJR	1	
1,2-Dichlorobenzene	<38	ug/kg	38	122	1	8260B								5/23/2014	CJR	1	
Dichlorodifluoromethane	<57	ug/kg	57	182	1	8260B								5/23/2014	CJR	1	
1,2-Dichloroethane	<36	ug/kg	36	114	1	8260B								5/23/2014	CJR	1	
1,1-Dichloroethane	<19	ug/kg	19	60	1	8260B								5/23/2014	CJR	1	
1,1-Dichloroethene	<21	ug/kg	21	66	1	8260B								5/23/2014	CJR	1	
cis-1,2-Dichloroethene	<24	ug/kg	24	77	1	8260B								5/23/2014	CJR	1	
trans-1,2-Dichloroethene	<29	ug/kg	29	93	1	8260B								5/23/2014	CJR	1	
1,2-Dichloropropane	<9.5	ug/kg	9.5	30	1	8260B								5/23/2014	CJR	1	
2,2-Dichloropropane	<46	ug/kg	46	148	1	8260B								5/23/2014	CJR	48	
1,3-Dichloropropane	<21	ug/kg	21	68	1	8260B								5/23/2014	CJR	1	
Di-isopropyl ether	<11	ug/kg	11	34	1	8260B								5/23/2014	CJR	1	

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014A
 Sample ID GP-4-2
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	<20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	<10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	<95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	<25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	<31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	<57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	<30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	<114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	<24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	<12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	<23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	360	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	<20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	<79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	<129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	<38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	<23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethene (TCE)	<28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	<86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	<26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	<26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	<21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	<68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	<31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	97	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	94	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	96	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	91	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014B
 Sample ID GP-4-4
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.3	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	25.8 "J"	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	4.8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	550	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014B
Sample ID GP-4-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	98	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	91	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	96	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	89	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014C
 Sample ID GP-5-1
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
Organic	79.2	%			1	5021		5/22/2014	RKM	1
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014C
Sample ID GP-5-1
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	97	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	91	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	89	Rec %			1	8260B		5/23/2014	CJR	1

Project

Lab Code 5027014D

Sample ID GP-5-2

Sample Matrix Soil

Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
Organic	92.7	%			1	5021		5/22/2014	RKM	1
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	4.8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE

Invoice # E27014

Project #

Lab Code 5027014D

Sample ID GP-5-2

Sample Matrix Soil

Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	91	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	90	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014E
 Sample ID GP-5-4
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.1	%			1	5021			RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B			CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B			CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B			CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B			CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B			CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B			CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B			CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B			CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B			CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B			CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B			CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B			CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B			CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B			CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B			CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B			CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B			CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B			CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B			CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B			CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B			CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B			CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B			CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B			CJR	4.8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B			CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B			CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B			CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B			CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B			CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B			CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B			CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B			CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B			CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B			CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B			CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B			CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B			CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B			CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B			CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B			CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014E
Sample ID GP-5-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 4-Bromofluorobenzene	95	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	90	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	84	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	89	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014F
 Sample ID GP-6-1
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	80.9	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	4.8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	58 "J"	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE

Invoice # E27014

Project #

Lab Code 5027014F

Sample ID GP-6-1

Sample Matrix Soil

Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	91	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	90	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	95	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	97	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014G
 Sample ID GP-6-2
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.6	%			1	5021			RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B			CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B			CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B			CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B			CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B			CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B			CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B			CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B			CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B			CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B			CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B			CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B			CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B			CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B			CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B			CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B			CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B			CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B			CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B			CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B			CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B			CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B			CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B			CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B			CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B			CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B			CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B			CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B			CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B			CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B			CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B			CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B			CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B			CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B			CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B			CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B			CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B			CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B			CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B			CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B			CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014G
Sample ID GP-6-2
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	102	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	92	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	88	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014H
 Sample ID GP-6-4
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.6	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	4.8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE

Invoice # E27014

Project #

Lab Code 5027014H

Sample ID GP-6-4

Sample Matrix Soil

Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	102	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	96	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	95	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	93	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014I
 Sample ID GP-7-1
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	81.9	%			1	5021			RKM	I
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B			CJR	I
Bromobenzene	< 13	ug/kg	13	40	1	8260B			CJR	I
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B			CJR	I
Bromoform	< 30	ug/kg	30	95	1	8260B			CJR	I
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B			CJR	I
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B			CJR	I
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B			CJR	I
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B			CJR	I
Chlorobenzene	< 16	ug/kg	16	52	1	8260B			CJR	I
Chloroethane	< 42	ug/kg	42	133	1	8260B			CJR	I
Chloroform	< 49	ug/kg	49	157	1	8260B			CJR	I
Chloromethane	< 181	ug/kg	181	577	1	8260B			CJR	I
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B			CJR	I
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B			CJR	I
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B			CJR	I
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B			CJR	I
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B			CJR	I
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B			CJR	I
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B			CJR	I
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B			CJR	I
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B			CJR	I
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B			CJR	I
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B			CJR	I
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B			CJR	I
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B			CJR	I
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B			CJR	I
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B			CJR	4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B			CJR	I
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B			CJR	I
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B			CJR	I
Ethylbenzene	< 10	ug/kg	10	33	1	8260B			CJR	I
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B			CJR	I
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B			CJR	I
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B			CJR	I
Methylene chloride	< 57	ug/kg	57	182	1	8260B			CJR	I
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B			CJR	I
Naphthalene	< 114	ug/kg	114	363	1	8260B			CJR	I
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B			CJR	I
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B			CJR	I
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B			CJR	I
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B			CJR	I
Toluene	< 20	ug/kg	20	65	1	8260B			CJR	I
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B			CJR	I
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B			CJR	I
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B			CJR	I
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B			CJR	I
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B			CJR	I
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B			CJR	I
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B			CJR	I
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B			CJR	I
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B			CJR	I
m&p-Xylene	< 68	ug/kg	68	216	1	8260B			CJR	I
o-Xylene	< 31	ug/kg	31	98	1	8260B			CJR	I

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014I
Sample ID GP-7-1
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	92	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	93	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	90	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	89	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014J
 Sample ID GP-7-2
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	94.4	%			1	5021			RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B			CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B			CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B			CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B			CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B			CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B			CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B			CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B			CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B			CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B			CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B			CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B			CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B			CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B			CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B			CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B			CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B			CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B			CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B			CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B			CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B			CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B			CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B			CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B			CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B			CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B			CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B			CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B			CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B			CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B			CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B			CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B			CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B			CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B			CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B			CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B			CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B			CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B			CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B			CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B			CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014J
Sample ID GP-7-2
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	98	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	87	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	96	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014K
 Sample ID GP-7-4
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.6	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethylene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014K
Sample ID GP-7-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	90	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	102	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	93	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	96	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014L
 Sample ID GP-8-2
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.5	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethylene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethylene	1150	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethylene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m-&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014L
Sample ID GP-8-2
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	90	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	86	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	95	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	94	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014M
 Sample ID GP-8-4
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.3	%			1	5021			RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B			CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B			CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B			CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B			CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B			CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B			CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B			CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B			CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B			CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B			CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B			CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B			CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B			CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B			CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B			CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B			CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B			CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B			CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B			CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B			CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B			CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B			CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B			CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B			CJR	4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B			CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B			CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B			CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B			CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B			CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B			CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B			CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B			CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Tetrachloroethene	1730	ug/kg	49	157	1	8260B			CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B			CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B			CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B			CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B			CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B			CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B			CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B			CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014M
Sample ID GP-8-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	94	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	92	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	87	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014N
Sample ID GP-9-2
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	93.2	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/23/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/23/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/23/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/23/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/23/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/23/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/23/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/23/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/23/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/23/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/23/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/23/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/23/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/23/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/23/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/23/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/23/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/23/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/23/2014	CJR	4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/23/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/23/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/23/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/23/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/23/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/23/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/23/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Tetrachloroethene	910	ug/kg	49	157	1	8260B		5/23/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/23/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/23/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/23/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/23/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/23/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/23/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/23/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014N
Sample ID GP-9-2
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	101	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	102	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Toluene-d8	91	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014O
 Sample ID GP-9-4
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.6	%			1	5021			RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B			CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B			CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B			CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B			CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B			CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B			CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B			CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B			CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B			CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B			CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B			CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B			CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B			CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B			CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B			CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B			CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B			CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B			CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B			CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B			CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B			CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B			CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B			CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B			CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B			CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B			CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B			CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B			CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B			CJR	1
p-Isopropyltoluène	< 31	ug/kg	31	98	1	8260B			CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B			CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B			CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Tetrachloroethene	1840	ug/kg	49	157	1	8260B			CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B			CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B			CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B			CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B			CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B			CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B			CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B			CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014O
Sample ID GP-9-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	90	Rec %			1	8260B		5/23/2014	CJR	1
SUR - Dibromofluoromethane	90	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		5/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		5/23/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014P
 Sample ID GP-10-1
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	79.1	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/24/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/24/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/24/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/24/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/24/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/24/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/24/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/24/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/24/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/24/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/24/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/24/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/24/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/24/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/24/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/24/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/24/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/24/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/24/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/24/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/24/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/24/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/24/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/24/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/24/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/24/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/24/2014	CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/24/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/24/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/24/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/24/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/24/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/24/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/24/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/24/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/24/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/24/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/24/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/24/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		5/24/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/24/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/24/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/24/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/24/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/24/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/24/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/24/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/24/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/24/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/24/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/24/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014P
Sample ID GP-10-1
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 4-Bromofluorobenzene	98	Rec %			1	8260B		5/24/2014	CJR	1
SUR - Dibromofluoromethane	93	Rec %			1	8260B		5/24/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	102	Rec %			1	8260B		5/24/2014	CJR	1
SUR - Toluene-d8	93	Rec %			1	8260B		5/24/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014Q
Sample ID GP-10-2
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
Organic	94.0	%			1	5021		5/22/2014	RKM	1
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/24/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/24/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/24/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/24/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/24/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/24/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/24/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/24/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/24/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/24/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/24/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/24/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/24/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/24/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/24/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/24/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/24/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/24/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/24/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/24/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/24/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/24/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/24/2014	CJR	1
cis-1,2-Dichloroethylene	< 24	ug/kg	24	77	1	8260B		5/24/2014	CJR	1
trans-1,2-Dichloroethylene	< 29	ug/kg	29	93	1	8260B		5/24/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/24/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/24/2014	CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/24/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/24/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/24/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/24/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/24/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/24/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/24/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/24/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/24/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/24/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/24/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/24/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/24/2014	CJR	1
Tetrachloroethylene	< 49	ug/kg	49	157	1	8260B		5/24/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/24/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/24/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/24/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/24/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/24/2014	CJR	1
Trichloroethylene (TCE)	< 28	ug/kg	28	88	1	8260B		5/24/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/24/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/24/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/24/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/24/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/24/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/24/2014	CJR	1

Project Name 205 S. KLEIN DRIVE

Invoice # E27014

Project #

Lab Code 5027014Q

Sample ID GP-10-2

Sample Matrix Soil

Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	94	Rec %			1	8260B		5/24/2014	CJR	1
SUR - Toluene-d8	90	Rec %			1	8260B		5/24/2014	CJR	1
SUR - 4-Bromofluorobenzene	92	Rec %			1	8260B		5/24/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	95	Rec %			1	8260B		5/24/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014R
Sample ID GP-10-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.4	%			1	5021			RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B			CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B			CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B			CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B			CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B			CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B			CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B			CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B			CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B			CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B			CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B			CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B			CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B			CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B			CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B			CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B			CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B			CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B			CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B			CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B			CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B			CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B			CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B			CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B			CJR	4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B			CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B			CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B			CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B			CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B			CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B			CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B			CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B			CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B			CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B			CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B			CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B			CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B			CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B			CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B			CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B			CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B			CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014R
Sample ID GP-10-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	103	Rec %			1	8260B		5/24/2014	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		5/24/2014	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		5/24/2014	CJR	1
SUR - Toluene-d8	89	Rec %			1	8260B		5/24/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014S
Sample ID GP-11-1
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	77.8	%			1	5021				
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B				
Bromobenzene	< 13	ug/kg	13	40	1	8260B				
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B				
Bromoform	< 30	ug/kg	30	95	1	8260B				
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B				
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B				
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B				
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B				
Chlorobenzene	< 16	ug/kg	16	52	1	8260B				
Chloroethane	< 42	ug/kg	42	133	1	8260B				
Chloroform	< 49	ug/kg	49	157	1	8260B				
Chloromethane	< 181	ug/kg	181	577	1	8260B				
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B				
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B				
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B				
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B				
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B				
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B				
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B				
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B				
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B				
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B				
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B				
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B				
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B				
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B				
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B				4.8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B				
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B				
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B				
Ethylbenzene	< 10	ug/kg	10	33	1	8260B				
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B				
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B				
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B				
Methylene chloride	< 57	ug/kg	57	182	1	8260B				
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B				
Naphthalene	< 114	ug/kg	114	363	1	8260B				
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B				
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B				
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B				
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B				
Toluene	< 20	ug/kg	20	65	1	8260B				
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B				
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B				
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B				
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B				
Trichloroethylene (TCE)	< 28	ug/kg	28	88	1	8260B				
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B				
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B				
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B				
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B				
m&p-Xylene	< 68	ug/kg	68	216	1	8260B				
o-Xylene	< 31	ug/kg	31	98	1	8260B				

Project Name 205 S. KLEIN DRIVE

Invoice # E27014

Project #

Lab Code 5027014S

Sample ID GP-11-1

Sample Matrix Soil

Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		5/27/2014	CJR	1
SUR - 4-Bromofluorobenzene	94	Rec %			1	8260B		5/27/2014	CJR	1
SUR - Dibromofluoromethane	102	Rec %			1	8260B		5/27/2014	CJR	1
SUR - Toluene-d8	88	Rec %			1	8260B		5/27/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014T
 Sample ID GP-11-2
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.5	%			1	5021		5/22/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/27/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/27/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/27/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/27/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/27/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/27/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/27/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/27/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/27/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/27/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/27/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/27/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/27/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/27/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/27/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/27/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/27/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/27/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/27/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/27/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/27/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/27/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/27/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/27/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/27/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/27/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/27/2014	CJR	4.8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/27/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/27/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/27/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/27/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/27/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/27/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/27/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/27/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/27/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/27/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/27/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/27/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/27/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		5/27/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/27/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/27/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/27/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/27/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/27/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/27/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/27/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/27/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/27/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/27/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/27/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/27/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014T
Sample ID GP-11-2
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	109	Rec %			1	8260B		5/27/2014	CJR	1
SUR - 4-Bromofluorobenzene	95	Rec %			1	8260B		5/27/2014	CJR	1
SUR - Dibromofluoromethane	102	Rec %			1	8260B		5/27/2014	CJR	1
SUR - Toluene-d8	90	Rec %			1	8260B		5/27/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
 Project #

Invoice # E27014

Lab Code 5027014U
 Sample ID GP-11-4
 Sample Matrix Soil
 Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
Organic	90.8	%			1	5021		5/22/2014	RKM	1
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		5/27/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		5/27/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		5/27/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		5/27/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		5/27/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		5/27/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		5/27/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		5/27/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/27/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		5/27/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		5/27/2014	CJR	1
Chloromethane	< 181	ug/kg	181	577	1	8260B		5/27/2014	CJR	1
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		5/27/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		5/27/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		5/27/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		5/27/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		5/27/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		5/27/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		5/27/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		5/27/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		5/27/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		5/27/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		5/27/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/27/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		5/27/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		5/27/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		5/27/2014	CJR	48
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		5/27/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		5/27/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		5/27/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		5/27/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		5/27/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		5/27/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		5/27/2014	CJR	1
Methylene chloride	< 57	ug/kg	57	182	1	8260B		5/27/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		5/27/2014	CJR	1
Naphthalene	< 114	ug/kg	114	363	1	8260B		5/27/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		5/27/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		5/27/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		5/27/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		5/27/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		5/27/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		5/27/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		5/27/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		5/27/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		5/27/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		5/27/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		5/27/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		5/27/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		5/27/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		5/27/2014	CJR	1
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		5/27/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		5/27/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014U
Sample ID GP-11-4
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	91	Rec %			1	8260B		5/27/2014	CJR	1
SUR - Toluene-d8	87	Rec %			1	8260B		5/27/2014	CJR	1
SUR - Dibromofluoromethane	101	Rec %			1	8260B		5/27/2014	CJR	1
SUR - 4-Bromofluorobenzene	94	Rec %			1	8260B		5/27/2014	CJR	1

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

Lab Code 5027014V
Sample ID METH BLANK
Sample Matrix Soil
Sample Date 5/19/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B	5/27/2014	CJR	1	
Bromobenzene	< 13	ug/kg	13	40	1	8260B	5/27/2014	CJR	1	
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B	5/27/2014	CJR	1	
Bromoform	< 30	ug/kg	30	95	1	8260B	5/27/2014	CJR	1	
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B	5/27/2014	CJR	1	
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B	5/27/2014	CJR	1	
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B	5/27/2014	CJR	1	
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B	5/27/2014	CJR	1	
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	5/27/2014	CJR	1	
Chloroethane	< 42	ug/kg	42	133	1	8260B	5/27/2014	CJR	1	
Chloroform	< 49	ug/kg	49	157	1	8260B	5/27/2014	CJR	1	
Chloromethane	< 181	ug/kg	181	577	1	8260B	5/27/2014	CJR	1	
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B	5/27/2014	CJR	1	
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B	5/27/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B	5/27/2014	CJR	1	
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B	5/27/2014	CJR	1	
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B	5/27/2014	CJR	1	
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B	5/27/2014	CJR	1	
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B	5/27/2014	CJR	1	
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B	5/27/2014	CJR	1	
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B	5/27/2014	CJR	1	
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B	5/27/2014	CJR	1	
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B	5/27/2014	CJR	1	
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B	5/27/2014	CJR	1	
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B	5/27/2014	CJR	1	
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B	5/27/2014	CJR	1	
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B	5/27/2014	CJR	48	
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B	5/27/2014	CJR	1	
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B	5/27/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B	5/27/2014	CJR	1	
Ethylbenzene	< 10	ug/kg	10	33	1	8260B	5/27/2014	CJR	1	
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B	5/27/2014	CJR	1	
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B	5/27/2014	CJR	1	
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B	5/27/2014	CJR	1	
Methylene chloride	< 57	ug/kg	57	182	1	8260B	5/27/2014	CJR	1	
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B	5/27/2014	CJR	1	
Naphthalene	< 114	ug/kg	114	363	1	8260B	5/27/2014	CJR	1	
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B	5/27/2014	CJR	1	
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B	5/27/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B	5/27/2014	CJR	1	
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B	5/27/2014	CJR	1	
Toluene	< 20	ug/kg	20	65	1	8260B	5/27/2014	CJR	1	
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B	5/27/2014	CJR	1	
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B	5/27/2014	CJR	1	
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B	5/27/2014	CJR	1	
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B	5/27/2014	CJR	1	
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B	5/27/2014	CJR	1	
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B	5/27/2014	CJR	1	
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B	5/27/2014	CJR	1	
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B	5/27/2014	CJR	1	
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B	5/27/2014	CJR	1	
m&p-Xylene	< 68	ug/kg	68	216	1	8260B	5/27/2014	CJR	1	
o-Xylene	< 31	ug/kg	31	98	1	8260B	5/27/2014	CJR	1	
SUR - Toluene-d8	90	Rec %			1	8260B	5/27/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	95	Rec %			1	8260B	5/27/2014	CJR	1	
SUR - 4-Bromofluorobenzene	90	Rec %			1	8260B	5/27/2014	CJR	1	
SUR - Dibromofluoromethane	94	Rec %			1	8260B	5/27/2014	CJR	1	

Project Name 205 S. KLEIN DRIVE
Project #

Invoice # E27014

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- | | |
|---|--|
| 1 | Laboratory QC within limits. |
| 4 | The continuing calibration standard not within established limits. |
| 8 | Closing calibration standard not within established limits. |

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF STUDY RECORD

Synergy

Environmental Lab, Inc.

Lab ID #	
Account No.:	Quote No.:
Project #:	
Sampler: <i>[Signature]</i>	

Project (Name / Location): *205 S. Klein Drive*Reports To: *Jason Powell* Invoice To: *Same*Company: *METCO* Company:Address: *709 Gillette St, Ste 3* Address:City State Zip: *La Crosse, WI 54603* City State Zip:Phone: *(608) 781-8879* Phone:FAX: *8893* FAX:1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # No. 2765

Page 1 of 3

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization) Normal Turn Around

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested				Other Analysis	PID/ FID								
										DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 6270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DN (EPA 642.2)	VOC (EPA 8260)	B-RCRA METALS
S217014-A	GP-4-2	5/1	9:55	X			2	S	MEOH														
B	GP-4-4		10:05																				
C	GP-5-1		10:20																				
D	GP-5-2		10:35																				
E	GP-5-4		10:45																				
F	GP-6-1		11:05																				
G	GP-6-2		11:10																				
H	GP-6-4		11:30																				
I	GP-7-1		11:35																				
J	GP-7-2		11:40	✓	✓		✓	✓	✓											✓			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

NO SAMPLES FOR THIS DATE

Sample Integrity - To be completed by receiving lab.

Relinquished By: (sign)

S. Klein

Time

Date

Received By: (sign)

Time

Date

Method of Shipment: *Airborne Express*

Temp. of Temp. Blank: ____ °C On Ice

Cooler seal intact upon receipt: Yes _____ No _____

5/21/14 8:30 AM

Received in Laboratory By:

M. Klein - SEL

Time: 8:30 AM

Date: 5-22-14

CHAIN OF STODY RECORD

Synergy

Environmental Lab, Inc.

Lab I.D. #	
Account No. :	Quote No.:
Project #:	
Sampler: (signature) <i>E. Klein</i>	

Project (Name / Location): **205 S Klein Drive**

Reports To: **See Page 1** — Invoice To: **→**

Company

Address

City State Zip

Phone

FAX

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # N^o 2765

Page 2 of 3

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization)

Normal Turn Around

									Analysis Requested		Other Analysis													
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 5422)	VOC (EPA 8260)	8-RHCR-A METALS	PID/FID
L	GP-7-14	5/19	11:55	X			2	S	METH															
L	GP-8-2		12:15		X																			
M	GP-8-4		12:55																					
N	GP-9-1		1:10																					
N	GP-9-4		1:25																					
P	GP-10-1		1:40																					
Q	GP-10-2		1:45																					
R	GP-10-4		2:00																					
S	GP-11-1		2:15																					
T	GP-11-2	V	2:20	V																				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign) <i>E. Klein</i>	Time: 5/21/14 8:30 AM	Received By: (sign)	Time	Date
Method of Shipment: <i>Delivery Express</i>					
Temp. of Temp. Blank: <input checked="" type="checkbox"/> °C On Ice					
Cooler seal intact upon receipt: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
Received in Laboratory By: <i>Melby - SEC</i>			Time: 8:30 AM	Date: 5-22-14	

CHAIN OF CUSTODY RECORD

Synergy

Lab I.D. #	
Account No. :	Quote No.:
Project #:	
Sampler: (signature)	

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # No 255(

Page 3 of 3

Sample Handling Request

Rush Analysis Date Required _____
(Samples accepted only with prior authorization)

~~X~~ Normal Turn Around

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.		Relinquished By: (Sign)	Time	Date	Received By: (sign)	Time	Date
		<i>E. Dyer</i>	5/21/14	8:30AM			
Method of Shipment:		<i>Refrigerator</i>					
Temp. of Temp. Blank		____ °C On Ice					
Cooler seal intact upon receipt:		< Yes _____ No _____					
		Received in Laboratory By:					
		<i>Melody - JSC</i>					
		Time: 8:30 AM Date: 5/21/14					