



December 15, 2017

Paulette Enders
City of Wauwatosa Community Development Authority
7725 W. North Ave
Wauwatosa, WI 53213

**Subject: Environmental Investigation Sampling Results
BRRTS#: 02-41-562047**

Dear Ms. Enders:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14 and the access agreement dated January 25, 2017, EnviroForensics, LLC. (EnviroForensics) is providing the results of environmental samples collected from the City of Wauwatosa property located at 2578 North Wauwatosa Avenue in Wauwatosa, Wisconsin on November 11, 2017.

Results

Five (5) groundwater samples were collected from City of Wauwatosa property and analyzed for volatile organic compounds. The sample locations are depicted on **Figure 1**. As shown in **Table 1**, MW-S03 contained tetrachloroethene above the WDNR's Public Health Enforcement Standard. The laboratory report that relates to the groundwater samples is attached.

If you have any questions or concerns, please contact us at 262-510-0612 or by email at rhoverman@enviroforensics.com. We greatly appreciate your assistance with this matter.

Sincerely,
EnviroForensics, LLC

Handwritten signature of Kyle Heimstead in black ink.

Kyle Heimstead
Project Manager

Handwritten signature of Rob Hoverman in blue ink.

Rob Hoverman, LPG
Senior Project Manager


Copy: Trevor Nobile, Wisconsin Department of Natural Resources

Attachments

Figure 1: Monitoring Well Location Map

Table 1: VOC Groundwater Analytical Results

Laboratory Analytical Report



- Legend**
- Property boundary
 - GAS Underground gas utility line
 - WTR Underground water utility line
 - STM Underground storm utility line
 - UGE Underground electrical utility line
 - OVHD Over head electrical utility line
 - ⊗ Manhole
 - ▣ Catch Basin
 - MW-S01 ⊕ Soil boring and temporary monitoring well locations (by Symbiont)
 - MW-1 ⊕ Monitoring well
 - ▭ Former building and basement

North Wauwatosa Avenue

West Clark Street

Grass

Basement

Site 2578

Asphalt

Grass


2570

Garage

Garage

7525

7519



Date:	8/28/15
Designed:	EB
Drawn:	EB
Checked:	KH
DWG file:	6349-0049

MONITORING WELL LOCATION MAP

Former Vogue Cleaners
2578 North Wauwatosa Avenue,
Wauwatosa, Wisconsin

ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	1
Project	6349

TABLE 1
VOC GROUNDWATER ANALYTICAL RESULTS
Former Vogue Cleaners
2578 N. Wauwatosa Avenue, Wauwatosa, Wisconsin

Monitoring Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
		Volatile Organic Compounds (VOC)				
Public Health Enforcement Standard		5	5	70	100	0.2
Public Health Preventive Action Limit		0.5	0.5	7	20	0.02
MW-4	10/08/15	<0.49	<0.47	<0.45	<0.54	<0.17
	03/28/17	<0.48	<0.45	<0.41	<0.35	<0.19
	05/26/17	<0.48	<0.45	<0.41	<0.35	<0.19
	08/25/17	<0.48	<0.45	<0.41	<0.35	<0.19
	11/22/17	<0.48	<0.45	<0.41	<0.35	<0.19
MW-S01	09/28/15	<0.17	<0.19	<0.12	<0.25	<0.10
	03/28/17	<0.48	<0.45	<0.41	<0.35	<0.19
	05/26/17	<0.48	<0.45	<0.41	<0.35	<0.19
	08/25/17	<0.48	<0.45	<0.41	<0.35	<0.19
	11/22/17	<0.48	<0.45	<0.41	<0.35	<0.19
MW-S02	09/28/15	4.2	<0.19	<0.12	<0.25	<0.10
	03/28/17	<0.48	<0.45	<0.41	<0.35	<0.19
	05/26/17	0.56 J	<0.45	<0.41	<0.35	<0.19
	08/25/17	<0.48	<0.45	<0.41	<0.35	<0.19
	11/22/17	<0.48	<0.45	<0.41	<0.35	<0.19
MW-S03	09/28/15	21,000	17 J	<6.0	<13	<5.0
	03/28/17	26,700	18.4	8.4	<0.35	<0.19
	05/26/17	24,300	<90	<82	<70	<38
	08/25/17	30,800	<90	<82	<70	<38
	11/22/17	25,300	<90	<82	<70	<38
MW-S04	09/28/15	<0.17	<0.19	<0.12	<0.25	<0.10
	03/28/17	<0.48	<0.45	<0.41	<0.35	<0.19
	05/26/17	<0.48	<0.45	<0.41	<0.35	<0.19
	08/25/17	<0.48	<0.45	<0.41	<0.35	<0.19
	11/22/17	<0.48	<0.45	<0.41	<0.35	<0.19

Notes:

All concentrations reported in units of micrograms per liter (µg/l)

Only detected compounds are listed

Samples analyzed according to US EPA Method 8260

Bolded values are above detection limits

Bolded and Orange Shaded values indicates an exceedance of the Public Health Enforcement Standard

Bolded and Blue Shaded values indicates an exceedance the Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
825 N. CAPITOL AVENUE
INDIANAPOLIS, IN 46204

Report Date 06-Dec-17

Project Name VOGUE CLEANERS
Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954A
Sample ID 6349 MW-S03
Sample Matrix Water
Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 34	ug/l	34	110	200	8260B		11/29/2017	CJR	1
Bromobenzene	< 86	ug/l	86	274	200	8260B		11/29/2017	CJR	1
Bromodichloromethane	< 62	ug/l	62	200	200	8260B		11/29/2017	CJR	1
Bromoform	< 98	ug/l	98	312	200	8260B		11/29/2017	CJR	1
tert-Butylbenzene	< 78	ug/l	78	246	200	8260B		11/29/2017	CJR	1
sec-Butylbenzene	< 48	ug/l	48	152	200	8260B		11/29/2017	CJR	1
n-Butylbenzene	< 68	ug/l	68	216	200	8260B		11/29/2017	CJR	1
Carbon Tetrachloride	< 42	ug/l	42	136	200	8260B		11/29/2017	CJR	1
Chlorobenzene	< 54	ug/l	54	172	200	8260B		11/29/2017	CJR	1
Chloroethane	< 100	ug/l	100	320	200	8260B		11/29/2017	CJR	1
Chloroform	< 192	ug/l	192	608	200	8260B		11/29/2017	CJR	1
Chloromethane	< 260	ug/l	260	830	200	8260B		11/29/2017	CJR	1
2-Chlorotoluene	< 72	ug/l	72	230	200	8260B		11/29/2017	CJR	1
4-Chlorotoluene	< 70	ug/l	70	222	200	8260B		11/29/2017	CJR	1
1,2-Dibromo-3-chloropropane	< 376	ug/l	376	1196	200	8260B		11/29/2017	CJR	1
Dibromochloromethane	< 90	ug/l	90	288	200	8260B		11/29/2017	CJR	1
1,4-Dichlorobenzene	< 84	ug/l	84	268	200	8260B		11/29/2017	CJR	1
1,3-Dichlorobenzene	< 90	ug/l	90	286	200	8260B		11/29/2017	CJR	1
1,2-Dichlorobenzene	< 68	ug/l	68	218	200	8260B		11/29/2017	CJR	1
Dichlorodifluoromethane	< 76	ug/l	76	240	200	8260B		11/29/2017	CJR	1
1,2-Dichloroethane	< 90	ug/l	90	286	200	8260B		11/29/2017	CJR	1
1,1-Dichloroethane	< 84	ug/l	84	268	200	8260B		11/29/2017	CJR	1
1,1-Dichloroethene	< 92	ug/l	92	294	200	8260B		11/29/2017	CJR	1
cis-1,2-Dichloroethene	< 82	ug/l	82	258	200	8260B		11/29/2017	CJR	1
trans-1,2-Dichloroethene	< 70	ug/l	70	224	200	8260B		11/29/2017	CJR	1
1,2-Dichloropropane	< 78	ug/l	78	248	200	8260B		11/29/2017	CJR	1
1,3-Dichloropropane	< 98	ug/l	98	310	200	8260B		11/29/2017	CJR	1
trans-1,3-Dichloropropene	< 84	ug/l	84	266	200	8260B		11/29/2017	CJR	1
cis-1,3-Dichloropropene	< 42	ug/l	42	130	200	8260B		11/29/2017	CJR	1

Project Name VOGUE CLEANERS
 Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954A
 Sample ID 6349 MW-S03
 Sample Matrix Water
 Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 52	ug/l	52	166	200	8260B		11/29/2017	CJR	1
EDB (1,2-Dibromoethane)	< 68	ug/l	68	218	200	8260B		11/29/2017	CJR	1
Ethylbenzene	< 40	ug/l	40	126	200	8260B		11/29/2017	CJR	1
Hexachlorobutadiene	< 294	ug/l	294	936	200	8260B		11/29/2017	CJR	1
Isopropylbenzene	< 58	ug/l	58	186	200	8260B		11/29/2017	CJR	1
p-Isopropyltoluene	< 56	ug/l	56	182	200	8260B		11/29/2017	CJR	1
Methylene chloride	< 188	ug/l	188	596	200	8260B		11/29/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 164	ug/l	164	520	200	8260B		11/29/2017	CJR	1
Naphthalene	< 434	ug/l	434	1380	200	8260B		11/29/2017	CJR	1
n-Propylbenzene	< 38	ug/l	38	124	200	8260B		11/29/2017	CJR	1
1,1,2,2-Tetrachloroethane	< 138	ug/l	138	442	200	8260B		11/29/2017	CJR	1
1,1,1,2-Tetrachloroethane	< 94	ug/l	94	296	200	8260B		11/29/2017	CJR	1
Tetrachloroethene	25300	ug/l	96	304	200	8260B		11/29/2017	CJR	1
Toluene	< 134	ug/l	134	426	200	8260B		11/29/2017	CJR	1
1,2,4-Trichlorobenzene	< 258	ug/l	258	820	200	8260B		11/29/2017	CJR	1
1,2,3-Trichlorobenzene	< 166	ug/l	166	526	200	8260B		11/29/2017	CJR	1
1,1,1-Trichloroethane	< 70	ug/l	70	222	200	8260B		11/29/2017	CJR	1
1,1,2-Trichloroethane	< 130	ug/l	130	412	200	8260B		11/29/2017	CJR	1
Trichloroethene (TCE)	< 90	ug/l	90	286	200	8260B		11/29/2017	CJR	1
Trichlorofluoromethane	< 128	ug/l	128	408	200	8260B		11/29/2017	CJR	1
1,2,4-Trimethylbenzene	< 228	ug/l	228	726	200	8260B		11/29/2017	CJR	1
1,3,5-Trimethylbenzene	< 182	ug/l	182	580	200	8260B		11/29/2017	CJR	1
Vinyl Chloride	< 38	ug/l	38	124	200	8260B		11/29/2017	CJR	1
m&p-Xylene	< 312	ug/l	312	990	200	8260B		11/29/2017	CJR	1
o-Xylene	< 78	ug/l	78	250	200	8260B		11/29/2017	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			200	8260B		11/29/2017	CJR	1
SUR - 4-Bromofluorobenzene	123	REC %			200	8260B		11/29/2017	CJR	1
SUR - Dibromofluoromethane	97	REC %			200	8260B		11/29/2017	CJR	1
SUR - Toluene-d8	105	REC %			200	8260B		11/29/2017	CJR	1

Project Name VOGUE CLEANERS
 Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954D
 Sample ID 6349 MW-S02
 Sample Matrix Water
 Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		11/28/2017	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.37	1	8260B		11/28/2017	CJR	1
Bromodichloromethane	< 0.31	ug/l	0.31	1	1	8260B		11/28/2017	CJR	1
Bromoform	< 0.49	ug/l	0.49	1.56	1	8260B		11/28/2017	CJR	1
tert-Butylbenzene	< 0.39	ug/l	0.39	1.23	1	8260B		11/28/2017	CJR	1
sec-Butylbenzene	< 0.24	ug/l	0.24	0.76	1	8260B		11/28/2017	CJR	1
n-Butylbenzene	< 0.34	ug/l	0.34	1.08	1	8260B		11/28/2017	CJR	1
Carbon Tetrachloride	< 0.21	ug/l	0.21	0.68	1	8260B		11/28/2017	CJR	1
Chlorobenzene	< 0.27	ug/l	0.27	0.86	1	8260B		11/28/2017	CJR	1
Chloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		11/28/2017	CJR	1
Chloroform	< 0.96	ug/l	0.96	3.04	1	8260B		11/28/2017	CJR	1
Chloromethane	< 1.3	ug/l	1.3	4.15	1	8260B		11/28/2017	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.15	1	8260B		11/28/2017	CJR	1
4-Chlorotoluene	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,2-Dibromo-3-chloropropane	< 1.88	ug/l	1.88	5.98	1	8260B		11/28/2017	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.44	1	8260B		11/28/2017	CJR	1
1,4-Dichlorobenzene	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,3-Dichlorobenzene	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,2-Dichlorobenzene	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Dichlorodifluoromethane	< 0.38	ug/l	0.38	1.2	1	8260B		11/28/2017	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethane	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethene	< 0.46	ug/l	0.46	1.47	1	8260B		11/28/2017	CJR	1
cis-1,2-Dichloroethene	< 0.41	ug/l	0.41	1.29	1	8260B		11/28/2017	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.12	1	8260B		11/28/2017	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.24	1	8260B		11/28/2017	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.55	1	8260B		11/28/2017	CJR	1
trans-1,3-Dichloropropene	< 0.42	ug/l	0.42	1.33	1	8260B		11/28/2017	CJR	1
cis-1,3-Dichloropropene	< 0.21	ug/l	0.21	0.65	1	8260B		11/28/2017	CJR	1
Di-isopropyl ether	< 0.26	ug/l	0.26	0.83	1	8260B		11/28/2017	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		11/28/2017	CJR	1
Hexachlorobutadiene	< 1.47	ug/l	1.47	4.68	1	8260B		11/28/2017	CJR	1
Isopropylbenzene	< 0.29	ug/l	0.29	0.93	1	8260B		11/28/2017	CJR	1
p-Isopropyltoluene	< 0.28	ug/l	0.28	0.91	1	8260B		11/28/2017	CJR	1
Methylene chloride	< 0.94	ug/l	0.94	2.98	1	8260B		11/28/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		11/28/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		11/28/2017	CJR	1
n-Propylbenzene	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
1,1,2,2-Tetrachloroethane	< 0.69	ug/l	0.69	2.21	1	8260B		11/28/2017	CJR	1
1,1,1,2-Tetrachloroethane	< 0.47	ug/l	0.47	1.48	1	8260B		11/28/2017	CJR	1
Tetrachloroethene	< 0.48	ug/l	0.48	1.52	1	8260B		11/28/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		11/28/2017	CJR	1
1,2,4-Trichlorobenzene	< 1.29	ug/l	1.29	4.1	1	8260B		11/28/2017	CJR	1
1,2,3-Trichlorobenzene	< 0.83	ug/l	0.83	2.63	1	8260B		11/28/2017	CJR	1
1,1,1-Trichloroethane	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,1,2-Trichloroethane	< 0.65	ug/l	0.65	2.06	1	8260B		11/28/2017	CJR	1
Trichloroethene (TCE)	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
Trichlorofluoromethane	< 0.64	ug/l	0.64	2.04	1	8260B		11/28/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		11/28/2017	CJR	1

Project Name VOGUE CLEANERS
Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954D
Sample ID 6349 MW-S02
Sample Matrix Water
Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		11/28/2017	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		11/28/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		11/28/2017	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/28/2017	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		11/28/2017	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		11/28/2017	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/28/2017	CJR	1

Project Name VOGUE CLEANERS
Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954E
Sample ID 6349 MW-4
Sample Matrix Water
Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		11/28/2017	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.37	1	8260B		11/28/2017	CJR	1
Bromodichloromethane	< 0.31	ug/l	0.31	1	1	8260B		11/28/2017	CJR	1
Bromoform	< 0.49	ug/l	0.49	1.56	1	8260B		11/28/2017	CJR	1
tert-Butylbenzene	< 0.39	ug/l	0.39	1.23	1	8260B		11/28/2017	CJR	1
sec-Butylbenzene	< 0.24	ug/l	0.24	0.76	1	8260B		11/28/2017	CJR	1
n-Butylbenzene	< 0.34	ug/l	0.34	1.08	1	8260B		11/28/2017	CJR	1
Carbon Tetrachloride	< 0.21	ug/l	0.21	0.68	1	8260B		11/28/2017	CJR	1
Chlorobenzene	< 0.27	ug/l	0.27	0.86	1	8260B		11/28/2017	CJR	1
Chloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		11/28/2017	CJR	1
Chloroform	< 0.96	ug/l	0.96	3.04	1	8260B		11/28/2017	CJR	1
Chloromethane	< 1.3	ug/l	1.3	4.15	1	8260B		11/28/2017	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.15	1	8260B		11/28/2017	CJR	1
4-Chlorotoluene	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,2-Dibromo-3-chloropropane	< 1.88	ug/l	1.88	5.98	1	8260B		11/28/2017	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.44	1	8260B		11/28/2017	CJR	1
1,4-Dichlorobenzene	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,3-Dichlorobenzene	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,2-Dichlorobenzene	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Dichlorodifluoromethane	< 0.38	ug/l	0.38	1.2	1	8260B		11/28/2017	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethane	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethene	< 0.46	ug/l	0.46	1.47	1	8260B		11/28/2017	CJR	1
cis-1,2-Dichloroethene	< 0.41	ug/l	0.41	1.29	1	8260B		11/28/2017	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.12	1	8260B		11/28/2017	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.24	1	8260B		11/28/2017	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.55	1	8260B		11/28/2017	CJR	1
trans-1,3-Dichloropropene	< 0.42	ug/l	0.42	1.33	1	8260B		11/28/2017	CJR	1
cis-1,3-Dichloropropene	< 0.21	ug/l	0.21	0.65	1	8260B		11/28/2017	CJR	1
Di-isopropyl ether	< 0.26	ug/l	0.26	0.83	1	8260B		11/28/2017	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		11/28/2017	CJR	1
Hexachlorobutadiene	< 1.47	ug/l	1.47	4.68	1	8260B		11/28/2017	CJR	1
Isopropylbenzene	< 0.29	ug/l	0.29	0.93	1	8260B		11/28/2017	CJR	1
p-Isopropyltoluene	< 0.28	ug/l	0.28	0.91	1	8260B		11/28/2017	CJR	1
Methylene chloride	< 0.94	ug/l	0.94	2.98	1	8260B		11/28/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		11/28/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		11/28/2017	CJR	1
n-Propylbenzene	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
1,1,2,2-Tetrachloroethane	< 0.69	ug/l	0.69	2.21	1	8260B		11/28/2017	CJR	1
1,1,1,2-Tetrachloroethane	< 0.47	ug/l	0.47	1.48	1	8260B		11/28/2017	CJR	1
Tetrachloroethene	< 0.48	ug/l	0.48	1.52	1	8260B		11/28/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		11/28/2017	CJR	1
1,2,4-Trichlorobenzene	< 1.29	ug/l	1.29	4.1	1	8260B		11/28/2017	CJR	1
1,2,3-Trichlorobenzene	< 0.83	ug/l	0.83	2.63	1	8260B		11/28/2017	CJR	1
1,1,1-Trichloroethane	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,1,2-Trichloroethane	< 0.65	ug/l	0.65	2.06	1	8260B		11/28/2017	CJR	1
Trichloroethene (TCE)	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
Trichlorofluoromethane	< 0.64	ug/l	0.64	2.04	1	8260B		11/28/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		11/28/2017	CJR	1

Project Name VOGUE CLEANERS
Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954E
Sample ID 6349 MW-4
Sample Matrix Water
Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		11/28/2017	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		11/28/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		11/28/2017	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		11/28/2017	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		11/28/2017	CJR	1
SUR - 4-Bromofluorobenzene	118	REC %			1	8260B		11/28/2017	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/28/2017	CJR	1

Project Name VOGUE CLEANERS
 Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954G
 Sample ID 6349 MW-S04
 Sample Matrix Water
 Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		11/28/2017	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.37	1	8260B		11/28/2017	CJR	1
Bromodichloromethane	< 0.31	ug/l	0.31	1	1	8260B		11/28/2017	CJR	1
Bromoform	< 0.49	ug/l	0.49	1.56	1	8260B		11/28/2017	CJR	1
tert-Butylbenzene	< 0.39	ug/l	0.39	1.23	1	8260B		11/28/2017	CJR	1
sec-Butylbenzene	< 0.24	ug/l	0.24	0.76	1	8260B		11/28/2017	CJR	1
n-Butylbenzene	< 0.34	ug/l	0.34	1.08	1	8260B		11/28/2017	CJR	1
Carbon Tetrachloride	< 0.21	ug/l	0.21	0.68	1	8260B		11/28/2017	CJR	1
Chlorobenzene	< 0.27	ug/l	0.27	0.86	1	8260B		11/28/2017	CJR	1
Chloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		11/28/2017	CJR	1
Chloroform	< 0.96	ug/l	0.96	3.04	1	8260B		11/28/2017	CJR	1
Chloromethane	< 1.3	ug/l	1.3	4.15	1	8260B		11/28/2017	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.15	1	8260B		11/28/2017	CJR	1
4-Chlorotoluene	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,2-Dibromo-3-chloropropane	< 1.88	ug/l	1.88	5.98	1	8260B		11/28/2017	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.44	1	8260B		11/28/2017	CJR	1
1,4-Dichlorobenzene	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,3-Dichlorobenzene	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,2-Dichlorobenzene	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Dichlorodifluoromethane	< 0.38	ug/l	0.38	1.2	1	8260B		11/28/2017	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethane	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethene	< 0.46	ug/l	0.46	1.47	1	8260B		11/28/2017	CJR	1
cis-1,2-Dichloroethene	< 0.41	ug/l	0.41	1.29	1	8260B		11/28/2017	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.12	1	8260B		11/28/2017	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.24	1	8260B		11/28/2017	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.55	1	8260B		11/28/2017	CJR	1
trans-1,3-Dichloropropene	< 0.42	ug/l	0.42	1.33	1	8260B		11/28/2017	CJR	1
cis-1,3-Dichloropropene	< 0.21	ug/l	0.21	0.65	1	8260B		11/28/2017	CJR	1
Di-isopropyl ether	< 0.26	ug/l	0.26	0.83	1	8260B		11/28/2017	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		11/28/2017	CJR	1
Hexachlorobutadiene	< 1.47	ug/l	1.47	4.68	1	8260B		11/28/2017	CJR	1
Isopropylbenzene	< 0.29	ug/l	0.29	0.93	1	8260B		11/28/2017	CJR	1
p-Isopropyltoluene	< 0.28	ug/l	0.28	0.91	1	8260B		11/28/2017	CJR	1
Methylene chloride	< 0.94	ug/l	0.94	2.98	1	8260B		11/28/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		11/28/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		11/28/2017	CJR	1
n-Propylbenzene	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
1,1,2,2-Tetrachloroethane	< 0.69	ug/l	0.69	2.21	1	8260B		11/28/2017	CJR	1
1,1,1,2-Tetrachloroethane	< 0.47	ug/l	0.47	1.48	1	8260B		11/28/2017	CJR	1
Tetrachloroethene	< 0.48	ug/l	0.48	1.52	1	8260B		11/28/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		11/28/2017	CJR	1
1,2,4-Trichlorobenzene	< 1.29	ug/l	1.29	4.1	1	8260B		11/28/2017	CJR	1
1,2,3-Trichlorobenzene	< 0.83	ug/l	0.83	2.63	1	8260B		11/28/2017	CJR	1
1,1,1-Trichloroethane	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,1,2-Trichloroethane	< 0.65	ug/l	0.65	2.06	1	8260B		11/28/2017	CJR	1
Trichloroethene (TCE)	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
Trichlorofluoromethane	< 0.64	ug/l	0.64	2.04	1	8260B		11/28/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		11/28/2017	CJR	1

Project Name VOGUE CLEANERS
Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954G
Sample ID 6349 MW-S04
Sample Matrix Water
Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		11/28/2017	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		11/28/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		11/28/2017	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/28/2017	CJR	1
SUR - 4-Bromofluorobenzene	118	REC %			1	8260B		11/28/2017	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/28/2017	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		11/28/2017	CJR	1

Project Name VOGUE CLEANERS
 Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954H
 Sample ID 6349 MW-S01
 Sample Matrix Water
 Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		11/28/2017	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.37	1	8260B		11/28/2017	CJR	1
Bromodichloromethane	< 0.31	ug/l	0.31	1	1	8260B		11/28/2017	CJR	1
Bromoform	< 0.49	ug/l	0.49	1.56	1	8260B		11/28/2017	CJR	1
tert-Butylbenzene	< 0.39	ug/l	0.39	1.23	1	8260B		11/28/2017	CJR	1
sec-Butylbenzene	< 0.24	ug/l	0.24	0.76	1	8260B		11/28/2017	CJR	1
n-Butylbenzene	< 0.34	ug/l	0.34	1.08	1	8260B		11/28/2017	CJR	1
Carbon Tetrachloride	< 0.21	ug/l	0.21	0.68	1	8260B		11/28/2017	CJR	1
Chlorobenzene	< 0.27	ug/l	0.27	0.86	1	8260B		11/28/2017	CJR	1
Chloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		11/28/2017	CJR	1
Chloroform	< 0.96	ug/l	0.96	3.04	1	8260B		11/28/2017	CJR	1
Chloromethane	< 1.3	ug/l	1.3	4.15	1	8260B		11/28/2017	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.15	1	8260B		11/28/2017	CJR	1
4-Chlorotoluene	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,2-Dibromo-3-chloropropane	< 1.88	ug/l	1.88	5.98	1	8260B		11/28/2017	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.44	1	8260B		11/28/2017	CJR	1
1,4-Dichlorobenzene	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,3-Dichlorobenzene	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,2-Dichlorobenzene	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Dichlorodifluoromethane	< 0.38	ug/l	0.38	1.2	1	8260B		11/28/2017	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethane	< 0.42	ug/l	0.42	1.34	1	8260B		11/28/2017	CJR	1
1,1-Dichloroethene	< 0.46	ug/l	0.46	1.47	1	8260B		11/28/2017	CJR	1
cis-1,2-Dichloroethene	< 0.41	ug/l	0.41	1.29	1	8260B		11/28/2017	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.12	1	8260B		11/28/2017	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.24	1	8260B		11/28/2017	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.55	1	8260B		11/28/2017	CJR	1
trans-1,3-Dichloropropene	< 0.42	ug/l	0.42	1.33	1	8260B		11/28/2017	CJR	1
cis-1,3-Dichloropropene	< 0.21	ug/l	0.21	0.65	1	8260B		11/28/2017	CJR	1
Di-isopropyl ether	< 0.26	ug/l	0.26	0.83	1	8260B		11/28/2017	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/28/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		11/28/2017	CJR	1
Hexachlorobutadiene	< 1.47	ug/l	1.47	4.68	1	8260B		11/28/2017	CJR	1
Isopropylbenzene	< 0.29	ug/l	0.29	0.93	1	8260B		11/28/2017	CJR	1
p-Isopropyltoluene	< 0.28	ug/l	0.28	0.91	1	8260B		11/28/2017	CJR	1
Methylene chloride	< 0.94	ug/l	0.94	2.98	1	8260B		11/28/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		11/28/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		11/28/2017	CJR	1
n-Propylbenzene	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
1,1,2,2-Tetrachloroethane	< 0.69	ug/l	0.69	2.21	1	8260B		11/28/2017	CJR	1
1,1,1,2-Tetrachloroethane	< 0.47	ug/l	0.47	1.48	1	8260B		11/28/2017	CJR	1
Tetrachloroethene	< 0.48	ug/l	0.48	1.52	1	8260B		11/28/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		11/28/2017	CJR	1
1,2,4-Trichlorobenzene	< 1.29	ug/l	1.29	4.1	1	8260B		11/28/2017	CJR	1
1,2,3-Trichlorobenzene	< 0.83	ug/l	0.83	2.63	1	8260B		11/28/2017	CJR	1
1,1,1-Trichloroethane	< 0.35	ug/l	0.35	1.11	1	8260B		11/28/2017	CJR	1
1,1,2-Trichloroethane	< 0.65	ug/l	0.65	2.06	1	8260B		11/28/2017	CJR	1
Trichloroethene (TCE)	< 0.45	ug/l	0.45	1.43	1	8260B		11/28/2017	CJR	1
Trichlorofluoromethane	< 0.64	ug/l	0.64	2.04	1	8260B		11/28/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		11/28/2017	CJR	1

Project Name VOGUE CLEANERS
Project # 6349 PO#2017-1700

Invoice # E33954

Lab Code 5033954H
Sample ID 6349 MW-S01
Sample Matrix Water
Sample Date 11/22/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		11/28/2017	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.62	1	8260B		11/28/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		11/28/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		11/28/2017	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/28/2017	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		11/28/2017	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/28/2017	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		11/28/2017	CJR	1

CHAIN OF CUSTODY RECORD

PO# 2017-1700

Synergy

Environmental Lab, Inc.

Chain # No 339

Page 1 of 1

Lab I.D. #	
Account No. :	Quote No.:
Project #: 6348	
Sampler: (signature) <i>R. P. [unclear]</i>	

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____ (Rushes accepted only with prior authorization)
<input type="checkbox"/> Normal Turn Around

Project (Name / Location): <i>Vogel Cleaners, Waunakee, WI</i>	
Reports To: <i>R. Hoyerman / K. Henstead</i>	Invoice To:
Company: <i>Enviroforensics</i>	Company:
Address: <i>M16 W23390 Stone Ridge Dr.</i>	Address:
City State Zip: <i>Waunakee, WI 53188</i>	City State Zip:
Phone: <i>262-510-0612</i>	Phone:
FAX: <i>262-510-0460</i>	FAX:

Analysis Requested												Other Analysis		
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID	
<i>5033959A</i>	<i>6348 MW-503</i>	<i>11-22-17</i>	<i>1032</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>B</i>	<i>6348 MW-1</i>	<i>11-22-17</i>	<i>1045</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>C</i>	<i>6348 MW-3</i>	<i>11-22-17</i>	<i>1058</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>D</i>	<i>6348 MW-502</i>	<i>11-22-17</i>	<i>1108</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>E</i>	<i>6348 MW-4</i>	<i>11-22-17</i>	<i>1121</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>F</i>	<i>6348 MW-2</i>	<i>11-22-17</i>	<i>1132</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>G</i>	<i>6348 MW-504</i>	<i>11-22-17</i>	<i>1147</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>H</i>	<i>6348 MW-501</i>	<i>11-22-17</i>	<i>1159</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>I</i>	<i>6348 DW-1</i>	<i>11-22-17</i>			<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			
<i>J</i>	<i>6348 TB</i>	<i>11-22-17</i>			<i>X</i>	<i>N</i>	<i>1</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *Client*

Temp. of Temp. Blank _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) <i>R. P. [unclear]</i>	Time <i>1:05</i>	Date <i>11/27</i>	Received By: (sign) _____	Time _____	Date _____
Received in Laboratory By: <i>G. [unclear]</i>	Time: <i>1:05</i>	Date: <i>11/27/17</i>			

POH 2017-1690

Synergy

Environmental Lab, Inc.

Lab I.D. #	
Account No.:	Quote No.:
Project #: 6349	
Sampler: (signature) <i>R. Gode</i>	

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____ (Rushes accepted only with prior authorization)
Normal Turn Around _____

Project (Name / Location): <i>Vogue Cleaners, Wauwatosa WI</i>	
Reports To: <i>R. Hoyerman / R. Heinstad</i>	Invoice To:
Company: <i>Enviro Horizons</i>	Company:
Address: <i>NI6 ~ 23390 Stone Ridge Dr.</i>	Address:
City State Zip: <i>Wauwatosa, WI 53198</i>	City State Zip:
Phone: <i>262-310-0612</i>	Phone:
FAX: <i>262-310-0466</i>	FAX:

Analysis Requested													Other Analysis			
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	FID/ FID		

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<i>S03354 K</i>	<i>6349-10A</i>	<i>11-27-17</i>	<i>1237</i>	<i>X</i>		<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab. Method of Shipment: <i>Client</i> Temp. of Temp. Blank _____ °C On Ice: <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Relinquished By: (sign) <i>R. Gode</i>	Time <i>1305</i>	Date <i>11/27</i>	Received By: (sign) _____	Time _____	Date _____
	Received in Laboratory By: <i>Gwen Dautman</i>					
	Time: <i>1:05</i> Date: <i>11/27/17</i>					