

Notification For Hazardous Substance Discharge
(Non-Emergency Only)

02-44-562823

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to s. 292.11 Wis. Stats. Non-emergency hazardous substance discharges may be reported by telefaxing or e-mailing a completed report to the Department, or calling or visiting a Department office in person. If you choose to notify the Department by telefax or by email, you should use this form to be sure that all necessary information is included. However, use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 – 19.39, Wis. Stats.).

Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. **TYPE or PRINT LEGIBLY.** NOTIFY appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (check one):

- Underground Petroleum Storage Tank System (additional information may be required for Item 6 below)
- Aboveground Petroleum Storage Tank System
- Dry Cleaner Facility
- Other - Describe: _____

ATTN DNR: **R & R Program Associate**

Date DNR Notified: 10/31/2014

1. Discharge Reported By

Name Hollie DePuydt	Firm Sand Creek Consultants, Inc.	Phone No. (include area code) (715) 365-1818
Mailing Address 108 E Davenport St		Email Address hollie.depuydt@sand-creek.com

2. Site Information

Name of site at which discharge occurred. Include local name of site/business, not responsible party name, unless a residence/vacant property. Former Lindey Cleaners

Location: Include street address, not PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60. 34 S Stevens Street

Municipality: (City, Village, Township) Specify municipality in which the site is located, not mailing address/city.

Rhineland

County: Oneida	Legal Description: SE 1/4 NE 1/4 Sec 6 Tn 36 Range 9	WTM: X 565858 Y 573922
-------------------	---	---------------------------

3. Responsible Party (RP) and/or RP Representative

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

City of Rhineland

- Reported in compliance with s. 292.11(2), Wis. Stats., by a local government exempt from liability under s. 292.11(9)(e), Wis. Stats. For more information see <http://dnr.wi.gov/topic/Brownfields/Liability.html>.

Contact Person Name (if different) Mr. Blaine Oborn	Phone Number (715) 365-8600	Email Address admin@rhinelandercityhall.com	
Mailing Address 135 S Stevens St	City Rhineland	State WI	ZIP Code 54501

Property owner if Different From RP: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

Contact Person Name (if different)	Phone Number	Email Address	
Mailing Address	City	State	ZIP Code

4. Hazardous Substance Information

Identify hazardous substance discharged (check all that apply):

- | | | |
|--|---|--|
| <input checked="" type="checkbox"/> VOC's | <input type="checkbox"/> Diesel | <input type="checkbox"/> PERC (Dry Cleaners) |
| <input type="checkbox"/> PAH's | <input type="checkbox"/> Fuel Oil | <input type="checkbox"/> RCRA Hazardous Waste |
| <input type="checkbox"/> Metals (specify): _____ | <input type="checkbox"/> Gasoline | <input type="checkbox"/> Leachate |
| <input type="checkbox"/> Arsenic | <input type="checkbox"/> Hydraulic Oil | <input type="checkbox"/> Fertilizer |
| <input type="checkbox"/> Chromium | <input type="checkbox"/> Jet Fuel | <input type="checkbox"/> Pesticide/Herbicide/Insecticide(s) |
| <input type="checkbox"/> Cyanide | <input type="checkbox"/> Mineral Oil | <input checked="" type="checkbox"/> Other (specify): <u>Stoddard Solvent</u> |
| <input type="checkbox"/> Lead | <input type="checkbox"/> Waste Oil | <input type="checkbox"/> Unknown |
| <input type="checkbox"/> PCB's | <input type="checkbox"/> Petroleum-Unknown Type | |

5. Impacts to the Environment Information

Enter "K" for known/confirmed or "P" for potential for all that apply.

- | | | |
|---|---|--|
| <input type="checkbox"/> Air Contamination | <input type="checkbox"/> Sanitary Sewer Contamination | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Co-Contamination (Petroleum & Non-Petroleum) | <input type="checkbox"/> Contamination in Right of Way | <input type="checkbox"/> Storm Sewer |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input type="checkbox"/> Fire Explosion Threat | <input type="checkbox"/> Surface Water Contamination |
| <input type="checkbox"/> Contaminated Private Well | <input type="checkbox"/> Free Product | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Public Well | <input checked="" type="checkbox"/> Groundwater Contamination | <input type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contamination in Fractured Bedrock | <input type="checkbox"/> Off-Site Contamination | |
| | <input type="checkbox"/> Other (specify): _____ | |

Contamination was discovered as a result of:

- | | | |
|--|---|--|
| <input type="checkbox"/> Tank closure assessment | <input checked="" type="checkbox"/> Site assessment | <input type="checkbox"/> Other - Describe: _____ |
| Date <input type="text"/> | Date <u>09/22/2014</u> | Date <input type="text"/> |

Lab results: Lab results will be faxed upon receipt Lab results are attached

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.

a groundwater investigation is being completed

6. Federal Energy Act Requirements (Section 9002(d) of the Solid Waste Disposal Act (SWDA))

For all confirmed releases from UST's occurring after 9/30/2007 please provide the following information:

- | <u>Source</u> | <u>Cause</u> |
|---|--|
| <input type="checkbox"/> Tank | <input type="checkbox"/> Spill |
| <input type="checkbox"/> Piping | <input type="checkbox"/> Overfill |
| <input type="checkbox"/> Dispenser | <input type="checkbox"/> Corrosion |
| <input type="checkbox"/> Submersible Turbine Pump | <input type="checkbox"/> Physical or Mechanical Damage |
| <input type="checkbox"/> Delivery Problem | <input type="checkbox"/> Installation Problem |
| <input type="checkbox"/> Other (specify): _____ | <input type="checkbox"/> Other (does not fit any of above) |
| | <input type="checkbox"/> Unknown |

Contact information to report non-emergency releases in DNR's five regions are as follows:

- Northeast Region (FAX: 920-662-5197); Attention -- R&R Program Associate: DNRRRNER@wisconsin.gov**
Brown, Calumet, Door, Fond du Lac (except City of Waupun - see South Central Region), Green Lake, Kewaunee, Manitowoc, Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Sheboygan, Waupaca, Waushara, Winnebago counties
- Northern Region (FAX: 715-623-6773); Attention -- R&R Program Associate: DNRRRNOR@wisconsin.gov**
Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Langlade, Lincoln, Oneida, Polk, Price, Rusk, Sawyer, Taylor, Vilas, Washburn counties
- South Central Region (FAX: 608-273-5610); Attention -- R&R Program Associate: DNRRRSCR@wisconsin.gov**
Columbia, Dane, Dodge, Fond du Lac (City of Waupun only), Grant, Green, Iowa, Jefferson, Lafayette, Richland, Rock, Sauk, Walworth counties
- Southeast Region (FAX: 414-263-8550); Attention -- R&R Program Associate: DNRRRSER@wisconsin.gov**
Kenosha, Milwaukee, Ozaukee, Racine, Washington, Waukesha counties
- West Central Region (FAX: 715-839-6076); Attention -- R&R Program Associate: DNRRRWCR@wisconsin.gov**
Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties

September 30, 2014

Hollie DePuydt
SAND CREEK CONSULTANTS, INC.
108 E. Davenport Street
Rhineland, WI 54501

RE: Project: LINDEY CLEANERS
Pace Project No.: 40103891

Dear Hollie DePuydt:

Enclosed are the analytical results for sample(s) received by the laboratory on September 24, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 11888

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

US Dept of Agriculture #: S-76505

Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40103891001	B-1	Water	09/22/14 09:15	09/24/14 08:40
40103891002	B-2	Water	09/22/14 09:50	09/24/14 08:40
40103891003	B-3	Water	09/22/14 10:15	09/24/14 08:40
40103891004	B-4	Water	09/22/14 10:35	09/24/14 08:40
40103891005	B-5	Water	09/22/14 10:50	09/24/14 08:40
40103891006	B-6	Water	09/22/14 11:35	09/24/14 08:40
40103891007	B-7	Water	09/22/14 12:08	09/24/14 08:40
40103891008	B-8	Water	09/22/14 12:50	09/24/14 08:40
40103891009	B-9	Water	09/22/14 13:20	09/24/14 08:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40103891001	B-1	EPA 8260	HNW	63
40103891002	B-2	EPA 8260	HNW	63
40103891003	B-3	EPA 8260	HNW	63
40103891004	B-4	EPA 8260	HNW	63
40103891005	B-5	EPA 8260	HNW	63
40103891006	B-6	EPA 8260	HNW	63
40103891007	B-7	EPA 8260	HNW	63
40103891008	B-8	EPA 8260	HNW	63
40103891009	B-9	EPA 8260	HNW	63

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40103891001	B-1					
EPA 8260	1,2,4-Trimethylbenzene	911	ug/L	5.0	09/26/14 10:31	
EPA 8260	1,3,5-Trimethylbenzene	256	ug/L	5.0	09/26/14 10:31	
EPA 8260	Ethylbenzene	6.9	ug/L	5.0	09/26/14 10:31	
EPA 8260	Isopropylbenzene (Cumene)	20.5	ug/L	5.0	09/26/14 10:31	
EPA 8260	Naphthalene	28.8	ug/L	25.0	09/26/14 10:31	
EPA 8260	Xylene (Total)	10.9J	ug/L	15.0	09/26/14 10:31	
EPA 8260	n-Butylbenzene	30.0	ug/L	5.0	09/26/14 10:31	
EPA 8260	n-Propylbenzene	55.9	ug/L	5.0	09/26/14 10:31	
EPA 8260	p-Isopropyltoluene	35.6	ug/L	5.0	09/26/14 10:31	
EPA 8260	sec-Butylbenzene	25.7	ug/L	25.0	09/26/14 10:31	
EPA 8260	tert-Butylbenzene	4.3J	ug/L	5.0	09/26/14 10:31	
40103891002	B-2					
EPA 8260	Tetrachloroethene	3.6	ug/L	1.0	09/26/14 12:00	L1
40103891003	B-3					
EPA 8260	1,2,4-Trimethylbenzene	15.3	ug/L	1.0	09/26/14 12:23	
EPA 8260	1,3,5-Trimethylbenzene	2.7	ug/L	1.0	09/26/14 12:23	
EPA 8260	Ethylbenzene	1.6	ug/L	1.0	09/26/14 12:23	
EPA 8260	Isopropylbenzene (Cumene)	1.5	ug/L	1.0	09/26/14 12:23	
EPA 8260	Tetrachloroethene	2.4	ug/L	1.0	09/26/14 12:23	L1
EPA 8260	n-Propylbenzene	4.6	ug/L	1.0	09/26/14 12:23	
EPA 8260	p-Isopropyltoluene	1.7	ug/L	1.0	09/26/14 12:23	
EPA 8260	tert-Butylbenzene	0.46J	ug/L	1.0	09/26/14 12:23	
40103891006	B-6					
EPA 8260	Bromodichloromethane	0.68J	ug/L	1.0	09/26/14 13:30	
EPA 8260	Chloroform	5.8	ug/L	5.0	09/26/14 13:30	
40103891008	B-8					
EPA 8260	1,3,5-Trimethylbenzene	3.3	ug/L	1.0	09/26/14 14:15	
40103891009	B-9					
EPA 8260	1,2,4-Trimethylbenzene	51.9	ug/L	1.0	09/26/14 14:37	
EPA 8260	1,3,5-Trimethylbenzene	20.8	ug/L	1.0	09/26/14 14:37	
EPA 8260	Dichlorodifluoromethane	0.32J	ug/L	1.0	09/26/14 14:37	
EPA 8260	Ethylbenzene	1.1	ug/L	1.0	09/26/14 14:37	
EPA 8260	Isopropylbenzene (Cumene)	6.5	ug/L	1.0	09/26/14 14:37	
EPA 8260	Naphthalene	11.9	ug/L	5.0	09/26/14 14:37	
EPA 8260	n-Butylbenzene	4.5	ug/L	1.0	09/26/14 14:37	
EPA 8260	n-Propylbenzene	10.9	ug/L	1.0	09/26/14 14:37	
EPA 8260	p-Isopropyltoluene	8.7	ug/L	1.0	09/26/14 14:37	
EPA 8260	sec-Butylbenzene	16.9	ug/L	5.0	09/26/14 14:37	
EPA 8260	tert-Butylbenzene	3.4	ug/L	1.0	09/26/14 14:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-1 Lab ID: 40103891001 Collected: 09/22/14 09:15 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<0.90	ug/L	5.0	0.90	5		09/26/14 10:31	630-20-6	
1,1,1-Trichloroethane	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	71-55-6	
1,1,2,2-Tetrachloroethane	<1.2	ug/L	5.0	1.2	5		09/26/14 10:31	79-34-5	
1,1,2-Trichloroethane	<0.78	ug/L	5.0	0.78	5		09/26/14 10:31	79-00-5	
1,1-Dichloroethane	<1.2	ug/L	5.0	1.2	5		09/26/14 10:31	75-34-3	
1,1-Dichloroethene	<2.1	ug/L	5.0	2.1	5		09/26/14 10:31	75-35-4	
1,1-Dichloropropene	<2.2	ug/L	5.0	2.2	5		09/26/14 10:31	563-58-6	
1,2,3-Trichlorobenzene	<10.7	ug/L	25.0	10.7	5		09/26/14 10:31	87-61-6	
1,2,3-Trichloropropane	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	96-18-4	
1,2,4-Trichlorobenzene	<11.0	ug/L	25.0	11.0	5		09/26/14 10:31	120-82-1	
1,2,4-Trimethylbenzene	911	ug/L	5.0	2.5	5		09/26/14 10:31	95-63-6	
1,2-Dibromo-3-chloropropane	<10.8	ug/L	25.0	10.8	5		09/26/14 10:31	96-12-8	
1,2-Dibromoethane (EDB)	<0.82	ug/L	5.0	0.82	5		09/26/14 10:31	106-93-4	
1,2-Dichlorobenzene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	95-50-1	
1,2-Dichloroethane	<0.84	ug/L	5.0	0.84	5		09/26/14 10:31	107-06-2	
1,2-Dichloropropane	<1.2	ug/L	5.0	1.2	5		09/26/14 10:31	78-87-5	
1,3,5-Trimethylbenzene	256	ug/L	5.0	2.5	5		09/26/14 10:31	108-67-8	
1,3-Dichlorobenzene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	541-73-1	
1,3-Dichloropropane	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	142-28-9	
1,4-Dichlorobenzene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	106-46-7	
2,2-Dichloropropane	<2.4	ug/L	5.0	2.4	5		09/26/14 10:31	594-20-7	
2-Chlorotoluene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	95-49-8	
4-Chlorotoluene	<1.1	ug/L	5.0	1.1	5		09/26/14 10:31	106-43-4	
Benzene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	71-43-2	
Bromobenzene	<1.2	ug/L	5.0	1.2	5		09/26/14 10:31	108-86-1	
Bromochloromethane	<1.7	ug/L	5.0	1.7	5		09/26/14 10:31	74-97-5	
Bromodichloromethane	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	75-27-4	
Bromoform	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	75-25-2	
Bromomethane	<12.2	ug/L	25.0	12.2	5		09/26/14 10:31	74-83-9	
Carbon tetrachloride	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	56-23-5	
Chlorobenzene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	108-90-7	
Chloroethane	<1.9	ug/L	5.0	1.9	5		09/26/14 10:31	75-00-3	
Chloroform	<12.5	ug/L	25.0	12.5	5		09/26/14 10:31	67-66-3	
Chloromethane	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	74-87-3	
Dibromochloromethane	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	124-48-1	
Dibromomethane	<2.1	ug/L	5.0	2.1	5		09/26/14 10:31	74-95-3	
Dichlorodifluoromethane	<1.0	ug/L	5.0	1.0	5		09/26/14 10:31	75-71-8	
Diisopropyl ether	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	108-20-3	
Ethylbenzene	6.9	ug/L	5.0	2.5	5		09/26/14 10:31	100-41-4	
Hexachloro-1,3-butadiene	<10.5	ug/L	25.0	10.5	5		09/26/14 10:31	87-68-3	
Isopropylbenzene (Cumene)	20.5	ug/L	5.0	0.72	5		09/26/14 10:31	98-82-8	
Methyl-tert-butyl ether	<0.87	ug/L	5.0	0.87	5		09/26/14 10:31	1634-04-4	
Methylene Chloride	<1.2	ug/L	5.0	1.2	5		09/26/14 10:31	75-09-2	
Naphthalene	28.8	ug/L	25.0	12.5	5		09/26/14 10:31	91-20-3	
Styrene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	100-42-5	
Tetrachloroethene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	127-18-4	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-1 **Lab ID: 40103891001** Collected: 09/22/14 09:15 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	108-88-3	
Trichloroethene	<1.7	ug/L	5.0	1.7	5		09/26/14 10:31	79-01-6	
Trichlorofluoromethane	<0.86	ug/L	5.0	0.86	5		09/26/14 10:31	75-69-4	
Vinyl chloride	<0.88	ug/L	5.0	0.88	5		09/26/14 10:31	75-01-4	
Xylene (Total)	10.9J	ug/L	15.0	7.5	5		09/26/14 10:31	1330-20-7	
cis-1,2-Dichloroethene	<1.3	ug/L	5.0	1.3	5		09/26/14 10:31	156-59-2	
cis-1,3-Dichloropropene	<2.5	ug/L	5.0	2.5	5		09/26/14 10:31	10061-01-5	
n-Butylbenzene	30.0	ug/L	5.0	2.5	5		09/26/14 10:31	104-51-8	
n-Propylbenzene	55.9	ug/L	5.0	2.5	5		09/26/14 10:31	103-65-1	
p-Isopropyltoluene	35.6	ug/L	5.0	2.5	5		09/26/14 10:31	99-87-6	
sec-Butylbenzene	25.7	ug/L	25.0	10.9	5		09/26/14 10:31	135-98-8	
tert-Butylbenzene	4.3J	ug/L	5.0	0.90	5		09/26/14 10:31	98-06-6	
trans-1,2-Dichloroethene	<1.3	ug/L	5.0	1.3	5		09/26/14 10:31	156-60-5	
trans-1,3-Dichloropropene	<1.1	ug/L	5.0	1.1	5		09/26/14 10:31	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	97 %		59-130		5		09/26/14 10:31	460-00-4	
Dibromofluoromethane (S)	89 %		70-130		5		09/26/14 10:31	1868-53-7	
Toluene-d8 (S)	91 %		70-130		5		09/26/14 10:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-2 Lab ID: 40103891002 Collected: 09/22/14 09:50 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 12:00	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 12:00	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 12:00	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 12:00	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 12:00	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 12:00	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 12:00	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 12:00	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 12:00	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 12:00	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 12:00	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 12:00	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 12:00	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 12:00	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 12:00	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 12:00	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 12:00	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 12:00	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/26/14 12:00	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 12:00	74-95-3	
Dichlorodifluoromethane	<0.20	ug/L	1.0	0.20	1		09/26/14 12:00	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 12:00	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/26/14 12:00	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 12:00	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 12:00	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/26/14 12:00	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	100-42-5	
Tetrachloroethene	3.6	ug/L	1.0	0.50	1		09/26/14 12:00	127-18-4	L1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-2 **Lab ID: 40103891002** Collected: 09/22/14 09:50 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 12:00	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 12:00	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 12:00	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 12:00	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 12:00	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	10061-01-5	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	103-65-1	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:00	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 12:00	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/26/14 12:00	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 12:00	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 12:00	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92 %		59-130		1		09/26/14 12:00	460-00-4	
Dibromofluoromethane (S)	90 %		70-130		1		09/26/14 12:00	1868-53-7	
Toluene-d8 (S)	92 %		70-130		1		09/26/14 12:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS
Pace Project No.: 40103891

Sample: B-3 **Lab ID: 40103891003** Collected: 09/22/14 10:15 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 12:23	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 12:23	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 12:23	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 12:23	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 12:23	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 12:23	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 12:23	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 12:23	120-82-1	
1,2,4-Trimethylbenzene	15.3	ug/L	1.0	0.50	1		09/26/14 12:23	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 12:23	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 12:23	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 12:23	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 12:23	78-87-5	
1,3,5-Trimethylbenzene	2.7	ug/L	1.0	0.50	1		09/26/14 12:23	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 12:23	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 12:23	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 12:23	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 12:23	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 12:23	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 12:23	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/26/14 12:23	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 12:23	74-95-3	
Dichlorodifluoromethane	<0.20	ug/L	1.0	0.20	1		09/26/14 12:23	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	108-20-3	
Ethylbenzene	1.6	ug/L	1.0	0.50	1		09/26/14 12:23	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 12:23	87-68-3	
Isopropylbenzene (Cumene)	1.5	ug/L	1.0	0.14	1		09/26/14 12:23	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 12:23	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 12:23	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/26/14 12:23	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	100-42-5	
Tetrachloroethene	2.4	ug/L	1.0	0.50	1		09/26/14 12:23	127-18-4	L1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-3 **Lab ID: 40103891003** Collected: 09/22/14 10:15 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 12:23	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 12:23	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 12:23	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 12:23	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 12:23	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	10061-01-5	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:23	104-51-8	
n-Propylbenzene	4.6	ug/L	1.0	0.50	1		09/26/14 12:23	103-65-1	
p-Isopropyltoluene	1.7	ug/L	1.0	0.50	1		09/26/14 12:23	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 12:23	135-98-8	
tert-Butylbenzene	0.46J	ug/L	1.0	0.18	1		09/26/14 12:23	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 12:23	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 12:23	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	98 %		59-130		1		09/26/14 12:23	460-00-4	
Dibromofluoromethane (S)	90 %		70-130		1		09/26/14 12:23	1868-53-7	
Toluene-d8 (S)	92 %		70-130		1		09/26/14 12:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS
Pace Project No.: 40103891

Sample: B-4 Lab ID: 40103891004 Collected: 09/22/14 10:35 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 12:45	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 12:45	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 12:45	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 12:45	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 12:45	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 12:45	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 12:45	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 12:45	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 12:45	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 12:45	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 12:45	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 12:45	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 12:45	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 12:45	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 12:45	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 12:45	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 12:45	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 12:45	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/26/14 12:45	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 12:45	74-95-3	
Dichlorodifluoromethane	<0.20	ug/L	1.0	0.20	1		09/26/14 12:45	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 12:45	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/26/14 12:45	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 12:45	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 12:45	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/26/14 12:45	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	127-18-4	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-4 **Lab ID: 40103891004** Collected: 09/22/14 10:35 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 12:45	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 12:45	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 12:45	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 12:45	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 12:45	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	10061-01-5	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	103-65-1	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 12:45	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 12:45	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/26/14 12:45	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 12:45	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 12:45	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		59-130		1		09/26/14 12:45	460-00-4	
Dibromofluoromethane (S)	90 %		70-130		1		09/26/14 12:45	1868-53-7	
Toluene-d8 (S)	92 %		70-130		1		09/26/14 12:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-5 Lab ID: 40103891005 Collected: 09/22/14 10:50 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 13:08	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 13:08	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 13:08	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 13:08	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 13:08	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 13:08	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 13:08	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 13:08	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 13:08	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 13:08	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 13:08	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 13:08	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 13:08	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 13:08	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 13:08	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 13:08	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 13:08	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 13:08	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/26/14 13:08	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 13:08	74-95-3	
Dichlorodifluoromethane	<0.20	ug/L	1.0	0.20	1		09/26/14 13:08	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 13:08	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/26/14 13:08	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 13:08	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 13:08	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/26/14 13:08	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	127-18-4	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-5 **Lab ID: 40103891005** Collected: 09/22/14 10:50 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 13:08	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 13:08	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 13:08	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 13:08	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 13:08	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	10061-01-5	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	103-65-1	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:08	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 13:08	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/26/14 13:08	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 13:08	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 13:08	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		1		09/26/14 13:08	460-00-4	
Dibromofluoromethane (S)	90 %		70-130		1		09/26/14 13:08	1868-53-7	
Toluene-d8 (S)	92 %		70-130		1		09/26/14 13:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS
Pace Project No.: 40103891

Sample: B-6 Lab ID: 40103891006 Collected: 09/22/14 11:35 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 13:30	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 13:30	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 13:30	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 13:30	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 13:30	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 13:30	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 13:30	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 13:30	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 13:30	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 13:30	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 13:30	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 13:30	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 13:30	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 13:30	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 13:30	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 13:30	74-97-5	
Bromodichloromethane	0.68J	ug/L	1.0	0.50	1		09/26/14 13:30	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 13:30	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 13:30	75-00-3	
Chloroform	5.8	ug/L	5.0	2.5	1		09/26/14 13:30	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 13:30	74-95-3	
Dichlorodifluoromethane	<0.20	ug/L	1.0	0.20	1		09/26/14 13:30	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 13:30	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/26/14 13:30	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 13:30	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 13:30	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/26/14 13:30	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	127-18-4	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-6 **Lab ID: 40103891006** Collected: 09/22/14 11:35 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 13:30	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 13:30	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 13:30	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 13:30	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 13:30	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	10061-01-5	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	103-65-1	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:30	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 13:30	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/26/14 13:30	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 13:30	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 13:30	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91 %		59-130		1		09/26/14 13:30	460-00-4	
Dibromofluoromethane (S)	90 %		70-130		1		09/26/14 13:30	1868-53-7	
Toluene-d8 (S)	91 %		70-130		1		09/26/14 13:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-7 **Lab ID: 40103891007** Collected: 09/22/14 12:08 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 13:52	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 13:52	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 13:52	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 13:52	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 13:52	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 13:52	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 13:52	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 13:52	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 13:52	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 13:52	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 13:52	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 13:52	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 13:52	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 13:52	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 13:52	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 13:52	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 13:52	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 13:52	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/26/14 13:52	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 13:52	74-95-3	
Dichlorodifluoromethane	<0.20	ug/L	1.0	0.20	1		09/26/14 13:52	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 13:52	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/26/14 13:52	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 13:52	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 13:52	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/26/14 13:52	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	127-18-4	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-7 **Lab ID: 40103891007** Collected: 09/22/14 12:08 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 13:52	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 13:52	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 13:52	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 13:52	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 13:52	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	10061-01-5	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	103-65-1	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 13:52	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 13:52	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/26/14 13:52	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 13:52	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 13:52	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90 %		59-130		1		09/26/14 13:52	460-00-4	
Dibromofluoromethane (S)	90 %		70-130		1		09/26/14 13:52	1868-53-7	
Toluene-d8 (S)	92 %		70-130		1		09/26/14 13:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-8 **Lab ID: 40103891008** Collected: 09/22/14 12:50 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 14:15	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 14:15	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 14:15	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 14:15	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 14:15	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 14:15	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 14:15	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 14:15	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 14:15	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 14:15	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 14:15	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 14:15	78-87-5	
1,3,5-Trimethylbenzene	3.3	ug/L	1.0	0.50	1		09/26/14 14:15	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 14:15	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 14:15	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 14:15	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 14:15	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 14:15	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 14:15	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/26/14 14:15	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 14:15	74-95-3	
Dichlorodifluoromethane	<0.20	ug/L	1.0	0.20	1		09/26/14 14:15	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 14:15	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/26/14 14:15	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 14:15	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 14:15	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/26/14 14:15	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	127-18-4	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-8 **Lab ID: 40103891008** Collected: 09/22/14 12:50 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 14:15	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 14:15	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 14:15	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 14:15	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 14:15	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	10061-01-5	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	103-65-1	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:15	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 14:15	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/26/14 14:15	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 14:15	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 14:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	59-130		1		09/26/14 14:15	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		09/26/14 14:15	1868-53-7	
Toluene-d8 (S)	91	%	70-130		1		09/26/14 14:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-9 **Lab ID: 40103891009** Collected: 09/22/14 13:20 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/26/14 14:37	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/26/14 14:37	79-34-5	
1,1,2-Trichloroethane	<0.16	ug/L	1.0	0.16	1		09/26/14 14:37	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/26/14 14:37	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/26/14 14:37	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/26/14 14:37	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/26/14 14:37	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/26/14 14:37	120-82-1	
1,2,4-Trimethylbenzene	51.9	ug/L	1.0	0.50	1		09/26/14 14:37	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/26/14 14:37	96-12-8	
1,2-Dibromoethane (EDB)	<0.16	ug/L	1.0	0.16	1		09/26/14 14:37	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/26/14 14:37	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/26/14 14:37	78-87-5	
1,3,5-Trimethylbenzene	20.8	ug/L	1.0	0.50	1		09/26/14 14:37	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/26/14 14:37	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/26/14 14:37	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/26/14 14:37	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/26/14 14:37	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/26/14 14:37	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/26/14 14:37	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/26/14 14:37	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/26/14 14:37	74-95-3	
Dichlorodifluoromethane	0.32J	ug/L	1.0	0.20	1		09/26/14 14:37	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	108-20-3	
Ethylbenzene	1.1	ug/L	1.0	0.50	1		09/26/14 14:37	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/26/14 14:37	87-68-3	
Isopropylbenzene (Cumene)	6.5	ug/L	1.0	0.14	1		09/26/14 14:37	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/26/14 14:37	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/26/14 14:37	75-09-2	
Naphthalene	11.9	ug/L	5.0	2.5	1		09/26/14 14:37	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	127-18-4	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Sample: B-9 **Lab ID: 40103891009** Collected: 09/22/14 13:20 Received: 09/24/14 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/26/14 14:37	79-01-6	
Trichlorofluoromethane	<0.17	ug/L	1.0	0.17	1		09/26/14 14:37	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/26/14 14:37	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		09/26/14 14:37	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 14:37	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/26/14 14:37	10061-01-5	
n-Butylbenzene	4.5	ug/L	1.0	0.50	1		09/26/14 14:37	104-51-8	
n-Propylbenzene	10.9	ug/L	1.0	0.50	1		09/26/14 14:37	103-65-1	
p-Isopropyltoluene	8.7	ug/L	1.0	0.50	1		09/26/14 14:37	99-87-6	
sec-Butylbenzene	16.9	ug/L	5.0	2.2	1		09/26/14 14:37	135-98-8	
tert-Butylbenzene	3.4	ug/L	1.0	0.18	1		09/26/14 14:37	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/26/14 14:37	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/26/14 14:37	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99 %		59-130		1		09/26/14 14:37	460-00-4	
Dibromofluoromethane (S)	88 %		70-130		1		09/26/14 14:37	1868-53-7	
Toluene-d8 (S)	91 %		70-130		1		09/26/14 14:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: LINDEY CLEANERS

Pace Project No.: 40103891

METHOD BLANK: 1050358

Matrix: Water

Associated Lab Samples: 40103891001, 40103891002, 40103891003, 40103891004, 40103891005, 40103891006, 40103891007, 40103891008, 40103891009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	09/26/14 06:24	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	09/26/14 06:24	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	09/26/14 06:24	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	09/26/14 06:24	
Methylene Chloride	ug/L	<0.23	1.0	09/26/14 06:24	
n-Butylbenzene	ug/L	<0.50	1.0	09/26/14 06:24	
n-Propylbenzene	ug/L	<0.50	1.0	09/26/14 06:24	
Naphthalene	ug/L	<2.5	5.0	09/26/14 06:24	
p-Isopropyltoluene	ug/L	<0.50	1.0	09/26/14 06:24	
sec-Butylbenzene	ug/L	<2.2	5.0	09/26/14 06:24	
Styrene	ug/L	<0.50	1.0	09/26/14 06:24	
tert-Butylbenzene	ug/L	<0.18	1.0	09/26/14 06:24	
Tetrachloroethene	ug/L	<0.50	1.0	09/26/14 06:24	
Toluene	ug/L	<0.50	1.0	09/26/14 06:24	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	09/26/14 06:24	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	09/26/14 06:24	
Trichloroethene	ug/L	<0.33	1.0	09/26/14 06:24	
Trichlorofluoromethane	ug/L	<0.17	1.0	09/26/14 06:24	
Vinyl chloride	ug/L	<0.18	1.0	09/26/14 06:24	
Xylene (Total)	ug/L	<1.5	3.0	09/26/14 06:24	
4-Bromofluorobenzene (S)	%	93	59-130	09/26/14 06:24	
Dibromofluoromethane (S)	%	89	70-130	09/26/14 06:24	
Toluene-d8 (S)	%	93	70-130	09/26/14 06:24	

LABORATORY CONTROL SAMPLE & LCSD: 1050359

1050360

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.8	56.1	110	112	70-130	2	20	
1,1,2,2-Tetrachloroethane	ug/L	50	42.8	44.1	86	88	70-130	3	20	
1,1,2-Trichloroethane	ug/L	50	51.1	52.7	102	105	70-130	3	20	
1,1-Dichloroethane	ug/L	50	45.8	46.5	92	93	70-130	2	20	
1,1-Dichloroethene	ug/L	50	50.6	52.2	101	104	70-132	3	20	
1,2,4-Trichlorobenzene	ug/L	50	54.6	56.6	109	113	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	50	40.1	41.3	80	83	50-150	3	20	
1,2-Dibromoethane (EDB)	ug/L	50	51.7	54.0	103	108	70-130	4	20	
1,2-Dichlorobenzene	ug/L	50	51.9	53.5	104	107	70-130	3	20	
1,2-Dichloroethane	ug/L	50	47.7	49.1	95	98	70-130	3	20	
1,2-Dichloropropane	ug/L	50	53.8	54.2	108	108	70-130	1	20	
1,3-Dichlorobenzene	ug/L	50	51.7	52.7	103	105	70-130	2	20	
1,4-Dichlorobenzene	ug/L	50	51.7	52.9	103	106	70-130	2	20	
Benzene	ug/L	50	49.5	50.2	99	100	70-130	1	20	
Bromodichloromethane	ug/L	50	57.3	59.0	115	118	70-130	3	20	
Bromoform	ug/L	50	55.4	58.0	111	116	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: LINDEY CLEANERS

Pace Project No.: 40103891

LABORATORY CONTROL SAMPLE & LCSD:		1050359		1050360							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Bromomethane	ug/L	50	37.7	41.9	75	84	34-157	10	20		
Carbon tetrachloride	ug/L	50	55.0	56.2	110	112	70-132	2	20		
Chlorobenzene	ug/L	50	52.0	53.6	104	107	70-130	3	20		
Chloroethane	ug/L	50	38.0	39.8	76	80	60-143	5	20		
Chloroform	ug/L	50	49.1	50.4	98	101	70-130	3	20		
Chloromethane	ug/L	50	30.6	32.4	61	65	43-148	6	20		
cis-1,2-Dichloroethene	ug/L	50	48.3	48.9	97	98	51-133	1	20		
cis-1,3-Dichloropropene	ug/L	50	50.4	51.4	101	103	70-130	2	20		
Dibromochloromethane	ug/L	50	57.3	59.3	115	119	70-130	3	20		
Dichlorodifluoromethane	ug/L	50	24.6	26.0	49	52	10-174	6	20		
Ethylbenzene	ug/L	50	55.4	56.5	111	113	70-130	2	20		
Isopropylbenzene (Cumene)	ug/L	50	52.6	54.0	105	108	70-136	3	20		
Methyl-tert-butyl ether	ug/L	50	46.4	48.3	93	97	54-139	4	20		
Methylene Chloride	ug/L	50	47.7	48.1	95	96	70-130	1	20		
Styrene	ug/L	50	50.6	52.1	101	104	70-130	3	20		
Tetrachloroethene	ug/L	50	64.6	66.8	129	134	70-130	3	20 LO		
Toluene	ug/L	50	52.3	53.3	105	107	70-130	2	20		
trans-1,2-Dichloroethene	ug/L	50	49.4	50.5	99	101	70-130	2	20		
trans-1,3-Dichloropropene	ug/L	50	47.3	48.4	95	97	70-130	2	20		
Trichloroethene	ug/L	50	57.6	58.4	115	117	70-130	1	20		
Trichlorofluoromethane	ug/L	50	53.0	54.6	106	109	50-150	3	20		
Vinyl chloride	ug/L	50	37.5	39.8	75	80	59-157	6	20		
Xylene (Total)	ug/L	150	166	170	111	113	70-130	3	20		
4-Bromofluorobenzene (S)	%				99	101	59-130				
Dibromofluoromethane (S)	%				89	90	70-130				
Toluene-d8 (S)	%				92	92	70-130				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		1050451		1050452								
Parameter	Units	40103733009	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
				Result								
1,1,1-Trichloroethane	ug/L	<0.50	50	50	54.1	52.8	108	106	70-130	2	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	43.7	43.4	87	87	70-130	1	20	
1,1,2-Trichloroethane	ug/L	<0.16	50	50	51.4	50.3	103	101	70-130	2	20	
1,1-Dichloroethane	ug/L	2.2	50	50	47.3	45.7	90	87	70-130	3	20	
1,1-Dichloroethene	ug/L	<0.41	50	50	50.0	49.2	100	98	70-138	2	20	
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	55.2	53.2	110	106	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	40.2	40.9	80	82	50-150	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.16	50	50	52.3	50.9	105	102	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.50	50	50	52.3	50.4	105	101	70-130	4	20	
1,2-Dichloroethane	ug/L	<0.17	50	50	47.9	46.0	96	92	70-130	4	20	
1,2-Dichloropropane	ug/L	<0.23	50	50	52.7	51.4	105	103	70-130	3	20	
1,3-Dichlorobenzene	ug/L	<0.50	50	50	51.7	49.9	103	100	70-130	3	20	
1,4-Dichlorobenzene	ug/L	<0.50	50	50	52.7	50.1	105	100	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1050451		1050452		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40103733009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Benzene	ug/L	<0.50	50	50	48.9	47.2	98	94	70-130	4	20		
Bromodichloromethane	ug/L	<0.50	50	50	56.7	55.0	113	110	70-130	3	20		
Bromoform	ug/L	<0.50	50	50	56.3	54.5	113	109	70-130	3	20		
Bromomethane	ug/L	<2.4	50	50	41.9	42.8	84	86	34-159	2	20		
Carbon tetrachloride	ug/L	<0.50	50	50	54.0	52.9	108	106	70-132	2	20		
Chlorobenzene	ug/L	<0.50	50	50	51.7	50.8	103	102	70-130	2	20		
Chloroethane	ug/L	<0.37	50	50	37.3	36.8	75	74	60-143	1	20		
Chloroform	ug/L	<2.5	50	50	48.8	47.2	98	94	70-130	3	20		
Chloromethane	ug/L	<0.50	50	50	30.2	28.9	60	58	43-149	5	20		
cis-1,2-Dichloroethene	ug/L	0.98J	50	50	49.1	47.5	96	93	48-137	3	33		
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	50.5	48.5	101	97	70-130	4	20		
Dibromochloromethane	ug/L	<0.50	50	50	57.1	54.9	114	110	70-130	4	20		
Dichlorodifluoromethane	ug/L	<0.20	50	50	22.4	21.6	45	43	10-174	3	20		
Ethylbenzene	ug/L	<0.50	50	50	55.3	53.5	111	107	70-130	3	20		
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	52.4	50.8	105	102	70-136	3	20		
Methyl-tert-butyl ether	ug/L	<0.17	50	50	46.2	45.3	92	91	54-139	2	20		
Methylene Chloride	ug/L	<0.23	50	50	47.1	45.4	94	91	70-133	4	20		
Styrene	ug/L	<0.50	50	50	51.2	48.6	102	97	70-130	5	20		
Tetrachloroethene	ug/L	<0.50	50	50	64.6	62.6	129	125	70-130	3	20		
Toluene	ug/L	<0.50	50	50	51.9	50.5	104	101	70-130	3	20		
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	49.2	47.8	98	96	70-130	3	20		
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	47.3	46.4	95	93	70-130	2	20		
Trichloroethene	ug/L	<0.33	50	50	57.3	55.6	115	111	70-130	3	20		
Trichlorofluoromethane	ug/L	<0.17	50	50	52.9	50.7	106	101	50-150	4	20		
Vinyl chloride	ug/L	0.59J	50	50	38.0	36.3	75	71	59-158	5	20		
Xylene (Total)	ug/L	<1.5	150	150	165	160	110	107	70-132	3	20		
4-Bromofluorobenzene (S)	%						100	100	59-130				
Dibromofluoromethane (S)	%						89	88	70-130				
Toluene-d8 (S)	%						92	93	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: LINDEY CLEANERS

Pace Project No.: 40103891

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

LOD - Limit of Detection.

LOQ - Limit of Quantitation.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LINDEY CLEANERS

Pace Project No.: 40103891

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40103891001	B-1	EPA 8260	MSV/25870		
40103891002	B-2	EPA 8260	MSV/25870		
40103891003	B-3	EPA 8260	MSV/25870		
40103891004	B-4	EPA 8260	MSV/25870		
40103891005	B-5	EPA 8260	MSV/25870		
40103891006	B-6	EPA 8260	MSV/25870		
40103891007	B-7	EPA 8260	MSV/25870		
40103891008	B-8	EPA 8260	MSV/25870		
40103891009	B-9	EPA 8260	MSV/25870		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name: Sand Creek

Branch/Location: Riverview

Project Contact: Hollie Depuydt

Phone: 715.305.1818

Project Number: Lindoy Cleaners

Project Name: Wisconsin

Project State: Hollie Depuydt

Sampled By (Print): Hollie Depuydt

Sampled By (Sign): Hollie Depuydt

PO #: Regulatory Program:

Data Package Options (billable) EPA Level III EPA Level IV

MS/MSD (billable) On your sample (billable) NOT needed on your sample

Matrix Codes A=Air B=Soil C=Charcoal O=Oil S=Soil SI=Sludge W=Water DW=Drinking Water GW=Ground Water SW=Surface Water WP=Waste Water WIP=Wipe

PAGE LAB # CLIENT FIELD ID DATE TIME MATRIX

001 B-1 9/22 915 GW

002 B-2 9/50

003 B-3 10/15

004 B-4 10/35

005 B-5 10/50

006 B-6 11/35

007 B-7 12/08

008 B-8 12/50

009 B-9 13/20

Filtering Codes A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

CHAIN OF CUSTODY



www.racean.com

SNV

UPPER MIDWEST REGION MN: 612-607-1700 WI: 920-469-2436

40103591

Quote #:

Mail To Contact:

Mail To Company:

Mail To Address:

Invoice To Contact:

Invoice To Company:

Invoice To Address:

Invoice To Phone:

CLIENT COMMENTS

LAB COMMENTS (Lab Use Only)

Hollie Depuydt Sand Creek 108 E Davenport Riverview WI Sand Creek hollie.depuydt@sand-creek.com 340 W 013

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1: Relinquished By: Date/Time: Received By: Date/Time:

Email #2: Relinquished By: Date/Time: Received By: Date/Time:

Telephone: Relinquished By: Date/Time: Received By: Date/Time:

Fax: Relinquished By: Date/Time: Received By: Date/Time:

Relinquished By: Hollie Depuydt Date/Time: 9/23/14 815

Received By: Andrew Wyle Date/Time: 9/24/14 0840

Relinquished By: Andrew Wyle Date/Time: 9/24/14 0840

Received By: Andrew Wyle Date/Time: 9/24/14 0840

PAGE Project No. 40103591

Receipt Temp = 120°C

Sample Receipt pH OK / Adjusted

Cooler Custody Seal Present / Not Present Intact / Not Intact

Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302



Client Name: Sand Creek
 Courier: Fed Ex UPS Client Pace Other: Durham
 Tracking #: 853042

Project #: **WO#: 40103891**

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used: N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
 Cooler Temperature: Uncorr: ROI / Corr: _____ Biological Tissue is Frozen: yes no

Temp Blank Present: yes no
 Temp should be above freezing to 6°C for all sample except Biota.
 Frozen Biota Samples should be received ≤ 0°C.

Person examining contents:
 Date: 9-24-14
 Initials: SKW

		Comments:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>No collect date or time on samples.</u>
-Includes date/time/ID/Analysis Matrix:	<u>W</u>	<u>9-24-14 SKW</u>
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH + ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤ 2; NaOH + ZnAct ≥ 9, NaOH ≥ 12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed Lab Std #ID of preservative Date/Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: Received original and copy of COC. 9-24-14 SKW

Project Manager Review: JJ for DM Date: 9/24/14