
From: Stoltz, Carrie R - DNR
Sent: Thursday, July 13, 2017 2:51 PM
To: 'debbys'; Powell, Jason
Subject: RE: Pizza Place Restaurant-approval

Hi Debby, I will put a note in Tracker for the 2/28/17 approval with regards to Task 4/WD10, Waste Disposal GW Sample and/or Purge - 1 x \$42.11 = \$42.11 (cap requested). If you have any questions, let me know. Please submit a copy of this email with your claim. Thanks, Carrie

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Carrie Stoltz

Phone (715)365-8942

Carrie.Stoltz@Wisconsin.gov

From: debbys [<mailto:debbys@metcohq.com>]
Sent: Thursday, July 13, 2017 2:12 PM
To: Stoltz, Carrie R - DNR; Powell, Jason
Subject: Pizza Place Restaurant

Hi Carrie,

I am writing to request a cost cap approval for the drum disposal at the Pizza Place Restaurant site, PECFA #54889-9999-25.

The costs requested are as follows:

Task 4/WD10, Waste Disposal GW Sample and/or Purge - 1 x \$42.11 = \$42.11

Total Cost Cap Requested: \$42.11

Note: There were 20 waste disposal drilling cutting drums approved, and we only disposed of 14. Therefore, line item 4/WD15 will decrease by \$648.90 (\$108.15 x 6).

If you are alright with making a note in tracker to approve this one additional GW drum, METCO is fine with that, as well.

Thanks,
Debby

--

Debby Skogen

METCO - Environmental Program Assistant

Email: debbys@metcohq.com

Phone: 608.781.8879 / Fax: 608.781.8893

709 Gillette Street - Suite 3, La Crosse WI 54603
www.metcohq.com