



Excellence through experience™

709 Gillette St., Ste #3 ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

March 14, 2019

Andy Alles
Wisconsin Department of Natural Resources
101 S Webster Street
Madison, WI 53707

Subject: Mr. P's Tire – Bid Deferment request for additional groundwater monitoring.
BRRTS #: 03-41-563586, PECFA #: 53208-4036-05-A

Dear Mr. Alles,

At the request of the state, a bid deferment (using Usual & Customary schedule of charges) is being submitted for additional groundwater monitoring at the subject property located at 2705 W. Clybourn Street in Milwaukee, Wisconsin. The work scope will include: [1] Conduct four quarterly rounds of groundwater monitoring from site wells MW-1, -2, -5, & -6 for PVOC and Naphthalene analysis and collect water levels from all wells in every round including MW-3 and MW-4. [2] Prepare a Groundwater Monitoring Report following the second and fourth rounds. The costs are as follows:

Groundwater Monitoring	\$4,040.48
Laboratory Analysis	\$ 607.00
Groundwater Monitoring Report	\$1,647.46
Change Order Request	<u>\$ 381.78</u>
Total	\$6,676.72

METCO is requesting a bid deferment in the amount of \$6,676.72 to complete the above activities. Once the state has approved this budget, we will move forward with the project.

Attached is a draft standardized invoice form for the above work scope as required.

Should you have any questions, comments, or recommendations please contact me at our La Crosse office (608) 781-8879 or email at jasonp@metcohq.com.

Sincerely,

Jason T. Powell
Staff Scientist

Attachment

c: Mark Pachefsky – Client

Usual and Customary Standardized Invoice #25

January 2019 - June 2019



RR-107a

PECFA #: 53208-4036-05
 BRRTS #: 03-41-563586
 Site Name: Mr. P's Tire
 Site Address: 2705 W. Clybourn St., Milwaukee, WI

Vendor Name: _____
 Invoice #: _____
 Invoice Date: _____
 Check #: _____

U&C Total \$ 6,676.72
 Variance to U&C Total \$ -
 Grand Total \$ 6,676.72

TASK	TASK DESCRIPTION	SERVICES	ACTIVITY CODE	ACTIVITY REFERENCE CODE DESCRIPTION	UNIT	MAX UNIT COST	UNITS	TOTAL MAX
1	GW Sampling		GS05	Sample Collection	Well	\$ 72.45	16	\$ 1,159.20
1	GW Sampling		GS20	Measure Water Levels (for wells not being sampled)	Well	\$ 14.70	8	\$ 117.60
1	GW Sampling		GS25	Primary Mob/Demob	Site	\$ 690.92	4	\$ 2,763.68
2	O & M Reporting		OMR05	Semi-Annual GW Monitoring (Form 4400-194)	Report	\$ 823.73	2	\$ 1,647.46
33	Schedule Of Laboratory Maximums	Commodity		Laboratory (see task 33 total on Lab Schedule)	Lab Schedule			\$ 607.00
36	Change Order Request		COR05	Change Order Request (cost cap exceedance requests)	Change Order	\$ 381.78	1	\$ 381.78

Usual and Customary Standardized Invoice #25

January 2019 - June 2019



RR-107a

TOTAL LAB CHARGES \$ 607.00 TASK 33 20 \$ 607.00 TASK 24 0 \$ -

MATRIX	REF CODE	REIMBURSABLE ANALYTE	UNITS	MAX COST	SAMPLES	TOTAL	MAX COST	SAMPLES	TOTAL
AIR	A1	Benzene	SAMPLE	\$ 44.94		\$ -			
AIR	A2	BETX	SAMPLE	\$ 49.46		\$ -			
AIR	A3	GRO	SAMPLE	\$ 46.10		\$ -			
AIR	A4	VOC's	SAMPLE	\$ 71.93		\$ -			
WATER	W1	GRO/PVOC	SAMPLE	\$ 29.19		\$ -			
WATER	W2	PVOC	SAMPLE	\$ 26.99		\$ -			
WATER	W3	PVOC + 1,2 DCA	SAMPLE	\$ 43.79		\$ -			
WATER	W4	PVOC + Naphthalene	SAMPLE	\$ 30.35	20	\$ 607.00			
WATER	W5	VOC	SAMPLE	\$ 71.93		\$ -			
WATER	W6	PAH	SAMPLE	\$ 72.98		\$ -			
WATER	W7	Lead	SAMPLE	\$ 12.39		\$ -			
WATER	W8	Cadmium	SAMPLE	\$ 13.55		\$ -			
WATER	W9	Hardness	SAMPLE	\$ 12.39		\$ -			
WATER	W10	BOD, Total	SAMPLE	\$ 23.63		\$ -			
WATER	W11	Nitrate	SAMPLE	\$ 11.24		\$ -			
WATER	W12	Total Kjeldahl	SAMPLE	\$ 20.27		\$ -			
WATER	W13	Ammonia	SAMPLE	\$ 16.91		\$ -			
WATER	W14	Sulfate	SAMPLE	\$ 10.19		\$ -			
WATER	W15	Iron	SAMPLE	\$ 10.19		\$ -			
WATER	W16	Manganese	SAMPLE	\$ 10.19		\$ -			
WATER	W17	Alkalinity	SAMPLE	\$ 10.19		\$ -			
WATER	W18	methane	SAMPLE	\$ 46.10		\$ -			
WATER	W19	Phosphorous	SAMPLE	\$ 18.06		\$ -			
WATER	W20	VOC Method 524.2	SAMPLE	\$ 176.30		\$ -			
WATER	W21	EDB Method 504	SAMPLE	\$ 95.45		\$ -			
SOILS	S1	GRO	SAMPLE	\$ 24.78		\$ -	MAX COST	SAMPLES	TOTAL
SOILS	S2	DRO	SAMPLE	\$ 30.35		\$ -	\$ 24.78		\$ -
SOILS	S3	GRO/PVOC	SAMPLE	\$ 28.14		\$ -	\$ 30.35		\$ -
SOILS	S4	PVOC	SAMPLE	\$ 25.83		\$ -	\$ 28.14		\$ -
SOILS	S5	PVOC + 1,2 DCA + Naphthalene	SAMPLE	\$ 49.46		\$ -	\$ 25.83		\$ -
SOILS	S6	PVOC + Naphthalene	SAMPLE	\$ 36.02		\$ -	\$ 49.46		\$ -
SOILS	S7	VOC	SAMPLE	\$ 71.93		\$ -	\$ 36.02		\$ -
SOILS	S8	SPLP Extraction VOC only	SAMPLE	\$ 50.61		\$ -	\$ 71.93		\$ -
SOILS	S9	PAH	SAMPLE	\$ 72.98		\$ -	\$ 50.61		\$ -
SOILS	S10	Lead	SAMPLE	\$ 12.39		\$ -	\$ 72.98		\$ -
SOILS	S11	Cadmium	SAMPLE	\$ 14.60		\$ -	\$ 12.39		\$ -
SOILS	S12	Free Liquid	SAMPLE	\$ 11.24		\$ -	TASK 24 TOTAL \$ -		
SOILS	S13	Flash Point	SAMPLE	\$ 25.83		\$ -			
SOILS	S14	Grain Size - dry	SAMPLE	\$ 42.74		\$ -			
SOILS	S15	Grain Size - wet	SAMPLE	\$ 57.33		\$ -			
SOILS	S16	Bulk Density	SAMPLE	\$ 13.55		\$ -			
SOILS	S17	Permeability	SAMPLE	\$ 41.58		\$ -			
SOILS	S18	Nitrogen as Total Kjeldahl	SAMPLE	\$ 20.27		\$ -			
SOILS	S19	Nitrogen as Ammonia	SAMPLE	\$ 16.91		\$ -			
SOILS	S20	% Organic Matter	SAMPLE	\$ 29.19		\$ -			
SOILS	S21	TOC as NPOC	SAMPLE	\$ 57.33		\$ -			
SOILS	S22	Soil Moisture Content	SAMPLE	\$ 6.83		\$ -			
SOILS	S23	Air Filled Porosity	SAMPLE	\$ 25.83		\$ -			
SOILS	S24	% Total Solids	SAMPLE	\$ 6.83		\$ -			
SOILS	S25	Field Capacity	SAMPLE	\$ 28.14		\$ -			
SOILS	S26	TCLP Lead	SAMPLE	\$ 83.16		\$ -			
SOILS	S27	Cation Exchange (Ca, MG, & K)	SAMPLE	\$ 26.99		\$ -			
SOILS	S28	TCLP Cadmium	SAMPLE	\$ 83.16		\$ -			
SOILS	S29	TCLP Benzene	SAMPLE	\$ 83.16		\$ -			
		Viscosity + Density							
LNAPL	LFPS01	Interfacial tension I (LNAPL/water [dyne/cm])	SAMPLE	\$ 561.33		\$ -			
		Interfacial tension II (LNAPL/air [dyne/cm])							
		Interfacial tension III (water/air) [dyne/cm]							
						TASK 33 TOTAL \$	607.00		