



A Division of SET Environmental Inc
735 North Water Street, Suite 510
Milwaukee, Wisconsin 53202
Phone: 414-224-8300
Fax: 414-224-8383

August 31, 2020

Mr. Paul Grittner
Wisconsin Department of Natural Resources
Remediation & Redevelopment Program
2300 North Dr. Luther Martin King Jr Drive
Milwaukee, Wisconsin 53212

Reference: *June 2020 Sampling Results*
Schaefer Brush
1101 South Prairie Avenue
Waukesha, Wisconsin
FID No. 268138750
BRRTS No. 02-68-563736

KEY ENGINEERING GROUP, LTD.
File No. 1604-1204-0002

Dear Mr. Grittner:

Key Engineering Group, Ltd. (KEY) has prepared this letter to provide the Wisconsin Department of Natural Resources (WDNR) with indoor air and sub-slab vapor analytical results and pressure readings related to vapor mitigation system and groundwater sampling analytical results from Schaefer Brush located at 1101 South Prairie Avenue, in Waukesha, Wisconsin (Figure 1). Site Investigation Sample Results Notification (WDNR Form 4400-249), a copy of the sub-slab and indoor air laboratory reports and groundwater analytical results are included as Attachments 1 through 3, respectively.

Electronic copies of this letter were also submitted to the following parties:

Responsible Party (RP): Ms. Sheri Reichart, Agent
1101 Gage Inc.
1101 South Prairie Avenue
Waukesha, Wisconsin 53186

RP Representative: Mr. Jeffrey Mawicke, Attorney
Mawicke & Goisman, S.C.
1509 North Prospect Avenue
Milwaukee, Wisconsin 53202

Property Operator: Mr. Kim Erdmann
Schaefer Brush Mfg. Co.
1101 South Prairie Avenue
Waukesha, Wisconsin 53186

1.0 BACKGROUND

A vapor mitigation system was installed between February and March 2018. An audible alarm was installed in July 2018. The system was optimized between April and October 2018. A pressurization system was installed to interrupt the vapor migration pathway into the building. The positive pressure ventilation system that was installed is a Rapid Engineering LLC 2010 direct fired 80/20 makeup air unit. The installed system unit is designed to bring outside air into the building at a rate sufficient to maintain an approximate positive pressure of 0.01 inches water column relative to the outside air pressure.

A *Supplemental Site Investigation & Remedial Action Plan* were submitted to the WDNR on May 31, 2019. On December 13, 2019, KEY and a representative for Schaefer Brush attended a meeting with the WDNR to discuss the effectiveness of the pressurization system to mitigate vapor. At the meeting, the WDNR requested more time to determine if additional data were needed to demonstrate the system's effectiveness. On January 14, 2020, KEY met with the WDNR again and a scope of work was developed based on the requests from this second meeting. A *Site Investigation Work Plan* was submitted with a technical review fee on February 28, 2020 based on the scope of work requested at the January 2020 meeting.

Indoor air and sub-slab vapor samples were collected, and laboratory analyzed in February 2020. Indoor air and sub-slab pressure readings were also collected in February. A *February 2020 Sampling Results* letter report was submitted to the WDNR with the result and key findings. The WDNR reviewed the *Site Investigation Work Plan and February 2020 Sampling Results*, and communicated on a March 13 telephone call that the March sampling scope of work should only include the following:

- Sub-slab sampling SS-11 through 13 and indoor air sampling IAO-1, IAO-2, and IAB-1 in the office and basement (as planned).
- Sub-slab sampling SS-1, SS-9, and SS-10 in the manufacturing area.
- Indoor air sampling at IA-5, IA-12, IA-14, IA-19, IA-20, IA-21.
- Indoor air sampling including one near the center of the shipping department and two locations in the center of the manufacturing department in line with the SS-1, SS-9, SS-10, and SS-5 sample locations.
- Collect pressure readings from sub-slab points SS-1 through SS-13, indoor air locations BP-1 through BP-9, and indoor air locations BPP-1 through BPP-6 (as planned).

Indoor air and sub-slab vapor samples were collected, and laboratory analyzed in March 2020. Indoor air and sub-slab pressure readings were also collected. A *March 2020 Sampling Results* letter report was submitted to the WDNR with the result and key findings.

Below is a summary of the scope of work, field procedures, analytical results, and field measurements completed in March.

2.0 BUILDING CONSTRUCTION

The building is approximately 63,700 square feet and is slab on grade, single story, cement block structure supported by steel I beams. The facility generally operates from approximately 0800 to 1700 hours. The building is divided into three sections including offices (approximately 9,800 square feet) on the west side, manufacturing department (approximately 31,500 square feet) in the middle, and shipping/storage department (approximately 19,500 square feet) on the east side of the building. There is a partial basement measuring approximately 2,900 square feet. An interior facility layout is presented as Figure 3.

The manufacturing and shipping departments are separated by a cement block wall with two open (no doors) entry points. Both departments have an open concept design with no interior walls, with the exception of the restrooms, an engineer room, and storage closets. The pressurization system installed for vapor mitigation is gas-fired to supply heat to the manufacturing and shipping departments. These two departments are not air conditioned. The pressurization system pumps air from outside into the manufacturing department. Air movement travels from the manufacturing to the shipping department through the two entry points. Air is discharged through roof vents.

The partial basement is located above the water table and houses the heating ventilation and air conditioner (HVAC) and water heaters for the offices only. A closed sump in the basement collects condensate from the HVAC unit through a floor drain. Water from the sump is pumped to the sanitary sewer.

3.0 OFFICE & BASEMENT VAPOR INTRUSION ASSESSMENT

The office and basement have a heating ventilation and air conditioning system separate from the manufacturing and shipping department. The WDNR has requested a vapor intrusion assessment of the office and basement.

3.1 Sub-Slab Vapor and Indoor Air Sampling Locations and Procedures

Sub-slab samples SS-11 through SS-13 and indoor air samples IAO-1 through IAO-4 and IAB-1 were collected on June 9, 2020. These samples are collected in a cooling season. The outdoor temperature was approximately 72 degrees Fahrenheit. Samples SS-13 and IAO-1, SS-12 and IAB-1, and SS-11 and IAO-2 were collected as co-located samples to evaluate sub-slab vapor and indoor air quality. Sample IAO-3 was collected near the restroom and sample IAO-4 was collected in the cafeteria. Samples were analyzed for VOCs using Method TO-15 by Pace Laboratory Services (Pace).

The field procedure for sub-slab samples included confirming the seals were adequate, attaching a 6-liter Summa canister to the vapor pin and extracting a 30-minute sample from beneath the concrete slab. After the samples were collected, the vapor pins were capped with a vinyl cap to prevent vapor from beneath the concrete slab from entering the building. The 1.5-inch drill hole was capped with a flush mount, threaded stainless steel cap.

The field procedure for indoor air samples included placing a 6-liter Summa canister approximately 5 feet off the floor in the breathing zone, removing the nut on top of the canister, and opening the canister valve to begin sample collection. After the 8-hour collection time, the valves were closed, and the nut was replaced to close the canisters.

3.2 Sub-Slab Vapor and Indoor Air Analytical Results

Sub-slab samples SS-11 through SS-13 and indoor air samples were IAO-1 through IAO-4, and IAB-1 were collected on June 9, 2020 from the office space and basement located on the west side of the building. Sample locations are presented on Figure 2. The indoor air sample analytical results were compared to the small commercial vapor action levels (VALs) since the office and basement spaces are collectively approximately 12,700 square feet. The sub-slab vapor samples analytical results were compared to the small commercial vapor risk screening levels (VRSLs).

A summary of the indoor air and sub-slab vapor analytical results are presented in Table 1. Sub-slab vapor and indoor air analytical results are posted on Figures 3 and 4, respectively. Below is a summary of the analytical results.

- Sub-slab vapor analytical results from SS-11 through SS-13 were detected below the small commercial VRSLs. This is consistent with February and March 2020 sample results.
- Indoor air analytical results from IAO-1 through IAO-4, and IAB-1 were detected above the small commercial VAL of 11 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) for 1,4-dichlorobenzene with concentrations ranging from $52.7 \mu\text{g}/\text{m}^3$ to $76.0 \mu\text{g}/\text{m}^3$. This analyte is a common disinfectant and deodorizer. This analyte has not been detected in soil or groundwater samplings onsite. The source is likely from cleaning agents used in the facility.
- **Based on the sub-slab vapor and the indoor air results, a vapor mitigation system is not warranted to interrupt the vapor intrusion pathway into the office or basement spaces.**

3.3 Sub-Slab and Indoor Air Pressure Readings

KEY collected sub-slab pressure readings (in relation to the indoor air) after collecting sub-slab vapor samples from vapor pins installed on the north and south ends of the office (SS-13 and SS-11) and in the basement (SS-12) on June 10, 2020. Pressure readings were collected by attaching a micromanometer capable of measuring pressure to 0.001 inches of water column (in WC) to the vapor pins with silicon tubing.

KEY also collected an indoor air pressure reading (in relation to the outdoor air) from the office (BP-1) on June 10, 2020. This pressure reading was collected by running a length of polyethylene tubing connected to a micromanometer by silicon tubing from inside the building to outside the nearest office exterior door.

Pressure readings were measured once a stable reading was reached. A summary of the measurements is presented in Table 2. Sample locations are presented on Figure 2. Below is a summary of the measurements.

- Sub-slab pressure readings from SS-11 and SS-12 were measured at 0.0 in WC and SS-13 was measured at 0.013 in WC.
- Indoor air pressure from BP-1 was measured at 0.011 in WC.
- An indoor air pressure reading was not collected from the basement since the basement walls are located below grade and running tubing up to the first floor and outside is not practical and the data may not be accurate due to distance and length of tubing.

4.0 PRESSURIZATION SYSTEM VERIFICATION SAMPLING IN MANUFACTURING AND SHIPPING DEPARTMENTS

The WDNR has requested additional sub-slab vapor and indoor air testing in the manufacturing and shipping department where the pressurization system is designed to mitigate vapor intrusion. The purpose of the sub-slab vapor samples is to compare chlorinated VOCs concentrations under the slab pre- and post-mitigation and determine if the neutral pressure under the slab (0.0 in WC) has resulted in the diffusion of vapors. The purpose of the indoor air samples is to confirm there are no chlorinated VOC exceedances in the air and the pressurization system is working effectively to mitigate vapor intrusion.

4.1 Sub-Slab Vapor and Indoor Air Analytical Results

Sub-slab vapor samples were collected from SS-1 through SS-3 and SS-7 through SS-10 were collected between June 9 and 10, 2020. Indoor air samples were collected from IA-5, IA-12, IA-14, IA-19 through IA-24 were collected on June 9, 2020. Sample locations are presented on Figure 2. Sub-slab vapor samples were collected over 30 minutes and indoor air samples were collected over 8 hours using the same procedures described in Section 2.2. Samples were analyzed for VOCs using Method TO-15 by Pace.

There are also currently 10 sub-slab vapor pins (SS-1 through SS-10) installed in an approximate grid-like pattern across the manufacturing and shipping department for collecting sub-slab vapor samples, as warranted. The locations are presented on Figure 2.

The indoor air sample analytical results were compared to the large commercial VALs since the manufacturing and shipping departments are collectively approximately 48,400 square feet. The sub-slab vapor samples analytical results were compared to the large commercial VRSLs.

A summary of the indoor air and sub-slab vapor analytical results are presented in Table 1. Sample locations are presented on Figure 2. Sub-slab vapor and indoor air analytical results are posted on Figures 3 and 4, respectively. Below is a summary of the analytical results.

- Sub-slab vapor analytical results from SS-1, SS-2, SS-8, and SS-9 were detected below the large commercial VRSLs. Sub-slab vapor tetrachloroethene analytical results exceeded the VRSL of 18,000 µg/m³ at SS-5 at 54,300 µg/m³, SS-7 at 40,700 µg/m³ SS-10 at 191,000 µg/m³. These three samples are located in the manufacturing and shipping departments.
- Indoor air analytical results from IA-5 and IA-24 were detected below their respective large commercial VALs. Indoor air analytical results from IA-14 and IA-19 through IA-23 were detected above the large commercial VAL of 11 µg/m³ for 1,4-dichlorobenzene with concentrations ranging from 11.2 µg/m³ to 24.4 µg/m³. This analyte is a common disinfectant and deodorizer. This analyte has not been detected in soil or groundwater samplings onsite. The source is likely from cleaning agents used in the facility.

Therefore, there are no chlorinated VOCs detected above the VALs in the manufacturing or shipping departments and the pressurization system is effectively interrupting the vapor intrusion pathway.

4.2 Install Indoor Air Pressure Locations

KEY installed six indoor air building pressure ports (BPP-1 through BPP-6) on February 11, 2020. There are also nine indoor air locations (BP-1 through BP-9) that are located in the manufacturing and shipping department that have been used as locations to measure the indoor air pressure in relation to the outdoor air in the past. These locations are nearly evenly spaced across the manufacturing and shipping department (Figure 2).

4.3 Sub-Slab and Indoor Air Pressure Readings

KEY collected sub-slab pressure readings (in relation to the indoor air) after collecting sub-slab vapor samples from vapor pins SS-1 through SS-10 on June 10, 2020. Pressure readings were collected by attaching a micromanometer capable of measuring pressure to 0.001 in WC to the vapor pins with silicon tubing.

KEY also collected indoor air pressure readings (in relation to the outdoor air) from BP-2 through BP-9 and BPP-1 through BPP-6 on June 10, 2020 (Figure 2). The pressure readings from BP-2 through BP-9 were collected by running a length of polyethylene tubing connected to a micromanometer with silicon tubing from inside the building to outside the building from the nearest exterior door. The pressure readings from BPP-1 through BPP-6 installed through exterior walls were collected by attaching silicon tubing to the pressure port hose barb fitting and running an approximately 5-foot length of polyethylene tubing to another piece of silicon tubing that was attached to the micromanometer.

Pressure readings were measured once a stable reading was reached. A summary of the measurements is presented in Table 2. Below is a summary of the measurements.

- Sub-slab pressure readings from SS-1 through SS-10 were measured at 0.0 in WC, with the exception of SS-5 at 0.004 in WC. Zero pressure under the building does not appear to have resulted in sub-slab vapors migrating significantly under the building.
- Readings from remote pressure sensor on the pressurization system are presented in Table 3 for April through June 2020. The pressure in April, May, and June each averaged 0.2 in WC.
- Indoor air pressure from BP-2 through BP-9 were measured at 0.001 to 0.011 in WC, with the exception of BP-8 at 0.000 in WC. Indoor air pressure from BPP-1 through BPP-6 were measured at 0.000 in WC, with the exception of BPP-2 at 0.006 in WC and BPP-5 at 0.001 in WC.
 - Figures 5 and 6 are graphs to illustrate the PCE and trichloroethene (TCE) indoor air concentrations collected prior to and post installation of the vapor mitigation system in relation to the indoor air pressure measurements, respectively. **These graphs demonstrate that when the indoor air pressure is slightly less than, equal to, or greater than 0.0, the indoor air concentrations are consistently below their respective VALs for this site.**

The indoor air pressure for the Operation & Maintenance Plan in the manufacturing and shipping departments is recommended to average 0.001 or greater based on the April/July 2018 and February/March/June 2020 indoor air concentrations detected below VALs and the indoor air pressure readings.

- Barometric pressure was also evaluated to determine if there was an influence on the PCE and TCE concentrations when the pressurization system is operating.

Figures 7 and 8 are graphs to illustrate the PCE and TCE indoor air concentrations collected prior to and post installation of the vapor mitigation system in relation to the barometric pressure. **The indoor air concentrations correlate with the rise and fall of the barometric pressure PRIOR TO THE VAPOR MITIGATION SYSTEM.**

- Barometric pressure was also evaluated to determine if there was an influence on the indoor air pressure when the pressurization system is operating.

Figures 9 is a graph to illustrate the barometric pressure versus indoor air pressure. The mitigation system is intended to create an equal or greater pressure indoors compared to under the slab. **There does not appear to be a correlation between the indoor air pressure and barometric pressure.** This is attributed to the mitigation system exerting a constant pressure inside the building. Therefore, despite changes in the barometric pressure, the indoor air pressure changes very little.

- **Regardless of indoor air pressure and barometric pressure variability, the indoor air analytical results demonstrated there were no VAL exceedances in the building for chlorinated VOCs and the pressurization system is effectively mitigating vapor intrusion.**

5.0 GROUNDWATER ELEVATIONS AND SAMPLING

At the WDNR meeting held on January 14, 2020, KEY was requested to sample MW-3 and MW-7 quarterly until our next submittal. KEY proposed to collect groundwater samples from monitoring wells MW-2 through MW-4 and MW-7.

On June 11, 2020, KEY collected site-wide water levels from the well network including MW-1 through MW-7. A decontaminated water level indicator was used to collect depth to water measurements from monitoring wells. Three well volumes were purged from monitoring wells MW-2 through MW-4 and MW-7 using dedicated disposable polyethylene bailers. Groundwater samples were collected and submitted for laboratory analysis of VOCs using SW-846 Method 8260B. Groundwater samples were collected using dedicated bailers. A trip blank supplied by the laboratory was maintained with the collected samples and submitted for VOC analysis.

Purge water generated during the well sampling was contained in a steel 55-gallon drum. The drum is properly labeled and will be disposed of in accordance with Wisconsin waste guidelines.

5.1 Groundwater Elevations

Groundwater elevations generally ranged from approximately 813 to 816 feet above mean sea level (amsl) onsite and 808 to 811 feet amsl offsite. The depth to groundwater in the monitoring wells ranged from approximately 20.6 to 22.8 feet bgs onsite and approximately 23.9 feet offsite. Groundwater elevations are summarized in Table 4.

Potentiometric flow map is presented as Figures 10 using June 2020 data. Groundwater flow is primarily to the north. This is consistent with the historical flow direction.

5.2 Groundwater Analytical Results

PCE and TCE concentrations were detected above ESs at the Site. The presence of the daughter products is an indication that natural attenuation is occurring. Groundwater analytical results are presented in Table 5. Below is a summary of the groundwater analytical exceedances organized by well.

- MW-2

PCE concentrations decreased below the ES of 5 µg/l from March to June at MW-2 at 3.8 µg/l from 6.6 µg/l, respectively. PCE concentrations are decreasing in this well for the last four sampling events.

- MW-3

PCE concentrations exceeded the ES of 5 µg/l from March to June at MW-3 from 640 µg/l to 280 µg/l, respectively. PCE concentrations have been decreasing in this well in the last five sampling events.

- MW-4

PCE concentrations decreased below the ES of 5 µg/l from March to June at MW-4 from 14 µg/l to 3.69 µg/l, respectively. Overall, PCE concentrations have been decreasing in this well for the last seven sampling events.

- MW-7

PCE concentrations exceeded the ES of 5 µg/l from March to June at MW-7 with concentrations at 310 µg/l to 390 µg/l, respectively. TCE was detected slightly above the ES of 5 µg/l in June at 5.1 µg/l. Overall, PCE concentrations have decreased since sampling started in October 2015.

6.0 CONCLUSIONS

Below is a summary of the key findings and conclusions from the sampling completed in June 2020.

- Office and Basement

- There were no sub-slab vapor VRSL exceedances or indoor air VAL exceedances in the office or basement. Vapor mitigation is therefore not warranted in these areas.
- Sub-slab pressure readings from beneath the office and basement from SS-11 through SS-13 were measured at or greater than 0.0 in WC. Indoor air pressure in the office from BP-1 was measured at 0.011 in WC.

- Manufacturing and Shipping Departments Where Pressurization System is Effective
 - Sub-slab vapor analytical results from SS-5, SS-7, and SS-10 were detected above the large commercial VRSLs. These samples are located in the along the central and south walls that's shared between the manufacturing and shipping departments farthest from the office.
 - Sub-slab vapor analytical results were reported below the large commercial VRSLs and SS-1, SS-2, SS-8, and SS-9. These locations are in the manufacturing department.
 - Indoor air analytical results from IA-5, IA-12, IA-14, and IA-19 through IA-24 were detected below their respective large commercial VALs for the constituents of concern (PCE and TCE). This demonstrates the pressurization system is effectively mitigating vapor intrusion into the building.
 - Sub-slab pressure readings from SS-1 through SS-10 were generally measured at 0.0 in WC with the exception of two negative readings at SS-5. The 0.0 pressure under the building does not appear to have resulted in sub-slab vapors migrating significantly.
 - Readings from remote pressure sensor on the pressurization system in April, May, and June each averaged 0.2 in WC. Indoor air pressure from BP-2 through BP-9 ranged from 0.001 to 0.011 in WC with the exception of one reading at 0.000 in WC at BP-8.
 - Graphs illustrating the PCE and TCE indoor air concentrations collected prior to and post installation of the vapor mitigation system in relation to the indoor air pressure measurements **demonstrate that that when the indoor air pressure is slightly less than, equal to, or greater than 0.0, the indoor air concentrations are consistently below their respective VALs for this site.**
 - There does not appear to be a correlation between the indoor air pressure and barometric pressure when the pressurization system is operating.
 - Regardless of indoor air pressure and barometric pressure variability, the indoor air analytical results demonstrated **there were no VAL exceedances in the building for chlorinated VOCs and the pressurization system is effectively mitigating vapor intrusion.**
- PCE is detected in monitoring wells on and offsite above the ES. Overall, groundwater concentrations continue to decrease, and daughter products are present, which demonstrates natural attenuation is occurring.
- Groundwater flow is consistently to the north with a slight northeast flow.

7.0 RECOMMENDATIONS

Below is a summary of the recommendations for future sampling. The proposed sampling schedule is also tabulated on the next page.

- Collect and laboratory analyze sub-slab SS-11 and SS-13 in the office and SS-12 in the basement for VOCs in September 2020.
- Collect and laboratory analyze indoor air IAO-1 and IAO-2 in the office, IAO-3 in the office bathroom, IAO-4 in the cafeteria, and IAB-1 in the basement for VOCs in September 2020.
- Collect and laboratory analyze sub-slab vapor samples from SS-1, SS-2, and SS-8 for VOCs in September 2020. These locations are located in the manufacturing area nearest the offices or are locations that were not sampled or are being sampled to confirm concentrations. These sample could demonstrate there is not a source migrating towards the office and basement.
- Collect and laboratory analyze IA-5, IA-12, IA-14, IA-19 through IA-24 in the manufacturing and shipping departments for VOCs in September 2020. These samples could demonstrate the effectiveness of the pressurization system to interrupt the vapor intrusion pathway into the building.
- Collect pressure readings from SS-1 through SS-10 and indoor air pressure readings from BP-1 through BP-10 and BPP-1 through BPP-6 in September 2020. Collect pressure readings from the remote sensor on the pressurization system.
- Collect site-wide water levels from MW-1 through MW-7 and groundwater samples from wells MW-2 through MW-4, and MW-7 for VOCs in September.

8.0 SCHEDULE FOR FUTURE SAMPLING

The WDNR prepared a letter dated April 24, 2020. The letter stated, “Sub-slab vapor sampling may be suspended at locations where contaminant concentrations are found to exceed a vapor risk screening level. Indoor air samples should continue to be collected as proposed, with an additional indoor air sample collected in the bathroom adjacent to the IA-8 sampling location during the remaining sampling rounds.” The below table is a schedule to complete the additional sampling.

Location and Task	Map IDs	Analysis	Sample Dates	
Office			February, March, & June, September	
Collect 4 Indoor Air & 2 Co-Located Sub-Slab Vapor Samples	IAO-1, IAO-2, IAO-3 (restroom near IA-8 in June and September), IAO-4 (cafeteria in September), SS-11, SS-13	VOCs		
Collect 1 Indoor Air Pressure Reading	BP-1	Field Measurement		
Collect 2 Sub-Slab Pressure Reading	SS-11, SS-13			
Basement				
Collect 1 Indoor Air & 1 Co-Located Sub-Slab Vapor Samples	IAB-1, SS-12	VOCs		
Collect 1 Sub-Slab Vapor	SS-12	Field Measurement		
Manufacturing/Shipping Department				
Collect 6 Indoor Air & 6 Co-Located Sub-Slab Vapor Samples	IA-5, IA-12, IA-14, IA-19 through IA-21	VOCs	February	
	SS-2, SS-3, SS-4, SS-6, SS-7, SS-8			
Collect 9 Indoor Air & 3 Sub-Slab Vapor Samples	IA-5, IA-12, IA-14, IA-19 through IA-24	VOCs	March	
	SS-1, SS-9, SS-10			
Collect 9 Indoor Air & 7 Sub-Slab Vapor Samples	IA-5, IA-12, IA-14, IA-19 through IA-24	VOCs	June	
	SS-1, SS-2, SS-5, SS-7 through SS-10			
Collect 9 Indoor Air & 3 Sub-Slab Vapor Samples	IA-5, IA-12, IA-14, IA-19 through IA-24	VOCs	September	
	SS-1, SS-2, SS-8			
Collect 9 Indoor Air Pressure Readings	BP-2 through BP-9	Field Measurement	February, March, & June, September	
Collect 9 Sub-Slab Pressure Readings	SS-1 through SS-10		February, March, & June, September	

Groundwater Sampling			
Site-Wide Water Levels	MW-1 through MW-7	VOCs	March, June, September
Groundwater Sample Wells	MW-2 through MW-4, MW-7		

* Samples were collected on February 11 and March 16 and 19, and June 9 and 10, 2020.

Mr. Paul Grittner
August 31, 2020
Page 19

Key Engineering Group, Ltd
Project No. 1604-1204-0002

Sincerely,
KEY ENGINEERING GROUP, LTD.

Toni Schoen

Toni L. Schoen
Senior Project Manager

D'Arcy Gravelle

D'Arcy J. Gravelle, CP, CPG
Principal

cc: Jeffrey Mawicke, Mawicke & Goisman, S.C. (email: jmawicke@mawickelaw.com)
Sheri Reichart, 1101 Gage Inc. (email: slr@charter.net)
Kim Erdman, Schaefer Brush (email: kim@schaeferbrush.com)

Attachments

- | | |
|--------------|---|
| Table 1 | Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results |
| Table 2 | Pre- and Post System Installation Building Pressure Readings |
| Table 3 | Remote Pressure Sensor Building Interior Pressure Readings |
| Table 4 | Groundwater Elevations |
| Table 5 | Groundwater Analytical Results |
| Figure 1 | Site Location Map and Water Well Map |
| Figure 2 | Interior Facility Sampling Locations |
| Figure 3 | Post Remedial Sub-Slab Vapor Analytical Results |
| Figure 4 | Post Remedial Indoor Air Analytical Results |
| Figure 5 | Tetrachloroethene Indoor Air Concentrations Versus Indoor Air Pressure |
| Figure 6 | Trichloroethene Indoor Air Concentrations Versus Indoor Air Pressure |
| Figure 7 | Tetrachloroethene Indoor Air Concentrations Versus Barometric Pressure |
| Figure 8 | Trichloroethene Indoor Air Concentrations Versus Barometric Pressure |
| Figure 9 | Barometric Pressure Versus Indoor Air Pressure |
| Figure 10 | Groundwater Flow Map (June 15, 2020) |
| Attachment 1 | Site Investigation Sample Results Notification (WDNR Form 4400-249) |
| Attachment 2 | Sub-Slab Vapor and Indoor Air Laboratory Reports |
| Attachment 3 | Groundwater Laboratory Report |

Tables

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Background Air	Compared to Large Commercial VRSLs									
						Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab
						BG-3	SS-1	SS-1	SS-2	SS-2	SS-2	SS-3	SS-4	SS-4	SS-5
Location in Building/Property	Rooftop	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Shipping	Shipping	Shipping	Shipping
Duration of Sample Collection (hrs)	8	30	30	30	30	30	30	30	30	30	30	30	30	30	30
Date Collected	10/31/2018	3/16/2020	6/9/2020	10/31/2018	2/11/2020	6/9/2020	2/11/2020	10/31/2018	2/11/2020	10/31/2018	2/11/2020	6/10/2020			
Detected VOCs (ug/m ³) by EPA Method TO-15															
Acetone	14,000,000	140,000	4,620,000	140,000	9.8	23.8	10.7	10.0	2.7J	40.4	<34.8	8.4	<69.7	50.2	
Benzene	1,600	16	528	16	<0.22	1.3	0.33J	<0.28	0.46J	0.58	<4.4	1.9	<8.8	0.45J	
Bromomethane	2,200	22	726	22	<0.33	<0.38	<0.21	<0.42	<0.44	0.33J	<6.5	<0.40	<13.1	<0.27	
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	2.4J	25.7	4.2	4.1J	<0.71	30.9	<10.6	3.0J	<21.3	13.0	
Carbon disulfide	310,000	3,100	102,300	3,100	<0.32	<0.37	<0.15	5.4	<0.42	0.34J	<6.3	0.67J	<12.6	<0.20	
Carbon tetrachloride	2,000	20	660	20	<0.62	<0.72	0.53J	<0.79	<0.82	0.37J	<12.4	<0.75	<24.7	<0.48	
Chlorobenzene	22,000	220	7,260	220	<0.40	<0.46	<0.19	<0.50	<0.53	<0.18	<7.9	0.83J	<15.8	<0.25	
Chloroform	530	5.3	175	5.3	<0.28	5.5	4.8	<0.36	<0.38	0.23J	<5.6	7.6	<11.3	<0.25	
Chloromethane	39,000	390	12,870	390	0.70	<0.26	0.44J	0.67J	<0.30	1.3	<4.5	<0.27	<9.0	<0.12	
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.51	4.2	<0.21	<0.65	<0.68	2.5	<10.2	<0.62	<20.3	<0.27	
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.72	<0.84	<0.45	<0.91	<0.96	<0.44	<14.3	<0.87	<28.7	<0.59	
1,3-Dichlorobenzene	--	--	--	--	<0.84	<0.98	<0.67	<1.1	<1.1	<0.66	<16.7	<1.0	<33.5	<0.89	
1,4-Dichlorobenzene	1,100	11	363	11	<1.4	<1.7	5.5	<1.8	3.5J	1.2J	<28.8	<1.8	<57.6	6.2	
Dichlorodifluoromethane	44,000	440	14,520	440	2.4	3.1	3.0	2.3	2.5	3.2	<8.4	2.1	<16.9	2.9	
1,1-Dichloroethane	7,700	77	2,541	77	<0.32	<0.38	<0.16	<0.41	<0.43	<0.16	<6.5	<0.39	<13.0	<0.21	
1,2-Dichloroethane	470	4.7	155	4.7	<0.22	<0.25	<0.24	<0.27	<0.29	<0.23	<4.3	<0.26	<8.6	<0.32	
1,1-Dichloroethene	88,000	880	29,040	880	<0.39	<0.46	<0.17	<0.50	<0.53	<0.17	<7.9	<0.48	<15.8	<0.22	
cis-1,2-Dichloroethene	--	--	--	--	<0.32	<0.37	<0.16	<0.40	<0.42	<0.16	<6.3	19.5	301	<0.22	
trans-1,2-Dichloroethene	--	--	--	--	<0.41	<0.48	<0.24	<0.52	<0.55	<0.23	<8.2	2.7	<16.4	<0.31	
Ethanol	--	--	--	--	4.2	97.7	12.8	10.3	4.3J	331	54.9J	4.7	<46.8	7.7	
Ethyl acetate	31,000	310	10,230	310	<0.27	<0.32	<0.26	<0.35	<0.36	24.2	24.1	<0.33	<10.9	<0.34	
Ethylbenzene	4,900	49	1,617	49	<0.44	3.1	0.85J	3.1	1.9	102	<8.8	5.2	<17.6	0.67J	
4-Ethyltoluene	--	--	--	--	<0.82	2.3J	1.6J	1.4J	2.2J	3.4J	<16.4	<1.0	<32.8	1.7J	
N-Heptane	--	--	--	--	<0.55	3.0	0.62J	<0.70	<0.73	1.9	<10.9	<0.66	<21.9	<0.37	
Hexachloro-1,3-butadiene	--	--	--	--	<2.8	<3.3	<1.8	<3.6	<3.8	<1.7	<56.7	<3.4	<113	<2.3	
n-Hexane	310,000	3,100	102,300	3,100	<0.45	2.6	2.1	<0.57	0.77J	4.5	<9.0	<0.54	<17.9	0.67J	
2-Hexanone	13,000	130	4,290	130	<1.1	<1.3	<0.49	<1.4	<1.4	<0.48	<21.5	<1.3	<42.9	<0.65	
Methylene Chloride	260,000	2,600	85,800	2,600	2.1J	397	14.7	6.6	3.0J	20.2	<34.8	4.3J	<69.7	4.1J	
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.75	1.6J	0.25J	<0.95	<0.99	1.8J	<14.9	<0.91	<29.8	<0.33	
Naphthalene	360	3.6	119	3.6	<1.9	<2.2	5.6	5.5	6.1	4.2	<37.7	3.7J	<75.5	6.3	
2-Propanol	--	--	--	--	<1.0	13.2	2.7J	<1.3	<1.3	172	<20.1	<1.2	<40.1	<0.71	
Propylene	1,300,000	13,000	429,000	13,000	<0.21	<0.24	<0.14	<0.26	<0.27	<0.14	<4.0	<0.25	<8.1	<0.18	
Styrene	440,000	4,400	145,200	4,400	<0.50	1.3J	1.6	<0.63	<0.66	9.6	<9.9	<0.60	<19.8	2.6	

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Background Air	Compared to Large Commercial VRSLs									
						Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab
Sample I.D.	BG-3	SS-1	SS-1	SS-2	SS-2	SS-2	SS-3	SS-4	SS-4	SS-5					
Location in Building/Property	Rooftop	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Shipping	Shipping	Shipping					
Duration of Sample Collection (hrs)	8	30	30	30	30	30	30	30	30	30					
Date Collected	10/31/2018	3/16/2020	6/9/2020	10/31/2018	2/11/2020	6/9/2020	2/11/2020	10/31/2018	2/11/2020	6/10/2020					
Detected VOCs (ug/m ³) by EPA Method TO-15															
Tetrachloroethene	18,000	180	5,940	180	<0.45	931	1,460	200	52.7	243	156,000	493,000	654,000	54,300	
Tetrahydrofuran	--	---	--	---	<0.38	124	<0.26	<0.48	2.7	<0.25	<7.5	<0.46	<15.0	3.6	
Toluene	2,200,000	22,000	726,000	22,000	4.7	13.7	72.7	2.4	7.2	171	24.0	5.1	<20.2	28.4	
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<5.4	<6.2	<4.7	<6.8	<7.1	<4.6	<107	<6.5	<214	<6.2	
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<0.44	6.3	3.9	<0.57	<0.59	0.23J	<8.9	8.2	62.0J	1.6J	
Trichloroethene	880	8.8	290	8.8	<0.37	48.9	39.7	2.5	<0.49	1.4	68.1	1,260	1,010	3.8	
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.4J	1.9	1.7	1.1J	1.3J	1.8	<10.5	1.1J	<21.1	1.6J	
1,1,2-Trichlorotrifluoroethane	---	---	---	---	<0.81	5.2	2.4	<1.0	<1.1	0.90J	301	26.5	1,270	7.9	
1,2,4-Trimethylbenzene	3,100	31	1,023	31	<0.65	8.3	9.9	11.0	8.2	11.2	<13.0	4.4	<26.0	11.4	
1,3,5-Trimethylbenzene	--	---	--	---	<0.57	2.9	2.8	2.7	2.6	3.4	13.2J	1.2J	<23.0	3.3	
Vinyl Acetate	88,000	880	29,040	880	<0.39	<0.45	<0.25	<0.49	<0.52	<0.25	<7.8	<0.47	<15.6	<0.33	
Vinyl Chloride	2,800	28	924	28	<0.18	<0.21	<0.13	<0.23	<0.24	<0.13	<3.6	<0.22	<7.3	<0.18	
m&p-Xylene	44,000	440	14,520	440	<1.0	10.1	4.5	15.1	6.9	506	<20.1	21.2	<40.3	4.0	
o-Xylene	44,000	440	14,520	440	<0.50	4.4	1.7	5.7	3.2	215	<9.9	6.4	<19.8	1.7	
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VRSLs									
					Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab
					SS-6	SS-7	SS-7	SS-7	SS-8	SS-8	SS-8	SS-9	SS-9	SS-9
					Shipping	Manufacturing								
Duration of Sample Collection (hrs)					30	30	30	30	30	30	30	30	30	30
Date Collected					2/11/2020	10/31/2018	2/11/2020	6/10/2020	10/31/2018	2/11/2020	6/10/2020	3/16/2020	6/9/2020	
Detected VOCs (ug/m³) by EPA Method TO-15														
Acetone	14,000,000	140,000	4,620,000	140,000	17.2	22.7	123	19.2	6.4	3.8J	16.6	21.2	7.4J	
Benzene	1,600	16	528	16	0.35J	0.94	0.61J	0.46J	<0.27	0.45J	<0.21	1.3	0.30J	
Bromomethane	2,200	22	726	22	<0.44	<0.40	<0.44	<0.25	<0.40	<0.44	<0.24	<0.38	<0.23	
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	10.0	10.1	8.4	6.8	3.4J	<0.71	7.3	23.7	3.0J	
Carbon disulfide	310,000	3,100	102,300	3,100	<0.42	<0.38	<0.42	<0.18	0.56J	<0.42	<0.18	<0.37	<0.17	
Carbon tetrachloride	2,000	20	660	20	<0.82	<0.75	<0.82	0.53J	<0.75	<0.82	0.44J	1.0 J	0.50J	
Chlorobenzene	22,000	220	7,260	220	<0.53	<0.48	<0.53	<0.23	<0.48	<0.53	<0.22	<0.46	<0.21	
Chloroform	530	5.3	175	5.3	<0.38	0.44J	<0.38	0.65J	<0.34	<0.38	<0.22	<0.33	<0.21	
Chloromethane	39,000	390	12,870	390	<0.30	2.0	0.41J	<0.11	<0.27	<0.30	0.17J	<0.26	0.35J	
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.68	<0.62	1.1J	0.27J	0.68J	2.8J	<0.24	<0.59	<0.23	
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.96	<0.87	<0.96	<0.54	<0.87	<0.96	<0.52	<0.84	<0.50	
1,3-Dichlorobenzene	--	--	--	--	<1.1	<1.0	<1.1	<0.82	<1.0	<1.1	<0.78	<0.98	<0.75	
1,4-Dichlorobenzene	1,100	11	363	11	2.9J	<1.8	4.6J	14.5	<1.8	<1.9	<1.2	<1.7	3.6J	
Dichlorodifluoromethane	44,000	440	14,520	440	2.5	2.1	2.6	2.8	2.2	2.5	3.0	3.2	2.9	
1,1-Dichloroethane	7,700	77	2,541	77	<0.43	<0.39	<0.43	<0.19	<0.39	<0.43	<0.19	<0.38	<0.18	
1,2-Dichloroethane	470	4.7	155	4.7	<0.29	<0.26	<0.29	<0.29	<0.26	<0.29	<0.28	<0.25	<0.27	
1,1-Dichloroethene	88,000	880	29,040	880	<0.53	<0.48	<0.53	<0.20	<0.48	<0.53	<0.20	<0.46	<0.19	
cis-1,2-Dichloroethene	--	--	--	--	<0.42	<0.38	<0.42	<0.20	<0.38	<0.42	<0.19	<0.37	<0.18	
trans-1,2-Dichloroethene	--	--	--	--	<0.55	<0.50	<0.55	<0.29	<0.50	<0.55	<0.27	<0.48	<0.26	
Ethanol	--	--	--	--	7.3J	5.6	77.5	5.0	2.2J	23.8	3.5	85.6	13.4	
Ethyl acetate	31,000	310	10,230	310	3.4	0.62J	5.9	<0.31	<0.33	<0.36	<0.30	<0.32	<0.29	
Ethylbenzene	4,900	49	1,617	49	1.4J	4.8	1.9	0.37J	3.5	1.9	0.54J	3.8	0.58J	
4-Ethyltoluene	--	--	--	--	1.7J	3.3J	2.7J	<0.73	<1.0	2.0J	1.7J	2.2 J	1.7J	
N-Heptane	--	--	--	--	<0.73	<0.66	<0.73	<0.34	<0.66	<0.73	<0.32	2.7	<0.31	
Hexachloro-1,3-butadiene	--	--	--	--	<3.8	<3.4	<3.8	<2.1	<3.4	<3.8	<2.0	<3.3	<2.0	
n-Hexane	310,000	3,100	102,300	3,100	<0.60	0.60J	0.98J	0.56J	<0.54	0.77J	0.65J	1.9	0.92J	
2-Hexanone	13,000	130	4,290	130	<1.4	<1.3	2.3J	<0.59	<1.3	<1.4	<0.57	<1.3	<0.55	
Methylene Chloride	260,000	2,600	85,800	2,600	<2.3	7.1	4.9J	4.2J	8.2	6.5J	2.8J	11.7	19.0	
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.99	<0.91	1.1J	<0.30	<0.91	<0.99	0.31J	2.0 J	<0.28	
Naphthalene	360	3.6	119	3.6	5.9	17.6	8.0	4.5J	6.2	6.5	4.4	<2.2	4.8	
2-Propanol	--	--	--	--	<1.3	1.8J	48.2	1.9J	<1.2	<1.3	1.8J	3.7 J	3.3J	
Propylene	1,300,000	13,000	429,000	13,000	0.77	1.2	<0.27	<0.17	<0.25	<0.27	<0.16	<0.24	<0.15	
Styrene	440,000	4,400	145,200	4,400	<0.66	<0.60	0.92J	0.92J	<0.60	0.74J	0.94J	1.5 J	1.5	

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VRSLs								
					Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab
					SS-6	SS-7	SS-7	SS-7	SS-8	SS-8	SS-8	SS-9	SS-9
					Shipping	Manufacturing							
Sample I.D.					30	30	30	30	30	30	30	30	30
Location in Building/Property					2/11/2020	10/31/2018	2/11/2020	6/10/2020	10/31/2018	2/11/2020	6/10/2020	3/16/2020	6/9/2020
Duration of Sample Collection (hrs)													
Date Collected													
Detected VOCs (ug/m ³) by EPA Method TO-15													
Tetrachloroethene	18,000	180	5,940	180	1,690	13,700	36,800	40,700	8,850	46.8	223	237	227
Tetrahydrofuran	--	--	--	--	1.7	<0.46	2.4	1.7	<0.46	1.6	1.8	121	<0.29
Toluene	2,200,000	22,000	726,000	22,000	5.7	5.0	9.3	15.9	2.0	9.7	8.0	14.6	28.6
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<7.1	<6.5	<7.1	<5.7	<6.5	<7.1	<5.4	<6.2	<5.2
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	1.2J	7.9	23.0	20.2	<0.54	<0.59	1.3J	3.8	1.3J
Trichloroethene	880	8.8	290	8.8	0.80J	33.8	34.6	45.3	16.1	1.4	2.9	14.7	8.7
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.3J	1.1J	1.4J	1.7J	1.2J	1.3J	1.6J	1.9 J	1.7J
1,1,2-Trichlorotrifluoroethane	--	--	--	--	1.9J	<0.99	3.5	2.5J	<0.99	<1.1	0.86J	3.7	1.3J
1,2,4-Trimethylbenzene	3,100	31	1,023	31	6.9	15.3	10.3	5.1	3.2	7.4	10.5	7.7	7.5
1,3,5-Trimethylbenzene	--	--	--	--	2.4	4.4	3.8	1.4J	0.94J	2.8	2.8	2.8	2.4
Vinyl Acetate	88,000	880	29,040	880	<0.52	<0.47	<0.52	<0.30	<0.47	<0.52	<0.29	<0.45	<0.28
Vinyl Chloride	2,800	28	924	28	<0.24	<0.22	<0.24	<0.16	<0.22	<0.24	<0.16	<0.21	<0.15
m&p-Xylene	44,000	440	14,520	440	4.9	20.8	6.7	1.8J	14.6	7.0	3.4	11.9	2.5J
o-Xylene	44,000	440	14,520	440	2.1	9.0	3.2	0.71J	4.5	2.8	1.5	5.0	1.2J
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Small Commercial VRSLs							
					Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab
					SS-10	SS-10	SS-11	SS-11	SS-11	SS-12	SS-12	SS-12
					Manufacturing	Manufacturing	Office	Office	Office	Basement	Basement	Basement
Duration of Sample Collection (hrs)					30	30	30	30	30	30	30	30
Date Collected					3/16/2020	6/10/2020	2/11/2020	3/16/2020	6/9/2020	2/11/2020	3/16/2020	6/9/2020
Detected VOCs (ug/m³) by EPA Method TO-15												
Acetone	14,000,000	140,000	4,620,000	140,000	<63.5	<68.7	7.2	40.7	14.9	5.2	23.4	7.1J
Benzene	1,600	16	528	16	<8.0	<7.0	0.56 J	1.5	<0.23	0.82	1.6	<0.22
Bromomethane	2,200	22	726	22	<11.9	<7.8	<0.42	<0.37	<0.26	<0.44	<0.32	<0.25
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	<19.4	<30.0	1.1 J	27.7	3.7J	0.95 J	26.0	1.5J
Carbon disulfide	310,000	3,100	102,300	3,100	<11.5	<5.7	<0.41	<0.35	<0.19	<0.42	<0.30	<0.18
Carbon tetrachloride	2,000	20	660	20	<22.5	<13.7	<0.80	<0.69	<0.45	<0.82	<0.60	<0.43
Chlorobenzene	22,000	220	7,260	220	<14.4	<7.1	<0.51	<0.44	<0.23	<0.53	<0.38	<0.22
Chloroform	530	5.3	175	5.3	<10.3	14.4J	<0.37	<0.32	<0.23	<0.38	<0.27	<0.22
Chloromethane	39,000	390	12,870	390	<8.2	<3.5	<0.29	<0.25	<0.12	<0.30	<0.22	<0.11
Cyclohexane	2,600,000	26,000	858,000	26,000	<18.5	<7.8	<0.66	4.2	<0.26	<0.68	<0.49	<0.25
1,2-Dichlorobenzene	88,000	880	29,040	880	<26.1	<17.0	<0.93	<0.80	<0.55	<0.96	<0.69	<0.53
1,3-Dichlorobenzene	--	--	--	--	<30.5	<25.6	<1.1	<0.94	<0.83	<1.1	<0.81	<0.80
1,4-Dichlorobenzene	1,100	11	363	11	<52.5	<39.6	6.5	<1.6	5.1J	5.0 J	<1.4	2.5J
Dichlorodifluoromethane	44,000	440	14,520	440	<15.4	<9.1	5.5	6.2	10.0	2.8	2.7	3.9
1,1-Dichloroethane	7,700	77	2,541	77	<11.8	<6.1	<0.42	<0.36	<0.20	<0.43	<0.31	<0.19
1,2-Dichloroethane	470	4.7	155	4.7	<7.9	<9.1	<0.28	<0.24	<0.30	<0.29	<0.21	<0.28
1,1-Dichloroethene	88,000	880	29,040	880	<14.4	<6.4	<0.51	<0.44	<0.21	<0.53	<0.38	<0.20
cis-1,2-Dichloroethene	--	--	--	--	<11.5	<6.2	<0.41	<0.35	<0.20	<0.42	<0.30	<0.19
trans-1,2-Dichloroethene	--	--	--	--	<15.0	<9.0	<0.53	<0.46	<0.29	<0.55	<0.40	<0.28
Ethanol	--	--	--	--	<42.6	<50.6	17.1	92.5	22.3	56.7	97.9	3.2J
Ethyl acetate	31,000	310	10,230	310	<10	<9.9	<0.36	8.6	<0.32	<0.36	<0.26	<0.31
Ethylbenzene	4,900	49	1,617	49	<16.0	<7.4	1.8	3.1	0.39J	2.4	3.0	<0.23
4-Ethyltoluene	--	--	--	--	<29.9	<23.0	2.1 J	2.1 J	1.3J	2.7 J	1.9 J	0.80J
N-Heptane	--	--	--	--	<20.0	<10.6	<0.71	3.0	<0.34	<0.73	2.8	<0.33
Hexachloro-1,3-butadiene	--	--	--	--	<103	<67.1	<3.7	<3.2	<2.2	<3.8	<2.7	<2.1
n-Hexane	310,000	3,100	102,300	3,100	<16.3	<10.7	0.68 J	2.4	0.82J	0.81 J	2.4	0.59J
2-Hexanone	13,000	130	4,290	130	<39.1	<18.5	<1.4	6.1 J	<0.60	<1.4	<1.0	<0.58
Methylene Chloride	260,000	2,600	85,800	2,600	<63.5	<49.7	3.6 J	21.0	6.1J	<2.3	406	2.6J
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<27.2	<9.5	<0.97	1.8 J	<0.31	<0.99	<0.72	<0.30
Naphthalene	360	3.6	119	3.6	<68.8	<68.2	7.2	<2.1	4.6J	7.9	<1.8	4.0J
2-Propanol	--	--	--	--	<36.6	<20.4	2.5 J	9.5	3.1J	<1.3	9.1	<0.64
Propylene	1,300,000	13,000	429,000	13,000	<7.4	<5.3	<0.26	<0.23	<0.17	<0.27	<0.19	<0.16
Styrene	440,000	4,400	145,200	4,400	<18.1	<23.0	0.76 J	1.2 J	<0.75	0.91 J	1.2	<0.72

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Small Commercial VRSLs							
					Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab	Sub-Slab
					SS-10	SS-10	SS-11	SS-11	SS-11	SS-12	SS-12	SS-12
					Manufacturing	Manufacturing	Office	Office	Office	Basement	Basement	Basement
Duration of Sample Collection (hrs)					30	30	30	30	30	30	30	30
Date Collected					3/16/2020	6/10/2020	2/11/2020	3/16/2020	6/9/2020	2/11/2020	3/16/2020	6/9/2020
Detected VOCs (ug/m ³) by EPA Method TO-15												
Tetrachloroethene	18,000	180	5,940	180	42,900	191,000	179	81.8	303	3,500	1,000	4,110
Tetrahydrofuran	--	---	--	---	67.4	<9.8	3.1	118	<0.32	4.3	135	<0.31
Toluene	2,200,000	22,000	726,000	22,000	<18.4	11.5J	7.3	13.6	16.5	9.6	12.5	4.1
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<195	<178	<7.0	<6.0	<5.8	<7.1	<5.2	<5.6
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<16.2	31.6J	0.62 J	<0.50	0.96J	6.6	5.0	6.5
Trichloroethene	880	8.8	290	8.8	64.8	184	6.9	5.0	8.4	95.8	57.7	87.9
Trichlorofluoromethane	310,000	3,100	102,300	3,100	<19.2	<12.4	1.3 J	1.5 J	2.0J	1.8 J	2.0	2.2
1,1,2-Trichlorotrifluoroethane	---	---	---	---	<29.6	41.5J	<1.1	<0.91	0.87J	3.6	3.3	3.4
1,2,4-Trimethylbenzene	3,100	31	1,023	31	<23.7	<16.8	7.8	7.5	7.5	9.1	7.5	4.3
1,3,5-Trimethylbenzene	--	---	--	---	<20.9	<13.4	2.9	3.1	2.4	3.2	2.7	1.8
Vinyl Acetate	88,000	880	29,040	880	<14.2	<9.5	<0.50	<0.43	<0.31	<0.52	<0.38	<0.30
Vinyl Chloride	2,800	28	924	28	<6.6	<5.1	<0.24	<0.20	<0.17	<0.24	<0.18	<0.16
m&p-Xylene	44,000	440	14,520	440	<36.7	<18.2	6.5	9.7	2.4J	8.4	9.5	1.2J
o-Xylene	44,000	440	14,520	440	<18.1	<7.9	3.0	4.2	1.0J	4.1	4.1	0.47J
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	NA

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs									
					Sub-Slab	Sub-Slab	Sub-Slab	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Sample I.D.	SS-13	SS-13	SS-13	IA-5	IA-5	IA-5	IA-5	IA-5	IA-9	IA-12	IA-12			
Location in Building/Property	Office	Office	Office	Shipping	Shipping	Shipping	Shipping	Manufacturing	Manufacturing	Manufacturing				
Duration of Sample Collection (hrs)	30	30	30	8	8	8	8	8	8	8				
Date Collected	2/11/2020	3/16/2020	6/9/2020	10/31/2018	2/11/2020	3/16/2020	6/9/2020	10/31/2018	4/6/2018	10/31/2018				
Detected VOCs (ug/m³) by EPA Method TO-15														
Acetone	14,000,000	140,000	4,620,000	140,000	19.6	28.4	4.0J	98.0	26.9	35.0	59.2	68.4	70.8	60.4
Benzene	1,600	16	528	16	0.62 J	1.2	<0.23	0.60	1.2	2.1	1.5	0.37J	1.3	0.35J
Bromomethane	2,200	22	726	22	<0.44	<0.37	<0.26	<0.33	<0.38	<0.42	<0.23	<0.34	<0.44	<0.34
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	4.4 J	22.7	<0.98	50.5	17.6	9.7	8.9	38.7	19.7	33.3
Carbon disulfide	310,000	3,100	102,300	3,100	<0.42	<0.36	<0.19	<0.32	<0.37	<0.40	<0.17	<0.33	<0.38	<0.33
Carbon tetrachloride	2,000	20	660	20	<0.82	<0.70	0.60J	<0.62	<0.72	<0.79	<0.40	<0.64	<0.67	<0.64
Chlorobenzene	22,000	220	7,260	220	<0.53	<0.45	<0.23	<0.40	<0.46	<0.50	<0.21	<0.41	<0.38	<0.41
Chloroform	530	5.3	175	5.3	<0.38	<0.32	0.43J	<0.28	<0.33	<0.36	<0.21	<0.29	<0.49	<0.29
Chloromethane	39,000	390	12,870	390	<0.30	<0.26	<0.12	0.78	0.87	1.7	0.98	0.75	<0.28	0.73
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.68	<0.58	0.30J	2.3J	<0.59	2.5J	<0.23	0.99J	2.5	0.91J
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.96	<0.82	<0.55	<0.72	<0.84	<0.91	<0.49	<0.74	2.3J	<0.74
1,3-Dichlorobenzene	--	--	--	--	<1.1	<0.95	<0.83	<0.84	<0.98	<1.1	<0.74	<0.87	<0.99	<0.87
1,4-Dichlorobenzene	1,100	11	363	11	4.4 J	<0.96	2.2J	19.0	19.1	13.2	6.6	14.8	211	13.7
Dichlorodifluoromethane	44,000	440	14,520	440	2.8	3.4	4.3	2.2	2.5	3.7	2.2	2.2	3.6	2.2
1,1-Dichloroethane	7,700	77	2,541	77	<0.43	<0.37	<0.20	<0.32	<0.38	<0.41	<0.18	<0.34	<0.45	<0.34
1,2-Dichloroethane	470	4.7	155	4.7	<0.29	<0.25	<0.30	<0.22	<0.25	<0.27	<0.26	<0.22	0.47J	<0.22
1,1-Dichloroethene	88,000	880	29,040	880	<0.53	<0.45	<0.21	<0.39	<0.46	<0.50	<0.18	<0.41	<0.50	<0.41
cis-1,2-Dichloroethene	--	--	--	--	<0.42	<0.36	<0.20	<0.32	<0.37	<0.40	<0.18	<0.33	<0.72	<0.33
trans-1,2-Dichloroethene	--	--	--	--	<0.55	<0.47	<0.29	<0.41	<0.48	<0.52	<0.26	<0.42	<0.63	<0.42
Ethanol	--	--	--	--	97.5	87.5	4.7	175	207	1,180	205	231	305	217
Ethyl acetate	31,000	310	10,230	310	<0.36	<0.31	<0.32	4.5	1.8	<0.35	7.4	<0.28	2.0	<0.28
Ethylbenzene	4,900	49	1,617	49	2.2	3.0	0.53J	1.3	1.6	1.8	1.2J	0.76J	2.7	4.9
4-Ethyltoluene	--	--	--	--	2.3 J	2.2 J	1.5J	<0.82	<0.96	<1.0	<0.66	<0.85	0.95J	<0.85
N-Heptane	--	--	--	--	<0.73	2.6	<0.34	2.8	<0.64	1.5	5.8	<0.57	3.8	1.1J
Hexachloro-1,3-butadiene	--	--	--	--	<3.8	<3.2	<2.2	<2.8	<3.3	<3.6	<1.9	<2.9	<1.8	<2.9
n-Hexane	310,000	3,100	102,300	3,100	1.1 J	2.1	0.69J	2.0	2.2	2.9	5.3	0.66J	2.4	0.56J
2-Hexanone	13,000	130	4,290	130	<1.4	<1.2	<0.60	<1.1	<1.3	<1.4	<0.53	<1.1	<1.3	<1.1
Methylene Chloride	260,000	2,600	85,800	2,600	4.8 J	24.5	12.2	24.3	15.1	26.4	9.4	17.1	42.8	16.4
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.99	<0.85	<0.31	1.2J	<0.87	<0.95	0.70J	<0.77	<0.75	<0.77
Naphthalene	360	3.6	119	3.6	7.4	<2.1	4.7	<1.9	<2.2	3.1J	<2.0	17.5	5.7	<2.0
2-Propanol	--	--	--	--	7.6	23.2	12.7	6.9	5.0	24.4	18.0	6.5	15.0	3.4J
Propylene	1,300,000	13,000	429,000	13,000	<0.27	<0.23	<0.17	<0.21	<0.24	<0.26	<0.15	<0.21	<0.33	<0.21
Styrene	440,000	4,400	145,200	4,400	0.88 J	1.4	<0.75	33.8	20.3	8.2	28.8	1.3J	7.5	0.53J

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs									
					Sub-Slab	Sub-Slab	Sub-Slab	Indoor Air	Indoor Air	Indoor Air				
Sample I.D.					SS-13	SS-13	SS-13	IA-5	IA-5	IA-5	IA-5	IA-9	IA-12	IA-12
Location in Building/Property					Office	Office	Office	Shipping	Shipping	Shipping	Shipping	Manufacturing	Manufacturing	Manufacturing
Duration of Sample Collection (hrs)					30	30	30	8	8	8	8	8	8	8
Date Collected					2/11/2020	3/16/2020	6/9/2020	10/31/2018	2/11/2020	3/16/2020	6/9/2020	10/31/2018	4/6/2018	10/31/2018
Detected VOCs (ug/m³) by EPA Method TO-15														
Tetrachloroethene	18,000	180	5,940	180	5.1	5.4	8.5	0.78J	13.1	18.9	1.1	<0.47	30.0	0.54J
Tetrahydrofuran	--	--	--	--	3.9	112	<0.32	<0.38	0.57J	2.3	<0.28	<0.39	1.9	<0.39
Toluene	2,200,000	22,000	726,000	22,000	7.3	12.2	11.5	209	177	165	49.0	121	66.8	112
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<7.1	<6.1	<5.8	<5.4	<6.2	<6.8	<5.1	<5.5	<2.0	<5.5
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<0.59	<0.51	<0.27	<0.44	<0.52	<0.57	<0.24	<0.46	<0.73	<0.46
Trichloroethene	880	8.8	290	8.8	<0.49	<0.41	1.5	1.5	1.5	3.0	0.68J	1.6	4.1	1.5
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.4 J	1.8 J	1.9J	1.2J	1.3J	2.1	1.2J	1.1J	1.8J	1.1J
1,1,2-Trichlorotrifluoroethane	--	--	--	--	<1.1	<0.92	0.62J	<0.81	<0.95	<1.0	0.44J	<0.84	0.92J	<0.84
1,2,4-Trimethylbenzene	3,100	31	1,023	31	8.4	8.0	9.3	1.1J	2.2	2.0	1.4J	<0.67	4.0	<0.67
1,3,5-Trimethylbenzene	--	--	--	--	3.3	3.1	2.7	<0.57	1.1J	<0.73	<0.39	<0.59	1.2J	<0.59
Vinyl Acetate	88,000	880	29,040	880	<0.52	<0.44	<0.31	<0.39	<0.45	<0.49	<0.27	<0.40	1.7	<0.40
Vinyl Chloride	2,800	28	924	28	<0.24	<0.21	<0.17	<0.18	<0.21	<0.23	<0.15	<0.19	<0.27	<0.19
m&p-Xylene	44,000	440	14,520	440	7.5	10.6	3.0J	4.2	5.2	6.3	3.9	2.3J	8.9	22.7
o-Xylene	44,000	440	14,520	440	3.6	4.4	1.2J	1.3	1.4J	2.0	1.5	0.65J	3.0	8.5
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs							
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	
					IA-12	IA-12	IA-12	IA-13	IA-14	IA-14	IA-14	
					Manufacturing	Manufacturing	Manufacturing	Manufacturing	Shipping	Shipping	Shipping	
					8	8	8	8	8	8	8	
					2/11/2020	3/16/2020	6/9/2020	4/6/2018	4/6/2018	10/31/2018	2/11/2020	
Detected VOCs (ug/m³) by EPA Method TO-15												
Acetone	14,000,000	140,000	4,620,000	140,000	29.9	22.7	41.7	63.3	97.2	102	26.8	
Benzene	1,600	16	528	16	0.68	1.4	0.76J	1.3	2.3	0.76	1.1	
Bromomethane	2,200	22	726	22	<0.38	<0.42	<0.39	<0.32	<0.32	<0.32	<0.38	
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	21.1	6.5	46.7	19.5	19.5	48.6	16.2	
Carbon disulfide	310,000	3,100	102,300	3,100	<0.37	<0.40	<0.29	<0.28	<0.28	<0.30	<0.37	
Carbon tetrachloride	2,000	20	660	20	<0.72	<0.79	<0.69	0.51J	0.59J	<0.60	<0.72	
Chlorobenzene	22,000	220	7,260	220	<0.46	<0.50	<0.36	<0.28	<0.28	<0.38	<0.46	
Chloroform	530	5.3	175	5.3	<0.33	<0.36	<0.36	<0.36	<0.36	<0.27	<0.33	
Chloromethane	39,000	390	12,870	390	0.85	1.1	1.1	<0.21	1.4	0.91	0.92	
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.59	<0.65	<0.39	2.5	6.0	1.8J	<0.59	
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.84	<0.91	<0.85	2.3	<0.51	<0.69	<0.84	
1,3-Dichlorobenzene	--	--	--	--	<0.98	<1.1	<1.3	<0.72	<0.72	<0.81	<0.98	
1,4-Dichlorobenzene	1,100	11	363	11	18.5	7.3	16.0	226	163	38.3	18.4	
Dichlorodifluoromethane	44,000	440	14,520	440	2.6	3.0	2.3J	3.4	3.1	2.3	2.7	
1,1-Dichloroethane	7,700	77	2,541	77	<0.38	<0.41	<0.30	<0.33	<0.33	<0.31	<0.38	
1,2-Dichloroethane	470	4.7	155	4.7	<0.25	<0.27	<0.45	0.41J	<0.31	<0.21	<0.25	
1,1-Dichloroethene	88,000	880	29,040	880	<0.46	<0.50	<0.32	<0.37	<0.37	<0.38	<0.46	
cis-1,2-Dichloroethene	--	--	--	--	<0.37	<0.40	<0.31	<0.53	<0.53	<0.30	<0.37	
trans-1,2-Dichloroethene	--	--	--	--	<0.48	<0.52	<0.45	<0.46	<0.46	<0.40	<0.48	
Ethanol	--	--	--	--	256	914	367	297	222	179	181	
Ethyl acetate	31,000	310	10,230	310	<0.32	<0.35	<0.49	1.8	2.4	2.8	1.7	
Ethylbenzene	4,900	49	1,617	49	1.8	1.2J	1.3J	2.7	6.7	1.6	1.5	
4-Ethyltoluene	--	--	--	--	<0.96	<1.0	<1.2	0.84J	2.5	<0.79	<0.96	
N-Heptane	--	--	--	--	<0.64	<0.70	5.8	3.6	7.0	2.4	1.4J	
Hexachloro-1,3-butadiene	--	--	--	--	<3.3	<3.6	<3.4	<1.3	<1.3	<2.7	<3.3	
n-Hexane	310,000	3,100	102,300	3,100	<0.52	1.8	4.3	2.3	7.0	4.0	1.9	
2-Hexanone	13,000	130	4,290	130	<1.3	<1.4	<0.93	<0.95	<0.95	<1.0	<1.3	
Methylene Chloride	260,000	2,600	85,800	2,600	17.1	20.9	20.8	40.4	29.6	44.4	15.7	
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.87	<0.95	1.7J	<0.55	<0.55	1.1J	<0.87	
Naphthalene	360	3.6	119	3.6	<2.2	3.0J	<3.4	4.7	5.2	1.9J	<2.2	
2-Propanol	--	--	--	--	3.8J	20.5	14.4	12.6	11.9	13.3	4.2	
Propylene	1,300,000	13,000	429,000	13,000	<0.24	<0.26	<0.26	<0.24	<0.24	<0.20	<0.24	
Styrene	440,000	4,400	145,200	4,400	1.8	2.1	7.6	7.9	36.1	13.3	12.7	

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs							
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	
					IA-12	IA-12	IA-12	IA-13	IA-14	IA-14	IA-14	
					Manufacturing	Manufacturing	Manufacturing	Manufacturing	Shipping	Shipping	Shipping	
					8	8	8	8	8	8	8	
					2/11/2020	3/16/2020	6/9/2020	4/6/2018	4/6/2018	10/31/2018	2/11/2020	
Detected VOCs (ug/m³) by EPA Method TO-15												
Tetrachloroethene	18,000	180	5,940	180	4.0	8.6	1.3J	32.2	118	1.7	16.8	
Tetrahydrofuran	--	---	--	---	<0.44	1.3	<0.49	1.8	<0.42	<0.36	<0.44	
Toluene	2,200,000	22,000	726,000	22,000	174	116	347	66.6	85.4	163	170	
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<6.2	<6.8	<8.9	<1.5	<1.5	<5.2	<6.2	
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<0.52	<0.57	<0.41	<0.53	<0.53	<0.43	<0.52	
Trichloroethene	880	8.8	290	8.8	1.6	1.7	1.7	4.8	3.7	1.5	1.5	
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.5J	1.7J	1.0J	1.6J	1.7J	1.3J	1.4J	
1,1,2-Trichlorotrifluoroethane	---	---	---	---	<0.95	<1.0	<0.69	0.81J	1.0J	<0.78	<0.95	
1,2,4-Trimethylbenzene	3,100	31	1,023	31	2.1	1.2J	1.1J	4.0	9.1	1.1J	2.0	
1,3,5-Trimethylbenzene	--	---	--	---	1.0J	<0.73	<0.67	1.0J	2.5	<0.55	1.0J	
Vinyl Acetate	88,000	880	29,040	880	<0.45	<0.49	<0.48	0.88J	2.1	<0.38	<0.45	
Vinyl Chloride	2,800	28	924	28	<0.21	<0.23	<0.26	<0.20	<0.20	<0.18	<0.21	
m&p-Xylene	44,000	440	14,520	440	5.3	3.7	4.3J	8.9	27.3	4.9	4.8	
o-Xylene	44,000	440	14,520	440	1.4J	1.1J	1.4J	3.1	9.2	1.3	1.2J	
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs									
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
					IA-14	IA-14	IA-15	IA-16	IA-16	IA-17	IA-18	IA-18	IA-19	IA-19
					Shipping	Shipping	Shipping	Manufacturing						
					8	8	8	8	8	8	8	8	8	8
Date Collected					3/16/2020	6/9/2020	4/6/2018	4/6/2018	10/31/2018	4/6/2018	4/6/2018	10/31/2018	2/11/2020	
Detected VOCs (ug/m³) by EPA Method TO-15														
Acetone	14,000,000	140,000	4,620,000	140,000	27.0	40.9	90.8	93.0	84.6	72.8	82.3	103	48.7	
Benzene	1,600	16	528	16	1.6	0.85	2.5	2.4	0.40J	1.4	2.2	0.40J	0.85	
Bromomethane	2,200	22	726	22	<0.38	<0.23	<0.31	<0.33	<0.34	<0.32	<0.32	<0.35	<0.39	
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	8.1	26.6	19.1	22.9	52.6	22.7	25.1	72.7	21.5	
Carbon disulfide	310,000	3,100	102,300	3,100	<0.37	<0.17	<0.27	<0.29	<0.33	<0.28	<0.28	<0.34	<0.37	
Carbon tetrachloride	2,000	20	660	20	<0.72	<0.40	<0.47	0.56J	<0.64	<0.49	<0.49	<0.66	<0.73	
Chlorobenzene	22,000	220	7,260	220	<0.46	<0.21	<0.27	<0.29	<0.41	<0.28	<0.28	<0.43	<0.47	
Chloroform	530	5.3	175	5.3	<0.33	<0.21	<0.34	<0.37	<0.29	<0.36	<0.36	<0.30	<0.34	
Chloromethane	39,000	390	12,870	390	1.2	1.3	<0.20	<0.22	0.76	<0.21	<0.21	0.82	1.0	
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.59	<0.23	6.8	6.2	1.9J	3.4	5.7	3.7	<0.60	
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.84	<0.49	<0.49	<0.52	<0.74	<0.51	2.5	<0.77	<0.85	
1,3-Dichlorobenzene	--	--	--	--	<0.98	<0.74	<0.69	<0.75	<0.87	<0.72	<0.72	<0.90	<0.99	
1,4-Dichlorobenzene	1,100	11	363	11	10.8	13.5	143	178	16.1	217	211	14.6	15.3	
Dichlorodifluoromethane	44,000	440	14,520	440	2.9	2.3	3.0	3.2	2.2	3.2	3.3	2.2	2.7	
1,1-Dichloroethane	7,700	77	2,541	77	<0.38	<0.18	<0.32	<0.34	<0.34	<0.33	<0.33	<0.35	<0.38	
1,2-Dichloroethane	470	4.7	155	4.7	<0.25	<0.26	0.53J	0.50J	<0.22	0.49J	0.49J	<0.23	<0.26	
1,1-Dichloroethene	88,000	880	29,040	880	<0.46	<0.18	<0.35	<0.38	<0.41	<0.37	<0.37	<0.42	<0.47	
cis-1,2-Dichloroethene	--	--	--	--	<0.37	<0.18	<0.51	<0.55	<0.33	<0.53	<0.53	<0.34	<0.37	
trans-1,2-Dichloroethene	--	--	--	--	<0.48	<0.26	<0.44	<0.47	<0.42	<0.46	<0.46	<0.44	<0.49	
Ethanol	--	--	--	--	723	368	234	282	206	295	329	249	336	
Ethyl acetate	31,000	310	10,230	310	<0.32	3.3	3.3	2.5	1.7	2.1	2.7	1.7	2.0	
Ethylbenzene	4,900	49	1,617	49	1.2J	1.1J	7.4	8.9	1.2J	3.6	4.7	1.9	1.6	
4-Ethyltoluene	--	--	--	--	<0.96	<0.66	2.6	3.2	<0.85	1.4J	2.0	<0.88	<0.97	
N-Heptane	--	--	--	--	1.4J	7.5	7.9	7.3	1.8	4.5	6.0	<0.59	<0.65	
Hexachloro-1,3-butadiene	--	--	--	--	<3.3	<1.9	<1.3	<1.4	<2.9	<1.3	<1.3	<3.1	<3.4	
n-Hexane	310,000	3,100	102,300	3,100	1.9	5.7	7.8	7.1	0.87J	2.8	7.3	0.73J	1.8	
2-Hexanone	13,000	130	4,290	130	<1.3	<0.53	<0.91	<0.99	<1.1	<0.95	<0.95	<1.2	<1.3	
Methylene Chloride	260,000	2,600	85,800	2,600	18.1	16.3	29.8	33.9	18.1	39.6	39.6	18.5	21.3	
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.87	0.99J	0.68J	<0.57	0.94J	<0.55	<0.55	1.3J	<0.89	
Naphthalene	360	3.6	119	3.6	2.7J	<2.0	5.1	6.2	<2.0	4.9	6.4	<2.0	2.9J	
2-Propanol	--	--	--	--	16.6	24.8	14.7	12.4	4.5	11.2	13.8	5.1	13.8	
Propylene	1,300,000	13,000	429,000	13,000	<0.24	<0.15	<0.23	<0.25	<0.21	<0.24	<0.24	<0.22	<0.24	
Styrene	440,000	4,400	145,200	4,400	7.9	26.2	36.6	29.3	3.9	11.3	12.7	1.1J	5.8	

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs								
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Sample I.D.					IA-14	IA-14	IA-15	IA-16	IA-16	IA-17	IA-18	IA-18	IA-19
Location in Building/Property					Shipping	Shipping	Shipping	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing
Duration of Sample Collection (hrs)					8	8	8	8	8	8	8	8	8
Date Collected					3/16/2020	6/9/2020	4/6/2018	4/6/2018	10/31/2018	4/6/2018	4/6/2018	10/31/2018	2/11/2020
Detected VOCs (ug/m³) by EPA Method TO-15													
Tetrachloroethene	18,000	180	5,940	180	21.9	2.3	87.7	63.5	<0.47	39.5	41.2	<0.49	8.1
Tetrahydrofuran	--	---	--	---	1.8	<0.28	<0.41	3.5	<0.39	2.1	3.9	1.3	1.4
Toluene	2,200,000	22,000	726,000	22,000	108	193	90.2	111	241	80.4	96.2	349	210
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<6.2	<5.1	<1.4	<1.5	<5.5	<1.5	<1.5	<5.8	<6.4
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<0.52	<0.24	<0.51	<0.55	<0.46	<0.53	<0.53	<0.48	<0.53
Trichloroethene	880	8.8	290	8.8	1.7	1.4	3.6	4.2	1.5	4.5	4.7	1.6	1.8
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.5J	1.3J	1.6J	1.5J	1.2J	1.5J	1.6J	1.2J	1.3J
1,1,2-Trichlorotrifluoroethane	---	---	---	---	<0.95	0.41J	1.1J	0.84J	<0.84	0.84J	0.84J	<0.87	<0.96
1,2,4-Trimethylbenzene	3,100	31	1,023	31	1.5J	1.2J	9.7	11.4	0.94J	5.4	10.8	1.1J	2.0
1,3,5-Trimethylbenzene	--	---	--	---	<0.67	<0.39	2.6	3.2	<0.59	1.5J	2.1	<0.62	1.2J
Vinyl Acetate	88,000	880	29,040	880	<0.45	<0.27	0.81J	1.6	<0.40	1.6	1.9	<0.42	<0.46
Vinyl Chloride	2,800	28	924	28	<0.21	<0.15	<0.19	<0.20	<0.19	<0.20	<0.20	<0.20	<0.22
m&p-Xylene	44,000	440	14,520	440	4.2	3.5	30.6	37.3	4.0	13.4	17.8	6.2	4.8
o-Xylene	44,000	440	14,520	440	1.5	1.2J	10.1	12.5	1.1J	4.5	5.8	1.7	1.2J
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs												
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air			
					IA-19	IA-19	IA-20	IA-20	IA-20	IA-21	IA-21	IA-21	IA-22	IA-22			
					Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing			
					8	8	8	8	8	8	8	8	8	8			
Duration of Sample Collection (hrs)		3/16/2020		6/9/2020		2/11/2020		3/16/2020		6/9/2020		2/11/2020		3/16/2020			
Date Collected		6/9/2020		3/19/2020		6/9/2020		3/19/2020		6/9/2020		3/19/2020		6/9/2020			
Detected VOCs (ug/m³) by EPA Method TO-15																	
Acetone	14,000,000	140,000	4,620,000	140,000	26.5	49.0	24.6	26.6	34.6	26.1	22.0	33.7	26.1	36.4			
Benzene	1,600	16	528	16	1.3	0.93	0.61	1.1	0.62	0.66	1.1	0.59	0.59	0.65			
Bromomethane	2,200	22	726	22	<0.40	<0.23	<0.40	<0.40	<0.24	<0.37	<0.38	<0.23	<0.42	<0.23			
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	10.4	30.5	16.0	7.9	51.2	18.6	6.8	46.3	7.4	44.1			
Carbon disulfide	310,000	3,100	102,300	3,100	<0.38	<0.17	<0.38	<0.38	<0.17	<0.35	<0.37	<0.17	<0.40	<0.17			
Carbon tetrachloride	2,000	20	660	20	<0.75	<0.40	<0.75	<0.75	<0.41	<0.69	<0.72	<0.40	<0.79	<0.40			
Chlorobenzene	22,000	220	7,260	220	<0.48	<0.21	<0.48	<0.48	<0.21	<0.44	<0.46	<0.21	<0.50	<0.21			
Chloroform	530	5.3	175	5.3	<0.34	<0.21	<0.34	<0.34	<0.21	<0.32	<0.33	<0.21	<0.36	<0.21			
Chloromethane	39,000	390	12,870	390	1.2	1.1	0.82	1.1	1.1	0.85	0.99	1.3	0.56 J	1.2			
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.62	<0.23	<0.62	1.2J	<0.24	<0.57	1.2J	<0.23	<0.65	<0.23			
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.87	<0.49	<0.87	<0.87	<0.51	<0.80	<0.84	<0.49	<0.91	<0.49			
1,3-Dichlorobenzene	--	--	--	--	<1.0	<0.74	<1.0	<1.0	<0.77	<0.94	<0.98	<0.74	<1.1	<0.74			
1,4-Dichlorobenzene	1,100	11	363	11	9.1	11.2	19.7	8.4	16.9	17.6	6.9	16.2	5.0 J	17.0			
Dichlorodifluoromethane	44,000	440	14,520	440	3.0	2.2	2.6	2.9	2.7	2.4	2.7	2.5	1.9	2.5			
1,1-Dichloroethane	7,700	77	2,541	77	<0.39	<0.18	<0.39	<0.39	<0.18	<0.36	<0.38	<0.18	<0.41	<0.18			
1,2-Dichloroethane	470	4.7	155	4.7	<0.26	<0.26	<0.26	<0.26	<0.27	<0.24	<0.25	<0.26	<0.27	<0.26			
1,1-Dichloroethene	88,000	880	29,040	880	<0.48	<0.18	<0.48	<0.48	<0.19	<0.44	<0.46	<0.18	<0.50	<0.18			
cis-1,2-Dichloroethene	--	--	--	--	<0.38	<0.18	<0.38	<0.38	<0.19	<0.35	<0.37	<0.18	<0.40	<0.18			
trans-1,2-Dichloroethene	--	--	--	--	<0.50	<0.26	<0.50	<0.50	<0.27	<0.46	<0.48	<0.26	<0.52	<0.26			
Ethanol	--	--	--	--	1,140	438	206	965	347	216	834	461	675	336			
Ethyl acetate	31,000	310	10,230	310	<0.33	3.3	1.2J	<0.33	2.0	<0.31	<0.32	1.8	1.6	2.0			
Ethylbenzene	4,900	49	1,617	49	1.5J	1.0J	1.6	1.3J	1.1J	1.8	0.96J	0.99J	0.89 J	1.1J			
4-Ethyltoluene	--	--	--	--	<1.0	<0.66	<1.0	<1.0	<0.69	<0.92	<0.96	<0.66	<1.0	<0.66			
N-Heptane	--	--	--	--	1.0J	4.1	0.73J	<0.66	4.1	0.75J	0.69J	3.2	0.74 J	3.5			
Hexachloro-1,3-butadiene	--	--	--	--	<3.4	<1.9	<3.4	<3.4	<2.0	<3.2	<3.3	<1.9	<3.6	<1.9			
n-Hexane	310,000	3,100	102,300	3,100	1.3	5.0	1.1J	1.1J	3.0	<0.50	1.2J	3.8	1.1 J	2.1			
2-Hexanone	13,000	130	4,290	130	<1.3	<0.53	<1.3	<1.3	<0.56	<1.2	<1.3	<0.53	<1.4	<0.53			
Methylene Chloride	260,000	2,600	85,800	2,600	20.5	14.4	17.0	18.5	19.9	15.9	16.9	25.8	14.0	20.4			
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.91	1.0J	<0.91	<0.91	0.97J	<0.83	<0.87	0.89J	<0.95	1.1J			
Naphthalene	360	3.6	119	3.6	3.1J	<2.0	<2.3	2.9J	<2.0	<2.1	2.7J	<2.0	<2.4	<2.0			
2-Propanol	--	--	--	--	21.4	16.2	3.1J	24.5	13.6	3.7J	19.3	16.9	7.3	13.3			
Propylene	1,300,000	13,000	429,000	13,000	<0.24	<0.15	<0.24	<0.24	<0.16	<0.23	<0.24	<0.15	<0.26	<0.15			
Styrene	440,000	4,400	145,200	4,400	3.3	16.6	1.4J	1.8	7.2	1.9	2.1	6.4	2.2	7.1			

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Large Commercial VALs												
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air			
					IA-19	IA-19	IA-20	IA-20	IA-20	IA-21	IA-21	IA-21	IA-22	IA-22			
					Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing			
					8	8	8	8	8	8	8	8	8	8			
Date Collected		3/16/2020		6/9/2020		2/11/2020		3/16/2020		6/9/2020		2/11/2020		3/16/2020			
Detected VOCs (ug/m ³) by EPA Method TO-15																	
Tetrachloroethene	18,000	180	5,940	180	11.6	1.3	3.5	7.4	1.2	4.3	9.4	1.2	5.9	1.3			
Tetrahydrofuran	--	---	--	---	1.9	2.6	<0.46	0.95J	<0.29	<0.42	0.91J	<0.28	2.8	<0.28			
Toluene	2,200,000	22,000	726,000	22,000	149	191	159	120	446	161	104	165	45.4	478			
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<6.5	<5.1	<6.5	<6.5	<5.3	<6.0	<6.2	<5.1	<6.8	<5.1			
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<0.54	<0.24	<0.54	<0.54	<0.24	<0.50	<0.52	<0.24	<0.57	<0.24			
Trichloroethene	880	8.8	290	8.8	2.3	1.2	1.5	2.0	1.8	1.4	1.8	1.7	1.6	2.0			
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.7J	1.2J	1.3J	1.5J	1.2J	2.1	1.5J	1.3J	0.90 J	1.2J			
1,1,2-Trichlorotrifluoroethane	---	---	---	---	<0.99	0.46J	<0.99	<0.99	0.45J	<0.91	<0.95	0.40J	<1.0	0.45J			
1,2,4-Trimethylbenzene	3,100	31	1,023	31	1.7J	1.1J	2.0	1.4J	1.0J	2.1	1.0J	0.81J	0.97 J	1.1J			
1,3,5-Trimethylbenzene	--	---	--	---	<0.70	<0.39	0.90J	<0.70	<0.40	0.92J	<0.67	<0.39	<0.73	<0.39			
Vinyl Acetate	88,000	880	29,040	880	<0.47	<0.27	<0.47	<0.47	<0.28	<0.43	<0.45	<0.27	<0.49	<0.27			
Vinyl Chloride	2,800	28	924	28	<0.22	<0.15	<0.22	<0.22	<0.15	<0.20	<0.21	<0.15	<0.23	<0.15			
m&p-Xylene	44,000	440	14,520	440	4.6	3.6	4.9	4.1	3.7	5.5	3.1	3.2	2.5 J	3.8			
o-Xylene	44,000	440	14,520	440	1.3J	1.2J	1.3J	1.2J	1.2J	1.6	0.99J	1.0J	0.89 J	1.2J			
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels						
					Indoor Air	Indoor Air	Indoor Air	Indoor Air		
					IA-23	IA-23	IA-24	IA-24		
					Manufacturing	Manufacturing	Shipping	Shipping		
					8	8	8	8		
Date Collected		3/19/2020		6/9/2020		3/19/2020		6/9/2020		
Detected VOCs (ug/m³) by EPA Method TO-15										
Acetone	14,000,000	140,000	4,620,000	140,000	23.6	36.9	21.8	55.1		
Benzene	1,600	16	528	16	0.47 J	0.69	1.0	1.4		
Bromomethane	2,200	22	726	22	<0.44	<0.23	<0.44	<0.23		
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	5.5 J	37.5	3.4 J	15.7		
Carbon disulfide	310,000	3,100	102,300	3,100	<0.42	<0.17	<0.42	<0.17		
Carbon tetrachloride	2,000	20	660	20	<0.82	<0.40	<0.82	<0.40		
Chlorobenzene	22,000	220	7,260	220	<0.53	<0.21	<0.53	<0.21		
Chloroform	530	5.3	175	5.3	<0.38	<0.21	<0.38	<0.21		
Chloromethane	39,000	390	12,870	390	0.52 J	1.1	0.66 J	1.1		
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.68	<0.23	<0.68	<0.23		
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.96	<0.49	<0.96	<0.49		
1,3-Dichlorobenzene	--	--	--	--	<1.1	<0.74	<1.1	<0.74		
1,4-Dichlorobenzene	1,100	11	363	11	5.0 J	24.4	3.7 J	7.5		
Dichlorodifluoromethane	44,000	440	14,520	440	2.1	2.1	2.0	3.0		
1,1-Dichloroethane	7,700	77	2,541	77	<0.43	<0.18	<0.43	<0.18		
1,2-Dichloroethane	470	4.7	155	4.7	<0.29	<0.26	<0.29	<0.26		
1,1-Dichloroethene	88,000	880	29,040	880	<0.53	<0.18	<0.53	<0.18		
cis-1,2-Dichloroethene	--	--	--	--	<0.42	<0.18	<0.42	<0.18		
trans-1,2-Dichloroethene	--	--	--	--	<0.55	<0.26	<0.55	<0.26		
Ethanol	--	--	--	--	943	382	692	262		
Ethyl acetate	31,000	310	10,230	310	1.0 J	2.2	1.6	5.2		
Ethylbenzene	4,900	49	1,617	49	<0.59	1.0J	0.76 J	1.3J		
4-Ethyltoluene	--	--	--	--	<1.1	<0.66	<1.1	0.77J		
N-Heptane	--	--	--	--	<0.73	3.0	0.92 J	10.0		
Hexachloro-1,3-butadiene	--	--	--	--	<3.8	<1.9	<3.8	<1.9		
n-Hexane	310,000	3,100	102,300	3,100	1.6	2.2	1.7	8.1		
2-Hexanone	13,000	130	4,290	130	<1.4	<0.53	<1.4	<0.53		
Methylene Chloride	260,000	2,600	85,800	2,600	25.3	26.6	8.3	12.3		
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.99	0.97J	<0.99	0.93J		
Naphthalene	360	3.6	119	3.6	<2.5	<2.0	<2.5	<2.0		
2-Propanol	--	--	--	--	4.3 J	21.9	6.1	19.0		
Propylene	1,300,000	13,000	429,000	13,000	<0.27	<0.15	<0.27	<0.15		
Styrene	440,000	4,400	145,200	4,400	2.1	8.3	6.9	58.6		

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels						
					Indoor Air	Indoor Air	Indoor Air	Indoor Air		
					IA-23	IA-23	IA-24	IA-24		
					Manufacturing	Manufacturing	Shipping	Shipping		
					8	8	8	8		
Date Collected						3/19/2020		6/9/2020		
Detected VOCs (ug/m ³) by EPA Method TO-15										
Tetrachloroethene	18,000	180	5,940	180	5.0	1.7	9.1	1.8		
Tetrahydrofuran	--	---	--	---	<0.50	<0.28	1.2 J	<0.28		
Toluene	2,200,000	22,000	726,000	22,000	35.0	357	31.6	88.5		
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<7.1	<5.1	<7.1	<5.1		
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<0.59	<0.24	<0.59	<0.24		
Trichloroethene	880	8.8	290	8.8	1.6	2.4	1.3	1.1		
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.2 J	1.2J	<0.70	1.2J		
1,1,2-Trichlorotrifluoroethane	---	---	---	---	<1.1	<0.40	<1.1	0.43J		
1,2,4-Trimethylbenzene	3,100	31	1,023	31	<0.87	0.84J	<0.87	3.9		
1,3,5-Trimethylbenzene	--	---	--	---	<0.77	<0.39	<0.77	1.2J		
Vinyl Acetate	88,000	880	29,040	880	<0.52	<0.27	<0.52	<0.27		
Vinyl Chloride	2,800	28	924	28	<0.24	<0.15	<0.24	<0.15		
m&p-Xylene	44,000	440	14,520	440	1.8 J	3.2	2.5 J	4.6		
o-Xylene	44,000	440	14,520	440	0.68 J	1.0J	1.1 J	1.8		
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA		

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Small Commercial VALs											
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Sample I.D.					IAO-1	IAO-1	IAO-1	IAO-2	IAO-2	IAO-2	IAO-3	IAO-4	IAB-1	IAB-1	IAB-1	IAB-1
Location in Building/Property					Office	Office	Office	Office	Office	Office	Restroom	Cafeteria	Basement	Basement	Basement	Basement
Duration of Sample Collection (hrs)					8	8	8	8	8	8	8	8	8	8	8	8
Date Collected					2/11/2020	3/16/2020	6/9/2020	2/11/2020	3/16/2020	6/9/2020	6/9/2020	6/9/2020	2/12/2020	3/16/2020	6/9/2020	
Detected VOCs (ug/m³) by EPA Method TO-15																
Acetone	14,000,000	140,000	4,620,000	140,000	63.8	52.7	101	51.5	57.5	112	124	119	89.7	64.8	107	
Benzene	1,600	16	528	16	0.73	1.3	0.80	0.66	1.2	1.0	0.78	0.72	0.75	1.2	0.80	
Bromomethane	2,200	22	726	22	<0.38	<0.40	<0.24	<0.40	<0.42	<0.23	<0.23	<0.22	<0.40	<0.42	<0.24	
2-Butanone (MEK)	2,200,000	22,000	726,000	22,000	8.7	5.8	29.3	6.5	6.8	24.2	27.5	24.7	24.2	8.4	36.8	
Carbon disulfide	310,000	3,100	102,300	3,100	<0.37	<0.38	<0.17	<0.38	<0.40	<0.17	<0.17	<0.16	<0.38	<0.40	<0.17	
Carbon tetrachloride	2,000	20	660	20	<0.72	<0.75	<0.41	<0.75	<0.79	0.61J	0.58J	0.48J	<0.75	<0.79	0.47J	
Chlorobenzene	22,000	220	7,260	220	<0.46	<0.48	<0.21	<0.48	<0.50	<0.21	<0.21	<0.20	<0.48	<0.50	<0.21	
Chloroform	530	5.3	175	5.3	<0.33	<0.34	0.94	<0.34	<0.36	1.0	1.0	0.95	<0.34	<0.36	0.56J	
Chloromethane	39,000	390	12,870	390	0.87	1.3	1.8	1.0	1.3	1.7	1.9	1.8	0.88	<0.29	1.7	
Cyclohexane	2,600,000	26,000	858,000	26,000	<0.59	<0.62	<0.24	<0.62	1.1J	<0.23	<0.23	<0.22	<0.62	<0.65	<0.24	
1,2-Dichlorobenzene	88,000	880	29,040	880	<0.84	<0.87	<0.51	<0.87	<0.91	<0.49	<0.49	<0.47	<0.87	<0.91	<0.51	
1,3-Dichlorobenzene	--	--	--	--	<0.98	<1.0	<0.77	<1.0	<1.1	<0.74	<0.74	<0.71	<1.0	<1.1	<0.77	
1,4-Dichlorobenzene	1,100	11	363	11	195	81.4	53.7	172	90.6	71.7	76.0	56.0	194	98.1	52.7	
Dichlorodifluoromethane	44,000	440	14,520	440	5.2	4.4	4.1	4.6	4.4	3.9	4.0	3.9	3.8	5.4	3.7	
1,1-Dichloroethane	7,700	77	2,541	77	<0.38	<0.39	<0.18	<0.39	<0.41	<0.18	<0.18	<0.17	<0.39	<0.41	<0.18	
1,2-Dichloroethane	470	4.7	155	4.7	<0.25	<0.26	<0.27	<0.26	<0.27	<0.26	<0.26	<0.25	<0.26	<0.27	<0.27	
1,1-Dichloroethene	88,000	880	29,040	880	<0.46	<0.48	<0.19	<0.48	<0.50	<0.18	<0.18	<0.18	<0.48	<0.50	<0.19	
cis-1,2-Dichloroethene	--	--	--	--	<0.37	<0.38	<0.19	<0.38	<0.40	<0.18	<0.18	<0.17	<0.38	<0.40	<0.19	
trans-1,2-Dichloroethene	--	--	--	--	<0.48	1.1J	0.45J	<0.50	<0.52	<0.26	<0.26	<0.25	<0.50	<0.52	<0.27	
Ethanol	--	--	--	--	116	1,100	432	134	1,640	371	412	989	97.3	447	371	
Ethyl acetate	31,000	310	10,230	310	0.88J	<0.33	<0.30	1.4	1.7	2.0	<0.29	<0.27	1.5	<0.35	<0.30	
Ethylbenzene	4,900	49	1,617	49	1.1J	1.2J	1.0J	0.89J	0.98J	1.0J	1.0J	0.92J	1.4J	1.2J	1.2J	
4-Ethyltoluene	--	--	--	--	<0.96	<1.0	<0.69	<1.0	<1.0	<1.0	0.74J	0.91J	0.73J	<1.0	<1.0	
N-Heptane	--	--	--	--	0.86J	0.95J	3.5	1.0J	<0.70	2.7	3.1	2.4	2.1	0.90J	3.5	
Hexachloro-1,3-butadiene	--	--	--	--	<3.3	<3.4	<2.0	<3.4	<3.6	<1.9	<1.9	<1.9	<3.4	<3.6	<2.0	
n-Hexane	310,000	3,100	102,300	3,100	0.93J	1.6	2.3	0.88J	1.0J	1.9	1.9	1.8	1.2J	1.5	2.5	
2-Hexanone	13,000	130	4,290	130	<1.3	<1.3	<0.56	<1.3	<1.4	<0.53	<0.53	<0.51	<1.3	<1.4	<0.56	
Methylene Chloride	260,000	2,600	85,800	2,600	11.4	113	29.0	8.0	17.5	24.1	24.2	20.5	14.9	27.7	24.9	
4-Methyl-2-pentanone (MIBK)	1,300,000	13,000	429,000	13,000	<0.87	<0.91	0.91J	<0.91	<0.95	0.83J	0.81J	0.92J	<0.91	<0.95	1.0J	
Naphthalene	360	3.6	119	3.6	<2.2	2.8J	<2.0	<2.3	2.9J	<2.0	2.3J	2.1J	<2.3	<2.4	<2.0	
2-Propanol	--	--	--	--	12.4	60.2	46.6	9.0	62.0	48.3	49.6	60.8	8.5	24.5	35.1	
Propylene	1,300,000	13,000	429,000	13,000	<0.24	<0.24	<0.16	<0.24	<0.26	<0.15	<0.15	<0.24	<0.26	<0.16		
Styrene	440,000	4,400	145,200	4,400	1.5	1.6	4.4	2.0	1.4J	3.9	4.3	4.1	1.5	1.6	5.2	

Table 1. Post System Installation Sub-Slab Vapor and Indoor Air Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Sample Type - Background Air, Indoor Air, or Sub-Slab	LARGE COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	LARGE COMMERCIAL Target Indoor Air Vapor Action Levels	SMALL COMMERCIAL Target Sub-Slab Vapor Risk Screening Levels	SMALL COMMERCIAL Target Indoor Air Vapor Action Levels	Compared to Small Commercial VALs										
					Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air	
Sample I.D.					IAO-1	IAO-1	IAO-1	IAO-2	IAO-2	IAO-2	IAO-3	IAO-4	IAB-1	IAB-1	
Location in Building/Property					Office	Office	Office	Office	Office	Office	Restroom	Cafeteria	Basement	Basement	
Duration of Sample Collection (hrs)					8	8	8	8	8	8	8	8	8	8	
Date Collected					2/11/2020	3/16/2020	6/9/2020	2/11/2020	3/16/2020	6/9/2020	6/9/2020	6/9/2020	2/12/2020	3/16/2020	
Detected VOCs (ug/m ³) by EPA Method TO-15															
Tetrachloroethene	18,000	180	5,940	180	3.3	7.2	2.1	2.4	5.8	2.2	2.1	1.6	9.2	17.3	2.2
Tetrahydrofuran	--	---	--	---	<0.44	1.4	<0.29	<0.46	1.1	<0.28	<0.28	<0.27	<0.46	2.3	<0.29
Toluene	2,200,000	22,000	726,000	22,000	71.6	84.8	204	51.0	63.1	171	182	163	145	84.5	256
1,2,4-Trichlorobenzene	880	8.8	290	8.8	<6.2	<6.5	<5.3	<6.5	<6.8	<5.1	<5.1	<4.9	<6.5	<6.8	<5.3
1,1,1-Trichloroethane	2,200,000	22,000	726,000	22,000	<0.52	<0.54	<0.24	<0.54	<0.57	<0.24	<0.24	<0.23	<0.54	<0.57	<0.24
Trichloroethene	880	8.8	290	8.8	0.86J	1.8	2.2	0.52J	1.3	2.0	2.0	1.7	1.3	2.0	2.2
Trichlorofluoromethane	310,000	3,100	102,300	3,100	1.3J	1.7J	2.1	1.4J	1.8J	1.8	2.1	2.0	1.4J	1.7J	2.0
1,1,2-Trichlorotrifluoroethane	---	---	---	---	<0.95	<0.99	0.64J	<0.99	<1.0	0.62J	0.55J	0.62J	<0.99	<1.0	0.60J
1,2,4-Trimethylbenzene	3,100	31	1,023	31	2.0	1.6J	1.6J	1.7J	1.4J	1.7	2.1	1.5	3.2	1.8J	2.5
1,3,5-Trimethylbenzene	--	---	--	---	1.0J	<0.70	0.52J	0.99J	<0.73	<0.39	0.55J	0.45J	1.3J	<0.73	0.61J
Vinyl Acetate	88,000	880	29,040	880	<0.45	<0.47	<0.28	<0.47	<0.49	<0.27	<0.27	<0.26	<0.47	<0.49	<0.28
Vinyl Chloride	2,800	28	924	28	<0.21	<0.22	<0.15	<0.22	<0.23	<0.15	<0.15	<0.14	<0.22	<0.23	<0.15
m&p-Xylene	44,000	440	14,520	440	3.1	3.4	3.5	2.5J	3.5	3.4	3.5	3.0	3.9	3.3	4.1
o-Xylene	44,000	440	14,520	440	<0.58	1.1J	1.1J	<0.60	1.3J	1.1J	1.2J	1.0J	0.72J	1.0J	1.4J
Vinyl Bromide	380	3.8	125	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Indoor air samples are compared to target indoor air action levels.

Sub-slab samples are compare to target sub-slab vapor risk screening levels.

Bold values exceed the target sub-slab vapor risk screening levels

Boxed values exceeded the target indoor air action levels

-- No Target Vapor Risk Screening Level established by the United States Environmental Protection Agency

J - Estimated concentration

ug/m³ = Micrograms per cubic meter

Table 2. Pre- and Post System Installation Building Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Indoor Air Pressure Readings (inches of water)																			
Location	Office	Manufacturing Department		Shipping Department			Manufacturing Department						Shipping Department		Manufacturing Department	Average Temperature (F)	Wind Speed (mph)	Barometric Pressure (in Hg)	Vapor Mitigation System
Date	BP-1	BP-2	BP-3	BP-4	BP-5	BP-6	BP-7	BP-8	BP-9	BBP-1	BBP-2	BBP-3	BBP-4	BBP-5	BBP-6				
1/16/2018	-0.083	-0.040	-0.050	-0.038	-0.035	-0.028	-0.025	-0.028	NA	NM	NM	NM	NM	NM	NM	14.8	14	29.5	Pre-Installation
4/5/2018	-0.014	-0.022	-0.018	-0.017	-0.002	-0.006	-0.010	-0.024	-0.018	NM	NM	NM	NM	NM	NM	26.3	15	29.2	Post Installation (System Optimized by July 2018)
4/20/2018	-0.008	-0.019	-0.009	-0.004	-0.005	-0.011	-0.011	-0.014	-0.012	NM	NM	NM	NM	NM	NM	37.3	9	29.5	
7/3/2018	0.012	0.011	0.014	0.012	0.011	0.012	0.002	0.008	0.003	NM	NM	NM	NM	NM	NM	68.6	8	29.2	
7/19/2018	0.020	0.020	0.012	0.006	0.012	0.022	0.014	0.007	0.004	NM	NM	NM	NM	NM	NM	64.8	14	29.1	
10/30/2018	0.06	0.03	0.01	0.01	0.03	0.03	0.02	0.03	0.02	NM	NM	NM	NM	NM	NM	46.8	12	29.0	
2/11/2020	0.006	0.023	0.040	0.020	0.002	0.017	0.004	0.002	0.024	0.020	0.020	0.007	0.011	0.007	0.015	21.5	18	29.1	
3/23/2020	0.000	0.000	0.000	0.000	0.000	0.004	-0.009	0.000	0.016	0.000	0.000	0.000	0.000	0.000	0.000	32.7	9	29.2	
6/10/2020	0.011	0.003	0.004	0.001	0.005	0.005	0.002	0.000	0.008	0.000	0.006	0.000	0.000	0.001	0.000	72.0	7	30.0	

Sub-Slab Pressure Readings (inches of water)														
Location	Manufacturing Department			Shipping Department			Manufacturing Department				Office	Basement	Office	System Installation
Date	SS-1	SS-2	SS-3	SS-4	SS-5	SS-6	SS-7	SS-8	SS-9	SS-10	SS-11	SS-12	SS-13	System Installation
7/19/2018	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	NM	NM	NM	Post Installation
10/30/2018	0.000	0.000	0.000	0.000	0.000	-0.010	0.000	0.000	-0.001	-0.005	NM	NM	NM	
2/11/2020	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
3/23/2020	0.000	0.000	0.000	0.000	-0.001	0.000	-0.004	0.000	0.000	0.000	0.000	0.000	0.000	
6/10/2020	0.000	0.000	0.000	0.000	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.013	

Measurements collected with hand-held micromanometer.

Indoor air pressure readings are in relation to outdoor air.

Sub-slab pressure readings are in relation to indoor air.

Sub-slab pressure points SS-1 through SS-13 are designed to collect data from immediately below the concrete floor.

F - Fahrenheit

in Hg - inches of mercury

mph - miles per hour

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time	Building Pressure (inches of water column)
Stamp	
4/1/2020 0:00	0.03
4/1/2020 2:00	0.02
4/1/2020 4:00	0.02
4/1/2020 6:00	0.02
4/1/2020 8:00	0.03
4/1/2020 10:00	0.01
4/1/2020 12:00	0.01
4/1/2020 14:00	0.01
4/1/2020 16:00	0.03
4/1/2020 18:00	0.04
4/1/2020 20:00	0.02
4/1/2020 22:00	0.02
4/2/2020 0:00	0.02
4/2/2020 2:00	0.02
4/2/2020 4:00	0.02
4/2/2020 6:00	0.01
4/2/2020 8:00	0.01
4/2/2020 10:00	0.01
4/2/2020 12:00	0.02
4/2/2020 14:00	0.02
4/2/2020 16:00	0.03
4/2/2020 18:00	0.02
4/2/2020 20:00	0.02
4/2/2020 22:00	0.02
4/3/2020 0:00	0.02
4/3/2020 2:00	0.02
4/3/2020 4:00	0.03
4/3/2020 6:00	0.02
4/3/2020 8:00	0.02
4/3/2020 10:00	0.03
4/3/2020 12:00	0.04
4/3/2020 14:00	0.02
4/3/2020 16:00	0.03
4/3/2020 18:00	0.02
4/3/2020 20:00	0.02
4/3/2020 22:00	0.03
4/4/2020 0:00	0.02
4/4/2020 2:00	0.04
4/4/2020 4:00	0.02
4/4/2020 6:00	0.05
4/4/2020 8:00	0.03
4/4/2020 10:00	0.03
4/4/2020 12:00	0.03
4/4/2020 14:00	0.03
4/4/2020 16:00	0.03
4/4/2020 18:00	0.03
4/4/2020 20:00	0.02
4/4/2020 22:00	0.02
4/5/2020 0:00	0.02
4/5/2020 2:00	0.03
4/5/2020 4:00	0.02
4/5/2020 6:00	0.02
4/5/2020 8:00	0.04
4/5/2020 10:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
4/5/2020 12:00	0.03
4/5/2020 14:00	0.03
4/5/2020 16:00	0.04
4/5/2020 18:00	0.02
4/5/2020 20:00	0.02
4/5/2020 22:00	0.02
4/6/2020 0:00	0.02
4/6/2020 2:00	0.02
4/6/2020 4:00	0.02
4/6/2020 6:00	0.02
4/6/2020 8:00	0.01
4/6/2020 10:00	0.01
4/6/2020 12:00	0.04
4/6/2020 14:00	0.01
4/6/2020 16:00	0.02
4/6/2020 18:00	0.02
4/6/2020 20:00	0.02
4/6/2020 22:00	0.02
4/7/2020 0:00	0.02
4/7/2020 2:00	0.02
4/7/2020 4:00	0.02
4/7/2020 6:00	0.02
4/7/2020 8:00	0.01
4/7/2020 10:00	0
4/7/2020 12:00	0.01
4/7/2020 14:00	0.01
4/7/2020 16:00	0.06
4/7/2020 18:00	0.02
4/7/2020 20:00	0.03
4/7/2020 22:00	0.02
4/8/2020 0:00	0.02
4/8/2020 2:00	0.02
4/8/2020 4:00	0.02
4/8/2020 6:00	0.02
4/8/2020 8:00	0
4/8/2020 10:00	0.01
4/8/2020 12:00	0.03
4/8/2020 14:00	0.01
4/8/2020 16:00	0.03
4/8/2020 18:00	0.02
4/8/2020 20:00	0.02
4/8/2020 22:00	0.03
4/9/2020 0:00	0.04
4/9/2020 2:00	0.04
4/9/2020 4:00	0.04
4/9/2020 6:00	0.02
4/9/2020 8:00	0.05
4/9/2020 10:00	0.03
4/9/2020 12:00	0.04
4/9/2020 14:00	0.02
4/9/2020 16:00	0.02
4/9/2020 18:00	0.02
4/9/2020 20:00	0.05
4/9/2020 22:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
4/10/2020 0:00	0.03
4/10/2020 2:00	0.03
4/10/2020 4:00	0.02
4/10/2020 6:00	0.02
4/10/2020 8:00	0.02
4/10/2020 10:00	0.04
4/10/2020 12:00	0.03
4/10/2020 14:00	0.02
4/10/2020 16:00	0.03
4/10/2020 18:00	0.02
4/10/2020 20:00	0.02
4/10/2020 22:00	0.02
4/11/2020 0:00	0.02
4/11/2020 2:00	0.02
4/11/2020 4:00	0.02
4/11/2020 6:00	0.02
4/11/2020 8:00	0.02
4/11/2020 10:00	0.03
4/11/2020 12:00	0.03
4/11/2020 14:00	0.03
4/11/2020 16:00	0.02
4/11/2020 18:00	0.02
4/11/2020 20:00	0.02
4/11/2020 22:00	0.02
4/12/2020 0:00	0.02
4/12/2020 2:00	0.02
4/12/2020 4:00	0.02
4/12/2020 6:00	0.02
4/12/2020 8:00	0.02
4/12/2020 10:00	0.05
4/12/2020 12:00	0.04
4/12/2020 14:00	0.03
4/12/2020 16:00	0.03
4/12/2020 18:00	0.02
4/12/2020 20:00	0.03
4/12/2020 22:00	0.02
4/13/2020 0:00	0.04
4/13/2020 2:00	0.03
4/13/2020 4:00	0.03
4/13/2020 6:00	0.02
4/13/2020 8:00	0.04
4/13/2020 10:00	0.02
4/13/2020 12:00	0.02
4/13/2020 14:00	0.04
4/13/2020 16:00	0.05
4/13/2020 18:00	0.03
4/13/2020 20:00	0.03
4/13/2020 22:00	0.05
4/14/2020 0:00	0.03
4/14/2020 2:00	0.03
4/14/2020 4:00	0.03
4/14/2020 6:00	0.03
4/14/2020 8:00	0.04
4/14/2020 10:00	0.04

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
4/14/2020 12:00	0.02
4/14/2020 14:00	0.05
4/14/2020 16:00	0.03
4/14/2020 18:00	0.03
4/14/2020 20:00	0.02
4/14/2020 22:00	0.03
4/15/2020 0:00	0.02
4/15/2020 2:00	0.02
4/15/2020 4:00	0.02
4/15/2020 6:00	0.02
4/15/2020 8:00	0.02
4/15/2020 10:00	0.02
4/15/2020 12:00	0.03
4/15/2020 14:00	0.02
4/15/2020 16:00	0.03
4/15/2020 18:00	0.04
4/15/2020 20:00	0.02
4/15/2020 22:00	0.02
4/16/2020 0:00	0.02
4/16/2020 2:00	0.02
4/16/2020 4:00	0.02
4/16/2020 6:00	0.02
4/16/2020 8:00	0.04
4/16/2020 10:00	0.03
4/16/2020 12:00	0.02
4/16/2020 14:00	0.03
4/16/2020 16:00	0.03
4/16/2020 18:00	0.03
4/16/2020 20:00	0.02
4/16/2020 22:00	0.02
4/17/2020 0:00	0.02
4/17/2020 2:00	0.02
4/17/2020 4:00	0.02
4/17/2020 6:00	0.02
4/17/2020 8:00	0.02
4/17/2020 10:00	0.02
4/17/2020 12:00	0.01
4/17/2020 14:00	0.02
4/17/2020 16:00	0.04
4/17/2020 18:00	0.03
4/17/2020 20:00	0.02
4/17/2020 22:00	0.02
4/18/2020 0:00	0.02
4/18/2020 2:00	0.02
4/18/2020 4:00	0.02
4/18/2020 6:00	0.02
4/18/2020 8:00	0.03
4/18/2020 10:00	0.01
4/18/2020 12:00	0.03
4/18/2020 14:00	0.07
4/18/2020 16:00	0.05
4/18/2020 18:00	0.03
4/18/2020 20:00	0.02
4/18/2020 22:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
4/19/2020 0:00	0.03
4/19/2020 2:00	0.03
4/19/2020 4:00	0.02
4/19/2020 6:00	0.02
4/19/2020 8:00	0.02
4/19/2020 10:00	0.02
4/19/2020 12:00	0.05
4/19/2020 14:00	0.05
4/19/2020 16:00	0.04
4/19/2020 18:00	0.03
4/19/2020 20:00	0.02
4/19/2020 22:00	0.02
4/20/2020 0:00	0.02
4/20/2020 2:00	0.02
4/20/2020 4:00	0.02
4/20/2020 6:00	0.01
4/20/2020 8:00	0.01
4/20/2020 10:00	0.02
4/20/2020 12:00	0.07
4/20/2020 14:00	0.04
4/20/2020 16:00	0.05
4/20/2020 18:00	0.03
4/20/2020 20:00	0.02
4/20/2020 22:00	0.01
4/21/2020 0:00	0.01
4/21/2020 2:00	0.02
4/21/2020 4:00	0.06
4/21/2020 6:00	0.02
4/21/2020 8:00	0.04
4/21/2020 10:00	0.03
4/21/2020 12:00	0.03
4/21/2020 14:00	0.01
4/21/2020 16:00	0.03
4/21/2020 18:00	0.03
4/21/2020 20:00	0.02
4/21/2020 22:00	0.02
4/22/2020 0:00	0.02
4/22/2020 2:00	0.02
4/22/2020 4:00	0.03
4/22/2020 6:00	0.03
4/22/2020 8:00	0.03
4/22/2020 10:00	0.02
4/22/2020 12:00	0.05
4/22/2020 14:00	0.02
4/22/2020 16:00	0.04
4/22/2020 18:00	0.03
4/22/2020 20:00	0.03
4/22/2020 22:00	0.04
4/23/2020 0:00	0.02
4/23/2020 2:00	0.04
4/23/2020 4:00	0.03
4/23/2020 6:00	0.03
4/23/2020 8:00	0.03
4/23/2020 10:00	0.02

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
4/23/2020 12:00	0.04
4/23/2020 14:00	0.02
4/23/2020 16:00	0.03
4/23/2020 18:00	0.03
4/23/2020 20:00	0.02
4/23/2020 22:00	0.02
4/24/2020 0:00	0.02
4/24/2020 2:00	0.03
4/24/2020 4:00	0.02
4/24/2020 6:00	0.02
4/24/2020 8:00	0.02
4/24/2020 10:00	0.02
4/24/2020 12:00	0.01
4/24/2020 14:00	0.02
4/24/2020 16:00	0.03
4/24/2020 18:00	0.04
4/24/2020 20:00	0.02
4/24/2020 22:00	0.02
4/25/2020 0:00	0.02
4/25/2020 2:00	0.02
4/25/2020 4:00	0.02
4/25/2020 6:00	0.03
4/25/2020 8:00	0.03
4/25/2020 10:00	0.02
4/25/2020 12:00	0.03
4/25/2020 14:00	0.03
4/25/2020 16:00	0.03
4/25/2020 18:00	0.03
4/25/2020 20:00	0.03
4/25/2020 22:00	0.02
4/26/2020 0:00	0.02
4/26/2020 2:00	0.02
4/26/2020 4:00	0.02
4/26/2020 6:00	0.02
4/26/2020 8:00	0.03
4/26/2020 10:00	0.02
4/26/2020 12:00	0.02
4/26/2020 14:00	0.03
4/26/2020 16:00	0.04
4/26/2020 18:00	0.03
4/26/2020 20:00	0.02
4/26/2020 22:00	0.02
4/27/2020 0:00	0.02
4/27/2020 2:00	0.02
4/27/2020 4:00	0.02
4/27/2020 6:00	0.02
4/27/2020 8:00	0.02
4/27/2020 10:00	0.03
4/27/2020 12:00	0.02
4/27/2020 14:00	0.01
4/27/2020 16:00	0.03
4/27/2020 18:00	0.02
4/27/2020 20:00	0.02
4/27/2020 22:00	0.02

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time	Building Pressure (inches of water column)
Stamp	
4/28/2020 0:00	0.02
4/28/2020 2:00	0.02
4/28/2020 4:00	0.02
4/28/2020 6:00	0.01
4/28/2020 8:00	0.02
4/28/2020 10:00	0.02
4/28/2020 12:00	0.03
4/28/2020 14:00	0.04
4/28/2020 16:00	0.04
4/28/2020 18:00	0.03
4/28/2020 20:00	0.02
4/28/2020 22:00	0.02
4/29/2020 0:00	0.04
4/29/2020 2:00	0.02
4/29/2020 4:00	0.03
4/29/2020 6:00	0.01
4/29/2020 8:00	0.01
4/29/2020 10:00	0.01
4/29/2020 12:00	0.01
4/29/2020 14:00	0.01
4/29/2020 16:00	0.02
4/29/2020 18:00	0.03
4/29/2020 20:00	0.03
4/29/2020 22:00	0.02
4/30/2020 0:00	0.01
4/30/2020 2:00	0.01
4/30/2020 4:00	0.03
4/30/2020 6:00	0.02
4/30/2020 8:00	0.01
4/30/2020 10:00	0
4/30/2020 12:00	0
4/30/2020 14:00	-0.03
4/30/2020 16:00	0.02
4/30/2020 18:00	0.02
4/30/2020 20:00	0.03
4/30/2020 22:00	0.02
Monthly Average	0.02
5/1/2020 0:00	0.02
5/1/2020 2:00	0.02
5/1/2020 4:00	0.02
5/1/2020 6:00	0.02
5/1/2020 8:00	0.01
5/1/2020 10:00	0
5/1/2020 12:00	0
5/1/2020 14:00	0.01
5/1/2020 16:00	0.02
5/1/2020 18:00	0.01
5/1/2020 20:00	0
5/1/2020 22:00	0.01
5/2/2020 0:00	0.01
5/2/2020 2:00	0.01
5/2/2020 4:00	0.01
5/2/2020 6:00	0.01
5/2/2020 8:00	0.01

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
5/2/2020 10:00	0.02
5/2/2020 12:00	0.02
5/2/2020 14:00	0.03
5/2/2020 16:00	0.01
5/2/2020 18:00	0
5/2/2020 20:00	0.01
5/2/2020 22:00	0.01
5/3/2020 0:00	0.01
5/3/2020 2:00	0.01
5/3/2020 4:00	0
5/3/2020 6:00	0
5/3/2020 8:00	0
5/3/2020 10:00	0.02
5/3/2020 12:00	0.01
5/3/2020 14:00	0.02
5/3/2020 16:00	0.01
5/3/2020 18:00	-0.01
5/3/2020 20:00	0.01
5/3/2020 22:00	0
5/4/2020 0:00	0
5/4/2020 2:00	0
5/4/2020 4:00	0
5/4/2020 6:00	-0.01
5/4/2020 8:00	0.04
5/4/2020 10:00	0.03
5/4/2020 12:00	0.02
5/4/2020 14:00	0.02
5/4/2020 16:00	0.03
5/4/2020 18:00	0.04
5/4/2020 20:00	0.03
5/4/2020 22:00	0.03
5/5/2020 0:00	0.05
5/5/2020 2:00	0.03
5/5/2020 4:00	0.04
5/5/2020 6:00	0.02
5/5/2020 8:00	0.03
5/5/2020 10:00	0.04
5/5/2020 12:00	0.04
5/5/2020 14:00	0.05
5/5/2020 16:00	0.03
5/5/2020 18:00	0.02
5/5/2020 20:00	0.03
5/5/2020 22:00	0.02
5/6/2020 0:00	0.02
5/6/2020 2:00	0.02
5/6/2020 4:00	0.02
5/6/2020 6:00	0.02
5/6/2020 8:00	0.01
5/6/2020 10:00	0.02
5/6/2020 12:00	0
5/6/2020 14:00	0.01
5/6/2020 16:00	0.04
5/6/2020 18:00	0.04
5/6/2020 20:00	0.02

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
5/6/2020 22:00	0.02
5/7/2020 0:00	0.03
5/7/2020 2:00	0.03
5/7/2020 4:00	0.04
5/7/2020 6:00	0.03
5/7/2020 8:00	0.02
5/7/2020 10:00	0.02
5/7/2020 12:00	0.02
5/7/2020 14:00	0.02
5/7/2020 16:00	0.03
5/7/2020 18:00	0.03
5/7/2020 20:00	0.03
5/7/2020 22:00	0.03
5/8/2020 0:00	0.03
5/8/2020 2:00	0.03
5/8/2020 4:00	0.02
5/8/2020 6:00	0.02
5/8/2020 8:00	0.01
5/8/2020 10:00	0
5/8/2020 12:00	0.03
5/8/2020 14:00	0.01
5/8/2020 16:00	0
5/8/2020 18:00	0.03
5/8/2020 20:00	0.02
5/8/2020 22:00	0.02
5/9/2020 0:00	0.02
5/9/2020 2:00	0.02
5/9/2020 4:00	0.02
5/9/2020 6:00	0.03
5/9/2020 8:00	0.04
5/9/2020 10:00	0.03
5/9/2020 12:00	0.01
5/9/2020 14:00	0.02
5/9/2020 16:00	0.04
5/9/2020 18:00	0.03
5/9/2020 20:00	0.02
5/9/2020 22:00	0.02
5/10/2020 0:00	0.02
5/10/2020 2:00	0.03
5/10/2020 4:00	0.03
5/10/2020 6:00	0.03
5/10/2020 8:00	0.03
5/10/2020 10:00	0.03
5/10/2020 12:00	0.02
5/10/2020 14:00	0.02
5/10/2020 16:00	0.02
5/10/2020 18:00	0.02
5/10/2020 20:00	0.02
5/10/2020 22:00	0.03
5/11/2020 0:00	0.03
5/11/2020 2:00	0.02
5/11/2020 4:00	0.03
5/11/2020 6:00	0.02
5/11/2020 8:00	0.02

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
5/11/2020 10:00	0.01
5/11/2020 12:00	0.01
5/11/2020 14:00	0.03
5/11/2020 16:00	0.03
5/11/2020 18:00	0.05
5/11/2020 20:00	0.02
5/11/2020 22:00	0.02
5/12/2020 0:00	0.03
5/12/2020 2:00	0.02
5/12/2020 4:00	0.02
5/12/2020 6:00	0.02
5/12/2020 8:00	0.01
5/12/2020 10:00	0.01
5/12/2020 12:00	0.01
5/12/2020 14:00	0.01
5/12/2020 16:00	0.03
5/12/2020 18:00	0.03
5/12/2020 20:00	0.02
5/12/2020 22:00	0.02
5/13/2020 0:00	0.02
5/13/2020 2:00	0.02
5/13/2020 4:00	0.02
5/13/2020 6:00	0.03
5/13/2020 8:00	0.03
5/13/2020 10:00	0.02
5/13/2020 12:00	0.06
5/13/2020 14:00	0.08
5/13/2020 16:00	0.02
5/13/2020 18:00	0.03
5/13/2020 20:00	0.03
5/13/2020 22:00	0.02
5/14/2020 0:00	0.02
5/14/2020 2:00	0.02
5/14/2020 4:00	0.02
5/14/2020 6:00	0.02
5/14/2020 8:00	0
5/14/2020 10:00	0.01
5/14/2020 12:00	0.02
5/14/2020 14:00	0.02
5/14/2020 16:00	0.02
5/14/2020 18:00	0.02
5/14/2020 20:00	0.02
5/14/2020 22:00	0.02
5/15/2020 0:00	0.03
5/15/2020 2:00	0.02
5/15/2020 4:00	0.02
5/15/2020 6:00	0.01
5/15/2020 8:00	0.01
5/15/2020 10:00	0.01
5/15/2020 12:00	0
5/15/2020 14:00	0.01
5/15/2020 16:00	0.02
5/15/2020 18:00	0.02
5/15/2020 20:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
5/15/2020 22:00	0.01
5/16/2020 0:00	0.01
5/16/2020 2:00	0.01
5/16/2020 4:00	0.02
5/16/2020 6:00	0.01
5/16/2020 8:00	0.04
5/16/2020 10:00	0.02
5/16/2020 12:00	0.02
5/16/2020 14:00	0.05
5/16/2020 16:00	0.02
5/16/2020 18:00	0.02
5/16/2020 20:00	0.02
5/16/2020 22:00	0.02
5/17/2020 0:00	0.01
5/17/2020 2:00	0.02
5/17/2020 4:00	0.02
5/17/2020 6:00	0.04
5/17/2020 8:00	0.05
5/17/2020 10:00	0.02
5/17/2020 12:00	0.02
5/17/2020 14:00	0.01
5/17/2020 16:00	0.02
5/17/2020 18:00	0.01
5/17/2020 20:00	0.04
5/17/2020 22:00	0.02
5/18/2020 0:00	0.03
5/18/2020 2:00	0.02
5/18/2020 4:00	0.03
5/18/2020 6:00	0.03
5/18/2020 8:00	0.03
5/18/2020 10:00	0.04
5/18/2020 12:00	0.04
5/18/2020 14:00	0.03
5/18/2020 16:00	0.04
5/18/2020 18:00	0.02
5/18/2020 20:00	0.02
5/18/2020 22:00	0.02
5/19/2020 0:00	0.02
5/19/2020 2:00	0.02
5/19/2020 4:00	0.03
5/19/2020 6:00	0.03
5/19/2020 8:00	0.04
5/19/2020 10:00	0.03
5/19/2020 12:00	0.02
5/19/2020 14:00	0.05
5/19/2020 16:00	0.03
5/19/2020 18:00	0.02
5/19/2020 20:00	0.02
5/19/2020 22:00	0.03
5/20/2020 0:00	0.03
5/20/2020 2:00	0.03
5/20/2020 4:00	0.03
5/20/2020 6:00	0.02
5/20/2020 8:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
5/20/2020 10:00	0.04
5/20/2020 12:00	0.02
5/20/2020 14:00	0.05
5/20/2020 16:00	0.02
5/20/2020 18:00	0.03
5/20/2020 20:00	0.03
5/20/2020 22:00	0.03
5/21/2020 0:00	0.03
5/21/2020 2:00	0.03
5/21/2020 4:00	0.02
5/21/2020 6:00	0.03
5/21/2020 8:00	0.01
5/21/2020 10:00	0.02
5/21/2020 12:00	0.05
5/21/2020 14:00	0.01
5/21/2020 16:00	0.03
5/21/2020 18:00	0.02
5/21/2020 20:00	0.03
5/21/2020 22:00	0.03
5/22/2020 0:00	0.02
5/22/2020 2:00	0.02
5/22/2020 4:00	0.02
5/22/2020 6:00	0.01
5/22/2020 8:00	0
5/22/2020 10:00	0.01
5/22/2020 12:00	0.01
5/22/2020 14:00	0
5/22/2020 16:00	0.02
5/22/2020 18:00	0.02
5/22/2020 20:00	0.02
5/22/2020 22:00	0.02
5/23/2020 0:00	0.02
5/23/2020 2:00	0.02
5/23/2020 4:00	0.02
5/23/2020 6:00	0.03
5/23/2020 8:00	0.02
5/23/2020 10:00	0.03
5/23/2020 12:00	0.04
5/23/2020 14:00	0.02
5/23/2020 16:00	0.03
5/23/2020 18:00	0.04
5/23/2020 20:00	0.02
5/23/2020 22:00	0.02
5/24/2020 0:00	0.02
5/24/2020 2:00	0.02
5/24/2020 4:00	0.02
5/24/2020 6:00	0.03
5/24/2020 8:00	0.02
5/24/2020 10:00	0.03
5/24/2020 12:00	0.03
5/24/2020 14:00	0.03
5/24/2020 16:00	0.03
5/24/2020 18:00	0.02
5/24/2020 20:00	0.02

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
5/24/2020 22:00	0.02
5/25/2020 0:00	0.02
5/25/2020 2:00	0.02
5/25/2020 4:00	0.02
5/25/2020 6:00	0.02
5/25/2020 8:00	0.03
5/25/2020 10:00	0.02
5/25/2020 12:00	0.03
5/25/2020 14:00	0.02
5/25/2020 16:00	0.03
5/25/2020 18:00	0.02
5/25/2020 20:00	0.02
5/25/2020 22:00	0.02
5/26/2020 0:00	0.02
5/26/2020 2:00	0.02
5/26/2020 4:00	0.02
5/26/2020 6:00	0.01
5/26/2020 8:00	0.03
5/26/2020 10:00	0.02
5/26/2020 12:00	0.05
5/26/2020 14:00	0.02
5/26/2020 16:00	0.03
5/26/2020 18:00	0.04
5/26/2020 20:00	0.02
5/26/2020 22:00	0.03
5/27/2020 0:00	0.02
5/27/2020 2:00	0.02
5/27/2020 4:00	0.02
5/27/2020 6:00	0.02
5/27/2020 8:00	0
5/27/2020 10:00	0.01
5/27/2020 12:00	0.01
5/27/2020 14:00	0.01
5/27/2020 16:00	0.02
5/27/2020 18:00	0.03
5/27/2020 20:00	0.02
5/27/2020 22:00	0.02
5/28/2020 0:00	0.02
5/28/2020 2:00	0.02
5/28/2020 4:00	0.02
5/28/2020 6:00	0.02
5/28/2020 8:00	0.01
5/28/2020 10:00	0.01
5/28/2020 12:00	0.03
5/28/2020 14:00	0.01
5/28/2020 16:00	0.02
5/28/2020 18:00	0.02
5/28/2020 20:00	0.02
5/28/2020 22:00	0.02
5/29/2020 0:00	0.02
5/29/2020 2:00	0.02
5/29/2020 4:00	0.02
5/29/2020 6:00	0.02
5/29/2020 8:00	0

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time	Building Pressure (inches of water column)
Stamp	
5/29/2020 10:00	0
5/29/2020 12:00	0.02
5/29/2020 14:00	0.02
5/29/2020 16:00	0.03
5/29/2020 18:00	0.02
5/29/2020 20:00	0.03
5/29/2020 22:00	0.02
5/30/2020 0:00	0.02
5/30/2020 2:00	0.02
5/30/2020 4:00	0.02
5/30/2020 6:00	0.02
5/30/2020 8:00	0.05
5/30/2020 10:00	0.04
5/30/2020 12:00	0.02
5/30/2020 14:00	0.03
5/30/2020 16:00	0.04
5/30/2020 18:00	0.05
5/30/2020 20:00	0.03
5/30/2020 22:00	0.02
5/31/2020 0:00	0.03
5/31/2020 2:00	0.03
5/31/2020 4:00	0.02
5/31/2020 6:00	0.02
5/31/2020 8:00	0.03
5/31/2020 10:00	0.04
5/31/2020 12:00	0.03
5/31/2020 14:00	0.03
5/31/2020 16:00	0.03
5/31/2020 18:00	0.04
5/31/2020 20:00	0.02
5/31/2020 22:00	0.02
Monthly Average	0.02
6/1/2020 0:00	0.02
6/1/2020 2:00	0.02
6/1/2020 4:00	0.02
6/1/2020 6:00	0.02
6/1/2020 8:00	0.02
6/1/2020 10:00	0.01
6/1/2020 12:00	0.01
6/1/2020 14:00	0.03
6/1/2020 16:00	0.02
6/1/2020 18:00	0.09
6/1/2020 20:00	0.03
6/1/2020 22:00	0.04
6/2/2020 0:00	0.03
6/2/2020 2:00	0.03
6/2/2020 4:00	0.03
6/2/2020 6:00	0.01
6/2/2020 8:00	0
6/2/2020 10:00	0
6/2/2020 12:00	0.01
6/2/2020 14:00	0.01
6/2/2020 16:00	0.06
6/2/2020 18:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time	Building Pressure (inches of water column)
Stamp	
6/2/2020 20:00	0.03
6/2/2020 22:00	0.02
6/3/2020 0:00	0.03
6/3/2020 2:00	0.02
6/3/2020 4:00	0.05
6/3/2020 6:00	0.01
6/3/2020 8:00	0.02
6/3/2020 10:00	0
6/3/2020 12:00	0
6/3/2020 14:00	0
6/3/2020 16:00	0.03
6/3/2020 18:00	0.03
6/3/2020 20:00	0.02
6/3/2020 22:00	0.02
6/4/2020 0:00	0.02
6/4/2020 2:00	0.02
6/4/2020 4:00	0.02
6/4/2020 6:00	0.01
6/4/2020 8:00	0.01
6/4/2020 10:00	0.01
6/4/2020 12:00	0.01
6/4/2020 14:00	0.01
6/4/2020 16:00	0.04
6/4/2020 18:00	0.03
6/4/2020 20:00	0.02
6/4/2020 22:00	0.02
6/5/2020 0:00	0.02
6/5/2020 2:00	0.02
6/5/2020 4:00	0.02
6/5/2020 6:00	0
6/5/2020 8:00	0
6/5/2020 10:00	0.01
6/5/2020 12:00	0
6/5/2020 14:00	0.02
6/5/2020 16:00	0.03
6/5/2020 18:00	0.02
6/5/2020 20:00	0.02
6/5/2020 22:00	0.02
6/6/2020 0:00	0.02
6/6/2020 2:00	0.02
6/6/2020 4:00	0.02
6/6/2020 6:00	0.03
6/6/2020 8:00	0.04
6/6/2020 10:00	0.02
6/6/2020 12:00	0.03
6/6/2020 14:00	0.04
6/6/2020 16:00	0.03
6/6/2020 18:00	0.04
6/6/2020 20:00	0.02
6/6/2020 22:00	0.03
6/7/2020 0:00	0.03
6/7/2020 2:00	0.03
6/7/2020 4:00	0.03
6/7/2020 6:00	0.02

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time	Building Pressure (inches of water column)
Stamp	
6/7/2020 8:00	0.02
6/7/2020 10:00	0.03
6/7/2020 12:00	0.02
6/7/2020 14:00	0.03
6/7/2020 16:00	0.04
6/7/2020 18:00	0.04
6/7/2020 20:00	0.02
6/7/2020 22:00	0.03
6/8/2020 0:00	0.02
6/8/2020 2:00	0.02
6/8/2020 4:00	0.02
6/8/2020 6:00	0.01
6/8/2020 8:00	0.01
6/8/2020 10:00	0.03
6/8/2020 12:00	0.02
6/8/2020 14:00	0.03
6/8/2020 16:00	0.04
6/8/2020 18:00	0.03
6/8/2020 20:00	0.02
6/8/2020 22:00	0.03
6/9/2020 0:00	0.02
6/9/2020 2:00	0.02
6/9/2020 4:00	0.02
6/9/2020 6:00	0.02
6/9/2020 8:00	0.02
6/9/2020 10:00	0.02
6/9/2020 12:00	0.06
6/9/2020 14:00	0.08
6/9/2020 16:00	0.04
6/9/2020 18:00	0.09
6/9/2020 20:00	0.04
6/9/2020 22:00	0.05
6/10/2020 0:00	0.07
6/10/2020 2:00	0.03
6/10/2020 4:00	0.01
6/10/2020 6:00	0.01
6/10/2020 8:00	0.01
6/10/2020 10:00	0.01
6/10/2020 12:00	0.03
6/10/2020 14:00	0.03
6/10/2020 16:00	0.02
6/10/2020 18:00	0.03
6/10/2020 20:00	0.03
6/10/2020 22:00	0.02
6/11/2020 0:00	0.02
6/11/2020 2:00	0.02
6/11/2020 4:00	0.01
6/11/2020 6:00	0.01
6/11/2020 8:00	0
6/11/2020 10:00	0
6/11/2020 12:00	0.02
6/11/2020 14:00	0.01
6/11/2020 16:00	0.02
6/11/2020 18:00	0.04

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
6/11/2020 20:00	0.03
6/11/2020 22:00	0.02
6/12/2020 0:00	0.02
6/12/2020 2:00	0.02
6/12/2020 4:00	0.02
6/12/2020 6:00	0.03
6/12/2020 8:00	0.02
6/12/2020 10:00	0.02
6/12/2020 12:00	0.04
6/12/2020 14:00	0.02
6/12/2020 16:00	0.03
6/12/2020 18:00	0.02
6/12/2020 20:00	0.02
6/12/2020 22:00	0.02
6/13/2020 0:00	0.02
6/13/2020 2:00	0.04
6/13/2020 4:00	0.03
6/13/2020 6:00	0.03
6/13/2020 8:00	0.04
6/13/2020 10:00	0.04
6/13/2020 12:00	0.02
6/13/2020 14:00	0.05
6/13/2020 16:00	0.03
6/13/2020 18:00	0.02
6/13/2020 20:00	0.03
6/13/2020 22:00	0.03
6/14/2020 0:00	0.02
6/14/2020 2:00	0.03
6/14/2020 4:00	0.02
6/14/2020 6:00	0.02
6/14/2020 8:00	0.03
6/14/2020 10:00	0.05
6/14/2020 12:00	0.02
6/14/2020 14:00	0.02
6/14/2020 16:00	0.03
6/14/2020 18:00	0.03
6/14/2020 20:00	0.03
6/14/2020 22:00	0.02
6/15/2020 0:00	0.03
6/15/2020 2:00	0.02
6/15/2020 4:00	0.02
6/15/2020 6:00	0.02
6/15/2020 8:00	0.02
6/15/2020 10:00	0.02
6/15/2020 12:00	0.02
6/15/2020 14:00	0.02
6/15/2020 16:00	0.03
6/15/2020 18:00	0.03
6/15/2020 20:00	0.02
6/15/2020 22:00	0.02
6/16/2020 0:00	0.02
6/16/2020 2:00	0.02
6/16/2020 4:00	0.02
6/16/2020 6:00	0.02

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time	Building Pressure (inches of water column)
Stamp	
6/16/2020 8:00	0
6/16/2020 10:00	0.01
6/16/2020 12:00	0
6/16/2020 14:00	0.01
6/16/2020 16:00	0.03
6/16/2020 18:00	0.04
6/16/2020 20:00	0.03
6/16/2020 22:00	0.02
6/17/2020 0:00	0.02
6/17/2020 2:00	0.02
6/17/2020 4:00	0.02
6/17/2020 6:00	0
6/17/2020 8:00	0
6/17/2020 10:00	0.02
6/17/2020 12:00	0.01
6/17/2020 14:00	0.02
6/17/2020 16:00	0.05
6/17/2020 18:00	0.03
6/17/2020 20:00	0.02
6/17/2020 22:00	0.02
6/18/2020 0:00	0.02
6/18/2020 2:00	0.02
6/18/2020 4:00	0.02
6/18/2020 6:00	0.01
6/18/2020 8:00	0.01
6/18/2020 10:00	0
6/18/2020 12:00	0.01
6/18/2020 14:00	0.01
6/18/2020 16:00	0.03
6/18/2020 18:00	0.02
6/18/2020 20:00	0.02
6/18/2020 22:00	0.02
6/19/2020 0:00	0.02
6/19/2020 2:00	0.02
6/19/2020 4:00	0.02
6/19/2020 6:00	0
6/19/2020 8:00	0.01
6/19/2020 10:00	0.01
6/19/2020 12:00	0.02
6/19/2020 14:00	0.02
6/19/2020 16:00	0.03
6/19/2020 18:00	0.03
6/19/2020 20:00	0.03
6/19/2020 22:00	0.02
6/20/2020 0:00	0.02
6/20/2020 2:00	0.02
6/20/2020 4:00	0.03
6/20/2020 6:00	0.02
6/20/2020 8:00	0.03
6/20/2020 10:00	0.03
6/20/2020 12:00	0.02
6/20/2020 14:00	0.02
6/20/2020 16:00	0.03
6/20/2020 18:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
6/20/2020 20:00	0.02
6/20/2020 22:00	0.02
6/21/2020 0:00	0.02
6/21/2020 2:00	0.02
6/21/2020 4:00	0.02
6/21/2020 6:00	0.03
6/21/2020 8:00	0.02
6/21/2020 10:00	0.03
6/21/2020 12:00	0.03
6/21/2020 14:00	0.03
6/21/2020 16:00	0.03
6/21/2020 18:00	0.02
6/21/2020 20:00	0.02
6/21/2020 22:00	0.02
6/22/2020 0:00	0.02
6/22/2020 2:00	0.02
6/22/2020 4:00	0.02
6/22/2020 6:00	0.01
6/22/2020 8:00	0.01
6/22/2020 10:00	0.01
6/22/2020 12:00	0
6/22/2020 14:00	0.01
6/22/2020 16:00	0.02
6/22/2020 18:00	0.02
6/22/2020 20:00	0.02
6/22/2020 22:00	0.02
6/23/2020 0:00	0.02
6/23/2020 2:00	0.02
6/23/2020 4:00	0.03
6/23/2020 6:00	0.01
6/23/2020 8:00	0.01
6/23/2020 10:00	0.01
6/23/2020 12:00	0.07
6/23/2020 14:00	0.03
6/23/2020 16:00	0.04
6/23/2020 18:00	0.02
6/23/2020 20:00	0.03
6/23/2020 22:00	0.02
6/24/2020 0:00	0.02
6/24/2020 2:00	0.02
6/24/2020 4:00	0.02
6/24/2020 6:00	0
6/24/2020 8:00	0.02
6/24/2020 10:00	0.02
6/24/2020 12:00	0.01
6/24/2020 14:00	0.02
6/24/2020 16:00	0.04
6/24/2020 18:00	0.03
6/24/2020 20:00	0.03
6/24/2020 22:00	0.02
6/25/2020 0:00	0.02
6/25/2020 2:00	0.02
6/25/2020 4:00	0.02
6/25/2020 6:00	0.01

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time	Building Pressure (inches of water column)
Stamp	
6/25/2020 8:00	0
6/25/2020 10:00	0.01
6/25/2020 12:00	0.01
6/25/2020 14:00	0.01
6/25/2020 16:00	0.03
6/25/2020 18:00	0.02
6/25/2020 20:00	0.02
6/25/2020 22:00	0.02
6/26/2020 0:00	0.02
6/26/2020 2:00	0.02
6/26/2020 4:00	0.01
6/26/2020 6:00	0.01
6/26/2020 8:00	0
6/26/2020 10:00	0.02
6/26/2020 12:00	0.02
6/26/2020 14:00	0.01
6/26/2020 16:00	0.03
6/26/2020 18:00	0.02
6/26/2020 20:00	0.02
6/26/2020 22:00	0.02
6/27/2020 0:00	0.02
6/27/2020 2:00	0.02
6/27/2020 4:00	0.02
6/27/2020 6:00	0.03
6/27/2020 8:00	0.03
6/27/2020 10:00	0.03
6/27/2020 12:00	0.03
6/27/2020 14:00	0.03
6/27/2020 16:00	0.03
6/27/2020 18:00	0.04
6/27/2020 20:00	0.03
6/27/2020 22:00	0.02
6/28/2020 0:00	0.02
6/28/2020 2:00	0.02
6/28/2020 4:00	0.03
6/28/2020 6:00	0.03
6/28/2020 8:00	0.03
6/28/2020 10:00	0.03
6/28/2020 12:00	0.02
6/28/2020 14:00	0.03
6/28/2020 16:00	0.04
6/28/2020 18:00	0.03
6/28/2020 20:00	0.03
6/28/2020 22:00	0.02
6/29/2020 0:00	0.02
6/29/2020 2:00	0.02
6/29/2020 4:00	0.02
6/29/2020 6:00	0.01
6/29/2020 8:00	0.03
6/29/2020 10:00	0.03
6/29/2020 12:00	0.02
6/29/2020 14:00	0.02
6/29/2020 16:00	0.02
6/29/2020 18:00	0.03

Table 3. Remote Pressure Sensor Building Interior Pressure Readings
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Date and Time Stamp	Building Pressure (inches of water column)
6/29/2020 20:00	0.02
6/29/2020 22:00	0.02
6/30/2020 0:00	0.02
6/30/2020 2:00	0.02
6/30/2020 4:00	0.02
6/30/2020 6:00	0
6/30/2020 8:00	0
6/30/2020 10:00	0.01
6/30/2020 12:00	0.03
6/30/2020 14:00	0.04
6/30/2020 16:00	0.04
6/30/2020 18:00	0.02
6/30/2020 20:00	0.02
6/30/2020 22:00	0.04
Monthly Average	0.02

Table 4. Groundwater Elevations
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Page 1 of 2

Well ID	Date	Ground Surface Elevation (feet amsl)	Top of Casing Elevation (feet amsl)	Depth to Water (feet btoc)	Depth to Bottom (feet btoc)	Screen length (Feet)	Groundwater Elevation (feet amsl)
MW-1	7/27/2015	835.85	835.58	25.31	33.25	10	810.27
	9/4/2015			25.42			810.16
	10/27/2015			25.56			810.02
	1/27/2016			24.95			810.63
	4/27/2016			24.36			811.22
	7/27/2016			24.04			811.54
	10/28/2016			24.15			811.43
	1/18/2017			24.22			811.36
	4/19/2017			24.69			810.89
	3/29/2018			23.55			812.03
	3/19/2020			22.34			813.24
	6/11/2020			21.62			813.96
MW-2	7/27/2015	837.11	836.69	25.20	33.50	10	811.49
	9/4/2015			25.60			811.09
	10/27/2015			25.73			810.96
	1/27/2016			25.12			811.57
	4/27/2016			24.52			812.17
	7/27/2016			24.15			812.54
	10/28/2016			24.22			812.47
	1/18/2017			24.38			812.31
	4/19/2017			24.60			812.09
	3/29/2018			23.63			813.06
	3/19/2020			22.53			814.16
	6/11/2020			21.86			814.83
MW-3	7/27/2015	837.62	837.09	26.10	32.90	10	810.99
	9/4/2015			26.29			810.80
	10/27/2015			26.41			810.68
	1/27/2016			25.84			811.25
	4/27/2016			25.16			811.93
	7/27/2016			24.79			812.30
	10/28/2016			24.90			812.19
	1/18/2017			25.06			812.03
	4/19/2017			24.45			812.64
	3/29/2018			24.15			812.94
	3/19/2020			22.99			814.10
	6/11/2020			22.28			814.81
MW-4	7/27/2015	836.32	835.95	24.00	34.40	10	811.95
	9/4/2015			24.13			811.82
	10/27/2015			24.28			811.67
	1/27/2016			24.70			811.25
	4/27/2016			23.04			812.91
	7/27/2016			22.63			813.32
	10/28/2016			22.68			813.27
	1/18/2017			22.92			813.03
	4/19/2017			22.38			813.57
	3/29/2018			22.05			813.90
	3/19/2020			20.81			815.14
	6/11/2020			20.09			815.86
MW-5	7/27/2015	836.41	836.11	23.80	33.20	10	812.31
	9/4/2015			23.89			812.22
	10/27/2015			23.99			812.12
	1/27/2016			23.41			812.70
	4/27/2016			22.85			813.26
	7/27/2016			22.50			813.61
	10/28/2016			22.48			813.63
	1/18/2017			22.75			813.36
	4/19/2017			23.10			813.01
	3/29/2018			22.10			814.01
	3/19/2020			20.88			815.23
	6/11/2020			20.16			815.95
MW-6	10/27/2015	837.26	836.88	25.79	32.71	10	811.09
	1/27/2016			25.25			811.63
	4/27/2016			24.46			812.42
	7/27/2016			24.00			812.88
	10/28/2016			24.12			812.76
	1/18/2017			24.33			812.55
	4/19/2017			24.72			812.16
	3/29/2018			23.33			813.55
	3/19/2020			22.16			814.72
	6/11/2020			21.40			815.48

Table 4. Groundwater Elevations
Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

Page 2 of 2

Well ID	Date	Ground Surface Elevation (feet amsl)	Top of Casing Elevation (feet amsl)	Depth to Water (feet btoc)	Depth to Bottom (feet btoc)	Screen length (Feet)	Groundwater Elevation (feet amsl)
MW-7	10/27/2015	836.62	836.29	27.83	32.72	10	808.46
	1/27/2016			27.19			809.10
	4/27/2016			26.41			809.88
	7/27/2016			25.99			810.30
	10/28/2016			26.18			810.11
	1/18/2017			26.30			809.99
	4/19/2017			25.80			810.49
	3/29/2018			25.23			811.06
	3/19/2020			24.91			811.38
	6/11/2020			23.33			812.96

Notes:

amsl - above mean sea level

btoc - below top of casing

Table 5. Groundwater Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

PARAMETERS	Preventive Action Limit	Enforcement Standard	TW-1	TW-2	TW-4	MW-1												MW-2											
			4/14/15	4/14/15	4/14/15	7/27/15	10/27/15	1/27/16	4/27/16	7/27/16	10/28/16	1/19/17	4/19/17	3/29/18	7/27/15	10/27/15	1/27/16	4/27/16	7/27/16	10/28/16	1/19/17	4/19/17	3/29/18	3/19/20	6/15/20				
Detected VOCs (µg/l)																													
Bromodichloromethane	0.06	0.6	<0.50	<0.50	<0.50	<0.50	<1.2	<1.2	0.55J	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.37	<0.37		
Chloromethane	3	30	<0.50	<0.50	<0.50	<0.50	<1.2	<1.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.32	0.57J		
cis-1,2,-Dichloroethene	7	70	<0.26	<0.26	<0.26	0.94J	0.82J	3.3	0.35J	<0.26	1.1	1.6	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.41	<0.41			
Tetrachloroethene	0.5	5	1.8	10.3	3.9	241	265	199	28.2	11.9	43.1	72.3	16.3	13.4	13.0	12.3	20.5	2.4	9.4	9.8	8.6	7.1	6.6	3.8					
Toluene	160	800	0.58J	0.57J	0.90J	<0.50	<1.2	<1.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.15	<0.15			
trans-1,2-Dichloroethene	20	100	<0.26	<0.26	<0.26	0.29J	<0.64	1.1J	<0.26	<0.26	0.34J	0.59J	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.35	<0.35				
1,1,1-Trichloroethane	40	200	<0.50	<0.50	<0.50	<0.50	<1.2	<1.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	4.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.38	<0.38				
1,1,2-Trichloroethane	0.5	5	<0.20	<0.20	<0.20	<0.20	<0.49	<0.49	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.27J	<0.20	<0.20	<0.20	<0.20	<0.20	<0.35	<0.35				
Trichloroethene	0.5	5	<0.33	0.48J	<0.33	24.9	17	76.0	7.8	1.1	24.0	37.1	2.7	3.7	0.58J	0.47J	<0.33	2.0	0.79J	0.84J	0.95J	0.71J	0.51J	0.35 J	0.34J				
PAHs (µg/l)																													
Acenaphthene	---	---	0.11	0.046J	<0.0050	<0.0046	<0.0048	<0.0046	<0.0045	NA	<0.0075	<0.0060	<0.0056	0.0062J	0.013J	<0.0046	<0.0045	0.0070J	<0.0060	<0.0070	<0.0059	<0.0054	<0.0055	NA	NA				
Acenaphthylene	---	---	0.021J	0.0085J	<0.0049	<0.0046	<0.0048	<0.0046	<0.0045	NA	<0.0061	<0.0049	<0.0046	0.0066J	<0.0045	<0.0046	<0.0045	<0.0058	<0.0060	<0.0057	<0.0048	<0.0044	0.0084J	NA	NA				
Anthracene	600	3,000	0.25	0.059	<0.0040	<0.0038	<0.0039	<0.0038	0.0059J	NA	<0.013	<0.010	<0.0096	0.024J	0.032J	<0.0037	0.0058J	0.080	0.0059J	<0.012	0.067	<0.0093	<0.0094	NA	NA				
Benzo(a)anthracene	---	---	0.34	0.097	<0.0051	<0.0048	<0.0050	0.011J	0.017J	NA	<0.0093	<0.0075	0.0072J	0.20	0.091	0.015J	0.041J	0.38	0.063	0.010J	0.027J	0.033J	0.064	NA	NA				
Benzo(a)pyrene	0.02	0.2	0.21	0.077	<0.0044	<0.0041	0.012J	0.0081J	0.019J	NA	0.014J	<0.010	<0.0097	0.26	0.12	0.0082J	0.046	0.45	0.074	0.040J	0.063	0.045J	0.078	NA	NA				
Benzo(b)fluoranthene	0.02	0.2	0.44	0.16	0.0065J	0.0056J	0.024J	0.014J	0.028J	NA	0.058	0.016J	0.018J	0.51	0.19	0.014J	0.080	0.70	0.13	0.10	0.12	0.10	0.21	NA	NA				
Benzo(g,h,i)perylene	---	---	0.2	0.071	<0.0035	<0.0033	0.0076J	0.0071J	0.017J	NA	0.023J	<0.0087	0.011J	0.29	0.11	0.0066J	0.042J	0.37	0.084	0.056	0.077	0.060	0.12	NA	NA				
Benzo(k)fluoranthene	---	---	0.19	0.061	<0.0056	<0.0053	0.0082J	<0.0053	0.013J	NA	0.030J	0.0089J	<0.0069	0.21	0.077	0.0059J	0.030J	0.26	0.051J	0.063	0.086	0.042	0.11	NA	NA				
Chrysene	0.02	0.2	0.52	0.16	0.0072J	0.034J	0.021J	0.012J	0.024J	NA	0.065J	0.020J	0.014J	0.46	0.21	0.013J	0.068	0.56	0.11	0.14	0.15	0.089	0.22	NA	NA				
Dibenzo(a,h)anthracene	---	---	0.023J	<0.0053	<0.0056	<0.0052	<0.0054	<0.0052	0.0054J	NA	<0.012	<0.0099	<0.0092	0.039J	0.017J	<0.0051	0.0066J	0.088	0.013J	<0.012	<0.0097	<0.0089	0.011J	NA	NA				
Fluoranthene	80	400	1.7	0.47	0.016J	0.015J	0.042J	0.021J	0.050	NA	0.080	0.042J	0.028J	0.92	0.45	0.031J	0.14	1.1	0.16	0.22	0.27	0.15	0.44	NA	NA				
Fluorene	80	400	0																										

Table 5. Groundwater Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

PARAMETERS	Preventive Action Limit	Enforcement Standard	MW-3															MW-4														
			7/27/15	10/27/15	1/27/16	4/27/16	7/27/16	10/28/16	12/1/16	1/19/17	4/19/17	3/29/18	3/29/18 DUP	3/19/20	6/15/20	7/27/15	10/27/15	1/27/16	4/27/16	7/27/16	10/28/16	1/19/17	4/19/17	3/29/18	3/19/20	6/15/20						
Detected VOCs (µg/l)																																
Bromodichloromethane	0.06	0.6	<2.0	<2.0	<2.0	<2.0	<0.50	<2.0	<2.0	<2.0	<2.0	<0.50	<0.37	<0.37	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.37	<0.37	<0.37	<0.37			
Chloromethane	3	30	<2.0	<2.0	<2.0	<2.0	<0.50	<2.0	<2.0	<2.0	<2.0	<0.50	<0.32	<0.32	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.32	<0.32	<0.32		
cis-1,2-Dichloroethene	7	70	<1.0	<1.0	<1.0	<1.0	0.29J	1.3J	<1.0	<1.0	<1.0	<0.26	0.47 J	0.41J	<0.26	<0.26	<0.26	0.47J	<0.26	0.29J	<0.26	0.54J	<0.26	0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41		
Tetrachloroethene	0.5	5	269	191	189	173	145	662	745	749	579	385	407	640	280	19.8	32.9	24.4	96.9	47.1	60.9	23.3	95	28.4	14	3.6						
Toluene	160	800	<2.0	<2.0	<2.0	<2.0	<0.50	<2.0	<2.0	<2.0	<2.0	<0.50	<0.15	<0.15	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.15	<0.15	<0.15	<0.15	<0.15		
trans-1,2-Dichloroethene	20	100	<1.0	<1.0	<1.0	<1.0	<0.26	<1.0	<1.0	<1.0	<1.0	<0.26	<0.35	<0.35	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.35		
1,1,1-Trichloroethane	40	200	<2.0	<2.0	<2.0	<2.0	<0.50	<2.0	<2.0	<2.0	<2.0	<0.50	<0.38	<0.38	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38	<0.38		
1,1,2-Trichloroethane	0.5	5	<0.79	<0.79	<0.79	<0.79	<0.20	<0.79	<0.79	<0.79	<0.79	<0.20	<0.35	<0.35	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.35	<0.35	<0.35	<0.35	<0.35		
Trichloroethene	0.5	5	<1.3	<1.3	<1.3	<1.3	0.59J	<1.3	<1.3	<1.3	<1.3	<0.33	0.23 J	<0.16	0.77J	0.86J	0.90J	0.69J	0.39J	0.42J	0.37J	0.48J	0.44J	0.36 J	<0.16							
PAHs (µg/l)																																
Acenaphthene	---	---	<0.0045	<0.0046	<0.0046	<0.0052	NA	<0.0067	NA	<0.0063	<0.0055	<0.0057	NA	NA	NA	<0.0045	<0.0046	<0.0047	<0.0048	NA	<0.0064	<0.0065	<0.0055	<0.0057	NA	NA						
Acenaphthylene	---	---	<0.0045	<0.0045	<0.0046	<0.0052	NA	<0.0055	NA	<0.0052	0.0065J	<0.0047	NA	NA	NA	<0.0045	<0.0046	<0.0047	<0.0048	NA	<0.0052	<0.0053	<0.0045	<0.0047	NA	NA						
Anthracene	600	3,000	<0.0036	<0.0037	<0.0038	<0.0043	NA	0.018J	NA	0.28	0.019J	<0.0099	NA	NA	NA	<0.0036	<0.0038	<0.0038	0.0048J	NA	<0.011	<0.011	<0.0094	<0.0099	NA	NA						
Benzo(a)anthracene	---	---	0.022J	0.021J	<0.0048	0.021J	NA	0.085	NA	0.12	0.14	0.073	NA	NA	NA	0.013J	<0.0048	0.013J	<0.0050	NA	<0.0079	<0.0080	0.019J	0.020J	NA	NA						
Benzo(a)pyrene	0.02	0.2	0.024J	0.024J	0.0053J	0.030J	NA	0.094	NA	0.45	0.24	0.13	NA	NA	NA	0.011J	<0.0041	0.0076J	0.0079J	NA	0.015J	<0.011	0.028J	0.011J	NA	NA						
Benzo(b)fluoranthene	0.02	0.2	0.038J	0.058	0.0077J	0.065	NA	0.23	NA	0.66	0.51	0.25	NA	NA	NA	0.022J	0.0065J	0.012J	0.010J	NA	0.039	0.022J	0.053	0.031	NA	NA						
Benzo(g,h,i)perylene	---	---	0.024J	0.026J	0.0054J	0.039J	NA	0.14	NA	0.38	0.30	0.15	NA	NA	NA	0.016J	<0.0033	0.0078J	0.0078J	NA	0.019J	0.011J	0.029J	0.016J	NA	NA						
Benzo(k)fluoranthene	---	---	0.019J	0.017J	<0.0053	0.020J	NA	0.12	NA	0.33	0.22	0.14	NA	NA	NA	0.0077J	<0.0053	<0.0053	<0.0055	NA	0.027J	0.015J	0.020J	0.019J	NA	NA						
Chrysene	0.02	0.2	0.063	0.047	0.0050J	0.049J	NA	0.23	NA	0.68	0.39	0.27	NA	NA	NA	0.018J	0.0080J	0.011J	0.0083J	NA	0.047J	0.021J	0.043J	0.045J	NA	NA						
Dibenzo(a,h)anthracene	---	---	<0.0050	<0.0051	<0.0052	0.0065J	NA	0.019J	NA	0.051J	0.050	0.017J	NA	NA	NA	<0.0050	<0.0052	<0.0052	<0.0054	NA	<0.011	<0.011	<0.0090	<0.0095	NA	NA						
Fluoranthene	80	400	0.07	0.078	0.0098J	0.10	NA	0.31	NA	1.1	0.73	0.48	NA	NA	NA	0.048	0.013J	0.021J	0.018J	NA	0.062	0.031J	0.091	0.066	NA	NA	</					

Table 5. Groundwater Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

PARAMETERS	Preventive Action Limit	Enforcement Standard	MW-5									MW-6												
			7/27/15	10/27/15	1/27/16	4/27/16	7/27/16	10/28/16	1/19/17	4/19/17	3/29/18	10/27/15	11/30/15	1/27/16	4/27/16	7/27/16	10/28/16	1/19/17	4/19/17	3/29/18				
Detected VOCs (µg/l)																								
Bromodichloromethane	0.06	0.6	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
Chloromethane	3	30	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
cis-1,2,-Dichloroethene	7	70	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	
Tetrachloroethene	0.5	5	2.0	1.9	1.7	1.7	2.5	3.3	5.3	3.5	3.1	3.1	4.1	5.2	3.9	4.7	5.2	5.3	4.6	3.1				
Toluene	160	800	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
trans-1,2-Dichloroethene	20	100	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	
1,1,1-Trichloroethane	40	200	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1,1,2-Trichloroethane	0.5	5	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	
Trichloroethene	0.5	5	<0.33	<0.33	<0.33	<0.33	0.71J	0.76J	0.76J	0.45J	0.46J	2.0	2.0	2.0	1.6	1.0	1.1	1.2	1.0	1.7				
PAHs (µg/l)																								
Acenaphthene	---	---	<0.0045	<0.0049	<0.0047	<0.0054	NA	0.053	<0.0062	<0.0056	<0.0061	<0.0050	NA	<0.0046	0.0065J	NA	<0.0063	<0.0061	<0.0055	0.015J				
Acenaphthylene	---	---	<0.0045	<0.0049	<0.0047	<0.0054	NA	0.012J	<0.0051	<0.0046	<0.0050	<0.0049	NA	<0.0046	<0.0056	NA	<0.0052	<0.0050	<0.0045	0.10				
Anthracene	600	3,000	0.020J	0.0054J	<0.0038	<0.0044	NA	0.55	0.047J	<0.0097	<0.010	<0.0040	NA	<0.0038	<0.0046	NA	<0.011	<0.010	<0.0094	0.045J				
Benzo(a)anthracene	---	---	0.10	0.025J	0.020J	0.016J	NA	1.6	0.0093J	0.031J	0.012J	0.011J	NA	<0.0048	<0.0058	NA	<0.0079	<0.0076	<0.0068	0.085				
Benzo(a)pyrene	0.02	0.2	0.14	0.025J	0.026J	0.021J	NA	1.8	0.021J	0.050	0.011J	0.0053J	NA	<0.0041	<0.0050	NA	<0.011	<0.011	<0.0095	0.050J				
Benzo(b)fluoranthene	0.02	0.2	0.23	0.053	0.036J	0.039J	NA	2.7	0.057	0.10	0.031	0.010J	NA	<0.0050	<0.0060	NA	<0.0060	0.0085J	0.0056J	0.085				
Benzo(g,h,i)perylene	---	---	0.14	0.022J	0.020J	0.025J	NA	1.5	0.034J	0.060	0.016J	0.0047J	NA	<0.0033	0.0042J	NA	<0.0071	0.011J	<0.0061	0.044				
Benzo(k)fluoranthene	---	---	0.086	0.021J	0.017J	0.014J	NA	1.1	0.043	0.041	0.017J	<0.0056	NA	<0.0053	<0.0064	NA	<0.0079	0.021J	<0.0068	0.053				
Chrysene	0.02	0.2	0.20	0.046J	0.035J	0.032J	NA	2.3	0.071	0.088	0.035J	0.010J	NA	<0.0040	<0.0048	NA	<0.014	0.017J	<0.012	0.14				
Dibenzo(a,h)anthracene	---	---	0.019J	<0.0055	<0.0053	<0.0060	NA	0.33	<0.010	<0.0093	<0.010	<0.0056	NA	<0.0052	<0.0063	NA	<0.010	<0.010	<0.0090	<0.0098				
Fluoranthene	80	400	0.48	0.097	0.064	0.075	NA	5.4	0.14	0.16	0.072	0.020J	NA	<0.0088	<0.011	NA	<0.011	0.042J	<0.0096	0.025J				
Fluorene	80	400	0.0095J	<0.0040	<0.0038	<0.0044	NA	0.091	<0.0081	<0.0074	<0.0080	<0.0040	NA	<0.0038	<0.0046	NA	<0.0083	<0.0080	<0.0072	0.023J				
Indeno(1,2,3-cd)pyrene	---	---	0.11	0.018J	0.018J	0.018J	NA	1.3	0.023J	0.047J	<0.018	<0.0036	NA	<0.0033	<0.0041	NA	<0.018	<0.018	<0.016	0.030J				
1-Methylnaphthalene	---	---	0.0053J	0.0035J	<0.0029	0.016J	NA	<0.0057	<0.0060	<0.0055	0.0081J	<0.0031	NA	0.0052J	0.018J	NA	<0.0061	<0.0059	<0.0053	0.011J				
2-Methylnaphthalene	---	---	0.0082J	0.0044J	<0.0026	0.0045J	NA	<0.0047	<0.0050	<0.0045	0.0085J	<0.0028	NA	0.0091J	<0.0031	NA	<0.0051	0.0050J	0.0044J	0.0094J				
Naphthalene	10	100	0.0080J	0.0072J	0.0063J	<0.0049	NA	<0.018	<0.019	<0.017	0.027J	<0.0045	NA	0.017J	0.0057J	NA	<0.019	<0.018	<0.017	0.021J				
Phenanthrene	---	---	0.21	0.054	0.020J	0.032J	NA	2.2	<0.014	0.073	0.041J	0.015J	NA	0.011J	<0.0087	NA								

Table 5. Groundwater Analytical Results

Schaefer Brush, 1101 South Prairie Avenue, Waukesha, Wisconsin

PARAMETERS	Preventive Action Limit	Enforcement Standard	MW-7										
			10/27/15	11/30/15	1/27/16	4/27/16	7/27/16	10/28/16	1/19/17	4/19/17	3/29/18	3/19/20	
Detected VOCs (µg/l)													
Bromodichloromethane	0.06	0.6	<5.0	<2.5	<2.5	<2.5	<2.0	<0.50	<0.50	<0.50	<0.50	<0.37	<0.74
Chloromethane	3	30	<5.0	<2.5	<2.5	<2.5	<2.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.64
cis-1,2,-Dichloroethene	7	70	34.9	28.6	98.3	13.9	<1.0	5.5	4.9	4.2	7.0	7.0	6.7
Tetrachloroethene	0.5	5	412	430	600	360	455	205	222	146	217	310	390
Toluene	160	800	<5.0	<2.5	<2.5	<2.5	<2.0	<0.50	<0.50	<0.50	<0.50	<0.15	<0.30
trans-1,2-Dichloroethene	20	100	<2.6	<1.3	2.0J	<1.3	<1.0	<0.26	<0.26	<0.26	<0.26	<0.35	<0.70
1,1,1-Trichloroethane	40	200	<5.0	<2.5	<2.5	<2.5	<2.0	<0.50	<0.50	<0.50	<0.50	<0.38	<0.76
1,1,2-Trichloroethane	0.5	5	<2.0	<0.99	<0.99	<0.99	<0.79	<0.20	<0.20	<0.20	<0.20	<0.35	<0.70
Trichloroethene	0.5	5	7.8J	7.2	12.8	7.7	<1.3	1.5	1.6	1.2	2.8	2.6	5.1
PAHs (µg/l)													
Acenaphthene	---	---	<0.0045	NA	<0.0045	<0.0046	NA	<0.0067	<0.0059	<0.0057	<0.0055	NA	NA
Acenaphthylene	---	---	<0.0045	NA	<0.0045	<0.0046	NA	<0.0055	<0.0048	<0.0047	<0.0045	NA	NA
Anthracene	600	3,000	<0.0036	NA	<0.0037	<0.0038	NA	<0.012	<0.010	<0.0099	<0.0095	NA	NA
Benzo(a)anthracene	---	---	<0.0046	NA	<0.0047	<0.0048	NA	<0.0084	<0.0073	<0.0071	0.0087J	NA	NA
Benzo(a)pyrene	0.02	0.2	<0.0040	NA	<0.0040	<0.0041	NA	<0.012	<0.010	<0.0099	<0.0096	NA	NA
Benzo(b)fluoranthene	0.02	0.2	<0.0048	NA	<0.0048	<0.0050	NA	<0.0064	<0.0056	<0.0054	0.014J	NA	NA
Benzo(g,h,i)perylene	---	---	<0.0032	NA	<0.0032	0.0048J	NA	<0.0075	<0.0066	<0.0064	0.0094J	NA	NA
Benzo(k)fluoranthene	---	---	<0.0051	NA	<0.0051	<0.0053	NA	<0.0084	<0.0073	<0.0071	0.010J	NA	NA
Chrysene	0.02	0.2	<0.0038	NA	<0.0039	<0.0040	NA	<0.014	<0.013	<0.012	0.017J	NA	NA
Dibenzo(a,h)anthracene	---	---	<0.0050	NA	<0.0051	<0.0052	NA	<0.011	<0.0097	<0.0095	<0.0091	NA	NA
Fluoranthene	80	400	<0.0085	NA	<0.0085	<0.0088	NA	<0.012	<0.010	<0.010	0.020J	NA	NA
Fluorene	80	400	<0.0036	NA	<0.0037	<0.0038	NA	<0.0089	<0.0077	<0.0075	<0.0072	NA	NA
Indeno(1,2,3-cd)pyrene	---	---	<0.0032	NA	<0.0033	<0.0033	NA	<0.020	<0.017	<0.017	<0.016	NA	NA
1-Methylnaphthalene	---	---	<0.0028	NA	0.0052J	<0.0029	NA	<0.0066	<0.0057	<0.0056	<0.0054	NA	NA
2-Methylnaphthalene	---	---	<0.0025	NA	0.0054J	0.0035J	NA	<0.0054	<0.0048	<0.0046	<0.0045	NA	NA
Naphthalene	10	100	<0.0041	NA	0.014J	<0.0042	NA	<0.020	<0.018	<0.017	<0.017	NA	NA
Phenanthrene	---	---	0.0075J	NA	0.0088J	<0.0072	NA	<0.015	<0.013	<0.013	<0.013	NA	NA
Pyrene	50	250	0.0070J	NA	0.0073J	0.0084J	NA	<0.0085	<0.0074	<0.0072	0.021J	NA	NA
Dissolved RCRA Metals (µg/l)													
Arsenic	1	10	<7.2	NA	<7.2	<7.2	NA	NA	NA	NA	NA	NA	
Barium	400	2,000	50.2	NA	50.8	36.3	NA	NA	NA	NA	NA	NA	
Cadmium	0.5	5	<0.60	NA	<0.60	<0.60	NA	NA	NA	NA	NA	NA	
Chromium	10	100	<2.1	NA	<2.1	<2.1	NA	NA	NA	NA	NA	NA	
Lead	1.5	15	<3.0	NA	<3.0	<3.0	NA	NA	NA	NA	NA	NA	
Mercury	0.2	2	0.11J	NA	<0.10	<0.18	NA	NA	NA	NA	NA	NA	
Selenium	10	50	<6.7	NA	<6.7	<6.7	NA	NA	NA	NA	NA	NA	
Silver	10	50	<2.7	NA	<2.7	<2.7	NA	NA	NA	NA	NA	NA	

Bold concentrations exceed NR 140 Wis. Admin. Code enforcement standard.

Italicized concentrations exceed NR 140 Wis. Admin. Code preventive action limit.

--- - no standard established

J - Results between the limit of detection and limit of quantitation

µg/l - micrograms per liter


NA - not analyzed

PAHs - polynuclear aromatic hydrocarbons

RCRA - resource conservation recovery act

VOCs - volatile organic compounds

Figures



● LOCATION OF POSSIBLE WATER WELL



DESIGNED BY TLS	DATE December 23, 2015
DRAWN BY TLS	PROJECT 2503014.1
APPROVED BY TLS	SHEET NO. 1
SOURCE Muskego, Wisconsin Quadrangle Map 1994 Scale 1:24,000	

FIGURE 1
SITE LOCATION AND WATER WELL MAP
SCHAEFER BRUSH
1101 SOUTH PRAIRIE AVENUE
WAUKESHA, WISCONSIN



LEGEND

- △ PERMANENT SUB-SLAB VAPOR PIN
- INDOOR AIR SAMPLE
- * INDOOR AIR BUILDING PRESSURE LOCATION
- * INDOOR AIR BUILDING PRESSURE PORT LOCATION




FIGURE 2
INTERIOR FACILITY SAMPLING LOCATIONS
SCHAEFER BRUSH
1101 SOUTH PRAIRIE AVENUE
WAUKESHA, WI

DESIGNED BY TLS	DATE 2/25/2020
DRAWN BY RJN	PROJECT 2503001.1
APPROVED BY TLS	SHEET NO. 1
CADFILE XREF LMAN	



LEGEND

- △ PERMANENT SUB-SLAB VAPOR PIN
- INDOOR AIR SAMPLE
- * INDOOR AIR BUILDING PRESSURE LOCATION
- * INDOOR AIR BUILDING PRESSURE PORT LOCATION

14DCB 1,4-DICHLOROBENZENE
J ESTIMATED
NAPH NAPHTHALENE
PCE TETRACHLOROETHENE
TCE TRICHLOROETHENE

NOTES

CONCENTRATIONS ARE REPORTED IN MICROGRAMS PER CUBIC METER

SUB-SLAB VAPOR CONCENTRATIONS ARE BOLD AND RED IF ABOVE VAPOR RISK SCREENING LEVELS

SUB-SLAB VAPOR SAMPLE RESULTS WERE COMPARED TO SMALL COMMERCIAL VAPOR RISK SCREENING LEVELS FOR THE OFFICE AND BASEMENT

SUB-SLAB VAPOR SAMPLE RESULTS WERE COMPARED TO LARGE COMMERCIAL VAPOR RISK SCREENING LEVELS IN MANUFACTURING AND SHIPPING DEPARTMENTS


1,4-DICHLOROBENZENE AND NAPHTHALENE ARE NOT CONSTITUENTS OF CONCERN FOR THE SITE SINCE PRODUCTS CONTAINING THESE COMPOUNDS ARE USED IN THE FACILITY

SS-13	2/11/2020	3/16/2020	6/9/2020
14DCB	4.4J	<0.96	2.2J
NAPH	7.4	<2.1	4.7
PCE	5.1	5.4	8.5
TCE	<0.49	<0.41	1.5

SS-12	2/11/2020	3/16/2020	6/9/2020
14DCB	5.0J	<1.4	2.5J
NAPH	7.9	<1.8	4.0J
PCE	3,500	1,000	4,110
TCE	5.1	57.7	87.9

SS-2	10/31/2018	2/11/2020	6/9/2020
14DCB	<1.8	3.5J	1.2J
NAPH	5.5	6.1	4.2
PCE	200	52.7	243
TCE	2.5	<0.49	1.4

SS-3	2/11/2020
14DCB	<28.8
NAPH	<37.7
PCE	156,000
TCE	68.1



SS-11	2/11/2020	3/16/2020	6/9/2020
14DCB	6.5	<1.6	5.1J
NAPH	7.2	<2.1	4.6J
PCE	179	81.8	303
TCE	6.9	5.0	8.4

SS-1	3/16/2020	6/9/2020
14DCB	<1.7	5.5
NAPH	<2.2	5.6
PCE	931	1,460
TCE	48.9	39.7

SS-8	10/31/2018	2/11/2020	6/10/2020
14DCB	<1.8	<1.9	<1.2
NAPH	6.2	6.5	4.4
PCE	8,850	46.8	223
TCE	16.1	1.4	2.9

SS-7	10/31/2018	2/11/2020	6/10/2020
14DCB	<1.8	4.6J	14.5
NAPH	17.6	8.0	4.5J
PCE	13,700	36,800	40,700
TCE	33.8	34.6	45.3




FIGURE 3
POST REMEDIAL SUB-SLAB ANALYTICAL RESULTS
SCHAFFER BRUSH
1101 SOUTH PRAIRIE AVENUE
WAUKESHA, WI

DESIGNED BY
TLS
DRAWN BY
RJN
APPROVED BY
TLS
CADFILE
XREF
LMAN

DATE
2/25/2020
PROJECT
2503001.1
SHEET NO.
1

KEY
ENGINEERING
GROUP LTD.
735 NORTH WATER STREET, SUITE 510
MILWAUKEE, WI 53202
414.224.8300 (tel) • 414.224.8383 (fax)

LEGEND

- △ PERMANENT SUB-SLAB VAPOR PIN
- INDOOR AIR SAMPLE
- * INDOOR AIR BUILDING PRESSURE LOCATION
- * INDOOR AIR BUILDING PRESSURE PORT LOCATION

14DCB 1,4-DICHLOROBENZENE
J ESTIMATED
NAPH NAPHTHALENE
PCE TETRACHLOROETHENE
TCE TRICHLOROETHENE

NOTES

CONCENTRATIONS ARE REPORTED IN MICROGRAMS PER CUBIC METER
INDOOR AIR CONCENTRATIONS ARE BOLD AND RED IF ABOVE VAPOR ACTION LEVELS
INDOOR AIR SAMPLE RESULTS WERE COMPARED TO SMALL COMMERCIAL VAPOR ACTION LEVELS FOR THE OFFICE AND BASEMENT

INDOOR AIR SAMPLE RESULTS WERE COMPARED TO LARGE COMMERCIAL VAPOR ACTION LEVELS IN MANUFACTURING AND SHIPPING DEPARTMENTS

1,4-DICHLOROBENZENE AND NAPHTHALENE ARE NOT CONSTITUENTS OF CONCERN FOR THE SITE SINCE PRODUCTS CONTAINING THESE COMPOUNDS ARE USED IN THE FACILITY

IA-12	4/6/2018	10/31/2018	2/11/2020	3/16/2020	6/9/2020
14DCB	211	13.7	18.5	7.3	16
NAPH	5.7	<2.0	<2.2	3.0J	<3.4
PCE	30.0	0.54J	<0.44	8.6	1.3J
TCE	4.1	1.5	1.6	1.7	1.7

IA-13	4/6/2018
14DCB	226
NAPH	4.7
PCE	32.2
TCE	4.8

IA-21	2/11/2020	3/16/2020	6/9/2020
14DCB	17.6	6.9	16.2
NAPH	<2.0	2.7J	<2.0
PCE	4.3	9.4	1.2
TCE	1.4	1.8	1.7

IA-9	10/31/2018
14DCB	14.8
NAPH	17.5
PCE	<0.47
TCE	1.6

IAO-1	2/11/2020	3/16/2020	6/9/2020
14DCB	195	81.4	53.7
NAPH	<2.2	2.8J	<2.0
PCE	3.3	7.2	2.1
TCE	0.86J	1.8	2.2

IAB-1	2/11/2020	3/16/2020	6/9/2020
14DCB	194	98.1	52.7
NAPH	<2.3	<2.4	<2.0
PCE	9.2	17.3	2.2
TCE	1.3	2.0	2.2

IAO-3	6/9/2020
14DCB	76.0
NAPH	2.3J
PCE	2.1
TCE	2.0

IAO-2	2/11/2020	3/16/2020	6/9/2020
14DCB	172	90.6	71.7
NAPH	<2.3	2.9J	<2.0
PCE	2.4	5.8	2.2
TCE	0.52J	1.3	2.0

IAO-4	6/9/2020
14DCB	56.0
NAPH	2.1J
PCE	1.6
TCE	1.7

IAO-18	4/6/2018	2/11/2020
14DCB	211	14.6
NAPH	6.4	<2.0
PCE	41.2	<0.49
TCE	4.7	1.6

IA-19	2/11/2020	3/16/2020	6/9/2020
14DCB	15.3	9.1	11.2
NAPH	2.9J	3.1J	<2.0
PCE	8.1	11.6	1.3
TCE	1.8	2.3	1.2

IA-16	4/6/2018	10/31/2018
14DCB	178	16.1
NAPH	6.2	<2.0
PCE	63.5	<0.47
TCE	4.2	1.5

DESIGNED BY	DATE
TLS	2/25/2020
DRAWN BY	PROJECT
R.J.N.	2503001.1
APPROVED BY	SHEET NO.
TLS	1
CADFILE XREF LMAN	

FIGURE 4
POST REMEDIAL INDOOR AIR ANALYTICAL RESULTS
SCHAEFER BRUSH
1101 SOUTH PRAIRIE AVENUE
WAUKESHA, WI




Figure 5 Tetrachloroethene Indoor Air Concentrations Versus Indoor Air Pressure




Figure 6 Trichloroethene Indoor Air Concentrations Versus Indoor Air Pressure




Figure 7 Tetrachloroethene Indoor Air Concentrations Versus Barometric Pressure




Figure 8 Trichloroethylene Indoor Air Concentrations Versus Barometric Pressure





Figure 9 Barometric Pressure Versus Indoor Air Presssure






FIGURE 10
GROUNDWATER FLOW MAP (JUNE 11, 2020)
SCHAEFER BRUSH
1101 SOUTH PRAIRIE AVENUE
WAUKESHA, WISCONSIN

DESIGNED BY TLS/JMD	DATE 05/23/2019
DRAWN BY JMD	PROJECT 2503001.1
APPROVED BY TLS	SHEET NO. 1
CADFILE XREF LMAN	

Attachment 1

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name	DNR ID # (BRRTS #)		
Schaefer Brush	02-68-563736		
Address	City	State	ZIP Code
1101 South Prairie Avenue	Waukesha	WI	53186

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner	1101 Gage Inc.	Address	City	State	ZIP Code
	1101 South Prairie Avenue		Waukesha	WI	53186
Contact Person	Phone Number (include area code)				
Sheri Reichart					
Person or company that collected samples					

Key Engineering Group, Ltd

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) vapor mitigation system sampling, groundwater monitoring

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?		This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
	Yes	No	Yes	No	
Gasoline	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Diesel or Fuel Oil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Solvents	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Heavy Metals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Pesticides	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

If yes, the sampled drinking water well had detectable contaminants.

Yes No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input checked="" type="radio"/>
Sub-slab	<input checked="" type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name Key Engineering Group, Ltd	Contact Person Last Name Schoen	First Name Toni
Address 735 North Water Street, Suite 510	City Milwaukee	State WI ZIP Code 53202
Phone # (inc. area code) (414) 225-0594	Email tschoen@keyengineering.com	

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name Grittner	First Name Paul	Phone # (inc. area code) (262) 574-2166
Address 141 NW Barstow Street, Suite 180	City Waukesha	State WI ZIP Code 53188
Email paul.grittner@wisconsin.gov		

Attachment 2

June 18, 2020

Toni Schoen
Key Engineering
735 N. Water St.
Milwaukee, WI 53202

RE: Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521182

Dear Toni Schoen:


Enclosed are the analytical results for sample(s) received by the laboratory on June 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Valerie Collins, Key Engineering Milwaukee



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1604-1204-0002 Schaefer Brush
 Pace Project No.: 10521182

Pace Analytical Services Minneapolis

A2LA Certification #: 2926.01	Minnesota Petrofund Certification #: 1240
Alabama Certification #: 40770	Mississippi Certification #: MN00064
Alaska Contaminated Sites Certification #: 17-009	Missouri Certification #: 10100
Alaska DW Certification #: MN00064	Montana Certification #: CERT0092
Arizona Certification #: AZ0014	Nebraska Certification #: NE-OS-18-06
Arkansas DW Certification #: MN00064	Nevada Certification #: MN00064
Arkansas WW Certification #: 88-0680	New Hampshire Certification #: 2081
California Certification #: 2929	New Jersey Certification #: MN002
CNMI Saipan Certification #: MP0003	New York Certification #: 11647
Colorado Certification #: MN00064	North Carolina DW Certification #: 27700
Connecticut Certification #: PH-0256	North Carolina WW Certification #: 530
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Dakota Certification #: R-036
Florida Certification #: E87605	Ohio DW Certification #: 41244
Georgia Certification #: 959	Ohio VAP Certification #: CL101
Guam EPA Certification #: MN00064	Oklahoma Certification #: 9507
Hawaii Certification #: MN00064	Oregon Primary Certification #: MN300001
Idaho Certification #: MN00064	Oregon Secondary Certification #: MN200001
Illinois Certification #: 200011	Pennsylvania Certification #: 68-00563
Indiana Certification #: C-MN-01	Puerto Rico Certification #: MN00064
Iowa Certification #: 368	South Carolina Certification #: 74003001
Kansas Certification #: E-10167	Tennessee Certification #: TN02818
Kentucky DW Certification #: 90062	Texas Certification #: T104704192
Kentucky WW Certification #: 90062	Utah Certification #: MN00064
Louisiana DEQ Certification #: 03086	Vermont Certification #: VT-027053137
Louisiana DW Certification #: MN00064	Virginia Certification #: 460163
Maine Certification #: MN00064	Washington Certification #: C486
Maryland Certification #: 322	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Dept of Ag Certification #: via MN 027-053-137	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10521182001	SS-1	Air	06/09/20 14:00	06/11/20 10:00
10521182002	SS-2	Air	06/09/20 13:50	06/11/20 10:00
10521182003	SS-5	Air	06/10/20 12:45	06/11/20 10:00
10521182004	SS-7	Air	06/10/20 12:35	06/11/20 10:00
10521182005	SS-8	Air	06/10/20 12:30	06/11/20 10:00
10521182006	SS-9	Air	06/09/20 14:20	06/11/20 10:00
10521182007	SS-10	Air	06/10/20 12:40	06/11/20 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521182

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10521182001	SS-1	TO-15	AC1, MG2	61	PASI-M
10521182002	SS-2	TO-15	AC1, MG2	61	PASI-M
10521182003	SS-5	TO-15	AC1, MJL	61	PASI-M
10521182004	SS-7	TO-15	AC1, MJL	61	PASI-M
10521182005	SS-8	TO-15	AC1	61	PASI-M
10521182006	SS-9	TO-15	AC1, MG2	61	PASI-M
10521182007	SS-10	TO-15	AC1, MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521182001	SS-1						
TO-15	Acetone	10.7	ug/m3	8.5	06/13/20 23:03		
TO-15	Benzene	0.33J	ug/m3	0.46	06/13/20 23:03		
TO-15	2-Butanone (MEK)	4.2	ug/m3	4.2	06/13/20 23:03		
TO-15	Carbon tetrachloride	0.53J	ug/m3	1.8	06/13/20 23:03		
TO-15	Chloroform	4.8	ug/m3	0.70	06/13/20 23:03		
TO-15	Chloromethane	0.44J	ug/m3	0.59	06/13/20 23:03		
TO-15	1,4-Dichlorobenzene	5.5	ug/m3	4.3	06/13/20 23:03		
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.4	06/13/20 23:03		
TO-15	Ethanol	12.8	ug/m3	2.7	06/13/20 23:03		
TO-15	Ethylbenzene	0.85J	ug/m3	1.2	06/13/20 23:03		
TO-15	4-Ethyltoluene	1.6J	ug/m3	3.5	06/13/20 23:03		
TO-15	n-Heptane	0.62J	ug/m3	1.2	06/13/20 23:03		
TO-15	n-Hexane	2.1	ug/m3	1.0	06/13/20 23:03		
TO-15	Methylene Chloride	14.7	ug/m3	5.0	06/13/20 23:03		
TO-15	4-Methyl-2-pentanone (MIBK)	0.25J	ug/m3	5.9	06/13/20 23:03		
TO-15	Naphthalene	5.6	ug/m3	3.8	06/13/20 23:03		
TO-15	2-Propanol	2.7J	ug/m3	3.5	06/13/20 23:03		
TO-15	Styrene	1.6	ug/m3	1.2	06/13/20 23:03		
TO-15	Tetrachloroethene	1460	ug/m3	29.1	06/15/20 02:05		
TO-15	Toluene	72.7	ug/m3	1.1	06/13/20 23:03		
TO-15	1,1,1-Trichloroethane	3.9	ug/m3	1.6	06/13/20 23:03		
TO-15	Trichloroethene	39.7	ug/m3	0.77	06/13/20 23:03		
TO-15	Trichlorofluoromethane	1.7	ug/m3	1.6	06/13/20 23:03		
TO-15	1,1,2-Trichlorotrifluoroethane	2.4	ug/m3	2.2	06/13/20 23:03		
TO-15	1,2,4-Trimethylbenzene	9.9	ug/m3	1.4	06/13/20 23:03		
TO-15	1,3,5-Trimethylbenzene	2.8	ug/m3	1.4	06/13/20 23:03		
TO-15	m&p-Xylene	4.5	ug/m3	2.5	06/13/20 23:03		
TO-15	o-Xylene	1.7	ug/m3	1.2	06/13/20 23:03		
10521182002	SS-2						
TO-15	Acetone	40.4	ug/m3	8.4	06/13/20 23:32		
TO-15	Benzene	0.58	ug/m3	0.45	06/13/20 23:32		
TO-15	Bromomethane	0.33J	ug/m3	1.1	06/13/20 23:32		
TO-15	2-Butanone (MEK)	30.9	ug/m3	4.2	06/13/20 23:32		
TO-15	Carbon disulfide	0.34J	ug/m3	0.88	06/13/20 23:32		
TO-15	Carbon tetrachloride	0.37J	ug/m3	1.8	06/13/20 23:32		
TO-15	Chloroform	0.23J	ug/m3	0.69	06/13/20 23:32		
TO-15	Chloromethane	1.3	ug/m3	0.58	06/13/20 23:32		
TO-15	Cyclohexane	2.5	ug/m3	2.4	06/13/20 23:32		
TO-15	1,4-Dichlorobenzene	1.2J	ug/m3	4.3	06/13/20 23:32		
TO-15	Dichlorodifluoromethane	3.2	ug/m3	1.4	06/13/20 23:32		
TO-15	Ethanol	331	ug/m3	2.7	06/13/20 23:32		
TO-15	Ethyl acetate	24.2	ug/m3	1.0	06/13/20 23:32		
TO-15	Ethylbenzene	102	ug/m3	1.2	06/13/20 23:32		
TO-15	4-Ethyltoluene	3.4J	ug/m3	3.5	06/13/20 23:32		
TO-15	n-Heptane	1.9	ug/m3	1.2	06/13/20 23:32		
TO-15	n-Hexane	4.5	ug/m3	1.0	06/13/20 23:32		
TO-15	Methylene Chloride	20.2	ug/m3	4.9	06/13/20 23:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521182002	SS-2						
TO-15	4-Methyl-2-pentanone (MIBK)	1.8J	ug/m3	5.8	06/13/20 23:32		
TO-15	Naphthalene	4.2	ug/m3	3.7	06/13/20 23:32		
TO-15	2-Propanol	172	ug/m3	3.5	06/13/20 23:32		
TO-15	Styrene	9.6	ug/m3	1.2	06/13/20 23:32		
TO-15	Tetrachloroethene	243	ug/m3	0.96	06/13/20 23:32		
TO-15	Toluene	171	ug/m3	21.3	06/15/20 01:10		
TO-15	1,1,1-Trichloroethane	0.23J	ug/m3	1.5	06/13/20 23:32		
TO-15	Trichloroethene	1.4	ug/m3	0.76	06/13/20 23:32		
TO-15	Trichlorofluoromethane	1.8	ug/m3	1.6	06/13/20 23:32		
TO-15	1,1,2-Trichlorotrifluoroethane	0.90J	ug/m3	2.2	06/13/20 23:32		
TO-15	1,2,4-Trimethylbenzene	11.2	ug/m3	1.4	06/13/20 23:32		
TO-15	1,3,5-Trimethylbenzene	3.4	ug/m3	1.4	06/13/20 23:32		
TO-15	m&p-Xylene	506	ug/m3	49.2	06/15/20 01:10		
TO-15	o-Xylene	215	ug/m3	24.5	06/15/20 01:10		
10521182003	SS-5						
TO-15	Acetone	50.2	ug/m3	11.3	06/14/20 01:53		
TO-15	Benzene	0.45J	ug/m3	0.61	06/14/20 01:53		
TO-15	2-Butanone (MEK)	13.0	ug/m3	5.6	06/14/20 01:53		
TO-15	1,4-Dichlorobenzene	6.2	ug/m3	5.7	06/14/20 01:53		
TO-15	Dichlorodifluoromethane	2.9	ug/m3	1.9	06/14/20 01:53		
TO-15	Ethanol	7.7	ug/m3	3.6	06/14/20 01:53		
TO-15	Ethylbenzene	0.67J	ug/m3	1.7	06/14/20 01:53		
TO-15	4-Ethyltoluene	1.7J	ug/m3	4.7	06/14/20 01:53		
TO-15	n-Hexane	0.67J	ug/m3	1.3	06/14/20 01:53		
TO-15	Methylene Chloride	4.1J	ug/m3	6.6	06/14/20 01:53		
TO-15	Naphthalene	6.3	ug/m3	5.0	06/14/20 01:53		
TO-15	Styrene	2.6	ug/m3	1.6	06/14/20 01:53		
TO-15	Tetrachloroethene	54300	ug/m3	1240	06/15/20 11:24		
TO-15	Tetrahydrofuran	3.6	ug/m3	1.1	06/14/20 01:53		
TO-15	Toluene	28.4	ug/m3	1.4	06/14/20 01:53		
TO-15	1,1,1-Trichloroethane	1.6J	ug/m3	2.1	06/14/20 01:53		
TO-15	Trichloroethene	3.8	ug/m3	1.0	06/14/20 01:53		
TO-15	Trichlorofluoromethane	1.6J	ug/m3	2.1	06/14/20 01:53		
TO-15	1,1,2-Trichlorotrifluoroethane	7.9	ug/m3	2.9	06/14/20 01:53		
TO-15	1,2,4-Trimethylbenzene	11.4	ug/m3	1.9	06/14/20 01:53		
TO-15	1,3,5-Trimethylbenzene	3.3	ug/m3	1.9	06/14/20 01:53		
TO-15	m&p-Xylene	4.0	ug/m3	3.3	06/14/20 01:53		
TO-15	o-Xylene	1.7	ug/m3	1.7	06/14/20 01:53		
10521182004	SS-7						
TO-15	Acetone	19.2	ug/m3	10.3	06/14/20 00:58		
TO-15	Benzene	0.46J	ug/m3	0.56	06/14/20 00:58		
TO-15	2-Butanone (MEK)	6.8	ug/m3	5.1	06/14/20 00:58		
TO-15	Carbon tetrachloride	0.53J	ug/m3	2.2	06/14/20 00:58		
TO-15	Chloroform	0.65J	ug/m3	0.85	06/14/20 00:58		
TO-15	Cyclohexane	0.27J	ug/m3	3.0	06/14/20 00:58		
TO-15	1,4-Dichlorobenzene	14.5	ug/m3	5.2	06/14/20 00:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10521182004	SS-7					
TO-15	Dichlorodifluoromethane	2.8	ug/m3	1.7	06/14/20 00:58	
TO-15	Ethanol	5.0	ug/m3	3.3	06/14/20 00:58	
TO-15	Ethylbenzene	0.37J	ug/m3	1.5	06/14/20 00:58	
TO-15	n-Hexane	0.56J	ug/m3	1.2	06/14/20 00:58	
TO-15	Methylene Chloride	4.2J	ug/m3	6.0	06/14/20 00:58	
TO-15	Naphthalene	4.5J	ug/m3	4.5	06/14/20 00:58	
TO-15	2-Propanol	1.9J	ug/m3	4.3	06/14/20 00:58	
TO-15	Styrene	0.92J	ug/m3	1.5	06/14/20 00:58	
TO-15	Tetrachloroethene	40700	ug/m3	1130	06/15/20 10:59	
TO-15	Tetrahydrofuran	1.7	ug/m3	1.0	06/14/20 00:58	
TO-15	Toluene	15.9	ug/m3	1.3	06/14/20 00:58	
TO-15	1,1,1-Trichloroethane	20.2	ug/m3	1.9	06/14/20 00:58	
TO-15	Trichloroethene	45.3	ug/m3	0.93	06/14/20 00:58	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	1.9	06/14/20 00:58	
TO-15	1,1,2-Trichlorotrifluoroethane	2.5J	ug/m3	2.7	06/14/20 00:58	
TO-15	1,2,4-Trimethylbenzene	5.1	ug/m3	1.7	06/14/20 00:58	
TO-15	1,3,5-Trimethylbenzene	1.4J	ug/m3	1.7	06/14/20 00:58	
TO-15	m&p-Xylene	1.8J	ug/m3	3.0	06/14/20 00:58	
TO-15	o-Xylene	0.71J	ug/m3	1.5	06/14/20 00:58	
10521182005	SS-8					
TO-15	Acetone	16.6	ug/m3	9.9	06/14/20 00:29	
TO-15	2-Butanone (MEK)	7.3	ug/m3	4.9	06/14/20 00:29	
TO-15	Carbon tetrachloride	0.44J	ug/m3	2.1	06/14/20 00:29	
TO-15	Chloromethane	0.17J	ug/m3	0.69	06/14/20 00:29	
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.7	06/14/20 00:29	
TO-15	Ethanol	3.5	ug/m3	3.1	06/14/20 00:29	
TO-15	Ethylbenzene	0.54J	ug/m3	1.4	06/14/20 00:29	
TO-15	4-Ethyltoluene	1.7J	ug/m3	4.1	06/14/20 00:29	
TO-15	n-Hexane	0.65J	ug/m3	1.2	06/14/20 00:29	
TO-15	Methylene Chloride	2.8J	ug/m3	5.8	06/14/20 00:29	
TO-15	4-Methyl-2-pentanone (MIBK)	0.31J	ug/m3	6.8	06/14/20 00:29	
TO-15	Naphthalene	4.4	ug/m3	4.4	06/14/20 00:29	
TO-15	2-Propanol	1.8J	ug/m3	4.1	06/14/20 00:29	
TO-15	Styrene	0.94J	ug/m3	1.4	06/14/20 00:29	
TO-15	Tetrachloroethene	223	ug/m3	1.1	06/14/20 00:29	
TO-15	Tetrahydrofuran	1.8	ug/m3	0.98	06/14/20 00:29	
TO-15	Toluene	8.0	ug/m3	1.3	06/14/20 00:29	
TO-15	1,1,1-Trichloroethane	1.3J	ug/m3	1.8	06/14/20 00:29	
TO-15	Trichloroethene	2.9	ug/m3	0.90	06/14/20 00:29	
TO-15	Trichlorofluoromethane	1.6J	ug/m3	1.9	06/14/20 00:29	
TO-15	1,1,2-Trichlorotrifluoroethane	0.86J	ug/m3	2.6	06/14/20 00:29	
TO-15	1,2,4-Trimethylbenzene	10.5	ug/m3	1.6	06/14/20 00:29	
TO-15	1,3,5-Trimethylbenzene	2.8	ug/m3	1.6	06/14/20 00:29	
TO-15	m&p-Xylene	3.4	ug/m3	2.9	06/14/20 00:29	
TO-15	o-Xylene	1.5	ug/m3	1.4	06/14/20 00:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521182006	SS-9						
TO-15	Acetone	7.4J	ug/m3	9.5	06/14/20 00:00		
TO-15	Benzene	0.30J	ug/m3	0.51	06/14/20 00:00		
TO-15	2-Butanone (MEK)	3.0J	ug/m3	4.7	06/14/20 00:00		
TO-15	Carbon tetrachloride	0.50J	ug/m3	2.0	06/14/20 00:00		
TO-15	Chloromethane	0.35J	ug/m3	0.66	06/14/20 00:00		
TO-15	1,4-Dichlorobenzene	3.6J	ug/m3	4.8	06/14/20 00:00		
TO-15	Dichlorodifluoromethane	2.9	ug/m3	1.6	06/14/20 00:00		
TO-15	Ethanol	13.4	ug/m3	3.0	06/14/20 00:00		
TO-15	Ethylbenzene	0.58J	ug/m3	1.4	06/14/20 00:00		
TO-15	4-Ethyltoluene	1.7J	ug/m3	4.0	06/14/20 00:00		
TO-15	n-Hexane	0.92J	ug/m3	1.1	06/14/20 00:00		
TO-15	Methylene Chloride	19.0	ug/m3	5.6	06/14/20 00:00		
TO-15	Naphthalene	4.8	ug/m3	4.2	06/14/20 00:00		
TO-15	2-Propanol	3.3J	ug/m3	4.0	06/14/20 00:00		
TO-15	Styrene	1.5	ug/m3	1.4	06/14/20 00:00		
TO-15	Tetrachloroethene	227	ug/m3	1.1	06/14/20 00:00		
TO-15	Toluene	28.6	ug/m3	1.2	06/14/20 00:00		
TO-15	1,1,1-Trichloroethane	1.3J	ug/m3	1.8	06/14/20 00:00		
TO-15	Trichloroethene	8.7	ug/m3	0.86	06/14/20 00:00		
TO-15	Trichlorofluoromethane	1.7J	ug/m3	1.8	06/14/20 00:00		
TO-15	1,1,2-Trichlorotrifluoroethane	1.3J	ug/m3	2.5	06/14/20 00:00		
TO-15	1,2,4-Trimethylbenzene	7.5	ug/m3	1.6	06/14/20 00:00		
TO-15	1,3,5-Trimethylbenzene	2.4	ug/m3	1.6	06/14/20 00:00		
TO-15	m&p-Xylene	2.5J	ug/m3	2.8	06/15/20 01:39		
TO-15	o-Xylene	1.2J	ug/m3	1.4	06/14/20 00:00		
10521182007	SS-10						
TO-15	Chloroform	14.4J	ug/m3	26.6	06/14/20 02:46		
TO-15	Tetrachloroethene	191000	ug/m3	2370	06/15/20 11:49		
TO-15	Toluene	11.5J	ug/m3	41.1	06/14/20 02:46		
TO-15	1,1,1-Trichloroethane	31.6J	ug/m3	59.6	06/14/20 02:46		
TO-15	Trichloroethene	184	ug/m3	29.3	06/14/20 02:46		
TO-15	1,1,2-Trichlorotrifluoroethane	41.5J	ug/m3	83.8	06/14/20 02:46		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-1	Lab ID: 10521182001	Collected: 06/09/20 14:00	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	10.7	ug/m3	8.5	1.8	1.41		06/13/20 23:03	67-64-1	
Benzene	0.33J	ug/m3	0.46	0.18	1.41		06/13/20 23:03	71-43-2	
Benzyl chloride	<0.67	ug/m3	3.7	0.67	1.41		06/13/20 23:03	100-44-7	
Bromodichloromethane	<0.25	ug/m3	1.9	0.25	1.41		06/13/20 23:03	75-27-4	
Bromoform	<2.5	ug/m3	7.4	2.5	1.41		06/13/20 23:03	75-25-2	
Bromomethane	<0.21	ug/m3	1.1	0.21	1.41		06/13/20 23:03	74-83-9	
1,3-Butadiene	<0.15	ug/m3	0.63	0.15	1.41		06/13/20 23:03	106-99-0	
2-Butanone (MEK)	4.2	ug/m3	4.2	0.79	1.41		06/13/20 23:03	78-93-3	
Carbon disulfide	<0.15	ug/m3	0.89	0.15	1.41		06/13/20 23:03	75-15-0	
Carbon tetrachloride	0.53J	ug/m3	1.8	0.36	1.41		06/13/20 23:03	56-23-5	
Chlorobenzene	<0.19	ug/m3	1.3	0.19	1.41		06/13/20 23:03	108-90-7	
Chloroethane	<0.18	ug/m3	0.76	0.18	1.41		06/13/20 23:03	75-00-3	
Chloroform	4.8	ug/m3	0.70	0.19	1.41		06/13/20 23:03	67-66-3	
Chloromethane	0.44J	ug/m3	0.59	0.093	1.41		06/13/20 23:03	74-87-3	
Cyclohexane	<0.21	ug/m3	2.5	0.21	1.41		06/13/20 23:03	110-82-7	
Dibromochloromethane	<0.57	ug/m3	2.4	0.57	1.41		06/13/20 23:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.39	ug/m3	1.1	0.39	1.41		06/13/20 23:03	106-93-4	
1,2-Dichlorobenzene	<0.45	ug/m3	1.7	0.45	1.41		06/13/20 23:03	95-50-1	
1,3-Dichlorobenzene	<0.67	ug/m3	1.7	0.67	1.41		06/13/20 23:03	541-73-1	
1,4-Dichlorobenzene	5.5	ug/m3	4.3	1.0	1.41		06/13/20 23:03	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.4	0.24	1.41		06/13/20 23:03	75-71-8	
1,1-Dichloroethane	<0.16	ug/m3	1.2	0.16	1.41		06/13/20 23:03	75-34-3	
1,2-Dichloroethane	<0.24	ug/m3	0.58	0.24	1.41		06/13/20 23:03	107-06-2	
1,1-Dichloroethene	<0.17	ug/m3	1.1	0.17	1.41		06/13/20 23:03	75-35-4	
cis-1,2-Dichloroethene	<0.16	ug/m3	1.1	0.16	1.41		06/13/20 23:03	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.1	0.24	1.41		06/13/20 23:03	156-60-5	
1,2-Dichloropropane	<0.28	ug/m3	1.3	0.28	1.41		06/13/20 23:03	78-87-5	
cis-1,3-Dichloropropene	<0.52	ug/m3	1.3	0.52	1.41		06/13/20 23:03	10061-01-5	
trans-1,3-Dichloropropene	<0.37	ug/m3	1.3	0.37	1.41		06/13/20 23:03	10061-02-6	
Dichlorotetrafluoroethane	<0.22	ug/m3	2.0	0.22	1.41		06/13/20 23:03	76-14-2	
Ethanol	12.8	ug/m3	2.7	1.3	1.41		06/13/20 23:03	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.0	0.26	1.41		06/13/20 23:03	141-78-6	
Ethylbenzene	0.85J	ug/m3	1.2	0.19	1.41		06/13/20 23:03	100-41-4	
4-Ethyltoluene	1.6J	ug/m3	3.5	0.60	1.41		06/13/20 23:03	622-96-8	
n-Heptane	0.62J	ug/m3	1.2	0.28	1.41		06/13/20 23:03	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.6	1.8	1.41		06/13/20 23:03	87-68-3	
n-Hexane	2.1	ug/m3	1.0	0.28	1.41		06/13/20 23:03	110-54-3	
2-Hexanone	<0.49	ug/m3	5.9	0.49	1.41		06/13/20 23:03	591-78-6	
Methylene Chloride	14.7	ug/m3	5.0	1.3	1.41		06/13/20 23:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.25J	ug/m3	5.9	0.25	1.41		06/13/20 23:03	108-10-1	
Methyl-tert-butyl ether	<0.14	ug/m3	5.2	0.14	1.41		06/13/20 23:03	1634-04-4	
Naphthalene	5.6	ug/m3	3.8	1.8	1.41		06/13/20 23:03	91-20-3	
2-Propanol	2.7J	ug/m3	3.5	0.53	1.41		06/13/20 23:03	67-63-0	
Propylene	<0.14	ug/m3	0.49	0.14	1.41		06/13/20 23:03	115-07-1	
Styrene	1.6	ug/m3	1.2	0.60	1.41		06/13/20 23:03	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-1	Lab ID: 10521182001	Collected: 06/09/20 14:00	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.43	ug/m3	0.98	0.43	1.41		06/13/20 23:03	79-34-5	
Tetrachloroethene	1460	ug/m3	29.1	11.3	42.3		06/15/20 02:05	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.85	0.26	1.41		06/13/20 23:03	109-99-9	
Toluene	72.7	ug/m3	1.1	0.24	1.41		06/13/20 23:03	108-88-3	
1,2,4-Trichlorobenzene	<4.7	ug/m3	10.6	4.7	1.41		06/13/20 23:03	120-82-1	
1,1,1-Trichloroethane	3.9	ug/m3	1.6	0.21	1.41		06/13/20 23:03	71-55-6	
1,1,2-Trichloroethane	<0.28	ug/m3	0.78	0.28	1.41		06/13/20 23:03	79-00-5	
Trichloroethylene	39.7	ug/m3	0.77	0.31	1.41		06/13/20 23:03	79-01-6	
Trichlorofluoromethane	1.7	ug/m3	1.6	0.32	1.41		06/13/20 23:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	2.4	ug/m3	2.2	0.36	1.41		06/13/20 23:03	76-13-1	
1,2,4-Trimethylbenzene	9.9	ug/m3	1.4	0.44	1.41		06/13/20 23:03	95-63-6	
1,3,5-Trimethylbenzene	2.8	ug/m3	1.4	0.35	1.41		06/13/20 23:03	108-67-8	
Vinyl acetate	<0.25	ug/m3	1.0	0.25	1.41		06/13/20 23:03	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.37	0.13	1.41		06/13/20 23:03	75-01-4	
m&p-Xylene	4.5	ug/m3	2.5	0.48	1.41		06/13/20 23:03	179601-23-1	
o-Xylene	1.7	ug/m3	1.2	0.21	1.41		06/13/20 23:03	95-47-6	

Sample: SS-2	Lab ID: 10521182002	Collected: 06/09/20 13:50	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	40.4	ug/m3	8.4	1.8	1.39		06/13/20 23:32	67-64-1	
Benzene	0.58	ug/m3	0.45	0.18	1.39		06/13/20 23:32	71-43-2	
Benzyl chloride	<0.66	ug/m3	3.7	0.66	1.39		06/13/20 23:32	100-44-7	
Bromodichloromethane	<0.24	ug/m3	1.9	0.24	1.39		06/13/20 23:32	75-27-4	
Bromoform	<2.5	ug/m3	7.3	2.5	1.39		06/13/20 23:32	75-25-2	
Bromomethane	0.33J	ug/m3	1.1	0.20	1.39		06/13/20 23:32	74-83-9	
1,3-Butadiene	<0.14	ug/m3	0.63	0.14	1.39		06/13/20 23:32	106-99-0	
2-Butanone (MEK)	30.9	ug/m3	4.2	0.78	1.39		06/13/20 23:32	78-93-3	
Carbon disulfide	0.34J	ug/m3	0.88	0.15	1.39		06/13/20 23:32	75-15-0	
Carbon tetrachloride	0.37J	ug/m3	1.8	0.36	1.39		06/13/20 23:32	56-23-5	
Chlorobenzene	<0.18	ug/m3	1.3	0.18	1.39		06/13/20 23:32	108-90-7	
Chloroethane	<0.18	ug/m3	0.75	0.18	1.39		06/13/20 23:32	75-00-3	
Chloroform	0.23J	ug/m3	0.69	0.18	1.39		06/13/20 23:32	67-66-3	
Chloromethane	1.3	ug/m3	0.58	0.092	1.39		06/13/20 23:32	74-87-3	
Cyclohexane	2.5	ug/m3	2.4	0.20	1.39		06/13/20 23:32	110-82-7	
Dibromochloromethane	<0.56	ug/m3	2.4	0.56	1.39		06/13/20 23:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.1	0.38	1.39		06/13/20 23:32	106-93-4	
1,2-Dichlorobenzene	<0.44	ug/m3	1.7	0.44	1.39		06/13/20 23:32	95-50-1	
1,3-Dichlorobenzene	<0.66	ug/m3	1.7	0.66	1.39		06/13/20 23:32	541-73-1	
1,4-Dichlorobenzene	1.2J	ug/m3	4.3	1.0	1.39		06/13/20 23:32	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-2	Lab ID: 10521182002	Collected: 06/09/20 13:50	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	3.2	ug/m3	1.4	0.23	1.39		06/13/20 23:32	75-71-8	
1,1-Dichloroethane	<0.16	ug/m3	1.1	0.16	1.39		06/13/20 23:32	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	0.57	0.23	1.39		06/13/20 23:32	107-06-2	
1,1-Dichloroethene	<0.17	ug/m3	1.1	0.17	1.39		06/13/20 23:32	75-35-4	
cis-1,2-Dichloroethene	<0.16	ug/m3	1.1	0.16	1.39		06/13/20 23:32	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.39		06/13/20 23:32	156-60-5	
1,2-Dichloropropane	<0.28	ug/m3	1.3	0.28	1.39		06/13/20 23:32	78-87-5	
cis-1,3-Dichloropropene	<0.52	ug/m3	1.3	0.52	1.39		06/13/20 23:32	10061-01-5	
trans-1,3-Dichloropropene	<0.37	ug/m3	1.3	0.37	1.39		06/13/20 23:32	10061-02-6	
Dichlorotetrafluoroethane	<0.22	ug/m3	2.0	0.22	1.39		06/13/20 23:32	76-14-2	
Ethanol	331	ug/m3	2.7	1.3	1.39		06/13/20 23:32	64-17-5	
Ethyl acetate	24.2	ug/m3	1.0	0.26	1.39		06/13/20 23:32	141-78-6	
Ethylbenzene	102	ug/m3	1.2	0.19	1.39		06/13/20 23:32	100-41-4	
4-Ethyltoluene	3.4J	ug/m3	3.5	0.59	1.39		06/13/20 23:32	622-96-8	
n-Heptane	1.9	ug/m3	1.2	0.27	1.39		06/13/20 23:32	142-82-5	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.5	1.7	1.39		06/13/20 23:32	87-68-3	
n-Hexane	4.5	ug/m3	1.0	0.28	1.39		06/13/20 23:32	110-54-3	
2-Hexanone	<0.48	ug/m3	5.8	0.48	1.39		06/13/20 23:32	591-78-6	
Methylene Chloride	20.2	ug/m3	4.9	1.3	1.39		06/13/20 23:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.8J	ug/m3	5.8	0.25	1.39		06/13/20 23:32	108-10-1	
Methyl-tert-butyl ether	<0.14	ug/m3	5.1	0.14	1.39		06/13/20 23:32	1634-04-4	
Naphthalene	4.2	ug/m3	3.7	1.8	1.39		06/13/20 23:32	91-20-3	
2-Propanol	172	ug/m3	3.5	0.53	1.39		06/13/20 23:32	67-63-0	
Propylene	<0.14	ug/m3	0.49	0.14	1.39		06/13/20 23:32	115-07-1	
Styrene	9.6	ug/m3	1.2	0.59	1.39		06/13/20 23:32	100-42-5	
1,1,2,2-Tetrachloroethane	<0.43	ug/m3	0.97	0.43	1.39		06/13/20 23:32	79-34-5	
Tetrachloroethene	243	ug/m3	0.96	0.37	1.39		06/13/20 23:32	127-18-4	
Tetrahydrofuran	<0.25	ug/m3	0.83	0.25	1.39		06/13/20 23:32	109-99-9	
Toluene	171	ug/m3	21.3	4.8	27.8		06/15/20 01:10	108-88-3	
1,2,4-Trichlorobenzene	<4.6	ug/m3	10.5	4.6	1.39		06/13/20 23:32	120-82-1	
1,1,1-Trichloroethane	0.23J	ug/m3	1.5	0.21	1.39		06/13/20 23:32	71-55-6	
1,1,2-Trichloroethane	<0.28	ug/m3	0.77	0.28	1.39		06/13/20 23:32	79-00-5	
Trichloroethene	1.4	ug/m3	0.76	0.31	1.39		06/13/20 23:32	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.6	0.32	1.39		06/13/20 23:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.90J	ug/m3	2.2	0.36	1.39		06/13/20 23:32	76-13-1	
1,2,4-Trimethylbenzene	11.2	ug/m3	1.4	0.43	1.39		06/13/20 23:32	95-63-6	
1,3,5-Trimethylbenzene	3.4	ug/m3	1.4	0.35	1.39		06/13/20 23:32	108-67-8	
Vinyl acetate	<0.25	ug/m3	1.0	0.25	1.39		06/13/20 23:32	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.36	0.13	1.39		06/13/20 23:32	75-01-4	
m&p-Xylene	506	ug/m3	49.2	9.4	27.8		06/15/20 01:10	179601-23-1	
o-Xylene	215	ug/m3	24.5	4.1	27.8		06/15/20 01:10	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-5	Lab ID: 10521182003	Collected: 06/10/20 12:45	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	50.2	ug/m3	11.3	2.4	1.87		06/14/20 01:53	67-64-1	
Benzene	0.45J	ug/m3	0.61	0.24	1.87		06/14/20 01:53	71-43-2	
Benzyl chloride	<0.88	ug/m3	4.9	0.88	1.87		06/14/20 01:53	100-44-7	
Bromodichloromethane	<0.33	ug/m3	2.5	0.33	1.87		06/14/20 01:53	75-27-4	
Bromoform	<3.4	ug/m3	9.8	3.4	1.87		06/14/20 01:53	75-25-2	
Bromomethane	<0.27	ug/m3	1.5	0.27	1.87		06/14/20 01:53	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.84	0.19	1.87		06/14/20 01:53	106-99-0	
2-Butanone (MEK)	13.0	ug/m3	5.6	1.0	1.87		06/14/20 01:53	78-93-3	
Carbon disulfide	<0.20	ug/m3	1.2	0.20	1.87		06/14/20 01:53	75-15-0	
Carbon tetrachloride	<0.48	ug/m3	2.4	0.48	1.87		06/14/20 01:53	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.8	0.25	1.87		06/14/20 01:53	108-90-7	
Chloroethane	<0.24	ug/m3	1.0	0.24	1.87		06/14/20 01:53	75-00-3	
Chloroform	<0.25	ug/m3	0.93	0.25	1.87		06/14/20 01:53	67-66-3	
Chloromethane	<0.12	ug/m3	0.79	0.12	1.87		06/14/20 01:53	74-87-3	
Cyclohexane	<0.27	ug/m3	3.3	0.27	1.87		06/14/20 01:53	110-82-7	
Dibromochloromethane	<0.75	ug/m3	3.2	0.75	1.87		06/14/20 01:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.5	0.52	1.87		06/14/20 01:53	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	2.3	0.59	1.87		06/14/20 01:53	95-50-1	
1,3-Dichlorobenzene	<0.89	ug/m3	2.3	0.89	1.87		06/14/20 01:53	541-73-1	
1,4-Dichlorobenzene	6.2	ug/m3	5.7	1.4	1.87		06/14/20 01:53	106-46-7	
Dichlorodifluoromethane	2.9	ug/m3	1.9	0.32	1.87		06/14/20 01:53	75-71-8	
1,1-Dichloroethane	<0.21	ug/m3	1.5	0.21	1.87		06/14/20 01:53	75-34-3	
1,2-Dichloroethane	<0.32	ug/m3	0.77	0.32	1.87		06/14/20 01:53	107-06-2	
1,1-Dichloroethene	<0.22	ug/m3	1.5	0.22	1.87		06/14/20 01:53	75-35-4	
cis-1,2-Dichloroethene	<0.22	ug/m3	1.5	0.22	1.87		06/14/20 01:53	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.87		06/14/20 01:53	156-60-5	
1,2-Dichloropropane	<0.37	ug/m3	1.8	0.37	1.87		06/14/20 01:53	78-87-5	
cis-1,3-Dichloropropene	<0.69	ug/m3	1.7	0.69	1.87		06/14/20 01:53	10061-01-5	
trans-1,3-Dichloropropene	<0.49	ug/m3	1.7	0.49	1.87		06/14/20 01:53	10061-02-6	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.7	0.30	1.87		06/14/20 01:53	76-14-2	
Ethanol	7.7	ug/m3	3.6	1.8	1.87		06/14/20 01:53	64-17-5	
Ethyl acetate	<0.34	ug/m3	1.4	0.34	1.87		06/14/20 01:53	141-78-6	
Ethylbenzene	0.67J	ug/m3	1.7	0.26	1.87		06/14/20 01:53	100-41-4	
4-Ethyltoluene	1.7J	ug/m3	4.7	0.80	1.87		06/14/20 01:53	622-96-8	
n-Heptane	<0.37	ug/m3	1.6	0.37	1.87		06/14/20 01:53	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	10.1	2.3	1.87		06/14/20 01:53	87-68-3	
n-Hexane	0.67J	ug/m3	1.3	0.37	1.87		06/14/20 01:53	110-54-3	
2-Hexanone	<0.65	ug/m3	7.8	0.65	1.87		06/14/20 01:53	591-78-6	
Methylene Chloride	4.1J	ug/m3	6.6	1.7	1.87		06/14/20 01:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.33	ug/m3	7.8	0.33	1.87		06/14/20 01:53	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	6.8	0.19	1.87		06/14/20 01:53	1634-04-4	
Naphthalene	6.3	ug/m3	5.0	2.4	1.87		06/14/20 01:53	91-20-3	
2-Propanol	<0.71	ug/m3	4.7	0.71	1.87		06/14/20 01:53	67-63-0	
Propylene	<0.18	ug/m3	0.65	0.18	1.87		06/14/20 01:53	115-07-1	
Styrene	2.6	ug/m3	1.6	0.80	1.87		06/14/20 01:53	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-5	Lab ID: 10521182003	Collected: 06/10/20 12:45	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.58	ug/m3	1.3	0.58	1.87		06/14/20 01:53	79-34-5	
Tetrachloroethene	54300	ug/m3	1240	481	1795		06/15/20 11:24	127-18-4	
Tetrahydrofuran	3.6	ug/m3	1.1	0.34	1.87		06/14/20 01:53	109-99-9	
Toluene	28.4	ug/m3	1.4	0.32	1.87		06/14/20 01:53	108-88-3	
1,2,4-Trichlorobenzene	<6.2	ug/m3	14.1	6.2	1.87		06/14/20 01:53	120-82-1	
1,1,1-Trichloroethane	1.6J	ug/m3	2.1	0.28	1.87		06/14/20 01:53	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	1.0	0.37	1.87		06/14/20 01:53	79-00-5	
Trichloroethylene	3.8	ug/m3	1.0	0.41	1.87		06/14/20 01:53	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	2.1	0.43	1.87		06/14/20 01:53	75-69-4	
1,1,2-Trichlorotrifluoroethane	7.9	ug/m3	2.9	0.48	1.87		06/14/20 01:53	76-13-1	
1,2,4-Trimethylbenzene	11.4	ug/m3	1.9	0.58	1.87		06/14/20 01:53	95-63-6	
1,3,5-Trimethylbenzene	3.3	ug/m3	1.9	0.47	1.87		06/14/20 01:53	108-67-8	
Vinyl acetate	<0.33	ug/m3	1.3	0.33	1.87		06/14/20 01:53	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.49	0.18	1.87		06/14/20 01:53	75-01-4	
m&p-Xylene	4.0	ug/m3	3.3	0.63	1.87		06/14/20 01:53	179601-23-1	
o-Xylene	1.7	ug/m3	1.7	0.28	1.87		06/14/20 01:53	95-47-6	
<hr/>									
Sample: SS-7	Lab ID: 10521182004	Collected: 06/10/20 12:35	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	19.2	ug/m3	10.3	2.2	1.71		06/14/20 00:58	67-64-1	
Benzene	0.46J	ug/m3	0.56	0.22	1.71		06/14/20 00:58	71-43-2	
Benzyl chloride	<0.81	ug/m3	4.5	0.81	1.71		06/14/20 00:58	100-44-7	
Bromodichloromethane	<0.30	ug/m3	2.3	0.30	1.71		06/14/20 00:58	75-27-4	
Bromoform	<3.1	ug/m3	9.0	3.1	1.71		06/14/20 00:58	75-25-2	
Bromomethane	<0.25	ug/m3	1.3	0.25	1.71		06/14/20 00:58	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.77	0.18	1.71		06/14/20 00:58	106-99-0	
2-Butanone (MEK)	6.8	ug/m3	5.1	0.96	1.71		06/14/20 00:58	78-93-3	
Carbon disulfide	<0.18	ug/m3	1.1	0.18	1.71		06/14/20 00:58	75-15-0	
Carbon tetrachloride	0.53J	ug/m3	2.2	0.44	1.71		06/14/20 00:58	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.6	0.23	1.71		06/14/20 00:58	108-90-7	
Chloroethane	<0.22	ug/m3	0.92	0.22	1.71		06/14/20 00:58	75-00-3	
Chloroform	0.65J	ug/m3	0.85	0.23	1.71		06/14/20 00:58	67-66-3	
Chloromethane	<0.11	ug/m3	0.72	0.11	1.71		06/14/20 00:58	74-87-3	
Cyclohexane	0.27J	ug/m3	3.0	0.25	1.71		06/14/20 00:58	110-82-7	
Dibromochloromethane	<0.69	ug/m3	3.0	0.69	1.71		06/14/20 00:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.47	ug/m3	1.3	0.47	1.71		06/14/20 00:58	106-93-4	
1,2-Dichlorobenzene	<0.54	ug/m3	2.1	0.54	1.71		06/14/20 00:58	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	2.1	0.82	1.71		06/14/20 00:58	541-73-1	
1,4-Dichlorobenzene	14.5	ug/m3	5.2	1.3	1.71		06/14/20 00:58	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-7	Lab ID: 10521182004	Collected: 06/10/20 12:35	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	2.8	ug/m3	1.7	0.29	1.71		06/14/20 00:58	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.4	0.19	1.71		06/14/20 00:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	0.70	0.29	1.71		06/14/20 00:58	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.4	0.20	1.71		06/14/20 00:58	75-35-4	
cis-1,2-Dichloroethene	<0.20	ug/m3	1.4	0.20	1.71		06/14/20 00:58	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.71		06/14/20 00:58	156-60-5	
1,2-Dichloropropane	<0.34	ug/m3	1.6	0.34	1.71		06/14/20 00:58	78-87-5	
cis-1,3-Dichloropropene	<0.63	ug/m3	1.6	0.63	1.71		06/14/20 00:58	10061-01-5	
trans-1,3-Dichloropropene	<0.45	ug/m3	1.6	0.45	1.71		06/14/20 00:58	10061-02-6	
Dichlorotetrafluoroethane	<0.27	ug/m3	2.4	0.27	1.71		06/14/20 00:58	76-14-2	
Ethanol	5.0	ug/m3	3.3	1.6	1.71		06/14/20 00:58	64-17-5	
Ethyl acetate	<0.31	ug/m3	1.3	0.31	1.71		06/14/20 00:58	141-78-6	
Ethylbenzene	0.37J	ug/m3	1.5	0.24	1.71		06/14/20 00:58	100-41-4	
4-Ethyltoluene	<0.73	ug/m3	4.3	0.73	1.71		06/14/20 00:58	622-96-8	
n-Heptane	<0.34	ug/m3	1.4	0.34	1.71		06/14/20 00:58	142-82-5	
Hexachloro-1,3-butadiene	<2.1	ug/m3	9.3	2.1	1.71		06/14/20 00:58	87-68-3	
n-Hexane	0.56J	ug/m3	1.2	0.34	1.71		06/14/20 00:58	110-54-3	
2-Hexanone	<0.59	ug/m3	7.1	0.59	1.71		06/14/20 00:58	591-78-6	
Methylene Chloride	4.2J	ug/m3	6.0	1.6	1.71		06/14/20 00:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.30	ug/m3	7.1	0.30	1.71		06/14/20 00:58	108-10-1	
Methyl-tert-butyl ether	<0.17	ug/m3	6.3	0.17	1.71		06/14/20 00:58	1634-04-4	
Naphthalene	4.5J	ug/m3	4.5	2.2	1.71		06/14/20 00:58	91-20-3	
2-Propanol	1.9J	ug/m3	4.3	0.65	1.71		06/14/20 00:58	67-63-0	
Propylene	<0.17	ug/m3	0.60	0.17	1.71		06/14/20 00:58	115-07-1	
Styrene	0.92J	ug/m3	1.5	0.73	1.71		06/14/20 00:58	100-42-5	
1,1,2,2-Tetrachloroethane	<0.53	ug/m3	1.2	0.53	1.71		06/14/20 00:58	79-34-5	
Tetrachloroethene	40700	ug/m3	1130	440	1642		06/15/20 10:59	127-18-4	
Tetrahydrofuran	1.7	ug/m3	1.0	0.31	1.71		06/14/20 00:58	109-99-9	
Toluene	15.9	ug/m3	1.3	0.29	1.71		06/14/20 00:58	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	12.9	5.7	1.71		06/14/20 00:58	120-82-1	
1,1,1-Trichloroethane	20.2	ug/m3	1.9	0.26	1.71		06/14/20 00:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.95	0.34	1.71		06/14/20 00:58	79-00-5	
Trichloroethene	45.3	ug/m3	0.93	0.38	1.71		06/14/20 00:58	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	1.9	0.39	1.71		06/14/20 00:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	2.5J	ug/m3	2.7	0.44	1.71		06/14/20 00:58	76-13-1	
1,2,4-Trimethylbenzene	5.1	ug/m3	1.7	0.53	1.71		06/14/20 00:58	95-63-6	
1,3,5-Trimethylbenzene	1.4J	ug/m3	1.7	0.43	1.71		06/14/20 00:58	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.2	0.30	1.71		06/14/20 00:58	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.44	0.16	1.71		06/14/20 00:58	75-01-4	
m&p-Xylene	1.8J	ug/m3	3.0	0.58	1.71		06/14/20 00:58	179601-23-1	
o-Xylene	0.71J	ug/m3	1.5	0.25	1.71		06/14/20 00:58	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-8	Lab ID: 10521182005	Collected: 06/10/20 12:30	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	16.6	ug/m3	9.9	2.1	1.64		06/14/20 00:29	67-64-1	
Benzene	<0.21	ug/m3	0.53	0.21	1.64		06/14/20 00:29	71-43-2	
Benzyl chloride	<0.78	ug/m3	4.3	0.78	1.64		06/14/20 00:29	100-44-7	
Bromodichloromethane	<0.29	ug/m3	2.2	0.29	1.64		06/14/20 00:29	75-27-4	
Bromoform	<3.0	ug/m3	8.6	3.0	1.64		06/14/20 00:29	75-25-2	
Bromomethane	<0.24	ug/m3	1.3	0.24	1.64		06/14/20 00:29	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.74	0.17	1.64		06/14/20 00:29	106-99-0	
2-Butanone (MEK)	7.3	ug/m3	4.9	0.92	1.64		06/14/20 00:29	78-93-3	
Carbon disulfide	<0.18	ug/m3	1.0	0.18	1.64		06/14/20 00:29	75-15-0	
Carbon tetrachloride	0.44J	ug/m3	2.1	0.42	1.64		06/14/20 00:29	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.5	0.22	1.64		06/14/20 00:29	108-90-7	
Chloroethane	<0.21	ug/m3	0.88	0.21	1.64		06/14/20 00:29	75-00-3	
Chloroform	<0.22	ug/m3	0.81	0.22	1.64		06/14/20 00:29	67-66-3	
Chloromethane	0.17J	ug/m3	0.69	0.11	1.64		06/14/20 00:29	74-87-3	
Cyclohexane	<0.24	ug/m3	2.9	0.24	1.64		06/14/20 00:29	110-82-7	
Dibromochloromethane	<0.66	ug/m3	2.8	0.66	1.64		06/14/20 00:29	124-48-1	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.3	0.45	1.64		06/14/20 00:29	106-93-4	
1,2-Dichlorobenzene	<0.52	ug/m3	2.0	0.52	1.64		06/14/20 00:29	95-50-1	
1,3-Dichlorobenzene	<0.78	ug/m3	2.0	0.78	1.64		06/14/20 00:29	541-73-1	
1,4-Dichlorobenzene	<1.2	ug/m3	5.0	1.2	1.64		06/14/20 00:29	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.7	0.28	1.64		06/14/20 00:29	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.3	0.19	1.64		06/14/20 00:29	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	0.67	0.28	1.64		06/14/20 00:29	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.3	0.20	1.64		06/14/20 00:29	75-35-4	
cis-1,2-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.64		06/14/20 00:29	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/m3	1.3	0.27	1.64		06/14/20 00:29	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.5	0.33	1.64		06/14/20 00:29	78-87-5	
cis-1,3-Dichloropropene	<0.61	ug/m3	1.5	0.61	1.64		06/14/20 00:29	10061-01-5	
trans-1,3-Dichloropropene	<0.43	ug/m3	1.5	0.43	1.64		06/14/20 00:29	10061-02-6	
Dichlorotetrafluoroethane	<0.26	ug/m3	2.3	0.26	1.64		06/14/20 00:29	76-14-2	
Ethanol	3.5	ug/m3	3.1	1.5	1.64		06/14/20 00:29	64-17-5	
Ethyl acetate	<0.30	ug/m3	1.2	0.30	1.64		06/14/20 00:29	141-78-6	
Ethylbenzene	0.54J	ug/m3	1.4	0.23	1.64		06/14/20 00:29	100-41-4	
4-Ethyltoluene	1.7J	ug/m3	4.1	0.70	1.64		06/14/20 00:29	622-96-8	
n-Heptane	<0.32	ug/m3	1.4	0.32	1.64		06/14/20 00:29	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.9	2.0	1.64		06/14/20 00:29	87-68-3	
n-Hexane	0.65J	ug/m3	1.2	0.33	1.64		06/14/20 00:29	110-54-3	
2-Hexanone	<0.57	ug/m3	6.8	0.57	1.64		06/14/20 00:29	591-78-6	
Methylene Chloride	2.8J	ug/m3	5.8	1.5	1.64		06/14/20 00:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.31J	ug/m3	6.8	0.29	1.64		06/14/20 00:29	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	6.0	0.16	1.64		06/14/20 00:29	1634-04-4	
Naphthalene	4.4	ug/m3	4.4	2.1	1.64		06/14/20 00:29	91-20-3	
2-Propanol	1.8J	ug/m3	4.1	0.62	1.64		06/14/20 00:29	67-63-0	
Propylene	<0.16	ug/m3	0.57	0.16	1.64		06/14/20 00:29	115-07-1	
Styrene	0.94J	ug/m3	1.4	0.70	1.64		06/14/20 00:29	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-8	Lab ID: 10521182005	Collected: 06/10/20 12:30	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.51	ug/m3	1.1	0.51	1.64		06/14/20 00:29	79-34-5	
Tetrachloroethene	223	ug/m3	1.1	0.44	1.64		06/14/20 00:29	127-18-4	
Tetrahydrofuran	1.8	ug/m3	0.98	0.30	1.64		06/14/20 00:29	109-99-9	
Toluene	8.0	ug/m3	1.3	0.28	1.64		06/14/20 00:29	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	12.4	5.4	1.64		06/14/20 00:29	120-82-1	
1,1,1-Trichloroethane	1.3J	ug/m3	1.8	0.25	1.64		06/14/20 00:29	71-55-6	
1,1,2-Trichloroethane	<0.32	ug/m3	0.91	0.32	1.64		06/14/20 00:29	79-00-5	
Trichloroethylene	2.9	ug/m3	0.90	0.36	1.64		06/14/20 00:29	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	1.9	0.38	1.64		06/14/20 00:29	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.86J	ug/m3	2.6	0.42	1.64		06/14/20 00:29	76-13-1	
1,2,4-Trimethylbenzene	10.5	ug/m3	1.6	0.51	1.64		06/14/20 00:29	95-63-6	
1,3,5-Trimethylbenzene	2.8	ug/m3	1.6	0.41	1.64		06/14/20 00:29	108-67-8	
Vinyl acetate	<0.29	ug/m3	1.2	0.29	1.64		06/14/20 00:29	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.43	0.16	1.64		06/14/20 00:29	75-01-4	
m&p-Xylene	3.4	ug/m3	2.9	0.55	1.64		06/14/20 00:29	179601-23-1	
o-Xylene	1.5	ug/m3	1.4	0.24	1.64		06/14/20 00:29	95-47-6	
<hr/>									
Sample: SS-9	Lab ID: 10521182006	Collected: 06/09/20 14:20	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
Acetone	7.4J	ug/m3	9.5	2.0	1.58		06/14/20 00:00	67-64-1	
Benzene	0.30J	ug/m3	0.51	0.21	1.58		06/14/20 00:00	71-43-2	
Benzyl chloride	<0.75	ug/m3	4.2	0.75	1.58		06/14/20 00:00	100-44-7	
Bromodichloromethane	<0.28	ug/m3	2.1	0.28	1.58		06/14/20 00:00	75-27-4	
Bromoform	<2.8	ug/m3	8.3	2.8	1.58		06/14/20 00:00	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.58		06/14/20 00:00	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.71	0.16	1.58		06/14/20 00:00	106-99-0	
2-Butanone (MEK)	3.0J	ug/m3	4.7	0.88	1.58		06/14/20 00:00	78-93-3	
Carbon disulfide	<0.17	ug/m3	1.0	0.17	1.58		06/14/20 00:00	75-15-0	
Carbon tetrachloride	0.50J	ug/m3	2.0	0.40	1.58		06/14/20 00:00	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.58		06/14/20 00:00	108-90-7	
Chloroethane	<0.20	ug/m3	0.85	0.20	1.58		06/14/20 00:00	75-00-3	
Chloroform	<0.21	ug/m3	0.78	0.21	1.58		06/14/20 00:00	67-66-3	
Chloromethane	0.35J	ug/m3	0.66	0.10	1.58		06/14/20 00:00	74-87-3	
Cyclohexane	<0.23	ug/m3	2.8	0.23	1.58		06/14/20 00:00	110-82-7	
Dibromochloromethane	<0.63	ug/m3	2.7	0.63	1.58		06/14/20 00:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.2	0.44	1.58		06/14/20 00:00	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/m3	1.9	0.50	1.58		06/14/20 00:00	95-50-1	
1,3-Dichlorobenzene	<0.75	ug/m3	1.9	0.75	1.58		06/14/20 00:00	541-73-1	
1,4-Dichlorobenzene	3.6J	ug/m3	4.8	1.2	1.58		06/14/20 00:00	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-9	Lab ID: 10521182006	Collected: 06/09/20 14:20	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	2.9	ug/m3	1.6	0.27	1.58		06/14/20 00:00	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.58		06/14/20 00:00	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.65	0.27	1.58		06/14/20 00:00	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.58		06/14/20 00:00	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.3	0.18	1.58		06/14/20 00:00	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.3	0.26	1.58		06/14/20 00:00	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.5	0.32	1.58		06/14/20 00:00	78-87-5	
cis-1,3-Dichloropropene	<0.59	ug/m3	1.5	0.59	1.58		06/14/20 00:00	10061-01-5	
trans-1,3-Dichloropropene	<0.42	ug/m3	1.5	0.42	1.58		06/14/20 00:00	10061-02-6	
Dichlorotetrafluoroethane	<0.25	ug/m3	2.2	0.25	1.58		06/14/20 00:00	76-14-2	
Ethanol	13.4	ug/m3	3.0	1.5	1.58		06/14/20 00:00	64-17-5	
Ethyl acetate	<0.29	ug/m3	1.2	0.29	1.58		06/14/20 00:00	141-78-6	
Ethylbenzene	0.58J	ug/m3	1.4	0.22	1.58		06/14/20 00:00	100-41-4	
4-Ethyltoluene	1.7J	ug/m3	4.0	0.68	1.58		06/14/20 00:00	622-96-8	
n-Heptane	<0.31	ug/m3	1.3	0.31	1.58		06/14/20 00:00	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.6	2.0	1.58		06/14/20 00:00	87-68-3	
n-Hexane	0.92J	ug/m3	1.1	0.32	1.58		06/14/20 00:00	110-54-3	
2-Hexanone	<0.55	ug/m3	6.6	0.55	1.58		06/14/20 00:00	591-78-6	
Methylene Chloride	19.0	ug/m3	5.6	1.5	1.58		06/14/20 00:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.28	ug/m3	6.6	0.28	1.58		06/14/20 00:00	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.8	0.16	1.58		06/14/20 00:00	1634-04-4	
Naphthalene	4.8	ug/m3	4.2	2.0	1.58		06/14/20 00:00	91-20-3	
2-Propanol	3.3J	ug/m3	4.0	0.60	1.58		06/14/20 00:00	67-63-0	
Propylene	<0.15	ug/m3	0.55	0.15	1.58		06/14/20 00:00	115-07-1	
Styrene	1.5	ug/m3	1.4	0.68	1.58		06/14/20 00:00	100-42-5	
1,1,2,2-Tetrachloroethane	<0.49	ug/m3	1.1	0.49	1.58		06/14/20 00:00	79-34-5	
Tetrachloroethene	227	ug/m3	1.1	0.42	1.58		06/14/20 00:00	127-18-4	
Tetrahydrofuran	<0.29	ug/m3	0.95	0.29	1.58		06/14/20 00:00	109-99-9	
Toluene	28.6	ug/m3	1.2	0.27	1.58		06/14/20 00:00	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	11.9	5.2	1.58		06/14/20 00:00	120-82-1	
1,1,1-Trichloroethane	1.3J	ug/m3	1.8	0.24	1.58		06/14/20 00:00	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.88	0.31	1.58		06/14/20 00:00	79-00-5	
Trichloroethene	8.7	ug/m3	0.86	0.35	1.58		06/14/20 00:00	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	1.8	0.36	1.58		06/14/20 00:00	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.3J	ug/m3	2.5	0.41	1.58		06/14/20 00:00	76-13-1	
1,2,4-Trimethylbenzene	7.5	ug/m3	1.6	0.49	1.58		06/14/20 00:00	95-63-6	
1,3,5-Trimethylbenzene	2.4	ug/m3	1.6	0.39	1.58		06/14/20 00:00	108-67-8	
Vinyl acetate	<0.28	ug/m3	1.1	0.28	1.58		06/14/20 00:00	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.41	0.15	1.58		06/14/20 00:00	75-01-4	
m&p-Xylene	2.5J	ug/m3	2.8	0.53	1.58		06/15/20 01:39	179601-23-1	
o-Xylene	1.2J	ug/m3	1.4	0.23	1.58		06/14/20 00:00	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-10	Lab ID: 10521182007	Collected: 06/10/20 12:40	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	<68.7	ug/m3	324	68.7	53.7		06/14/20 02:46	67-64-1	
Benzene	<7.0	ug/m3	17.5	7.0	53.7		06/14/20 02:46	71-43-2	
Benzyl chloride	<25.4	ug/m3	141	25.4	53.7		06/14/20 02:46	100-44-7	
Bromodichloromethane	<9.5	ug/m3	73.0	9.5	53.7		06/14/20 02:46	75-27-4	
Bromoform	<96.7	ug/m3	282	96.7	53.7		06/14/20 02:46	75-25-2	
Bromomethane	<7.8	ug/m3	42.4	7.8	53.7		06/14/20 02:46	74-83-9	
1,3-Butadiene	<5.6	ug/m3	24.2	5.6	53.7		06/14/20 02:46	106-99-0	
2-Butanone (MEK)	<30.0	ug/m3	161	30.0	53.7		06/14/20 02:46	78-93-3	
Carbon disulfide	<5.7	ug/m3	34.0	5.7	53.7		06/14/20 02:46	75-15-0	
Carbon tetrachloride	<13.7	ug/m3	68.7	13.7	53.7		06/14/20 02:46	56-23-5	
Chlorobenzene	<7.1	ug/m3	50.3	7.1	53.7		06/14/20 02:46	108-90-7	
Chloroethane	<6.8	ug/m3	28.8	6.8	53.7		06/14/20 02:46	75-00-3	
Chloroform	14.4J	ug/m3	26.6	7.1	53.7		06/14/20 02:46	67-66-3	
Chloromethane	<3.5	ug/m3	22.6	3.5	53.7		06/14/20 02:46	74-87-3	
Cyclohexane	<7.8	ug/m3	94.0	7.8	53.7		06/14/20 02:46	110-82-7	
Dibromochloromethane	<21.5	ug/m3	92.9	21.5	53.7		06/14/20 02:46	124-48-1	
1,2-Dibromoethane (EDB)	<14.8	ug/m3	41.9	14.8	53.7		06/14/20 02:46	106-93-4	
1,2-Dichlorobenzene	<17.0	ug/m3	65.5	17.0	53.7		06/14/20 02:46	95-50-1	
1,3-Dichlorobenzene	<25.6	ug/m3	65.5	25.6	53.7		06/14/20 02:46	541-73-1	
1,4-Dichlorobenzene	<39.6	ug/m3	164	39.6	53.7		06/14/20 02:46	106-46-7	
Dichlorodifluoromethane	<9.1	ug/m3	54.2	9.1	53.7		06/14/20 02:46	75-71-8	
1,1-Dichloroethane	<6.1	ug/m3	44.2	6.1	53.7		06/14/20 02:46	75-34-3	
1,2-Dichloroethane	<9.1	ug/m3	22.1	9.1	53.7		06/14/20 02:46	107-06-2	
1,1-Dichloroethene	<6.4	ug/m3	43.3	6.4	53.7		06/14/20 02:46	75-35-4	
cis-1,2-Dichloroethene	<6.2	ug/m3	43.3	6.2	53.7		06/14/20 02:46	156-59-2	
trans-1,2-Dichloroethene	<9.0	ug/m3	43.3	9.0	53.7		06/14/20 02:46	156-60-5	
1,2-Dichloropropane	<10.7	ug/m3	50.4	10.7	53.7		06/14/20 02:46	78-87-5	
cis-1,3-Dichloropropene	<19.9	ug/m3	49.6	19.9	53.7		06/14/20 02:46	10061-01-5	
trans-1,3-Dichloropropene	<14.1	ug/m3	49.6	14.1	53.7		06/14/20 02:46	10061-02-6	
Dichlorotetrafluoroethane	<8.5	ug/m3	76.3	8.5	53.7		06/14/20 02:46	76-14-2	
Ethanol	<50.6	ug/m3	103	50.6	53.7		06/14/20 02:46	64-17-5	
Ethyl acetate	<9.9	ug/m3	39.4	9.9	53.7		06/14/20 02:46	141-78-6	
Ethylbenzene	<7.4	ug/m3	47.4	7.4	53.7		06/14/20 02:46	100-41-4	
4-Ethyltoluene	<23.0	ug/m3	134	23.0	53.7		06/14/20 02:46	622-96-8	
n-Heptane	<10.6	ug/m3	44.7	10.6	53.7		06/14/20 02:46	142-82-5	
Hexachloro-1,3-butadiene	<67.1	ug/m3	291	67.1	53.7		06/14/20 02:46	87-68-3	
n-Hexane	<10.7	ug/m3	38.4	10.7	53.7		06/14/20 02:46	110-54-3	
2-Hexanone	<18.5	ug/m3	223	18.5	53.7		06/14/20 02:46	591-78-6	
Methylene Chloride	<49.7	ug/m3	190	49.7	53.7		06/14/20 02:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	<9.5	ug/m3	223	9.5	53.7		06/14/20 02:46	108-10-1	
Methyl-tert-butyl ether	<5.4	ug/m3	197	5.4	53.7		06/14/20 02:46	1634-04-4	
Naphthalene	<68.2	ug/m3	143	68.2	53.7		06/14/20 02:46	91-20-3	
2-Propanol	<20.4	ug/m3	134	20.4	53.7		06/14/20 02:46	67-63-0	
Propylene	<5.3	ug/m3	18.8	5.3	53.7		06/14/20 02:46	115-07-1	
Styrene	<23.0	ug/m3	46.5	23.0	53.7		06/14/20 02:46	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Sample: SS-10	Lab ID: 10521182007	Collected: 06/10/20 12:40	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<16.5	ug/m3	37.5	16.5	53.7		06/14/20 02:46	79-34-5	
Tetrachloroethene	191000	ug/m3	2370	921	3437		06/15/20 11:49	127-18-4	
Tetrahydrofuran	<9.8	ug/m3	32.2	9.8	53.7		06/14/20 02:46	109-99-9	
Toluene	11.5J	ug/m3	41.1	9.2	53.7		06/14/20 02:46	108-88-3	
1,2,4-Trichlorobenzene	<178	ug/m3	405	178	53.7		06/14/20 02:46	120-82-1	
1,1,1-Trichloroethane	31.6J	ug/m3	59.6	8.2	53.7		06/14/20 02:46	71-55-6	
1,1,2-Trichloroethane	<10.6	ug/m3	29.8	10.6	53.7		06/14/20 02:46	79-00-5	
Trichloroethylene	184	ug/m3	29.3	11.9	53.7		06/14/20 02:46	79-01-6	
Trichlorofluoromethane	<12.4	ug/m3	61.2	12.4	53.7		06/14/20 02:46	75-69-4	
1,1,2-Trichlorotrifluoroethane	41.5J	ug/m3	83.8	13.8	53.7		06/14/20 02:46	76-13-1	
1,2,4-Trimethylbenzene	<16.8	ug/m3	53.6	16.8	53.7		06/14/20 02:46	95-63-6	
1,3,5-Trimethylbenzene	<13.4	ug/m3	53.6	13.4	53.7		06/14/20 02:46	108-67-8	
Vinyl acetate	<9.5	ug/m3	38.4	9.5	53.7		06/14/20 02:46	108-05-4	
Vinyl chloride	<5.1	ug/m3	14.0	5.1	53.7		06/14/20 02:46	75-01-4	
m&p-Xylene	<18.2	ug/m3	95.0	18.2	53.7		06/14/20 02:46	179601-23-1	
o-Xylene	<7.9	ug/m3	47.4	7.9	53.7		06/14/20 02:46	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

QC Batch: 680971

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10521182001, 10521182002, 10521182003, 10521182004, 10521182005, 10521182006, 10521182007

METHOD BLANK: 3644374

Matrix: Air

Associated Lab Samples: 10521182001, 10521182002, 10521182003, 10521182004, 10521182005, 10521182006, 10521182007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.076	0.56	06/13/20 09:24	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.35	06/13/20 09:24	
1,1,2-Trichloroethane	ug/m3	<0.099	0.28	06/13/20 09:24	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.13	0.78	06/13/20 09:24	
1,1-Dichloroethane	ug/m3	<0.056	0.41	06/13/20 09:24	
1,1-Dichloroethene	ug/m3	<0.060	0.40	06/13/20 09:24	
1,2,4-Trichlorobenzene	ug/m3	<1.7	3.8	06/13/20 09:24	
1,2,4-Trimethylbenzene	ug/m3	<0.16	0.50	06/13/20 09:24	
1,2-Dibromoethane (EDB)	ug/m3	<0.14	0.39	06/13/20 09:24	
1,2-Dichlorobenzene	ug/m3	<0.16	0.61	06/13/20 09:24	
1,2-Dichloroethane	ug/m3	<0.084	0.21	06/13/20 09:24	
1,2-Dichloropropane	ug/m3	<0.10	0.47	06/13/20 09:24	
1,3,5-Trimethylbenzene	ug/m3	<0.12	0.50	06/13/20 09:24	
1,3-Butadiene	ug/m3	<0.052	0.22	06/13/20 09:24	
1,3-Dichlorobenzene	ug/m3	<0.24	0.61	06/13/20 09:24	
1,4-Dichlorobenzene	ug/m3	<0.37	1.5	06/13/20 09:24	
2-Butanone (MEK)	ug/m3	<0.28	1.5	06/13/20 09:24	
2-Hexanone	ug/m3	<0.17	2.1	06/13/20 09:24	
2-Propanol	ug/m3	<0.19	1.2	06/13/20 09:24	
4-Ethyltoluene	ug/m3	<0.21	1.2	06/13/20 09:24	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.088	2.1	06/13/20 09:24	
Acetone	ug/m3	<0.64	3.0	06/13/20 09:24	
Benzene	ug/m3	<0.065	0.16	06/13/20 09:24	
Benzyl chloride	ug/m3	<0.24	1.3	06/13/20 09:24	
Bromodichloromethane	ug/m3	<0.088	0.68	06/13/20 09:24	
Bromoform	ug/m3	<0.90	2.6	06/13/20 09:24	
Bromomethane	ug/m3	<0.073	0.39	06/13/20 09:24	
Carbon disulfide	ug/m3	<0.054	0.32	06/13/20 09:24	
Carbon tetrachloride	ug/m3	<0.13	0.64	06/13/20 09:24	
Chlorobenzene	ug/m3	<0.066	0.47	06/13/20 09:24	
Chloroethane	ug/m3	<0.063	0.27	06/13/20 09:24	
Chloroform	ug/m3	<0.066	0.25	06/13/20 09:24	
Chloromethane	ug/m3	<0.033	0.21	06/13/20 09:24	
cis-1,2-Dichloroethene	ug/m3	<0.058	0.40	06/13/20 09:24	
cis-1,3-Dichloropropene	ug/m3	<0.19	0.46	06/13/20 09:24	
Cyclohexane	ug/m3	<0.073	0.88	06/13/20 09:24	
Dibromochloromethane	ug/m3	<0.20	0.86	06/13/20 09:24	
Dichlorodifluoromethane	ug/m3	<0.084	0.50	06/13/20 09:24	
Dichlorotetrafluoroethane	ug/m3	<0.079	0.71	06/13/20 09:24	
Ethanol	ug/m3	<0.47	0.96	06/13/20 09:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

METHOD BLANK: 3644374

Matrix: Air

Associated Lab Samples: 10521182001, 10521182002, 10521182003, 10521182004, 10521182005, 10521182006, 10521182007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.092	0.37	06/13/20 09:24	
Ethylbenzene	ug/m3	<0.069	0.44	06/13/20 09:24	
Hexachloro-1,3-butadiene	ug/m3	<0.62	2.7	06/13/20 09:24	
m&p-Xylene	ug/m3	<0.17	0.88	06/13/20 09:24	
Methyl-tert-butyl ether	ug/m3	<0.050	1.8	06/13/20 09:24	
Methylene Chloride	ug/m3	<0.46	1.8	06/13/20 09:24	
n-Heptane	ug/m3	<0.098	0.42	06/13/20 09:24	
n-Hexane	ug/m3	<0.10	0.36	06/13/20 09:24	
Naphthalene	ug/m3	0.67J	1.3	06/13/20 09:24	
o-Xylene	ug/m3	<0.074	0.44	06/13/20 09:24	
Propylene	ug/m3	<0.049	0.18	06/13/20 09:24	
Styrene	ug/m3	<0.21	0.43	06/13/20 09:24	
Tetrachloroethene	ug/m3	<0.13	0.34	06/13/20 09:24	
Tetrahydrofuran	ug/m3	<0.092	0.30	06/13/20 09:24	
Toluene	ug/m3	<0.086	0.38	06/13/20 09:24	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	06/13/20 09:24	
trans-1,3-Dichloropropene	ug/m3	<0.13	0.46	06/13/20 09:24	
Trichloroethene	ug/m3	<0.11	0.27	06/13/20 09:24	
Trichlorofluoromethane	ug/m3	<0.12	0.57	06/13/20 09:24	
Vinyl acetate	ug/m3	<0.088	0.36	06/13/20 09:24	
Vinyl chloride	ug/m3	<0.048	0.13	06/13/20 09:24	

LABORATORY CONTROL SAMPLE: 3644375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	57	70.9	124	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	71.9	70.4	98	70-132	
1,1,2-Trichloroethane	ug/m3	57.3	60.4	105	70-133	
1,1,2-Trichlorotrifluoroethane	ug/m3	80.3	93.6	117	70-130	
1,1-Dichloroethane	ug/m3	42.7	48.3	113	70-130	
1,1-Dichloroethene	ug/m3	41.4	48.5	117	69-137	
1,2,4-Trichlorobenzene	ug/m3	156	153	98	70-130	
1,2,4-Trimethylbenzene	ug/m3	51.5	51.5	100	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.3	84.1	105	70-138	
1,2-Dichlorobenzene	ug/m3	63.1	64.7	103	70-136	
1,2-Dichloroethane	ug/m3	42.4	52.9	125	70-130	
1,2-Dichloropropane	ug/m3	48.6	51.2	105	70-132	
1,3,5-Trimethylbenzene	ug/m3	51.6	49.7	96	70-136	
1,3-Butadiene	ug/m3	23.3	27.9	120	67-139	
1,3-Dichlorobenzene	ug/m3	63.4	68.4	108	70-138	
1,4-Dichlorobenzene	ug/m3	63.4	68.7	108	70-145	
2-Butanone (MEK)	ug/m3	31.4	30.1	96	61-130	
2-Hexanone	ug/m3	42.8	44.7	105	70-138	
2-Propanol	ug/m3	119	136	114	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

LABORATORY CONTROL SAMPLE: 3644375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.4	53.1	101	70-142	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	47.1	108	70-134	
Acetone	ug/m3	126	131	104	59-137	
Benzene	ug/m3	33.5	33.7	101	70-133	
Benzyl chloride	ug/m3	55.1	56.9	103	70-139	
Bromodichloromethane	ug/m3	71.5	86.6	121	70-130	
Bromoform	ug/m3	110	132	120	60-140	
Bromomethane	ug/m3	41.3	47.5	115	70-131	
Carbon disulfide	ug/m3	33.3	36.0	108	70-130	
Carbon tetrachloride	ug/m3	66.2	84.7	128	70-133	
Chlorobenzene	ug/m3	48.3	47.4	98	70-131	
Chloroethane	ug/m3	28.1	32.3	115	70-141	
Chloroform	ug/m3	51.1	59.0	116	70-130	
Chloromethane	ug/m3	21.9	25.9	118	64-137	
cis-1,2-Dichloroethene	ug/m3	41.6	44.1	106	70-132	
cis-1,3-Dichloropropene	ug/m3	47.7	53.1	111	70-138	
Cyclohexane	ug/m3	36.7	38.8	106	70-133	
Dibromochloromethane	ug/m3	90.7	110	121	70-139	
Dichlorodifluoromethane	ug/m3	51.6	64.7	125	70-130	
Dichlorotetrafluoroethane	ug/m3	72.7	87.5	120	65-133	
Ethanol	ug/m3	103	108	106	65-135	
Ethyl acetate	ug/m3	38.6	41.2	107	70-135	
Ethylbenzene	ug/m3	45.6	45.5	100	70-142	
Hexachloro-1,3-butadiene	ug/m3	112	144	129	70-134	
m&p-Xylene	ug/m3	91.2	95.4	105	70-141	
Methyl-tert-butyl ether	ug/m3	38.4	42.3	110	70-131	
Methylene Chloride	ug/m3	182	191	105	69-130	
n-Heptane	ug/m3	43.6	45.3	104	70-130	
n-Hexane	ug/m3	37.6	38.0	101	70-131	
Naphthalene	ug/m3	57.7	51.7	90	63-130	
o-Xylene	ug/m3	45.5	44.9	99	70-135	
Propylene	ug/m3	18.2	20.4	112	63-139	
Styrene	ug/m3	44.9	48.8	109	70-143	
Tetrachloroethene	ug/m3	71	73.8	104	70-136	
Tetrahydrofuran	ug/m3	31.5	33.1	105	70-137	
Toluene	ug/m3	39.5	39.3	99	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	44.8	106	70-132	
trans-1,3-Dichloropropene	ug/m3	47.7	56.0	118	70-139	
Trichloroethene	ug/m3	56.3	59.5	106	70-132	
Trichlorofluoromethane	ug/m3	59.7	77.1	129	65-136	
Vinyl acetate	ug/m3	34.5	40.1	116	66-140	
Vinyl chloride	ug/m3	26.7	32.5	122	68-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521182

SAMPLE DUPLICATE: 3644575

Parameter	Units	10521191001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.24	<0.24		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.50	<0.50		25	
1,1,2-Trichloroethane	ug/m3	<0.32	<0.32		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.64J	0.68J		25	
1,1-Dichloroethane	ug/m3	<0.18	<0.18		25	
1,1-Dichloroethene	ug/m3	<0.19	<0.19		25	
1,2,4-Trichlorobenzene	ug/m3	<5.3	<5.3		25	
1,2,4-Trimethylbenzene	ug/m3	1.6J	1.6		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.44	<0.44		25	
1,2-Dichlorobenzene	ug/m3	<0.51	<0.51		25	
1,2-Dichloroethane	ug/m3	<0.27	<0.27		25	
1,2-Dichloropropane	ug/m3	<0.32	<0.32		25	
1,3,5-Trimethylbenzene	ug/m3	0.52J	0.53J		25	
1,3-Butadiene	ug/m3	<0.17	<0.17		25	
1,3-Dichlorobenzene	ug/m3	<0.77	<0.77		25	
1,4-Dichlorobenzene	ug/m3	53.7	56.7	6	25	
2-Butanone (MEK)	ug/m3	29.3	30.7	5	25	
2-Hexanone	ug/m3	<0.56	<0.56		25	
2-Propanol	ug/m3	46.6	45.3	3	25	
4-Ethyltoluene	ug/m3	<0.69	0.75J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	0.91J	0.87J		25	
Acetone	ug/m3	101	97.5	3	25	
Benzene	ug/m3	0.80	0.82	3	25	
Benzyl chloride	ug/m3	<0.76	<0.76		25	
Bromodichloromethane	ug/m3	<0.28	<0.28		25	
Bromoform	ug/m3	<2.9	<2.9		25	
Bromomethane	ug/m3	<0.24	<0.24		25	
Carbon disulfide	ug/m3	<0.17	<0.17		25	
Carbon tetrachloride	ug/m3	<0.41	<0.41		25	
Chlorobenzene	ug/m3	<0.21	<0.21		25	
Chloroethane	ug/m3	<0.20	<0.20		25	
Chloroform	ug/m3	0.94	0.93	1	25	
Chloromethane	ug/m3	1.8	1.9	6	25	
cis-1,2-Dichloroethene	ug/m3	<0.19	<0.19		25	
cis-1,3-Dichloropropene	ug/m3	<0.60	<0.60		25	
Cyclohexane	ug/m3	<0.24	<0.24		25	
Dibromochloromethane	ug/m3	<0.65	<0.65		25	
Dichlorodifluoromethane	ug/m3	4.1	4.0	2	25	
Dichlorotetrafluoroethane	ug/m3	<0.25	<0.25		25	
Ethanol	ug/m3	432	415	4	25	
Ethyl acetate	ug/m3	<0.30	<0.30		25	
Ethylbenzene	ug/m3	1.0J	1.1J		25	
Hexachloro-1,3-butadiene	ug/m3	<2.0	<2.0		25	
m&p-Xylene	ug/m3	3.5	3.5	1	25	
Methyl-tert-butyl ether	ug/m3	<0.16	<0.16		25	
Methylene Chloride	ug/m3	29.0	28.5	2	25	
n-Heptane	ug/m3	3.5	3.7	5	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

SAMPLE DUPLICATE: 3644575

Parameter	Units	10521191001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	2.3	2.6	13	25	
Naphthalene	ug/m3	<2.0	<2.0		25	
o-Xylene	ug/m3	1.1J	1.1J		25	
Propylene	ug/m3	<0.16	<0.16		25	
Styrene	ug/m3	4.4	4.5	2	25	
Tetrachloroethene	ug/m3	2.1	2.1	2	25	
Tetrahydrofuran	ug/m3	<0.29	0.63J		25	
Toluene	ug/m3	204	200	2	25	
trans-1,2-Dichloroethene	ug/m3	0.45J	0.42J		25	
trans-1,3-Dichloropropene	ug/m3	<0.42	<0.42		25	
Trichloroethene	ug/m3	2.2	2.1	3	25	
Trichlorofluoromethane	ug/m3	2.1	1.9	11	25	
Vinyl acetate	ug/m3	<0.28	<0.28		25	
Vinyl chloride	ug/m3	<0.15	<0.15		25	

SAMPLE DUPLICATE: 3644576

Parameter	Units	10521191002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.24	<0.24		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.48	<0.48		25	
1,1,2-Trichloroethane	ug/m3	<0.31	<0.31		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.62J	0.55J		25	
1,1-Dichloroethane	ug/m3	<0.18	<0.18		25	
1,1-Dichloroethene	ug/m3	<0.18	<0.18		25	
1,2,4-Trichlorobenzene	ug/m3	<5.1	<5.1		25	
1,2,4-Trimethylbenzene	ug/m3	1.7	1.7	0	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.43	<0.43		25	
1,2-Dichlorobenzene	ug/m3	<0.49	<0.49		25	
1,2-Dichloroethane	ug/m3	<0.26	<0.26		25	
1,2-Dichloropropane	ug/m3	<0.31	<0.31		25	
1,3,5-Trimethylbenzene	ug/m3	<0.39	0.56J		25	
1,3-Butadiene	ug/m3	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m3	<0.74	<0.74		25	
1,4-Dichlorobenzene	ug/m3	71.7	73.3	2	25	
2-Butanone (MEK)	ug/m3	24.2	24.7	2	25	
2-Hexanone	ug/m3	<0.53	<0.53		25	
2-Propanol	ug/m3	48.3	48.3	0	25	
4-Ethyltoluene	ug/m3	0.74J	0.74J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	0.83J	0.86J		25	
Acetone	ug/m3	112	116	4	25	
Benzene	ug/m3	1.0	1.0	0	25	
Benzyl chloride	ug/m3	<0.73	<0.73		25	
Bromodichloromethane	ug/m3	<0.27	<0.27		25	
Bromoform	ug/m3	<2.8	<2.8		25	
Bromomethane	ug/m3	<0.23	<0.23		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

SAMPLE DUPLICATE: 3644576

Parameter	Units	10521191002 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m ³	<0.17	<0.17		25	
Carbon tetrachloride	ug/m ³	0.61J	0.59J		25	
Chlorobenzene	ug/m ³	<0.21	<0.21		25	
Chloroethane	ug/m ³	<0.20	<0.20		25	
Chloroform	ug/m ³	1.0	1.0	4	25	
Chloromethane	ug/m ³	1.7	1.7	2	25	
cis-1,2-Dichloroethene	ug/m ³	<0.18	<0.18		25	
cis-1,3-Dichloropropene	ug/m ³	<0.58	<0.58		25	
Cyclohexane	ug/m ³	<0.23	<0.23		25	
Dibromochloromethane	ug/m ³	<0.62	<0.62		25	
Dichlorodifluoromethane	ug/m ³	3.9	4.0	2	25	
Dichlorotetrafluoroethane	ug/m ³	<0.24	<0.24		25	
Ethanol	ug/m ³	371	390	5	25	E
Ethyl acetate	ug/m ³	2.0	2.2	7	25	
Ethylbenzene	ug/m ³	1.0J	1.0J		25	
Hexachloro-1,3-butadiene	ug/m ³	<1.9	<1.9		25	
m&p-Xylene	ug/m ³	3.4	3.4	1	25	
Methyl-tert-butyl ether	ug/m ³	<0.16	<0.16		25	
Methylene Chloride	ug/m ³	24.1	24.1	0	25	
n-Heptane	ug/m ³	2.7	2.7	0	25	
n-Hexane	ug/m ³	1.9	1.6	17	25	
Naphthalene	ug/m ³	<2.0	<2.0		25	
o-Xylene	ug/m ³	1.1J	1.1J		25	
Propylene	ug/m ³	<0.15	<0.15		25	
Styrene	ug/m ³	3.9	4.0	1	25	
Tetrachloroethene	ug/m ³	2.2	2.3	6	25	
Tetrahydrofuran	ug/m ³	<0.28	<0.28		25	
Toluene	ug/m ³	171	175	2	25	
trans-1,2-Dichloroethene	ug/m ³	<0.26	<0.26		25	
trans-1,3-Dichloropropene	ug/m ³	<0.41	<0.41		25	
Trichloroethene	ug/m ³	2.0	1.8	8	25	
Trichlorofluoromethane	ug/m ³	1.8	1.9	6	25	
Vinyl acetate	ug/m ³	<0.27	<0.27		25	
Vinyl chloride	ug/m ³	<0.15	<0.15		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521182

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521182

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10521182001	SS-1	TO-15	680971		
10521182002	SS-2	TO-15	680971		
10521182003	SS-5	TO-15	680971		
10521182004	SS-7	TO-15	680971		
10521182005	SS-8	TO-15	680971		
10521182006	SS-9	TO-15	680971		
10521182007	SS-10	TO-15	680971		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
Required Client Information:

Company: **Key Engineering**
Address: **735 N. Water St. #S10**
Milwaukee, WI 53202
Email To: **t.schoen@keyengineering.com**
Phone: **414-224-8300** Fax:
Requested Due Date/TAT:

Section B
Required Project Information:

Report To: **T. Schoen**
Copy To:
Purchase Order No.:
Project Name: **Schaefer Brush**
Project Number: **1604-7204-002**

Section C
Invoice Information:

Attention:
Company Name:
Address:
Pace Quote Reference:
Pace Project Manager/Sales Rep.
Pace Profile #: **34194**

36993

Page: **1** of **1**

Program

UST Superfund Emissions Clean Air Act
 Voluntary Clean Up Dry Clean RCRA Other

Location of Sampling by State _____ Reporting Units
ug/m³ mg/m³
PPBV PPMV
Other

Report Level II. III. IV. Other

Method:

PM10	3C - Fine Gases (%)	TO-3 BTX	TO-14	TO-15 Full List VOCs	TO-15 Short List BTX	TO-15 Short List Chlorinated

Pace Lab ID

001
002
003
004
005
006
007

'Section D Required Client Information

AIR SAMPLE ID

Sample IDs MUST BE UNIQUE

ITEM #	SS - 1	SS - 2	SS - 3	SS - 4	SS - 5	SS - 6	SS - 7	SS - 8	SS - 9	SS - 10
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										

Comments :

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>John H.</i>	6/10/20	1430	<i>Mark F. Pace</i>	6-11-20	10:00	-
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Samples Intact Y/N Y/N Y/N Y/N Y/N Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed (MM / DD / YY)

Temp in °C	Received on ice	Custody Sealed	Sealed Cooler

ORIGINAL



Document Name:
Air Sample Condition Upon Receipt

Document Revised: 19Nov2019
Page 1 of 1

Document No.:
F-MN-A-106-rev.20

Pace Analytical Services -
Minneapolis

Air Sample Condition
Upon Receipt

Client Name: Key

Project #:

WO# : 10521182

Courier: FedEx UPS USPS Client
 Pace SpeeDee Commercial See Exception

PM: KNH

Due Date: 06/18/20

CLIENT: Key Eng.

Tracking Number: 3937 2997 7992

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C): Thermometer Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor:

Date & Initials of Person Examining Contents: 6-11-20 mjt

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: Air Can Airbag Filter TDT Passive		11. Individually Certified Cans Y <input checked="" type="checkbox"/> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12. SS-7 can is 3551, not 3351.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters

Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
SS-1	540	617	-1.5	+5					
SS-2	940	2412	-1						
SS-5	3518	1700	-8.5						
SS-7	3551	2483	-6.5						
SS-8	1702	2469	-5.5						
SS-9	969	2295	-4.5						
SS-10	2358	2282	-7.5						

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Kirsten Hoeffing

Date: 6/11/2020



Document Name:
SCUR Exception Form

Document Revised: 06Feb2020
Page 1 of 1

Document No.:
F-MN-C-298-Rev.03

Pace Analytical Services -
Minneapolis

SCUR Exceptions:

Workorder #:

Tracking Number/Temperature

3937 2997 8006
3937 2997 8017
3937 2997 8028
3937 2997 8039
3937 2997 8040

Other Issues

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance after addition?	Initials
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	

June 16, 2020

Toni Schoen
Key Engineering
735 N. Water St.
Milwaukee, WI 53202

RE: Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521191

Dear Toni Schoen:


Enclosed are the analytical results for sample(s) received by the laboratory on June 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Valerie Collins, Key Engineering Milwaukee



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1604-1204-0002 Schaefer Brush
 Pace Project No.: 10521191

Pace Analytical Services Minneapolis

A2LA Certification #: 2926.01	Minnesota Petrofund Certification #: 1240
Alabama Certification #: 40770	Mississippi Certification #: MN00064
Alaska Contaminated Sites Certification #: 17-009	Missouri Certification #: 10100
Alaska DW Certification #: MN00064	Montana Certification #: CERT0092
Arizona Certification #: AZ0014	Nebraska Certification #: NE-OS-18-06
Arkansas DW Certification #: MN00064	Nevada Certification #: MN00064
Arkansas WW Certification #: 88-0680	New Hampshire Certification #: 2081
California Certification #: 2929	New Jersey Certification #: MN002
CNMI Saipan Certification #: MP0003	New York Certification #: 11647
Colorado Certification #: MN00064	North Carolina DW Certification #: 27700
Connecticut Certification #: PH-0256	North Carolina WW Certification #: 530
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Dakota Certification #: R-036
Florida Certification #: E87605	Ohio DW Certification #: 41244
Georgia Certification #: 959	Ohio VAP Certification #: CL101
Guam EPA Certification #: MN00064	Oklahoma Certification #: 9507
Hawaii Certification #: MN00064	Oregon Primary Certification #: MN300001
Idaho Certification #: MN00064	Oregon Secondary Certification #: MN200001
Illinois Certification #: 200011	Pennsylvania Certification #: 68-00563
Indiana Certification #: C-MN-01	Puerto Rico Certification #: MN00064
Iowa Certification #: 368	South Carolina Certification #: 74003001
Kansas Certification #: E-10167	Tennessee Certification #: TN02818
Kentucky DW Certification #: 90062	Texas Certification #: T104704192
Kentucky WW Certification #: 90062	Utah Certification #: MN00064
Louisiana DEQ Certification #: 03086	Vermont Certification #: VT-027053137
Louisiana DW Certification #: MN00064	Virginia Certification #: 460163
Maine Certification #: MN00064	Washington Certification #: C486
Maryland Certification #: 322	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Dept of Ag Certification #: via MN 027-053-137	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1604-1204-0002 Schaefer Brush
 Pace Project No.: 10521191

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10521191001	IAO-1	Air	06/09/20 14:20	06/11/20 10:00
10521191002	IAO-2	Air	06/09/20 14:25	06/11/20 10:00
10521191003	IAO-3	Air	06/09/20 14:30	06/11/20 10:00
10521191004	IAO-4	Air	06/09/20 15:48	06/11/20 10:00
10521191005	IAB-1	Air	06/09/20 14:35	06/11/20 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521191

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10521191001	IAO-1	TO-15	AC1	61	PASI-M
10521191002	IAO-2	TO-15	AC1	61	PASI-M
10521191003	IAO-3	TO-15	AC1	61	PASI-M
10521191004	IAO-4	TO-15	AC1	61	PASI-M
10521191005	IAB-1	TO-15	AC1	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521191001	IAO-1						
TO-15	Acetone	101	ug/m3	9.7	06/13/20 15:27		
TO-15	Benzene	0.80	ug/m3	0.52	06/13/20 15:27		
TO-15	2-Butanone (MEK)	29.3	ug/m3	4.8	06/13/20 15:27		
TO-15	Chloroform	0.94	ug/m3	0.80	06/13/20 15:27		
TO-15	Chloromethane	1.8	ug/m3	0.68	06/13/20 15:27		
TO-15	1,4-Dichlorobenzene	53.7	ug/m3	4.9	06/13/20 15:27		
TO-15	Dichlorodifluoromethane	4.1	ug/m3	1.6	06/13/20 15:27		
TO-15	trans-1,2-Dichloroethene	0.45J	ug/m3	1.3	06/13/20 15:27		
TO-15	Ethanol	432	ug/m3	30.9	06/14/20 12:18		
TO-15	Ethylbenzene	1.0J	ug/m3	1.4	06/13/20 15:27		
TO-15	n-Heptane	3.5	ug/m3	1.3	06/13/20 15:27		
TO-15	n-Hexane	2.3	ug/m3	1.2	06/13/20 15:27		
TO-15	Methylene Chloride	29.0	ug/m3	5.7	06/13/20 15:27		
TO-15	4-Methyl-2-pentanone (MIBK)	0.91J	ug/m3	6.7	06/13/20 15:27		
TO-15	2-Propanol	46.6	ug/m3	4.0	06/13/20 15:27		
TO-15	Styrene	4.4	ug/m3	1.4	06/13/20 15:27		
TO-15	Tetrachloroethene	2.1	ug/m3	1.1	06/13/20 15:27		
TO-15	Toluene	204	ug/m3	12.3	06/14/20 12:18		
TO-15	Trichloroethene	2.2	ug/m3	0.88	06/13/20 15:27		
TO-15	Trichlorofluoromethane	2.1	ug/m3	1.8	06/13/20 15:27		
TO-15	1,1,2-Trichlorotrifluoroethane	0.64J	ug/m3	2.5	06/13/20 15:27		
TO-15	1,2,4-Trimethylbenzene	1.6J	ug/m3	1.6	06/13/20 15:27		
TO-15	1,3,5-Trimethylbenzene	0.52J	ug/m3	1.6	06/13/20 15:27		
TO-15	m&p-Xylene	3.5	ug/m3	2.8	06/13/20 15:27		
TO-15	o-Xylene	1.1J	ug/m3	1.4	06/13/20 15:27		
10521191002	IAO-2						
TO-15	Acetone	112	ug/m3	9.4	06/13/20 16:24		
TO-15	Benzene	1.0	ug/m3	0.50	06/13/20 16:24		
TO-15	2-Butanone (MEK)	24.2	ug/m3	4.6	06/13/20 16:24		
TO-15	Carbon tetrachloride	0.61J	ug/m3	2.0	06/13/20 16:24		
TO-15	Chloroform	1.0	ug/m3	0.77	06/13/20 16:24		
TO-15	Chloromethane	1.7	ug/m3	0.65	06/13/20 16:24		
TO-15	1,4-Dichlorobenzene	71.7	ug/m3	4.7	06/13/20 16:24		
TO-15	Dichlorodifluoromethane	3.9	ug/m3	1.6	06/13/20 16:24		
TO-15	Ethanol	371	ug/m3	3.0	06/13/20 16:24	E	
TO-15	Ethyl acetate	2.0	ug/m3	1.1	06/13/20 16:24		
TO-15	Ethylbenzene	1.0J	ug/m3	1.4	06/13/20 16:24		
TO-15	4-Ethyltoluene	0.74J	ug/m3	3.9	06/13/20 16:24		
TO-15	n-Heptane	2.7	ug/m3	1.3	06/13/20 16:24		
TO-15	n-Hexane	1.9	ug/m3	1.1	06/13/20 16:24		
TO-15	Methylene Chloride	24.1	ug/m3	5.5	06/13/20 16:24		
TO-15	4-Methyl-2-pentanone (MIBK)	0.83J	ug/m3	6.4	06/13/20 16:24		
TO-15	2-Propanol	48.3	ug/m3	3.9	06/13/20 16:24		
TO-15	Styrene	3.9	ug/m3	1.3	06/13/20 16:24		
TO-15	Tetrachloroethene	2.2	ug/m3	1.1	06/13/20 16:24		
TO-15	Toluene	171	ug/m3	1.2	06/13/20 16:24		
TO-15	Trichloroethene	2.0	ug/m3	0.85	06/13/20 16:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521191002	IAO-2						
TO-15	Trichlorofluoromethane	1.8	ug/m3	1.8	06/13/20 16:24		
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.4	06/13/20 16:24		
TO-15	1,2,4-Trimethylbenzene	1.7	ug/m3	1.5	06/13/20 16:24		
TO-15	m&p-Xylene	3.4	ug/m3	2.7	06/13/20 16:24		
TO-15	o-Xylene	1.1J	ug/m3	1.4	06/13/20 16:24		
10521191003	IAO-3						
TO-15	Acetone	124	ug/m3	9.4	06/13/20 17:22		
TO-15	Benzene	0.78	ug/m3	0.50	06/13/20 17:22		
TO-15	2-Butanone (MEK)	27.5	ug/m3	4.6	06/13/20 17:22		
TO-15	Carbon tetrachloride	0.58J	ug/m3	2.0	06/13/20 17:22		
TO-15	Chloroform	1.0	ug/m3	0.77	06/13/20 17:22		
TO-15	Chloromethane	1.9	ug/m3	0.65	06/13/20 17:22		
TO-15	1,4-Dichlorobenzene	76.0	ug/m3	4.7	06/13/20 17:22		
TO-15	Dichlorodifluoromethane	4.0	ug/m3	1.6	06/13/20 17:22		
TO-15	Ethanol	412	ug/m3	3.0	06/13/20 17:22	E	
TO-15	Ethylbenzene	1.0J	ug/m3	1.4	06/13/20 17:22		
TO-15	4-Ethyltoluene	0.91J	ug/m3	3.9	06/13/20 17:22		
TO-15	n-Heptane	3.1	ug/m3	1.3	06/13/20 17:22		
TO-15	n-Hexane	1.9	ug/m3	1.1	06/13/20 17:22		
TO-15	Methylene Chloride	24.2	ug/m3	5.5	06/13/20 17:22		
TO-15	4-Methyl-2-pentanone (MIBK)	0.81J	ug/m3	6.4	06/13/20 17:22		
TO-15	Naphthalene	2.3J	ug/m3	4.1	06/13/20 17:22		
TO-15	2-Propanol	49.6	ug/m3	3.9	06/13/20 17:22		
TO-15	Styrene	4.3	ug/m3	1.3	06/13/20 17:22		
TO-15	Tetrachloroethene	2.1	ug/m3	1.1	06/13/20 17:22		
TO-15	Toluene	182	ug/m3	1.2	06/13/20 17:22		
TO-15	Trichloroethene	2.0	ug/m3	0.85	06/13/20 17:22		
TO-15	Trichlorofluoromethane	2.1	ug/m3	1.8	06/13/20 17:22		
TO-15	1,1,2-Trichlorotrifluoroethane	0.55J	ug/m3	2.4	06/13/20 17:22		
TO-15	1,2,4-Trimethylbenzene	2.1	ug/m3	1.5	06/13/20 17:22		
TO-15	1,3,5-Trimethylbenzene	0.55J	ug/m3	1.5	06/13/20 17:22		
TO-15	m&p-Xylene	3.5	ug/m3	2.7	06/13/20 17:22		
TO-15	o-Xylene	1.2J	ug/m3	1.4	06/13/20 17:22		
10521191004	IAO-4						
TO-15	Acetone	119	ug/m3	9.0	06/13/20 17:50		
TO-15	Benzene	0.72	ug/m3	0.48	06/13/20 17:50		
TO-15	2-Butanone (MEK)	24.7	ug/m3	4.5	06/13/20 17:50		
TO-15	Carbon tetrachloride	0.48J	ug/m3	1.9	06/13/20 17:50		
TO-15	Chloroform	0.95	ug/m3	0.74	06/13/20 17:50		
TO-15	Chloromethane	1.8	ug/m3	0.63	06/13/20 17:50		
TO-15	1,4-Dichlorobenzene	56.0	ug/m3	4.6	06/13/20 17:50		
TO-15	Dichlorodifluoromethane	3.9	ug/m3	1.5	06/13/20 17:50		
TO-15	Ethanol	989	ug/m3	2.9	06/13/20 17:50	E	
TO-15	Ethylbenzene	0.92J	ug/m3	1.3	06/13/20 17:50		
TO-15	4-Ethyltoluene	0.73J	ug/m3	3.7	06/13/20 17:50		
TO-15	n-Heptane	2.4	ug/m3	1.2	06/13/20 17:50		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521191004	IAO-4						
TO-15	n-Hexane	1.8	ug/m3	1.1	06/13/20 17:50		
TO-15	Methylene Chloride	20.5	ug/m3	5.3	06/13/20 17:50		
TO-15	4-Methyl-2-pentanone (MIBK)	0.92J	ug/m3	6.2	06/13/20 17:50		
TO-15	Naphthalene	2.1J	ug/m3	4.0	06/13/20 17:50		
TO-15	2-Propanol	60.8	ug/m3	3.7	06/13/20 17:50		
TO-15	Styrene	4.1	ug/m3	1.3	06/13/20 17:50		
TO-15	Tetrachloroethene	1.6	ug/m3	1.0	06/13/20 17:50		
TO-15	Toluene	163	ug/m3	1.1	06/13/20 17:50		
TO-15	Trichloroethene	1.7	ug/m3	0.81	06/13/20 17:50		
TO-15	Trichlorofluoromethane	2.0	ug/m3	1.7	06/13/20 17:50		
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.3	06/13/20 17:50		
TO-15	1,2,4-Trimethylbenzene	1.5	ug/m3	1.5	06/13/20 17:50		
TO-15	1,3,5-Trimethylbenzene	0.45J	ug/m3	1.5	06/13/20 17:50		
TO-15	m&p-Xylene	3.0	ug/m3	2.6	06/13/20 17:50		
TO-15	o-Xylene	1.0J	ug/m3	1.3	06/13/20 17:50		
10521191005	IAB-1						
TO-15	Acetone	107	ug/m3	9.7	06/13/20 18:19		
TO-15	Benzene	0.80	ug/m3	0.52	06/13/20 18:19		
TO-15	2-Butanone (MEK)	36.8	ug/m3	4.8	06/13/20 18:19		
TO-15	Carbon tetrachloride	0.47J	ug/m3	2.1	06/13/20 18:19		
TO-15	Chloroform	0.56J	ug/m3	0.80	06/13/20 18:19		
TO-15	Chloromethane	1.7	ug/m3	0.68	06/13/20 18:19		
TO-15	1,4-Dichlorobenzene	52.7	ug/m3	4.9	06/13/20 18:19		
TO-15	Dichlorodifluoromethane	3.7	ug/m3	1.6	06/13/20 18:19		
TO-15	Ethanol	371	ug/m3	30.9	06/14/20 13:13		
TO-15	Ethylbenzene	1.2J	ug/m3	1.4	06/13/20 18:19		
TO-15	4-Ethyltoluene	0.90J	ug/m3	4.0	06/13/20 18:19		
TO-15	n-Heptane	3.5	ug/m3	1.3	06/13/20 18:19		
TO-15	n-Hexane	2.5	ug/m3	1.2	06/13/20 18:19		
TO-15	Methylene Chloride	24.9	ug/m3	5.7	06/13/20 18:19		
TO-15	4-Methyl-2-pentanone (MIBK)	1.0J	ug/m3	6.7	06/13/20 18:19		
TO-15	2-Propanol	35.1	ug/m3	4.0	06/13/20 18:19		
TO-15	Styrene	5.2	ug/m3	1.4	06/13/20 18:19		
TO-15	Tetrachloroethene	2.2	ug/m3	1.1	06/13/20 18:19		
TO-15	Toluene	256	ug/m3	12.3	06/14/20 13:13		
TO-15	Trichloroethene	2.2	ug/m3	0.88	06/13/20 18:19		
TO-15	Trichlorofluoromethane	2.0	ug/m3	1.8	06/13/20 18:19		
TO-15	1,1,2-Trichlorotrifluoroethane	0.60J	ug/m3	2.5	06/13/20 18:19		
TO-15	1,2,4-Trimethylbenzene	2.5	ug/m3	1.6	06/13/20 18:19		
TO-15	1,3,5-Trimethylbenzene	0.61J	ug/m3	1.6	06/13/20 18:19		
TO-15	m&p-Xylene	4.1	ug/m3	2.8	06/13/20 18:19		
TO-15	o-Xylene	1.4J	ug/m3	1.4	06/13/20 18:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAO-1	Lab ID: 10521191001	Collected: 06/09/20 14:20	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	101	ug/m3	9.7	2.1	1.61		06/13/20 15:27	67-64-1	
Benzene	0.80	ug/m3	0.52	0.21	1.61		06/13/20 15:27	71-43-2	
Benzyl chloride	<0.76	ug/m3	4.2	0.76	1.61		06/13/20 15:27	100-44-7	
Bromodichloromethane	<0.28	ug/m3	2.2	0.28	1.61		06/13/20 15:27	75-27-4	
Bromoform	<2.9	ug/m3	8.5	2.9	1.61		06/13/20 15:27	75-25-2	
Bromomethane	<0.24	ug/m3	1.3	0.24	1.61		06/13/20 15:27	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.72	0.17	1.61		06/13/20 15:27	106-99-0	
2-Butanone (MEK)	29.3	ug/m3	4.8	0.90	1.61		06/13/20 15:27	78-93-3	
Carbon disulfide	<0.17	ug/m3	1.0	0.17	1.61		06/13/20 15:27	75-15-0	
Carbon tetrachloride	<0.41	ug/m3	2.1	0.41	1.61		06/13/20 15:27	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.61		06/13/20 15:27	108-90-7	
Chloroethane	<0.20	ug/m3	0.86	0.20	1.61		06/13/20 15:27	75-00-3	
Chloroform	0.94	ug/m3	0.80	0.21	1.61		06/13/20 15:27	67-66-3	
Chloromethane	1.8	ug/m3	0.68	0.11	1.61		06/13/20 15:27	74-87-3	
Cyclohexane	<0.24	ug/m3	2.8	0.24	1.61		06/13/20 15:27	110-82-7	
Dibromochloromethane	<0.65	ug/m3	2.8	0.65	1.61		06/13/20 15:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.3	0.44	1.61		06/13/20 15:27	106-93-4	
1,2-Dichlorobenzene	<0.51	ug/m3	2.0	0.51	1.61		06/13/20 15:27	95-50-1	
1,3-Dichlorobenzene	<0.77	ug/m3	2.0	0.77	1.61		06/13/20 15:27	541-73-1	
1,4-Dichlorobenzene	53.7	ug/m3	4.9	1.2	1.61		06/13/20 15:27	106-46-7	
Dichlorodifluoromethane	4.1	ug/m3	1.6	0.27	1.61		06/13/20 15:27	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.61		06/13/20 15:27	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.66	0.27	1.61		06/13/20 15:27	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.61		06/13/20 15:27	75-35-4	
cis-1,2-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.61		06/13/20 15:27	156-59-2	
trans-1,2-Dichloroethene	0.45J	ug/m3	1.3	0.27	1.61		06/13/20 15:27	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.5	0.32	1.61		06/13/20 15:27	78-87-5	
cis-1,3-Dichloropropene	<0.60	ug/m3	1.5	0.60	1.61		06/13/20 15:27	10061-01-5	
trans-1,3-Dichloropropene	<0.42	ug/m3	1.5	0.42	1.61		06/13/20 15:27	10061-02-6	
Dichlorotetrafluoroethane	<0.25	ug/m3	2.3	0.25	1.61		06/13/20 15:27	76-14-2	
Ethanol	432	ug/m3	30.9	15.2	1.61		06/14/20 12:18	64-17-5	
Ethyl acetate	<0.30	ug/m3	1.2	0.30	1.61		06/13/20 15:27	141-78-6	
Ethylbenzene	1.0J	ug/m3	1.4	0.22	1.61		06/13/20 15:27	100-41-4	
4-Ethyltoluene	<0.69	ug/m3	4.0	0.69	1.61		06/13/20 15:27	622-96-8	
n-Heptane	3.5	ug/m3	1.3	0.32	1.61		06/13/20 15:27	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.7	2.0	1.61		06/13/20 15:27	87-68-3	
n-Hexane	2.3	ug/m3	1.2	0.32	1.61		06/13/20 15:27	110-54-3	
2-Hexanone	<0.56	ug/m3	6.7	0.56	1.61		06/13/20 15:27	591-78-6	
Methylene Chloride	29.0	ug/m3	5.7	1.5	1.61		06/13/20 15:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.91J	ug/m3	6.7	0.28	1.61		06/13/20 15:27	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.9	0.16	1.61		06/13/20 15:27	1634-04-4	
Naphthalene	<2.0	ug/m3	4.3	2.0	1.61		06/13/20 15:27	91-20-3	
2-Propanol	46.6	ug/m3	4.0	0.61	1.61		06/13/20 15:27	67-63-0	
Propylene	<0.16	ug/m3	0.56	0.16	1.61		06/13/20 15:27	115-07-1	
Styrene	4.4	ug/m3	1.4	0.69	1.61		06/13/20 15:27	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAO-1	Lab ID: 10521191001	Collected: 06/09/20 14:20	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.50	ug/m3	1.1	0.50	1.61		06/13/20 15:27	79-34-5	
Tetrachloroethene	2.1	ug/m3	1.1	0.43	1.61		06/13/20 15:27	127-18-4	
Tetrahydrofuran	<0.29	ug/m3	0.97	0.29	1.61		06/13/20 15:27	109-99-9	
Toluene	204	ug/m3	12.3	2.8	16.1		06/14/20 12:18	108-88-3	
1,2,4-Trichlorobenzene	<5.3	ug/m3	12.1	5.3	1.61		06/13/20 15:27	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.8	0.24	1.61		06/13/20 15:27	71-55-6	
1,1,2-Trichloroethane	<0.32	ug/m3	0.89	0.32	1.61		06/13/20 15:27	79-00-5	
Trichloroethylene	2.2	ug/m3	0.88	0.36	1.61		06/13/20 15:27	79-01-6	
Trichlorofluoromethane	2.1	ug/m3	1.8	0.37	1.61		06/13/20 15:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.64J	ug/m3	2.5	0.41	1.61		06/13/20 15:27	76-13-1	
1,2,4-Trimethylbenzene	1.6J	ug/m3	1.6	0.50	1.61		06/13/20 15:27	95-63-6	
1,3,5-Trimethylbenzene	0.52J	ug/m3	1.6	0.40	1.61		06/13/20 15:27	108-67-8	
Vinyl acetate	<0.28	ug/m3	1.2	0.28	1.61		06/13/20 15:27	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.42	0.15	1.61		06/13/20 15:27	75-01-4	
m&p-Xylene	3.5	ug/m3	2.8	0.54	1.61		06/13/20 15:27	179601-23-1	
o-Xylene	1.1J	ug/m3	1.4	0.24	1.61		06/13/20 15:27	95-47-6	
Sample: IAO-2	Lab ID: 10521191002	Collected: 06/09/20 14:25	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	112	ug/m3	9.4	2.0	1.55		06/13/20 16:24	67-64-1	
Benzene	1.0	ug/m3	0.50	0.20	1.55		06/13/20 16:24	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/13/20 16:24	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/13/20 16:24	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/13/20 16:24	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/13/20 16:24	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/13/20 16:24	106-99-0	
2-Butanone (MEK)	24.2	ug/m3	4.6	0.87	1.55		06/13/20 16:24	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/13/20 16:24	75-15-0	
Carbon tetrachloride	0.61J	ug/m3	2.0	0.40	1.55		06/13/20 16:24	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/13/20 16:24	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/13/20 16:24	75-00-3	
Chloroform	1.0	ug/m3	0.77	0.21	1.55		06/13/20 16:24	67-66-3	
Chloromethane	1.7	ug/m3	0.65	0.10	1.55		06/13/20 16:24	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/13/20 16:24	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/13/20 16:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/13/20 16:24	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/13/20 16:24	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/13/20 16:24	541-73-1	
1,4-Dichlorobenzene	71.7	ug/m3	4.7	1.1	1.55		06/13/20 16:24	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAO-2	Lab ID: 10521191002	Collected: 06/09/20 14:25	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	3.9	ug/m3	1.6	0.26	1.55		06/13/20 16:24	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/13/20 16:24	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/13/20 16:24	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 16:24	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 16:24	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/13/20 16:24	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/13/20 16:24	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/13/20 16:24	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/13/20 16:24	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/13/20 16:24	76-14-2	
Ethanol	371	ug/m3	3.0	1.5	1.55		06/13/20 16:24	64-17-5	E
Ethyl acetate	2.0	ug/m3	1.1	0.29	1.55		06/13/20 16:24	141-78-6	
Ethylbenzene	1.0J	ug/m3	1.4	0.21	1.55		06/13/20 16:24	100-41-4	
4-Ethyltoluene	0.74J	ug/m3	3.9	0.66	1.55		06/13/20 16:24	622-96-8	
n-Heptane	2.7	ug/m3	1.3	0.31	1.55		06/13/20 16:24	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/13/20 16:24	87-68-3	
n-Hexane	1.9	ug/m3	1.1	0.31	1.55		06/13/20 16:24	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/13/20 16:24	591-78-6	
Methylene Chloride	24.1	ug/m3	5.5	1.4	1.55		06/13/20 16:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.83J	ug/m3	6.4	0.27	1.55		06/13/20 16:24	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/13/20 16:24	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/13/20 16:24	91-20-3	
2-Propanol	48.3	ug/m3	3.9	0.59	1.55		06/13/20 16:24	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/13/20 16:24	115-07-1	
Styrene	3.9	ug/m3	1.3	0.66	1.55		06/13/20 16:24	100-42-5	
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/13/20 16:24	79-34-5	
Tetrachloroethene	2.2	ug/m3	1.1	0.42	1.55		06/13/20 16:24	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/13/20 16:24	109-99-9	
Toluene	171	ug/m3	1.2	0.27	1.55		06/13/20 16:24	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/13/20 16:24	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/13/20 16:24	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/13/20 16:24	79-00-5	
Trichloroethene	2.0	ug/m3	0.85	0.34	1.55		06/13/20 16:24	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.8	0.36	1.55		06/13/20 16:24	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.4	0.40	1.55		06/13/20 16:24	76-13-1	
1,2,4-Trimethylbenzene	1.7	ug/m3	1.5	0.48	1.55		06/13/20 16:24	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.5	0.39	1.55		06/13/20 16:24	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/13/20 16:24	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/13/20 16:24	75-01-4	
m&p-Xylene	3.4	ug/m3	2.7	0.52	1.55		06/13/20 16:24	179601-23-1	
o-Xylene	1.1J	ug/m3	1.4	0.23	1.55		06/13/20 16:24	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAO-3	Lab ID: 10521191003	Collected: 06/09/20 14:30	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	124	ug/m3	9.4	2.0	1.55		06/13/20 17:22	67-64-1	
Benzene	0.78	ug/m3	0.50	0.20	1.55		06/13/20 17:22	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/13/20 17:22	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/13/20 17:22	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/13/20 17:22	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/13/20 17:22	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/13/20 17:22	106-99-0	
2-Butanone (MEK)	27.5	ug/m3	4.6	0.87	1.55		06/13/20 17:22	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/13/20 17:22	75-15-0	
Carbon tetrachloride	0.58J	ug/m3	2.0	0.40	1.55		06/13/20 17:22	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/13/20 17:22	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/13/20 17:22	75-00-3	
Chloroform	1.0	ug/m3	0.77	0.21	1.55		06/13/20 17:22	67-66-3	
Chloromethane	1.9	ug/m3	0.65	0.10	1.55		06/13/20 17:22	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/13/20 17:22	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/13/20 17:22	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/13/20 17:22	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/13/20 17:22	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/13/20 17:22	541-73-1	
1,4-Dichlorobenzene	76.0	ug/m3	4.7	1.1	1.55		06/13/20 17:22	106-46-7	
Dichlorodifluoromethane	4.0	ug/m3	1.6	0.26	1.55		06/13/20 17:22	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/13/20 17:22	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/13/20 17:22	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 17:22	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 17:22	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/13/20 17:22	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/13/20 17:22	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/13/20 17:22	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/13/20 17:22	10061-02-6	
Dichlortetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/13/20 17:22	76-14-2	
Ethanol	412	ug/m3	3.0	1.5	1.55		06/13/20 17:22	64-17-5	E
Ethyl acetate	<0.29	ug/m3	1.1	0.29	1.55		06/13/20 17:22	141-78-6	
Ethylbenzene	1.0J	ug/m3	1.4	0.21	1.55		06/13/20 17:22	100-41-4	
4-Ethyltoluene	0.91J	ug/m3	3.9	0.66	1.55		06/13/20 17:22	622-96-8	
n-Heptane	3.1	ug/m3	1.3	0.31	1.55		06/13/20 17:22	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/13/20 17:22	87-68-3	
n-Hexane	1.9	ug/m3	1.1	0.31	1.55		06/13/20 17:22	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/13/20 17:22	591-78-6	
Methylene Chloride	24.2	ug/m3	5.5	1.4	1.55		06/13/20 17:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.81J	ug/m3	6.4	0.27	1.55		06/13/20 17:22	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/13/20 17:22	1634-04-4	
Naphthalene	2.3J	ug/m3	4.1	2.0	1.55		06/13/20 17:22	91-20-3	
2-Propanol	49.6	ug/m3	3.9	0.59	1.55		06/13/20 17:22	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/13/20 17:22	115-07-1	
Styrene	4.3	ug/m3	1.3	0.66	1.55		06/13/20 17:22	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAO-3	Lab ID: 10521191003	Collected: 06/09/20 14:30	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/13/20 17:22	79-34-5	
Tetrachloroethene	2.1	ug/m3	1.1	0.42	1.55		06/13/20 17:22	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/13/20 17:22	109-99-9	
Toluene	182	ug/m3	1.2	0.27	1.55		06/13/20 17:22	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/13/20 17:22	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/13/20 17:22	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/13/20 17:22	79-00-5	
Trichloroethylene	2.0	ug/m3	0.85	0.34	1.55		06/13/20 17:22	79-01-6	
Trichlorofluoromethane	2.1	ug/m3	1.8	0.36	1.55		06/13/20 17:22	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.55J	ug/m3	2.4	0.40	1.55		06/13/20 17:22	76-13-1	
1,2,4-Trimethylbenzene	2.1	ug/m3	1.5	0.48	1.55		06/13/20 17:22	95-63-6	
1,3,5-Trimethylbenzene	0.55J	ug/m3	1.5	0.39	1.55		06/13/20 17:22	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/13/20 17:22	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/13/20 17:22	75-01-4	
m&p-Xylene	3.5	ug/m3	2.7	0.52	1.55		06/13/20 17:22	179601-23-1	
o-Xylene	1.2J	ug/m3	1.4	0.23	1.55		06/13/20 17:22	95-47-6	

Sample: IAO-4	Lab ID: 10521191004	Collected: 06/09/20 15:48	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	119	ug/m3	9.0	1.9	1.49		06/13/20 17:50	67-64-1	
Benzene	0.72	ug/m3	0.48	0.19	1.49		06/13/20 17:50	71-43-2	
Benzyl chloride	<0.70	ug/m3	3.9	0.70	1.49		06/13/20 17:50	100-44-7	
Bromodichloromethane	<0.26	ug/m3	2.0	0.26	1.49		06/13/20 17:50	75-27-4	
Bromoform	<2.7	ug/m3	7.8	2.7	1.49		06/13/20 17:50	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		06/13/20 17:50	74-83-9	
1,3-Butadiene	<0.15	ug/m3	0.67	0.15	1.49		06/13/20 17:50	106-99-0	
2-Butanone (MEK)	24.7	ug/m3	4.5	0.83	1.49		06/13/20 17:50	78-93-3	
Carbon disulfide	<0.16	ug/m3	0.94	0.16	1.49		06/13/20 17:50	75-15-0	
Carbon tetrachloride	0.48J	ug/m3	1.9	0.38	1.49		06/13/20 17:50	56-23-5	
Chlorobenzene	<0.20	ug/m3	1.4	0.20	1.49		06/13/20 17:50	108-90-7	
Chloroethane	<0.19	ug/m3	0.80	0.19	1.49		06/13/20 17:50	75-00-3	
Chloroform	0.95	ug/m3	0.74	0.20	1.49		06/13/20 17:50	67-66-3	
Chloromethane	1.8	ug/m3	0.63	0.098	1.49		06/13/20 17:50	74-87-3	
Cyclohexane	<0.22	ug/m3	2.6	0.22	1.49		06/13/20 17:50	110-82-7	
Dibromochloromethane	<0.60	ug/m3	2.6	0.60	1.49		06/13/20 17:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.41	ug/m3	1.2	0.41	1.49		06/13/20 17:50	106-93-4	
1,2-Dichlorobenzene	<0.47	ug/m3	1.8	0.47	1.49		06/13/20 17:50	95-50-1	
1,3-Dichlorobenzene	<0.71	ug/m3	1.8	0.71	1.49		06/13/20 17:50	541-73-1	
1,4-Dichlorobenzene	56.0	ug/m3	4.6	1.1	1.49		06/13/20 17:50	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAO-4	Lab ID: 10521191004	Collected: 06/09/20 15:48	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	3.9	ug/m3	1.5	0.25	1.49		06/13/20 17:50	75-71-8	
1,1-Dichloroethane	<0.17	ug/m3	1.2	0.17	1.49		06/13/20 17:50	75-34-3	
1,2-Dichloroethane	<0.25	ug/m3	0.61	0.25	1.49		06/13/20 17:50	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.49		06/13/20 17:50	75-35-4	
cis-1,2-Dichloroethene	<0.17	ug/m3	1.2	0.17	1.49		06/13/20 17:50	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		06/13/20 17:50	156-60-5	
1,2-Dichloropropane	<0.30	ug/m3	1.4	0.30	1.49		06/13/20 17:50	78-87-5	
cis-1,3-Dichloropropene	<0.55	ug/m3	1.4	0.55	1.49		06/13/20 17:50	10061-01-5	
trans-1,3-Dichloropropene	<0.39	ug/m3	1.4	0.39	1.49		06/13/20 17:50	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.1	0.24	1.49		06/13/20 17:50	76-14-2	
Ethanol	989	ug/m3	2.9	1.4	1.49		06/13/20 17:50	64-17-5	E
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.49		06/13/20 17:50	141-78-6	
Ethylbenzene	0.92J	ug/m3	1.3	0.21	1.49		06/13/20 17:50	100-41-4	
4-Ethyltoluene	0.73J	ug/m3	3.7	0.64	1.49		06/13/20 17:50	622-96-8	
n-Heptane	2.4	ug/m3	1.2	0.29	1.49		06/13/20 17:50	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.1	1.9	1.49		06/13/20 17:50	87-68-3	
n-Hexane	1.8	ug/m3	1.1	0.30	1.49		06/13/20 17:50	110-54-3	
2-Hexanone	<0.51	ug/m3	6.2	0.51	1.49		06/13/20 17:50	591-78-6	
Methylene Chloride	20.5	ug/m3	5.3	1.4	1.49		06/13/20 17:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.92J	ug/m3	6.2	0.26	1.49		06/13/20 17:50	108-10-1	
Methyl-tert-butyl ether	<0.15	ug/m3	5.5	0.15	1.49		06/13/20 17:50	1634-04-4	
Naphthalene	2.1J	ug/m3	4.0	1.9	1.49		06/13/20 17:50	91-20-3	
2-Propanol	60.8	ug/m3	3.7	0.56	1.49		06/13/20 17:50	67-63-0	
Propylene	<0.15	ug/m3	0.52	0.15	1.49		06/13/20 17:50	115-07-1	
Styrene	4.1	ug/m3	1.3	0.64	1.49		06/13/20 17:50	100-42-5	
1,1,2,2-Tetrachloroethane	<0.46	ug/m3	1.0	0.46	1.49		06/13/20 17:50	79-34-5	
Tetrachloroethene	1.6	ug/m3	1.0	0.40	1.49		06/13/20 17:50	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.89	0.27	1.49		06/13/20 17:50	109-99-9	
Toluene	163	ug/m3	1.1	0.25	1.49		06/13/20 17:50	108-88-3	
1,2,4-Trichlorobenzene	<4.9	ug/m3	11.2	4.9	1.49		06/13/20 17:50	120-82-1	
1,1,1-Trichloroethane	<0.23	ug/m3	1.7	0.23	1.49		06/13/20 17:50	71-55-6	
1,1,2-Trichloroethane	<0.30	ug/m3	0.83	0.30	1.49		06/13/20 17:50	79-00-5	
Trichloroethene	1.7	ug/m3	0.81	0.33	1.49		06/13/20 17:50	79-01-6	
Trichlorofluoromethane	2.0	ug/m3	1.7	0.34	1.49		06/13/20 17:50	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.3	0.38	1.49		06/13/20 17:50	76-13-1	
1,2,4-Trimethylbenzene	1.5	ug/m3	1.5	0.46	1.49		06/13/20 17:50	95-63-6	
1,3,5-Trimethylbenzene	0.45J	ug/m3	1.5	0.37	1.49		06/13/20 17:50	108-67-8	
Vinyl acetate	<0.26	ug/m3	1.1	0.26	1.49		06/13/20 17:50	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.39	0.14	1.49		06/13/20 17:50	75-01-4	
m&p-Xylene	3.0	ug/m3	2.6	0.50	1.49		06/13/20 17:50	179601-23-1	
o-Xylene	1.0J	ug/m3	1.3	0.22	1.49		06/13/20 17:50	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAB-1	Lab ID: 10521191005	Collected: 06/09/20 14:35	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	107	ug/m3	9.7	2.1	1.61		06/13/20 18:19	67-64-1	
Benzene	0.80	ug/m3	0.52	0.21	1.61		06/13/20 18:19	71-43-2	
Benzyl chloride	<0.76	ug/m3	4.2	0.76	1.61		06/13/20 18:19	100-44-7	
Bromodichloromethane	<0.28	ug/m3	2.2	0.28	1.61		06/13/20 18:19	75-27-4	
Bromoform	<2.9	ug/m3	8.5	2.9	1.61		06/13/20 18:19	75-25-2	
Bromomethane	<0.24	ug/m3	1.3	0.24	1.61		06/13/20 18:19	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.72	0.17	1.61		06/13/20 18:19	106-99-0	
2-Butanone (MEK)	36.8	ug/m3	4.8	0.90	1.61		06/13/20 18:19	78-93-3	
Carbon disulfide	<0.17	ug/m3	1.0	0.17	1.61		06/13/20 18:19	75-15-0	
Carbon tetrachloride	0.47J	ug/m3	2.1	0.41	1.61		06/13/20 18:19	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.61		06/13/20 18:19	108-90-7	
Chloroethane	<0.20	ug/m3	0.86	0.20	1.61		06/13/20 18:19	75-00-3	
Chloroform	0.56J	ug/m3	0.80	0.21	1.61		06/13/20 18:19	67-66-3	
Chloromethane	1.7	ug/m3	0.68	0.11	1.61		06/13/20 18:19	74-87-3	
Cyclohexane	<0.24	ug/m3	2.8	0.24	1.61		06/13/20 18:19	110-82-7	
Dibromochloromethane	<0.65	ug/m3	2.8	0.65	1.61		06/13/20 18:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.3	0.44	1.61		06/13/20 18:19	106-93-4	
1,2-Dichlorobenzene	<0.51	ug/m3	2.0	0.51	1.61		06/13/20 18:19	95-50-1	
1,3-Dichlorobenzene	<0.77	ug/m3	2.0	0.77	1.61		06/13/20 18:19	541-73-1	
1,4-Dichlorobenzene	52.7	ug/m3	4.9	1.2	1.61		06/13/20 18:19	106-46-7	
Dichlorodifluoromethane	3.7	ug/m3	1.6	0.27	1.61		06/13/20 18:19	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.61		06/13/20 18:19	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.66	0.27	1.61		06/13/20 18:19	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.61		06/13/20 18:19	75-35-4	
cis-1,2-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.61		06/13/20 18:19	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/m3	1.3	0.27	1.61		06/13/20 18:19	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.5	0.32	1.61		06/13/20 18:19	78-87-5	
cis-1,3-Dichloropropene	<0.60	ug/m3	1.5	0.60	1.61		06/13/20 18:19	10061-01-5	
trans-1,3-Dichloropropene	<0.42	ug/m3	1.5	0.42	1.61		06/13/20 18:19	10061-02-6	
Dichlorotetrafluoroethane	<0.25	ug/m3	2.3	0.25	1.61		06/13/20 18:19	76-14-2	
Ethanol	371	ug/m3	30.9	15.2	1.61		06/14/20 13:13	64-17-5	
Ethyl acetate	<0.30	ug/m3	1.2	0.30	1.61		06/13/20 18:19	141-78-6	
Ethylbenzene	1.2J	ug/m3	1.4	0.22	1.61		06/13/20 18:19	100-41-4	
4-Ethyltoluene	0.90J	ug/m3	4.0	0.69	1.61		06/13/20 18:19	622-96-8	
n-Heptane	3.5	ug/m3	1.3	0.32	1.61		06/13/20 18:19	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.7	2.0	1.61		06/13/20 18:19	87-68-3	
n-Hexane	2.5	ug/m3	1.2	0.32	1.61		06/13/20 18:19	110-54-3	
2-Hexanone	<0.56	ug/m3	6.7	0.56	1.61		06/13/20 18:19	591-78-6	
Methylene Chloride	24.9	ug/m3	5.7	1.5	1.61		06/13/20 18:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.0J	ug/m3	6.7	0.28	1.61		06/13/20 18:19	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.9	0.16	1.61		06/13/20 18:19	1634-04-4	
Naphthalene	<2.0	ug/m3	4.3	2.0	1.61		06/13/20 18:19	91-20-3	
2-Propanol	35.1	ug/m3	4.0	0.61	1.61		06/13/20 18:19	67-63-0	
Propylene	<0.16	ug/m3	0.56	0.16	1.61		06/13/20 18:19	115-07-1	
Styrene	5.2	ug/m3	1.4	0.69	1.61		06/13/20 18:19	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Sample: IAB-1	Lab ID: 10521191005	Collected: 06/09/20 14:35	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.50	ug/m3	1.1	0.50	1.61		06/13/20 18:19	79-34-5	
Tetrachloroethene	2.2	ug/m3	1.1	0.43	1.61		06/13/20 18:19	127-18-4	
Tetrahydrofuran	<0.29	ug/m3	0.97	0.29	1.61		06/13/20 18:19	109-99-9	
Toluene	256	ug/m3	12.3	2.8	16.1		06/14/20 13:13	108-88-3	
1,2,4-Trichlorobenzene	<5.3	ug/m3	12.1	5.3	1.61		06/13/20 18:19	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.8	0.24	1.61		06/13/20 18:19	71-55-6	
1,1,2-Trichloroethane	<0.32	ug/m3	0.89	0.32	1.61		06/13/20 18:19	79-00-5	
Trichloroethylene	2.2	ug/m3	0.88	0.36	1.61		06/13/20 18:19	79-01-6	
Trichlorofluoromethane	2.0	ug/m3	1.8	0.37	1.61		06/13/20 18:19	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.60J	ug/m3	2.5	0.41	1.61		06/13/20 18:19	76-13-1	
1,2,4-Trimethylbenzene	2.5	ug/m3	1.6	0.50	1.61		06/13/20 18:19	95-63-6	
1,3,5-Trimethylbenzene	0.61J	ug/m3	1.6	0.40	1.61		06/13/20 18:19	108-67-8	
Vinyl acetate	<0.28	ug/m3	1.2	0.28	1.61		06/13/20 18:19	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.42	0.15	1.61		06/13/20 18:19	75-01-4	
m&p-Xylene	4.1	ug/m3	2.8	0.54	1.61		06/13/20 18:19	179601-23-1	
o-Xylene	1.4J	ug/m3	1.4	0.24	1.61		06/13/20 18:19	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

QC Batch:	680971	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR Low Level
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 10521191001, 10521191002, 10521191003, 10521191004, 10521191005

METHOD BLANK: 3644374

Matrix: Air

Associated Lab Samples: 10521191001, 10521191002, 10521191003, 10521191004, 10521191005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.076	0.56	06/13/20 09:24	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.35	06/13/20 09:24	
1,1,2-Trichloroethane	ug/m3	<0.099	0.28	06/13/20 09:24	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.13	0.78	06/13/20 09:24	
1,1-Dichloroethane	ug/m3	<0.056	0.41	06/13/20 09:24	
1,1-Dichloroethene	ug/m3	<0.060	0.40	06/13/20 09:24	
1,2,4-Trichlorobenzene	ug/m3	<1.7	3.8	06/13/20 09:24	
1,2,4-Trimethylbenzene	ug/m3	<0.16	0.50	06/13/20 09:24	
1,2-Dibromoethane (EDB)	ug/m3	<0.14	0.39	06/13/20 09:24	
1,2-Dichlorobenzene	ug/m3	<0.16	0.61	06/13/20 09:24	
1,2-Dichloroethane	ug/m3	<0.084	0.21	06/13/20 09:24	
1,2-Dichloropropane	ug/m3	<0.10	0.47	06/13/20 09:24	
1,3,5-Trimethylbenzene	ug/m3	<0.12	0.50	06/13/20 09:24	
1,3-Butadiene	ug/m3	<0.052	0.22	06/13/20 09:24	
1,3-Dichlorobenzene	ug/m3	<0.24	0.61	06/13/20 09:24	
1,4-Dichlorobenzene	ug/m3	<0.37	1.5	06/13/20 09:24	
2-Butanone (MEK)	ug/m3	<0.28	1.5	06/13/20 09:24	
2-Hexanone	ug/m3	<0.17	2.1	06/13/20 09:24	
2-Propanol	ug/m3	<0.19	1.2	06/13/20 09:24	
4-Ethyltoluene	ug/m3	<0.21	1.2	06/13/20 09:24	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.088	2.1	06/13/20 09:24	
Acetone	ug/m3	<0.64	3.0	06/13/20 09:24	
Benzene	ug/m3	<0.065	0.16	06/13/20 09:24	
Benzyl chloride	ug/m3	<0.24	1.3	06/13/20 09:24	
Bromodichloromethane	ug/m3	<0.088	0.68	06/13/20 09:24	
Bromoform	ug/m3	<0.90	2.6	06/13/20 09:24	
Bromomethane	ug/m3	<0.073	0.39	06/13/20 09:24	
Carbon disulfide	ug/m3	<0.054	0.32	06/13/20 09:24	
Carbon tetrachloride	ug/m3	<0.13	0.64	06/13/20 09:24	
Chlorobenzene	ug/m3	<0.066	0.47	06/13/20 09:24	
Chloroethane	ug/m3	<0.063	0.27	06/13/20 09:24	
Chloroform	ug/m3	<0.066	0.25	06/13/20 09:24	
Chloromethane	ug/m3	<0.033	0.21	06/13/20 09:24	
cis-1,2-Dichloroethene	ug/m3	<0.058	0.40	06/13/20 09:24	
cis-1,3-Dichloropropene	ug/m3	<0.19	0.46	06/13/20 09:24	
Cyclohexane	ug/m3	<0.073	0.88	06/13/20 09:24	
Dibromochloromethane	ug/m3	<0.20	0.86	06/13/20 09:24	
Dichlorodifluoromethane	ug/m3	<0.084	0.50	06/13/20 09:24	
Dichlorotetrafluoroethane	ug/m3	<0.079	0.71	06/13/20 09:24	
Ethanol	ug/m3	<0.47	0.96	06/13/20 09:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

METHOD BLANK: 3644374

Matrix: Air

Associated Lab Samples: 10521191001, 10521191002, 10521191003, 10521191004, 10521191005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.092	0.37	06/13/20 09:24	
Ethylbenzene	ug/m3	<0.069	0.44	06/13/20 09:24	
Hexachloro-1,3-butadiene	ug/m3	<0.62	2.7	06/13/20 09:24	
m&p-Xylene	ug/m3	<0.17	0.88	06/13/20 09:24	
Methyl-tert-butyl ether	ug/m3	<0.050	1.8	06/13/20 09:24	
Methylene Chloride	ug/m3	<0.46	1.8	06/13/20 09:24	
n-Heptane	ug/m3	<0.098	0.42	06/13/20 09:24	
n-Hexane	ug/m3	<0.10	0.36	06/13/20 09:24	
Naphthalene	ug/m3	0.67J	1.3	06/13/20 09:24	
o-Xylene	ug/m3	<0.074	0.44	06/13/20 09:24	
Propylene	ug/m3	<0.049	0.18	06/13/20 09:24	
Styrene	ug/m3	<0.21	0.43	06/13/20 09:24	
Tetrachloroethene	ug/m3	<0.13	0.34	06/13/20 09:24	
Tetrahydrofuran	ug/m3	<0.092	0.30	06/13/20 09:24	
Toluene	ug/m3	<0.086	0.38	06/13/20 09:24	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	06/13/20 09:24	
trans-1,3-Dichloropropene	ug/m3	<0.13	0.46	06/13/20 09:24	
Trichloroethene	ug/m3	<0.11	0.27	06/13/20 09:24	
Trichlorofluoromethane	ug/m3	<0.12	0.57	06/13/20 09:24	
Vinyl acetate	ug/m3	<0.088	0.36	06/13/20 09:24	
Vinyl chloride	ug/m3	<0.048	0.13	06/13/20 09:24	

LABORATORY CONTROL SAMPLE: 3644375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	57	70.9	124	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	71.9	70.4	98	70-132	
1,1,2-Trichloroethane	ug/m3	57.3	60.4	105	70-133	
1,1,2-Trichlorotrifluoroethane	ug/m3	80.3	93.6	117	70-130	
1,1-Dichloroethane	ug/m3	42.7	48.3	113	70-130	
1,1-Dichloroethene	ug/m3	41.4	48.5	117	69-137	
1,2,4-Trichlorobenzene	ug/m3	156	153	98	70-130	
1,2,4-Trimethylbenzene	ug/m3	51.5	51.5	100	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.3	84.1	105	70-138	
1,2-Dichlorobenzene	ug/m3	63.1	64.7	103	70-136	
1,2-Dichloroethane	ug/m3	42.4	52.9	125	70-130	
1,2-Dichloropropane	ug/m3	48.6	51.2	105	70-132	
1,3,5-Trimethylbenzene	ug/m3	51.6	49.7	96	70-136	
1,3-Butadiene	ug/m3	23.3	27.9	120	67-139	
1,3-Dichlorobenzene	ug/m3	63.4	68.4	108	70-138	
1,4-Dichlorobenzene	ug/m3	63.4	68.7	108	70-145	
2-Butanone (MEK)	ug/m3	31.4	30.1	96	61-130	
2-Hexanone	ug/m3	42.8	44.7	105	70-138	
2-Propanol	ug/m3	119	136	114	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

LABORATORY CONTROL SAMPLE: 3644375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.4	53.1	101	70-142	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	47.1	108	70-134	
Acetone	ug/m3	126	131	104	59-137	
Benzene	ug/m3	33.5	33.7	101	70-133	
Benzyl chloride	ug/m3	55.1	56.9	103	70-139	
Bromodichloromethane	ug/m3	71.5	86.6	121	70-130	
Bromoform	ug/m3	110	132	120	60-140	
Bromomethane	ug/m3	41.3	47.5	115	70-131	
Carbon disulfide	ug/m3	33.3	36.0	108	70-130	
Carbon tetrachloride	ug/m3	66.2	84.7	128	70-133	
Chlorobenzene	ug/m3	48.3	47.4	98	70-131	
Chloroethane	ug/m3	28.1	32.3	115	70-141	
Chloroform	ug/m3	51.1	59.0	116	70-130	
Chloromethane	ug/m3	21.9	25.9	118	64-137	
cis-1,2-Dichloroethene	ug/m3	41.6	44.1	106	70-132	
cis-1,3-Dichloropropene	ug/m3	47.7	53.1	111	70-138	
Cyclohexane	ug/m3	36.7	38.8	106	70-133	
Dibromochloromethane	ug/m3	90.7	110	121	70-139	
Dichlorodifluoromethane	ug/m3	51.6	64.7	125	70-130	
Dichlorotetrafluoroethane	ug/m3	72.7	87.5	120	65-133	
Ethanol	ug/m3	103	108	106	65-135	
Ethyl acetate	ug/m3	38.6	41.2	107	70-135	
Ethylbenzene	ug/m3	45.6	45.5	100	70-142	
Hexachloro-1,3-butadiene	ug/m3	112	144	129	70-134	
m&p-Xylene	ug/m3	91.2	95.4	105	70-141	
Methyl-tert-butyl ether	ug/m3	38.4	42.3	110	70-131	
Methylene Chloride	ug/m3	182	191	105	69-130	
n-Heptane	ug/m3	43.6	45.3	104	70-130	
n-Hexane	ug/m3	37.6	38.0	101	70-131	
Naphthalene	ug/m3	57.7	51.7	90	63-130	
o-Xylene	ug/m3	45.5	44.9	99	70-135	
Propylene	ug/m3	18.2	20.4	112	63-139	
Styrene	ug/m3	44.9	48.8	109	70-143	
Tetrachloroethene	ug/m3	71	73.8	104	70-136	
Tetrahydrofuran	ug/m3	31.5	33.1	105	70-137	
Toluene	ug/m3	39.5	39.3	99	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	44.8	106	70-132	
trans-1,3-Dichloropropene	ug/m3	47.7	56.0	118	70-139	
Trichloroethene	ug/m3	56.3	59.5	106	70-132	
Trichlorofluoromethane	ug/m3	59.7	77.1	129	65-136	
Vinyl acetate	ug/m3	34.5	40.1	116	66-140	
Vinyl chloride	ug/m3	26.7	32.5	122	68-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

SAMPLE DUPLICATE: 3644575

Parameter	Units	10521191001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m ³	<0.24	<0.24		25	
1,1,2,2-Tetrachloroethane	ug/m ³	<0.50	<0.50		25	
1,1,2-Trichloroethane	ug/m ³	<0.32	<0.32		25	
1,1,2-Trichlorotrifluoroethane	ug/m ³	0.64J	0.68J		25	
1,1-Dichloroethane	ug/m ³	<0.18	<0.18		25	
1,1-Dichloroethene	ug/m ³	<0.19	<0.19		25	
1,2,4-Trichlorobenzene	ug/m ³	<5.3	<5.3		25	
1,2,4-Trimethylbenzene	ug/m ³	1.6J	1.6		25	
1,2-Dibromoethane (EDB)	ug/m ³	<0.44	<0.44		25	
1,2-Dichlorobenzene	ug/m ³	<0.51	<0.51		25	
1,2-Dichloroethane	ug/m ³	<0.27	<0.27		25	
1,2-Dichloropropane	ug/m ³	<0.32	<0.32		25	
1,3,5-Trimethylbenzene	ug/m ³	0.52J	0.53J		25	
1,3-Butadiene	ug/m ³	<0.17	<0.17		25	
1,3-Dichlorobenzene	ug/m ³	<0.77	<0.77		25	
1,4-Dichlorobenzene	ug/m ³	53.7	56.7	6	25	
2-Butanone (MEK)	ug/m ³	29.3	30.7	5	25	
2-Hexanone	ug/m ³	<0.56	<0.56		25	
2-Propanol	ug/m ³	46.6	45.3	3	25	
4-Ethyltoluene	ug/m ³	<0.69	0.75J		25	
4-Methyl-2-pentanone (MIBK)	ug/m ³	0.91J	0.87J		25	
Acetone	ug/m ³	101	97.5	3	25	
Benzene	ug/m ³	0.80	0.82	3	25	
Benzyl chloride	ug/m ³	<0.76	<0.76		25	
Bromodichloromethane	ug/m ³	<0.28	<0.28		25	
Bromoform	ug/m ³	<2.9	<2.9		25	
Bromomethane	ug/m ³	<0.24	<0.24		25	
Carbon disulfide	ug/m ³	<0.17	<0.17		25	
Carbon tetrachloride	ug/m ³	<0.41	<0.41		25	
Chlorobenzene	ug/m ³	<0.21	<0.21		25	
Chloroethane	ug/m ³	<0.20	<0.20		25	
Chloroform	ug/m ³	0.94	0.93	1	25	
Chloromethane	ug/m ³	1.8	1.9	6	25	
cis-1,2-Dichloroethene	ug/m ³	<0.19	<0.19		25	
cis-1,3-Dichloropropene	ug/m ³	<0.60	<0.60		25	
Cyclohexane	ug/m ³	<0.24	<0.24		25	
Dibromochloromethane	ug/m ³	<0.65	<0.65		25	
Dichlorodifluoromethane	ug/m ³	4.1	4.0	2	25	
Dichlorotetrafluoroethane	ug/m ³	<0.25	<0.25		25	
Ethanol	ug/m ³	432	415	4	25	
Ethyl acetate	ug/m ³	<0.30	<0.30		25	
Ethylbenzene	ug/m ³	1.0J	1.1J		25	
Hexachloro-1,3-butadiene	ug/m ³	<2.0	<2.0		25	
m&p-Xylene	ug/m ³	3.5	3.5	1	25	
Methyl-tert-butyl ether	ug/m ³	<0.16	<0.16		25	
Methylene Chloride	ug/m ³	29.0	28.5	2	25	
n-Heptane	ug/m ³	3.5	3.7	5	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

SAMPLE DUPLICATE: 3644575

Parameter	Units	10521191001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	2.3	2.6	13	25	
Naphthalene	ug/m3	<2.0	<2.0		25	
o-Xylene	ug/m3	1.1J	1.1J		25	
Propylene	ug/m3	<0.16	<0.16		25	
Styrene	ug/m3	4.4	4.5	2	25	
Tetrachloroethene	ug/m3	2.1	2.1	2	25	
Tetrahydrofuran	ug/m3	<0.29	0.63J		25	
Toluene	ug/m3	204	200	2	25	
trans-1,2-Dichloroethene	ug/m3	0.45J	0.42J		25	
trans-1,3-Dichloropropene	ug/m3	<0.42	<0.42		25	
Trichloroethene	ug/m3	2.2	2.1	3	25	
Trichlorofluoromethane	ug/m3	2.1	1.9	11	25	
Vinyl acetate	ug/m3	<0.28	<0.28		25	
Vinyl chloride	ug/m3	<0.15	<0.15		25	

SAMPLE DUPLICATE: 3644576

Parameter	Units	10521191002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.24	<0.24		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.48	<0.48		25	
1,1,2-Trichloroethane	ug/m3	<0.31	<0.31		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.62J	0.55J		25	
1,1-Dichloroethane	ug/m3	<0.18	<0.18		25	
1,1-Dichloroethene	ug/m3	<0.18	<0.18		25	
1,2,4-Trichlorobenzene	ug/m3	<5.1	<5.1		25	
1,2,4-Trimethylbenzene	ug/m3	1.7	1.7	0	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.43	<0.43		25	
1,2-Dichlorobenzene	ug/m3	<0.49	<0.49		25	
1,2-Dichloroethane	ug/m3	<0.26	<0.26		25	
1,2-Dichloropropane	ug/m3	<0.31	<0.31		25	
1,3,5-Trimethylbenzene	ug/m3	<0.39	0.56J		25	
1,3-Butadiene	ug/m3	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m3	<0.74	<0.74		25	
1,4-Dichlorobenzene	ug/m3	71.7	73.3	2	25	
2-Butanone (MEK)	ug/m3	24.2	24.7	2	25	
2-Hexanone	ug/m3	<0.53	<0.53		25	
2-Propanol	ug/m3	48.3	48.3	0	25	
4-Ethyltoluene	ug/m3	0.74J	0.74J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	0.83J	0.86J		25	
Acetone	ug/m3	112	116	4	25	
Benzene	ug/m3	1.0	1.0	0	25	
Benzyl chloride	ug/m3	<0.73	<0.73		25	
Bromodichloromethane	ug/m3	<0.27	<0.27		25	
Bromoform	ug/m3	<2.8	<2.8		25	
Bromomethane	ug/m3	<0.23	<0.23		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

SAMPLE DUPLICATE: 3644576

Parameter	Units	10521191002 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m ³	<0.17	<0.17		25	
Carbon tetrachloride	ug/m ³	0.61J	0.59J		25	
Chlorobenzene	ug/m ³	<0.21	<0.21		25	
Chloroethane	ug/m ³	<0.20	<0.20		25	
Chloroform	ug/m ³	1.0	1.0	4	25	
Chloromethane	ug/m ³	1.7	1.7	2	25	
cis-1,2-Dichloroethene	ug/m ³	<0.18	<0.18		25	
cis-1,3-Dichloropropene	ug/m ³	<0.58	<0.58		25	
Cyclohexane	ug/m ³	<0.23	<0.23		25	
Dibromochloromethane	ug/m ³	<0.62	<0.62		25	
Dichlorodifluoromethane	ug/m ³	3.9	4.0	2	25	
Dichlorotetrafluoroethane	ug/m ³	<0.24	<0.24		25	
Ethanol	ug/m ³	371	390	5	25	E
Ethyl acetate	ug/m ³	2.0	2.2	7	25	
Ethylbenzene	ug/m ³	1.0J	1.0J		25	
Hexachloro-1,3-butadiene	ug/m ³	<1.9	<1.9		25	
m&p-Xylene	ug/m ³	3.4	3.4	1	25	
Methyl-tert-butyl ether	ug/m ³	<0.16	<0.16		25	
Methylene Chloride	ug/m ³	24.1	24.1	0	25	
n-Heptane	ug/m ³	2.7	2.7	0	25	
n-Hexane	ug/m ³	1.9	1.6	17	25	
Naphthalene	ug/m ³	<2.0	<2.0		25	
o-Xylene	ug/m ³	1.1J	1.1J		25	
Propylene	ug/m ³	<0.15	<0.15		25	
Styrene	ug/m ³	3.9	4.0	1	25	
Tetrachloroethene	ug/m ³	2.2	2.3	6	25	
Tetrahydrofuran	ug/m ³	<0.28	<0.28		25	
Toluene	ug/m ³	171	175	2	25	
trans-1,2-Dichloroethene	ug/m ³	<0.26	<0.26		25	
trans-1,3-Dichloropropene	ug/m ³	<0.41	<0.41		25	
Trichloroethene	ug/m ³	2.0	1.8	8	25	
Trichlorofluoromethane	ug/m ³	1.8	1.9	6	25	
Vinyl acetate	ug/m ³	<0.27	<0.27		25	
Vinyl chloride	ug/m ³	<0.15	<0.15		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521191

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521191

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10521191001	IAO-1	TO-15	680971		
10521191002	IAO-2	TO-15	680971		
10521191003	IAO-3	TO-15	680971		
10521191004	IAO-4	TO-15	680971		
10521191005	IAB-1	TO-15	680971		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
Required Client Information:

Company: **Key Engineering**
Address: **735 N. Water St., # 510**
Milwaukee, WI 53202
Email To: **t.schoen@keyengineering.com**
Phone: **414-224-8300** Fax:
Requested Due Date/TAT:

Section B
Required Project Information:

Report To: **T. Schoen**
Copy To:
Purchase Order No.:
Project Name: **Schoen's Bush**
Project Number: **1604-1204-0002**

Section C
Invoice Information:

Attention:
Company Name:
Address:
Pace Quote Reference:
Pace Project Manager/Sales Rep.
Pace Profile #: **34194**

36995

Page: **1** of **1**

Program

UST Superfund Emissions Clean Air Act
 Voluntary Clean Up Dry Clean RCRA Other

Location of Sampling by State _____ Reporting Units
ug/m³ mg/m³
PPBV PPMV
Other

Report Level II. III. IV. Other

Method:

PM10	JC - Filter Gas (%)	TO-3 BTX	TO-3M (Methane)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTX	TO-15 Short List Chlorinated	TO-15 Short List (other)
------	---------------------	----------	-----------------	-------	----------------------	----------------------	------------------------------	--------------------------

Pace Lab ID

001
002
003
004
005

'Section D Required Client Information


AIR SAMPLE ID

Sample IDs MUST BE UNIQUE

ITEM #

ITEM #	Valid Media Codes MEDIA CODE	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number				
				COMPOSITE START		COMPOSITE - ENDGRAB									
				DATE	TIME	DATE	TIME								
1	IA0-1	6LC	6/19/20 0720	6/19/20 1420	-29	-3	0278	1756			X				
2	IA0-2	6LC	6/19/20 0725	6/19/20 1425	-30	-1	3407	2011			X				
3	IA0-3	6LC	6/19/20 0730	6/19/20 1430	-30	-4	2803	0099			X				
4	IA0-4	6LC	6/19/20 0748	6/19/20 1548	-27	-1	2654	1869			X				
5	IAB-1	6LC	6/19/20 0735	6/19/20 1435	-27	-2	0636	1886			X				
6															
7															
8															
9															
10															
11															
12															

Comments :

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	6/10/20	1430		6/11/20	1000	- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Y/N Y/N Y/N Y/N Y/N Y/N Y/N

WO# : 10521191



10521191

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed (MM / DD / YY)

Temp in °C	Received on ice	Custody Sealed	Samples Intact
Y/N	Y/N	Y/N	Y/N



Document Name:
Air Sample Condition Upon Receipt

Document Revised: 19Nov2019
Page 1 of 1

Document No.:
F-MN-A-106-rev.20

Pace Analytical Services -
Minneapolis

Air Sample Condition
Upon Receipt

Client Name: Key

Project #:

WO# : 10521191

Courier: FedEx UPS USPS Client
 Pace SpeeDee Commercial See Exception

Tracking Number: 2937 2997 1992

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C): Thermometer Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: Date & Initials of Person Examining Contents: 6/11/20 MC

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC? <i>MC/1120</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <input checked="" type="checkbox"/> Air Can <input type="checkbox"/> Airbag <input type="checkbox"/> Filter <input type="checkbox"/> TDT <input type="checkbox"/> Passive	11. Individually Certified Cans Y <input checked="" type="checkbox"/> N <input type="checkbox"/> (list which samples)	
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters

Sample Number	Can.ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
IAO-1	278	1756	-5	5					
IAO-2	3407	2011	-4						
IAO-3	2803	99	-4						
IAO-4	2654	1869	-3						
IAB-1	636	1886	-5						

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Resolution:

Project Manager Review: Kirsten Hoberg

Date: 6/11/2020



Document Name:
SCUR Exception Form

Document Revised: 06Feb2020

Page 1 of 1

Document No.:

F-MN-C-298-Rev.03

Pace Analytical Services -

Minneapolis

SCUR Exceptions:

Workorder #:

Tracking Number/Temperature

3937 2997 8006
3937 2997 8017
3937 2997 8028
3937 2997 8039
3937 2997 8040

pH Adjustment Log for Preserved Samples

Instrument Log for Reserved Samples									
Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance after addition?	Initials
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	

June 15, 2020

Toni Schoen
Key Engineering
735 N. Water St.
Milwaukee, WI 53202

RE: Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521198

Dear Toni Schoen:


Enclosed are the analytical results for sample(s) received by the laboratory on June 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Valerie Collins, Key Engineering Milwaukee



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1604-1204-0002 Schaefer Brush
 Pace Project No.: 10521198

Pace Analytical Services Minneapolis

A2LA Certification #: 2926.01	Minnesota Petrofund Certification #: 1240
Alabama Certification #: 40770	Mississippi Certification #: MN00064
Alaska Contaminated Sites Certification #: 17-009	Missouri Certification #: 10100
Alaska DW Certification #: MN00064	Montana Certification #: CERT0092
Arizona Certification #: AZ0014	Nebraska Certification #: NE-OS-18-06
Arkansas DW Certification #: MN00064	Nevada Certification #: MN00064
Arkansas WW Certification #: 88-0680	New Hampshire Certification #: 2081
California Certification #: 2929	New Jersey Certification #: MN002
CNMI Saipan Certification #: MP0003	New York Certification #: 11647
Colorado Certification #: MN00064	North Carolina DW Certification #: 27700
Connecticut Certification #: PH-0256	North Carolina WW Certification #: 530
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Dakota Certification #: R-036
Florida Certification #: E87605	Ohio DW Certification #: 41244
Georgia Certification #: 959	Ohio VAP Certification #: CL101
Guam EPA Certification #: MN00064	Oklahoma Certification #: 9507
Hawaii Certification #: MN00064	Oregon Primary Certification #: MN300001
Idaho Certification #: MN00064	Oregon Secondary Certification #: MN200001
Illinois Certification #: 200011	Pennsylvania Certification #: 68-00563
Indiana Certification #: C-MN-01	Puerto Rico Certification #: MN00064
Iowa Certification #: 368	South Carolina Certification #: 74003001
Kansas Certification #: E-10167	Tennessee Certification #: TN02818
Kentucky DW Certification #: 90062	Texas Certification #: T104704192
Kentucky WW Certification #: 90062	Utah Certification #: MN00064
Louisiana DEQ Certification #: 03086	Vermont Certification #: VT-027053137
Louisiana DW Certification #: MN00064	Virginia Certification #: 460163
Maine Certification #: MN00064	Washington Certification #: C486
Maryland Certification #: 322	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Dept of Ag Certification #: via MN 027-053-137	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521198

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10521198001	SS-11	Air	06/09/20 12:30	06/11/20 10:00
10521198002	SS-12	Air	06/09/20 12:50	06/11/20 10:00
10521198003	SS-13	Air	06/09/20 13:00	06/11/20 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521198

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10521198001	SS-11	TO-15	MG2	61	PASI-M
10521198002	SS-12	TO-15	MG2	61	PASI-M
10521198003	SS-13	TO-15	MG2	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521198001	SS-11						
TO-15	Acetone	14.9	ug/m3	10.6	06/14/20 22:03		
TO-15	2-Butanone (MEK)	3.7J	ug/m3	5.2	06/14/20 22:03		
TO-15	1,4-Dichlorobenzene	5.1J	ug/m3	5.4	06/14/20 22:03		
TO-15	Dichlorodifluoromethane	10.0	ug/m3	1.8	06/14/20 22:03		
TO-15	Ethanol	22.3	ug/m3	3.4	06/14/20 22:03		
TO-15	Ethylbenzene	0.39J	ug/m3	1.5	06/14/20 22:03		
TO-15	4-Ethyltoluene	1.3J	ug/m3	4.4	06/14/20 22:03		
TO-15	n-Hexane	0.82J	ug/m3	1.3	06/14/20 22:03		
TO-15	Methylene Chloride	6.1J	ug/m3	6.2	06/14/20 22:03		
TO-15	Naphthalene	4.6J	ug/m3	4.7	06/14/20 22:03		
TO-15	2-Propanol	3.1J	ug/m3	4.4	06/14/20 22:03		
TO-15	Tetrachloroethene	303	ug/m3	1.2	06/14/20 22:03		
TO-15	Toluene	16.5	ug/m3	1.3	06/14/20 22:03		
TO-15	1,1,1-Trichloroethane	0.96J	ug/m3	1.9	06/14/20 22:03		
TO-15	Trichloroethene	8.4	ug/m3	0.96	06/14/20 22:03		
TO-15	Trichlorofluoromethane	2.0J	ug/m3	2.0	06/14/20 22:03		
TO-15	1,1,2-Trichlorotrifluoroethane	0.87J	ug/m3	2.7	06/14/20 22:03		
TO-15	1,2,4-Trimethylbenzene	7.5	ug/m3	1.7	06/14/20 22:03		
TO-15	1,3,5-Trimethylbenzene	2.4	ug/m3	1.7	06/14/20 22:03		
TO-15	m&p-Xylene	2.4J	ug/m3	3.1	06/14/20 22:03		
TO-15	o-Xylene	1.0J	ug/m3	1.5	06/14/20 22:03		
10521198002	SS-12						
TO-15	Acetone	7.1J	ug/m3	10.1	06/14/20 22:32		
TO-15	2-Butanone (MEK)	1.5J	ug/m3	5.0	06/14/20 22:32		
TO-15	1,4-Dichlorobenzene	2.5J	ug/m3	5.1	06/14/20 22:32		
TO-15	Dichlorodifluoromethane	3.9	ug/m3	1.7	06/14/20 22:32		
TO-15	Ethanol	3.2J	ug/m3	3.2	06/14/20 22:32		
TO-15	4-Ethyltoluene	0.80J	ug/m3	4.2	06/14/20 22:32		
TO-15	n-Hexane	0.59J	ug/m3	1.2	06/14/20 22:32		
TO-15	Methylene Chloride	2.6J	ug/m3	5.9	06/14/20 22:32		
TO-15	Naphthalene	4.0J	ug/m3	4.5	06/14/20 22:32		
TO-15	Tetrachloroethene	4110	ug/m3	34.7	06/14/20 22:58		
TO-15	Toluene	4.1	ug/m3	1.3	06/14/20 22:32		
TO-15	1,1,1-Trichloroethane	6.5	ug/m3	1.9	06/14/20 22:32		
TO-15	Trichloroethene	87.9	ug/m3	0.92	06/14/20 22:32		
TO-15	Trichlorofluoromethane	2.2	ug/m3	1.9	06/14/20 22:32		
TO-15	1,1,2-Trichlorotrifluoroethane	3.4	ug/m3	2.6	06/14/20 22:32		
TO-15	1,2,4-Trimethylbenzene	4.3	ug/m3	1.7	06/14/20 22:32		
TO-15	1,3,5-Trimethylbenzene	1.8	ug/m3	1.7	06/14/20 22:32		
TO-15	m&p-Xylene	1.2J	ug/m3	3.0	06/14/20 22:32		
TO-15	o-Xylene	0.47J	ug/m3	1.5	06/14/20 22:32		
10521198003	SS-13						
TO-15	Acetone	4.0J	ug/m3	10.6	06/14/20 21:34		
TO-15	Carbon tetrachloride	0.60J	ug/m3	2.2	06/14/20 21:34		
TO-15	Chloroform	0.43J	ug/m3	0.87	06/14/20 21:34		
TO-15	Cyclohexane	0.30J	ug/m3	3.1	06/14/20 21:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521198

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521198003	SS-13						
TO-15	1,4-Dichlorobenzene	2.2J	ug/m3	5.4	06/14/20 21:34		
TO-15	Dichlorodifluoromethane	4.3	ug/m3	1.8	06/14/20 21:34		
TO-15	Ethanol	4.7	ug/m3	3.4	06/14/20 21:34		
TO-15	Ethylbenzene	0.53J	ug/m3	1.5	06/14/20 21:34		
TO-15	4-Ethyltoluene	1.5J	ug/m3	4.4	06/14/20 21:34		
TO-15	n-Hexane	0.69J	ug/m3	1.3	06/14/20 21:34		
TO-15	Methylene Chloride	12.2	ug/m3	6.2	06/14/20 21:34		
TO-15	Naphthalene	4.7	ug/m3	4.7	06/14/20 21:34		
TO-15	2-Propanol	12.7	ug/m3	4.4	06/14/20 21:34		
TO-15	Tetrachloroethene	8.5	ug/m3	1.2	06/14/20 21:34		
TO-15	Toluene	11.5	ug/m3	1.3	06/14/20 21:34		
TO-15	Trichloroethene	1.5	ug/m3	0.96	06/14/20 21:34		
TO-15	Trichlorofluoromethane	1.9J	ug/m3	2.0	06/14/20 21:34		
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	06/14/20 21:34		
TO-15	1,2,4-Trimethylbenzene	9.3	ug/m3	1.7	06/14/20 21:34		
TO-15	1,3,5-Trimethylbenzene	2.7	ug/m3	1.7	06/14/20 21:34		
TO-15	m&p-Xylene	3.0J	ug/m3	3.1	06/14/20 21:34		
TO-15	o-Xylene	1.2J	ug/m3	1.5	06/14/20 21:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

Sample: SS-11	Lab ID: 10521198001	Collected: 06/09/20 12:30	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	14.9	ug/m3	10.6	2.2	1.75		06/14/20 22:03	67-64-1	
Benzene	<0.23	ug/m3	0.57	0.23	1.75		06/14/20 22:03	71-43-2	
Benzyl chloride	<0.83	ug/m3	4.6	0.83	1.75		06/14/20 22:03	100-44-7	
Bromodichloromethane	<0.31	ug/m3	2.4	0.31	1.75		06/14/20 22:03	75-27-4	
Bromoform	<3.2	ug/m3	9.2	3.2	1.75		06/14/20 22:03	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		06/14/20 22:03	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.79	0.18	1.75		06/14/20 22:03	106-99-0	
2-Butanone (MEK)	3.7J	ug/m3	5.2	0.98	1.75		06/14/20 22:03	78-93-3	
Carbon disulfide	<0.19	ug/m3	1.1	0.19	1.75		06/14/20 22:03	75-15-0	
Carbon tetrachloride	<0.45	ug/m3	2.2	0.45	1.75		06/14/20 22:03	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.6	0.23	1.75		06/14/20 22:03	108-90-7	
Chloroethane	<0.22	ug/m3	0.94	0.22	1.75		06/14/20 22:03	75-00-3	
Chloroform	<0.23	ug/m3	0.87	0.23	1.75		06/14/20 22:03	67-66-3	
Chloromethane	<0.12	ug/m3	0.74	0.12	1.75		06/14/20 22:03	74-87-3	
Cyclohexane	<0.26	ug/m3	3.1	0.26	1.75		06/14/20 22:03	110-82-7	
Dibromochloromethane	<0.70	ug/m3	3.0	0.70	1.75		06/14/20 22:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.48	ug/m3	1.4	0.48	1.75		06/14/20 22:03	106-93-4	
1,2-Dichlorobenzene	<0.55	ug/m3	2.1	0.55	1.75		06/14/20 22:03	95-50-1	
1,3-Dichlorobenzene	<0.83	ug/m3	2.1	0.83	1.75		06/14/20 22:03	541-73-1	
1,4-Dichlorobenzene	5.1J	ug/m3	5.4	1.3	1.75		06/14/20 22:03	106-46-7	
Dichlorodifluoromethane	10.0	ug/m3	1.8	0.30	1.75		06/14/20 22:03	75-71-8	
1,1-Dichloroethane	<0.20	ug/m3	1.4	0.20	1.75		06/14/20 22:03	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	0.72	0.30	1.75		06/14/20 22:03	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.4	0.21	1.75		06/14/20 22:03	75-35-4	
cis-1,2-Dichloroethene	<0.20	ug/m3	1.4	0.20	1.75		06/14/20 22:03	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		06/14/20 22:03	156-60-5	
1,2-Dichloropropane	<0.35	ug/m3	1.6	0.35	1.75		06/14/20 22:03	78-87-5	
cis-1,3-Dichloropropene	<0.65	ug/m3	1.6	0.65	1.75		06/14/20 22:03	10061-01-5	
trans-1,3-Dichloropropene	<0.46	ug/m3	1.6	0.46	1.75		06/14/20 22:03	10061-02-6	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.5	0.28	1.75		06/14/20 22:03	76-14-2	
Ethanol	22.3	ug/m3	3.4	1.6	1.75		06/14/20 22:03	64-17-5	
Ethyl acetate	<0.32	ug/m3	1.3	0.32	1.75		06/14/20 22:03	141-78-6	
Ethylbenzene	0.39J	ug/m3	1.5	0.24	1.75		06/14/20 22:03	100-41-4	
4-Ethyltoluene	1.3J	ug/m3	4.4	0.75	1.75		06/14/20 22:03	622-96-8	
n-Heptane	<0.34	ug/m3	1.5	0.34	1.75		06/14/20 22:03	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		06/14/20 22:03	87-68-3	
n-Hexane	0.82J	ug/m3	1.3	0.35	1.75		06/14/20 22:03	110-54-3	
2-Hexanone	<0.60	ug/m3	7.3	0.60	1.75		06/14/20 22:03	591-78-6	
Methylene Chloride	6.1J	ug/m3	6.2	1.6	1.75		06/14/20 22:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.31	ug/m3	7.3	0.31	1.75		06/14/20 22:03	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	6.4	0.18	1.75		06/14/20 22:03	1634-04-4	
Naphthalene	4.6J	ug/m3	4.7	2.2	1.75		06/14/20 22:03	91-20-3	
2-Propanol	3.1J	ug/m3	4.4	0.66	1.75		06/14/20 22:03	67-63-0	
Propylene	<0.17	ug/m3	0.61	0.17	1.75		06/14/20 22:03	115-07-1	
Styrene	<0.75	ug/m3	1.5	0.75	1.75		06/14/20 22:03	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

Sample: SS-11	Lab ID: 10521198001	Collected: 06/09/20 12:30	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	1.2	0.54	1.75		06/14/20 22:03	79-34-5	
Tetrachloroethene	303	ug/m3	1.2	0.47	1.75		06/14/20 22:03	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		06/14/20 22:03	109-99-9	
Toluene	16.5	ug/m3	1.3	0.30	1.75		06/14/20 22:03	108-88-3	
1,2,4-Trichlorobenzene	<5.8	ug/m3	13.2	5.8	1.75		06/14/20 22:03	120-82-1	
1,1,1-Trichloroethane	0.96J	ug/m3	1.9	0.27	1.75		06/14/20 22:03	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.97	0.35	1.75		06/14/20 22:03	79-00-5	
Trichloroethylene	8.4	ug/m3	0.96	0.39	1.75		06/14/20 22:03	79-01-6	
Trichlorofluoromethane	2.0J	ug/m3	2.0	0.40	1.75		06/14/20 22:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.87J	ug/m3	2.7	0.45	1.75		06/14/20 22:03	76-13-1	
1,2,4-Trimethylbenzene	7.5	ug/m3	1.7	0.55	1.75		06/14/20 22:03	95-63-6	
1,3,5-Trimethylbenzene	2.4	ug/m3	1.7	0.44	1.75		06/14/20 22:03	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.3	0.31	1.75		06/14/20 22:03	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.46	0.17	1.75		06/14/20 22:03	75-01-4	
m&p-Xylene	2.4J	ug/m3	3.1	0.59	1.75		06/14/20 22:03	179601-23-1	
o-Xylene	1.0J	ug/m3	1.5	0.26	1.75		06/14/20 22:03	95-47-6	
<hr/>									
Sample: SS-12	Lab ID: 10521198002	Collected: 06/09/20 12:50	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	7.1J	ug/m3	10.1	2.2	1.68		06/14/20 22:32	67-64-1	
Benzene	<0.22	ug/m3	0.55	0.22	1.68		06/14/20 22:32	71-43-2	
Benzyl chloride	<0.79	ug/m3	4.4	0.79	1.68		06/14/20 22:32	100-44-7	
Bromodichloromethane	<0.30	ug/m3	2.3	0.30	1.68		06/14/20 22:32	75-27-4	
Bromoform	<3.0	ug/m3	8.8	3.0	1.68		06/14/20 22:32	75-25-2	
Bromomethane	<0.25	ug/m3	1.3	0.25	1.68		06/14/20 22:32	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.76	0.17	1.68		06/14/20 22:32	106-99-0	
2-Butanone (MEK)	1.5J	ug/m3	5.0	0.94	1.68		06/14/20 22:32	78-93-3	
Carbon disulfide	<0.18	ug/m3	1.1	0.18	1.68		06/14/20 22:32	75-15-0	
Carbon tetrachloride	<0.43	ug/m3	2.2	0.43	1.68		06/14/20 22:32	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.6	0.22	1.68		06/14/20 22:32	108-90-7	
Chloroethane	<0.21	ug/m3	0.90	0.21	1.68		06/14/20 22:32	75-00-3	
Chloroform	<0.22	ug/m3	0.83	0.22	1.68		06/14/20 22:32	67-66-3	
Chloromethane	<0.11	ug/m3	0.71	0.11	1.68		06/14/20 22:32	74-87-3	
Cyclohexane	<0.25	ug/m3	2.9	0.25	1.68		06/14/20 22:32	110-82-7	
Dibromochloromethane	<0.67	ug/m3	2.9	0.67	1.68		06/14/20 22:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.46	ug/m3	1.3	0.46	1.68		06/14/20 22:32	106-93-4	
1,2-Dichlorobenzene	<0.53	ug/m3	2.0	0.53	1.68		06/14/20 22:32	95-50-1	
1,3-Dichlorobenzene	<0.80	ug/m3	2.0	0.80	1.68		06/14/20 22:32	541-73-1	
1,4-Dichlorobenzene	2.5J	ug/m3	5.1	1.2	1.68		06/14/20 22:32	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

Sample: SS-12	Lab ID: 10521198002	Collected: 06/09/20 12:50	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	3.9	ug/m3	1.7	0.28	1.68		06/14/20 22:32	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.4	0.19	1.68		06/14/20 22:32	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	0.69	0.28	1.68		06/14/20 22:32	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.4	0.20	1.68		06/14/20 22:32	75-35-4	
cis-1,2-Dichloroethene	<0.19	ug/m3	1.4	0.19	1.68		06/14/20 22:32	156-59-2	
trans-1,2-Dichloroethene	<0.28	ug/m3	1.4	0.28	1.68		06/14/20 22:32	156-60-5	
1,2-Dichloropropane	<0.34	ug/m3	1.6	0.34	1.68		06/14/20 22:32	78-87-5	
cis-1,3-Dichloropropene	<0.62	ug/m3	1.6	0.62	1.68		06/14/20 22:32	10061-01-5	
trans-1,3-Dichloropropene	<0.44	ug/m3	1.6	0.44	1.68		06/14/20 22:32	10061-02-6	
Dichlorotetrafluoroethane	<0.27	ug/m3	2.4	0.27	1.68		06/14/20 22:32	76-14-2	
Ethanol	3.2J	ug/m3	3.2	1.6	1.68		06/14/20 22:32	64-17-5	
Ethyl acetate	<0.31	ug/m3	1.2	0.31	1.68		06/14/20 22:32	141-78-6	
Ethylbenzene	<0.23	ug/m3	1.5	0.23	1.68		06/14/20 22:32	100-41-4	
4-Ethyltoluene	0.80J	ug/m3	4.2	0.72	1.68		06/14/20 22:32	622-96-8	
n-Heptane	<0.33	ug/m3	1.4	0.33	1.68		06/14/20 22:32	142-82-5	
Hexachloro-1,3-butadiene	<2.1	ug/m3	9.1	2.1	1.68		06/14/20 22:32	87-68-3	
n-Hexane	0.59J	ug/m3	1.2	0.34	1.68		06/14/20 22:32	110-54-3	
2-Hexanone	<0.58	ug/m3	7.0	0.58	1.68		06/14/20 22:32	591-78-6	
Methylene Chloride	2.6J	ug/m3	5.9	1.6	1.68		06/14/20 22:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.30	ug/m3	7.0	0.30	1.68		06/14/20 22:32	108-10-1	
Methyl-tert-butyl ether	<0.17	ug/m3	6.1	0.17	1.68		06/14/20 22:32	1634-04-4	
Naphthalene	4.0J	ug/m3	4.5	2.1	1.68		06/14/20 22:32	91-20-3	
2-Propanol	<0.64	ug/m3	4.2	0.64	1.68		06/14/20 22:32	67-63-0	
Propylene	<0.16	ug/m3	0.59	0.16	1.68		06/14/20 22:32	115-07-1	
Styrene	<0.72	ug/m3	1.5	0.72	1.68		06/14/20 22:32	100-42-5	
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	1.2	0.52	1.68		06/14/20 22:32	79-34-5	
Tetrachloroethene	4110	ug/m3	34.7	13.5	50.4		06/14/20 22:58	127-18-4	
Tetrahydrofuran	<0.31	ug/m3	1.0	0.31	1.68		06/14/20 22:32	109-99-9	
Toluene	4.1	ug/m3	1.3	0.29	1.68		06/14/20 22:32	108-88-3	
1,2,4-Trichlorobenzene	<5.6	ug/m3	12.7	5.6	1.68		06/14/20 22:32	120-82-1	
1,1,1-Trichloroethane	6.5	ug/m3	1.9	0.26	1.68		06/14/20 22:32	71-55-6	
1,1,2-Trichloroethane	<0.33	ug/m3	0.93	0.33	1.68		06/14/20 22:32	79-00-5	
Trichloroethene	87.9	ug/m3	0.92	0.37	1.68		06/14/20 22:32	79-01-6	
Trichlorofluoromethane	2.2	ug/m3	1.9	0.39	1.68		06/14/20 22:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	3.4	ug/m3	2.6	0.43	1.68		06/14/20 22:32	76-13-1	
1,2,4-Trimethylbenzene	4.3	ug/m3	1.7	0.52	1.68		06/14/20 22:32	95-63-6	
1,3,5-Trimethylbenzene	1.8	ug/m3	1.7	0.42	1.68		06/14/20 22:32	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.2	0.30	1.68		06/14/20 22:32	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.44	0.16	1.68		06/14/20 22:32	75-01-4	
m&p-Xylene	1.2J	ug/m3	3.0	0.57	1.68		06/14/20 22:32	179601-23-1	
o-Xylene	0.47J	ug/m3	1.5	0.25	1.68		06/14/20 22:32	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

Sample: SS-13	Lab ID: 10521198003	Collected: 06/09/20 13:00	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	4.0J	ug/m3	10.6	2.2	1.75		06/14/20 21:34	67-64-1	
Benzene	<0.23	ug/m3	0.57	0.23	1.75		06/14/20 21:34	71-43-2	
Benzyl chloride	<0.83	ug/m3	4.6	0.83	1.75		06/14/20 21:34	100-44-7	
Bromodichloromethane	<0.31	ug/m3	2.4	0.31	1.75		06/14/20 21:34	75-27-4	
Bromoform	<3.2	ug/m3	9.2	3.2	1.75		06/14/20 21:34	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		06/14/20 21:34	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.79	0.18	1.75		06/14/20 21:34	106-99-0	
2-Butanone (MEK)	<0.98	ug/m3	5.2	0.98	1.75		06/14/20 21:34	78-93-3	
Carbon disulfide	<0.19	ug/m3	1.1	0.19	1.75		06/14/20 21:34	75-15-0	
Carbon tetrachloride	0.60J	ug/m3	2.2	0.45	1.75		06/14/20 21:34	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.6	0.23	1.75		06/14/20 21:34	108-90-7	
Chloroethane	<0.22	ug/m3	0.94	0.22	1.75		06/14/20 21:34	75-00-3	
Chloroform	0.43J	ug/m3	0.87	0.23	1.75		06/14/20 21:34	67-66-3	
Chloromethane	<0.12	ug/m3	0.74	0.12	1.75		06/14/20 21:34	74-87-3	
Cyclohexane	0.30J	ug/m3	3.1	0.26	1.75		06/14/20 21:34	110-82-7	
Dibromochloromethane	<0.70	ug/m3	3.0	0.70	1.75		06/14/20 21:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.48	ug/m3	1.4	0.48	1.75		06/14/20 21:34	106-93-4	
1,2-Dichlorobenzene	<0.55	ug/m3	2.1	0.55	1.75		06/14/20 21:34	95-50-1	
1,3-Dichlorobenzene	<0.83	ug/m3	2.1	0.83	1.75		06/14/20 21:34	541-73-1	
1,4-Dichlorobenzene	2.2J	ug/m3	5.4	1.3	1.75		06/14/20 21:34	106-46-7	
Dichlorodifluoromethane	4.3	ug/m3	1.8	0.30	1.75		06/14/20 21:34	75-71-8	
1,1-Dichloroethane	<0.20	ug/m3	1.4	0.20	1.75		06/14/20 21:34	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	0.72	0.30	1.75		06/14/20 21:34	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.4	0.21	1.75		06/14/20 21:34	75-35-4	
cis-1,2-Dichloroethene	<0.20	ug/m3	1.4	0.20	1.75		06/14/20 21:34	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		06/14/20 21:34	156-60-5	
1,2-Dichloropropane	<0.35	ug/m3	1.6	0.35	1.75		06/14/20 21:34	78-87-5	
cis-1,3-Dichloropropene	<0.65	ug/m3	1.6	0.65	1.75		06/14/20 21:34	10061-01-5	
trans-1,3-Dichloropropene	<0.46	ug/m3	1.6	0.46	1.75		06/14/20 21:34	10061-02-6	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.5	0.28	1.75		06/14/20 21:34	76-14-2	
Ethanol	4.7	ug/m3	3.4	1.6	1.75		06/14/20 21:34	64-17-5	
Ethyl acetate	<0.32	ug/m3	1.3	0.32	1.75		06/14/20 21:34	141-78-6	
Ethylbenzene	0.53J	ug/m3	1.5	0.24	1.75		06/14/20 21:34	100-41-4	
4-Ethyltoluene	1.5J	ug/m3	4.4	0.75	1.75		06/14/20 21:34	622-96-8	
n-Heptane	<0.34	ug/m3	1.5	0.34	1.75		06/14/20 21:34	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		06/14/20 21:34	87-68-3	
n-Hexane	0.69J	ug/m3	1.3	0.35	1.75		06/14/20 21:34	110-54-3	
2-Hexanone	<0.60	ug/m3	7.3	0.60	1.75		06/14/20 21:34	591-78-6	
Methylene Chloride	12.2	ug/m3	6.2	1.6	1.75		06/14/20 21:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.31	ug/m3	7.3	0.31	1.75		06/14/20 21:34	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	6.4	0.18	1.75		06/14/20 21:34	1634-04-4	
Naphthalene	4.7	ug/m3	4.7	2.2	1.75		06/14/20 21:34	91-20-3	
2-Propanol	12.7	ug/m3	4.4	0.66	1.75		06/14/20 21:34	67-63-0	
Propylene	<0.17	ug/m3	0.61	0.17	1.75		06/14/20 21:34	115-07-1	
Styrene	<0.75	ug/m3	1.5	0.75	1.75		06/14/20 21:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

Sample: SS-13 Lab ID: 10521198003 Collected: 06/09/20 13:00 Received: 06/11/20 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	1.2	0.54	1.75		06/14/20 21:34	79-34-5	
Tetrachloroethene	8.5	ug/m3	1.2	0.47	1.75		06/14/20 21:34	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		06/14/20 21:34	109-99-9	
Toluene	11.5	ug/m3	1.3	0.30	1.75		06/14/20 21:34	108-88-3	
1,2,4-Trichlorobenzene	<5.8	ug/m3	13.2	5.8	1.75		06/14/20 21:34	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.9	0.27	1.75		06/14/20 21:34	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.97	0.35	1.75		06/14/20 21:34	79-00-5	
Trichloroethylene	1.5	ug/m3	0.96	0.39	1.75		06/14/20 21:34	79-01-6	
Trichlorofluoromethane	1.9J	ug/m3	2.0	0.40	1.75		06/14/20 21:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	0.45	1.75		06/14/20 21:34	76-13-1	
1,2,4-Trimethylbenzene	9.3	ug/m3	1.7	0.55	1.75		06/14/20 21:34	95-63-6	
1,3,5-Trimethylbenzene	2.7	ug/m3	1.7	0.44	1.75		06/14/20 21:34	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.3	0.31	1.75		06/14/20 21:34	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.46	0.17	1.75		06/14/20 21:34	75-01-4	
m&p-Xylene	3.0J	ug/m3	3.1	0.59	1.75		06/14/20 21:34	179601-23-1	
o-Xylene	1.2J	ug/m3	1.5	0.26	1.75		06/14/20 21:34	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

QC Batch: 681016

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory:

Pace Analytical Services - Minneapolis

Associated Lab Samples: 10521198001, 10521198002, 10521198003

METHOD BLANK: 3644602

Matrix: Air

Associated Lab Samples: 10521198001, 10521198002, 10521198003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.076	0.56	06/14/20 09:24	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.35	06/14/20 09:24	
1,1,2-Trichloroethane	ug/m3	<0.099	0.28	06/14/20 09:24	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.13	0.78	06/14/20 09:24	
1,1-Dichloroethane	ug/m3	<0.056	0.41	06/14/20 09:24	
1,1-Dichloroethene	ug/m3	<0.060	0.40	06/14/20 09:24	
1,2,4-Trichlorobenzene	ug/m3	<1.7	3.8	06/14/20 09:24	
1,2,4-Trimethylbenzene	ug/m3	<0.16	0.50	06/14/20 09:24	
1,2-Dibromoethane (EDB)	ug/m3	<0.14	0.39	06/14/20 09:24	
1,2-Dichlorobenzene	ug/m3	<0.16	0.61	06/14/20 09:24	
1,2-Dichloroethane	ug/m3	<0.084	0.21	06/14/20 09:24	
1,2-Dichloropropane	ug/m3	<0.10	0.47	06/14/20 09:24	
1,3,5-Trimethylbenzene	ug/m3	<0.12	0.50	06/14/20 09:24	
1,3-Butadiene	ug/m3	<0.052	0.22	06/14/20 09:24	
1,3-Dichlorobenzene	ug/m3	<0.24	0.61	06/14/20 09:24	
1,4-Dichlorobenzene	ug/m3	<0.37	1.5	06/14/20 09:24	
2-Butanone (MEK)	ug/m3	<0.28	1.5	06/14/20 09:24	
2-Hexanone	ug/m3	<0.17	2.1	06/14/20 09:24	
2-Propanol	ug/m3	<0.19	1.2	06/14/20 09:24	
4-Ethyltoluene	ug/m3	<0.21	1.2	06/14/20 09:24	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.088	2.1	06/14/20 09:24	
Acetone	ug/m3	<0.64	3.0	06/14/20 09:24	
Benzene	ug/m3	<0.065	0.16	06/14/20 09:24	
Benzyl chloride	ug/m3	<0.24	1.3	06/14/20 09:24	
Bromodichloromethane	ug/m3	<0.088	0.68	06/14/20 09:24	
Bromoform	ug/m3	<0.90	2.6	06/14/20 09:24	
Bromomethane	ug/m3	<0.073	0.39	06/14/20 09:24	
Carbon disulfide	ug/m3	<0.054	0.32	06/14/20 09:24	
Carbon tetrachloride	ug/m3	<0.13	0.64	06/14/20 09:24	
Chlorobenzene	ug/m3	<0.066	0.47	06/14/20 09:24	
Chloroethane	ug/m3	<0.063	0.27	06/14/20 09:24	
Chloroform	ug/m3	<0.066	0.25	06/14/20 09:24	
Chloromethane	ug/m3	<0.033	0.21	06/14/20 09:24	
cis-1,2-Dichloroethene	ug/m3	<0.058	0.40	06/14/20 09:24	
cis-1,3-Dichloropropene	ug/m3	<0.19	0.46	06/14/20 09:24	
Cyclohexane	ug/m3	<0.073	0.88	06/14/20 09:24	
Dibromochloromethane	ug/m3	<0.20	0.86	06/14/20 09:24	
Dichlorodifluoromethane	ug/m3	<0.084	0.50	06/14/20 09:24	
Dichlorotetrafluoroethane	ug/m3	<0.079	0.71	06/14/20 09:24	
Ethanol	ug/m3	<0.47	0.96	06/14/20 09:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

METHOD BLANK: 3644602

Matrix: Air

Associated Lab Samples: 10521198001, 10521198002, 10521198003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.092	0.37	06/14/20 09:24	
Ethylbenzene	ug/m3	<0.069	0.44	06/14/20 09:24	
Hexachloro-1,3-butadiene	ug/m3	<0.62	2.7	06/14/20 09:24	
m&p-Xylene	ug/m3	<0.17	0.88	06/14/20 09:24	
Methyl-tert-butyl ether	ug/m3	<0.050	1.8	06/14/20 09:24	
Methylene Chloride	ug/m3	<0.46	1.8	06/14/20 09:24	
n-Heptane	ug/m3	<0.098	0.42	06/14/20 09:24	
n-Hexane	ug/m3	<0.10	0.36	06/14/20 09:24	
Naphthalene	ug/m3	0.68J	1.3	06/14/20 09:24	
o-Xylene	ug/m3	<0.074	0.44	06/14/20 09:24	
Propylene	ug/m3	<0.049	0.18	06/14/20 09:24	
Styrene	ug/m3	<0.21	0.43	06/14/20 09:24	
Tetrachloroethene	ug/m3	<0.13	0.34	06/14/20 09:24	
Tetrahydrofuran	ug/m3	<0.092	0.30	06/14/20 09:24	
Toluene	ug/m3	<0.086	0.38	06/14/20 09:24	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	06/14/20 09:24	
trans-1,3-Dichloropropene	ug/m3	<0.13	0.46	06/14/20 09:24	
Trichloroethene	ug/m3	<0.11	0.27	06/14/20 09:24	
Trichlorofluoromethane	ug/m3	<0.12	0.57	06/14/20 09:24	
Vinyl acetate	ug/m3	<0.088	0.36	06/14/20 09:24	
Vinyl chloride	ug/m3	<0.048	0.13	06/14/20 09:24	

LABORATORY CONTROL SAMPLE: 3644603

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	57	70.3	123	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	71.9	73.6	102	70-132	
1,1,2-Trichloroethane	ug/m3	57.3	62.9	110	70-133	
1,1,2-Trichlorotrifluoroethane	ug/m3	80.3	94.7	118	70-130	
1,1-Dichloroethane	ug/m3	42.7	49.4	116	70-130	
1,1-Dichloroethene	ug/m3	41.4	48.9	118	69-137	
1,2,4-Trichlorobenzene	ug/m3	156	153	99	70-130	
1,2,4-Trimethylbenzene	ug/m3	51.5	52.9	103	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.3	85.7	107	70-138	
1,2-Dichlorobenzene	ug/m3	63.1	67.7	107	70-136	
1,2-Dichloroethane	ug/m3	42.4	51.9	122	70-130	
1,2-Dichloropropane	ug/m3	48.6	53.8	111	70-132	
1,3,5-Trimethylbenzene	ug/m3	51.6	50.5	98	70-136	
1,3-Butadiene	ug/m3	23.3	27.4	118	67-139	
1,3-Dichlorobenzene	ug/m3	63.4	71.8	113	70-138	
1,4-Dichlorobenzene	ug/m3	63.4	71.1	112	70-145	
2-Butanone (MEK)	ug/m3	31.4	31.8	101	61-130	
2-Hexanone	ug/m3	42.8	46.7	109	70-138	
2-Propanol	ug/m3	119	136	115	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

LABORATORY CONTROL SAMPLE: 3644603

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.4	54.7	104	70-142	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	49.4	113	70-134	
Acetone	ug/m3	126	130	103	59-137	
Benzene	ug/m3	33.5	35.9	107	70-133	
Benzyl chloride	ug/m3	55.1	61.4	112	70-139	
Bromodichloromethane	ug/m3	71.5	85.6	120	70-130	
Bromoform	ug/m3	110	130	118	60-140	
Bromomethane	ug/m3	41.3	46.4	112	70-131	
Carbon disulfide	ug/m3	33.3	37.6	113	70-130	
Carbon tetrachloride	ug/m3	66.2	83.0	125	70-133	
Chlorobenzene	ug/m3	48.3	48.7	101	70-131	
Chloroethane	ug/m3	28.1	31.1	111	70-141	
Chloroform	ug/m3	51.1	59.0	116	70-130	
Chloromethane	ug/m3	21.9	25.7	117	64-137	
cis-1,2-Dichloroethene	ug/m3	41.6	46.9	113	70-132	
cis-1,3-Dichloropropene	ug/m3	47.7	54.4	114	70-138	
Cyclohexane	ug/m3	36.7	40.8	111	70-133	
Dibromochloromethane	ug/m3	90.7	110	121	70-139	
Dichlorodifluoromethane	ug/m3	51.6	62.9	122	70-130	
Dichlorotetrafluoroethane	ug/m3	72.7	86.4	119	65-133	
Ethanol	ug/m3	103	112	109	65-135	
Ethyl acetate	ug/m3	38.6	43.2	112	70-135	
Ethylbenzene	ug/m3	45.6	46.7	102	70-142	
Hexachloro-1,3-butadiene	ug/m3	112	141	126	70-134	
m&p-Xylene	ug/m3	91.2	95.5	105	70-141	
Methyl-tert-butyl ether	ug/m3	38.4	43.9	114	70-131	
Methylene Chloride	ug/m3	182	197	108	69-130	
n-Heptane	ug/m3	43.6	47.4	109	70-130	
n-Hexane	ug/m3	37.6	39.4	105	70-131	
Naphthalene	ug/m3	57.7	51.7	90	63-130	
o-Xylene	ug/m3	45.5	45.6	100	70-135	
Propylene	ug/m3	18.2	21.0	116	63-139	
Styrene	ug/m3	44.9	50.2	112	70-143	
Tetrachloroethene	ug/m3	71	74.5	105	70-136	
Tetrahydrofuran	ug/m3	31.5	35.5	113	70-137	
Toluene	ug/m3	39.5	41.9	106	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	46.6	110	70-132	
trans-1,3-Dichloropropene	ug/m3	47.7	58.7	123	70-139	
Trichloroethene	ug/m3	56.3	61.5	109	70-132	
Trichlorofluoromethane	ug/m3	59.7	72.6	122	65-136	
Vinyl acetate	ug/m3	34.5	41.3	120	66-140	
Vinyl chloride	ug/m3	26.7	32.2	120	68-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

SAMPLE DUPLICATE: 3644897

Parameter	Units	10521375008 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m ³	<0.27	<0.27		25	
1,1,2,2-Tetrachloroethane	ug/m ³	<0.54	<0.54		25	
1,1,2-Trichloroethane	ug/m ³	<0.35	<0.35		25	
1,1,2-Trichlorotrifluoroethane	ug/m ³	0.46J	0.48J		25	
1,1-Dichloroethane	ug/m ³	<0.20	<0.20		25	
1,1-Dichloroethene	ug/m ³	<0.21	<0.21		25	
1,2,4-Trichlorobenzene	ug/m ³	<5.8	<5.8		25	
1,2,4-Trimethylbenzene	ug/m ³	0.87J	0.94J		25	
1,2-Dibromoethane (EDB)	ug/m ³	<0.48	<0.48		25	
1,2-Dichlorobenzene	ug/m ³	<0.55	<0.55		25	
1,2-Dichloroethane	ug/m ³	<0.30	<0.30		25	
1,2-Dichloropropane	ug/m ³	<0.35	<0.35		25	
1,3,5-Trimethylbenzene	ug/m ³	<0.44	<0.44		25	
1,3-Butadiene	ug/m ³	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m ³	<0.83	<0.83		25	
1,4-Dichlorobenzene	ug/m ³	<1.3	<1.3		25	
2-Butanone (MEK)	ug/m ³	<0.98	<0.98		25	
2-Hexanone	ug/m ³	<0.60	<0.60		25	
2-Propanol	ug/m ³	2.8J	2.8J		25	
4-Ethyltoluene	ug/m ³	<0.75	<0.75		25	
4-Methyl-2-pentanone (MIBK)	ug/m ³	<0.31	0.32J		25	
Acetone	ug/m ³	6.1J	6.1J		25	
Benzene	ug/m ³	<0.23	<0.23		25	
Benzyl chloride	ug/m ³	<0.83	<0.83		25	
Bromodichloromethane	ug/m ³	<0.31	<0.31		25	
Bromoform	ug/m ³	<3.2	<3.2		25	
Bromomethane	ug/m ³	<0.26	<0.26		25	
Carbon disulfide	ug/m ³	1.3	1.3	0	25	
Carbon tetrachloride	ug/m ³	<0.45	<0.45		25	
Chlorobenzene	ug/m ³	<0.23	<0.23		25	
Chloroethane	ug/m ³	<0.22	<0.22		25	
Chloroform	ug/m ³	<0.23	<0.23		25	
Chloromethane	ug/m ³	<0.12	<0.12		25	
cis-1,2-Dichloroethene	ug/m ³	<0.20	<0.20		25	
cis-1,3-Dichloropropene	ug/m ³	<0.65	<0.65		25	
Cyclohexane	ug/m ³	<0.26	<0.26		25	
Dibromochloromethane	ug/m ³	<0.70	<0.70		25	
Dichlorodifluoromethane	ug/m ³	3.2	3.5	7	25	
Dichlorotetrafluoroethane	ug/m ³	<0.28	<0.28		25	
Ethanol	ug/m ³	25.0	23.8	5	25	
Ethyl acetate	ug/m ³	<0.32	<0.32		25	
Ethylbenzene	ug/m ³	<0.24	0.27J		25	
Hexachloro-1,3-butadiene	ug/m ³	<2.2	<2.2		25	
m&p-Xylene	ug/m ³	1.1J	1.1J		25	
Methyl-tert-butyl ether	ug/m ³	<0.18	<0.18		25	
Methylene Chloride	ug/m ³	4.6J	4.4J		25	
n-Heptane	ug/m ³	<0.34	<0.34		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

SAMPLE DUPLICATE: 3644897

Parameter	Units	10521375008 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	0.46J	0.62J		25	
Naphthalene	ug/m3	<2.2	2.9J		25	
o-Xylene	ug/m3	0.35J	0.41J		25	
Propylene	ug/m3	<0.17	<0.17		25	
Styrene	ug/m3	<0.75	<0.75		25	
Tetrachloroethene	ug/m3	0.71J	0.79J		25	
Tetrahydrofuran	ug/m3	<0.32	<0.32		25	
Toluene	ug/m3	0.90J	0.92J		25	
trans-1,2-Dichloroethene	ug/m3	<0.29	<0.29		25	
trans-1,3-Dichloropropene	ug/m3	<0.46	<0.46		25	
Trichloroethene	ug/m3	6.4	6.8	5	25	
Trichlorofluoromethane	ug/m3	1.9J	1.8J		25	
Vinyl acetate	ug/m3	<0.31	<0.31		25	
Vinyl chloride	ug/m3	<0.17	<0.17		25	

SAMPLE DUPLICATE: 3644898

Parameter	Units	10521375009 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.27	<0.27		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.54	<0.54		25	
1,1,2-Trichloroethane	ug/m3	<0.35	<0.35		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.64J	0.58J		25	
1,1-Dichloroethane	ug/m3	<0.20	<0.20		25	
1,1-Dichloroethene	ug/m3	<0.21	<0.21		25	
1,2,4-Trichlorobenzene	ug/m3	<5.8	<5.8		25	
1,2,4-Trimethylbenzene	ug/m3	0.89J	0.90J		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.48	<0.48		25	
1,2-Dichlorobenzene	ug/m3	<0.55	<0.55		25	
1,2-Dichloroethane	ug/m3	<0.30	<0.30		25	
1,2-Dichloropropane	ug/m3	<0.35	<0.35		25	
1,3,5-Trimethylbenzene	ug/m3	<0.44	<0.44		25	
1,3-Butadiene	ug/m3	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m3	<0.83	<0.83		25	
1,4-Dichlorobenzene	ug/m3	<1.3	<1.3		25	
2-Butanone (MEK)	ug/m3	0.98J	<0.98		25	
2-Hexanone	ug/m3	<0.60	<0.60		25	
2-Propanol	ug/m3	4.0J	4.2J		25	
4-Ethyltoluene	ug/m3	<0.75	<0.75		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.31	<0.31		25	
Acetone	ug/m3	6.3J	6.3J		25	
Benzene	ug/m3	<0.23	<0.23		25	
Benzyl chloride	ug/m3	<0.83	<0.83		25	
Bromodichloromethane	ug/m3	<0.31	<0.31		25	
Bromoform	ug/m3	<3.2	<3.2		25	
Bromomethane	ug/m3	<0.26	<0.26		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

SAMPLE DUPLICATE: 3644898

Parameter	Units	10521375009 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m ³	1.3	1.3	2	25	
Carbon tetrachloride	ug/m ³	<0.45	<0.45		25	
Chlorobenzene	ug/m ³	<0.23	<0.23		25	
Chloroethane	ug/m ³	<0.22	<0.22		25	
Chloroform	ug/m ³	<0.23	<0.23		25	
Chloromethane	ug/m ³	<0.12	<0.12		25	
cis-1,2-Dichloroethene	ug/m ³	<0.20	<0.20		25	
cis-1,3-Dichloropropene	ug/m ³	<0.65	<0.65		25	
Cyclohexane	ug/m ³	<0.26	<0.26		25	
Dibromochloromethane	ug/m ³	<0.70	<0.70		25	
Dichlorodifluoromethane	ug/m ³	3.6	3.5	3	25	
Dichlorotetrafluoroethane	ug/m ³	<0.28	<0.28		25	
Ethanol	ug/m ³	13.8	14.4	4	25	
Ethyl acetate	ug/m ³	<0.32	<0.32		25	
Ethylbenzene	ug/m ³	<0.24	<0.24		25	
Hexachloro-1,3-butadiene	ug/m ³	<2.2	<2.2		25	
m&p-Xylene	ug/m ³	0.92J	0.93J		25	
Methyl-tert-butyl ether	ug/m ³	<0.18	<0.18		25	
Methylene Chloride	ug/m ³	6.0J	5.9J		25	
n-Heptane	ug/m ³	<0.34	<0.34		25	
n-Hexane	ug/m ³	0.61J	0.55J		25	
Naphthalene	ug/m ³	3.0J	3.1J		25	
o-Xylene	ug/m ³	0.32J	0.32J		25	
Propylene	ug/m ³	<0.17	<0.17		25	
Styrene	ug/m ³	<0.75	<0.75		25	
Tetrachloroethene	ug/m ³	0.47J	<0.47		25	
Tetrahydrofuran	ug/m ³	<0.32	<0.32		25	
Toluene	ug/m ³	0.71J	0.71J		25	
trans-1,2-Dichloroethene	ug/m ³	<0.29	<0.29		25	
trans-1,3-Dichloropropene	ug/m ³	<0.46	<0.46		25	
Trichloroethene	ug/m ³	5.8	5.9	2	25	
Trichlorofluoromethane	ug/m ³	2.0	1.9J		25	
Vinyl acetate	ug/m ³	<0.31	<0.31		25	
Vinyl chloride	ug/m ³	<0.17	<0.17		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521198

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1604-1204-0002 Schaefer Brush
 Pace Project No.: 10521198

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10521198001	SS-11	TO-15	681016		
10521198002	SS-12	TO-15	681016		
10521198003	SS-13	TO-15	681016		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

36992

Page: 1 of 1

Section A

Required Client Information:

Company: Key Engineering
Address: 735 N. Water St. #510
Milwaukee, WI 53202
Email To: tschaen@keyengineering.com
Phone: 414-224-8300 Fax:
Requested Due Date/TAT:

Section B

Required Project Information:

Report To: T. Schaefer
Copy To:
Purchase Order No.:
Project Name: Schaefer Brush
Project Number: 1604-1204-0002

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote Reference:
Pace Project Manager/Sales Rep.
Pace Profile #: 34194

Program

UST Superfund Emissions Clean Air Act

Voluntary Clean Up Dry Clean RCRA Other

Location of Sampling by State _____ Reporting Units
ug/m³ mg/m³
PPBV PPMV
Other

Report Level II. III. IV. Other

Method:
PM10
3C
TO-3 BTEX
TO-3M (Methane)
TO-14
TO-15 Full List VOCs
TO-15 Short List BTEX
TO-15 Short List Chlorinated
TO-15 Short List (other)

Pace Lab ID



'Section D Required Client Information

AIR SAMPLE ID

Sample IDs MUST BE UNIQUE

ITEM #	Valid Media Codes MEDIA CODE Tedral Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE 6LC	PID Reading (Client only) 6/9/20	COLLECTED				Canister Pressure (Initial Field - In Hg)	Canister Pressure (Final Field - In Hg)	Summa Can Number	Flow Control Number				
				COMPOSITE START		COMPOSITE - ENDGRAB									
				DATE	TIME	DATE	TIME								
1	SS-11	6LC	6/9/20	1200	6/9/20	1230	-28	-7	23522583						
2	SS-12	6LC	6/9/20	1220	6/9/20	1250	-30	-7	10562226		X				
3	SS-13	6LC	6/9/20	1230	6/9/20	1300	-28	-6	28292370		X				
4															
5															
6															
7															
8															
9															
10															
11															
12															

Comments :

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	6/10/20	1430	 Pace	6-11-20	10:00	- <input checked="" type="checkbox"/> Y/N <input type="checkbox"/>
						Y/N <input type="checkbox"/> Y/N <input checked="" type="checkbox"/>
						Y/N <input type="checkbox"/> Y/N <input checked="" type="checkbox"/>
						Sealed <input type="checkbox"/> Cooler <input checked="" type="checkbox"/>
						Samples Intact <input type="checkbox"/> Y/N <input checked="" type="checkbox"/>

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed (MM / DD / YY)

ORIGINAL



Document Name:
Air Sample Condition Upon Receipt

Document Revised: 19Nov2019
Page 1 of 1

Document No.:
F-MN-A-106-rev.20

Pace Analytical Services -
Minneapolis

Air Sample Condition
Upon Receipt

Client Name: hey

Project #:

WO# : 10521198

PM: KNH Due Date: 06/18/20
CLIENT: Key Eng.

Courier: Fed Ex UPS USPS Client
 Pace SpeeDee Commercial See Exception

Tracking Number: 3937 2997 7992

Custody Seal on Cooler/Box Present? Yes No **Seals Intact?** Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other:

Temp. (TO17 and TO13 samples only) (°C): _____ **Corrected Temp (°C):** _____ **Thermometer Used:** _____ **G87A9170600254**

Temp should be above freezing to 6°C Correction Factor: Date & Initials of Person Examining Contents:

Type of ice Received Blue Wet None

Date & Initials of Person Examining Contents: 6-11-20 mI

G87A9170600254

G87A9155100842

Comments:

			Comments:	
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	1.	
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	2.	
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	3.	
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	5.	
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	7.	
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	8.	
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH)			9.	
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			
Containers Intact? (visual inspection) no leaks when pressurized)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	10.	
Media: Air Can Airbag Filter TDT Passive			11. Individually Certified Cans Y <input checked="" type="checkbox"/> N <input type="checkbox"/> (list which samples)	
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	12.	
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	13.	

Gauge # 10AIR26 10AIR34 10AIR35 4097

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted:


Date/Time:

Comments/Resolution:

Project Manager Review:

Kirsten Hoyer

Date: 6/11/2020



	Document Name: SCUR Exception Form	Document Revised: 06Feb2020 Page 1 of 1
	Document No.: F-MN-C-298-Rev.03	Pace Analytical Services - Minneapolis

SCUR Exceptions:

Out of Temp Sample IDs	Container Type	# of Containers	PM Notified? <input type="checkbox"/> Yes <input type="checkbox"/> No
			If yes, indicate who was contacted/date/time. If no, indicate reason why.

Multiple Cooler Project? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
If you answered yes, fill out information to the left.		

No Temp Blank		
Read Temp	Corrected Temp	Average Temp

Other Issues		

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance after addition?	Initials
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	

June 15, 2020

Toni Schoen
Key Engineering
735 N. Water St.
Milwaukee, WI 53202

RE: Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521207

Dear Toni Schoen:


Enclosed are the analytical results for sample(s) received by the laboratory on June 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Valerie Collins, Key Engineering Milwaukee



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1604-1204-0002 Schaefer Brush
 Pace Project No.: 10521207

Pace Analytical Services Minneapolis

A2LA Certification #: 2926.01	Minnesota Petrofund Certification #: 1240
Alabama Certification #: 40770	Mississippi Certification #: MN00064
Alaska Contaminated Sites Certification #: 17-009	Missouri Certification #: 10100
Alaska DW Certification #: MN00064	Montana Certification #: CERT0092
Arizona Certification #: AZ0014	Nebraska Certification #: NE-OS-18-06
Arkansas DW Certification #: MN00064	Nevada Certification #: MN00064
Arkansas WW Certification #: 88-0680	New Hampshire Certification #: 2081
California Certification #: 2929	New Jersey Certification #: MN002
CNMI Saipan Certification #: MP0003	New York Certification #: 11647
Colorado Certification #: MN00064	North Carolina DW Certification #: 27700
Connecticut Certification #: PH-0256	North Carolina WW Certification #: 530
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Dakota Certification #: R-036
Florida Certification #: E87605	Ohio DW Certification #: 41244
Georgia Certification #: 959	Ohio VAP Certification #: CL101
Guam EPA Certification #: MN00064	Oklahoma Certification #: 9507
Hawaii Certification #: MN00064	Oregon Primary Certification #: MN300001
Idaho Certification #: MN00064	Oregon Secondary Certification #: MN200001
Illinois Certification #: 200011	Pennsylvania Certification #: 68-00563
Indiana Certification #: C-MN-01	Puerto Rico Certification #: MN00064
Iowa Certification #: 368	South Carolina Certification #: 74003001
Kansas Certification #: E-10167	Tennessee Certification #: TN02818
Kentucky DW Certification #: 90062	Texas Certification #: T104704192
Kentucky WW Certification #: 90062	Utah Certification #: MN00064
Louisiana DEQ Certification #: 03086	Vermont Certification #: VT-027053137
Louisiana DW Certification #: MN00064	Virginia Certification #: 460163
Maine Certification #: MN00064	Washington Certification #: C486
Maryland Certification #: 322	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Dept of Ag Certification #: via MN 027-053-137	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1604-1204-0002 Schaefer Brush
 Pace Project No.: 10521207

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10521207001	IA-5	Air	06/09/20 14:48	06/11/20 10:00
10521207002	IA-12	Air	06/09/20 15:40	06/11/20 10:00
10521207003	IA-14	Air	06/09/20 14:44	06/11/20 10:00
10521207004	IA-19	Air	06/09/20 14:50	06/11/20 10:00
10521207005	IA-20	Air	06/09/20 14:56	06/11/20 10:00
10521207006	IA-21	Air	06/09/20 14:42	06/11/20 10:00
10521207007	IA-22	Air	06/09/20 14:54	06/11/20 10:00
10521207008	IA-23	Air	06/09/20 14:52	06/11/20 10:00
10521207009	IA-24	Air	06/09/20 14:46	06/11/20 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521207

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10521207001	IA-5	TO-15	MJL	61	PASI-M
10521207002	IA-12	TO-15	MJL	61	PASI-M
10521207003	IA-14	TO-15	MJL	61	PASI-M
10521207004	IA-19	TO-15	MJL	61	PASI-M
10521207005	IA-20	TO-15	MJL	61	PASI-M
10521207006	IA-21	TO-15	MJL	61	PASI-M
10521207007	IA-22	TO-15	MJL	61	PASI-M
10521207008	IA-23	TO-15	MJL	61	PASI-M
10521207009	IA-24	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521207001	IA-5						
TO-15	Acetone	59.2	ug/m3	9.4	06/13/20 20:35		
TO-15	Benzene	1.5	ug/m3	0.50	06/13/20 20:35		
TO-15	2-Butanone (MEK)	8.9	ug/m3	4.6	06/13/20 20:35		
TO-15	Chloromethane	0.98	ug/m3	0.65	06/13/20 20:35		
TO-15	1,4-Dichlorobenzene	6.6	ug/m3	4.7	06/13/20 20:35		
TO-15	Dichlorodifluoromethane	2.2	ug/m3	1.6	06/13/20 20:35		
TO-15	Ethanol	205	ug/m3	3.0	06/13/20 20:35		
TO-15	Ethyl acetate	7.4	ug/m3	1.1	06/13/20 20:35		
TO-15	Ethylbenzene	1.2J	ug/m3	1.4	06/13/20 20:35		
TO-15	n-Heptane	5.8	ug/m3	1.3	06/13/20 20:35		
TO-15	n-Hexane	5.3	ug/m3	1.1	06/13/20 20:35		
TO-15	Methylene Chloride	9.4	ug/m3	5.5	06/13/20 20:35		
TO-15	4-Methyl-2-pentanone (MIBK)	0.70J	ug/m3	6.4	06/13/20 20:35		
TO-15	2-Propanol	18.0	ug/m3	3.9	06/13/20 20:35		
TO-15	Styrene	28.8	ug/m3	1.3	06/13/20 20:35		
TO-15	Tetrachloroethene	1.1	ug/m3	1.1	06/13/20 20:35		
TO-15	Toluene	49.0	ug/m3	1.2	06/13/20 20:35		
TO-15	Trichloroethene	0.68J	ug/m3	0.85	06/13/20 20:35		
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.8	06/13/20 20:35		
TO-15	1,1,2-Trichlorotrifluoroethane	0.44J	ug/m3	2.4	06/13/20 20:35		
TO-15	1,2,4-Trimethylbenzene	1.4J	ug/m3	1.5	06/13/20 20:35		
TO-15	m&p-Xylene	3.9	ug/m3	2.7	06/13/20 20:35		
TO-15	o-Xylene	1.5	ug/m3	1.4	06/13/20 20:35		
10521207002	IA-12						
TO-15	Acetone	41.7	ug/m3	16.2	06/13/20 21:45		
TO-15	Benzene	0.76J	ug/m3	0.87	06/13/20 21:45		
TO-15	2-Butanone (MEK)	46.7	ug/m3	8.1	06/13/20 21:45		
TO-15	Chloromethane	1.1	ug/m3	1.1	06/13/20 21:45		
TO-15	1,4-Dichlorobenzene	16.0	ug/m3	8.2	06/13/20 21:45		
TO-15	Dichlorodifluoromethane	2.3J	ug/m3	2.7	06/13/20 21:45		
TO-15	Ethanol	367	ug/m3	5.2	06/13/20 21:45		
TO-15	Ethylbenzene	1.3J	ug/m3	2.4	06/13/20 21:45		
TO-15	n-Heptane	5.8	ug/m3	2.2	06/13/20 21:45		
TO-15	n-Hexane	4.3	ug/m3	1.9	06/13/20 21:45		
TO-15	Methylene Chloride	20.8	ug/m3	9.5	06/13/20 21:45		
TO-15	4-Methyl-2-pentanone (MIBK)	1.7J	ug/m3	11.2	06/13/20 21:45		
TO-15	2-Propanol	14.4	ug/m3	6.7	06/13/20 21:45		
TO-15	Styrene	7.6	ug/m3	2.3	06/13/20 21:45		
TO-15	Tetrachloroethene	1.3J	ug/m3	1.9	06/13/20 21:45		
TO-15	Toluene	347	ug/m3	2.1	06/13/20 21:45		
TO-15	Trichloroethene	1.7	ug/m3	1.5	06/13/20 21:45		
TO-15	Trichlorofluoromethane	1.0J	ug/m3	3.1	06/13/20 21:45		
TO-15	1,2,4-Trimethylbenzene	1.1J	ug/m3	2.7	06/13/20 21:45		
TO-15	m&p-Xylene	4.3J	ug/m3	4.8	06/13/20 21:45		
TO-15	o-Xylene	1.4J	ug/m3	2.4	06/13/20 21:45		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521207003	IA-14						
TO-15	Acetone	40.9	ug/m3	9.4	06/13/20 22:55		
TO-15	Benzene	0.85	ug/m3	0.50	06/13/20 22:55		
TO-15	2-Butanone (MEK)	26.6	ug/m3	4.6	06/13/20 22:55		
TO-15	Chloromethane	1.3	ug/m3	0.65	06/13/20 22:55		
TO-15	1,4-Dichlorobenzene	13.5	ug/m3	4.7	06/13/20 22:55		
TO-15	Dichlorodifluoromethane	2.3	ug/m3	1.6	06/13/20 22:55		
TO-15	Ethanol	368	ug/m3	3.0	06/13/20 22:55		
TO-15	Ethyl acetate	3.3	ug/m3	1.1	06/13/20 22:55		
TO-15	Ethylbenzene	1.1J	ug/m3	1.4	06/13/20 22:55		
TO-15	n-Heptane	7.5	ug/m3	1.3	06/13/20 22:55		
TO-15	n-Hexane	5.7	ug/m3	1.1	06/13/20 22:55		
TO-15	Methylene Chloride	16.3	ug/m3	5.5	06/13/20 22:55		
TO-15	4-Methyl-2-pentanone (MIBK)	0.99J	ug/m3	6.4	06/13/20 22:55		
TO-15	2-Propanol	24.8	ug/m3	3.9	06/13/20 22:55		
TO-15	Styrene	26.2	ug/m3	1.3	06/13/20 22:55		
TO-15	Tetrachloroethene	2.3	ug/m3	1.1	06/13/20 22:55		
TO-15	Toluene	193	ug/m3	1.2	06/13/20 22:55		
TO-15	Trichloroethene	1.4	ug/m3	0.85	06/13/20 22:55		
TO-15	Trichlorofluoromethane	1.3J	ug/m3	1.8	06/13/20 22:55		
TO-15	1,1,2-Trichlorotrifluoroethane	0.41J	ug/m3	2.4	06/13/20 22:55		
TO-15	1,2,4-Trimethylbenzene	1.2J	ug/m3	1.5	06/13/20 22:55		
TO-15	m&p-Xylene	3.5	ug/m3	2.7	06/13/20 22:55		
TO-15	o-Xylene	1.2J	ug/m3	1.4	06/13/20 22:55		
10521207004	IA-19						
TO-15	Acetone	49.0	ug/m3	9.4	06/13/20 23:30		
TO-15	Benzene	0.93	ug/m3	0.50	06/13/20 23:30		
TO-15	2-Butanone (MEK)	30.5	ug/m3	4.6	06/13/20 23:30		
TO-15	Chloromethane	1.1	ug/m3	0.65	06/13/20 23:30		
TO-15	1,4-Dichlorobenzene	11.2	ug/m3	4.7	06/13/20 23:30		
TO-15	Dichlorodifluoromethane	2.2	ug/m3	1.6	06/13/20 23:30		
TO-15	Ethanol	438	ug/m3	3.0	06/13/20 23:30		
TO-15	Ethyl acetate	3.3	ug/m3	1.1	06/13/20 23:30		
TO-15	Ethylbenzene	1.0J	ug/m3	1.4	06/13/20 23:30		
TO-15	n-Heptane	4.1	ug/m3	1.3	06/13/20 23:30		
TO-15	n-Hexane	5.0	ug/m3	1.1	06/13/20 23:30		
TO-15	Methylene Chloride	14.4	ug/m3	5.5	06/13/20 23:30		
TO-15	4-Methyl-2-pentanone (MIBK)	1.0J	ug/m3	6.4	06/13/20 23:30		
TO-15	2-Propanol	16.2	ug/m3	3.9	06/13/20 23:30		
TO-15	Styrene	16.6	ug/m3	1.3	06/13/20 23:30		
TO-15	Tetrachloroethene	1.3	ug/m3	1.1	06/13/20 23:30		
TO-15	Tetrahydrofuran	2.6	ug/m3	0.93	06/13/20 23:30		
TO-15	Toluene	191	ug/m3	1.2	06/13/20 23:30		
TO-15	Trichloroethene	1.2	ug/m3	0.85	06/13/20 23:30		
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.8	06/13/20 23:30		
TO-15	1,1,2-Trichlorotrifluoroethane	0.46J	ug/m3	2.4	06/13/20 23:30		
TO-15	1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	06/13/20 23:30		
TO-15	m&p-Xylene	3.6	ug/m3	2.7	06/13/20 23:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10521207004	IA-19					
TO-15	o-Xylene	1.2J	ug/m3	1.4	06/13/20 23:30	
10521207005	IA-20					
TO-15	Acetone	34.6	ug/m3	9.7	06/14/20 00:05	
TO-15	Benzene	0.62	ug/m3	0.52	06/14/20 00:05	
TO-15	2-Butanone (MEK)	51.2	ug/m3	4.8	06/14/20 00:05	
TO-15	Chloromethane	1.1	ug/m3	0.68	06/14/20 00:05	
TO-15	1,4-Dichlorobenzene	16.9	ug/m3	4.9	06/14/20 00:05	
TO-15	Dichlorodifluoromethane	2.7	ug/m3	1.6	06/14/20 00:05	
TO-15	Ethanol	347	ug/m3	3.1	06/14/20 00:05	
TO-15	Ethyl acetate	2.0	ug/m3	1.2	06/14/20 00:05	
TO-15	Ethylbenzene	1.1J	ug/m3	1.4	06/14/20 00:05	
TO-15	n-Heptane	4.1	ug/m3	1.3	06/14/20 00:05	
TO-15	n-Hexane	3.0	ug/m3	1.2	06/14/20 00:05	
TO-15	Methylene Chloride	19.9	ug/m3	5.7	06/14/20 00:05	
TO-15	4-Methyl-2-pentanone (MIBK)	0.97J	ug/m3	6.7	06/14/20 00:05	
TO-15	2-Propanol	13.6	ug/m3	4.0	06/14/20 00:05	
TO-15	Styrene	7.2	ug/m3	1.4	06/14/20 00:05	
TO-15	Tetrachloroethene	1.2	ug/m3	1.1	06/14/20 00:05	
TO-15	Toluene	446	ug/m3	24.7	06/14/20 12:49	
TO-15	Trichloroethene	1.8	ug/m3	0.88	06/14/20 00:05	
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.8	06/14/20 00:05	
TO-15	1,1,2-Trichlorotrifluoroethane	0.45J	ug/m3	2.5	06/14/20 00:05	
TO-15	1,2,4-Trimethylbenzene	1.0J	ug/m3	1.6	06/14/20 00:05	
TO-15	m&p-Xylene	3.7	ug/m3	2.8	06/14/20 00:05	
TO-15	o-Xylene	1.2J	ug/m3	1.4	06/14/20 00:05	
10521207006	IA-21					
TO-15	Acetone	33.7	ug/m3	9.4	06/14/20 00:41	
TO-15	Benzene	0.59	ug/m3	0.50	06/14/20 00:41	
TO-15	2-Butanone (MEK)	46.3	ug/m3	4.6	06/14/20 00:41	
TO-15	Chloromethane	1.3	ug/m3	0.65	06/14/20 00:41	
TO-15	1,4-Dichlorobenzene	16.2	ug/m3	4.7	06/14/20 00:41	
TO-15	Dichlorodifluoromethane	2.5	ug/m3	1.6	06/14/20 00:41	
TO-15	Ethanol	461	ug/m3	3.0	06/14/20 00:41	
TO-15	Ethyl acetate	1.8	ug/m3	1.1	06/14/20 00:41	
TO-15	Ethylbenzene	0.99J	ug/m3	1.4	06/14/20 00:41	
TO-15	n-Heptane	3.2	ug/m3	1.3	06/14/20 00:41	
TO-15	n-Hexane	3.8	ug/m3	1.1	06/14/20 00:41	
TO-15	Methylene Chloride	25.8	ug/m3	5.5	06/14/20 00:41	
TO-15	4-Methyl-2-pentanone (MIBK)	0.89J	ug/m3	6.4	06/14/20 00:41	
TO-15	2-Propanol	16.9	ug/m3	3.9	06/14/20 00:41	
TO-15	Styrene	6.4	ug/m3	1.3	06/14/20 00:41	
TO-15	Tetrachloroethene	1.2	ug/m3	1.1	06/14/20 00:41	
TO-15	Toluene	165	ug/m3	23.7	06/14/20 11:47	
TO-15	Trichloroethene	1.7	ug/m3	0.85	06/14/20 00:41	
TO-15	Trichlorofluoromethane	1.3J	ug/m3	1.8	06/14/20 00:41	
TO-15	1,1,2-Trichlorotrifluoroethane	0.40J	ug/m3	2.4	06/14/20 00:41	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10521207006	IA-21					
TO-15	1,2,4-Trimethylbenzene	0.81J	ug/m3	1.5	06/14/20 00:41	
TO-15	m&p-Xylene	3.2	ug/m3	2.7	06/14/20 00:41	
TO-15	o-Xylene	1.0J	ug/m3	1.4	06/14/20 00:41	
10521207007	IA-22					
TO-15	Acetone	36.4	ug/m3	9.4	06/14/20 01:16	
TO-15	Benzene	0.65	ug/m3	0.50	06/14/20 01:16	
TO-15	2-Butanone (MEK)	44.1	ug/m3	4.6	06/14/20 01:16	
TO-15	Chloromethane	1.2	ug/m3	0.65	06/14/20 01:16	
TO-15	1,4-Dichlorobenzene	17.0	ug/m3	4.7	06/14/20 01:16	
TO-15	Dichlorodifluoromethane	2.5	ug/m3	1.6	06/14/20 01:16	
TO-15	Ethanol	336	ug/m3	3.0	06/14/20 01:16	
TO-15	Ethyl acetate	2.0	ug/m3	1.1	06/14/20 01:16	
TO-15	Ethylbenzene	1.1J	ug/m3	1.4	06/14/20 01:16	
TO-15	n-Heptane	3.5	ug/m3	1.3	06/14/20 01:16	
TO-15	n-Hexane	2.1	ug/m3	1.1	06/14/20 01:16	
TO-15	Methylene Chloride	20.4	ug/m3	5.5	06/14/20 01:16	
TO-15	4-Methyl-2-pentanone (MIBK)	1.1J	ug/m3	6.4	06/14/20 01:16	
TO-15	2-Propanol	13.3	ug/m3	3.9	06/14/20 01:16	
TO-15	Styrene	7.1	ug/m3	1.3	06/14/20 01:16	
TO-15	Tetrachloroethene	1.3	ug/m3	1.1	06/14/20 01:16	
TO-15	Toluene	478	ug/m3	23.7	06/14/20 12:18	
TO-15	Trichloroethene	2.0	ug/m3	0.85	06/14/20 01:16	
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.8	06/14/20 01:16	
TO-15	1,1,2-Trichlorotrifluoroethane	0.45J	ug/m3	2.4	06/14/20 01:16	
TO-15	1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	06/14/20 01:16	
TO-15	m&p-Xylene	3.8	ug/m3	2.7	06/14/20 01:16	
TO-15	o-Xylene	1.2J	ug/m3	1.4	06/14/20 01:16	
10521207008	IA-23					
TO-15	Acetone	36.9	ug/m3	9.4	06/14/20 01:51	
TO-15	Benzene	0.69	ug/m3	0.50	06/14/20 01:51	
TO-15	2-Butanone (MEK)	37.5	ug/m3	4.6	06/14/20 01:51	
TO-15	Chloromethane	1.1	ug/m3	0.65	06/14/20 01:51	
TO-15	1,4-Dichlorobenzene	24.4	ug/m3	4.7	06/14/20 01:51	
TO-15	Dichlorodifluoromethane	2.1	ug/m3	1.6	06/14/20 01:51	
TO-15	Ethanol	382	ug/m3	3.0	06/14/20 01:51	
TO-15	Ethyl acetate	2.2	ug/m3	1.1	06/14/20 01:51	
TO-15	Ethylbenzene	1.0J	ug/m3	1.4	06/14/20 01:51	
TO-15	n-Heptane	3.0	ug/m3	1.3	06/14/20 01:51	
TO-15	n-Hexane	2.2	ug/m3	1.1	06/14/20 01:51	
TO-15	Methylene Chloride	26.6	ug/m3	5.5	06/14/20 01:51	
TO-15	4-Methyl-2-pentanone (MIBK)	0.97J	ug/m3	6.4	06/14/20 01:51	
TO-15	2-Propanol	21.9	ug/m3	3.9	06/14/20 01:51	
TO-15	Styrene	8.3	ug/m3	1.3	06/14/20 01:51	
TO-15	Tetrachloroethene	1.7	ug/m3	1.1	06/14/20 01:51	
TO-15	Toluene	357	ug/m3	11.9	06/14/20 11:17	
TO-15	Trichloroethene	2.4	ug/m3	0.85	06/14/20 01:51	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10521207008	IA-23						
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.8	06/14/20 01:51		
TO-15	1,2,4-Trimethylbenzene	0.84J	ug/m3	1.5	06/14/20 01:51		
TO-15	m&p-Xylene	3.2	ug/m3	2.7	06/14/20 01:51		
TO-15	o-Xylene	1.0J	ug/m3	1.4	06/14/20 01:51		
10521207009	IA-24						
TO-15	Acetone	55.1	ug/m3	9.4	06/14/20 02:26		
TO-15	Benzene	1.4	ug/m3	0.50	06/14/20 02:26		
TO-15	2-Butanone (MEK)	15.7	ug/m3	4.6	06/14/20 02:26		
TO-15	Chloromethane	1.1	ug/m3	0.65	06/14/20 02:26		
TO-15	1,4-Dichlorobenzene	7.5	ug/m3	4.7	06/14/20 02:26		
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.6	06/14/20 02:26		
TO-15	Ethanol	262	ug/m3	3.0	06/14/20 02:26		
TO-15	Ethyl acetate	5.2	ug/m3	1.1	06/14/20 02:26		
TO-15	Ethylbenzene	1.3J	ug/m3	1.4	06/14/20 02:26		
TO-15	4-Ethyltoluene	0.77J	ug/m3	3.9	06/14/20 02:26		
TO-15	n-Heptane	10.0	ug/m3	1.3	06/14/20 02:26		
TO-15	n-Hexane	8.1	ug/m3	1.1	06/14/20 02:26		
TO-15	Methylene Chloride	12.3	ug/m3	5.5	06/14/20 02:26		
TO-15	4-Methyl-2-pentanone (MIBK)	0.93J	ug/m3	6.4	06/14/20 02:26		
TO-15	2-Propanol	19.0	ug/m3	3.9	06/14/20 02:26		
TO-15	Styrene	58.6	ug/m3	1.3	06/14/20 02:26		
TO-15	Tetrachloroethene	1.8	ug/m3	1.1	06/14/20 02:26		
TO-15	Toluene	88.5	ug/m3	1.2	06/14/20 02:26		
TO-15	Trichloroethene	1.1	ug/m3	0.85	06/14/20 02:26		
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.8	06/14/20 02:26		
TO-15	1,1,2-Trichlorotrifluoroethane	0.43J	ug/m3	2.4	06/14/20 02:26		
TO-15	1,2,4-Trimethylbenzene	3.9	ug/m3	1.5	06/14/20 02:26		
TO-15	1,3,5-Trimethylbenzene	1.2J	ug/m3	1.5	06/14/20 02:26		
TO-15	m&p-Xylene	4.6	ug/m3	2.7	06/14/20 02:26		
TO-15	o-Xylene	1.8	ug/m3	1.4	06/14/20 02:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-5	Lab ID: 10521207001	Collected: 06/09/20 14:48	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	59.2	ug/m3	9.4	2.0	1.55		06/13/20 20:35	67-64-1	
Benzene	1.5	ug/m3	0.50	0.20	1.55		06/13/20 20:35	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/13/20 20:35	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/13/20 20:35	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/13/20 20:35	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/13/20 20:35	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/13/20 20:35	106-99-0	
2-Butanone (MEK)	8.9	ug/m3	4.6	0.87	1.55		06/13/20 20:35	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/13/20 20:35	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	2.0	0.40	1.55		06/13/20 20:35	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/13/20 20:35	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/13/20 20:35	75-00-3	
Chloroform	<0.21	ug/m3	0.77	0.21	1.55		06/13/20 20:35	67-66-3	
Chloromethane	0.98	ug/m3	0.65	0.10	1.55		06/13/20 20:35	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/13/20 20:35	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/13/20 20:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/13/20 20:35	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/13/20 20:35	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/13/20 20:35	541-73-1	
1,4-Dichlorobenzene	6.6	ug/m3	4.7	1.1	1.55		06/13/20 20:35	106-46-7	
Dichlorodifluoromethane	2.2	ug/m3	1.6	0.26	1.55		06/13/20 20:35	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/13/20 20:35	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/13/20 20:35	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 20:35	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 20:35	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/13/20 20:35	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/13/20 20:35	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/13/20 20:35	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/13/20 20:35	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/13/20 20:35	76-14-2	
Ethanol	205	ug/m3	3.0	1.5	1.55		06/13/20 20:35	64-17-5	
Ethyl acetate	7.4	ug/m3	1.1	0.29	1.55		06/13/20 20:35	141-78-6	
Ethylbenzene	1.2J	ug/m3	1.4	0.21	1.55		06/13/20 20:35	100-41-4	
4-Ethyltoluene	<0.66	ug/m3	3.9	0.66	1.55		06/13/20 20:35	622-96-8	
n-Heptane	5.8	ug/m3	1.3	0.31	1.55		06/13/20 20:35	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/13/20 20:35	87-68-3	
n-Hexane	5.3	ug/m3	1.1	0.31	1.55		06/13/20 20:35	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/13/20 20:35	591-78-6	
Methylene Chloride	9.4	ug/m3	5.5	1.4	1.55		06/13/20 20:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.70J	ug/m3	6.4	0.27	1.55		06/13/20 20:35	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/13/20 20:35	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/13/20 20:35	91-20-3	
2-Propanol	18.0	ug/m3	3.9	0.59	1.55		06/13/20 20:35	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/13/20 20:35	115-07-1	
Styrene	28.8	ug/m3	1.3	0.66	1.55		06/13/20 20:35	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521207

Sample: IA-5	Lab ID: 10521207001	Collected: 06/09/20 14:48	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/13/20 20:35	79-34-5	
Tetrachloroethene	1.1	ug/m3	1.1	0.42	1.55		06/13/20 20:35	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/13/20 20:35	109-99-9	
Toluene	49.0	ug/m3	1.2	0.27	1.55		06/13/20 20:35	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/13/20 20:35	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/13/20 20:35	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/13/20 20:35	79-00-5	
Trichloroethylene	0.68J	ug/m3	0.85	0.34	1.55		06/13/20 20:35	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.8	0.36	1.55		06/13/20 20:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.44J	ug/m3	2.4	0.40	1.55		06/13/20 20:35	76-13-1	
1,2,4-Trimethylbenzene	1.4J	ug/m3	1.5	0.48	1.55		06/13/20 20:35	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.5	0.39	1.55		06/13/20 20:35	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/13/20 20:35	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/13/20 20:35	75-01-4	
m&p-Xylene	3.9	ug/m3	2.7	0.52	1.55		06/13/20 20:35	179601-23-1	
o-Xylene	1.5	ug/m3	1.4	0.23	1.55		06/13/20 20:35	95-47-6	
<hr/>									
Sample: IA-12	Lab ID: 10521207002	Collected: 06/09/20 15:40	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
Acetone	41.7	ug/m3	16.2	3.4	2.69		06/13/20 21:45	67-64-1	
Benzene	0.76J	ug/m3	0.87	0.35	2.69		06/13/20 21:45	71-43-2	
Benzyl chloride	<1.3	ug/m3	7.1	1.3	2.69		06/13/20 21:45	100-44-7	
Bromodichloromethane	<0.47	ug/m3	3.7	0.47	2.69		06/13/20 21:45	75-27-4	
Bromoform	<4.8	ug/m3	14.1	4.8	2.69		06/13/20 21:45	75-25-2	
Bromomethane	<0.39	ug/m3	2.1	0.39	2.69		06/13/20 21:45	74-83-9	
1,3-Butadiene	<0.28	ug/m3	1.2	0.28	2.69		06/13/20 21:45	106-99-0	
2-Butanone (MEK)	46.7	ug/m3	8.1	1.5	2.69		06/13/20 21:45	78-93-3	
Carbon disulfide	<0.29	ug/m3	1.7	0.29	2.69		06/13/20 21:45	75-15-0	
Carbon tetrachloride	<0.69	ug/m3	3.4	0.69	2.69		06/13/20 21:45	56-23-5	
Chlorobenzene	<0.36	ug/m3	2.5	0.36	2.69		06/13/20 21:45	108-90-7	
Chloroethane	<0.34	ug/m3	1.4	0.34	2.69		06/13/20 21:45	75-00-3	
Chloroform	<0.36	ug/m3	1.3	0.36	2.69		06/13/20 21:45	67-66-3	
Chloromethane	1.1	ug/m3	1.1	0.18	2.69		06/13/20 21:45	74-87-3	
Cyclohexane	<0.39	ug/m3	4.7	0.39	2.69		06/13/20 21:45	110-82-7	
Dibromochloromethane	<1.1	ug/m3	4.7	1.1	2.69		06/13/20 21:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.74	ug/m3	2.1	0.74	2.69		06/13/20 21:45	106-93-4	
1,2-Dichlorobenzene	<0.85	ug/m3	3.3	0.85	2.69		06/13/20 21:45	95-50-1	
1,3-Dichlorobenzene	<1.3	ug/m3	3.3	1.3	2.69		06/13/20 21:45	541-73-1	
1,4-Dichlorobenzene	16.0	ug/m3	8.2	2.0	2.69		06/13/20 21:45	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-12	Lab ID: 10521207002	Collected: 06/09/20 15:40	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	2.3J	ug/m3	2.7	0.45	2.69		06/13/20 21:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	2.2	0.30	2.69		06/13/20 21:45	75-34-3	
1,2-Dichloroethane	<0.45	ug/m3	1.1	0.45	2.69		06/13/20 21:45	107-06-2	
1,1-Dichloroethene	<0.32	ug/m3	2.2	0.32	2.69		06/13/20 21:45	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	2.2	0.31	2.69		06/13/20 21:45	156-59-2	
trans-1,2-Dichloroethene	<0.45	ug/m3	2.2	0.45	2.69		06/13/20 21:45	156-60-5	
1,2-Dichloropropane	<0.54	ug/m3	2.5	0.54	2.69		06/13/20 21:45	78-87-5	
cis-1,3-Dichloropropene	<1.0	ug/m3	2.5	1.0	2.69		06/13/20 21:45	10061-01-5	
trans-1,3-Dichloropropene	<0.71	ug/m3	2.5	0.71	2.69		06/13/20 21:45	10061-02-6	
Dichlorotetrafluoroethane	<0.43	ug/m3	3.8	0.43	2.69		06/13/20 21:45	76-14-2	
Ethanol	367	ug/m3	5.2	2.5	2.69		06/13/20 21:45	64-17-5	
Ethyl acetate	<0.49	ug/m3	2.0	0.49	2.69		06/13/20 21:45	141-78-6	
Ethylbenzene	1.3J	ug/m3	2.4	0.37	2.69		06/13/20 21:45	100-41-4	
4-Ethyltoluene	<1.2	ug/m3	6.7	1.2	2.69		06/13/20 21:45	622-96-8	
n-Heptane	5.8	ug/m3	2.2	0.53	2.69		06/13/20 21:45	142-82-5	
Hexachloro-1,3-butadiene	<3.4	ug/m3	14.6	3.4	2.69		06/13/20 21:45	87-68-3	
n-Hexane	4.3	ug/m3	1.9	0.54	2.69		06/13/20 21:45	110-54-3	
2-Hexanone	<0.93	ug/m3	11.2	0.93	2.69		06/13/20 21:45	591-78-6	
Methylene Chloride	20.8	ug/m3	9.5	2.5	2.69		06/13/20 21:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.7J	ug/m3	11.2	0.48	2.69		06/13/20 21:45	108-10-1	
Methyl-tert-butyl ether	<0.27	ug/m3	9.8	0.27	2.69		06/13/20 21:45	1634-04-4	
Naphthalene	<3.4	ug/m3	7.2	3.4	2.69		06/13/20 21:45	91-20-3	
2-Propanol	14.4	ug/m3	6.7	1.0	2.69		06/13/20 21:45	67-63-0	
Propylene	<0.26	ug/m3	0.94	0.26	2.69		06/13/20 21:45	115-07-1	
Styrene	7.6	ug/m3	2.3	1.2	2.69		06/13/20 21:45	100-42-5	
1,1,2,2-Tetrachloroethane	<0.83	ug/m3	1.9	0.83	2.69		06/13/20 21:45	79-34-5	
Tetrachloroethene	1.3J	ug/m3	1.9	0.72	2.69		06/13/20 21:45	127-18-4	
Tetrahydrofuran	<0.49	ug/m3	1.6	0.49	2.69		06/13/20 21:45	109-99-9	
Toluene	347	ug/m3	2.1	0.46	2.69		06/13/20 21:45	108-88-3	
1,2,4-Trichlorobenzene	<8.9	ug/m3	20.3	8.9	2.69		06/13/20 21:45	120-82-1	
1,1,1-Trichloroethane	<0.41	ug/m3	3.0	0.41	2.69		06/13/20 21:45	71-55-6	
1,1,2-Trichloroethane	<0.53	ug/m3	1.5	0.53	2.69		06/13/20 21:45	79-00-5	
Trichloroethene	1.7	ug/m3	1.5	0.59	2.69		06/13/20 21:45	79-01-6	
Trichlorofluoromethane	1.0J	ug/m3	3.1	0.62	2.69		06/13/20 21:45	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.69	ug/m3	4.2	0.69	2.69		06/13/20 21:45	76-13-1	
1,2,4-Trimethylbenzene	1.1J	ug/m3	2.7	0.84	2.69		06/13/20 21:45	95-63-6	
1,3,5-Trimethylbenzene	<0.67	ug/m3	2.7	0.67	2.69		06/13/20 21:45	108-67-8	
Vinyl acetate	<0.48	ug/m3	1.9	0.48	2.69		06/13/20 21:45	108-05-4	
Vinyl chloride	<0.26	ug/m3	0.70	0.26	2.69		06/13/20 21:45	75-01-4	
m&p-Xylene	4.3J	ug/m3	4.8	0.91	2.69		06/13/20 21:45	179601-23-1	
o-Xylene	1.4J	ug/m3	2.4	0.40	2.69		06/13/20 21:45	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-14	Lab ID: 10521207003	Collected: 06/09/20 14:44	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	40.9	ug/m3	9.4	2.0	1.55		06/13/20 22:55	67-64-1	
Benzene	0.85	ug/m3	0.50	0.20	1.55		06/13/20 22:55	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/13/20 22:55	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/13/20 22:55	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/13/20 22:55	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/13/20 22:55	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/13/20 22:55	106-99-0	
2-Butanone (MEK)	26.6	ug/m3	4.6	0.87	1.55		06/13/20 22:55	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/13/20 22:55	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	2.0	0.40	1.55		06/13/20 22:55	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/13/20 22:55	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/13/20 22:55	75-00-3	
Chloroform	<0.21	ug/m3	0.77	0.21	1.55		06/13/20 22:55	67-66-3	
Chloromethane	1.3	ug/m3	0.65	0.10	1.55		06/13/20 22:55	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/13/20 22:55	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/13/20 22:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/13/20 22:55	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/13/20 22:55	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/13/20 22:55	541-73-1	
1,4-Dichlorobenzene	13.5	ug/m3	4.7	1.1	1.55		06/13/20 22:55	106-46-7	
Dichlorodifluoromethane	2.3	ug/m3	1.6	0.26	1.55		06/13/20 22:55	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/13/20 22:55	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/13/20 22:55	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 22:55	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 22:55	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/13/20 22:55	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/13/20 22:55	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/13/20 22:55	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/13/20 22:55	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/13/20 22:55	76-14-2	
Ethanol	368	ug/m3	3.0	1.5	1.55		06/13/20 22:55	64-17-5	
Ethyl acetate	3.3	ug/m3	1.1	0.29	1.55		06/13/20 22:55	141-78-6	
Ethylbenzene	1.1J	ug/m3	1.4	0.21	1.55		06/13/20 22:55	100-41-4	
4-Ethyltoluene	<0.66	ug/m3	3.9	0.66	1.55		06/13/20 22:55	622-96-8	
n-Heptane	7.5	ug/m3	1.3	0.31	1.55		06/13/20 22:55	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/13/20 22:55	87-68-3	
n-Hexane	5.7	ug/m3	1.1	0.31	1.55		06/13/20 22:55	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/13/20 22:55	591-78-6	
Methylene Chloride	16.3	ug/m3	5.5	1.4	1.55		06/13/20 22:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.99J	ug/m3	6.4	0.27	1.55		06/13/20 22:55	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/13/20 22:55	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/13/20 22:55	91-20-3	
2-Propanol	24.8	ug/m3	3.9	0.59	1.55		06/13/20 22:55	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/13/20 22:55	115-07-1	
Styrene	26.2	ug/m3	1.3	0.66	1.55		06/13/20 22:55	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-14	Lab ID: 10521207003	Collected: 06/09/20 14:44	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/13/20 22:55	79-34-5	
Tetrachloroethene	2.3	ug/m3	1.1	0.42	1.55		06/13/20 22:55	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/13/20 22:55	109-99-9	
Toluene	193	ug/m3	1.2	0.27	1.55		06/13/20 22:55	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/13/20 22:55	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/13/20 22:55	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/13/20 22:55	79-00-5	
Trichloroethylene	1.4	ug/m3	0.85	0.34	1.55		06/13/20 22:55	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.8	0.36	1.55		06/13/20 22:55	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.41J	ug/m3	2.4	0.40	1.55		06/13/20 22:55	76-13-1	
1,2,4-Trimethylbenzene	1.2J	ug/m3	1.5	0.48	1.55		06/13/20 22:55	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.5	0.39	1.55		06/13/20 22:55	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/13/20 22:55	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/13/20 22:55	75-01-4	
m&p-Xylene	3.5	ug/m3	2.7	0.52	1.55		06/13/20 22:55	179601-23-1	
o-Xylene	1.2J	ug/m3	1.4	0.23	1.55		06/13/20 22:55	95-47-6	
<hr/>									
Sample: IA-19	Lab ID: 10521207004	Collected: 06/09/20 14:50	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	49.0	ug/m3	9.4	2.0	1.55		06/13/20 23:30	67-64-1	
Benzene	0.93	ug/m3	0.50	0.20	1.55		06/13/20 23:30	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/13/20 23:30	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/13/20 23:30	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/13/20 23:30	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/13/20 23:30	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/13/20 23:30	106-99-0	
2-Butanone (MEK)	30.5	ug/m3	4.6	0.87	1.55		06/13/20 23:30	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/13/20 23:30	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	2.0	0.40	1.55		06/13/20 23:30	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/13/20 23:30	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/13/20 23:30	75-00-3	
Chloroform	<0.21	ug/m3	0.77	0.21	1.55		06/13/20 23:30	67-66-3	
Chloromethane	1.1	ug/m3	0.65	0.10	1.55		06/13/20 23:30	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/13/20 23:30	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/13/20 23:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/13/20 23:30	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/13/20 23:30	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/13/20 23:30	541-73-1	
1,4-Dichlorobenzene	11.2	ug/m3	4.7	1.1	1.55		06/13/20 23:30	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-19	Lab ID: 10521207004	Collected: 06/09/20 14:50	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	2.2	ug/m3	1.6	0.26	1.55		06/13/20 23:30	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/13/20 23:30	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/13/20 23:30	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 23:30	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/13/20 23:30	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/13/20 23:30	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/13/20 23:30	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/13/20 23:30	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/13/20 23:30	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/13/20 23:30	76-14-2	
Ethanol	438	ug/m3	3.0	1.5	1.55		06/13/20 23:30	64-17-5	
Ethyl acetate	3.3	ug/m3	1.1	0.29	1.55		06/13/20 23:30	141-78-6	
Ethylbenzene	1.0J	ug/m3	1.4	0.21	1.55		06/13/20 23:30	100-41-4	
4-Ethyltoluene	<0.66	ug/m3	3.9	0.66	1.55		06/13/20 23:30	622-96-8	
n-Heptane	4.1	ug/m3	1.3	0.31	1.55		06/13/20 23:30	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/13/20 23:30	87-68-3	
n-Hexane	5.0	ug/m3	1.1	0.31	1.55		06/13/20 23:30	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/13/20 23:30	591-78-6	
Methylene Chloride	14.4	ug/m3	5.5	1.4	1.55		06/13/20 23:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.0J	ug/m3	6.4	0.27	1.55		06/13/20 23:30	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/13/20 23:30	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/13/20 23:30	91-20-3	
2-Propanol	16.2	ug/m3	3.9	0.59	1.55		06/13/20 23:30	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/13/20 23:30	115-07-1	
Styrene	16.6	ug/m3	1.3	0.66	1.55		06/13/20 23:30	100-42-5	
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/13/20 23:30	79-34-5	
Tetrachloroethene	1.3	ug/m3	1.1	0.42	1.55		06/13/20 23:30	127-18-4	
Tetrahydrofuran	2.6	ug/m3	0.93	0.28	1.55		06/13/20 23:30	109-99-9	
Toluene	191	ug/m3	1.2	0.27	1.55		06/13/20 23:30	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/13/20 23:30	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/13/20 23:30	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/13/20 23:30	79-00-5	
Trichloroethene	1.2	ug/m3	0.85	0.34	1.55		06/13/20 23:30	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.8	0.36	1.55		06/13/20 23:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.46J	ug/m3	2.4	0.40	1.55		06/13/20 23:30	76-13-1	
1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	0.48	1.55		06/13/20 23:30	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.5	0.39	1.55		06/13/20 23:30	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/13/20 23:30	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/13/20 23:30	75-01-4	
m&p-Xylene	3.6	ug/m3	2.7	0.52	1.55		06/13/20 23:30	179601-23-1	
o-Xylene	1.2J	ug/m3	1.4	0.23	1.55		06/13/20 23:30	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-20	Lab ID: 10521207005	Collected: 06/09/20 14:56	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	34.6	ug/m3	9.7	2.1	1.61		06/14/20 00:05	67-64-1	
Benzene	0.62	ug/m3	0.52	0.21	1.61		06/14/20 00:05	71-43-2	
Benzyl chloride	<0.76	ug/m3	4.2	0.76	1.61		06/14/20 00:05	100-44-7	
Bromodichloromethane	<0.28	ug/m3	2.2	0.28	1.61		06/14/20 00:05	75-27-4	
Bromoform	<2.9	ug/m3	8.5	2.9	1.61		06/14/20 00:05	75-25-2	
Bromomethane	<0.24	ug/m3	1.3	0.24	1.61		06/14/20 00:05	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.72	0.17	1.61		06/14/20 00:05	106-99-0	
2-Butanone (MEK)	51.2	ug/m3	4.8	0.90	1.61		06/14/20 00:05	78-93-3	
Carbon disulfide	<0.17	ug/m3	1.0	0.17	1.61		06/14/20 00:05	75-15-0	
Carbon tetrachloride	<0.41	ug/m3	2.1	0.41	1.61		06/14/20 00:05	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.61		06/14/20 00:05	108-90-7	
Chloroethane	<0.20	ug/m3	0.86	0.20	1.61		06/14/20 00:05	75-00-3	
Chloroform	<0.21	ug/m3	0.80	0.21	1.61		06/14/20 00:05	67-66-3	
Chloromethane	1.1	ug/m3	0.68	0.11	1.61		06/14/20 00:05	74-87-3	
Cyclohexane	<0.24	ug/m3	2.8	0.24	1.61		06/14/20 00:05	110-82-7	
Dibromochloromethane	<0.65	ug/m3	2.8	0.65	1.61		06/14/20 00:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.3	0.44	1.61		06/14/20 00:05	106-93-4	
1,2-Dichlorobenzene	<0.51	ug/m3	2.0	0.51	1.61		06/14/20 00:05	95-50-1	
1,3-Dichlorobenzene	<0.77	ug/m3	2.0	0.77	1.61		06/14/20 00:05	541-73-1	
1,4-Dichlorobenzene	16.9	ug/m3	4.9	1.2	1.61		06/14/20 00:05	106-46-7	
Dichlorodifluoromethane	2.7	ug/m3	1.6	0.27	1.61		06/14/20 00:05	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.61		06/14/20 00:05	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.66	0.27	1.61		06/14/20 00:05	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.61		06/14/20 00:05	75-35-4	
cis-1,2-Dichloroethene	<0.19	ug/m3	1.3	0.19	1.61		06/14/20 00:05	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/m3	1.3	0.27	1.61		06/14/20 00:05	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.5	0.32	1.61		06/14/20 00:05	78-87-5	
cis-1,3-Dichloropropene	<0.60	ug/m3	1.5	0.60	1.61		06/14/20 00:05	10061-01-5	
trans-1,3-Dichloropropene	<0.42	ug/m3	1.5	0.42	1.61		06/14/20 00:05	10061-02-6	
Dichlorotetrafluoroethane	<0.25	ug/m3	2.3	0.25	1.61		06/14/20 00:05	76-14-2	
Ethanol	347	ug/m3	3.1	1.5	1.61		06/14/20 00:05	64-17-5	
Ethyl acetate	2.0	ug/m3	1.2	0.30	1.61		06/14/20 00:05	141-78-6	
Ethylbenzene	1.1J	ug/m3	1.4	0.22	1.61		06/14/20 00:05	100-41-4	
4-Ethyltoluene	<0.69	ug/m3	4.0	0.69	1.61		06/14/20 00:05	622-96-8	
n-Heptane	4.1	ug/m3	1.3	0.32	1.61		06/14/20 00:05	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.7	2.0	1.61		06/14/20 00:05	87-68-3	
n-Hexane	3.0	ug/m3	1.2	0.32	1.61		06/14/20 00:05	110-54-3	
2-Hexanone	<0.56	ug/m3	6.7	0.56	1.61		06/14/20 00:05	591-78-6	
Methylene Chloride	19.9	ug/m3	5.7	1.5	1.61		06/14/20 00:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.97J	ug/m3	6.7	0.28	1.61		06/14/20 00:05	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.9	0.16	1.61		06/14/20 00:05	1634-04-4	
Naphthalene	<2.0	ug/m3	4.3	2.0	1.61		06/14/20 00:05	91-20-3	
2-Propanol	13.6	ug/m3	4.0	0.61	1.61		06/14/20 00:05	67-63-0	
Propylene	<0.16	ug/m3	0.56	0.16	1.61		06/14/20 00:05	115-07-1	
Styrene	7.2	ug/m3	1.4	0.69	1.61		06/14/20 00:05	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521207

Sample: IA-20	Lab ID: 10521207005	Collected: 06/09/20 14:56	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.50	ug/m3	1.1	0.50	1.61		06/14/20 00:05	79-34-5	
Tetrachloroethene	1.2	ug/m3	1.1	0.43	1.61		06/14/20 00:05	127-18-4	
Tetrahydrofuran	<0.29	ug/m3	0.97	0.29	1.61		06/14/20 00:05	109-99-9	
Toluene	446	ug/m3	24.7	5.5	32.2		06/14/20 12:49	108-88-3	
1,2,4-Trichlorobenzene	<5.3	ug/m3	12.1	5.3	1.61		06/14/20 00:05	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.8	0.24	1.61		06/14/20 00:05	71-55-6	
1,1,2-Trichloroethane	<0.32	ug/m3	0.89	0.32	1.61		06/14/20 00:05	79-00-5	
Trichloroethylene	1.8	ug/m3	0.88	0.36	1.61		06/14/20 00:05	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.8	0.37	1.61		06/14/20 00:05	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.45J	ug/m3	2.5	0.41	1.61		06/14/20 00:05	76-13-1	
1,2,4-Trimethylbenzene	1.0J	ug/m3	1.6	0.50	1.61		06/14/20 00:05	95-63-6	
1,3,5-Trimethylbenzene	<0.40	ug/m3	1.6	0.40	1.61		06/14/20 00:05	108-67-8	
Vinyl acetate	<0.28	ug/m3	1.2	0.28	1.61		06/14/20 00:05	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.42	0.15	1.61		06/14/20 00:05	75-01-4	
m&p-Xylene	3.7	ug/m3	2.8	0.54	1.61		06/14/20 00:05	179601-23-1	
o-Xylene	1.2J	ug/m3	1.4	0.24	1.61		06/14/20 00:05	95-47-6	
<hr/>									
Sample: IA-21	Lab ID: 10521207006	Collected: 06/09/20 14:42	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	33.7	ug/m3	9.4	2.0	1.55		06/14/20 00:41	67-64-1	
Benzene	0.59	ug/m3	0.50	0.20	1.55		06/14/20 00:41	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/14/20 00:41	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/14/20 00:41	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/14/20 00:41	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/14/20 00:41	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/14/20 00:41	106-99-0	
2-Butanone (MEK)	46.3	ug/m3	4.6	0.87	1.55		06/14/20 00:41	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/14/20 00:41	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	2.0	0.40	1.55		06/14/20 00:41	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/14/20 00:41	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/14/20 00:41	75-00-3	
Chloroform	<0.21	ug/m3	0.77	0.21	1.55		06/14/20 00:41	67-66-3	
Chloromethane	1.3	ug/m3	0.65	0.10	1.55		06/14/20 00:41	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/14/20 00:41	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/14/20 00:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/14/20 00:41	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/14/20 00:41	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/14/20 00:41	541-73-1	
1,4-Dichlorobenzene	16.2	ug/m3	4.7	1.1	1.55		06/14/20 00:41	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521207

Sample: IA-21	Lab ID: 10521207006	Collected: 06/09/20 14:42	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	2.5	ug/m3	1.6	0.26	1.55		06/14/20 00:41	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/14/20 00:41	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/14/20 00:41	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 00:41	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 00:41	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/14/20 00:41	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/14/20 00:41	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/14/20 00:41	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/14/20 00:41	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/14/20 00:41	76-14-2	
Ethanol	461	ug/m3	3.0	1.5	1.55		06/14/20 00:41	64-17-5	
Ethyl acetate	1.8	ug/m3	1.1	0.29	1.55		06/14/20 00:41	141-78-6	
Ethylbenzene	0.99J	ug/m3	1.4	0.21	1.55		06/14/20 00:41	100-41-4	
4-Ethyltoluene	<0.66	ug/m3	3.9	0.66	1.55		06/14/20 00:41	622-96-8	
n-Heptane	3.2	ug/m3	1.3	0.31	1.55		06/14/20 00:41	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/14/20 00:41	87-68-3	
n-Hexane	3.8	ug/m3	1.1	0.31	1.55		06/14/20 00:41	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/14/20 00:41	591-78-6	
Methylene Chloride	25.8	ug/m3	5.5	1.4	1.55		06/14/20 00:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.89J	ug/m3	6.4	0.27	1.55		06/14/20 00:41	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/14/20 00:41	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/14/20 00:41	91-20-3	
2-Propanol	16.9	ug/m3	3.9	0.59	1.55		06/14/20 00:41	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/14/20 00:41	115-07-1	
Styrene	6.4	ug/m3	1.3	0.66	1.55		06/14/20 00:41	100-42-5	
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/14/20 00:41	79-34-5	
Tetrachloroethene	1.2	ug/m3	1.1	0.42	1.55		06/14/20 00:41	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/14/20 00:41	109-99-9	
Toluene	165	ug/m3	23.7	5.3	31		06/14/20 11:47	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/14/20 00:41	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/14/20 00:41	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/14/20 00:41	79-00-5	
Trichloroethene	1.7	ug/m3	0.85	0.34	1.55		06/14/20 00:41	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.8	0.36	1.55		06/14/20 00:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.40J	ug/m3	2.4	0.40	1.55		06/14/20 00:41	76-13-1	
1,2,4-Trimethylbenzene	0.81J	ug/m3	1.5	0.48	1.55		06/14/20 00:41	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.5	0.39	1.55		06/14/20 00:41	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/14/20 00:41	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/14/20 00:41	75-01-4	
m&p-Xylene	3.2	ug/m3	2.7	0.52	1.55		06/14/20 00:41	179601-23-1	
o-Xylene	1.0J	ug/m3	1.4	0.23	1.55		06/14/20 00:41	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-22	Lab ID: 10521207007	Collected: 06/09/20 14:54	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	36.4	ug/m3	9.4	2.0	1.55		06/14/20 01:16	67-64-1	
Benzene	0.65	ug/m3	0.50	0.20	1.55		06/14/20 01:16	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/14/20 01:16	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/14/20 01:16	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/14/20 01:16	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/14/20 01:16	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/14/20 01:16	106-99-0	
2-Butanone (MEK)	44.1	ug/m3	4.6	0.87	1.55		06/14/20 01:16	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/14/20 01:16	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	2.0	0.40	1.55		06/14/20 01:16	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/14/20 01:16	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/14/20 01:16	75-00-3	
Chloroform	<0.21	ug/m3	0.77	0.21	1.55		06/14/20 01:16	67-66-3	
Chloromethane	1.2	ug/m3	0.65	0.10	1.55		06/14/20 01:16	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/14/20 01:16	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/14/20 01:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/14/20 01:16	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/14/20 01:16	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/14/20 01:16	541-73-1	
1,4-Dichlorobenzene	17.0	ug/m3	4.7	1.1	1.55		06/14/20 01:16	106-46-7	
Dichlorodifluoromethane	2.5	ug/m3	1.6	0.26	1.55		06/14/20 01:16	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/14/20 01:16	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/14/20 01:16	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 01:16	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 01:16	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/14/20 01:16	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/14/20 01:16	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/14/20 01:16	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/14/20 01:16	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/14/20 01:16	76-14-2	
Ethanol	336	ug/m3	3.0	1.5	1.55		06/14/20 01:16	64-17-5	
Ethyl acetate	2.0	ug/m3	1.1	0.29	1.55		06/14/20 01:16	141-78-6	
Ethylbenzene	1.1J	ug/m3	1.4	0.21	1.55		06/14/20 01:16	100-41-4	
4-Ethyltoluene	<0.66	ug/m3	3.9	0.66	1.55		06/14/20 01:16	622-96-8	
n-Heptane	3.5	ug/m3	1.3	0.31	1.55		06/14/20 01:16	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/14/20 01:16	87-68-3	
n-Hexane	2.1	ug/m3	1.1	0.31	1.55		06/14/20 01:16	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/14/20 01:16	591-78-6	
Methylene Chloride	20.4	ug/m3	5.5	1.4	1.55		06/14/20 01:16	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.1J	ug/m3	6.4	0.27	1.55		06/14/20 01:16	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/14/20 01:16	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/14/20 01:16	91-20-3	
2-Propanol	13.3	ug/m3	3.9	0.59	1.55		06/14/20 01:16	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/14/20 01:16	115-07-1	
Styrene	7.1	ug/m3	1.3	0.66	1.55		06/14/20 01:16	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-22	Lab ID: 10521207007	Collected: 06/09/20 14:54	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/14/20 01:16	79-34-5	
Tetrachloroethene	1.3	ug/m3	1.1	0.42	1.55		06/14/20 01:16	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/14/20 01:16	109-99-9	
Toluene	478	ug/m3	23.7	5.3	31		06/14/20 12:18	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/14/20 01:16	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/14/20 01:16	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/14/20 01:16	79-00-5	
Trichloroethylene	2.0	ug/m3	0.85	0.34	1.55		06/14/20 01:16	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.8	0.36	1.55		06/14/20 01:16	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.45J	ug/m3	2.4	0.40	1.55		06/14/20 01:16	76-13-1	
1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	0.48	1.55		06/14/20 01:16	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.5	0.39	1.55		06/14/20 01:16	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/14/20 01:16	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/14/20 01:16	75-01-4	
m&p-Xylene	3.8	ug/m3	2.7	0.52	1.55		06/14/20 01:16	179601-23-1	
o-Xylene	1.2J	ug/m3	1.4	0.23	1.55		06/14/20 01:16	95-47-6	
<hr/>									
Sample: IA-23	Lab ID: 10521207008	Collected: 06/09/20 14:52	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	36.9	ug/m3	9.4	2.0	1.55		06/14/20 01:51	67-64-1	
Benzene	0.69	ug/m3	0.50	0.20	1.55		06/14/20 01:51	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/14/20 01:51	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/14/20 01:51	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/14/20 01:51	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/14/20 01:51	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/14/20 01:51	106-99-0	
2-Butanone (MEK)	37.5	ug/m3	4.6	0.87	1.55		06/14/20 01:51	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/14/20 01:51	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	2.0	0.40	1.55		06/14/20 01:51	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/14/20 01:51	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/14/20 01:51	75-00-3	
Chloroform	<0.21	ug/m3	0.77	0.21	1.55		06/14/20 01:51	67-66-3	
Chloromethane	1.1	ug/m3	0.65	0.10	1.55		06/14/20 01:51	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/14/20 01:51	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/14/20 01:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/14/20 01:51	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/14/20 01:51	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/14/20 01:51	541-73-1	
1,4-Dichlorobenzene	24.4	ug/m3	4.7	1.1	1.55		06/14/20 01:51	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-23	Lab ID: 10521207008	Collected: 06/09/20 14:52	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	2.1	ug/m3	1.6	0.26	1.55		06/14/20 01:51	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/14/20 01:51	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/14/20 01:51	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 01:51	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 01:51	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/14/20 01:51	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/14/20 01:51	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/14/20 01:51	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/14/20 01:51	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/14/20 01:51	76-14-2	
Ethanol	382	ug/m3	3.0	1.5	1.55		06/14/20 01:51	64-17-5	
Ethyl acetate	2.2	ug/m3	1.1	0.29	1.55		06/14/20 01:51	141-78-6	
Ethylbenzene	1.0J	ug/m3	1.4	0.21	1.55		06/14/20 01:51	100-41-4	
4-Ethyltoluene	<0.66	ug/m3	3.9	0.66	1.55		06/14/20 01:51	622-96-8	
n-Heptane	3.0	ug/m3	1.3	0.31	1.55		06/14/20 01:51	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/14/20 01:51	87-68-3	
n-Hexane	2.2	ug/m3	1.1	0.31	1.55		06/14/20 01:51	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/14/20 01:51	591-78-6	
Methylene Chloride	26.6	ug/m3	5.5	1.4	1.55		06/14/20 01:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.97J	ug/m3	6.4	0.27	1.55		06/14/20 01:51	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/14/20 01:51	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/14/20 01:51	91-20-3	
2-Propanol	21.9	ug/m3	3.9	0.59	1.55		06/14/20 01:51	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/14/20 01:51	115-07-1	
Styrene	8.3	ug/m3	1.3	0.66	1.55		06/14/20 01:51	100-42-5	
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/14/20 01:51	79-34-5	
Tetrachloroethene	1.7	ug/m3	1.1	0.42	1.55		06/14/20 01:51	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/14/20 01:51	109-99-9	
Toluene	357	ug/m3	11.9	2.7	15.5		06/14/20 11:17	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/14/20 01:51	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/14/20 01:51	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/14/20 01:51	79-00-5	
Trichloroethene	2.4	ug/m3	0.85	0.34	1.55		06/14/20 01:51	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.8	0.36	1.55		06/14/20 01:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.40	ug/m3	2.4	0.40	1.55		06/14/20 01:51	76-13-1	
1,2,4-Trimethylbenzene	0.84J	ug/m3	1.5	0.48	1.55		06/14/20 01:51	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.5	0.39	1.55		06/14/20 01:51	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/14/20 01:51	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/14/20 01:51	75-01-4	
m&p-Xylene	3.2	ug/m3	2.7	0.52	1.55		06/14/20 01:51	179601-23-1	
o-Xylene	1.0J	ug/m3	1.4	0.23	1.55		06/14/20 01:51	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-24	Lab ID: 10521207009	Collected: 06/09/20 14:46	Received: 06/11/20 10:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	55.1	ug/m3	9.4	2.0	1.55		06/14/20 02:26	67-64-1	
Benzene	1.4	ug/m3	0.50	0.20	1.55		06/14/20 02:26	71-43-2	
Benzyl chloride	<0.73	ug/m3	4.1	0.73	1.55		06/14/20 02:26	100-44-7	
Bromodichloromethane	<0.27	ug/m3	2.1	0.27	1.55		06/14/20 02:26	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		06/14/20 02:26	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		06/14/20 02:26	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.70	0.16	1.55		06/14/20 02:26	106-99-0	
2-Butanone (MEK)	15.7	ug/m3	4.6	0.87	1.55		06/14/20 02:26	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.98	0.17	1.55		06/14/20 02:26	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	2.0	0.40	1.55		06/14/20 02:26	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.5	0.21	1.55		06/14/20 02:26	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		06/14/20 02:26	75-00-3	
Chloroform	<0.21	ug/m3	0.77	0.21	1.55		06/14/20 02:26	67-66-3	
Chloromethane	1.1	ug/m3	0.65	0.10	1.55		06/14/20 02:26	74-87-3	
Cyclohexane	<0.23	ug/m3	2.7	0.23	1.55		06/14/20 02:26	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		06/14/20 02:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.2	0.43	1.55		06/14/20 02:26	106-93-4	
1,2-Dichlorobenzene	<0.49	ug/m3	1.9	0.49	1.55		06/14/20 02:26	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	1.9	0.74	1.55		06/14/20 02:26	541-73-1	
1,4-Dichlorobenzene	7.5	ug/m3	4.7	1.1	1.55		06/14/20 02:26	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.6	0.26	1.55		06/14/20 02:26	75-71-8	
1,1-Dichloroethane	<0.18	ug/m3	1.3	0.18	1.55		06/14/20 02:26	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.64	0.26	1.55		06/14/20 02:26	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 02:26	75-35-4	
cis-1,2-Dichloroethene	<0.18	ug/m3	1.2	0.18	1.55		06/14/20 02:26	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		06/14/20 02:26	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.5	0.31	1.55		06/14/20 02:26	78-87-5	
cis-1,3-Dichloropropene	<0.58	ug/m3	1.4	0.58	1.55		06/14/20 02:26	10061-01-5	
trans-1,3-Dichloropropene	<0.41	ug/m3	1.4	0.41	1.55		06/14/20 02:26	10061-02-6	
Dichlorotetrafluoroethane	<0.24	ug/m3	2.2	0.24	1.55		06/14/20 02:26	76-14-2	
Ethanol	262	ug/m3	3.0	1.5	1.55		06/14/20 02:26	64-17-5	
Ethyl acetate	5.2	ug/m3	1.1	0.29	1.55		06/14/20 02:26	141-78-6	
Ethylbenzene	1.3J	ug/m3	1.4	0.21	1.55		06/14/20 02:26	100-41-4	
4-Ethyltoluene	0.77J	ug/m3	3.9	0.66	1.55		06/14/20 02:26	622-96-8	
n-Heptane	10.0	ug/m3	1.3	0.31	1.55		06/14/20 02:26	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		06/14/20 02:26	87-68-3	
n-Hexane	8.1	ug/m3	1.1	0.31	1.55		06/14/20 02:26	110-54-3	
2-Hexanone	<0.53	ug/m3	6.4	0.53	1.55		06/14/20 02:26	591-78-6	
Methylene Chloride	12.3	ug/m3	5.5	1.4	1.55		06/14/20 02:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.93J	ug/m3	6.4	0.27	1.55		06/14/20 02:26	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	5.7	0.16	1.55		06/14/20 02:26	1634-04-4	
Naphthalene	<2.0	ug/m3	4.1	2.0	1.55		06/14/20 02:26	91-20-3	
2-Propanol	19.0	ug/m3	3.9	0.59	1.55		06/14/20 02:26	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		06/14/20 02:26	115-07-1	
Styrene	58.6	ug/m3	1.3	0.66	1.55		06/14/20 02:26	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Sample: IA-24 **Lab ID: 10521207009** Collected: 06/09/20 14:46 Received: 06/11/20 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.55		06/14/20 02:26	79-34-5	
Tetrachloroethene	1.8	ug/m3	1.1	0.42	1.55		06/14/20 02:26	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.93	0.28	1.55		06/14/20 02:26	109-99-9	
Toluene	88.5	ug/m3	1.2	0.27	1.55		06/14/20 02:26	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		06/14/20 02:26	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.7	0.24	1.55		06/14/20 02:26	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		06/14/20 02:26	79-00-5	
Trichloroethylene	1.1	ug/m3	0.85	0.34	1.55		06/14/20 02:26	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.8	0.36	1.55		06/14/20 02:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.43J	ug/m3	2.4	0.40	1.55		06/14/20 02:26	76-13-1	
1,2,4-Trimethylbenzene	3.9	ug/m3	1.5	0.48	1.55		06/14/20 02:26	95-63-6	
1,3,5-Trimethylbenzene	1.2J	ug/m3	1.5	0.39	1.55		06/14/20 02:26	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		06/14/20 02:26	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.40	0.15	1.55		06/14/20 02:26	75-01-4	
m&p-Xylene	4.6	ug/m3	2.7	0.52	1.55		06/14/20 02:26	179601-23-1	
o-Xylene	1.8	ug/m3	1.4	0.23	1.55		06/14/20 02:26	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

QC Batch: 680973

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10521207001, 10521207002, 10521207003, 10521207004, 10521207005, 10521207006, 10521207007,
10521207008, 10521207009

METHOD BLANK: 3644387

Matrix: Air

Associated Lab Samples: 10521207001, 10521207002, 10521207003, 10521207004, 10521207005, 10521207006, 10521207007,
10521207008, 10521207009

Parameter	Units	Blank	Reporting		Qualifiers
		Result	Limit	Analyzed	
1,1,1-Trichloroethane	ug/m3	<0.15	1.1	06/13/20 11:11	
1,1,2,2-Tetrachloroethane	ug/m3	<0.31	0.70	06/13/20 11:11	
1,1,2-Trichloroethane	ug/m3	<0.20	0.56	06/13/20 11:11	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.26	1.6	06/13/20 11:11	
1,1-Dichloroethane	ug/m3	<0.11	0.82	06/13/20 11:11	
1,1-Dichloroethene	ug/m3	<0.12	0.81	06/13/20 11:11	
1,2,4-Trichlorobenzene	ug/m3	<3.3	7.5	06/13/20 11:11	
1,2,4-Trimethylbenzene	ug/m3	<0.31	1.0	06/13/20 11:11	
1,2-Dibromoethane (EDB)	ug/m3	<0.28	0.78	06/13/20 11:11	
1,2-Dichlorobenzene	ug/m3	<0.32	1.2	06/13/20 11:11	
1,2-Dichloroethane	ug/m3	<0.17	0.41	06/13/20 11:11	
1,2-Dichloropropane	ug/m3	<0.20	0.94	06/13/20 11:11	
1,3,5-Trimethylbenzene	ug/m3	<0.25	1.0	06/13/20 11:11	
1,3-Butadiene	ug/m3	<0.10	0.45	06/13/20 11:11	
1,3-Dichlorobenzene	ug/m3	<0.48	1.2	06/13/20 11:11	
1,4-Dichlorobenzene	ug/m3	<0.74	3.1	06/13/20 11:11	
2-Butanone (MEK)	ug/m3	<0.56	3.0	06/13/20 11:11	
2-Hexanone	ug/m3	<0.34	4.2	06/13/20 11:11	
2-Propanol	ug/m3	<0.38	2.5	06/13/20 11:11	
4-Ethyltoluene	ug/m3	<0.43	2.5	06/13/20 11:11	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.18	4.2	06/13/20 11:11	
Acetone	ug/m3	<1.3	6.0	06/13/20 11:11	
Benzene	ug/m3	<0.13	0.32	06/13/20 11:11	
Benzyl chloride	ug/m3	<0.47	2.6	06/13/20 11:11	
Bromodichloromethane	ug/m3	<0.18	1.4	06/13/20 11:11	
Bromoform	ug/m3	<1.8	5.2	06/13/20 11:11	
Bromomethane	ug/m3	<0.15	0.79	06/13/20 11:11	
Carbon disulfide	ug/m3	<0.11	0.63	06/13/20 11:11	
Carbon tetrachloride	ug/m3	<0.26	1.3	06/13/20 11:11	
Chlorobenzene	ug/m3	<0.13	0.94	06/13/20 11:11	
Chloroethane	ug/m3	<0.13	0.54	06/13/20 11:11	
Chloroform	ug/m3	<0.13	0.50	06/13/20 11:11	
Chloromethane	ug/m3	<0.066	0.42	06/13/20 11:11	
cis-1,2-Dichloroethene	ug/m3	<0.12	0.81	06/13/20 11:11	
cis-1,3-Dichloropropene	ug/m3	<0.37	0.92	06/13/20 11:11	
Cyclohexane	ug/m3	<0.15	1.8	06/13/20 11:11	
Dibromochloromethane	ug/m3	<0.40	1.7	06/13/20 11:11	
Dichlorodifluoromethane	ug/m3	<0.17	1.0	06/13/20 11:11	
Dichlorotetrafluoroethane	ug/m3	<0.16	1.4	06/13/20 11:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

METHOD BLANK: 3644387

Matrix: Air

Associated Lab Samples: 10521207001, 10521207002, 10521207003, 10521207004, 10521207005, 10521207006, 10521207007,
10521207008, 10521207009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.94	1.9	06/13/20 11:11	
Ethyl acetate	ug/m3	<0.18	0.73	06/13/20 11:11	
Ethylbenzene	ug/m3	<0.14	0.88	06/13/20 11:11	
Hexachloro-1,3-butadiene	ug/m3	<1.2	5.4	06/13/20 11:11	
m&p-Xylene	ug/m3	<0.34	1.8	06/13/20 11:11	
Methyl-tert-butyl ether	ug/m3	<0.10	3.7	06/13/20 11:11	
Methylene Chloride	ug/m3	<0.93	3.5	06/13/20 11:11	
n-Heptane	ug/m3	<0.20	0.83	06/13/20 11:11	
n-Hexane	ug/m3	<0.20	0.72	06/13/20 11:11	
Naphthalene	ug/m3	<1.3	2.7	06/13/20 11:11	
o-Xylene	ug/m3	<0.15	0.88	06/13/20 11:11	
Propylene	ug/m3	<0.098	0.35	06/13/20 11:11	
Styrene	ug/m3	<0.43	0.87	06/13/20 11:11	
Tetrachloroethene	ug/m3	<0.27	0.69	06/13/20 11:11	
Tetrahydrofuran	ug/m3	<0.18	0.60	06/13/20 11:11	
Toluene	ug/m3	<0.17	0.77	06/13/20 11:11	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	06/13/20 11:11	
trans-1,3-Dichloropropene	ug/m3	<0.26	0.92	06/13/20 11:11	
Trichloroethene	ug/m3	<0.22	0.55	06/13/20 11:11	
Trichlorofluoromethane	ug/m3	<0.23	1.1	06/13/20 11:11	
Vinyl acetate	ug/m3	<0.18	0.72	06/13/20 11:11	
Vinyl chloride	ug/m3	<0.096	0.26	06/13/20 11:11	

LABORATORY CONTROL SAMPLE: 3644388

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	57	58.7	103	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	71.9	69.0	96	70-132	
1,1,2-Trichloroethane	ug/m3	57.3	56.6	99	70-133	
1,1,2-Trichlorotrifluoroethane	ug/m3	80.3	78.7	98	70-130	
1,1-Dichloroethane	ug/m3	42.7	43.9	103	70-130	
1,1-Dichloroethene	ug/m3	41.4	42.4	102	69-137	
1,2,4-Trichlorobenzene	ug/m3	156	150	97	70-130	
1,2,4-Trimethylbenzene	ug/m3	51.5	51.1	99	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.3	82.1	102	70-138	
1,2-Dichlorobenzene	ug/m3	63.1	59.9	95	70-136	
1,2-Dichloroethane	ug/m3	42.4	45.4	107	70-130	
1,2-Dichloropropane	ug/m3	48.6	49.0	101	70-132	
1,3,5-Trimethylbenzene	ug/m3	51.6	51.2	99	70-136	
1,3-Butadiene	ug/m3	23.3	22.7	97	67-139	
1,3-Dichlorobenzene	ug/m3	63.4	63.5	100	70-138	
1,4-Dichlorobenzene	ug/m3	63.4	66.1	104	70-145	
2-Butanone (MEK)	ug/m3	31.4	26.2	83	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

LABORATORY CONTROL SAMPLE: 3644388

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	42.8	48.8	114	70-138	
2-Propanol	ug/m3	119	117	98	70-136	
4-Ethyltoluene	ug/m3	52.4	53.5	102	70-142	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	48.1	110	70-134	
Acetone	ug/m3	126	118	93	59-137	
Benzene	ug/m3	33.5	32.1	96	70-133	
Benzyl chloride	ug/m3	55.1	52.4	95	70-139	
Bromodichloromethane	ug/m3	71.5	75.7	106	70-130	
Bromoform	ug/m3	110	105	96	60-140	
Bromomethane	ug/m3	41.3	41.1	100	70-131	
Carbon disulfide	ug/m3	33.3	34.1	102	70-130	
Carbon tetrachloride	ug/m3	66.2	68.9	104	70-133	
Chlorobenzene	ug/m3	48.3	44.0	91	70-131	
Chloroethane	ug/m3	28.1	29.6	105	70-141	
Chloroform	ug/m3	51.1	51.0	100	70-130	
Chloromethane	ug/m3	21.9	22.1	101	64-137	
cis-1,2-Dichloroethene	ug/m3	41.6	41.7	100	70-132	
cis-1,3-Dichloropropene	ug/m3	47.7	51.8	109	70-138	
Cyclohexane	ug/m3	36.7	38.8	106	70-133	
Dibromochloromethane	ug/m3	90.7	92.5	102	70-139	
Dichlorodifluoromethane	ug/m3	51.6	53.0	103	70-130	
Dichlorotetrafluoroethane	ug/m3	72.7	72.4	100	65-133	
Ethanol	ug/m3	103	101	99	65-135	
Ethyl acetate	ug/m3	38.6	40.4	105	70-135	
Ethylbenzene	ug/m3	45.6	45.4	100	70-142	
Hexachloro-1,3-butadiene	ug/m3	112	114	102	70-134	
m&p-Xylene	ug/m3	91.2	89.6	98	70-141	
Methyl-tert-butyl ether	ug/m3	38.4	39.2	102	70-131	
Methylene Chloride	ug/m3	182	174	95	69-130	
n-Heptane	ug/m3	43.6	45.2	104	70-130	
n-Hexane	ug/m3	37.6	41.3	110	70-131	
Naphthalene	ug/m3	57.7	55.8	97	63-130	
o-Xylene	ug/m3	45.5	43.7	96	70-135	
Propylene	ug/m3	18.2	19.5	108	63-139	
Styrene	ug/m3	44.9	48.1	107	70-143	
Tetrachloroethene	ug/m3	71	66.5	94	70-136	
Tetrahydrofuran	ug/m3	31.5	34.1	108	70-137	
Toluene	ug/m3	39.5	38.3	97	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	42.6	101	70-132	
trans-1,3-Dichloropropene	ug/m3	47.7	55.6	117	70-139	
Trichloroethene	ug/m3	56.3	56.0	99	70-132	
Trichlorofluoromethane	ug/m3	59.7	64.2	108	65-136	
Vinyl acetate	ug/m3	34.5	38.4	111	66-140	
Vinyl chloride	ug/m3	26.7	26.5	99	68-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

SAMPLE DUPLICATE: 3644549

Parameter	Units	10521207001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m ³	<0.24	<0.24		25	
1,1,2,2-Tetrachloroethane	ug/m ³	<0.48	<0.48		25	
1,1,2-Trichloroethane	ug/m ³	<0.31	<0.31		25	
1,1,2-Trichlorotrifluoroethane	ug/m ³	0.44J	0.43J		25	
1,1-Dichloroethane	ug/m ³	<0.18	<0.18		25	
1,1-Dichloroethene	ug/m ³	<0.18	<0.18		25	
1,2,4-Trichlorobenzene	ug/m ³	<5.1	<5.1		25	
1,2,4-Trimethylbenzene	ug/m ³	1.4J	1.6		25	
1,2-Dibromoethane (EDB)	ug/m ³	<0.43	<0.43		25	
1,2-Dichlorobenzene	ug/m ³	<0.49	<0.49		25	
1,2-Dichloroethane	ug/m ³	<0.26	<0.26		25	
1,2-Dichloropropane	ug/m ³	<0.31	<0.31		25	
1,3,5-Trimethylbenzene	ug/m ³	<0.39	0.45J		25	
1,3-Butadiene	ug/m ³	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m ³	<0.74	<0.74		25	
1,4-Dichlorobenzene	ug/m ³	6.6	7.2	9	25	
2-Butanone (MEK)	ug/m ³	8.9	9.4	5	25	
2-Hexanone	ug/m ³	<0.53	<0.53		25	
2-Propanol	ug/m ³	18.0	20.8	15	25	
4-Ethyltoluene	ug/m ³	<0.66	<0.66		25	
4-Methyl-2-pentanone (MIBK)	ug/m ³	0.70J	0.79J		25	
Acetone	ug/m ³	59.2	67.7	13	25	
Benzene	ug/m ³	1.5	1.6	8	25	
Benzyl chloride	ug/m ³	<0.73	<0.73		25	
Bromodichloromethane	ug/m ³	<0.27	<0.27		25	
Bromoform	ug/m ³	<2.8	<2.8		25	
Bromomethane	ug/m ³	<0.23	<0.23		25	
Carbon disulfide	ug/m ³	<0.17	<0.17		25	
Carbon tetrachloride	ug/m ³	<0.40	<0.40		25	
Chlorobenzene	ug/m ³	<0.21	<0.21		25	
Chloroethane	ug/m ³	<0.20	<0.20		25	
Chloroform	ug/m ³	<0.21	<0.21		25	
Chloromethane	ug/m ³	0.98	1.1	13	25	
cis-1,2-Dichloroethene	ug/m ³	<0.18	<0.18		25	
cis-1,3-Dichloropropene	ug/m ³	<0.58	<0.58		25	
Cyclohexane	ug/m ³	<0.23	<0.23		25	
Dibromochloromethane	ug/m ³	<0.62	<0.62		25	
Dichlorodifluoromethane	ug/m ³	2.2	2.5	11	25	
Dichlorotetrafluoroethane	ug/m ³	<0.24	<0.24		25	
Ethanol	ug/m ³	205	242	17	25	
Ethyl acetate	ug/m ³	7.4	7.9	7	25	
Ethylbenzene	ug/m ³	1.2J	1.3J		25	
Hexachloro-1,3-butadiene	ug/m ³	<1.9	<1.9		25	
m&p-Xylene	ug/m ³	3.9	4.2	9	25	
Methyl-tert-butyl ether	ug/m ³	<0.16	<0.16		25	
Methylene Chloride	ug/m ³	9.4	10.2	8	25	
n-Heptane	ug/m ³	5.8	6.2	6	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

SAMPLE DUPLICATE: 3644549

Parameter	Units	10521207001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	5.3	7.8	37	25	R1
Naphthalene	ug/m3	<2.0	<2.0		25	
o-Xylene	ug/m3	1.5	1.6	10	25	
Propylene	ug/m3	<0.15	<0.15		25	
Styrene	ug/m3	28.8	31.9	10	25	
Tetrachloroethene	ug/m3	1.1	1.3	11	25	
Tetrahydrofuran	ug/m3	<0.28	<0.28		25	
Toluene	ug/m3	49.0	55.3	12	25	
trans-1,2-Dichloroethene	ug/m3	<0.26	<0.26		25	
trans-1,3-Dichloropropene	ug/m3	<0.41	<0.41		25	
Trichloroethene	ug/m3	0.68J	0.76J		25	
Trichlorofluoromethane	ug/m3	1.2J	1.4J		25	
Vinyl acetate	ug/m3	<0.27	<0.27		25	
Vinyl chloride	ug/m3	<0.15	<0.15		25	

SAMPLE DUPLICATE: 3644550

Parameter	Units	10521207002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.41	<0.41		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.83	<0.83		25	
1,1,2-Trichloroethane	ug/m3	<0.53	<0.53		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.69	<0.69		25	
1,1-Dichloroethane	ug/m3	<0.30	<0.30		25	
1,1-Dichloroethene	ug/m3	<0.32	<0.32		25	
1,2,4-Trichlorobenzene	ug/m3	<8.9	<8.9		25	
1,2,4-Trimethylbenzene	ug/m3	1.1J	1.1J		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.74	<0.74		25	
1,2-Dichlorobenzene	ug/m3	<0.85	<0.85		25	
1,2-Dichloroethane	ug/m3	<0.45	<0.45		25	
1,2-Dichloropropane	ug/m3	<0.54	<0.54		25	
1,3,5-Trimethylbenzene	ug/m3	<0.67	<0.67		25	
1,3-Butadiene	ug/m3	<0.28	<0.28		25	
1,3-Dichlorobenzene	ug/m3	<1.3	<1.3		25	
1,4-Dichlorobenzene	ug/m3	16.0	16.1	1	25	
2-Butanone (MEK)	ug/m3	46.7	47.7	2	25	
2-Hexanone	ug/m3	<0.93	<0.93		25	
2-Propanol	ug/m3	14.4	15.3	6	25	
4-Ethyltoluene	ug/m3	<1.2	<1.2		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	1.7J	1.7J		25	
Acetone	ug/m3	41.7	45.2	8	25	
Benzene	ug/m3	0.76J	0.77J		25	
Benzyl chloride	ug/m3	<1.3	<1.3		25	
Bromodichloromethane	ug/m3	<0.47	<0.47		25	
Bromoform	ug/m3	<4.8	<4.8		25	
Bromomethane	ug/m3	<0.39	<0.39		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

SAMPLE DUPLICATE: 3644550

Parameter	Units	10521207002 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m ³	<0.29	0.61J		25	
Carbon tetrachloride	ug/m ³	<0.69	<0.69		25	
Chlorobenzene	ug/m ³	<0.36	<0.36		25	
Chloroethane	ug/m ³	<0.34	<0.34		25	
Chloroform	ug/m ³	<0.36	<0.36		25	
Chloromethane	ug/m ³	1.1	1.2	3	25	
cis-1,2-Dichloroethene	ug/m ³	<0.31	<0.31		25	
cis-1,3-Dichloropropene	ug/m ³	<1.0	<1.0		25	
Cyclohexane	ug/m ³	<0.39	<0.39		25	
Dibromochloromethane	ug/m ³	<1.1	<1.1		25	
Dichlorodifluoromethane	ug/m ³	2.3J	2.2J		25	
Dichlorotetrafluoroethane	ug/m ³	<0.43	<0.43		25	
Ethanol	ug/m ³	367	401	9	25	
Ethyl acetate	ug/m ³	<0.49	<0.49		25	
Ethylbenzene	ug/m ³	1.3J	1.3J		25	
Hexachloro-1,3-butadiene	ug/m ³	<3.4	<3.4		25	
m&p-Xylene	ug/m ³	4.3J	4.3J		25	
Methyl-tert-butyl ether	ug/m ³	<0.27	<0.27		25	
Methylene Chloride	ug/m ³	20.8	20.7	0	25	
n-Heptane	ug/m ³	5.8	4.0	37	25 R1	
n-Hexane	ug/m ³	4.3	2.8	42	25 R1	
Naphthalene	ug/m ³	<3.4	<3.4		25	
o-Xylene	ug/m ³	1.4J	1.5J		25	
Propylene	ug/m ³	<0.26	<0.26		25	
Styrene	ug/m ³	7.6	7.4	2	25	
Tetrachloroethene	ug/m ³	1.3J	1.3J		25	
Tetrahydrofuran	ug/m ³	<0.49	<0.49		25	
Toluene	ug/m ³	347	349	1	25	
trans-1,2-Dichloroethene	ug/m ³	<0.45	<0.45		25	
trans-1,3-Dichloropropene	ug/m ³	<0.71	<0.71		25	
Trichloroethene	ug/m ³	1.7	1.7	1	25	
Trichlorofluoromethane	ug/m ³	1.0J	1.2J		25	
Vinyl acetate	ug/m ³	<0.48	<0.48		25	
Vinyl chloride	ug/m ³	<0.26	<0.26		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1604-1204-0002 Schaefer Brush
Pace Project No.: 10521207

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1604-1204-0002 Schaefer Brush

Pace Project No.: 10521207

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10521207001	IA-5	TO-15	680973		
10521207002	IA-12	TO-15	680973		
10521207003	IA-14	TO-15	680973		
10521207004	IA-19	TO-15	680973		
10521207005	IA-20	TO-15	680973		
10521207006	IA-21	TO-15	680973		
10521207007	IA-22	TO-15	680973		
10521207008	IA-23	TO-15	680973		
10521207009	IA-24	TO-15	680973		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
Required Client Information:

Company: Key Engineering
Address: 735 N. Water St. #510
Milwaukee, WI 53202
Email To: tschoen@keyengineering.com
Phone: 414-274-8300 Fax:
Requested Due Date/TAT:

Section B
Required Project Information:

Report To: T. Schoen
Copy To:
Purchase Order No.:
Project Name: Schaefer Brush
Project Number: 1604-1204-0002

Section C
Invoice Information:

Attention:
Company Name:
Address:
Pace Quote Reference:
Pace Project Manager/Sales Rep.
Pace Profile #: 34194

36994

Page: / of /

Program

UST Superfund Emissions Clean Air Act
 Voluntary Clean Up Dry Clean RCRA Other

Location of Sampling by State _____ Reporting Units
ug/m³ mg/m³
PPBV PPMV
Other

Report Level II. III. IV. Other

Method:
PM10
3C Fixed Gas (%)
TO-3M (Methane)
TO-14
TO-15 Full List VOCs
TO-15 Short List BTEX
TO-15 Short List Chlorinated
TO-15 Short List Other

Pace Lab ID

'Section D Required Client Information

AIR SAMPLE ID

Sample IDs MUST BE UNIQUE

Valid Media Codes
MEDIA CODE
Tedar Bag TB
1 Liter Summa Can 1LC
6 Liter Summa Can 6LC
Low Volume Puff LVP
High Volume Puff HVP
Other PM10

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - In Hg)	Canister Pressure (Final Field - In Hg)	Summa Can Number	Flow Control Number				
				COMPOSITE START		COMPOSITE - END/GRAB									
				DATE	TIME	DATE	TIME								
1	IA-5	6LC		6/9/20	0748	6/9/20	1448	-30	-3	3646	0062				
2	IA-12	6LC		6/9/20	0740	6/9/20	1540	-30	-14	1523	1884				
3	IA-14	6LC		6/9/20	0744	6/9/20	1444	-25	-2	0948	1025				
4	IA-19	6LC		6/9/20	0750	6/9/20	1450	-30	-5	2339	1353				
5	IA-20	6LC		6/9/20	0756	6/9/20	1456	-27	-4	3332	0249				
6	IA-21	6LC		6/9/20	0742	6/9/20	1442	-27	-3	1515	0023				
7	IA-22	6LC		6/9/20	0754	6/9/20	1454	-30	-4	0393	0388				
8	IA-23	6LC		6/9/20	0752	6/9/20	1452	-26	-1	2181	2009				
9	IA-24	6LC		6/9/20	0746	6/9/20	1446	-30	-4	1521	0026				
10															
11															
12															

Comments :

WO# : 10521207



RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	6/10/20	1430		6/12/20	1000	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
						<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
						<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
						<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed (MM / DD / YY)

Temp in °C	Received on Ice	Custody Sealed	Samples Intact
Y/N	Y/N	Y/N	Y/N

Document Name:
Air Sample Condition Upon ReceiptDocument No.:
F-MN-A-106-rev.20Document Revised: 19Nov2019
Page 1 of 1Pace Analytical Services -
MinneapolisAir Sample Condition
Upon Receipt

Client Name: Key

Project #:

WO# : 10521207

Courier: FedEx UPS USPS Client
 Pace SpeeDee Commercial See ExceptionTracking Number: 3937 2997 7992 Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes NoPacking Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes NoTemp. (TO17 and TO13 samples only) (°C): _____ Corrected Temp (°C): _____ Thermometer Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: _____

Date & Initials of Person Examining Contents: 6/120 M

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Teflar bags not acceptable container for TO-14, TO-15 or APH)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <input checked="" type="checkbox"/> Air Can <input type="checkbox"/> Airbag <input type="checkbox"/> Filter <input type="checkbox"/> TDT <input type="checkbox"/> Passive	11. Individually Certified Cans Y <input checked="" type="checkbox"/> N (list which samples)	
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters					Canisters					M 6/120
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	
IA-5	3646	62	-4	5	IA-24	1521	26	-4	5	
IA-12	1523	1884	-15							
IA-14	948	1025	-4							
IA-19	2339	1353	-4							
IA-20	3332	249	-5							
IA-21	1515	23	-4							
IA-22	393	388	-4							
IA-23	2181	2009	-4							

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

Project Manager Review: *Kristen Hogenberg*

Date: 6/11/2020



Document Name:
SCUR Exception Form

Document Revised: 06Feb2020

Page 1 of 1

Document No.:
F-MN-C-298-Rev.03

Pace Analytical Services -
Minneapolis

SCUR Exceptions:

Workorder #:

Tracking Number/Temperature

3937 2997 8006
3937 2997 8017
3937 2997 8028
3937 2997 8039
3937 2997 8040

pH Adjustment Log for Preserved Samples

pH Adjustment Log for Preserved Samples									
Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance after addition?	Initials
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	

Attachment 3



eurofins

Environment Testing
America



ANALYTICAL REPORT

Eurofins TestAmerica, Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

Laboratory Job ID: 500-183571-1

Client Project/Site: Schaefer Brush - 1604-1204-0002

For:

Key Engineering Group, Ltd.
735 North Water Street
Suite 510
Milwaukee, Wisconsin 53202

Attn: Toni Schoen

Authorized for release by:

6/29/2020 3:41:55 PM
Robin Kintz, Project Manager II
(708)534-5200
robin.kintz@testamericainc.com

Designee for

Sandie Fredrick, Project Manager II
(920)261-1660
sandie.fredrick@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	17
QC Association	18
Surrogate Summary	19
QC Sample Results	20
Chronicle	29
Certification Summary	30
Chain of Custody	31
Receipt Checklists	32

Case Narrative

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Job ID: 500-183571-1

Laboratory: Eurofins TestAmerica, Chicago

Narrative

Job Narrative
500-183571-1

Comments

No additional comments.

Receipt

The samples were received on 6/16/2020 10:00 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.8° C.

GC/MS VOA

Method 8260B: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-7 (500-183571-1) and MW-3 (500-183571-3). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-7

Lab Sample ID: 500-183571-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	6.7		2.0	0.82	ug/L	2		8260B	Total/NA
Trichloroethene	5.1		1.0	0.33	ug/L	2		8260B	Total/NA
Tetrachloroethene - DL	390		20	7.4	ug/L	20		8260B	Total/NA

Client Sample ID: MW-2

Lab Sample ID: 500-183571-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloromethane	0.57	J	1.0	0.32	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.8		1.0	0.37	ug/L	1		8260B	Total/NA
Trichloroethene	0.34	J	0.50	0.16	ug/L	1		8260B	Total/NA

Client Sample ID: MW-3

Lab Sample ID: 500-183571-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.41	J	1.0	0.41	ug/L	1		8260B	Total/NA
Tetrachloroethene - DL	280		10	3.7	ug/L	10		8260B	Total/NA

Client Sample ID: MW-4

Lab Sample ID: 500-183571-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	3.6		1.0	0.37	ug/L	1		8260B	Total/NA

Client Sample ID: Trip Blank

Lab Sample ID: 500-183571-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Chicago

Method Summary

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CHI
5030B	Purge and Trap	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = Eurofins TestAmerica, Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Sample Summary

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
500-183571-1	MW-7	Water	06/15/20 08:45	06/16/20 10:00	
500-183571-2	MW-2	Water	06/15/20 09:00	06/16/20 10:00	
500-183571-3	MW-3	Water	06/15/20 09:15	06/16/20 10:00	
500-183571-4	MW-4	Water	06/15/20 09:30	06/16/20 10:00	
500-183571-5	Trip Blank	Water	06/15/20 00:00	06/16/20 10:00	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Client Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-7

Date Collected: 06/15/20 08:45

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<3.5		20	3.5	ug/L			06/28/20 15:16	2
Benzene	<0.29		1.0	0.29	ug/L			06/28/20 15:16	2
Bromobenzene	<0.71		2.0	0.71	ug/L			06/28/20 15:16	2
Bromochloromethane	<0.86		2.0	0.86	ug/L			06/28/20 15:16	2
Bromodichloromethane	<0.74		2.0	0.74	ug/L			06/28/20 15:16	2
Bromoform	<0.97		2.0	0.97	ug/L			06/28/20 15:16	2
Bromomethane	<1.6		6.0	1.6	ug/L			06/28/20 15:16	2
2-Butanone (MEK)	<4.2		10	4.2	ug/L			06/28/20 15:16	2
Carbon tetrachloride	<0.77		2.0	0.77	ug/L			06/28/20 15:16	2
Chlorobenzene	<0.77		2.0	0.77	ug/L			06/28/20 15:16	2
Chloroethane	<1.0		2.0	1.0	ug/L			06/28/20 15:16	2
Chloroform	<0.74		4.0	0.74	ug/L			06/28/20 15:16	2
Chloromethane	<0.64		2.0	0.64	ug/L			06/28/20 15:16	2
2-Chlorotoluene	<0.63		2.0	0.63	ug/L			06/28/20 15:16	2
4-Chlorotoluene	<0.70		2.0	0.70	ug/L			06/28/20 15:16	2
cis-1,2-Dichloroethene	6.7		2.0	0.82	ug/L			06/28/20 15:16	2
cis-1,3-Dichloropropene	<0.83		2.0	0.83	ug/L			06/28/20 15:16	2
Dibromochloromethane	<0.98		2.0	0.98	ug/L			06/28/20 15:16	2
1,2-Dibromo-3-Chloropropane	<4.0		10	4.0	ug/L			06/28/20 15:16	2
1,2-Dibromoethane	<0.77		2.0	0.77	ug/L			06/28/20 15:16	2
Dibromomethane	<0.54		2.0	0.54	ug/L			06/28/20 15:16	2
1,2-Dichlorobenzene	<0.67		2.0	0.67	ug/L			06/28/20 15:16	2
1,3-Dichlorobenzene	<0.80		2.0	0.80	ug/L			06/28/20 15:16	2
1,4-Dichlorobenzene	<0.73		2.0	0.73	ug/L			06/28/20 15:16	2
Dichlorodifluoromethane	<1.3		6.0	1.3	ug/L			06/28/20 15:16	2
1,1-Dichloroethane	<0.82		2.0	0.82	ug/L			06/28/20 15:16	2
1,2-Dichloroethane	<0.78		2.0	0.78	ug/L			06/28/20 15:16	2
1,1-Dichloroethylene	<0.78		2.0	0.78	ug/L			06/28/20 15:16	2
1,2-Dichloropropane	<0.86		2.0	0.86	ug/L			06/28/20 15:16	2
1,3-Dichloropropane	<0.72		2.0	0.72	ug/L			06/28/20 15:16	2
2,2-Dichloropropane	<0.89		2.0	0.89	ug/L			06/28/20 15:16	2
1,1-Dichloropropene	<0.59		2.0	0.59	ug/L			06/28/20 15:16	2
Ethylbenzene	<0.37		1.0	0.37	ug/L			06/28/20 15:16	2
Hexachlorobutadiene	<0.89		2.0	0.89	ug/L			06/28/20 15:16	2
Isopropylbenzene	<0.77		2.0	0.77	ug/L			06/28/20 15:16	2
Isopropyl ether	<0.55		2.0	0.55	ug/L			06/28/20 15:16	2
Methylene Chloride	<3.3		10	3.3	ug/L			06/28/20 15:16	2
Methyl tert-butyl ether	<0.79		2.0	0.79	ug/L			06/28/20 15:16	2
Naphthalene	<0.67		2.0	0.67	ug/L			06/28/20 15:16	2
n-Butylbenzene	<0.78		2.0	0.78	ug/L			06/28/20 15:16	2
N-Propylbenzene	<0.83		2.0	0.83	ug/L			06/28/20 15:16	2
p-Isopropyltoluene	<0.72		2.0	0.72	ug/L			06/28/20 15:16	2
sec-Butylbenzene	<0.80		2.0	0.80	ug/L			06/28/20 15:16	2
Styrene	<0.77		2.0	0.77	ug/L			06/28/20 15:16	2
tert-Butylbenzene	<0.80		2.0	0.80	ug/L			06/28/20 15:16	2
1,1,1,2-Tetrachloroethane	<0.92		2.0	0.92	ug/L			06/28/20 15:16	2
1,1,2,2-Tetrachloroethane	<0.80		2.0	0.80	ug/L			06/28/20 15:16	2
Toluene	<0.30		1.0	0.30	ug/L			06/28/20 15:16	2
trans-1,2-Dichloroethene	<0.70		2.0	0.70	ug/L			06/28/20 15:16	2

Eurofins TestAmerica, Chicago

Client Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-7

Date Collected: 06/15/20 08:45

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	<0.72		2.0	0.72	ug/L			06/28/20 15:16	2
1,2,3-Trichlorobenzene	<0.92		2.0	0.92	ug/L			06/28/20 15:16	2
1,2,4-Trichlorobenzene	<0.68		2.0	0.68	ug/L			06/28/20 15:16	2
1,1,1-Trichloroethane	<0.76		2.0	0.76	ug/L			06/28/20 15:16	2
1,1,2-Trichloroethane	<0.70		2.0	0.70	ug/L			06/28/20 15:16	2
Trichloroethene	5.1		1.0	0.33	ug/L			06/28/20 15:16	2
Trichlorofluoromethane	<0.85		2.0	0.85	ug/L			06/28/20 15:16	2
1,2,3-Trichloropropane	<0.83		4.0	0.83	ug/L			06/28/20 15:16	2
1,2,4-Trimethylbenzene	<0.72		2.0	0.72	ug/L			06/28/20 15:16	2
1,3,5-Trimethylbenzene	<0.51		2.0	0.51	ug/L			06/28/20 15:16	2
Vinyl chloride	<0.41		2.0	0.41	ug/L			06/28/20 15:16	2
Xylenes, Total	<0.44		2.0	0.44	ug/L			06/28/20 15:16	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		72 - 124		06/28/20 15:16	2
Dibromofluoromethane (Surr)	90		75 - 120		06/28/20 15:16	2
1,2-Dichloroethane-d4 (Surr)	101		75 - 126		06/28/20 15:16	2
Toluene-d8 (Surr)	96		75 - 120		06/28/20 15:16	2

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	390		20	7.4	ug/L			06/28/20 15:44	20
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
4-Bromofluorobenzene (Surr)	96		72 - 124		06/28/20 15:44	20			
Dibromofluoromethane (Surr)	90		75 - 120		06/28/20 15:44	20			
1,2-Dichloroethane-d4 (Surr)	104		75 - 126		06/28/20 15:44	20			
Toluene-d8 (Surr)	95		75 - 120		06/28/20 15:44	20			

Client Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-2

Date Collected: 06/15/20 09:00

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.7		10	1.7	ug/L			06/28/20 11:36	1
Benzene	<0.15		0.50	0.15	ug/L			06/28/20 11:36	1
Bromobenzene	<0.36		1.0	0.36	ug/L			06/28/20 11:36	1
Bromochloromethane	<0.43		1.0	0.43	ug/L			06/28/20 11:36	1
Bromodichloromethane	<0.37		1.0	0.37	ug/L			06/28/20 11:36	1
Bromoform	<0.48		1.0	0.48	ug/L			06/28/20 11:36	1
Bromomethane	<0.80		3.0	0.80	ug/L			06/28/20 11:36	1
2-Butanone (MEK)	<2.1		5.0	2.1	ug/L			06/28/20 11:36	1
Carbon tetrachloride	<0.38		1.0	0.38	ug/L			06/28/20 11:36	1
Chlorobenzene	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
Chloroethane	<0.51		1.0	0.51	ug/L			06/28/20 11:36	1
Chloroform	<0.37		2.0	0.37	ug/L			06/28/20 11:36	1
Chloromethane	0.57	J	1.0	0.32	ug/L			06/28/20 11:36	1
2-Chlorotoluene	<0.31		1.0	0.31	ug/L			06/28/20 11:36	1
4-Chlorotoluene	<0.35		1.0	0.35	ug/L			06/28/20 11:36	1
cis-1,2-Dichloroethene	<0.41		1.0	0.41	ug/L			06/28/20 11:36	1
cis-1,3-Dichloropropene	<0.42		1.0	0.42	ug/L			06/28/20 11:36	1
Dibromochloromethane	<0.49		1.0	0.49	ug/L			06/28/20 11:36	1
1,2-Dibromo-3-Chloropropane	<2.0		5.0	2.0	ug/L			06/28/20 11:36	1
1,2-Dibromoethane	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
Dibromomethane	<0.27		1.0	0.27	ug/L			06/28/20 11:36	1
1,2-Dichlorobenzene	<0.33		1.0	0.33	ug/L			06/28/20 11:36	1
1,3-Dichlorobenzene	<0.40		1.0	0.40	ug/L			06/28/20 11:36	1
1,4-Dichlorobenzene	<0.36		1.0	0.36	ug/L			06/28/20 11:36	1
Dichlorodifluoromethane	<0.67		3.0	0.67	ug/L			06/28/20 11:36	1
1,1-Dichloroethane	<0.41		1.0	0.41	ug/L			06/28/20 11:36	1
1,2-Dichloroethane	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
1,1-Dichloroethylene	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
1,2-Dichloropropane	<0.43		1.0	0.43	ug/L			06/28/20 11:36	1
1,3-Dichloropropane	<0.36		1.0	0.36	ug/L			06/28/20 11:36	1
2,2-Dichloropropane	<0.44		1.0	0.44	ug/L			06/28/20 11:36	1
1,1-Dichloropropene	<0.30		1.0	0.30	ug/L			06/28/20 11:36	1
Ethylbenzene	<0.18		0.50	0.18	ug/L			06/28/20 11:36	1
Hexachlorobutadiene	<0.45		1.0	0.45	ug/L			06/28/20 11:36	1
Isopropylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
Isopropyl ether	<0.28		1.0	0.28	ug/L			06/28/20 11:36	1
Methylene Chloride	<1.6		5.0	1.6	ug/L			06/28/20 11:36	1
Methyl tert-butyl ether	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
Naphthalene	<0.34		1.0	0.34	ug/L			06/28/20 11:36	1
n-Butylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
N-Propylbenzene	<0.41		1.0	0.41	ug/L			06/28/20 11:36	1
p-Isopropyltoluene	<0.36		1.0	0.36	ug/L			06/28/20 11:36	1
sec-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 11:36	1
Styrene	<0.39		1.0	0.39	ug/L			06/28/20 11:36	1
tert-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 11:36	1
1,1,1,2-Tetrachloroethane	<0.46		1.0	0.46	ug/L			06/28/20 11:36	1
1,1,2,2-Tetrachloroethane	<0.40		1.0	0.40	ug/L			06/28/20 11:36	1
Tetrachloroethene	3.8		1.0	0.37	ug/L			06/28/20 11:36	1
Toluene	<0.15		0.50	0.15	ug/L			06/28/20 11:36	1

Eurofins TestAmerica, Chicago

Client Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-2

Date Collected: 06/15/20 09:00

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	<0.35		1.0	0.35	ug/L			06/28/20 11:36	1
trans-1,3-Dichloropropene	<0.36		1.0	0.36	ug/L			06/28/20 11:36	1
1,2,3-Trichlorobenzene	<0.46		1.0	0.46	ug/L			06/28/20 11:36	1
1,2,4-Trichlorobenzene	<0.34		1.0	0.34	ug/L			06/28/20 11:36	1
1,1,1-Trichloroethane	<0.38		1.0	0.38	ug/L			06/28/20 11:36	1
1,1,2-Trichloroethane	<0.35		1.0	0.35	ug/L			06/28/20 11:36	1
Trichloroethene	0.34 J		0.50	0.16	ug/L			06/28/20 11:36	1
Trichlorofluoromethane	<0.43		1.0	0.43	ug/L			06/28/20 11:36	1
1,2,3-Trichloropropane	<0.41		2.0	0.41	ug/L			06/28/20 11:36	1
1,2,4-Trimethylbenzene	<0.36		1.0	0.36	ug/L			06/28/20 11:36	1
1,3,5-Trimethylbenzene	<0.25		1.0	0.25	ug/L			06/28/20 11:36	1
Vinyl chloride	<0.20		1.0	0.20	ug/L			06/28/20 11:36	1
Xylenes, Total	<0.22		1.0	0.22	ug/L			06/28/20 11:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		72 - 124					06/28/20 11:36	1
Dibromofluoromethane (Surr)	89		75 - 120					06/28/20 11:36	1
1,2-Dichloroethane-d4 (Surr)	100		75 - 126					06/28/20 11:36	1
Toluene-d8 (Surr)	96		75 - 120					06/28/20 11:36	1

Eurofins TestAmerica, Chicago

Client Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-3

Date Collected: 06/15/20 09:15

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.7		10	1.7	ug/L			06/28/20 14:21	1
Benzene	<0.15		0.50	0.15	ug/L			06/28/20 14:21	1
Bromobenzene	<0.36		1.0	0.36	ug/L			06/28/20 14:21	1
Bromochloromethane	<0.43		1.0	0.43	ug/L			06/28/20 14:21	1
Bromodichloromethane	<0.37		1.0	0.37	ug/L			06/28/20 14:21	1
Bromoform	<0.48		1.0	0.48	ug/L			06/28/20 14:21	1
Bromomethane	<0.80		3.0	0.80	ug/L			06/28/20 14:21	1
2-Butanone (MEK)	<2.1		5.0	2.1	ug/L			06/28/20 14:21	1
Carbon tetrachloride	<0.38		1.0	0.38	ug/L			06/28/20 14:21	1
Chlorobenzene	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
Chloroethane	<0.51		1.0	0.51	ug/L			06/28/20 14:21	1
Chloroform	<0.37		2.0	0.37	ug/L			06/28/20 14:21	1
Chloromethane	<0.32		1.0	0.32	ug/L			06/28/20 14:21	1
2-Chlorotoluene	<0.31		1.0	0.31	ug/L			06/28/20 14:21	1
4-Chlorotoluene	<0.35		1.0	0.35	ug/L			06/28/20 14:21	1
cis-1,2-Dichloroethene	0.41 J		1.0	0.41	ug/L			06/28/20 14:21	1
cis-1,3-Dichloropropene	<0.42		1.0	0.42	ug/L			06/28/20 14:21	1
Dibromochloromethane	<0.49		1.0	0.49	ug/L			06/28/20 14:21	1
1,2-Dibromo-3-Chloropropane	<2.0		5.0	2.0	ug/L			06/28/20 14:21	1
1,2-Dibromoethane	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
Dibromomethane	<0.27		1.0	0.27	ug/L			06/28/20 14:21	1
1,2-Dichlorobenzene	<0.33		1.0	0.33	ug/L			06/28/20 14:21	1
1,3-Dichlorobenzene	<0.40		1.0	0.40	ug/L			06/28/20 14:21	1
1,4-Dichlorobenzene	<0.36		1.0	0.36	ug/L			06/28/20 14:21	1
Dichlorodifluoromethane	<0.67		3.0	0.67	ug/L			06/28/20 14:21	1
1,1-Dichloroethane	<0.41		1.0	0.41	ug/L			06/28/20 14:21	1
1,2-Dichloroethane	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
1,1-Dichloroethylene	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
1,2-Dichloropropane	<0.43		1.0	0.43	ug/L			06/28/20 14:21	1
1,3-Dichloropropane	<0.36		1.0	0.36	ug/L			06/28/20 14:21	1
2,2-Dichloropropane	<0.44		1.0	0.44	ug/L			06/28/20 14:21	1
1,1-Dichloropropene	<0.30		1.0	0.30	ug/L			06/28/20 14:21	1
Ethylbenzene	<0.18		0.50	0.18	ug/L			06/28/20 14:21	1
Hexachlorobutadiene	<0.45		1.0	0.45	ug/L			06/28/20 14:21	1
Isopropylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
Isopropyl ether	<0.28		1.0	0.28	ug/L			06/28/20 14:21	1
Methylene Chloride	<1.6		5.0	1.6	ug/L			06/28/20 14:21	1
Methyl tert-butyl ether	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
Naphthalene	<0.34		1.0	0.34	ug/L			06/28/20 14:21	1
n-Butylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
N-Propylbenzene	<0.41		1.0	0.41	ug/L			06/28/20 14:21	1
p-Isopropyltoluene	<0.36		1.0	0.36	ug/L			06/28/20 14:21	1
sec-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 14:21	1
Styrene	<0.39		1.0	0.39	ug/L			06/28/20 14:21	1
tert-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 14:21	1
1,1,1,2-Tetrachloroethane	<0.46		1.0	0.46	ug/L			06/28/20 14:21	1
1,1,2,2-Tetrachloroethane	<0.40		1.0	0.40	ug/L			06/28/20 14:21	1
Toluene	<0.15		0.50	0.15	ug/L			06/28/20 14:21	1
trans-1,2-Dichloroethene	<0.35		1.0	0.35	ug/L			06/28/20 14:21	1

Eurofins TestAmerica, Chicago

Client Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-3

Lab Sample ID: 500-183571-3

Matrix: Water

Date Collected: 06/15/20 09:15
 Date Received: 06/16/20 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	<0.36		1.0	0.36	ug/L			06/28/20 14:21	1
1,2,3-Trichlorobenzene	<0.46		1.0	0.46	ug/L			06/28/20 14:21	1
1,2,4-Trichlorobenzene	<0.34		1.0	0.34	ug/L			06/28/20 14:21	1
1,1,1-Trichloroethane	<0.38		1.0	0.38	ug/L			06/28/20 14:21	1
1,1,2-Trichloroethane	<0.35		1.0	0.35	ug/L			06/28/20 14:21	1
Trichloroethene	<0.16		0.50	0.16	ug/L			06/28/20 14:21	1
Trichlorofluoromethane	<0.43		1.0	0.43	ug/L			06/28/20 14:21	1
1,2,3-Trichloropropane	<0.41		2.0	0.41	ug/L			06/28/20 14:21	1
1,2,4-Trimethylbenzene	<0.36		1.0	0.36	ug/L			06/28/20 14:21	1
1,3,5-Trimethylbenzene	<0.25		1.0	0.25	ug/L			06/28/20 14:21	1
Vinyl chloride	<0.20		1.0	0.20	ug/L			06/28/20 14:21	1
Xylenes, Total	<0.22		1.0	0.22	ug/L			06/28/20 14:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		72 - 124		06/28/20 14:21	1
Dibromofluoromethane (Surr)	89		75 - 120		06/28/20 14:21	1
1,2-Dichloroethane-d4 (Surr)	101		75 - 126		06/28/20 14:21	1
Toluene-d8 (Surr)	96		75 - 120		06/28/20 14:21	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	280		10	3.7	ug/L			06/28/20 14:49	10
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
4-Bromofluorobenzene (Surr)	95		72 - 124		06/28/20 14:49	10			
Dibromofluoromethane (Surr)	90		75 - 120		06/28/20 14:49	10			
1,2-Dichloroethane-d4 (Surr)	103		75 - 126		06/28/20 14:49	10			
Toluene-d8 (Surr)	96		75 - 120		06/28/20 14:49	10			

Client Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-4

Date Collected: 06/15/20 09:30

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.7		10	1.7	ug/L			06/25/20 18:35	1
Benzene	<0.15		0.50	0.15	ug/L			06/25/20 18:35	1
Bromobenzene	<0.36		1.0	0.36	ug/L			06/25/20 18:35	1
Bromochloromethane	<0.43		1.0	0.43	ug/L			06/25/20 18:35	1
Bromodichloromethane	<0.37		1.0	0.37	ug/L			06/25/20 18:35	1
Bromoform	<0.48		1.0	0.48	ug/L			06/25/20 18:35	1
Bromomethane	<0.80		3.0	0.80	ug/L			06/25/20 18:35	1
2-Butanone (MEK)	<2.1		5.0	2.1	ug/L			06/25/20 18:35	1
Carbon tetrachloride	<0.38		1.0	0.38	ug/L			06/25/20 18:35	1
Chlorobenzene	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
Chloroethane	<0.51		1.0	0.51	ug/L			06/25/20 18:35	1
Chloroform	<0.37		2.0	0.37	ug/L			06/25/20 18:35	1
Chloromethane	<0.32		1.0	0.32	ug/L			06/25/20 18:35	1
2-Chlorotoluene	<0.31		1.0	0.31	ug/L			06/25/20 18:35	1
4-Chlorotoluene	<0.35		1.0	0.35	ug/L			06/25/20 18:35	1
cis-1,2-Dichloroethene	<0.41		1.0	0.41	ug/L			06/25/20 18:35	1
cis-1,3-Dichloropropene	<0.42		1.0	0.42	ug/L			06/25/20 18:35	1
Dibromochloromethane	<0.49		1.0	0.49	ug/L			06/25/20 18:35	1
1,2-Dibromo-3-Chloropropane	<2.0		5.0	2.0	ug/L			06/25/20 18:35	1
1,2-Dibromoethane	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
Dibromomethane	<0.27		1.0	0.27	ug/L			06/25/20 18:35	1
1,2-Dichlorobenzene	<0.33		1.0	0.33	ug/L			06/25/20 18:35	1
1,3-Dichlorobenzene	<0.40		1.0	0.40	ug/L			06/25/20 18:35	1
1,4-Dichlorobenzene	<0.36		1.0	0.36	ug/L			06/25/20 18:35	1
Dichlorodifluoromethane	<0.67		3.0	0.67	ug/L			06/25/20 18:35	1
1,1-Dichloroethane	<0.41		1.0	0.41	ug/L			06/25/20 18:35	1
1,2-Dichloroethane	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
1,1-Dichloroethylene	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
1,2-Dichloropropane	<0.43		1.0	0.43	ug/L			06/25/20 18:35	1
1,3-Dichloropropane	<0.36		1.0	0.36	ug/L			06/25/20 18:35	1
2,2-Dichloropropane	<0.44		1.0	0.44	ug/L			06/25/20 18:35	1
1,1-Dichloropropene	<0.30		1.0	0.30	ug/L			06/25/20 18:35	1
Ethylbenzene	<0.18		0.50	0.18	ug/L			06/25/20 18:35	1
Hexachlorobutadiene	<0.45		1.0	0.45	ug/L			06/25/20 18:35	1
Isopropylbenzene	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
Isopropyl ether	<0.28		1.0	0.28	ug/L			06/25/20 18:35	1
Methylene Chloride	<1.6		5.0	1.6	ug/L			06/25/20 18:35	1
Methyl tert-butyl ether	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
Naphthalene	<0.34		1.0	0.34	ug/L			06/25/20 18:35	1
n-Butylbenzene	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
N-Propylbenzene	<0.41		1.0	0.41	ug/L			06/25/20 18:35	1
p-Isopropyltoluene	<0.36		1.0	0.36	ug/L			06/25/20 18:35	1
sec-Butylbenzene	<0.40		1.0	0.40	ug/L			06/25/20 18:35	1
Styrene	<0.39		1.0	0.39	ug/L			06/25/20 18:35	1
tert-Butylbenzene	<0.40		1.0	0.40	ug/L			06/25/20 18:35	1
1,1,1,2-Tetrachloroethane	<0.46		1.0	0.46	ug/L			06/25/20 18:35	1
1,1,2,2-Tetrachloroethane	<0.40		1.0	0.40	ug/L			06/25/20 18:35	1
Tetrachloroethene	3.6		1.0	0.37	ug/L			06/25/20 18:35	1
Toluene	<0.15		0.50	0.15	ug/L			06/25/20 18:35	1

Eurofins TestAmerica, Chicago

Client Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-4

Date Collected: 06/15/20 09:30

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	<0.35		1.0	0.35	ug/L			06/25/20 18:35	1
trans-1,3-Dichloropropene	<0.36		1.0	0.36	ug/L			06/25/20 18:35	1
1,2,3-Trichlorobenzene	<0.46		1.0	0.46	ug/L			06/25/20 18:35	1
1,2,4-Trichlorobenzene	<0.34		1.0	0.34	ug/L			06/25/20 18:35	1
1,1,1-Trichloroethane	<0.38		1.0	0.38	ug/L			06/25/20 18:35	1
1,1,2-Trichloroethane	<0.35		1.0	0.35	ug/L			06/25/20 18:35	1
Trichloroethene	<0.16		0.50	0.16	ug/L			06/25/20 18:35	1
Trichlorofluoromethane	<0.43		1.0	0.43	ug/L			06/25/20 18:35	1
1,2,3-Trichloropropane	<0.41		2.0	0.41	ug/L			06/25/20 18:35	1
1,2,4-Trimethylbenzene	<0.36		1.0	0.36	ug/L			06/25/20 18:35	1
1,3,5-Trimethylbenzene	<0.25		1.0	0.25	ug/L			06/25/20 18:35	1
Vinyl chloride	<0.20		1.0	0.20	ug/L			06/25/20 18:35	1
Xylenes, Total	<0.22		1.0	0.22	ug/L			06/25/20 18:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		72 - 124		06/25/20 18:35	1
Dibromofluoromethane (Surr)	115		75 - 120		06/25/20 18:35	1
1,2-Dichloroethane-d4 (Surr)	116		75 - 126		06/25/20 18:35	1
Toluene-d8 (Surr)	97		75 - 120		06/25/20 18:35	1

Eurofins TestAmerica, Chicago

Client Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: Trip Blank

Date Collected: 06/15/20 00:00

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-5

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.7		10	1.7	ug/L			06/28/20 11:08	1
Benzene	<0.15		0.50	0.15	ug/L			06/28/20 11:08	1
Bromobenzene	<0.36		1.0	0.36	ug/L			06/28/20 11:08	1
Bromochloromethane	<0.43		1.0	0.43	ug/L			06/28/20 11:08	1
Bromodichloromethane	<0.37		1.0	0.37	ug/L			06/28/20 11:08	1
Bromoform	<0.48		1.0	0.48	ug/L			06/28/20 11:08	1
Bromomethane	<0.80		3.0	0.80	ug/L			06/28/20 11:08	1
2-Butanone (MEK)	<2.1		5.0	2.1	ug/L			06/28/20 11:08	1
Carbon tetrachloride	<0.38		1.0	0.38	ug/L			06/28/20 11:08	1
Chlorobenzene	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
Chloroethane	<0.51		1.0	0.51	ug/L			06/28/20 11:08	1
Chloroform	<0.37		2.0	0.37	ug/L			06/28/20 11:08	1
Chloromethane	<0.32		1.0	0.32	ug/L			06/28/20 11:08	1
2-Chlorotoluene	<0.31		1.0	0.31	ug/L			06/28/20 11:08	1
4-Chlorotoluene	<0.35		1.0	0.35	ug/L			06/28/20 11:08	1
cis-1,2-Dichloroethene	<0.41		1.0	0.41	ug/L			06/28/20 11:08	1
cis-1,3-Dichloropropene	<0.42		1.0	0.42	ug/L			06/28/20 11:08	1
Dibromochloromethane	<0.49		1.0	0.49	ug/L			06/28/20 11:08	1
1,2-Dibromo-3-Chloropropane	<2.0		5.0	2.0	ug/L			06/28/20 11:08	1
1,2-Dibromoethane	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
Dibromomethane	<0.27		1.0	0.27	ug/L			06/28/20 11:08	1
1,2-Dichlorobenzene	<0.33		1.0	0.33	ug/L			06/28/20 11:08	1
1,3-Dichlorobenzene	<0.40		1.0	0.40	ug/L			06/28/20 11:08	1
1,4-Dichlorobenzene	<0.36		1.0	0.36	ug/L			06/28/20 11:08	1
Dichlorodifluoromethane	<0.67		3.0	0.67	ug/L			06/28/20 11:08	1
1,1-Dichloroethane	<0.41		1.0	0.41	ug/L			06/28/20 11:08	1
1,2-Dichloroethane	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
1,1-Dichloroethylene	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
1,2-Dichloropropane	<0.43		1.0	0.43	ug/L			06/28/20 11:08	1
1,3-Dichloropropane	<0.36		1.0	0.36	ug/L			06/28/20 11:08	1
2,2-Dichloropropane	<0.44		1.0	0.44	ug/L			06/28/20 11:08	1
1,1-Dichloropropene	<0.30		1.0	0.30	ug/L			06/28/20 11:08	1
Ethylbenzene	<0.18		0.50	0.18	ug/L			06/28/20 11:08	1
Hexachlorobutadiene	<0.45		1.0	0.45	ug/L			06/28/20 11:08	1
Isopropylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
Isopropyl ether	<0.28		1.0	0.28	ug/L			06/28/20 11:08	1
Methylene Chloride	<1.6		5.0	1.6	ug/L			06/28/20 11:08	1
Methyl tert-butyl ether	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
Naphthalene	<0.34		1.0	0.34	ug/L			06/28/20 11:08	1
n-Butylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
N-Propylbenzene	<0.41		1.0	0.41	ug/L			06/28/20 11:08	1
p-Isopropyltoluene	<0.36		1.0	0.36	ug/L			06/28/20 11:08	1
sec-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 11:08	1
Styrene	<0.39		1.0	0.39	ug/L			06/28/20 11:08	1
tert-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 11:08	1
1,1,1,2-Tetrachloroethane	<0.46		1.0	0.46	ug/L			06/28/20 11:08	1
1,1,2,2-Tetrachloroethane	<0.40		1.0	0.40	ug/L			06/28/20 11:08	1
Tetrachloroethylene	<0.37		1.0	0.37	ug/L			06/28/20 11:08	1
Toluene	<0.15		0.50	0.15	ug/L			06/28/20 11:08	1

Eurofins TestAmerica, Chicago

Client Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: Trip Blank

Date Collected: 06/15/20 00:00

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-5

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	<0.35		1.0	0.35	ug/L			06/28/20 11:08	1
trans-1,3-Dichloropropene	<0.36		1.0	0.36	ug/L			06/28/20 11:08	1
1,2,3-Trichlorobenzene	<0.46		1.0	0.46	ug/L			06/28/20 11:08	1
1,2,4-Trichlorobenzene	<0.34		1.0	0.34	ug/L			06/28/20 11:08	1
1,1,1-Trichloroethane	<0.38		1.0	0.38	ug/L			06/28/20 11:08	1
1,1,2-Trichloroethane	<0.35		1.0	0.35	ug/L			06/28/20 11:08	1
Trichloroethene	<0.16		0.50	0.16	ug/L			06/28/20 11:08	1
Trichlorofluoromethane	<0.43		1.0	0.43	ug/L			06/28/20 11:08	1
1,2,3-Trichloropropane	<0.41		2.0	0.41	ug/L			06/28/20 11:08	1
1,2,4-Trimethylbenzene	<0.36		1.0	0.36	ug/L			06/28/20 11:08	1
1,3,5-Trimethylbenzene	<0.25		1.0	0.25	ug/L			06/28/20 11:08	1
Vinyl chloride	<0.20		1.0	0.20	ug/L			06/28/20 11:08	1
Xylenes, Total	<0.22		1.0	0.22	ug/L			06/28/20 11:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		72 - 124					06/28/20 11:08	1
Dibromofluoromethane (Surr)	89		75 - 120					06/28/20 11:08	1
1,2-Dichloroethane-d4 (Surr)	101		75 - 126					06/28/20 11:08	1
Toluene-d8 (Surr)	96		75 - 120					06/28/20 11:08	1

Definitions/Glossary

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

GC/MS VOA

Analysis Batch: 549318

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-183571-4	MW-4	Total/NA	Water	8260B	
MB 500-549318/6	Method Blank	Total/NA	Water	8260B	
LCS 500-549318/4	Lab Control Sample	Total/NA	Water	8260B	
500-183571-4 MS	MW-4	Total/NA	Water	8260B	
500-183571-4 MSD	MW-4	Total/NA	Water	8260B	

Analysis Batch: 549730

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-183571-1	MW-7	Total/NA	Water	8260B	
500-183571-1 - DL	MW-7	Total/NA	Water	8260B	
500-183571-2	MW-2	Total/NA	Water	8260B	
500-183571-3	MW-3	Total/NA	Water	8260B	
500-183571-3 - DL	MW-3	Total/NA	Water	8260B	
500-183571-5	Trip Blank	Total/NA	Water	8260B	
MB 500-549730/6	Method Blank	Total/NA	Water	8260B	
LCS 500-549730/4	Lab Control Sample	Total/NA	Water	8260B	

Surrogate Summary

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB (72-124)	DBFM (75-120)	DCA (75-126)	TOL (75-120)						
500-183571-1	MW-7	95	90	101	96						
500-183571-1 - DL	MW-7	96	90	104	95						
500-183571-2	MW-2	94	89	100	96						
500-183571-3	MW-3	95	89	101	96						
500-183571-3 - DL	MW-3	95	90	103	96						
500-183571-4	MW-4	90	115	116	97						
500-183571-4 MS	MW-4	91	111	112	98						
500-183571-4 MSD	MW-4	90	114	115	98						
500-183571-5	Trip Blank	96	89	101	96						
LCS 500-549318/4	Lab Control Sample	91	107	107	100						
LCS 500-549730/4	Lab Control Sample	97	94	102	100						
MB 500-549318/6	Method Blank	87	106	107	101						
MB 500-549730/6	Method Blank	94	89	101	97						

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 500-549318/6

Matrix: Water

Analysis Batch: 549318

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.7		10	1.7	ug/L			06/25/20 10:11	1
Benzene	<0.15		0.50	0.15	ug/L			06/25/20 10:11	1
Bromobenzene	<0.36		1.0	0.36	ug/L			06/25/20 10:11	1
Bromochloromethane	<0.43		1.0	0.43	ug/L			06/25/20 10:11	1
Bromodichloromethane	<0.37		1.0	0.37	ug/L			06/25/20 10:11	1
Bromoform	<0.48		1.0	0.48	ug/L			06/25/20 10:11	1
Bromomethane	<0.80		3.0	0.80	ug/L			06/25/20 10:11	1
2-Butanone (MEK)	<2.1		5.0	2.1	ug/L			06/25/20 10:11	1
Carbon tetrachloride	<0.38		1.0	0.38	ug/L			06/25/20 10:11	1
Chlorobenzene	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
Chloroethane	<0.51		1.0	0.51	ug/L			06/25/20 10:11	1
Chloroform	<0.37		2.0	0.37	ug/L			06/25/20 10:11	1
Chloromethane	<0.32		1.0	0.32	ug/L			06/25/20 10:11	1
2-Chlorotoluene	<0.31		1.0	0.31	ug/L			06/25/20 10:11	1
4-Chlorotoluene	<0.35		1.0	0.35	ug/L			06/25/20 10:11	1
cis-1,2-Dichloroethene	<0.41		1.0	0.41	ug/L			06/25/20 10:11	1
cis-1,3-Dichloropropene	<0.42		1.0	0.42	ug/L			06/25/20 10:11	1
Dibromochloromethane	<0.49		1.0	0.49	ug/L			06/25/20 10:11	1
1,2-Dibromo-3-Chloropropane	<2.0		5.0	2.0	ug/L			06/25/20 10:11	1
1,2-Dibromoethane	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
Dibromomethane	<0.27		1.0	0.27	ug/L			06/25/20 10:11	1
1,2-Dichlorobenzene	<0.33		1.0	0.33	ug/L			06/25/20 10:11	1
1,3-Dichlorobenzene	<0.40		1.0	0.40	ug/L			06/25/20 10:11	1
1,4-Dichlorobenzene	<0.36		1.0	0.36	ug/L			06/25/20 10:11	1
Dichlorodifluoromethane	<0.67		3.0	0.67	ug/L			06/25/20 10:11	1
1,1-Dichloroethane	<0.41		1.0	0.41	ug/L			06/25/20 10:11	1
1,2-Dichloroethane	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
1,1-Dichloroethene	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
1,2-Dichloropropane	<0.43		1.0	0.43	ug/L			06/25/20 10:11	1
1,3-Dichloropropane	<0.36		1.0	0.36	ug/L			06/25/20 10:11	1
2,2-Dichloropropane	<0.44		1.0	0.44	ug/L			06/25/20 10:11	1
1,1-Dichloropropene	<0.30		1.0	0.30	ug/L			06/25/20 10:11	1
Ethylbenzene	<0.18		0.50	0.18	ug/L			06/25/20 10:11	1
Hexachlorobutadiene	<0.45		1.0	0.45	ug/L			06/25/20 10:11	1
Isopropylbenzene	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
Isopropyl ether	<0.28		1.0	0.28	ug/L			06/25/20 10:11	1
Methylene Chloride	<1.6		5.0	1.6	ug/L			06/25/20 10:11	1
Methyl tert-butyl ether	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
Naphthalene	<0.34		1.0	0.34	ug/L			06/25/20 10:11	1
n-Butylbenzene	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
N-Propylbenzene	<0.41		1.0	0.41	ug/L			06/25/20 10:11	1
p-Isopropyltoluene	<0.36		1.0	0.36	ug/L			06/25/20 10:11	1
sec-Butylbenzene	<0.40		1.0	0.40	ug/L			06/25/20 10:11	1
Styrene	<0.39		1.0	0.39	ug/L			06/25/20 10:11	1
tert-Butylbenzene	<0.40		1.0	0.40	ug/L			06/25/20 10:11	1
1,1,1,2-Tetrachloroethane	<0.46		1.0	0.46	ug/L			06/25/20 10:11	1
1,1,2,2-Tetrachloroethane	<0.40		1.0	0.40	ug/L			06/25/20 10:11	1
Tetrachloroethene	<0.37		1.0	0.37	ug/L			06/25/20 10:11	1

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-549318/6

Matrix: Water

Analysis Batch: 549318

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Toluene	<0.15		0.50	0.15	ug/L			06/25/20 10:11	1
trans-1,2-Dichloroethene	<0.35		1.0	0.35	ug/L			06/25/20 10:11	1
trans-1,3-Dichloropropene	<0.36		1.0	0.36	ug/L			06/25/20 10:11	1
1,2,3-Trichlorobenzene	<0.46		1.0	0.46	ug/L			06/25/20 10:11	1
1,2,4-Trichlorobenzene	<0.34		1.0	0.34	ug/L			06/25/20 10:11	1
1,1,1-Trichloroethane	<0.38		1.0	0.38	ug/L			06/25/20 10:11	1
1,1,2-Trichloroethane	<0.35		1.0	0.35	ug/L			06/25/20 10:11	1
Trichloroethene	<0.16		0.50	0.16	ug/L			06/25/20 10:11	1
Trichlorofluoromethane	<0.43		1.0	0.43	ug/L			06/25/20 10:11	1
1,2,3-Trichloropropane	<0.41		2.0	0.41	ug/L			06/25/20 10:11	1
1,2,4-Trimethylbenzene	<0.36		1.0	0.36	ug/L			06/25/20 10:11	1
1,3,5-Trimethylbenzene	<0.25		1.0	0.25	ug/L			06/25/20 10:11	1
Vinyl chloride	<0.20		1.0	0.20	ug/L			06/25/20 10:11	1
Xylenes, Total	<0.22		1.0	0.22	ug/L			06/25/20 10:11	1
Surrogate	MB	MB					Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87			72 - 124				06/25/20 10:11	1
Dibromofluoromethane (Surr)	106			75 - 120				06/25/20 10:11	1
1,2-Dichloroethane-d4 (Surr)	107			75 - 126				06/25/20 10:11	1
Toluene-d8 (Surr)	101			75 - 120				06/25/20 10:11	1

Lab Sample ID: LCS 500-549318/4

Matrix: Water

Analysis Batch: 549318

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier					
Acetone	50.0	36.4		ug/L		73	40 - 143	
Benzene	50.0	48.0		ug/L		96	70 - 120	
Bromobenzene	50.0	45.4		ug/L		91	70 - 122	
Bromochloromethane	50.0	49.5		ug/L		99	65 - 122	
Bromodichloromethane	50.0	47.4		ug/L		95	69 - 120	
Bromoform	50.0	52.0		ug/L		104	56 - 132	
Bromomethane	50.0	71.5		ug/L		143	40 - 152	
2-Butanone (MEK)	50.0	35.9		ug/L		72	46 - 144	
Carbon tetrachloride	50.0	47.8		ug/L		96	59 - 133	
Chlorobenzene	50.0	48.9		ug/L		98	70 - 120	
Chloroethane	50.0	57.1		ug/L		114	48 - 136	
Chloroform	50.0	46.9		ug/L		94	70 - 120	
Chloromethane	50.0	34.1		ug/L		68	56 - 152	
2-Chlorotoluene	50.0	43.3		ug/L		87	70 - 125	
4-Chlorotoluene	50.0	43.6		ug/L		87	68 - 124	
cis-1,2-Dichloroethene	50.0	48.2		ug/L		96	70 - 125	
cis-1,3-Dichloropropene	50.0	46.3		ug/L		93	64 - 127	
Dibromochloromethane	50.0	48.5		ug/L		97	68 - 125	
1,2-Dibromo-3-Chloropropane	50.0	42.7		ug/L		85	56 - 123	
1,2-Dibromoethane	50.0	50.3		ug/L		101	70 - 125	
Dibromomethane	50.0	51.2		ug/L		102	70 - 120	
1,2-Dichlorobenzene	50.0	47.8		ug/L		96	70 - 125	

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-549318/4

Matrix: Water

Analysis Batch: 549318

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1,3-Dichlorobenzene	50.0	46.4		ug/L		93	70 - 125
1,4-Dichlorobenzene	50.0	46.1		ug/L		92	70 - 120
Dichlorodifluoromethane	50.0	46.0		ug/L		92	40 - 159
1,1-Dichloroethane	50.0	45.6		ug/L		91	70 - 125
1,2-Dichloroethane	50.0	50.8		ug/L		102	68 - 127
1,1-Dichloroethene	50.0	50.1		ug/L		100	67 - 122
1,2-Dichloropropane	50.0	44.5		ug/L		89	67 - 130
1,3-Dichloropropane	50.0	47.9		ug/L		96	62 - 136
2,2-Dichloropropane	50.0	42.6		ug/L		85	58 - 139
1,1-Dichloropropene	50.0	47.8		ug/L		96	70 - 121
Ethylbenzene	50.0	48.5		ug/L		97	70 - 123
Hexachlorobutadiene	50.0	45.7		ug/L		91	51 - 150
Isopropylbenzene	50.0	43.5		ug/L		87	70 - 126
Methylene Chloride	50.0	47.7		ug/L		95	69 - 125
Methyl tert-butyl ether	50.0	46.6		ug/L		93	55 - 123
Naphthalene	50.0	46.4		ug/L		93	53 - 144
n-Butylbenzene	50.0	45.9		ug/L		92	68 - 125
N-Propylbenzene	50.0	44.2		ug/L		88	69 - 127
p-Isopropyltoluene	50.0	44.0		ug/L		88	70 - 125
sec-Butylbenzene	50.0	45.2		ug/L		90	70 - 123
Styrene	50.0	47.7		ug/L		95	70 - 120
tert-Butylbenzene	50.0	43.5		ug/L		87	70 - 121
1,1,1,2-Tetrachloroethane	50.0	48.3		ug/L		97	70 - 125
1,1,2,2-Tetrachloroethane	50.0	43.8		ug/L		88	62 - 140
Tetrachloroethene	50.0	51.2		ug/L		102	70 - 128
Toluene	50.0	47.6		ug/L		95	70 - 125
trans-1,2-Dichloroethene	50.0	50.7		ug/L		101	70 - 125
trans-1,3-Dichloropropene	50.0	44.2		ug/L		88	62 - 128
1,2,3-Trichlorobenzene	50.0	48.2		ug/L		96	51 - 145
1,2,4-Trichlorobenzene	50.0	47.3		ug/L		95	57 - 137
1,1,1-Trichloroethane	50.0	47.6		ug/L		95	70 - 125
1,1,2-Trichloroethane	50.0	46.7		ug/L		93	71 - 130
Trichloroethene	50.0	49.9		ug/L		100	70 - 125
Trichlorofluoromethane	50.0	52.5		ug/L		105	55 - 128
1,2,3-Trichloropropane	50.0	43.0		ug/L		86	50 - 133
1,2,4-Trimethylbenzene	50.0	43.7		ug/L		87	70 - 123
1,3,5-Trimethylbenzene	50.0	43.8		ug/L		88	70 - 123
Vinyl chloride	50.0	40.7		ug/L		81	64 - 126
Xylenes, Total	100	94.5		ug/L		94	70 - 125

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	91		72 - 124
Dibromofluoromethane (Surr)	107		75 - 120
1,2-Dichloroethane-d4 (Surr)	107		75 - 126
Toluene-d8 (Surr)	100		75 - 120

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-183571-4 MS

Matrix: Water

Analysis Batch: 549318

Client Sample ID: MW-4
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetone	<1.7		50.0	38.6		ug/L	77	40 - 143	
Benzene	<0.15		50.0	52.7		ug/L	105	70 - 120	
Bromobenzene	<0.36		50.0	52.3		ug/L	105	70 - 122	
Bromochloromethane	<0.43		50.0	56.4		ug/L	113	65 - 122	
Bromodichloromethane	<0.37		50.0	55.2		ug/L	110	69 - 120	
Bromoform	<0.48		50.0	62.2		ug/L	124	56 - 132	
Bromomethane	<0.80		50.0	69.5		ug/L	139	40 - 152	
2-Butanone (MEK)	<2.1		50.0	41.3		ug/L	83	46 - 144	
Carbon tetrachloride	<0.38		50.0	51.1		ug/L	102	59 - 133	
Chlorobenzene	<0.39		50.0	53.5		ug/L	107	70 - 120	
Chloroethane	<0.51		50.0	50.6		ug/L	101	48 - 136	
Chloroform	<0.37		50.0	53.8		ug/L	108	70 - 120	
Chloromethane	<0.32		50.0	34.8		ug/L	70	56 - 152	
2-Chlorotoluene	<0.31		50.0	47.9		ug/L	96	70 - 125	
4-Chlorotoluene	<0.35		50.0	48.7		ug/L	97	68 - 124	
cis-1,2-Dichloroethene	<0.41		50.0	54.6		ug/L	109	70 - 125	
cis-1,3-Dichloropropene	<0.42		50.0	50.8		ug/L	102	64 - 127	
Dibromochloromethane	<0.49		50.0	57.0		ug/L	114	68 - 125	
1,2-Dibromo-3-Chloropropane	<2.0		50.0	52.7		ug/L	105	56 - 123	
1,2-Dibromoethane	<0.39		50.0	56.6		ug/L	113	70 - 125	
Dibromomethane	<0.27		50.0	58.7		ug/L	117	70 - 120	
1,2-Dichlorobenzene	<0.33		50.0	55.3		ug/L	111	70 - 125	
1,3-Dichlorobenzene	<0.40		50.0	51.8		ug/L	104	70 - 125	
1,4-Dichlorobenzene	<0.36		50.0	51.6		ug/L	103	70 - 120	
Dichlorodifluoromethane	<0.67		50.0	34.2		ug/L	68	40 - 159	
1,1-Dichloroethane	<0.41		50.0	49.7		ug/L	99	70 - 125	
1,2-Dichloroethane	<0.39		50.0	58.2		ug/L	116	68 - 127	
1,1-Dichloroethene	<0.39		50.0	52.6		ug/L	105	67 - 122	
1,2-Dichloropropane	<0.43		50.0	50.5		ug/L	101	67 - 130	
1,3-Dichloropropane	<0.36		50.0	54.6		ug/L	109	62 - 136	
2,2-Dichloropropane	<0.44		50.0	42.6		ug/L	85	58 - 139	
1,1-Dichloropropene	<0.30		50.0	50.9		ug/L	102	70 - 121	
Ethylbenzene	<0.18		50.0	51.0		ug/L	102	70 - 123	
Hexachlorobutadiene	<0.45		50.0	46.6		ug/L	93	51 - 150	
Isopropylbenzene	<0.39		50.0	46.4		ug/L	93	70 - 126	
Methylene Chloride	<1.6		50.0	55.4		ug/L	111	69 - 125	
Methyl tert-butyl ether	<0.39		50.0	53.3		ug/L	107	55 - 123	
Naphthalene	<0.34		50.0	54.8		ug/L	110	53 - 144	
n-Butylbenzene	<0.39		50.0	46.4		ug/L	93	68 - 125	
N-Propylbenzene	<0.41		50.0	46.7		ug/L	93	69 - 127	
p-Isopropyltoluene	<0.36		50.0	45.7		ug/L	91	70 - 125	
sec-Butylbenzene	<0.40		50.0	46.5		ug/L	93	70 - 123	
Styrene	<0.39		50.0	51.5		ug/L	103	70 - 120	
tert-Butylbenzene	<0.40		50.0	46.1		ug/L	92	70 - 121	
1,1,1,2-Tetrachloroethane	<0.46		50.0	56.0		ug/L	112	70 - 125	
1,1,2,2-Tetrachloroethane	<0.40		50.0	53.3		ug/L	107	62 - 140	
Tetrachloroethene	3.6		50.0	55.2		ug/L	103	70 - 128	
Toluene	<0.15		50.0	50.4		ug/L	101	70 - 125	

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-183571-4 MS

Matrix: Water

Analysis Batch: 549318

Client Sample ID: MW-4
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
trans-1,2-Dichloroethene	<0.35		50.0	54.8		ug/L		110	70 - 125
trans-1,3-Dichloropropene	<0.36		50.0	50.7		ug/L		101	62 - 128
1,2,3-Trichlorobenzene	<0.46		50.0	53.7		ug/L		107	51 - 145
1,2,4-Trichlorobenzene	<0.34		50.0	50.5		ug/L		101	57 - 137
1,1,1-Trichloroethane	<0.38		50.0	50.2		ug/L		100	70 - 125
1,1,2-Trichloroethane	<0.35		50.0	55.1		ug/L		110	71 - 130
Trichloroethene	<0.16		50.0	52.2		ug/L		104	70 - 125
Trichlorofluoromethane	<0.43		50.0	53.0		ug/L		106	55 - 128
1,2,3-Trichloropropane	<0.41		50.0	51.5		ug/L		103	50 - 133
1,2,4-Trimethylbenzene	<0.36		50.0	47.3		ug/L		95	70 - 123
1,3,5-Trimethylbenzene	<0.25		50.0	47.7		ug/L		95	70 - 123
Vinyl chloride	<0.20		50.0	39.8		ug/L		80	64 - 126
Xylenes, Total	<0.22		100	101		ug/L		101	70 - 125
Surrogate		MS %Recovery	MS Qualifier	Limits					
4-Bromofluorobenzene (Surr)	91			72 - 124					
Dibromofluoromethane (Surr)	111			75 - 120					
1,2-Dichloroethane-d4 (Surr)	112			75 - 126					
Toluene-d8 (Surr)	98			75 - 120					

Lab Sample ID: 500-183571-4 MSD

Matrix: Water

Analysis Batch: 549318

Client Sample ID: MW-4
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Acetone	<1.7		50.0	45.7		ug/L		91	40 - 143	17	20
Benzene	<0.15		50.0	52.3		ug/L		105	70 - 120	1	20
Bromobenzene	<0.36		50.0	49.9		ug/L		100	70 - 122	5	20
Bromochloromethane	<0.43		50.0	56.5		ug/L		113	65 - 122	0	20
Bromodichloromethane	<0.37		50.0	54.8		ug/L		110	69 - 120	1	20
Bromoform	<0.48		50.0	59.3		ug/L		119	56 - 132	5	20
Bromomethane	<0.80		50.0	66.6		ug/L		133	40 - 152	4	20
2-Butanone (MEK)	<2.1		50.0	42.1		ug/L		84	46 - 144	2	20
Carbon tetrachloride	<0.38		50.0	49.4		ug/L		99	59 - 133	3	20
Chlorobenzene	<0.39		50.0	51.4		ug/L		103	70 - 120	4	20
Chloroethane	<0.51		50.0	48.8		ug/L		98	48 - 136	4	20
Chloroform	<0.37		50.0	53.2		ug/L		106	70 - 120	1	20
Chloromethane	<0.32		50.0	34.1		ug/L		68	56 - 152	2	20
2-Chlorotoluene	<0.31		50.0	45.7		ug/L		91	70 - 125	5	20
4-Chlorotoluene	<0.35		50.0	45.9		ug/L		92	68 - 124	6	20
cis-1,2-Dichloroethene	<0.41		50.0	54.3		ug/L		109	70 - 125	0	20
cis-1,3-Dichloropropene	<0.42		50.0	49.0		ug/L		98	64 - 127	4	20
Dibromochloromethane	<0.49		50.0	54.6		ug/L		109	68 - 125	4	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	52.8		ug/L		106	56 - 123	0	20
1,2-Dibromoethane	<0.39		50.0	55.7		ug/L		111	70 - 125	2	20
Dibromomethane	<0.27		50.0	59.0		ug/L		118	70 - 120	1	20
1,2-Dichlorobenzene	<0.33		50.0	52.9		ug/L		106	70 - 125	4	20
1,3-Dichlorobenzene	<0.40		50.0	49.7		ug/L		99	70 - 125	4	20

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
 Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-183571-4 MSD

Matrix: Water

Analysis Batch: 549318

Client Sample ID: MW-4
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD Limit
1,4-Dichlorobenzene	<0.36		50.0	49.1		ug/L	98	70 - 120	5	20
Dichlorodifluoromethane	<0.67		50.0	34.2		ug/L	68	40 - 159	0	20
1,1-Dichloroethane	<0.41		50.0	49.6		ug/L	99	70 - 125	0	20
1,2-Dichloroethane	<0.39		50.0	56.9		ug/L	114	68 - 127	2	20
1,1-Dichloroethene	<0.39		50.0	50.5		ug/L	101	67 - 122	4	20
1,2-Dichloropropane	<0.43		50.0	49.7		ug/L	99	67 - 130	1	20
1,3-Dichloropropane	<0.36		50.0	53.1		ug/L	106	62 - 136	3	20
2,2-Dichloropropane	<0.44		50.0	42.9		ug/L	86	58 - 139	1	20
1,1-Dichloropropene	<0.30		50.0	48.0		ug/L	96	70 - 121	6	20
Ethylbenzene	<0.18		50.0	48.7		ug/L	97	70 - 123	5	20
Hexachlorobutadiene	<0.45		50.0	45.0		ug/L	90	51 - 150	3	20
Isopropylbenzene	<0.39		50.0	43.9		ug/L	88	70 - 126	5	20
Methylene Chloride	<1.6		50.0	56.8		ug/L	114	69 - 125	2	20
Methyl tert-butyl ether	<0.39		50.0	53.2		ug/L	106	55 - 123	0	20
Naphthalene	<0.34		50.0	53.9		ug/L	108	53 - 144	2	20
n-Butylbenzene	<0.39		50.0	43.8		ug/L	88	68 - 125	6	20
N-Propylbenzene	<0.41		50.0	44.1		ug/L	88	69 - 127	6	20
p-Isopropyltoluene	<0.36		50.0	43.1		ug/L	86	70 - 125	6	20
sec-Butylbenzene	<0.40		50.0	44.4		ug/L	89	70 - 123	5	20
Styrene	<0.39		50.0	50.3		ug/L	101	70 - 120	2	20
tert-Butylbenzene	<0.40		50.0	44.1		ug/L	88	70 - 121	4	20
1,1,1,2-Tetrachloroethane	<0.46		50.0	54.2		ug/L	108	70 - 125	3	20
1,1,2,2-Tetrachloroethane	<0.40		50.0	51.8		ug/L	104	62 - 140	3	20
Tetrachloroethene	3.6		50.0	50.8		ug/L	94	70 - 128	8	20
Toluene	<0.15		50.0	49.1		ug/L	98	70 - 125	3	20
trans-1,2-Dichloroethene	<0.35		50.0	53.5		ug/L	107	70 - 125	2	20
trans-1,3-Dichloropropene	<0.36		50.0	49.7		ug/L	99	62 - 128	2	20
1,2,3-Trichlorobenzene	<0.46		50.0	53.3		ug/L	107	51 - 145	1	20
1,2,4-Trichlorobenzene	<0.34		50.0	48.7		ug/L	97	57 - 137	4	20
1,1,1-Trichloroethane	<0.38		50.0	49.9		ug/L	100	70 - 125	1	20
1,1,2-Trichloroethane	<0.35		50.0	52.7		ug/L	105	71 - 130	4	20
Trichloroethene	<0.16		50.0	50.9		ug/L	102	70 - 125	3	20
Trichlorofluoromethane	<0.43		50.0	50.0		ug/L	100	55 - 128	6	20
1,2,3-Trichloropropane	<0.41		50.0	51.1		ug/L	102	50 - 133	1	20
1,2,4-Trimethylbenzene	<0.36		50.0	45.4		ug/L	91	70 - 123	4	20
1,3,5-Trimethylbenzene	<0.25		50.0	45.1		ug/L	90	70 - 123	6	20
Vinyl chloride	<0.20		50.0	36.6		ug/L	73	64 - 126	8	20
Xylenes, Total	<0.22		100	97.5		ug/L	97	70 - 125	4	20

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	90		72 - 124
Dibromofluoromethane (Surr)	114		75 - 120
1,2-Dichloroethane-d4 (Surr)	115		75 - 126
Toluene-d8 (Surr)	98		75 - 120

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-549730/6

Matrix: Water

Analysis Batch: 549730

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<1.7		10	1.7	ug/L			06/28/20 10:41	1
Benzene	<0.15		0.50	0.15	ug/L			06/28/20 10:41	1
Bromobenzene	<0.36		1.0	0.36	ug/L			06/28/20 10:41	1
Bromochloromethane	<0.43		1.0	0.43	ug/L			06/28/20 10:41	1
Bromodichloromethane	<0.37		1.0	0.37	ug/L			06/28/20 10:41	1
Bromoform	<0.48		1.0	0.48	ug/L			06/28/20 10:41	1
Bromomethane	<0.80		3.0	0.80	ug/L			06/28/20 10:41	1
2-Butanone (MEK)	<2.1		5.0	2.1	ug/L			06/28/20 10:41	1
Carbon tetrachloride	<0.38		1.0	0.38	ug/L			06/28/20 10:41	1
Chlorobenzene	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
Chloroethane	<0.51		1.0	0.51	ug/L			06/28/20 10:41	1
Chloroform	<0.37		2.0	0.37	ug/L			06/28/20 10:41	1
Chloromethane	<0.32		1.0	0.32	ug/L			06/28/20 10:41	1
2-Chlorotoluene	<0.31		1.0	0.31	ug/L			06/28/20 10:41	1
4-Chlorotoluene	<0.35		1.0	0.35	ug/L			06/28/20 10:41	1
cis-1,2-Dichloroethene	<0.41		1.0	0.41	ug/L			06/28/20 10:41	1
cis-1,3-Dichloropropene	<0.42		1.0	0.42	ug/L			06/28/20 10:41	1
Dibromochloromethane	<0.49		1.0	0.49	ug/L			06/28/20 10:41	1
1,2-Dibromo-3-Chloropropane	<2.0		5.0	2.0	ug/L			06/28/20 10:41	1
1,2-Dibromoethane	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
Dibromomethane	<0.27		1.0	0.27	ug/L			06/28/20 10:41	1
1,2-Dichlorobenzene	<0.33		1.0	0.33	ug/L			06/28/20 10:41	1
1,3-Dichlorobenzene	<0.40		1.0	0.40	ug/L			06/28/20 10:41	1
1,4-Dichlorobenzene	<0.36		1.0	0.36	ug/L			06/28/20 10:41	1
Dichlorodifluoromethane	<0.67		3.0	0.67	ug/L			06/28/20 10:41	1
1,1-Dichloroethane	<0.41		1.0	0.41	ug/L			06/28/20 10:41	1
1,2-Dichloroethane	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
1,1-Dichloroethene	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
1,2-Dichloropropane	<0.43		1.0	0.43	ug/L			06/28/20 10:41	1
1,3-Dichloropropane	<0.36		1.0	0.36	ug/L			06/28/20 10:41	1
2,2-Dichloropropane	<0.44		1.0	0.44	ug/L			06/28/20 10:41	1
1,1-Dichloropropene	<0.30		1.0	0.30	ug/L			06/28/20 10:41	1
Ethylbenzene	<0.18		0.50	0.18	ug/L			06/28/20 10:41	1
Hexachlorobutadiene	<0.45		1.0	0.45	ug/L			06/28/20 10:41	1
Isopropylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
Isopropyl ether	<0.28		1.0	0.28	ug/L			06/28/20 10:41	1
Methylene Chloride	<1.6		5.0	1.6	ug/L			06/28/20 10:41	1
Methyl tert-butyl ether	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
Naphthalene	<0.34		1.0	0.34	ug/L			06/28/20 10:41	1
n-Butylbenzene	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
N-Propylbenzene	<0.41		1.0	0.41	ug/L			06/28/20 10:41	1
p-Isopropyltoluene	<0.36		1.0	0.36	ug/L			06/28/20 10:41	1
sec-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 10:41	1
Styrene	<0.39		1.0	0.39	ug/L			06/28/20 10:41	1
tert-Butylbenzene	<0.40		1.0	0.40	ug/L			06/28/20 10:41	1
1,1,1,2-Tetrachloroethane	<0.46		1.0	0.46	ug/L			06/28/20 10:41	1
1,1,2,2-Tetrachloroethane	<0.40		1.0	0.40	ug/L			06/28/20 10:41	1
Tetrachloroethene	<0.37		1.0	0.37	ug/L			06/28/20 10:41	1

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-549730/6

Matrix: Water

Analysis Batch: 549730

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Toluene	<0.15		0.50	0.15	ug/L			06/28/20 10:41	1
trans-1,2-Dichloroethene	<0.35		1.0	0.35	ug/L			06/28/20 10:41	1
trans-1,3-Dichloropropene	<0.36		1.0	0.36	ug/L			06/28/20 10:41	1
1,2,3-Trichlorobenzene	<0.46		1.0	0.46	ug/L			06/28/20 10:41	1
1,2,4-Trichlorobenzene	<0.34		1.0	0.34	ug/L			06/28/20 10:41	1
1,1,1-Trichloroethane	<0.38		1.0	0.38	ug/L			06/28/20 10:41	1
1,1,2-Trichloroethane	<0.35		1.0	0.35	ug/L			06/28/20 10:41	1
Trichloroethene	<0.16		0.50	0.16	ug/L			06/28/20 10:41	1
Trichlorofluoromethane	<0.43		1.0	0.43	ug/L			06/28/20 10:41	1
1,2,3-Trichloropropane	<0.41		2.0	0.41	ug/L			06/28/20 10:41	1
1,2,4-Trimethylbenzene	<0.36		1.0	0.36	ug/L			06/28/20 10:41	1
1,3,5-Trimethylbenzene	<0.25		1.0	0.25	ug/L			06/28/20 10:41	1
Vinyl chloride	<0.20		1.0	0.20	ug/L			06/28/20 10:41	1
Xylenes, Total	<0.22		1.0	0.22	ug/L			06/28/20 10:41	1
Surrogate	MB	MB	Limits	%Recovery	Qualifier	Prepared	Analyzed	Dil Fac	13
4-Bromofluorobenzene (Surr)	94		72 - 124					06/28/20 10:41	1
Dibromofluoromethane (Surr)	89		75 - 120					06/28/20 10:41	1
1,2-Dichloroethane-d4 (Surr)	101		75 - 126					06/28/20 10:41	1
Toluene-d8 (Surr)	97		75 - 120					06/28/20 10:41	1

Lab Sample ID: LCS 500-549730/4

Matrix: Water

Analysis Batch: 549730

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits	%Rec.	
	Added	Result	Qualifier						
Acetone	50.0	35.8		ug/L	72	40	40 - 143		
Benzene	50.0	51.3		ug/L	103	70	70 - 120		
Bromobenzene	50.0	49.9		ug/L	100	70	70 - 122		
Bromochloromethane	50.0	49.1		ug/L	98	65	65 - 122		
Bromodichloromethane	50.0	48.2		ug/L	96	69	69 - 120		
Bromoform	50.0	41.3		ug/L	83	56	56 - 132		
Bromomethane	50.0	53.5		ug/L	107	40	40 - 152		
2-Butanone (MEK)	50.0	40.0		ug/L	80	46	46 - 144		
Carbon tetrachloride	50.0	51.9		ug/L	104	59	59 - 133		
Chlorobenzene	50.0	51.0		ug/L	102	70	70 - 120		
Chloroethane	50.0	52.4		ug/L	105	48	48 - 136		
Chloroform	50.0	50.3		ug/L	101	70	70 - 120		
Chloromethane	50.0	41.9		ug/L	84	56	56 - 152		
2-Chlorotoluene	50.0	53.4		ug/L	107	70	70 - 125		
4-Chlorotoluene	50.0	52.5		ug/L	105	68	68 - 124		
cis-1,2-Dichloroethene	50.0	50.5		ug/L	101	70	70 - 125		
cis-1,3-Dichloropropene	50.0	47.5		ug/L	95	64	64 - 127		
Dibromochloromethane	50.0	44.8		ug/L	90	68	68 - 125		
1,2-Dibromo-3-Chloropropane	50.0	35.7		ug/L	71	56	56 - 123		
1,2-Dibromoethane	50.0	47.5		ug/L	95	70	70 - 125		
Dibromomethane	50.0	48.9		ug/L	98	70	70 - 120		
1,2-Dichlorobenzene	50.0	49.7		ug/L	99	70	70 - 125		

Eurofins TestAmerica, Chicago

QC Sample Results

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-549730/4

Matrix: Water

Analysis Batch: 549730

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1,3-Dichlorobenzene	50.0	51.4		ug/L		103	70 - 125
1,4-Dichlorobenzene	50.0	49.5		ug/L		99	70 - 120
Dichlorodifluoromethane	50.0	47.4		ug/L		95	40 - 159
1,1-Dichloroethane	50.0	50.6		ug/L		101	70 - 125
1,2-Dichloroethane	50.0	56.0		ug/L		112	68 - 127
1,1-Dichloroethene	50.0	49.6		ug/L		99	67 - 122
1,2-Dichloropropane	50.0	50.8		ug/L		102	67 - 130
1,3-Dichloropropane	50.0	48.6		ug/L		97	62 - 136
2,2-Dichloropropane	50.0	55.3		ug/L		111	58 - 139
1,1-Dichloropropene	50.0	53.1		ug/L		106	70 - 121
Ethylbenzene	50.0	54.5		ug/L		109	70 - 123
Hexachlorobutadiene	50.0	51.7		ug/L		103	51 - 150
Isopropylbenzene	50.0	55.1		ug/L		110	70 - 126
Methylene Chloride	50.0	45.5		ug/L		91	69 - 125
Methyl tert-butyl ether	50.0	52.0		ug/L		104	55 - 123
Naphthalene	50.0	40.8		ug/L		82	53 - 144
n-Butylbenzene	50.0	54.4		ug/L		109	68 - 125
N-Propylbenzene	50.0	55.6		ug/L		111	69 - 127
p-Isopropyltoluene	50.0	55.7		ug/L		111	70 - 125
sec-Butylbenzene	50.0	55.9		ug/L		112	70 - 123
Styrene	50.0	49.5		ug/L		99	70 - 120
tert-Butylbenzene	50.0	55.7		ug/L		111	70 - 121
1,1,1,2-Tetrachloroethane	50.0	50.4		ug/L		101	70 - 125
1,1,2,2-Tetrachloroethane	50.0	44.5		ug/L		89	62 - 140
Tetrachloroethene	50.0	57.9		ug/L		116	70 - 128
Toluene	50.0	54.1		ug/L		108	70 - 125
trans-1,2-Dichloroethene	50.0	51.3		ug/L		103	70 - 125
trans-1,3-Dichloropropene	50.0	46.2		ug/L		92	62 - 128
1,2,3-Trichlorobenzene	50.0	43.5		ug/L		87	51 - 145
1,2,4-Trichlorobenzene	50.0	44.8		ug/L		90	57 - 137
1,1,1-Trichloroethane	50.0	52.9		ug/L		106	70 - 125
1,1,2-Trichloroethane	50.0	49.4		ug/L		99	71 - 130
Trichloroethene	50.0	52.3		ug/L		105	70 - 125
Trichlorofluoromethane	50.0	46.6		ug/L		93	55 - 128
1,2,3-Trichloropropane	50.0	48.1		ug/L		96	50 - 133
1,2,4-Trimethylbenzene	50.0	52.8		ug/L		106	70 - 123
1,3,5-Trimethylbenzene	50.0	54.4		ug/L		109	70 - 123
Vinyl chloride	50.0	46.0		ug/L		92	64 - 126
Xylenes, Total	100	111		ug/L		111	70 - 125

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	97		72 - 124
Dibromofluoromethane (Surr)	94		75 - 120
1,2-Dichloroethane-d4 (Surr)	102		75 - 126
Toluene-d8 (Surr)	100		75 - 120

Eurofins TestAmerica, Chicago

Lab Chronicle

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Client Sample ID: MW-7

Date Collected: 06/15/20 08:45

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	549730	06/28/20 15:16	JDD	TAL CHI
Total/NA	Analysis	8260B	DL	20	549730	06/28/20 15:44	JDD	TAL CHI

Client Sample ID: MW-2

Date Collected: 06/15/20 09:00

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	549730	06/28/20 11:36	JDD	TAL CHI

Client Sample ID: MW-3

Date Collected: 06/15/20 09:15

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	549730	06/28/20 14:21	JDD	TAL CHI
Total/NA	Analysis	8260B	DL	10	549730	06/28/20 14:49	JDD	TAL CHI

Client Sample ID: MW-4

Date Collected: 06/15/20 09:30

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	549318	06/25/20 18:35	JDD	TAL CHI

Client Sample ID: Trip Blank

Date Collected: 06/15/20 00:00

Date Received: 06/16/20 10:00

Lab Sample ID: 500-183571-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	549730	06/28/20 11:08	JDD	TAL CHI

Laboratory References:

TAL CHI = Eurofins TestAmerica, Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Eurofins TestAmerica, Chicago

Accreditation/Certification Summary

Client: Key Engineering Group, Ltd.
Project/Site: Schaefer Brush - 1604-1204-0002

Job ID: 500-183571-1

Laboratory: Eurofins TestAmerica, Chicago

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Wisconsin	State	999580010	08-31-20

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Eurofins TestAmerica, Chicago

Chain of Custody Record







441701 eurofins

Environment Testing
TestAmerica

Address: _____

Regulatory Program: DW NPDES RCRA Other:

TAL-8210

Client Contact		Project Manager: Toni Schaefer		Site Contact: T. Schaefer		Date: 6/15/2020	
Company Name: Key Engineering		Tel/Email: 414-225-0594		Lab Contact:		COC No: 1 of 1 COCs	
Address: 735 N. Water Street #510		Analysis Turnaround Time				Sampler:	
City/State/Zip: Milwaukee, WI 53202		<input type="checkbox"/> CALENDAR DAYS <input checked="" type="checkbox"/> WORKING DAYS				For Lab Use Only:	
Phone: 414-224-8300		TAT if different from Below				Walk-in Client:	
Fax:		<input checked="" type="checkbox"/> 2 weeks				Lab Sampling:	
Project Name: Schaefer Brush		<input type="checkbox"/> 1 week					
Site: 1101 S. Prairie Ave		<input type="checkbox"/> 2 days				Job / SDG No.: 500-183571	
PO# 1604-1204-0002		<input type="checkbox"/> 1 day				Sample Specific Notes:	
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)
		6/15/20	0845	6	W	3	X
		2	0900	6	W	3	X
		3	0915	6	W	3	X
		4	0930	6	W	3	X
		5			W	1	X
Preservation Used: 1= Ice; 2= HCl; 3= H ₂ SO ₄ ; 4=HNO ₃ ; 5=NaOH; 6= Other							
		Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.					
		Comments:					
		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
		<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months					
		Special Instructions/QC Requirements & Comments:					
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temp. (°C): Obs'd: 0.8 Corr'd: 1.8		Therm ID No.:	
Relinquished by: 		Company: Key Engineering		Date/Time: 6/15/20		Received by: 	
Relinquished by: 		Company: TA		Date/Time: 6-15-20 1700		Received by: 	
Relinquished by: 		Company: 		Date/Time:		Received in Laboratory by: 	
						Company: TA CTS Date/Time: 6/16/20 1000	

Login Sample Receipt Checklist

Client: Key Engineering Group, Ltd.

Job Number: 500-183571-1

Login Number: 183571

List Source: Eurofins TestAmerica, Chicago

List Number: 1

Creator: Scott, Sherri L

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	