


Stoltz, Carrie R - DNR

From: Dave Larsen <dlarsen@reiengineering.com>
Sent: Tuesday, June 26, 2018 4:49 PM
To: Stoltz, Carrie R - DNR
Subject: Summit Lake Projects
Attachments: 2864_001.pdf

Carrie, REI is seeking U&C costs to cover commodity charges incurred by our drilling contractor following the CBI scope. We all had missed the need for abandonment of the completed injectate borings and costs were not provided. In this instance REI is seeking abandonment costs at the U&C rate of \$1.26/ft and will provide abandonment forms for backup. Raith footage total was 482 feet. Greater Bass was 1,028 total feet. Additionally, the injectate process was significantly messier than we anticipated and we are respectfully requesting reimbursement of \$500 to cover the cost to pressure wash and scrub the probe rig before it was deployed on the next project.

Thank you,
David N. Larsen P.G.
Senior Hydrogeologist / Professional Geologist



David N. Larsen, P.G.
Senior Hydrogeologist
Dlarsen@REIengineering.com

Tel: 1-877-734-7745
715-675-9784
Cell: 715-551-3434
Fax: 715-675-4060



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

Usual and Customary Standardized Invoice #23 January 2018- July 2018



RR-092a

PECFA #: 54485-9999-76 Vendor Name: REI
 BRRTS #: 03-24-563946 Invoice #: _____
 Site Name: Greater Bass Lake Storage, LLC Invoice Date: Proposal Date 6/26/18
 Site Address: N9276 Mill Road, Summit Lake Check #: _____

U&C Total \$ 1,295.28
 Variance to U&C Total \$ -
 Grand Total \$ 1,295.28

TASK	TASK DESCRIPTION	SERVICES	ACTIVITY CODE	ACTIVITY REFERENCE CODE DESCRIPTION	UNIT	MAX UNIT COST	UNITS	TOTAL MAX
12	Direct Push	Commodity	DP60	Borehole Abandonment	Ft	\$ 1.26	1028	\$ 1,295.28

C.B. 15

Notice: Completion of this report is required by chs. 160, 261, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 261, 269, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CBLL		Hicap #		Facility Name Greater Bass Lake Storage	
Latitude / Longitude (Degrees and Minutes) -----'N -----'W				Facility ID (FID or PWS)			
Method Code (see instructions)				License/Permit/Monitoring #			
1/4 / 1/4 or Gov't Lot #		Section		Township		Range <input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Original Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake				Present Well Owner Greater Bass Lake Storage			
Subdivision Name				Well ZIP Code N9276 Mill Road		Mailing Address of Present Owner Summit Lake	
Reason For Removal From Service Completion				WI Unique Well # of Replacement Well		City of Present Owner WI 54485	

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Original Construction Date (mm/dd/yyyy) 6/6/2018 If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Total Well Depth From Ground Surface (ft.) 30		Casing Diameter (in.)	
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/6/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/6/2018	

G.B. 14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County <u>LANGLADE</u>		WI Unique Well # of Removed Well <u>CB 12</u>		Licap #		Facility Name <u>Greater Bass Lake Storage</u>	
Latitude / Longitude (Degrees and Minutes) ____ ° ____ ' ____ " N ____ ° ____ ' ____ " W				Facility ID (FID or PWS)			
Method Code (see Instructions)				License/Permit/Monitoring #			
1/4 1/4 or Gov't Lot #		Section		Township <u>N</u>		Range <input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address <u>N9276 Mill Road</u>				Original Well Owner <u>Greater Bass Lake Storage</u>			
Well City, Village or Town <u>Summit Lake</u>				Present Well Owner <u>Greater Bass Lake Storage</u>			
Subdivision Name				Well ZIP Code <u>N9276 Mill Rd.</u>		Mailing Address of Present Owner	
Reason For Removal From Service				WI Unique Well # of Replacement Well		City of Present Owner <u>Summit Lake</u>	
Completion						State <u>WI</u>	
						ZIP Code <u>54485</u>	

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Original Construction Date (mm/dd/yyyy) <u>6/6/2018</u> If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Total Well Depth From Ground Surface (ft.) <u>30</u>		Casing Diameter (in.)	
Lower Drillhole Diameter (in.) <u>2.25</u>		Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)	
If yes, to what depth (feet)?		Depth to Water (feet)	

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Gestra Engineering</u>		License #	Date of Filling & Sealing (mm/dd/yyyy) <u>6/6/2018</u>	Date Received	Noted By
Street or Route <u>191 W. Edgerton Ave.</u>			Telephone Number <u>(414) 933-7444</u>	Comments	
City <u>Milwaukee</u>		State <u>WI</u>	ZIP Code <u>53207-</u>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <u>6/28/2018</u>

G.B. 17

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well C.B.L.3		Hicap #		Facility Name Greater Bass Lake Storage	
Latitude / Longitude (Degrees and Minutes) ____° ____' ____" N ____° ____' ____" W				Facility ID (FID or PWS)			
Method Code (see instructions)				License/Permit/Monitoring #			
1/4 1/4 or Gov't Lot #		Section		Township		Range <input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Original Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake				Present Well Owner Greater Bass Lake Storage			
Subdivision Name				Well ZIP Code N9276 Mill Rd.		Mailing Address of Present Owner	
Reason For Removal From Service Completion				WI Unique Well # of Replacement Well		City of Present Owner Summit Lake	
3. Well / Drillhole / Borehole Information				State WI			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 6/6/2018		ZIP Code 54485		4. Pump, Liner, Screen, Casing & Sealing Material	
Construction Type:		If a Well Construction Report is available, please attach.		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole relapped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Required Method of Placing Sealing Material		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Formation Type:		Total Well Depth From Ground Surface (ft.) 30		Sealing Materials			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Casing Diameter (in.)		<input type="checkbox"/> Neal Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)		For Monitoring Wells and Monitoring Well Boreholes Only:			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5
Concrete cap in pavement			

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/6/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018	

6B18

Notice: Completion of this report is required by chs. 160, 261, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 261, 269, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CB140		Hicap #		Facility Name Greater Bass Lake Storage	
Latitude / Longitude (Degrees and Minutes)				Facility ID (FID or PWS)			
Method Code (see instructions)				License/Permit/Monitoring #			
1/4 1/4 or Gov't Lot #		Section		Township		Range <input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Original Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake				Present Well Owner Greater Bass Lake Storage			
Subdivision Name				Well ZIP Code N9276 Mill Rd.		Mailing Address of Present Owner	
Lot #				City of Present Owner Summit Lake		State ZIP Code WI 54485	

Reason For Removal From Service Completion		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 6/6/2018		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole				Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type:				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>						Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:						Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock				If yes, was hole relapped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) 30		Casing Diameter (in.)		Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
If yes, to what depth (feet)?				Sealing Materials			
				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "			
				<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/6/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>M. Gestra</i>	Date Signed 6/28/2018	

6B 19

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County <u>LANGLADE</u>		WI Unique Well # of Removed Well <u>CBLS</u>		Hicap #		Facility Name <u>Greater Bass Lake Storage</u>	
Latitude / Longitude (Degrees and Minutes) -----'N -----'W				Method Code (see instructions)			
1/4 1/4 or Gov't Lot #		Section		Township <u>N</u>		Range <input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address <u>N9276 Mill Road</u>				Original Well Owner <u>Greater Bass Lake Storage</u>			
Well City, Village or Town <u>Summit Lake</u>				Present Well Owner <u>Greater Bass Lake Storage</u>			
Subdivision Name				Well ZIP Code <u>54485</u>		Mailing Address of Present Owner <u>N9276 Mill Rd.</u>	
Reason For Removal From Service Completion				WI Unique Well # of Replacement Well		City of Present Owner <u>Summit Lake</u>	
						State <u>WI</u>	
						ZIP Code <u>54485</u>	

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Original Construction Date (mm/dd/yyyy) <u>6/7/2018</u> If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Sealing Materials <input type="checkbox"/> Neal Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Total Well Depth From Ground Surface (ft.) <u>24</u>		Casing Diameter (in.)	
Lower Drillhole Diameter (in.) <u>2.25</u>		Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)	
If yes, to what depth (feet)?		Depth to Water (feet)	

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	24	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Gestra Engineering</u>		License #	Date of Filling & Sealing (mm/dd/yyyy) <u>6/7/2018</u>		Date Received
Street or Route <u>191 W. Edgerton Ave.</u>			Telephone Number <u>(414) 933-7444</u>		Comments
City <u>Milwaukee</u>		State <u>WI</u>	ZIP Code <u>53207-</u>		Signature of Person Doing Work <i>[Signature]</i>
				Date Signed <u>6/28/2018</u>	

Notice: Completion of this report is required by chs. 160, 261, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 261, 289, 291-293, 295, and 299, Wis. Stats.; failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County <u>LANGLADE</u>		WI Unique Well # of Removed Well <u>C B L 6</u>		Facility Name <u>Grater Bass Lake Storage</u>		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring #			
1/4 1/4		Section		Township		Range	
or Gov't Lot #				N		<input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address <u>N9276 Mill Road</u>				Original Well Owner <u>Grater Bass Lake Storage</u>			
Well City, Village or Town <u>Summit Lake</u>				Present Well Owner <u>Grater Bass Lake Storage</u>			
Subdivision Name				Well ZIP Code <u>N9276 Mill Rd.</u>		Mailing Address of Present Owner	
				City of Present Owner <u>Summit Lake</u>		State <u>WI</u>	
				Lot #		ZIP Code <u>S4485</u>	

Reason For Removal From Service <u>Completion</u>		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) <u>6/7/2018</u>		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well				Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		<input type="checkbox"/> Dug		Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	

Formation Type:		<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material	
Total Well Depth From Ground Surface (ft.) <u>30</u>		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
Lower Drillhole Diameter (in.) <u>2.25</u>		Casing Depth (ft.)		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain):	
Was well annular space grouted?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials		<input type="checkbox"/> Neat Cement Grout	
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
				<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite-Sand Slurry "	
				<input checked="" type="checkbox"/> Bentonite Chips		<input checked="" type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Gestra Engineering</u>		License #	Date of Filling & Sealing (mm/dd/yyyy) <u>6/7/2018</u>	Date Received	Noted By
Street or Route <u>191 W. Edgerton Ave.</u>			Telephone Number <u>(414) 933-7444</u>	Comments	
City <u>Milwaukee</u>	State <u>WI</u>	ZIP Code <u>53207-</u>	Signature of Person Doing Work 	Date Signed <u>6/28/2018</u>	

66 ~~21~~
21

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: Geoprobes

1. Well Location Information			2. Facility / Owner Information		
County <u>LANGLADE</u>	WI Unique Well # of Removed Well <u>CB11</u>	Hicap #	Facility Name <u>Grater Bass Lake Storage</u>	Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see Instructions)	License/Permit/Monitoring #		
----- " ----- ' N					
----- " ----- ' W					
1/4 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E <input type="checkbox"/> W
or Gov't Lot #			<u>N</u>		
Well Street Address <u>N9276 Mill Road</u>			Original Well Owner <u>Grater Bass Lake Storage</u>		
Well City, Village or Town <u>Summit Lake</u>			Present Well Owner <u>Grater Bass Lake Storage</u>		
Subdivision Name			Mailing Address of Present Owner <u>N 9276 Mill Rd.</u>		
Well ZIP Code			City of Present Owner <u>Summit Lake</u>		
Lot #			State <u>WI</u>		
Reason For Removal From Service			ZIP Code <u>54485</u>		
Completion			WI Unique Well # of Replacement Well		

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <u>6/7/2018</u>	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <u>30</u>	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <u>2.25</u>	Casing Depth (ft.)	Required Method of Placing Sealing Material	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	<u>30-20</u>	0.5
Concrete cap in pavement			

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Gestra Engineering</u>	License #	Date of Filling & Sealing (mm/dd/yyyy) <u>6/7/2018</u>	Date Received	Noted By
Street or Route <u>191 W. Edgerton Ave.</u>		Telephone Number <u>(414) 933-7444</u>	Comments	
City <u>Milwaukee</u>	State <u>WI</u>	ZIP Code <u>53207-</u>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <u>6/28/2018</u>

66 22

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 261, 269, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information **2. Facility / Owner Information**

County LANGLADE	WI Unique Well # of Removed Well C B 1 8	Facap #	Facility Name Greater Bass Lake Storage
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
_____ 'N			License/Permit/Monitoring #
_____ 'W			
1/4 / 1/4 or Gov't Lot #	Section	Township N	Range <input type="checkbox"/> E <input type="checkbox"/> W
Original Well Owner Greater Bass Lake Storage			
Well Street Address N9276 Mill Road			
Well City, Village or Town Summit Lake		Well ZIP Code	
Subdivision Name		City of Present Owner Summit Lake	
		State WI	ZIP Code 54485

Reason For Removal From Service: **Completion** WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy)
6/7/2018

Water Well If a Well Construction Report is available, please attach.

Borehole / Drillhole

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobed

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) **30** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2.25** Casing Depth (ft.) _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/7/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

CB 23

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: Geoprobes

1. Well Location Information **2. Facility / Owner Information**

County LANGLADE	WI Unique Well # of Removed Well CB19	Hi-cap #	Facility Name Greater Bass Lake Storage
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
-----'N			License/Permit/Monitoring #
-----'W			Original Well Owner Greater Bass Lake Storage
1/4 1/4 1/4 Section Township Range <input type="checkbox"/> E			Present Well Owner Greater Bass Lake Storage
or Gov't Lot #		N <input type="checkbox"/> W	Mailing Address of Present Owner N9276 Mill Rd
Well Street Address N9276 Mill Road			City of Present Owner State ZIP Code Summit Lake WI 54485
Well City, Village or Town Summit Lake	Well ZIP Code		
Subdivision Name	Lot #		

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/7/2018	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): Geoprobed		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	Required Method of Placing Sealing Material
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):
If yes, to what depth (feet)?	Depth to Water (feet)	Sealing Materials
		<input type="checkbox"/> Neal Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/7/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

6624

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 281, 283, 291-293, 295, and 299, Wis. Stats. Failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well C B I L O	Tricap #	Facility Name Greater Bass Lake Storage		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
-----' N			License/Permit/Monitoring #		
-----' W			Original Well Owner Greater Bass Lake Storage		
1/4 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E
or Gov't Lot #			N		<input type="checkbox"/> W
Well Street Address N9276 Mill Road			Present Well Owner Greater Bass Lake Storage		
Well City, Village or Town Summit Lake			Mailing Address of Present Owner N9276 Mill Rd.		
Subdivision Name		Lot #	City of Present Owner Summit Lake	State WI	ZIP Code 54485

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/7/2018	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): Geoprobed		Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):		
If yes, to what depth (feet)?		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "		
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/7/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

66 25

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 259, 281-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CBLLI		Facility Name Greater Bass Lake Storage		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes) -----'N -----'W				Method Code (see Instructions)			
1/4 1/4 or Gov't Lot #		Section		Township N		Range <input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Original Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake				Present Well Owner Greater Bass Lake Storage			
Subdivision Name				Well ZIP Code N9276 Mill Rd		Mailing Address of Present Owner	
				City of Present Owner Summit Lake		State ZIP Code WI 54485	

Reason For Removal From Service Completion		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 6/7/2018		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole				Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) 34				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) 2.25				If yes, was hole relapped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If yes, to what depth (feet)?				Required Method of Placing Sealing Material			
Depth to Water (feet)				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			

Sealing Materials		For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Neal Cement Grout		<input type="checkbox"/> Bentonite Chips	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Concrete		<input type="checkbox"/> Granular Bentonite	
<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. w.)		<input type="checkbox"/> Bentonite - Sand Slurry	
<input type="checkbox"/> Bentonite-Sand Slurry " "		<input checked="" type="checkbox"/> Bentonite Chips	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	34	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/7/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobcs

1. Well Location Information				2. Facility / Owner Information			
County <u>LANGLADE</u>		WI Unique Well # of Removed Well <u>CBLL2</u>		Facility Name <u>Greater Bass Lake Storage</u>		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes) ____' ____' ____" N ____' ____' ____" W		Method Code (see instructions)		License/Permit/Monitoring #		Original Well Owner <u>Greater Bass Lake Storage</u>	
1/4 1/4 or Gov't Lot #		Section	Township	Range	<input type="checkbox"/> E <input type="checkbox"/> W		
Well Street Address <u>N9276 Mill Road</u>				Present Well Owner <u>Greater Bass Lake Storage</u>			
Well City, Village or Town <u>Summit Lake</u>				Mailing Address of Present Owner <u>N9276 Mill Rd</u>			
Subdivision Name				City of Present Owner <u>Summit Lake</u>		State <u>WI</u>	ZIP Code <u>54485</u>

Reason For Removal From Service <u>Completion</u>		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) <u>6/8/2018</u>		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobcd</u>				Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) <u>30</u>		Casing Diameter (in.)		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) <u>2.25</u>		Casing Depth (ft.)		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
If yes, to what depth (feet)?				If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
				If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			

Required Method of Placing Sealing Material		Sealing Materials	
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Gestra Engineering</u>		License #	Date of Filling & Sealing (mm/dd/yyyy) <u>6/7/2018</u>	Date Received	Noted By
Street or Route <u>191 W. Edgerton Ave.</u>			Telephone Number <u>(414) 933-7444</u>	Comments	
City <u>Milwaukee</u>	State <u>WI</u>	ZIP Code <u>53207-</u>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <u>6/28/2018</u>	

63-27

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 251, 269, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: Geoprobes

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well CBL13	Licap #	Facility Name Greater Bass Lake Storage		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____ 'N			License/Permit/Monitoring #		
_____ 'W			Original Well Owner Greater Bass Lake Storage		
1/4 / 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E
or Gov't Lot #			N		<input type="checkbox"/> W
Well Street Address N9276 Mill Road			Present Well Owner Greater Bass Lake Storage		
Well City, Village or Town Summit Lake			Mailing Address of Present Owner N9276 Mill Rd		
Subdivision Name		Lot #	City of Present Owner Summit Lake	State WI	ZIP Code 54485

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/8/2018	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): Geoprobed	<input type="checkbox"/> Dug	Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	If yes, to what depth (feet)?	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):		
Depth to Water (feet)		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "		
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5
Concrete cap in pavement			

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/7/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

66 28

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: Geoprobe

1. Well Location Information

County LANGLADE	WI Unique Well # of Removed Well CB114	Map #
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)
----- ° ----- ' N		
----- ° ----- ' W		
1/4 1/4	1/4	Section
or Gov't Lot #		Township
Well Street Address N9276 Mill Road		Range <input type="checkbox"/> E
Well City, Village or Town Summit Lake		<input type="checkbox"/> W
Well ZIP Code		Well ZIP Code
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name Greater Bass Lake Storage
Facility ID (FID or PWS)
License/Permit/Monitoring #
Original Well Owner Greater Bass Lake Storage
Present Well Owner Greater Bass Lake Storage
Mailing Address of Present Owner N9276 Mill Rd
City of Present Owner Summit Lake
State WI
ZIP Code 54485

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well
--	--------------------------------------

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/8/2018
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)
<input type="checkbox"/> Dug	<input checked="" type="checkbox"/> Other (specify): Geoprobe

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

Formation Type:
<input checked="" type="checkbox"/> Unconsolidated Formation
<input type="checkbox"/> Bedrock

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):

Total Well Depth From Ground Surface (ft.) 26	Casing Diameter (in.)
---	-----------------------

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips

Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)
---	--------------------

For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Was well annular space grouted?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
---------------------------------	------------------------------	-----------------------------	----------------------------------

If yes, to what depth (feet)?	Depth to Water (feet)
-------------------------------	-----------------------

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Surface	26	0.5	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Gestra Engineering			License #		Date of Filling & Sealing (mm/dd/yyyy) 6/7/2018		DNR Use Only	
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444		Date Received		Noted By	
City Milwaukee			State WI		ZIP Code 53207-		Signature of Person Doing Work 	
							Date Signed 6/28/2018	

6629

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: **Geoprobes**

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well C.B.L.L.S.	Hicap #	Facility Name Greater Bass Lake Storage		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____ 'N			License/Permit/Monitoring #		
_____ 'W			Original Well Owner Greater Bass Lake Storage		
1/4 1/2 3/4	Section	Township	Range	Present Well Owner Greater Bass Lake Storage	
or Gov't Lot #		N	<input type="checkbox"/> E <input type="checkbox"/> W	Mailing Address of Present Owner N9276 mill Rd	
Well Street Address N9276 Mill Road			City of Present Owner Summit Lake		
Well City, Village or Town Summit Lake			State WI		
Subdivision Name			ZIP Code 54485		
Well ZIP Code			Lot #		

Reason For Removal From Service	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
Completion		Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
3. Well / Drillhole / Borehole Information		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)	Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well	6/11/2018	Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Construction Type:		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): Geoprobed		If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
30		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):		
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	Sealing Materials			
2.25		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "		
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Surface	30	0.5	
Concrete cap in pavement			

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/11/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>M. Gestra</i>	Date Signed 6/28/2018

6630

Notice: Completion of this report is required by chs. 160, 221, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 251, 259, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: **Geoprobes**

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CB116		Licap #		Facility Name Greater Bass Lake Storage	
Latitude / Longitude (Degrees and Minutes)				Facility ID (FID or PWS)			
Method Code (see instructions)				License/Permit/Monitoring #			
1/4 1/4		Section		Township		Range	
or Gov't Lot #		N		<input type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Greater Bass Lake Storage	
Well Street Address N9276 Mill Road				Present Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake				Mailing Address of Present Owner N9276 mill Rd			
Subdivision Name				Well ZIP Code		City of Present Owner	
				WI		54485	

Reason For Removal From Service		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
Completion				Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
3. Well / Drillhole / Borehole Information				Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		6/11/2018		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type:				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): Geoprobed						If yes, was hole relapped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
30				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Sealing Materials			
2.25				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "			
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/11/2018		Date Received
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444		Noted By
City Milwaukee		State WI	ZIP Code 53207-		Signature of Person Doing Work <i>[Signature]</i>
				Comments	
				Date Signed 6/28/2018	

6/31

Notice: Completion of this report is required by chs. 160, 221, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 281, 283, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: **Geoprobes**

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well C B L 1 7	Hicap #	Facility Name Greater Bass Lake Storage		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____° _____' _____" N			License/Permit/Monitoring #		
_____° _____' _____" W			Original Well Owner Greater Bass Lake Storage		
1/4 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E
or Gov't Lot #			N		<input type="checkbox"/> W
Well Street Address N9276 Mill Road			Present Well Owner Greater Bass Lake Storage		
Well City, Village or Town Summit Lake			Mailing Address of Present Owner N9276 Mill Rd		
Subdivision Name			Well ZIP Code	City of Present Owner	State ZIP Code
				Summit Lake	WI 54485

Reason For Removal From Service		WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material		
Completion			Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) 6/11/2018	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well	If a Well Construction Report is available, please attach.		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well			Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole			Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:			Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): Geoprobed			If yes, was hole relapped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:			If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material		
Total Well Depth From Ground Surface (ft.) 30		Casing Diameter (in.)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped		
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			Sealing Materials		
If yes, to what depth (feet)?		Depth to Water (feet)	<input type="checkbox"/> Neal Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
			<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "		
			<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips		
			For Monitoring Wells and Monitoring Well Boreholes Only:		
			<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout		
			<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/11/2018	Date Received	Noted By	
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments		
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>M. Pruz</i>		Date Signed 6/28/2018

6837

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats. and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: Geoprobes

1. Well Location Information

County LANGLADE	WI Unique Well # of Removed Well CBL18	Map #
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)
-----'N		
-----'W		
1/4 1/4	Section	Township Range <input type="checkbox"/> E <input type="checkbox"/> W
or Gov't Lot #		N
Well Street Address N9276 Mill Road		
Well City, Village or Town Summit Lake		Well ZIP Code
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name Greater Bass Lake Storage		
Facility ID (FID or PWS)		
License/Permit/Monitoring #		
Original Well Owner Greater Bass Lake Storage		
Present Well Owner Greater Bass Lake Storage		
Mailing Address of Present Owner N9276 Mill Rd		
City of Present Owner Summit Lake	State WI	ZIP Code 54485

Reason For Removal From Service
Completion

WI Unique Well # of Replacement Well

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/11/2018	
<input type="checkbox"/> Water Well		
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	
Construction Type:		
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug
<input checked="" type="checkbox"/> Other (specify): Geoprobed		
Formation Type:		
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		
If yes, to what depth (feet)?	Depth to Water (feet)	

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/11/2018	DNR Use Only	
Street or Route 191 W. Edgerton Ave.	Telephone Number (414) 933-7444	Comments	Date Received	Noted By
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

64 33

Notice: Completion of this report is required by chs. 160, 221, 283, 289, 291-293, 295, and 299 Wis. Stats., and ch. NR 141 Wis. Adm. Code. In accordance with chs. 261, 263, 281-293, 295, and 299 Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: **Geoprobes**

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well CBL19	Map #	Facility Name Greater Bass Lake Storage	Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)			
-----'N					
-----'W					
1/4 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E <input type="checkbox"/> W
or Gov't Lot #		N			
Well Street Address N9276 Mill Road			Original Well Owner Greater Bass Lake Storage		
Well City, Village or Town Summit Lake			Present Well Owner Greater Bass Lake Storage		
Subdivision Name			Mailing Address of Present Owner N9276 Mill Rd		
Lot #			City of Present Owner Summit Lake		
			State WI		
			ZIP Code 54485		

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
		Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
		Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
		Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
		Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

3. Well / Drillhole / Borehole Information		Required Method of Placing Sealing Material			
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/11/2018	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):		
<input checked="" type="checkbox"/> Borehole / Drillhole		Sealing Materials			
Construction Type:		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "		
<input checked="" type="checkbox"/> Other (specify): Geoprobed	<input type="checkbox"/> Dug	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
Formation Type:		For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)				
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				
If yes, to what depth (feet)?	Depth to Water (feet)				

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5
Concrete cap in pavement			

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/11/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work 	Date Signed 6/28/2018

66 34

Notice: Completion of this report is required by chs. 160, 221, 233, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 251, 253, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information **2. Facility / Owner Information**

County LANGLADE	WI Unique Well # of Removed Well C B L 20	Facility #	Facility Name Greater Bass Lake Storage
Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)	Facility ID (FID or PWS)	License/Permit/Monitoring #
1/4 / 1/4 or Gov't Lot #	Section Township Range <input type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Greater Bass Lake Storage	Present Well Owner Greater Bass Lake Storage
Well Street Address N9276 Mill Road	Well City, Village or Town Summit Lake	Mailing Address of Present Owner N9276 Mill Rd	City of Present Owner Summit Lake
Well ZIP Code 54485	Subdivision Name	State WI	ZIP Code 54485

Reason For Removal From Service: **Completion** WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): **6/11/2018**

If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobed

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
Liner(s) removed? Yes No N/A
Screen removed? Yes No N/A
Casing left in place? Yes No N/A
Was casing cut off below surface? Yes No N/A
Did sealing material rise to surface? Yes No N/A
Did material settle after 24 hours? Yes No N/A
If yes, was hole retopped? Yes No N/A
If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): **30** Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): **2.25** Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/1/2018	DNR Use Only	
Street or Route 191 W. Edgerton Ave.	Telephone Number (414) 933-7444	Comments	Date Received	Noted By
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

6635

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CB121		Licap #		Facility Name Greater Bass Lake Storage	
Latitude / Longitude (Degrees and Minutes)				Facility ID (FID or PWS)			
Method Code (see instructions)				License/Permit/Monitoring #			
1/4 1/4 or Gov't Lot #		Section		Township N		Range <input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Original Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake				Present Well Owner Greater Bass Lake Storage			
Subdivision Name				Well ZIP Code 54485		Mailing Address of Present Owner N9276 Mill Rd	
Reason For Removal From Service				WI Unique Well # of Replacement Well		City of Present Owner Summit Lake	
Completion						State WI	
						ZIP Code 54485	

3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 6/11/2018		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Casing left in place?			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Was casing cut off below surface?	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Did sealing material rise to surface?	
Formation Type:				Did material settle after 24 hours?			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) 30		Casing Diameter (in.)		If bentonite chips were used, were they hydrated with water from a known safe source?			
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				Required Method of Placing Sealing Material			
If yes, to what depth (feet)?				Depth to Water (feet)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
						<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
				Sealing Materials			
				<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
				<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry "	
				<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #		Date of Filling & Sealing (mm/dd/yyyy) 6/11/2018		Date Received	
Street or Route 191 W. Edgerton Ave.				Telephone Number (414) 933-7444		Comments	
City Milwaukee		State WI		ZIP Code 53207-		Signature of Person Doing Work <i>[Signature]</i>	
						Date Signed 6/28/2018	

6334

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobos

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CB122		Facility Name Greater Bass Lake Storage		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring #			
1/4 1/4 1/4		Section Township Range E N W		Original Well Owner Greater Bass Lake Storage			
or Gov't Lot #		Well Street Address N9276 Mill Road		Present Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake		Well ZIP Code		Mailing Address of Present Owner N9276 mill Rd			
Subdivision Name		Lot #		City of Present Owner Summit Lake		State WI	ZIP Code 54485

Reason For Removal From Service		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
Completion				Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) 6/12/2018		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		If a Well Construction Report is available, please attach.		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well				Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:		<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): Geoprobod				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	

Formation Type:		<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.) 30		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravty <input type="checkbox"/> Conductor Pipe-Pumped			
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Sealing Materials			
Depth to Water (feet)				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "			
				<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/12/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee		State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

637

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobos

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well C B L 2 3	Hicap #	Facility Name Greater Bass Lake Storage		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____ 'N			License/Permit/Monitoring #		
_____ 'W			Original Well Owner Greater Bass Lake Storage		
1/4	1/4	Section	Township	Range	<input type="checkbox"/> E
or Gov't Lot #			N		<input type="checkbox"/> W
Well Street Address N9276 Mill Road			Present Well Owner Greater Bass Lake Storage		
Well City, Village or Town Summit Lake			Mailing Address of Present Owner N9276 Mill Rd		
Subdivision Name			Lot #	City of Present Owner Summit Lake	State WI
				ZIP Code 54485	

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/12/2018	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): Geoprobod	<input type="checkbox"/> Dug	Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):		
If yes, to what depth (feet)?		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "		
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5
Concrete cap in pavement			

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/ 2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

6638

Notice: Completion of this report is required by chs. 160, 261, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 261, 299, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well CBL24	Hicap #	Facility Name Greater Bass Lake Storage		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
-----°-----'-----" N -----°-----'-----" W		-----	License/Permit/Monitoring #		
1/4 1/4 1/4	Section	Township	Range	<input type="checkbox"/> E <input type="checkbox"/> W	
or Gov't Lot #		N	Original Well Owner Greater Bass Lake Storage		
Well Street Address N9276 Mill Road		Present Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake		Mailing Address of Present Owner N9276 Mill Rd			
Subdivision Name		Well ZIP Code	City of Present Owner State ZIP Code		
			Summit Lake WI 54485		

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
Original Construction Date (mm/dd/yyyy) 6/12/2018		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.		Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	<input type="checkbox"/> Water Well	Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>	<input type="checkbox"/> Dug	Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		If yes, was hole relogged?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
If yes, to what depth (feet)?		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips		Surface	30	0.5	
Concrete cap in pavement					

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/12/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

6639

Notice: Completion of this report is required by chs. 160.231, 263, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 261, 269, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobos

1. Well Location Information			2. Facility / Owner Information		
County <u>LANGLADE</u>	WI Unique Well # of Removed Well <u>C 61 25</u>	Hicap #	Facility Name <u>Greater Bass Lake Storage</u>		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____ 'N			License/Permit/Monitoring #		
_____ 'W			Original Well Owner <u>Greater Bass Lake Storage</u>		
1/4 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E
or Gov't Lot #			N		<input type="checkbox"/> W
Well Street Address <u>N9276 Mill Road</u>			Present Well Owner <u>Greater Bass Lake Storage</u>		
Well City, Village or Town <u>Summit Lake</u>			Mailing Address of Present Owner <u>N9276 Mill Rd</u>		
Subdivision Name			Lot #	City of Present Owner <u>Summit Lake</u>	State <u>WI</u>
				ZIP Code <u>54485</u>	

Reason for Removal From Service <u>Completion</u>	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <u>6/12/2018</u>	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobos</u>		Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <u>30</u>	Casing Diameter (in.)	Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) <u>2.25</u>	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):		
If yes, to what depth (feet)?		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "		
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Gestra Engineering</u>	License #	Date of Filling & Sealing (mm/dd/yyyy) <u>6/12/2018</u>	Date Received	Noted By	
Street or Route <u>191 W. Edgerton Ave.</u>		Telephone Number <u>(414) 933-7444</u>	Comments		
City <u>Milwaukee</u>	State <u>WI</u>	ZIP Code <u>53207-</u>	Signature of Person Doing Work <u>M. Gresta</u>	Date Signed <u>6/28/2018</u>	

6640

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 201, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 261, 263, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprob

1. Well Location Information **2. Facility / Owner Information**

County LANGLADE	WI Unique Well # of Removed Well CB126	Hicap #	Facility Name Greater Bass Lake Storage
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
-----'N			License/Permit/Monitoring #
-----'W			
1/4 1/4	1/4	Section	Township
or Gov't Lot #			Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address N9276 Mill Road		Original Well Owner Greater Bass Lake Storage	
Well City, Village or Town Summit Lake		Present Well Owner Greater Bass Lake Storage	
Subdivision Name		Mailing Address of Present Owner N9276 Mill Rd	
Lot #		City of Present Owner Summit Lake	
		State WI	
		ZIP Code 54485	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Original Construction Date (mm/dd/yyyy) 6/12/2018		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Construction Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprob</u>		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	Sealing Materials	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/12/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work 	Date Signed 6/28/2018

6B41

Notice: Completion of this report is required by chs. 160, 221, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: **Geoprobes**

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CB127		Licap #		Facility Name Greater Bass Lake Storage	
Latitude / Longitude (Degrees and Minutes)				Facility ID (FID or PWS)			
-----'N				License/Permit/Monitoring #			
-----'W				Original Well Owner Greater Bass Lake Storage			
1/4	1/4	Section	Township	Range	<input type="checkbox"/> E	Present Well Owner Greater Bass Lake Storage	
or Gov't Lot #			N		<input type="checkbox"/> W	Mailing Address of Present Owner N9276 Mill Rd	
Well Street Address N9276 Mill Road				City of Present Owner Summit Lake			
Well City, Village or Town Summit Lake				State WI			
Subdivision Name				ZIP Code 54485			

Reason For Removal From Service		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material				
Completion		-----		Pump and piping removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information				Liner(s) removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)			Screen removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	6/12/2018			Casing left in place?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.			Was casing cut off below surface?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug		Did material settle after 24 hours?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): Geoprobed				If yes, was hole retopped?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material				
Total Well Depth From Ground Surface (ft.) 30		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped		
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain):		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				Sealing Materials		<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
If yes, to what depth (feet)?				Depth to Water (feet)		<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "
						<input checked="" type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips
						For Monitoring Wells and Monitoring Well Boreholes Only:		
						<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout
						<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/12/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee		State WI	ZIP Code 53207-	Signature of Person Doing Work <i>M. Brigg</i>	Date Signed 6/28/2018

6642

Notice: Completion of this report is required by chs. 160, 261, 263, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code, in accordance with chs. 281, 283, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water
- Waste Management
- Watershed/Wastewater
- Other: Geoprobes
- Remediation/Redevelopment

1. Well Location Information

County: LANGLADE WI Unique Well # of Removed Well: CB128 Hicap #: _____

Latitude / Longitude (Degrees and Minutes): _____ 'N
_____ 'W

Method Code (see instructions): _____

1/4 1/4 or Gov't Lot #: _____ Section: _____ Township: N Range: E W

Well Street Address: N9276 Mill Road

Well City, Village or Town: Summit Lake Well ZIP Code: _____

Subdivision Name: _____ Lot #: _____

2. Facility / Owner Information

Facility Name: Greater Bass Lake Storage

Facility ID (FID or PWS): _____

License/Permit/Monitoring #: _____

Original Well Owner: Greater Bass Lake Storage

Present Well Owner: Greater Bass Lake Storage

Mailing Address of Present Owner: N9276 Mill Rd

City of Present Owner: Summit Lake State: WI ZIP Code: 54485

3. Well / Drillhole / Borehole Information

Reason For Removal From Service: Completion WI Unique Well # of Replacement Well: _____

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 6/12/2018

If a Well Construction Report is available, please attach: _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobed

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 30 Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): 2.25 Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By	
<u>Gestra Engineering</u>		<u>6/12/2018</u>			
Street or Route	Telephone Number		Comments		
<u>191 W. Edgerton Ave.</u>	<u>(414) 933-7444</u>				
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
<u>Milwaukee</u>	<u>WI</u>	<u>53207-</u>			<u>6/28/2018</u>

6643

Notice: Completion of this report is required by chs. 160, 231, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 299, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: Geoprobe

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well EBL29		Facility Name Greater Bass Lake Storage		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see Instructions)		License/Permit/Monitoring #			
1/4 1/4		Section		Township		Range	
or Gov't Lot #				N		<input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Original Well Owner Greater Bass Lake Storage			
Well City, Village or Town Summit Lake				Present Well Owner Greater Bass Lake Storage			
Subdivision Name				Well ZIP Code N9276 Mill Rd		Mailing Address of Present Owner	
				City of Present Owner Summit Lake		State ZIP Code WI 54485	
Reason For Removal From Service Completion				WI Unique Well # of Replacement Well			

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Original Construction Date (mm/dd/yyyy) 6/12/2018		Required Method of Placing Sealing Material	
If a Well Construction Report is available, please attach.		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
Construction Type:		Sealing Materials	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobe</u>		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
Formation Type:		For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Total Well Depth From Ground Surface (ft.) 30		Casing Diameter (in.)	
Lower Drillhole Diameter (in.) 2.25		Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)	

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5
Concrete cap in pavement			

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/12/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>M. B. [Signature]</i>	Date Signed 6/28/2018	

66 49

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: Geoprobes

1. Well Location Information

County: LANGLADE

WI Unique Well # of Removed Well: EBL30

Hicap #: _____

Latitude / Longitude (Degrees and Minutes): _____ ' N

_____ ' W

1/4 _____ 1/4 _____ Section _____ Township _____ Range _____ E _____ W _____

or Gov't Lot # _____

Well Street Address: N9276 Mill Road

Well City, Village or Town: Summit Lake

Well ZIP Code: _____

Subdivision Name _____ Lot # _____

2. Facility / Owner Information

Facility Name: Greater Bass Lake Storage

Facility ID (FID or PWS): _____

License/Permit/Monitoring #: _____

Original Well Owner: Greater Bass Lake Storage

Present Well Owner: Greater Bass Lake Storage

Mailing Address of Present Owner: N9276 Mill Road

City of Present Owner: Summit Lake State: WI ZIP Code: 54485

Reason For Removal From Service: Completion

WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well

Water Well

Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 6/13/2018

If a Well Construction Report is available, please attach. _____

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): Geoprobed

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 30

Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): 2.25

Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____

Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole relopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)

Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "

Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By	
<u>Gestra Engineering</u>		<u>6/23/2018</u>			
Street or Route	Telephone Number	Comments			
<u>191 W. Edgerton Ave.</u>	<u>(414) 933-7444</u>				
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	
<u>Milwaukee</u>	<u>WI</u>	<u>53207-</u>	<u>[Signature]</u>	<u>6/28/2018</u>	

6645

Notice: Completion of this report is required by chs. 160, 221, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Geoprobes

1. Well Location Information			2. Facility / Owner Information		
County LANGLADE	WI Unique Well # of Removed Well CBL3L	Hicap #	Facility Name Greater Bass Lake Storage		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____ 'N			License/Permit/Monitoring #		
_____ 'W			Original Well Owner Greater Bass Lake Storage		
1/4 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E <input type="checkbox"/> W
or Gov't Lot #			Present Well Owner Greater Bass Lake Storage		
Well Street Address N9276 Mill Road			Mailing Address of Present Owner N9276 Mill Rd		
Well City, Village or Town Summit Lake			Well ZIP Code		
Subdivision Name			Lot #	City of Present Owner Summit Lake	State WI ZIP Code 54485

Reason For Removal From Service	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
Completion		Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
3. Well / Drillhole / Borehole Information		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 6/13/2018	Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Construction Type:		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>	<input type="checkbox"/> Dug	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
Lower Drillhole Diameter (in.) 2.25	Casing Depth (ft.)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):		
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Sealing Materials			
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "		
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/13/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.		Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 6/28/2018

6B46

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: **Geoprobes**

1. Well Location Information				2. Facility / Owner Information			
County LANGLADE		WI Unique Well # of Removed Well CB132		Facility Name Greater Bass Lake Storage		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring #			
-----'N		-----		Original Well Owner Greater Bass Lake Storage			
-----'W		-----		Present Well Owner Greater Bass Lake Storage			
1/4 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E		
or Gov't Lot #				N		<input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Mailing Address of Present Owner N9276 Mill Rd			
Well City, Village or Town Summit Lake				City of Present Owner Summit Lake			
Well ZIP Code				State		ZIP Code	
Subdivision Name				WI		54485	

Reason For Removal From Service		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
Completion		-----		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
3. Well / Drillhole / Borehole Information				Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		6/13/2018		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type:				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Other (specify): Geoprobed				If yes, was hole relapped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
22				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Sealing Materials			
2.25				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "			
If yes, to what depth (feet)?				<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
Depth to Water (feet)				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips		Surface	22	0.5	
Concrete cap in pavement					

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
Gestra Engineering			6/13/2018		
Street or Route			Telephone Number	Comments	
191 W. Edgerton Ave.			(414) 933-7444		
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
Milwaukee	WI	53207-			6/28/2018