

G.B. 15

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: Geoprobos

**1. Well Location Information** **2. Facility / Owner Information**

County: **LANGLADE** WI Unique Well # of Removed Well: \_\_\_\_\_ Hicap #: \_\_\_\_\_

Latitude / Longitude (Degrees and Minutes): \_\_\_\_\_ 'N  
 \_\_\_\_\_ 'W

Method Code (see instructions): \_\_\_\_\_

1/4 1/4 Section Township Range  E  
 or Gov't Lot # N  W

Well Street Address: **N9276 Mill Road**

Well City, Village or Town: **Summit Lake** Well ZIP Code: \_\_\_\_\_

Subdivision Name: \_\_\_\_\_ Lot #: \_\_\_\_\_

Facility Name: \_\_\_\_\_

Facility ID (FID or PWS): \_\_\_\_\_

License/Permit/Monitoring #: \_\_\_\_\_

Original Well Owner: \_\_\_\_\_

Present Well Owner: \_\_\_\_\_

Mailing Address of Present Owner: \_\_\_\_\_

City of Present Owner: \_\_\_\_\_ State: \_\_\_\_\_ ZIP Code: \_\_\_\_\_

Reason For Removal From Service: **Completion** WI Unique Well # of Replacement Well: \_\_\_\_\_

**3. Well / Drillhole / Borehole Information**

Monitoring Well  Water Well  Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): **6/6/2018**

If a Well Construction Report is available, please attach: \_\_\_\_\_

Construction Type:  Drilled  Driven (Sandpoint)  Dug  Other (specify): **Geoprobod**

Formation Type:  Unconsolidated Formation  Bedrock

Total Well Depth From Ground Surface (ft.): **30** Casing Diameter (in.): \_\_\_\_\_

Lower Drillhole Diameter (in.): **2.25** Casing Depth (ft.): \_\_\_\_\_

Was well annular space grouted?  Yes  No  Unknown

If yes, to what depth (feet)? \_\_\_\_\_ Depth to Water (feet): \_\_\_\_\_

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?  Yes  No  N/A

Liner(s) removed?  Yes  No  N/A

Screen removed?  Yes  No  N/A

Casing left in place?  Yes  No  N/A

Was casing cut off below surface?  Yes  No  N/A

Did sealing material rise to surface?  Yes  No  N/A

Did material settle after 24 hours?  Yes  No  N/A

If yes, was hole retopped?  Yes  No  N/A

If bentonite chips were used, were they hydrated with water from a known safe source?  Yes  No  N/A

Required Method of Placing Sealing Material:  Conductor Pipe-Gravity  Conductor Pipe-Pumped  Screened & Poured (Bentonite Chips)  Other (Explain): \_\_\_\_\_

Sealing Materials:  Neat Cement Grout  Clay-Sand Slurry (11 lb./gal. wt.)  Sand-Cement (Concrete) Grout  Bentonite-Sand Slurry " "  Concrete  Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:  Bentonite Chips  Bentonite - Cement Grout  Granular Bentonite  Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By	
<b>Gestra Engineering</b>		<b>6/6/2018</b>			
Street or Route	Telephone Number	Comments			
<b>191 W. Edgerton Ave.</b>	<b>( 414 ) 933-7444</b>				
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	
<b>Milwaukee</b>	<b>WI</b>	<b>53207-</b>	<i>[Signature]</i>	<b>6/6/2018</b>	



G.B. 16

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: **Geoprobos**

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)		Facility ID (FID or PWS)
			License/Permit/Monitoring #
			Original Well Owner
			Present Well Owner
Well Street Address <b>N9276 Mill Road</b>	Mailing Address of Present Owner		
Well City, Village or Town <b>Summit Lake</b>	Well ZIP Code		
Subdivision Name	Lot #	City of Present Owner	State      ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) <b>6/6/2018</b>	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Geoprobed</b>		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
If yes, to what depth (feet)?	Depth to Water (feet)	Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
			<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/6/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Comments		
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



6.6.17

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: **Geoprobos**

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
_____ ° _____ ' N			License/Permit/Monitoring #
_____ ° _____ ' W			Original Well Owner
1/4 / 1/4	1/4	Section	Township
or Gov't Lot #			Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>		Present Well Owner	
Well City, Village or Town <b>Summit Lake</b>		Mailing Address of Present Owner	
Subdivision Name		Well ZIP Code	City of Present Owner      State      ZIP Code
Reason For Removal From Service		WI Unique Well # of Replacement Well	
<b>Completion</b>			

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	<b>6/6/2018</b>	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Geoprobod</b>	<input type="checkbox"/> Dug	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<b>30</b>		Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<b>2.25</b>		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Sealing Materials	
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/6/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>( 414 ) 933-7444</b>	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



6B18

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: Geoprobes

**1. Well Location Information** **2. Facility / Owner Information**

County <b>LANGLADE</b>		WI Unique Well # of Removed Well _____	Hicap # _____
Latitude / Longitude (Degrees and Minutes) ____ ° ____ ' N ____ ° ____ ' W		Method Code (see instructions) _____	
1/4 1/4 or Gov't Lot #	Section	Township N	Range E W
Well Street Address <b>N9276 Mill Road</b>			
Well City, Village or Town <b>Summit Lake</b>		Well ZIP Code _____	
Subdivision Name		Lot #	

Facility Name		
Facility ID (FID or PWS)		
License/Permit/Monitoring #		
Original Well Owner		
Present Well Owner		
Mailing Address of Present Owner		
City of Present Owner	State	ZIP Code

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well _____
---	---

**3. Well / Drillhole / Borehole Information**

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>6/6/2018</b>
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled     Driven (Sandpoint)     Dug

Other (specify): Geoprobed

Formation Type:

Unconsolidated Formation     Bedrock

Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)
---	-----------------------

Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)
---	--------------------

Was well annular space grouted?     Yes     No     Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
-------------------------------	-----------------------

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

**Required Method of Placing Sealing Material**

<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

**Sealing Materials**

<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips

**For Monitoring Wells and Monitoring Well Boreholes Only:**

<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

**5. Material Used To Fill Well / Drillhole**

	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work** **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/6/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Comments		
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <b>6/28/2018</b>



6B19

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)		Facility ID (FID or PWS)
1/4 / 1/4	Section	Township	Range
or Gov't Lot #		N	<input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>	Original Well Owner		
Well City, Village or Town <b>Summit Lake</b>	Present Well Owner		
Subdivision Name	Well ZIP Code	Mailing Address of Present Owner	
	Lot #	City of Present Owner	State    ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service <b>Completion</b>	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Original Construction Date (mm/dd/yyyy) <b>6/7/2018</b>		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material	
Total Well Depth From Ground Surface (ft.) <b>24</b>	Casing Diameter (in.)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials	
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	24	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/7/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Comments		
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)		Facility ID (FID or PWS)
_____ ° _____ ' N			License/Permit/Monitoring #
_____ ° _____ ' W			Original Well Owner
1/4 / 1/4    1/4    Section    Township    Range <input type="checkbox"/> E			Present Well Owner
or Gov't Lot #	N <input type="checkbox"/> W		Mailing Address of Present Owner
Well Street Address <b>N9276 Mill Road</b>			City of Present Owner    State    ZIP Code
Well City, Village or Town <b>Summit Lake</b>	Well ZIP Code		
Subdivision Name	Lot #		

Reason For Removal From Service    WI Unique Well # of Replacement Well  
**Completion**    \_\_\_\_\_

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	<b>6/7/2018</b>	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<b>30</b>		Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<b>2.25</b>		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials	
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/7/2018</b>	DNR Use Only	
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>( 414 ) 933-7444</b>	Comments	Date Received	Noted By
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



6622

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: **Geoprobes**

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)		Facility ID (FID or PWS)
			License/Permit/Monitoring #
			Original Well Owner
			Present Well Owner
Well Street Address <b>N9276 Mill Road</b>	Mailing Address of Present Owner		
Well City, Village or Town <b>Summit Lake</b>	Well ZIP Code		
Subdivision Name	Lot #	City of Present Owner	State    ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service <b>Completion</b>	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Original Construction Date (mm/dd/yyyy) <b>6/7/2018</b>	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <b>Geoprobed</b>	Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/7/2018</b>	Date Received	Noted By	
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Comments			
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>	



CB 23

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: **Geoprobos**

<b>1. Well Location Information</b>				<b>2. Facility / Owner Information</b>			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well		Facility Name		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring #		Original Well Owner	
1/4 1/4		Section		Township		Range	
or Gov't Lot #		N		E		W	
Well Street Address <b>N9276 Mill Road</b>				Mailing Address of Present Owner			
Well City, Village or Town <b>Summit Lake</b>				Well ZIP Code			
Subdivision Name				City of Present Owner		State ZIP Code	
Reason For Removal From Service Completion				WI Unique Well # of Replacement Well			

<b>3. Well / Drillhole / Borehole Information</b>				<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <b>6/7/2018</b>		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <b>Geoprobed</b>				Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) <b>30</b>		Casing Diameter (in.)		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) <b>2.25</b>		Casing Depth (ft.)		Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Was well annular space grouted?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, was hole relapped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If yes, to what depth (feet)?		Depth to Water (feet)		If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>		License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/7/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>			Telephone Number <b>(414) 933-7444</b>	Comments	
City <b>Milwaukee</b>		State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <b>6/28/2018</b>



CB 24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: **Geoprobes**

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
-----'N			License/Permit/Monitoring #
-----'W			Original Well Owner
1/4 1/4	1/4	Section	Township
or Gov't Lot #			Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>		Present Well Owner	
Well City, Village or Town <b>Summit Lake</b>		Mailing Address of Present Owner	
Subdivision Name		Well ZIP Code	City of Present Owner
			State
		Lot #	ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Completion		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>3. Well / Drillhole / Borehole Information</b>		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>6/7/2018</b>	Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Construction Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Geoprobed</b>	<input type="checkbox"/> Dug	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	Sealing Materials	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/7/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>(414) 933-7444</b>	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



6/25

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water      Watershed/Wastewater      Remediation/Redevelopment  
 Waste Management      Other: Geoprobos

**1. Well Location Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well _____	Hicap # _____
Latitude / Longitude (Degrees and Minutes) ____ ° ____ ' N ____ ° ____ ' W	Method Code (see instructions) _____	
1/4 / 1/4 or Gov't Lot #	Section	Township Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>		
Well City, Village or Town <b>Summit Lake</b>		Well ZIP Code _____
Subdivision Name		Lot # _____

**2. Facility / Owner Information**

Facility Name _____
Facility ID (FID or PWS) _____
License/Permit/Monitoring # _____
Original Well Owner _____
Present Well Owner _____
Mailing Address of Present Owner _____
City of Present Owner _____
State _____
ZIP Code _____

Reason For Removal From Service

WI Unique Well # of Replacement Well

Completion \_\_\_\_\_

**3. Well / Drillhole / Borehole Information**

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>6/7/2018</b>
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <b>34</b>	Casing Diameter (in.) _____
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.) _____
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? _____	Depth to Water (feet) _____

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____		
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "		
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

**5. Material Used To Fill Well / Drillhole**

	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	34	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License # _____	Date of Filling & Sealing (mm/dd/yyyy) <b>6/7/2018</b>	DNR Use Only	
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>(414) 933-7444</b>	Date Received _____	Noted By _____
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



6626

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: Geoprobos

**1. Well Location Information** **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)	
_____ ° _____ ' N		
_____ ° _____ ' W		
1/4 / 1/4	Section	Township Range <input type="checkbox"/> E <input type="checkbox"/> W
or Gov't Lot #		N
Well Street Address <b>N9276 Mill Road</b>		
Well City, Village or Town <b>Summit Lake</b>		Well ZIP Code
Subdivision Name		Lot #

Facility Name
Facility ID (FID or PWS)
License/Permit/Monitoring #
Original Well Owner
Present Well Owner
Mailing Address of Present Owner
City of Present Owner
State
ZIP Code

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well
--	--------------------------------------

**3. Well / Drillhole / Borehole Information**

Monitoring Well  
 Water Well  
 Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)  
**6/8/2018**

If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled  Driven (Sandpoint)  Dug  
 Other (specify): **Geoprobed**

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?  Yes  No  N/A  
Liner(s) removed?  Yes  No  N/A  
Screen removed?  Yes  No  N/A  
Casing left in place?  Yes  No  N/A  
Was casing cut off below surface?  Yes  No  N/A  
Did sealing material rise to surface?  Yes  No  N/A  
Did material settle after 24 hours?  Yes  No  N/A  
If yes, was hole retopped?  Yes  No  N/A  
If bentonite chips were used, were they hydrated with water from a known safe source?  Yes  No  N/A

Formation Type:  
 Unconsolidated Formation  Bedrock

Total Well Depth From Ground Surface (ft.) **30** Casing Diameter (in.)

Lower Drillhole Diameter (in.) **2.25** Casing Depth (ft.)

Was well annular space grouted?  Yes  No  Unknown  
If yes, to what depth (feet)? Depth to Water (feet)

Required Method of Placing Sealing Material  
 Conductor Pipe-Gravity  Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)  Other (Explain):

Sealing Materials  
 Neat Cement Grout  Clay-Sand Slurry (11 lb./gal. wt.)  
 Sand-Cement (Concrete) Grout  Bentonite-Sand Slurry " "  
 Concrete  Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:  
 Bentonite Chips  Bentonite - Cement Grout  
 Granular Bentonite  Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/7/2018</b>	Date Received	Noted By	
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>( 414 ) 933-7444</b>	Comments		
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>	



6B-27

### Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: Geoprobos

1. Well Location Information	2. Facility / Owner Information
------------------------------	---------------------------------


County <b>LANGLADE</b>	WI Unique Well # of Removed Well 	Hicap # 	Facility Name 	
Latitude / Longitude (Degrees and Minutes) _____ ' N _____ ' W	Method Code (see instructions) 			Facility ID (FID or PWS) 
1/4 1/4 or Gov't Lot #	Section 	Township 	Range <input type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner 
Well Street Address <u>N9276 Mill Road</u>				Present Well Owner 
Well City, Village or Town <u>Summit Lake</u>		Well ZIP Code 		
Subdivision Name 		Lot # 		Mailing Address of Present Owner 
Reason For Removal From Service Completion		WI Unique Well # of Replacement Well 		
City of Present Owner 		State 		ZIP Code 

3. Well / Drillhole / Borehole Information	4. Pump, Liner, Screen, Casing & Sealing Material
--	---

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) <u>6/8/2018</u> If a Well Construction Report is available, please attach.
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <u>30</u>	Casing Diameter (in.) 
Lower Drillhole Diameter (in.) <u>2.25</u>	Casing Depth (ft.) 
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? 	Depth to Water (feet) 
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments
-------------

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Gestra Engineering</u>	License # 	Date of Filling & Sealing (mm/dd/yyyy) <u>6/7/2018</u>	Date Received 	Noted By 	
Street or Route <u>191 W. Edgerton Ave.</u>			Telephone Number <u>( 414 ) 933-7444</u>		Comments 
City <u>Milwaukee</u>	State <u>WI</u>	ZIP Code <u>53207-</u>	Signature of Person Doing Work 		Date Signed <u>6/28/2018</u>



68 28

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobos

<b>1. Well Location Information</b>				<b>2. Facility / Owner Information</b>			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well		Hicap #		Facility Name	
Latitude / Longitude (Degrees and Minutes)				Facility ID (FID or PWS)			
_____ ° _____ ' N				License/Permit/Monitoring #			
_____ ° _____ ' W				Original Well Owner			
1/4	1/4	Section	Township	Range	<input type="checkbox"/> E	Present Well Owner	
or Gov't Lot #			N		<input type="checkbox"/> W		
Well Street Address <b>N9276 Mill Road</b>				Mailing Address of Present Owner			
Well City, Village or Town <b>Summit Lake</b>				City of Present Owner			
Subdivision Name				Well ZIP Code		State    ZIP Code	
Reason For Removal From Service				Well Unique Well # of Replacement Well			
Completion							

<b>3. Well / Drillhole / Borehole Information</b>				<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		<b>6/8/2018</b>		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Casing left in place?			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Was casing cut off below surface?	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Did sealing material rise to surface?	
Formation Type:				Did material settle after 24 hours?			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole retopped?	
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		If bentonite chips were used, were they hydrated with water from a known safe source?	
<b>26</b>				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<b>2.25</b>				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain):	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				Sealing Materials			
If yes, to what depth (feet)?				Depth to Water (feet)		<input type="checkbox"/> Neat Cement Grout	
						<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
						<input type="checkbox"/> Sand-Cement (Concrete) Grout	
						<input type="checkbox"/> Concrete	
						<input checked="" type="checkbox"/> Bentonite Chips	
						For Monitoring Wells and Monitoring Well Boreholes Only:	
						<input type="checkbox"/> Bentonite Chips	
						<input type="checkbox"/> Bentonite - Cement Grout	
						<input type="checkbox"/> Granular Bentonite	
						<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	26	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
Gestra Engineering			<b>6/7/2018</b>		
Street or Route			Telephone Number	Comments	
191 W. Edgerton Ave.			( 414 ) 933-7444		
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
Milwaukee	WI	53207-			6/28/2018



6629

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well		Facility Name		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring #		Original Well Owner	
-----'N		-----		Present Well Owner		Mailing Address of Present Owner	
-----'W		-----		City of Present Owner		State    ZIP Code	
1/4 / 1/4	1/4	Section	Township	Range	<input type="checkbox"/> E		
or Gov't Lot #				N		<input type="checkbox"/> W	
Well Street Address N9276 Mill Road				Well ZIP Code			
Well City, Village or Town Summit Lake				Subdivision Name			
Well Street Address				Lot #			

Reason For Removal From Service		WI Unique Well # of Replacement Well	
Completion		-----	
3. Well / Drillhole / Borehole Information			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)	
<input type="checkbox"/> Water Well		<b>6/11/2018</b>	
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.	
Construction Type:			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		<input type="checkbox"/> Dug	
Formation Type:			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)	
30			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)	
2.25			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet)	

4. Pump, Liner, Screen, Casing & Sealing Material			
Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
Gestra Engineering			<b>6/11/2018</b>		
Street or Route			Telephone Number	Comments	
191 W. Edgerton Ave.			( 414 ) 933-7444		
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
Milwaukee	WI	53207-	<i>M. Gestra</i>		6/28/2018



6630

**Well / Drillhole / Borehole Filling & Sealing**

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: Geoprobes

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
_____ 'N			License/Permit/Monitoring #
_____ 'W			
1/4 1/4	1/4	Section	Township
or Gov't Lot #			Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>		Original Well Owner	
Well City, Village or Town <b>Summit Lake</b>		Present Well Owner	
Subdivision Name		Well ZIP Code	
Lot #		Mailing Address of Present Owner	
Reason For Removal From Service		City of Present Owner	
Completion		State	
WI Unique Well # of Replacement Well		ZIP Code	

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>6/11/2018</b>	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>	<input type="checkbox"/> Dug	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	Required Method of Placing Sealing Material	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
If yes, to what depth (feet)?		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/11/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>( 414 ) 933-7444</b>	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



6631

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: Geoprobes

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
_____ 'N			License/Permit/Monitoring #
_____ 'W			Original Well Owner
1/4 1/4	1/4	Section	Present Well Owner
or Gov't Lot #		Township	Mailing Address of Present Owner
Well Street Address <b>N9276 Mill Road</b>		Range	City of Present Owner
Well City, Village or Town <b>Summit Lake</b>		<input type="checkbox"/> E <input type="checkbox"/> W	State
Subdivision Name		Well ZIP Code	ZIP Code
		Lot #	

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Completion		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Original Construction Date (mm/dd/yyyy)</b> <b>6/11/2018</b>		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>30</b>		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	Required Method of Placing Sealing Material	
<b>2.25</b>		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
If yes, to what depth (feet)?		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/11/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Comments		
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work <i>M. [Signature]</i>	Date Signed <b>6/28/2018</b>



6632

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: **Geoprobes**

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
1/4 1/4	1/4	Section	License/Permit/Monitoring #
or Gov't Lot #		Township	Original Well Owner
Well Street Address <b>N9276 Mill Road</b>		Range <input type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner
Well City, Village or Town <b>Summit Lake</b>		Well ZIP Code	Mailing Address of Present Owner
Subdivision Name		Lot #	City of Present Owner    State    ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Original Construction Date (mm/dd/yyyy) <b>6/11/2018</b>		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped		
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):		
Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/11/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>(414) 933-7444</b>	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



64 33

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: Geoprobos

1. Well Location Information

County <b>LANGLADE</b>	WI Unique Well # of Removed Well _____	Hicap # _____
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)
____ ° ____ ' N		_____
____ ° ____ ' W		_____
1/4 / 1/4 or Gov't Lot #	Section	Township Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>		Well ZIP Code
Well City, Village or Town <b>Summit Lake</b>		Well ZIP Code
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name
Facility ID (FID or PWS)
License/Permit/Monitoring #
Original Well Owner
Present Well Owner
Mailing Address of Present Owner
City of Present Owner
State
ZIP Code

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well
_____	_____

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>6/11/2018</b>
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)
<input type="checkbox"/> Dug	<input checked="" type="checkbox"/> Other (specify): <u>Geoprobod</u>
Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/11/2018</b>	DNR Use Only	
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Comments	Date Received	Noted By
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



6634

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: **Geoprobes**

<b>1. Well Location Information</b>				<b>2. Facility / Owner Information</b>			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well		Facility Name		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring #		Original Well Owner	
_____ ' N		_____		Present Well Owner		Mailing Address of Present Owner	
_____ ' W		_____		City of Present Owner		State    ZIP Code	
1/4	1/4	Section	Township	Range	<input type="checkbox"/> E	Original Well Owner	
or Gov't Lot #				N		<input type="checkbox"/> W	
Well Street Address <b>N9276 Mill Road</b>				Mailing Address of Present Owner			
Well City, Village or Town <b>Summit Lake</b>				City of Present Owner			
Subdivision Name				Lot #		State    ZIP Code	

Reason For Removal From Service		WI Unique Well # of Replacement Well		<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
Completion		_____		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<b>3. Well / Drillhole / Borehole Information</b>				Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		<b>6/11/2018</b>		Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): <b>Geoprobed</b>		<input type="checkbox"/> Dug		If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<b>30</b>		_____		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Sealing Materials			
<b>2.25</b>		_____		<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips	
_____		_____		For Monitoring Wells and Monitoring Well Boreholes Only:			
_____		_____		<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
_____		_____		<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

---

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
Gestra Engineering		_____	6/11/2018	_____	_____
Street or Route			Telephone Number		Comments
191 W. Edgerton Ave.			(414) 933-7444		_____
City		State	ZIP Code	Signature of Person Doing Work	
Milwaukee		WI	53207-		
				Date Signed	
				6/28/2018	



6635

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)			Facility ID (FID or PWS)
Method Code (see instructions)			License/Permit/Monitoring #
1/4 / 1/4	1/4	Section	Original Well Owner
or Gov't Lot #		Township	Present Well Owner
Well Street Address		Range	Mailing Address of Present Owner
N9276 Mill Road		<input type="checkbox"/> E <input type="checkbox"/> W	City of Present Owner
Well City, Village or Town		Well ZIP Code	State
Summit Lake		Lot #	ZIP Code
Subdivision Name			

Reason For Removal From Service    WI Unique Well # of Replacement Well  
 Completion

**3. Well / Drillhole / Borehole Information**

Monitoring Well    Original Construction Date (mm/dd/yyyy)  
 Water Well    **6/11/2018**  
 Borehole / Drillhole    If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled     Driven (Sandpoint)     Dug  
 Other (specify): Geoprobed

Formation Type:  
 Unconsolidated Formation     Bedrock

Total Well Depth From Ground Surface (ft.)    Casing Diameter (in.)  
**30**

Lower Drillhole Diameter (in.)    Casing Depth (ft.)  
**2.25**

Was well annular space grouted?     Yes     No     Unknown

If yes, to what depth (feet)?    Depth to Water (feet)

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?     Yes     No     N/A  
 Liner(s) removed?     Yes     No     N/A  
 Screen removed?     Yes     No     N/A  
 Casing left in place?     Yes     No     N/A

Was casing cut off below surface?     Yes     No     N/A  
 Did sealing material rise to surface?     Yes     No     N/A  
 Did material settle after 24 hours?     Yes     No     N/A  
 If yes, was hole retopped?     Yes     No     N/A  
 If bentonite chips were used, were they hydrated with water from a known safe source?     Yes     No     N/A

Required Method of Placing Sealing Material  
 Conductor Pipe-Gravity     Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)     Other (Explain):

Sealing Materials  
 Neat Cement Grout     Clay-Sand Slurry (11 lb./gal. wt.)  
 Sand-Cement (Concrete) Grout     Bentonite-Sand Slurry " "  
 Concrete     Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:  
 Bentonite Chips     Bentonite - Cement Grout  
 Granular Bentonite     Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By	
Gestra Engineering		6/11/2018			
Street or Route	Telephone Number	Comments			
191 W. Edgerton Ave.	(414) 933-7444				
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	
Milwaukee	WI	53207-	<i>[Signature]</i>	6/28/2018	



6634

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)			Facility ID (FID or PWS)
Method Code (see instructions)			License/Permit/Monitoring #
1/4 / 1/4	1/4	Section	Township
or Gov't Lot #			Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>			Original Well Owner
Well City, Village or Town <b>Summit Lake</b>			Present Well Owner
Subdivision Name			Mailing Address of Present Owner
Well ZIP Code			City of Present Owner
Lot #			State
			ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Completion		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Original Construction Date (mm/dd/yyyy) <b>6/12/2018</b>		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If yes, to what depth (feet)?	Depth to Water (feet)	Required Method of Placing Sealing Material	
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
Sealing Materials		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/23/2018</b>	DNR Use Only	
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Date Received	Noted By	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work <i>M. Young</i>	
			Date Signed <b>6/28/2018</b>	



637

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: Geoprobes

**1. Well Location Information**

County: LANGLADE      WI Unique Well # of Removed Well: \_\_\_\_\_      Hicap #: \_\_\_\_\_

Latitude / Longitude (Degrees and Minutes): \_\_\_\_\_ 'N  
 \_\_\_\_\_ 'W

Method Code (see instructions): \_\_\_\_\_

1/4 1/4      1/4      Section: \_\_\_\_\_      Township: \_\_\_\_\_      Range: \_\_\_\_\_  E  W  
 or Gov't Lot #: \_\_\_\_\_      N

Well Street Address: N9276 Mill Road

Well City, Village or Town: Summit Lake      Well ZIP Code: \_\_\_\_\_

Subdivision Name: \_\_\_\_\_      Lot #: \_\_\_\_\_

**2. Facility / Owner Information**

Facility Name: \_\_\_\_\_

Facility ID (FID or PWS): \_\_\_\_\_

License/Permit/Monitoring #: \_\_\_\_\_

Original Well Owner: \_\_\_\_\_

Present Well Owner: \_\_\_\_\_

Mailing Address of Present Owner: \_\_\_\_\_

City of Present Owner: \_\_\_\_\_      State: \_\_\_\_\_      ZIP Code: \_\_\_\_\_

Reason For Removal From Service: \_\_\_\_\_      WI Unique Well # of Replacement Well: \_\_\_\_\_

Completion: \_\_\_\_\_

**3. Well / Drillhole / Borehole Information**

Monitoring Well      Original Construction Date (mm/dd/yyyy): 6/12/2018

Water Well

Borehole / Drillhole      If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled       Driven (Sandpoint)       Dug  
 Other (specify): Geoprobed

Formation Type:  
 Unconsolidated Formation       Bedrock

Total Well Depth From Ground Surface (ft.): 30      Casing Diameter (in.): \_\_\_\_\_

Lower Drillhole Diameter (in.): 2.25      Casing Depth (ft.): \_\_\_\_\_

Was well annular space grouted?  Yes  No  Unknown

If yes, to what depth (feet)? \_\_\_\_\_      Depth to Water (feet): \_\_\_\_\_

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?  Yes  No  N/A

Liner(s) removed?  Yes  No  N/A

Screen removed?  Yes  No  N/A

Casing left in place?  Yes  No  N/A

Was casing cut off below surface?  Yes  No  N/A

Did sealing material rise to surface?  Yes  No  N/A

Did material settle after 24 hours?  Yes  No  N/A  
 If yes, was hole retopped?  Yes  No  N/A

If bentonite chips were used, were they hydrated with water from a known safe source?  Yes  No  N/A

Required Method of Placing Sealing Material:  
 Conductor Pipe-Gravity       Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)       Other (Explain): \_\_\_\_\_

Sealing Materials:  
 Neat Cement Grout       Clay-Sand Slurry (11 lb./gal. wt.)  
 Sand-Cement (Concrete) Grout       Bentonite-Sand Slurry " "  
 Concrete       Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:  
 Bentonite Chips       Bentonite - Cement Grout  
 Granular Bentonite       Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**

Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
<u>Gestra Engineering</u>		<u>6/ 2018</u>		
Street or Route	Telephone Number	Comments		
<u>191 W. Edgerton Ave.</u>	<u>( 414 ) 933-7444</u>			
City	State	ZIP Code	Signature of Person Doing Work	Date Signed
<u>Milwaukee</u>	<u>WI</u>	<u>53207-</u>		<u>6/28/2018</u>



CB 38

**Well / Drillhole / Borehole Filling & Sealing**

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: **Geoprobes**

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
_____ ' N			License/Permit/Monitoring #
_____ ' W			Original Well Owner
1/4 1/4	1/4	Section	Present Well Owner
or Gov't Lot #		Township	Mailing Address of Present Owner
Well Street Address <b>N9276 Mill Road</b>		Range <input type="checkbox"/> E	City of Present Owner
Well City, Village or Town <b>Summit Lake</b>		<input type="checkbox"/> W	State
Subdivision Name		Lot #	ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Completion		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Original Construction Date (mm/dd/yyyy)</b> <b>6/12/2018</b>		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Geoprobed</b>		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>30</b>		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	Required Method of Placing Sealing Material	
<b>2.25</b>		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
If yes, to what depth (feet)?	Depth to Water (feet)	Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
5. Material Used To Fill Well / Drillhole		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
Bentonite Chips		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
Concrete cap in pavement		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Surface	30	0.5	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/12/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>( 414 ) 933-7444</b>	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>







6640

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobos

1. Well Location Information				2. Facility / Owner Information			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well		Facility Name		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		License/Permit/Monitoring #			
_____ 'N		_____		Original Well Owner			
_____ 'W		_____		Present Well Owner			
1/4	1/4	Section	Township	Range	<input type="checkbox"/> E		
or Gov't Lot #		N		<input type="checkbox"/> W			Mailing Address of Present Owner
Well Street Address <b>N9276 Mill Road</b>				City of Present Owner			
Well City, Village or Town <b>Summit Lake</b>				State			
Subdivision Name				ZIP Code			
Reason For Removal From Service				Well Unique Well # of Replacement Well			
Completion				_____			

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)	Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	<b>6/12/2018</b>	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>	<input type="checkbox"/> Dug	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<b>30</b>		Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
<b>2.25</b>		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____		
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Sealing Materials			
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "		
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By	
<b>Gestra Engineering</b>		<b>6/12/2018</b>			
Street or Route	Telephone Number		Comments		
<b>191 W. Edgerton Ave.</b>	<b>( 414 ) 933-7444</b>				
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
<b>Milwaukee</b>	<b>WI</b>	<b>53207-</b>			<b>6/28/2018</b>



6841

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: Geoprobes

<b>1. Well Location Information</b>				<b>2. Facility / Owner Information</b>			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well		Hicap #		Facility Name	
Latitude / Longitude (Degrees and Minutes)				Facility ID (FID or PWS)			
Method Code (see instructions)				License/Permit/Monitoring #			
1/4 1/4		Section		Township		Range	
or Gov't Lot #				N		<input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address <b>N9276 Mill Road</b>				Original Well Owner			
Well City, Village or Town <b>Summit Lake</b>				Present Well Owner			
Subdivision Name				Mailing Address of Present Owner			
Well ZIP Code				City of Present Owner		State ZIP Code	
Lot #							

Reason For Removal From Service		WI Unique Well # of Replacement Well		<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
Completion				Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<b>3. Well / Drillhole / Borehole Information</b>		Original Construction Date (mm/dd/yyyy)		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		<b>6/12/2018</b>		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
<b>30</b>				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Sealing Materials			
<b>2.25</b>				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "			
If yes, to what depth (feet)?				<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
Depth to Water (feet)				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
Gestra Engineering			6/12/2018		
Street or Route			Telephone Number		Comments
191 W. Edgerton Ave.			(414) 933-7444		
City		State	ZIP Code	Signature of Person Doing Work	
Milwaukee		WI	53207-	<i>M. Briggs</i>	
				Date Signed	
				6/28/2018	







6643

**Well / Drillhole / Borehole Filling & Sealing**

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

1. Well Location Information				2. Facility / Owner Information			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well	Hicap #	Facility Name			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		Facility ID (FID or PWS)			
_____ ' N		_____ ' W		License/Permit/Monitoring #			
1/4	1/4	Section	Township	Range	<input type="checkbox"/> E <input type="checkbox"/> W		
or Gov't Lot #		N		Original Well Owner			
Well Street Address N9276 Mill Road				Present Well Owner			
Well City, Village or Town Summit Lake				Mailing Address of Present Owner			
Subdivision Name				City of Present Owner		State	ZIP Code
Lot #							

Reason For Removal From Service Completion	WI Unique Well # of Replacement Well	<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>					
Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Required Method of Placing Sealing Material					
Original Construction Date (mm/dd/yyyy) <b>6/12/2018</b>		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped					
If a Well Construction Report is available, please attach.		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Sealing Materials					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)					
Total Well Depth From Ground Surface (ft.) <b>30</b>		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "					
Lower Drillhole Diameter (in.) <b>2.25</b>		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips					
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		For Monitoring Wells and Monitoring Well Boreholes Only:					
If yes, to what depth (feet)?		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout					
Depth to Water (feet)		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					

5. Material Used To Fill Well / Drillhole				From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips				Surface	30	0.5	
Concrete cap in pavement							

**6. Comments**

---

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Gestra Engineering		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/12/2018	Date Received	Noted By
Street or Route 191 W. Edgerton Ave.			Telephone Number (414) 933-7444	Comments	
City Milwaukee	State WI	ZIP Code 53207-	Signature of Person Doing Work 	Date Signed 6/28/2018	



66 44

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

<b>1. Well Location Information</b>				<b>2. Facility / Owner Information</b>			
County <b>LANGLADE</b>		WI Unique Well # of Removed Well		Hicap #		Facility Name	
Latitude / Longitude (Degrees and Minutes)				Facility ID (FID or PWS)			
Method Code (see instructions)				License/Permit/Monitoring #			
1/4 / 1/4		Section		Township		Range	
or Gov't Lot #				N		<input type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address <b>N9276 Mill Road</b>				Original Well Owner			
Well City, Village or Town <b>Summit Lake</b>				Present Well Owner			
Subdivision Name				Mailing Address of Present Owner			
Well ZIP Code				City of Present Owner		State    ZIP Code	
Lot #							

Reason For Removal From Service		WI Unique Well # of Replacement Well		<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
Completion				Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<b>3. Well / Drillhole / Borehole Information</b>				Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		<b>6/13/2018</b>		Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<b>30</b>				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain):	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Sealing Materials			
<b>2.25</b>				<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry "	
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
Gestra Engineering			<b>6/13/2018</b>		
Street or Route			Telephone Number	Comments	
191 W. Edgerton Ave.			( 414 ) 933-7444		
City		State	ZIP Code	Signature of Person Doing Work	
Milwaukee		WI	53207-		
				Date Signed	
				6/28/2018	



6645

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: Geoprobes

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)
-----'N			License/Permit/Monitoring #
-----'W			Original Well Owner
1/4 / 1/4	1/4	Section	Township
or Gov't Lot #			Range <input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>		Present Well Owner	
Well City, Village or Town <b>Summit Lake</b>		Mailing Address of Present Owner	
Subdivision Name		Well ZIP Code	City of Present Owner    State    ZIP Code
Reason For Removal From Service		WI Unique Well # of Replacement Well	
Completion			

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>6/13/2018</b>	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <u>Geoprobed</u>		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	Required Method of Placing Sealing Material	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
If yes, to what depth (feet)?	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	30	0.5	
Concrete cap in pavement				

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/13/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>	Telephone Number <b>(414) 933-7444</b>	Comments		
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>



GBH6

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: **Geoprobes**

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>LANGLADE</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name
Latitude / Longitude (Degrees and Minutes)	Method Code (see instructions)		Facility ID (FID or PWS)
_____ 'N			License/Permit/Monitoring #
_____ 'W			Original Well Owner
1/4 1/4	Section	Township	Range
or Gov't Lot #		N	<input type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <b>N9276 Mill Road</b>			Present Well Owner
Well City, Village or Town <b>Summit Lake</b>			Mailing Address of Present Owner
Subdivision Name			City of Present Owner
Well ZIP Code			State
Lot #			ZIP Code

**3. Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service <b>Completion</b>	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>6/13/2018</b>	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Geoprobed</b>		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>22</b>	Casing Diameter (in.)	Required Method of Placing Sealing Material
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____
If yes, to what depth (feet)?		Sealing Materials
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	Sacks Sealant	Mix Ratio
Bentonite Chips	Surface	22	0.5	
Concrete cap in pavement				

**6. Comments**

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Gestra Engineering</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/13/2018</b>	Date Received	Noted By
Street or Route <b>191 W. Edgerton Ave.</b>		Telephone Number <b>( 414 ) 933-7444</b>	Comments	
City <b>Milwaukee</b>	State <b>WI</b>	ZIP Code <b>53207-</b>	Signature of Person Doing Work 	Date Signed <b>6/28/2018</b>