

Lauridsen, Keld B - DNR

From: Ramanauskas, Peter <ramanauskas.peter@epa.gov>
Sent: Wednesday, September 16, 2015 1:43 PM
To: 'Klauk, Robert H - DNR'
Cc: 'Edelstein, Gary A - DNR'; Mario Mangino
Subject: RE: PCB Notificaion -

Thanks, Bob. Let us know if future investigation at the property identifies PCB > 50 ppm and/or if you have additional questions of us.

Peter

From: Klauk, Robert H - DNR [mailto:Robert.Klauk@wisconsin.gov]
Sent: Wednesday, September 16, 2015 1:35 PM
To: Ramanauskas, Peter
Cc: Edelstein, Gary A - DNR
Subject: PCB Notificaion -

Peter,

I have discussed this site with you. Across the street from Ashwaubenon HS. Again, PCB concentrations are less than 5 mg/kg.

Bob

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Robert Klauk

Hydrogeologist – Remediation & Redevelopment/AWaRe

Wisconsin Department of Natural Resources

2984 Shawano Avenue, Green Bay 54313

Phone: 920-662-5164

Robert.Klauk@wisconsin.gov



Notice #1 – DNR Notification to EPA Form for PCB Contamination per OCP MOA

For notification of EPA new discovered PCB sites entered onto BRRTS. EPA will also track these cases. DNR agrees to provide the following in electronic form:

(to be completed by DNR)

BRRTS	02-05-564043
Start Date	8/10/2015
Site Name	Ashview Terrace Apartments
Site Address	988-1020 Willard Drive, Ashwaubenon, WI
County	Brown
DNR PM Name	Robert H Klauk
DNR PM Phone #	920-662-5164
DNR PM Email	Robert.Klauk@wisconsin.gov
PCB Site MOA Type if known (A, B or C – see guidance)	B
Impact (Soil, GW, etc. if received)	Soil

DNR will identify PCBs as being a substance type in BRRTS for these sites.

A copy of DNR's RP notification letter should be converted to a pdf file and accompany this form.

Upon completion of this form by DNR, please email this form and a pdf of the RP letter to the EPA Region 5 PCB coordinator with an email cc to the DNR RR Bureau PCB Contact.

Add BRRTS Action Code 99 with the date and comment stating "OCP PCB Notice #1, Notification of a PCB Contamination Site sent to EPA"

Upon receipt of the form by EPA, EPA will assign a Region 5 contact to the case and notify the DNR PM and the DNR RR Bureau PCB contact. The DNR PM should enter the name of the EPA contact into BRRTS for the site.