

Lauridsen, Keld B - DNR

From: Fiskness, Andrew M <andrew.fiskness@woodplc.com>
Sent: Monday, July 26, 2021 3:29 PM
To: Lauridsen, Keld B - DNR
Cc: Chronert, Roxanne N - DNR; Murer, Jonathan; Christopher, Michael L; Hassett, Mike P
Subject: Ashview Terrace Apartments (BRRTS # 02-05-564043) - Submission of Site Investigation Results
Attachments: Final WI_RR_NR718.12_June2021ResultsNotification-Submittal.pdf

Hi Keld

Please find the attached Submission of the Site Investigation Results for the Ashview Terrace Apartments (BRRTS # 02-05-564043) in Ashwaubenon, Wisconsin. If you have any questions let me know.

Andrew Fiskness, PG, PMP

Project Manager
Environment & Infrastructure Solutions
Mobile: +1 (612) 425 7016
www.woodplc.com



Professional Geologist: MN | TN

This message is the property of John Wood Group PLC and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorized use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system.

If you do not wish to receive future unsolicited commercial electronic messages from us, please forward this email to: unsubscribe@woodplc.com and include "Unsubscribe" in the subject line. If applicable, you will continue to receive invoices, project communications and similar factual, non-commercial electronic communications.

Please click <http://www.woodplc.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

As a recipient of an email from a John Wood Group Plc company, your contact information will be on our systems and we may hold other personal data about you such as identification information, CVs, financial information and information

contained in correspondence. For more information on our privacy practices and your data protection rights, please see our privacy notice at <https://www.woodplc.com/policies/privacy-notice>



Wood Environment & Infrastructure Solutions, Inc.
3433 Broadway Street NE
Suite 400
Minneapolis, Minnesota 55413
United States
T: +612 425 7016
www.woodplc.com

July 26, 2021

Submitted via Email

Mr. Keld Lauridsen
Wisconsin Department of Natural Resources
2984 Shawano Avenue
Green Bay, WI 54313-6727

**RE: Georgia-Pacific LLC (GP) – Submission of Site Investigation Results
Ashview Terrace Apartments, 988-1020, Willard Drive, Ashwaubenon, BRRTS #: 02-05-564043**

Dear Mr. Lauridsen,

Wood Environment & Infrastructure Solutions, Inc. (Wood), an environmental consulting firm working on behalf of Georgia-Pacific, recently conducted a Site Investigation consisting of soil sampling for polychlorinated biphenyls (PCB), lead, and mercury at the Ashview Terrace Apartments (BRRTS #: 02-05-564043) complex located at 988-1020 Willard Drive in Ashwaubenon, Brown County, Wisconsin (Site). Wood completed the investigation in accordance with the Site Investigation Work Plan submitted to the Wisconsin Department of Natural Resources (WDNR) on November 17, 2020.

On June 1 through 5, 2021, a total of 109 shallow soil probes (i.e., hand operated push probes and augers) were completed to depths of 18-inches below grade at the Site. During the soil probe sampling, if paper sludge was observed at a probe location, no sample was collected, and Wood then stepped out 5-feet (where conditions allowed) to complete an additional soil probe. Up to two step-out soil probes were completed for each of the soil probe locations identified on Figure 1. If the step-out locations had observed paper sludge, then no samples were collected at that location. If no paper sludge was observed in a soil probe, a soil sample was collected for the laboratory analysis of PCBs (via EPA Method 8082), lead (via EPA Method 6010D), and mercury (via EPA Method 7471). The soil samples were submitted to Pace Analytical Services and the results were received on June 15 and 28, 2021.

The laboratory analytical data from the subject sampling effort are attached herein. The validated laboratory analytical results are summarized in Table 1. A summary of the quality assurance and quality control (QA/QC) data and waste characterization results are presented in Table 2. A copy of the laboratory analytical report, including the chain-of-custody is presented in Attachment 1.

If you have any questions or concerns about the information provided in this transmittal, please contact Mr. Andrew Fiskness of Wood via email at Andrew.Fiskness@woodplc.com, or by phone at (612) 425-7016 (cell).

Respectfully Submitted,

Wood Environment & Infrastructure Solutions, Inc.



Andrew Fiskness, PMP
Project Manager



Jonathan Murer, PG (WI #668-13)
Associate Geologist

Copies: Mary Jane Schaetz, Ashview Terrace Apartments
Michael Christopher, Georgia Pacific
Roger Kaminski, Georgia Pacific



Remediation and Redevelopment Program

April 2017

NR 718.12 Sample Results Notification

Purpose

The purpose of this document is to comply with the requirements of Wis. Admin. Code § NR 718.12 (1)(e)(4).

Introduction

This document may be used to comply with the requirements of Wis. Admin. Code § NR 718.12 (1)(e)(4). The rule requires that responsible parties report to the Department of Natural Resources (DNR) analytical results for samples collected to characterize soil that will be managed under a Wis. Admin. Code § NR 718.12 exemption. Analytical results must be reported to the DNR in writing within 10 business days after receiving the sampling results.

Document Instructions

Complete and submit this form, along with laboratory data, to the appropriate DNR project manager. If you do not know who the project manager is, this documentation can be sent to the Environmental Program Associate in the appropriate region. A list of DNR EPAs can be found here: <http://dnr.wi.gov/topic/Brownfields/Contact.html>.

Site Information Where Material Is Proposed to be Excavated

Site Name Ashview Terrace Apartments Site	FID # VA-125	BRRTS # 02-05-564043	
Address 988-1020 Willard Drive	City Ashwaubenon	State WI	ZIP Code 54304

Responsible Party Information

Responsible Party Company Name and/or Contact Person Georgia-Pacific, Micahael Christopher			
Email address michael.christopher@gapac.com	Phone Number (with area code) 281-947-0083		
Mailing Address 1506 Bay Area Blvd. Suite 200	City Friendswood	State TX	ZIP Code 77546

Property Owner

Property Owner – Company Name and/or Contact Person John Perry (Owner) or Mary Jane Rios (Property Manager)			
Email address maryjaneschaetz4@gmail.com	Phone Number (with area code) 920-371-0559		
Address 1360 Greenway Terrace	City Elm Grove	State WI	ZIP Code 53122

Sample Collector

Submitted By – Company Name and Contact Person Wood Environment & Infrastructure, Inc., Andrew Fiskness			
Email address Andrew.Fiskness@woodplc.com	Phone Number (with area code) 621-425-7016		
Address 3433 Broadway St NE #400	City Minneapolis	State WI	ZIP Code 55413

Laboratory Information

Company Name:

Pace Analytical Services Green Bay

Wisconsin Laboratory Certification Number:

405132750

Attach the analytical package for all sample data. The package should include the sample results, chain of custody, sampling methods, and QA/QC data. Clearly indicate which samples were collected from the material that is proposed to be managed under the Wis. Admin. Code § NR 718.12 exemption.

It is recommended that a table summarizing the sample results, and meets the requirements of Wis. Admin. Code § 716.15(4)(e), be included.

This document is intended solely as guidance and does not include any mandatory requirements except where requirements found in statute or administrative rule are referenced. This guidance does not establish or affect legal rights or obligations and is not finally determinative of any of the issues addressed. This guidance does not create any rights enforceable by any party in litigation with the State of Wisconsin or the Department of Natural Resources. Any regulatory decisions made by the Department of Natural Resources in any manner addressed by this guidance will be made by applying the governing statutes and administrative rules to the relevant facts.

The Wisconsin Department of Natural Resources provides equal opportunity in its employment, programs, services, and functions under an Affirmative Action Plan. If you have any questions, please write to Chief, Public Civil Rights, Office of Civil Rights, U.S. Department of the Interior, 1849 C. Street, NW, Washington, D.C. 20240.

This publication is available in alternative format (large print, Braille, etc.) upon request. Please call for more information. Note: If you need technical assistance or more information, call the Accessibility Coordinator at 608-267-7490 / TTY Access via relay - 711

Georgia-Pacific LLC (GP) – Submission of Soil PCB, Lead, and Mercury Probe Results
Ashview Terrace Apartments, BRRTS #: 02-05-564043

Attachment 1
NR 718.12 Sample Results Notification
Laboratory Analytical Report

June 15, 2021

Andrew Fiskness
Wood E&I
800 Marquette Ave
Suite 900
Minneapolis, MN 55402

RE: Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Dear Andrew Fiskness:


Enclosed are the analytical results for sample(s) received by the laboratory on June 03, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Laurie Woelfel
laurie.woelfel@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Karina Casey, Wood E&I



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40227916001	SB21-RINS-01	Water	06/01/21 15:50	06/03/21 16:25
40227916002	SB21-01-01-18	Solid	06/01/21 16:00	06/03/21 16:25
40227916003	SB21-02-01-18	Solid	06/01/21 16:30	06/03/21 16:25
40227916004	SB21-03-01-18	Solid	06/01/21 16:50	06/03/21 16:25
40227916005	SB21-04-01-18	Solid	06/01/21 17:10	06/03/21 16:25
40227916006	SB21-05-01-18	Solid	06/01/21 17:30	06/03/21 16:25
40227916007	SB21-06-01-18	Solid	06/02/21 08:20	06/03/21 16:25
40227916008	SB21-07-01-18	Solid	06/02/21 08:40	06/03/21 16:25
40227916009	SB21-DUP-01	Solid	06/02/21 12:01	06/03/21 16:25
40227916010	SB21-08-01-18	Solid	06/02/21 09:15	06/03/21 16:25
40227916011	SB21-09-01-18	Solid	06/02/21 09:30	06/03/21 16:25
40227916012	SB21-10-01-18	Solid	06/02/21 09:50	06/03/21 16:25
40227916013	SB21-RINS-02	Water	06/02/21 10:15	06/03/21 16:25
40227916014	SB21-11-01-18	Solid	06/02/21 10:40	06/03/21 16:25
40227916015	SB21-12-01-18	Solid	06/02/21 10:55	06/03/21 16:25
40227916016	SB21-DUP-02	Solid	06/02/21 12:02	06/03/21 16:25
40227916017	SB21-13-01-18	Solid	06/02/21 11:15	06/03/21 16:25
40227916018	SB21-14-01-18	Solid	06/02/21 11:30	06/03/21 16:25
40227916019	SB21-15-01-18	Solid	06/02/21 11:50	06/03/21 16:25
40227916020	SB21-16-01-18	Solid	06/02/21 13:05	06/03/21 16:25
40227916021	SB21-17-01-18	Solid	06/02/21 13:30	06/03/21 16:25
40227916022	SB21-18-01-18	Solid	06/02/21 13:50	06/03/21 16:25
40227916023	SB21-19-01-18	Solid	06/02/21 14:05	06/03/21 16:25
40227916024	SB21-20-01-18	Solid	06/02/21 14:20	06/03/21 16:25
40227916025	SB21-RINS-03	Water	06/02/21 14:55	06/03/21 16:25
40227916026	SB21-21-01-18	Solid	06/02/21 15:10	06/03/21 16:25
40227916027	SB21-22-01-18	Solid	06/02/21 15:30	06/03/21 16:25
40227916028	SB21-23-01-18	Solid	06/02/21 16:05	06/03/21 16:25
40227916029	SB21-DUP-03	Solid	06/02/21 12:03	06/03/21 16:25
40227916030	SB21-26-01-18	Solid	06/02/21 17:50	06/03/21 16:25
40227916031	SB21-27-01-18	Solid	06/03/21 07:30	06/03/21 16:25
40227916032	SB21-28C-01-18	Solid	06/03/21 08:15	06/03/21 16:25
40227916033	SB21-RINS-04	Water	06/03/21 09:25	06/03/21 16:25
40227916034	SB21-31-01-18	Solid	06/03/21 09:50	06/03/21 16:25
40227916035	SB21-34-01-18	Solid	06/03/21 10:25	06/03/21 16:25
40227916036	SB21-35-01-18	Solid	06/03/21 10:40	06/03/21 16:25
40227916037	SB21-36-01-18	Solid	06/03/21 10:55	06/03/21 16:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40227916038	SB21-37-01-18	Solid	06/03/21 11:15	06/03/21 16:25
40227916039	SB21-38-01-18	Solid	06/03/21 11:35	06/03/21 16:25
40227916040	SB21-39-01-18	Solid	06/03/21 11:55	06/03/21 16:25
40227916041	SB21-40-01-18	Solid	06/03/21 13:05	06/03/21 16:25
40227916042	SB21-41-01-18	Solid	06/03/21 13:30	06/03/21 16:25
40227916043	SB21-DUP-04	Solid	06/03/21 12:04	06/03/21 16:25
40227916044	SB21-42-01-18	Solid	06/03/21 13:55	06/03/21 16:25
40227916045	SB21-RINS-05	Water	06/03/21 13:00	06/03/21 16:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40227916001	SB21-RINS-01	EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G
40227916002	SB21-01-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916003	SB21-02-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916004	SB21-03-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916005	SB21-04-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916006	SB21-05-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916007	SB21-06-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916008	SB21-07-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916009	SB21-DUP-01	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916010	SB21-08-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40227916011	SB21-09-01-18	EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40227916012	SB21-10-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916013	SB21-RINS-02	EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G
40227916014	SB21-11-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
40227916015	SB21-12-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
40227916016	SB21-DUP-02	EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40227916017	SB21-13-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916018	SB21-14-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
40227916019	SB21-15-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40227916020	SB21-16-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916021	SB21-17-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916022	SB21-18-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916023	SB21-19-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916024	SB21-20-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916025	SB21-RINS-03	EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G
40227916026	SB21-21-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916027	SB21-22-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916028	SB21-23-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916029	SB21-DUP-03	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40227916030	SB21-26-01-18	EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40227916031	SB21-27-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916032	SB21-28C-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
40227916033	SB21-RINS-04	EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8082	BDS	10	PASI-G
40227916034	SB21-31-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
40227916035	SB21-34-01-18	EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40227916036	SB21-35-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916037	SB21-36-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BDS	10	PASI-G
40227916038	SB21-37-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40227916039	SB21-38-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916040	SB21-39-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916041	SB21-40-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916042	SB21-41-01-18	EPA 8082	BDS	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916043	SB21-DUP-04	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916044	SB21-42-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40227916045	SB21-RINS-05	EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
 Pace Project No.: 40227916

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40227916002	SB21-01-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	23.7J	ug/kg	51.2	06/07/21 12:53	
EPA 8082	PCB-1254 (Aroclor 1254)	29.3J	ug/kg	51.2	06/07/21 12:53	
EPA 8082	PCB-1260 (Aroclor 1260)	18.0J	ug/kg	51.2	06/07/21 12:53	
EPA 8082	PCB, Total	71.1	ug/kg	51.2	06/07/21 12:53	
EPA 6010D	Lead	12.8	mg/kg	2.0	06/08/21 13:31	
EPA 7471	Mercury	0.14	mg/kg	0.034	06/10/21 10:14	
ASTM D2974-87	Percent Moisture	2.3	%	0.10	06/04/21 09:39	
40227916003	SB21-02-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	476	ug/kg	54.8	06/07/21 14:21	
EPA 8082	PCB-1254 (Aroclor 1254)	385	ug/kg	54.8	06/07/21 14:21	
EPA 8082	PCB-1260 (Aroclor 1260)	199	ug/kg	54.8	06/07/21 14:21	
EPA 8082	PCB, Total	1060	ug/kg	54.8	06/07/21 14:21	
EPA 6010D	Lead	134	mg/kg	2.2	06/07/21 20:52	
EPA 7471	Mercury	1.0	mg/kg	0.036	06/10/21 10:16	
ASTM D2974-87	Percent Moisture	8.6	%	0.10	06/04/21 09:39	
40227916004	SB21-03-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	371	ug/kg	56.6	06/07/21 14:43	
EPA 8082	PCB-1254 (Aroclor 1254)	683	ug/kg	56.6	06/07/21 14:43	
EPA 8082	PCB-1260 (Aroclor 1260)	382	ug/kg	56.6	06/07/21 14:43	
EPA 8082	PCB, Total	1440	ug/kg	56.6	06/07/21 14:43	
EPA 6010D	Lead	219	mg/kg	2.2	06/07/21 20:55	
EPA 7471	Mercury	2.8	mg/kg	0.19	06/10/21 10:19	
ASTM D2974-87	Percent Moisture	11.9	%	0.10	06/04/21 09:39	
40227916005	SB21-04-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	132	ug/kg	53.1	06/07/21 13:15	
EPA 8082	PCB-1254 (Aroclor 1254)	303	ug/kg	53.1	06/07/21 13:15	
EPA 8082	PCB-1260 (Aroclor 1260)	159	ug/kg	53.1	06/07/21 13:15	
EPA 8082	PCB, Total	593	ug/kg	53.1	06/07/21 13:15	
EPA 6010D	Lead	106	mg/kg	2.1	06/07/21 21:05	
EPA 7471	Mercury	0.97	mg/kg	0.033	06/10/21 10:21	
ASTM D2974-87	Percent Moisture	5.5	%	0.10	06/04/21 09:39	
40227916006	SB21-05-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	584	ug/kg	113	06/07/21 13:37	
EPA 8082	PCB-1254 (Aroclor 1254)	622	ug/kg	113	06/07/21 13:37	
EPA 8082	PCB-1260 (Aroclor 1260)	279	ug/kg	113	06/07/21 13:37	
EPA 8082	PCB, Total	1480	ug/kg	113	06/07/21 13:37	
EPA 6010D	Lead	161	mg/kg	2.2	06/07/21 20:38	
EPA 7471	Mercury	1.8	mg/kg	0.078	06/10/21 10:07	MO
ASTM D2974-87	Percent Moisture	11.1	%	0.10	06/04/21 09:39	
40227916007	SB21-06-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	62.8	ug/kg	58.9	06/07/21 15:27	
EPA 8082	PCB-1254 (Aroclor 1254)	144	ug/kg	58.9	06/07/21 15:27	
EPA 8082	PCB-1260 (Aroclor 1260)	122	ug/kg	58.9	06/07/21 15:27	
EPA 8082	PCB, Total	329	ug/kg	58.9	06/07/21 15:27	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
 Pace Project No.: 40227916

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40227916007	SB21-06-01-18					
EPA 6010D	Lead	103	mg/kg	2.3	06/07/21 21:07	
EPA 7471	Mercury	0.92	mg/kg	0.041	06/10/21 10:23	
ASTM D2974-87	Percent Moisture	15.2	%	0.10	06/04/21 09:39	
40227916008	SB21-07-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	142	ug/kg	57.5	06/07/21 15:49	
EPA 8082	PCB-1254 (Aroclor 1254)	204	ug/kg	57.5	06/07/21 15:49	
EPA 8082	PCB-1260 (Aroclor 1260)	106	ug/kg	57.5	06/07/21 15:49	
EPA 8082	PCB, Total	452	ug/kg	57.5	06/07/21 15:49	
EPA 6010D	Lead	61.4	mg/kg	2.3	06/07/21 21:10	
EPA 7471	Mercury	0.61	mg/kg	0.040	06/10/21 10:30	
ASTM D2974-87	Percent Moisture	12.7	%	0.10	06/04/21 09:39	
40227916009	SB21-DUP-01					
EPA 8082	PCB-1248 (Aroclor 1248)	133	ug/kg	56.3	06/07/21 16:11	
EPA 8082	PCB-1254 (Aroclor 1254)	190	ug/kg	56.3	06/07/21 16:11	
EPA 8082	PCB-1260 (Aroclor 1260)	102	ug/kg	56.3	06/07/21 16:11	
EPA 8082	PCB, Total	425	ug/kg	56.3	06/07/21 16:11	
EPA 6010D	Lead	66.7	mg/kg	2.2	06/07/21 21:12	
EPA 7471	Mercury	0.55	mg/kg	0.037	06/10/21 10:33	
ASTM D2974-87	Percent Moisture	11.0	%	0.10	06/04/21 09:39	
40227916010	SB21-08-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	102	ug/kg	55.6	06/07/21 16:32	
EPA 8082	PCB-1254 (Aroclor 1254)	152	ug/kg	55.6	06/07/21 16:32	
EPA 8082	PCB-1260 (Aroclor 1260)	89.5	ug/kg	55.6	06/07/21 16:32	
EPA 8082	PCB, Total	344	ug/kg	55.6	06/07/21 16:32	
EPA 6010D	Lead	77.5	mg/kg	2.2	06/07/21 21:14	
EPA 7471	Mercury	0.88	mg/kg	0.038	06/10/21 11:19	
ASTM D2974-87	Percent Moisture	9.8	%	0.10	06/04/21 09:56	
40227916011	SB21-09-01-18					
EPA 8082	PCB-1254 (Aroclor 1254)	19.3J	ug/kg	56.4	06/07/21 16:54	
EPA 8082	PCB, Total	19.3J	ug/kg	56.4	06/07/21 16:54	
EPA 6010D	Lead	20.5	mg/kg	2.2	06/07/21 21:17	
EPA 7471	Mercury	0.094	mg/kg	0.037	06/10/21 11:26	
ASTM D2974-87	Percent Moisture	11.6	%	0.10	06/04/21 09:56	
40227916012	SB21-10-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	102	ug/kg	57.5	06/07/21 17:16	
EPA 8082	PCB-1254 (Aroclor 1254)	151	ug/kg	57.5	06/07/21 17:16	
EPA 8082	PCB-1260 (Aroclor 1260)	81.7	ug/kg	57.5	06/07/21 17:16	
EPA 8082	PCB, Total	335	ug/kg	57.5	06/07/21 17:16	
EPA 6010D	Lead	81.4	mg/kg	2.2	06/07/21 21:19	
EPA 7471	Mercury	0.57	mg/kg	0.039	06/10/21 11:28	
ASTM D2974-87	Percent Moisture	13.1	%	0.10	06/04/21 09:56	
40227916014	SB21-11-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	34.0J	ug/kg	56.5	06/07/21 17:38	
EPA 8082	PCB-1254 (Aroclor 1254)	34.9J	ug/kg	56.5	06/07/21 17:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40227916014	SB21-11-01-18					
EPA 8082	PCB-1260 (Aroclor 1260)	27.7J	ug/kg	56.5	06/07/21 17:38	
EPA 8082	PCB, Total	96.5	ug/kg	56.5	06/07/21 17:38	
EPA 6010D	Lead	26.3	mg/kg	2.2	06/07/21 21:21	
EPA 7471	Mercury	0.22	mg/kg	0.037	06/10/21 11:30	
ASTM D2974-87	Percent Moisture	11.4	%	0.10	06/04/21 09:56	
40227916015	SB21-12-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	38.7J	ug/kg	55.6	06/07/21 18:00	
EPA 8082	PCB-1254 (Aroclor 1254)	55.9	ug/kg	55.6	06/07/21 18:00	
EPA 8082	PCB-1260 (Aroclor 1260)	40.1J	ug/kg	55.6	06/07/21 18:00	
EPA 8082	PCB, Total	135	ug/kg	55.6	06/07/21 18:00	
EPA 6010D	Lead	33.0	mg/kg	2.2	06/07/21 21:24	
EPA 7471	Mercury	0.58	mg/kg	0.039	06/10/21 11:33	
ASTM D2974-87	Percent Moisture	10.4	%	0.10	06/04/21 09:57	
40227916016	SB21-DUP-02					
EPA 8082	PCB-1248 (Aroclor 1248)	49.5J	ug/kg	55.3	06/07/21 18:22	
EPA 8082	PCB-1254 (Aroclor 1254)	66.3	ug/kg	55.3	06/07/21 18:22	
EPA 8082	PCB-1260 (Aroclor 1260)	49.3J	ug/kg	55.3	06/07/21 18:22	
EPA 8082	PCB, Total	165	ug/kg	55.3	06/07/21 18:22	
EPA 6010D	Lead	27.4	mg/kg	2.2	06/07/21 21:26	
EPA 7471	Mercury	0.32	mg/kg	0.036	06/10/21 11:35	
ASTM D2974-87	Percent Moisture	9.8	%	0.10	06/04/21 09:57	
40227916017	SB21-13-01-18					
EPA 8082	PCB-1254 (Aroclor 1254)	22.0J	ug/kg	57.1	06/07/21 18:44	
EPA 8082	PCB, Total	22.0J	ug/kg	57.1	06/07/21 18:44	
EPA 6010D	Lead	19.4	mg/kg	2.2	06/07/21 21:33	
EPA 7471	Mercury	0.13	mg/kg	0.038	06/10/21 11:37	
ASTM D2974-87	Percent Moisture	12.1	%	0.10	06/04/21 09:57	
40227916018	SB21-14-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	27.6J	ug/kg	55.4	06/07/21 19:06	
EPA 8082	PCB-1254 (Aroclor 1254)	52.8J	ug/kg	55.4	06/07/21 19:06	
EPA 8082	PCB-1260 (Aroclor 1260)	32.0J	ug/kg	55.4	06/07/21 19:06	
EPA 8082	PCB, Total	112	ug/kg	55.4	06/07/21 19:06	
EPA 6010D	Lead	32.5	mg/kg	2.1	06/07/21 21:36	
EPA 7471	Mercury	0.34	mg/kg	0.035	06/10/21 11:40	
ASTM D2974-87	Percent Moisture	10.1	%	0.10	06/04/21 09:57	
40227916019	SB21-15-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	86.3	ug/kg	54.4	06/07/21 15:05	
EPA 8082	PCB-1254 (Aroclor 1254)	147	ug/kg	54.4	06/07/21 15:05	
EPA 8082	PCB-1260 (Aroclor 1260)	85.6	ug/kg	54.4	06/07/21 15:05	
EPA 8082	PCB, Total	319	ug/kg	54.4	06/07/21 15:05	
EPA 6010D	Lead	68.0	mg/kg	2.2	06/07/21 21:38	
EPA 7471	Mercury	0.64	mg/kg	0.036	06/10/21 11:42	
ASTM D2974-87	Percent Moisture	7.8	%	0.10	06/04/21 09:57	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40227916020	SB21-16-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	37.6J	ug/kg	55.8	06/07/21 19:27	
EPA 8082	PCB-1254 (Aroclor 1254)	52.9J	ug/kg	55.8	06/07/21 19:27	
EPA 8082	PCB-1260 (Aroclor 1260)	35.1J	ug/kg	55.8	06/07/21 19:27	
EPA 8082	PCB, Total	126	ug/kg	55.8	06/07/21 19:27	
EPA 6010D	Lead	29.3	mg/kg	2.2	06/07/21 21:41	
EPA 7471	Mercury	0.24	mg/kg	0.039	06/10/21 11:44	
ASTM D2974-87	Percent Moisture	10.6	%	0.10	06/04/21 09:57	
40227916021	SB21-17-01-18					
EPA 6010D	Lead	14.2	mg/kg	2.3	06/07/21 21:43	
EPA 7471	Mercury	0.049	mg/kg	0.042	06/10/21 11:47	
ASTM D2974-87	Percent Moisture	19.4	%	0.10	06/04/21 09:57	
40227916022	SB21-18-01-18					
EPA 6010D	Lead	9.4	mg/kg	2.3	06/07/21 21:45	
EPA 7471	Mercury	0.023J	mg/kg	0.040	06/10/21 11:54	
ASTM D2974-87	Percent Moisture	13.2	%	0.10	06/04/21 09:57	
40227916023	SB21-19-01-18					
EPA 6010D	Lead	9.1	mg/kg	2.2	06/07/21 19:24	
EPA 7471	Mercury	0.038	mg/kg	0.036	06/10/21 11:56	
ASTM D2974-87	Percent Moisture	12.4	%	0.10	06/04/21 09:57	
40227916024	SB21-20-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	30.4J	ug/kg	55.9	06/07/21 19:58	
EPA 8082	PCB-1254 (Aroclor 1254)	20.0J	ug/kg	55.9	06/07/21 19:58	
EPA 8082	PCB-1260 (Aroclor 1260)	20.4J	ug/kg	55.9	06/07/21 19:58	
EPA 8082	PCB, Total	70.8	ug/kg	55.9	06/07/21 19:58	
EPA 6010D	Lead	18.7	mg/kg	2.1	06/07/21 19:29	
EPA 7471	Mercury	0.15	mg/kg	0.036	06/10/21 11:58	
ASTM D2974-87	Percent Moisture	10.5	%	0.10	06/04/21 09:57	
40227916026	SB21-21-01-18					
EPA 6010D	Lead	11.4	mg/kg	2.0	06/07/21 19:36	
EPA 7471	Mercury	0.092	mg/kg	0.035	06/10/21 12:01	
ASTM D2974-87	Percent Moisture	4.9	%	0.10	06/04/21 09:57	
40227916027	SB21-22-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	155	ug/kg	54.2	06/07/21 20:42	
EPA 8082	PCB-1254 (Aroclor 1254)	173	ug/kg	54.2	06/07/21 20:42	
EPA 8082	PCB-1260 (Aroclor 1260)	118	ug/kg	54.2	06/07/21 20:42	
EPA 8082	PCB, Total	446	ug/kg	54.2	06/07/21 20:42	
EPA 6010D	Lead	68.6	mg/kg	2.2	06/07/21 19:15	
EPA 7471	Mercury	0.83	mg/kg	0.038	06/10/21 11:12	MO
ASTM D2974-87	Percent Moisture	8.0	%	0.10	06/04/21 09:57	
40227916028	SB21-23-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	91.0	ug/kg	55.2	06/07/21 21:03	
EPA 8082	PCB-1254 (Aroclor 1254)	72.4	ug/kg	55.2	06/07/21 21:03	
EPA 8082	PCB-1260 (Aroclor 1260)	36.1J	ug/kg	55.2	06/07/21 21:03	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40227916028	SB21-23-01-18					
EPA 8082	PCB, Total	199	ug/kg	55.2	06/07/21 21:03	
EPA 6010D	Lead	23.0	mg/kg	2.0	06/07/21 19:39	
EPA 7471	Mercury	0.26	mg/kg	0.037	06/10/21 12:03	
ASTM D2974-87	Percent Moisture	9.3	%	0.10	06/04/21 09:57	
40227916029	SB21-DUP-03					
EPA 8082	PCB-1248 (Aroclor 1248)	126	ug/kg	54.9	06/07/21 22:09	
EPA 8082	PCB-1254 (Aroclor 1254)	106	ug/kg	54.9	06/07/21 22:09	
EPA 8082	PCB-1260 (Aroclor 1260)	55.3	ug/kg	54.9	06/07/21 22:09	
EPA 8082	PCB, Total	288	ug/kg	54.9	06/07/21 22:09	
EPA 6010D	Lead	18.8	mg/kg	2.1	06/07/21 19:41	
EPA 7471	Mercury	0.25	mg/kg	0.037	06/10/21 12:05	
ASTM D2974-87	Percent Moisture	9.2	%	0.10	06/04/21 09:57	
40227916030	SB21-26-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	75.3	ug/kg	55.1	06/07/21 22:31	
EPA 8082	PCB-1254 (Aroclor 1254)	41.1J	ug/kg	55.1	06/07/21 22:31	
EPA 8082	PCB-1260 (Aroclor 1260)	21.4J	ug/kg	55.1	06/07/21 22:31	
EPA 8082	PCB, Total	138	ug/kg	55.1	06/07/21 22:31	
EPA 6010D	Lead	15.9	mg/kg	2.1	06/07/21 19:44	
EPA 7471	Mercury	0.062	mg/kg	0.037	06/10/21 12:07	
ASTM D2974-87	Percent Moisture	9.4	%	0.10	06/04/21 09:57	
40227916031	SB21-27-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	87.1	ug/kg	55.4	06/07/21 22:52	
EPA 8082	PCB-1254 (Aroclor 1254)	66.1	ug/kg	55.4	06/07/21 22:52	
EPA 8082	PCB-1260 (Aroclor 1260)	43.5J	ug/kg	55.4	06/07/21 22:52	
EPA 8082	PCB, Total	197	ug/kg	55.4	06/07/21 22:52	
EPA 6010D	Lead	18.8	mg/kg	2.1	06/08/21 13:36	
EPA 7471	Mercury	0.18	mg/kg	0.037	06/10/21 12:10	
ASTM D2974-87	Percent Moisture	9.8	%	0.10	06/04/21 09:58	
40227916032	SB21-28C-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	813	ug/kg	55.5	06/07/21 23:14	
EPA 8082	PCB-1254 (Aroclor 1254)	528	ug/kg	55.5	06/07/21 23:14	
EPA 8082	PCB-1260 (Aroclor 1260)	224	ug/kg	55.5	06/07/21 23:14	
EPA 8082	PCB, Total	1560	ug/kg	55.5	06/07/21 23:14	
EPA 6010D	Lead	112	mg/kg	2.1	06/07/21 19:49	
EPA 7471	Mercury	0.94	mg/kg	0.036	06/15/21 09:19	
ASTM D2974-87	Percent Moisture	9.8	%	0.10	06/04/21 10:09	
40227916034	SB21-31-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	20.3J	ug/kg	54.0	06/07/21 23:36	
EPA 8082	PCB-1254 (Aroclor 1254)	21.4J	ug/kg	54.0	06/07/21 23:36	
EPA 8082	PCB-1260 (Aroclor 1260)	17.6J	ug/kg	54.0	06/07/21 23:36	
EPA 8082	PCB, Total	59.3	ug/kg	54.0	06/07/21 23:36	
EPA 6010D	Lead	8.8	mg/kg	2.1	06/07/21 19:51	
EPA 7471	Mercury	0.043	mg/kg	0.037	06/15/21 09:33	
ASTM D2974-87	Percent Moisture	7.2	%	0.10	06/04/21 10:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40227916035	SB21-34-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	59.6	ug/kg	53.1	06/07/21 23:58	
EPA 8082	PCB-1254 (Aroclor 1254)	70.2	ug/kg	53.1	06/07/21 23:58	
EPA 8082	PCB-1260 (Aroclor 1260)	49.7J	ug/kg	53.1	06/07/21 23:58	
EPA 8082	PCB, Total	180	ug/kg	53.1	06/07/21 23:58	
EPA 6010D	Lead	21.0	mg/kg	2.1	06/07/21 19:53	
EPA 7471	Mercury	0.24	mg/kg	0.037	06/15/21 09:35	
ASTM D2974-87	Percent Moisture	6.0	%	0.10	06/04/21 10:09	
40227916036	SB21-35-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	16.3J	ug/kg	52.6	06/08/21 00:20	
EPA 8082	PCB-1254 (Aroclor 1254)	23.2J	ug/kg	52.6	06/08/21 00:20	
EPA 8082	PCB-1260 (Aroclor 1260)	25.9J	ug/kg	52.6	06/08/21 00:20	
EPA 8082	PCB, Total	65.4	ug/kg	52.6	06/08/21 00:20	
EPA 6010D	Lead	19.3	mg/kg	2.1	06/07/21 19:56	
EPA 7471	Mercury	0.11	mg/kg	0.036	06/15/21 09:37	
ASTM D2974-87	Percent Moisture	4.8	%	0.10	06/04/21 10:09	
40227916037	SB21-36-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	59.9	ug/kg	52.2	06/08/21 00:41	
EPA 8082	PCB-1254 (Aroclor 1254)	86.8	ug/kg	52.2	06/08/21 00:41	
EPA 8082	PCB-1260 (Aroclor 1260)	47.9J	ug/kg	52.2	06/08/21 00:41	
EPA 8082	PCB, Total	195	ug/kg	52.2	06/08/21 00:41	
EPA 6010D	Lead	20.0	mg/kg	2.0	06/07/21 19:58	
EPA 7471	Mercury	0.18	mg/kg	0.034	06/15/21 09:39	
ASTM D2974-87	Percent Moisture	4.2	%	0.10	06/04/21 10:09	
40227916038	SB21-37-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	41.5J	ug/kg	55.7	06/08/21 01:03	
EPA 8082	PCB-1254 (Aroclor 1254)	46.8J	ug/kg	55.7	06/08/21 01:03	
EPA 8082	PCB-1260 (Aroclor 1260)	36.2J	ug/kg	55.7	06/08/21 01:03	
EPA 8082	PCB, Total	125	ug/kg	55.7	06/08/21 01:03	
EPA 6010D	Lead	20.3	mg/kg	2.2	06/07/21 20:05	
EPA 7471	Mercury	0.18	mg/kg	0.035	06/15/21 09:42	
ASTM D2974-87	Percent Moisture	10.1	%	0.10	06/04/21 10:10	
40227916039	SB21-38-01-18					
EPA 6010D	Lead	6.3	mg/kg	2.0	06/07/21 20:08	
EPA 7471	Mercury	0.034J	mg/kg	0.035	06/15/21 09:44	
ASTM D2974-87	Percent Moisture	4.4	%	0.10	06/04/21 10:10	
40227916040	SB21-39-01-18					
EPA 6010D	Lead	5.4	mg/kg	2.0	06/07/21 20:10	
EPA 7471	Mercury	0.018J	mg/kg	0.032	06/15/21 09:46	
ASTM D2974-87	Percent Moisture	4.9	%	0.10	06/04/21 10:10	
40227916041	SB21-40-01-18					
EPA 6010D	Lead	12.4	mg/kg	2.2	06/07/21 20:13	
EPA 7471	Mercury	0.078	mg/kg	0.038	06/15/21 09:12	
ASTM D2974-87	Percent Moisture	8.5	%	0.10	06/04/21 10:10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40227916042	SB21-41-01-18					
EPA 6010D	Lead	11.0	mg/kg	2.3	06/07/21 20:22	
EPA 7471	Mercury	0.041	mg/kg	0.041	06/15/21 09:49	
ASTM D2974-87	Percent Moisture	15.6	%	0.10	06/04/21 10:10	
40227916043	SB21-DUP-04					
EPA 6010D	Lead	9.9	mg/kg	2.2	06/07/21 20:24	
EPA 7471	Mercury	0.032J	mg/kg	0.037	06/15/21 09:51	
ASTM D2974-87	Percent Moisture	15.8	%	0.10	06/04/21 10:10	
40227916044	SB21-42-01-18					
EPA 6010D	Lead	10.4	mg/kg	2.2	06/07/21 20:26	
EPA 7471	Mercury	0.091	mg/kg	0.035	06/15/21 09:53	
ASTM D2974-87	Percent Moisture	11.2	%	0.10	06/04/21 10:10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Method: EPA 8082

Description: 8082 GCS PCB

Client: Wood - MN

Date: June 15, 2021

General Information:

45 samples were analyzed for EPA 8082 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

The samples were prepared in accordance with EPA 3541 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 387283

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Method: EPA 6010D

Description: 6010D MET ICP

Client: Wood - MN

Date: June 15, 2021

General Information:

40 samples were analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Method: EPA 6020

Description: 6020 MET ICPMS

Client: Wood - MN

Date: June 15, 2021

General Information:

5 samples were analyzed for EPA 6020 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Method: EPA 7470

Description: 7470 Mercury

Client: Wood - MN

Date: June 15, 2021

General Information:

5 samples were analyzed for EPA 7470 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Method: EPA 7471

Description: 7471 Mercury

Client: Wood - MN

Date: June 15, 2021

General Information:

40 samples were analyzed for EPA 7471 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 387497

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40227916006

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 2235099)
- Mercury

QC Batch: 387498

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40227916027

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 2235105)
- Mercury
- MSD (Lab ID: 2235106)
- Mercury

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-RINS-01 **Lab ID: 40227916001** Collected: 06/01/21 15:50 Received: 06/03/21 16:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	11096-82-5	
PCB, Total	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 13:44	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	28-124		1	06/07/21 12:25	06/09/21 13:44	877-09-8	
Decachlorobiphenyl (S)	27	%	10-73		1	06/07/21 12:25	06/09/21 13:44	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay									
Lead	<0.24	ug/L	1.0	0.24	1	06/04/21 06:33	06/05/21 01:27	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/08/21 10:50	06/09/21 09:07	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-01-01-18 **Lab ID: 40227916002** Collected: 06/01/21 16:00 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<15.6	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<15.6	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<15.6	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	11141-16-5	
PCB-1242 (Aroclor 1242)	<15.6	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	53469-21-9	
PCB-1248 (Aroclor 1248)	23.7J	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	12672-29-6	
PCB-1254 (Aroclor 1254)	29.3J	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	11097-69-1	
PCB-1260 (Aroclor 1260)	18.0J	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	11096-82-5	
PCB, Total	71.1	ug/kg	51.2	15.6	1	06/03/21 18:30	06/07/21 12:53	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	67-102		1	06/03/21 18:30	06/07/21 12:53	877-09-8	
Decachlorobiphenyl (S)	84	%	47-114		1	06/03/21 18:30	06/07/21 12:53	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	12.8	mg/kg	2.0	0.60	1	06/04/21 06:59	06/08/21 13:31	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.14	mg/kg	0.034	0.0096	1	06/09/21 11:54	06/10/21 10:14	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	2.3	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-02-01-18 **Lab ID: 40227916003** Collected: 06/01/21 16:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.7	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.7	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.7	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.7	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	53469-21-9	
PCB-1248 (Aroclor 1248)	476	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	12672-29-6	
PCB-1254 (Aroclor 1254)	385	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	11097-69-1	
PCB-1260 (Aroclor 1260)	199	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	11096-82-5	
PCB, Total	1060	ug/kg	54.8	16.7	1	06/03/21 18:30	06/07/21 14:21	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	67-102		1	06/03/21 18:30	06/07/21 14:21	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/03/21 18:30	06/07/21 14:21	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	134	mg/kg	2.2	0.65	1	06/04/21 06:59	06/07/21 20:52	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	1.0	mg/kg	0.036	0.010	1	06/09/21 11:54	06/10/21 10:16	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.6	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-03-01-18 **Lab ID: 40227916004** Collected: 06/01/21 16:50 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.2	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.2	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.2	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.2	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	53469-21-9	
PCB-1248 (Aroclor 1248)	371	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	12672-29-6	
PCB-1254 (Aroclor 1254)	683	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	11097-69-1	
PCB-1260 (Aroclor 1260)	382	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	11096-82-5	
PCB, Total	1440	ug/kg	56.6	17.2	1	06/03/21 18:30	06/07/21 14:43	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	67-102		1	06/03/21 18:30	06/07/21 14:43	877-09-8	
Decachlorobiphenyl (S)	74	%	47-114		1	06/03/21 18:30	06/07/21 14:43	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	219	mg/kg	2.2	0.66	1	06/04/21 06:59	06/07/21 20:55	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	2.8	mg/kg	0.19	0.054	5	06/09/21 11:54	06/10/21 10:19	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.9	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-04-01-18 **Lab ID: 40227916005** Collected: 06/01/21 17:10 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.2	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.2	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.2	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.2	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	53469-21-9	
PCB-1248 (Aroclor 1248)	132	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	12672-29-6	
PCB-1254 (Aroclor 1254)	303	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	11097-69-1	
PCB-1260 (Aroclor 1260)	159	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	11096-82-5	
PCB, Total	593	ug/kg	53.1	16.2	1	06/03/21 18:30	06/07/21 13:15	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		1	06/03/21 18:30	06/07/21 13:15	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/03/21 18:30	06/07/21 13:15	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	106	mg/kg	2.1	0.63	1	06/04/21 06:59	06/07/21 21:05	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.97	mg/kg	0.033	0.0095	1	06/09/21 11:54	06/10/21 10:21	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	5.5	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-05-01-18 **Lab ID: 40227916006** Collected: 06/01/21 17:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<34.3	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	12674-11-2	
PCB-1221 (Aroclor 1221)	<34.3	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	11104-28-2	
PCB-1232 (Aroclor 1232)	<34.3	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	11141-16-5	
PCB-1242 (Aroclor 1242)	<34.3	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	53469-21-9	
PCB-1248 (Aroclor 1248)	584	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	12672-29-6	
PCB-1254 (Aroclor 1254)	622	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	11097-69-1	
PCB-1260 (Aroclor 1260)	279	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	11096-82-5	
PCB, Total	1480	ug/kg	113	34.3	2	06/03/21 18:30	06/07/21 13:37	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		2	06/03/21 18:30	06/07/21 13:37	877-09-8	
Decachlorobiphenyl (S)	78	%	47-114		2	06/03/21 18:30	06/07/21 13:37	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	161	mg/kg	2.2	0.67	1	06/04/21 06:59	06/07/21 20:38	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	1.8	mg/kg	0.078	0.022	2	06/09/21 11:54	06/10/21 10:07	7439-97-6	M0
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.1	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-06-01-18 **Lab ID: 40227916007** Collected: 06/02/21 08:20 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.9	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.9	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.9	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.9	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	53469-21-9	
PCB-1248 (Aroclor 1248)	62.8	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	12672-29-6	
PCB-1254 (Aroclor 1254)	144	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	11097-69-1	
PCB-1260 (Aroclor 1260)	122	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	11096-82-5	
PCB, Total	329	ug/kg	58.9	17.9	1	06/03/21 18:30	06/07/21 15:27	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/03/21 18:30	06/07/21 15:27	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	06/03/21 18:30	06/07/21 15:27	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	103	mg/kg	2.3	0.70	1	06/04/21 06:59	06/07/21 21:07	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.92	mg/kg	0.041	0.012	1	06/09/21 11:54	06/10/21 10:23	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.2	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-07-01-18 **Lab ID: 40227916008** Collected: 06/02/21 08:40 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	53469-21-9	
PCB-1248 (Aroclor 1248)	142	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	12672-29-6	
PCB-1254 (Aroclor 1254)	204	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	11097-69-1	
PCB-1260 (Aroclor 1260)	106	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	11096-82-5	
PCB, Total	452	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 15:49	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	67-102		1	06/03/21 18:30	06/07/21 15:49	877-09-8	
Decachlorobiphenyl (S)	78	%	47-114		1	06/03/21 18:30	06/07/21 15:49	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	61.4	mg/kg	2.3	0.68	1	06/04/21 06:59	06/07/21 21:10	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.61	mg/kg	0.040	0.011	1	06/09/21 11:54	06/10/21 10:30	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.7	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-DUP-01 **Lab ID: 40227916009** Collected: 06/02/21 12:01 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.1	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.1	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.1	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.1	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	53469-21-9	
PCB-1248 (Aroclor 1248)	133	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	12672-29-6	
PCB-1254 (Aroclor 1254)	190	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	11097-69-1	
PCB-1260 (Aroclor 1260)	102	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	11096-82-5	
PCB, Total	425	ug/kg	56.3	17.1	1	06/03/21 18:30	06/07/21 16:11	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		1	06/03/21 18:30	06/07/21 16:11	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/03/21 18:30	06/07/21 16:11	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	66.7	mg/kg	2.2	0.67	1	06/04/21 06:59	06/07/21 21:12	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.55	mg/kg	0.037	0.011	1	06/09/21 11:54	06/10/21 10:33	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.0	%	0.10	0.10	1		06/04/21 09:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-08-01-18 **Lab ID: 40227916010** Collected: 06/02/21 09:15 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	53469-21-9	
PCB-1248 (Aroclor 1248)	102	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	12672-29-6	
PCB-1254 (Aroclor 1254)	152	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	11097-69-1	
PCB-1260 (Aroclor 1260)	89.5	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	11096-82-5	
PCB, Total	344	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 16:32	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		1	06/03/21 18:30	06/07/21 16:32	877-09-8	
Decachlorobiphenyl (S)	82	%	47-114		1	06/03/21 18:30	06/07/21 16:32	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	77.5	mg/kg	2.2	0.66	1	06/04/21 06:59	06/07/21 21:14	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.88	mg/kg	0.038	0.011	1	06/09/21 12:47	06/10/21 11:19	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.8	%	0.10	0.10	1		06/04/21 09:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-09-01-18 **Lab ID: 40227916011** Collected: 06/02/21 09:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.2	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.2	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.2	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.2	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.2	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	12672-29-6	
PCB-1254 (Aroclor 1254)	19.3J	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.2	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	11096-82-5	
PCB, Total	19.3J	ug/kg	56.4	17.2	1	06/03/21 18:30	06/07/21 16:54	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/03/21 18:30	06/07/21 16:54	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	06/03/21 18:30	06/07/21 16:54	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	20.5	mg/kg	2.2	0.67	1	06/04/21 06:59	06/07/21 21:17	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.094	mg/kg	0.037	0.011	1	06/09/21 12:47	06/10/21 11:26	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.6	%	0.10	0.10	1		06/04/21 09:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-10-01-18 **Lab ID: 40227916012** Collected: 06/02/21 09:50 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.5	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	53469-21-9	
PCB-1248 (Aroclor 1248)	102	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	12672-29-6	
PCB-1254 (Aroclor 1254)	151	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	11097-69-1	
PCB-1260 (Aroclor 1260)	81.7	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	11096-82-5	
PCB, Total	335	ug/kg	57.5	17.5	1	06/03/21 18:30	06/07/21 17:16	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	67-102		1	06/03/21 18:30	06/07/21 17:16	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	06/03/21 18:30	06/07/21 17:16	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	81.4	mg/kg	2.2	0.66	1	06/04/21 06:59	06/07/21 21:19	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.57	mg/kg	0.039	0.011	1	06/09/21 12:47	06/10/21 11:28	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.1	%	0.10	0.10	1		06/04/21 09:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-RINS-02 **Lab ID: 40227916013** Collected: 06/02/21 10:15 Received: 06/03/21 16:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	11096-82-5	
PCB, Total	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:09	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	28-124		1	06/07/21 12:25	06/09/21 14:09	877-09-8	
Decachlorobiphenyl (S)	15	%	10-73		1	06/07/21 12:25	06/09/21 14:09	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay									
Lead	<0.24	ug/L	1.0	0.24	1	06/04/21 06:33	06/05/21 01:33	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/08/21 10:50	06/09/21 09:09	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-11-01-18 **Lab ID: 40227916014** Collected: 06/02/21 10:40 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.2	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.2	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.2	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.2	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	53469-21-9	
PCB-1248 (Aroclor 1248)	34.0J	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	12672-29-6	
PCB-1254 (Aroclor 1254)	34.9J	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	11097-69-1	
PCB-1260 (Aroclor 1260)	27.7J	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	11096-82-5	
PCB, Total	96.5	ug/kg	56.5	17.2	1	06/03/21 18:30	06/07/21 17:38	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	67-102		1	06/03/21 18:30	06/07/21 17:38	877-09-8	
Decachlorobiphenyl (S)	84	%	47-114		1	06/03/21 18:30	06/07/21 17:38	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	26.3	mg/kg	2.2	0.67	1	06/04/21 06:59	06/07/21 21:21	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.22	mg/kg	0.037	0.011	1	06/09/21 12:47	06/10/21 11:30	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.4	%	0.10	0.10	1		06/04/21 09:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-12-01-18 **Lab ID: 40227916015** Collected: 06/02/21 10:55 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	53469-21-9	
PCB-1248 (Aroclor 1248)	38.7J	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	12672-29-6	
PCB-1254 (Aroclor 1254)	55.9	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	11097-69-1	
PCB-1260 (Aroclor 1260)	40.1J	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	11096-82-5	
PCB, Total	135	ug/kg	55.6	16.9	1	06/03/21 18:30	06/07/21 18:00	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	67-102		1	06/03/21 18:30	06/07/21 18:00	877-09-8	
Decachlorobiphenyl (S)	82	%	47-114		1	06/03/21 18:30	06/07/21 18:00	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	33.0	mg/kg	2.2	0.65	1	06/04/21 06:59	06/07/21 21:24	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.58	mg/kg	0.039	0.011	1	06/09/21 12:47	06/10/21 11:33	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.4	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-DUP-02 **Lab ID: 40227916016** Collected: 06/02/21 12:02 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.8	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.8	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.8	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.8	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	53469-21-9	
PCB-1248 (Aroclor 1248)	49.5J	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	12672-29-6	
PCB-1254 (Aroclor 1254)	66.3	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	11097-69-1	
PCB-1260 (Aroclor 1260)	49.3J	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	11096-82-5	
PCB, Total	165	ug/kg	55.3	16.8	1	06/03/21 18:30	06/07/21 18:22	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		1	06/03/21 18:30	06/07/21 18:22	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	06/03/21 18:30	06/07/21 18:22	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	27.4	mg/kg	2.2	0.65	1	06/04/21 06:59	06/07/21 21:26	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.32	mg/kg	0.036	0.010	1	06/09/21 12:47	06/10/21 11:35	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.8	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-13-01-18 **Lab ID: 40227916017** Collected: 06/02/21 11:15 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.4	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.4	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.4	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.4	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.4	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	12672-29-6	
PCB-1254 (Aroclor 1254)	22.0J	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.4	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	11096-82-5	
PCB, Total	22.0J	ug/kg	57.1	17.4	1	06/03/21 18:30	06/07/21 18:44	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	67-102		1	06/03/21 18:30	06/07/21 18:44	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	06/03/21 18:30	06/07/21 18:44	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	19.4	mg/kg	2.2	0.66	1	06/04/21 06:59	06/07/21 21:33	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.13	mg/kg	0.038	0.011	1	06/09/21 12:47	06/10/21 11:37	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.1	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-14-01-18 **Lab ID: 40227916018** Collected: 06/02/21 11:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.9	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.9	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.9	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.9	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	53469-21-9	
PCB-1248 (Aroclor 1248)	27.6J	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	12672-29-6	
PCB-1254 (Aroclor 1254)	52.8J	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	11097-69-1	
PCB-1260 (Aroclor 1260)	32.0J	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	11096-82-5	
PCB, Total	112	ug/kg	55.4	16.9	1	06/03/21 18:30	06/07/21 19:06	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	67-102		1	06/03/21 18:30	06/07/21 19:06	877-09-8	
Decachlorobiphenyl (S)	82	%	47-114		1	06/03/21 18:30	06/07/21 19:06	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	32.5	mg/kg	2.1	0.63	1	06/04/21 06:59	06/07/21 21:36	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.34	mg/kg	0.035	0.010	1	06/09/21 12:47	06/10/21 11:40	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.1	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-15-01-18 **Lab ID: 40227916019** Collected: 06/02/21 11:50 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.6	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.6	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.6	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.6	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	53469-21-9	
PCB-1248 (Aroclor 1248)	86.3	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	12672-29-6	
PCB-1254 (Aroclor 1254)	147	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	11097-69-1	
PCB-1260 (Aroclor 1260)	85.6	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	11096-82-5	
PCB, Total	319	ug/kg	54.4	16.6	1	06/03/21 18:30	06/07/21 15:05	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	67-102		1	06/03/21 18:30	06/07/21 15:05	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	06/03/21 18:30	06/07/21 15:05	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	68.0	mg/kg	2.2	0.64	1	06/04/21 06:59	06/07/21 21:38	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.64	mg/kg	0.036	0.010	1	06/09/21 12:47	06/10/21 11:42	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.8	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-16-01-18 **Lab ID: 40227916020** Collected: 06/02/21 13:05 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.0	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.0	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.0	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.0	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	53469-21-9	
PCB-1248 (Aroclor 1248)	37.6J	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	12672-29-6	
PCB-1254 (Aroclor 1254)	52.9J	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	11097-69-1	
PCB-1260 (Aroclor 1260)	35.1J	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	11096-82-5	
PCB, Total	126	ug/kg	55.8	17.0	1	06/03/21 18:30	06/07/21 19:27	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	67-102		1	06/03/21 18:30	06/07/21 19:27	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	06/03/21 18:30	06/07/21 19:27	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	29.3	mg/kg	2.2	0.65	1	06/04/21 06:59	06/07/21 21:41	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.24	mg/kg	0.039	0.011	1	06/09/21 12:47	06/10/21 11:44	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.6	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-17-01-18 **Lab ID: 40227916021** Collected: 06/02/21 13:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	53469-21-9	
PCB-1248 (Aroclor 1248)	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	12672-29-6	
PCB-1254 (Aroclor 1254)	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	11097-69-1	
PCB-1260 (Aroclor 1260)	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	11096-82-5	
PCB, Total	<18.9	ug/kg	62.1	18.9	1	06/04/21 13:59	06/07/21 18:53	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	67-102		1	06/04/21 13:59	06/07/21 18:53	877-09-8	
Decachlorobiphenyl (S)	74	%	47-114		1	06/04/21 13:59	06/07/21 18:53	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	14.2	mg/kg	2.3	0.70	1	06/04/21 06:59	06/07/21 21:43	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.049	mg/kg	0.042	0.012	1	06/09/21 12:47	06/10/21 11:47	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.4	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-18-01-18 **Lab ID: 40227916022** Collected: 06/02/21 13:50 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	12672-29-6	
PCB-1254 (Aroclor 1254)	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	11096-82-5	
PCB, Total	<17.5	ug/kg	57.6	17.5	1	06/04/21 13:59	06/07/21 19:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	67-102		1	06/04/21 13:59	06/07/21 19:14	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/04/21 13:59	06/07/21 19:14	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	9.4	mg/kg	2.3	0.68	1	06/04/21 06:59	06/07/21 21:45	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.023J	mg/kg	0.040	0.011	1	06/09/21 12:47	06/10/21 11:54	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.2	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-19-01-18 **Lab ID: 40227916023** Collected: 06/02/21 14:05 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	12672-29-6	
PCB-1254 (Aroclor 1254)	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	11096-82-5	
PCB, Total	<17.4	ug/kg	57.1	17.4	1	06/04/21 13:59	06/07/21 19:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	67-102		1	06/04/21 13:59	06/07/21 19:36	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	06/04/21 13:59	06/07/21 19:36	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	9.1	mg/kg	2.2	0.66	1	06/04/21 07:19	06/07/21 19:24	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.038	mg/kg	0.036	0.010	1	06/09/21 12:47	06/10/21 11:56	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.4	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-20-01-18 **Lab ID: 40227916024** Collected: 06/02/21 14:20 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.0	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.0	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.0	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.0	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	53469-21-9	
PCB-1248 (Aroclor 1248)	30.4J	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	12672-29-6	
PCB-1254 (Aroclor 1254)	20.0J	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	11097-69-1	
PCB-1260 (Aroclor 1260)	20.4J	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	11096-82-5	
PCB, Total	70.8	ug/kg	55.9	17.0	1	06/04/21 13:59	06/07/21 19:58	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	67-102		1	06/04/21 13:59	06/07/21 19:58	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/04/21 13:59	06/07/21 19:58	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	18.7	mg/kg	2.1	0.64	1	06/04/21 07:19	06/07/21 19:29	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.15	mg/kg	0.036	0.010	1	06/09/21 12:47	06/10/21 11:58	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.5	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-RINS-03 **Lab ID: 40227916025** Collected: 06/02/21 14:55 Received: 06/03/21 16:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	11096-82-5	
PCB, Total	<0.13	ug/L	0.56	0.13	1	06/07/21 12:25	06/09/21 14:34	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	28-124		1	06/07/21 12:25	06/09/21 14:34	877-09-8	
Decachlorobiphenyl (S)	16	%	10-73		1	06/07/21 12:25	06/09/21 14:34	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Lead	<0.24	ug/L	1.0	0.24	1	06/04/21 06:33	06/05/21 01:40	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/08/21 10:50	06/09/21 09:11	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-21-01-18 **Lab ID: 40227916026** Collected: 06/02/21 15:10 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	53469-21-9	
PCB-1248 (Aroclor 1248)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	12672-29-6	
PCB-1254 (Aroclor 1254)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	11097-69-1	
PCB-1260 (Aroclor 1260)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	11096-82-5	
PCB, Total	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/07/21 20:20	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	67-102		1	06/04/21 13:59	06/07/21 20:20	877-09-8	
Decachlorobiphenyl (S)	82	%	47-114		1	06/04/21 13:59	06/07/21 20:20	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	11.4	mg/kg	2.0	0.59	1	06/04/21 07:19	06/07/21 19:36	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.092	mg/kg	0.035	0.010	1	06/09/21 12:47	06/10/21 12:01	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.9	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-22-01-18 **Lab ID: 40227916027** Collected: 06/02/21 15:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.5	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.5	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.5	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.5	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	53469-21-9	
PCB-1248 (Aroclor 1248)	155	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	12672-29-6	
PCB-1254 (Aroclor 1254)	173	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	11097-69-1	
PCB-1260 (Aroclor 1260)	118	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	11096-82-5	
PCB, Total	446	ug/kg	54.2	16.5	1	06/04/21 13:59	06/07/21 20:42	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	67-102		1	06/04/21 13:59	06/07/21 20:42	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/04/21 13:59	06/07/21 20:42	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	68.6	mg/kg	2.2	0.65	1	06/04/21 07:19	06/07/21 19:15	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.83	mg/kg	0.038	0.011	1	06/09/21 12:47	06/10/21 11:12	7439-97-6	M0
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.0	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-23-01-18 **Lab ID: 40227916028** Collected: 06/02/21 16:05 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.8	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.8	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.8	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.8	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	53469-21-9	
PCB-1248 (Aroclor 1248)	91.0	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	12672-29-6	
PCB-1254 (Aroclor 1254)	72.4	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	11097-69-1	
PCB-1260 (Aroclor 1260)	36.1J	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	11096-82-5	
PCB, Total	199	ug/kg	55.2	16.8	1	06/04/21 13:59	06/07/21 21:03	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	67-102		1	06/04/21 13:59	06/07/21 21:03	877-09-8	
Decachlorobiphenyl (S)	78	%	47-114		1	06/04/21 13:59	06/07/21 21:03	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	23.0	mg/kg	2.0	0.61	1	06/04/21 07:19	06/07/21 19:39	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.26	mg/kg	0.037	0.011	1	06/09/21 12:47	06/10/21 12:03	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.3	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-DUP-03 **Lab ID: 40227916029** Collected: 06/02/21 12:03 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.7	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.7	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.7	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.7	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	53469-21-9	
PCB-1248 (Aroclor 1248)	126	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	12672-29-6	
PCB-1254 (Aroclor 1254)	106	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	11097-69-1	
PCB-1260 (Aroclor 1260)	55.3	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	11096-82-5	
PCB, Total	288	ug/kg	54.9	16.7	1	06/04/21 13:59	06/07/21 22:09	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	67-102		1	06/04/21 13:59	06/07/21 22:09	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	06/04/21 13:59	06/07/21 22:09	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	18.8	mg/kg	2.1	0.64	1	06/04/21 07:19	06/07/21 19:41	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.25	mg/kg	0.037	0.011	1	06/09/21 12:47	06/10/21 12:05	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.2	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-26-01-18 **Lab ID: 40227916030** Collected: 06/02/21 17:50 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.8	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.8	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.8	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.8	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	53469-21-9	
PCB-1248 (Aroclor 1248)	75.3	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	12672-29-6	
PCB-1254 (Aroclor 1254)	41.1J	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	11097-69-1	
PCB-1260 (Aroclor 1260)	21.4J	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	11096-82-5	
PCB, Total	138	ug/kg	55.1	16.8	1	06/04/21 13:59	06/07/21 22:31	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	67-102		1	06/04/21 13:59	06/07/21 22:31	877-09-8	
Decachlorobiphenyl (S)	90	%	47-114		1	06/04/21 13:59	06/07/21 22:31	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	15.9	mg/kg	2.1	0.64	1	06/04/21 07:19	06/07/21 19:44	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.062	mg/kg	0.037	0.011	1	06/09/21 12:47	06/10/21 12:07	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.4	%	0.10	0.10	1		06/04/21 09:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-27-01-18 **Lab ID: 40227916031** Collected: 06/03/21 07:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.9	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.9	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.9	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.9	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	53469-21-9	
PCB-1248 (Aroclor 1248)	87.1	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	12672-29-6	
PCB-1254 (Aroclor 1254)	66.1	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	11097-69-1	
PCB-1260 (Aroclor 1260)	43.5J	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	11096-82-5	
PCB, Total	197	ug/kg	55.4	16.9	1	06/04/21 13:59	06/07/21 22:52	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	67-102		1	06/04/21 13:59	06/07/21 22:52	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	06/04/21 13:59	06/07/21 22:52	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	18.8	mg/kg	2.1	0.62	1	06/04/21 07:19	06/08/21 13:36	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.18	mg/kg	0.037	0.011	1	06/09/21 12:47	06/10/21 12:10	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.8	%	0.10	0.10	1		06/04/21 09:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-28C-01-18 **Lab ID: 40227916032** Collected: 06/03/21 08:15 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.9	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.9	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.9	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.9	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	53469-21-9	
PCB-1248 (Aroclor 1248)	813	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	12672-29-6	
PCB-1254 (Aroclor 1254)	528	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	11097-69-1	
PCB-1260 (Aroclor 1260)	224	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	11096-82-5	
PCB, Total	1560	ug/kg	55.5	16.9	1	06/04/21 13:59	06/07/21 23:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	93	%	67-102		1	06/04/21 13:59	06/07/21 23:14	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	06/04/21 13:59	06/07/21 23:14	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	112	mg/kg	2.1	0.63	1	06/04/21 07:19	06/07/21 19:49	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.94	mg/kg	0.036	0.010	1	06/14/21 11:57	06/15/21 09:19	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.8	%	0.10	0.10	1		06/04/21 10:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-RINS-04 **Lab ID: 40227916033** Collected: 06/03/21 09:25 Received: 06/03/21 16:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	11096-82-5	
PCB, Total	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 14:58	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	28-124		1	06/07/21 12:25	06/09/21 14:58	877-09-8	
Decachlorobiphenyl (S)	26	%	10-73		1	06/07/21 12:25	06/09/21 14:58	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Green Bay									
Lead	<0.24	ug/L	1.0	0.24	1	06/04/21 06:33	06/05/21 01:47	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/08/21 10:50	06/09/21 09:18	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-31-01-18 **Lab ID: 40227916034** Collected: 06/03/21 09:50 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.4	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.4	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.4	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.4	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	53469-21-9	
PCB-1248 (Aroclor 1248)	20.3J	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	12672-29-6	
PCB-1254 (Aroclor 1254)	21.4J	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	11097-69-1	
PCB-1260 (Aroclor 1260)	17.6J	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	11096-82-5	
PCB, Total	59.3	ug/kg	54.0	16.4	1	06/04/21 13:59	06/07/21 23:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	67-102		1	06/04/21 13:59	06/07/21 23:36	877-09-8	
Decachlorobiphenyl (S)	84	%	47-114		1	06/04/21 13:59	06/07/21 23:36	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	8.8	mg/kg	2.1	0.62	1	06/04/21 07:19	06/07/21 19:51	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.043	mg/kg	0.037	0.010	1	06/14/21 11:57	06/15/21 09:33	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.2	%	0.10	0.10	1		06/04/21 10:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-34-01-18 **Lab ID: 40227916035** Collected: 06/03/21 10:25 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.2	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.2	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.2	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.2	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	53469-21-9	
PCB-1248 (Aroclor 1248)	59.6	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	12672-29-6	
PCB-1254 (Aroclor 1254)	70.2	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	11097-69-1	
PCB-1260 (Aroclor 1260)	49.7J	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	11096-82-5	
PCB, Total	180	ug/kg	53.1	16.2	1	06/04/21 13:59	06/07/21 23:58	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	94	%	67-102		1	06/04/21 13:59	06/07/21 23:58	877-09-8	
Decachlorobiphenyl (S)	85	%	47-114		1	06/04/21 13:59	06/07/21 23:58	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	21.0	mg/kg	2.1	0.63	1	06/04/21 07:19	06/07/21 19:53	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.24	mg/kg	0.037	0.011	1	06/14/21 11:57	06/15/21 09:35	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.0	%	0.10	0.10	1		06/04/21 10:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-35-01-18 **Lab ID: 40227916036** Collected: 06/03/21 10:40 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.0	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	53469-21-9	
PCB-1248 (Aroclor 1248)	16.3J	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	12672-29-6	
PCB-1254 (Aroclor 1254)	23.2J	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	11097-69-1	
PCB-1260 (Aroclor 1260)	25.9J	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	11096-82-5	
PCB, Total	65.4	ug/kg	52.6	16.0	1	06/04/21 13:59	06/08/21 00:20	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	67-102		1	06/04/21 13:59	06/08/21 00:20	877-09-8	
Decachlorobiphenyl (S)	90	%	47-114		1	06/04/21 13:59	06/08/21 00:20	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	19.3	mg/kg	2.1	0.63	1	06/04/21 07:19	06/07/21 19:56	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.11	mg/kg	0.036	0.010	1	06/14/21 11:57	06/15/21 09:37	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.8	%	0.10	0.10	1		06/04/21 10:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-36-01-18 **Lab ID: 40227916037** Collected: 06/03/21 10:55 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<15.9	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	12674-11-2	
PCB-1221 (Aroclor 1221)	<15.9	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	11104-28-2	
PCB-1232 (Aroclor 1232)	<15.9	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	11141-16-5	
PCB-1242 (Aroclor 1242)	<15.9	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	53469-21-9	
PCB-1248 (Aroclor 1248)	59.9	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	12672-29-6	
PCB-1254 (Aroclor 1254)	86.8	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	11097-69-1	
PCB-1260 (Aroclor 1260)	47.9J	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	11096-82-5	
PCB, Total	195	ug/kg	52.2	15.9	1	06/04/21 13:59	06/08/21 00:41	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	67-102		1	06/04/21 13:59	06/08/21 00:41	877-09-8	
Decachlorobiphenyl (S)	92	%	47-114		1	06/04/21 13:59	06/08/21 00:41	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	20.0	mg/kg	2.0	0.60	1	06/04/21 07:19	06/07/21 19:58	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.18	mg/kg	0.034	0.0098	1	06/14/21 11:57	06/15/21 09:39	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.2	%	0.10	0.10	1		06/04/21 10:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-37-01-18 **Lab ID: 40227916038** Collected: 06/03/21 11:15 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.9	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.9	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.9	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.9	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	53469-21-9	
PCB-1248 (Aroclor 1248)	41.5J	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	12672-29-6	
PCB-1254 (Aroclor 1254)	46.8J	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	11097-69-1	
PCB-1260 (Aroclor 1260)	36.2J	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	11096-82-5	
PCB, Total	125	ug/kg	55.7	16.9	1	06/04/21 13:59	06/08/21 01:03	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	97	%	67-102		1	06/04/21 13:59	06/08/21 01:03	877-09-8	
Decachlorobiphenyl (S)	94	%	47-114		1	06/04/21 13:59	06/08/21 01:03	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	20.3	mg/kg	2.2	0.66	1	06/04/21 07:19	06/07/21 20:05	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.18	mg/kg	0.035	0.0099	1	06/14/21 11:57	06/15/21 09:42	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.1	%	0.10	0.10	1		06/04/21 10:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-38-01-18 **Lab ID: 40227916039** Collected: 06/03/21 11:35 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	53469-21-9	
PCB-1248 (Aroclor 1248)	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	12672-29-6	
PCB-1254 (Aroclor 1254)	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	11097-69-1	
PCB-1260 (Aroclor 1260)	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	11096-82-5	
PCB, Total	<15.9	ug/kg	52.4	15.9	1	06/04/21 13:59	06/08/21 01:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	96	%	67-102		1	06/04/21 13:59	06/08/21 01:25	877-09-8	
Decachlorobiphenyl (S)	94	%	47-114		1	06/04/21 13:59	06/08/21 01:25	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	6.3	mg/kg	2.0	0.61	1	06/04/21 07:19	06/07/21 20:08	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.034J	mg/kg	0.035	0.010	1	06/14/21 11:57	06/15/21 09:44	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.4	%	0.10	0.10	1		06/04/21 10:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-39-01-18 **Lab ID: 40227916040** Collected: 06/03/21 11:55 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	53469-21-9	
PCB-1248 (Aroclor 1248)	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	12672-29-6	
PCB-1254 (Aroclor 1254)	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	11097-69-1	
PCB-1260 (Aroclor 1260)	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	11096-82-5	
PCB, Total	<16.0	ug/kg	52.7	16.0	1	06/04/21 13:59	06/08/21 01:47	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	95	%	67-102		1	06/04/21 13:59	06/08/21 01:47	877-09-8	
Decachlorobiphenyl (S)	93	%	47-114		1	06/04/21 13:59	06/08/21 01:47	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	5.4	mg/kg	2.0	0.61	1	06/04/21 07:19	06/07/21 20:10	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.018J	mg/kg	0.032	0.0093	1	06/14/21 11:57	06/15/21 09:46	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.9	%	0.10	0.10	1		06/04/21 10:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-40-01-18 **Lab ID: 40227916041** Collected: 06/03/21 13:05 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	53469-21-9	
PCB-1248 (Aroclor 1248)	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	12672-29-6	
PCB-1254 (Aroclor 1254)	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	11097-69-1	
PCB-1260 (Aroclor 1260)	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	11096-82-5	
PCB, Total	<16.7	ug/kg	54.8	16.7	1	06/07/21 06:19	06/07/21 15:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	67-102		1	06/07/21 06:19	06/07/21 15:36	877-09-8	
Decachlorobiphenyl (S)	72	%	47-114		1	06/07/21 06:19	06/07/21 15:36	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	12.4	mg/kg	2.2	0.65	1	06/04/21 07:19	06/07/21 20:13	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.078	mg/kg	0.038	0.011	1	06/14/21 11:57	06/15/21 09:12	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.5	%	0.10	0.10	1		06/04/21 10:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-41-01-18 **Lab ID: 40227916042** Collected: 06/03/21 13:30 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	53469-21-9	
PCB-1248 (Aroclor 1248)	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	12672-29-6	
PCB-1254 (Aroclor 1254)	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	11097-69-1	
PCB-1260 (Aroclor 1260)	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	11096-82-5	
PCB, Total	<18.0	ug/kg	59.1	18.0	1	06/04/21 13:59	06/08/21 02:09	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	102	%	67-102		1	06/04/21 13:59	06/08/21 02:09	877-09-8	
Decachlorobiphenyl (S)	91	%	47-114		1	06/04/21 13:59	06/08/21 02:09	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	11.0	mg/kg	2.3	0.69	1	06/04/21 07:19	06/07/21 20:22	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.041	mg/kg	0.041	0.012	1	06/14/21 11:57	06/15/21 09:49	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.6	%	0.10	0.10	1		06/04/21 10:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-DUP-04 **Lab ID: 40227916043** Collected: 06/03/21 12:04 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	53469-21-9	
PCB-1248 (Aroclor 1248)	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	12672-29-6	
PCB-1254 (Aroclor 1254)	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	11097-69-1	
PCB-1260 (Aroclor 1260)	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	11096-82-5	
PCB, Total	<18.1	ug/kg	59.3	18.1	1	06/07/21 06:19	06/07/21 16:00	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	67-102		1	06/07/21 06:19	06/07/21 16:00	877-09-8	
Decachlorobiphenyl (S)	77	%	47-114		1	06/07/21 06:19	06/07/21 16:00	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	9.9	mg/kg	2.2	0.65	1	06/04/21 07:19	06/07/21 20:24	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.032J	mg/kg	0.037	0.011	1	06/14/21 11:57	06/15/21 09:51	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.8	%	0.10	0.10	1		06/04/21 10:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Sample: SB21-42-01-18 **Lab ID: 40227916044** Collected: 06/03/21 13:55 Received: 06/03/21 16:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	12672-29-6	
PCB-1254 (Aroclor 1254)	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	11096-82-5	
PCB, Total	<17.1	ug/kg	56.3	17.1	1	06/07/21 06:19	06/07/21 16:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	67-102		1	06/07/21 06:19	06/07/21 16:25	877-09-8	
Decachlorobiphenyl (S)	75	%	47-114		1	06/07/21 06:19	06/07/21 16:25	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	10.4	mg/kg	2.2	0.65	1	06/04/21 07:19	06/07/21 20:26	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.091	mg/kg	0.035	0.010	1	06/14/21 11:57	06/15/21 09:53	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.2	%	0.10	0.10	1		06/04/21 10:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Sample: SB21-RINS-05 **Lab ID: 40227916045** Collected: 06/03/21 13:00 Received: 06/03/21 16:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	11096-82-5	
PCB, Total	<0.11	ug/L	0.48	0.11	1	06/07/21 12:25	06/09/21 15:23	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	28-124		1	06/07/21 12:25	06/09/21 15:23	877-09-8	
Decachlorobiphenyl (S)	24	%	10-73		1	06/07/21 12:25	06/09/21 15:23	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Lead	<0.24	ug/L	1.0	0.24	1	06/04/21 06:33	06/05/21 01:54	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/08/21 10:50	06/09/21 09:21	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

QC Batch: 387389

Analysis Method: EPA 7470

QC Batch Method: EPA 7470

Analysis Description: 7470 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916001, 40227916013, 40227916025, 40227916033, 40227916045

METHOD BLANK: 2234513

Matrix: Water

Associated Lab Samples: 40227916001, 40227916013, 40227916025, 40227916033, 40227916045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	06/09/21 08:27	

LABORATORY CONTROL SAMPLE: 2234514

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	5.2	103	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2234515 2234516

Parameter	Units	2234515		2234516		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40227543003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Mercury	ug/L	<0.066	5	5	5.0	5.1	100	103	85-115	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch:	387497	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916002, 40227916003, 40227916004, 40227916005, 40227916006, 40227916007, 40227916008, 40227916009

METHOD BLANK: 2235097 Matrix: Solid
Associated Lab Samples: 40227916002, 40227916003, 40227916004, 40227916005, 40227916006, 40227916007, 40227916008, 40227916009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	06/10/21 10:02	

LABORATORY CONTROL SAMPLE: 2235098

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.83	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2235099 2235100

Parameter	Units	40227916006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	1.8	0.93	0.93	2.6	2.7	84	89	85-115	2	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch:	387498	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916010, 40227916011, 40227916012, 40227916014, 40227916015, 40227916016, 40227916017, 40227916018, 40227916019, 40227916020, 40227916021, 40227916022, 40227916023, 40227916024, 40227916026, 40227916027, 40227916028, 40227916029, 40227916030, 40227916031

METHOD BLANK: 2235103 Matrix: Solid
Associated Lab Samples: 40227916010, 40227916011, 40227916012, 40227916014, 40227916015, 40227916016, 40227916017, 40227916018, 40227916019, 40227916020, 40227916021, 40227916022, 40227916023, 40227916024, 40227916026, 40227916027, 40227916028, 40227916029, 40227916030, 40227916031

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	06/10/21 11:07	

LABORATORY CONTROL SAMPLE: 2235104

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.85	102	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2235105 2235106

Parameter	Units	40227916027 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.83	0.9	0.9	1.5	1.5	80	75	85-115	3	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

QC Batch: 387693

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916032, 40227916034, 40227916035, 40227916036, 40227916037, 40227916038, 40227916039, 40227916040, 40227916041, 40227916042, 40227916043, 40227916044

METHOD BLANK: 2236704

Matrix: Solid

Associated Lab Samples: 40227916032, 40227916034, 40227916035, 40227916036, 40227916037, 40227916038, 40227916039, 40227916040, 40227916041, 40227916042, 40227916043, 40227916044

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	06/15/21 09:08	

LABORATORY CONTROL SAMPLE: 2236705

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.89	107	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2236706 2236707

Parameter	Units	40227916041 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.078	0.91	0.91	1.1	1.1	112	109	85-115	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

QC Batch: 387126

Analysis Method: EPA 6010D

QC Batch Method: EPA 3050B

Analysis Description: 6010D MET

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916002, 40227916003, 40227916004, 40227916005, 40227916006, 40227916007, 40227916008, 40227916009, 40227916010, 40227916011, 40227916012, 40227916014, 40227916015, 40227916016, 40227916017, 40227916018, 40227916019, 40227916020, 40227916021, 40227916022

METHOD BLANK: 2233186

Matrix: Solid

Associated Lab Samples: 40227916002, 40227916003, 40227916004, 40227916005, 40227916006, 40227916007, 40227916008, 40227916009, 40227916010, 40227916011, 40227916012, 40227916014, 40227916015, 40227916016, 40227916017, 40227916018, 40227916019, 40227916020, 40227916021, 40227916022

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	mg/kg	<0.60	2.0	06/07/21 20:33	

LABORATORY CONTROL SAMPLE: 2233187

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	50	54.1	108	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233188 2233189

Parameter	Units	2233188		2233189		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227916006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Lead	mg/kg	161	56	55.9	229	221	121	75-125	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch:	387127	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3050B	Analysis Description:	6010D MET
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916023, 40227916024, 40227916026, 40227916027, 40227916028, 40227916029, 40227916030, 40227916031, 40227916032, 40227916034, 40227916035, 40227916036, 40227916037, 40227916038, 40227916039, 40227916040, 40227916041, 40227916042, 40227916043, 40227916044

METHOD BLANK: 2233190 Matrix: Solid
Associated Lab Samples: 40227916023, 40227916024, 40227916026, 40227916027, 40227916028, 40227916029, 40227916030, 40227916031, 40227916032, 40227916034, 40227916035, 40227916036, 40227916037, 40227916038, 40227916039, 40227916040, 40227916041, 40227916042, 40227916043, 40227916044

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	mg/kg	<0.60	2.0	06/07/21 19:11	

LABORATORY CONTROL SAMPLE: 2233191

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	50	52.7	105	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233192 2233193

Parameter	Units	40227916027		2233193		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Lead	mg/kg	68.6	54.1	119	53.9	92	95	75-125	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233194 2233195

Parameter	Units	40227916041		2233195		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Lead	mg/kg	12.4	54.2	68.1	54.5	103	100	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

QC Batch: 387138

Analysis Method: EPA 6020

QC Batch Method: EPA 3010

Analysis Description: 6020 MET

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916001, 40227916013, 40227916025, 40227916033, 40227916045

METHOD BLANK: 2233228

Matrix: Water

Associated Lab Samples: 40227916001, 40227916013, 40227916025, 40227916033, 40227916045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<0.24	1.0	06/04/21 23:38	

LABORATORY CONTROL SAMPLE: 2233229

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	500	446	89	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233230 2233231

Parameter	Units	2233230		2233231		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227793001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Lead	ug/L	1.5	500	500	456	456	91	91	75-125	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch: 387134 Analysis Method: EPA 8082
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40227916002, 40227916003, 40227916004, 40227916005, 40227916006, 40227916007, 40227916008, 40227916009, 40227916010, 40227916011, 40227916012, 40227916014, 40227916015, 40227916016, 40227916017, 40227916018, 40227916019, 40227916020

METHOD BLANK: 2233220 Matrix: Solid
Associated Lab Samples: 40227916002, 40227916003, 40227916004, 40227916005, 40227916006, 40227916007, 40227916008, 40227916009, 40227916010, 40227916011, 40227916012, 40227916014, 40227916015, 40227916016, 40227916017, 40227916018, 40227916019, 40227916020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<15.2	50.0	06/07/21 10:20	
PCB-1221 (Aroclor 1221)	ug/kg	<15.2	50.0	06/07/21 10:20	
PCB-1232 (Aroclor 1232)	ug/kg	<15.2	50.0	06/07/21 10:20	
PCB-1242 (Aroclor 1242)	ug/kg	<15.2	50.0	06/07/21 10:20	
PCB-1248 (Aroclor 1248)	ug/kg	<15.2	50.0	06/07/21 10:20	
PCB-1254 (Aroclor 1254)	ug/kg	<15.2	50.0	06/07/21 10:20	
PCB-1260 (Aroclor 1260)	ug/kg	<15.2	50.0	06/07/21 10:20	
Decachlorobiphenyl (S)	%	88	47-114	06/07/21 10:20	
Tetrachloro-m-xylene (S)	%	79	67-102	06/07/21 10:20	

LABORATORY CONTROL SAMPLE: 2233221

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<15.2			
PCB-1221 (Aroclor 1221)	ug/kg		<15.2			
PCB-1232 (Aroclor 1232)	ug/kg		<15.2			
PCB-1242 (Aroclor 1242)	ug/kg		<15.2			
PCB-1248 (Aroclor 1248)	ug/kg		<15.2			
PCB-1254 (Aroclor 1254)	ug/kg		<15.2			
PCB-1260 (Aroclor 1260)	ug/kg	500	429	86	69-115	
Decachlorobiphenyl (S)	%			88	47-114	
Tetrachloro-m-xylene (S)	%			82	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233222 2233223

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227916006 Result	Spike Conc.	Spike Conc.	Conc.								
PCB-1016 (Aroclor 1016)	ug/kg	<34.3				<34.1	<34.3					20	
PCB-1221 (Aroclor 1221)	ug/kg	<34.3				<34.1	<34.3					20	
PCB-1232 (Aroclor 1232)	ug/kg	<34.3				<34.1	<34.3					20	
PCB-1242 (Aroclor 1242)	ug/kg	<34.3				<34.1	<34.3					20	
PCB-1248 (Aroclor 1248)	ug/kg	584				643	684				6	20	
PCB-1254 (Aroclor 1254)	ug/kg	622				701	770				9	20	
PCB-1260 (Aroclor 1260)	ug/kg	279	561	564	793	793	823	92	96	45-120	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233222		2233223		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227916006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Decachlorobiphenyl (S)	%					82	83	47-114			
Tetrachloro-m-xylene (S)	%					86	85	67-102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch: 387200 Analysis Method: EPA 8082
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40227916021, 40227916022, 40227916023, 40227916024, 40227916026, 40227916027, 40227916028, 40227916029, 40227916030, 40227916031, 40227916032, 40227916034, 40227916035, 40227916036, 40227916037, 40227916038, 40227916039, 40227916040, 40227916042

METHOD BLANK: 2233690 Matrix: Solid
Associated Lab Samples: 40227916021, 40227916022, 40227916023, 40227916024, 40227916026, 40227916027, 40227916028, 40227916029, 40227916030, 40227916031, 40227916032, 40227916034, 40227916035, 40227916036, 40227916037, 40227916038, 40227916039, 40227916040, 40227916042

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<15.2	50.0	06/07/21 16:42	
PCB-1221 (Aroclor 1221)	ug/kg	<15.2	50.0	06/07/21 16:42	
PCB-1232 (Aroclor 1232)	ug/kg	<15.2	50.0	06/07/21 16:42	
PCB-1242 (Aroclor 1242)	ug/kg	<15.2	50.0	06/07/21 16:42	
PCB-1248 (Aroclor 1248)	ug/kg	<15.2	50.0	06/07/21 16:42	
PCB-1254 (Aroclor 1254)	ug/kg	<15.2	50.0	06/07/21 16:42	
PCB-1260 (Aroclor 1260)	ug/kg	<15.2	50.0	06/07/21 16:42	
Decachlorobiphenyl (S)	%	93	47-114	06/07/21 16:42	
Tetrachloro-m-xylene (S)	%	93	67-102	06/07/21 16:42	

LABORATORY CONTROL SAMPLE: 2233691

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<15.2			
PCB-1221 (Aroclor 1221)	ug/kg		<15.2			
PCB-1232 (Aroclor 1232)	ug/kg		<15.2			
PCB-1242 (Aroclor 1242)	ug/kg		<15.2			
PCB-1248 (Aroclor 1248)	ug/kg		<15.2			
PCB-1254 (Aroclor 1254)	ug/kg		<15.2			
PCB-1260 (Aroclor 1260)	ug/kg	500	445	89	69-115	
Decachlorobiphenyl (S)	%			89	47-114	
Tetrachloro-m-xylene (S)	%			92	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233692 2233693

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227916027 Result	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	ug/kg	<16.5			<16.5	<16.6					20
PCB-1221 (Aroclor 1221)	ug/kg	<16.5			<16.5	<16.6					20
PCB-1232 (Aroclor 1232)	ug/kg	<16.5			<16.5	<16.6					20
PCB-1242 (Aroclor 1242)	ug/kg	<16.5			<16.5	<16.6					20
PCB-1248 (Aroclor 1248)	ug/kg	155			160	144			11	20	
PCB-1254 (Aroclor 1254)	ug/kg	173			246	239			3	20	
PCB-1260 (Aroclor 1260)	ug/kg	118	542	544	591	591	87	87	45-120	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233692		2233693		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227916027 Result	MS Spike Conc.	MSD Spike Conc.									
Decachlorobiphenyl (S)	%							85	80	47-114			
Tetrachloro-m-xylene (S)	%							95	90	67-102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch: 387230 Analysis Method: EPA 8082
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40227916041, 40227916043, 40227916044

METHOD BLANK: 2233984 Matrix: Solid
Associated Lab Samples: 40227916041, 40227916043, 40227916044

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<15.2	50.0	06/07/21 13:10	
PCB-1221 (Aroclor 1221)	ug/kg	<15.2	50.0	06/07/21 13:10	
PCB-1232 (Aroclor 1232)	ug/kg	<15.2	50.0	06/07/21 13:10	
PCB-1242 (Aroclor 1242)	ug/kg	<15.2	50.0	06/07/21 13:10	
PCB-1248 (Aroclor 1248)	ug/kg	<15.2	50.0	06/07/21 13:10	
PCB-1254 (Aroclor 1254)	ug/kg	<15.2	50.0	06/07/21 13:10	
PCB-1260 (Aroclor 1260)	ug/kg	<15.2	50.0	06/07/21 13:10	
Decachlorobiphenyl (S)	%	85	47-114	06/07/21 13:10	
Tetrachloro-m-xylene (S)	%	82	67-102	06/07/21 13:10	

LABORATORY CONTROL SAMPLE: 2233985

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<15.2			
PCB-1221 (Aroclor 1221)	ug/kg		<15.2			
PCB-1232 (Aroclor 1232)	ug/kg		<15.2			
PCB-1242 (Aroclor 1242)	ug/kg		<15.2			
PCB-1248 (Aroclor 1248)	ug/kg		<15.2			
PCB-1254 (Aroclor 1254)	ug/kg		<15.2			
PCB-1260 (Aroclor 1260)	ug/kg	500	402	80	69-115	
Decachlorobiphenyl (S)	%			89	47-114	
Tetrachloro-m-xylene (S)	%			79	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2233986 2233987

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227916041 Result	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	ug/kg	<16.7			<16.7	<16.6					20
PCB-1221 (Aroclor 1221)	ug/kg	<16.7			<16.7	<16.6					20
PCB-1232 (Aroclor 1232)	ug/kg	<16.7			<16.7	<16.6					20
PCB-1242 (Aroclor 1242)	ug/kg	<16.7			<16.7	<16.6					20
PCB-1248 (Aroclor 1248)	ug/kg	<16.7			<16.7	<16.6					20
PCB-1254 (Aroclor 1254)	ug/kg	<16.7			<16.7	<16.6					20
PCB-1260 (Aroclor 1260)	ug/kg	<16.7	548	545	440	436	80	80	45-120	1	20
Decachlorobiphenyl (S)	%						82	84	47-114		
Tetrachloro-m-xylene (S)	%						84	80	67-102		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

QC Batch: 387283

Analysis Method: EPA 8082

QC Batch Method: EPA 3510

Analysis Description: 8082 GCS PCB

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916001, 40227916013, 40227916025, 40227916033, 40227916045

METHOD BLANK: 2234206

Matrix: Water

Associated Lab Samples: 40227916001, 40227916013, 40227916025, 40227916033, 40227916045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	<0.11	0.50	06/09/21 12:29	
PCB-1221 (Aroclor 1221)	ug/L	<0.11	0.50	06/09/21 12:29	
PCB-1232 (Aroclor 1232)	ug/L	<0.11	0.50	06/09/21 12:29	
PCB-1242 (Aroclor 1242)	ug/L	<0.11	0.50	06/09/21 12:29	
PCB-1248 (Aroclor 1248)	ug/L	<0.11	0.50	06/09/21 12:29	
PCB-1254 (Aroclor 1254)	ug/L	<0.11	0.50	06/09/21 12:29	
PCB-1260 (Aroclor 1260)	ug/L	<0.11	0.50	06/09/21 12:29	
Decachlorobiphenyl (S)	%	40	10-73	06/09/21 12:29	
Tetrachloro-m-xylene (S)	%	80	28-124	06/09/21 12:29	

LABORATORY CONTROL SAMPLE & LCSD: 2234207

2234208

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L		<0.11	<0.11					20	
PCB-1221 (Aroclor 1221)	ug/L		<0.11	<0.11					20	
PCB-1232 (Aroclor 1232)	ug/L		<0.11	<0.11					20	
PCB-1242 (Aroclor 1242)	ug/L		<0.11	<0.11					20	
PCB-1248 (Aroclor 1248)	ug/L		<0.11	<0.11					20	
PCB-1254 (Aroclor 1254)	ug/L		<0.11	<0.11					20	
PCB-1260 (Aroclor 1260)	ug/L	5	4.2	4.6	85	91	64-115	7	20	
Decachlorobiphenyl (S)	%				32	43	10-73			
Tetrachloro-m-xylene (S)	%				81	82	28-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch:	387166	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916002, 40227916003, 40227916004, 40227916005, 40227916006, 40227916007, 40227916008, 40227916009

SAMPLE DUPLICATE: 2233352

Parameter	Units	40227851009 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	19.7	20.5	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

QC Batch:	387169	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916010, 40227916011, 40227916012, 40227916014, 40227916015, 40227916016, 40227916017, 40227916018, 40227916019, 40227916020, 40227916021, 40227916022, 40227916023, 40227916024, 40227916026, 40227916027, 40227916028, 40227916029, 40227916030, 40227916031

SAMPLE DUPLICATE: 2233386

Parameter	Units	40227916029 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	9.2	8.8	5	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

QC Batch:	387171	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40227916032, 40227916034, 40227916035, 40227916036, 40227916037, 40227916038, 40227916039, 40227916040, 40227916041, 40227916042, 40227916043, 40227916044

SAMPLE DUPLICATE: 2233421

Parameter	Units	40227922001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.7	4.8	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 387332

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40227916002	SB21-01-01-18	EPA 3541	387134	EPA 8082	387145
40227916003	SB21-02-01-18	EPA 3541	387134	EPA 8082	387145
40227916004	SB21-03-01-18	EPA 3541	387134	EPA 8082	387145
40227916005	SB21-04-01-18	EPA 3541	387134	EPA 8082	387145
40227916006	SB21-05-01-18	EPA 3541	387134	EPA 8082	387145
40227916007	SB21-06-01-18	EPA 3541	387134	EPA 8082	387145
40227916008	SB21-07-01-18	EPA 3541	387134	EPA 8082	387145
40227916009	SB21-DUP-01	EPA 3541	387134	EPA 8082	387145
40227916010	SB21-08-01-18	EPA 3541	387134	EPA 8082	387145
40227916011	SB21-09-01-18	EPA 3541	387134	EPA 8082	387145
40227916012	SB21-10-01-18	EPA 3541	387134	EPA 8082	387145
40227916014	SB21-11-01-18	EPA 3541	387134	EPA 8082	387145
40227916015	SB21-12-01-18	EPA 3541	387134	EPA 8082	387145
40227916016	SB21-DUP-02	EPA 3541	387134	EPA 8082	387145
40227916017	SB21-13-01-18	EPA 3541	387134	EPA 8082	387145
40227916018	SB21-14-01-18	EPA 3541	387134	EPA 8082	387145
40227916019	SB21-15-01-18	EPA 3541	387134	EPA 8082	387145
40227916020	SB21-16-01-18	EPA 3541	387134	EPA 8082	387145
40227916021	SB21-17-01-18	EPA 3541	387200	EPA 8082	387206
40227916022	SB21-18-01-18	EPA 3541	387200	EPA 8082	387206
40227916023	SB21-19-01-18	EPA 3541	387200	EPA 8082	387206
40227916024	SB21-20-01-18	EPA 3541	387200	EPA 8082	387206
40227916026	SB21-21-01-18	EPA 3541	387200	EPA 8082	387206
40227916027	SB21-22-01-18	EPA 3541	387200	EPA 8082	387206
40227916028	SB21-23-01-18	EPA 3541	387200	EPA 8082	387206
40227916029	SB21-DUP-03	EPA 3541	387200	EPA 8082	387206
40227916030	SB21-26-01-18	EPA 3541	387200	EPA 8082	387206
40227916031	SB21-27-01-18	EPA 3541	387200	EPA 8082	387206
40227916032	SB21-28C-01-18	EPA 3541	387200	EPA 8082	387206
40227916034	SB21-31-01-18	EPA 3541	387200	EPA 8082	387206
40227916035	SB21-34-01-18	EPA 3541	387200	EPA 8082	387206
40227916036	SB21-35-01-18	EPA 3541	387200	EPA 8082	387206
40227916037	SB21-36-01-18	EPA 3541	387200	EPA 8082	387206
40227916038	SB21-37-01-18	EPA 3541	387200	EPA 8082	387206
40227916039	SB21-38-01-18	EPA 3541	387200	EPA 8082	387206
40227916040	SB21-39-01-18	EPA 3541	387200	EPA 8082	387206
40227916041	SB21-40-01-18	EPA 3541	387230	EPA 8082	387247
40227916042	SB21-41-01-18	EPA 3541	387200	EPA 8082	387206
40227916043	SB21-DUP-04	EPA 3541	387230	EPA 8082	387247
40227916044	SB21-42-01-18	EPA 3541	387230	EPA 8082	387247
40227916001	SB21-RINS-01	EPA 3510	387283	EPA 8082	387332
40227916013	SB21-RINS-02	EPA 3510	387283	EPA 8082	387332
40227916025	SB21-RINS-03	EPA 3510	387283	EPA 8082	387332
40227916033	SB21-RINS-04	EPA 3510	387283	EPA 8082	387332
40227916045	SB21-RINS-05	EPA 3510	387283	EPA 8082	387332
40227916002	SB21-01-01-18	EPA 3050B	387126	EPA 6010D	387191

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40227916003	SB21-02-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916004	SB21-03-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916005	SB21-04-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916006	SB21-05-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916007	SB21-06-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916008	SB21-07-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916009	SB21-DUP-01	EPA 3050B	387126	EPA 6010D	387191
40227916010	SB21-08-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916011	SB21-09-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916012	SB21-10-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916014	SB21-11-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916015	SB21-12-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916016	SB21-DUP-02	EPA 3050B	387126	EPA 6010D	387191
40227916017	SB21-13-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916018	SB21-14-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916019	SB21-15-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916020	SB21-16-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916021	SB21-17-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916022	SB21-18-01-18	EPA 3050B	387126	EPA 6010D	387191
40227916023	SB21-19-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916024	SB21-20-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916026	SB21-21-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916027	SB21-22-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916028	SB21-23-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916029	SB21-DUP-03	EPA 3050B	387127	EPA 6010D	387190
40227916030	SB21-26-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916031	SB21-27-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916032	SB21-28C-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916034	SB21-31-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916035	SB21-34-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916036	SB21-35-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916037	SB21-36-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916038	SB21-37-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916039	SB21-38-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916040	SB21-39-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916041	SB21-40-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916042	SB21-41-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916043	SB21-DUP-04	EPA 3050B	387127	EPA 6010D	387190
40227916044	SB21-42-01-18	EPA 3050B	387127	EPA 6010D	387190
40227916001	SB21-RINS-01	EPA 3010	387138	EPA 6020	387199
40227916013	SB21-RINS-02	EPA 3010	387138	EPA 6020	387199
40227916025	SB21-RINS-03	EPA 3010	387138	EPA 6020	387199
40227916033	SB21-RINS-04	EPA 3010	387138	EPA 6020	387199
40227916045	SB21-RINS-05	EPA 3010	387138	EPA 6020	387199
40227916001	SB21-RINS-01	EPA 7470	387389	EPA 7470	387429
40227916013	SB21-RINS-02	EPA 7470	387389	EPA 7470	387429
40227916025	SB21-RINS-03	EPA 7470	387389	EPA 7470	387429

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40227916

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40227916033	SB21-RINS-04	EPA 7470	387389	EPA 7470	387429
40227916045	SB21-RINS-05	EPA 7470	387389	EPA 7470	387429
40227916002	SB21-01-01-18	EPA 7471	387497	EPA 7471	387536
40227916003	SB21-02-01-18	EPA 7471	387497	EPA 7471	387536
40227916004	SB21-03-01-18	EPA 7471	387497	EPA 7471	387536
40227916005	SB21-04-01-18	EPA 7471	387497	EPA 7471	387536
40227916006	SB21-05-01-18	EPA 7471	387497	EPA 7471	387536
40227916007	SB21-06-01-18	EPA 7471	387497	EPA 7471	387536
40227916008	SB21-07-01-18	EPA 7471	387497	EPA 7471	387536
40227916009	SB21-DUP-01	EPA 7471	387497	EPA 7471	387536
40227916010	SB21-08-01-18	EPA 7471	387498	EPA 7471	387537
40227916011	SB21-09-01-18	EPA 7471	387498	EPA 7471	387537
40227916012	SB21-10-01-18	EPA 7471	387498	EPA 7471	387537
40227916014	SB21-11-01-18	EPA 7471	387498	EPA 7471	387537
40227916015	SB21-12-01-18	EPA 7471	387498	EPA 7471	387537
40227916016	SB21-DUP-02	EPA 7471	387498	EPA 7471	387537
40227916017	SB21-13-01-18	EPA 7471	387498	EPA 7471	387537
40227916018	SB21-14-01-18	EPA 7471	387498	EPA 7471	387537
40227916019	SB21-15-01-18	EPA 7471	387498	EPA 7471	387537
40227916020	SB21-16-01-18	EPA 7471	387498	EPA 7471	387537
40227916021	SB21-17-01-18	EPA 7471	387498	EPA 7471	387537
40227916022	SB21-18-01-18	EPA 7471	387498	EPA 7471	387537
40227916023	SB21-19-01-18	EPA 7471	387498	EPA 7471	387537
40227916024	SB21-20-01-18	EPA 7471	387498	EPA 7471	387537
40227916026	SB21-21-01-18	EPA 7471	387498	EPA 7471	387537
40227916027	SB21-22-01-18	EPA 7471	387498	EPA 7471	387537
40227916028	SB21-23-01-18	EPA 7471	387498	EPA 7471	387537
40227916029	SB21-DUP-03	EPA 7471	387498	EPA 7471	387537
40227916030	SB21-26-01-18	EPA 7471	387498	EPA 7471	387537
40227916031	SB21-27-01-18	EPA 7471	387498	EPA 7471	387537
40227916032	SB21-28C-01-18	EPA 7471	387693	EPA 7471	387844
40227916034	SB21-31-01-18	EPA 7471	387693	EPA 7471	387844
40227916035	SB21-34-01-18	EPA 7471	387693	EPA 7471	387844
40227916036	SB21-35-01-18	EPA 7471	387693	EPA 7471	387844
40227916037	SB21-36-01-18	EPA 7471	387693	EPA 7471	387844
40227916038	SB21-37-01-18	EPA 7471	387693	EPA 7471	387844
40227916039	SB21-38-01-18	EPA 7471	387693	EPA 7471	387844
40227916040	SB21-39-01-18	EPA 7471	387693	EPA 7471	387844
40227916041	SB21-40-01-18	EPA 7471	387693	EPA 7471	387844
40227916042	SB21-41-01-18	EPA 7471	387693	EPA 7471	387844
40227916043	SB21-DUP-04	EPA 7471	387693	EPA 7471	387844
40227916044	SB21-42-01-18	EPA 7471	387693	EPA 7471	387844
40227916002	SB21-01-01-18	ASTM D2974-87	387166		
40227916003	SB21-02-01-18	ASTM D2974-87	387166		
40227916004	SB21-03-01-18	ASTM D2974-87	387166		
40227916005	SB21-04-01-18	ASTM D2974-87	387166		
40227916006	SB21-05-01-18	ASTM D2974-87	387166		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40227916

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40227916007	SB21-06-01-18	ASTM D2974-87	387166		
40227916008	SB21-07-01-18	ASTM D2974-87	387166		
40227916009	SB21-DUP-01	ASTM D2974-87	387166		
40227916010	SB21-08-01-18	ASTM D2974-87	387169		
40227916011	SB21-09-01-18	ASTM D2974-87	387169		
40227916012	SB21-10-01-18	ASTM D2974-87	387169		
40227916014	SB21-11-01-18	ASTM D2974-87	387169		
40227916015	SB21-12-01-18	ASTM D2974-87	387169		
40227916016	SB21-DUP-02	ASTM D2974-87	387169		
40227916017	SB21-13-01-18	ASTM D2974-87	387169		
40227916018	SB21-14-01-18	ASTM D2974-87	387169		
40227916019	SB21-15-01-18	ASTM D2974-87	387169		
40227916020	SB21-16-01-18	ASTM D2974-87	387169		
40227916021	SB21-17-01-18	ASTM D2974-87	387169		
40227916022	SB21-18-01-18	ASTM D2974-87	387169		
40227916023	SB21-19-01-18	ASTM D2974-87	387169		
40227916024	SB21-20-01-18	ASTM D2974-87	387169		
40227916026	SB21-21-01-18	ASTM D2974-87	387169		
40227916027	SB21-22-01-18	ASTM D2974-87	387169		
40227916028	SB21-23-01-18	ASTM D2974-87	387169		
40227916029	SB21-DUP-03	ASTM D2974-87	387169		
40227916030	SB21-26-01-18	ASTM D2974-87	387169		
40227916031	SB21-27-01-18	ASTM D2974-87	387169		
40227916032	SB21-28C-01-18	ASTM D2974-87	387171		
40227916034	SB21-31-01-18	ASTM D2974-87	387171		
40227916035	SB21-34-01-18	ASTM D2974-87	387171		
40227916036	SB21-35-01-18	ASTM D2974-87	387171		
40227916037	SB21-36-01-18	ASTM D2974-87	387171		
40227916038	SB21-37-01-18	ASTM D2974-87	387171		
40227916039	SB21-38-01-18	ASTM D2974-87	387171		
40227916040	SB21-39-01-18	ASTM D2974-87	387171		
40227916041	SB21-40-01-18	ASTM D2974-87	387171		
40227916042	SB21-41-01-18	ASTM D2974-87	387171		
40227916043	SB21-DUP-04	ASTM D2974-87	387171		
40227916044	SB21-42-01-18	ASTM D2974-87	387171		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Andy Friskness
 Phone: 612-425-7016
 Project Number: 7311200028
 Project Name: GP Ashwaubenon
 Project State: WI
 Sampled By (Print): Rob Marxen + Marina Casey
 Sampled By (Sign): R Marxen + Marina Casey
 PO #: CO12406254 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40227916

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
N	A	PCBs (EPA 8082)
N	A	Lead (EPA 8010)
N	A	Lead (Mercury)
N	D	PCBs (EPA 8082 water)
N	D	Lead (EPA 8010 B ICP)
N	A	Mercury (EPA 7470 B)
N	A	Mercury (EPA 7470 B)

Quote #:		
Mail To Contact:		
Mail To Company:		
Mail To Address:		
Invoice To Contact:		
Invoice To Company:		
Invoice To Address:		
Invoice To Phone:		
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	SB21-RINS-01	6/1	1550	WT
002	SB21-01-01-18	6/1	1600	S
003	SB21-02-01-18	6/1	1630	S
004	SB21-03-01-18	6/1	1650	S
005	SB21-04-01-18	6/1	1710	S
006	SB21-05-01-18	6/1	1730	S
007	SB21-05-01-18-MS	6/1	1730	S
008	SB21-05-01-18-MSD	6/1	1730	S
009	SB21-06-01-18	6/2	0820	S
010	SB21-07-01-18	6/2	0840	S
011	SB21-DWP-01	6-2	1201	S
012	SB21-08-01-18	6/2	0915	S
013	SB21-09-01-18	6/2	0930	S

006
006
007
008
009
010
011

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <u>Marina Casey</u> Date/Time: <u>6-3-21 @ 1600</u>	Received By: <u>Sam Kopp Pace</u> Date/Time: <u>6/3/21 1600</u>	PACE Project No. <u>40227916</u>
	Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <u>Sam Kopp Pace</u> Date/Time: <u>6/3/21 1625</u>	
Email #1:	Relinquished By:	Received By:	Receipt Temp = <u>23.5, 3.5 °C</u>
Email #2:	Relinquished By:	Received By:	Sample Receipt pH <u>OK</u> Adjusted
Telephone:	Relinquished By:	Received By:	Cooler Custody Seal Present <u>(Not Present)</u>
Fax:	Relinquished By:	Received By:	Intact / Not Intact

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Andy Eiskness
 Phone: 612-425-7016
 Project Number: 7311200028
 Project Name: GP Ashwaubenon
 Project State: WI
 Sampled By (Print): R. M... + K... Casey
 Sampled By (Sign): R... + K... Casey
 PO #: 0012406250 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 21 of 4 RSM

40227916

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)

 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested	Matrix
N	A	PCB's (EPA 8082)	S
N	A	(EPA 8160)	S
N	A	Lead (EPA 8082 Water)	S
N	D	Lead (EPA 8082 Water)	S
N	D	Lead (EPA 8082 Water)	S
N	A	Mercury (EPA 8170 B)	S
N	A	Mercury (EPA 8170 A)	S

Quote #:		
Mail To Contact:		
Mail To Company:		
Mail To Address:		
Invoice To Contact:		
Invoice To Company:		
Invoice To Address:		
Invoice To Phone:		
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
012	014	5B21-10-01-18	6/2 6950	S
013	015	5B21-RINS-02	6/2 1015	W
014	016	5B21-11-01-18	6/2 1040	S
015	017	5B21-12-01-18	6/2 1055	S
016	018	5B21-Dup-02	6/2 1202	S
017	019	5B21-13-01-18	6/2 1115	S
018	020	5B21-14-01-18	6/2 1130	S
019	021	5B21-15-01-18	6/2 1150	S
020	022	5B21-16-01-18	6/2 1305	S
021	023	5B21-17-01-18	6-2 1330	S
022	024	5B21-18-01-18	6-2 1350	S
023	025	5B21-19-01-18	6-2 1405	S
024	026	5B21-20-01-18	6-2 1420	S

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:
 Email #2:
 Telephone:
 Fax:

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Karina Casey Date/Time: 6-3-21 @ 1600

Relinquished By: Sam Vapp Pace Date/Time: 6/3/21 1625

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Received By: Sam Vapp Pace Date/Time: 6/3/21 1600

Received By: Anthony J. Lendell Date/Time: 6/3/21 1625

Received By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

PACE Project No. 40227916

Receipt Temp = 2,35,35 °C

Sample Receipt pH OK/ Adjusted

Cooler Custody Seal Present / Not Present Intact / Not Intact

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Analy Fishness
 Phone: 612-425-7016
 Project Number: 7311200028
 Project Name: GP Ashwaubenon
 Project State: WI
 Sampled By (Print): Vanina Casey
 Sampled By (Sign): Vanina Casey
 PO #: CO12R06259 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40227916

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
N	A	PCBS (EPA 8082A)
N	A	Lead Mercury (EPA 8013)
N	A	PCBS (EPA 8082A)
N	D	Lead (EPA 8013)
N	D	Mercury (EPA 8013)
N	A	MEGARY (EPA 7170B)

Quote #: _____
 Mail To Contact: _____
 Mail To Company: _____
 Mail To Address: _____
 Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
025	027 SB21-RINS-03	6/2	1455	W
026	028 SB21-21-01-18	6/2	1510	S
027	029 SB21-22-01-18	6-2	1530	S
027	030 SB21-22-01-18-MS	6-2	1530	S
027	031 SB21-22-01-18-MSD	6-2	1530	S
028	032 SB21-23-01-18	6-2	1605	S
029	033 SB21-DUP-03	6-2	1203	S
030	034 SB21-26-01-18	6-2	1750	S
031	035 SB21-27-01-18	6-2	0730	S
032	036 SB21-28C-01-18	6-3	0815	S
033	037 SB21-RINS-04	6-3	0925	W
034	038 SB21-21-Kne			
	039 SB21-31-01-18	6-3	0950	S

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want): _____

Relinquished By: <u>Vanina Casey</u>	Date/Time: <u>6-3-21 @ 1600</u>	Received By: <u>Sam Vago Pace</u>	Date/Time: <u>6/3/21 1600</u>
Relinquished By: <u>Sam Vago Pace</u>	Date/Time: <u>6/3/21 1625</u>	Received By: <u>Anthony Wendt</u>	Date/Time: <u>6/3/21 1625</u>
Relinquished By: _____	Date/Time: _____	Received By: _____	Date/Time: _____
Relinquished By: _____	Date/Time: _____	Received By: _____	Date/Time: _____

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 40227916

Receipt Temp = 23.35°C

Sample Receipt pH 7.0 Adjusted

Cooler Custody Seal Present / Not Present Intact / Not Intact

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Andy Fiskness
 Phone: 612-425-7010
 Project Number: 7311200025
 Project Name: GP Ashwaubenon
 Project State: WI
 Sampled By (Print): Karina Casey
 Sampled By (Sign): Karina Casey
 PO #: C012406250 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page 4 of 4
40227916

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
N	A	PCBS (EPA 8082)
N	A	Lead (F7471A)
N	A	PCBS (EPA 8082) water
N	B	Lead (EPA 6010B)
N	D	Mercury (EPA 7470B)
N	A	Hg (F7471A)

Quote #: _____
 Mail To Contact: _____
 Mail To Company: _____
 Mail To Address: _____
 Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	A	B	C	D	E	F	G	H	I	J	
		DATE	TIME												
035 040	SB21-34-01-18	6-3	1025	S	X	X									
036 041	SB21-35-01-18	6-3	1040	S	X	X									
037 042	SB21-36-01-18	6-3	1055	S	X	X									
038 043	SB21-37-01-18	6-3	1115	S	X	X									
039 044	SB21-38-01-18	6-3	1135	S	X	X									
040 045	SB21-39-01-18	6-3	1155	S	X	X									
041 046	SB21-40-01-18	6-3	1305	S	X	X									
041 047	SB21-40-01-18-MS	6-3	1305	S	X	X									
041 048	SB21-40-01-18-MSD	6-3	1305	S	X	X									
042 049	SB21-41-01-18	6-3	1320	S	X	X									
043 050	SB21-DUP-04	6-3	1204	S	X	X									
044 051	SB21-42-01-18	6-3	1355	S	X	X									
045 045	SB21-RINS-05	6/3	1300	W				X	X	X ²					

① received in shipment, lab added to CoC
 2-Analysis added per Andrew Fiskness-Wood 6/4/21 CDH

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):

Relinquished By: <u>Karina Casey</u> Date/Time: <u>6-3-21 @ 1600</u>	Received By: <u>Sam Kapp Pace</u> Date/Time: <u>6/3/21 1600</u>
Relinquished By: <u>Sam Kapp Pace</u> Date/Time: <u>6/3/21 1625</u>	Received By: <u>Anthony Wendt</u> Date/Time: <u>6/4/21 1625</u>
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 40227916
 Receipt Temp = 23.535°C
 Sample Receipt pH (OK) Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / No Flats Present

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Wood

Project # 4022916

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed: MS Date/Time:

Lab Lot# of pH paper: 1003601 Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WGFU	WPFU	SP5T								ZPLC	GN				
001	2										-																								X		2.5 / 5 / 10
002																																					2.5 / 5 / 10
003																																					2.5 / 5 / 10
004																																					2.5 / 5 / 10
005																																					2.5 / 5 / 10
006																																					2.5 / 5 / 10
007																																					2.5 / 5 / 10
008																																					2.5 / 5 / 10
009																																					2.5 / 5 / 10
010																																					2.5 / 5 / 10
011																																					2.5 / 5 / 10
012																																					2.5 / 5 / 10
013	2										1																								X	2.5 / 5 / 10	
014																																					2.5 / 5 / 10
015																																					2.5 / 5 / 10
016																																					2.5 / 5 / 10
017																																					2.5 / 5 / 10
018																																					2.5 / 5 / 10
019																																					2.5 / 5 / 10
020																																					2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JG9U 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			


Sample Preservation Receipt Form

Project #: 40227916

Client Name: Wood

Pace Lab #	Glass					Plastic					Vials					Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)									
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U								WG9U	WP9U	SP5T	ZPLC	GN				
021																																					2.5 / 5 / 10
022																																					2.5 / 5 / 10
023																																					2.5 / 5 / 10
024																																					2.5 / 5 / 10
025	2										1																									X	2.5 / 5 / 10
026																																					2.5 / 5 / 10
027																																					2.5 / 5 / 10
028																																					2.5 / 5 / 10
029																																					2.5 / 5 / 10
030																																					2.5 / 5 / 10
031																																					2.5 / 5 / 10
032																																					2.5 / 5 / 10
033	2										1																									X	2.5 / 5 / 10
034																																					2.5 / 5 / 10
035																																					2.5 / 5 / 10
036																																					2.5 / 5 / 10
037																																					2.5 / 5 / 10
038																																					2.5 / 5 / 10
039																																					2.5 / 5 / 10
040																																					2.5 / 5 / 10
041																																					2.5 / 5 / 10
042																																					2.5 / 5 / 10
043																																					2.5 / 5 / 10
044																																					2.5 / 5 / 10
045	2										1																									X	2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10

6/3/21 A25

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Wood

WO# : 40227916

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-107 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2,35,35 Corr: 2,35,35

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents: Date: <u>6/3/21</u> / Initials: <u>AD</u>
Labeled By Initials: <u>AD</u>

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>no mail/inv. info 6/3/21 AD</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8. <u>lab received extra sample point in shipment, added to CoC as 045</u>
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		<u>6/3/21 AD</u>
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W,S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

June 28, 2021

Andrew Fiskness
Wood E&I
800 Marquette Ave
Suite 900
Minneapolis, MN 55402

RE: Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Dear Andrew Fiskness:


Enclosed are the analytical results for sample(s) received by the laboratory on June 08, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Laurie Woelfel
laurie.woelfel@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Karina Casey, Wood E&I



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40228050001	SB21-44-01-18	Solid	06/03/21 16:20	06/08/21 08:00
40228050002	SB21-45-01-18	Solid	06/04/21 07:35	06/08/21 08:00
40228050003	SB21-46-01-18	Solid	06/04/21 07:40	06/08/21 08:00
40228050004	SB21-47-01-18	Solid	06/04/21 08:00	06/08/21 08:00
40228050005	SB21-48-01-18	Solid	06/04/21 08:15	06/08/21 08:00
40228050006	SB21-49-01-18	Solid	06/04/21 08:25	06/08/21 08:00
40228050007	SB21-50-01-18	Solid	06/04/21 09:05	06/08/21 08:00
40228050008	SB21-52-01-18	Solid	06/04/21 10:00	06/08/21 08:00
40228050009	SB21-54-01-18	Solid	06/04/21 10:25	06/08/21 08:00
40228050010	SB21-55-01-18	Solid	06/04/21 10:40	06/08/21 08:00
40228050011	SB21-56-01-18	Solid	06/04/21 10:55	06/08/21 08:00
40228050012	SB21-57-01-18	Solid	06/04/21 11:15	06/08/21 08:00
40228050013	SB21-58-01-18	Solid	06/04/21 11:25	06/08/21 08:00
40228050014	SB21-59-01-18	Solid	06/04/21 11:35	06/08/21 08:00
40228050015	SB21-64-01-18	Solid	06/04/21 13:20	06/08/21 08:00
40228050016	SB21-DUP-05	Solid	06/04/21 12:05	06/08/21 08:00
40228050017	SB21-68-01-18	Solid	06/04/21 14:10	06/08/21 08:00
40228050018	SB21-RINS-06	Water	06/04/21 14:45	06/08/21 08:00
40228050019	SB21-70-01-18	Solid	06/04/21 15:05	06/08/21 08:00
40228050020	SB21-71-01-18	Solid	06/04/21 15:25	06/08/21 08:00
40228050021	SB21-72-01-18	Solid	06/04/21 15:45	06/08/21 08:00
40228050022	SB21-73-01-18	Solid	06/04/21 16:00	06/08/21 08:00
40228050023	SB21-74-01-18	Solid	06/04/21 16:15	06/08/21 08:00
40228050024	SB21-77-01-18	Solid	06/04/21 16:55	06/08/21 08:00
40228050025	SB21-78-01-18	Solid	06/04/21 17:25	06/08/21 08:00
40228050026	SB21-81-01-18	Solid	06/05/21 07:45	06/08/21 08:00
40228050027	SB21-84-01-18	Solid	06/05/21 08:25	06/08/21 08:00
40228050028	SB21-DUP-06	Solid	06/05/21 12:06	06/08/21 08:00
40228050029	SB21-RINS-07	Water	06/05/21 08:55	06/08/21 08:00
40228050030	SB21-85-01-18	Solid	06/05/21 09:10	06/08/21 08:00
40228050031	SB21-83-01-18	Solid	06/05/21 09:30	06/08/21 08:00
40228050032	SB21-30-01-18	Solid	06/05/21 11:30	06/08/21 08:00
40228050033	SB21-63-01-18	Solid	06/05/21 13:30	06/08/21 08:00
40228050034	SB21-RINS-08	Water	06/05/21 14:20	06/08/21 08:00
40228050035	SB21-66-01-18	Solid	06/05/21 14:50	06/08/21 08:00
40228050036	SB21-DUP-07	Solid	06/05/21 12:07	06/08/21 08:00
40228050037	RINS21-IDW-0605	Water	06/05/21 16:30	06/08/21 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40228050038	IDW-TRIP-01	Water	06/05/21 00:00	06/08/21 08:00
40228050039	SB21-IDW-0605	Solid	06/05/21 16:40	06/08/21 08:00
40228050040	IDW-MEOH-0605	Solid	06/05/21 16:25	06/08/21 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40228050001	SB21-44-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050002	SB21-45-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050003	SB21-46-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050004	SB21-47-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050005	SB21-48-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050006	SB21-49-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050007	SB21-50-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050008	SB21-52-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050009	SB21-54-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050010	SB21-55-01-18	EPA 8082	BLM	10	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40228050011	SB21-56-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050012	SB21-57-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
40228050013	SB21-58-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050014	SB21-59-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
40228050015	SB21-64-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050016	SB21-DUP-05	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
40228050017	SB21-68-01-18	EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050018	SB21-RINS-06	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
40228050019	SB21-70-01-18	EPA 7471	AJT	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40228050020	SB21-71-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050021	SB21-72-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050022	SB21-73-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050023	SB21-74-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050024	SB21-77-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050025	SB21-78-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050026	SB21-81-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050027	SB21-84-01-18	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
40228050028	SB21-DUP-06	ASTM D2974-87	AH	1	PASI-G
		EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40228050029	SB21-RINS-07	EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G
40228050030	SB21-85-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050031	SB21-83-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050032	SB21-30-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050033	SB21-63-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050034	SB21-RINS-08	EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 7470	AJT	1	PASI-G
40228050035	SB21-66-01-18	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050036	SB21-DUP-07	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40228050037	RINS21-IDW-0605	EPA 8082	BLM	10	PASI-G
		EPA 6020	KXS	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8260	SMT	64	PASI-G
		EPA 1010	EXM	1	PASI-G
		SM 2540D	HNT	1	PASI-G
		SM 4500-H+B	ALY	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40228050038	IDW-TRIP-01	EPA 410.4	TJJ	1	PASI-G
		EPA 8260	LAP	64	PASI-G
40228050039	SB21-IDW-0605	EPA 8082	BLM	10	PASI-G
		EPA 6010D	TXW	7	PASI-G
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	16	PASI-G
		EPA 8260	ALD	64	PASI-G
		EPA 8260	LAP	13	PASI-G
		ASTM D2974-87	AH	1	PASI-G
		EPA 1010	EXM	1	PASI-G
		EPA 9045	ALY	1	PASI-G
		40228050040	IDW-MEOH-0605	EPA 8260	ALD

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40228050001	SB21-44-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	76.3	ug/kg	56.7	06/09/21 17:14	
EPA 8082	PCB-1254 (Aroclor 1254)	118	ug/kg	56.7	06/09/21 17:14	
EPA 8082	PCB-1260 (Aroclor 1260)	82.2	ug/kg	56.7	06/09/21 17:14	
EPA 8082	PCB, Total	277	ug/kg	56.7	06/09/21 17:14	
EPA 6010D	Lead	49.5	mg/kg	2.2	06/10/21 09:31	
EPA 7471	Mercury	0.49	mg/kg	0.040	06/17/21 09:47	
ASTM D2974-87	Percent Moisture	11.7	%	0.10	06/08/21 14:13	
40228050002	SB21-45-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	98.9	ug/kg	58.5	06/09/21 18:19	
EPA 8082	PCB-1254 (Aroclor 1254)	137	ug/kg	58.5	06/09/21 18:19	
EPA 8082	PCB-1260 (Aroclor 1260)	80.1	ug/kg	58.5	06/09/21 18:19	
EPA 8082	PCB, Total	316	ug/kg	58.5	06/09/21 18:19	
EPA 6010D	Lead	42.9	mg/kg	2.2	06/10/21 09:40	
EPA 7471	Mercury	0.40	mg/kg	0.039	06/17/21 09:54	
ASTM D2974-87	Percent Moisture	14.7	%	0.10	06/08/21 14:13	
40228050003	SB21-46-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	88.1	ug/kg	58.6	06/09/21 21:35	
EPA 8082	PCB-1254 (Aroclor 1254)	156	ug/kg	58.6	06/09/21 21:35	
EPA 8082	PCB-1260 (Aroclor 1260)	87.9	ug/kg	58.6	06/09/21 21:35	
EPA 8082	PCB, Total	332	ug/kg	58.6	06/09/21 21:35	
EPA 6010D	Lead	46.3	mg/kg	2.3	06/10/21 09:45	
EPA 7471	Mercury	0.57	mg/kg	0.041	06/17/21 09:57	
ASTM D2974-87	Percent Moisture	14.5	%	0.10	06/08/21 14:13	
40228050004	SB21-47-01-18					
EPA 8082	PCB-1254 (Aroclor 1254)	39.8J	ug/kg	58.6	06/09/21 21:57	
EPA 8082	PCB-1260 (Aroclor 1260)	37.1J	ug/kg	58.6	06/09/21 21:57	
EPA 8082	PCB, Total	76.9	ug/kg	58.6	06/09/21 21:57	
EPA 6010D	Lead	33.7	mg/kg	2.3	06/10/21 09:52	
EPA 7471	Mercury	0.29	mg/kg	0.037	06/17/21 09:59	
ASTM D2974-87	Percent Moisture	14.6	%	0.10	06/08/21 14:13	
40228050005	SB21-48-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	315	ug/kg	62.5	06/09/21 22:19	
EPA 8082	PCB-1254 (Aroclor 1254)	191	ug/kg	62.5	06/09/21 22:19	
EPA 8082	PCB-1260 (Aroclor 1260)	134	ug/kg	62.5	06/09/21 22:19	
EPA 8082	PCB, Total	640	ug/kg	62.5	06/09/21 22:19	
EPA 6010D	Lead	96.7	mg/kg	2.5	06/10/21 09:54	
EPA 7471	Mercury	0.72	mg/kg	0.042	06/17/21 11:53	
ASTM D2974-87	Percent Moisture	20.2	%	0.10	06/08/21 14:13	
40228050006	SB21-49-01-18					
EPA 6010D	Lead	10.3	mg/kg	2.3	06/10/21 09:57	
EPA 7471	Mercury	0.032J	mg/kg	0.041	06/17/21 10:08	
ASTM D2974-87	Percent Moisture	15.4	%	0.10	06/08/21 14:13	
40228050007	SB21-50-01-18					
EPA 6010D	Lead	6.9	mg/kg	2.2	06/10/21 09:59	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40228050007	SB21-50-01-18					
EPA 7471	Mercury	0.043	mg/kg	0.038	06/17/21 10:10	
ASTM D2974-87	Percent Moisture	8.5	%	0.10	06/08/21 14:13	
40228050008	SB21-52-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	44.0J	ug/kg	59.7	06/09/21 23:24	
EPA 8082	PCB-1254 (Aroclor 1254)	32.2J	ug/kg	59.7	06/09/21 23:24	
EPA 8082	PCB-1260 (Aroclor 1260)	18.4J	ug/kg	59.7	06/09/21 23:24	
EPA 8082	PCB, Total	94.6	ug/kg	59.7	06/09/21 23:24	
EPA 6010D	Lead	15.2	mg/kg	2.3	06/10/21 10:02	
EPA 7471	Mercury	0.10	mg/kg	0.037	06/17/21 10:13	
ASTM D2974-87	Percent Moisture	16.4	%	0.10	06/08/21 14:13	
40228050009	SB21-54-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	124	ug/kg	60.2	06/09/21 23:46	
EPA 8082	PCB-1254 (Aroclor 1254)	117	ug/kg	60.2	06/09/21 23:46	
EPA 8082	PCB-1260 (Aroclor 1260)	62.5	ug/kg	60.2	06/09/21 23:46	
EPA 8082	PCB, Total	303	ug/kg	60.2	06/09/21 23:46	
EPA 6010D	Lead	7.3	mg/kg	2.2	06/10/21 10:04	
EPA 7471	Mercury	0.15	mg/kg	0.040	06/17/21 10:15	
ASTM D2974-87	Percent Moisture	17.1	%	0.10	06/08/21 14:13	
40228050010	SB21-55-01-18					
EPA 6010D	Lead	13.8	mg/kg	2.1	06/10/21 10:06	
EPA 7471	Mercury	0.022J	mg/kg	0.040	06/17/21 10:17	
ASTM D2974-87	Percent Moisture	13.6	%	0.10	06/08/21 14:13	
40228050011	SB21-56-01-18					
EPA 6010D	Lead	13.3	mg/kg	2.3	06/10/21 10:09	
EPA 7471	Mercury	0.13	mg/kg	0.040	06/17/21 10:20	
ASTM D2974-87	Percent Moisture	16.7	%	0.10	06/08/21 14:13	
40228050012	SB21-57-01-18					
EPA 6010D	Lead	7.3	mg/kg	2.2	06/10/21 10:11	
EPA 7471	Mercury	0.087	mg/kg	0.038	06/17/21 10:22	
ASTM D2974-87	Percent Moisture	10.5	%	0.10	06/08/21 14:26	
40228050013	SB21-58-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	43.7J	ug/kg	58.2	06/10/21 17:31	
EPA 8082	PCB-1254 (Aroclor 1254)	25.0J	ug/kg	58.2	06/10/21 17:31	
EPA 8082	PCB, Total	68.8	ug/kg	58.2	06/10/21 17:31	
EPA 6010D	Lead	7.9	mg/kg	2.1	06/10/21 10:14	
EPA 7471	Mercury	0.11	mg/kg	0.038	06/17/21 10:24	
ASTM D2974-87	Percent Moisture	14.2	%	0.10	06/08/21 14:26	
40228050014	SB21-59-01-18					
EPA 6010D	Lead	14.3	mg/kg	2.3	06/10/21 10:21	
EPA 7471	Mercury	0.074	mg/kg	0.040	06/17/21 10:27	
ASTM D2974-87	Percent Moisture	15.3	%	0.10	06/08/21 14:26	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40228050015	SB21-64-01-18					
EPA 6010D	Lead	12.7	mg/kg	2.2	06/10/21 10:23	
EPA 7471	Mercury	0.060	mg/kg	0.038	06/17/21 10:29	
ASTM D2974-87	Percent Moisture	15.2	%	0.10	06/08/21 14:26	
40228050016	SB21-DUP-05					
EPA 6010D	Lead	12.2	mg/kg	2.1	06/10/21 10:26	
EPA 7471	Mercury	0.052	mg/kg	0.035	06/17/21 10:36	
ASTM D2974-87	Percent Moisture	11.2	%	0.10	06/08/21 14:26	
40228050017	SB21-68-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	18.8J	ug/kg	55.5	06/10/21 20:03	
EPA 8082	PCB-1254 (Aroclor 1254)	32.8J	ug/kg	55.5	06/10/21 20:03	
EPA 8082	PCB, Total	51.6J	ug/kg	55.5	06/10/21 20:03	
EPA 6010D	Lead	23.3	mg/kg	2.2	06/10/21 10:28	
EPA 7471	Mercury	0.12	mg/kg	0.035	06/17/21 10:38	
ASTM D2974-87	Percent Moisture	9.8	%	0.10	06/08/21 14:26	
40228050018	SB21-RINS-06					
EPA 6020	Lead	0.26J	ug/L	1.0	06/11/21 19:20	
40228050019	SB21-70-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	109	ug/kg	56.6	06/10/21 20:25	
EPA 8082	PCB-1254 (Aroclor 1254)	52.9J	ug/kg	56.6	06/10/21 20:25	
EPA 8082	PCB-1260 (Aroclor 1260)	30.5J	ug/kg	56.6	06/10/21 20:25	
EPA 8082	PCB, Total	193	ug/kg	56.6	06/10/21 20:25	
EPA 6010D	Lead	13.9	mg/kg	2.2	06/10/21 10:30	
EPA 7471	Mercury	0.10	mg/kg	0.037	06/17/21 10:41	
ASTM D2974-87	Percent Moisture	11.5	%	0.10	06/08/21 14:26	
40228050020	SB21-71-01-18					
EPA 8082	PCB-1254 (Aroclor 1254)	18.6J	ug/kg	53.3	06/10/21 20:47	
EPA 8082	PCB, Total	18.6J	ug/kg	53.3	06/10/21 20:47	
EPA 6010D	Lead	9.3	mg/kg	2.0	06/10/21 10:33	
EPA 7471	Mercury	0.036J	mg/kg	0.036	06/17/21 10:43	
ASTM D2974-87	Percent Moisture	6.1	%	0.10	06/08/21 14:26	
40228050021	SB21-72-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	35.9J	ug/kg	56.9	06/10/21 21:09	
EPA 8082	PCB-1254 (Aroclor 1254)	88.3	ug/kg	56.9	06/10/21 21:09	
EPA 8082	PCB-1260 (Aroclor 1260)	62.2	ug/kg	56.9	06/10/21 21:09	
EPA 8082	PCB, Total	186	ug/kg	56.9	06/10/21 21:09	
EPA 6010D	Lead	71.5	mg/kg	2.2	06/10/21 10:35	
EPA 7471	Mercury	0.72	mg/kg	0.038	06/17/21 10:45	
ASTM D2974-87	Percent Moisture	12.4	%	0.10	06/08/21 14:26	
40228050022	SB21-73-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	98.7	ug/kg	55.0	06/10/21 21:31	
EPA 8082	PCB-1254 (Aroclor 1254)	116	ug/kg	55.0	06/10/21 21:31	
EPA 8082	PCB-1260 (Aroclor 1260)	74.8	ug/kg	55.0	06/10/21 21:31	
EPA 8082	PCB, Total	289	ug/kg	55.0	06/10/21 21:31	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40228050022	SB21-73-01-18					
EPA 6010D	Lead	45.9	mg/kg	2.2	06/09/21 21:59	
EPA 7471	Mercury	0.52	mg/kg	0.036	06/17/21 11:04	
ASTM D2974-87	Percent Moisture	9.4	%	0.10	06/08/21 14:27	
40228050023	SB21-74-01-18					
EPA 6010D	Lead	10.5	mg/kg	2.1	06/09/21 22:08	
EPA 7471	Mercury	0.035	mg/kg	0.035	06/17/21 11:06	
ASTM D2974-87	Percent Moisture	7.7	%	0.10	06/08/21 14:27	
40228050024	SB21-77-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	215	ug/kg	56.3	06/10/21 21:52	
EPA 8082	PCB-1254 (Aroclor 1254)	228	ug/kg	56.3	06/10/21 21:52	
EPA 8082	PCB-1260 (Aroclor 1260)	121	ug/kg	56.3	06/10/21 21:52	
EPA 8082	PCB, Total	563	ug/kg	56.3	06/10/21 21:52	
EPA 6010D	Lead	62.3	mg/kg	2.2	06/09/21 22:11	
EPA 7471	Mercury	0.59	mg/kg	0.036	06/17/21 11:08	
ASTM D2974-87	Percent Moisture	11.4	%	0.10	06/08/21 14:27	
40228050025	SB21-78-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	75.0	ug/kg	57.7	06/10/21 22:14	
EPA 8082	PCB-1254 (Aroclor 1254)	120	ug/kg	57.7	06/10/21 22:14	
EPA 8082	PCB-1260 (Aroclor 1260)	51.7J	ug/kg	57.7	06/10/21 22:14	
EPA 8082	PCB, Total	246	ug/kg	57.7	06/10/21 22:14	
EPA 6010D	Lead	40.3	mg/kg	2.2	06/09/21 22:13	
EPA 7471	Mercury	0.39	mg/kg	0.039	06/17/21 11:11	
ASTM D2974-87	Percent Moisture	13.2	%	0.10	06/08/21 14:27	
40228050026	SB21-81-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	90.9	ug/kg	56.5	06/10/21 22:36	
EPA 8082	PCB-1254 (Aroclor 1254)	142	ug/kg	56.5	06/10/21 22:36	
EPA 8082	PCB-1260 (Aroclor 1260)	79.7	ug/kg	56.5	06/10/21 22:36	
EPA 8082	PCB, Total	313	ug/kg	56.5	06/10/21 22:36	
EPA 6010D	Lead	70.2	mg/kg	2.2	06/09/21 22:16	
EPA 7471	Mercury	0.72	mg/kg	0.037	06/17/21 11:13	
ASTM D2974-87	Percent Moisture	11.7	%	0.10	06/08/21 14:27	
40228050027	SB21-84-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	200	ug/kg	56.7	06/10/21 22:58	
EPA 8082	PCB-1254 (Aroclor 1254)	311	ug/kg	56.7	06/10/21 22:58	
EPA 8082	PCB-1260 (Aroclor 1260)	133	ug/kg	56.7	06/10/21 22:58	
EPA 8082	PCB, Total	644	ug/kg	56.7	06/10/21 22:58	
EPA 6010D	Lead	75.8	mg/kg	2.2	06/09/21 22:18	
EPA 7471	Mercury	1.2	mg/kg	0.039	06/17/21 11:15	
ASTM D2974-87	Percent Moisture	11.7	%	0.10	06/08/21 14:27	
40228050028	SB21-DUP-06					
EPA 8082	PCB-1248 (Aroclor 1248)	170	ug/kg	55.8	06/10/21 23:19	
EPA 8082	PCB-1254 (Aroclor 1254)	349	ug/kg	55.8	06/10/21 23:19	
EPA 8082	PCB-1260 (Aroclor 1260)	129	ug/kg	55.8	06/10/21 23:19	
EPA 8082	PCB, Total	648	ug/kg	55.8	06/10/21 23:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
 Pace Project No.: 40228050

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40228050028	SB21-DUP-06					
EPA 6010D	Lead	74.8	mg/kg	2.2	06/09/21 22:21	
EPA 7471	Mercury	0.78	mg/kg	0.038	06/17/21 11:18	
ASTM D2974-87	Percent Moisture	10.4	%	0.10	06/08/21 14:27	
40228050029	SB21-RINS-07					
EPA 6020	Lead	0.24J	ug/L	1.0	06/10/21 22:43	
40228050030	SB21-85-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	571	ug/kg	58.4	06/10/21 23:41	
EPA 8082	PCB-1254 (Aroclor 1254)	584	ug/kg	58.4	06/10/21 23:41	
EPA 8082	PCB-1260 (Aroclor 1260)	249	ug/kg	58.4	06/10/21 23:41	
EPA 8082	PCB, Total	1400	ug/kg	58.4	06/10/21 23:41	
EPA 6010D	Lead	129	mg/kg	2.2	06/09/21 22:23	
EPA 7471	Mercury	1.5	mg/kg	0.040	06/17/21 11:20	
ASTM D2974-87	Percent Moisture	14.4	%	0.10	06/08/21 14:27	
40228050031	SB21-83-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	28.7J	ug/kg	57.6	06/11/21 13:28	
EPA 8082	PCB-1254 (Aroclor 1254)	47.2J	ug/kg	57.6	06/11/21 13:28	
EPA 8082	PCB-1260 (Aroclor 1260)	33.0J	ug/kg	57.6	06/11/21 13:28	
EPA 8082	PCB, Total	109	ug/kg	57.6	06/11/21 13:28	
EPA 6010D	Lead	29.6	mg/kg	2.2	06/09/21 22:25	
EPA 7471	Mercury	0.19	mg/kg	0.038	06/17/21 11:22	
ASTM D2974-87	Percent Moisture	13.2	%	0.10	06/08/21 14:27	
40228050032	SB21-30-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	80.6	ug/kg	57.3	06/11/21 13:50	
EPA 8082	PCB-1254 (Aroclor 1254)	63.9	ug/kg	57.3	06/11/21 13:50	
EPA 8082	PCB-1260 (Aroclor 1260)	38.2J	ug/kg	57.3	06/11/21 13:50	
EPA 8082	PCB, Total	183	ug/kg	57.3	06/11/21 13:50	
EPA 6010D	Lead	34.2	mg/kg	2.3	06/09/21 22:28	
EPA 7471	Mercury	0.29	mg/kg	0.038	06/17/21 11:25	
ASTM D2974-87	Percent Moisture	12.8	%	0.10	06/08/21 14:27	
40228050033	SB21-63-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	35.8J	ug/kg	54.1	06/11/21 13:06	
EPA 8082	PCB-1254 (Aroclor 1254)	43.4J	ug/kg	54.1	06/11/21 13:06	
EPA 8082	PCB-1260 (Aroclor 1260)	24.5J	ug/kg	54.1	06/11/21 13:06	
EPA 8082	PCB, Total	104	ug/kg	54.1	06/11/21 13:06	
EPA 6010D	Lead	17.0	mg/kg	2.1	06/09/21 21:50	
EPA 7471	Mercury	0.13	mg/kg	0.038	06/17/21 10:52	
ASTM D2974-87	Percent Moisture	7.4	%	0.10	06/08/21 14:39	
40228050034	SB21-RINS-08					
EPA 6020	Lead	1.3	ug/L	1.0	06/10/21 23:04	
40228050035	SB21-66-01-18					
EPA 8082	PCB-1248 (Aroclor 1248)	84.6	ug/kg	54.7	06/11/21 16:01	
EPA 8082	PCB-1254 (Aroclor 1254)	143	ug/kg	54.7	06/11/21 16:01	
EPA 8082	PCB-1260 (Aroclor 1260)	94.0	ug/kg	54.7	06/11/21 16:01	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 7311200028 GP ASHWAUBENON
 Pace Project No.: 40228050

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40228050035	SB21-66-01-18					
EPA 8082	PCB, Total	322	ug/kg	54.7	06/11/21 16:01	
EPA 6010D	Lead	56.1	mg/kg	2.1	06/09/21 22:30	
EPA 7471	Mercury	0.56	mg/kg	0.035	06/17/21 11:32	
ASTM D2974-87	Percent Moisture	8.9	%	0.10	06/08/21 14:39	
40228050036	SB21-DUP-07					
EPA 8082	PCB-1248 (Aroclor 1248)	144	ug/kg	55.0	06/11/21 16:23	
EPA 8082	PCB-1254 (Aroclor 1254)	194	ug/kg	55.0	06/11/21 16:23	
EPA 8082	PCB-1260 (Aroclor 1260)	120	ug/kg	55.0	06/11/21 16:23	
EPA 8082	PCB, Total	458	ug/kg	55.0	06/11/21 16:23	
EPA 6010D	Lead	50.1	mg/kg	2.1	06/10/21 08:33	
EPA 7471	Mercury	0.35	mg/kg	0.037	06/17/21 11:34	
ASTM D2974-87	Percent Moisture	9.1	%	0.10	06/08/21 14:39	
40228050037	RINS21-IDW-0605					
EPA 6020	Arsenic	12.6	ug/L	10.0	06/11/21 18:52	
EPA 6020	Barium	336	ug/L	23.3	06/11/21 18:52	
EPA 6020	Cadmium	12.1	ug/L	10.0	06/11/21 18:52	
EPA 6020	Chromium	136	ug/L	34.0	06/11/21 18:52	
EPA 6020	Lead	281	ug/L	10.0	06/11/21 18:52	
EPA 6020	Selenium	6.8J	ug/L	10.6	06/11/21 18:52	D3
EPA 6020	Silver	3.5J	ug/L	5.0	06/11/21 18:52	D3
EPA 7470	Mercury	2.5	ug/L	0.20	06/14/21 10:01	
EPA 1010	Flashpoint	>200	deg F		06/09/21 12:53	
SM 2540D	Total Suspended Solids	247	mg/L	16.7	06/08/21 15:20	
SM 4500-H+B	pH at 25 Degrees C	9.2	Std. Units	0.10	06/10/21 11:25	H6
EPA 410.4	Chemical Oxygen Demand	2720	mg/L	1000	06/18/21 10:37	
40228050039	SB21-IDW-0605					
EPA 8082	PCB-1248 (Aroclor 1248)	717	ug/kg	53.0	06/11/21 16:44	
EPA 8082	PCB-1254 (Aroclor 1254)	440	ug/kg	53.0	06/11/21 16:44	
EPA 8082	PCB-1260 (Aroclor 1260)	224	ug/kg	53.0	06/11/21 16:44	
EPA 8082	PCB, Total	1380	ug/kg	53.0	06/11/21 16:44	
EPA 6010D	Arsenic	0.013J	mg/L	0.025	06/14/21 12:57	
EPA 6010D	Barium	1.1	mg/L	0.0050	06/14/21 12:57	
EPA 6010D	Cadmium	0.058	mg/L	0.0050	06/14/21 12:57	
EPA 6010D	Chromium	0.011	mg/L	0.010	06/14/21 12:57	
EPA 6010D	Lead	0.11	mg/L	0.020	06/14/21 12:57	
ASTM D2974-87	Percent Moisture	5.6	%	0.10	06/08/21 14:39	
EPA 1010	Flashpoint	>200	deg F		06/09/21 13:24	1q
EPA 9045	pH at 25 Degrees C	7.93	Std. Units	0.100	06/11/21 10:05	H6,PI

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 8082

Description: 8082 GCS PCB

Client: Wood - MN

Date: June 28, 2021

General Information:

38 samples were analyzed for EPA 8082 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

The samples were prepared in accordance with EPA 3541 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 388991

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 6010D

Description: 6010D MET ICP

Client: Wood - MN

Date: June 28, 2021

General Information:

33 samples were analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Method: EPA 6010D
Description: 6010D MET ICP, TCLP
Client: Wood - MN
Date: June 28, 2021

General Information:

1 sample was analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010A with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 6020

Description: 6020 MET ICPMS

Client: Wood - MN

Date: June 28, 2021

General Information:

4 samples were analyzed for EPA 6020 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 387565

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- RINS21-IDW-0605 (Lab ID: 40228050037)
 - Silver
 - Selenium

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 7470

Description: 7470 Mercury, TCLP

Client: Wood - MN

Date: June 28, 2021

General Information:

1 sample was analyzed for EPA 7470 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 7470

Description: 7470 Mercury

Client: Wood - MN

Date: June 28, 2021

General Information:

4 samples were analyzed for EPA 7470 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 7471

Description: 7471 Mercury

Client: Wood - MN

Date: June 28, 2021

General Information:

33 samples were analyzed for EPA 7471 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 8270E

Description: 8270E MSSV TCLP Sep Funnel

Client: Wood - MN

Date: June 28, 2021

General Information:

1 sample was analyzed for EPA 8270E by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 8260

Description: 8260 MSV Med Level Normal List

Client: Wood - MN

Date: June 28, 2021

General Information:

2 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 5035/5030B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 387606

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40228050039

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2235919)
 - 1,1,2-Trichloroethane
 - 1,1-Dichloroethane
 - 1,1-Dichloroethene
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,2-Dichloropropane
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 8260

Description: 8260 MSV Med Level Normal List

Client: Wood - MN

Date: June 28, 2021

QC Batch: 387606

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40228050039

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- Benzene
- Chlorobenzene
- Chloroform
- Ethylbenzene
- Isopropylbenzene (Cumene)
- Styrene
- Tetrachloroethene
- Toluene
- m&p-Xylene
- o-Xylene
- MSD (Lab ID: 2235920)
 - 1,1,2,2-Tetrachloroethane
 - 1,1,2-Trichloroethane
 - 1,1-Dichloroethane
 - 1,1-Dichloroethene
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromoethane (EDB)
 - 1,2-Dichlorobenzene
 - 1,2-Dichloropropane
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - Benzene
 - Chlorobenzene
 - Chloroform
 - Ethylbenzene
 - Isopropylbenzene (Cumene)
 - Styrene
 - Tetrachloroethene
 - Toluene
 - cis-1,3-Dichloropropene
 - m&p-Xylene
 - o-Xylene
 - trans-1,3-Dichloropropene

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 8260

Description: 8260 MSV TCLP

Client: Wood - MN

Date: June 28, 2021

General Information:

1 sample was analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 8260

Description: 8260 MSV

Client: Wood - MN

Date: June 28, 2021

General Information:

2 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 387585

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40228121003

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2237119)
 - Bromomethane
 - Vinyl chloride
- MSD (Lab ID: 2237120)
 - 1,1-Dichloroethane
 - Bromomethane

R1: RPD value was outside control limits.

- MSD (Lab ID: 2237120)
 - 1,1-Dichloroethane

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 1010

Description: 1010 Flashpoint,Closed Cup

Client: Wood - MN

Date: June 28, 2021

General Information:

2 samples were analyzed for EPA 1010 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 387470

1q: Use of method EPA 1010A for flashpoint on solid samples is for informational purposes only. It is the user's responsibility to verify the acceptance of this data for intended use.

- SB21-IDW-0605 (Lab ID: 40228050039)
- Flashpoint

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: SM 2540D

Description: 2540D Total Suspended Solids

Client: Wood - MN

Date: June 28, 2021

General Information:

1 sample was analyzed for SM 2540D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: SM 4500-H+B

Description: 4500H+ pH, Electrometric

Client: Wood - MN

Date: June 28, 2021

General Information:

1 sample was analyzed for SM 4500-H+B by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H6: Analysis initiated outside of the 15 minute EPA required holding time.

- RINS21-IDW-0605 (Lab ID: 40228050037)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 9045

Description: 9045 pH Soil

Client: Wood - MN

Date: June 28, 2021

General Information:

1 sample was analyzed for EPA 9045 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H6: Analysis initiated outside of the 15 minute EPA required holding time.

- SB21-IDW-0605 (Lab ID: 40228050039)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Method: EPA 410.4

Description: 410.4 COD

Client: Wood - MN

Date: June 28, 2021

General Information:

1 sample was analyzed for EPA 410.4 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 410.4 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-44-01-18 **Lab ID: 40228050001** Collected: 06/03/21 16:20 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.3	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.3	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.3	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.3	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	53469-21-9	
PCB-1248 (Aroclor 1248)	76.3	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	12672-29-6	
PCB-1254 (Aroclor 1254)	118	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	11097-69-1	
PCB-1260 (Aroclor 1260)	82.2	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	11096-82-5	
PCB, Total	277	ug/kg	56.7	17.3	1	06/09/21 05:57	06/09/21 17:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		1	06/09/21 05:57	06/09/21 17:14	877-09-8	
Decachlorobiphenyl (S)	76	%	47-114		1	06/09/21 05:57	06/09/21 17:14	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	49.5	mg/kg	2.2	0.67	1	06/09/21 05:44	06/10/21 09:31	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.49	mg/kg	0.040	0.011	1	06/16/21 12:00	06/17/21 09:47	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.7	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-45-01-18 **Lab ID: 40228050002** Collected: 06/04/21 07:35 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.8	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.8	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.8	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.8	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	53469-21-9	
PCB-1248 (Aroclor 1248)	98.9	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	12672-29-6	
PCB-1254 (Aroclor 1254)	137	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	11097-69-1	
PCB-1260 (Aroclor 1260)	80.1	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	11096-82-5	
PCB, Total	316	ug/kg	58.5	17.8	1	06/09/21 05:57	06/09/21 18:19	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 05:57	06/09/21 18:19	877-09-8	
Decachlorobiphenyl (S)	78	%	47-114		1	06/09/21 05:57	06/09/21 18:19	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	42.9	mg/kg	2.2	0.67	1	06/09/21 05:44	06/10/21 09:40	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.40	mg/kg	0.039	0.011	1	06/16/21 12:00	06/17/21 09:54	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.7	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-46-01-18 **Lab ID: 40228050003** Collected: 06/04/21 07:40 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	53469-21-9	
PCB-1248 (Aroclor 1248)	88.1	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	12672-29-6	
PCB-1254 (Aroclor 1254)	156	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	11097-69-1	
PCB-1260 (Aroclor 1260)	87.9	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	11096-82-5	
PCB, Total	332	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:35	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	67-102		1	06/09/21 05:57	06/09/21 21:35	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	06/09/21 05:57	06/09/21 21:35	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	46.3	mg/kg	2.3	0.68	1	06/09/21 05:44	06/10/21 09:45	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.57	mg/kg	0.041	0.012	1	06/16/21 12:00	06/17/21 09:57	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.5	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-47-01-18 **Lab ID: 40228050004** Collected: 06/04/21 08:00 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.8	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	12672-29-6	
PCB-1254 (Aroclor 1254)	39.8J	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	11097-69-1	
PCB-1260 (Aroclor 1260)	37.1J	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	11096-82-5	
PCB, Total	76.9	ug/kg	58.6	17.8	1	06/09/21 05:57	06/09/21 21:57	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 05:57	06/09/21 21:57	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/09/21 05:57	06/09/21 21:57	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	33.7	mg/kg	2.3	0.69	1	06/09/21 05:44	06/10/21 09:52	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.29	mg/kg	0.037	0.011	1	06/16/21 12:00	06/17/21 09:59	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.6	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-48-01-18 **Lab ID: 40228050005** Collected: 06/04/21 08:15 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<19.0	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	12674-11-2	
PCB-1221 (Aroclor 1221)	<19.0	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	11104-28-2	
PCB-1232 (Aroclor 1232)	<19.0	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	11141-16-5	
PCB-1242 (Aroclor 1242)	<19.0	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	53469-21-9	
PCB-1248 (Aroclor 1248)	315	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	12672-29-6	
PCB-1254 (Aroclor 1254)	191	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	11097-69-1	
PCB-1260 (Aroclor 1260)	134	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	11096-82-5	
PCB, Total	640	ug/kg	62.5	19.0	1	06/09/21 05:57	06/09/21 22:19	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	67-102		1	06/09/21 05:57	06/09/21 22:19	877-09-8	
Decachlorobiphenyl (S)	77	%	47-114		1	06/09/21 05:57	06/09/21 22:19	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	96.7	mg/kg	2.5	0.74	1	06/09/21 05:44	06/10/21 09:54	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.72	mg/kg	0.042	0.012	1	06/16/21 12:00	06/17/21 11:53	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.2	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-49-01-18 **Lab ID: 40228050006** Collected: 06/04/21 08:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	53469-21-9	
PCB-1248 (Aroclor 1248)	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	12672-29-6	
PCB-1254 (Aroclor 1254)	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	11097-69-1	
PCB-1260 (Aroclor 1260)	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	11096-82-5	
PCB, Total	<18.0	ug/kg	59.0	18.0	1	06/09/21 05:57	06/09/21 22:40	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	67-102		1	06/09/21 05:57	06/09/21 22:40	877-09-8	
Decachlorobiphenyl (S)	79	%	47-114		1	06/09/21 05:57	06/09/21 22:40	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	10.3	mg/kg	2.3	0.70	1	06/09/21 05:44	06/10/21 09:57	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.032J	mg/kg	0.041	0.012	1	06/16/21 12:00	06/17/21 10:08	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.4	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-50-01-18 **Lab ID: 40228050007** Collected: 06/04/21 09:05 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	53469-21-9	
PCB-1248 (Aroclor 1248)	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	12672-29-6	
PCB-1254 (Aroclor 1254)	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	11097-69-1	
PCB-1260 (Aroclor 1260)	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	11096-82-5	
PCB, Total	<16.6	ug/kg	54.6	16.6	1	06/09/21 05:57	06/09/21 23:02	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	67-102		1	06/09/21 05:57	06/09/21 23:02	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	06/09/21 05:57	06/09/21 23:02	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	6.9	mg/kg	2.2	0.65	1	06/09/21 05:44	06/10/21 09:59	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.043	mg/kg	0.038	0.011	1	06/16/21 12:00	06/17/21 10:10	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.5	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-52-01-18 **Lab ID: 40228050008** Collected: 06/04/21 10:00 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.2	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.2	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.2	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.2	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	53469-21-9	
PCB-1248 (Aroclor 1248)	44.0J	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	12672-29-6	
PCB-1254 (Aroclor 1254)	32.2J	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	11097-69-1	
PCB-1260 (Aroclor 1260)	18.4J	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	11096-82-5	
PCB, Total	94.6	ug/kg	59.7	18.2	1	06/09/21 05:57	06/09/21 23:24	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 05:57	06/09/21 23:24	877-09-8	
Decachlorobiphenyl (S)	85	%	47-114		1	06/09/21 05:57	06/09/21 23:24	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	15.2	mg/kg	2.3	0.69	1	06/09/21 05:44	06/10/21 10:02	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.10	mg/kg	0.037	0.011	1	06/16/21 12:00	06/17/21 10:13	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.4	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-54-01-18 **Lab ID: 40228050009** Collected: 06/04/21 10:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.3	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.3	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.3	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.3	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	53469-21-9	
PCB-1248 (Aroclor 1248)	124	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	12672-29-6	
PCB-1254 (Aroclor 1254)	117	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	11097-69-1	
PCB-1260 (Aroclor 1260)	62.5	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	11096-82-5	
PCB, Total	303	ug/kg	60.2	18.3	1	06/09/21 05:57	06/09/21 23:46	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	67-102		1	06/09/21 05:57	06/09/21 23:46	877-09-8	
Decachlorobiphenyl (S)	80	%	47-114		1	06/09/21 05:57	06/09/21 23:46	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	7.3	mg/kg	2.2	0.66	1	06/09/21 05:44	06/10/21 10:04	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.15	mg/kg	0.040	0.011	1	06/16/21 12:00	06/17/21 10:15	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	17.1	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-55-01-18 **Lab ID: 40228050010** Collected: 06/04/21 10:40 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	12672-29-6	
PCB-1254 (Aroclor 1254)	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	11096-82-5	
PCB, Total	<17.6	ug/kg	57.9	17.6	1	06/09/21 15:46	06/10/21 16:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	67-102		1	06/09/21 15:46	06/10/21 16:25	877-09-8	
Decachlorobiphenyl (S)	76	%	47-114		1	06/09/21 15:46	06/10/21 16:25	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	13.8	mg/kg	2.1	0.64	1	06/09/21 05:44	06/10/21 10:06	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.022J	mg/kg	0.040	0.011	1	06/16/21 12:00	06/17/21 10:17	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.6	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-56-01-18 **Lab ID: 40228050011** Collected: 06/04/21 10:55 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	53469-21-9	
PCB-1248 (Aroclor 1248)	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	12672-29-6	
PCB-1254 (Aroclor 1254)	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	11097-69-1	
PCB-1260 (Aroclor 1260)	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	11096-82-5	
PCB, Total	<18.3	ug/kg	60.0	18.3	1	06/09/21 15:46	06/10/21 16:47	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	76	%	67-102		1	06/09/21 15:46	06/10/21 16:47	877-09-8	
Decachlorobiphenyl (S)	76	%	47-114		1	06/09/21 15:46	06/10/21 16:47	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	13.3	mg/kg	2.3	0.70	1	06/09/21 05:44	06/10/21 10:09	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.13	mg/kg	0.040	0.011	1	06/16/21 12:00	06/17/21 10:20	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.7	%	0.10	0.10	1		06/08/21 14:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-57-01-18 **Lab ID: 40228050012** Collected: 06/04/21 11:15 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	12672-29-6	
PCB-1254 (Aroclor 1254)	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	11096-82-5	
PCB, Total	<17.0	ug/kg	55.9	17.0	1	06/09/21 15:46	06/10/21 17:09	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	67-102		1	06/09/21 15:46	06/10/21 17:09	877-09-8	
Decachlorobiphenyl (S)	77	%	47-114		1	06/09/21 15:46	06/10/21 17:09	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	7.3	mg/kg	2.2	0.66	1	06/09/21 05:44	06/10/21 10:11	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.087	mg/kg	0.038	0.011	1	06/16/21 12:00	06/17/21 10:22	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.5	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-58-01-18 **Lab ID: 40228050013** Collected: 06/04/21 11:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.7	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.7	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.7	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.7	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	53469-21-9	
PCB-1248 (Aroclor 1248)	43.7J	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	12672-29-6	
PCB-1254 (Aroclor 1254)	25.0J	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.7	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	11096-82-5	
PCB, Total	68.8	ug/kg	58.2	17.7	1	06/09/21 15:46	06/10/21 17:31	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	67-102		1	06/09/21 15:46	06/10/21 17:31	877-09-8	
Decachlorobiphenyl (S)	70	%	47-114		1	06/09/21 15:46	06/10/21 17:31	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	7.9	mg/kg	2.1	0.64	1	06/09/21 05:44	06/10/21 10:14	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.11	mg/kg	0.038	0.011	1	06/16/21 12:00	06/17/21 10:24	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.2	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-59-01-18 **Lab ID: 40228050014** Collected: 06/04/21 11:35 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	12672-29-6	
PCB-1254 (Aroclor 1254)	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	11096-82-5	
PCB, Total	<17.9	ug/kg	58.9	17.9	1	06/09/21 15:46	06/10/21 17:52	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 15:46	06/10/21 17:52	877-09-8	
Decachlorobiphenyl (S)	84	%	47-114		1	06/09/21 15:46	06/10/21 17:52	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	14.3	mg/kg	2.3	0.70	1	06/09/21 05:44	06/10/21 10:21	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.074	mg/kg	0.040	0.011	1	06/16/21 12:00	06/17/21 10:27	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.3	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-64-01-18 **Lab ID: 40228050015** Collected: 06/04/21 13:20 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	12672-29-6	
PCB-1254 (Aroclor 1254)	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	11096-82-5	
PCB, Total	<18.0	ug/kg	59.0	18.0	1	06/09/21 15:46	06/10/21 18:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	67-102		1	06/09/21 15:46	06/10/21 18:14	877-09-8	
Decachlorobiphenyl (S)	73	%	47-114		1	06/09/21 15:46	06/10/21 18:14	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	12.7	mg/kg	2.2	0.67	1	06/09/21 05:44	06/10/21 10:23	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.060	mg/kg	0.038	0.011	1	06/16/21 12:00	06/17/21 10:29	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.2	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-DUP-05 **Lab ID: 40228050016** Collected: 06/04/21 12:05 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	53469-21-9	
PCB-1248 (Aroclor 1248)	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	12672-29-6	
PCB-1254 (Aroclor 1254)	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	11097-69-1	
PCB-1260 (Aroclor 1260)	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	11096-82-5	
PCB, Total	<17.1	ug/kg	56.2	17.1	1	06/09/21 15:46	06/10/21 19:42	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 15:46	06/10/21 19:42	877-09-8	
Decachlorobiphenyl (S)	81	%	47-114		1	06/09/21 15:46	06/10/21 19:42	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	12.2	mg/kg	2.1	0.63	1	06/09/21 05:44	06/10/21 10:26	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.052	mg/kg	0.035	0.010	1	06/16/21 12:00	06/17/21 10:36	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.2	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-68-01-18 **Lab ID: 40228050017** Collected: 06/04/21 14:10 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.9	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.9	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.9	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.9	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	53469-21-9	
PCB-1248 (Aroclor 1248)	18.8J	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	12672-29-6	
PCB-1254 (Aroclor 1254)	32.8J	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	11097-69-1	
PCB-1260 (Aroclor 1260)	<16.9	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	11096-82-5	
PCB, Total	51.6J	ug/kg	55.5	16.9	1	06/09/21 15:46	06/10/21 20:03	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	67-102		1	06/09/21 15:46	06/10/21 20:03	877-09-8	
Decachlorobiphenyl (S)	76	%	47-114		1	06/09/21 15:46	06/10/21 20:03	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	23.3	mg/kg	2.2	0.66	1	06/09/21 05:44	06/10/21 10:28	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.12	mg/kg	0.035	0.010	1	06/16/21 12:00	06/17/21 10:38	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.8	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-RINS-06 **Lab ID: 40228050018** Collected: 06/04/21 14:45 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	11096-82-5	
PCB, Total	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 09:46	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	28-124		1	06/25/21 11:59	06/28/21 09:46	877-09-8	
Decachlorobiphenyl (S)	22	%	10-73		1	06/25/21 11:59	06/28/21 09:46	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Lead	0.26J	ug/L	1.0	0.24	1	06/10/21 06:10	06/11/21 19:20	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/11/21 10:10	06/14/21 09:49	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-70-01-18 **Lab ID: 40228050019** Collected: 06/04/21 15:05 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.2	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.2	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.2	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.2	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	53469-21-9	
PCB-1248 (Aroclor 1248)	109	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	12672-29-6	
PCB-1254 (Aroclor 1254)	52.9J	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	11097-69-1	
PCB-1260 (Aroclor 1260)	30.5J	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	11096-82-5	
PCB, Total	193	ug/kg	56.6	17.2	1	06/09/21 15:46	06/10/21 20:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 15:46	06/10/21 20:25	877-09-8	
Decachlorobiphenyl (S)	77	%	47-114		1	06/09/21 15:46	06/10/21 20:25	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	13.9	mg/kg	2.2	0.65	1	06/09/21 05:44	06/10/21 10:30	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.10	mg/kg	0.037	0.011	1	06/16/21 12:00	06/17/21 10:41	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.5	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-71-01-18 **Lab ID: 40228050020** Collected: 06/04/21 15:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.2	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.2	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.2	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.2	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	53469-21-9	
PCB-1248 (Aroclor 1248)	<16.2	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	12672-29-6	
PCB-1254 (Aroclor 1254)	18.6J	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	11097-69-1	
PCB-1260 (Aroclor 1260)	<16.2	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	11096-82-5	
PCB, Total	18.6J	ug/kg	53.3	16.2	1	06/09/21 15:46	06/10/21 20:47	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	67-102		1	06/09/21 15:46	06/10/21 20:47	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	06/09/21 15:46	06/10/21 20:47	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	9.3	mg/kg	2.0	0.61	1	06/09/21 05:44	06/10/21 10:33	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.036J	mg/kg	0.036	0.010	1	06/16/21 12:00	06/17/21 10:43	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.1	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-72-01-18 **Lab ID: 40228050021** Collected: 06/04/21 15:45 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.3	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.3	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.3	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.3	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	53469-21-9	
PCB-1248 (Aroclor 1248)	35.9J	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	12672-29-6	
PCB-1254 (Aroclor 1254)	88.3	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	11097-69-1	
PCB-1260 (Aroclor 1260)	62.2	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	11096-82-5	
PCB, Total	186	ug/kg	56.9	17.3	1	06/09/21 15:46	06/10/21 21:09	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	67-102		1	06/09/21 15:46	06/10/21 21:09	877-09-8	
Decachlorobiphenyl (S)	76	%	47-114		1	06/09/21 15:46	06/10/21 21:09	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	71.5	mg/kg	2.2	0.66	1	06/09/21 05:44	06/10/21 10:35	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.72	mg/kg	0.038	0.011	1	06/16/21 12:00	06/17/21 10:45	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.4	%	0.10	0.10	1		06/08/21 14:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-73-01-18 **Lab ID: 40228050022** Collected: 06/04/21 16:00 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.8	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.8	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.8	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.8	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	53469-21-9	
PCB-1248 (Aroclor 1248)	98.7	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	12672-29-6	
PCB-1254 (Aroclor 1254)	116	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	11097-69-1	
PCB-1260 (Aroclor 1260)	74.8	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	11096-82-5	
PCB, Total	289	ug/kg	55.0	16.8	1	06/09/21 15:46	06/10/21 21:31	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 15:46	06/10/21 21:31	877-09-8	
Decachlorobiphenyl (S)	72	%	47-114		1	06/09/21 15:46	06/10/21 21:31	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	45.9	mg/kg	2.2	0.66	1	06/09/21 05:44	06/09/21 21:59	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.52	mg/kg	0.036	0.010	1	06/16/21 13:05	06/17/21 11:04	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.4	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-74-01-18 **Lab ID: 40228050023** Collected: 06/04/21 16:15 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	53469-21-9	
PCB-1248 (Aroclor 1248)	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	12672-29-6	
PCB-1254 (Aroclor 1254)	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	11097-69-1	
PCB-1260 (Aroclor 1260)	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	11096-82-5	
PCB, Total	<16.4	ug/kg	54.0	16.4	1	06/09/21 15:46	06/10/21 18:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		1	06/09/21 15:46	06/10/21 18:36	877-09-8	
Decachlorobiphenyl (S)	83	%	47-114		1	06/09/21 15:46	06/10/21 18:36	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	10.5	mg/kg	2.1	0.64	1	06/09/21 05:44	06/09/21 22:08	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.035	mg/kg	0.035	0.0099	1	06/16/21 13:05	06/17/21 11:06	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.7	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-77-01-18 **Lab ID: 40228050024** Collected: 06/04/21 16:55 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.1	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.1	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.1	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.1	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	53469-21-9	
PCB-1248 (Aroclor 1248)	215	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	12672-29-6	
PCB-1254 (Aroclor 1254)	228	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	11097-69-1	
PCB-1260 (Aroclor 1260)	121	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	11096-82-5	
PCB, Total	563	ug/kg	56.3	17.1	1	06/09/21 15:46	06/10/21 21:52	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 15:46	06/10/21 21:52	877-09-8	
Decachlorobiphenyl (S)	75	%	47-114		1	06/09/21 15:46	06/10/21 21:52	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	62.3	mg/kg	2.2	0.66	1	06/09/21 05:44	06/09/21 22:11	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.59	mg/kg	0.036	0.010	1	06/16/21 13:05	06/17/21 11:08	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.4	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-78-01-18 **Lab ID: 40228050025** Collected: 06/04/21 17:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.6	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.6	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.6	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.6	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	53469-21-9	
PCB-1248 (Aroclor 1248)	75.0	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	12672-29-6	
PCB-1254 (Aroclor 1254)	120	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	11097-69-1	
PCB-1260 (Aroclor 1260)	51.7J	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	11096-82-5	
PCB, Total	246	ug/kg	57.7	17.6	1	06/09/21 15:46	06/10/21 22:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	67-102		1	06/09/21 15:46	06/10/21 22:14	877-09-8	
Decachlorobiphenyl (S)	70	%	47-114		1	06/09/21 15:46	06/10/21 22:14	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	40.3	mg/kg	2.2	0.67	1	06/09/21 05:44	06/09/21 22:13	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.39	mg/kg	0.039	0.011	1	06/16/21 13:05	06/17/21 11:11	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.2	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-81-01-18 **Lab ID: 40228050026** Collected: 06/05/21 07:45 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.2	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.2	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.2	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.2	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	53469-21-9	
PCB-1248 (Aroclor 1248)	90.9	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	12672-29-6	
PCB-1254 (Aroclor 1254)	142	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	11097-69-1	
PCB-1260 (Aroclor 1260)	79.7	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	11096-82-5	
PCB, Total	313	ug/kg	56.5	17.2	1	06/09/21 15:46	06/10/21 22:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	67-102		1	06/09/21 15:46	06/10/21 22:36	877-09-8	
Decachlorobiphenyl (S)	75	%	47-114		1	06/09/21 15:46	06/10/21 22:36	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	70.2	mg/kg	2.2	0.67	1	06/09/21 05:44	06/09/21 22:16	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.72	mg/kg	0.037	0.011	1	06/16/21 13:05	06/17/21 11:13	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.7	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-84-01-18 **Lab ID: 40228050027** Collected: 06/05/21 08:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.3	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.3	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.3	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.3	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	53469-21-9	
PCB-1248 (Aroclor 1248)	200	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	12672-29-6	
PCB-1254 (Aroclor 1254)	311	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	11097-69-1	
PCB-1260 (Aroclor 1260)	133	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	11096-82-5	
PCB, Total	644	ug/kg	56.7	17.3	1	06/09/21 15:46	06/10/21 22:58	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	67-102		1	06/09/21 15:46	06/10/21 22:58	877-09-8	
Decachlorobiphenyl (S)	72	%	47-114		1	06/09/21 15:46	06/10/21 22:58	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	75.8	mg/kg	2.2	0.65	1	06/09/21 05:44	06/09/21 22:18	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	1.2	mg/kg	0.039	0.011	1	06/16/21 13:05	06/17/21 11:15	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.7	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-DUP-06 **Lab ID: 40228050028** Collected: 06/05/21 12:06 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.0	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.0	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.0	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.0	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	53469-21-9	
PCB-1248 (Aroclor 1248)	170	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	12672-29-6	
PCB-1254 (Aroclor 1254)	349	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	11097-69-1	
PCB-1260 (Aroclor 1260)	129	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	11096-82-5	
PCB, Total	648	ug/kg	55.8	17.0	1	06/09/21 15:46	06/10/21 23:19	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	67-102		1	06/09/21 15:46	06/10/21 23:19	877-09-8	
Decachlorobiphenyl (S)	74	%	47-114		1	06/09/21 15:46	06/10/21 23:19	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	74.8	mg/kg	2.2	0.66	1	06/09/21 05:44	06/09/21 22:21	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.78	mg/kg	0.038	0.011	1	06/16/21 13:05	06/17/21 11:18	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.4	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-RINS-07 **Lab ID: 40228050029** Collected: 06/05/21 08:55 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	11096-82-5	
PCB, Total	<0.11	ug/L	0.48	0.11	1	06/25/21 11:59	06/28/21 10:04	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	28-124		1	06/25/21 11:59	06/28/21 10:04	877-09-8	
Decachlorobiphenyl (S)	17	%	10-73		1	06/25/21 11:59	06/28/21 10:04	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Lead	0.24J	ug/L	1.0	0.24	1	06/10/21 06:10	06/10/21 22:43	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/11/21 10:10	06/14/21 09:52	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-85-01-18 **Lab ID: 40228050030** Collected: 06/05/21 09:10 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.8	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.8	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.8	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.8	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	53469-21-9	
PCB-1248 (Aroclor 1248)	571	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	12672-29-6	
PCB-1254 (Aroclor 1254)	584	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	11097-69-1	
PCB-1260 (Aroclor 1260)	249	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	11096-82-5	
PCB, Total	1400	ug/kg	58.4	17.8	1	06/09/21 15:46	06/10/21 23:41	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	67-102		1	06/09/21 15:46	06/10/21 23:41	877-09-8	
Decachlorobiphenyl (S)	72	%	47-114		1	06/09/21 15:46	06/10/21 23:41	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	129	mg/kg	2.2	0.66	1	06/09/21 05:44	06/09/21 22:23	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	1.5	mg/kg	0.040	0.011	1	06/16/21 13:05	06/17/21 11:20	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.4	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-83-01-18 **Lab ID: 40228050031** Collected: 06/05/21 09:30 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.5	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.5	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.5	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.5	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	53469-21-9	
PCB-1248 (Aroclor 1248)	28.7J	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	12672-29-6	
PCB-1254 (Aroclor 1254)	47.2J	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	11097-69-1	
PCB-1260 (Aroclor 1260)	33.0J	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	11096-82-5	
PCB, Total	109	ug/kg	57.6	17.5	1	06/10/21 12:11	06/11/21 13:28	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	67-102		1	06/10/21 12:11	06/11/21 13:28	877-09-8	
Decachlorobiphenyl (S)	69	%	47-114		1	06/10/21 12:11	06/11/21 13:28	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	29.6	mg/kg	2.2	0.67	1	06/09/21 05:44	06/09/21 22:25	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.19	mg/kg	0.038	0.011	1	06/16/21 13:05	06/17/21 11:22	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.2	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-30-01-18 **Lab ID: 40228050032** Collected: 06/05/21 11:30 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<17.5	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	12674-11-2	
PCB-1221 (Aroclor 1221)	<17.5	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	11104-28-2	
PCB-1232 (Aroclor 1232)	<17.5	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	11141-16-5	
PCB-1242 (Aroclor 1242)	<17.5	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	53469-21-9	
PCB-1248 (Aroclor 1248)	80.6	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	12672-29-6	
PCB-1254 (Aroclor 1254)	63.9	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	11097-69-1	
PCB-1260 (Aroclor 1260)	38.2J	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	11096-82-5	
PCB, Total	183	ug/kg	57.3	17.5	1	06/10/21 12:11	06/11/21 13:50	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	67-102		1	06/10/21 12:11	06/11/21 13:50	877-09-8	
Decachlorobiphenyl (S)	71	%	47-114		1	06/10/21 12:11	06/11/21 13:50	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	34.2	mg/kg	2.3	0.68	1	06/09/21 05:44	06/09/21 22:28	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.29	mg/kg	0.038	0.011	1	06/16/21 13:05	06/17/21 11:25	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.8	%	0.10	0.10	1		06/08/21 14:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-63-01-18 **Lab ID: 40228050033** Collected: 06/05/21 13:30 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.5	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.5	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.5	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.5	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	53469-21-9	
PCB-1248 (Aroclor 1248)	35.8J	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	12672-29-6	
PCB-1254 (Aroclor 1254)	43.4J	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	11097-69-1	
PCB-1260 (Aroclor 1260)	24.5J	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	11096-82-5	
PCB, Total	104	ug/kg	54.1	16.5	1	06/10/21 12:11	06/11/21 13:06	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	67-102		1	06/10/21 12:11	06/11/21 13:06	877-09-8	
Decachlorobiphenyl (S)	72	%	47-114		1	06/10/21 12:11	06/11/21 13:06	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	17.0	mg/kg	2.1	0.64	1	06/09/21 05:44	06/09/21 21:50	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.13	mg/kg	0.038	0.011	1	06/16/21 13:05	06/17/21 10:52	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.4	%	0.10	0.10	1		06/08/21 14:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-RINS-08 **Lab ID: 40228050034** Collected: 06/05/21 14:20 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	11096-82-5	
PCB, Total	<0.11	ug/L	0.49	0.11	1	06/25/21 11:59	06/28/21 10:22	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	28-124		1	06/25/21 11:59	06/28/21 10:22	877-09-8	
Decachlorobiphenyl (S)	27	%	10-73		1	06/25/21 11:59	06/28/21 10:22	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Lead	1.3	ug/L	1.0	0.24	1	06/10/21 06:10	06/10/21 23:04	7439-92-1	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/11/21 10:10	06/14/21 09:54	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-66-01-18 **Lab ID: 40228050035** Collected: 06/05/21 14:50 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.7	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.7	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.7	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.7	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	53469-21-9	
PCB-1248 (Aroclor 1248)	84.6	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	12672-29-6	
PCB-1254 (Aroclor 1254)	143	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	11097-69-1	
PCB-1260 (Aroclor 1260)	94.0	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	11096-82-5	
PCB, Total	322	ug/kg	54.7	16.7	1	06/10/21 12:11	06/11/21 16:01	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	67-102		1	06/10/21 12:11	06/11/21 16:01	877-09-8	
Decachlorobiphenyl (S)	75	%	47-114		1	06/10/21 12:11	06/11/21 16:01	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	56.1	mg/kg	2.1	0.63	1	06/09/21 05:44	06/09/21 22:30	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.56	mg/kg	0.035	0.010	1	06/16/21 13:05	06/17/21 11:32	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.9	%	0.10	0.10	1		06/08/21 14:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-DUP-07 **Lab ID: 40228050036** Collected: 06/05/21 12:07 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.7	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.7	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.7	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.7	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	53469-21-9	
PCB-1248 (Aroclor 1248)	144	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	12672-29-6	
PCB-1254 (Aroclor 1254)	194	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	11097-69-1	
PCB-1260 (Aroclor 1260)	120	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	11096-82-5	
PCB, Total	458	ug/kg	55.0	16.7	1	06/10/21 12:11	06/11/21 16:23	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	67-102		1	06/10/21 12:11	06/11/21 16:23	877-09-8	
Decachlorobiphenyl (S)	75	%	47-114		1	06/10/21 12:11	06/11/21 16:23	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Lead	50.1	mg/kg	2.1	0.64	1	06/09/21 05:44	06/10/21 08:33	7439-92-1	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.35	mg/kg	0.037	0.011	1	06/16/21 13:05	06/17/21 11:34	7439-97-6	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.1	%	0.10	0.10	1		06/08/21 14:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: RINS21-IDW-0605 **Lab ID: 40228050037** Collected: 06/05/21 16:30 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	12674-11-2	
PCB-1221 (Aroclor 1221)	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	11104-28-2	
PCB-1232 (Aroclor 1232)	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	11141-16-5	
PCB-1242 (Aroclor 1242)	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	53469-21-9	
PCB-1248 (Aroclor 1248)	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	12672-29-6	
PCB-1254 (Aroclor 1254)	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	11097-69-1	
PCB-1260 (Aroclor 1260)	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	11096-82-5	
PCB, Total	<1.1	ug/L	5.0	1.1	1	06/25/21 11:59	06/28/21 10:40	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	45	%	28-124		1	06/25/21 11:59	06/28/21 10:40	877-09-8	
Decachlorobiphenyl (S)	14	%	10-73		1	06/25/21 11:59	06/28/21 10:40	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic	12.6	ug/L	10.0	2.8	10	06/10/21 06:10	06/11/21 18:52	7440-38-2	
Barium	336	ug/L	23.3	7.0	10	06/10/21 06:10	06/11/21 18:52	7440-39-3	
Cadmium	12.1	ug/L	10.0	1.5	10	06/10/21 06:10	06/11/21 18:52	7440-43-9	
Chromium	136	ug/L	34.0	10.2	10	06/10/21 06:10	06/11/21 18:52	7440-47-3	
Lead	281	ug/L	10.0	2.4	10	06/10/21 06:10	06/11/21 18:52	7439-92-1	
Selenium	6.8J	ug/L	10.6	3.2	10	06/10/21 06:10	06/11/21 18:52	7782-49-2	D3
Silver	3.5J	ug/L	5.0	1.3	10	06/10/21 06:10	06/11/21 18:52	7440-22-4	D3
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	2.5	ug/L	0.20	0.066	1	06/11/21 10:10	06/14/21 10:01	7439-97-6	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/11/21 20:01	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/11/21 20:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		06/11/21 20:01	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/11/21 20:01	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		06/11/21 20:01	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/11/21 20:01	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/11/21 20:01	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/11/21 20:01	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/11/21 20:01	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/11/21 20:01	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/11/21 20:01	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/11/21 20:01	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		06/11/21 20:01	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/11/21 20:01	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/11/21 20:01	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/11/21 20:01	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/11/21 20:01	96-12-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: RINS21-IDW-0605 **Lab ID: 40228050037** Collected: 06/05/21 16:30 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/11/21 20:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/11/21 20:01	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/11/21 20:01	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/11/21 20:01	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/11/21 20:01	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/11/21 20:01	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/11/21 20:01	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/11/21 20:01	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/11/21 20:01	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/11/21 20:01	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/11/21 20:01	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/11/21 20:01	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/11/21 20:01	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/11/21 20:01	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		06/11/21 20:01	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/11/21 20:01	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		06/11/21 20:01	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		06/11/21 20:01	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/11/21 20:01	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/11/21 20:01	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/11/21 20:01	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/11/21 20:01	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/11/21 20:01	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/11/21 20:01	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/11/21 20:01	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		06/11/21 20:01	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/11/21 20:01	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/11/21 20:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/11/21 20:01	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/11/21 20:01	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/11/21 20:01	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/11/21 20:01	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/11/21 20:01	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/11/21 20:01	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/11/21 20:01	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		06/11/21 20:01	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/11/21 20:01	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/11/21 20:01	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		06/11/21 20:01	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/11/21 20:01	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/11/21 20:01	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/11/21 20:01	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/11/21 20:01	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/11/21 20:01	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: RINS21-IDW-0605 **Lab ID: 40228050037** Collected: 06/05/21 16:30 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		06/11/21 20:01	460-00-4	HS
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		06/11/21 20:01	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		06/11/21 20:01	2037-26-5	
1010 Flashpoint,Closed Cup									
Analytical Method: EPA 1010									
Pace Analytical Services - Green Bay									
Flashpoint	>200	deg F			1		06/09/21 12:53		
2540D Total Suspended Solids									
Analytical Method: SM 2540D									
Pace Analytical Services - Green Bay									
Total Suspended Solids	247	mg/L	16.7	7.9	1		06/08/21 15:20		
4500H+ pH, Electrometric									
Analytical Method: SM 4500-H+B									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	9.2	Std. Units	0.10	0.010	1		06/10/21 11:25		H6
410.4 COD									
Analytical Method: EPA 410.4 Preparation Method: EPA 410.4									
Pace Analytical Services - Green Bay									
Chemical Oxygen Demand	2720	mg/L	1000	295	1	06/18/21 06:55	06/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: IDW-TRIP-01 **Lab ID: 40228050038** Collected: 06/05/21 00:00 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/09/21 18:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		06/09/21 18:25	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		06/09/21 18:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		06/09/21 18:25	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		06/09/21 18:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		06/09/21 18:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		06/09/21 18:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/09/21 18:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		06/09/21 18:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/09/21 18:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		06/09/21 18:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		06/09/21 18:25	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		06/09/21 18:25	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		06/09/21 18:25	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/09/21 18:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		06/09/21 18:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		06/09/21 18:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		06/09/21 18:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		06/09/21 18:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		06/09/21 18:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		06/09/21 18:25	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		06/09/21 18:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		06/09/21 18:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		06/09/21 18:25	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		06/09/21 18:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		06/09/21 18:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		06/09/21 18:25	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		06/09/21 18:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		06/09/21 18:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		06/09/21 18:25	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		06/09/21 18:25	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		06/09/21 18:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		06/09/21 18:25	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		06/09/21 18:25	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		06/09/21 18:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		06/09/21 18:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/09/21 18:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		06/09/21 18:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		06/09/21 18:25	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		06/09/21 18:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		06/09/21 18:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		06/09/21 18:25	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		06/09/21 18:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		06/09/21 18:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		06/09/21 18:25	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: IDW-TRIP-01 **Lab ID: 40228050038** Collected: 06/05/21 00:00 Received: 06/08/21 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		06/09/21 18:25	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/09/21 18:25	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		06/09/21 18:25	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/09/21 18:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		06/09/21 18:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/09/21 18:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		06/09/21 18:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		06/09/21 18:25	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		06/09/21 18:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		06/09/21 18:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		06/09/21 18:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		06/09/21 18:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		06/09/21 18:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/09/21 18:25	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		06/09/21 18:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		06/09/21 18:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		06/09/21 18:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/09/21 18:25	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/09/21 18:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-IDW-0605 **Lab ID: 40228050039** Collected: 06/05/21 16:40 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<16.1	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	12674-11-2	
PCB-1221 (Aroclor 1221)	<16.1	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	11104-28-2	
PCB-1232 (Aroclor 1232)	<16.1	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	11141-16-5	
PCB-1242 (Aroclor 1242)	<16.1	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	53469-21-9	
PCB-1248 (Aroclor 1248)	717	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	12672-29-6	
PCB-1254 (Aroclor 1254)	440	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	11097-69-1	
PCB-1260 (Aroclor 1260)	224	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	11096-82-5	
PCB, Total	1380	ug/kg	53.0	16.1	1	06/10/21 12:11	06/11/21 16:44	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	67-102		1	06/10/21 12:11	06/11/21 16:44	877-09-8	
Decachlorobiphenyl (S)	75	%	47-114		1	06/10/21 12:11	06/11/21 16:44	2051-24-3	
6010D MET ICP, TCLP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 06/09/21 13:08									
Pace Analytical Services - Green Bay									
Arsenic	0.013J	mg/L	0.025	0.0084	1	06/11/21 07:58	06/14/21 12:57	7440-38-2	
Barium	1.1	mg/L	0.0050	0.0015	1	06/11/21 07:58	06/14/21 12:57	7440-39-3	
Cadmium	0.058	mg/L	0.0050	0.0013	1	06/11/21 07:58	06/14/21 12:57	7440-43-9	
Chromium	0.011	mg/L	0.010	0.0025	1	06/11/21 07:58	06/14/21 12:57	7440-47-3	
Lead	0.11	mg/L	0.020	0.0059	1	06/11/21 07:58	06/14/21 12:57	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	06/11/21 07:58	06/14/21 12:57	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	06/11/21 07:58	06/14/21 12:57	7440-22-4	
7470 Mercury, TCLP									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 06/09/21 13:08									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	06/11/21 10:10	06/14/21 08:24	7439-97-6	
8270E MSSV TCLP Sep Funnel									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Leachate Method/Date: EPA 1311; 06/09/21 13:08									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<14.4	ug/L	50.0	14.4	1	06/16/21 10:55	06/17/21 19:49	106-46-7	
2,4-Dinitrotoluene	<10.6	ug/L	50.0	10.6	1	06/16/21 10:55	06/17/21 19:49	121-14-2	
Hexachloro-1,3-butadiene	<16.5	ug/L	50.0	16.5	1	06/16/21 10:55	06/17/21 19:49	87-68-3	
Hexachlorobenzene	<11.5	ug/L	55.0	11.5	1	06/16/21 10:55	06/17/21 19:49	118-74-1	
Hexachloroethane	<14.2	ug/L	50.0	14.2	1	06/16/21 10:55	06/17/21 19:49	67-72-1	
2-Methylphenol(o-Cresol)	<9.3	ug/L	50.0	9.3	1	06/16/21 10:55	06/17/21 19:49	95-48-7	
3&4-Methylphenol(m&p Cresol)	<6.1	ug/L	50.0	6.1	1	06/16/21 10:55	06/17/21 19:49		
Nitrobenzene	<10.7	ug/L	50.0	10.7	1	06/16/21 10:55	06/17/21 19:49	98-95-3	
Pentachlorophenol	<45.5	ug/L	152	45.5	1	06/16/21 10:55	06/17/21 19:49	87-86-5	
Pyridine	<15.1	ug/L	50.0	15.1	1	06/16/21 10:55	06/17/21 19:49	110-86-1	
2,4,5-Trichlorophenol	<6.4	ug/L	50.0	6.4	1	06/16/21 10:55	06/17/21 19:49	95-95-4	
2,4,6-Trichlorophenol	<8.0	ug/L	50.0	8.0	1	06/16/21 10:55	06/17/21 19:49	88-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: SB21-IDW-0605 **Lab ID: 40228050039** Collected: 06/05/21 16:40 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV TCLP Sep Funnel									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Leachate Method/Date: EPA 1311; 06/09/21 13:08									
Pace Analytical Services - Green Bay									
Surrogates									
Nitrobenzene-d5 (S)	91	%	41-118		1	06/16/21 10:55	06/17/21 19:49	4165-60-0	
2-Fluorobiphenyl (S)	80	%	54-107		1	06/16/21 10:55	06/17/21 19:49	321-60-8	
2,4,6-Tribromophenol (S)	106	%	62-172		1	06/16/21 10:55	06/17/21 19:49	118-79-6	
Phenol-d6 (S)	36	%	12-120		1	06/16/21 10:55	06/17/21 19:49	13127-88-3	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<13.7	ug/kg	57.0	13.7	1	06/10/21 08:45	06/10/21 16:44	630-20-6	
1,1,1-Trichloroethane	<14.6	ug/kg	57.0	14.6	1	06/10/21 08:45	06/10/21 16:44	71-55-6	
1,1,2,2-Tetrachloroethane	<20.6	ug/kg	57.0	20.6	1	06/10/21 08:45	06/10/21 16:44	79-34-5	M1
1,1,2-Trichloroethane	<20.8	ug/kg	57.0	20.8	1	06/10/21 08:45	06/10/21 16:44	79-00-5	M1
1,1-Dichloroethane	<14.6	ug/kg	57.0	14.6	1	06/10/21 08:45	06/10/21 16:44	75-34-3	M1
1,1-Dichloroethene	<18.9	ug/kg	57.0	18.9	1	06/10/21 08:45	06/10/21 16:44	75-35-4	M1
1,1-Dichloropropene	<18.5	ug/kg	57.0	18.5	1	06/10/21 08:45	06/10/21 16:44	563-58-6	
1,2,3-Trichlorobenzene	<63.5	ug/kg	285	63.5	1	06/10/21 08:45	06/10/21 16:44	87-61-6	
1,2,3-Trichloropropane	<27.7	ug/kg	57.0	27.7	1	06/10/21 08:45	06/10/21 16:44	96-18-4	
1,2,4-Trichlorobenzene	<47.0	ug/kg	285	47.0	1	06/10/21 08:45	06/10/21 16:44	120-82-1	M1
1,2,4-Trimethylbenzene	<17.0	ug/kg	57.0	17.0	1	06/10/21 08:45	06/10/21 16:44	95-63-6	
1,2-Dibromo-3-chloropropane	<44.3	ug/kg	285	44.3	1	06/10/21 08:45	06/10/21 16:44	96-12-8	
1,2-Dibromoethane (EDB)	<15.6	ug/kg	57.0	15.6	1	06/10/21 08:45	06/10/21 16:44	106-93-4	M1
1,2-Dichlorobenzene	<17.7	ug/kg	57.0	17.7	1	06/10/21 08:45	06/10/21 16:44	95-50-1	M1
1,2-Dichloroethane	<13.1	ug/kg	57.0	13.1	1	06/10/21 08:45	06/10/21 16:44	107-06-2	
1,2-Dichloropropane	<13.6	ug/kg	57.0	13.6	1	06/10/21 08:45	06/10/21 16:44	78-87-5	M1
1,3,5-Trimethylbenzene	<18.4	ug/kg	57.0	18.4	1	06/10/21 08:45	06/10/21 16:44	108-67-8	
1,3-Dichlorobenzene	<15.6	ug/kg	57.0	15.6	1	06/10/21 08:45	06/10/21 16:44	541-73-1	M1
1,3-Dichloropropane	<12.4	ug/kg	57.0	12.4	1	06/10/21 08:45	06/10/21 16:44	142-28-9	
1,4-Dichlorobenzene	<15.6	ug/kg	57.0	15.6	1	06/10/21 08:45	06/10/21 16:44	106-46-7	M1
2,2-Dichloropropane	<15.4	ug/kg	57.0	15.4	1	06/10/21 08:45	06/10/21 16:44	594-20-7	
2-Chlorotoluene	<18.5	ug/kg	57.0	18.5	1	06/10/21 08:45	06/10/21 16:44	95-49-8	
4-Chlorotoluene	<21.7	ug/kg	57.0	21.7	1	06/10/21 08:45	06/10/21 16:44	106-43-4	
Benzene	<13.6	ug/kg	22.8	13.6	1	06/10/21 08:45	06/10/21 16:44	71-43-2	M1
Bromobenzene	<22.2	ug/kg	57.0	22.2	1	06/10/21 08:45	06/10/21 16:44	108-86-1	
Bromochloromethane	<15.6	ug/kg	57.0	15.6	1	06/10/21 08:45	06/10/21 16:44	74-97-5	
Bromodichloromethane	<13.6	ug/kg	57.0	13.6	1	06/10/21 08:45	06/10/21 16:44	75-27-4	
Bromoform	<251	ug/kg	285	251	1	06/10/21 08:45	06/10/21 16:44	75-25-2	
Bromomethane	<80.0	ug/kg	285	80.0	1	06/10/21 08:45	06/10/21 16:44	74-83-9	
Carbon tetrachloride	<12.5	ug/kg	57.0	12.5	1	06/10/21 08:45	06/10/21 16:44	56-23-5	
Chlorobenzene	<6.8	ug/kg	57.0	6.8	1	06/10/21 08:45	06/10/21 16:44	108-90-7	M1
Chloroethane	<24.1	ug/kg	285	24.1	1	06/10/21 08:45	06/10/21 16:44	75-00-3	
Chloroform	<40.8	ug/kg	285	40.8	1	06/10/21 08:45	06/10/21 16:44	67-66-3	M1
Chloromethane	<21.7	ug/kg	57.0	21.7	1	06/10/21 08:45	06/10/21 16:44	74-87-3	
Dibromochloromethane	<195	ug/kg	285	195	1	06/10/21 08:45	06/10/21 16:44	124-48-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-IDW-0605 **Lab ID: 40228050039** Collected: 06/05/21 16:40 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Dibromomethane	<16.9	ug/kg	57.0	16.9	1	06/10/21 08:45	06/10/21 16:44	74-95-3	
Dichlorodifluoromethane	<24.5	ug/kg	57.0	24.5	1	06/10/21 08:45	06/10/21 16:44	75-71-8	
Diisopropyl ether	<14.1	ug/kg	57.0	14.1	1	06/10/21 08:45	06/10/21 16:44	108-20-3	
Ethylbenzene	<13.6	ug/kg	57.0	13.6	1	06/10/21 08:45	06/10/21 16:44	100-41-4	M1
Hexachloro-1,3-butadiene	<113	ug/kg	285	113	1	06/10/21 08:45	06/10/21 16:44	87-68-3	
Isopropylbenzene (Cumene)	<15.4	ug/kg	57.0	15.4	1	06/10/21 08:45	06/10/21 16:44	98-82-8	M1
Methyl-tert-butyl ether	<16.8	ug/kg	57.0	16.8	1	06/10/21 08:45	06/10/21 16:44	1634-04-4	
Methylene Chloride	<15.9	ug/kg	57.0	15.9	1	06/10/21 08:45	06/10/21 16:44	75-09-2	
Naphthalene	<17.8	ug/kg	285	17.8	1	06/10/21 08:45	06/10/21 16:44	91-20-3	
Styrene	<14.6	ug/kg	57.0	14.6	1	06/10/21 08:45	06/10/21 16:44	100-42-5	M1
Tetrachloroethene	<22.1	ug/kg	57.0	22.1	1	06/10/21 08:45	06/10/21 16:44	127-18-4	M1
Toluene	<14.4	ug/kg	57.0	14.4	1	06/10/21 08:45	06/10/21 16:44	108-88-3	M1
Trichloroethene	<21.3	ug/kg	57.0	21.3	1	06/10/21 08:45	06/10/21 16:44	79-01-6	
Trichlorofluoromethane	<16.5	ug/kg	57.0	16.5	1	06/10/21 08:45	06/10/21 16:44	75-69-4	
Vinyl chloride	<11.5	ug/kg	57.0	11.5	1	06/10/21 08:45	06/10/21 16:44	75-01-4	
cis-1,2-Dichloroethene	<12.2	ug/kg	57.0	12.2	1	06/10/21 08:45	06/10/21 16:44	156-59-2	
cis-1,3-Dichloropropene	<37.6	ug/kg	285	37.6	1	06/10/21 08:45	06/10/21 16:44	10061-01-5	M1
m&p-Xylene	<24.1	ug/kg	114	24.1	1	06/10/21 08:45	06/10/21 16:44	179601-23-1	M1
n-Butylbenzene	<26.1	ug/kg	57.0	26.1	1	06/10/21 08:45	06/10/21 16:44	104-51-8	
n-Propylbenzene	<13.7	ug/kg	57.0	13.7	1	06/10/21 08:45	06/10/21 16:44	103-65-1	
o-Xylene	<17.1	ug/kg	57.0	17.1	1	06/10/21 08:45	06/10/21 16:44	95-47-6	M1
p-Isopropyltoluene	<17.3	ug/kg	57.0	17.3	1	06/10/21 08:45	06/10/21 16:44	99-87-6	
sec-Butylbenzene	<13.9	ug/kg	57.0	13.9	1	06/10/21 08:45	06/10/21 16:44	135-98-8	
tert-Butylbenzene	<17.9	ug/kg	57.0	17.9	1	06/10/21 08:45	06/10/21 16:44	98-06-6	
trans-1,2-Dichloroethene	<12.3	ug/kg	57.0	12.3	1	06/10/21 08:45	06/10/21 16:44	156-60-5	
trans-1,3-Dichloropropene	<163	ug/kg	285	163	1	06/10/21 08:45	06/10/21 16:44	10061-02-6	M1
Surrogates									
Toluene-d8 (S)	126	%	67-159		1	06/10/21 08:45	06/10/21 16:44	2037-26-5	
4-Bromofluorobenzene (S)	122	%	66-153		1	06/10/21 08:45	06/10/21 16:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	06/10/21 08:45	06/10/21 16:44	2199-69-1	

8260 MSV TCLP

Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 06/08/21 13:42

Pace Analytical Services - Green Bay

1,1-Dichloroethene	<5.8	ug/L	10.0	5.8	10		06/09/21 21:02	75-35-4	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		06/09/21 21:02	107-06-2	
2-Butanone (MEK)	<65.2	ug/L	250	65.2	10		06/09/21 21:02	78-93-3	
Benzene	<3.0	ug/L	10.0	3.0	10		06/09/21 21:02	71-43-2	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		06/09/21 21:02	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		06/09/21 21:02	108-90-7	
Chloroform	<11.8	ug/L	50.0	11.8	10		06/09/21 21:02	67-66-3	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		06/09/21 21:02	127-18-4	
Trichloroethene	<3.2	ug/L	10.0	3.2	10		06/09/21 21:02	79-01-6	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		06/09/21 21:02	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: SB21-IDW-0605 **Lab ID: 40228050039** Collected: 06/05/21 16:40 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 06/08/21 13:42									
Pace Analytical Services - Green Bay									
Surrogates									
Toluene-d8 (S)	98	%	70-130		10		06/09/21 21:02	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		10		06/09/21 21:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		10		06/09/21 21:02	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	5.6	%	0.10	0.10	1		06/08/21 14:39		
1010 Flashpoint,Closed Cup									
Analytical Method: EPA 1010									
Pace Analytical Services - Green Bay									
Flashpoint	>200	deg F			1		06/09/21 13:24		1q
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.93	Std. Units	0.100	0.0100	1		06/11/21 10:05		H6,PI

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Sample: IDW-MEOH-0605 Lab ID: 40228050040 Collected: 06/05/21 16:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<12.0	ug/kg	50.0	12.0	1	06/10/21 08:45	06/10/21 16:24	630-20-6	
1,1,1-Trichloroethane	<12.8	ug/kg	50.0	12.8	1	06/10/21 08:45	06/10/21 16:24	71-55-6	
1,1,2,2-Tetrachloroethane	<18.1	ug/kg	50.0	18.1	1	06/10/21 08:45	06/10/21 16:24	79-34-5	
1,1,2-Trichloroethane	<18.2	ug/kg	50.0	18.2	1	06/10/21 08:45	06/10/21 16:24	79-00-5	
1,1-Dichloroethane	<12.8	ug/kg	50.0	12.8	1	06/10/21 08:45	06/10/21 16:24	75-34-3	
1,1-Dichloroethene	<16.6	ug/kg	50.0	16.6	1	06/10/21 08:45	06/10/21 16:24	75-35-4	
1,1-Dichloropropene	<16.2	ug/kg	50.0	16.2	1	06/10/21 08:45	06/10/21 16:24	563-58-6	
1,2,3-Trichlorobenzene	<55.7	ug/kg	250	55.7	1	06/10/21 08:45	06/10/21 16:24	87-61-6	
1,2,3-Trichloropropane	<24.3	ug/kg	50.0	24.3	1	06/10/21 08:45	06/10/21 16:24	96-18-4	
1,2,4-Trichlorobenzene	<41.2	ug/kg	250	41.2	1	06/10/21 08:45	06/10/21 16:24	120-82-1	
1,2,4-Trimethylbenzene	<14.9	ug/kg	50.0	14.9	1	06/10/21 08:45	06/10/21 16:24	95-63-6	
1,2-Dibromo-3-chloropropane	<38.8	ug/kg	250	38.8	1	06/10/21 08:45	06/10/21 16:24	96-12-8	
1,2-Dibromoethane (EDB)	<13.7	ug/kg	50.0	13.7	1	06/10/21 08:45	06/10/21 16:24	106-93-4	
1,2-Dichlorobenzene	<15.5	ug/kg	50.0	15.5	1	06/10/21 08:45	06/10/21 16:24	95-50-1	
1,2-Dichloroethane	<11.5	ug/kg	50.0	11.5	1	06/10/21 08:45	06/10/21 16:24	107-06-2	
1,2-Dichloropropane	<11.9	ug/kg	50.0	11.9	1	06/10/21 08:45	06/10/21 16:24	78-87-5	
1,3,5-Trimethylbenzene	<16.1	ug/kg	50.0	16.1	1	06/10/21 08:45	06/10/21 16:24	108-67-8	
1,3-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	06/10/21 08:45	06/10/21 16:24	541-73-1	
1,3-Dichloropropane	<10.9	ug/kg	50.0	10.9	1	06/10/21 08:45	06/10/21 16:24	142-28-9	
1,4-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	06/10/21 08:45	06/10/21 16:24	106-46-7	
2,2-Dichloropropane	<13.5	ug/kg	50.0	13.5	1	06/10/21 08:45	06/10/21 16:24	594-20-7	
2-Chlorotoluene	<16.2	ug/kg	50.0	16.2	1	06/10/21 08:45	06/10/21 16:24	95-49-8	
4-Chlorotoluene	<19.0	ug/kg	50.0	19.0	1	06/10/21 08:45	06/10/21 16:24	106-43-4	
Benzene	<11.9	ug/kg	20.0	11.9	1	06/10/21 08:45	06/10/21 16:24	71-43-2	
Bromobenzene	<19.5	ug/kg	50.0	19.5	1	06/10/21 08:45	06/10/21 16:24	108-86-1	
Bromochloromethane	<13.7	ug/kg	50.0	13.7	1	06/10/21 08:45	06/10/21 16:24	74-97-5	
Bromodichloromethane	<11.9	ug/kg	50.0	11.9	1	06/10/21 08:45	06/10/21 16:24	75-27-4	
Bromoform	<220	ug/kg	250	220	1	06/10/21 08:45	06/10/21 16:24	75-25-2	
Bromomethane	<70.1	ug/kg	250	70.1	1	06/10/21 08:45	06/10/21 16:24	74-83-9	
Carbon tetrachloride	<11.0	ug/kg	50.0	11.0	1	06/10/21 08:45	06/10/21 16:24	56-23-5	
Chlorobenzene	<6.0	ug/kg	50.0	6.0	1	06/10/21 08:45	06/10/21 16:24	108-90-7	
Chloroethane	<21.1	ug/kg	250	21.1	1	06/10/21 08:45	06/10/21 16:24	75-00-3	
Chloroform	<35.8	ug/kg	250	35.8	1	06/10/21 08:45	06/10/21 16:24	67-66-3	
Chloromethane	<19.0	ug/kg	50.0	19.0	1	06/10/21 08:45	06/10/21 16:24	74-87-3	
Dibromochloromethane	<171	ug/kg	250	171	1	06/10/21 08:45	06/10/21 16:24	124-48-1	
Dibromomethane	<14.8	ug/kg	50.0	14.8	1	06/10/21 08:45	06/10/21 16:24	74-95-3	
Dichlorodifluoromethane	<21.5	ug/kg	50.0	21.5	1	06/10/21 08:45	06/10/21 16:24	75-71-8	
Diisopropyl ether	<12.4	ug/kg	50.0	12.4	1	06/10/21 08:45	06/10/21 16:24	108-20-3	
Ethylbenzene	<11.9	ug/kg	50.0	11.9	1	06/10/21 08:45	06/10/21 16:24	100-41-4	
Hexachloro-1,3-butadiene	<99.4	ug/kg	250	99.4	1	06/10/21 08:45	06/10/21 16:24	87-68-3	
Isopropylbenzene (Cumene)	<13.5	ug/kg	50.0	13.5	1	06/10/21 08:45	06/10/21 16:24	98-82-8	
Methyl-tert-butyl ether	<14.7	ug/kg	50.0	14.7	1	06/10/21 08:45	06/10/21 16:24	1634-04-4	
Methylene Chloride	<13.9	ug/kg	50.0	13.9	1	06/10/21 08:45	06/10/21 16:24	75-09-2	
Naphthalene	<15.6	ug/kg	250	15.6	1	06/10/21 08:45	06/10/21 16:24	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Sample: IDW-MEOH-0605 **Lab ID: 40228050040** Collected: 06/05/21 16:25 Received: 06/08/21 08:00 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay							
Styrene	<12.8	ug/kg	50.0	12.8	1	06/10/21 08:45	06/10/21 16:24	100-42-5	
Tetrachloroethene	<19.4	ug/kg	50.0	19.4	1	06/10/21 08:45	06/10/21 16:24	127-18-4	
Toluene	<12.6	ug/kg	50.0	12.6	1	06/10/21 08:45	06/10/21 16:24	108-88-3	
Trichloroethene	<18.7	ug/kg	50.0	18.7	1	06/10/21 08:45	06/10/21 16:24	79-01-6	
Trichlorofluoromethane	<14.5	ug/kg	50.0	14.5	1	06/10/21 08:45	06/10/21 16:24	75-69-4	
Vinyl chloride	<10.1	ug/kg	50.0	10.1	1	06/10/21 08:45	06/10/21 16:24	75-01-4	
cis-1,2-Dichloroethene	<10.7	ug/kg	50.0	10.7	1	06/10/21 08:45	06/10/21 16:24	156-59-2	
cis-1,3-Dichloropropene	<33.0	ug/kg	250	33.0	1	06/10/21 08:45	06/10/21 16:24	10061-01-5	
m&p-Xylene	<21.1	ug/kg	100	21.1	1	06/10/21 08:45	06/10/21 16:24	179601-23-1	
n-Butylbenzene	<22.9	ug/kg	50.0	22.9	1	06/10/21 08:45	06/10/21 16:24	104-51-8	
n-Propylbenzene	<12.0	ug/kg	50.0	12.0	1	06/10/21 08:45	06/10/21 16:24	103-65-1	
o-Xylene	<15.0	ug/kg	50.0	15.0	1	06/10/21 08:45	06/10/21 16:24	95-47-6	
p-Isopropyltoluene	<15.2	ug/kg	50.0	15.2	1	06/10/21 08:45	06/10/21 16:24	99-87-6	
sec-Butylbenzene	<12.2	ug/kg	50.0	12.2	1	06/10/21 08:45	06/10/21 16:24	135-98-8	
tert-Butylbenzene	<15.7	ug/kg	50.0	15.7	1	06/10/21 08:45	06/10/21 16:24	98-06-6	
trans-1,2-Dichloroethene	<10.8	ug/kg	50.0	10.8	1	06/10/21 08:45	06/10/21 16:24	156-60-5	
trans-1,3-Dichloropropene	<143	ug/kg	250	143	1	06/10/21 08:45	06/10/21 16:24	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	67-159		1	06/10/21 08:45	06/10/21 16:24	2037-26-5	
4-Bromofluorobenzene (S)	98	%	66-153		1	06/10/21 08:45	06/10/21 16:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	92	%	82-158		1	06/10/21 08:45	06/10/21 16:24	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387680 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury TCLP
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050039

METHOD BLANK: 2236568 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	06/14/21 08:19	

METHOD BLANK: 2235280 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	0.080J	0.20	06/14/21 08:51	

METHOD BLANK: 2235281 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	06/14/21 09:10	

METHOD BLANK: 2235282 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	06/14/21 08:44	

METHOD BLANK: 2235708 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	06/14/21 09:17	

LABORATORY CONTROL SAMPLE: 2236569

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	5.2	105	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2236570 2236571												
Parameter	Units	40228050039 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	<0.066	5	5	5.0	4.9	99	98	85-115	1	20	

MATRIX SPIKE SAMPLE: 2236572							
Parameter	Units	40228134001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.066	5	5.0	100	85-115	

MATRIX SPIKE SAMPLE: 2236573							
Parameter	Units	10563791001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.26	20	20.6	103	85-115	

MATRIX SPIKE SAMPLE: 2236574							
Parameter	Units	10563791002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.66	50	49.7	99	85-115	

MATRIX SPIKE SAMPLE: 2236575							
Parameter	Units	10563791003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.066	5	5.1	101	85-115	

MATRIX SPIKE SAMPLE: 2236576							
Parameter	Units	40228097001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.000066 mg/L	5	4.8	96	85-115	

MATRIX SPIKE SAMPLE: 2236577							
Parameter	Units	40228110001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.066	5	4.8	97	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387681 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40228050018, 40228050029, 40228050034, 40228050037

METHOD BLANK: 2236578 Matrix: Water
Associated Lab Samples: 40228050018, 40228050029, 40228050034, 40228050037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	06/14/21 09:19	

LABORATORY CONTROL SAMPLE: 2236579

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	5.1	102	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2236580 2236581

Parameter	Units	40228197007		2236581		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Mercury	ug/L	0.00011J	5	5	4.9	5.0	97	98	85-115	1	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 388042

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050001, 40228050002, 40228050003, 40228050004, 40228050005, 40228050006, 40228050007, 40228050008, 40228050009, 40228050010, 40228050011, 40228050012, 40228050013, 40228050014, 40228050015, 40228050016, 40228050017, 40228050019, 40228050020, 40228050021

METHOD BLANK: 2238417

Matrix: Solid

Associated Lab Samples: 40228050001, 40228050002, 40228050003, 40228050004, 40228050005, 40228050006, 40228050007, 40228050008, 40228050009, 40228050010, 40228050011, 40228050012, 40228050013, 40228050014, 40228050015, 40228050016, 40228050017, 40228050019, 40228050020, 40228050021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	06/17/21 09:43	

LABORATORY CONTROL SAMPLE: 2238418

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.83	99	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2238419 2238420

Parameter	Units	40228050001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.49	0.94	0.94	1.3	1.3	88	88	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 388043

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050022, 40228050023, 40228050024, 40228050025, 40228050026, 40228050027, 40228050028, 40228050030, 40228050031, 40228050032, 40228050033, 40228050035, 40228050036

METHOD BLANK: 2238421

Matrix: Solid

Associated Lab Samples: 40228050022, 40228050023, 40228050024, 40228050025, 40228050026, 40228050027, 40228050028, 40228050030, 40228050031, 40228050032, 40228050033, 40228050035, 40228050036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	06/17/21 10:48	

LABORATORY CONTROL SAMPLE: 2238422

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.81	98	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2238423 2238424

Parameter	Units	40228050033 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.13	0.9	0.9	1.0	1.1	98	107	85-115	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch:	387421	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3050B	Analysis Description:	6010D MET
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050001, 40228050002, 40228050003, 40228050004, 40228050005, 40228050006, 40228050007, 40228050008, 40228050009, 40228050010, 40228050011, 40228050012, 40228050013, 40228050014, 40228050015, 40228050016, 40228050017, 40228050019, 40228050020, 40228050021

METHOD BLANK: 2234788 Matrix: Solid

Associated Lab Samples: 40228050001, 40228050002, 40228050003, 40228050004, 40228050005, 40228050006, 40228050007, 40228050008, 40228050009, 40228050010, 40228050011, 40228050012, 40228050013, 40228050014, 40228050015, 40228050016, 40228050017, 40228050019, 40228050020, 40228050021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	mg/kg	<0.60	2.0	06/10/21 09:26	

LABORATORY CONTROL SAMPLE: 2234789

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	50	51.3	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2234790 2234791

Parameter	Units	40228050001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	mg/kg	49.5	56.4	56.5	112	100	110	90	75-125	10	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 387422

Analysis Method: EPA 6010D

QC Batch Method: EPA 3050B

Analysis Description: 6010D MET

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050022, 40228050023, 40228050024, 40228050025, 40228050026, 40228050027, 40228050028, 40228050030, 40228050031, 40228050032, 40228050033, 40228050035, 40228050036

METHOD BLANK: 2234793

Matrix: Solid

Associated Lab Samples: 40228050022, 40228050023, 40228050024, 40228050025, 40228050026, 40228050027, 40228050028, 40228050030, 40228050031, 40228050032, 40228050033, 40228050035, 40228050036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	mg/kg	<0.60	2.0	06/09/21 21:45	

LABORATORY CONTROL SAMPLE: 2234794

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	50	50.7	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2234795 2234796

Parameter	Units	40228050033 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	mg/kg	17.0	54	53.5	71.8	68.3	102	96	75-125	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387673 Analysis Method: EPA 6010D
QC Batch Method: EPA 3010A Analysis Description: 6010D MET TCLP
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050039

METHOD BLANK: 2236546 Matrix: Water
Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	06/14/21 11:53	
Barium	mg/L	<0.0015	0.0050	06/14/21 11:53	
Cadmium	mg/L	<0.0013	0.0050	06/14/21 11:53	
Chromium	mg/L	<0.0025	0.010	06/14/21 11:53	
Lead	mg/L	<0.0059	0.020	06/14/21 11:53	
Selenium	mg/L	<0.012	0.040	06/14/21 11:53	
Silver	mg/L	<0.0032	0.010	06/14/21 11:53	

METHOD BLANK: 2235267 Matrix: Solid
Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	06/14/21 12:39	
Barium	mg/L	0.0023J	0.0050	06/14/21 12:39	
Cadmium	mg/L	<0.0013	0.0050	06/14/21 12:39	
Chromium	mg/L	0.0063J	0.010	06/14/21 12:39	
Lead	mg/L	<0.0059	0.020	06/14/21 12:39	
Selenium	mg/L	<0.012	0.040	06/14/21 12:39	
Silver	mg/L	<0.0032	0.010	06/14/21 12:39	

METHOD BLANK: 2235268 Matrix: Solid
Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	06/14/21 12:31	
Barium	mg/L	0.0077	0.0050	06/14/21 12:31	
Cadmium	mg/L	<0.0013	0.0050	06/14/21 12:31	
Chromium	mg/L	0.0029J	0.010	06/14/21 12:31	
Lead	mg/L	<0.0059	0.020	06/14/21 12:31	
Selenium	mg/L	<0.012	0.040	06/14/21 12:31	
Silver	mg/L	<0.0032	0.010	06/14/21 12:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

METHOD BLANK: 2235269

Matrix: Solid

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	06/14/21 13:00	
Barium	mg/L	0.0028J	0.0050	06/14/21 13:00	
Cadmium	mg/L	<0.0013	0.0050	06/14/21 13:00	
Chromium	mg/L	<0.0025	0.010	06/14/21 13:00	
Lead	mg/L	<0.0059	0.020	06/14/21 13:00	
Selenium	mg/L	<0.012	0.040	06/14/21 13:00	
Silver	mg/L	<0.0032	0.010	06/14/21 13:00	

METHOD BLANK: 2235707

Matrix: Solid

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	06/14/21 13:07	
Barium	mg/L	0.0067	0.0050	06/14/21 13:07	
Cadmium	mg/L	<0.0013	0.0050	06/14/21 13:07	
Chromium	mg/L	0.0030J	0.010	06/14/21 13:07	
Lead	mg/L	<0.0059	0.020	06/14/21 13:07	
Selenium	mg/L	<0.012	0.040	06/14/21 13:07	
Silver	mg/L	<0.0032	0.010	06/14/21 13:07	

LABORATORY CONTROL SAMPLE: 2236547

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.5	0.49	97	80-120	
Barium	mg/L	0.5	0.49	97	80-120	
Cadmium	mg/L	0.5	0.48	97	80-120	
Chromium	mg/L	0.5	0.51	101	80-120	
Lead	mg/L	0.5	0.49	98	80-120	
Selenium	mg/L	0.5	0.49	98	80-120	
Silver	mg/L	0.25	0.24	96	80-120	

MATRIX SPIKE SAMPLE:

2236548

Parameter	Units	10563791001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.18J	0.5	0.57	78	75-125	
Barium	mg/L	<0.030	0.5	0.49	93	75-125	
Cadmium	mg/L	<0.027	0.5	0.46	92	75-125	
Chromium	mg/L	203	0.5	194	-1890	75-125 P6	
Lead	mg/L	<0.12	0.5	0.44	86	75-125	
Selenium	mg/L	<0.24	0.5	0.73J	101	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

MATRIX SPIKE SAMPLE:		2236548		10563791001	Spike	MS	MS	% Rec		
Parameter	Units	Result	Conc.	Result	Conc.	Result	% Rec	Limits	Qualifiers	
Silver	mg/L	<0.064	0.25	0.25		0.25	99	75-125		

MATRIX SPIKE SAMPLE:		2236549		10563791002	Spike	MS	MS	% Rec		
Parameter	Units	Result	Conc.	Result	Conc.	Result	% Rec	Limits	Qualifiers	
Arsenic	mg/L	<0.084	0.5	0.53		0.53	105	75-125		
Barium	mg/L	0.13	0.5	0.61		0.61	95	75-125		
Cadmium	mg/L	<0.013	0.5	0.48		0.48	96	75-125		
Chromium	mg/L	74.9	0.5	72.8		72.8	-420	75-125	P6	
Lead	mg/L	<0.059	0.5	0.51		0.51	101	75-125		
Selenium	mg/L	0.14J	0.5	0.63		0.63	99	75-125		
Silver	mg/L	<0.032	0.25	0.25		0.25	100	75-125		

MATRIX SPIKE SAMPLE:		2236550		10563791003	Spike	MS	MS	% Rec		
Parameter	Units	Result	Conc.	Result	Conc.	Result	% Rec	Limits	Qualifiers	
Arsenic	mg/L	<0.042	0.5	0.46		0.46	93	75-125		
Barium	mg/L	0.43	0.5	0.91		0.91	97	75-125		
Cadmium	mg/L	<0.0066	0.5	0.47		0.47	94	75-125		
Chromium	mg/L	0.057	0.5	0.55		0.55	100	75-125		
Lead	mg/L	<0.030	0.5	0.47		0.47	92	75-125		
Selenium	mg/L	<0.061	0.5	0.51		0.51	102	75-125		
Silver	mg/L	<0.016	0.25	0.26		0.26	101	75-125		

MATRIX SPIKE SAMPLE:		2236551		40228097001	Spike	MS	MS	% Rec		
Parameter	Units	Result	Conc.	Result	Conc.	Result	% Rec	Limits	Qualifiers	
Arsenic	mg/L	<0.0084	0.5	0.50		0.50	99	75-125		
Barium	mg/L	0.080	0.5	0.57		0.57	98	75-125		
Cadmium	mg/L	<0.0013	0.5	0.49		0.49	98	75-125		
Chromium	mg/L	0.046	0.5	0.55		0.55	101	75-125		
Lead	mg/L	<0.0059	0.5	0.46		0.46	92	75-125		
Selenium	mg/L	<0.012	0.5	0.51		0.51	101	75-125		
Silver	mg/L	<0.0032	0.25	0.26		0.26	102	75-125		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2236552		2236553									
Parameter	Units	40228106001	MS	MSD	MS	MSD	MS	MSD	% Rec	Max			
		Result	Conc.	Spike	Result	Result	Result	Result	% Rec	Limits	RPD	RPD	Qual
Arsenic	mg/L	<0.0084	0.5	0.5	0.51	0.51	102	101	75-125	1	20		
Barium	mg/L	0.22	0.5	0.5	0.72	0.71	100	98	75-125	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2236552 2236553											
Parameter	Units	40228106001 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD	
Cadmium	mg/L	<0.0013	0.5	0.5	0.51	0.49	102	99	75-125	3	20
Chromium	mg/L	<0.0025	0.5	0.5	0.52	0.51	103	101	75-125	2	20
Lead	mg/L	<0.0059	0.5	0.5	0.49	0.48	98	96	75-125	2	20
Selenium	mg/L	<0.012	0.5	0.5	0.52	0.51	104	101	75-125	3	20
Silver	mg/L	<0.0032	0.25	0.25	0.26	0.25	103	102	75-125	1	20

MATRIX SPIKE SAMPLE: 2236554								
Parameter	Units	40228110001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers	
Arsenic	mg/L	<0.0084	0.5	0.51	101	75-125		
Barium	mg/L	2.0	0.5	2.5	91	75-125		
Cadmium	mg/L	0.21	0.5	0.70	98	75-125		
Chromium	mg/L	0.043	0.5	0.55	102	75-125		
Lead	mg/L	0.15	0.5	0.62	94	75-125		
Selenium	mg/L	<0.012	0.5	0.52	103	75-125		
Silver	mg/L	<0.0032	0.25	0.26	103	75-125		

MATRIX SPIKE SAMPLE: 2236555								
Parameter	Units	40228134001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers	
Arsenic	mg/L	<0.0084	0.5	0.51	102	75-125		
Barium	mg/L	0.22	0.5	0.72	101	75-125		
Cadmium	mg/L	<0.0013	0.5	0.50	101	75-125		
Chromium	mg/L	0.0031J	0.5	0.51	102	75-125		
Lead	mg/L	<0.0059	0.5	0.48	95	75-125		
Selenium	mg/L	<0.012	0.5	0.53	105	75-125		
Silver	mg/L	0.0050J	0.25	0.27	106	75-125		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387565 Analysis Method: EPA 6020
QC Batch Method: EPA 3010 Analysis Description: 6020 MET
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40228050018, 40228050029, 40228050034, 40228050037

METHOD BLANK: 2235590 Matrix: Water
Associated Lab Samples: 40228050018, 40228050029, 40228050034, 40228050037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	<0.28	1.0	06/11/21 18:32	
Barium	ug/L	<0.70	2.3	06/11/21 18:32	
Cadmium	ug/L	<0.15	1.0	06/11/21 18:32	
Chromium	ug/L	<1.0	3.4	06/11/21 18:32	
Lead	ug/L	<0.24	1.0	06/11/21 18:32	
Selenium	ug/L	<0.32	1.1	06/11/21 18:32	
Silver	ug/L	<0.13	0.50	06/11/21 18:32	

LABORATORY CONTROL SAMPLE: 2235591

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	500	495	99	80-120	
Barium	ug/L	500	482	96	80-120	
Cadmium	ug/L	500	498	100	80-120	
Chromium	ug/L	500	490	98	80-120	
Lead	ug/L	500	488	98	80-120	
Selenium	ug/L	500	512	102	80-120	
Silver	ug/L	250	236	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2235592 2235593

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228050037 Result	Spike Conc.	Spike Conc.	MS Result						
Arsenic	ug/L	12.6	500	500	522	510	102	99	75-125	2	20
Barium	ug/L	336	500	500	888	847	110	102	75-125	5	20
Cadmium	ug/L	12.1	500	500	526	518	103	101	75-125	2	20
Chromium	ug/L	136	500	500	651	634	103	100	75-125	3	20
Lead	ug/L	281	500	500	805	771	105	98	75-125	4	20
Selenium	ug/L	6.8J	500	500	520	502	103	99	75-125	3	20
Silver	ug/L	3.5J	250	250	247	241	97	95	75-125	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387606 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050039, 40228050040

METHOD BLANK: 2235917 Matrix: Solid

Associated Lab Samples: 40228050039, 40228050040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	06/10/21 13:02	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	06/10/21 13:02	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	06/10/21 13:02	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	06/10/21 13:02	
1,1-Dichloroethane	ug/kg	<12.8	50.0	06/10/21 13:02	
1,1-Dichloroethene	ug/kg	<16.6	50.0	06/10/21 13:02	
1,1-Dichloropropene	ug/kg	<16.2	50.0	06/10/21 13:02	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	06/10/21 13:02	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	06/10/21 13:02	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	06/10/21 13:02	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	06/10/21 13:02	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	06/10/21 13:02	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	06/10/21 13:02	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	06/10/21 13:02	
1,2-Dichloroethane	ug/kg	<11.5	50.0	06/10/21 13:02	
1,2-Dichloropropane	ug/kg	<11.9	50.0	06/10/21 13:02	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	06/10/21 13:02	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	06/10/21 13:02	
1,3-Dichloropropane	ug/kg	<10.9	50.0	06/10/21 13:02	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	06/10/21 13:02	
2,2-Dichloropropane	ug/kg	<13.5	50.0	06/10/21 13:02	
2-Chlorotoluene	ug/kg	<16.2	50.0	06/10/21 13:02	
4-Chlorotoluene	ug/kg	<19.0	50.0	06/10/21 13:02	
Benzene	ug/kg	<11.9	20.0	06/10/21 13:02	
Bromobenzene	ug/kg	<19.5	50.0	06/10/21 13:02	
Bromochloromethane	ug/kg	<13.7	50.0	06/10/21 13:02	
Bromodichloromethane	ug/kg	<11.9	50.0	06/10/21 13:02	
Bromoform	ug/kg	<220	250	06/10/21 13:02	
Bromomethane	ug/kg	<70.1	250	06/10/21 13:02	
Carbon tetrachloride	ug/kg	<11.0	50.0	06/10/21 13:02	
Chlorobenzene	ug/kg	<6.0	50.0	06/10/21 13:02	
Chloroethane	ug/kg	<21.1	250	06/10/21 13:02	
Chloroform	ug/kg	<35.8	250	06/10/21 13:02	
Chloromethane	ug/kg	<19.0	50.0	06/10/21 13:02	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	06/10/21 13:02	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	06/10/21 13:02	
Dibromochloromethane	ug/kg	<171	250	06/10/21 13:02	
Dibromomethane	ug/kg	<14.8	50.0	06/10/21 13:02	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	06/10/21 13:02	
Diisopropyl ether	ug/kg	<12.4	50.0	06/10/21 13:02	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

METHOD BLANK: 2235917 Matrix: Solid
Associated Lab Samples: 40228050039, 40228050040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	06/10/21 13:02	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	06/10/21 13:02	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	06/10/21 13:02	
m&p-Xylene	ug/kg	<21.1	100	06/10/21 13:02	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	06/10/21 13:02	
Methylene Chloride	ug/kg	<13.9	50.0	06/10/21 13:02	
n-Butylbenzene	ug/kg	<22.9	50.0	06/10/21 13:02	
n-Propylbenzene	ug/kg	<12.0	50.0	06/10/21 13:02	
Naphthalene	ug/kg	<15.6	250	06/10/21 13:02	
o-Xylene	ug/kg	<15.0	50.0	06/10/21 13:02	
p-Isopropyltoluene	ug/kg	<15.2	50.0	06/10/21 13:02	
sec-Butylbenzene	ug/kg	<12.2	50.0	06/10/21 13:02	
Styrene	ug/kg	<12.8	50.0	06/10/21 13:02	
tert-Butylbenzene	ug/kg	<15.7	50.0	06/10/21 13:02	
Tetrachloroethene	ug/kg	<19.4	50.0	06/10/21 13:02	
Toluene	ug/kg	<12.6	50.0	06/10/21 13:02	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	06/10/21 13:02	
trans-1,3-Dichloropropene	ug/kg	<143	250	06/10/21 13:02	
Trichloroethene	ug/kg	<18.7	50.0	06/10/21 13:02	
Trichlorofluoromethane	ug/kg	<14.5	50.0	06/10/21 13:02	
Vinyl chloride	ug/kg	<10.1	50.0	06/10/21 13:02	
1,2-Dichlorobenzene-d4 (S)	%	97	82-158	06/10/21 13:02	
4-Bromofluorobenzene (S)	%	100	66-153	06/10/21 13:02	
Toluene-d8 (S)	%	105	67-159	06/10/21 13:02	

LABORATORY CONTROL SAMPLE: 2235918

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2320	93	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2580	103	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2580	103	70-130	
1,1-Dichloroethane	ug/kg	2500	2680	107	70-130	
1,1-Dichloroethene	ug/kg	2500	2530	101	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2400	96	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2280	91	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2350	94	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2500	100	70-130	
1,2-Dichloroethane	ug/kg	2500	2260	90	70-130	
1,2-Dichloropropane	ug/kg	2500	2640	106	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2510	100	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2550	102	70-130	
Benzene	ug/kg	2500	2770	111	70-130	
Bromodichloromethane	ug/kg	2500	2330	93	70-130	
Bromoform	ug/kg	2500	2310	93	66-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

LABORATORY CONTROL SAMPLE: 2235918

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	1830	73	13-153	
Carbon tetrachloride	ug/kg	2500	2450	98	73-134	
Chlorobenzene	ug/kg	2500	2650	106	70-130	
Chloroethane	ug/kg	2500	2040	82	19-170	
Chloroform	ug/kg	2500	2500	100	79-120	
Chloromethane	ug/kg	2500	2300	92	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2590	104	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2560	102	68-130	
Dibromochloromethane	ug/kg	2500	2460	99	70-130	
Dichlorodifluoromethane	ug/kg	2500	1500	60	15-135	
Ethylbenzene	ug/kg	2500	2670	107	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2650	106	70-130	
m&p-Xylene	ug/kg	5000	5350	107	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2310	92	65-130	
Methylene Chloride	ug/kg	2500	2350	94	70-130	
o-Xylene	ug/kg	2500	2610	104	70-130	
Styrene	ug/kg	2500	2710	108	70-130	
Tetrachloroethene	ug/kg	2500	2420	97	70-130	
Toluene	ug/kg	2500	2550	102	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2500	100	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2580	103	70-130	
Trichloroethene	ug/kg	2500	2410	96	70-130	
Trichlorofluoromethane	ug/kg	2500	2390	96	49-153	
Vinyl chloride	ug/kg	2500	2480	99	58-121	
1,2-Dichlorobenzene-d4 (S)	%			93	82-158	
4-Bromofluorobenzene (S)	%			99	66-153	
Toluene-d8 (S)	%			102	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2235919 2235920

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228050039 Result	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/kg	<14.6	1170	1050	1370	1240	118	118	70-130	10	20		
1,1,2,2-Tetrachloroethane	ug/kg	<20.6	1170	1050	1500	1440	129	137	65-129	4	20	M1	
1,1,2-Trichloroethane	ug/kg	<20.8	1170	1050	1560	1610	134	153	70-130	3	20	M1	
1,1-Dichloroethane	ug/kg	<14.6	1170	1050	1660	1490	143	142	70-130	11	20	M1	
1,1-Dichloroethene	ug/kg	<18.9	1170	1050	1490	1310	128	125	64-120	13	20	M1	
1,2,4-Trichlorobenzene	ug/kg	<47.0	1170	1050	1570	1400	134	133	64-130	11	20	M1	
1,2-Dibromo-3-chloropropane	ug/kg	<44.3	1170	1050	1330	1120	114	107	57-130	17	21		
1,2-Dibromoethane (EDB)	ug/kg	<15.6	1170	1050	1460	1390	125	132	70-130	5	20	M1	
1,2-Dichlorobenzene	ug/kg	<17.7	1170	1050	1580	1400	135	134	70-130	12	20	M1	
1,2-Dichloroethane	ug/kg	<13.1	1170	1050	1300	1220	112	116	70-130	6	20		
1,2-Dichloropropane	ug/kg	<13.6	1170	1050	1500	1470	129	140	72-122	2	20	M1	
1,3-Dichlorobenzene	ug/kg	<15.6	1170	1050	1560	1460	134	139	70-130	7	20	M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2235919		2235920								
Parameter	Units	40228050039	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual	
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD		
1,4-Dichlorobenzene	ug/kg	<15.6	1170	1050	1580	1380	135	131	70-130	13	20	M1
Benzene	ug/kg	<13.6	1170	1050	1660	1520	143	145	70-130	9	20	M1
Bromodichloromethane	ug/kg	<13.6	1170	1050	1370	1300	117	124	70-130	5	20	
Bromoform	ug/kg	<251	1170	1050	1310	1360	112	130	66-130	4	20	
Bromomethane	ug/kg	<80.0	1170	1050	1110	954	95	91	13-153	15	20	
Carbon tetrachloride	ug/kg	<12.5	1170	1050	1470	1320	126	126	67-134	11	20	
Chlorobenzene	ug/kg	<6.8	1170	1050	1630	1460	140	139	70-130	11	20	M1
Chloroethane	ug/kg	<24.1	1170	1050	1270	1120	109	106	11-195	13	20	
Chloroform	ug/kg	<40.8	1170	1050	1460	1370	125	130	79-120	7	20	M1
Chloromethane	ug/kg	<21.7	1170	1050	1400	1240	120	118	30-136	12	20	
cis-1,2-Dichloroethene	ug/kg	<12.2	1170	1050	1490	1370	128	130	70-130	9	20	
cis-1,3-Dichloropropene	ug/kg	<37.6	1170	1050	1510	1390	130	132	68-130	8	20	M1
Dibromochloromethane	ug/kg	<195	1170	1050	1410	1250	121	119	70-130	12	20	
Dichlorodifluoromethane	ug/kg	<24.5	1170	1050	737	774	63	74	10-158	5	25	
Ethylbenzene	ug/kg	<13.6	1170	1050	1620	1510	139	144	78-120	7	20	M1
Isopropylbenzene (Cumene)	ug/kg	<15.4	1170	1050	1710	1590	147	151	70-130	8	20	M1
m&p-Xylene	ug/kg	<24.1	2330	2100	3430	3070	147	146	70-130	11	20	M1
Methyl-tert-butyl ether	ug/kg	<16.8	1170	1050	1350	1240	116	118	65-130	8	20	
Methylene Chloride	ug/kg	<15.9	1170	1050	1320	1260	114	120	70-130	5	20	
o-Xylene	ug/kg	<17.1	1170	1050	1620	1570	139	150	70-130	3	20	M1
Styrene	ug/kg	<14.6	1170	1050	1630	1560	140	148	70-130	4	20	M1
Tetrachloroethene	ug/kg	<22.1	1170	1050	1570	1390	135	132	70-130	12	20	M1
Toluene	ug/kg	<14.4	1170	1050	1520	1440	130	137	76-120	6	20	M1
trans-1,2-Dichloroethene	ug/kg	<12.3	1170	1050	1430	1290	123	123	70-130	10	20	
trans-1,3-Dichloropropene	ug/kg	<163	1170	1050	1450	1400	124	133	70-130	3	20	M1
Trichloroethene	ug/kg	<21.3	1170	1050	1370	1280	118	122	70-130	7	20	
Trichlorofluoromethane	ug/kg	<16.5	1170	1050	1490	1320	128	126	42-159	12	21	
Vinyl chloride	ug/kg	<11.5	1170	1050	1320	1280	113	122	43-137	3	20	
1,2-Dichlorobenzene-d4 (S)	%						125	126	82-158			
4-Bromofluorobenzene (S)	%						136	133	66-153			
Toluene-d8 (S)	%						136	141	67-159			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387471	Analysis Method: EPA 8260
QC Batch Method: EPA 8260	Analysis Description: 8260 MSV TCLP
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050039

METHOD BLANK: 2234975 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	ug/L	<0.58	1.0	06/09/21 17:26	
1,2-Dichloroethane	ug/L	<0.29	1.0	06/09/21 17:26	
2-Butanone (MEK)	ug/L	<6.5	25.0	06/09/21 17:26	
Benzene	ug/L	<0.30	1.0	06/09/21 17:26	
Carbon tetrachloride	ug/L	<0.37	1.0	06/09/21 17:26	
Chlorobenzene	ug/L	<0.86	1.0	06/09/21 17:26	
Chloroform	ug/L	<1.2	5.0	06/09/21 17:26	
Tetrachloroethene	ug/L	<0.41	1.0	06/09/21 17:26	
Trichloroethene	ug/L	<0.32	1.0	06/09/21 17:26	
Vinyl chloride	ug/L	<0.17	1.0	06/09/21 17:26	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	06/09/21 17:26	
4-Bromofluorobenzene (S)	%	98	70-130	06/09/21 17:26	
Toluene-d8 (S)	%	100	70-130	06/09/21 17:26	

METHOD BLANK: 2234317 Matrix: Solid

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	ug/L	<5.8	10.0	06/09/21 19:44	
1,2-Dichloroethane	ug/L	<2.9	10.0	06/09/21 19:44	
2-Butanone (MEK)	ug/L	<65.2	250	06/09/21 19:44	
Benzene	ug/L	<3.0	10.0	06/09/21 19:44	
Carbon tetrachloride	ug/L	<3.7	10.0	06/09/21 19:44	
Chlorobenzene	ug/L	<8.6	10.0	06/09/21 19:44	
Chloroform	ug/L	<11.8	50.0	06/09/21 19:44	
Tetrachloroethene	ug/L	<4.1	10.0	06/09/21 19:44	
Trichloroethene	ug/L	<3.2	10.0	06/09/21 19:44	
Vinyl chloride	ug/L	<1.7	10.0	06/09/21 19:44	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	06/09/21 19:44	
4-Bromofluorobenzene (S)	%	99	70-130	06/09/21 19:44	
Toluene-d8 (S)	%	99	70-130	06/09/21 19:44	

LABORATORY CONTROL SAMPLE: 2234976

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	58.1	116	85-126	
1,2-Dichloroethane	ug/L	50	53.0	106	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

LABORATORY CONTROL SAMPLE: 2234976

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	55.1	110	70-132	
Carbon tetrachloride	ug/L	50	54.2	108	70-130	
Chlorobenzene	ug/L	50	54.4	109	70-130	
Chloroform	ug/L	50	53.4	107	80-122	
Tetrachloroethene	ug/L	50	55.2	110	70-130	
Trichloroethene	ug/L	50	53.7	107	70-130	
Vinyl chloride	ug/L	50	56.6	113	63-142	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2235586 2235587

Parameter	Units	40227935001		MS		MSD		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result							
1,1-Dichloroethene	ug/L	<0.0058 mg/L	500	500	500	500	601	622	120	124	76-132	3	20	
1,2-Dichloroethane	ug/L	<0.0029 mg/L	500	500	500	500	553	554	111	111	70-130	0	20	
Benzene	ug/L	0.016 mg/L	500	500	500	500	603	618	117	120	70-132	2	20	
Carbon tetrachloride	ug/L	<0.0037 mg/L	500	500	500	500	549	557	110	111	70-132	2	20	
Chlorobenzene	ug/L	<0.0086 mg/L	500	500	500	500	595	583	119	117	70-130	2	20	
Chloroform	ug/L	<0.012 mg/L	500	500	500	500	550	557	110	111	80-122	1	20	
Tetrachloroethene	ug/L	<0.0041 mg/L	500	500	500	500	587	591	117	118	70-130	1	20	
Trichloroethene	ug/L	<0.0032 mg/L	500	500	500	500	563	574	113	115	70-130	2	20	
Vinyl chloride	ug/L	<0.0017 mg/L	500	500	500	500	570	590	114	118	61-143	4	20	
1,2-Dichlorobenzene-d4 (S)	%								101	102	70-130			
4-Bromofluorobenzene (S)	%								102	103	70-130			
Toluene-d8 (S)	%								97	97	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387472 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050038

METHOD BLANK: 2234977 Matrix: Water
Associated Lab Samples: 40228050038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	06/09/21 17:26	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	06/09/21 17:26	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	06/09/21 17:26	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	06/09/21 17:26	
1,1-Dichloroethane	ug/L	<0.30	1.0	06/09/21 17:26	
1,1-Dichloroethene	ug/L	<0.58	1.0	06/09/21 17:26	
1,1-Dichloropropene	ug/L	<0.41	1.0	06/09/21 17:26	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	06/09/21 17:26	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	06/09/21 17:26	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	06/09/21 17:26	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	06/09/21 17:26	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	06/09/21 17:26	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	06/09/21 17:26	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	06/09/21 17:26	
1,2-Dichloroethane	ug/L	<0.29	1.0	06/09/21 17:26	
1,2-Dichloropropane	ug/L	<0.45	1.0	06/09/21 17:26	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	06/09/21 17:26	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	06/09/21 17:26	
1,3-Dichloropropane	ug/L	<0.30	1.0	06/09/21 17:26	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	06/09/21 17:26	
2,2-Dichloropropane	ug/L	<4.2	5.0	06/09/21 17:26	
2-Chlorotoluene	ug/L	<0.89	5.0	06/09/21 17:26	
4-Chlorotoluene	ug/L	<0.89	5.0	06/09/21 17:26	
Benzene	ug/L	<0.30	1.0	06/09/21 17:26	
Bromobenzene	ug/L	<0.36	1.0	06/09/21 17:26	
Bromochloromethane	ug/L	<0.36	5.0	06/09/21 17:26	
Bromodichloromethane	ug/L	<0.42	1.0	06/09/21 17:26	
Bromoform	ug/L	<3.8	5.0	06/09/21 17:26	
Bromomethane	ug/L	<1.2	5.0	06/09/21 17:26	
Carbon tetrachloride	ug/L	<0.37	1.0	06/09/21 17:26	
Chlorobenzene	ug/L	<0.86	1.0	06/09/21 17:26	
Chloroethane	ug/L	<1.4	5.0	06/09/21 17:26	
Chloroform	ug/L	<1.2	5.0	06/09/21 17:26	
Chloromethane	ug/L	<1.6	5.0	06/09/21 17:26	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	06/09/21 17:26	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	06/09/21 17:26	
Dibromochloromethane	ug/L	<2.6	5.0	06/09/21 17:26	
Dibromomethane	ug/L	<0.99	5.0	06/09/21 17:26	
Dichlorodifluoromethane	ug/L	<0.46	5.0	06/09/21 17:26	
Diisopropyl ether	ug/L	<1.1	5.0	06/09/21 17:26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

METHOD BLANK: 2234977 Matrix: Water
Associated Lab Samples: 40228050038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	06/09/21 17:26	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	06/09/21 17:26	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	06/09/21 17:26	
m&p-Xylene	ug/L	<0.70	2.0	06/09/21 17:26	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	06/09/21 17:26	
Methylene Chloride	ug/L	<0.32	5.0	06/09/21 17:26	
n-Butylbenzene	ug/L	<0.86	1.0	06/09/21 17:26	
n-Propylbenzene	ug/L	<0.35	1.0	06/09/21 17:26	
Naphthalene	ug/L	<1.1	5.0	06/09/21 17:26	
o-Xylene	ug/L	<0.35	1.0	06/09/21 17:26	
p-Isopropyltoluene	ug/L	<1.0	5.0	06/09/21 17:26	
sec-Butylbenzene	ug/L	<0.42	1.0	06/09/21 17:26	
Styrene	ug/L	<0.36	1.0	06/09/21 17:26	
tert-Butylbenzene	ug/L	<0.59	1.0	06/09/21 17:26	
Tetrachloroethene	ug/L	<0.41	1.0	06/09/21 17:26	
Toluene	ug/L	<0.29	1.0	06/09/21 17:26	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	06/09/21 17:26	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	06/09/21 17:26	
Trichloroethene	ug/L	<0.32	1.0	06/09/21 17:26	
Trichlorofluoromethane	ug/L	<0.42	1.0	06/09/21 17:26	
Vinyl chloride	ug/L	<0.17	1.0	06/09/21 17:26	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	06/09/21 17:26	
4-Bromofluorobenzene (S)	%	98	70-130	06/09/21 17:26	
Toluene-d8 (S)	%	100	70-130	06/09/21 17:26	

LABORATORY CONTROL SAMPLE: 2234978

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	53.9	108	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	51.3	103	66-130	
1,1,2-Trichloroethane	ug/L	50	51.8	104	70-130	
1,1-Dichloroethane	ug/L	50	56.6	113	68-132	
1,1-Dichloroethene	ug/L	50	58.1	116	85-126	
1,2,4-Trichlorobenzene	ug/L	50	53.0	106	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.7	97	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	52.8	106	70-130	
1,2-Dichlorobenzene	ug/L	50	51.4	103	70-130	
1,2-Dichloroethane	ug/L	50	53.0	106	70-130	
1,2-Dichloropropane	ug/L	50	52.7	105	78-125	
1,3-Dichlorobenzene	ug/L	50	54.0	108	70-130	
1,4-Dichlorobenzene	ug/L	50	53.2	106	70-130	
Benzene	ug/L	50	55.1	110	70-132	
Bromodichloromethane	ug/L	50	51.7	103	70-130	
Bromoform	ug/L	50	53.4	107	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

LABORATORY CONTROL SAMPLE: 2234978

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	46.6	93	44-128	
Carbon tetrachloride	ug/L	50	54.2	108	70-130	
Chlorobenzene	ug/L	50	54.4	109	70-130	
Chloroethane	ug/L	50	62.5	125	73-137	
Chloroform	ug/L	50	53.4	107	80-122	
Chloromethane	ug/L	50	52.1	104	27-148	
cis-1,2-Dichloroethene	ug/L	50	54.2	108	70-130	
cis-1,3-Dichloropropene	ug/L	50	53.2	106	70-130	
Dibromochloromethane	ug/L	50	51.5	103	70-130	
Dichlorodifluoromethane	ug/L	50	46.0	92	22-151	
Ethylbenzene	ug/L	50	56.5	113	80-123	
Isopropylbenzene (Cumene)	ug/L	50	57.7	115	70-130	
m&p-Xylene	ug/L	100	110	110	70-130	
Methyl-tert-butyl ether	ug/L	50	51.6	103	66-130	
Methylene Chloride	ug/L	50	53.6	107	70-130	
o-Xylene	ug/L	50	53.9	108	70-130	
Styrene	ug/L	50	57.1	114	70-130	
Tetrachloroethene	ug/L	50	55.2	110	70-130	
Toluene	ug/L	50	51.3	103	80-121	
trans-1,2-Dichloroethene	ug/L	50	52.8	106	70-130	
trans-1,3-Dichloropropene	ug/L	50	50.9	102	58-125	
Trichloroethene	ug/L	50	53.7	107	70-130	
Trichlorofluoromethane	ug/L	50	67.7	135	84-148	
Vinyl chloride	ug/L	50	56.6	113	63-142	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE SAMPLE: 2235588

Parameter	Units	40228072002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	<0.30	50	49.6	99	70-130	
1,1,1,2-Tetrachloroethane	ug/L	<0.38	50	52.5	105	66-130	
1,1,2-Trichloroethane	ug/L	<0.34	50	49.6	99	70-130	
1,1-Dichloroethane	ug/L	<0.30	50	52.4	105	68-132	
1,1-Dichloroethene	ug/L	<0.58	50	55.3	111	76-132	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	48.5	97	70-130	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	46.9	94	51-126	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50.3	101	70-130	
1,2-Dichlorobenzene	ug/L	<0.33	50	50.4	101	70-130	
1,2-Dichloroethane	ug/L	<0.29	50	49.4	99	70-130	
1,2-Dichloropropane	ug/L	<0.45	50	49.0	98	77-125	
1,3-Dichlorobenzene	ug/L	<0.35	50	52.6	105	70-130	
1,4-Dichlorobenzene	ug/L	<0.89	50	53.7	107	70-130	
Benzene	ug/L	<0.30	50	53.2	106	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

MATRIX SPIKE SAMPLE: 2235588		40228072002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromodichloromethane	ug/L	<0.42	50	47.7	95	70-130	
Bromoform	ug/L	<3.8	50	47.1	94	65-130	
Bromomethane	ug/L	<1.2	50	31.9	64	44-128	
Carbon tetrachloride	ug/L	<0.37	50	51.3	103	70-132	
Chlorobenzene	ug/L	<0.86	50	52.4	105	70-130	
Chloroethane	ug/L	<1.4	50	57.8	116	70-137	
Chloroform	ug/L	<1.2	50	48.9	98	80-122	
Chloromethane	ug/L	<1.6	50	48.6	97	17-149	
cis-1,2-Dichloroethene	ug/L	<0.47	50	52.1	104	70-130	
cis-1,3-Dichloropropene	ug/L	<0.36	50	48.7	97	70-130	
Dibromochloromethane	ug/L	<2.6	50	48.4	97	70-130	
Dichlorodifluoromethane	ug/L	<0.46	50	40.6	81	22-158	
Ethylbenzene	ug/L	<0.33	50	54.5	109	80-123	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	56.2	112	70-130	
m&p-Xylene	ug/L	<0.70	100	107	107	70-130	
Methyl-tert-butyl ether	ug/L	<1.1	50	47.5	95	66-130	
Methylene Chloride	ug/L	<0.32	50	51.0	102	70-130	
o-Xylene	ug/L	<0.35	50	51.6	103	70-130	
Styrene	ug/L	<0.36	50	54.9	110	70-130	
Tetrachloroethene	ug/L	<0.41	50	53.1	106	70-130	
Toluene	ug/L	<0.29	50	50.4	101	80-121	
trans-1,2-Dichloroethene	ug/L	<0.53	50	51.2	102	70-134	
trans-1,3-Dichloropropene	ug/L	<3.5	50	46.3	93	58-130	
Trichloroethene	ug/L	<0.32	50	51.0	102	70-130	
Trichlorofluoromethane	ug/L	<0.42	50	62.7	125	82-151	
Vinyl chloride	ug/L	<0.17	50	52.2	104	61-143	
1,2-Dichlorobenzene-d4 (S)	%				100	70-130	
4-Bromofluorobenzene (S)	%				104	70-130	
Toluene-d8 (S)	%				98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387585 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050037

METHOD BLANK: 2235664 Matrix: Water

Associated Lab Samples: 40228050037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	06/11/21 14:28	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	06/11/21 14:28	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	06/11/21 14:28	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	06/11/21 14:28	
1,1-Dichloroethane	ug/L	<0.30	1.0	06/11/21 14:28	
1,1-Dichloroethene	ug/L	<0.58	1.0	06/11/21 14:28	
1,1-Dichloropropene	ug/L	<0.41	1.0	06/11/21 14:28	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	06/11/21 14:28	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	06/11/21 14:28	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	06/11/21 14:28	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	06/11/21 14:28	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	06/11/21 14:28	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	06/11/21 14:28	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	06/11/21 14:28	
1,2-Dichloroethane	ug/L	<0.29	1.0	06/11/21 14:28	
1,2-Dichloropropane	ug/L	<0.45	1.0	06/11/21 14:28	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	06/11/21 14:28	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	06/11/21 14:28	
1,3-Dichloropropane	ug/L	<0.30	1.0	06/11/21 14:28	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	06/11/21 14:28	
2,2-Dichloropropane	ug/L	<4.2	5.0	06/11/21 14:28	
2-Chlorotoluene	ug/L	<0.89	5.0	06/11/21 14:28	
4-Chlorotoluene	ug/L	<0.89	5.0	06/11/21 14:28	
Benzene	ug/L	<0.30	1.0	06/11/21 14:28	
Bromobenzene	ug/L	<0.36	1.0	06/11/21 14:28	
Bromochloromethane	ug/L	<0.36	5.0	06/11/21 14:28	
Bromodichloromethane	ug/L	<0.42	1.0	06/11/21 14:28	
Bromoform	ug/L	<3.8	5.0	06/11/21 14:28	
Bromomethane	ug/L	<1.2	5.0	06/11/21 14:28	
Carbon tetrachloride	ug/L	<0.37	1.0	06/11/21 14:28	
Chlorobenzene	ug/L	<0.86	1.0	06/11/21 14:28	
Chloroethane	ug/L	<1.4	5.0	06/11/21 14:28	
Chloroform	ug/L	<1.2	5.0	06/11/21 14:28	
Chloromethane	ug/L	<1.6	5.0	06/11/21 14:28	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	06/11/21 14:28	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	06/11/21 14:28	
Dibromochloromethane	ug/L	<2.6	5.0	06/11/21 14:28	
Dibromomethane	ug/L	<0.99	5.0	06/11/21 14:28	
Dichlorodifluoromethane	ug/L	<0.46	5.0	06/11/21 14:28	
Diisopropyl ether	ug/L	<1.1	5.0	06/11/21 14:28	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

METHOD BLANK: 2235664

Matrix: Water

Associated Lab Samples: 40228050037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	06/11/21 14:28	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	06/11/21 14:28	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	06/11/21 14:28	
m&p-Xylene	ug/L	<0.70	2.0	06/11/21 14:28	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	06/11/21 14:28	
Methylene Chloride	ug/L	<0.32	5.0	06/11/21 14:28	
n-Butylbenzene	ug/L	<0.86	1.0	06/11/21 14:28	
n-Propylbenzene	ug/L	<0.35	1.0	06/11/21 14:28	
Naphthalene	ug/L	<1.1	5.0	06/11/21 14:28	
o-Xylene	ug/L	<0.35	1.0	06/11/21 14:28	
p-Isopropyltoluene	ug/L	<1.0	5.0	06/11/21 14:28	
sec-Butylbenzene	ug/L	<0.42	1.0	06/11/21 14:28	
Styrene	ug/L	<0.36	1.0	06/11/21 14:28	
tert-Butylbenzene	ug/L	<0.59	1.0	06/11/21 14:28	
Tetrachloroethene	ug/L	<0.41	1.0	06/11/21 14:28	
Toluene	ug/L	<0.29	1.0	06/11/21 14:28	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	06/11/21 14:28	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	06/11/21 14:28	
Trichloroethene	ug/L	<0.32	1.0	06/11/21 14:28	
Trichlorofluoromethane	ug/L	<0.42	1.0	06/11/21 14:28	
Vinyl chloride	ug/L	<0.17	1.0	06/11/21 14:28	
1,2-Dichlorobenzene-d4 (S)	%	96	70-130	06/11/21 14:28	
4-Bromofluorobenzene (S)	%	98	70-130	06/11/21 14:28	
Toluene-d8 (S)	%	99	70-130	06/11/21 14:28	

LABORATORY CONTROL SAMPLE: 2235665

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	47.5	95	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	53.0	106	66-130	
1,1,2-Trichloroethane	ug/L	50	54.5	109	70-130	
1,1-Dichloroethane	ug/L	50	55.2	110	68-132	
1,1-Dichloroethene	ug/L	50	49.0	98	85-126	
1,2,4-Trichlorobenzene	ug/L	50	43.8	88	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	44.1	88	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	51.4	103	70-130	
1,2-Dichlorobenzene	ug/L	50	50.6	101	70-130	
1,2-Dichloroethane	ug/L	50	50.7	101	70-130	
1,2-Dichloropropane	ug/L	50	58.6	117	78-125	
1,3-Dichlorobenzene	ug/L	50	48.9	98	70-130	
1,4-Dichlorobenzene	ug/L	50	48.8	98	70-130	
Benzene	ug/L	50	53.8	108	70-132	
Bromodichloromethane	ug/L	50	52.0	104	70-130	
Bromoform	ug/L	50	46.5	93	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

LABORATORY CONTROL SAMPLE: 2235665

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	47.1	94	44-128	
Carbon tetrachloride	ug/L	50	48.9	98	70-130	
Chlorobenzene	ug/L	50	52.7	105	70-130	
Chloroethane	ug/L	50	51.5	103	73-137	
Chloroform	ug/L	50	53.7	107	80-122	
Chloromethane	ug/L	50	52.6	105	27-148	
cis-1,2-Dichloroethene	ug/L	50	49.9	100	70-130	
cis-1,3-Dichloropropene	ug/L	50	47.6	95	70-130	
Dibromochloromethane	ug/L	50	47.9	96	70-130	
Dichlorodifluoromethane	ug/L	50	30.4	61	22-151	
Ethylbenzene	ug/L	50	52.6	105	80-123	
Isopropylbenzene (Cumene)	ug/L	50	53.1	106	70-130	
m&p-Xylene	ug/L	100	102	102	70-130	
Methyl-tert-butyl ether	ug/L	50	47.6	95	66-130	
Methylene Chloride	ug/L	50	50.9	102	70-130	
o-Xylene	ug/L	50	51.8	104	70-130	
Styrene	ug/L	50	54.7	109	70-130	
Tetrachloroethene	ug/L	50	47.1	94	70-130	
Toluene	ug/L	50	52.0	104	80-121	
trans-1,2-Dichloroethene	ug/L	50	48.8	98	70-130	
trans-1,3-Dichloropropene	ug/L	50	45.5	91	58-125	
Trichloroethene	ug/L	50	51.5	103	70-130	
Trichlorofluoromethane	ug/L	50	51.5	103	84-148	
Vinyl chloride	ug/L	50	57.2	114	63-142	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2237119 2237120

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228121003 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	5.2	50	50	50	54.2	56.7	98	103	70-130	5	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50	56.1	54.9	112	110	66-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50	53.7	55.3	107	111	70-130	3	20	
1,1-Dichloroethane	ug/L	153	50	50	50	192	243	78	180	68-132	23	20	M1,R1
1,1-Dichloroethene	ug/L	0.62J	50	50	50	53.7	54.4	106	108	76-132	1	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50	45.5	45.2	91	90	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	50	48.9	48.1	98	96	51-126	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50	52.2	53.1	104	106	70-130	2	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50	51.1	49.0	102	98	70-130	4	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	50	52.6	48.4	105	97	70-130	8	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	50	57.6	57.2	115	114	77-125	1	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50	49.7	49.1	99	98	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2237119		2237120		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228121003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.7	47.8	97	96	70-130	2	20		
Benzene	ug/L	<0.30	50	50	54.2	53.0	108	106	70-132	2	20		
Bromodichloromethane	ug/L	<0.42	50	50	51.9	50.9	104	102	70-130	2	20		
Bromoform	ug/L	<3.8	50	50	46.3	45.9	93	92	65-130	1	20		
Bromomethane	ug/L	<1.2	50	50	67.0	68.3	134	137	44-128	2	21	M1	
Carbon tetrachloride	ug/L	<0.37	50	50	48.8	49.6	98	99	70-132	2	20		
Chlorobenzene	ug/L	<0.86	50	50	51.2	52.0	102	104	70-130	2	20		
Chloroethane	ug/L	2.8J	50	50	57.3	57.8	109	110	70-137	1	20		
Chloroform	ug/L	<1.2	50	50	53.7	52.0	107	104	80-122	3	20		
Chloromethane	ug/L	<1.6	50	50	74.4	71.8	149	144	17-149	3	20		
cis-1,2-Dichloroethene	ug/L	11.3	50	50	61.9	64.2	101	106	70-130	4	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	47.2	46.3	94	93	70-130	2	20		
Dibromochloromethane	ug/L	<2.6	50	50	47.4	47.4	95	95	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	60.8	59.1	122	118	22-158	3	20		
Ethylbenzene	ug/L	<0.33	50	50	51.7	51.8	103	104	80-123	0	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.1	52.4	104	105	70-130	1	20		
m&p-Xylene	ug/L	<0.70	100	100	99.6	99.8	100	100	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	48.0	50.8	96	102	66-130	6	20		
Methylene Chloride	ug/L	<0.32	50	50	50.2	50.0	100	100	70-130	0	20		
o-Xylene	ug/L	<0.35	50	50	50.9	50.4	102	101	70-130	1	20		
Styrene	ug/L	<0.36	50	50	53.1	53.4	106	107	70-130	1	20		
Tetrachloroethene	ug/L	<0.41	50	50	49.8	49.4	100	99	70-130	1	20		
Toluene	ug/L	<0.29	50	50	50.8	51.2	102	102	80-121	1	20		
trans-1,2-Dichloroethene	ug/L	1.0	50	50	51.8	53.6	102	105	70-134	3	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	45.1	45.4	90	91	58-130	1	20		
Trichloroethene	ug/L	31.7	50	50	80.6	91.0	98	119	70-130	12	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	59.1	57.7	118	115	82-151	3	20		
Vinyl chloride	ug/L	<0.17	50	50	72.5	69.6	145	139	61-143	4	20	M1	
1,2-Dichlorobenzene-d4 (S)	%						98	99	70-130				
4-Bromofluorobenzene (S)	%						107	103	70-130				
Toluene-d8 (S)	%						100	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387468 Analysis Method: EPA 8082
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40228050001, 40228050002, 40228050003, 40228050004, 40228050005, 40228050006, 40228050007, 40228050008, 40228050009

METHOD BLANK: 2234970 Matrix: Solid
Associated Lab Samples: 40228050001, 40228050002, 40228050003, 40228050004, 40228050005, 40228050006, 40228050007, 40228050008, 40228050009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<15.2	50.0	06/09/21 13:36	
PCB-1221 (Aroclor 1221)	ug/kg	<15.2	50.0	06/09/21 13:36	
PCB-1232 (Aroclor 1232)	ug/kg	<15.2	50.0	06/09/21 13:36	
PCB-1242 (Aroclor 1242)	ug/kg	<15.2	50.0	06/09/21 13:36	
PCB-1248 (Aroclor 1248)	ug/kg	<15.2	50.0	06/09/21 13:36	
PCB-1254 (Aroclor 1254)	ug/kg	<15.2	50.0	06/09/21 13:36	
PCB-1260 (Aroclor 1260)	ug/kg	<15.2	50.0	06/09/21 13:36	
Decachlorobiphenyl (S)	%	95	47-114	06/09/21 13:36	
Tetrachloro-m-xylene (S)	%	91	67-102	06/09/21 13:36	

LABORATORY CONTROL SAMPLE: 2234971

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<15.2			
PCB-1221 (Aroclor 1221)	ug/kg		<15.2			
PCB-1232 (Aroclor 1232)	ug/kg		<15.2			
PCB-1242 (Aroclor 1242)	ug/kg		<15.2			
PCB-1248 (Aroclor 1248)	ug/kg		<15.2			
PCB-1254 (Aroclor 1254)	ug/kg		<15.2			
PCB-1260 (Aroclor 1260)	ug/kg	500	449	90	69-115	
Decachlorobiphenyl (S)	%			94	47-114	
Tetrachloro-m-xylene (S)	%			89	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2234972 2234973

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228051006 Result	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	ug/kg	<15.9			<16.0	<16.0					20
PCB-1221 (Aroclor 1221)	ug/kg	<15.9			<16.0	<16.0					20
PCB-1232 (Aroclor 1232)	ug/kg	<15.9			<16.0	<16.0					20
PCB-1242 (Aroclor 1242)	ug/kg	<15.9			<16.0	<16.0					20
PCB-1248 (Aroclor 1248)	ug/kg	<15.9			<16.0	<16.0					20
PCB-1254 (Aroclor 1254)	ug/kg	<15.9			<16.0	<16.0					20
PCB-1260 (Aroclor 1260)	ug/kg	<15.9	526	525	462	455	88	87	45-120	2	20
Decachlorobiphenyl (S)	%						92	90	47-114		
Tetrachloro-m-xylene (S)	%						87	86	67-102		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387550 Analysis Method: EPA 8082
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40228050010, 40228050011, 40228050012, 40228050013, 40228050014, 40228050015, 40228050016, 40228050017, 40228050019, 40228050020, 40228050021, 40228050022, 40228050023, 40228050024, 40228050025, 40228050026, 40228050027, 40228050028, 40228050030

METHOD BLANK: 2235515 Matrix: Solid
Associated Lab Samples: 40228050010, 40228050011, 40228050012, 40228050013, 40228050014, 40228050015, 40228050016, 40228050017, 40228050019, 40228050020, 40228050021, 40228050022, 40228050023, 40228050024, 40228050025, 40228050026, 40228050027, 40228050028, 40228050030

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<15.2	50.0	06/10/21 14:14	
PCB-1221 (Aroclor 1221)	ug/kg	<15.2	50.0	06/10/21 14:14	
PCB-1232 (Aroclor 1232)	ug/kg	<15.2	50.0	06/10/21 14:14	
PCB-1242 (Aroclor 1242)	ug/kg	<15.2	50.0	06/10/21 14:14	
PCB-1248 (Aroclor 1248)	ug/kg	<15.2	50.0	06/10/21 14:14	
PCB-1254 (Aroclor 1254)	ug/kg	<15.2	50.0	06/10/21 14:14	
PCB-1260 (Aroclor 1260)	ug/kg	<15.2	50.0	06/10/21 14:14	
Decachlorobiphenyl (S)	%	92	47-114	06/10/21 14:14	
Tetrachloro-m-xylene (S)	%	82	67-102	06/10/21 14:14	

LABORATORY CONTROL SAMPLE: 2235516

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<15.2			
PCB-1221 (Aroclor 1221)	ug/kg		<15.2			
PCB-1232 (Aroclor 1232)	ug/kg		<15.2			
PCB-1242 (Aroclor 1242)	ug/kg		<15.2			
PCB-1248 (Aroclor 1248)	ug/kg		<15.2			
PCB-1254 (Aroclor 1254)	ug/kg		<15.2			
PCB-1260 (Aroclor 1260)	ug/kg	500	421	84	69-115	
Decachlorobiphenyl (S)	%			91	47-114	
Tetrachloro-m-xylene (S)	%			86	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2235517 2235518

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228050023	Result	Spike Conc.	Spike Conc.								
PCB-1016 (Aroclor 1016)	ug/kg	<16.4				<16.5	<16.4					20	
PCB-1221 (Aroclor 1221)	ug/kg	<16.4				<16.5	<16.4					20	
PCB-1232 (Aroclor 1232)	ug/kg	<16.4				<16.5	<16.4					20	
PCB-1242 (Aroclor 1242)	ug/kg	<16.4				<16.5	<16.4					20	
PCB-1248 (Aroclor 1248)	ug/kg	<16.4				<16.5	<16.4					20	
PCB-1254 (Aroclor 1254)	ug/kg	<16.4				<16.5	<16.4					20	
PCB-1260 (Aroclor 1260)	ug/kg	<16.4	540	540	540	438	446	81	83	45-120	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Parameter	Units	2235517		2235518		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228050023 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Decachlorobiphenyl (S)	%					82	84	47-114			
Tetrachloro-m-xylene (S)	%					81	80	67-102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 387618 Analysis Method: EPA 8082
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40228050031, 40228050032, 40228050033, 40228050035, 40228050036, 40228050039

METHOD BLANK: 2236127 Matrix: Solid
Associated Lab Samples: 40228050031, 40228050032, 40228050033, 40228050035, 40228050036, 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<15.2	50.0	06/11/21 10:34	
PCB-1221 (Aroclor 1221)	ug/kg	<15.2	50.0	06/11/21 10:34	
PCB-1232 (Aroclor 1232)	ug/kg	<15.2	50.0	06/11/21 10:34	
PCB-1242 (Aroclor 1242)	ug/kg	<15.2	50.0	06/11/21 10:34	
PCB-1248 (Aroclor 1248)	ug/kg	<15.2	50.0	06/11/21 10:34	
PCB-1254 (Aroclor 1254)	ug/kg	<15.2	50.0	06/11/21 10:34	
PCB-1260 (Aroclor 1260)	ug/kg	<15.2	50.0	06/11/21 10:34	
Decachlorobiphenyl (S)	%	88	47-114	06/11/21 10:34	
Tetrachloro-m-xylene (S)	%	85	67-102	06/11/21 10:34	

LABORATORY CONTROL SAMPLE: 2236128

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<15.2			
PCB-1221 (Aroclor 1221)	ug/kg		<15.2			
PCB-1232 (Aroclor 1232)	ug/kg		<15.2			
PCB-1242 (Aroclor 1242)	ug/kg		<15.2			
PCB-1248 (Aroclor 1248)	ug/kg		<15.2			
PCB-1254 (Aroclor 1254)	ug/kg		<15.2			
PCB-1260 (Aroclor 1260)	ug/kg	500	423	85	69-115	
Decachlorobiphenyl (S)	%			87	47-114	
Tetrachloro-m-xylene (S)	%			86	67-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2236129 2236130

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40228050033 Result	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	ug/kg	<16.5			<16.5	<16.4					20
PCB-1221 (Aroclor 1221)	ug/kg	<16.5			<16.5	<16.4					20
PCB-1232 (Aroclor 1232)	ug/kg	<16.5			<16.5	<16.4					20
PCB-1242 (Aroclor 1242)	ug/kg	<16.5			<16.5	<16.4					20
PCB-1248 (Aroclor 1248)	ug/kg	35.8J			37.9J	39.9J					20
PCB-1254 (Aroclor 1254)	ug/kg	43.4J			<16.5	<16.4					20
PCB-1260 (Aroclor 1260)	ug/kg	24.5J	541	539	446	444	78	78	45-120	0	20
Decachlorobiphenyl (S)	%						75	74	47-114		
Tetrachloro-m-xylene (S)	%						82	79	67-102		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 388991 Analysis Method: EPA 8082
QC Batch Method: EPA 3510 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40228050018, 40228050029, 40228050034, 40228050037

METHOD BLANK: 2244000 Matrix: Water
Associated Lab Samples: 40228050018, 40228050029, 40228050034, 40228050037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	<0.11	0.50	06/28/21 08:53	
PCB-1221 (Aroclor 1221)	ug/L	<0.11	0.50	06/28/21 08:53	
PCB-1232 (Aroclor 1232)	ug/L	<0.11	0.50	06/28/21 08:53	
PCB-1242 (Aroclor 1242)	ug/L	<0.11	0.50	06/28/21 08:53	
PCB-1248 (Aroclor 1248)	ug/L	<0.11	0.50	06/28/21 08:53	
PCB-1254 (Aroclor 1254)	ug/L	<0.11	0.50	06/28/21 08:53	
PCB-1260 (Aroclor 1260)	ug/L	<0.11	0.50	06/28/21 08:53	
Decachlorobiphenyl (S)	%	19	10-73	06/28/21 08:53	
Tetrachloro-m-xylene (S)	%	83	28-124	06/28/21 08:53	

LABORATORY CONTROL SAMPLE & LCSD: 2244001

Parameter	Units	Spike Conc.	2244002		LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
			LCS Result	LCSD Result						
PCB-1016 (Aroclor 1016)	ug/L		<0.11	<0.11					20	
PCB-1221 (Aroclor 1221)	ug/L		<0.11	<0.11					20	
PCB-1232 (Aroclor 1232)	ug/L		<0.11	<0.11					20	
PCB-1242 (Aroclor 1242)	ug/L		<0.11	<0.11					20	
PCB-1248 (Aroclor 1248)	ug/L		<0.11	<0.11					20	
PCB-1254 (Aroclor 1254)	ug/L		<0.11	<0.11					20	
PCB-1260 (Aroclor 1260)	ug/L	5	4.5	4.3	89	87	64-115	2	20	
Decachlorobiphenyl (S)	%				39	19	10-73			
Tetrachloro-m-xylene (S)	%				81	88	28-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 388026	Analysis Method: EPA 8270E
QC Batch Method: EPA 3510	Analysis Description: 8270E TCLP MSSV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050039

METHOD BLANK: 2238358 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,4-Dichlorobenzene	ug/L	<2.9	10.0	06/17/21 11:18	
2,4,5-Trichlorophenol	ug/L	<1.3	10.0	06/17/21 11:18	
2,4,6-Trichlorophenol	ug/L	<1.6	10.0	06/17/21 11:18	
2,4-Dinitrotoluene	ug/L	<2.1	10.0	06/17/21 11:18	
2-Methylphenol(o-Cresol)	ug/L	<1.9	10.0	06/17/21 11:18	
3&4-Methylphenol(m&p Cresol)	ug/L	<1.2	10.0	06/17/21 11:18	
Hexachloro-1,3-butadiene	ug/L	<3.3	10.0	06/17/21 11:18	
Hexachlorobenzene	ug/L	<2.3	11.0	06/17/21 11:18	
Hexachloroethane	ug/L	<2.8	10.0	06/17/21 11:18	
Nitrobenzene	ug/L	<2.1	10.0	06/17/21 11:18	
Pentachlorophenol	ug/L	<9.1	30.4	06/17/21 11:18	
Pyridine	ug/L	<3.0	10.0	06/17/21 11:18	
2,4,6-Tribromophenol (S)	%	112	62-172	06/17/21 11:18	
2-Fluorobiphenyl (S)	%	89	54-107	06/17/21 11:18	
Nitrobenzene-d5 (S)	%	107	41-118	06/17/21 11:18	
Phenol-d6 (S)	%	41	12-120	06/17/21 11:18	

METHOD BLANK: 2235283 Matrix: Water

Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,4-Dichlorobenzene	ug/L	<14.4	50.0	06/17/21 21:14	
2,4,5-Trichlorophenol	ug/L	<6.4	50.0	06/17/21 21:14	
2,4,6-Trichlorophenol	ug/L	<8.0	50.0	06/17/21 21:14	
2,4-Dinitrotoluene	ug/L	<10.6	50.0	06/17/21 21:14	
2-Methylphenol(o-Cresol)	ug/L	<9.3	50.0	06/17/21 21:14	
3&4-Methylphenol(m&p Cresol)	ug/L	<6.1	50.0	06/17/21 21:14	
Hexachloro-1,3-butadiene	ug/L	<16.5	50.0	06/17/21 21:14	
Hexachlorobenzene	ug/L	<11.5	55.0	06/17/21 21:14	
Hexachloroethane	ug/L	<14.2	50.0	06/17/21 21:14	
Nitrobenzene	ug/L	<10.7	50.0	06/17/21 21:14	
Pentachlorophenol	ug/L	<45.5	152	06/17/21 21:14	
Pyridine	ug/L	<15.1	50.0	06/17/21 21:14	
2,4,6-Tribromophenol (S)	%	108	62-172	06/17/21 21:14	
2-Fluorobiphenyl (S)	%	88	54-107	06/17/21 21:14	
Nitrobenzene-d5 (S)	%	99	41-118	06/17/21 21:14	
Phenol-d6 (S)	%	40	12-120	06/17/21 21:14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

METHOD BLANK: 2237533 Matrix: Water
Associated Lab Samples: 40228050039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,4-Dichlorobenzene	ug/L	<14.4	50.0	06/17/21 21:35	
2,4,5-Trichlorophenol	ug/L	<6.4	50.0	06/17/21 21:35	
2,4,6-Trichlorophenol	ug/L	<8.0	50.0	06/17/21 21:35	
2,4-Dinitrotoluene	ug/L	<10.6	50.0	06/17/21 21:35	
2-Methylphenol(o-Cresol)	ug/L	<9.3	50.0	06/17/21 21:35	
3&4-Methylphenol(m&p Cresol)	ug/L	<6.1	50.0	06/17/21 21:35	
Hexachloro-1,3-butadiene	ug/L	<16.5	50.0	06/17/21 21:35	
Hexachlorobenzene	ug/L	<11.5	55.0	06/17/21 21:35	
Hexachloroethane	ug/L	<14.2	50.0	06/17/21 21:35	
Nitrobenzene	ug/L	<10.7	50.0	06/17/21 21:35	
Pentachlorophenol	ug/L	<45.5	152	06/17/21 21:35	
Pyridine	ug/L	<15.1	50.0	06/17/21 21:35	
2,4,6-Tribromophenol (S)	%	102	62-172	06/17/21 21:35	
2-Fluorobiphenyl (S)	%	67	54-107	06/17/21 21:35	
Nitrobenzene-d5 (S)	%	81	41-118	06/17/21 21:35	
Phenol-d6 (S)	%	33	12-120	06/17/21 21:35	

LABORATORY CONTROL SAMPLE: 2238359

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dichlorobenzene	ug/L	50	34.1	68	46-89	
2,4,5-Trichlorophenol	ug/L	50	51.6	103	60-122	
2,4,6-Trichlorophenol	ug/L	50	50.1	100	59-119	
2,4-Dinitrotoluene	ug/L	50	53.6	107	70-130	
2-Methylphenol(o-Cresol)	ug/L	50	44.9	90	47-130	
3&4-Methylphenol(m&p Cresol)	ug/L	50	39.6	79	43-130	
Hexachloro-1,3-butadiene	ug/L	50	30.3	61	51-103	
Hexachlorobenzene	ug/L	50	49.3	99	70-130	
Hexachloroethane	ug/L	50	27.2	54	35-102	
Nitrobenzene	ug/L	50	50.8	102	70-130	
Pentachlorophenol	ug/L	50	36.8	74	53-101	
Pyridine	ug/L	50	37.2	74	10-130	
2,4,6-Tribromophenol (S)	%			116	62-172	
2-Fluorobiphenyl (S)	%			97	54-107	
Nitrobenzene-d5 (S)	%			109	41-118	
Phenol-d6 (S)	%			44	12-120	

MATRIX SPIKE SAMPLE: 2238360

Parameter	Units	40228050039 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,4-Dichlorobenzene	ug/L	<14.4	250	156	62	46-99	
2,4,5-Trichlorophenol	ug/L	<6.4	250	251	100	24-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Project No.: 40228050

MATRIX SPIKE SAMPLE: 2238360		40228050039	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
2,4,6-Trichlorophenol	ug/L	<8.0	250	255	102	18-131	
2,4-Dinitrotoluene	ug/L	<10.6	250	267	107	22-158	
2-Methylphenol(o-Cresol)	ug/L	<9.3	250	214	86	29-130	
3&4-Methylphenol(m&p Cresol)	ug/L	<6.1	250	187	75	19-130	
Hexachloro-1,3-butadiene	ug/L	<16.5	250	145	58	51-113	
Hexachlorobenzene	ug/L	<11.5	250	241	96	70-130	
Hexachloroethane	ug/L	<14.2	250	122	49	35-102	
Nitrobenzene	ug/L	<10.7	250	242	97	51-130	
Pentachlorophenol	ug/L	<45.5	250	219	88	10-200	
Pyridine	ug/L	<15.1	250	161	64	10-130	
2,4,6-Tribromophenol (S)	%				111	62-172	
2-Fluorobiphenyl (S)	%				94	54-107	
Nitrobenzene-d5 (S)	%				106	41-118	
Phenol-d6 (S)	%				41	12-120	

MATRIX SPIKE SAMPLE: 2238361		40228382001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
1,4-Dichlorobenzene	ug/L	<14.4	250	134	54	46-99	
2,4,5-Trichlorophenol	ug/L	<6.4	250	240	96	24-139	
2,4,6-Trichlorophenol	ug/L	<8.0	250	237	95	18-131	
2,4-Dinitrotoluene	ug/L	<10.6	250	262	105	22-158	
2-Methylphenol(o-Cresol)	ug/L	<9.3	250	208	83	29-130	
3&4-Methylphenol(m&p Cresol)	ug/L	<6.1	250	189	75	19-130	
Hexachloro-1,3-butadiene	ug/L	<16.5	250	142	57	51-113	
Hexachlorobenzene	ug/L	<11.5	250	225	90	70-130	
Hexachloroethane	ug/L	<14.2	250	110	44	35-102	
Nitrobenzene	ug/L	<10.7	250	233	93	51-130	
Pentachlorophenol	ug/L	<45.5	250	197	79	10-200	
Pyridine	ug/L	<15.1	250	145	58	10-130	
2,4,6-Tribromophenol (S)	%				113	62-172	
2-Fluorobiphenyl (S)	%				90	54-107	
Nitrobenzene-d5 (S)	%				102	41-118	
Phenol-d6 (S)	%				43	12-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch:	387440	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050001, 40228050002, 40228050003, 40228050004, 40228050005, 40228050006, 40228050007, 40228050008, 40228050009, 40228050010, 40228050011

SAMPLE DUPLICATE: 2234869

Parameter	Units	40228043001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.5	4.5	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch:	387442	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050012, 40228050013, 40228050014, 40228050015, 40228050016, 40228050017, 40228050019, 40228050020, 40228050021, 40228050022, 40228050023, 40228050024, 40228050025, 40228050026, 40228050027, 40228050028, 40228050030, 40228050031, 40228050032

SAMPLE DUPLICATE: 2234872

Parameter	Units	40228043002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.8	4.8	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 387444

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050033, 40228050035, 40228050036, 40228050039

SAMPLE DUPLICATE: 2234879

Parameter	Units	40228043003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.9	5.0	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 387470

Analysis Method: EPA 1010

QC Batch Method: EPA 1010

Analysis Description: 1010 Flash Point, Closed Cup

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050037, 40228050039

LABORATORY CONTROL SAMPLE: 2234974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Flashpoint	deg F		83			

SAMPLE DUPLICATE: 2235352

Parameter	Units	40228050039 Result	Dup Result	RPD	Max RPD	Qualifiers
Flashpoint	deg F	>200	>200			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 387449

Analysis Method: SM 2540D

QC Batch Method: SM 2540D

Analysis Description: 2540D Total Suspended Solids

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050037

METHOD BLANK: 2234889

Matrix: Water

Associated Lab Samples: 40228050037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Suspended Solids	mg/L	<0.48	1.0	06/08/21 15:18	

LABORATORY CONTROL SAMPLE: 2234890

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Suspended Solids	mg/L	100	92.0	92	80-120	

SAMPLE DUPLICATE: 2234891

Parameter	Units	40227996001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	316	304	4	10	

SAMPLE DUPLICATE: 2234892

Parameter	Units	40227996002 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	787	807	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 387570

Analysis Method: SM 4500-H+B

QC Batch Method: SM 4500-H+B

Analysis Description: 4500H+B pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050037

SAMPLE DUPLICATE: 2235600

Parameter	Units	40228041001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.4	7.4	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

QC Batch: 387677

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40228050039

SAMPLE DUPLICATE: 2236563

Parameter	Units	40228050039 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.93	8.17	3	5	H6,PI

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

QC Batch: 388254 Analysis Method: EPA 410.4
QC Batch Method: EPA 410.4 Analysis Description: 410.4 COD
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40228050037

METHOD BLANK: 2239934 Matrix: Water
Associated Lab Samples: 40228050037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chemical Oxygen Demand	mg/L	<14.7	50.0	06/18/21 10:37	

LABORATORY CONTROL SAMPLE: 2239935

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	500	547	109	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2239936 2239937

Parameter	Units	40228117001		MS		MSD		% Rec		Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MS Result	MSD Result	% Rec	MSD % Rec						
Chemical Oxygen Demand	mg/L	<15.5	526	526	576	576	109	109	90-110	0	10		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2239938 2239939

Parameter	Units	40228117002		MS		MSD		% Rec		Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MS Result	MSD Result	% Rec	MSD % Rec						
Chemical Oxygen Demand	mg/L	<15.5	526	526	573	576	108	109	90-110	0	10		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 389077

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q Use of method EPA 1010A for flashpoint on solid samples is for informational purposes only. It is the user's responsibility to verify the acceptance of this data for intended use.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

H6 Analysis initiated outside of the 15 minute EPA required holding time.

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.

PI The precision between the sample and the duplicate sample exceeded laboratory control limits.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40228050001	SB21-44-01-18	EPA 3541	387468	EPA 8082	387483
40228050002	SB21-45-01-18	EPA 3541	387468	EPA 8082	387483
40228050003	SB21-46-01-18	EPA 3541	387468	EPA 8082	387483
40228050004	SB21-47-01-18	EPA 3541	387468	EPA 8082	387483
40228050005	SB21-48-01-18	EPA 3541	387468	EPA 8082	387483
40228050006	SB21-49-01-18	EPA 3541	387468	EPA 8082	387483
40228050007	SB21-50-01-18	EPA 3541	387468	EPA 8082	387483
40228050008	SB21-52-01-18	EPA 3541	387468	EPA 8082	387483
40228050009	SB21-54-01-18	EPA 3541	387468	EPA 8082	387483
40228050010	SB21-55-01-18	EPA 3541	387550	EPA 8082	387551
40228050011	SB21-56-01-18	EPA 3541	387550	EPA 8082	387551
40228050012	SB21-57-01-18	EPA 3541	387550	EPA 8082	387551
40228050013	SB21-58-01-18	EPA 3541	387550	EPA 8082	387551
40228050014	SB21-59-01-18	EPA 3541	387550	EPA 8082	387551
40228050015	SB21-64-01-18	EPA 3541	387550	EPA 8082	387551
40228050016	SB21-DUP-05	EPA 3541	387550	EPA 8082	387551
40228050017	SB21-68-01-18	EPA 3541	387550	EPA 8082	387551
40228050019	SB21-70-01-18	EPA 3541	387550	EPA 8082	387551
40228050020	SB21-71-01-18	EPA 3541	387550	EPA 8082	387551
40228050021	SB21-72-01-18	EPA 3541	387550	EPA 8082	387551
40228050022	SB21-73-01-18	EPA 3541	387550	EPA 8082	387551
40228050023	SB21-74-01-18	EPA 3541	387550	EPA 8082	387551
40228050024	SB21-77-01-18	EPA 3541	387550	EPA 8082	387551
40228050025	SB21-78-01-18	EPA 3541	387550	EPA 8082	387551
40228050026	SB21-81-01-18	EPA 3541	387550	EPA 8082	387551
40228050027	SB21-84-01-18	EPA 3541	387550	EPA 8082	387551
40228050028	SB21-DUP-06	EPA 3541	387550	EPA 8082	387551
40228050030	SB21-85-01-18	EPA 3541	387550	EPA 8082	387551
40228050031	SB21-83-01-18	EPA 3541	387618	EPA 8082	387631
40228050032	SB21-30-01-18	EPA 3541	387618	EPA 8082	387631
40228050033	SB21-63-01-18	EPA 3541	387618	EPA 8082	387631
40228050035	SB21-66-01-18	EPA 3541	387618	EPA 8082	387631
40228050036	SB21-DUP-07	EPA 3541	387618	EPA 8082	387631
40228050039	SB21-IDW-0605	EPA 3541	387618	EPA 8082	387631
40228050018	SB21-RINS-06	EPA 3510	388991	EPA 8082	389077
40228050029	SB21-RINS-07	EPA 3510	388991	EPA 8082	389077
40228050034	SB21-RINS-08	EPA 3510	388991	EPA 8082	389077
40228050037	RINS21-IDW-0605	EPA 3510	388991	EPA 8082	389077
40228050001	SB21-44-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050002	SB21-45-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050003	SB21-46-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050004	SB21-47-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050005	SB21-48-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050006	SB21-49-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050007	SB21-50-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050008	SB21-52-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050009	SB21-54-01-18	EPA 3050B	387421	EPA 6010D	387535

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40228050010	SB21-55-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050011	SB21-56-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050012	SB21-57-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050013	SB21-58-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050014	SB21-59-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050015	SB21-64-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050016	SB21-DUP-05	EPA 3050B	387421	EPA 6010D	387535
40228050017	SB21-68-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050019	SB21-70-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050020	SB21-71-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050021	SB21-72-01-18	EPA 3050B	387421	EPA 6010D	387535
40228050022	SB21-73-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050023	SB21-74-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050024	SB21-77-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050025	SB21-78-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050026	SB21-81-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050027	SB21-84-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050028	SB21-DUP-06	EPA 3050B	387422	EPA 6010D	387534
40228050030	SB21-85-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050031	SB21-83-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050032	SB21-30-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050033	SB21-63-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050035	SB21-66-01-18	EPA 3050B	387422	EPA 6010D	387534
40228050036	SB21-DUP-07	EPA 3050B	387422	EPA 6010D	387534
40228050039	SB21-IDW-0605	EPA 3010A	387673	EPA 6010D	387796
40228050018	SB21-RINS-06	EPA 3010	387565	EPA 6020	387616
40228050029	SB21-RINS-07	EPA 3010	387565	EPA 6020	387616
40228050034	SB21-RINS-08	EPA 3010	387565	EPA 6020	387616
40228050037	RINS21-IDW-0605	EPA 3010	387565	EPA 6020	387616
40228050039	SB21-IDW-0605	EPA 7470	387680	EPA 7470	387712
40228050018	SB21-RINS-06	EPA 7470	387681	EPA 7470	387713
40228050029	SB21-RINS-07	EPA 7470	387681	EPA 7470	387713
40228050034	SB21-RINS-08	EPA 7470	387681	EPA 7470	387713
40228050037	RINS21-IDW-0605	EPA 7470	387681	EPA 7470	387713
40228050001	SB21-44-01-18	EPA 7471	388042	EPA 7471	388089
40228050002	SB21-45-01-18	EPA 7471	388042	EPA 7471	388089
40228050003	SB21-46-01-18	EPA 7471	388042	EPA 7471	388089
40228050004	SB21-47-01-18	EPA 7471	388042	EPA 7471	388089
40228050005	SB21-48-01-18	EPA 7471	388042	EPA 7471	388089
40228050006	SB21-49-01-18	EPA 7471	388042	EPA 7471	388089
40228050007	SB21-50-01-18	EPA 7471	388042	EPA 7471	388089
40228050008	SB21-52-01-18	EPA 7471	388042	EPA 7471	388089
40228050009	SB21-54-01-18	EPA 7471	388042	EPA 7471	388089
40228050010	SB21-55-01-18	EPA 7471	388042	EPA 7471	388089
40228050011	SB21-56-01-18	EPA 7471	388042	EPA 7471	388089
40228050012	SB21-57-01-18	EPA 7471	388042	EPA 7471	388089

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON

Pace Project No.: 40228050

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40228050013	SB21-58-01-18	EPA 7471	388042	EPA 7471	388089
40228050014	SB21-59-01-18	EPA 7471	388042	EPA 7471	388089
40228050015	SB21-64-01-18	EPA 7471	388042	EPA 7471	388089
40228050016	SB21-DUP-05	EPA 7471	388042	EPA 7471	388089
40228050017	SB21-68-01-18	EPA 7471	388042	EPA 7471	388089
40228050019	SB21-70-01-18	EPA 7471	388042	EPA 7471	388089
40228050020	SB21-71-01-18	EPA 7471	388042	EPA 7471	388089
40228050021	SB21-72-01-18	EPA 7471	388042	EPA 7471	388089
40228050022	SB21-73-01-18	EPA 7471	388043	EPA 7471	388090
40228050023	SB21-74-01-18	EPA 7471	388043	EPA 7471	388090
40228050024	SB21-77-01-18	EPA 7471	388043	EPA 7471	388090
40228050025	SB21-78-01-18	EPA 7471	388043	EPA 7471	388090
40228050026	SB21-81-01-18	EPA 7471	388043	EPA 7471	388090
40228050027	SB21-84-01-18	EPA 7471	388043	EPA 7471	388090
40228050028	SB21-DUP-06	EPA 7471	388043	EPA 7471	388090
40228050030	SB21-85-01-18	EPA 7471	388043	EPA 7471	388090
40228050031	SB21-83-01-18	EPA 7471	388043	EPA 7471	388090
40228050032	SB21-30-01-18	EPA 7471	388043	EPA 7471	388090
40228050033	SB21-63-01-18	EPA 7471	388043	EPA 7471	388090
40228050035	SB21-66-01-18	EPA 7471	388043	EPA 7471	388090
40228050036	SB21-DUP-07	EPA 7471	388043	EPA 7471	388090
40228050039	SB21-IDW-0605	EPA 3510	388026	EPA 8270E	388124
40228050039	SB21-IDW-0605	EPA 5035/5030B	387606	EPA 8260	387609
40228050040	IDW-MEOH-0605	EPA 5035/5030B	387606	EPA 8260	387609
40228050039	SB21-IDW-0605	EPA 8260	387471		
40228050037	RINS21-IDW-0605	EPA 8260	387585		
40228050038	IDW-TRIP-01	EPA 8260	387472		
40228050001	SB21-44-01-18	ASTM D2974-87	387440		
40228050002	SB21-45-01-18	ASTM D2974-87	387440		
40228050003	SB21-46-01-18	ASTM D2974-87	387440		
40228050004	SB21-47-01-18	ASTM D2974-87	387440		
40228050005	SB21-48-01-18	ASTM D2974-87	387440		
40228050006	SB21-49-01-18	ASTM D2974-87	387440		
40228050007	SB21-50-01-18	ASTM D2974-87	387440		
40228050008	SB21-52-01-18	ASTM D2974-87	387440		
40228050009	SB21-54-01-18	ASTM D2974-87	387440		
40228050010	SB21-55-01-18	ASTM D2974-87	387440		
40228050011	SB21-56-01-18	ASTM D2974-87	387440		
40228050012	SB21-57-01-18	ASTM D2974-87	387442		
40228050013	SB21-58-01-18	ASTM D2974-87	387442		
40228050014	SB21-59-01-18	ASTM D2974-87	387442		
40228050015	SB21-64-01-18	ASTM D2974-87	387442		
40228050016	SB21-DUP-05	ASTM D2974-87	387442		
40228050017	SB21-68-01-18	ASTM D2974-87	387442		
40228050019	SB21-70-01-18	ASTM D2974-87	387442		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7311200028 GP ASHWAUBENON
Pace Project No.: 40228050

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40228050020	SB21-71-01-18	ASTM D2974-87	387442		
40228050021	SB21-72-01-18	ASTM D2974-87	387442		
40228050022	SB21-73-01-18	ASTM D2974-87	387442		
40228050023	SB21-74-01-18	ASTM D2974-87	387442		
40228050024	SB21-77-01-18	ASTM D2974-87	387442		
40228050025	SB21-78-01-18	ASTM D2974-87	387442		
40228050026	SB21-81-01-18	ASTM D2974-87	387442		
40228050027	SB21-84-01-18	ASTM D2974-87	387442		
40228050028	SB21-DUP-06	ASTM D2974-87	387442		
40228050030	SB21-85-01-18	ASTM D2974-87	387442		
40228050031	SB21-83-01-18	ASTM D2974-87	387442		
40228050032	SB21-30-01-18	ASTM D2974-87	387442		
40228050033	SB21-63-01-18	ASTM D2974-87	387444		
40228050035	SB21-66-01-18	ASTM D2974-87	387444		
40228050036	SB21-DUP-07	ASTM D2974-87	387444		
40228050039	SB21-IDW-0605	ASTM D2974-87	387444		
40228050037	RINS21-IDW-0605	EPA 1010	387470		
40228050039	SB21-IDW-0605	EPA 1010	387470		
40228050037	RINS21-IDW-0605	SM 2540D	387449		
40228050037	RINS21-IDW-0605	SM 4500-H+B	387570		
40228050039	SB21-IDW-0605	EPA 9045	387677		
40228050037	RINS21-IDW-0605	EPA 410.4	388254	EPA 410.4	388294

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Andy Fishness
 Phone: 612-425-7016
 Project Number: 7311200028
 Project Name: GP Ashwaubenon
 Project State: WI
 Sampled By (Print): Karina Casey
 Sampled By (Sign): Karina Casey
 PO #: C012406250

Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

U0228050

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested	COLLECTION																	
			DATE	TIME	MATRIX															
N	A	PCBS (EPA 8092)	6/3	1620	S															
N	A	Lead (EPA 8010B)	6/4	0735	S															
N	A	Mercury (EPA 8160B)	6/4	0740	S															
			6-4	0800	S															
			6-4	0815	S															
			6-4	0825	S															
			6-4	0905	S															
			6-4	1000	S															
			6-4	1025	S															
			6-4	1040	S															
			6-4	1055	S															
			6-4	1115	S															
			6-4	1125	S															

Quote #: _____
 Mail To Contact: _____
 Mail To Company: _____
 Mail To Address: _____
 Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested														
		DATE	TIME																		
001	SB21-44-01-18	6/3	1620	S																	
002	SB21-45-01-18	6/4	0735	S																	
003	SB21-45-01-18	6/4	0740	S																	
004	SB21-47-01-18	6-4	0800	S																	
005	SB21-48-01-18	6-4	0815	S																	
006	SB21-48-01-18	6-4	0825	S																	
007	SB21-50-01-18	6-4	0905	S																	
008	SB21-52-01-18	6-4	1000	S																	
009	SB21-54-01-18	6-4	1025	S																	
010	SB21-55-01-18	6-4	1040	S																	
011	SB21-56-01-18	6-4	1055	S																	
012	SB21-57-01-18	6-4	1115	S																	
013	SB21-58-01-18	6-4	1125	S																	

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):
 Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Karina Casey (Wood) Date/Time: 6-7-21 @ 1400
 Relinquished By: Jessica Egan Date/Time: 06/07/21 1430
 Relinquished By: ES Logistics Date/Time: 6/8/21 0800
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____

Received By: Jessica Egan Date/Time: 1415 06/07/21
 Received By: _____ Date/Time: _____
 Received By: Kendra Space Date/Time: 6/8/21 0800
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. U0228050
 Receipt Temp = 113 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Andy Fiskness
 Phone: 612-425-7016
 Project Number: 7311200028
 Project Name: GP Ashwaubenon
 Project State: WI
 Sampled By (Print): Karina Casey
 Sampled By (Sign): Karina Casey
 PO #: 6012406250 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page 2 of 5
4028050

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
N	A	PCBs (401B)
N	A	Lead (6010B)
N	A	Mercury (7470B)
N	A	PCBs (8002-Water)
N	D	Lead (6010B ICP)
N	D	Mercury (7470B)

Quote #:
 Mail To Contact:
 Mail To Company:
 Mail To Address:
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	DATE	TIME
		DATE	TIME			
014	SB21-59-01-18	6-4	1135	S		
016	SB21-64-01-18		1320	S		
016	SB21-DUP-05		1205	S		
017	SB21-68-01-18		1410	S		
018	SB21-RINS-06		1445	W		
019	SB21-70-01-18		1505	S		
020	SB21-71-01-18		1525	S		
021	SB21-72-01-18		1545	S		
022	SB21-73-01-18		1600	S		
023	SB21-74-01-18		1615	S		
024	SB21-77-01-18		1655	S		
025	SB21-78-01-18	✓	1725	S		
026	SB21-81-01-18	6-5	0745	S		

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):

Relinquished By: <u>Karina Casey</u> Date/Time: <u>6-7-21 @ 14:00</u>	Received By: <u>Jessica Esler</u> Date/Time: <u>1415</u>	PACE Project No. <u>4028050</u> Receipt Temp = <u>1/3</u> °C Sample Recpt pH <u>OK</u> / Adjusted Chain Custody Seal Present / Not Present <u>Intact</u> / Not Intact Version 6.0-0014/06 ORIGINAL
Relinquished By: <u>Jessica Esler</u> Date/Time: <u>06/07/21 1436</u>	Received By: _____ Date/Time: _____	
Relinquished By: <u>ES logistics</u> Date/Time: <u>6/8/21 0800</u>	Received By: <u>Kendra Space</u> Date/Time: <u>6/8/21 0800</u>	
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	

Samples on HOLD are subject to special pricing and release of liability

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Andy Fiskness
 Phone: 612-425-7018
 Project Number: 7311200028
 Project Name: GP Ashwaubenton
 Project State: WI
 Sampled By (Print): Karina Casey
 Sampled By (Sign): Karina Casey
 PO #: C012406250 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40228050

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
N	A	PCBs (8082)
N	A	Lead (6010B)
N	A	Mercury (7470B)
N	A	PCBs (3082 - Water)
N	D	Lead (6010B ICP)
N	D	Mercury (7470B)

Quote #:
 Mail To Contact:
 Mail To Company:
 Mail To Address:
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Filtered?	Preservation	Y/N	Pick Letter	Analyses Requested
		DATE	TIME						
027	SB21-84-01-18	6-5	0825	S					X X X
028	SB21-DUP-06		1206	S					X X X
029	SB21-RINS-07		0855	W					X X X
030	SB21-85-01-18		0910	S					X X X
031	SB21-83-01-18		0930	S					X X X
032	SB21-30-01-18		1130	S					X X X
033	SB21-63-01-18		1330	S					X X X
034	SB21-63-01-18-MS		1330	S					X X X
035	SB21-63-01-18-MSD		1330	S					X X X
036	SB21-RINS-08		1420	W					X X X
037	SB21-66-01-18		1450	S					X X X
038	SB21-DUP-07		1207	S					X X X

034 AL

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Karina Casey (Wood) @ 1400 Date/Time: 6/7/21
 Relinquished By: Jessica Edgar 06-07-21 1430 Date/Time: 06-07-21 1430
 Relinquished By: es logistics 6/8/21 0800 Date/Time: 6/8/21 0800
 Relinquished By: _____ Date/Time: _____

Received By: Jessica Edgar 06-07-21 1415 Date/Time: 06-07-21 1415
 Received By: Kendra Space 6/8/21 0800 Date/Time: 6/8/21 0800
 Received By: _____ Date/Time: _____

PACE Project No. 40228050
 Receipt Temp = 1/3 °C
 Sample Receipt pH OK / adjusted
 Chain of Custody Seal Present / Not Present Intact / Not Intact

(Please Print Clearly)

Company Name: Wood
 Branch/Location: Minneapolis
 Project Contact: Andy Fishness
 Phone: 612-5425-7016
 Project Number: 7311200028
 Project Name: GP Ashwaubenon
 Project State: WI
 Sampled By (Print): Marina Casey
 Sampled By (Sign): Marina Casey
 PO #: C012406250 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 5 of 5

40228050

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested																	
N	A	PCBS (4082)	X																
N	F	VOC (4082)	X																
N	A	TCCLP (4082)	X																
N	A	TCCLP VOC	X																
N	A	TCCLP SVOC + PCB A metals	X																
N	A	Flush Point pH	X																

Quote #: _____
 Mail To Contact: _____
 Mail To Company: _____
 Mail To Address: _____
 Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyses Requested															
		DATE	TIME																	
039 04T	SB21-IDW-0605	6-5	1640	S	X															
040 04A	IDW-ME04-0605	6-5	1625	W	X															

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____
 Transmit Prelim Rush Results by (complete what you want): _____
 Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Marina Casey (Wood) Date/Time: 6-7-21 1400
 Relinquished By: Jessica Esler Date/Time: 06-07-21 1430
 Relinquished By: CS Logistics Date/Time: 6/8/21 0800
 Relinquished By: _____ Date/Time: _____
 Received By: Jessica Esler Date/Time: 06-07-21 1415
 Received By: _____ Date/Time: _____
 Received By: Kendra Space Date/Time: 6/8/21 0800
 Received By: _____ Date/Time: _____

PACE Project No. 40228050
 Receipt Temp = 1/3 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact Intact
 Version 6.0 - 06/14/06

6/8/21 RC

039 04T
040 04A

MeOH Trip

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Wood

Project # 40208050

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed: [Signature]

Date/ Time: 6/8/21
1240

Lab Lot# of pH paper: 10023601 Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN				
001																																					2.5 / 5 / 10
002																																					2.5 / 5 / 10
003																																					2.5 / 5 / 10
004																																					2.5 / 5 / 10
005																																					2.5 / 5 / 10
006																																					2.5 / 5 / 10
007																																					2.5 / 5 / 10
008																																					2.5 / 5 / 10
009																																					2.5 / 5 / 10
010																																					2.5 / 5 / 10
011																																					2.5 / 5 / 10
012																																					2.5 / 5 / 10
013																																					2.5 / 5 / 10
014																																					2.5 / 5 / 10
015																																					2.5 / 5 / 10
016																																					2.5 / 5 / 10
017																																					2.5 / 5 / 10
018	<u>a</u>																																				2.5 / 5 / 10
019																																					2.5 / 5 / 10
020																																					2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass BG1U 1 liter clear glass AG1H 1 liter amber glass HCL AG4S 125 mL amber glass H2SO4 AG4U 120 mL amber glass unpres AG5U 100 mL amber glass unpres AG2S 500 mL amber glass H2SO4 BG3U 250 mL clear glass unpres	BP1U 1 liter plastic unpres BP3U 250 mL plastic unpres BP3B 250 mL plastic NaOH BP3N 250 mL plastic HNO3 BP3S 250 mL plastic H2SO4	VG9A 40 mL clear ascorbic DG9T 40 mL amber Na Thio VG9U 40 mL clear vial unpres VG9H 40 mL clear vial HCL VG9M 40 mL clear vial MeOH VG9D 40 mL clear vial DI	JGFU 4 oz amber jar unpres JG9U 9 oz amber jar unpres WGFU 4 oz clear jar unpres WPFU 4 oz plastic jar unpres SP5T 120 mL plastic Na Thiosulfate ZPLC ziploc bag GN
--	--	--	---


Sample Preservation Receipt Form

Client Name: Wood

Project #: 60208050

Pace Lab #	Glass						Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)							
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WGFU	WPFU								SP5T	ZPLC	GN				
021																																					2.5 / 5 / 10
022																																					2.5 / 5 / 10
023																																					2.5 / 5 / 10
024																																					2.5 / 5 / 10
025																																					2.5 / 5 / 10
026																																					2.5 / 5 / 10
027																																					2.5 / 5 / 10
028																																					2.5 / 5 / 10
029	2										1																								X		2.5 / 5 / 10
030																																					2.5 / 5 / 10
031																																					2.5 / 5 / 10
032																																					2.5 / 5 / 10
033																																					2.5 / 5 / 10
034	2										1																								X		2.5 / 5 / 10
035																																					2.5 / 5 / 10
036																																					2.5 / 5 / 10
037	2				2	2		1	1		1						3																	3	X		2.5 / 5 / 10
038					6/8/21	9/21											2																		2		2.5 / 5 / 10
039																																					2.5 / 5 / 10
040																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10

Handwritten signature and date: 6/8/21

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: WOOD

WO#: 40228050



40228050

Courier: CS Logistics Fed Ex Speedee UPS Walto
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 0/2 / Corr: 1/3 02 coolers 18/018/01

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents: Date: <u>6/18/21</u> / Initials: <u>KJ</u> Labeled By Initials: <u>SRK</u>

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>NO mail/invoice info 18 6/18/21</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. <u>-037 add sulfuric bottle for COC</u>
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>18 6/18/21</u>
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. <u>6/18/21 SRK</u>
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>00 033 one WPFU time "1333"</u>
-Includes date/time/ID/Analysis Matrix: <u>S/W</u>		<u>021 one JGFU time "1745" 6/18/21 SRK</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>463 / B106901VB</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

Figure 1
Soil Probe Locations



Legend

- 2021 Soil Boring Location
- Monitoring Well Location
- Historic Soil Boring Location
- Grid Sample
- Impervious Surfaces (Buildings, Parking, Walkways)
- Pervious Surfaces (Green Spaces)
- Approximate Site Boundary
- Underground Utility Locations**
- Electrical Line
- Water Line
- Gas Line
- Storm Sewer Line
- Communication Line
- Unknown Line

SOIL PROBE LOCATIONS
 WDNR Site 02-05-564043
 Ashview Terrace Apartments Site
 Ashwaubenon, Wisconsin

35 0 35
 Feet

1:420 1 inch equals 35 feet

Note: Imagery courtesy of Brown County Planning & Land Services (May 2014)

	Date: 07/07/2021	Project No. 7311200028	Figure:
	Drawn: MJV		1
	Checked: AMF		

Table 1
Soil Probe Analytical Results Summary

Table 1
Soil Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

PARAMETER	Soil Boring ID		SB21-01	SB21-02	SB21-03	SB21-04	SB21-05	SB21-06	SB21-07		SB21-08	SB21-09	SB21-10	SB21-11	SB21-12		SB21-13	SB21-14	
	Sample ID		SB21-01-01-18	SB21-02-01-18	SB21-03-01-18	SB21-04-01-18	SB21-05-01-18	SB21-06-01-18	SB21-07-01-18	SB21-DUP-01	SB21-08-01-18	SB21-09-01-18	SB21-10-01-18	SB21-11-01-18	SB21-12-01-18	SB21-DUP-02	SB21-13-01-18	SB21-14-01-18	
	Lab ID		40227916002	40227916003	40227916004	40227916005	40227916006	40227916007	40227916008	40227916009	40227916010	40227916011	40227916012	40227916014	40227916015	40227916016	40227916017	40227916018	
	Collected Date		06/01/2021 16:00	06/01/2021 16:30	06/01/2021 16:50	06/01/2021 17:10	06/01/2021 17:30	06/02/2021 08:20	06/02/2021 08:40	06/02/2021 12:01	06/02/2021 09:15	06/02/2021 09:30	06/02/2021 09:50	06/02/2021 10:40	06/02/2021 10:55	06/02/2021 12:02	06/02/2021 11:15	06/02/2021 11:30	
Non-Industrial RCL		Industrial RCL	Soil to Groundwater RCL																
METALS (mg/kg)																			
Mercury	3.13	3.13	0.104	0.14	1	2.8	0.97	1.8 J-	0.92	0.61	0.55	0.88	0.094	0.57	0.22	0.58 J	0.32 J	0.13	0.34
Lead	400	800	13.5	12.8	134	219	106	161	103	61.4	66.7	77.5	20.5	81.4	26.3	33	27.4	19.4	32.5
POLYCHLORINATED BIPHENYLS (mg/kg)																			
PCB-1016 (Aroclor 1016)	4.11	28	--	0.0156 U	0.0167 U	0.0172 U	0.0162 U	0.0343 U	0.0179 U	0.0175 U	0.0171 U	0.0169 U	0.0172 U	0.0175 U	0.0172 U	0.0169 U	0.0168 U	0.0174 U	0.0169 U
PCB-1221 (Aroclor 1221)	0.213	0.883	--	0.0156 U	0.0167 U	0.0172 U	0.0162 U	0.0343 U	0.0179 U	0.0175 U	0.0171 U	0.0169 U	0.0172 U	0.0175 U	0.0172 U	0.0169 U	0.0168 U	0.0174 U	0.0169 U
PCB-1232 (Aroclor 1232)	0.19	0.792	--	0.0156 U	0.0167 U	0.0172 U	0.0162 U	0.0343 U	0.0179 U	0.0175 U	0.0171 U	0.0169 U	0.0172 U	0.0175 U	0.0172 U	0.0169 U	0.0168 U	0.0174 U	0.0169 U
PCB-1242 (Aroclor 1242)	0.235	0.972	--	0.0156 U	0.0167 U	0.0172 U	0.0162 U	0.0343 U	0.0179 U	0.0175 U	0.0171 U	0.0169 U	0.0172 U	0.0175 U	0.0172 U	0.0169 U	0.0168 U	0.0174 U	0.0169 U
PCB-1248 (Aroclor 1248)	0.236	0.975	--	0.0237 J	0.476	0.371	0.132	0.584	0.0628	0.142	0.133	0.102	0.0172 U	0.102	0.034 J	0.0387 J	0.0495 J	0.0174 U	0.0276 J
PCB-1254 (Aroclor 1254)	0.239	0.988	--	0.0293 J	0.385	0.683	0.303	0.622	0.144	0.204	0.19	0.152	0.0193 J	0.151	0.0349 J	0.0559	0.0663	0.022 J	0.0528 J
PCB-1260 (Aroclor 1260)	0.243	1	--	0.018 J	0.199	0.382	0.159	0.279	0.122	0.106	0.102	0.0895	0.0172 U	0.0817	0.0277 J	0.0401 J	0.0493 J	0.0174 U	0.032 J
Total PCBs	0.234	0.967	0.004692	0.0711	1.06	1.44	0.593	1.48	0.329	0.452	0.425	0.344	0.0193 J	0.335	0.0965	0.135	0.165	0.022 J	0.112

Notes:

- mg/kg = milligrams per kilogram
- RCL = Residual Contaminant Level
- J = Estimated concentration
- J- = Estimated concentration low bias
- U = Parameter not detected above laboratory reporting limits

Regulatory Criteria:

- = Criteria not established
- Cells are highlighted based on upon the highest regulatory criteria the analyte detection exceeds per the following colors;
- = Parameter detected above Non-Industrial RCL
 - = Parameter detected above Industrial RCL
 - = Parameter detection above Soil to Groundwater RCL
- Wisconsin DNR Resources for Environmental Professionals - Soil Residual Contamination Levels [accessed 6/29/2021]
<https://dnr.wisconsin.gov/topic/Brownfields/soil.html>

Created By: KMC 7/1/2021
 Checked By: RJM 7/6/2021

Table 1
Soil Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

PARAMETER	Soil Boring ID		SB21-15	SB21-16	SB21-17	SB21-18	SB21-19	SB21-20	SB21-21	SB21-22	SB21-23		SB21-26B	SB21-27	SB21-28C	SB21-30B	SB21-31	SB21-34	
	Sample ID		SB21-15-01-18	SB21-16-01-18	SB21-17-01-18	SB21-18-01-18	SB21-19-01-18	SB21-20-01-18	SB21-21-01-18	SB21-22-01-18	SB21-23-01-18	SB21-DUP-03	SB21-26-01-18	SB21-27-01-18	SB21-28C-01-18	SB21-30-01-18	SB21-31-01-18	SB21-34-01-18	
	Lab ID		40227916019	40227916020	40227916021	40227916022	40227916023	40227916024	40227916026	40227916027	40227916028	40227916029	40227916030	40227916031	40227916032	40228050032	40227916034	40227916035	
	Collected Date		06/02/2021 11:50	06/02/2021 13:05	06/02/2021 13:30	06/02/2021 13:50	06/02/2021 14:05	06/02/2021 14:20	06/02/2021 15:10	06/02/2021 15:30	06/02/2021 16:05	06/02/2021 12:03	06/02/2021 17:50	06/03/2021 07:30	06/03/2021 08:15	06/05/2021 11:30	06/03/2021 09:50	06/03/2021 10:25	
	Non-Industrial RCL	Industrial RCL	Soil to Groundwater RCL																
METALS (mg/kg)																			
Mercury	3.13	3.13	0.104	0.64	0.24	0.049	0.023 J	0.038	0.15	0.092	0.83 J-	0.26	0.25	0.062	0.18	0.94	0.29	0.043	0.24
Lead	400	800	13.5	68	29.3	14.2	9.4	9.1	18.7	11.4	68.6	23	18.8	15.9	18.8	112	34.2	8.8	21
POLYCHLORINATED BIPHENYLS (mg/kg)																			
PCB-1016 (Aroclor 1016)	4.11	28	--	0.0166 U	0.017 U	0.0189 U	0.0175 U	0.0174 U	0.017 U	0.016 U	0.0165 U	0.0168 U	0.0167 U	0.0168 U	0.0169 U	0.0169 U	0.0175 U	0.0164 U	0.0162 U
PCB-1221 (Aroclor 1221)	0.213	0.883	--	0.0166 U	0.017 U	0.0189 U	0.0175 U	0.0174 U	0.017 U	0.016 U	0.0165 U	0.0168 U	0.0167 U	0.0168 U	0.0169 U	0.0169 U	0.0175 U	0.0164 U	0.0162 U
PCB-1232 (Aroclor 1232)	0.19	0.792	--	0.0166 U	0.017 U	0.0189 U	0.0175 U	0.0174 U	0.017 U	0.016 U	0.0165 U	0.0168 U	0.0167 U	0.0168 U	0.0169 U	0.0169 U	0.0175 U	0.0164 U	0.0162 U
PCB-1242 (Aroclor 1242)	0.235	0.972	--	0.0166 U	0.017 U	0.0189 U	0.0175 U	0.0174 U	0.017 U	0.016 U	0.0165 U	0.0168 U	0.0167 U	0.0168 U	0.0169 U	0.0169 U	0.0175 U	0.0164 U	0.0162 U
PCB-1248 (Aroclor 1248)	0.236	0.975	--	0.0863	0.0376 J	0.0189 U	0.0175 U	0.0174 U	0.0304 J	0.016 U	0.155	0.091	0.126	0.0753	0.0871	0.813	0.0806	0.0203 J	0.0596
PCB-1254 (Aroclor 1254)	0.239	0.988	--	0.147	0.0529 J	0.0189 U	0.0175 U	0.0174 U	0.02 J	0.016 U	0.173	0.0724	0.106	0.0411 J	0.0661	0.528	0.0639	0.0214 J	0.0702
PCB-1260 (Aroclor 1260)	0.243	1	--	0.0856	0.0351 J	0.0189 U	0.0175 U	0.0174 U	0.0204 J	0.016 U	0.118	0.0361 J	0.0553	0.0214 J	0.0435 J	0.224	0.0382 J	0.0176 J	0.0497 J
Total PCBs	0.234	0.967	0.004692	0.319	0.126	0.0189 U	0.0175 U	0.0174 U	0.0708	0.016 U	0.446	0.199	0.288	0.138	0.197	1.56	0.183	0.0593	0.18

Notes:

- mg/kg = milligrams per kilogram
- RCL = Residual Contaminant Level
- J = Estimated concentration
- J- = Estimated concentration low bias
- U = Parameter not detected above laboratory reporting limits

Regulatory Criteria:

- = Criteria not established
- Cells are highlighted based on upon the highest regulatory criteria the analyte detection exceeds per the following colors;
- = Parameter detected above Non-Industrial RCL
 - = Parameter detected above Industrial RCL
 - = Parameter detection above Soil to Groundwater RCL
- Wisconsin DNR Resources for Environmental Professionals - Soil Residual Contamination Levels [accessed 6/29/2021]
<https://dnr.wisconsin.gov/topic/Brownfields/soil.html>

Created By: KMC 7/1/2021
 Checked By: RJM 7/6/2021

Table 1
Soil Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

PARAMETER	Soil Boring ID		SB21-35	SB21-36	SB21-37	SB21-38	SB21-39	SB21-40	SB21-41		SB21-42	SB21-44	SB21-45	SB21-46	SB21-47	SB21-48	SB21-49	SB21-50		
	Sample ID		SB21-35-01-18	SB21-36-01-18	SB21-37-01-18	SB21-38-01-18	SB21-39-01-18	SB21-40-01-18	SB21-41-01-18	SB21-DUP-04	SB21-42-01-18	SB21-44-01-18	SB21-45-01-18	SB21-46-01-18	SB21-47-01-18	SB21-48-01-18	SB21-49-01-18	SB21-50-01-18		
	Lab ID		40227916036	40227916037	40227916038	40227916039	40227916040	40227916041	40227916042	40227916043	40227916044	40228050001	40228050002	40228050003	40228050004	40228050005	40228050006	40228050007		
	Collected Date		06/03/2021 10:40	06/03/2021 10:55	06/03/2021 11:15	06/03/2021 11:35	06/03/2021 11:55	06/03/2021 13:05	06/03/2021 13:30	06/03/2021 12:04	06/03/2021 13:55	06/03/2021 16:20	06/04/2021 07:35	06/04/2021 07:40	06/04/2021 08:00	06/04/2021 08:15	06/04/2021 08:25	06/04/2021 09:05		
	Non-Industrial RCL	Industrial RCL	Soil to Groundwater RCL																	
METALS (mg/kg)																				
Mercury	3.13	3.13	0.104	0.11	0.18	0.18	0.034 J	0.018 J	0.078	0.041	0.032 J	0.091	0.49	0.4	0.57	0.29	0.72	0.032 J	0.043	
Lead	400	800	13.5	19.3	20	20.3	6.3	5.4	12.4	11	9.9	10.4	49.5	42.9	46.3	33.7	96.7	10.3	6.9	
POLYCHLORINATED BIPHENYLS (mg/kg)																				
PCB-1016 (Aroclor 1016)	4.11	28	--	0.016 U	0.0159 U	0.0169 U	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.0173 U	0.0178 U	0.0178 U	0.0178 U	0.0178 U	0.019 U	0.018 U	0.0166 U
PCB-1221 (Aroclor 1221)	0.213	0.883	--	0.016 U	0.0159 U	0.0169 U	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.0173 U	0.0178 U	0.0178 U	0.0178 U	0.0178 U	0.019 U	0.018 U	0.0166 U
PCB-1232 (Aroclor 1232)	0.19	0.792	--	0.016 U	0.0159 U	0.0169 U	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.0173 U	0.0178 U	0.0178 U	0.0178 U	0.0178 U	0.019 U	0.018 U	0.0166 U
PCB-1242 (Aroclor 1242)	0.235	0.972	--	0.016 U	0.0159 U	0.0169 U	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.0173 U	0.0178 U	0.0178 U	0.0178 U	0.0178 U	0.019 U	0.018 U	0.0166 U
PCB-1248 (Aroclor 1248)	0.236	0.975	--	0.0163 J	0.0599	0.0415 J	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.0763	0.0989	0.0881	0.0178 U	0.315	0.018 U	0.0166 U	
PCB-1254 (Aroclor 1254)	0.239	0.988	--	0.0232 J	0.0868	0.0468 J	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.118	0.137	0.156	0.0398 J	0.191	0.018 U	0.0166 U	
PCB-1260 (Aroclor 1260)	0.243	1	--	0.0259 J	0.0479 J	0.0362 J	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.0822	0.0801	0.0879	0.0371 J	0.134	0.018 U	0.0166 U	
Total PCBs	0.234	0.967	0.004692	0.0654	0.195	0.125	0.0159 U	0.016 U	0.0167 U	0.018 U	0.0181 U	0.0171 U	0.277	0.316	0.332	0.0769	0.64	0.018 U	0.0166 U	

Notes:

- mg/kg = milligrams per kilogram
- RCL = Residual Contaminant Level
- J = Estimated concentration
- J- = Estimated concentration low bias
- U = Parameter not detected above laboratory reporting limits

Regulatory Criteria:

- = Criteria not established
- Cells are highlighted based on upon the highest regulatory criteria the analyte detection exceeds per the following colors;
- = Parameter detected above Non-Industrial RCL
 - = Parameter detected above Industrial RCL
 - = Parameter detection above Soil to Groundwater RCL
- Wisconsin DNR Resources for Environmental Professionals - Soil Residual Contamination Levels [accessed 6/29/2021]
<https://dnr.wisconsin.gov/topic/Brownfields/soil.html>

Created By: KMC 7/1/2021
 Checked By: RJM 7/6/2021

Table 1
Soil Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

PARAMETER	Soil Boring ID		SB21-52	SB21-54	SB21-55	SB21-56	SB21-57	SB21-58	SB21-59	SB21-63B	SB21-64		SB21-66B		SB21-68	SB21-70	SB21-71	SB21-72	
	Sample ID		SB21-52-01-18	SB21-54-01-18	SB21-55-01-18	SB21-56-01-18	SB21-57-01-18	SB21-58-01-18	SB21-59-01-18	SB21-63-01-18	SB21-64-01-18	SB21-DUP-05	SB21-66-01-18	SB21-DUP-07	SB21-68-01-18	SB21-70-01-18	SB21-71-01-18	SB21-72-01-18	
	Lab ID		40228050008	40228050009	40228050010	40228050011	40228050012	40228050013	40228050014	40228050033	40228050015	40228050016	40228050035	40228050036	40228050017	40228050019	40228050020	40228050021	
	Collected Date		06/04/2021 10:00	06/04/2021 10:25	06/04/2021 10:40	06/04/2021 10:55	06/04/2021 11:15	06/04/2021 11:25	06/04/2021 11:35	06/05/2021 13:30	06/04/2021 13:20	06/04/2021 12:05	06/05/2021 14:50	06/05/2021 12:07	06/04/2021 14:10	06/04/2021 15:05	06/04/2021 15:25	06/04/2021 15:45	
		Non-Industrial RCL	Industrial RCL	Soil to Groundwater RCL															
METALS (mg/kg)																			
Mercury	3.13	3.13	0.104	0.1	0.15	0.022 J	0.13	0.087	0.11	0.074	0.13	0.06	0.052	0.56	0.35	0.12	0.1	0.036 J	0.72
Lead	400	800	13.5	15.2	7.3	13.8	13.3	7.3	7.9	14.3	17	12.7	12.2	56.1	50.1	23.3	13.9	9.3	71.5
POLYCHLORINATED BIPHENYLS (mg/kg)																			
PCB-1016 (Aroclor 1016)	4.11	28	--	0.0182 U	0.0183 U	0.0176 U	0.0183 U	0.017 U	0.0177 U	0.0179 U	0.0165 U	0.018 U	0.0171 U	0.0167 U	0.0167 U	0.0169 U	0.0172 U	0.0162 U	0.0173 U
PCB-1221 (Aroclor 1221)	0.213	0.883	--	0.0182 U	0.0183 U	0.0176 U	0.0183 U	0.017 U	0.0177 U	0.0179 U	0.0165 U	0.018 U	0.0171 U	0.0167 U	0.0167 U	0.0169 U	0.0172 U	0.0162 U	0.0173 U
PCB-1232 (Aroclor 1232)	0.19	0.792	--	0.0182 U	0.0183 U	0.0176 U	0.0183 U	0.017 U	0.0177 U	0.0179 U	0.0165 U	0.018 U	0.0171 U	0.0167 U	0.0167 U	0.0169 U	0.0172 U	0.0162 U	0.0173 U
PCB-1242 (Aroclor 1242)	0.235	0.972	--	0.0182 U	0.0183 U	0.0176 U	0.0183 U	0.017 U	0.0177 U	0.0179 U	0.0165 U	0.018 U	0.0171 U	0.0167 U	0.0167 U	0.0169 U	0.0172 U	0.0162 U	0.0173 U
PCB-1248 (Aroclor 1248)	0.236	0.975	--	0.044 J	0.124	0.0176 U	0.0183 U	0.017 U	0.0437 J	0.0179 U	0.0358 J	0.018 U	0.0171 U	0.0846 J	0.144 J	0.0188 J	0.109	0.0162 U	0.0359 J
PCB-1254 (Aroclor 1254)	0.239	0.988	--	0.0322 J	0.117	0.0176 U	0.0183 U	0.017 U	0.025 J	0.0179 U	0.0434 J	0.018 U	0.0171 U	0.143	0.194	0.0328 J	0.0529 J	0.0186 J	0.0883
PCB-1260 (Aroclor 1260)	0.243	1	--	0.0184 J	0.0625	0.0176 U	0.0183 U	0.017 U	0.0177 U	0.0179 U	0.0245 J	0.018 U	0.0171 U	0.094	0.12	0.0169 U	0.0305 J	0.0162 U	0.0622
Total PCBs	0.234	0.967	0.004692	0.0946	0.303	0.0176 U	0.0183 U	0.017 U	0.0688	0.0179 U	0.104	0.018 U	0.0171 U	0.322 J	0.458 J	0.0516 J	0.193	0.0186 J	0.186

Notes:

- mg/kg = milligrams per kilogram
- RCL = Residual Contaminant Level
- J = Estimated concentration
- J- = Estimated concentration low bias
- U = Parameter not detected above laboratory reporting limits

Regulatory Criteria:

- = Criteria not established
- Cells are highlighted based on upon the highest regulatory criteria the analyte detection exceeds per the following colors;
- = Parameter detected above Non-Industrial RCL
 - = Parameter detected above Industrial RCL
 - = Parameter detection above Soil to Groundwater RCL
- Wisconsin DNR Resources for Environmental Professionals - Soil Residual Contamination Levels [accessed 6/29/2021]
<https://dnr.wisconsin.gov/topic/Brownfields/soil.html>

Created By: KMC 7/1/2021
 Checked By: RJM 7/6/2021

Table 1
Soil Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

PARAMETER	Soil Boring ID		SB21-73	SB21-74	SB21-77	SB21-78	SB21-81	SB21-83B	SB21-84		SB21-85	
	Sample ID		SB21-73-01-18	SB21-74-01-18	SB21-77-01-18	SB21-78-01-18	SB21-81-01-18	SB21-83-01-18	SB21-84-01-18	SB21-DUP06	SB21-85-01-18	
	Lab ID		40228050022	40228050023	40228050024	40228050025	40228050026	40228050031	40228050027	40228050028	40228050030	
	Collected Date		06/04/2021 16:00	06/04/2021 16:15	06/04/2021 16:55	06/04/2021 17:25	06/05/2021 07:45	06/05/2021 09:30	06/05/2021 08:25	06/05/2021 12:06	06/05/2021 09:10	
	Non-Industrial RCL	Industrial RCL	Soil to Groundwater RCL									
METALS (mg/kg)												
Mercury	3.13	3.13	0.104	0.52	0.035	0.59	0.39	0.72	0.19	1.2	0.78	1.5
Lead	400	800	13.5	45.9	10.5	62.3	40.3	70.2	29.6	75.8	74.8	129
POLYCHLORINATED BIPHENYLS (mg/kg)												
PCB-1016 (Aroclor 1016)	4.11	28	--	0.0168 U	0.0164 U	0.0171 U	0.0176 U	0.0172 U	0.0175 U	0.0173 U	0.017 U	0.0178 U
PCB-1221 (Aroclor 1221)	0.213	0.883	--	0.0168 U	0.0164 U	0.0171 U	0.0176 U	0.0172 U	0.0175 U	0.0173 U	0.017 U	0.0178 U
PCB-1232 (Aroclor 1232)	0.19	0.792	--	0.0168 U	0.0164 U	0.0171 U	0.0176 U	0.0172 U	0.0175 U	0.0173 U	0.017 U	0.0178 U
PCB-1242 (Aroclor 1242)	0.235	0.972	--	0.0168 U	0.0164 U	0.0171 U	0.0176 U	0.0172 U	0.0175 U	0.0173 U	0.017 U	0.0178 U
PCB-1248 (Aroclor 1248)	0.236	0.975	--	0.0987	0.0164 U	0.215	0.075	0.0909	0.0287 J	0.2	0.17	0.571
PCB-1254 (Aroclor 1254)	0.239	0.988	--	0.116	0.0164 U	0.228	0.12	0.142	0.0472 J	0.311	0.349	0.584
PCB-1260 (Aroclor 1260)	0.243	1	--	0.0748	0.0164 U	0.121	0.0517 J	0.0797	0.033 J	0.133	0.129	0.249
Total PCBs	0.234	0.967	0.004692	0.289	0.0164 U	0.563	0.246	0.313	0.109	0.644	0.648	1.4

Notes:

- mg/kg = milligrams per kilogram
- RCL = Residual Contaminant Level
- J = Estimated concentration
- J- = Estimated concentration low bias
- U = Parameter not detected above laboratory reporting limits

Regulatory Criteria:

- = Criteria not established
- Cells are highlighted based on upon the highest regulatory criteria the analyte detection exceeds per the following colors;
- = Parameter detected above Non-Industrial RCL
 - = Parameter detected above Industrial RCL
 - = Parameter detection above Soil to Groundwater RCL
- Wisconsin DNR Resources for Environmental Professionals - Soil Residual Contamination Levels [accessed 6/29/2021]
<https://dnr.wisconsin.gov/topic/Brownfields/soil.html>

Created By: KMC 7/1/2021
 Checked By: RJM 7/6/2021

Table 2
QA/QC Results

Table 2
QA/QC Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

Soil Boring ID			Equipment Blank						Waste Characterization				
Sample ID	SB21RINS01	SB21RINS02	SB21RINS03	SB21RINS04	SB21RINS05	SB21RINS06	SB21RINS07	SB21RINS08	IDWTRIP01	RINS21IDW0605	IDWMEOH0605	SB21IDW0605	
Lab ID	40227916001	40227916013	40227916025	40227916033	40227916045	40228050018	40228050029	40228050034	40228050038	40228050037	40228050040	40228050039	
Matrix	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Solid	Solid	
Collected Date	06/01/2021 15:50	06/02/2021 10:15	06/02/2021 14:55	06/03/2021 09:25	06/03/2021 13:00	06/04/2021 14:45	06/05/2021 08:55	06/05/2021 14:20	06/05/2021 00:00	06/05/2021 16:30	06/05/2021 16:25	06/05/2021 16:40	
Method	Parameter	Units											
EPA 7470	Mercury	mg/L	0.000066 U	0.000066 U	0.000066 U	0.000066 U	0.000066 U	0.000066 U	0.000066 U		0.0025	0.000066 U	
EPA 6020	Arsenic	mg/L									0.0126		
EPA 6010D	Barium	mg/L									0.336		
	Cadmium	mg/L									0.0121		
	Chromium	mg/L									0.136		
	Lead	mg/L	0.00024 U	0.00024 U	0.00024 U	0.00024 U	0.00024 U	0.00026 J	0.00024 J	0.0013			
	Selenium	mg/L									0.0068 J		
	Silver	mg/L									0.0035 J		
	Arsenic	mg/L										0.000013 J	
	Barium	mg/L										0.0011	
	Cadmium	mg/L										0.000058	
	Chromium	mg/L										0.000011	
	Lead	mg/L										0.000011	
	Selenium	mg/L										0.000012 U	
Silver	mg/L										0.0000032 U		
EPA 8082	PCB-1016 (Aroclor 1016)	mg/kg										0.0161 U	
		mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U		
	PCB-1221 (Aroclor 1221)	mg/kg										0.0161 U	
		mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U		
	PCB-1232 (Aroclor 1232)	mg/kg										0.0161 U	
		mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U		
	PCB-1242 (Aroclor 1242)	mg/kg										0.0161 U	
		mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U		
	PCB-1248 (Aroclor 1248)	mg/kg										0.717	
		mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U		
PCB-1254 (Aroclor 1254)	mg/kg										0.44		
	mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U			
PCB-1260 (Aroclor 1260)	mg/kg										0.224		
	mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U			
Total PCB	mg/kg										1.38		
	mg/L	0.00011 U	0.00011 U	0.00013 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.00011 U	0.0011 U			
EPA 8260	1,1,1,2-Tetrachloroethane	mg/kg									0.012 U	0.0137 U	
		mg/L								0.00036 U	0.00036 U		
	1,1,1-Trichloroethane	mg/kg									0.0128 U	0.0146 U	
		mg/L								0.0003 U	0.0003 U		
	1,1,2,2-Tetrachloroethane	mg/kg									0.0181 U	0.0206 U	
		mg/L								0.00038 U	0.00038 U		
	1,1,2-Trichloroethane	mg/kg									0.0182 U	0.0208 U	
		mg/L								0.00034 U	0.00034 U		
	1,1-Dichloroethane	mg/kg									0.0128 U	0.0146 U	
		mg/L								0.0003 U	0.0003 U		
	1,1-Dichloroethene	mg/kg									0.0166 U	0.0189 U	
		mg/L								0.00058 U	0.00058 U	0.0058 U	
	1,1-Dichloropropene	mg/kg									0.0162 U	0.0185 U	
		mg/L								0.00041 U	0.00041 U		
	1,2,3-Trichlorobenzene	mg/kg									0.0557 U	0.0635 U	
		mg/L								0.001 U	0.001 U		
	1,2,3-Trichloropropane	mg/kg									0.0243 U	0.0277 U	
		mg/L								0.00056 U	0.00056 U		
	1,2,4-Trichlorobenzene	mg/kg									0.0412 U	0.047 U	
		mg/L								0.00095 U	0.00095 U		
1,2,4-Trimethylbenzene	mg/kg									0.0149 U	0.017 U		
	mg/L								0.00045 U	0.00045 U			
1,2-Dibromo-3-chloropropane	mg/kg									0.0388 U	0.0443 U		
	mg/L								0.0024 U	0.0024 U			
1,2-Dibromoethane (EDB)	mg/kg									0.0137 U	0.0156 U		
	mg/L								0.00031 U	0.00031 U			
1,2-Dichlorobenzene	mg/kg									0.0155 U	0.0177 U		
	mg/L								0.00033 U	0.00033 U			
1,2-Dichloroethane	mg/kg									0.0115 U	0.0131 U		
	mg/L								0.00029 U	0.00029 U	0.0029 U		
1,2-Dichloropropane	mg/kg									0.0119 U	0.0136 U		
	mg/L								0.00045 U	0.00045 U			

Table 2
QA/QC Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

Soil Boring ID			Equipment Blank						Waste Characterization			
Sample ID	SB21RINS01	SB21RINS02	SB21RINS03	SB21RINS04	SB21RINS05	SB21RINS06	SB21RINS07	SB21RINS08	IDWTRIP01	RINS21IDW0605	IDWMEOH0605	SB21IDW0605
Lab ID	40227916001	40227916013	40227916025	40227916033	40227916045	40228050018	40228050029	40228050034	40228050038	40228050037	40228050040	40228050039
Matrix	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Solid	Solid
Collected Date	06/01/2021 15:50	06/02/2021 10:15	06/02/2021 14:55	06/03/2021 09:25	06/03/2021 13:00	06/04/2021 14:45	06/05/2021 08:55	06/05/2021 14:20	06/05/2021 00:00	06/05/2021 16:30	06/05/2021 16:25	06/05/2021 16:40
Method	Parameter	Units										
EPA 8260	1,3,5-Trimethylbenzene	mg/kg							0.00036 U	0.00036 U	0.0161 U	0.0184 U
		mg/L										
	1,3-Dichlorobenzene	mg/kg							0.00035 U	0.00035 U	0.0137 U	0.0156 U
		mg/L										
	1,3-Dichloropropane	mg/kg							0.0003 U	0.0003 U	0.0109 U	0.0124 U
		mg/L										
	1,4-Dichlorobenzene	mg/kg							0.00089 U	0.00089 U	0.0137 U	0.0156 U
		mg/L										
	2,2-Dichloropropane	mg/kg							0.0042 U	0.0042 U	0.0135 U	0.0154 U
		mg/L										
	2-Butanone (MEK)	mg/L										0.0652 U
	2-Chlorotoluene	mg/kg							0.00089 U	0.00089 U	0.0162 U	0.0185 U
		mg/L										
	4-Chlorotoluene	mg/kg							0.00089 U	0.00089 U	0.019 U	0.0217 U
		mg/L										
	Benzene	mg/kg							0.0003 U	0.0003 U	0.0119 U	0.0136 U
		mg/L										0.003 U
	Bromobenzene	mg/kg							0.00036 U	0.00036 U	0.0195 U	0.0222 U
		mg/L										
	Bromochloromethane	mg/kg							0.00036 U	0.00036 U	0.0137 U	0.0156 U
		mg/L										
	Bromodichloromethane	mg/kg							0.00042 U	0.00042 U	0.0119 U	0.0136 U
		mg/L										
	Bromoform	mg/kg							0.0038 U	0.0038 U	0.22 U	0.251 U
		mg/L										
	Bromomethane	mg/kg							0.0012 U	0.0012 U	0.0701 U	0.08 U
		mg/L										
	Carbon tetrachloride	mg/kg							0.00037 U	0.00037 U	0.011 U	0.0125 U
		mg/L										0.0037 U
	Chlorobenzene	mg/kg							0.00086 U	0.00086 U	0.006 U	0.0086 U
		mg/L										0.0068 U
	Chloroethane	mg/kg							0.0014 U	0.0014 U	0.0211 U	0.0241 U
		mg/L										
	Chloroform	mg/kg							0.0012 U	0.0012 U	0.0358 U	0.0408 U
		mg/L										0.0118 U
	Chloromethane	mg/kg							0.0016 U	0.0016 U	0.019 U	0.0217 U
		mg/L										
	cis-1,2-Dichloroethene	mg/kg							0.00047 U	0.00047 U	0.0107 U	0.0122 U
		mg/L										
	cis-1,3-Dichloropropene	mg/kg							0.00036 U	0.00036 U	0.033 U	0.0376 U
	mg/L											
Dibromochloromethane	mg/kg							0.0026 U	0.0026 U	0.171 U	0.195 U	
	mg/L											
Dibromomethane	mg/kg							0.00099 U	0.00099 U	0.0148 U	0.0169 U	
	mg/L											
Dichlorodifluoromethane	mg/kg							0.00046 U	0.00046 U	0.0215 U	0.0245 U	
	mg/L											
Diisopropyl ether	mg/kg							0.0011 U	0.0011 U	0.0124 U	0.0141 U	
	mg/L											
Ethylbenzene	mg/kg							0.00033 U	0.00033 U	0.0119 U	0.0136 U	
	mg/L											
Hexachloro-1,3-butadiene	mg/kg							0.0027 U	0.0027 U	0.0994 U	0.113 U	
	mg/L											
Isopropylbenzene (Cumene)	mg/kg							0.001 U	0.001 U	0.0135 U	0.0154 U	
	mg/L											
m&p-Xylene	mg/kg							0.0007 U	0.0007 U	0.0211 U	0.0241 U	
	mg/L											
Methylene Chloride	mg/kg							0.00032 U	0.00032 U	0.0139 U	0.0159 U	
	mg/L											
Methyl-tert-butyl ether	mg/kg							0.0011 U	0.0011 U	0.0147 U	0.0168 U	
	mg/L											
Naphthalene	mg/kg							0.0011 U	0.0011 U	0.0156 U	0.0178 U	
	mg/L											

Table 2
QA/QC Analytical Results - June 2021
 Additional Supplemental Site Investigation Report
 Ashview Terrace Apartments Site
 Ashwaubenon, WI

Soil Boring ID			Equipment Blank						Waste Characterization			
Sample ID	SB21RINS01	SB21RINS02	SB21RINS03	SB21RINS04	SB21RINS05	SB21RINS06	SB21RINS07	SB21RINS08	IDWTRIP01	RINS21IDW0605	IDWMEOH0605	SB21IDW0605
Lab ID	40227916001	40227916013	40227916025	40227916033	40227916045	40228050018	40228050029	40228050034	40228050038	40228050037	40228050040	40228050039
Matrix	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Solid	Solid
Collected Date	06/01/2021 15:50	06/02/2021 10:15	06/02/2021 14:55	06/03/2021 09:25	06/03/2021 13:00	06/04/2021 14:45	06/05/2021 08:55	06/05/2021 14:20	06/05/2021 00:00	06/05/2021 16:30	06/05/2021 16:25	06/05/2021 16:40
Method	Parameter	Units										
EPA 8260	n-Butylbenzene	mg/kg									0.0229 U	0.0261 U
		mg/L							0.00086 U	0.00086 U		
	n-Propylbenzene	mg/kg									0.012 U	0.0137 U
		mg/L							0.00035 U	0.00035 U		
	o-Xylene	mg/kg									0.015 U	0.0171 U
		mg/L							0.00035 U	0.00035 U		
	p-Isopropyltoluene	mg/kg									0.0152 U	0.0173 U
		mg/L							0.001 U	0.001 U		
	sec-Butylbenzene	mg/kg									0.0122 U	0.0139 U
		mg/L							0.00042 U	0.00042 U		
	Styrene	mg/kg									0.0128 U	0.0146 U
		mg/L							0.00036 U	0.00036 U		
	tert-Butylbenzene	mg/kg									0.0157 U	0.0179 U
		mg/L							0.00059 U	0.00059 U		
	Tetrachloroethene	mg/kg									0.0194 U	0.0221 U
		mg/L							0.00041 U	0.00041 U		0.0041 U
Toluene	mg/kg									0.0126 U	0.0144 U	
	mg/L							0.00029 U	0.00029 U			
trans-1,2-Dichloroethene	mg/kg									0.0108 U	0.0123 U	
	mg/L							0.00053 U	0.00053 U			
trans-1,3-Dichloropropene	mg/kg									0.143 U	0.163 U	
	mg/L							0.0035 U	0.0035 U			
Trichloroethene	mg/kg									0.0187 U	0.0213 U	
	mg/L							0.00032 U	0.00032 U		0.0032 U	
Trichlorofluoromethane	mg/kg									0.0145 U	0.0165 U	
	mg/L							0.00042 U	0.00042 U			
Vinyl chloride	mg/kg									0.0101 U	0.0115 U	
	mg/L							0.00017 U	0.00017 U		0.0017 U	
EPA 8270E	1,4-Dichlorobenzene	mg/L										0.0144 U
	Hexachloro-1,3-butadiene	mg/L										0.0165 U
	2,4,5-Trichlorophenol	mg/L										0.0064 U
	2,4,6-Trichlorophenol	mg/L										0.008 U
	2,4-Dinitrotoluene	mg/L										0.0106 U
	2-Methylphenol(o-Cresol)	mg/L										0.0093 U
	3&4-Methylphenol(m&p Cresol)	mg/L										0.0061 U
	Hexachlorobenzene	mg/L										0.0115 U
	Hexachloroethane	mg/L										0.0142 U
	Nitrobenzene	mg/L										0.0107 U
Pentachlorophenol	mg/L										0.0455 U	
Pyridine	mg/L										0.0151 U	
EPA 9045	pH at 25 Degrees C	Std. Units										0.00793
ASTM D2974-87	Percent Moisture	%										0.0056
EPA 1010	Flashpoint	deg F								200		200
EPA 410.4	Chemical Oxygen Demand	mg/L								2.72		
SM 2540D	Total Suspended Solids	mg/L								0.247		
SM 4500-H+B	pH at 25 Degrees C	Std. Units								0.0092		

Notes:
 mg/kg = milligrams per kilogram
 mg/L = milligrams per liter
 J = Estimated concentration
 U = Parameter not detected above laboratory reporting limits

Created By: KMC 7/9/2021
 Checked By: