

July 7, 2020

Mr. Trevor Moen  
SER Wastewater Program  
Wisconsin Department of Natural Resources  
2300 North Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-3128

**RE: *Discharge Monitoring Report for June 2020***  
***WPDES Permit Number WI-0046566-07-0***  
***BRRTS #: 02-41-576336 & 02-41-579429***  
***FID #: 241828620***  
***FIN #: 63340***  
***Sunrise Shopping Center***  
***2410-2424 10<sup>th</sup> Avenue & 1009 Marquette Avenue***  
***South Milwaukee, Wisconsin 53172***

Mr. Moen:

Wisconsin Department of Natural Resources (WDNR) granted coverage under WPDES Permit Number WI-0046566-07-0 in a letter dated January 2, 2019, for full-scale chemical injection remedial activities at the above-referenced facility. In the January 2019 letter, WDNR approved continued coverage for the proposed chemical injection of RemOx® (Potassium permanganate). Following the January 2019 approval, 35 injection wells were installed and the gravity feed infiltration “system” was constructed and prepared.

After construction, a small volume test injection was performed on February 4, 2019, to evaluate for leakage, verify suitable infiltration, etc. No additional injection activities were performed during the month or in March-April 2019. Full-scale injection activities were initiated in May 2019. Injection activities were performed between May and December 2019. A modified method of RemOx® introduction to the impacted soils, specifically in-situ chemical mixing, was initiated in November 2020 and continued through January 2020. All RemOx® initially obtained for the project had been applied through the final actions of January 17, 2020. Remedial progress was discussed with WDNR Remediation and Redevelopment Program in a meeting held on January 21, 2020. Following the meeting, no additional chemical treatment activities have been performed.

In order to meet the requirements of Section 2 of the WPDES Permit Number WI-0046566-07-0, DAI Environmental, Inc., (DAI) is submitting this Discharge Monitoring Report (DMR) on behalf of Carol Investment Corporation, owner and Responsible Party for the Sunrise Shopping Center site located in South Milwaukee, Wisconsin. The completed DMR form indicating “no

discharge” for the month of June 2020 is included in Attachment A. The form is signed by Mr. Christopher Cailles of DAI as “Person Completing Form” and as “Authorized Agent” to the “Principal Exec. Officer” of Carol Investment Corporation.

Although additional chemical treatment is not planned, complete discontinuation has not been determined. Therefore, termination of coverage under WPDES Permit Number WI-0046566-07-0 using Form 3400-221 has not yet been requested. DMRs will continue to be submitted as required, even for months in which no chemical injections activities are performed, until such time as termination of coverage is requested. As noted in the March submission, DMRs with “no discharge” are only being submitted quarterly.

If you have any questions or require additional information in regards to this submission, please contact me at 847-573-8900 extension 580. Thank you for your time.

Sincerely,  
**DAI Environmental, Inc.**

A handwritten signature in blue ink that reads "Christopher Cailles".

Christopher Cailles, P.E.  
Project Engineer

Attachment

cc: Riley Neuman – WDNR RR Program (w/enclosure electronically)

**ATTACHMENT A**  
**DISCHARGE MONITORING REPORT**

**DISCHARGE MONITORING REPORT FORM - Contaminated Groundwater**

**PERMITTEE NAME:** Sunrise Shopping Center  
**FIN:** 63340  
**BRRTS #'s:** 02-41-576336 & 02-41-579429  
**SITE ADDRESS:** 2410-2424 10<sup>th</sup> Ave & 1009 Marquette Ave., South Milwaukee, WI

**WPDES PERMIT NO. WI-0046566-07**

**YEAR:** 2020

DMR-In-situ Contaminants Revised 7/2018

<b>Outfall Number</b>	<b>001</b>		
<b>Sample Point Description</b>	<b>8 Injection Borings</b>		
<b>Parameter Name</b>	RemOx® (potassium permanganate)		
<b>Parameter Units</b>	<b>Gallons</b>		
<b>Sample Date Below (mm/dd/year)</b>			
June 2020	0 (no injection, no soil mixing)		
<b>Sample Type</b>	Total		
<b>Frequency of Sampling</b>	Daily		

<p>Unless noted under parameter name, each daily value entered must be the highest value of all sample types analyzed for that day.  <b>Authorized per WISCONSIN STATUTE 283.55</b></p>	<p align="center"><b>PLEASE ATTACH NOTES AND/OR ADDRESS-NAME CORRECTIONS ON A SEPARATE SHEET</b>  <b>RETURN REPORT NO LATER THAN:</b> The 15th of the following month after injection, for the remainder of the remediation project.</p>								
<p>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED IN THIS DOCUMENT AND ALL ATTACHMENTS AND THAT, BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THAT THE INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINES AND IMPRISONMENT, (40 CFR 122.5). I ALSO CERTIFY THAT THE VALUES BEING SUBMITTED ARE THE ACTUAL VALUES FOUND IN THE SAMPLES; NO VALUES HAVE BEEN MODIFIED OR CHANGED IN ANY MANNER. WHEREVER I BELIEVE A VALUE BEING REPORTED IS INACCURATE, I HAVE ADDED AN EXPLANATION INDICATING THE REASONS WHY THE VALUE IS INACCURATE.</p>	<p><b>SEND TO:    ATTN: Chris Dietrich</b>  <b>2300 N. Dr. Martin Luther King Jr. Drive</b>  <b>Milwaukee, WI 53212-3128</b></p> <table border="0"> <tr> <td>Signature of Person Completing Form</td> <td>Date</td> </tr> <tr> <td><i>Christopher Carllis</i></td> <td>7/7/2020</td> </tr> <tr> <td>Signature of Principal Exec. Officer or Authorized Agent Title</td> <td>Date</td> </tr> <tr> <td><i>Christopher Carllis, DAS</i> as authorized agent to Carol Investment Corporation</td> <td>Project Engineer 7/7/2020</td> </tr> </table>	Signature of Person Completing Form	Date	<i>Christopher Carllis</i>	7/7/2020	Signature of Principal Exec. Officer or Authorized Agent Title	Date	<i>Christopher Carllis, DAS</i> as authorized agent to Carol Investment Corporation	Project Engineer 7/7/2020
Signature of Person Completing Form	Date								
<i>Christopher Carllis</i>	7/7/2020								
Signature of Principal Exec. Officer or Authorized Agent Title	Date								
<i>Christopher Carllis, DAS</i> as authorized agent to Carol Investment Corporation	Project Engineer 7/7/2020								

**Wastewater Discharge Monitoring Long Report**

**For DNR Use Only**

Facility Name: CAROL INVESTMENT CORPORATION  
 Contact Address: 27834 N Irma Lee Circle  
 Lake Forest, IL 60045  
 Facility Contact: Cristopher Cailles, Project Engineer  
 Phone Number: 847-573-8900  
 Reporting Period: 06/01/2020 - 06/30/2020  
 Form Due Date: 07/21/2020  
 Permit Number: 0046566

Date Received:  
 DOC: 448471  
 FIN: 63340  
 FID: 241828620  
 Region: Southeast Region  
 Permit Drafter: Drafter not set  
 Reviewer: Christopher A Dietrich  
 Office: Milwaukee

Sample Point	002	002	002	002	002	
Description	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	
Parameter	211	377	40	54	393	
Description	Flow Rate	pH Field	Benzene	BETX, Total	PAHs	
Units	gpd	su	ug/L	ug/L	ug/L	
Sample Type	ESTIMATED	GRAB	GRAB	GRAB	GRAB	
Frequency	DAILY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	
Sample Results	<b>Day 1</b>	726.87				
	<b>2</b>	726.87				
	<b>3</b>	557.77	7.04	<0.25	<1.57	<0.012
	<b>4</b>	557.77				
	<b>5</b>	557.77				
	<b>6</b>	557.77				
	<b>7</b>	557.77				
	<b>8</b>	557.77				
	<b>9</b>	557.77				
	<b>10</b>	557.77				
	<b>11</b>	557.77				
	<b>12</b>	557.77				
	<b>13</b>	557.77				
	<b>14</b>	557.77				
	<b>15</b>	557.77				
	<b>16</b>	557.77				
	<b>17</b>	557.77				
	<b>18</b>	557.77				
	<b>19</b>	557.77				
	<b>20</b>	557.77				
	<b>21</b>	557.77				
	<b>22</b>	557.77				
	<b>23</b>	557.77				
	<b>24</b>	557.77				
	<b>25</b>	557.77				
	<b>26</b>	557.77				
	<b>27</b>	557.77				
	<b>28</b>	557.77				
	<b>29</b>	557.77				
	<b>30</b>	557.77				
	<b>31</b>					

	Sample Point	002		002		002		002	
	Description	Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge	
	Parameter	211		377		40		54	
	Description	Flow Rate		pH Field		Benzene		BETX, Total	
	Units	gpd		su		ug/L		ug/L	
<b>Summary Values</b>	Monthly Avg	569.0433333333		7.04		0		0	
	Daily Max	726.87		7.04		<0.25		<1.57	
	Daily Min	557.77		7.04		<0.25		<1.57	
<b>Limit(s) in Effect</b>	Monthly Avg					50	0	750	0
	Daily Max			9	0				
	Daily Min			6	0				
<b>QA/QC Information</b>	LOD					0.25			
	LOQ					1			
	QC Exceedance	N		N		N		N	
	Lab Certification					405132750		405132750	

	<b>Sample Point</b>	002	002	002	002	002
	<b>Description</b>	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge
	<b>Parameter</b>	44	307	80	93	118
	<b>Description</b>	Benzo(a)pyrene	Naphthalene	Bromoform	Carbon tetrachloride	Chloroform
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
	<b>Sample Type</b>	GRAB	GRAB	GRAB	GRAB	GRAB
	<b>Frequency</b>	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>					
	<b>2</b>					
	<b>3</b>	<0.0098	<0.017	<4.0	<1.1	<1.3
	<b>4</b>					
	<b>5</b>					
	<b>6</b>					
	<b>7</b>					
	<b>8</b>					
	<b>9</b>					
	<b>10</b>					
	<b>11</b>					
	<b>12</b>					
	<b>13</b>					
	<b>14</b>					
	<b>15</b>					
	<b>16</b>					
	<b>17</b>					
	<b>18</b>					
	<b>19</b>					
	<b>20</b>					
	<b>21</b>					
	<b>22</b>					
	<b>23</b>					
	<b>24</b>					
	<b>25</b>					
	<b>26</b>					
	<b>27</b>					
	<b>28</b>					
	<b>29</b>					
	<b>30</b>					
	<b>31</b>					

	Sample Point	002		002		002		002		002	
	Description	Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge	
	Parameter	44		307		80		93		118	
	Description	Benzo(a)pyrene		Naphthalene		Bromoform		Carbon tetrachloride		Chloroform	
	Units	ug/L		ug/L		ug/L		ug/L		ug/L	
<b>Summary Values</b>	Monthly Avg	0		0		0		0		0	
	Daily Max	<0.0098		<0.017		<4		<1.1		<1.3	
	Daily Min	<0.0098		<0.017		<4		<1.1		<1.3	
<b>Limit(s) in Effect</b>	Monthly Avg	0.10	0	70	0	120	0	150	0	120	0
	Daily Max										
	Daily Min										
<b>QA/QC Information</b>	LOD	0.0098		0.017		4		1.1		1.3	
	LOQ	0.049		0.086		13		3.6		5	
	QC Exceedance	N		N		N		N		N	
	Lab Certification	405132750		405132750		405132750		405132750		405132750	



	<b>Sample Point</b>	002	002	002	002	002
	<b>Description</b>	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge
	<b>Parameter</b>	174	570	558	82	120
	<b>Description</b>	Dichlorobromo-methane (bromo-dichloromethane)	1,2-Dichloro- ethane	1,1-Dichloro- ethylene	Methyl bromide	Chloromethane
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
	<b>Sample Type</b>	GRAB	GRAB	GRAB	GRAB	GRAB
	<b>Frequency</b>	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>					
	<b>2</b>					
	<b>3</b>	<2.6	<0.28	<0.24	<0.97	<2.2
	<b>4</b>					
	<b>5</b>					
	<b>6</b>					
	<b>7</b>					
	<b>8</b>					
	<b>9</b>					
	<b>10</b>					
	<b>11</b>					
	<b>12</b>					
	<b>13</b>					
	<b>14</b>					
	<b>15</b>					
	<b>16</b>					
	<b>17</b>					
	<b>18</b>					
	<b>19</b>					
	<b>20</b>					
	<b>21</b>					
	<b>22</b>					
	<b>23</b>					
	<b>24</b>					
	<b>25</b>					
	<b>26</b>					
	<b>27</b>					
	<b>28</b>					
	<b>29</b>					
	<b>30</b>					
	<b>31</b>					

	Sample Point	002		002		002		002		002	
	Description	Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge	
	Parameter	174		570		558		82		120	
	Description	Dichlorobromomethane (bromodichloromethane)		1,2-Dichloro- ethane		1,1-Dichloro- ethylene		Methyl bromide		Chloromethane	
	Units	ug/L		ug/L		ug/L		ug/L		ug/L	
<b>Summary Values</b>	Monthly Avg	0		0		0		0		0	
	Daily Max	<2.6		<0.28		<0.24		<0.97		<2.2	
	Daily Min	<2.6		<0.28		<0.24		<0.97		<2.2	
<b>Limit(s) in Effect</b>	Monthly Avg	120	0	180	0	50	0	120	0	120	0
	Daily Max										
	Daily Min										
<b>QA/QC Information</b>	LOD	2.6		0.28		0.24		0.97		2.2	
	LOQ	8.7		1		1		5		7.3	
	QC Exceedance	N		N		N		N		N	
	Lab Certification	405132750		405132750		405132750		405132750		405132750	

	<b>Sample Point</b>	002	002	002	002	002
	<b>Description</b>	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge	Prior to Storm Sewer Discharge
	<b>Parameter</b>	565	490	563	561	508
	<b>Description</b>	1,1,2,2-Tetrachloro-ethane	Tetrachloroethylene	1,1,2-Trichloro- ethane	1,1,1-Trichloro- ethane	Trichloro- ethylene
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
	<b>Sample Type</b>	GRAB	GRAB	GRAB	GRAB	GRAB
	<b>Frequency</b>	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>					
	<b>2</b>					
	<b>3</b>	<0.28	<0.33	<0.55	<0.24	<0.26
	<b>4</b>					
	<b>5</b>					
	<b>6</b>					
	<b>7</b>					
	<b>8</b>					
	<b>9</b>					
	<b>10</b>					
	<b>11</b>					
	<b>12</b>					
	<b>13</b>					
	<b>14</b>					
	<b>15</b>					
	<b>16</b>					
	<b>17</b>					
	<b>18</b>					
	<b>19</b>					
	<b>20</b>					
	<b>21</b>					
	<b>22</b>					
	<b>23</b>					
	<b>24</b>					
	<b>25</b>					
	<b>26</b>					
	<b>27</b>					
	<b>28</b>					
	<b>29</b>					
	<b>30</b>					
	<b>31</b>					

	Sample Point	002		002		002		002		002	
	Description	Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge		Prior to Storm Sewer Discharge	
	Parameter	565		490		563		561		508	
	Description	1,1,2,2-Tetrachloro-ethane		Tetrachloroethylene		1,1,2-Trichloro- ethane		1,1,1-Trichloro- ethane		Trichloro- ethylene	
	Units	ug/L		ug/L		ug/L		ug/L		ug/L	
<b>Summary Values</b>	<b>Monthly Avg</b>	0		0		0		0		0	
	<b>Daily Max</b>	<0.28		<0.33		<0.55		<0.24		<0.26	
	<b>Daily Min</b>	<0.28		<0.33		<0.55		<0.24		<0.26	
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>	50	0	50	0	50	0	50	0	50	0
	<b>Daily Max</b>										
	<b>Daily Min</b>										
<b>QA/QC Information</b>	<b>LOD</b>	0.28		0.33		0.55		0.24		0.26	
	<b>LOQ</b>	1		1.1		5		1		1	
	<b>QC Exceedance</b>	N		N		N		N		N	
	<b>Lab Certification</b>	405132750		405132750		405132750		405132750		405132750	

	<b>Sample Point</b>	002
	<b>Description</b>	Prior to Storm Sewer Discharge
	<b>Parameter</b>	517
	<b>Description</b>	Vinyl chloride
	<b>Units</b>	ug/L
	<b>Sample Type</b>	GRAB
	<b>Frequency</b>	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>	
	<b>2</b>	
	<b>3</b>	<0.017
	<b>4</b>	
	<b>5</b>	
	<b>6</b>	
	<b>7</b>	
	<b>8</b>	
	<b>9</b>	
	<b>10</b>	
	<b>11</b>	
	<b>12</b>	
	<b>13</b>	
	<b>14</b>	
	<b>15</b>	
	<b>16</b>	
	<b>17</b>	
	<b>18</b>	
	<b>19</b>	
	<b>20</b>	
	<b>21</b>	
	<b>22</b>	
	<b>23</b>	
	<b>24</b>	
	<b>25</b>	
	<b>26</b>	
	<b>27</b>	
	<b>28</b>	
	<b>29</b>	
	<b>30</b>	
	<b>31</b>	

	<b>Sample Point</b>	002	
	<b>Description</b>	Prior to Storm Sewer Discharge	
	<b>Parameter</b>	517	
	<b>Description</b>	Vinyl chloride	
	<b>Units</b>	ug/L	
<b>Summary Values</b>	<b>Monthly Avg</b>	0	
	<b>Daily Max</b>	<0.017	
	<b>Daily Min</b>	<0.017	
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>	10	0
	<b>Daily Max</b>		
	<b>Daily Min</b>		
<b>QA/QC Information</b>	<b>LOD</b>	0.017	
	<b>LOQ</b>	1	
	<b>QC Exceedance</b>	N	
	<b>Lab Certification</b>	405132750	

Footnotes (DNR Use Only; Instructions for completing this form that are unique for your facility may be displayed here.)

General Remarks

Laboratory Quality Control Comments

Submitted by Cristopher Cailles(ccailles) on 7/21/2020 12:41:50 PM