



Environmental Engineers, Geologists and Scientists

Tel 847.573.8900  
Fax 847.573.8953

Polo Park Business Center  
27834 N. Irma Lee Circle  
Lake Forest, Illinois 60045-5130

May 23, 2023

Mr. Riley Neumann  
Wisconsin Department of Natural Resources  
2300 North Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-3128

**Re: Quarterly Groundwater Sampling Report  
(January 2023 Results)  
BRRTS #: 02-41-576336 & 02-41-579429  
FID #: 241828620  
Sunrise Shopping Center  
2410-2424 10<sup>th</sup> Avenue & 1009 Marquette Avenue  
South Milwaukee, Wisconsin 53172**

Mr. Neumann:

Please find enclosed the *Quarterly Groundwater Sampling Report* for the Sunrise Shopping Center facility located at the above-referenced address. Quarterly groundwater sampling of three (3) monitoring wells on-site continues to monitor any changes in Polynuclear Aromatic Hydrocarbon (PAH) and Tetrachloroethene (Perc) concentrations. PAH groundwater contaminant concentrations are monitored at MW-3 and MW-4 to assess if there is a need for remedial actions. Sampling for Perc concentrations in MW-5 continues to assess remedial progress and to determine plume stability.

A brief discussion of the quarterly sampling protocol and results of the April 2023 groundwater sampling are included in this quarterly report. As required, this quarterly report and all supporting documentation have also been submitted electronically to WDNR. If you have any questions or require additional information in regard to this submission, please contact me at (847) 9963-3580. Thank you for your time.

Sincerely,  
**DAI Environmental, Inc.**

Christopher Cailles, P.E.  
Project Engineer

Enclosure



Environmental Engineers, Geologists and Scientists

Tel 847.573.8900  
Fax 847.573.8953

Polo Park Business Center  
27834 N. Irma Lee Circle  
Lake Forest, Illinois 60045-5130

**QUARTERLY GROUNDWATER SAMPLING REPORT  
(APRIL 2023 RESULTS)  
SUNRISE SHOPPING CENTER  
2410-2424 10<sup>TH</sup> AVENUE & 1009 MARQUETTE AVENUE  
SOUTH MILWAUKEE, WISCONSIN 53172  
WDNR BRRTS ACTIVITY #02-41-576336 & 02-41-579429  
WDNR FID #241828620**

May 19, 2023

DAI Project Number: 6255

**Prepared For:  
Carol Investment Corporation  
1410 South Clinton Street  
Chicago, IL 60607**

**Prepared By:  
DAI Environmental, Inc.  
27834 North Irma Lee Circle  
Lake Forest, Illinois 60045**

## TABLE OF CONTENTS

LIST OF TABLES .....	i
LIST OF FIGURES .....	i
LIST OF APPENDICES .....	ii
1.0 INTRODUCTION .....	1
2.0 QUARTERLY GROUNDWATER SAMPLING PROGRAM.....	2
2.1 Quarterly Sampling Protocol .....	2
2.2 Groundwater Sampling Procedures and Chemical Analysis .....	3
3.0 QUARTERLY GROUNDWATER SAMPLING RESULTS .....	4
3.1 Static Groundwater Elevations .....	4
3.2 Groundwater Analytical Results .....	4
4.0 SUMP WATER SAMPLING RESULTS.....	8
5.0 SUMMARY AND SCHEDULE .....	9

### **LIST OF TABLES (APPENDIX A)**

Groundwater Analytical Table for VOCs .....	Table A.1.A
Groundwater Analytical Table for PAHs .....	Table A.1.B
Ace Hardware Sump Water Analytical Table for Perc.....	Table A.5
Water Level Elevations.....	Table A.6

### **LIST OF FIGURES (APPENDIX B)**

Detailed Site Map with Aerial View of Site and Surrounding Property.....	Figure B.1.b.1
Groundwater Isoconcentration (Perc) .....	Figure B.3.b.1a
Groundwater Isoconcentration (TCE).....	Figure B.3.b.1b
Groundwater Isoconcentration (Benzo(a)pyrene).....	Figure B.3.b.2a
Groundwater Isoconcentration (Benzo(b)fluoranthene) .....	Figure B.3.b.2b
Groundwater Isoconcentration (Chrysene) .....	Figure B.3.b.2c
Groundwater Isoconcentration (Naphthalene).....	Figure B.3.b.2d
Groundwater Flow Direction (May 9, 2023) .....	Figure B.3.c.26
Monitoring Wells .....	Figure B.3.d

## **LIST OF APPENDICES**

TABLES .....	APPENDIX A
FIGURES .....	APPENDIX B
LABORATORY ANALYTICAL REPORT .....	APPENDIX C.1.E

## **1.0 INTRODUCTION**

Soil and groundwater Remedial Actions are being performed at the Sunrise Shopping Center facility, addressed as 2410-2424 10<sup>th</sup> Avenue and 1009 Marquette Avenue in South Milwaukee, Wisconsin (Site). Figure B.1.b.1 in Attachment B provides an aerial view of the Site and surrounding property. The Remedial Actions to address Volatile Organic Compound (VOC) contamination are being performed under BRRTS number 02-41-576336, and the Remedial Actions to address Polynuclear Aromatic Hydrocarbon (PAH) contamination are being performed under BRRTS number 02-41-579429. As part of the Remedial Actions, quarterly groundwater sampling has been conducted since January 2018. A brief discussion of the quarterly sampling protocol and results are provided below.

## **2.0 QUARTERLY GROUNDWATER SAMPLING PROGRAM**

Quarterly groundwater sampling was first performed on January 5, 2018. The first quarterly sampling event included a complete round of sampling from each of six (6) monitoring wells (MW-1 to MW-5 and MW-201) installed at the Site. Figure B.3.d provides the locations of the monitoring wells. As proposed in the December 28, 2017, *Site Investigation Work Plan*, the groundwater samples from all monitoring wells were submitted for analysis of PAHs, and a sample from MW-5 was also collected for VOC analysis. Results of the January 2018 groundwater sampling were provided to the Wisconsin Department of Natural Resources (WDNR) in the *Site Investigation Report Amendment Addendum* dated February 28, 2018. Results of subsequent 2018 quarterly sampling events were provided in *Quarterly Groundwater Sampling Reports*.

### **2.1 Quarterly Sampling Protocol**

Based upon the results of the January 2018 sampling event, quarterly groundwater sampling is conducted at monitoring wells MW-3 to MW-5. Since no contamination was observed in monitoring wells MW-1, MW-2, or MW-201, no groundwater samples are collected from these wells as part of the quarterly sampling protocol. However, four (4) additional groundwater monitoring wells (MW-600 to MW-603) were installed in January 2022 (see Figure B.3.d). Groundwater samples are not collected from these wells as part of the quarterly sampling event, although the new wells are gauged for static water elevation.

The purpose of the quarterly groundwater sampling is to monitor any changes in groundwater contaminant concentrations. The groundwater sampling has documented Tetrachloroethene (Perc) groundwater concentrations before, during, and following the chemical treatment Remedial Actions. The quarterly groundwater sampling has been performed as follows:

- Static water level measurements are collected from all accessible monitoring wells using an electronic water level indicator capable of detecting water depth with an accuracy of  $\pm 0.01$  ft;
- Groundwater samples are collected from monitoring wells MW-3 and MW-4 for laboratory analysis of PAHs; and
- A groundwater sample is collected from monitoring well MW-5 for laboratory analysis of VOCs.

## **2.2 Groundwater Sampling Procedures and Chemical Analysis**

Consistent with sampling protocol followed during Site Investigation activities, the three (3) monitoring wells were purged prior to sample collection, to the extent practicable, to remove turbidity from the groundwater and allow the collection of a sediment-free sample that was representative of the surrounding groundwater conditions. Following purging, groundwater samples were collected from MW-3 to MW-5. Monitoring wells MW-4 and MW-5 were sampled using disposable PVC bailers; a groundwater sample was obtained from MW-3 using a peristaltic pump with dedicated PVC tubing. Groundwater samples were distributed directly into the appropriate sample containers for subsequent laboratory analyses as follows:

- MW-5: VOCs via USEPA Method SW8260; and
- MW-3 and MW-4: PAHs via USEPA Method SW8270E by SIM.

The sample submitted for analysis of VOCs was dispensed into 40-mL vials preserved with hydrochloric acid, and the samples submitted for analysis of PAHs were dispensed into unpreserved 100-mL amber glass containers. New disposable nitrile gloves were used to collect each sample to limit cross contamination. The samples were stored on ice immediately after collection and were maintained at a temperature of 4°C or lower via a cooler with ice. Samples were ultimately transferred to Pace Analytical Services, LLC (Pace Analytical) of Green Bay, Wisconsin, an independent analytical laboratory following the standard chain-of-custody procedures.

## **3.0 QUARTERLY GROUNDWATER SAMPLING RESULTS**

### **3.1 Static Groundwater Elevations**

To evaluate potential seasonal fluctuation in static water elevation and/or groundwater flow direction, a complete round of static groundwater elevations was collected as part of the second quarter 2023 groundwater sampling event, including the four (4) recently installed monitoring wells. The static water level elevations were collected from all monitoring wells on May 9, 2023, and referenced to the top of casing elevations based upon the complete resurvey performed on February 1, 2022. Table A.6 in Attachment A provides a historical summary of groundwater elevation information.

Review of Table A.6 shows that there is relatively high variability in elevation between quarters. The highest quarterly variability is observed in monitoring wells MW-1 and MW-3, which are located in areas of the Site with known subsurface disturbance, while monitoring wells MW-5 and MW-201 generally fluctuate less between quarters. The 2022 installed monitoring wells also appear to indicate a lower variability.

Prior to installation of the 600-series monitoring wells, the consistently observed groundwater flow direction was northwesterly along the southern half of the Site and north-northeasterly along the northern half of the Site. However, with the addition of the 600-series monitoring wells and the exclusion of MW-1 and MW-3, which are influenced by large areas of backfill, a more east-northeasterly groundwater flow direction has been observed. The potentiometric surface map generated from the May 2023 data is included as Figure B.3.c.26 (see Attachment B).

### **3.2 Groundwater Analytical Results**

Groundwater samples for the second quarter of 2023 (i.e., April-June 2023) were collected on April 21, 2023, following the protocol described in Section 2.2. The groundwater sample collected from MW-5 was analyzed for VOCs, and the samples from MW-3 and MW-4 were analyzed for PAHs. A summary of all groundwater sampling data collected from monitoring wells MW-3 to MW-5 since the beginning of Site Investigations is provided Tables A.1.A-A.1.B of Attachment A. The tables are compared to the Preventative Action Limits PAL (PALs) and

Enforcement Standards listed in Table 1 of NR 140. A copy of the laboratory analytical report for the second quarter 2023 sampling is provided in this report as Attachment C.1.E.

### **Volatile Organic Compounds**

Table A.1.A summarizes the quarterly groundwater sampling results from MW-5 for Perc and Trichloroethene (TCE), which are the only VOCs of concern observed in the groundwater (previous quarterly reports include a full summary of VOC analyses). Results of groundwater sampling at MW-5, installed to the rear of the 2410 tenant space (former Sunbrite Cleaners location), have indicated Perc at concentrations exceeding the Enforcement Standard of 0.005-mg/L since February 2016. These Perc concentrations increased through October 2018, followed by a decline in concentration, and then a period of general stability between September 2019 and May 2021. The Perc concentrations between August 2021 and November 2022 were observed at a slightly higher but still stable concentration range between 0.019-mg/L and 0.24-mg/L (excluding the April 2022 concentration of 0.011-mg/L). The recent January and April 2023 concentrations of 0.013-mg/L and 0.01-mg/L are more consistent with the September 2019 and May 2021 concentrations. Figure B.3.b.1a provides a historical summary of Perc groundwater concentrations and the estimated extent of Perc groundwater contamination.

The monthly samples collected from the Ace Hardware sump, which continues to function for groundwater recovery, also indicates stable Perc concentrations. (The influent water in the sump is collected prior to treatment and final discharge to the stormwater sewer system). Table A.5 summarizes the monthly sump sample results, and Figure B.3.b.1a provides a summary of monthly Perc concentrations between July 2021 and April 2023.

Since the groundwater sampling was initiated, the TCE concentration in MW-5 was observed at a level above the PAL (0.0005-mg/L) on three (3) occasions: January 2019 (0.0027-mg/L), April 2019 (0.00071-mg/L), and January 2022 (0.00067). All other TCE concentrations were below the PAL. Figure B.3.b.1b provides a historical summary of TCE groundwater concentrations.

## **Polynuclear Aromatic Hydrocarbons**

Table A.1.B summarizes the results of Benzo(a)pyrene, Benzo(b)fluoranthene, Chrysene, and Naphthalene in MW-3 and MW-4, which are the PAH analyses of concern in the groundwater on the southern portion of the Site (previous quarterly reports include a full summary of PAH analyses). MW-3 is installed in the southern portion of the property where contamination from historical petroleum and/or coal storage was identified. MW-4 is installed to the rear of the 2414B tenant space in the approximate location of a former heating oil UST. Figures B.3.b.2a to B.3.b.2d provide a historical summary of groundwater results for Benzo(a)pyrene, Benzo(b)fluoranthene, Chrysene, and Naphthalene, respectively.

A review of historical sampling results from MW-3 indicates the presence of PAH contamination in groundwater during each sampling event. Consistent with past sampling events, Benzo(a)pyrene, Benzo(b)fluoranthene, and Chrysene were observed in MW-3 at groundwater concentrations above the Enforcement Standard (other PAH constituents were also observed but at concentrations below PALs). Following a period of general stability in concentration between July 2019 and May 2021 (excluding a concentration spike in October 2019), groundwater concentrations decreased in August 2021, then followed by increased concentrations each quarter through April 2022. The April 2022-April 2023 concentrations appear to be generally stable and consistent with the July 2019 and May 2021 period.

As previously discussed, results of the PAH the February 2022 sampling of MW-601 and MW-602 (east and west MW-3) indicated Benzo(a)pyrene, Benzo(b)fluoranthene, and Chrysene at concentrations above the PAL, but below the Enforcement Standards. Concentrations in MW-601 to the east were higher than those in MW-602, consistent with the location of the known PAH soil contamination. Considering the known PAH soil impacts throughout the southern portion of the Site, low-level PAH concentrations in the groundwater at these locations was expected, but the results do indicate that the higher PAH groundwater impacts are limited to the area of contaminated fill material surrounding MW-3.

The April 2023 sampling results at MW-4 indicate a decrease in groundwater concentrations to levels consistent with the April-October 2022 results, and below the January 2022 results. The

concentrations of Benzo(a)pyrene, Benzo(b)fluoranthene, and Chrysene exceed the Enforcement Standards. The Naphthalene concentration at MW-4 in April 2023 is below the PAL. The concentration observed in January 2023 is assumed to be associated with higher groundwater levels and residual petroleum contamination in the subsurface soils leaching into the groundwater. Fluctuations in contaminant concentration have been observed throughout the period of sampling at this Site, however the concentrations are expected to gradually decline, as the sources of petroleum have been removed.

## **4.0 SUMP WATER SAMPLING RESULTS**

To address the Perc contamination identified in the sump water from the basement of the Ace Hardware building, an activated carbon treatment system was proposed to the WDNR. The proposed treatment system discharge was issued coverage under WPDES Permit Number WI-0046566-07-0 in a letter dated April 10, 2019, and the system began operation on May 14, 2019. As a condition of the permit approval, weekly discharge samples were required to be collected for a period of 4-weeks followed by monthly sampling thereafter. Weekly samples were collected on May 15<sup>th</sup>, 23<sup>rd</sup>, 29<sup>th</sup>, and June 6, 2019. The first monthly sample was collected on June 25, 2019. In addition to the required discharge samples, samples of the sump water have been collected for VOC analysis to both monitor the groundwater contaminant concentrations around the Ace Hardware building and verify the system is operating correctly.

While not strictly part of the quarterly sampling protocol, results of the sump water sampling are included with this submission as an indication of the groundwater contaminant concentrations below and around the Ace Hardware building. The results of the sump water samples are summarized in Table A.5. (Because all VOCs are reported below the LOD with the exception of Perc, Table A.5 only summarizes the Perc results.) The sump water sample results since July 2021 to the present are provided in Figure B.3.b.1a. (Previous reports included earlier sump data.)

As noted in Table A.5, the Perc concentrations in the influent sump water are often above the Enforcement Standard, and always above the PAL. However, all corresponding discharge samples indicate that the treatment system has been fully effective in removing Perc from the water prior to discharge into the stormwater sewer system. None of the discharge samples are reported with a detectable concentration of Perc.

Monthly sampling of the sump water influent and system effluent discharge will continue. The discharge sample results are submitted electronically to WDNR, as required by the WPDES permit.

## 5.0 SUMMARY AND SCHEDULE

- The Perc concentrations observed in monitoring well MW-5 have exceeded the Enforcement Standard since February 2016. Though the Perc concentrations have remained above the Enforcement Standard, the chemical injection activities performed in July 2018 and August 2019 in the vicinity of MW-5 have helped reduce the mass of Perc contamination. The Perc groundwater concentrations in MW-5 have remained relatively stable since that time. Quarterly monitoring of Perc concentrations in MW-5 will be continued until closure of the Site is approved.
- Sampling of the Ace Hardware sump water indicates influent Perc concentrations above the Enforcement Standard, although all effluent discharge samples from the treatment system are below detectable concentrations. Sump water influent and effluent sampling will continue on a monthly basis, as required.
- PAH contamination continues to be observed in MW-3 and MW-4, particularly the constituents Benzo(a)pyrene, Benzo(b)fluoranthene, Chrysene, and Naphthalene. All other PAH constituents are typically observed at concentrations below the PALs. The site-wide presence of coal and cinder fill material remaining from the historical use of the property are believed to contribute to the observed groundwater impact, since a large portion of the Site exhibits low-level PAH soil contamination. Quarterly monitoring of PAH concentrations in MW-3 and MW-4 will be continued until closure of the Site is approved.
  - The February 2022 sampling of monitoring wells MW-601 and MW-602 (east and west of MW-3) verify low-level PAH concentrations in the groundwater within the southern portion of the Site, but that the elevated PAH concentrations are isolated to monitoring well MW-3. The April 2023 sampling results indicate concentrations consistent with the more stable concentrations observed between July 2019 and May 2021.
  - The concentrations in MW-4 decreased from the elevated concentrations observed in January 2023. The April 2023 sampling results are more consistent with the earlier results observed from April through October 2022. No free-product petroleum has been noted in MW-4.

## **APPENDIX A**

### **TABLES**

**Table A.1.A. Groundwater Analytical Table for Volatile Organic Compounds (mg/L)  
(Quarterly Groundwater Sampling Wells)**

Sample Location	Sample Date	Tetrachloroethene	Trichloroethene
MW-5	04/21/23	<u><b>0.01</b></u>	<0.00032
	01/06/23	<u><b>0.013</b></u>	<0.00032
	10/04/22	<u><b>0.019</b></u>	<0.00032
	08/05/22	<u><b>0.021</b></u>	0.00069 (J)
	04/11/22	<u><b>0.011</b></u>	<0.00032
	01/24/22	<u><b>0.021</b></u>	<b>0.00067</b>
	11/11/21	<u><b>0.024</b></u>	0.00034 (J)
	08/31/21	<u><b>0.021</b></u>	<0.00032
	05/09/21	<u><b>0.012</b></u>	<0.00032
	01/18/21	<u><b>0.01</b></u>	<0.00026
	10/12/20	<u><b>0.014</b></u>	0.00047
	07/14/20	<u><b>0.01</b></u>	<0.00026
	05/05/20	<u><b>0.0088</b></u>	<0.00026
	01/17/20	<u><b>0.0084</b></u>	0.00038 (J)
	10/24/19	<u><b>0.012</b></u>	0.00039 (J)
	09/05/19	<u><b>0.0153</b></u>	0.00038 (J)
	07/07/19	<u><b>0.0106</b></u>	0.00048 (J)
	04/29/19	<u><b>0.0114</b></u>	<b>0.00071 (J)</b>
	01/25/19	<u><b>0.0065</b></u>	<b>0.0027</b>
	10/11/18	<u><b>0.021</b></u>	0.00027 (J)
	07/30/18	<u><b>0.0086</b></u>	<0.00026
	04/07/18	<u><b>0.0203</b></u>	<0.00033
	01/05/18	<u><b>0.0181</b></u>	<0.00033
	05/30/17	<u><b>0.0124</b></u>	<0.00033
	02/23/16	<u><b>0.0083</b></u>	<0.00033
	01/27/15	<u><b>0.0026</b></u>	<0.00033
	11/12/14 (TW-2)	<u><b>0.0026</b></u>	<0.00033
<b>PAL<sup>1</sup></b>		<b>0.0005</b>	<b>0.0005</b>
<b>Enforcement Standard<sup>2</sup></b>		<b>0.005</b>	<b>0.005</b>

<sup>1</sup> – Preventive Action Limits (PALs) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

<sup>2</sup> – Enforcement Standards (ES) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

**Bold** – Concentration exceeds the PAL

Underlined – Concentration exceeds the PAL and the ES

(J) – Concentration reported by the laboratory above the Limit of Detection, but below the Limit of Quantification VOCs via USEPA Method SW8260

**Table A.1.B. Groundwater Analytical Table for Polynuclear Aromatics (mg/L)  
(Quarterly Groundwater Sampling Wells)**

Sample Location	Sample Date	Benzo(a)pyrene	Benzo(b)fluoranthene	Chrysene	Naphthalene
MW-3	04/21/23	<u>0.02</u>	<u>0.039</u>	<u>0.025</u>	<0.00018
	01/06/23	<u>0.011</u>	<u>0.022</u>	<u>0.014</u>	0.000047 (J)
	10/04/22	<u>0.011</u>	<u>0.02</u>	<u>0.013</u>	<0.000092
	08/05/22	<u>0.024</u>	<u>0.04</u>	<u>0.03</u>	<0.00036
	04/11/22	<u>0.026</u>	<u>0.061</u>	<u>0.056</u>	<0.00036
	01/24/22	<u>0.0095</u>	<u>0.017</u>	<u>0.013</u>	<0.00009
	11/11/21	<u>0.0008</u>	<u>0.0022</u>	<u>0.0015</u>	<0.000019
	08/31/21	<u>0.00021</u>	<u>0.0005</u>	<u>0.00036</u>	0.00005
	05/03/21	<u>0.0024</u>	<u>0.0054</u>	<u>0.005</u>	0.0001 (J)
	01/18/21	<u>0.0024</u>	<u>0.005</u>	<u>0.0028</u>	0.00013
	10/12/20	<u>0.0013</u>	<u>0.0027</u>	<u>0.0015</u>	0.0001
	07/14/20	<u>0.0012</u>	<u>0.0022</u>	<u>0.0014</u>	0.00003
	05/05/20	<u>0.0011</u>	<u>0.0023</u>	<u>0.0012</u>	<0.000018
	01/17/20	<u>0.0063</u>	<u>0.0104</u>	<u>0.0013</u>	0.0001
	10/24/19	<u>0.015</u>	<u>0.03</u>	<u>0.016</u>	0.00015
	07/07/19	<u>0.0019</u>	<u>0.0036</u>	<u>0.0026</u>	0.000019 (J)
	04/29/19	<u>0.115</u>	<u>0.209</u>	<u>0.13</u>	0.00035
	01/25/19	<u>0.00017</u>	<u>0.00034</u>	<u>0.00028</u>	0.000022 (J)
	10/11/18	<u>0.000024 (J)</u>	<u>0.000074</u>	<u>0.000079</u>	0.000032 (J)
	07/30/18	<u>0.00068</u>	<u>0.0013</u>	<u>0.00095</u>	0.000053 (J)
	04/07/18	<u>0.0019</u>	<u>0.0039</u>	<u>0.003</u>	0.000051
	01/05/18	<0.0000096	<u>0.000037</u>	<u>0.000047 (J)</u>	0.00046
	05/30/17	<u>0.001</u>	<u>0.002</u>	<u>0.0015</u>	0.00012
	01/27/15	0.000011 (J)	0.00002 (J)	<u>0.00005</u>	<0.0000056
	11/13/14 (TW-5)	<u>0.0006</u>	<u>0.00077</u>	<u>0.00084</u>	0.00016
<b>PAL<sup>1</sup></b>		<b>0.00002</b>	<b>0.00002</b>	<b>0.00002</b>	<b>0.017</b>
<b>Enforcement Standard<sup>2</sup></b>		<b>0.0002</b>	<b>0.0002</b>	<b>0.0002</b>	<b>0.1</b>

<sup>1</sup> – Preventive Action Limits (PALs) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

<sup>2</sup> – Enforcement Standards (ES) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

**Bold** – Concentration exceeds the PAL

Underlined – Concentration exceeds the PAL and the ES

(J) – Concentration reported by the laboratory above the Limit of Detection, but below the Limit of Quantification

NL – Not Listed in Wisconsin Administrative Code

PAHs via USEPA Method SW8270E by SIM

Note: Fluoranthene and Pyrene indicated an exceedance of the PALs during the April 29, 2019, and April 11, 2022, sampling events

**Table A.1.B (Continued). Groundwater Analytical Table for Polynuclear Aromatics (mg/L)**  
**(Quarterly Groundwater Sampling Wells)**

Sample Location	Sample Date	Benzo(a)pyrene	Benzo(b)fluoranthene	Chrysene	Naphthalene
MW-4	04/21/23	<b>0.00063</b>	<b>0.0015</b>	<b>0.0034</b>	0.014
	01/06/23	<b>&lt;0.0056</b>	<b>&lt;0.004</b>	<b>0.0079 (J)</b>	<b>0.035</b>
	10/04/22	<b>&lt;0.00057</b>	<b>0.00073 (J)</b>	<b>0.0021 (J)</b>	0.016
	08/05/22	<b>&lt;0.00091</b>	<b>0.00014</b>	<b>0.00014</b>	0.0015
	04/11/22	<b>&lt;0.00039</b>	<b>&lt;0.00039</b>	<b>&lt;0.00053</b>	0.0022
	01/24/22	<b>&lt;0.018</b>	<b>&lt;0.018</b>	<b>&lt;0.025</b>	<b>0.037</b>
	11/11/21	<b>0.0024 (J)</b>	<b>0.0035 (J)</b>	<b>0.016</b>	<b>0.089</b>
	08/31/21	<b>&lt;0.0017</b>	<b>&lt;0.0017</b>	<b>&lt;0.0024</b>	0.01
	05/03/21	<b>0.0003 (J)</b>	<b>0.00061</b>	<b>0.0022</b>	0.0091
	01/18/21	<b>0.00013 (J)</b>	<b>0.00029</b>	<b>0.00082</b>	0.0055
	10/12/20	<b>0.00029 (J)</b>	<b>0.00065</b>	<b>0.0015</b>	0.007
	07/14/20	<b>0.00046 (J)</b>	<b>0.00098</b>	<b>0.0038</b>	<b>0.025</b>
	05/05/20	<b>0.0012 (J)</b>	<b>0.0032</b>	<b>0.005</b>	<b>0.035</b>
	01/17/20	<b>0.0031</b>	<b>0.0056</b>	<b>0.0074</b>	0.0074
	10/24/19	<b>0.00045</b>	<b>0.00086</b>	<b>0.0016</b>	0.0026
	07/07/19	<0.000037	<0.00002	<0.000046	0.0034
	04/29/19	<b>0.000041 (J)</b>	<b>0.000093</b>	<b>0.00017</b>	0.0014
	01/25/19	<0.0000095	0.000012 (J)	<b>0.000033 (J)</b>	0.00078
	10/11/18	<b>&lt;0.000029</b>	<b>0.000022</b>	<b>0.000084 (J)</b>	0.00081
	07/30/18	<b>&lt;0.000048</b>	<b>&lt;0.000026</b>	<0.00006	0.0015
	04/07/18	<0.0000095	0.0000096 (J)	<b>0.000031 (J)</b>	0.0022
	01/05/18	<b>&lt;0.0002</b>	<b>0.00022 (J)</b>	<b>0.001 (J)</b>	<b>0.0151</b>
	05/30/17	<b>&lt;0.00049</b>	<b>&lt;0.00027</b>	<b>0.0018 (J)</b>	<b>0.0243</b>
	02/23/16	0.000006	0.000014 (J)	0.000017 (J)	0.00047
	01/27/15	0.000017 (J)	<b>0.000043 (J)</b>	<b>0.000042 (J)</b>	0.00027
	11/13/14 (TW-6)	0.0000053 (J)	0.0000093 (J)	<b>0.000021 (J)</b>	0.0022
<b>PAL<sup>1</sup></b>		<b>0.00002</b>	<b>0.00002</b>	<b>0.00002</b>	<b>0.017</b>
<b>Enforcement Standard<sup>2</sup></b>		<b>0.0002</b>	<b>0.0002</b>	<b>0.0002</b>	<b>0.1</b>

<sup>1</sup> – Preventive Action Limits (PALs) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

<sup>2</sup> – Enforcement Standards (ES) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

**Bold** – Concentration exceeds the PAL

Underlined – Concentration exceeds the PAL and the ES

(J) – Concentration reported by the laboratory above the Limit of Detection, but below the Limit of Quantification

\* – Limit of detection reported greater than most stringent applicable standard; “non-detect” concentration not taken as exceedance per NR140.14(3)(a)

NL – Not Listed in Wisconsin Administrative Code

PAHs via USEPA Method SW8270E by SIM

**Table A.1.B (Continued). Groundwater Analytical Table for Polynuclear Aromatics (mg/L)  
(Quarterly Groundwater Sampling Wells)**

Note: Fluorene indicated an exceedance of the PAL during the May 5, 2020; Fluorene and Pyrene indicated exceedances during the November 11, 2021, sampling event

Polynuclear Aromatic	Sample Location (Sample Date)		PAL <sup>1</sup>	ES <sup>2</sup>
	MW-601 (02/03/22)	MW-602 (02/04/22)		
Acenaphthene	0.000056	<0.000012	NL	NL
Acenaphthylene	0.000015	<0.000011	NL	NL
Anthracene	0.00012	<0.000017	0.6	3
Benzo(a)anthracene	0.00019	0.000025 (J)	NL	NL
Benzo(a)pyrene	<b>0.00015</b>	<b>0.000035 (J)</b>	0.00002	0.0002
Benzo(b)fluoranthene	<b>0.00016</b>	<b>0.000057</b>	0.00002	0.0002
Benzo(g,h,i)perylene	0.00018	0.000055	NL	NL
Benzo(k)fluoranthene	0.000064	0.00002	NL	NL
Chrysene	<b>0.00035</b>	<b>0.000073</b>	0.00002	0.0002
Dibenzo(a,h)anthracene	0.000048	0.000016	NL	NL
Fluoranthene	0.00032	0.00011	0.08	0.4
Fluorene	0.000068	0.000021	0.08	0.4
Indeno(1,2,3-cd)pyrene	0.000081	0.000028 (J)	NL	NL
1-Methylnaphthalene	0.00013	0.000024 (J)	NL	NL
2-Methylnaphthalene	0.000093	0.000017 (J)	NL	NL
Naphthalene	0.000033	0.000018	0.017	0.1
Phenanthrene	0.0002	0.000087	NL	NL
Pyrene	0.00096	0.00011	0.05	0.25

<sup>1</sup> – Preventive Action Limits (PALs) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

<sup>2</sup> – Enforcement Standards (ES) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

**Bold** – Concentration exceeds the PAL

Underlined – Concentration exceeds the PAL and the ES

(J) – Concentration reported by the laboratory above the Limit of Detection, but below the Limit of Quantification

\* – Limit of detection reported greater than most stringent applicable standard; “non-detect” concentration not taken as exceedance per NR140.14(3)(a)

NL – Not Listed in Wisconsin Administrative Code

PAHs via USEPA Method SW8270E by SIM

**Table A.5. Ace Hardware Sump Water Analytical Table for Tetrachlorethene (mg/L)**

Sample Location	Sample Date	Tetrachloroethene
Sump	04/07/23	<u>0.0066</u>
	03/07/23	<u>0.0069</u>
	02/06/23	<u>0.0072</u>
	01/13/23	<u>0.0081</u>
	12/05/22	<u>0.0076</u>
	11/21/22	<u>0.0077</u>
	10/03/22	<u>0.011</u>
	09/13/22	<u>0.0091</u>
	08/01/22	<u>0.01</u>
	07/14/22	<u>0.01</u>
	06/02/22	<u>0.012</u>
	05/06/22	<u>0.006</u>
	04/01/22	<u>0.0041</u>
	03/03/22	<u>0.01</u>
	02/01/22	<u>0.01</u>
	01/18/22	<u>0.013</u>
	12/06/21	<u>0.013</u>
	11/05/21	<u>0.014</u>
	10/04/21	<u>0.016</u>
	09/10/21	<u>0.015</u>
	08/06/21	<u>0.016</u>
	07/02/21	<u>0.014</u>
	06/14/21	<u>0.013</u>
	05/03/21	<u>0.016</u>
	04/06/21	<u>0.012</u>
	03/08/21	<u>0.01</u>
	02/02/21	<u>0.014</u>
	01/12/21	<u>0.005</u>
	12/09/20	<u>0.0048</u>
	11/12/20	<u>0.0068</u>
	10/12/20	<u>0.009</u>
	09/03/20	<u>0.0065</u>
	08/17/20	<u>0.01</u>
	07/14/20	<u>0.0078</u>
	06/03/20	<u>0.0068</u>
	05/05/20	<u>0.0054</u>
	04/06/20	<u>0.005</u>
	03/10/20	<u>0.0063</u>
	02/03/20	<u>0.006</u>
	01/07/20	<u>0.0065</u>
<b>PAL<sup>1</sup></b>		<b>0.0005</b>
<b>Enforcement Standard<sup>2</sup></b>		<b>0.005</b>

<sup>1</sup> – Preventive Action Limits (PALs) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

<sup>2</sup> – Enforcement Standards (ES) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

**Bold** – Concentration exceeds the PAL

Underlined – Concentration exceeds the PAL and the ES

NOTE – All other VOCs reported below the Limit of Detection

VOCs via USEPA Method SW8260

**Table A.5 (Continued). Ace Hardware Sump Water Analytical Table  
for Tetrachlorethene (mg/L)**

Sample Location	Sample Date	Tetrachloroethene
Sump	12/03/19	<u>0.0068</u>
	11/04/19	<u>0.008</u>
	10/02/19	<u>0.0069</u>
	09/05/19	<u>0.0076</u>
	08/02/19	<u>0.005</u>
	07/19/19	<u>0.0062</u>
	06/25/19 (first monthly)	<u>0.0054</u>
	06/06/19 (week 4)	<u>0.0069</u>
	05/29/19 (week 3)	<u>0.0043</u>
	05/23/19 (week 2)	<u>0.0042</u>
	05/15/19 (week 1)	<u>0.0093</u>
	02/04/19	<u>0.0064</u>
	01/05/18	<u>0.0082</u>
	06/04/17	<u>0.006</u>
<b>PAL<sup>1</sup></b>		<b>0.0005</b>
<b>Enforcement Standard<sup>2</sup></b>		<b>0.005</b>

<sup>1</sup> – Preventive Action Limits (PALs) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

<sup>2</sup> – Enforcement Standards (ES) taken from Wisconsin Administrative Code, Chapter NR 140, Table 1

**Bold** – Concentration exceeds the PAL

Underlined – Concentration exceeds the PAL and the ES

NOTE – All other VOCs reported below the Limit of Detection

VOCs via USEPA Method SW8260

**Table A.6. Water Level Elevations**

<b>Monitoring Well</b>	<b>Top of Casing Elevation*</b>	<b>Date</b>	<b>Measured Depth to Groundwater (ft)</b>	<b>Relative Groundwater Elevation (ft)</b>
MW-1	98.08 (2022 survey)	05/09/23	1.73	96.35
		01/06/23	2.28	95.80
		10/03/22	3.05	95.03
		08/02/22	2.69	95.39
		04/11/22	1.18	96.90
		02/03/22	5.52	92.56
		01/24/22	4.22	93.83
	99.13 (2015 survey)	11/11/21	3.97	95.16
		08/31/21	3.75	95.38
		05/03/21	2.97	96.16
		01/18/21	3.34	95.79
		10/12/20	Obstructed	
		07/14/20	1.79	97.34
		05/05/20	1.80	97.33
		01/17/20	2.74	96.39
		10/24/19	3.07	96.06
		07/07/19	3.46	95.67
		04/29/19	2.35	96.78
		01/25/19	4.65	94.48
		10/11/18	1.66	97.47
		07/30/18	3.32	95.81
		04/08/18	2.24	96.89
		02/27/18	1.58	97.55
		05/30/17	2.17	96.96
		04/24/15	1.46	97.67
		03/30/15	1.98	97.15
		01/27/15	3.93	95.20
MW-2	99.32 (2022 survey)	05/09/23	7.15	92.17
		01/06/23	7.68	91.64
		10/03/22	7.46	91.86
		08/02/22	6.95	92.37
		04/11/22	6.57	92.75
		02/03/22	9.32	90.00
		01/24/22	8.20	91.12

**Table A.6. Water Level Elevations**

<b>Monitoring Well</b>	<b>Top of Casing Elevation*</b>	<b>Date</b>	<b>Measured Depth to Groundwater (ft)</b>	<b>Relative Groundwater Elevation (ft)</b>
MW-2	100.75 (2015 survey)	11/11/21	7.99	92.76
		08/31/21	7.70	93.05
		05/03/21	7.55	93.20
		01/18/21	8.12	92.63
		10/12/20	7.82	92.93
		07/14/20	6.36	94.39
		05/05/20	6.24	94.51
		01/17/20	6.83	93.92
		10/24/19	Obstructed	--
		07/07/19	7.51	93.24
		04/29/19	8.47	92.28
		01/25/19	8.42	92.33
		10/11/18	6.45	94.30
		07/30/18	7.45	93.30
		04/08/18	8.36	92.39
		02/27/18	8.54	92.21
		05/30/17	7.95	92.80
		04/24/15	7.21	93.54
		03/30/15	8.01	92.74
		01/27/15	8.60	92.15
MW-3	98.97 (2022 survey)	05/09/23	2.60	96.37
		01/06/23	3.30	95.67
		10/03/22	5.71	93.26
		08/02/22	<1	≈98.97
		04/11/22	1.85	91.12
		02/03/22	5.20	93.77
		01/24/22	4.90	94.07
		11/11/21	4.12	95.93
		08/31/21	4.37	95.68
		05/03/21	3.45	96.60
		01/18/21	4.50	95.55
		10/12/20	4.25	95.80
		07/14/20	3.37	96.68
		05/05/20	2.27	97.78
		01/17/20	3.20	96.85
		10/24/19	3.61	96.44
		07/07/19	3.73	96.32
		04/29/19	2.61	97.44
		01/25/19	4.44	95.61
		10/11/18	2.35	97.70
		07/30/18	3.62	96.43
		04/08/18	2.53	97.52
		02/27/18	2.43	97.62
		05/30/17	2.45	97.60
		04/24/15	2.27	97.78
		03/30/15	2.73	97.32
		01/27/15	4.46	95.59

**Table A.6. Water Level Elevations**

<b>Monitoring Well</b>	<b>Top of Casing Elevation*</b>	<b>Date</b>	<b>Measured Depth to Groundwater (ft)</b>	<b>Relative Groundwater Elevation (ft)</b>
MW-4	99.75 (2022 survey)	05/09/23	5.23	94.52
		01/06/23	4.50	95.25
		10/03/22	5.59	94.16
		08/02/22	5.75	94.00
		04/11/22	5.20	94.55
		02/03/22	8.86	90.89
		01/24/22	7.75	92.00
	100.57 (2015 survey)	11/11/21	6.78	93.79
		08/31/21	6.51	94.06
		05/03/21	6.19	94.38
		01/18/21	6.51	94.06
		10/12/20	6.65	93.92
		07/14/20	5.34	95.23
		05/05/20	5.07	95.50
		01/17/20	6.21	94.36
		10/24/19	6.14	94.43
		07/07/19	6.98	93.59
		04/29/19	7.30	93.27
		01/25/19	6.88	93.69
		10/11/18	5.43	95.14
		07/30/18	6.91	93.66
		04/08/18	7.26	93.31
		02/27/18	7.23	93.34
		05/30/17	6.38	94.19
		04/24/15	5.94	94.63
		03/30/15	7.04	93.53
		01/27/15	6.53	94.04
MW-5	99.36 (2022 survey)	05/09/23	5.80	93.56
		01/06/23	5.99	93.37
		10/03/22	6.21	93.15
		08/02/22	6.24	93.12
		04/11/22	5.96	93.40
		02/03/22	7.42	91.94
		01/24/22	7.13	92.23

**Table A.6. Water Level Elevations**

<b>Monitoring Well</b>	<b>Top of Casing Elevation*</b>	<b>Date</b>	<b>Measured Depth to Groundwater (ft)</b>	<b>Relative Groundwater Elevation (ft)</b>
MW-5	100.24 (2015 survey)	11/11/21	6.69	93.55
		08/31/21	6.48	93.76
		05/03/21	6.25	93.99
		01/18/21	5.90	94.34
		10/12/20	6.30	93.94
		07/14/20	5.84	94.39
		05/05/20	5.83	94.41
		01/17/20	5.87	94.37
		10/24/19	5.98	94.26
		07/07/19	6.25	93.99
		04/29/19	6.33	93.91
		01/25/19	6.35	93.89
		10/11/18	5.85	94.39
		07/30/18	6.19	94.05
		04/08/18	6.27	93.97
		02/27/18	6.15	94.09
		05/30/17	5.96	94.28
		04/24/15	5.92	94.32
		03/30/15	6.26	93.98
		01/27/15	6.50	93.74
MW-201	99.43 (2022 survey)	05/09/23	7.36	92.07
		01/06/23	8.00	91.43
		10/03/22	7.50	91.93
		08/02/22	7.45	91.98
		04/11/22	6.48	92.96
		02/03/22	8.67	90.76
		01/24/22	8.48	90.95
	100.10 (2015 survey)	11/11/21	8.12	91.98
		08/31/21	7.78	92.32
		05/03/21	7.56	92.54
		01/18/21	8.24	91.86
		10/12/20	7.95	92.15
		07/14/20	7.11	92.29
		05/05/20	6.44	93.66
		01/17/20	7.00	93.10
		10/24/19	6.57	93.53
		07/07/19	6.72	93.38
		04/29/19	6.82	93.28
		01/25/19	6.88	93.22
		10/11/18	6.22	93.88
		07/30/18	6.69	93.41
		04/08/18	6.79	93.34
		02/27/18	6.46	93.64
		05/30/17	6.26	93.84
		04/24/15	5.91	94.19
		03/30/15	6.28	93.82
		01/27/15	Not Installed	Not Installed

**Table A.6. Water Level Elevations**

<b>Monitoring Well</b>	<b>Top of Casing Elevation*</b>	<b>Date</b>	<b>Measured Depth to Groundwater (ft)</b>	<b>Relative Groundwater Elevation (ft)</b>
MW-600	97.72 (2022 survey)	05/09/23	Inaccessible	--
		01/06/23	8.02	89.70
		10/03/22	7.58	90.14
		08/02/22	8.76	88.96
		04/11/22	Inaccessible	--
		02/03/22	9.60	88.12
		01/24/22	8.80	88.92
MW-601	98.11 (2022 survey)	05/09/23	9.02	89.09
		01/06/23	8.80	89.31
		10/03/22	8.81	89.30
		08/02/22	9.09	89.02
		04/11/22	9.27	88.84
		02/03/22	10.41	87.70
		01/24/22	10.12	87.99
MW-602	99.18 (2022 survey)	05/09/23	8.32	90.86
		01/06/23	9.09	90.09
		10/03/22	9.12	90.06
		08/02/22	9.22	89.96
		04/11/22	8.36	90.82
		02/03/22	10.30	88.88
		01/24/22	10.21	88.97
MW-603	99.52 (2022 survey)	05/09/23	5.77	93.75
		01/06/23	5.98	93.54
		10/03/22	5.51	94.01
		08/02/22	5.52	94.00
		04/11/22	5.14	94.38
		02/03/22	6.54	92.98
		01/24/22	6.42	93.10

\* – Relative Elevation compared to a generic 100-ft on-site datum. Static water level measurements collected prior to 2022 compared to survey data from on January 27 and March 30, 2015. Static water level measurements collected beginning in January 2022 compared to a complete resurvey performed on February 1, 2022.


## **APPENDIX B FIGURES**



**DAI**  
ENVIRONMENTAL

SUNRISE SHOPPING CENTER  
2410-2424 10TH AVENUE  
1009 MARQUETTE AVENUE  
SOUTH MILWAUKEE, WISCONSIN


**FIGURE B.1.b.1**  
DETAILED SITE MAP WITH AERIAL VIEW  
OF SITE AND SURROUNDING PROPERTY  
(2019 AERIAL TAKEN FROM GOOGLE EARTH)



**DAM**  
ENVIRONMENTAL

SUNRISE SHOPPING CENTER  
2410-2424 10TH AVENUE  
1009 MARQUETTE AVENUE  
SOUTH MILWAUKEE, WISCONSIN


FIGURE B.3.b.2a  
GROUNDWATER  
ISOCONCENTRATION  
(BENZO(A)PYRENE)





# DAM ENVIRONMENTAL

**SUNRISE SHOPPING CENTER  
2410-2424 10TH AVENUE  
1009 MARQUETTE AVENUE  
SOUTH MILWAUKEE, WISCONSIN**

**FIGURE B.3.b.1b  
GROUNDWATER  
ISOCONCENTRATION  
(TCE)**








**DAM**  
**ENVIRONMENTAL**

SUNRISE SHOPPING CENTER  
2410-2424 10TH AVENUE  
1009 MARQUETTE AVENUE  
SOUTH MILWAUKEE, WISCONSIN


FIGURE B.3.b.2c  
GROUNDWATER  
ISOCONCENTRATION  
(CHRYSENE)




# DAM ENVIRONMENTAL

**SUNRISE SHOPPING CENTER  
2410-2424 10TH AVENUE  
1009 MARQUETTE AVENUE  
SOUTH MILWAUKEE, WISCONSIN**

**FIGURE B.3.b.2d  
GROUNDWATER  
ISOCONCENTRATION  
(NAPHTHALENE)**





**APPENDIX C.1.E  
LABORATORY ANALYTICAL REPORT  
(SECOND QUARTER 2023)**

April 28, 2023

Chris Cailles  
DAI Environmental  
Polo Park Business Center  
27834 Irma Lee Circle  
Lake Forest, IL 60045

RE: Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

Dear Chris Cailles:

Enclosed are the analytical results for sample(s) received by the laboratory on April 25, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko  
steve.mleczko@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Jenny Rovzar, DAI



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302  
Florida/NELAP Certification #: E87948  
Illinois Certification #: 200050  
Kentucky UST Certification #: 82  
Louisiana Certification #: 04168  
Minnesota Certification #: 055-999-334  
New York Certification #: 12064  
North Dakota Certification #: R-150

South Carolina Certification #: 83006001  
Texas Certification #: T104704529-21-8  
Virginia VELAP Certification ID: 11873  
Wisconsin Certification #: 405132750  
Wisconsin DATCP Certification #: 105-444  
USDA Soil Permit #: P330-21-00008  
Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 6255 SOUTH MILWAUKEE AVE

Pace Project No.: 40261201

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40261201001	MW-3	Water	04/21/23 13:45	04/25/23 08:25
40261201002	MW-4	Water	04/21/23 14:15	04/25/23 08:25
40261201003	MW-5	Water	04/21/23 14:50	04/25/23 08:25

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE ANALYTE COUNT

Project: 6255 SOUTH MILWAUKEE AVE  
 Pace Project No.: 40261201

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40261201001	MW-3	EPA 8270E by SIM	TPO	20
40261201002	MW-4	EPA 8270E by SIM	TPO	20
40261201003	MW-5	EPA 8260	EIB	64

PASI-G = Pace Analytical Services - Green Bay

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.

## SUMMARY OF DETECTION

Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40261201001</b>	<b>MW-3</b>					
EPA 8270E by SIM	Acenaphthene	0.00027J	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Acenaphthylene	0.0013	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Anthracene	0.0018	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Benzo(a)anthracene	0.0069	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Benzo(a)pyrene	0.020	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.039	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Benzo(g,h,i)perylene	0.023	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Benzo(k)fluoranthene	0.014	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Chrysene	0.025	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Dibenz(a,h)anthracene	0.0040	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Fluoranthene	0.055	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Fluorene	0.00049	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Indeno(1,2,3-cd)pyrene	0.019	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Phenanthrene	0.019	mg/L	0.00046	04/27/23 19:37	
EPA 8270E by SIM	Pyrene	0.027	mg/L	0.00046	04/27/23 19:37	
<b>40261201002</b>	<b>MW-4</b>					
EPA 8270E by SIM	Acenaphthene	0.019	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Acenaphthylene	0.0025	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Anthracene	0.030	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Benzo(a)pyrene	0.00063J	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.0015J	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Benzo(g,h,i)perylene	0.0010J	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Benzo(k)fluoranthene	0.0012J	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Chrysene	0.0034	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Fluoranthene	0.0091	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Fluorene	0.027	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Indeno(1,2,3-cd)pyrene	0.00065J	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	1-Methylnaphthalene	0.011	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	2-Methylnaphthalene	0.0011J	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Naphthalene	0.014	mg/L	0.0019	04/27/23 20:17	D3
EPA 8270E by SIM	Phenanthrene	0.030	mg/L	0.0019	04/27/23 20:17	
EPA 8270E by SIM	Pyrene	0.021	mg/L	0.0019	04/27/23 20:17	
<b>40261201003</b>	<b>MW-5</b>					
EPA 8260	Tetrachloroethene	0.010	mg/L	0.0010	04/26/23 19:48	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

Sample: MW-3	Lab ID: 40261201001	Collected: 04/21/23 13:45	Received: 04/25/23 08:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV PAH</b>	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Acenaphthene	<b>0.00027J</b>	mg/L	0.00046	0.00013	10	04/27/23 08:18	04/27/23 19:37	83-32-9	
Acenaphthylene	<b>0.0013</b>	mg/L	0.00046	0.00012	10	04/27/23 08:18	04/27/23 19:37	208-96-8	
Anthracene	<b>0.0018</b>	mg/L	0.00046	0.00017	10	04/27/23 08:18	04/27/23 19:37	120-12-7	
Benzo(a)anthracene	<b>0.0069</b>	mg/L	0.00046	0.00012	10	04/27/23 08:18	04/27/23 19:37	56-55-3	
Benzo(a)pyrene	<b>0.020</b>	mg/L	0.00046	0.00012	10	04/27/23 08:18	04/27/23 19:37	50-32-8	
Benzo(b)fluoranthene	<b>0.039</b>	mg/L	0.00046	0.000084	10	04/27/23 08:18	04/27/23 19:37	205-99-2	
Benzo(g,h,i)perylene	<b>0.023</b>	mg/L	0.00046	0.00021	10	04/27/23 08:18	04/27/23 19:37	191-24-2	
Benzo(k)fluoranthene	<b>0.014</b>	mg/L	0.00046	0.00020	10	04/27/23 08:18	04/27/23 19:37	207-08-9	
Chrysene	<b>0.025</b>	mg/L	0.00046	0.00012	10	04/27/23 08:18	04/27/23 19:37	218-01-9	
Dibenz(a,h)anthracene	<b>0.0040</b>	mg/L	0.00046	0.00016	10	04/27/23 08:18	04/27/23 19:37	53-70-3	
Fluoranthene	<b>0.055</b>	mg/L	0.00046	0.00024	10	04/27/23 08:18	04/27/23 19:37	206-44-0	
Fluorene	<b>0.00049</b>	mg/L	0.00046	0.00022	10	04/27/23 08:18	04/27/23 19:37	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.019</b>	mg/L	0.00046	0.00014	10	04/27/23 08:18	04/27/23 19:37	193-39-5	
1-Methylnaphthalene	<b>&lt;0.00016</b>	mg/L	0.00046	0.00016	10	04/27/23 08:18	04/27/23 19:37	90-12-0	
2-Methylnaphthalene	<b>&lt;0.00013</b>	mg/L	0.00046	0.00013	10	04/27/23 08:18	04/27/23 19:37	91-57-6	
Naphthalene	<b>&lt;0.00018</b>	mg/L	0.00046	0.00018	10	04/27/23 08:18	04/27/23 19:37	91-20-3	
Phenanthrene	<b>0.019</b>	mg/L	0.00046	0.00024	10	04/27/23 08:18	04/27/23 19:37	85-01-8	
Pyrene	<b>0.027</b>	mg/L	0.00046	0.00021	10	04/27/23 08:18	04/27/23 19:37	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	51	%	44-120		10	04/27/23 08:18	04/27/23 19:37	321-60-8	
Terphenyl-d14 (S)	62	%	49-120		10	04/27/23 08:18	04/27/23 19:37	1718-51-0	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

Sample: MW-4	Lab ID: 40261201002	Collected: 04/21/23 14:15	Received: 04/25/23 08:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV PAH</b>	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay								
Acenaphthene	<b>0.019</b>	mg/L	0.0019	0.00052	40	04/27/23 08:18	04/27/23 20:17	83-32-9	
Acenaphthylene	<b>0.0025</b>	mg/L	0.0019	0.00047	40	04/27/23 08:18	04/27/23 20:17	208-96-8	
Anthracene	<b>0.030</b>	mg/L	0.0019	0.00069	40	04/27/23 08:18	04/27/23 20:17	120-12-7	
Benzo(a)anthracene	<b>&lt;0.00051</b>	mg/L	0.0019	0.00051	40	04/27/23 08:18	04/27/23 20:17	56-55-3	
Benzo(a)pyrene	<b>0.00063J</b>	mg/L	0.0019	0.00047	40	04/27/23 08:18	04/27/23 20:17	50-32-8	
Benzo(b)fluoranthene	<b>0.0015J</b>	mg/L	0.0019	0.00034	40	04/27/23 08:18	04/27/23 20:17	205-99-2	
Benzo(g,h,i)perylene	<b>0.0010J</b>	mg/L	0.0019	0.00087	40	04/27/23 08:18	04/27/23 20:17	191-24-2	
Benzo(k)fluoranthene	<b>0.0012J</b>	mg/L	0.0019	0.00083	40	04/27/23 08:18	04/27/23 20:17	207-08-9	
Chrysene	<b>0.0034</b>	mg/L	0.0019	0.00047	40	04/27/23 08:18	04/27/23 20:17	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;0.00066</b>	mg/L	0.0019	0.00066	40	04/27/23 08:18	04/27/23 20:17	53-70-3	
Fluoranthene	<b>0.0091</b>	mg/L	0.0019	0.00097	40	04/27/23 08:18	04/27/23 20:17	206-44-0	
Fluorene	<b>0.027</b>	mg/L	0.0019	0.00088	40	04/27/23 08:18	04/27/23 20:17	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.00065J</b>	mg/L	0.0019	0.00058	40	04/27/23 08:18	04/27/23 20:17	193-39-5	
1-Methylnaphthalene	<b>0.011</b>	mg/L	0.0019	0.00067	40	04/27/23 08:18	04/27/23 20:17	90-12-0	
2-Methylnaphthalene	<b>0.0011J</b>	mg/L	0.0019	0.00051	40	04/27/23 08:18	04/27/23 20:17	91-57-6	
Naphthalene	<b>0.014</b>	mg/L	0.0019	0.00074	40	04/27/23 08:18	04/27/23 20:17	91-20-3	D3
Phenanthrene	<b>0.030</b>	mg/L	0.0019	0.00095	40	04/27/23 08:18	04/27/23 20:17	85-01-8	
Pyrene	<b>0.021</b>	mg/L	0.0019	0.00084	40	04/27/23 08:18	04/27/23 20:17	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	51	%	44-120		40	04/27/23 08:18	04/27/23 20:17	321-60-8	
Terphenyl-d14 (S)	16	%	49-120		40	04/27/23 08:18	04/27/23 20:17	1718-51-0	S4

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

Sample: MW-5	Lab ID: 40261201003	Collected: 04/21/23 14:50	Received: 04/25/23 08:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.00030	mg/L	0.0010	0.00030	1		04/26/23 19:48	71-43-2	
Bromobenzene	<0.00036	mg/L	0.0010	0.00036	1		04/26/23 19:48	108-86-1	
Bromoform	<0.00043	mg/L	0.0010	0.00043	1		04/26/23 19:48	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		04/26/23 19:48	74-83-9	
n-Butylbenzene	<0.00086	mg/L	0.0010	0.00086	1		04/26/23 19:48	104-51-8	
sec-Butylbenzene	<0.00042	mg/L	0.0010	0.00042	1		04/26/23 19:48	135-98-8	
tert-Butylbenzene	<0.00059	mg/L	0.0010	0.00059	1		04/26/23 19:48	98-06-6	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		04/26/23 19:48	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		04/26/23 19:48	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		04/26/23 19:48	75-00-3	
Chloroform	<0.00050	mg/L	0.0050	0.00050	1		04/26/23 19:48	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		04/26/23 19:48	74-87-3	
2-Chlorotoluene	<0.00089	mg/L	0.0050	0.00089	1		04/26/23 19:48	95-49-8	
4-Chlorotoluene	<0.00089	mg/L	0.0050	0.00089	1		04/26/23 19:48	106-43-4	
1,2-Dibromo-3-chloropropane	<0.0024	mg/L	0.0050	0.0024	1		04/26/23 19:48	96-12-8	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		04/26/23 19:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.00031	mg/L	0.0010	0.00031	1		04/26/23 19:48	106-93-4	
Dibromomethane	<0.00099	mg/L	0.0050	0.00099	1		04/26/23 19:48	74-95-3	
1,2-Dichlorobenzene	<0.00033	mg/L	0.0010	0.00033	1		04/26/23 19:48	95-50-1	
1,3-Dichlorobenzene	<0.00035	mg/L	0.0010	0.00035	1		04/26/23 19:48	541-73-1	
1,4-Dichlorobenzene	<0.00089	mg/L	0.0010	0.00089	1		04/26/23 19:48	106-46-7	
Dichlorodifluoromethane	<0.00046	mg/L	0.0050	0.00046	1		04/26/23 19:48	75-71-8	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		04/26/23 19:48	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		04/26/23 19:48	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		04/26/23 19:48	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		04/26/23 19:48	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		04/26/23 19:48	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		04/26/23 19:48	78-87-5	
1,3-Dichloropropane	<0.00030	mg/L	0.0010	0.00030	1		04/26/23 19:48	142-28-9	
2,2-Dichloropropane	<0.00042	mg/L	0.0010	0.00042	1		04/26/23 19:48	594-20-7	
1,1-Dichloropropene	<0.00041	mg/L	0.0010	0.00041	1		04/26/23 19:48	563-58-6	
cis-1,3-Dichloropropene	<0.00024	mg/L	0.0010	0.00024	1		04/26/23 19:48	10061-01-5	
trans-1,3-Dichloropropene	<0.00027	mg/L	0.0010	0.00027	1		04/26/23 19:48	10061-02-6	
Diisopropyl ether	<0.0011	mg/L	0.0050	0.0011	1		04/26/23 19:48	108-20-3	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		04/26/23 19:48	100-41-4	
Hexachloro-1,3-butadiene	<0.0027	mg/L	0.0050	0.0027	1		04/26/23 19:48	87-68-3	
Isopropylbenzene (Cumene)	<0.0010	mg/L	0.0050	0.0010	1		04/26/23 19:48	98-82-8	
p-Isopropyltoluene	<0.0010	mg/L	0.0050	0.0010	1		04/26/23 19:48	99-87-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		04/26/23 19:48	75-09-2	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		04/26/23 19:48	1634-04-4	
Naphthalene	<0.0019	mg/L	0.0050	0.0019	1		04/26/23 19:48	91-20-3	
n-Propylbenzene	<0.00035	mg/L	0.0010	0.00035	1		04/26/23 19:48	103-65-1	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		04/26/23 19:48	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

Sample: MW-5      Lab ID: 40261201003      Collected: 04/21/23 14:50      Received: 04/25/23 08:25      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.00036	mg/L	0.0010	0.00036	1		04/26/23 19:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		04/26/23 19:48	79-34-5	
Tetrachloroethene	0.010	mg/L	0.0010	0.00041	1		04/26/23 19:48	127-18-4	
Toluene	<0.00029	mg/L	0.0010	0.00029	1		04/26/23 19:48	108-88-3	
1,2,3-Trichlorobenzene	<0.0010	mg/L	0.0050	0.0010	1		04/26/23 19:48	87-61-6	
1,2,4-Trichlorobenzene	<0.00095	mg/L	0.0050	0.00095	1		04/26/23 19:48	120-82-1	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		04/26/23 19:48	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0010	0.00034	1		04/26/23 19:48	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		04/26/23 19:48	79-01-6	
Trichlorofluoromethane	<0.00042	mg/L	0.0010	0.00042	1		04/26/23 19:48	75-69-4	
1,2,3-Trichloropropane	<0.00056	mg/L	0.0010	0.00056	1		04/26/23 19:48	96-18-4	
1,2,4-Trimethylbenzene	<0.00045	mg/L	0.0010	0.00045	1		04/26/23 19:48	95-63-6	
1,3,5-Trimethylbenzene	<0.00036	mg/L	0.0010	0.00036	1		04/26/23 19:48	108-67-8	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		04/26/23 19:48	75-01-4	
m&p-Xylene	<0.00070	mg/L	0.0020	0.00070	1		04/26/23 19:48	179601-23-1	
o-Xylene	<0.00035	mg/L	0.0010	0.00035	1		04/26/23 19:48	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	105	%	70-130		1		04/26/23 19:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		04/26/23 19:48	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		04/26/23 19:48	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: 6255 SOUTH MILWAUKEE AVE

Pace Project No.: 40261201

QC Batch: 443288 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40261201003

METHOD BLANK: 2545287

Matrix: Water

Associated Lab Samples: 40261201003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	mg/L	<0.00036	0.0010	04/26/23 10:02	
1,1,1-Trichloroethane	mg/L	<0.00030	0.0010	04/26/23 10:02	
1,1,2,2-Tetrachloroethane	mg/L	<0.00038	0.0010	04/26/23 10:02	
1,1,2-Trichloroethane	mg/L	<0.00034	0.0010	04/26/23 10:02	
1,1-Dichloroethane	mg/L	<0.00030	0.0010	04/26/23 10:02	
1,1-Dichloroethene	mg/L	<0.00058	0.0010	04/26/23 10:02	
1,1-Dichloropropene	mg/L	<0.00041	0.0010	04/26/23 10:02	
1,2,3-Trichlorobenzene	mg/L	<0.0010	0.0050	04/26/23 10:02	
1,2,3-Trichloropropane	mg/L	<0.00056	0.0010	04/26/23 10:02	
1,2,4-Trichlorobenzene	mg/L	<0.00095	0.0050	04/26/23 10:02	
1,2,4-Trimethylbenzene	mg/L	<0.00045	0.0010	04/26/23 10:02	
1,2-Dibromo-3-chloropropane	mg/L	<0.0024	0.0050	04/26/23 10:02	
1,2-Dibromoethane (EDB)	mg/L	<0.00031	0.0010	04/26/23 10:02	
1,2-Dichlorobenzene	mg/L	<0.00033	0.0010	04/26/23 10:02	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	04/26/23 10:02	
1,2-Dichloropropane	mg/L	<0.00045	0.0010	04/26/23 10:02	
1,3,5-Trimethylbenzene	mg/L	<0.00036	0.0010	04/26/23 10:02	
1,3-Dichlorobenzene	mg/L	<0.00035	0.0010	04/26/23 10:02	
1,3-Dichloropropane	mg/L	<0.00030	0.0010	04/26/23 10:02	
1,4-Dichlorobenzene	mg/L	<0.00089	0.0010	04/26/23 10:02	
2,2-Dichloropropane	mg/L	<0.00042	0.0010	04/26/23 10:02	
2-Chlorotoluene	mg/L	<0.00089	0.0050	04/26/23 10:02	
4-Chlorotoluene	mg/L	<0.00089	0.0050	04/26/23 10:02	
Benzene	mg/L	<0.00030	0.0010	04/26/23 10:02	
Bromobenzene	mg/L	<0.00036	0.0010	04/26/23 10:02	
Bromochloromethane	mg/L	<0.00036	0.0010	04/26/23 10:02	
Bromodichloromethane	mg/L	<0.00042	0.0010	04/26/23 10:02	
Bromoform	mg/L	<0.00043	0.0010	04/26/23 10:02	
Bromomethane	mg/L	<0.0012	0.0050	04/26/23 10:02	
Carbon tetrachloride	mg/L	<0.00037	0.0010	04/26/23 10:02	
Chlorobenzene	mg/L	<0.00086	0.0010	04/26/23 10:02	
Chloroethane	mg/L	<0.0014	0.0050	04/26/23 10:02	
Chloroform	mg/L	<0.00050	0.0050	04/26/23 10:02	
Chloromethane	mg/L	<0.0016	0.0050	04/26/23 10:02	
cis-1,2-Dichloroethene	mg/L	<0.00047	0.0010	04/26/23 10:02	
cis-1,3-Dichloropropene	mg/L	<0.00024	0.0010	04/26/23 10:02	
Dibromochloromethane	mg/L	<0.0026	0.0050	04/26/23 10:02	
Dibromomethane	mg/L	<0.00099	0.0050	04/26/23 10:02	
Dichlorodifluoromethane	mg/L	<0.00046	0.0050	04/26/23 10:02	
Diisopropyl ether	mg/L	<0.0011	0.0050	04/26/23 10:02	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: 6255 SOUTH MILWAUKEE AVE

Pace Project No.: 40261201

METHOD BLANK: 2545287

Matrix: Water

Associated Lab Samples: 40261201003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	mg/L	<0.00033	0.0010	04/26/23 10:02	
Hexachloro-1,3-butadiene	mg/L	<0.0027	0.0050	04/26/23 10:02	
Isopropylbenzene (Cumene)	mg/L	<0.0010	0.0050	04/26/23 10:02	
m&p-Xylene	mg/L	<0.00070	0.0020	04/26/23 10:02	
Methyl-tert-butyl ether	mg/L	<0.0011	0.0050	04/26/23 10:02	
Methylene Chloride	mg/L	<0.00032	0.0050	04/26/23 10:02	
n-Butylbenzene	mg/L	<0.00086	0.0010	04/26/23 10:02	
n-Propylbenzene	mg/L	<0.00035	0.0010	04/26/23 10:02	
Naphthalene	mg/L	<0.0019	0.0050	04/26/23 10:02	
o-Xylene	mg/L	<0.00035	0.0010	04/26/23 10:02	
p-Isopropyltoluene	mg/L	<0.0010	0.0050	04/26/23 10:02	
sec-Butylbenzene	mg/L	<0.00042	0.0010	04/26/23 10:02	
Styrene	mg/L	<0.00036	0.0010	04/26/23 10:02	
tert-Butylbenzene	mg/L	<0.00059	0.0010	04/26/23 10:02	
Tetrachloroethene	mg/L	<0.00041	0.0010	04/26/23 10:02	
Toluene	mg/L	<0.00029	0.0010	04/26/23 10:02	
trans-1,2-Dichloroethene	mg/L	<0.00053	0.0010	04/26/23 10:02	
trans-1,3-Dichloropropene	mg/L	<0.00027	0.0010	04/26/23 10:02	
Trichloroethene	mg/L	<0.00032	0.0010	04/26/23 10:02	
Trichlorofluoromethane	mg/L	<0.00042	0.0010	04/26/23 10:02	
Vinyl chloride	mg/L	<0.00017	0.0010	04/26/23 10:02	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	04/26/23 10:02	
4-Bromofluorobenzene (S)	%	103	70-130	04/26/23 10:02	
Toluene-d8 (S)	%	103	70-130	04/26/23 10:02	

LABORATORY CONTROL SAMPLE: 2545288

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	mg/L	0.05	0.050	100	70-134	
1,1,2,2-Tetrachloroethane	mg/L	0.05	0.051	102	69-130	
1,1,2-Trichloroethane	mg/L	0.05	0.053	105	70-130	
1,1-Dichloroethane	mg/L	0.05	0.052	104	70-130	
1,1-Dichloroethene	mg/L	0.05	0.055	110	74-131	
1,2,4-Trichlorobenzene	mg/L	0.05	0.042	85	68-130	
1,2-Dibromo-3-chloropropane	mg/L	0.05	0.039	78	64-137	
1,2-Dibromoethane (EDB)	mg/L	0.05	0.050	101	70-130	
1,2-Dichlorobenzene	mg/L	0.05	0.052	104	70-130	
1,2-Dichloroethane	mg/L	0.05	0.051	102	70-137	
1,2-Dichloropropane	mg/L	0.05	0.052	104	80-121	
1,3-Dichlorobenzene	mg/L	0.05	0.054	108	70-130	
1,4-Dichlorobenzene	mg/L	0.05	0.051	101	70-130	
Benzene	mg/L	0.05	0.052	105	70-130	
Bromodichloromethane	mg/L	0.05	0.050	100	70-130	
Bromoform	mg/L	0.05	0.044	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: 6255 SOUTH MILWAUKEE AVE

Pace Project No.: 40261201

**LABORATORY CONTROL SAMPLE: 2545288**

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	mg/L	0.05	0.041	81	21-147	
Carbon tetrachloride	mg/L	0.05	0.049	98	80-146	
Chlorobenzene	mg/L	0.05	0.055	109	70-130	
Chloroethane	mg/L	0.05	0.053	105	52-165	
Chloroform	mg/L	0.05	0.055	109	80-123	
Chloromethane	mg/L	0.05	0.039	79	51-122	
cis-1,2-Dichloroethene	mg/L	0.05	0.051	102	70-130	
cis-1,3-Dichloropropene	mg/L	0.05	0.049	98	70-130	
Dibromochloromethane	mg/L	0.05	0.046	92	70-130	
Dichlorodifluoromethane	mg/L	0.05	0.034	69	25-121	
Ethylbenzene	mg/L	0.05	0.056	112	80-120	
Isopropylbenzene (Cumene)	mg/L	0.05	0.053	105	70-130	
m&p-Xylene	mg/L	0.1	0.11	111	70-130	
Methyl-tert-butyl ether	mg/L	0.05	0.045	90	70-130	
Methylene Chloride	mg/L	0.05	0.055	111	70-130	
o-Xylene	mg/L	0.05	0.055	110	70-130	
Styrene	mg/L	0.05	0.065	130	70-130	
Tetrachloroethene	mg/L	0.05	0.053	105	70-130	
Toluene	mg/L	0.05	0.054	109	80-120	
trans-1,2-Dichloroethene	mg/L	0.05	0.054	109	70-130	
trans-1,3-Dichloropropene	mg/L	0.05	0.045	90	70-130	
Trichloroethene	mg/L	0.05	0.053	106	70-130	
Trichlorofluoromethane	mg/L	0.05	0.054	107	65-160	
Vinyl chloride	mg/L	0.05	0.050	99	63-134	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			105	70-130	

**MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2545289      2545290**

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40261249001	Spike Conc.	Spike Conc.	MS Result								
1,1,1-Trichloroethane	mg/L	<1.0 ug/L	0.05	0.05	0.050	0.051	100	103	70-134	3	20		
1,1,2,2-Tetrachloroethane	mg/L	<1.0 ug/L	0.05	0.05	0.053	0.052	105	103	61-135	2	20		
1,1,2-Trichloroethane	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.053	103	105	70-130	2	20		
1,1-Dichloroethane	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.053	104	105	70-130	2	20		
1,1-Dichloroethene	mg/L	<1.0 ug/L	0.05	0.05	0.054	0.056	109	112	71-130	3	20		
1,2,4-Trichlorobenzene	mg/L	<5.0 ug/L	0.05	0.05	0.046	0.046	93	92	68-131	0	20		
1,2-Dibromo-3-chloropropane	mg/L	<5.0 ug/L	0.05	0.05	0.045	0.046	89	92	51-141	3	20		
1,2-Dibromoethane (EDB)	mg/L	<1.0 ug/L	0.05	0.05	0.050	0.051	100	102	70-130	2	20		
1,2-Dichlorobenzene	mg/L	<1.0 ug/L	0.05	0.05	0.053	0.053	106	106	70-130	0	20		
1,2-Dichloroethane	mg/L	<1.0 ug/L	0.05	0.05	0.050	0.051	100	103	70-137	3	20		
1,2-Dichloropropane	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.053	105	105	80-121	1	20		
1,3-Dichlorobenzene	mg/L	<1.0 ug/L	0.05	0.05	0.054	0.054	108	109	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: 6255 SOUTH MILWAUKEE AVE

Pace Project No.: 40261201

		MATRIX SPIKE & MATRIX SPIKE DUPLICATE:				2545289				2545290			
Parameter	Units	MS		MSD		MS Result	MS % Rec	MSD Result	MSD % Rec	% Rec Limits	RPD	RPD	Max Qual
		40261249001	Spike Conc.	Spike Conc.	MS Result								
1,4-Dichlorobenzene	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.052	103	104	70-130	1	20		
Benzene	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.053	104	106	70-130	1	20		
Bromodichloromethane	mg/L	<1.0 ug/L	0.05	0.05	0.051	0.052	101	104	70-130	3	20		
Bromoform	mg/L	<1.0 ug/L	0.05	0.05	0.044	0.046	88	92	70-133	5	20		
Bromomethane	mg/L	<5.0 ug/L	0.05	0.05	0.045	0.049	91	99	21-149	8	22		
Carbon tetrachloride	mg/L	<1.0 ug/L	0.05	0.05	0.050	0.051	100	102	80-146	3	20		
Chlorobenzene	mg/L	<1.0 ug/L	0.05	0.05	0.053	0.054	106	108	70-130	1	20		
Chloroethane	mg/L	<5.0 ug/L	0.05	0.05	0.054	0.053	107	106	52-165	2	20		
Chloroform	mg/L	<5.0 ug/L	0.05	0.05	0.055	0.056	109	112	80-123	2	20		
Chloromethane	mg/L	<5.0 ug/L	0.05	0.05	0.038	0.038	76	77	42-125	2	20		
cis-1,2-Dichloroethene	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.052	103	105	70-130	2	20		
cis-1,3-Dichloropropene	mg/L	<1.0 ug/L	0.05	0.05	0.049	0.050	98	101	70-130	2	20		
Dibromochloromethane	mg/L	<5.0 ug/L	0.05	0.05	0.045	0.047	90	94	70-130	5	20		
Dichlorodifluoromethane	mg/L	<5.0 ug/L	0.05	0.05	0.031	0.030	62	61	25-121	1	20		
Ethylbenzene	mg/L	<1.0 ug/L	0.05	0.05	0.055	0.055	109	111	80-121	1	20		
Isopropylbenzene (Cumene)	mg/L	<5.0 ug/L	0.05	0.05	0.051	0.051	102	103	70-130	1	20		
m-&p-Xylene	mg/L	<2.0 ug/L	0.1	0.1	0.11	0.11	108	109	70-130	1	20		
Methyl-tert-butyl ether	mg/L	<5.0 ug/L	0.05	0.05	0.045	0.046	91	93	70-130	2	20		
Methylene Chloride	mg/L	<5.0 ug/L	0.05	0.05	0.055	0.056	110	113	70-130	3	20		
o-Xylene	mg/L	<1.0 ug/L	0.05	0.05	0.053	0.054	107	108	70-130	1	20		
Styrene	mg/L	<1.0 ug/L	0.05	0.05	0.064	0.065	128	130	70-132	2	20		
Tetrachloroethene	mg/L	<1.0 ug/L	0.05	0.05	0.053	0.054	105	107	70-130	2	20		
Toluene	mg/L	<1.0 ug/L	0.05	0.05	0.053	0.053	106	106	80-120	0	20		
trans-1,2-Dichloroethene	mg/L	<1.0 ug/L	0.05	0.05	0.055	0.055	109	110	70-130	1	20		
trans-1,3-Dichloropropene	mg/L	<1.0 ug/L	0.05	0.05	0.045	0.046	90	93	70-130	3	20		
Trichloroethene	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.054	105	107	70-130	2	20		
Trichlorofluoromethane	mg/L	<1.0 ug/L	0.05	0.05	0.052	0.053	104	106	65-160	1	20		
Vinyl chloride	mg/L	<1.0 ug/L	0.05	0.05	0.049	0.048	97	97	60-137	1	20		
1,2-Dichlorobenzene-d4 (S)	%						100	100	70-130				
4-Bromofluorobenzene (S)	%						107	105	70-130				HS
Toluene-d8 (S)	%						104	103	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: 6255 SOUTH MILWAUKEE AVE

Pace Project No.: 40261201

QC Batch: 443410 Analysis Method: EPA 8270E by SIM

QC Batch Method: EPA 3510 Analysis Description: 8270E Water PAH

Associated Lab Samples: 40261201001, 40261201002 Laboratory: Pace Analytical Services - Green Bay

METHOD BLANK: 2545902

Matrix: Water

Associated Lab Samples: 40261201001, 40261201002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	mg/L	<0.000018	0.000050	04/27/23 12:43	
2-Methylnaphthalene	mg/L	<0.000014	0.000050	04/27/23 12:43	
Acenaphthene	mg/L	<0.000014	0.000050	04/27/23 12:43	
Acenaphthylene	mg/L	<0.000013	0.000050	04/27/23 12:43	
Anthracene	mg/L	<0.000018	0.000050	04/27/23 12:43	
Benzo(a)anthracene	mg/L	<0.000014	0.000050	04/27/23 12:43	
Benzo(a)pyrene	mg/L	<0.000013	0.000050	04/27/23 12:43	
Benzo(b)fluoranthene	mg/L	<0.0000091	0.000050	04/27/23 12:43	
Benzo(g,h,i)perylene	mg/L	<0.000023	0.000050	04/27/23 12:43	
Benzo(k)fluoranthene	mg/L	<0.000022	0.000050	04/27/23 12:43	
Chrysene	mg/L	<0.000013	0.000050	04/27/23 12:43	
Dibenz(a,h)anthracene	mg/L	<0.000018	0.000050	04/27/23 12:43	
Fluoranthene	mg/L	<0.000026	0.000050	04/27/23 12:43	
Fluorene	mg/L	<0.000024	0.000050	04/27/23 12:43	
Indeno(1,2,3-cd)pyrene	mg/L	<0.000016	0.000050	04/27/23 12:43	
Naphthalene	mg/L	<0.000020	0.000050	04/27/23 12:43	
Phenanthrene	mg/L	<0.000026	0.000050	04/27/23 12:43	
Pyrene	mg/L	<0.000023	0.000050	04/27/23 12:43	
2-Fluorobiphenyl (S)	%	76	44-120	04/27/23 12:43	
Terphenyl-d14 (S)	%	99	49-120	04/27/23 12:43	

LABORATORY CONTROL SAMPLE: 2545903

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	mg/L	0.002	0.0014	70	51-120	
2-Methylnaphthalene	mg/L	0.002	0.0014	68	50-120	
Acenaphthene	mg/L	0.002	0.0016	78	65-120	
Acenaphthylene	mg/L	0.002	0.0015	76	61-120	
Anthracene	mg/L	0.002	0.0015	77	61-104	
Benzo(a)anthracene	mg/L	0.002	0.0014	70	51-96	
Benzo(a)pyrene	mg/L	0.002	0.0019	94	68-120	
Benzo(b)fluoranthene	mg/L	0.002	0.0018	89	55-97	
Benzo(g,h,i)perylene	mg/L	0.002	0.0017	87	69-120	
Benzo(k)fluoranthene	mg/L	0.002	0.0021	105	73-120	
Chrysene	mg/L	0.002	0.0025	125	72-126	
Dibenz(a,h)anthracene	mg/L	0.002	0.0015	76	57-115	
Fluoranthene	mg/L	0.002	0.0020	101	58-111	
Fluorene	mg/L	0.002	0.0017	87	62-120	
Indeno(1,2,3-cd)pyrene	mg/L	0.002	0.0016	81	66-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: 6255 SOUTH MILWAUKEE AVE

Pace Project No.: 40261201

LABORATORY CONTROL SAMPLE: 2545903

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Naphthalene	mg/L	0.002	0.0016	78	53-120	
Phenanthrene	mg/L	0.002	0.0016	78	59-120	
Pyrene	mg/L	0.002	0.0017	85	59-120	
2-Fluorobiphenyl (S)	%			79	44-120	
Terphenyl-d14 (S)	%			92	49-120	

MATRIX SPIKE &amp; MATRIX SPIKE DUPLICATE: 2545904      2545905

Parameter	Units	40261144008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1-Methylnaphthalene	mg/L	<0.017 ug/L	0.0021	0.002	0.0014	0.0014	68	70	22-120	2	20	
2-Methylnaphthalene	mg/L	<0.013 ug/L	0.0021	0.002	0.0014	0.0013	67	67	18-120	7	20	
Acenaphthene	mg/L	<0.014 ug/L	0.0021	0.002	0.0016	0.0015	77	76	26-120	7	20	
Acenaphthylene	mg/L	<0.012 ug/L	0.0021	0.002	0.0015	0.0015	73	74	28-120	4	20	
Anthracene	mg/L	<0.018 ug/L	0.0021	0.002	0.0017	0.0017	83	84	19-124	4	20	
Benzo(a)anthracene	mg/L	<0.013 ug/L	0.0021	0.002	0.0011	0.0011	52	55	10-125	1	20	
Benzo(a)pyrene	mg/L	<0.012 ug/L	0.0021	0.002	0.0018	0.0018	84	92	11-134	3	20	
Benzo(b)fluoranthene	mg/L	<0.0089 ug/L	0.0021	0.002	0.0017	0.0016	81	82	10-118	5	20	
Benzo(g,h,i)perylene	mg/L	<0.023 ug/L	0.0021	0.002	0.0019	0.0018	88	88	10-135	6	20	
Benzo(k)fluoranthene	mg/L	<0.022 ug/L	0.0021	0.002	0.0019	0.0020	88	101	17-136	8	20	
Chrysene	mg/L	<0.012 ug/L	0.0021	0.002	0.0028	0.0027	133	134	27-144	4	20	
Dibenz(a,h)anthracene	mg/L	<0.017 ug/L	0.0021	0.002	0.0017	0.0017	80	86	10-142	2	20	
Fluoranthene	mg/L	<0.026 ug/L	0.0021	0.002	0.0021	0.0021	100	104	26-129	2	20	
Fluorene	mg/L	<0.023 ug/L	0.0021	0.002	0.0018	0.0017	85	86	27-120	5	20	
Indeno(1,2,3-cd)pyrene	mg/L	<0.015 ug/L	0.0021	0.002	0.0018	0.0018	85	92	10-134	2	20	
Naphthalene	mg/L	<0.019 ug/L	0.0021	0.002	0.0017	0.0016	82	81	11-120	6	20	
Phenanthrene	mg/L	<0.025 ug/L	0.0021	0.002	0.0016	0.0016	74	78	23-120	1	20	
Pyrene	mg/L	<0.022 ug/L	0.0021	0.002	0.0017	0.0017	82	83	24-120	3	20	
2-Fluorobiphenyl (S)	%						82	80	44-120			
Terphenyl-d14 (S)	%						88	91	49-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 6255 SOUTH MILWAUKEE AVE  
Pace Project No.: 40261201

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

D3      Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

HS      Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

S4      Surrogate recovery not evaluated against control limits due to sample dilution.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: 6255 SOUTH MILWAUKEE AVE  
 Pace Project No.: 40261201

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40261201001	MW-3	EPA 3510	443410	EPA 8270E by SIM	443449
40261201002	MW-4	EPA 3510	443410	EPA 8270E by SIM	443449
40261201003	MW-5	EPA 8260	443288		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.

**(Please Print Clearly)**

<b>Company Name:</b>	DAT Environmental	
<b>Branch/Location:</b>	Lake Forest	
<b>Project Contact:</b>	Chris Cailles	
<b>Phone:</b>	847-573-8900	
<b>Project Number:</b>	6255	
<b>Project Name:</b>	South Milwaukee Ace	
<b>Project State:</b>	Wisconsin	
<b>Sampled By (Print):</b>	Marcus Greshamer	
<b>Sampled By (Sign):</b>		
<b>PO #:</b>		<b>Regulatory Program:</b>



#### **UPPER MIDWEST REGION**

MN: 612-607-1700 WI: 920-469-2436

Page 1 of

# **CHAIN OF CUSTODY**

<b>*Preservation Codes</b>					
A=None	B=HCL	C=H2SO4	D=HNO3	E=DI Water	
H=Sodium Bisulfate Solution		I=Sodium Thiosulfate	J=Other	F=Methanol	G=NaOH

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)		Relinquished By: <i>J. Meyer</i>	Date/Time: 4/24/23 11:11	Received By: <i>Mike LS</i>	Date/Time: 4/24/23 11:11	PACE Project No.
Date Needed:		Relinquished By: <i>Mike LS</i>	Date/Time: 4/24/23 5:00	Received By: <i>CS Logistics</i>	Date/Time: 4/24/23 8:00	Receipt Temp: <u>20</u> °C
Transmit Prelim Rush Results by (complete what you want):		Relinquished By: <i>CS Logistics</i>	Date/Time: 4/25/23 0825	Received By: <i>Meyer</i>	Date/Time: 4/25/23 0825	Sample Receipt pH OK / Adjusted
Email #1:	Relinquished By: <i>CS Logistics</i>	Date/Time: 4/25/23 0825	Received By: <i>Meyer</i>	Date/Time: 4/25/23 0825	Sealer Custody Seal Present / Not Present Intact / Not Intact	
Email #2:	Relinquished By: <i>CS Logistics</i>	Date/Time: 4/25/23 0825	Received By: <i>Meyer</i>	Date/Time: 4/25/23 0825	Intact / Not Intact	
Telephone:	Relinquished By: <i>CS Logistics</i>	Date/Time: 4/25/23 0825	Received By: <i>Meyer</i>	Date/Time: 4/25/23 0825	Intact / Not Intact	
Fax:	Relinquished By: <i>CS Logistics</i>	Date/Time: 4/25/23 0825	Received By: <i>Meyer</i>	Date/Time: 4/25/23 0825	Intact / Not Intact	
Samples on HOLD are subject to special pricing and release of liability		Relinquished By: <i>CS Logistics</i>	Date/Time: 4/25/23 0825	Received By: <i>Meyer</i>	Date/Time: 4/25/23 0825	Intact / Not Intact

Effective Date: 8/16/2022

Client Name: DAIAll containers needing preservation have been checked and noted below  
Lab Lot# of pH paper

## Sample Preservation Receipt Form

Project # 40260107-Ag 402601201  
 Yes  No  N/A

Lab Std #ID of preservation (if pH adjusted):

Initial when completed.  
Date/ Time.

Pace Lab #	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2	VOA Vials (>6mm)*	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
001																														2.5 / 5				
002																														2.5 / 5				
003																														2.5 / 5				
004																														2.5 / 5				
005																														2.5 / 5				
006																														2.5 / 5				
007																														2.5 / 5				
008																														2.5 / 5				
009																														2.5 / 5				
010																														2.5 / 5				
011																														2.5 / 5				
012																														2.5 / 5				
013																														2.5 / 5				
014																														2.5 / 5				
015																														2.5 / 5				
016																														2.5 / 5				
017																														2.5 / 5				
018																														2.5 / 5				
019																														2.5 / 5				
020																														2.5 / 5				

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:Headspace in VOA Vials (>6mm)  Yes  No  N/A \*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

### Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: DAT

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_

WO# : 40261201



40261201

Tracking #:

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR - 120 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr 20 /Corr. 20

Temp Blank Present:  yes  no

Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 4/15/23 /Initials: MH

Labeled By Initials: SJ

Chain of Custody Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. mail, in aisle, pg# mt 4th shz
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - DI VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	9.
Correct Type: Pace Green Bay, Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log.

Page 2 of 2