

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
Ol'Tyme Dry Cleaners		02-67-576350	
Address	City	State	ZIP Code
910 S. Main Street	West Bend	WI	53095

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Lois and Robert Seidensticker

Address	City	State	ZIP Code
1005 Shadowood Circle Unit 1	West Bend	WI	53095

Contact Person

Lois and Robert Seidensticker

Person or company that collected samples	Phone Number (include area code)
Konicek Environmental Consulting, LLC	(262) 707-1685

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) _____

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Solvents	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Pesticides	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

This sampling event included sampling of a drinking water well.

Yes No

If yes, the sampled drinking water well had detectable contaminants.

Yes No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input type="radio"/>
Sub-slab	<input type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name		Contact Person Last Name	First Name	
Konicek Environmental Consulting, LLC		Konicek	Gregory	
Address		City	State	ZIP Code
1032 S. Spring Street		Port Washington	WI	53074
Phone # (inc. area code)	Email			
(262) 284-2557	gkonicek@msn.com			

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)		
Feeney	John			
Address		City	State	ZIP Code
1155 Pilgrim Parkway		Plymouth	WI	53073
Email				
johnm.feeney@wisconsin.gov				

**Table A.6 Water Level Elevations
Ol' Tyme Dry Cleaners
BRRTS#: 02-67-576350
910 S. Main Street West Bend, WI**

Project: Ol' Tyme Dry Cleaners Page: 1 of 1
 Measurements Taken By: Konicek Environmental Consulting LLC Device: Heron Groundwater Level Meter





Well Number	Date	Depth to Groundwater (feet)	Well Depth (feet)	Water Column Height (feet)	Top PVC Reference Elevation (feet)	Ground Surface Elevation (feet)	Groundwater Elevation (feet)	Comments
MW-1	10/16/15	3.83	12.12	8.29	934.04	934.60	930.21	
MW-2	10/16/15	6.46	14.78	8.32	934.81	935.41	928.35	
MW-3	10/16/15	7.68	14.64	6.96	934.23	934.77	926.55	
MW-4	10/16/15	7.34	14.88	7.54	934.27	934.84	926.93	
MW-1	11/16/15	3.51	12.12	8.61	934.04	934.60	930.53	
MW-2	11/16/15	6.17	14.78	8.61	934.81	935.41	928.64	
MW-3	11/16/15	7.68	14.64	6.96	934.23	934.77	926.55	
MW-4	11/16/15	7.31	14.88	7.57	934.27	934.84	926.96	
MW-1	01/15/16	3.52	12.12	8.60	934.04	934.60	930.52	
MW-2	01/15/16	5.95	14.78	8.83	934.81	935.41	928.86	
MW-3	01/15/16	7.42	14.64	7.22	934.23	934.77	926.81	
MW-4	01/15/16	6.91	14.88	7.97	934.27	934.84	927.36	
MW-1	04/09/16	3.03	12.12	9.09	934.04	934.60	931.01	
MW-2	04/09/16	5.32	14.78	9.46	934.81	935.41	929.49	
MW-3	04/09/16	6.78	14.64	7.86	934.23	934.77	927.45	
MW-4	04/09/16	6.19	14.88	8.69	934.27	934.84	928.08	
MW-1	07/29/16	3.52	12.12	8.60	934.04	934.60	930.52	
MW-2	07/29/16	5.98	14.78	8.80	934.81	935.41	928.83	
MW-3	07/29/16	7.56	14.64	7.08	934.23	934.77	926.67	
MW-4	07/29/16	7.19	14.88	7.69	934.27	934.84	927.08	
MW-1	03/27/17	2.73	12.12	9.39	934.04	934.60	931.31	
MW-2	03/27/17	5.44	14.78	9.34	934.81	935.41	929.37	
MW-3	03/27/17	6.82	14.64	7.82	934.23	934.77	927.41	
MW-4	03/27/17	6.23	14.88	8.65	934.27	934.84	928.04	
MW-5	03/27/17	6.98	14.81	7.83	934.85	935.03	927.87	
MW-6	03/27/17	7.23	14.75	7.52	934.22	934.81	926.99	
MW-7	03/27/17	8.91	12.36	3.45	935.76	935.94	926.85	
MW-1	04/11/17	2.95	12.12	9.17	934.04	934.60	931.09	
MW-2	04/11/17	5.49	14.78	9.29	934.81	935.41	929.32	
MW-3	04/11/17	6.87	14.64	7.77	934.23	934.77	927.36	
MW-4	04/11/17	6.42	14.88	8.46	934.27	934.84	927.85	
MW-5	04/11/17	7.03	14.81	7.78	934.85	935.03	927.82	
MW-6	04/11/17	7.06	14.75	7.69	934.22	934.81	927.16	
MW-7	04/11/17	8.55	12.36	3.81	935.76	935.94	927.21	
MW-8	08/01/17	7.66	14.95	7.29	934.11	934.35	926.45	
MW-10	08/01/17	7.74	14.93	7.19	934.22	934.53	926.48	
MW-1	09/29/17	4.24	12.12	7.88	934.04	934.60	929.80	Samples not taken
MW-2	09/29/17	6.40	14.78	8.38	934.81	935.41	928.41	" "
MW-3	09/29/17	7.85	14.64	6.79	934.23	934.77	926.38	" "
MW-4	09/29/17	7.61	14.88	7.27	934.27	934.84	926.66	" "
MW-5	09/29/17	7.55	14.81	7.26	934.85	935.03	927.30	" "
MW-6	09/29/17	8.20	14.75	6.55	934.22	934.81	926.02	" "
MW-7	09/29/17	9.80	12.36	2.56	935.76	935.94	925.96	" "
MW-8	09/29/17	8.16	14.95	6.79	934.11	934.35	925.95	" "
MW-10	09/29/17	8.29	14.93	6.64	934.22	934.53	925.93	" "
MW-1	05/01/18	2.92	12.12	9.20	934.04	934.60	931.12	
MW-2	05/01/18	5.58	14.78	9.20	934.81	935.41	929.23	
MW-3	05/01/18	7.32	14.64	7.32	934.23	934.77	926.91	
MW-4	05/01/18	6.64	14.88	8.24	934.27	934.84	927.63	
MW-5	05/01/18	7.31	14.81	7.50	934.85	935.03	927.54	
MW-6	05/01/18	7.78	14.75	6.97	934.22	934.81	926.44	
MW-7	05/01/18	9.32	12.36	3.04	935.76	935.94	926.44	
MW-8	05/01/18	7.81	14.95	7.14	934.11	934.35	926.30	
MW-9	05/01/18	8.61	14.88	6.27	934.57	934.76	925.96	
MW-10	05/01/18	8.05	14.93	6.88	934.22	934.53	926.17	
MW-11	05/01/18	10.06	14.86	4.80	935.93	936.13	925.87	
MW-1	08/01/18	3.75	12.12	8.37	934.04	934.60	930.29	
MW-2	08/01/18	5.88	14.78	8.90	934.81	935.41	928.93	
MW-3	08/01/18	7.72	14.64	6.92	934.23	934.77	926.51	
MW-4	08/01/18	7.35	14.88	7.53	934.27	934.84	926.92	
MW-5	08/01/18	7.89	14.81	6.92	934.85	935.03	926.96	
MW-6	08/01/18	8.21	14.75	6.54	934.22	934.81	926.01	
MW-7	08/01/18	9.75	12.36	2.61	935.76	935.94	926.01	
MW-8	08/01/18	8.23	14.95	6.72	934.11	934.35	925.88	
MW-9	08/01/18	8.83	14.88	6.05	934.57	934.76	925.74	
MW-10	08/01/18	8.33	14.93	6.60	934.22	934.53	925.89	
MW-11	08/01/18	10.26	14.86	4.60	935.93	936.13	925.67	

Notes: The depth to groundwater, well depth and water column height are measured in the field from the reference elevation which along with the ground surface elevation are from the actual survey data. The groundwater elevation shown is in reference to the top of the PVC and is calculated from field and survey data. The survey benchmark is the top of the bottom flange of the fire hydrant located near the southeast corner of the subject site property and has a calculated mean sea level (MSL) elevation of 936.53. The elevation was calculated from a municipal sanitary manhole with a known 934.31 MSL elevation. The manhole is located in the S. Main Street right-of-way.



Scale: 1" = 105 feet (scale is approximate)

Legend

-  - Groundwater monitoring well location (MW)
-  - Former/Abandoned MW-9
-  - Soil probe location (GP)
-  - Vapor sample location (V)

*Note: V-1, V-2 and V-5 are sub-slab sample locations, and V-3 and V-4 are ambient air sample locations



**Konicek
Environmental
Consulting, LLC**

Created by: AL
Date: 4/10/2018

Figure B.1.b. Detailed Site Map
OI'Tyme Dry Cleaners
 BRRTS: 02-67-576350
 910 S. Main Street West Bend, WI

August 06, 2018

Aaron Lofburg
Konicek Environmental Consulting LLC
1032 S. Spring Street
Port Washington, WI 53074

RE: Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Dear Aaron Lofburg:

Enclosed are the analytical results for sample(s) received by the laboratory on August 02, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Greg Konicek, KONICEK ENVIRONMENTAL
Ken Konicek, KONICEK ENVIRONMENTAL



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40173467001	MW-1	Water	08/01/18 13:55	08/02/18 13:50
40173467002	MW-2	Water	08/01/18 13:45	08/02/18 13:50
40173467003	MW-3	Water	08/01/18 13:40	08/02/18 13:50
40173467004	MW-4	Water	08/01/18 13:30	08/02/18 13:50
40173467005	MW-5	Water	08/01/18 13:28	08/02/18 13:50
40173467006	MW-6	Water	08/01/18 13:05	08/02/18 13:50
40173467007	MW-7	Water	08/01/18 12:18	08/02/18 13:50
40173467008	MW-8	Water	08/01/18 13:00	08/02/18 13:50
40173467009	MW-9	Water	08/01/18 12:40	08/02/18 13:50
40173467010	MW-10	Water	08/01/18 12:30	08/02/18 13:50
40173467011	MW-11	Water	08/01/18 12:50	08/02/18 13:50
40173467012	TRIP	Water	08/01/18 00:00	08/02/18 13:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40173467001	MW-1	EPA 8260	HNW	64	PASI-G
40173467002	MW-2	EPA 8260	HNW	64	PASI-G
40173467003	MW-3	EPA 8260	HNW	64	PASI-G
40173467004	MW-4	EPA 8260	HNW	64	PASI-G
40173467005	MW-5	EPA 8260	HNW	64	PASI-G
40173467006	MW-6	EPA 8260	HNW	64	PASI-G
40173467007	MW-7	EPA 8260	HNW	64	PASI-G
40173467008	MW-8	EPA 8260	HNW	64	PASI-G
40173467009	MW-9	EPA 8260	HNW	64	PASI-G
40173467010	MW-10	EPA 8260	HNW	64	PASI-G
40173467011	MW-11	EPA 8260	HNW	64	PASI-G
40173467012	TRIP	EPA 8260	HNW	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-1 Lab ID: 40173467001 Collected: 08/01/18 13:55 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	0.82	0.25	1		08/03/18 12:26	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/03/18 12:26	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 12:26	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 12:26	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/03/18 12:26	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/03/18 12:26	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 12:26	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/03/18 12:26	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/03/18 12:26	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/03/18 12:26	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 12:26	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/03/18 12:26	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/03/18 12:26	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/03/18 12:26	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/03/18 12:26	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/03/18 12:26	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/03/18 12:26	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/03/18 12:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/03/18 12:26	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/03/18 12:26	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 12:26	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 12:26	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/03/18 12:26	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/03/18 12:26	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/03/18 12:26	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/03/18 12:26	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	0.82	0.24	1		08/03/18 12:26	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	0.90	0.27	1		08/03/18 12:26	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/03/18 12:26	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/03/18 12:26	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/03/18 12:26	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/03/18 12:26	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/03/18 12:26	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/03/18 12:26	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/03/18 12:26	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/03/18 12:26	108-20-3	
Ethylbenzene	<0.22	ug/L	0.73	0.22	1		08/03/18 12:26	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/03/18 12:26	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	1.3	0.39	1		08/03/18 12:26	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/03/18 12:26	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/03/18 12:26	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/03/18 12:26	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/03/18 12:26	91-20-3	
n-Propylbenzene	<0.81	ug/L	2.7	0.81	1		08/03/18 12:26	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/03/18 12:26	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/03/18 12:26	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-1 Lab ID: 40173467001 Collected: 08/01/18 13:55 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/03/18 12:26	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/03/18 12:26	127-18-4	
Toluene	<0.17	ug/L	0.57	0.17	1		08/03/18 12:26	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 12:26	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/03/18 12:26	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/03/18 12:26	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/03/18 12:26	79-00-5	
Trichloroethene	<0.26	ug/L	0.85	0.26	1		08/03/18 12:26	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/03/18 12:26	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/03/18 12:26	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/03/18 12:26	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/03/18 12:26	108-67-8	
Vinyl chloride	<0.17	ug/L	0.58	0.17	1		08/03/18 12:26	75-01-4	
m&p-Xylene	<0.47	ug/L	1.6	0.47	1		08/03/18 12:26	179601-23-1	
o-Xylene	<0.26	ug/L	0.87	0.26	1		08/03/18 12:26	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		08/03/18 12:26	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		08/03/18 12:26	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		08/03/18 12:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-2 Lab ID: 40173467002 Collected: 08/01/18 13:45 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	0.82	0.25	1		08/03/18 10:39	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/03/18 10:39	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 10:39	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 10:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/03/18 10:39	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/03/18 10:39	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 10:39	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/03/18 10:39	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/03/18 10:39	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/03/18 10:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 10:39	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/03/18 10:39	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/03/18 10:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/03/18 10:39	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/03/18 10:39	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/03/18 10:39	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/03/18 10:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/03/18 10:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/03/18 10:39	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/03/18 10:39	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 10:39	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 10:39	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/03/18 10:39	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/03/18 10:39	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/03/18 10:39	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/03/18 10:39	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	0.82	0.24	1		08/03/18 10:39	75-35-4	
cis-1,2-Dichloroethene	2.7	ug/L	0.90	0.27	1		08/03/18 10:39	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/03/18 10:39	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/03/18 10:39	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/03/18 10:39	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/03/18 10:39	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/03/18 10:39	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/03/18 10:39	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/03/18 10:39	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/03/18 10:39	108-20-3	
Ethylbenzene	<0.22	ug/L	0.73	0.22	1		08/03/18 10:39	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/03/18 10:39	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	1.3	0.39	1		08/03/18 10:39	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/03/18 10:39	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/03/18 10:39	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/03/18 10:39	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/03/18 10:39	91-20-3	
n-Propylbenzene	<0.81	ug/L	2.7	0.81	1		08/03/18 10:39	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/03/18 10:39	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/03/18 10:39	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-2 Lab ID: 40173467002 Collected: 08/01/18 13:45 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/03/18 10:39	79-34-5	
Tetrachloroethene	6.8	ug/L	1.1	0.33	1		08/03/18 10:39	127-18-4	
Toluene	<0.17	ug/L	0.57	0.17	1		08/03/18 10:39	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 10:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/03/18 10:39	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/03/18 10:39	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/03/18 10:39	79-00-5	
Trichloroethene	3.6	ug/L	0.85	0.26	1		08/03/18 10:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/03/18 10:39	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/03/18 10:39	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/03/18 10:39	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/03/18 10:39	108-67-8	
Vinyl chloride	<0.17	ug/L	0.58	0.17	1		08/03/18 10:39	75-01-4	
m&p-Xylene	<0.47	ug/L	1.6	0.47	1		08/03/18 10:39	179601-23-1	
o-Xylene	<0.26	ug/L	0.87	0.26	1		08/03/18 10:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		08/03/18 10:39	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		08/03/18 10:39	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		08/03/18 10:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-3 Lab ID: 40173467003 Collected: 08/01/18 13:40 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	0.82	0.25	1		08/03/18 12:47	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/03/18 12:47	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 12:47	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 12:47	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/03/18 12:47	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/03/18 12:47	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 12:47	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/03/18 12:47	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/03/18 12:47	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/03/18 12:47	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 12:47	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/03/18 12:47	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/03/18 12:47	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/03/18 12:47	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/03/18 12:47	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/03/18 12:47	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/03/18 12:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/03/18 12:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/03/18 12:47	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/03/18 12:47	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 12:47	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 12:47	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/03/18 12:47	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/03/18 12:47	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/03/18 12:47	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/03/18 12:47	107-06-2	
1,1-Dichloroethene	0.28J	ug/L	0.82	0.24	1		08/03/18 12:47	75-35-4	
cis-1,2-Dichloroethene	39.1	ug/L	0.90	0.27	1		08/03/18 12:47	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/03/18 12:47	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/03/18 12:47	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/03/18 12:47	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/03/18 12:47	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/03/18 12:47	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/03/18 12:47	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/03/18 12:47	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/03/18 12:47	108-20-3	
Ethylbenzene	<0.22	ug/L	0.73	0.22	1		08/03/18 12:47	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/03/18 12:47	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	1.3	0.39	1		08/03/18 12:47	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/03/18 12:47	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/03/18 12:47	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/03/18 12:47	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/03/18 12:47	91-20-3	
n-Propylbenzene	<0.81	ug/L	2.7	0.81	1		08/03/18 12:47	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/03/18 12:47	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/03/18 12:47	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-3 Lab ID: 40173467003 Collected: 08/01/18 13:40 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/03/18 12:47	79-34-5	
Tetrachloroethene	164	ug/L	1.1	0.33	1		08/03/18 12:47	127-18-4	
Toluene	<0.17	ug/L	0.57	0.17	1		08/03/18 12:47	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 12:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/03/18 12:47	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/03/18 12:47	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/03/18 12:47	79-00-5	
Trichloroethene	132	ug/L	0.85	0.26	1		08/03/18 12:47	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/03/18 12:47	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/03/18 12:47	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/03/18 12:47	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/03/18 12:47	108-67-8	
Vinyl chloride	1.4	ug/L	0.58	0.17	1		08/03/18 12:47	75-01-4	
m&p-Xylene	<0.47	ug/L	1.6	0.47	1		08/03/18 12:47	179601-23-1	
o-Xylene	<0.26	ug/L	0.87	0.26	1		08/03/18 12:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		08/03/18 12:47	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		08/03/18 12:47	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		08/03/18 12:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-4 Lab ID: 40173467004 Collected: 08/01/18 13:30 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<9.9	ug/L	32.8	9.9	40		08/03/18 11:00	71-43-2	
Bromobenzene	<9.6	ug/L	32.1	9.6	40		08/03/18 11:00	108-86-1	
Bromochloromethane	<14.5	ug/L	48.3	14.5	40		08/03/18 11:00	74-97-5	
Bromodichloromethane	<14.5	ug/L	48.5	14.5	40		08/03/18 11:00	75-27-4	
Bromoform	<159	ug/L	530	159	40		08/03/18 11:00	75-25-2	
Bromomethane	<38.9	ug/L	130	38.9	40		08/03/18 11:00	74-83-9	
n-Butylbenzene	<28.3	ug/L	94.4	28.3	40		08/03/18 11:00	104-51-8	
sec-Butylbenzene	<33.9	ug/L	113	33.9	40		08/03/18 11:00	135-98-8	
tert-Butylbenzene	<12.2	ug/L	40.5	12.2	40		08/03/18 11:00	98-06-6	
Carbon tetrachloride	<6.6	ug/L	22.1	6.6	40		08/03/18 11:00	56-23-5	
Chlorobenzene	<28.4	ug/L	94.8	28.4	40		08/03/18 11:00	108-90-7	
Chloroethane	<53.7	ug/L	179	53.7	40		08/03/18 11:00	75-00-3	
Chloroform	<51.0	ug/L	170	51.0	40		08/03/18 11:00	67-66-3	
Chloromethane	<87.6	ug/L	292	87.6	40		08/03/18 11:00	74-87-3	
2-Chlorotoluene	<37.0	ug/L	123	37.0	40		08/03/18 11:00	95-49-8	
4-Chlorotoluene	<30.3	ug/L	101	30.3	40		08/03/18 11:00	106-43-4	
1,2-Dibromo-3-chloropropane	<70.5	ug/L	235	70.5	40		08/03/18 11:00	96-12-8	
Dibromochloromethane	<104	ug/L	347	104	40		08/03/18 11:00	124-48-1	
1,2-Dibromoethane (EDB)	<33.2	ug/L	111	33.2	40		08/03/18 11:00	106-93-4	
Dibromomethane	<37.5	ug/L	125	37.5	40		08/03/18 11:00	74-95-3	
1,2-Dichlorobenzene	<28.2	ug/L	94.0	28.2	40		08/03/18 11:00	95-50-1	
1,3-Dichlorobenzene	<25.1	ug/L	83.7	25.1	40		08/03/18 11:00	541-73-1	
1,4-Dichlorobenzene	<37.7	ug/L	126	37.7	40		08/03/18 11:00	106-46-7	
Dichlorodifluoromethane	<20.0	ug/L	66.6	20.0	40		08/03/18 11:00	75-71-8	
1,1-Dichloroethane	<10.9	ug/L	36.4	10.9	40		08/03/18 11:00	75-34-3	
1,2-Dichloroethane	<11.2	ug/L	37.3	11.2	40		08/03/18 11:00	107-06-2	
1,1-Dichloroethene	<9.8	ug/L	32.6	9.8	40		08/03/18 11:00	75-35-4	
cis-1,2-Dichloroethene	241	ug/L	36.1	10.8	40		08/03/18 11:00	156-59-2	
trans-1,2-Dichloroethene	<43.6	ug/L	145	43.6	40		08/03/18 11:00	156-60-5	
1,2-Dichloropropane	<11.3	ug/L	37.7	11.3	40		08/03/18 11:00	78-87-5	
1,3-Dichloropropane	<33.0	ug/L	110	33.0	40		08/03/18 11:00	142-28-9	
2,2-Dichloropropane	<90.6	ug/L	302	90.6	40		08/03/18 11:00	594-20-7	
1,1-Dichloropropene	<21.6	ug/L	72.0	21.6	40		08/03/18 11:00	563-58-6	
cis-1,3-Dichloropropene	<145	ug/L	484	145	40		08/03/18 11:00	10061-01-5	
trans-1,3-Dichloropropene	<175	ug/L	583	175	40		08/03/18 11:00	10061-02-6	
Diisopropyl ether	<75.5	ug/L	252	75.5	40		08/03/18 11:00	108-20-3	
Ethylbenzene	<8.7	ug/L	29.1	8.7	40		08/03/18 11:00	100-41-4	
Hexachloro-1,3-butadiene	<47.3	ug/L	158	47.3	40		08/03/18 11:00	87-68-3	
Isopropylbenzene (Cumene)	<15.7	ug/L	52.4	15.7	40		08/03/18 11:00	98-82-8	
p-Isopropyltoluene	<32.0	ug/L	107	32.0	40		08/03/18 11:00	99-87-6	
Methylene Chloride	<23.2	ug/L	77.4	23.2	40		08/03/18 11:00	75-09-2	
Methyl-tert-butyl ether	<49.8	ug/L	166	49.8	40		08/03/18 11:00	1634-04-4	
Naphthalene	<47.0	ug/L	157	47.0	40		08/03/18 11:00	91-20-3	
n-Propylbenzene	<32.4	ug/L	108	32.4	40		08/03/18 11:00	103-65-1	
Styrene	<18.6	ug/L	62.1	18.6	40		08/03/18 11:00	100-42-5	
1,1,1,2-Tetrachloroethane	<10.8	ug/L	35.9	10.8	40		08/03/18 11:00	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-4 Lab ID: 40173467004 Collected: 08/01/18 13:30 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<11.0	ug/L	36.7	11.0	40		08/03/18 11:00	79-34-5	
Tetrachloroethene	7230	ug/L	43.5	13.1	40		08/03/18 11:00	127-18-4	
Toluene	<6.9	ug/L	23.0	6.9	40		08/03/18 11:00	108-88-3	
1,2,3-Trichlorobenzene	<25.0	ug/L	83.4	25.0	40		08/03/18 11:00	87-61-6	
1,2,4-Trichlorobenzene	<38.1	ug/L	127	38.1	40		08/03/18 11:00	120-82-1	
1,1,1-Trichloroethane	<9.8	ug/L	32.6	9.8	40		08/03/18 11:00	71-55-6	
1,1,2-Trichloroethane	<22.1	ug/L	73.6	22.1	40		08/03/18 11:00	79-00-5	
Trichloroethene	815	ug/L	34.0	10.2	40		08/03/18 11:00	79-01-6	
Trichlorofluoromethane	<8.6	ug/L	28.6	8.6	40		08/03/18 11:00	75-69-4	
1,2,3-Trichloropropane	<23.6	ug/L	78.8	23.6	40		08/03/18 11:00	96-18-4	
1,2,4-Trimethylbenzene	<33.6	ug/L	112	33.6	40		08/03/18 11:00	95-63-6	
1,3,5-Trimethylbenzene	<34.9	ug/L	116	34.9	40		08/03/18 11:00	108-67-8	
Vinyl chloride	24.2	ug/L	23.3	7.0	40		08/03/18 11:00	75-01-4	
m&p-Xylene	<18.6	ug/L	62.0	18.6	40		08/03/18 11:00	179601-23-1	
o-Xylene	<10.5	ug/L	34.9	10.5	40		08/03/18 11:00	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		40		08/03/18 11:00	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		40		08/03/18 11:00	1868-53-7	
Toluene-d8 (S)	99	%	70-130		40		08/03/18 11:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-5 Lab ID: 40173467005 Collected: 08/01/18 13:28 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<9.9	ug/L	32.8	9.9	40		08/03/18 11:22	71-43-2	
Bromobenzene	<9.6	ug/L	32.1	9.6	40		08/03/18 11:22	108-86-1	
Bromochloromethane	<14.5	ug/L	48.3	14.5	40		08/03/18 11:22	74-97-5	
Bromodichloromethane	<14.5	ug/L	48.5	14.5	40		08/03/18 11:22	75-27-4	
Bromoform	<159	ug/L	530	159	40		08/03/18 11:22	75-25-2	
Bromomethane	<38.9	ug/L	130	38.9	40		08/03/18 11:22	74-83-9	
n-Butylbenzene	<28.3	ug/L	94.4	28.3	40		08/03/18 11:22	104-51-8	
sec-Butylbenzene	<33.9	ug/L	113	33.9	40		08/03/18 11:22	135-98-8	
tert-Butylbenzene	<12.2	ug/L	40.5	12.2	40		08/03/18 11:22	98-06-6	
Carbon tetrachloride	<6.6	ug/L	22.1	6.6	40		08/03/18 11:22	56-23-5	
Chlorobenzene	<28.4	ug/L	94.8	28.4	40		08/03/18 11:22	108-90-7	
Chloroethane	<53.7	ug/L	179	53.7	40		08/03/18 11:22	75-00-3	
Chloroform	<51.0	ug/L	170	51.0	40		08/03/18 11:22	67-66-3	
Chloromethane	<87.6	ug/L	292	87.6	40		08/03/18 11:22	74-87-3	
2-Chlorotoluene	<37.0	ug/L	123	37.0	40		08/03/18 11:22	95-49-8	
4-Chlorotoluene	<30.3	ug/L	101	30.3	40		08/03/18 11:22	106-43-4	
1,2-Dibromo-3-chloropropane	<70.5	ug/L	235	70.5	40		08/03/18 11:22	96-12-8	
Dibromochloromethane	<104	ug/L	347	104	40		08/03/18 11:22	124-48-1	
1,2-Dibromoethane (EDB)	<33.2	ug/L	111	33.2	40		08/03/18 11:22	106-93-4	
Dibromomethane	<37.5	ug/L	125	37.5	40		08/03/18 11:22	74-95-3	
1,2-Dichlorobenzene	<28.2	ug/L	94.0	28.2	40		08/03/18 11:22	95-50-1	
1,3-Dichlorobenzene	<25.1	ug/L	83.7	25.1	40		08/03/18 11:22	541-73-1	
1,4-Dichlorobenzene	<37.7	ug/L	126	37.7	40		08/03/18 11:22	106-46-7	
Dichlorodifluoromethane	<20.0	ug/L	66.6	20.0	40		08/03/18 11:22	75-71-8	
1,1-Dichloroethane	<10.9	ug/L	36.4	10.9	40		08/03/18 11:22	75-34-3	
1,2-Dichloroethane	<11.2	ug/L	37.3	11.2	40		08/03/18 11:22	107-06-2	
1,1-Dichloroethene	<9.8	ug/L	32.6	9.8	40		08/03/18 11:22	75-35-4	
cis-1,2-Dichloroethene	146	ug/L	36.1	10.8	40		08/03/18 11:22	156-59-2	
trans-1,2-Dichloroethene	<43.6	ug/L	145	43.6	40		08/03/18 11:22	156-60-5	
1,2-Dichloropropane	<11.3	ug/L	37.7	11.3	40		08/03/18 11:22	78-87-5	
1,3-Dichloropropane	<33.0	ug/L	110	33.0	40		08/03/18 11:22	142-28-9	
2,2-Dichloropropane	<90.6	ug/L	302	90.6	40		08/03/18 11:22	594-20-7	
1,1-Dichloropropene	<21.6	ug/L	72.0	21.6	40		08/03/18 11:22	563-58-6	
cis-1,3-Dichloropropene	<145	ug/L	484	145	40		08/03/18 11:22	10061-01-5	
trans-1,3-Dichloropropene	<175	ug/L	583	175	40		08/03/18 11:22	10061-02-6	
Diisopropyl ether	<75.5	ug/L	252	75.5	40		08/03/18 11:22	108-20-3	
Ethylbenzene	<8.7	ug/L	29.1	8.7	40		08/03/18 11:22	100-41-4	
Hexachloro-1,3-butadiene	<47.3	ug/L	158	47.3	40		08/03/18 11:22	87-68-3	
Isopropylbenzene (Cumene)	<15.7	ug/L	52.4	15.7	40		08/03/18 11:22	98-82-8	
p-Isopropyltoluene	<32.0	ug/L	107	32.0	40		08/03/18 11:22	99-87-6	
Methylene Chloride	<23.2	ug/L	77.4	23.2	40		08/03/18 11:22	75-09-2	
Methyl-tert-butyl ether	<49.8	ug/L	166	49.8	40		08/03/18 11:22	1634-04-4	
Naphthalene	<47.0	ug/L	157	47.0	40		08/03/18 11:22	91-20-3	
n-Propylbenzene	<32.4	ug/L	108	32.4	40		08/03/18 11:22	103-65-1	
Styrene	<18.6	ug/L	62.1	18.6	40		08/03/18 11:22	100-42-5	
1,1,1,2-Tetrachloroethane	<10.8	ug/L	35.9	10.8	40		08/03/18 11:22	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-5 Lab ID: 40173467005 Collected: 08/01/18 13:28 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<11.0	ug/L	36.7	11.0	40		08/03/18 11:22	79-34-5	
Tetrachloroethene	2920	ug/L	43.5	13.1	40		08/03/18 11:22	127-18-4	
Toluene	<6.9	ug/L	23.0	6.9	40		08/03/18 11:22	108-88-3	
1,2,3-Trichlorobenzene	<25.0	ug/L	83.4	25.0	40		08/03/18 11:22	87-61-6	
1,2,4-Trichlorobenzene	<38.1	ug/L	127	38.1	40		08/03/18 11:22	120-82-1	
1,1,1-Trichloroethane	<9.8	ug/L	32.6	9.8	40		08/03/18 11:22	71-55-6	
1,1,2-Trichloroethane	<22.1	ug/L	73.6	22.1	40		08/03/18 11:22	79-00-5	
Trichloroethene	669	ug/L	34.0	10.2	40		08/03/18 11:22	79-01-6	
Trichlorofluoromethane	<8.6	ug/L	28.6	8.6	40		08/03/18 11:22	75-69-4	
1,2,3-Trichloropropane	<23.6	ug/L	78.8	23.6	40		08/03/18 11:22	96-18-4	
1,2,4-Trimethylbenzene	<33.6	ug/L	112	33.6	40		08/03/18 11:22	95-63-6	
1,3,5-Trimethylbenzene	<34.9	ug/L	116	34.9	40		08/03/18 11:22	108-67-8	
Vinyl chloride	20.2J	ug/L	23.3	7.0	40		08/03/18 11:22	75-01-4	
m&p-Xylene	<18.6	ug/L	62.0	18.6	40		08/03/18 11:22	179601-23-1	
o-Xylene	<10.5	ug/L	34.9	10.5	40		08/03/18 11:22	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		40		08/03/18 11:22	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		40		08/03/18 11:22	1868-53-7	
Toluene-d8 (S)	100	%	70-130		40		08/03/18 11:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-6 Lab ID: 40173467006 Collected: 08/01/18 13:05 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	0.82	0.25	1		08/06/18 08:23	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/06/18 08:23	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/06/18 08:23	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/06/18 08:23	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/06/18 08:23	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/06/18 08:23	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/06/18 08:23	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/06/18 08:23	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/06/18 08:23	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/06/18 08:23	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/06/18 08:23	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/06/18 08:23	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/06/18 08:23	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/06/18 08:23	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/06/18 08:23	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/06/18 08:23	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/06/18 08:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/06/18 08:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/06/18 08:23	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/06/18 08:23	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/06/18 08:23	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/06/18 08:23	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/06/18 08:23	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/06/18 08:23	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/06/18 08:23	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/06/18 08:23	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	0.82	0.24	1		08/06/18 08:23	75-35-4	
cis-1,2-Dichloroethene	43.0	ug/L	0.90	0.27	1		08/06/18 08:23	156-59-2	
trans-1,2-Dichloroethene	1.2J	ug/L	3.6	1.1	1		08/06/18 08:23	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/06/18 08:23	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/06/18 08:23	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/06/18 08:23	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/06/18 08:23	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/06/18 08:23	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/06/18 08:23	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/06/18 08:23	108-20-3	
Ethylbenzene	<0.22	ug/L	0.73	0.22	1		08/06/18 08:23	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/06/18 08:23	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	1.3	0.39	1		08/06/18 08:23	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/06/18 08:23	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/06/18 08:23	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/06/18 08:23	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/06/18 08:23	91-20-3	
n-Propylbenzene	<0.81	ug/L	2.7	0.81	1		08/06/18 08:23	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/06/18 08:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/06/18 08:23	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-6 Lab ID: 40173467006 Collected: 08/01/18 13:05 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/06/18 08:23	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/06/18 08:23	127-18-4	
Toluene	<0.17	ug/L	0.57	0.17	1		08/06/18 08:23	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/06/18 08:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/06/18 08:23	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/06/18 08:23	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/06/18 08:23	79-00-5	
Trichloroethene	<0.26	ug/L	0.85	0.26	1		08/06/18 08:23	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/06/18 08:23	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/06/18 08:23	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/06/18 08:23	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/06/18 08:23	108-67-8	
Vinyl chloride	5.0	ug/L	0.58	0.17	1		08/06/18 08:23	75-01-4	
m&p-Xylene	<0.47	ug/L	1.6	0.47	1		08/06/18 08:23	179601-23-1	
o-Xylene	<0.26	ug/L	0.87	0.26	1		08/06/18 08:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		08/06/18 08:23	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		08/06/18 08:23	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		08/06/18 08:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-7 Lab ID: 40173467007 Collected: 08/01/18 12:18 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	0.82	0.25	1		08/03/18 13:30	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/03/18 13:30	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 13:30	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 13:30	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/03/18 13:30	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/03/18 13:30	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 13:30	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/03/18 13:30	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/03/18 13:30	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/03/18 13:30	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 13:30	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/03/18 13:30	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/03/18 13:30	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/03/18 13:30	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/03/18 13:30	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/03/18 13:30	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/03/18 13:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/03/18 13:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/03/18 13:30	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/03/18 13:30	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 13:30	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 13:30	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/03/18 13:30	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/03/18 13:30	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/03/18 13:30	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/03/18 13:30	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	0.82	0.24	1		08/03/18 13:30	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	0.90	0.27	1		08/03/18 13:30	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/03/18 13:30	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/03/18 13:30	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/03/18 13:30	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/03/18 13:30	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/03/18 13:30	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/03/18 13:30	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/03/18 13:30	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/03/18 13:30	108-20-3	
Ethylbenzene	<0.22	ug/L	0.73	0.22	1		08/03/18 13:30	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/03/18 13:30	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	1.3	0.39	1		08/03/18 13:30	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/03/18 13:30	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/03/18 13:30	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/03/18 13:30	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/03/18 13:30	91-20-3	
n-Propylbenzene	<0.81	ug/L	2.7	0.81	1		08/03/18 13:30	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/03/18 13:30	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/03/18 13:30	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-7 Lab ID: 40173467007 Collected: 08/01/18 12:18 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/03/18 13:30	79-34-5	
Tetrachloroethene	2.2	ug/L	1.1	0.33	1		08/03/18 13:30	127-18-4	
Toluene	<0.17	ug/L	0.57	0.17	1		08/03/18 13:30	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 13:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/03/18 13:30	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/03/18 13:30	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/03/18 13:30	79-00-5	
Trichloroethene	<0.26	ug/L	0.85	0.26	1		08/03/18 13:30	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/03/18 13:30	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/03/18 13:30	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/03/18 13:30	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/03/18 13:30	108-67-8	
Vinyl chloride	<0.17	ug/L	0.58	0.17	1		08/03/18 13:30	75-01-4	
m&p-Xylene	<0.47	ug/L	1.6	0.47	1		08/03/18 13:30	179601-23-1	
o-Xylene	<0.26	ug/L	0.87	0.26	1		08/03/18 13:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		08/03/18 13:30	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		08/03/18 13:30	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		08/03/18 13:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-8 Lab ID: 40173467008 Collected: 08/01/18 13:00 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	0.82	0.25	1		08/03/18 13:52	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/03/18 13:52	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 13:52	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 13:52	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/03/18 13:52	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/03/18 13:52	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 13:52	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/03/18 13:52	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/03/18 13:52	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/03/18 13:52	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 13:52	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/03/18 13:52	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/03/18 13:52	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/03/18 13:52	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/03/18 13:52	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/03/18 13:52	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/03/18 13:52	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/03/18 13:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/03/18 13:52	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/03/18 13:52	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 13:52	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 13:52	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/03/18 13:52	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/03/18 13:52	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/03/18 13:52	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/03/18 13:52	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	0.82	0.24	1		08/03/18 13:52	75-35-4	
cis-1,2-Dichloroethene	1.2	ug/L	0.90	0.27	1		08/03/18 13:52	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/03/18 13:52	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/03/18 13:52	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/03/18 13:52	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/03/18 13:52	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/03/18 13:52	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/03/18 13:52	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/03/18 13:52	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/03/18 13:52	108-20-3	
Ethylbenzene	<0.22	ug/L	0.73	0.22	1		08/03/18 13:52	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/03/18 13:52	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	1.3	0.39	1		08/03/18 13:52	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/03/18 13:52	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/03/18 13:52	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/03/18 13:52	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/03/18 13:52	91-20-3	
n-Propylbenzene	<0.81	ug/L	2.7	0.81	1		08/03/18 13:52	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/03/18 13:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/03/18 13:52	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-8 Lab ID: 40173467008 Collected: 08/01/18 13:00 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/03/18 13:52	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/03/18 13:52	127-18-4	
Toluene	<0.17	ug/L	0.57	0.17	1		08/03/18 13:52	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 13:52	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/03/18 13:52	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/03/18 13:52	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/03/18 13:52	79-00-5	
Trichloroethene	<0.26	ug/L	0.85	0.26	1		08/03/18 13:52	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/03/18 13:52	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/03/18 13:52	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/03/18 13:52	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/03/18 13:52	108-67-8	
Vinyl chloride	0.59	ug/L	0.58	0.17	1		08/03/18 13:52	75-01-4	
m&p-Xylene	<0.47	ug/L	1.6	0.47	1		08/03/18 13:52	179601-23-1	
o-Xylene	<0.26	ug/L	0.87	0.26	1		08/03/18 13:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		08/03/18 13:52	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		08/03/18 13:52	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		08/03/18 13:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-9 Lab ID: 40173467009 Collected: 08/01/18 12:40 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.49	ug/L	1.6	0.49	2		08/03/18 11:43	71-43-2	
Bromobenzene	<0.48	ug/L	1.6	0.48	2		08/03/18 11:43	108-86-1	
Bromochloromethane	<0.72	ug/L	2.4	0.72	2		08/03/18 11:43	74-97-5	
Bromodichloromethane	<0.73	ug/L	2.4	0.73	2		08/03/18 11:43	75-27-4	
Bromoform	<7.9	ug/L	26.5	7.9	2		08/03/18 11:43	75-25-2	
Bromomethane	<1.9	ug/L	6.5	1.9	2		08/03/18 11:43	74-83-9	
n-Butylbenzene	16.1	ug/L	4.7	1.4	2		08/03/18 11:43	104-51-8	
sec-Butylbenzene	10.0	ug/L	5.7	1.7	2		08/03/18 11:43	135-98-8	
tert-Butylbenzene	<0.61	ug/L	2.0	0.61	2		08/03/18 11:43	98-06-6	
Carbon tetrachloride	<0.33	ug/L	1.1	0.33	2		08/03/18 11:43	56-23-5	
Chlorobenzene	<1.4	ug/L	4.7	1.4	2		08/03/18 11:43	108-90-7	
Chloroethane	<2.7	ug/L	8.9	2.7	2		08/03/18 11:43	75-00-3	
Chloroform	<2.5	ug/L	8.5	2.5	2		08/03/18 11:43	67-66-3	
Chloromethane	<4.4	ug/L	14.6	4.4	2		08/03/18 11:43	74-87-3	
2-Chlorotoluene	<1.9	ug/L	6.2	1.9	2		08/03/18 11:43	95-49-8	
4-Chlorotoluene	<1.5	ug/L	5.0	1.5	2		08/03/18 11:43	106-43-4	
1,2-Dibromo-3-chloropropane	<3.5	ug/L	11.8	3.5	2		08/03/18 11:43	96-12-8	
Dibromochloromethane	<5.2	ug/L	17.3	5.2	2		08/03/18 11:43	124-48-1	
1,2-Dibromoethane (EDB)	<1.7	ug/L	5.5	1.7	2		08/03/18 11:43	106-93-4	
Dibromomethane	<1.9	ug/L	6.2	1.9	2		08/03/18 11:43	74-95-3	
1,2-Dichlorobenzene	<1.4	ug/L	4.7	1.4	2		08/03/18 11:43	95-50-1	
1,3-Dichlorobenzene	<1.3	ug/L	4.2	1.3	2		08/03/18 11:43	541-73-1	
1,4-Dichlorobenzene	<1.9	ug/L	6.3	1.9	2		08/03/18 11:43	106-46-7	
Dichlorodifluoromethane	<1.0	ug/L	3.3	1.0	2		08/03/18 11:43	75-71-8	
1,1-Dichloroethane	<0.55	ug/L	1.8	0.55	2		08/03/18 11:43	75-34-3	
1,2-Dichloroethane	<0.56	ug/L	1.9	0.56	2		08/03/18 11:43	107-06-2	
1,1-Dichloroethene	<0.49	ug/L	1.6	0.49	2		08/03/18 11:43	75-35-4	
cis-1,2-Dichloroethene	1.9	ug/L	1.8	0.54	2		08/03/18 11:43	156-59-2	
trans-1,2-Dichloroethene	<2.2	ug/L	7.3	2.2	2		08/03/18 11:43	156-60-5	
1,2-Dichloropropane	<0.57	ug/L	1.9	0.57	2		08/03/18 11:43	78-87-5	
1,3-Dichloropropane	<1.7	ug/L	5.5	1.7	2		08/03/18 11:43	142-28-9	
2,2-Dichloropropane	<4.5	ug/L	15.1	4.5	2		08/03/18 11:43	594-20-7	
1,1-Dichloropropene	<1.1	ug/L	3.6	1.1	2		08/03/18 11:43	563-58-6	
cis-1,3-Dichloropropene	<7.3	ug/L	24.2	7.3	2		08/03/18 11:43	10061-01-5	
trans-1,3-Dichloropropene	<8.7	ug/L	29.1	8.7	2		08/03/18 11:43	10061-02-6	
Diisopropyl ether	<3.8	ug/L	12.6	3.8	2		08/03/18 11:43	108-20-3	
Ethylbenzene	24.5	ug/L	1.5	0.44	2		08/03/18 11:43	100-41-4	
Hexachloro-1,3-butadiene	<2.4	ug/L	7.9	2.4	2		08/03/18 11:43	87-68-3	
Isopropylbenzene (Cumene)	26.4	ug/L	2.6	0.79	2		08/03/18 11:43	98-82-8	
p-Isopropyltoluene	2.0J	ug/L	5.3	1.6	2		08/03/18 11:43	99-87-6	
Methylene Chloride	<1.2	ug/L	3.9	1.2	2		08/03/18 11:43	75-09-2	
Methyl-tert-butyl ether	<2.5	ug/L	8.3	2.5	2		08/03/18 11:43	1634-04-4	
Naphthalene	4.7J	ug/L	7.8	2.4	2		08/03/18 11:43	91-20-3	
n-Propylbenzene	91.5	ug/L	5.4	1.6	2		08/03/18 11:43	103-65-1	
Styrene	<0.93	ug/L	3.1	0.93	2		08/03/18 11:43	100-42-5	
1,1,1,2-Tetrachloroethane	<0.54	ug/L	1.8	0.54	2		08/03/18 11:43	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-9 Lab ID: 40173467009 Collected: 08/01/18 12:40 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.55	ug/L	1.8	0.55	2		08/03/18 11:43	79-34-5	
Tetrachloroethene	<0.65	ug/L	2.2	0.65	2		08/03/18 11:43	127-18-4	
Toluene	0.44J	ug/L	1.1	0.34	2		08/03/18 11:43	108-88-3	
1,2,3-Trichlorobenzene	<1.3	ug/L	4.2	1.3	2		08/03/18 11:43	87-61-6	
1,2,4-Trichlorobenzene	<1.9	ug/L	6.3	1.9	2		08/03/18 11:43	120-82-1	
1,1,1-Trichloroethane	<0.49	ug/L	1.6	0.49	2		08/03/18 11:43	71-55-6	
1,1,2-Trichloroethane	<1.1	ug/L	3.7	1.1	2		08/03/18 11:43	79-00-5	
Trichloroethene	<0.51	ug/L	1.7	0.51	2		08/03/18 11:43	79-01-6	
Trichlorofluoromethane	<0.43	ug/L	1.4	0.43	2		08/03/18 11:43	75-69-4	
1,2,3-Trichloropropane	<1.2	ug/L	3.9	1.2	2		08/03/18 11:43	96-18-4	
1,2,4-Trimethylbenzene	17.1	ug/L	5.6	1.7	2		08/03/18 11:43	95-63-6	
1,3,5-Trimethylbenzene	<1.7	ug/L	5.8	1.7	2		08/03/18 11:43	108-67-8	
Vinyl chloride	2.0	ug/L	1.2	0.35	2		08/03/18 11:43	75-01-4	
m&p-Xylene	1.3J	ug/L	3.1	0.93	2		08/03/18 11:43	179601-23-1	
o-Xylene	<0.52	ug/L	1.7	0.52	2		08/03/18 11:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		2		08/03/18 11:43	460-00-4	pH
Dibromofluoromethane (S)	96	%	70-130		2		08/03/18 11:43	1868-53-7	
Toluene-d8 (S)	102	%	70-130		2		08/03/18 11:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-10 Lab ID: 40173467010 Collected: 08/01/18 12:30 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<1.2	ug/L	4.1	1.2	5		08/03/18 12:05	71-43-2	
Bromobenzene	<1.2	ug/L	4.0	1.2	5		08/03/18 12:05	108-86-1	
Bromochloromethane	<1.8	ug/L	6.0	1.8	5		08/03/18 12:05	74-97-5	
Bromodichloromethane	<1.8	ug/L	6.1	1.8	5		08/03/18 12:05	75-27-4	
Bromoform	<19.9	ug/L	66.2	19.9	5		08/03/18 12:05	75-25-2	
Bromomethane	<4.9	ug/L	16.2	4.9	5		08/03/18 12:05	74-83-9	
n-Butylbenzene	13.6	ug/L	11.8	3.5	5		08/03/18 12:05	104-51-8	
sec-Butylbenzene	7.0J	ug/L	14.1	4.2	5		08/03/18 12:05	135-98-8	
tert-Butylbenzene	<1.5	ug/L	5.1	1.5	5		08/03/18 12:05	98-06-6	
Carbon tetrachloride	<0.83	ug/L	2.8	0.83	5		08/03/18 12:05	56-23-5	
Chlorobenzene	<3.6	ug/L	11.8	3.6	5		08/03/18 12:05	108-90-7	
Chloroethane	<6.7	ug/L	22.4	6.7	5		08/03/18 12:05	75-00-3	
Chloroform	<6.4	ug/L	21.2	6.4	5		08/03/18 12:05	67-66-3	
Chloromethane	<10.9	ug/L	36.5	10.9	5		08/03/18 12:05	74-87-3	
2-Chlorotoluene	<4.6	ug/L	15.4	4.6	5		08/03/18 12:05	95-49-8	
4-Chlorotoluene	<3.8	ug/L	12.6	3.8	5		08/03/18 12:05	106-43-4	
1,2-Dibromo-3-chloropropane	<8.8	ug/L	29.4	8.8	5		08/03/18 12:05	96-12-8	
Dibromochloromethane	<13.0	ug/L	43.4	13.0	5		08/03/18 12:05	124-48-1	
1,2-Dibromoethane (EDB)	<4.1	ug/L	13.8	4.1	5		08/03/18 12:05	106-93-4	
Dibromomethane	<4.7	ug/L	15.6	4.7	5		08/03/18 12:05	74-95-3	
1,2-Dichlorobenzene	<3.5	ug/L	11.8	3.5	5		08/03/18 12:05	95-50-1	
1,3-Dichlorobenzene	<3.1	ug/L	10.5	3.1	5		08/03/18 12:05	541-73-1	
1,4-Dichlorobenzene	<4.7	ug/L	15.7	4.7	5		08/03/18 12:05	106-46-7	
Dichlorodifluoromethane	<2.5	ug/L	8.3	2.5	5		08/03/18 12:05	75-71-8	
1,1-Dichloroethane	<1.4	ug/L	4.5	1.4	5		08/03/18 12:05	75-34-3	
1,2-Dichloroethane	<1.4	ug/L	4.7	1.4	5		08/03/18 12:05	107-06-2	
1,1-Dichloroethene	<1.2	ug/L	4.1	1.2	5		08/03/18 12:05	75-35-4	
cis-1,2-Dichloroethene	11.8	ug/L	4.5	1.4	5		08/03/18 12:05	156-59-2	
trans-1,2-Dichloroethene	<5.5	ug/L	18.2	5.5	5		08/03/18 12:05	156-60-5	
1,2-Dichloropropane	<1.4	ug/L	4.7	1.4	5		08/03/18 12:05	78-87-5	
1,3-Dichloropropane	<4.1	ug/L	13.8	4.1	5		08/03/18 12:05	142-28-9	
2,2-Dichloropropane	<11.3	ug/L	37.8	11.3	5		08/03/18 12:05	594-20-7	
1,1-Dichloropropene	<2.7	ug/L	9.0	2.7	5		08/03/18 12:05	563-58-6	
cis-1,3-Dichloropropene	<18.1	ug/L	60.5	18.1	5		08/03/18 12:05	10061-01-5	
trans-1,3-Dichloropropene	<21.9	ug/L	72.8	21.9	5		08/03/18 12:05	10061-02-6	
Diisopropyl ether	<9.4	ug/L	31.5	9.4	5		08/03/18 12:05	108-20-3	
Ethylbenzene	1080	ug/L	3.6	1.1	5		08/03/18 12:05	100-41-4	
Hexachloro-1,3-butadiene	<5.9	ug/L	19.7	5.9	5		08/03/18 12:05	87-68-3	
Isopropylbenzene (Cumene)	47.5	ug/L	6.5	2.0	5		08/03/18 12:05	98-82-8	
p-Isopropyltoluene	<4.0	ug/L	13.3	4.0	5		08/03/18 12:05	99-87-6	
Methylene Chloride	<2.9	ug/L	9.7	2.9	5		08/03/18 12:05	75-09-2	
Methyl-tert-butyl ether	<6.2	ug/L	20.8	6.2	5		08/03/18 12:05	1634-04-4	
Naphthalene	307	ug/L	19.6	5.9	5		08/03/18 12:05	91-20-3	
n-Propylbenzene	149	ug/L	13.5	4.1	5		08/03/18 12:05	103-65-1	
Styrene	<2.3	ug/L	7.8	2.3	5		08/03/18 12:05	100-42-5	
1,1,1,2-Tetrachloroethane	<1.3	ug/L	4.5	1.3	5		08/03/18 12:05	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-10 Lab ID: 40173467010 Collected: 08/01/18 12:30 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<1.4	ug/L	4.6	1.4	5		08/03/18 12:05	79-34-5	
Tetrachloroethene	65.1	ug/L	5.4	1.6	5		08/03/18 12:05	127-18-4	
Toluene	9.9	ug/L	2.9	0.86	5		08/03/18 12:05	108-88-3	
1,2,3-Trichlorobenzene	<3.1	ug/L	10.4	3.1	5		08/03/18 12:05	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	15.9	4.8	5		08/03/18 12:05	120-82-1	
1,1,1-Trichloroethane	<1.2	ug/L	4.1	1.2	5		08/03/18 12:05	71-55-6	
1,1,2-Trichloroethane	<2.8	ug/L	9.2	2.8	5		08/03/18 12:05	79-00-5	
Trichloroethene	9.8	ug/L	4.3	1.3	5		08/03/18 12:05	79-01-6	
Trichlorofluoromethane	<1.1	ug/L	3.6	1.1	5		08/03/18 12:05	75-69-4	
1,2,3-Trichloropropane	<3.0	ug/L	9.8	3.0	5		08/03/18 12:05	96-18-4	
1,2,4-Trimethylbenzene	919	ug/L	14.0	4.2	5		08/03/18 12:05	95-63-6	
1,3,5-Trimethylbenzene	44.1	ug/L	14.6	4.4	5		08/03/18 12:05	108-67-8	
Vinyl chloride	<0.87	ug/L	2.9	0.87	5		08/03/18 12:05	75-01-4	
m&p-Xylene	1170	ug/L	7.8	2.3	5		08/03/18 12:05	179601-23-1	
o-Xylene	7.6	ug/L	4.4	1.3	5		08/03/18 12:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		5		08/03/18 12:05	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		5		08/03/18 12:05	1868-53-7	
Toluene-d8 (S)	103	%	70-130		5		08/03/18 12:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: MW-11 Lab ID: 40173467011 Collected: 08/01/18 12:50 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	0.82	0.25	1		08/03/18 14:13	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/03/18 14:13	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 14:13	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 14:13	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/03/18 14:13	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/03/18 14:13	74-83-9	
n-Butylbenzene	0.99J	ug/L	2.4	0.71	1		08/03/18 14:13	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/03/18 14:13	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/03/18 14:13	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/03/18 14:13	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 14:13	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/03/18 14:13	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/03/18 14:13	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/03/18 14:13	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/03/18 14:13	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/03/18 14:13	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/03/18 14:13	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/03/18 14:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/03/18 14:13	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/03/18 14:13	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 14:13	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 14:13	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/03/18 14:13	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/03/18 14:13	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/03/18 14:13	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/03/18 14:13	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	0.82	0.24	1		08/03/18 14:13	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	0.90	0.27	1		08/03/18 14:13	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/03/18 14:13	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/03/18 14:13	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/03/18 14:13	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/03/18 14:13	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/03/18 14:13	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/03/18 14:13	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/03/18 14:13	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/03/18 14:13	108-20-3	
Ethylbenzene	22.0	ug/L	0.73	0.22	1		08/03/18 14:13	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/03/18 14:13	87-68-3	
Isopropylbenzene (Cumene)	3.6	ug/L	1.3	0.39	1		08/03/18 14:13	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/03/18 14:13	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/03/18 14:13	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/03/18 14:13	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/03/18 14:13	91-20-3	
n-Propylbenzene	6.3	ug/L	2.7	0.81	1		08/03/18 14:13	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/03/18 14:13	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/03/18 14:13	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Sample: MW-11 Lab ID: 40173467011 Collected: 08/01/18 12:50 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/03/18 14:13	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/03/18 14:13	127-18-4	
Toluene	4.7	ug/L	0.57	0.17	1		08/03/18 14:13	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 14:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/03/18 14:13	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/03/18 14:13	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/03/18 14:13	79-00-5	
Trichloroethene	<0.26	ug/L	0.85	0.26	1		08/03/18 14:13	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/03/18 14:13	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/03/18 14:13	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/03/18 14:13	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/03/18 14:13	108-67-8	
Vinyl chloride	<0.17	ug/L	0.58	0.17	1		08/03/18 14:13	75-01-4	
m&p-Xylene	43.0	ug/L	1.6	0.47	1		08/03/18 14:13	179601-23-1	
o-Xylene	1.6	ug/L	0.87	0.26	1		08/03/18 14:13	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		08/03/18 14:13	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		08/03/18 14:13	1868-53-7	
Toluene-d8 (S)	104	%	70-130		1		08/03/18 14:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: TRIP Lab ID: 40173467012 Collected: 08/01/18 00:00 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	0.82	0.25	1		08/03/18 17:05	71-43-2	
Bromobenzene	<0.24	ug/L	0.80	0.24	1		08/03/18 17:05	108-86-1	
Bromochloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 17:05	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/03/18 17:05	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/03/18 17:05	75-25-2	
Bromomethane	<0.97	ug/L	3.2	0.97	1		08/03/18 17:05	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 17:05	104-51-8	
sec-Butylbenzene	<0.85	ug/L	2.8	0.85	1		08/03/18 17:05	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/03/18 17:05	98-06-6	
Carbon tetrachloride	<0.17	ug/L	0.55	0.17	1		08/03/18 17:05	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 17:05	108-90-7	
Chloroethane	<1.3	ug/L	4.5	1.3	1		08/03/18 17:05	75-00-3	
Chloroform	<1.3	ug/L	4.2	1.3	1		08/03/18 17:05	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/03/18 17:05	74-87-3	
2-Chlorotoluene	<0.93	ug/L	3.1	0.93	1		08/03/18 17:05	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/03/18 17:05	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/03/18 17:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/03/18 17:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/03/18 17:05	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/03/18 17:05	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/03/18 17:05	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 17:05	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/03/18 17:05	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	1.7	0.50	1		08/03/18 17:05	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	0.91	0.27	1		08/03/18 17:05	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	0.93	0.28	1		08/03/18 17:05	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	0.82	0.24	1		08/03/18 17:05	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	0.90	0.27	1		08/03/18 17:05	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/03/18 17:05	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	0.94	0.28	1		08/03/18 17:05	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/03/18 17:05	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/03/18 17:05	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/03/18 17:05	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/03/18 17:05	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/03/18 17:05	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/03/18 17:05	108-20-3	
Ethylbenzene	<0.22	ug/L	0.73	0.22	1		08/03/18 17:05	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	3.9	1.2	1		08/03/18 17:05	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	1.3	0.39	1		08/03/18 17:05	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/03/18 17:05	99-87-6	
Methylene Chloride	<0.58	ug/L	1.9	0.58	1		08/03/18 17:05	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/03/18 17:05	1634-04-4	
Naphthalene	<1.2	ug/L	3.9	1.2	1		08/03/18 17:05	91-20-3	
n-Propylbenzene	<0.81	ug/L	2.7	0.81	1		08/03/18 17:05	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/03/18 17:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	0.90	0.27	1		08/03/18 17:05	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

Sample: TRIP Lab ID: 40173467012 Collected: 08/01/18 00:00 Received: 08/02/18 13:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	0.92	0.28	1		08/03/18 17:05	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/03/18 17:05	127-18-4	
Toluene	<0.17	ug/L	0.57	0.17	1		08/03/18 17:05	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/03/18 17:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	3.2	0.95	1		08/03/18 17:05	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	0.82	0.24	1		08/03/18 17:05	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	1.8	0.55	1		08/03/18 17:05	79-00-5	
Trichloroethene	<0.26	ug/L	0.85	0.26	1		08/03/18 17:05	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	0.72	0.21	1		08/03/18 17:05	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	2.0	0.59	1		08/03/18 17:05	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/03/18 17:05	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/03/18 17:05	108-67-8	
Vinyl chloride	<0.17	ug/L	0.58	0.17	1		08/03/18 17:05	75-01-4	
m&p-Xylene	<0.47	ug/L	1.6	0.47	1		08/03/18 17:05	179601-23-1	
o-Xylene	<0.26	ug/L	0.87	0.26	1		08/03/18 17:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		08/03/18 17:05	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		08/03/18 17:05	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		08/03/18 17:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

QC Batch: 296271 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 40173467001, 40173467002, 40173467003, 40173467004, 40173467005, 40173467006, 40173467007, 40173467008, 40173467009, 40173467010, 40173467011, 40173467012

METHOD BLANK: 1731077 Matrix: Water
Associated Lab Samples: 40173467001, 40173467002, 40173467003, 40173467004, 40173467005, 40173467006, 40173467007, 40173467008, 40173467009, 40173467010, 40173467011, 40173467012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	0.90	08/03/18 08:52	
1,1,1-Trichloroethane	ug/L	<0.24	0.82	08/03/18 08:52	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	0.92	08/03/18 08:52	
1,1,2-Trichloroethane	ug/L	<0.55	1.8	08/03/18 08:52	
1,1-Dichloroethane	ug/L	<0.27	0.91	08/03/18 08:52	
1,1-Dichloroethene	ug/L	<0.24	0.82	08/03/18 08:52	
1,1-Dichloropropene	ug/L	<0.54	1.8	08/03/18 08:52	
1,2,3-Trichlorobenzene	ug/L	<0.63	2.1	08/03/18 08:52	
1,2,3-Trichloropropane	ug/L	<0.59	2.0	08/03/18 08:52	
1,2,4-Trichlorobenzene	ug/L	<0.95	3.2	08/03/18 08:52	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	08/03/18 08:52	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	08/03/18 08:52	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	08/03/18 08:52	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	08/03/18 08:52	
1,2-Dichloroethane	ug/L	<0.28	0.93	08/03/18 08:52	
1,2-Dichloropropane	ug/L	<0.28	0.94	08/03/18 08:52	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	08/03/18 08:52	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	08/03/18 08:52	
1,3-Dichloropropane	ug/L	<0.83	2.8	08/03/18 08:52	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	08/03/18 08:52	
2,2-Dichloropropane	ug/L	<2.3	7.6	08/03/18 08:52	
2-Chlorotoluene	ug/L	<0.93	3.1	08/03/18 08:52	
4-Chlorotoluene	ug/L	<0.76	2.5	08/03/18 08:52	
Benzene	ug/L	<0.25	0.82	08/03/18 08:52	
Bromobenzene	ug/L	<0.24	0.80	08/03/18 08:52	
Bromochloromethane	ug/L	<0.36	1.2	08/03/18 08:52	
Bromodichloromethane	ug/L	<0.36	1.2	08/03/18 08:52	
Bromoform	ug/L	<4.0	13.2	08/03/18 08:52	
Bromomethane	ug/L	<0.97	3.2	08/03/18 08:52	
Carbon tetrachloride	ug/L	<0.17	0.55	08/03/18 08:52	
Chlorobenzene	ug/L	<0.71	2.4	08/03/18 08:52	
Chloroethane	ug/L	<1.3	4.5	08/03/18 08:52	
Chloroform	ug/L	<1.3	4.2	08/03/18 08:52	
Chloromethane	ug/L	<2.2	7.3	08/03/18 08:52	
cis-1,2-Dichloroethene	ug/L	<0.27	0.90	08/03/18 08:52	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	08/03/18 08:52	
Dibromochloromethane	ug/L	<2.6	8.7	08/03/18 08:52	
Dibromomethane	ug/L	<0.94	3.1	08/03/18 08:52	
Dichlorodifluoromethane	ug/L	<0.50	1.7	08/03/18 08:52	
Diisopropyl ether	ug/L	<1.9	6.3	08/03/18 08:52	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

METHOD BLANK: 1731077

Matrix: Water

Associated Lab Samples: 40173467001, 40173467002, 40173467003, 40173467004, 40173467005, 40173467006, 40173467007, 40173467008, 40173467009, 40173467010, 40173467011, 40173467012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.22	0.73	08/03/18 08:52	
Hexachloro-1,3-butadiene	ug/L	<1.2	3.9	08/03/18 08:52	
Isopropylbenzene (Cumene)	ug/L	<0.39	1.3	08/03/18 08:52	
m&p-Xylene	ug/L	<0.47	1.6	08/03/18 08:52	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	08/03/18 08:52	
Methylene Chloride	ug/L	<0.58	1.9	08/03/18 08:52	
n-Butylbenzene	ug/L	<0.71	2.4	08/03/18 08:52	
n-Propylbenzene	ug/L	<0.81	2.7	08/03/18 08:52	
Naphthalene	ug/L	<1.2	3.9	08/03/18 08:52	
o-Xylene	ug/L	<0.26	0.87	08/03/18 08:52	
p-Isopropyltoluene	ug/L	<0.80	2.7	08/03/18 08:52	
sec-Butylbenzene	ug/L	<0.85	2.8	08/03/18 08:52	
Styrene	ug/L	<0.47	1.6	08/03/18 08:52	
tert-Butylbenzene	ug/L	<0.30	1.0	08/03/18 08:52	
Tetrachloroethene	ug/L	<0.33	1.1	08/03/18 08:52	
Toluene	ug/L	<0.17	0.57	08/03/18 08:52	
trans-1,2-Dichloroethene	ug/L	<1.1	3.6	08/03/18 08:52	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	08/03/18 08:52	
Trichloroethene	ug/L	<0.26	0.85	08/03/18 08:52	
Trichlorofluoromethane	ug/L	<0.21	0.72	08/03/18 08:52	
Vinyl chloride	ug/L	<0.17	0.58	08/03/18 08:52	
4-Bromofluorobenzene (S)	%	93	70-130	08/03/18 08:52	
Dibromofluoromethane (S)	%	98	70-130	08/03/18 08:52	
Toluene-d8 (S)	%	102	70-130	08/03/18 08:52	

LABORATORY CONTROL SAMPLE: 1731078

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	43.5	87	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	43.6	87	67-130	
1,1,2-Trichloroethane	ug/L	50	46.6	93	70-130	
1,1-Dichloroethane	ug/L	50	42.0	84	70-134	
1,1-Dichloroethene	ug/L	50	43.2	86	75-132	
1,2,4-Trichlorobenzene	ug/L	50	43.1	86	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	41.7	83	60-126	
1,2-Dibromoethane (EDB)	ug/L	50	43.9	88	70-130	
1,2-Dichlorobenzene	ug/L	50	43.2	86	70-130	
1,2-Dichloroethane	ug/L	50	44.7	89	73-134	
1,2-Dichloropropane	ug/L	50	45.3	91	79-128	
1,3-Dichlorobenzene	ug/L	50	42.0	84	70-130	
1,4-Dichlorobenzene	ug/L	50	42.9	86	70-130	
Benzene	ug/L	50	43.8	88	69-137	
Bromodichloromethane	ug/L	50	44.5	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1508077 OL' TYME CLEANERS

Pace Project No.: 40173467

LABORATORY CONTROL SAMPLE: 1731078

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	40.9	82	64-133	
Bromomethane	ug/L	50	28.2	56	29-123	
Carbon tetrachloride	ug/L	50	43.4	87	73-142	
Chlorobenzene	ug/L	50	45.0	90	70-130	
Chloroethane	ug/L	50	37.3	75	59-133	
Chloroform	ug/L	50	44.2	88	80-129	
Chloromethane	ug/L	50	30.0	60	27-125	
cis-1,2-Dichloroethene	ug/L	50	43.5	87	70-134	
cis-1,3-Dichloropropene	ug/L	50	44.2	88	70-130	
Dibromochloromethane	ug/L	50	44.1	88	70-130	
Dichlorodifluoromethane	ug/L	50	19.5	39	12-127	
Ethylbenzene	ug/L	50	47.0	94	86-127	
Isopropylbenzene (Cumene)	ug/L	50	47.7	95	70-130	
m&p-Xylene	ug/L	100	92.8	93	70-131	
Methyl-tert-butyl ether	ug/L	50	38.7	77	65-136	
Methylene Chloride	ug/L	50	40.5	81	72-133	
o-Xylene	ug/L	50	46.2	92	70-130	
Styrene	ug/L	50	47.3	95	70-130	
Tetrachloroethene	ug/L	50	43.7	87	70-130	
Toluene	ug/L	50	46.2	92	84-124	
trans-1,2-Dichloroethene	ug/L	50	42.5	85	70-133	
trans-1,3-Dichloropropene	ug/L	50	50.7	101	67-130	
Trichloroethene	ug/L	50	43.5	87	70-130	
Trichlorofluoromethane	ug/L	50	43.5	87	69-147	
Vinyl chloride	ug/L	50	36.0	72	48-134	
4-Bromofluorobenzene (S)	%			99	70-130	
Dibromofluoromethane (S)	%			98	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1731125 1731126

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual	
		40173467002 Result	Spike Conc.	Spike Conc.	MS Result						MSD Result
1,1,1-Trichloroethane	ug/L	<0.24	50	50	52.1	52.0	104	104	70-136	0	20
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	53.9	54.0	108	108	67-133	0	20
1,1,2-Trichloroethane	ug/L	<0.55	50	50	54.8	54.7	110	109	70-130	0	20
1,1-Dichloroethane	ug/L	<0.27	50	50	50.3	49.8	101	100	70-139	1	20
1,1-Dichloroethene	ug/L	<0.24	50	50	50.4	49.9	101	100	72-137	1	20
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	52.8	53.9	105	107	68-130	2	20
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	53.5	54.5	107	109	60-130	2	21
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	52.8	53.0	106	106	70-130	0	20
1,2-Dichlorobenzene	ug/L	<0.71	50	50	53.4	53.4	107	107	70-130	0	20
1,2-Dichloroethane	ug/L	<0.28	50	50	51.9	51.2	104	102	71-137	1	20
1,2-Dichloropropane	ug/L	<0.28	50	50	54.3	52.8	109	106	78-130	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1731125		1731126		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40173467002 Result	MS Spike Conc.	MSD Spike Conc.									
1,3-Dichlorobenzene	ug/L	<0.63	50	50	52.9	53.0	106	106	70-130	0	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	52.6	52.7	105	105	70-130	0	20		
Benzene	ug/L	<0.25	50	50	52.2	52.7	104	105	66-143	1	20		
Bromodichloromethane	ug/L	<0.36	50	50	53.8	52.5	108	105	70-130	3	20		
Bromoform	ug/L	<4.0	50	50	48.0	49.0	96	98	64-134	2	20		
Bromomethane	ug/L	<0.97	50	50	35.2	37.1	70	74	29-136	5	25		
Carbon tetrachloride	ug/L	<0.17	50	50	52.8	53.3	106	107	73-142	1	20		
Chlorobenzene	ug/L	<0.71	50	50	53.9	54.7	108	109	70-130	2	20		
Chloroethane	ug/L	<1.3	50	50	44.9	47.4	90	95	58-138	5	20		
Chloroform	ug/L	<1.3	50	50	53.0	52.3	106	105	80-131	1	20		
Chloromethane	ug/L	<2.2	50	50	35.1	38.4	70	77	24-125	9	20		
cis-1,2-Dichloroethene	ug/L	2.7	50	50	55.8	55.1	106	105	68-137	1	22		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	54.2	53.7	108	107	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	52.3	52.1	105	104	70-131	0	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	22.6	23.3	45	47	10-127	3	20		
Ethylbenzene	ug/L	<0.22	50	50	56.6	57.2	113	114	81-136	1	20		
Isopropylbenzene (Cumene)	ug/L	<0.39	50	50	58.5	59.1	117	118	70-132	1	20		
m&p-Xylene	ug/L	<0.47	100	100	112	114	112	114	70-135	1	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	46.3	46.1	93	92	58-142	1	23		
Methylene Chloride	ug/L	<0.58	50	50	47.9	49.2	96	98	69-137	3	20		
o-Xylene	ug/L	<0.26	50	50	56.7	57.0	113	114	70-132	1	20		
Styrene	ug/L	<0.47	50	50	56.8	57.6	114	115	70-130	1	20		
Tetrachloroethene	ug/L	6.8	50	50	59.3	60.8	105	108	70-132	3	20		
Toluene	ug/L	<0.17	50	50	54.7	55.3	109	111	81-130	1	20		
trans-1,2-Dichloroethene	ug/L	<1.1	50	50	51.4	50.3	103	101	70-136	2	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	62.6	62.8	125	126	67-130	0	20		
Trichloroethene	ug/L	3.6	50	50	57.6	57.6	108	108	70-131	0	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	52.4	52.1	105	104	66-150	1	20		
Vinyl chloride	ug/L	<0.17	50	50	43.2	44.4	86	88	46-134	3	20		
4-Bromofluorobenzene (S)	%						98	99	70-130				
Dibromofluoromethane (S)	%						97	96	70-130				
Toluene-d8 (S)	%						102	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1508077 OL' TYME CLEANERS
Pace Project No.: 40173467

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40173467001	MW-1	EPA 8260	296271		
40173467002	MW-2	EPA 8260	296271		
40173467003	MW-3	EPA 8260	296271		
40173467004	MW-4	EPA 8260	296271		
40173467005	MW-5	EPA 8260	296271		
40173467006	MW-6	EPA 8260	296271		
40173467007	MW-7	EPA 8260	296271		
40173467008	MW-8	EPA 8260	296271		
40173467009	MW-9	EPA 8260	296271		
40173467010	MW-10	EPA 8260	296271		
40173467011	MW-11	EPA 8260	296271		
40173467012	TRIP	EPA 8260	296271		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Company Name: **KEC**
 Branch/Location: **Port Washington, WI**
 Project Contact: **Aaron Lottberg**
 Phone: **262-284-2559**
 Project Number: **1508077**
 Project Name: **01' Time Cleaners**
 Project State: **Wisconsin**
 Sampled By (Print): **Nikol Koricek**
 Sampled By (Sign): *NK*
 PO #:
 Regulatory Program:



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

V.I.W. Pick Letter	N																				
	B																				
	Analyses Requested 106's																				

Quote #:
 Mail To Contact: **Aaron Lottberg**
 Mail To Company: **KEC**
 Mail To Address: **1032 S. Spring St. Port Washington, WI 53074**
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:

Data Package Options
 (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air B = Biota C = Charcoal O = Oil S = Soil SI = Sludge
 W = Water DW = Drinking Water GW = Ground Water SW = Surface Water WW = Waste Water WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	MW-1	8/1/18	1:53 PM	GW
002	MW-2		1:45 PM	
003	MW-3		1:40 PM	
004	MW-4		1:30 PM	
005	MW-5		1:28 PM	
006	MW-6		1:05 PM	
007	MW-7		12:40 PM	
008	MW-8		1:00 PM	
009	MW-9		12:40 PM	
010	MW-10		12:30 PM	
011	MW-11		12:30 PM	
012	Trip			

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):

Email #1:
 Email #2:
 Telephone:
 Fax:

Relinquished By: <i>[Signature]</i> Date/Time: 8/1/18 3:30 PM	Received By: <i>[Signature]</i> Date/Time: 8/1/18 3:30 PM
Relinquished By: <i>[Signature]</i> Date/Time: 8/2/18 11:53 AM	Received By: <i>[Signature]</i> Date/Time: 8/2/18 11:53
Relinquished By: <i>[Signature]</i> Date/Time: 8/2/18 1:35 PM	Received By: <i>[Signature]</i> Date/Time: 8/2/18 1:35 PM
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____

PACE Project No. **10173467**
 Receipt Temp = **ROI**
 Sample Receipt pH **OK / Adjusted**
 Cooler Custody Seal **Present / (Not Present) Intact / Not Intact**

Page 35 of 37

Sample Preservation Receipt Form

Client Name: KEC

Project # 40173467

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):


Initial when completed:

Date/Time:

Pace Lab #	Glass						Plastic						Vials			Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)		
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3C	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU								WGFU	WPFU
001																	3													2.5 / 5 / 10
002																	3													2.5 / 5 / 10
003																	3													2.5 / 5 / 10
004																	3													2.5 / 5 / 10
005																	3													2.5 / 5 / 10
006																	3													2.5 / 5 / 10
007																	3													2.5 / 5 / 10
008																	3													2.5 / 5 / 10
009																	3													2.5 / 5 / 10
010																	3													2.5 / 5 / 10
011																	3													2.5 / 5 / 10
012																	3													2.5 / 5 / 10
013																	1													2.5 / 5 / 10
014																														2.5 / 5 / 10
015																														2.5 / 5 / 10
016																														2.5 / 5 / 10
017																														2.5 / 5 / 10
018																														2.5 / 5 / 10
019																														2.5 / 5 / 10
020																														2.5 / 5 / 10


Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	DG9A 40 mL amber ascorbic	JGFU 4 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP2N 500 mL plastic HNO3	DG9T 40 mL amber Na Thio	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP2Z 500 mL plastic NaOH, Znact	VG9U 40 mL clear vial unpres	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3U 250 mL plastic unpres	VG9H 40 mL clear vial HCL	
AG5U 100 mL amber glass unpres	BP3C 250 mL plastic NaOH	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG2S 500 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9D 40 mL clear vial DI	ZPLC ziploc bag
BG3U 250 mL clear glass unpres	BP3S 250 mL plastic H2SO4		GN:

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
	Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: KEC Project #: **WO# : 40173467**
 Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: _____
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other _____
 Thermometer Used SR - N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
 Cooler Temperature Uncorr: ROT /Corr: _____

Temp Blank Present: yes no Biological Tissue is Frozen: yes no
 Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Person examining contents:
 Date: 8-2-18
 Initials: SKW

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>10 pages</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>8/2/18</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>no collect time on all samples</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>8-2-18</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>387</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

Project Manager Review: _____ Date: 8/2/18
 Page 2 of 27