



Sent Electronically to the WDNR Portal

Mackenzie Reynolds
Hydrogeologist
Wisconsin Department of Natural Resources
2300 North Dr. Martin Luther King Jr Drive
Milwaukee, WI 53212-3128

**GROUNDWATER RESULTS
FORMER WERNERS CLEANERS
6415 28TH AVENUE
KENOSHA, WISCONSIN
BRRTS 02-30-577102**

Dear Ms. Reynolds:

Ramboll Americas Engineering Solutions, Inc. received the groundwater analytical results from the four groundwater samples collected on May 13, 2024. This transmittal follows the sample results notification required under Wisconsin Administrative Code Chapter NR 716.14(2). The laboratory analytical results are summarized in **Table 1**, the sample locations are illustrated in **Figure 1**, and the laboratory report is provided in **Attachment A**. These results will be discussed in the forthcoming NR 716 site investigation report.

Please let me know if you have any questions.

Yours sincerely,


Richard Mazurkiewicz
Managing Consultant

D 262 901 3502
rmazurkiewicz@ramboll.com

C:

Silje Roalsvik, Resolute Management, Inc.
Nancy Reid, Resolute Management, Inc.
Jake Butz, Bay Towel, Inc.
Richard Baron, Foley, Baron, Metzger & Juip, PLLC
Donald Gallo, Gallo Law, LLC

Enclosed:

Table 1 – VOCs in Groundwater
Figure 1 – Site Layout
Attachment A – Laboratory Analytical Report

May 30, 2024

Ramboll
234 West Florida St., 5th Floor
Milwaukee, WI 53204
USA


Phone: 414-837-3607
Fax: 414-837-3608
www.ramboll.com

Ref. 1940105592












TABLE 1
Groundwater Volatile Organic Compounds Analytical Summary
Former Werners Cleaners
6415 28TH Avenue, Kenosha, Wisconsin 53143
Ramboll Project 1940105592

Parameters	VOCs (µg/L)																Vinyl chloride	Xylenes, total		
	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Toluene	Trichloroethene	1,2,3-Trimethylbenzene	1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene	
NR 140 Standards	ES	--	--	--	6	850	5	70	100	700	--	--	5	800	5	480 ⁽¹⁾			0.2	2,000
	PAL	--	--	--	0.6	85	0.5	7	20	140	--	--	0.5	160	0.5	96 ⁽¹⁾			0.02	400
MW-1	5/13/2024	<107	<53.0	<73.3	<63.0	<37.0	<36.4	<u>19,900</u>	81.9 J	<40.6	<130	<43.2	<u>2,670</u>	<36.0	<u>1,210</u>	NA	<u>273</u>	<u>236</u>	<u>8,980</u>	<131
MW-2	5/13/2024	<0.86	<0.42	<0.59	0.76 J	0.46 J	<0.29	<u>4,780</u>	<u>111</u>	<0.33	<1.0	<0.35	<u>2,130</u>	<0.29	<u>2,030</u>	NA	<0.45	<0.36	<u>27.3</u>	<1.0
MW-3	5/13/2024	<0.86	<0.42	<0.59	<0.50	<0.30	<0.29	4.2	<0.53	<0.33	<1.0	<0.35	0.55 J	<0.29	<0.32	NA	<0.45	<0.36	<0.17	<1.0
MW-4	5/13/2024	1,759,750	595,330	55,710	<10	<10	<u>15,960</u>	<u>459,840</u>	<u>10,870</u>	<u>508,000</u>	1,262,420	337,280	<u>814,340,000</u>	<u>33,260</u>	<u>5,898,000</u>	<u>3,692,850</u>	<u>1,438,480</u>	<10	<10	<u>992,200</u>
MW-5	5/13/2024	<0.86	<0.42	<0.59	<u>2.3</u>	0.67	<0.29	<u>1,030</u>	<u>78</u>	<0.33	<1.0	<0.35	<u>40.5</u>	<0.29	<u>4.1</u>	NA	<0.45	<0.36	<u>241</u>	<1.0

Notes:
All concentrations are in micrograms per Liter (µg/L).
Only detected analytes are listed (analyzed for full EPA Method 8260 VOC list).
VOCs = Volatile Organic Compounds
¹ Standards are for combined trimethylbenzenes.
ES = Enforcement Standard
PAL = Preventive Action Limit
Bold value = NR 140 ES Exceedance
Italic value = NR 140 PAL Exceedance
J = The results were flagged by the laboratory indicating that results were reported between the Method Detection Limit and Limit of Quantitation (LOQ), which is a result that is less certain than results at or above the LOQ, which are estimated concentrations.
NA = Not analyzed.



LEGEND

-  PROPERTY BOUNDARY (APPROXIMATE)
-  FORMER DRY CLEANER UST LOCATIONS
-  FORMER DRY CLEANER BUILDING
-  PROPOSED GROUNDWATER MONITORING WELLS
-  ESTIMATED GROUNDWATER FLOW (BASED ON NEARBY SITE DATA)
-  SANITARY SEWER
-  STORM SEWER
-  CATCH BASIN
-  SANITARY ACCESS
-  DRY CLEANING AREA (1969 SANBORN MAP)
-  DRY CLEANING AREA (1949 SANBORN MAP)

Former Tank Information:
 one 8,000-gallon fuel oil,
 one 550-gallon contents unknown, and
 one 300-gallon contents unknown bare
 steel underground storage tanks (USTs)
 USTs removed February 17, 2016.



SITE LAYOUT

Former Werner's Cleaners
 6415 28th Ave., Kenosha, WI



**FIGURE
1**

SOURCE:
 AERIAL IMAGERY: Google™ earth. Image Date,09/18/2023
 City of Kenosha GIS
 Parcel Number 01-122-01-161-019
 Property Owner Name: Christopher Diakoumakos per
https://mapping.kenoshacountywi.gov/InteractiveMapping/?data_id=widget_93_output_config_0%3A0&page=Page&views=Layers.



May 23, 2024

Richard Mazurkiewicz
Ramboll US Consulting, Inc.
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204

RE: Project: 1940105592 Former Werner's Cle
Pace Project No.: 40278257

Dear Richard Mazurkiewicz:

Enclosed are the analytical results for sample(s) received by the laboratory on May 14, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

Some analyses were subcontracted outside of the Pace Network. The test report from the external subcontractor is attached to this report in its entirety.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Duncan Glasford, Ramboll US Consulting, Inc.
Kyle Heimstead, Ramboll US Consulting, Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40278257001	MW-1	Water	05/13/24 09:40	05/14/24 09:05
40278257002	MW-2	Water	05/13/24 07:48	05/14/24 09:05
40278257003	MW-3	Water	05/13/24 07:15	05/14/24 09:05
40278257004	MW-4	Water	05/13/24 10:10	05/14/24 09:05
40278257005	MW-5	Water	05/13/24 08:30	05/14/24 09:05
40278257006	DUP	Water	05/13/24 00:00	05/14/24 09:05
40278257007	TRIP BLANK	Water	05/13/24 00:00	05/14/24 09:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 1940105592 Former Werner's Cle
Pace Project No.: 40278257

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40278257001	MW-1	EPA 8260	NB	65
40278257002	MW-2	EPA 8260	NB	65
40278257003	MW-3	EPA 8260	NB	65
40278257005	MW-5	EPA 8260	NB	65
40278257006	DUP	EPA 8260	NB	65
40278257007	TRIP BLANK	EPA 8260	NB	65

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-1 Lab ID: 40278257001 Collected: 05/13/24 09:40 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<36.9	ug/L	125	36.9	125		05/20/24 15:59	71-43-2	
Bromobenzene	<45.1	ug/L	125	45.1	125		05/20/24 15:59	108-86-1	
Bromochloromethane	<44.7	ug/L	125	44.7	125		05/20/24 15:59	74-97-5	
Bromodichloromethane	<25.8	ug/L	125	25.8	125		05/20/24 15:59	75-27-4	
Bromoform	<53.6	ug/L	125	53.6	125		05/20/24 15:59	75-25-2	
Bromomethane	<149	ug/L	625	149	125		05/20/24 15:59	74-83-9	
n-Butylbenzene	<107	ug/L	125	107	125		05/20/24 15:59	104-51-8	
sec-Butylbenzene	<53.0	ug/L	125	53.0	125		05/20/24 15:59	135-98-8	
tert-Butylbenzene	<73.3	ug/L	125	73.3	125		05/20/24 15:59	98-06-6	
Carbon tetrachloride	<46.2	ug/L	125	46.2	125		05/20/24 15:59	56-23-5	
Chlorobenzene	<107	ug/L	125	107	125		05/20/24 15:59	108-90-7	
Chloroethane	<172	ug/L	625	172	125		05/20/24 15:59	75-00-3	
Chloroform	<63.0	ug/L	625	63.0	125		05/20/24 15:59	67-66-3	
Chloromethane	<204	ug/L	625	204	125		05/20/24 15:59	74-87-3	
2-Chlorotoluene	<111	ug/L	625	111	125		05/20/24 15:59	95-49-8	
4-Chlorotoluene	<112	ug/L	625	112	125		05/20/24 15:59	106-43-4	
1,2-Dibromo-3-chloropropane	<45.5	ug/L	625	45.5	125		05/20/24 15:59	96-12-8	
Dibromochloromethane	<330	ug/L	625	330	125		05/20/24 15:59	124-48-1	
1,2-Dibromoethane (EDB)	<38.6	ug/L	125	38.6	125		05/20/24 15:59	106-93-4	
Dibromomethane	<124	ug/L	625	124	125		05/20/24 15:59	74-95-3	
1,2-Dichlorobenzene	<40.7	ug/L	125	40.7	125		05/20/24 15:59	95-50-1	
1,3-Dichlorobenzene	<43.9	ug/L	125	43.9	125		05/20/24 15:59	541-73-1	
1,4-Dichlorobenzene	<112	ug/L	125	112	125		05/20/24 15:59	106-46-7	
Dichlorodifluoromethane	<56.9	ug/L	625	56.9	125		05/20/24 15:59	75-71-8	
1,1-Dichloroethane	<37.0	ug/L	125	37.0	125		05/20/24 15:59	75-34-3	
1,2-Dichloroethane	<36.4	ug/L	125	36.4	125		05/20/24 15:59	107-06-2	
1,1-Dichloroethene	<72.8	ug/L	125	72.8	125		05/20/24 15:59	75-35-4	
cis-1,2-Dichloroethene	19900	ug/L	125	58.9	125		05/20/24 15:59	156-59-2	
trans-1,2-Dichloroethene	81.9J	ug/L	125	66.0	125		05/20/24 15:59	156-60-5	
1,2-Dichloropropane	<56.0	ug/L	125	56.0	125		05/20/24 15:59	78-87-5	
1,3-Dichloropropane	<38.1	ug/L	125	38.1	125		05/20/24 15:59	142-28-9	
2,2-Dichloropropane	<52.3	ug/L	125	52.3	125		05/20/24 15:59	594-20-7	
1,1-Dichloropropene	<51.3	ug/L	125	51.3	125		05/20/24 15:59	563-58-6	
cis-1,3-Dichloropropene	<29.7	ug/L	125	29.7	125		05/20/24 15:59	10061-01-5	
trans-1,3-Dichloropropene	<33.2	ug/L	125	33.2	125		05/20/24 15:59	10061-02-6	
Diisopropyl ether	<138	ug/L	625	138	125		05/20/24 15:59	108-20-3	
Ethylbenzene	<40.6	ug/L	125	40.6	125		05/20/24 15:59	100-41-4	
Hexachloro-1,3-butadiene	<342	ug/L	625	342	125		05/20/24 15:59	87-68-3	
Isopropylbenzene (Cumene)	<125	ug/L	625	125	125		05/20/24 15:59	98-82-8	
p-Isopropyltoluene	<130	ug/L	625	130	125		05/20/24 15:59	99-87-6	
Methylene Chloride	<39.9	ug/L	625	39.9	125		05/20/24 15:59	75-09-2	
Methyl-tert-butyl ether	<141	ug/L	625	141	125		05/20/24 15:59	1634-04-4	
Naphthalene	<240	ug/L	625	240	125		05/20/24 15:59	91-20-3	
n-Propylbenzene	<43.2	ug/L	125	43.2	125		05/20/24 15:59	103-65-1	
Styrene	<44.5	ug/L	125	44.5	125		05/20/24 15:59	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-1 **Lab ID: 40278257001** Collected: 05/13/24 09:40 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<44.4	ug/L	125	44.4	125		05/20/24 15:59	630-20-6	
1,1,1,2-Tetrachloroethane	<30.8	ug/L	125	30.8	125		05/20/24 15:59	79-34-5	
Tetrachloroethene	2670	ug/L	125	51.1	125		05/20/24 15:59	127-18-4	
Toluene	<36.0	ug/L	125	36.0	125		05/20/24 15:59	108-88-3	
1,2,3-Trichlorobenzene	<127	ug/L	625	127	125		05/20/24 15:59	87-61-6	
1,2,4-Trichlorobenzene	<119	ug/L	625	119	125		05/20/24 15:59	120-82-1	
1,1,1-Trichloroethane	<37.8	ug/L	125	37.8	125		05/20/24 15:59	71-55-6	
1,1,2-Trichloroethane	<43.1	ug/L	125	43.1	125		05/20/24 15:59	79-00-5	
Trichloroethene	1210	ug/L	125	40.0	125		05/20/24 15:59	79-01-6	
Trichlorofluoromethane	<52.3	ug/L	125	52.3	125		05/20/24 15:59	75-69-4	
1,2,3-Trichloropropane	<69.4	ug/L	125	69.4	125		05/20/24 15:59	96-18-4	
1,2,4-Trimethylbenzene	273	ug/L	125	56.1	125		05/20/24 15:59	95-63-6	
1,3,5-Trimethylbenzene	236	ug/L	125	44.7	125		05/20/24 15:59	108-67-8	
Vinyl chloride	8980	ug/L	125	21.8	125		05/20/24 15:59	75-01-4	
Xylene (Total)	<131	ug/L	375	131	125		05/20/24 15:59	1330-20-7	
m&p-Xylene	<87.5	ug/L	250	87.5	125		05/20/24 15:59	179601-23-1	
o-Xylene	<43.5	ug/L	125	43.5	125		05/20/24 15:59	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		125		05/20/24 15:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		125		05/20/24 15:59	2199-69-1	
Toluene-d8 (S)	101	%	70-130		125		05/20/24 15:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-2 Lab ID: 40278257002 Collected: 05/13/24 07:48 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		05/20/24 14:36	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/20/24 14:36	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		05/20/24 14:36	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		05/20/24 14:36	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		05/20/24 14:36	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/20/24 14:36	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/20/24 14:36	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/20/24 14:36	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/20/24 14:36	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/20/24 14:36	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/20/24 14:36	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/20/24 14:36	75-00-3	
Chloroform	0.76J	ug/L	5.0	0.50	1		05/20/24 14:36	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/20/24 14:36	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/20/24 14:36	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/20/24 14:36	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		05/20/24 14:36	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/20/24 14:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/20/24 14:36	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/20/24 14:36	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/20/24 14:36	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/20/24 14:36	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/20/24 14:36	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/20/24 14:36	75-71-8	
1,1-Dichloroethane	0.46J	ug/L	1.0	0.30	1		05/20/24 14:36	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/20/24 14:36	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/20/24 14:36	75-35-4	
cis-1,2-Dichloroethene	4780	ug/L	50.0	23.6	50		05/21/24 11:21	156-59-2	
trans-1,2-Dichloroethene	111	ug/L	1.0	0.53	1		05/20/24 14:36	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/20/24 14:36	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/20/24 14:36	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		05/20/24 14:36	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/20/24 14:36	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		05/20/24 14:36	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		05/20/24 14:36	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/20/24 14:36	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/20/24 14:36	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/20/24 14:36	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/20/24 14:36	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/20/24 14:36	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/20/24 14:36	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/20/24 14:36	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		05/20/24 14:36	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/20/24 14:36	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		05/20/24 14:36	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-2 Lab ID: 40278257002 Collected: 05/13/24 07:48 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/20/24 14:36	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/20/24 14:36	79-34-5	
Tetrachloroethene	2130	ug/L	50.0	20.4	50		05/21/24 11:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/20/24 14:36	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/20/24 14:36	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/20/24 14:36	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/20/24 14:36	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		05/20/24 14:36	79-00-5	
Trichloroethene	2030	ug/L	50.0	16.0	50		05/21/24 11:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/20/24 14:36	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		05/20/24 14:36	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/20/24 14:36	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/20/24 14:36	108-67-8	
Vinyl chloride	27.3	ug/L	1.0	0.17	1		05/20/24 14:36	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		05/20/24 14:36	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/20/24 14:36	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/20/24 14:36	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		05/20/24 14:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		05/20/24 14:36	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		05/20/24 14:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-3 Lab ID: 40278257003 Collected: 05/13/24 07:15 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		05/21/24 10:14	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/21/24 10:14	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		05/21/24 10:14	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		05/21/24 10:14	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		05/21/24 10:14	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/21/24 10:14	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/21/24 10:14	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/21/24 10:14	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/21/24 10:14	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/21/24 10:14	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/21/24 10:14	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/21/24 10:14	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		05/21/24 10:14	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/21/24 10:14	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/21/24 10:14	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/21/24 10:14	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		05/21/24 10:14	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/21/24 10:14	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/21/24 10:14	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/21/24 10:14	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/21/24 10:14	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/21/24 10:14	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/21/24 10:14	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/21/24 10:14	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/21/24 10:14	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/21/24 10:14	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/21/24 10:14	75-35-4	
cis-1,2-Dichloroethene	4.2	ug/L	1.0	0.47	1		05/21/24 10:14	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/21/24 10:14	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/21/24 10:14	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/21/24 10:14	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		05/21/24 10:14	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/21/24 10:14	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		05/21/24 10:14	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		05/21/24 10:14	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/21/24 10:14	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/21/24 10:14	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/21/24 10:14	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/21/24 10:14	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/21/24 10:14	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/21/24 10:14	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/21/24 10:14	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		05/21/24 10:14	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/21/24 10:14	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		05/21/24 10:14	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-3 Lab ID: 40278257003 Collected: 05/13/24 07:15 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/21/24 10:14	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/21/24 10:14	79-34-5	
Tetrachloroethene	0.55J	ug/L	1.0	0.41	1		05/21/24 10:14	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/21/24 10:14	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/21/24 10:14	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/21/24 10:14	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/21/24 10:14	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		05/21/24 10:14	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/21/24 10:14	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/21/24 10:14	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		05/21/24 10:14	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/21/24 10:14	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/21/24 10:14	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/21/24 10:14	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		05/21/24 10:14	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/21/24 10:14	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/21/24 10:14	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		05/21/24 10:14	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		05/21/24 10:14	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		05/21/24 10:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-5 Lab ID: 40278257005 Collected: 05/13/24 08:30 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		05/20/24 15:09	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/20/24 15:09	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		05/20/24 15:09	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		05/20/24 15:09	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		05/20/24 15:09	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/20/24 15:09	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/20/24 15:09	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/20/24 15:09	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/20/24 15:09	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/20/24 15:09	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/20/24 15:09	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/20/24 15:09	75-00-3	
Chloroform	2.3J	ug/L	5.0	0.50	1		05/20/24 15:09	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/20/24 15:09	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/20/24 15:09	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/20/24 15:09	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		05/20/24 15:09	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/20/24 15:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/20/24 15:09	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/20/24 15:09	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/20/24 15:09	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/20/24 15:09	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/20/24 15:09	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/20/24 15:09	75-71-8	
1,1-Dichloroethane	0.67J	ug/L	1.0	0.30	1		05/20/24 15:09	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/20/24 15:09	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/20/24 15:09	75-35-4	
cis-1,2-Dichloroethene	1030	ug/L	10.0	4.7	10		05/21/24 11:37	156-59-2	
trans-1,2-Dichloroethene	78.0	ug/L	1.0	0.53	1		05/20/24 15:09	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/20/24 15:09	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/20/24 15:09	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		05/20/24 15:09	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/20/24 15:09	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		05/20/24 15:09	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		05/20/24 15:09	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/20/24 15:09	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/20/24 15:09	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/20/24 15:09	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/20/24 15:09	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/20/24 15:09	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/20/24 15:09	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/20/24 15:09	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		05/20/24 15:09	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/20/24 15:09	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		05/20/24 15:09	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: MW-5 Lab ID: 40278257005 Collected: 05/13/24 08:30 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/20/24 15:09	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/20/24 15:09	79-34-5	
Tetrachloroethene	40.5	ug/L	1.0	0.41	1		05/20/24 15:09	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/20/24 15:09	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/20/24 15:09	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/20/24 15:09	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/20/24 15:09	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		05/20/24 15:09	79-00-5	
Trichloroethene	4.1	ug/L	1.0	0.32	1		05/20/24 15:09	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/20/24 15:09	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		05/20/24 15:09	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/20/24 15:09	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/20/24 15:09	108-67-8	
Vinyl chloride	241	ug/L	1.0	0.17	1		05/20/24 15:09	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		05/20/24 15:09	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/20/24 15:09	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/20/24 15:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		05/20/24 15:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		05/20/24 15:09	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		05/20/24 15:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: DUP Lab ID: 40278257006 Collected: 05/13/24 00:00 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		05/21/24 10:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/21/24 10:31	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		05/21/24 10:31	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		05/21/24 10:31	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		05/21/24 10:31	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/21/24 10:31	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/21/24 10:31	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/21/24 10:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/21/24 10:31	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/21/24 10:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/21/24 10:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/21/24 10:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		05/21/24 10:31	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/21/24 10:31	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/21/24 10:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/21/24 10:31	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		05/21/24 10:31	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/21/24 10:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/21/24 10:31	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/21/24 10:31	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/21/24 10:31	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/21/24 10:31	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/21/24 10:31	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/21/24 10:31	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/21/24 10:31	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/21/24 10:31	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/21/24 10:31	75-35-4	
cis-1,2-Dichloroethene	4.1	ug/L	1.0	0.47	1		05/21/24 10:31	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/21/24 10:31	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/21/24 10:31	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/21/24 10:31	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		05/21/24 10:31	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/21/24 10:31	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		05/21/24 10:31	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		05/21/24 10:31	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/21/24 10:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/21/24 10:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/21/24 10:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/21/24 10:31	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/21/24 10:31	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/21/24 10:31	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/21/24 10:31	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		05/21/24 10:31	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/21/24 10:31	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		05/21/24 10:31	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: DUP Lab ID: 40278257006 Collected: 05/13/24 00:00 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/21/24 10:31	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/21/24 10:31	79-34-5	
Tetrachloroethene	0.48J	ug/L	1.0	0.41	1		05/21/24 10:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/21/24 10:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/21/24 10:31	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/21/24 10:31	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/21/24 10:31	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		05/21/24 10:31	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/21/24 10:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/21/24 10:31	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		05/21/24 10:31	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/21/24 10:31	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/21/24 10:31	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/21/24 10:31	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		05/21/24 10:31	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/21/24 10:31	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/21/24 10:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		05/21/24 10:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		05/21/24 10:31	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		05/21/24 10:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: TRIP BLANK Lab ID: 40278257007 Collected: 05/13/24 00:00 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		05/20/24 10:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/20/24 10:17	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		05/20/24 10:17	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		05/20/24 10:17	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		05/20/24 10:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/20/24 10:17	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/20/24 10:17	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/20/24 10:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/20/24 10:17	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/20/24 10:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/20/24 10:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/20/24 10:17	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		05/20/24 10:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/20/24 10:17	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/20/24 10:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/20/24 10:17	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		05/20/24 10:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/20/24 10:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/20/24 10:17	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/20/24 10:17	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/20/24 10:17	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/20/24 10:17	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/20/24 10:17	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/20/24 10:17	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/20/24 10:17	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/20/24 10:17	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/20/24 10:17	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/20/24 10:17	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/20/24 10:17	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/20/24 10:17	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/20/24 10:17	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		05/20/24 10:17	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/20/24 10:17	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		05/20/24 10:17	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		05/20/24 10:17	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/20/24 10:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/20/24 10:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/20/24 10:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/20/24 10:17	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/20/24 10:17	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/20/24 10:17	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/20/24 10:17	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		05/20/24 10:17	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/20/24 10:17	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		05/20/24 10:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Sample: TRIP BLANK Lab ID: 40278257007 Collected: 05/13/24 00:00 Received: 05/14/24 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/20/24 10:17	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/20/24 10:17	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		05/20/24 10:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/20/24 10:17	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/20/24 10:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/20/24 10:17	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/20/24 10:17	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		05/20/24 10:17	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/20/24 10:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/20/24 10:17	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		05/20/24 10:17	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/20/24 10:17	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/20/24 10:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/20/24 10:17	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		05/20/24 10:17	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/20/24 10:17	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/20/24 10:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		05/20/24 10:17	460-00-4	HS
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		05/20/24 10:17	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		05/20/24 10:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

QC Batch: 474483

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40278257001, 40278257002, 40278257003, 40278257005, 40278257006, 40278257007

METHOD BLANK: 2717032

Matrix: Water

Associated Lab Samples: 40278257001, 40278257002, 40278257003, 40278257005, 40278257006, 40278257007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	05/20/24 08:38	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	05/20/24 08:38	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	05/20/24 08:38	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	05/20/24 08:38	
1,1-Dichloroethane	ug/L	<0.30	1.0	05/20/24 08:38	
1,1-Dichloroethene	ug/L	<0.58	1.0	05/20/24 08:38	
1,1-Dichloropropene	ug/L	<0.41	1.0	05/20/24 08:38	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	05/20/24 08:38	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	05/20/24 08:38	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	05/20/24 08:38	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	05/20/24 08:38	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	05/20/24 08:38	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	05/20/24 08:38	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	05/20/24 08:38	
1,2-Dichloroethane	ug/L	<0.29	1.0	05/20/24 08:38	
1,2-Dichloropropane	ug/L	<0.45	1.0	05/20/24 08:38	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	05/20/24 08:38	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	05/20/24 08:38	
1,3-Dichloropropane	ug/L	<0.30	1.0	05/20/24 08:38	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	05/20/24 08:38	
2,2-Dichloropropane	ug/L	<0.42	1.0	05/20/24 08:38	
2-Chlorotoluene	ug/L	<0.89	5.0	05/20/24 08:38	
4-Chlorotoluene	ug/L	<0.89	5.0	05/20/24 08:38	
Benzene	ug/L	<0.30	1.0	05/20/24 08:38	
Bromobenzene	ug/L	<0.36	1.0	05/20/24 08:38	
Bromochloromethane	ug/L	<0.36	1.0	05/20/24 08:38	
Bromodichloromethane	ug/L	<0.21	1.0	05/20/24 08:38	
Bromoform	ug/L	<0.43	1.0	05/20/24 08:38	
Bromomethane	ug/L	<1.2	5.0	05/20/24 08:38	
Carbon tetrachloride	ug/L	<0.37	1.0	05/20/24 08:38	
Chlorobenzene	ug/L	<0.86	1.0	05/20/24 08:38	
Chloroethane	ug/L	<1.4	5.0	05/20/24 08:38	
Chloroform	ug/L	<0.50	5.0	05/20/24 08:38	
Chloromethane	ug/L	<1.6	5.0	05/20/24 08:38	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	05/20/24 08:38	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	05/20/24 08:38	
Dibromochloromethane	ug/L	<2.6	5.0	05/20/24 08:38	
Dibromomethane	ug/L	<0.99	5.0	05/20/24 08:38	
Dichlorodifluoromethane	ug/L	<0.46	5.0	05/20/24 08:38	
Diisopropyl ether	ug/L	<1.1	5.0	05/20/24 08:38	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

METHOD BLANK: 2717032

Matrix: Water

Associated Lab Samples: 40278257001, 40278257002, 40278257003, 40278257005, 40278257006, 40278257007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	05/20/24 08:38	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	05/20/24 08:38	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	05/20/24 08:38	
m&p-Xylene	ug/L	<0.70	2.0	05/20/24 08:38	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	05/20/24 08:38	
Methylene Chloride	ug/L	<0.32	5.0	05/20/24 08:38	
n-Butylbenzene	ug/L	<0.86	1.0	05/20/24 08:38	
n-Propylbenzene	ug/L	<0.35	1.0	05/20/24 08:38	
Naphthalene	ug/L	<1.9	5.0	05/20/24 08:38	
o-Xylene	ug/L	<0.35	1.0	05/20/24 08:38	
p-Isopropyltoluene	ug/L	<1.0	5.0	05/20/24 08:38	
sec-Butylbenzene	ug/L	<0.42	1.0	05/20/24 08:38	
Styrene	ug/L	<0.36	1.0	05/20/24 08:38	
tert-Butylbenzene	ug/L	<0.59	1.0	05/20/24 08:38	
Tetrachloroethene	ug/L	<0.41	1.0	05/20/24 08:38	
Toluene	ug/L	<0.29	1.0	05/20/24 08:38	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	05/20/24 08:38	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	05/20/24 08:38	
Trichloroethene	ug/L	<0.32	1.0	05/20/24 08:38	
Trichlorofluoromethane	ug/L	<0.42	1.0	05/20/24 08:38	
Vinyl chloride	ug/L	<0.17	1.0	05/20/24 08:38	
Xylene (Total)	ug/L	<1.0	3.0	05/20/24 08:38	
1,2-Dichlorobenzene-d4 (S)	%	98	70-130	05/20/24 08:38	
4-Bromofluorobenzene (S)	%	95	70-130	05/20/24 08:38	
Toluene-d8 (S)	%	101	70-130	05/20/24 08:38	

LABORATORY CONTROL SAMPLE: 2717033

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	47.5	95	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	46.8	94	70-130	
1,1,2-Trichloroethane	ug/L	50	48.5	97	70-130	
1,1-Dichloroethane	ug/L	50	49.7	99	70-130	
1,1-Dichloroethene	ug/L	50	42.3	85	73-140	
1,2,4-Trichlorobenzene	ug/L	50	47.4	95	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	45.5	91	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	48.0	96	70-130	
1,2-Dichlorobenzene	ug/L	50	49.5	99	70-130	
1,2-Dichloroethane	ug/L	50	49.5	99	70-130	
1,2-Dichloropropane	ug/L	50	51.8	104	77-127	
1,3-Dichlorobenzene	ug/L	50	50.6	101	70-130	
1,4-Dichlorobenzene	ug/L	50	50.3	101	70-130	
Benzene	ug/L	50	48.7	97	70-130	
Bromodichloromethane	ug/L	50	49.2	98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

LABORATORY CONTROL SAMPLE: 2717033

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	46.3	93	70-130	
Bromomethane	ug/L	50	34.3	69	22-141	
Carbon tetrachloride	ug/L	50	47.2	94	70-135	
Chlorobenzene	ug/L	50	50.3	101	70-130	
Chloroethane	ug/L	50	47.6	95	59-141	
Chloroform	ug/L	50	49.3	99	80-124	
Chloromethane	ug/L	50	42.0	84	29-150	
cis-1,2-Dichloroethene	ug/L	50	47.4	95	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.4	97	70-130	
Dibromochloromethane	ug/L	50	47.2	94	70-130	
Dichlorodifluoromethane	ug/L	50	24.8	50	10-147	
Ethylbenzene	ug/L	50	50.5	101	80-125	
Isopropylbenzene (Cumene)	ug/L	50	53.0	106	70-130	
m&p-Xylene	ug/L	100	102	102	70-130	
Methyl-tert-butyl ether	ug/L	50	43.0	86	64-131	
Methylene Chloride	ug/L	50	48.8	98	70-137	
o-Xylene	ug/L	50	50.7	101	70-130	
Styrene	ug/L	50	52.4	105	70-130	
Tetrachloroethene	ug/L	50	50.4	101	70-130	
Toluene	ug/L	50	49.0	98	80-120	
trans-1,2-Dichloroethene	ug/L	50	45.4	91	70-131	
trans-1,3-Dichloropropene	ug/L	50	49.2	98	70-130	
Trichloroethene	ug/L	50	48.6	97	70-130	
Trichlorofluoromethane	ug/L	50	49.3	99	69-141	
Vinyl chloride	ug/L	50	40.5	81	51-145	
Xylene (Total)	ug/L	150	153	102	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2719312 2719313

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40278224001	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	49.6	49.3	99	99	70-132	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	48.6	49.3	97	99	70-131	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50.7	50.8	101	102	70-130	0	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	51.0	51.0	102	102	70-131	0	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	43.4	43.0	87	86	69-146	1	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	49.2	49.0	98	98	70-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	46.7	47.1	93	94	56-130	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	49.4	50.2	99	100	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50.3	50.4	101	101	70-130	0	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	51.7	51.9	103	104	70-130	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2719312		2719313		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40278224001 Result	MS Spike Conc.	MSD Spike Conc.									
1,2-Dichloropropane	ug/L	<0.45	50	50	53.1	53.5	106	107	77-129	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.0	50.8	104	102	70-130	2	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50.3	51.2	101	102	70-130	2	20		
Benzene	ug/L	<0.30	50	50	51.2	49.9	102	100	70-130	2	20		
Bromodichloromethane	ug/L	<0.21	50	50	50.6	50.9	101	102	70-130	1	20		
Bromoform	ug/L	<0.43	50	50	47.1	48.0	94	96	70-130	2	20		
Bromomethane	ug/L	<1.2	50	50	38.6	42.4	77	85	12-159	9	26		
Carbon tetrachloride	ug/L	<0.37	50	50	48.9	49.3	98	99	70-135	1	20		
Chlorobenzene	ug/L	<0.86	50	50	50.9	52.3	102	105	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	47.1	47.8	94	96	56-143	2	20		
Chloroform	ug/L	<0.50	50	50	50.9	50.6	102	101	80-126	0	20		
Chloromethane	ug/L	<1.6	50	50	39.6	39.7	79	79	22-156	0	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	47.8	47.7	96	95	70-130	0	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	49.8	49.7	100	99	70-130	0	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.6	49.7	97	99	70-130	2	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	21.0	20.5	42	41	10-147	2	20		
Ethylbenzene	ug/L	<0.33	50	50	50.8	51.9	102	104	80-126	2	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.9	54.1	106	108	70-130	2	20		
m&p-Xylene	ug/L	<0.70	100	100	103	106	103	106	70-130	3	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	43.7	43.5	87	87	64-136	0	20		
Methylene Chloride	ug/L	<0.32	50	50	49.4	49.1	99	98	70-137	1	20		
o-Xylene	ug/L	<0.35	50	50	51.3	51.4	103	103	70-130	0	20		
Styrene	ug/L	<0.36	50	50	53.1	53.1	106	106	70-133	0	20		
Tetrachloroethene	ug/L	<0.41	50	50	50.1	51.8	100	104	70-131	3	20		
Toluene	ug/L	<0.29	50	50	49.3	50.6	99	101	80-121	3	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	46.6	46.9	93	94	70-135	0	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	51.0	51.7	102	103	70-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	49.9	50.1	100	100	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	48.3	48.3	97	97	67-142	0	20		
Vinyl chloride	ug/L	<0.17	50	50	39.5	39.5	79	79	45-147	0	20		
Xylene (Total)	ug/L	<1.0	150	150	154	157	103	105	70-130	2	20		
1,2-Dichlorobenzene-d4 (S)	%						98	99	70-130				
4-Bromofluorobenzene (S)	%						95	95	70-130				
Toluene-d8 (S)	%						100	102	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1940105592 Former Werner's Cle

Pace Project No.: 40278257

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40278257001	MW-1	EPA 8260	474483		
40278257002	MW-2	EPA 8260	474483		
40278257003	MW-3	EPA 8260	474483		
40278257005	MW-5	EPA 8260	474483		
40278257006	DUP	EPA 8260	474483		
40278257007	TRIP BLANK	EPA 8260	474483		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

40278257

Pace[®] Pace[®] Location Requested (City/State):
 Pace Analytical Green Bay
 1241 Bellevue Street, Suite 9
 Green Bay, WI 54302

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name: Ramboll US Consulting, Inc.
 Street Address: 234 W. Florida Street, Fifth Floor
 Milwaukee, WI 53204

Contact/Report To: Richard Mazurkiewicz
 Phone #: 262.901.3502
 E-Mail: rmazurkiewicz@ramboll.com
 Cc E-Mail:

Customer Project #:

Project Name: 1940105592 Former Werner's Cleaners Kenosha, WI

Invoice To: Ramboll Americas
 Invoice E-Mail: ramboll.us@pdf.basware.com

Site Collection Info/Facility ID (as applicable):

Purchase Order # (if applicable):
 Quote #: 3109036

Time Zone Collected. [] AK [] PT [] MT [] CT [] ET

County / State origin of sample(s). Wisconsin

Data Deliverables:

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

[] Level II [] Level III [] Level IV

Rush (Pre-approval required): DW PWSID # or WW Permit # as applicable:

[] EQUIS

[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other

[] Other

Date Results Requested: **Normal TAT** Field Filtered (if applicable): [] Yes [X] No
 Analysis:

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start		Collected or Composite End		# Cont.	Res. Chlorine		8260 VOC
			Date	Time	Date	Time		Results	Units	
MW-1	GW	G	NA	NA	5/13/24	9:40	3			X
MW-2	↓	↓	↓	↓	↓	7:48	↓			↓
MW-3	↓	↓	↓	↓	↓	7:15	↓			↓
MW-4	↓	↓	↓	↓	↓	10:16	↓			↓
MW-5	↓	↓	↓	↓	↓	8:30	↓			↓
DUP	↓	↓	↓	↓	↓		↓			↓
Trsp Blank							2			↓

Additional Instructions from Pace*:

Collected By: **Steven Kikkart**
 (Printed Name)
 Signature: *Steven Kikkart*

Customer Remarks / Special Conditions / Possible Hazards:

Coolers Thermometer ID Correction Factor (°C) Obs. Temp (°C) Corrected Temp (°C) On Ice

Relinquished by/Company (Signature): *Steven Kikkart / Ramboll*

Date/Time: 5/13/24 / 13:00

Received by/Company (Signature):

Date/Time:

Tracking Number

Relinquished by/Company (Signature): *CJ Logistics*

Date/Time: 5/14/24 0905

Received by/Company (Signature): *[Signature]*

Date/Time: 5/14/24 0905

Delivered by [] In-Person [] Courier

Relinquished by/Company (Signature):

Date/Time:

Received by/Company (Signature):

Date/Time:

[] FedEx [] UPS [] Other

Relinquished by/Company (Signature):

Date/Time:

Received by/Company (Signature):

Date/Time:

Page: 1 of 1

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Ramboll

WO#: 40278257



Courier: CS Logistics Fed Ex Speedee UPS Walto
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR - 120 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 3.0 /Corr: 3.0

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 5/14/14 /Initials: mit
 Labeled By Initials: EL

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - DI VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time:
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace	9.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A -Includes date/time/ID/Analysis Matrix: <u>W</u>	12. <u>CO2 has no time, CO4 - has no ID, date, or time, placed by process of elimination not 5/14/14</u>
Trip Blank Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>517</u>	

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir


PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS 5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Client Name: Pace Analytical Systems-Green Bay, WI Street Address: 1241 Bellevue St. Ste 9 City, State, Zip: Green Bay, WI 54302 Client Name:
--	--

INVOICE No.:	102599	DATE/TIME COLLECTED:	05/13/2024 @10:10
LAB REFERENCE No.:	2024-05-342	MATRIX TYPE:	Liquid
AUTHORIZED BY:	Steven Mleczko	SAMPLE TYPE:	Closed System Vial
PRODUCT ID:	40278257004 MW-4		
DATE RECEIVED:	05/16/2024		

<u>VOLATILE ORGANIC COMPOUNDS</u>	<u>TEST METHOD</u>	<u>REPORTING LIMIT, PPM</u>	<u>TEST RESULTS, PPM</u>
Acetone	S.W. 8260/5030	0.01	BRL
Acetonitrile	S.W. 8260/5030	0.01	BRL
Benzene	S.W. 8260/5030	0.01	BRL
Bromobenzene	S.W. 8260/5030	0.01	BRL
Bromodichloromethane	S.W. 8260/5030	0.01	BRL
Bromoform	S.W. 8260/5030	0.01	BRL
Bromomethane	S.W. 8260/5030	0.01	BRL
n-Butylbenzene	S.W. 8260/5030	0.01	1,759.75
sec-Butylbenzene	S.W. 8260/5030	0.01	595.33
tert-Butylbenzene	S.W. 8260/5030	0.01	55.71
Butyl acetate	S.W. 8260/5030	0.01	BRL
Butyl alcohol	S.W. 8260/5030	0.01	BRL
n-Butanol	S.W. 8260/5030	0.01	BRL
Carbon tetrachloride	S.W. 8260/5030	0.01	BRL
Chlorobenzene	S.W. 8260/5030	0.01	BRL
Chloroethane	S.W. 8260/5030	0.01	BRL
2-Chloroethylvinyl ether	S.W. 8260/5030	0.01	BRL
Chloroform	S.W. 8260/5030	0.01	BRL
Chloromethane	S.W. 8260/5030	0.01	BRL
2-Chlorotoluene	S.W. 8260/5030	0.01	BRL
4-Chlorotoluene	S.W. 8260/5030	0.01	BRL
1-Dibromo-3-chloropropane	S.W. 8260/5030	0.01	BRL
Dibromochloromethane	S.W. 8260/5030	0.01	BRL
Dichlorobromomethane	S.W. 8260/5030	0.01	BRL
1,2-Dibromoethane	S.W. 8260/5030	0.01	BRL
Dibromomethane	S.W. 8260/5030	0.01	BRL
1,2-Dichlorobenzene	S.W. 8260/5030	0.01	BRL
1,3-Dichlorobenzene	S.W. 8260/5030	0.01	BRL
1,4-Dichlorobenzene	S.W. 8260/5030	0.01	BRL
Dichlorodifluoromethane	S.W. 8260/5030	0.01	BRL
1,1-Dichloroethane	S.W. 8260/5030	0.01	BRL


Daniel Zabihi
QA Manager
Date: 05/17/2024



PRIMARY ACCREDITATION TCEQ, #T104704203-23-17
ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCs). Sample date analyzed for each test is available upon request. *Not on laboratory's field of accreditation.

COMMENTS: This certificate is Confidential Business Information and will only be provided to designated customer point-of-contact(s). Other production of this report requires prior authorization from the customer. There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAP FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS 5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Client Name: Pace Analytical Systems-Green Bay, WI Street Address: 1241 Bellevue St. Ste 9 City, State, Zip: Green Bay, WI 54302 Client Name:
--	--

INVOICE No.:	102599	DATE/TIME COLLECTED:	05/13/2024 @10:10
LAB REFERENCE No.:	2024-05-342	MATRIX TYPE:	Liquid
AUTHORIZED BY:	Steven Mleczeko	SAMPLE TYPE:	Closed System Vial
PRODUCT ID:	40278257004 MW-4		
DATE RECEIVED:	05/16/2024		

<u>VOLATILE ORGANIC COMPOUNDS</u>	<u>TEST METHOD</u>	<u>REPORTING LIMIT, PPM</u>	<u>TEST RESULTS, PPM</u>
1,2-Dichloroethane	S.W. 8260/5030	0.01	15.96
1,1-Dichloroethene	S.W. 8260/5030	0.01	BRL
cis-1, 2-Dichloroethene	S.W. 8260/5030	0.01	459.84
trans-1,2-Dichloroethene	S.W. 8260/5030	0.01	10.87
1,2-Dichloropropane	S.W. 8260/5030	0.01	BRL
1,3-Dichloropropane	S.W. 8260/5030	0.01	BRL
2,2-Dichloropropane	S.W. 8260/5030	0.01	BRL
1,1-Dichloropropene	S.W. 8260/5030	0.01	BRL
cis-1,3-Dichloropropene	S.W. 8260/5030	0.01	BRL
trans-1,3-dichloropropene	S.W. 8260/5030	0.01	BRL
Diisopropyl ether	S.W. 8260/5030	0.01	BRL
Ethyl alcohol	S.W. 8260/5030	0.01	BRL
Ethyl acetate	S.W. 8260/5030	0.01	BRL
Ethyl benzene	S.W. 8260/5030	0.01	508.00
Ethyl ether	S.W. 8260/5030	0.01	BRL
Ethyl mercaptan	S.W. 8260/5030	0.01	BRL
Heptane and heptanes	S.W. 8260/5030	0.01	BRL
Hexachloro-1,3-butadiene	S.W. 8260/5030	0.01	BRL
2-Hexanone	S.W. 8260/5030	0.01	BRL
Hexane and hexanes	S.W. 8260/5030	0.01	BRL
Isobutyl acetate	S.W. 8260/5030	0.01	BRL
Isobutyl alcohol	S.W. 8260/5030	0.01	BRL
Isopropyl acetate	S.W. 8260/5030	0.01	BRL
Isopropyl alcohol	S.W. 8260/5030	0.01	BRL
Isopropyl benzene	S.W. 8260/5030	0.01	BRL
p-Isopropyltoluene	S.W. 8260/5030	0.01	1,262.42
Methyl acetate	S.W. 8260/5030	0.01	BRL
Methyl alcohol	S.W. 8260/5030	0.01	BRL
Methyl Ethyl Ketone	S.W. 8260/5030	0.01	BRL
Methylene chloride	S.W. 8260/5030	0.01	BRL
4-Methyl-2-pentanone	S.W. 8260/5030	0.01	BRL


Daniel Zabihi
QA Manager

Date: 05/17/2024

PRIMARY ACCREDITATION TCEQ, #T104704203-23-17
ARIZONA LICENSE # AZ0630



QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS). Sample date analyzed for each test is available upon request. *Not on laboratory's field of accreditation.

COMMENTS: This certificate is Confidential Business Information and will only be provided to designated customer point-of-contact(s). Other production of this report requires prior authorization from the customer. There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

Page 27 of 30

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS 5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Client Name: Pace Analytical Systems-Green Bay, WI Street Address: 1241 Bellevue St. Ste 9 City, State, Zip: Green Bay, WI 54302
--	---

INVOICE No.:	102599	DATE/TIME COLLECTED:	05/13/2024 @10:10
LAB REFERENCE No.:	2024-05-342	MATRIX TYPE:	Liquid
AUTHORIZED BY:	Steven Mleczeko	SAMPLE TYPE:	Closed System Vial
PRODUCT ID:	40278257004 MW-4		
DATE RECEIVED:	05/16/2024		

<u>VOLATILE ORGANIC COMPOUNDS</u>	<u>TEST METHOD</u>	<u>REPORTING LIMIT, PPM</u>	<u>TEST RESULTS, PPM</u>
Methyl-tert-butyl ether	S.W. 8260/5030	0.01	BRL
Methyl Isobutyl Ketone	S.W. 8260/5030	0.01	BRL
Nitrobenzene	S.W. 8260/5030	0.01	BRL
Propyl acetate	S.W. 8260/5030	0.01	BRL
Propyl alcohol	S.W. 8260/5030	0.01	BRL
n-Propyl-benzene	S.W. 8260/5030	0.01	337.28
Styrene	S.W. 8260/5030	0.01	BRL
1,1,1,2-Tetrachloroethane	S.W. 8260/5030	0.01	BRL
1,1,2,2-Tetrachloroethane	S.W. 8260/5030	0.01	BRL
Tetrachloroethene	S.W. 8260/5030	0.01	814,340
Toluene	S.W. 8260/5030	0.01	33.26
1,2,3-Trichlorobenzene	S.W. 8260/5030	0.01	BRL
1,2,4-Trichlorobenzene	S.W. 8260/5030	0.01	BRL
1,1,1-Trichloroethane	S.W. 8260/5030	0.01	BRL
1,1,2-Trichloroethane	S.W. 8260/5030	0.01	BRL
Trichloroethene	S.W. 8260/5030	0.01	5,898.00
Trichlorofluoromethane	S.W. 8260/5030	0.01	BRL
1,2,3-Trichloropropane	S.W. 8260/5030	0.01	BRL
1,2,3-Trimethylbenzene	S.W. 8260/5030	0.01	3,692.85
1,2,4-Trimethylbenzene	S.W. 8260/5030	0.01	1,438.48
1,3,5-Trimethylbenzene	S.W. 8260/5030	0.01	BRL
Vinyl acetate	S.W. 8260/5030	0.01	BRL
Vinyl chloride	S.W. 8260/5030	0.01	BRL
Vinyl ethyl ether	S.W. 8260/5030	0.01	BRL
Vinyl methyl ether	S.W. 8260/5030	0.01	BRL
Xylenes	S.W. 8260/5030	0.01	992.20


Daniel Zabihi

Date: 05/17/2024

QA Manager

PRIMARY ACCREDITATION TCEQ, #T104704203-22-16
ARIZONA LICENSE # AZ0630



QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS). Sample date analyzed for each test is available upon request. *Not on laboratory's field of accreditation.

COMMENTS: This certificate is Confidential Business Information and will only be provided to designated customer point-of-contact(s). Other production of this report requires prior authorization from the customer. There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS 5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Client Name: Pace Analytical Systems-Green Bay, WI Street Address: 1241 Bellevue St. Ste 9 City, State, Zip: Green Bay, WI 54302
--	---

INVOICE No.:	102599	DATE/TIME COLLECTED:	05/13/2024 @10:10
LAB REFERENCE No.:	2024-05-342	MATRIX TYPE:	Liquid
AUTHORIZED BY:	Steven Mleczko	SAMPLE TYPE:	Closed System Vial
PRODUCT ID:	40278257004 MW-4		
DATE RECEIVED:	05/16/2024		

<u>TOTAL SEMI-VOLATILES, PPM</u>	<u>TEST METHOD</u>	<u>REPORTING LIMIT, PPM</u>	<u>TEST RESULTS PPM</u>
Naphthalene	EPA-8270	0.10	1,564.00

Daniel Zabihi
QA Manager

Date: 05/17/2024

PRIMARY ACCREDITATION TCEQ, #T104704203-22-16
ARIZONA LICENSE # AZ0630



QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCs). Sample date analyzed for each test is available upon request. *Not on laboratory's field of accreditation.

COMMENTS: This certificate is Confidential Business Information and will only be provided to designated customer point-of-contact(s). Other production of this report requires prior authorization from the customer. There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAP FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

Chain of Custody



PASI Green Bay Laboratory



Workorder: 40278257

Workorder Name: 1940105592 Former Werner's Cle

Results Requested By: 5/22/2024

Report / Invoice To

Subcontract To

Requested Analysis

Steven Mieczko
Pace Analytical Green Bay
1241 Bellevue Street
Suite 9
Green Bay, WI 54302
Phone (920)469-2436
Email: steve.mieczko@pacelabs.com

P.O.
Precision Petroleum
5915 Star Ln,
Houston, TX 77057

Send Invoice To: invoices@pacelabs.coupaohost.com
State of Sample Origin: WI LOD/LOQ

8260 VOCs

Item	Sample ID	Collect Date/Time	Lab ID	Matrix	Preserved Containers			
					HC			
1	MW-4	5/13/2024 10:10	40278257004	Water	3			X
2								
3								
4								
5								

Comments

Transfers	Released By	Date/Time	Received By	Date/Time
1	Matt Anselmone - Pace	05/15/2024 16:14		
2				
3				


See attached for VOC list

Sample contains Oil

Cooler Temperature on Receipt 7 °C Custody Seal Y or N Received on Ice Y or N Samples Intact Y or N

S.W. 200381824

CSV
Liquor Bolt



8-58 AW