

**From:** [David De Courcy Bower](#)  
**To:** [Beggs, Tauren R - DNR](#)  
**Cc:** [Denice Nelson](#); [Fetter, Robert H.](#); [Rick.Podlaski@thermofisher.com](mailto:Rick.Podlaski@thermofisher.com)  
**Subject:** RE: Revised Work Plan - Former Hamilton Industries Facility - BRRTS Activity #02-36-578316, Notice to Proceed  
**Date:** Wednesday, March 22, 2017 2:29:16 PM

---

Tauren,

Thank you for your timely review of the revised work plan. Please see the responses to the revisions/comments that you had:

- 1) ERM will collect field filtered groundwater samples for analysis of dissolved RCRA metals at VAS-10.
- 2) The temporary wells are being used primarily for evaluation of groundwater elevation. ERM will evaluate the VAS sampling data to determine if collection of additional samples from the temporary wells is appropriate or if abandonment of the temporary wells and installation of permanent monitoring wells is recommended.

Regards,

David

David de Courcy-Bower, P.E.  
Principal Consultant

**ERM**

700 W. Virginia Street | Ste. 601 | Milwaukee, WI 53204

**T** 414-977-4705 | **M** 414-335-0877

**E** [david.decourcybower@erm.com](mailto:david.decourcybower@erm.com) | **W** [www.erm.com](http://www.erm.com)

*"The Business of Sustainability"*

---

**From:** Beggs, Tauren R - DNR [mailto:[Tauren.Beggs@wisconsin.gov](mailto:Tauren.Beggs@wisconsin.gov)]  
**Sent:** Wednesday, March 22, 2017 8:35 AM  
**To:** David De Courcy Bower  
**Cc:** Denice Nelson; Fetter, Robert H.; Rick.Podlaski@thermofisher.com  
**Subject:** RE: Revised Work Plan - Former Hamilton Industries Facility - BRRTS Activity #02-36-578316, Notice to Proceed

Good morning David,

I received the paper copy of the revised work plan on March 17, 2017. This email acts as my notice to proceed with the work plan with the following revisions/comments:

- Due to the elevated lead above the background threshold value (BTV) and groundwater pathway residual contaminant level (RCL) at the Stockpile-01 location, which corresponds to the VAS-10 location, groundwater should also be sampled for dissolved RCRA metals at VAS-10.

- If significant contamination is found at any of the locations, do you plan to utilize the temporary monitoring wells for follow up sampling?

If you have any questions, feel free to contact me.

Sincerely,

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Tauren R. Beggs**

Phone: (920) 662-5178

[Tauren.Beggs@wisconsin.gov](mailto:Tauren.Beggs@wisconsin.gov)

---

**From:** David De Courcy Bower [<mailto:david.decourcybower@erm.com>]

**Sent:** Thursday, March 16, 2017 4:28 PM

**To:** Beggs, Tauren R - DNR

**Cc:** Denice Nelson; Fetter, Robert H.; [Rick.Podlaski@thermofisher.com](mailto:Rick.Podlaski@thermofisher.com)

**Subject:** Revised Work Plan - Former Hamilton Industries Facility - BRRTS Activity #02-36-578316

Mr. Beggs,

Please find attached the Revised Work Plan for investigation of the former Hamilton Industries Site located in Two Rivers, Wisconsin (BRRTS# 02-36-578316). The Revised Work Plan modifies the previous Work Plan submitted by ERM on January 4, 2017 and has been prepared following receipt of additional subsurface investigation data provided by the City of Two Rivers and documented in the Phase II Environmental Site Assessment & Site Investigation Report dated February 16, 2017. A hard copy is to follow.

Please contact us if you have any questions or comments,

David

David de Courcy-Bower, P.E.  
Principal Consultant

**ERM**

700 W. Virginia Street | Ste. 601 | Milwaukee, WI 53204

**T** 414-977-4705 | **M** 414-335-0877

**E** [david.decourcybower@erm.com](mailto:david.decourcybower@erm.com) | **W** [www.erm.com](http://www.erm.com)

*"The Business of Sustainability"*

use by a third party. If you have received this message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system. Thank you.

Please visit ERM's web site: <http://www.erm.com>

---

This message contains information which may be confidential, proprietary, privileged, or otherwise protected by law from disclosure or use by a third party. If you have received this message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system. Thank you.

Please visit ERM's web site: <http://www.erm.com>