

**Notice:** Use this form to request a **written response (on agency letterhead)** from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

### Definitions

**"Property"** refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

**"Liability Clarification"** refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55, Wis. Stats.

**"Technical Assistance"** refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

**"Post-closure modification"** refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

### Select the Correct Form

This form should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification
- Post-Closure Modifications
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

**Do not use this form if one of the following applies:**

- Request for an **off-site liability exemption or clarification** for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the **Lender Liability Exemption**, s 292.21, Wis. Stats., **if no response or review by DNR is requested**. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an **exemption to develop on a historic fill site** or licensed landfill. Use DNR's Form 4400-226 or 4400-226A.
- **Request for closure** for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure - GIS Registry Form 4400-202.

**All forms, publications and additional information are available on the internet at:** [dnr.wi.gov/topic/Brownfields/Pubs.html](http://dnr.wi.gov/topic/Brownfields/Pubs.html).

### Instructions

1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program **and** the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 2 of 7

## Section 1. Contact and Recipient Information

### Requester Information

This is the person requesting technical assistance or a post-closure modification review, that his or her liability be clarified or a specialized agreement and is identified as the requester in Section 7. DNR will address its response letter to this person.

Last Name	First	MI	Organization/ Business Name		
McClung	Kurt		Key Engineering Group, LTD.		
Mailing Address			City	State	ZIP Code
735 N Water St, Suite 510			Milwaukee	WI	53202
Phone # (include area code)	Fax # (include area code)		Email		
(414) 225-0592			kmccclung@keyengineering.com		

The requester listed above: (select all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Is currently the owner  | <input type="checkbox"/> Is considering selling the Property   |
| <input type="checkbox"/> Is renting or leasing the Property  | <input type="checkbox"/> Is considering acquiring the Property |
| <input type="checkbox"/> Is a lender with a mortgagee interest in the Property                               |  |
| <input checked="" type="checkbox"/> Other. Explain the status of the Property with respect to the applicant: |  |

Environmental Consultant

### Contact Information (to be contacted with questions about this request)

Select if same as requester

Contact Last Name	First	MI	Organization/ Business Name		
McClung	Kurt		Key Engineering Group, LTD.		
Mailing Address			City	State	ZIP Code
735 N Water St, Suite 510			Milwaukee	WI	53202
Phone # (include area code)	Fax # (include area code)		Email		
(414) 225-0592			kmccclung@keyengineering.com		

### Environmental Consultant (if applicable)

Contact Last Name	First	MI	Organization/ Business Name		
McClung	Kurt		Key Engineering Group, LTD.		
Mailing Address			City	State	ZIP Code
735 N Water St, Suite 510			Milwaukee	WI	53202
Phone # (include area code)	Fax # (include area code)		Email		
(414) 225-0592			kmccclung@keyengineering.com		

### Property Owner (if different from requester)

Contact Last Name	First	MI	Organization/ Business Name		
Klein	Michael		KC Franklin Partners, LLC		
Mailing Address			City	State	ZIP Code
4425 West Mitchell Street			Milwaukee	WI	53214
Phone # (include area code)	Fax # (include area code)		Email		

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 3 of 7

## Section 2. Property Information

Property Name Former Boys and Girls Club Site		FID No. (if known) 341282260	
BRRTS No. (if known) 03-41-578482	Parcel Identification Number 359-0626-000		
Street Address 1632 North Franklin Place	City Milwaukee	State WI	ZIP Code 53202
County Milwaukee	Municipality where the Property is located <input checked="" type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village of Milwaukee	Property is composed of: <input checked="" type="radio"/> Single tax parcel <input type="radio"/> Multiple tax parcels	Property Size Acres 1

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests are completed within 60 days. Please plan accordingly.

No  Yes

Date requested by: 11/29/2017

Reason: Site development is underway. Characterization revealed more impacted soil than was originally known and we hope to meet the development schedule.

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. **Include the fee that is required for your request in Section 3, 4 or 5.**

Yes. **Do not include a separate fee.** This request will be billed separately through the VPLE Program.

Fill out the information in Section 3, 4 or 5 which corresponds with the type of request:

**Section 3. Technical Assistance or Post-Closure Modifications;**

**Section 4. Liability Clarification; or Section 5. Specialized Agreement.**

## Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [Numbers in brackets are for WI DNR Use]

- No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - **Include a fee of \$350.** Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event.
- Review of Site Investigation Work Plan - NR 716.09, [135] - **Include a fee of \$700.**
- Review of Site Investigation Report - NR 716.15, [137] - **Include a fee of \$1050.**
- Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - **Include a fee of \$1050.**
- Review of a Remedial Action Options Report - NR 722.13, [143] - **Include a fee of \$1050.**
- Review of a Remedial Action Design Report - NR 724.09, [148] - **Include a fee of \$1050.**
- Review of a Remedial Action Documentation Report - NR 724.15, [152] - **Include a fee of \$350**
- Review of a Long-term Monitoring Plan - NR 724.17, [25] - **Include a fee of \$425.**
- Review of an Operation and Maintenance Plan - NR 724.13, [192] - **Include a fee of \$425.**

Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226)

- Schedule a Technical Assistance Meeting - **Include a fee of \$700.**
- Hazardous Waste Determination - **Include a fee of \$700.**
- Other Technical Assistance - **Include a fee of \$700.** Explain your request in an attachment.

Post-Closure Modifications - NR 727, [181]

- Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. **Include a fee of \$1050, and:**
  - Include a fee of \$300 for sites with residual soil contamination; and
  - Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

**Technical Assistance, Environmental Liability  
Clarification or Post-Closure Modification Request**

Form 4400-237 (R 9/15)

Page 4 of 7

**Skip Sections 4 and 5 if the technical assistance you are requesting is listed above and complete Sections 6 and 7 of this form.**

Clarification of local governmental unit (LGU) liability exemption at sites with: (select all that apply)

- hazardous substances spills - s. 292.11(9)(e), Wis. Stats. [649];
- Perceived environmental contamination - [649];
- hazardous waste - s. 292.24 (2), Wis. Stats. [649]; and/or
- solid waste - s. 292.23 (2), Wis. Stats. [649].

❖ **Include a fee of \$700, a summary of the environmental liability clarification being requested, and the following:**

- (1) clear supporting documentation showing the acquisition method used, and the steps followed under the appropriate state statute(s).
- (2) current and proposed ownership status of the Property;
- (3) date and means by which the Property was acquired by the LGU, where applicable;
- (4) a map and the ¼, ¼ section location of the Property;
- (5) summary of current uses of the Property;
- (6) intended or potential use(s) of the Property;
- (7) descriptions of other investigations that have taken place on the Property; and
- (8) (for solid waste clarifications) a summary of the license history of the facility.

Clarify the liability associated with a "closed" Property - s. 292.55, Wis. Stats. [682]

❖ **Include a fee of \$700.**

- Include a copy of any closure documents if a state agency other than DNR approved the closure.

---

Use this space or attach additional sheets to provide necessary information, explanations or specific questions to be answered by the DNR.

A Contaminated Material Management Plan (CMMP) is attached. The entire parcel will be excavated as part of a multi-family housing development to allow underground parking. Clean soil will be transported to the Milwaukee Solvay site for use as an engineered barrier. A low-hazard exemption for polynuclear aromatic hydrocarbon (PAH) impacted soil is required for disposal at a quarry that is being reclaimed. Soil that does not qualify for a low-hazard exemption will be transported to a licensed solid waste disposal facility.

The quarry that is being reclaimed is the R&R Excavating Site (facility), located near the intersection of Highway 60 and Highway I in the Town of Cedarburg, WI. Approximately 11 acres of the 39.5 acre facility are being filled as part of the reclamation plan.

The Site meets the locational criteria in ch. NR 718.12(1)(c) WAC. The reclamation area is not located within a floodplain; within 100 feet of any wetland or critical habitat area; within 300 feet of any navigable river, stream, lake, pond or flowage; or within 100 feet of any on-site water supply well or 300 feet of any off-site water supply well. The soils will not be placed within 3 feet of the groundwater table.

The soils proposed to be transported to the facility will be placed at approximately 20 feet below the proposed finished grade and greater than 3 feet above the groundwater table. Based on the relatively insoluble and/or highly immobile nature of the contaminants, the planned capping of the Site, and the depth from the groundwater table at the disposal site versus the generator site, we request an exemption to the locational criteria of ch. NR 718.12(1)(c)6 to allow placement of the contaminated soil at a depth greater than the depth of the original excavation from which it was removed.

The destination facility will be listed on the Wisconsin DNR GIS registry and future land use will be restricted.

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 5 of 7

## Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: [dnr.wi.gov/topic/Brownfields/Igu.html#tabx4](http://dnr.wi.gov/topic/Brownfields/Igu.html#tabx4).

Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]

❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description; and,
- (3) a draft 75.105 agreement based on the DNR's model ([dnr.wi.gov/topic/brownfields/documents/mod75-105agrmt.pdf](http://dnr.wi.gov/topic/brownfields/documents/mod75-105agrmt.pdf)).

Agreement for assignment of tax foreclosure judgement - s.75.106, Wis. Stats. [666]

❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description; and,
- (3) a draft 75.105 agreement based on the DNR's model ([dnr.wi.gov/topic/brownfields/documents/mod75-106agrmt.pdf](http://dnr.wi.gov/topic/brownfields/documents/mod75-106agrmt.pdf)).

Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]

❖ **Include a fee of \$1400, and the information listed below:**

- (1) a draft schedule for remediation; and,
- (2) the name, mailing address, phone and email for each party to the agreement.

## Section 6. Other Information Submitted

Identify all materials that are included with this request.

**Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.**

Phase I Environmental Site Assessment Report - Date: \_\_\_\_\_

Phase II Environmental Site Assessment Report - Date: \_\_\_\_\_

Legal Description of Property (required for all liability requests and specialized agreements)

Map of the Property (required for all liability requests and specialized agreements)

Analytical results of the following sampled media: Select all that apply and include date of collection.

Groundwater     Soil     Sediment     Other medium - Describe: \_\_\_\_\_

Date of Collection: \_\_\_\_\_

A copy of the closure letter and submittal materials

Draft tax cancellation agreement

Draft agreement for assignment of tax foreclosure judgment

Other report(s) or information - Describe: Contaminated Material Management Plan

For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?

Yes - Date (if known): \_\_\_\_\_

No

Note: The Notification for Hazardous Substance Discharge (non-emergency) form is available at:  
[dnr.wi.gov/files/PDF/forms/4400/4400-225.pdf](http://dnr.wi.gov/files/PDF/forms/4400/4400-225.pdf).

**Technical Assistance, Environmental Liability  
Clarification or Post-Closure Modification Request**

Form 4400-237 (R 9/15)

Page 6 of 7

**Section 7. Certification by the Person who completed this form**

I am the person submitting this request (requester)

I prepared this request for: \_\_\_\_\_

Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.

Kim McHenry  
Signature

11/16/17  
Date Signed

SENIOR ENGINEER  
Title

414 225-0592  
Telephone Number (include area code)

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 7 of 7

## Section 8. DNR Contacts and Addresses for Request Submittals

Send or deliver one paper copy and one electronic copy on a compact disk of the completed request, supporting materials, and fee to the region where the property is located to the address below. Contact a DNR regional brownfields specialist with any questions about this form or a specific situation involving a contaminated property. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>.


**DNR NORTHERN REGION**  
Attn: RR Program Assistant  
Department of Natural Resources  
223 E Steinfest Rd Antigo, WI 54409

**DNR NORTHEAST REGION**  
Attn: RR Program Assistant  
Department of Natural Resources  
2984 Shawano Avenue  
Green Bay WI 54313

**DNR SOUTH CENTRAL REGION**  
Attn: RR Program Assistant  
Department of Natural Resources  
3911 Fish Hatchery Road  
Fitchburg WI 53711

**DNR SOUTHEAST REGION**  
Attn: RR Program Assistant  
Department of Natural Resources  
2300 North Martin Luther King Drive  
Milwaukee WI 53212

**DNR WEST CENTRAL REGION**  
Attn: RR Program Assistant  
Department of Natural Resources  
1300 Clairemont Ave.  
Eau Claire WI 54702



*Note: These are the Remediation and Redevelopment Program's designated regions. Other DNR program regional boundaries may be different.*

DNR Use Only			
Date Received	Date Assigned	BRRTS Activity Code	BRRTS No. (if used)
DNR Reviewer		Comments	
Fee Enclosed? <input type="radio"/> Yes <input type="radio"/> No	Fee Amount \$	Date Additional Information Requested	Date Requested for DNR Response Letter
Date Approved	Final Determination		



A Division of SET Environmental Inc.  
735 North Water Street, Suite 510  
Milwaukee, Wisconsin 53202  
Phone (414) 224-8300  
Fax (414) 224-8383

## **CONTAMINATED MATERIAL MANAGEMENT PLAN**

Former Boys and Girls Club Site

1632 North Franklin Place

Milwaukee, Wisconsin

BRRTS No. 02-41-578482

BRRTS No. 03-41-578483

November 15, 2017

### **PREPARED FOR:**

C.D. Smith Construction, Inc.

241 N. Broadway, Suite 400

Milwaukee, Wisconsin 53202



## CONTAMINATED MATERIAL MANAGEMENT PLAN

Former Boys and Girls Club Site

1632 North Franklin Place

Milwaukee, Wisconsin

BRRTS No. 02-41-578482

BRRTS No. 03-41-578483

November 15, 2017

### PREPARED FOR:

C.D. Smith Construction, Inc.

241 N. Broadway, Suite 400

Milwaukee, Wisconsin 53202

KEY ENGINEERING GROUP, LTD.



Kurt McClung, PG, PE  
Senior Engineer



D'Arcy Gravelle, PG, CPG  
Principal Hydrogeologist

## TABLE OF CONTENTS

<b>1.0</b>	<b>INTRODUCTION</b> .....	<b>1</b>
<b>2.0</b>	<b>GENERAL INFORMATION</b> .....	<b>3</b>
2.1	SITE LOCATION .....	3
2.2	HISTORICAL USAGE .....	3
2.3	SITE REDEVELOPMENT PLAN.....	4
<b>3.0</b>	<b>REMEDIATION AND VALIDATION</b> .....	<b>5</b>
3.1	CONSTITUENTS OF CONCERN.....	5
3.2	OVERVIEW OF SITE REDEVELOPMENT ACTIVITIES .....	5
<b>4.0</b>	<b>NATURE AND OCCURRENCE OF CONTAMINATION</b> .....	<b>6</b>
4.1	OCCURRENCE OF CONTAMINATED MATERIAL .....	6
4.2	NATURE OF SITE CONTAMINANTS .....	6
<b>5.0</b>	<b>INTRUSIVE SITE EARTHWORKS MANAGEMENT</b> .....	<b>7</b>
5.1	INTRODUCTION .....	7
5.2	HEALTH AND SAFETY .....	7
5.3	EXCAVATION AND MATERIAL HANDLING PROTOCOLS .....	7
5.3.1	<i>Solid Waste Management Off-Site</i> .....	7
5.3.2	<i>Erosion and Sedimentation Controls</i> .....	8
5.3.3	<i>Air Quality Management</i> .....	8
5.3.4	<i>Record Keeping Requirements</i> .....	8
<b>6.0</b>	<b>SURFACE WATER AND GROUNDWATER MANAGEMENT</b> .....	<b>9</b>
<b>7.0</b>	<b>UNFORSEEN SITE CONDITIONS</b> .....	<b>10</b>

## **LIST OF TABLES**

Table 1	Pre-Grading Soil Analytical Results
Table 2	Post-Grading Soil Analytical Results
Table 3	Groundwater Sample Analytical Results

## **LIST OF FIGURES**

Figure 1	Site Location Map
Figure 2	Site Plan
Figure 3	Post-Grading Soil Sample Location Map
Figure 4	Location of Soil RCL Exceedances
Figure 5	Fill Material Cut-Fill Plan

## **LIST OF ATTACHMENTS**

Attachment 1	Soil Sample Analytical Report
--------------	-------------------------------

## 1.0 INTRODUCTION

This Contaminated Material Management Plan (CMMP) has been prepared for the Former Boys and Girls Club Site. The site is located at 1632 North Franklin Place, City of Milwaukee, Milwaukee County, Wisconsin. The soil at this property is impacted with polynuclear aromatic hydrocarbons (PAHs) from coal fines (BRRTS No. 02-41-578482) and from a former leaking heating oil underground storage tank (UST; BRRTS No. 03-41-578483).

This CMMP provides:

- Background information describing the site location and history;
- Information on the nature of hydrocarbon impacts present on-site;
- Details of the protocols to be followed to minimize exposure to contaminants; and
- Management details for contaminated soils encountered.

Questions regarding requiring clarification of this plan should be submitted to the owner's representative, and at the owner's representative's direction, the consultant.



## 2.0 GENERAL INFORMATION

### 2.1 Site Location

The site consists of an urban parcel located at 1632 North Franklin Place, in the City of Milwaukee, Milwaukee County, Wisconsin. The site is located in the northwest ¼ of the southeast ¼ of Section 21, Township 7 North, Range 22 East. The site location is 43°03'05.7"N, 87°53'46.2"W and is illustrated on a topographic quadrangle presented as Figure 1.

The site consists of 1.06 acres and is currently vacant. The structure that most recently occupied the site, the Former Boys and Girls Club, was razed in 2016 and the adjacent parcels are residential. The site is bounded by North Franklin Place to the west, residential properties to the north and south, and by North Arlington Place on the west.

The following contact information is provided for the site and environmental consultant:

**Current Property Owners:** Taxkey 359-0626-000  
Michael Klein  
KC Franklin Partners, LLC  
4425 West Mitchell Street  
Milwaukee, Wisconsin 53214

**Property Developer:** Brendan Sigler  
C. D. Construction, Inc.  
241 N. Broadway, Suite 400  
Milwaukee, Wisconsin 53202  
920-960-5444  
[bsigler@cdsmith.com](mailto:bsigler@cdsmith.com)

**Environmental Consultant:** Kurt McClung  
Key Engineering Group, Ltd.  
735 North Water Street, Suite 510  
Milwaukee, Wisconsin 53202  
414-225-0592  
[kmcllung@keyengineering.com](mailto:kmcllung@keyengineering.com)

### 2.2 Historical Usage

The recently razed structure was built in 1950 by the Boys Club of Milwaukee and was owned and operated by the Boys and Girls Club of Milwaukee from 1950 to the mid-1980s. The building was reportedly unused and vacant from the mid-1980s to late-1980s. Jesus Soul Saving Traveling Mission Church purchased the subject site in 1988 and occupied the property until 2012. The building was condemned by the City of Milwaukee and a raze order was issued to the former building owners in 2015.

Building inspection records indicated that two fuel oil-fired boilers were installed in the site structure during construction in 1950. Building permits indicate that the fuel oil was stored in one 15,000 – gallon fuel oil UST. A 500 – gallon fuel oil AST was reportedly located in the basement of the site structure but was not observed during the Phase I ESA site reconnaissance or during the building demolition. The building was heated with natural gas at the time of the former church’s occupancy (1988-2012). The location of the former UST is depicted in Figure 2.

Historic Sanborn Fire Insurance Maps indicated that the southeast portion of the Site was occupied by a skating rink in the late 1800s and then by a training shed, boarding building, and office in the early 1900s. Historic references indicate that the site was a horse riding/training academy and later served as a “ward yard” for the 1st Ward neighborhood. Ward yards were early public works facilities for the city street sanitation crews and housed equipment and materials needed to keep city streets clean and free of obstacles. This ward yards reportedly included a coal shed to provide coal to ward residents. In 1935, the ward yard was relocated further north of the Site to the area of Humboldt Avenue and Kane Place. The ward yard at the Site was subsequently used as a storage facility for an unknown period of time.

The 15,000 gallon UST removed in July 2016 was located in the approximate location of the former ward yard office.

### **2.3 Site Redevelopment Plan**

Future use of the Site includes construction of a multi-story apartment building within the approximate footprint of the Former Boys and Girls Club structure. The future structure will include underground parking, which will encompass the basement of the former Boys and Girls Club structure.

### 3.0 REMEDIATION AND VALIDATION

This section summarizes the constituents of concern, contaminated material management, and sampling requirements.

#### 3.1 Constituents of Concern

Based on the site investigation results and subsequent sample analysis, the conditions can be summarized as follows:

- The soil profile encountered at the site included less than 2 feet of shallow fill consisting of silt and black silt, suggesting the probable presence of coal fines commonly found in shallow urban soils. Underlying natural soils generally consisted of clay. Monitoring well borings MW-3 and MW-4 encountered sand at 40 to 42 feet bgs, the maximum depth explored.
- Groundwater was encountered at approximately 30 feet bgs during monitoring well installation. Static water levels remained at approximately 30 feet bgs in all of the wells except MW-2, where the water level stabilized at 19.75 feet bgs.
- Soil samples collected beneath the former UST at the 14 to 15 foot bgs interval (Tank Center) and south of the UST at the 8 to 10 foot bgs interval (GP-2) contained PAHs at concentrations exceeding the Wisconsin Administrative Code (WAC) Chapter NR 720 Residual Contaminant Level (NR 720 RCL) for the groundwater pathway. However, groundwater sampling analytical results do not reveal significant groundwater impact beyond the former UST cavity.
- The initial groundwater sampling event for the monitoring well installed within the former UST excavation (MW-1) indicated that the groundwater contained PAHs exceeded the NR 140 Enforcement Standard (NR 140 ES) including benzo(a)pyrene, benzo(b)fluoranthene, and chrysene, compounds which are commonly detected in turbid samples. A second sampling event, completed using low-flow sampling methods, indicated only a few PAHs exceeding the NR 140 Preventive Action Limit (NR 140 PAL), and those PAHs were detected at concentrations between the limit of detection and limit of quantitation. The NR 140 PAL was not exceeded in the remaining groundwater samples collected from MW-2 through MW-4. These results indicate that that groundwater is not significantly impacted.

Table 1 is a summary of the soil sample analytical results as of the spring 2017. As part of the redevelopment of the property, the site was graded to allow access of equipment to all areas of the site. Table 2 is a summary of the soil sample analytical results following grading activity at the site.

The sample results presented in Table 2 were collected in October 2017. The purpose for the October 2017 soil sampling was to obtain current soil characterization following demolition and grading activity, and to comply with NR 718 soil management requirements to provide soil sample analytical results for every 100 cubic yards for the first 600 cubic yards and for each 300 cubic yards planned for excavation thereafter.

#### 3.2 Overview of Site Redevelopment Activities

Generally, the site will be excavated to a uniform elevation to allow for underground parking. A multi-family housing structure will be erected at the site that will encompass nearly the entire parcel.



## 4.0 NATURE AND OCCURRENCE OF CONTAMINATION

This section describes the location, type and concentration of the chemicals present in the site fill material and soils. Details are also provided regarding the potential hazard posed by the impacted soils at the site, and relevant exposure pathways.

### 4.1 Occurrence of Contaminated Material

For the purpose of this plan, any disturbed material in the upper 5 feet at the west two-thirds of the site and at the southeast corner of the site should be considered as potentially contaminated with any or all of the previously identified contaminants.

### 4.2 Nature of Site Contaminants

This section provides general information on the toxicity of the chemicals present at the site. Overview of chemical characteristics are below:

Group Name	Chemical/Compound Name	General Toxicity Information
Semi-Volatile Organic Compounds	Polycyclic aromatic hydrocarbons (PAHs)	Some PAHs are carcinogenics and can cause immunosuppression, dermatitis and other skin disorders
Metals	Lead	Reproductive, central nervous system, and organ hazard. Skin and respiratory system irritant. May cause vomiting, abdominal pain, anemia, diarrhea.

This information is not intended to be a comprehensive review of such factors. It is the responsibility of any party responsible for handling or otherwise disturbing site soils to prepare a health and safety plan incorporating specific information on:

- Hazards associated with site contaminants;
- Nature of the work being undertaken; and
- Measures required to be adopted to prevent exposure to these chemicals.

## 5.0 INTRUSIVE SITE EARTHWORKS MANAGEMENT

### 5.1 Introduction

This section provides guidance on the processes which should be followed if intrusive works are proposed.

### 5.2 Health and Safety

All consultants, contractors, employees, etc. that may disturb or come in contact with soils on the property should have their own health and safety plan to manage contingencies which may arise. These plans should reflect applicable standards of care recognized in the trades for performing work in environmentally impacted materials.

It is the responsibility of an employer to provide a safe work environment for their employees. Employees are responsible for determining the appropriate personal protective equipment to limit exposure to the contaminants. Construction equipment should be decontaminated prior to leaving the property.

### 5.3 Excavation and Material Handling Protocols

As part of the site redevelopment, an estimated 16,000 cubic yards of existing soil will be excavated and transported off-site. The latitude and longitude from the approximate center of the site is 43° 03' 05.7" N, 87° 53' 46.2" W. A cut-fill plan is presented as Figure 5. The negative numbers represent the areas and depths that material will be excavated, and positive numbers represent the areas where the surface elevation will be raised.

Chapter NR 718 requires representative soil samples be collected and submitted for laboratory analysis for every 100 cubic yards of moved material up to 600 cubic yards, then one sample for every 300 cubic yards. Based on the volume of excavated contaminated material (16,000 cubic yards), approximately 58 soil samples are necessary. KEY requests WDNR approval for the following soil sampling plan:

- Prior to earthmoving activities, 73 soil samples were collected for laboratory analysis of PAHs to fulfill the intent of the NR 718 and to support justification of beneficial use off-site.
  - Clean soil or soil yielding detection below the NR 720 RCLs will be transported to the Milwaukee Solvay site for use as an engineered barrier.
  - Leach tests will be performed on soil sampling intervals where the NR 720 RCLs are exceeded. The intended destination of the soil is the R&R Excavating Facility, Highway 60, Cedarburg, Wisconsin.
  - If WDNR approval is not provided for disposal at the R&R Excavating Facility, the soil will be disposed of at a licensed Subtitle D solid waste disposal facility.

#### 5.3.1 Solid Waste Management Off-Site

At the eastern two-thirds of the site, the upper 5 feet is impacted by PAHs at concentrations that exceed the NR 720 RCL for non-industrial direct contact and/or groundwater pathway. At the southeast corner of the site, soil sample analysis reveal detections exceeding the NR 720 RCLs to a depth of approximately 12.5 feet bgs.

The R&R Excavating Facility occupies approximately 39.5-acres and is located near the intersection of Highway 60 and Highway I in the Town of Cedarburg. The property is bordered by vacant agricultural land to the south and east, former quarries to the north and west, and Highway I farther to the east. This facility was formerly a quarry and 11 acres will be filled as part of the quarry reclamation plan.

The Site meets the location criteria outlined in WAC Chapter NR 718.12(1)(c). The soils placed at the R&R Excavating Facility will be deposited:

- greater than 3 feet above the high-water table;
- within a floodplain;
- within 100 feet of any wetland or critical habitat area;
- within 300 feet of any navigable river, stream, lake, pond or flowage; or
- within 100 feet of any on-site water supply well or 300 feet of any off-site water supply well.

The soils proposed to be placed at the R&R Excavating Facility will be placed at a depth of approximately 20 feet below the proposed finished grade and greater than 3 feet above the local groundwater table. Based on the relatively insoluble and/or highly immobile nature of the contaminants, the planned capping of the Site, and the increased distance from the groundwater table at the disposal site versus the generator site, we request an exemption to the locational criteria of NR 718.12(1)(c)6 to allow placement of the contaminated soil at a depth greater than the depth of the original excavation.

### **5.3.2 Erosion and Sedimentation Controls**

To minimize the potential of surface water runoff to become impacted and flow offsite, proper erosion and sedimentation controls will be implemented. Appropriately installed siltation controls should be provided and maintained. Surface water runoff should be controlled by intercepting and redirecting runoff in a controlled manner by appropriate means including, but not limited to, the use of temporary bunds, diversion drains, ditches, or properly sloped grade. The runoff controls should be installed in accordance with WDNR Guidelines and regulatory requirements. The work may include the construction of stormwater retention basins, covers over stormwater pits, bunding, silt fences, and straw bale barriers. Refer to Section 6.0 for management of surface water runoff once collected or diverted to a central location.

### **5.3.3 Air Quality Management**

To the extent practicable, standard particulate emission (dust) control measures may be performed. Emission control may include, but are not limited to, the use of water to suppress dust. Control of airborne dust from contaminated soil may be maintained at all times by appropriate methods (e.g., covering of stockpiles with polyethylene sheeting, water suppression methods).

### **5.3.4 Record Keeping Requirements**

At a minimum, the following documentary records should be maintained:

- Daily logs documenting the quantities of material excavated, and the destination for the material.
- A copy of the complaints register (if applicable), including details of complaints and actions taken.

## 6.0 SURFACE WATER AND GROUNDWATER MANAGEMENT

Surface water and groundwater will be managed during all phases of construction. The water management plan will be developed by the civil engineer for the site. The following components will be included in the water management plan:

- Methods to avoid discharges to groundwater and/or ambient waters;
- Procedures for isolating storm water from impacted areas;
- Details of water management measures;
- Details of remedial actions to be taken by the applicant and site operators in response to an exceedance of the ambient water management controls, including but not limited to:
  - Use of fences/curtains;
  - Contingency actions for flood, heavy rainfall and storm surges into the work areas; and
  - Contingency actions for failure of sediment controls.
- Procedures for reviewing and updating the water management plan as works progress.

Milwaukee Metropolitan Sewerage District (MMSD) has received a Notice of Intent (NOI) for authorization to dispose of accumulated surface water to the local sanitary sewer. The contractor is responsible for ensuring that the discharge is in compliance with MMSD Rules and authorization requirements. Permissible limits of contaminants within the local sanitary sewer are identified in Chapter 11.202 of MMSD Rule. Periodic sampling may be requested to demonstrate compliance with the authorization and the consultant is available to assist with the sample collection and reporting, as needed.

## 7.0 UNFORSEEN SITE CONDITIONS

Potentially unforeseen site conditions may include but are not limited to:

- Encountering USTs or other buried vessels;
- Strong unidentifiable or chemical odors;
- Discolored soil, other than the anticipated red-brown and gray clay;
- Soil thought to be more heavily impacted than previously observed; or
- Water thought to be contaminated, or free phase hydrocarbons.

The consultant will assist in resolving unforeseen conditions. Should USTs be encountered, the consultant will assist in their removal in accordance with the guidelines of Wisconsin Administrative Code Chapter SPS 310. Contractors are encouraged to develop a working knowledge of the guidelines described in SPS 310. Please note that a 10-day notification is required to the Wisconsin Department of Safety and Professional Services (DSPS) prior to removal of an UST.

In the event of strong odors or encountering discolored soil, other than red-brown and gray clay, consultant will assist in characterization with chemical profile analysis. The consultant will advise the owner's representative as to the handling procedure and suitability of such materials for on-site use or appropriate disposal.

In the event of encountering impacted water or free-phase liquids, the consultant will assist in characterization with chemical profile analysis. The consultant will advise the owner's representative as to the handling procedure and suitable disposal.

PARAMETERS	Non-Industrial Direct Contact RCL	Protection of Groundwater RCL	Sample Identification																
			Tank Center	Tank East	Tank West	GP-1	GP-2	GP-3	MW-2	MW-3	MW-4	HA-1	HA-2	HA-3	HA-4	GP-4		GP-5	
Date Collected			7/15/2016	7/15/2016	7/15/2016	8/10/2016	8/10/2016	8/10/2016	8/10/2016	8/10/2016	8/10/2016	9/30/2016	9/30/2016	9/30/2016	9/30/2016	12/9/2016		12/9/2016	
Depth (feet bgs)			14-15	14-15	14-15	8-10	8-10	8-10	22-24	29-31	34-36	1-2	1-2	1-2	1-2	2-4	6-8	2-4	6-8
Saturated(s)/Unsaturated(u)			u	u	u	u	u	u	u	u	u	u	u	u	u	u	u	u	u
<b>Detected VOCs (mg/kg)</b>																			
Benzene	1.6	0.0051	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
n-Butylbenzene	108		0.14	0.13	0.28	<0.025	<0.025	<0.025	0.033J	0.042J	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
sec-Butylbenzene	145		0.12	0.10	0.087	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Naphthalene	5.52	0.6582	<0.040	<0.040	0.23J	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	0.091J			
n-Propylbenzene	---	---	<0.025	<0.025	0.051J	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Toluene	818	1.1072	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.068			
1,2,4-Trimethylbenzene	219	---	0.088	0.11	0.33	<0.025	<0.025	<0.025	0.18	0.097	<0.025	<0.025	<0.025	<0.025	<0.025	0.064J			
1,3,5-Trimethylbenzene	182	---	<0.025	0.039J	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.037J			
Trimethylbenzenes	---	1.3821	0.088	0.149	0.33	<0.050	<0.050	<0.050	0.18	0.097	<0.050	<0.050	<0.050	<0.050	<0.050	0.101J			
m&p-Xylene	---	---	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.082J			
o-Xylene	---	---	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.029J			
Xylenes	260	3.96	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	0.111J			
<b>Detected PAHs (mg/kg)</b>																			
Acenaphthene	3,590	---	0.16	<0.011	0.035	0.010J	<0.057	<0.010	<0.010	<0.0095	<0.0094	0.039	0.010J	0.028J	<0.084	<0.0054	<0.0046	<0.0048	<0.0046
Acenaphthylene	---	---	0.14	<0.010	<0.0098	<0.0087	0.13	<0.0094	<0.0092	<0.0085	<0.0084	0.012J	0.016	0.14	0.11J	<0.0046	<0.0039	<0.0041	<0.0039
Anthracene	17,900	196.9492	0.26	<0.012	0.013J	<0.010	0.34	<0.011	<0.011	<0.0099	<0.0098	0.10	0.056	0.24	0.75	<0.0079	<0.0067	0.011J	<0.0068
Benzo(a)anthracene	1.14	---	0.76	<0.0078	<0.0076	<0.0067	0.98	<0.0073	<0.0071	0.035	0.021	0.18	0.26	0.64	4.2	0.0044J	<0.0037	0.048	<0.0038
Benzo(a)pyrene	0.115	0.47	<b>0.59</b>	<0.0081	<0.0078	<0.0069	1.1	<0.0075	<0.0073	0.042	0.024	0.18	0.32	<b>0.92</b>	<b>5.3</b>	<0.0035	<0.0030	0.033	<0.0030
Benzo(b)fluoranthene	1.15	0.4793	<b>0.81</b>	<0.011	<0.011	<0.0097	<b>1.2</b>	<0.010	<0.010	0.040	0.020	0.15	0.32	<b>0.89</b>	<b>5.7</b>	0.0051J	0.0047J	0.098	<0.0034
Benzo(g,h,i)perylene	---	---	0.26	<0.0086	<0.0083	<0.0074	0.91	<0.0080	<0.0078	0.030	0.017J	0.12	0.16	0.64	4.3	<0.0028	0.0028J	0.066	<0.0024
Benzo(k)fluoranthene	11.5	---	0.33	<0.013	<0.012	<0.011	0.87	<0.012	<0.011	0.039	0.025	0.15	0.31	0.76	5.2	<0.0035	<0.0030	0.031	<0.0030
Chrysene	115	0.1446	<b>0.81</b>	<0.010	<0.010	<0.0090	<b>1.1</b>	<0.0097	<0.0095	0.043	0.027	<b>0.23</b>	<b>0.32</b>	<b>0.76</b>	<b>5.1</b>	0.0088J	0.0060J	0.084	<0.0040
Dibenzo(a,h)anthracene	0.115	---	0.12	<0.0083	<0.0080	<0.0071	0.33	<0.0077	<0.0075	0.011J	<0.0069	0.044	0.072	0.27	1.6	<0.0031	<0.0026	0.022	<0.0027
Fluoranthene	2,390	88.8778	1.2	<0.011	<0.011	<0.0097	2.2	<0.010	<0.010	0.065	0.040	0.34	0.46	1.4	6.3	<0.0072	<0.0061	0.075	<0.0062
Fluorene	2,390	14.8299	0.22	<0.011	0.031	<0.0097	0.063J	<0.010	<0.010	<0.0095	<0.0094	0.045	0.010J	0.026J	0.099J	<0.0057	<0.0049	<0.0052	<0.0049
Indeno(1,2,3-cd)pyrene	1.15	---	0.26	<0.0086	<0.0083	<0.0074	0.84	<0.0080	<0.0078	0.029	0.016J	0.11	0.17	0.60	4.1	<0.0031	<0.0026	0.037	<0.0026
1-methyl naphthalene	17.6	---	0.29	0.05	0.20	0.063	<0.057	<0.010	0.028	<0.0095	<0.0094	0.016J	0.0096J	<0.019	<0.088	<0.0056	<0.0047	<0.0050	<0.0048
2-methyl naphthalene	239	---	0.26	0.051	0.28	<0.0097	<0.057	<0.010	0.026	<0.0095	<0.0094	0.025	0.012J	<0.024	<0.11	<0.0069	<0.0059	<0.0062	<0.0060
Naphthalene	5.52	0.6582	0.11	0.031	0.13	<0.0097	<0.057	<0.010	<0.010	<0.0095	<0.0094	0.032J	0.013J	<0.040	<0.18	<0.012	<0.0099	<0.010	<0.010
Phenanthrene	---	---	0.41	0.020J	0.073	<0.0097	0.96	<0.010	0.037	0.022	0.022	0.26	0.16	0.47	1.8	<0.016	<0.014	0.050	<0.014
Pyrene	1,790	54.5455	1.1	0.013J	0.032	<0.0097	1.8	<0.010	<0.010	0.057	0.035	0.37	0.37	1.1	5.3	0.0094J	0.0054J	0.063	<0.0054

Notes:  
 Bold values exceed the NR 720 RCL for protection of groundwater  
 Boxed values exceed the NR 720 RCL for non-industrial direct contact (applicable 0 to 4 feet bgs)  
 --- - no standard established  
 --- - no standard established  
 quantitation  
 bgs - below ground surface  
 mg/kg - milligrams per kilogram  
 PAHs - polynuclear aromatic hydrocarbons  
 VOCs - volatile organic compounds

PARAMETERS	Non-Industrial Direct Contact RCL	Protection of Groundwater RCL	Sample Identification													
			GP-6			GP-7		GP-8			GP-9			GP-10		
			12/9/2016			12/9/2016		12/9/2016			12/9/2016			12/9/2016		
Date Collected			2-4	14-15	34-36	2-4	6-8	0-2	2-4	6-8	0-2	2-4	6-8	0-2	2-4	6-8
Depth (feet bgs)			u	u	u	u	u	u	u	u	u	u	u	u	u	u
Saturated(s)/Unsaturated(u)																
<b>Detected VOCs (mg/kg)</b>																
Benzene	1.6	0.0051														
n-Butylbenzene	108															
sec-Butylbenzene	145															
Naphthalene	5.52	0.6582														
n-Propylbenzene	---	---														
Toluene	818	1.1072														
1,2,4-Trimethylbenzene	219	---	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed
1,3,5-Trimethylbenzene	182	---														
Trimethylbenzenes	---	1.3821														
m&p-Xylene	---	---														
o-Xylene	---	---														
Xylenes	260	3.96														
<b>Detected PAHs (mg/kg)</b>																
Acenaphthene	3,590	---	<0.019	<0.0046	<0.0045	<0.0050	<0.0047	0.018	<0.0049	<0.0045	<0.0046	<0.0041	<0.0047	0.093	<0.0043	<0.0054
Acenaphthylene	---	---	<0.016	<0.0039	<0.0039	<0.0042	<0.0040	<0.0040	<0.0042	<0.0038	<0.0039	<0.0035	<0.0040	0.010J	<0.0036	<0.0046
Anthracene	17,900	196.9492	0.094	<0.0068	<0.0067	<0.0073	<0.0069	0.044	<0.0073	<0.0066	<0.0067	<0.0060	<0.0069	0.20	<0.0063	<0.0080
Benzo(a)anthracene	1.14	---	0.51	<0.0038	<0.0037	0.039	<0.0038	0.21	0.0062J	<0.0037	0.035	<0.0033	<0.0038	0.37	0.012	<0.0044
Benzo(a)pyrene	0.115	0.47	0.55	<0.0030	<0.0029	0.021	<0.0030	0.22	<0.0032	<0.0029	0.036	<0.0026	<0.0030	0.29	0.0096	<0.0035
Benzo(b)fluoranthene	1.15	0.4793	1.1	<0.0033	<0.0033	0.052	<0.0034	0.29	0.0038J	<0.0033	0.051	<0.0030	<0.0034	0.37	0.011	<0.0039
Benzo(g,h,i)perylene	---	---	0.54	<0.0024	<0.0024	0.023	<0.0025	0.13	<0.0026	<0.0024	0.020	<0.0021	<0.0024	0.16	0.0063J	<0.0028
Benzo(k)fluoranthene	11.5	---	0.42	<0.0030	<0.0029	0.026	<0.0030	0.10	<0.0032	<0.0029	0.019	<0.0026	<0.0030	0.16	0.0051J	<0.0035
Chrysene	115	0.1446	0.86	<0.0040	<0.0039	0.049	<0.0041	0.24	<0.0043	<0.0039	0.045	<0.0035	<0.0041	0.36	0.011J	<0.0047
Dibenzo(a,h)anthracene	0.115	---	0.15	<0.0026	<0.0026	0.0078J	<0.0027	0.029	<0.0028	<0.0026	0.0049J	<0.0023	<0.0027	0.045	<0.0025	<0.0031
Fluoranthene	2,390	88.8778	1.0	<0.0062	<0.0061	0.088	<0.0063	0.38	0.0072J	<0.0061	0.067	<0.0055	<0.0063	0.81	0.019J	<0.0073
Fluorene	2,390	14.8299	<0.020	<0.0049	<0.0048	<0.0053	<0.0050	0.013J	<0.0053	<0.0048	<0.0049	<0.0043	<0.0050	0.089	<0.0045	<0.0058
Indeno(1,2,3-cd)pyrene	1.15	---	0.49	<0.0026	<0.0026	0.020	<0.0027	0.11	<0.0028	<0.0026	0.017	<0.0023	<0.0026	0.14	0.0052J	<0.0031
1-methyl naphthalene	17.6	---	<0.019	<0.0048	<0.0047	<0.0051	<0.0049	<0.0049	<0.0051	<0.0047	<0.0048	<0.0042	<0.0048	0.035	<0.0044	<0.0056
2-methyl naphthalene	239	---	<0.024	<0.0059	<0.0059	<0.0064	<0.0060	<0.0060	<0.0064	<0.0058	<0.0059	<0.0053	<0.0060	0.043	<0.0055	<0.0070
Naphthalene	5.52	0.6582	<0.040	<0.010	<0.0099	<0.011	<0.010	<0.010	<0.011	<0.0098	<0.0099	<0.0088	<0.010	0.080	<0.0092	<0.012
Phenanthrene	---	---	0.26	<0.014	<0.014	0.029J	<0.014	0.19	<0.015	<0.014	0.025J	<0.012	<0.014	0.84	<0.013	<0.016
Pyrene	1,790	54.5455	0.81	<0.0053	<0.0053	0.067	<0.0055	0.40	0.0071J	<0.0052	0.067	<0.0047	<0.0054	0.70	0.019	<0.0063

Notes:  
Bold values exceed the NR 720 RCL for protection of groundwater  
Boxed values exceed the NR 720 RCL for non-industrial direct contact (applicable 0 to 4 feet bgs)  
--- - no standard established  
--- - no standard established  
quantitation  
bgs - below ground surface  
mg/kg - milligrams per kilogram  
PAHs - polynuclear aromatic hydrocarbons  
VOCs - volatile organic compounds





PARAMETERS	Non-Industrial Direct Contact RCL	Protection of Groundwater RCL	Background Threshold Value	Sample Identification																									
				B-6						B-7				B-8				B-9					B-10						
				0-2.5	2.5-5	5-7.5	7.5-10	10-12.5	12.5-15	0-2.5	2.5-5	5-7.5	7.5-10	0-2.5	2.5-5	5-7.5	7.5-10	0-2.5	2.5-5	5-7.5	7.5-10	10-12.5	0-2.5	2.5-5	5-7.5	7.5-10	10-12.5	12.5-15	
Date Collected																													
Depth (feet bgs)																													
<b>Detected PAHs (mg/kg)</b>																													
Acenaphthene	3,590	---	---	<0.0046	<0.0046	<0.0046	<0.0048	<0.0046	<0.0046	<0.0046	<0.0049	<0.0046	<0.0049	0.0075J	0.31J	<0.0052	<0.0049	0.016J	0.092J	0.099	<0.0047	0.0054J	0.0229	0.0291	<0.0019	<0.00019	<0.00019	<0.00019	
Acenaphthylene	---	---	---	<0.0039	<0.0039	<0.0039	<0.0040	<0.0039	<0.0039	<0.0039	<0.0042	<0.0039	<0.0042	<0.0040	<0.082	<0.0044	<0.0042	0.020J	<0.031	<0.019	<0.0040	<0.0040	0.00094J	<0.0018	<0.0018	<0.00018	<0.00018	<0.00017	
Anthracene	17,900	196.9492	---	<0.0067	<0.0067	<0.0067	<0.0070	<0.0067	<0.0067	<0.0067	<0.0072	<0.0068	<0.0073	0.031	1.1	<0.0077	<0.0073	0.083	0.34	0.30	0.012J	0.015J	0.0745	0.106	0.00046J	0.00052J	<0.00026	<0.00026	
Benzo(a)anthracene	1.14	---	---	<0.0037	<0.0037	<0.0037	<0.0039	0.0099J	<0.0037	0.026	<0.0040	<0.0038	<0.0040	0.11	3.0	<0.0043	<0.0040	0.35	1.0	0.54	0.039	0.043	0.138	0.242	0.0019J	0.0037	0.00060J	0.00079J	
Benzo(a)pyrene	0.115	0.47	---	<0.0029	<0.0030	<0.0029	<0.0031	0.0078J	<0.0029	0.026	<0.0032	<0.0030	<0.0032	0.12	<b>2.7</b>	<0.0034	<0.0032	0.38	<b>0.99</b>	<b>0.52</b>	0.043	0.044	0.0971	0.199	0.0016J	0.0030	0.00057J	0.00074J	
Benzo(b)fluoranthene	1.15	0.4793	---	<0.0033	<0.0033	<0.0033	<0.0035	0.011J	<0.0033	0.034	<0.0036	<0.0034	<0.0036	0.13	<b>2.9</b>	<0.0038	<0.0036	0.36	1.0	0.47	0.038	0.047	0.101	0.193	0.0017J	0.0034	0.00076J	0.00081J	
Benzo(g,h,i)perylene	---	---	---	<0.0024	<0.0024	<0.0024	<0.0025	0.0040J	<0.0024	0.0095	<0.0026	<0.0024	<0.0026	0.082	1.9	<0.0027	<0.0026	0.29	0.70	0.36	0.014	0.037	0.0651	0.131	0.0020J	0.0032	0.0010J	0.0011J	
Benzo(k)fluoranthene	11.5	---	---	<0.0029	<0.0030	<0.0029	<0.0031	0.0050J	<0.0029	0.014	<0.0032	<0.0030	<0.0032	0.098	2.5	<0.0034	<0.0032	0.34	0.84	0.54	0.041	0.04	0.107	0.185	0.0016J	0.0028J	0.00055J	0.00079J	
Chrysene	115	0.1446	---	<0.0040	<0.0040	<0.0040	<0.0041	0.0075J	<0.0040	0.029	<0.0043	<0.0040	<0.0043	0.13	<b>3.6</b>	<0.0045	<0.0043	<b>0.46</b>	<b>1.2</b>	<b>0.62</b>	0.048	0.053	0.135	<b>0.229</b>	0.0028J	0.0049	0.0014J	0.0015J	
Dibenzo(a,h)anthracene	0.115	---	---	<0.0026	<0.0026	<0.0026	<0.0027	<0.0026	<0.0026	0.0034J	<0.0028	<0.0027	<0.0028	0.026	0.64	<0.0030	<0.0029	0.098	0.23	0.12	0.0070J	0.011	0.0211	0.0451	<0.00089	0.00092J	<0.00090	<0.00087	
Fluoranthene	2,390	88.8778	---	<0.0061	<0.0061	<0.0061	<0.0064	0.014J	<0.0061	0.049	<0.0066	<0.0062	<0.0066	0.31	9.3	<0.0070	<0.0066	0.93	2.9	1.8	0.11	0.13	0.328	0.602	0.0032	0.0061	0.00088J	0.0013J	
Fluorene	2,390	14.8299	---	<0.0049	<0.0049	<0.0049	<0.0051	<0.0049	<0.0049	<0.0049	<0.0052	<0.0049	<0.0053	0.0084J	0.30J	<0.0056	<0.0053	0.019J	0.096J	0.11	<0.0050	0.0066J	0.0265	0.0401	<0.00020	<0.00020	<0.00020	<0.00020	
Indeno(1,2,3-cd)pyrene	1.15	---	---	<0.0026	<0.0026	<0.0026	<0.0027	0.0038J	<0.0026	0.011	<0.0028	<0.0026	<0.0028	0.075	1.7	<0.0030	<0.0028	0.25	0.62	0.33	0.017	0.031	0.0608	0.120	0.0013J	0.0023J	<0.00075	<0.00073	
1-methyl naphthalene	17.6	---	---	<0.0047	<0.0047	<0.0047	<0.0049	<0.0047	<0.0047	<0.0047	<0.0051	<0.0048	<0.0051	<0.0049	<0.10	<0.0054	<0.0051	<0.0092	<0.038	<0.024	<0.0048	<0.0049	0.0093	0.0084J	<0.00023	<0.00023	<0.00023	<0.00022	
2-methyl naphthalene	239	---	---	<0.0059	<0.0059	<0.0059	<0.0061	<0.0059	<0.0059	<0.0059	<0.0063	<0.0060	<0.0064	<0.0061	<0.12	<0.0067	<0.0064	<0.011	<0.047	<0.029	<0.0060	<0.0061	0.0117	0.0057J	<0.00025	<0.00025	<0.00025	<0.00024	
Naphthalene	5.52	0.6582	---	<0.0099	<0.0099	<0.0099	<0.0103	<0.0099	<0.0099	<0.0099	<0.011	<0.010	<0.011	<0.010	<0.21	<0.011	<0.011	<0.019	<0.079	0.050J	<0.010	0.014J	0.0223	0.0160J	0.00031J	0.00032J	<0.00030	<0.00029	
Phenanthrene	---	---	---	<0.0137	<0.0137	<0.0137	<0.0143	<0.014	<0.014	0.019J	<0.015	<0.014	<0.015	0.15	5.2	<0.016	<0.015	0.47	1.5	1.3	0.055	0.077	0.295	0.411	0.0025	0.0030	0.00092J	0.0013J	
Pyrene	1,790	54.5455	---	<0.0053	<0.0053	<0.0053	<0.0055	0.012J	<0.0053	0.045	<0.0057	<0.0054	<0.0057	0.24	6.9	<0.0061	<0.0058	0.88	2.2	1.2	0.084	0.095	0.297	0.479	0.0042	0.0069	0.0013J	0.0016J	
<b>RCRA Metals (mg/kg)</b>																													
Arsenic	0.677	0.584	8	NS	NS	3.8J	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Barium	15,300	164.8	364	NS	NS	74.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Cadmium	71.1	0.752	1	NS	NS	<0.15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Total Chromium	---	360,000	44	NS	NS	26.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Lead	400	27	52	NS	NS	7.5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Mercury	3.13	0.208	---	NS	NS	0.013J	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Selenium	391	0.52	---	NS	NS	<1.3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Silver	391	0.8491	---	NS	NS	<0.40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Notes:  
Bold values exceed the NR 720 RCL for protection of groundwater  
Boxed values exceed the NR 720 RCL for non-industrial direct contact (applicable 0 to 4 feet bgs)  
--- - no standard established  
J - Results between laboratory limit of detection and limit of quantitation  
bgs - below ground surface  
mg/kg - milligrams per kilogram  
NS - no sample collected  
PAHs - polynuclear aromatic hydrocarbons  
VOCs - volatile organic compounds  
RCL Values were obtained from the WDNR RCL Table dated March 2017

**Table 2**  
**Post-Grading Soil Sample Analytical Results**  
Former Boys and Girls Club 1632 Franklin Place Milwaukee, Wisconsin  
BRRS No 03-41-578482

PARAMETERS	Non-Industrial Direct Contact RCL	Protection of Groundwater RCL	Background Threshold Value	Sample Identification																										
				B-11					B-12					B-13					B-14											
Date Collected																														
Depth (feet bgs)	0-2.5	2.5-5	5-7.5	7.5-10	10-12.5	12.5-15	15-17.5	17.5-20	0-2.5	2.5-5	5-7.5	7.5-10	10-12.5	0-2.5	2.5-5	5-7.5	7.5-10	10-12.5	12.5-15	15-17.5	17.5-20	0-2.5	2.5-5	5-7.5	7.5-10	10-12.5				
<b>Detected PAHs (mg/kg)</b>																														
Acenaphthene	3,590	---	---	<0.00019	<0.00019	<0.00020	<0.00037	<0.00021	<0.00019	<0.00019	<0.00019	<0.00019	<0.00019	<0.00019	<0.00019	<0.00020	<0.00019	<0.00022	<0.00021	<0.00022	<0.00020	0.0015J	<0.00021	0.0012J	<0.00018	0.021J	<0.0049	0.12	0.017	<0.0046
Acenaphthylene	---	---	---	<0.00018	<0.00018	<0.00019	<0.00035	<0.00020	<0.00018	<0.00018	<0.00018	<0.00018	<0.00018	<0.00017	<0.00019	<0.00018	<0.00020	<0.00020	<0.00020	<0.00018	0.00030J	<0.00019	<0.00019	<0.00016	<0.016	<0.0042	0.11	0.0046J	<0.0039	
Anthracene	17,900	196.9492	---	<0.00026	0.00029J	<0.00027	0.0018J	<0.00029	<0.00026	<0.00026	<0.00026	<0.00026	<0.00026	<0.00026	<0.00027	<0.00026	<0.00030	<0.00029	0.0011J	<0.00027	0.0061	<0.00028	0.0044	<0.00024	0.12	0.021J	0.14	0.031	<0.0068	
Benzo(a)anthracene	1.14	---	---	0.00083J	0.0014J	0.0011J	0.0067	0.00077J	0.0012J	0.0010J	0.00077J	0.00043J	0.00085J	0.00041J	0.00068J	0.00057J	0.00072J	0.00053J	0.0055	0.0011J	0.0216	0.00074J	0.0105	0.0013J	0.58	0.10	0.19	0.17	0.0074J	
Benzo(a)pyrene	0.115	0.47	---	0.00059J	0.0012J	0.00076J	0.0061	0.00065J	0.0012J	0.0010J	<0.00058	<0.00056	0.00067J	<0.00056	0.0019J	<0.00057	<0.00065	<0.00064	0.0048	0.00078J	0.0201	<0.00062	0.0081	0.00098J	<b>0.56</b>	0.11	<b>0.37</b>	<b>0.18</b>	0.0073J	
Benzo(b)fluoranthene	1.15	0.4793	---	0.00066J	0.0013J	0.00092J	0.0073	0.00068J	0.0013J	0.0011J	0.00071J	0.00046J	0.0010J	0.00049J	0.00091J	0.00061J	0.00067J	0.00063J	0.0041	0.00094J	0.0197	0.00055J	0.0089	0.0012J	<b>0.54</b>	0.11	0.27	0.15	0.0062J	
Benzo(g,h,i)perylene	---	---	---	<0.00077	0.0012J	0.00084J	0.0060	0.0016J	0.0015J	0.0013J	<0.00078	0.00084J	0.00096J	<0.00076	0.0017J	<0.00077	<0.00089	<0.00086	0.0029J	<0.00079	0.0121	<0.00084	0.0057	0.0017J	0.35	0.045	0.39	0.067	0.0025J	
Benzo(k)fluoranthene	11.5	---	---	0.00070J	0.0011J	0.00088J	0.0069	0.00049J	0.0010J	0.00091J	0.00069J	0.00042J	0.00078J	0.00042J	0.00057J	0.00053J	0.00067J	0.00041J	0.0040	0.00084J	0.0178	0.00052J	0.0069	0.00092J	0.50	0.11	0.29	0.20	0.0080J	
Chrysene	115	0.1446	---	0.00087J	0.0015J	0.0017J	0.0098	0.0022J	0.0022J	0.0019J	0.0015J	0.0012J	0.0017J	0.0011J	0.0021J	0.00090J	0.00074J	0.0016J	0.0056	0.0013J	0.0221	0.00099J	0.0103	0.0031	<b>0.67</b>	0.12	<b>0.21</b>	<b>0.20</b>	0.010J	
Dibenzo(a,h)anthracene	0.115	---	---	<0.00088	<0.00090	<0.00093	0.0024J	<0.00098	<0.00089	<0.00090	<0.00090	<0.00088	<0.00090	<0.00087	<0.00093	<0.00089	<0.0010	<0.00099	0.0012J	<0.00091	0.0041	<0.00097	0.0018J	<0.00082	<b>0.13</b>	0.019	0.10	0.033	<0.0027	
Fluoranthene	2,390	88.8778	---	0.00078J	0.0021J	0.0020J	0.0083	0.00085J	0.0018J	0.0018J	0.00082J	0.00069J	0.0017J	0.00059J	0.0010J	0.00096J	0.0013J	0.00062J	0.0096	0.0017J	0.0412	0.0012J	0.0259	0.0017J	1.4	0.25	0.34	0.38	0.021	
Fluorene	2,390	14.8299	---	<0.00020	<0.00020	<0.00021	0.0014J	<0.00022	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00021	<0.00020	<0.00023	<0.00023	<0.00023	<0.00021	0.0018J	<0.00022	0.0011J	<0.00019	0.025J	<0.0053	0.16	0.011J	<0.0049	
Indeno(1,2,3-cd)pyrene	1.15	---	---	<0.00074	0.00095J	<0.00078	0.0050	<0.00082	<0.00075	<0.00075	<0.00076	<0.00074	<0.00076	<0.00073	<0.00078	<0.00075	<0.00086	<0.00084	0.0025J	<0.00077	0.0115	<0.00081	0.0048	0.00069J	0.33	0.053	0.35	0.082	0.0029J	
1-methyl naphthalene	17.6	---	---	<0.00023	<0.00023	<0.00024	0.0094	0.00078J	0.00036J	0.00063J	0.00035J	<0.00023	0.00054J	0.00072J	<0.00024	0.0014J	<0.00026	0.00032J	<0.00026	<0.00023	0.00078J	<0.00025	0.00037J	0.0010J	<0.020	<0.0051	0.88	<0.0050	<0.0048	
2-methyl naphthalene	239	---	---	<0.00025	<0.00025	<0.00026	0.0116	0.00072J	0.00044J	0.0011J	0.00066J	<0.00025	0.00042J	0.0012J	<0.00026	0.0020J	<0.00029	0.00047J	<0.00028	<0.00026	0.00088J	<0.00027	0.00054J	0.0021J	<0.024	<0.0064	1.0	<0.0062	<0.0059	
Naphthalene	5.52	0.6582	---	<0.00029	<0.00030	0.00039J	0.0049	0.00034J	0.0010J	<0.00030	0.00082J	<0.00029	0.00041J	0.00036J	<0.00031	0.00087J	<0.00034	0.00068J	0.00041J	<0.00030	0.0016J	<0.00032	0.0011J	0.0012J	<0.041	<0.011	0.14	0.014J	0.15	
Phenanthrene	---	---	---	0.00067J	0.0015J	0.0017J	0.0088	0.0018J	0.0016J	0.0025	0.0012J	0.00090J	0.0020J	0.00073J	0.0011J	0.0017J	0.0010J	0.00097J	0.0034	0.0012J	0.027	0.00062J	0.0183	0.0017J	0.45	0.078	0.79	0.14	0.015J	
Pyrene	1,790	54.5455	---	0.00088J	0.0019J	0.0018J	0.0144	0.0015J	0.0022J	0.0021J	0.00070J	0.00097J	0.0019J	0.00061J	0.0016J	0.0011J	0.0011J	0.00065J	0.0099	0.0017J	0.0371	0.0011J	0.0217	0.0018J	1.0	0.19	0.31	0.31	0.017J	
<b>RCRA Metals (mg/kg)</b>																														
Arsenic	0.677	0.584	8	NS	NS	4.4J	NS	NS	NS	NS	NS	NS	5.2J	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Barium	15,300	164.8	364	NS	NS	96.3	NS	NS	NS	NS	NS	NS	86.4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Cadmium	71.1	0.752	1	NS	NS	0.18J	NS	NS	NS	NS	NS	NS	<0.15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Total Chromium	---	360,000	44	NS	NS	30.4	NS	NS	NS	NS	NS	NS	28.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Lead	400	27	52	NS	NS	8.0	NS	NS	NS	NS	NS	NS	8.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Mercury	3.13	0.208	---	NS	NS	<0.013	NS	NS	NS	NS	NS	NS	<0.013	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Selenium	391	0.52	---	NS	NS	<1.2	NS	NS	NS	NS	NS	NS	<1.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Silver	391	0.8491	---	NS	NS	<0.38	NS	NS	NS	NS	NS	NS	<0.38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	


**Notes:**  
Bold values exceed the NR 720 RCL for protection of groundwater  
Boxed values exceed the NR 720 RCL for non-industrial direct contact (applicable 0 to 4 feet bgs)  
--- - no standard established  
J - Results between laboratory limit of detection and limit of quantitation  
bgs - below ground surface  
mg/kg - milligrams per kilogram  
NS - no sample collected  
PAHs - polynuclear aromatic hydrocarbons  
VOCs - volatile organic compounds  
RCL Values were obtained from the WDNR RCL Table dated March 2017

**Table 3**  
**Groundwater Sample Analytical Results**  
Former Boys and Girls Club 1632 Franklin Place Milwaukee, Wisconsin  
BRRS No 03-41-578482

PARAMETERS	Preventive Action Limit	Enforcement Standard	SAMPLE IDENTIFICATION								
			MW-1			MW-2		MW-3		MW-4	
Date Collected	---	---	8/16/2016	9/26/2017	9/26/2017 D	8/16/2016	9/26/2017	8/16/2016	9/26/2017	8/16/2016	9/26/2017
<b>Detected VOCs (ug/l)</b>											
p-Isopropyltoluene	---	---	<0.50	NA	NA	10.2	NA	<0.50	NA	<0.50	NA
<b>PAHs (ug/l)</b>											
Acenaphthene	---	---	0.022J	<0.0057	0.011J	<0.0047	0.011J	<0.0047	<0.0057	<0.0051	0.0068J
Acenaphthylene	---	---	0.031J	<0.0047	<0.0046	<0.0047	0.032	<0.0047	<0.0047	<0.0051	<0.0046
Anthracene	600	3,000	0.15	0.010J	0.05	<0.0038	<0.0098	<0.0038	<0.0098	0.022J	<0.0097
Benzo(a)anthracene	---	---	0.29	0.029J	0.14	<0.0048	0.025J	<0.0049	<0.0071	<0.0053	<0.0070
Benzo(a)pyrene	0.02	0.2	<b>0.37</b>	<i>0.030J</i>	<i>0.17</i>	<0.0042	<i>0.036J</i>	<0.0042	<0.0098	0.0064J	<0.0098
Benzo(b)fluoranthene	0.02	0.2	<b>0.49</b>	<i>0.050</i>	<b>0.24</b>	<0.0050	<i>0.048</i>	<0.0051	<0.0054	0.016J	<0.0053
Benzo(g,h,i)perylene	---	---	0.26	0.030J	0.15	<0.0033	0.039	<0.0033	<0.0063	0.0081J	<0.0063
Benzo(k)fluoranthene	---	---	0.25	0.031J	0.14	<0.0053	0.028J	<0.0054	<0.0071	0.0091J	<0.0070
Chrysene	0.02	0.2	<b>0.46</b>	<i>0.062</i>	<b>0.27</b>	<0.0040	<i>0.036J</i>	<0.0040	<0.012	<i>0.030J</i>	<0.012
Dibenzo(a,h)anthracene	---	---	0.045J	<0.0094	0.023J	<0.0052	<0.0094	<0.0053	<0.0094	<0.0057	<0.0093
Fluoranthrene	80	400	0.92	0.11	0.59	<0.0089	0.056	<0.0090	<0.010	0.022J	0.011J
Fluorene	80	400	0.026J	<0.0074	0.010J	<0.0038	0.0093J	<0.0038	<0.0074	<0.0042	<0.0074
Indeno(1,2,3-cd)pyrene	---	---	0.22	0.024J	0.11	<0.0034	0.032J	<0.0034	<0.016	0.0044J	<0.016
1-Methyl Naphthalene	---	---	0.0054J	<0.0055	<0.0055	0.0098J	0.010J	<0.0029	0.010J	0.0037J	0.0081J
2-Methyl Naphthalene	---	---	0.0080J	<0.0046	<0.0045	0.012J	0.016J	<0.0026	0.012J	0.0064J	0.0066J
Naphthalene	10	100	0.0093J	<0.017	<0.017	0.0095J	0.040J	<0.0043	<0.017	0.0078J	<0.017
Phenanthrene	---	---	0.36	0.042J	0.20	0.018J	0.043J	<0.0073	0.013J	0.014J	0.015J
Pyrene	50	250	0.77	0.087	0.41	<0.0073	0.044	<0.0073	0.0083J	0.021J	0.011J

*Notes:*

- Bold concentrations exceed NR 140 enforcement standards
- Italicized concentrations exceed NR 140 preventive action limits
- - no standard established
- D- Duplicate
- J - Results between the limit of detection and limit of quantitation
- NA - Not Analyzed
- PAHs - polynuclear aromatic hydrocarbons
- ug/l - micrograms per liter
- VOCs - volatile organic compounds



SOURCE: United States Geological Survey, Milwaukee Wisconsin Quadrangle. 7.5 Minutes Series. 1971


USGS Location: Milwaukee	Map Year: 1971
Project: 1606-0975-0001	Date: 9/21/2016
	Scale: 1:24000
	Series: 7.5 Minute

FIGURE 1  
 SITE LOCATION MAP  
 FORMER BOYS & GIRLS CLUB  
 1632 NORTH FRANKLIN STREET  
 MILWAUKEE, WISCONSIN



# LEGEND

- ⊕ Monitoring Well Locations
- ✕ Soil Sample Locations
- ⊙ Direct Push Soil Probe Locations



© 2016 Key Engineering Group Ltd.

DESIGNED BY TLS	DATE 9/27/16
DRAWN BY R/JN	PROJECT 1606-0975
APPROVED BY TLS	SHEET NO.
CADFILE G:\Projects\1606-0975 Boys and Girls Club\Base.dwg	
XREF LMAN	



FIGURE 2  
SITE LAYOUT MAP  
BOYS & GIRLS CLUB  
1632 N FRANKLIN PLACE  
MILWAUKEE, WISCONSIN



Oct 13, 2016 - 8:29am G:\Projects\1606-0975 Boys and Girls Club\Base.dwg

# LEGEND

● Sample Location



© 2016 Key Engineering Group Ltd.

DESIGNED BY TLS	DATE 11/15/2017
DRAWN BY RJN	PROJECT 1606-0975
APPROVED BY TLS	SHEET NO.
CADFILE G:\Projects\1606-0975 Boys and Girls Club\2017-11-15\Base.dwg	
XREF LMAN	

FIGURE 3  
POST-GRADING SOIL SAMPLE LOCATION MAP  
BOYS & GIRLS CLUB  
1632 N FRANKLIN PLACE  
MILWAUKEE, WISCONSIN

735 NORTH WATER STREET, SUITE 510  
MILWAUKEE, WI 53202  
414.224.8300 (tel) - 414.224.8383 (fax)

Nov 15, 2017 - 10:12am G:\Projects\1606-0975 Boys and Girls Club\2017-11-15\Base.dwg

# LEGEND


- Sample Location
- 0-5' Depth interval where soil sample residues exceed either the non-industrial direct contact RCL or groundwater pathway RCL
- ▨ No exceedance detected



FIGURE 4  
 LOCATION OF SOIL RCL EXCEEDANCES  
 BOYS & GIRLS CLUB  
 1632 N FRANKLIN PLACE  
 MILWAUKEE, WISCONSIN

DESIGNED BY TLS	DATE 11/15/2017
DRAWN BY RJN	PROJECT 1606-0975
APPROVED BY TLS	SHEET NO.

CADFILE G:\Projects\1606-0975 Boys and Girls Club\2017-11-15\Base.dwg  
 XREF  
 LMAN





© 2016 Key Engineering Group Ltd.

**KEY**  
 ENGINEERING  
 GROUP LTD.  
 735 NORTH WATER STREET, SUITE 510  
 MILWAUKEE, WI 53202  
 414.224.8300 (tel) - 414.224.8383 (fax)

Nov 15, 2017 - 10:13am C:\Projects\1606-0975 Boys and Girls Club\2017-11-15\Base.dwg

# LEGEND

- Sample Location
- ⊕ Monitoring Well Locations
- ✕ Soil Sample Locations
- ⊙ Direct Push Soil Probe Locations



© 2016 Key Engineering Group Ltd.

DESIGNED BY TLS	DATE 11/15/2017
DRAWN BY RJN	PROJECT 1606-0975
APPROVED BY TLS	SHEET NO.
CADFILE G:\Projects\1606-0975 Boys and Girls Club\2017-11-15\Base.dwg	
XREF LMAN	

FIGURE 5  
CUT AND FILL PLAN  
BOYS & GIRLS CLUB  
1632 N FRANKLIN PLACE  
MILWAUKEE, WISCONSIN





November 09, 2017

Kurt McClung  
Key Engineering Group, LTD.  
735 North Water Street  
Milwaukee, WI 53202

RE: Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Dear Kurt McClung:

Enclosed are the analytical results for sample(s) received by the laboratory on November 02, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky  
dan.milewsky@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Valerie Collins, Key Engineering Group, LTD.  
Cassie Haupt, KEY ENGINEERING GROUP, LTD.  
Toni Schoen, KEY ENGINEERING GROUP, LTD.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

---

### Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

---

### Grand Rapids Certification ID's

5560 Corporate Exchange Ct SE, Grand Rapids, MI 49512

ISO/IEC 17025:2005, Certificate #AT-1542.01

DoD-ELAP, Certificate #ADE-1542

Minnesota Department of Health, Certificate #1177224

Arkansas Department of Environmental Quality, Certificate #17-046-0

Georgia Environmental Protection Division, Stipulation

Illinois Environmental Protection Agency, Certificate

#004097

Michigan Department of Environmental Quality, Laboratory #0034

New York State Department of Health, Serial #56192 and 56193

North Carolina Division of Water Resources, Certificate #659

Virginia Department of General Services, Certificate #9028

Wisconsin Department of Natural Resources, Laboratory #999472650

U.S. Department of Agriculture Permit to Receive Soil, Permit #P330-14-00305

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40159995001	B3 2.5-5.0	Solid	10/30/17 14:08	11/02/17 07:35
40159995002	B6 5.0-7.5	Solid	10/30/17 16:29	11/02/17 07:35
40159995003	B10 2.5-5.0	Solid	10/31/17 09:53	11/02/17 07:35
40159995004	B12 5.0-7.5	Solid	10/31/17 12:38	11/02/17 07:35
40159995005	B13 7.5-10.0	Solid	10/31/17 13:48	11/02/17 07:35
40159995006	TRIP	Solid	10/31/17 00:00	11/02/17 07:35
40159995007	B1 2.5-5.0	Solid	10/30/17 12:49	11/02/17 07:35
40159995008	B6 5.0-7.5	Solid	10/30/17 16:27	11/02/17 07:35
40159995009	B9 2.5-5.0	Solid	10/31/17 09:24	11/02/17 07:35
40159995010	B11 5.0-7.5	Solid	10/31/17 10:37	11/02/17 07:35
40159995011	B12 2.5-5.0	Solid	10/31/17 12:33	11/02/17 07:35
40159995012	B1 0-2.5	Solid	10/30/17 12:30	11/02/17 07:35
40159995013	B1 2.5-5.0	Solid	10/30/17 12:45	11/02/17 07:35
40159995014	B1 5.0-7.5	Solid	10/30/17 12:55	11/02/17 07:35
40159995015	B1 7.5-10.0	Solid	10/30/17 13:00	11/02/17 07:35
40159995016	B2 0-2.5	Solid	10/30/17 13:15	11/02/17 07:35
40159995017	B2 2.5-5.0	Solid	10/30/17 13:20	11/02/17 07:35
40159995018	B2 5.0-7.5	Solid	10/30/17 13:25	11/02/17 07:35
40159995019	B2 7.5-10.0	Solid	10/30/17 13:30	11/02/17 07:35
40159995020	B2 10-12.5	Solid	10/30/17 13:35	11/02/17 07:35
40159995021	B2 12.5-15.0	Solid	10/30/17 13:40	11/02/17 07:35
40159995022	B2 15.0-17.5	Solid	10/30/17 13:45	11/02/17 07:35
40159995023	B2 17.5-20.0	Solid	10/30/17 13:50	11/02/17 07:35
40159995024	B3 0-2.5	Solid	10/30/17 14:00	11/02/17 07:35
40159995025	B3 2.5-5.0	Solid	10/30/17 14:05	11/02/17 07:35
40159995026	B3 5.0-7.5	Solid	10/30/17 14:10	11/02/17 07:35
40159995027	B3 7.5-10.0	Solid	10/30/17 14:15	11/02/17 07:35
40159995028	B3 10-12.5	Solid	10/30/17 14:20	11/02/17 07:35
40159995029	B3 12.5-15.0	Solid	10/30/17 14:25	11/02/17 07:35
40159995030	B4 0-2.5	Solid	10/30/17 14:45	11/02/17 07:35
40159995031	B4 2.5-5.0	Solid	10/30/17 14:50	11/02/17 07:35
40159995032	B5 0-2.5	Solid	10/30/17 14:55	11/02/17 07:35
40159995033	B5 2.5-5.0	Solid	10/30/17 16:00	11/02/17 07:35
40159995034	B6 0-2.5	Solid	10/30/17 16:15	11/02/17 07:35
40159995035	B6 2.5-5.0	Solid	10/30/17 16:20	11/02/17 07:35
40159995036	B6 5.0-7.5	Solid	10/30/17 16:25	11/02/17 07:35
40159995037	B6 7.5-10.0	Solid	10/30/17 16:30	11/02/17 07:35

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40159995038	B6 10-12.5	Solid	10/30/17 16:35	11/02/17 07:35
40159995039	B6 12.5-15.0	Solid	10/30/17 16:40	11/02/17 07:35
40159995040	B7 0-2.5	Solid	10/30/17 16:45	11/02/17 07:35
40159995041	B7 2.5-5.0	Solid	10/30/17 16:50	11/02/17 07:35
40159995042	B7 5.0-7.5	Solid	10/30/17 16:55	11/02/17 07:35
40159995043	B7 7.5-10.0	Solid	10/30/17 17:00	11/02/17 07:35
40159995044	B8 0-2.5	Solid	10/31/17 08:45	11/02/17 07:35
40159995045	B8 2.5-5.0	Solid	10/31/17 08:50	11/02/17 07:35
40159995046	B8 5.0-7.5	Solid	10/31/17 08:55	11/02/17 07:35
40159995047	B8 7.5-10.0	Solid	10/31/17 09:00	11/02/17 07:35
40159995048	B9 0-2.5	Solid	10/31/17 09:10	11/02/17 07:35
40159995049	B9 2.5-5.0	Solid	10/31/17 09:15	11/02/17 07:35
40159995050	B9 5.0-7.5	Solid	10/31/17 09:20	11/02/17 07:35
40159995051	B9 10-12.5	Solid	10/31/17 09:30	11/02/17 07:35
40159995052	B10 0-2.5	Solid	10/31/17 09:45	11/02/17 07:35
40159995053	B10 2.5-5.0	Solid	10/31/17 09:50	11/02/17 07:35
40159995054	B10 5.0-7.5	Solid	10/31/17 09:55	11/02/17 07:35
40159995055	B10 7.5-10.0	Solid	10/31/17 10:00	11/02/17 07:35
40159995056	B10 10-12.5	Solid	10/31/17 10:05	11/02/17 07:35
40159995057	B10 12.5-15.0	Solid	10/31/17 10:10	11/02/17 07:35
40159995058	B11 0-2.5	Solid	10/31/17 10:25	11/02/17 07:35
40159995059	B11 2.5-5.0	Solid	10/31/17 10:30	11/02/17 07:35
40159995060	B11 5.0-7.5	Solid	10/31/17 10:35	11/02/17 07:35
40159995061	B11 7.5-10.0	Solid	10/31/17 10:40	11/02/17 07:35
40159995062	B11 10.0-12.5	Solid	10/31/17 10:45	11/02/17 07:35
40159995063	B11 12.5-15.0	Solid	10/31/17 10:50	11/02/17 07:35
40159995064	B11 15.0-17.5	Solid	10/31/17 11:45	11/02/17 07:35
40159995065	B11 17.5-20.0	Solid	10/31/17 11:50	11/02/17 07:35
40159995066	B12 0-2.5	Solid	10/31/17 12:15	11/02/17 07:35
40159995067	B12 2.5-5.0	Solid	10/31/17 12:30	11/02/17 07:35
40159995068	B12 5.0-7.5	Solid	10/31/17 12:35	11/02/17 07:35
40159995069	B12 7.5-10.0	Solid	10/31/17 12:45	11/02/17 07:35
40159995070	B12 10.0-12.5	Solid	10/31/17 13:00	11/02/17 07:35
40159995071	B13 0-2.5	Solid	10/31/17 13:10	11/02/17 07:35
40159995072	B13 2.5-5.0	Solid	10/31/17 13:20	11/02/17 07:35
40159995073	B13 5.0-7.5	Solid	10/31/17 13:30	11/02/17 07:35
40159995074	B13 7.5-10.0	Solid	10/31/17 13:45	11/02/17 07:35

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE SUMMARY

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40159995075	B13 10.0-12.5	Solid	10/31/17 13:50	11/02/17 07:35
40159995076	B13 12.5-15.0	Solid	10/31/17 13:55	11/02/17 07:35
40159995077	B13 15.0-17.5	Solid	10/31/17 14:00	11/02/17 07:35
40159995078	B13 17.5-20.0	Solid	10/31/17 14:05	11/02/17 07:35
40159995079	B14 0-2.5	Solid	10/30/17 15:00	11/02/17 07:35
40159995080	B14 2.5-5.0	Solid	10/30/17 15:10	11/02/17 07:35
40159995081	B14 5.0-7.5	Solid	10/30/17 15:20	11/02/17 07:35
40159995082	B14 7.5-10.0	Solid	10/30/17 15:30	11/02/17 07:35
40159995083	B14 10.0-12.5	Solid	10/30/17 15:40	11/02/17 07:35
40159995084	B2 5.0-7.5	Solid	10/30/17 12:40	11/02/17 07:35
40159995085	B4 2.5-5.0	Solid	10/30/17 14:52	11/02/17 07:35
40159995086	B6 2.5-5.0	Solid	10/30/17 16:23	11/02/17 07:35
40159995087	B13 7.5-10	Solid	10/31/17 13:48	11/02/17 07:35
40159995088	B14 7.5-10	Solid	10/30/17 15:30	11/02/17 07:35
40159995089	B9 7.5-10.00	Solid	10/30/17 00:00	11/02/17 07:35

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40159995001	B3 2.5-5.0	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995002	B6 5.0-7.5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995003	B10 2.5-5.0	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995004	B12 5.0-7.5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995005	B13 7.5-10.0	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995006	TRIP	EPA 8260	SMT	64	PASI-G
40159995007	B1 2.5-5.0	EPA 6010	JLD	7	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995008	B6 5.0-7.5	EPA 6010	JLD	7	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995009	B9 2.5-5.0	EPA 6010	JLD	7	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995010	B11 5.0-7.5	EPA 6010	JLD	7	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995011	B12 2.5-5.0	EPA 6010	JLD	7	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995012	B1 0-2.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995013	B1 2.5-5.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995014	B1 5.0-7.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995015	B1 7.5-10.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995016	B2 0-2.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995017	B2 2.5-5.0	EPA 8270 by SIM	ARO	20	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40159995018	B2 5.0-7.5	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995019	B2 7.5-10.0	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995020	B2 10-12.5	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995021	B2 12.5-15.0	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995022	B2 15.0-17.5	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995023	B2 17.5-20.0	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995024	B3 0-2.5	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995025	B3 2.5-5.0	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995026	B3 5.0-7.5	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995027	B3 7.5-10.0	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995028	B3 10-12.5	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995029	B3 12.5-15.0	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
40159995030	B4 0-2.5	ASTM D2974-87	AH	1	PASI-G
		EPA 8270C SIM	JLB	20	PASI-GRMI
40159995031	B4 2.5-5.0	SM 2540 G-11/3550	NS1	1	PASI-GRMI
		EPA 8270C SIM	JLB	20	PASI-GRMI
40159995032	B5 0-2.5	SM 2540 G-11/3550	NS1	1	PASI-GRMI
		EPA 8270C SIM	JLB	20	PASI-GRMI
40159995033	B5 2.5-5.0	SM 2540 G-11/3550	NS1	1	PASI-GRMI
		EPA 8270C SIM	JLB	20	PASI-GRMI
40159995034	B6 0-2.5	SM 2540 G-11/3550	NS1	1	PASI-GRMI
		EPA 8270 by SIM	ARO	20	PASI-G
40159995035	B6 2.5-5.0	ASTM D2974-87	AH	1	PASI-G
		EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40159995036	B6 5.0-7.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995037	B6 7.5-10.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995038	B6 10-12.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995039	B6 12.5-15.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995040	B7 0-2.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995041	B7 2.5-5.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995042	B7 5.0-7.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995043	B7 7.5-10.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995044	B8 0-2.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995045	B8 2.5-5.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995046	B8 5.0-7.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995047	B8 7.5-10.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995048	B9 0-2.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995049	B9 2.5-5.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995050	B9 5.0-7.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995051	B9 10-12.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995052	B10 0-2.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995053	B10 2.5-5.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995054	B10 5.0-7.5	EPA 8270C SIM	JLB	20	PASI-GRMI

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995055	B10 7.5-10.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995056	B10 10-12.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995057	B10 12.5-15.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995058	B11 0-2.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995059	B11 2.5-5.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995060	B11 5.0-7.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995061	B11 7.5-10.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995062	B11 10.0-12.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995063	B11 12.5-15.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995064	B11 15.0-17.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995065	B11 17.5-20.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995066	B12 0-2.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995067	B12 2.5-5.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995068	B12 5.0-7.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995069	B12 7.5-10.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995070	B12 10.0-12.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995071	B13 0-2.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995072	B13 2.5-5.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40159995073	B13 5.0-7.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995074	B13 7.5-10.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995075	B13 10.0-12.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995076	B13 12.5-15.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995077	B13 15.0-17.5	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995078	B13 17.5-20.0	EPA 8270C SIM	JLB	20	PASI-GRMI
		SM 2540 G-11/3550	NS1	1	PASI-GRMI
40159995079	B14 0-2.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995080	B14 2.5-5.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995081	B14 5.0-7.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995082	B14 7.5-10.0	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995083	B14 10.0-12.5	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995084	B2 5.0-7.5	EPA 8082	BLM	10	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995085	B4 2.5-5.0	EPA 8082	BLM	10	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995086	B6 2.5-5.0	EPA 8082	BLM	10	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995087	B13 7.5-10	EPA 8082	BLM	10	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995088	B14 7.5-10	EPA 8082	BLM	10	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40159995089	B9 7.5-10.00	EPA 8270 by SIM	ARO	20	PASI-G
		ASTM D2974-87	AH	1	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995001</b>	<b>B3 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	11.7	%	0.10	11/04/17 07:36	
<b>40159995002</b>	<b>B6 5.0-7.5</b>					
ASTM D2974-87	Percent Moisture	16.2	%	0.10	11/04/17 07:36	
<b>40159995003</b>	<b>B10 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	18.8	%	0.10	11/04/17 07:36	
<b>40159995004</b>	<b>B12 5.0-7.5</b>					
ASTM D2974-87	Percent Moisture	14.8	%	0.10	11/04/17 07:36	
<b>40159995005</b>	<b>B13 7.5-10.0</b>					
ASTM D2974-87	Percent Moisture	14.5	%	0.10	11/04/17 07:36	
<b>40159995007</b>	<b>B1 2.5-5.0</b>					
EPA 6010	Arsenic	4.1J	mg/kg	5.9	11/07/17 19:20	
EPA 6010	Barium	89.1	mg/kg	0.59	11/07/17 19:20	
EPA 6010	Chromium	31.6	mg/kg	1.2	11/07/17 19:20	
EPA 6010	Lead	21.1	mg/kg	1.5	11/07/17 19:20	MO
ASTM D2974-87	Percent Moisture	15.0	%	0.10	11/04/17 07:36	
<b>40159995008</b>	<b>B6 5.0-7.5</b>					
EPA 6010	Arsenic	3.8J	mg/kg	5.8	11/07/17 19:27	
EPA 6010	Barium	74.8	mg/kg	0.58	11/07/17 19:27	
EPA 6010	Chromium	26.7	mg/kg	1.2	11/07/17 19:27	
EPA 6010	Lead	7.5	mg/kg	1.5	11/07/17 19:27	
EPA 7471	Mercury	0.013J	mg/kg	0.043	11/08/17 10:11	
ASTM D2974-87	Percent Moisture	14.4	%	0.10	11/04/17 07:36	
<b>40159995009</b>	<b>B9 2.5-5.0</b>					
EPA 6010	Arsenic	6.2	mg/kg	5.4	11/07/17 19:29	
EPA 6010	Barium	108	mg/kg	0.54	11/07/17 19:29	
EPA 6010	Cadmium	0.32J	mg/kg	0.54	11/07/17 19:29	
EPA 6010	Chromium	25.0	mg/kg	1.1	11/07/17 19:29	
EPA 6010	Lead	108	mg/kg	1.4	11/07/17 19:29	
EPA 7471	Mercury	0.023J	mg/kg	0.040	11/08/17 10:14	
ASTM D2974-87	Percent Moisture	12.9	%	0.10	11/04/17 07:37	
<b>40159995010</b>	<b>B11 5.0-7.5</b>					
EPA 6010	Arsenic	4.4J	mg/kg	5.5	11/07/17 19:32	
EPA 6010	Barium	96.3	mg/kg	0.55	11/07/17 19:32	
EPA 6010	Cadmium	0.18J	mg/kg	0.55	11/07/17 19:32	
EPA 6010	Chromium	30.4	mg/kg	1.1	11/07/17 19:32	
EPA 6010	Lead	8.0	mg/kg	1.4	11/07/17 19:32	
ASTM D2974-87	Percent Moisture	16.0	%	0.10	11/04/17 07:37	
<b>40159995011</b>	<b>B12 2.5-5.0</b>					
EPA 6010	Arsenic	5.2J	mg/kg	5.5	11/07/17 19:34	
EPA 6010	Barium	86.4	mg/kg	0.55	11/07/17 19:34	
EPA 6010	Chromium	28.7	mg/kg	1.1	11/07/17 19:34	
EPA 6010	Lead	8.2	mg/kg	1.4	11/07/17 19:34	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995011</b>	<b>B12 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	16.1	%	0.10	11/04/17 07:37	
<b>40159995012</b>	<b>B1 0-2.5</b>					
EPA 8270 by SIM	Acenaphthylene	4.6J	ug/kg	13.0	11/06/17 11:46	
EPA 8270 by SIM	Anthracene	14.7J	ug/kg	22.5	11/06/17 11:46	
EPA 8270 by SIM	Benzo(a)anthracene	68.6	ug/kg	12.6	11/06/17 11:46	
EPA 8270 by SIM	Benzo(a)pyrene	75.3	ug/kg	9.9	11/06/17 11:46	
EPA 8270 by SIM	Benzo(b)fluoranthene	61.7	ug/kg	11.2	11/06/17 11:46	
EPA 8270 by SIM	Benzo(g,h,i)perylene	50.2	ug/kg	8.0	11/06/17 11:46	
EPA 8270 by SIM	Benzo(k)fluoranthene	81.4	ug/kg	9.9	11/06/17 11:46	
EPA 8270 by SIM	Chrysene	86.5	ug/kg	13.3	11/06/17 11:46	
EPA 8270 by SIM	Dibenz(a,h)anthracene	16.3	ug/kg	8.8	11/06/17 11:46	
EPA 8270 by SIM	Fluoranthene	175	ug/kg	20.6	11/06/17 11:46	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	47.3	ug/kg	8.7	11/06/17 11:46	
EPA 8270 by SIM	1-Methylnaphthalene	86.6	ug/kg	15.9	11/06/17 11:46	
EPA 8270 by SIM	2-Methylnaphthalene	106	ug/kg	19.8	11/06/17 11:46	
EPA 8270 by SIM	Naphthalene	92.7	ug/kg	33.3	11/06/17 11:46	
EPA 8270 by SIM	Phenanthrene	99.4	ug/kg	46.0	11/06/17 11:46	
EPA 8270 by SIM	Pyrene	150	ug/kg	17.8	11/06/17 11:46	
ASTM D2974-87	Percent Moisture	15.6	%	0.10	11/04/17 07:37	
<b>40159995013</b>	<b>B1 2.5-5.0</b>					
EPA 8270 by SIM	Anthracene	9.3J	ug/kg	22.8	11/03/17 14:47	
EPA 8270 by SIM	Benzo(a)anthracene	24.2	ug/kg	12.7	11/03/17 14:47	
EPA 8270 by SIM	Benzo(a)pyrene	21.1	ug/kg	10.0	11/03/17 14:47	
EPA 8270 by SIM	Benzo(b)fluoranthene	22.1	ug/kg	11.3	11/03/17 14:47	
EPA 8270 by SIM	Benzo(g,h,i)perylene	8.4	ug/kg	8.1	11/03/17 14:47	
EPA 8270 by SIM	Benzo(k)fluoranthene	20.2	ug/kg	10.0	11/03/17 14:47	
EPA 8270 by SIM	Chrysene	25.1	ug/kg	13.4	11/03/17 14:47	
EPA 8270 by SIM	Dibenz(a,h)anthracene	3.1J	ug/kg	8.9	11/03/17 14:47	
EPA 8270 by SIM	Fluoranthene	65.4	ug/kg	20.9	11/03/17 14:47	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	8.7J	ug/kg	8.8	11/03/17 14:47	
EPA 8270 by SIM	Phenanthrene	39.7J	ug/kg	46.5	11/03/17 14:47	
EPA 8270 by SIM	Pyrene	49.7	ug/kg	18.0	11/03/17 14:47	
ASTM D2974-87	Percent Moisture	16.6	%	0.10	11/04/17 07:37	
<b>40159995014</b>	<b>B1 5.0-7.5</b>					
ASTM D2974-87	Percent Moisture	14.8	%	0.10	11/04/17 07:37	
<b>40159995015</b>	<b>B1 7.5-10.0</b>					
ASTM D2974-87	Percent Moisture	15.8	%	0.10	11/04/17 07:37	
<b>40159995016</b>	<b>B2 0-2.5</b>					
ASTM D2974-87	Percent Moisture	14.3	%	0.10	11/04/17 13:36	
<b>40159995017</b>	<b>B2 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	17.1	%	0.10	11/04/17 13:37	
<b>40159995018</b>	<b>B2 5.0-7.5</b>					
EPA 8270 by SIM	Anthracene	6.9J	ug/kg	22.2	11/03/17 16:14	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995018</b>	<b>B2 5.0-7.5</b>					
EPA 8270 by SIM	Benzo(a)anthracene	19.7	ug/kg	12.4	11/03/17 16:14	
EPA 8270 by SIM	Benzo(a)pyrene	17.1	ug/kg	9.8	11/03/17 16:14	
EPA 8270 by SIM	Benzo(b)fluoranthene	17.1	ug/kg	11.0	11/03/17 16:14	
EPA 8270 by SIM	Benzo(g,h,i)perylene	5.1J	ug/kg	7.9	11/03/17 16:14	
EPA 8270 by SIM	Benzo(k)fluoranthene	16.9	ug/kg	9.7	11/03/17 16:14	
EPA 8270 by SIM	Chrysene	22.1	ug/kg	13.1	11/03/17 16:14	
EPA 8270 by SIM	Fluoranthene	45.1	ug/kg	20.3	11/03/17 16:14	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	5.4J	ug/kg	8.5	11/03/17 16:14	
EPA 8270 by SIM	Phenanthrene	23.2J	ug/kg	45.2	11/03/17 16:14	
EPA 8270 by SIM	Pyrene	35.9	ug/kg	17.5	11/03/17 16:14	
ASTM D2974-87	Percent Moisture	14.3	%	0.10	11/04/17 13:37	
<b>40159995019</b>	<b>B2 7.5-10.0</b>					
ASTM D2974-87	Percent Moisture	13.0	%	0.10	11/04/17 13:37	
<b>40159995020</b>	<b>B2 10-12.5</b>					
EPA 8270 by SIM	Benzo(a)anthracene	4.8J	ug/kg	13.6	11/06/17 17:41	
ASTM D2974-87	Percent Moisture	22.1	%	0.10	11/04/17 13:37	
<b>40159995021</b>	<b>B2 12.5-15.0</b>					
EPA 8270 by SIM	Anthracene	10.8J	ug/kg	24.5	11/06/17 18:50	
EPA 8270 by SIM	Benzo(a)anthracene	23.7	ug/kg	13.7	11/06/17 18:50	
EPA 8270 by SIM	Benzo(a)pyrene	13.8	ug/kg	10.8	11/06/17 18:50	
EPA 8270 by SIM	Benzo(b)fluoranthene	18.4	ug/kg	12.2	11/06/17 18:50	
EPA 8270 by SIM	Benzo(g,h,i)perylene	5.0J	ug/kg	8.7	11/06/17 18:50	
EPA 8270 by SIM	Benzo(k)fluoranthene	8.4J	ug/kg	10.8	11/06/17 18:50	
EPA 8270 by SIM	Chrysene	19.1	ug/kg	14.5	11/06/17 18:50	
EPA 8270 by SIM	Fluoranthene	54.1	ug/kg	22.5	11/06/17 18:50	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	5.4J	ug/kg	9.5	11/06/17 18:50	
EPA 8270 by SIM	Phenanthrene	37.6J	ug/kg	50.1	11/06/17 18:50	
EPA 8270 by SIM	Pyrene	37.3	ug/kg	19.4	11/06/17 18:50	
ASTM D2974-87	Percent Moisture	22.5	%	0.10	11/06/17 13:47	
<b>40159995022</b>	<b>B2 15.0-17.5</b>					
EPA 8270 by SIM	Benzo(a)pyrene	3.1J	ug/kg	10.0	11/06/17 19:07	
EPA 8270 by SIM	Benzo(b)fluoranthene	3.8J	ug/kg	11.3	11/06/17 19:07	
EPA 8270 by SIM	Fluoranthene	8.2J	ug/kg	20.8	11/06/17 19:07	
EPA 8270 by SIM	Pyrene	7.2J	ug/kg	17.9	11/06/17 19:07	
ASTM D2974-87	Percent Moisture	16.5	%	0.10	11/06/17 13:47	
<b>40159995023</b>	<b>B2 17.5-20.0</b>					
ASTM D2974-87	Percent Moisture	24.2	%	0.10	11/06/17 13:47	
<b>40159995024</b>	<b>B3 0-2.5</b>					
EPA 8270 by SIM	Acenaphthene	89.0J	ug/kg	158	11/07/17 13:48	
EPA 8270 by SIM	Acenaphthylene	86.7J	ug/kg	135	11/07/17 13:48	
EPA 8270 by SIM	Anthracene	360	ug/kg	233	11/07/17 13:48	
EPA 8270 by SIM	Benzo(a)anthracene	1270	ug/kg	130	11/07/17 13:48	
EPA 8270 by SIM	Benzo(a)pyrene	1240	ug/kg	103	11/07/17 13:48	
EPA 8270 by SIM	Benzo(b)fluoranthene	1090	ug/kg	116	11/07/17 13:48	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995024</b>	<b>B3 0-2.5</b>					
EPA 8270 by SIM	Benzo(g,h,i)perylene	744	ug/kg	83.1	11/07/17 13:48	
EPA 8270 by SIM	Benzo(k)fluoranthene	1240	ug/kg	103	11/07/17 13:48	
EPA 8270 by SIM	Chrysene	1530	ug/kg	138	11/07/17 13:48	
EPA 8270 by SIM	Dibenz(a,h)anthracene	240	ug/kg	91.5	11/07/17 13:48	
EPA 8270 by SIM	Fluoranthene	3200	ug/kg	214	11/07/17 13:48	
EPA 8270 by SIM	Fluorene	196	ug/kg	169	11/07/17 13:48	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	720	ug/kg	90.0	11/07/17 13:48	
EPA 8270 by SIM	1-Methylnaphthalene	179	ug/kg	165	11/07/17 13:48	
EPA 8270 by SIM	2-Methylnaphthalene	232	ug/kg	205	11/07/17 13:48	
EPA 8270 by SIM	Naphthalene	135J	ug/kg	345	11/07/17 13:48	
EPA 8270 by SIM	Phenanthrene	1560	ug/kg	477	11/07/17 13:48	
EPA 8270 by SIM	Pyrene	2600	ug/kg	184	11/07/17 13:48	
ASTM D2974-87	Percent Moisture	18.6	%	0.10	11/06/17 13:47	
<b>40159995025</b>	<b>B3 2.5-5.0</b>					
EPA 8270 by SIM	Acenaphthylene	145	ug/kg	137	11/07/17 16:33	
EPA 8270 by SIM	Anthracene	324	ug/kg	237	11/07/17 16:33	
EPA 8270 by SIM	Benzo(a)anthracene	1320	ug/kg	132	11/07/17 16:33	
EPA 8270 by SIM	Benzo(a)pyrene	1210	ug/kg	104	11/07/17 16:33	
EPA 8270 by SIM	Benzo(b)fluoranthene	1520	ug/kg	117	11/07/17 16:33	
EPA 8270 by SIM	Benzo(g,h,i)perylene	577	ug/kg	84.5	11/07/17 16:33	
EPA 8270 by SIM	Benzo(k)fluoranthene	689	ug/kg	104	11/07/17 16:33	
EPA 8270 by SIM	Chrysene	1250	ug/kg	140	11/07/17 16:33	
EPA 8270 by SIM	Dibenz(a,h)anthracene	177	ug/kg	92.9	11/07/17 16:33	
EPA 8270 by SIM	Fluoranthene	2540	ug/kg	217	11/07/17 16:33	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	586	ug/kg	91.5	11/07/17 16:33	
EPA 8270 by SIM	Phenanthrene	759	ug/kg	484	11/07/17 16:33	
EPA 8270 by SIM	Pyrene	2300	ug/kg	187	11/07/17 16:33	
ASTM D2974-87	Percent Moisture	19.9	%	0.10	11/06/17 13:47	
<b>40159995026</b>	<b>B3 5.0-7.5</b>					
EPA 8270 by SIM	Benzo(a)anthracene	3.8J	ug/kg	12.4	11/06/17 19:41	
EPA 8270 by SIM	Benzo(a)pyrene	4.0J	ug/kg	9.8	11/06/17 19:41	
EPA 8270 by SIM	Benzo(b)fluoranthene	5.3J	ug/kg	11.0	11/06/17 19:41	
EPA 8270 by SIM	Chrysene	4.7J	ug/kg	13.1	11/06/17 19:41	
EPA 8270 by SIM	Fluoranthene	10.3J	ug/kg	20.4	11/06/17 19:41	
EPA 8270 by SIM	Pyrene	7.9J	ug/kg	17.6	11/06/17 19:41	
ASTM D2974-87	Percent Moisture	14.9	%	0.10	11/06/17 13:48	
<b>40159995027</b>	<b>B3 7.5-10.0</b>					
ASTM D2974-87	Percent Moisture	15.1	%	0.10	11/06/17 13:48	
<b>40159995028</b>	<b>B3 10-12.5</b>					
ASTM D2974-87	Percent Moisture	13.8	%	0.10	11/06/17 13:48	
<b>40159995029</b>	<b>B3 12.5-15.0</b>					
EPA 8270 by SIM	Benzo(b)fluoranthene	3.6J	ug/kg	11.0	11/07/17 17:24	
ASTM D2974-87	Percent Moisture	14.5	%	0.10	11/06/17 13:48	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40159995030</b>	<b>B4 0-2.5</b>					
EPA 8270C SIM	Acenaphthene	10.1J	ug/kg	22.3	11/07/17 02:11	M6
EPA 8270C SIM	Acenaphthylene	9.1J	ug/kg	22.3	11/07/17 02:11	
EPA 8270C SIM	Anthracene	72.8	ug/kg	22.3	11/07/17 02:11	M6
EPA 8270C SIM	Benzo(a)anthracene	346	ug/kg	89.0	11/07/17 17:19	M6
EPA 8270C SIM	Benzo(a)pyrene	326	ug/kg	89.0	11/07/17 17:19	M6
EPA 8270C SIM	Benzo(b)fluoranthene	282	ug/kg	27.8	11/07/17 02:11	M6
EPA 8270C SIM	Benzo(g,h,i)perylene	206	ug/kg	27.8	11/07/17 02:11	M6
EPA 8270C SIM	Benzo(k)fluoranthene	280	ug/kg	27.8	11/07/17 02:11	M6
EPA 8270C SIM	Chrysene	350	ug/kg	111	11/07/17 17:19	M6
EPA 8270C SIM	Dibenz(a,h)anthracene	66.4	ug/kg	27.8	11/07/17 02:11	M6
EPA 8270C SIM	Fluoranthene	669	ug/kg	89.0	11/07/17 17:19	M6
EPA 8270C SIM	Fluorene	11.2J	ug/kg	22.3	11/07/17 02:11	M6
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	194	ug/kg	22.3	11/07/17 02:11	M6
EPA 8270C SIM	1-Methylnaphthalene	8.6J	ug/kg	22.3	11/07/17 02:11	M6, N2
EPA 8270C SIM	2-Methylnaphthalene	8.5J	ug/kg	22.3	11/07/17 02:11	
EPA 8270C SIM	Naphthalene	18.9J	ug/kg	22.3	11/07/17 02:11	B, ED
EPA 8270C SIM	Phenanthrene	281	ug/kg	22.3	11/07/17 02:11	M6
EPA 8270C SIM	Pyrene	619	ug/kg	89.0	11/07/17 17:19	M6
SM 2540 G-11/3550	Percent Moisture	10.1	%	0.10	11/06/17 14:35	
<b>40159995031</b>	<b>B4 2.5-5.0</b>					
EPA 8270C SIM	Acenaphthene	16.6J	ug/kg	23.7	11/07/17 02:43	
EPA 8270C SIM	Acenaphthylene	7.7J	ug/kg	23.7	11/07/17 02:43	
EPA 8270C SIM	Anthracene	113	ug/kg	23.7	11/07/17 02:43	
EPA 8270C SIM	Benzo(a)anthracene	618	ug/kg	119	11/07/17 17:51	
EPA 8270C SIM	Benzo(a)pyrene	497	ug/kg	119	11/07/17 17:51	
EPA 8270C SIM	Benzo(b)fluoranthene	495	ug/kg	148	11/07/17 17:51	
EPA 8270C SIM	Benzo(g,h,i)perylene	324	ug/kg	148	11/07/17 17:51	
EPA 8270C SIM	Benzo(k)fluoranthene	488	ug/kg	148	11/07/17 17:51	
EPA 8270C SIM	Chrysene	638	ug/kg	148	11/07/17 17:51	
EPA 8270C SIM	Dibenz(a,h)anthracene	105	ug/kg	29.7	11/07/17 02:43	
EPA 8270C SIM	Fluoranthene	1330	ug/kg	119	11/07/17 17:51	
EPA 8270C SIM	Fluorene	20.2J	ug/kg	23.7	11/07/17 02:43	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	302	ug/kg	23.7	11/07/17 02:43	
EPA 8270C SIM	1-Methylnaphthalene	13.3J	ug/kg	23.7	11/07/17 02:43	N2
EPA 8270C SIM	2-Methylnaphthalene	10.1J	ug/kg	23.7	11/07/17 02:43	
EPA 8270C SIM	Naphthalene	15.3J	ug/kg	23.7	11/07/17 02:43	B, ED
EPA 8270C SIM	Phenanthrene	374	ug/kg	119	11/07/17 17:51	
EPA 8270C SIM	Pyrene	1120	ug/kg	119	11/07/17 17:51	
SM 2540 G-11/3550	Percent Moisture	12.5	%	0.10	11/06/17 14:40	
<b>40159995032</b>	<b>B5 0-2.5</b>					
EPA 8270C SIM	Acenaphthene	14.9	ug/kg	11.8	11/07/17 22:41	
EPA 8270C SIM	Acenaphthylene	3.4J	ug/kg	11.8	11/07/17 22:41	
EPA 8270C SIM	Anthracene	62.5	ug/kg	11.8	11/07/17 22:41	
EPA 8270C SIM	Benzo(a)anthracene	172	ug/kg	47.2	11/07/17 19:27	
EPA 8270C SIM	Benzo(a)pyrene	152	ug/kg	47.2	11/07/17 19:27	
EPA 8270C SIM	Benzo(b)fluoranthene	156	ug/kg	14.8	11/07/17 22:41	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995032</b>	<b>B5 0-2.5</b>					
EPA 8270C SIM	Benzo(g,h,i)perylene	117	ug/kg	14.8	11/07/17 22:41	
EPA 8270C SIM	Benzo(k)fluoranthene	143	ug/kg	14.8	11/07/17 22:41	
EPA 8270C SIM	Chrysene	172	ug/kg	59.1	11/07/17 19:27	
EPA 8270C SIM	Dibenz(a,h)anthracene	39.5	ug/kg	14.8	11/07/17 22:41	
EPA 8270C SIM	Fluoranthene	349	ug/kg	47.2	11/07/17 19:27	
EPA 8270C SIM	Fluorene	14.2	ug/kg	11.8	11/07/17 22:41	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	106	ug/kg	11.8	11/07/17 22:41	
EPA 8270C SIM	1-Methylnaphthalene	5.4J	ug/kg	11.8	11/07/17 22:41	N2
EPA 8270C SIM	2-Methylnaphthalene	4.1J	ug/kg	11.8	11/07/17 22:41	
EPA 8270C SIM	Naphthalene	9.7J	ug/kg	11.8	11/07/17 22:41	B,ED
EPA 8270C SIM	Phenanthrene	168	ug/kg	47.2	11/07/17 19:27	
EPA 8270C SIM	Pyrene	317	ug/kg	47.2	11/07/17 19:27	
SM 2540 G-11/3550	Percent Moisture	15.1	%	0.10	11/06/17 14:42	
<b>40159995033</b>	<b>B5 2.5-5.0</b>					
EPA 8270C SIM	Acenaphthene	12.9J	ug/kg	24.6	11/07/17 03:15	
EPA 8270C SIM	Acenaphthylene	6.5J	ug/kg	24.6	11/07/17 03:15	
EPA 8270C SIM	Anthracene	69.0	ug/kg	24.6	11/07/17 03:15	
EPA 8270C SIM	Benzo(a)anthracene	356	ug/kg	98.3	11/07/17 16:47	
EPA 8270C SIM	Benzo(a)pyrene	358	ug/kg	98.3	11/07/17 16:47	
EPA 8270C SIM	Benzo(b)fluoranthene	314	ug/kg	123	11/07/17 16:47	
EPA 8270C SIM	Benzo(g,h,i)perylene	258	ug/kg	30.7	11/07/17 03:15	
EPA 8270C SIM	Benzo(k)fluoranthene	315	ug/kg	123	11/07/17 16:47	
EPA 8270C SIM	Chrysene	395	ug/kg	123	11/07/17 16:47	
EPA 8270C SIM	Dibenz(a,h)anthracene	81.9	ug/kg	30.7	11/07/17 03:15	
EPA 8270C SIM	Fluoranthene	801	ug/kg	98.3	11/07/17 16:47	
EPA 8270C SIM	Fluorene	13.9J	ug/kg	24.6	11/07/17 03:15	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	232	ug/kg	24.6	11/07/17 03:15	
EPA 8270C SIM	1-Methylnaphthalene	9.9J	ug/kg	24.6	11/07/17 03:15	N2
EPA 8270C SIM	2-Methylnaphthalene	6.6J	ug/kg	24.6	11/07/17 03:15	
EPA 8270C SIM	Naphthalene	14.9J	ug/kg	24.6	11/07/17 03:15	B,ED
EPA 8270C SIM	Phenanthrene	292	ug/kg	24.6	11/07/17 03:15	
EPA 8270C SIM	Pyrene	692	ug/kg	98.3	11/07/17 16:47	
SM 2540 G-11/3550	Percent Moisture	16.8	%	0.10	11/06/17 14:43	
<b>40159995034</b>	<b>B6 0-2.5</b>					
ASTM D2974-87	Percent Moisture	14.9	%	0.10	11/06/17 13:48	
<b>40159995035</b>	<b>B6 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	15.1	%	0.10	11/06/17 13:48	
<b>40159995036</b>	<b>B6 5.0-7.5</b>					
ASTM D2974-87	Percent Moisture	15.0	%	0.10	11/06/17 13:48	
<b>40159995037</b>	<b>B6 7.5-10.0</b>					
ASTM D2974-87	Percent Moisture	18.3	%	0.10	11/06/17 13:48	
<b>40159995038</b>	<b>B6 10-12.5</b>					
EPA 8270 by SIM	Benzo(a)anthracene	0.0099J	mg/kg	0.012	11/07/17 19:07	
EPA 8270 by SIM	Benzo(a)pyrene	0.0078J	mg/kg	0.0098	11/07/17 19:07	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995038</b>	<b>B6 10-12.5</b>					
EPA 8270 by SIM	Benzo(b)fluoranthene	0.011J	mg/kg	0.011	11/07/17 19:07	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.0040J	mg/kg	0.0079	11/07/17 19:07	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.0050J	mg/kg	0.0098	11/07/17 19:07	
EPA 8270 by SIM	Chrysene	0.0075J	mg/kg	0.013	11/07/17 19:07	
EPA 8270 by SIM	Fluoranthene	0.014J	mg/kg	0.020	11/07/17 19:07	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.0038J	mg/kg	0.0086	11/07/17 19:07	
EPA 8270 by SIM	Pyrene	0.012J	mg/kg	0.018	11/07/17 19:07	
ASTM D2974-87	Percent Moisture	14.8	%	0.10	11/06/17 13:48	
<b>40159995039</b>	<b>B6 12.5-15.0</b>					
ASTM D2974-87	Percent Moisture	14.8	%	0.10	11/06/17 13:49	
<b>40159995040</b>	<b>B7 0-2.5</b>					
EPA 8270 by SIM	Benzo(a)anthracene	0.026	mg/kg	0.012	11/07/17 18:33	
EPA 8270 by SIM	Benzo(a)pyrene	0.026	mg/kg	0.0098	11/07/17 18:33	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.034	mg/kg	0.011	11/07/17 18:33	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.0095	mg/kg	0.0079	11/07/17 18:33	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.014	mg/kg	0.0098	11/07/17 18:33	
EPA 8270 by SIM	Chrysene	0.029	mg/kg	0.013	11/07/17 18:33	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.0034J	mg/kg	0.0087	11/07/17 18:33	
EPA 8270 by SIM	Fluoranthene	0.049	mg/kg	0.020	11/07/17 18:33	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.011	mg/kg	0.0086	11/07/17 18:33	
EPA 8270 by SIM	Phenanthrene	0.019J	mg/kg	0.046	11/07/17 18:33	
EPA 8270 by SIM	Pyrene	0.045	mg/kg	0.018	11/07/17 18:33	
ASTM D2974-87	Percent Moisture	14.7	%	0.10	11/06/17 13:49	
<b>40159995041</b>	<b>B7 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	21.2	%	0.10	11/06/17 13:49	
<b>40159995042</b>	<b>B7 5.0-7.5</b>					
ASTM D2974-87	Percent Moisture	16.3	%	0.10	11/06/17 13:49	
<b>40159995043</b>	<b>B7 7.5-10.0</b>					
ASTM D2974-87	Percent Moisture	21.4	%	0.10	11/06/17 10:21	
<b>40159995044</b>	<b>B8 0-2.5</b>					
EPA 8270 by SIM	Acenaphthene	0.0075J	mg/kg	0.016	11/08/17 11:14	
EPA 8270 by SIM	Anthracene	0.031	mg/kg	0.023	11/08/17 11:14	
EPA 8270 by SIM	Benzo(a)anthracene	0.11	mg/kg	0.013	11/08/17 11:14	
EPA 8270 by SIM	Benzo(a)pyrene	0.12	mg/kg	0.010	11/08/17 11:14	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.13	mg/kg	0.011	11/08/17 11:14	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.082	mg/kg	0.0083	11/08/17 11:14	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.098	mg/kg	0.010	11/08/17 11:14	
EPA 8270 by SIM	Chrysene	0.13	mg/kg	0.014	11/08/17 11:14	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.026	mg/kg	0.0091	11/08/17 11:14	
EPA 8270 by SIM	Fluoranthene	0.31	mg/kg	0.021	11/08/17 11:14	
EPA 8270 by SIM	Fluorene	0.0084J	mg/kg	0.017	11/08/17 11:14	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.075	mg/kg	0.0090	11/08/17 11:14	
EPA 8270 by SIM	Phenanthrene	0.15	mg/kg	0.047	11/08/17 11:14	
EPA 8270 by SIM	Pyrene	0.24	mg/kg	0.018	11/08/17 11:14	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995044</b>	<b>B8 0-2.5</b>					
ASTM D2974-87	Percent Moisture	18.1	%	0.10	11/06/17 10:21	
<b>40159995045</b>	<b>B8 2.5-5.0</b>					
EPA 8270 by SIM	Acenaphthene	0.31J	mg/kg	0.32	11/08/17 10:39	
EPA 8270 by SIM	Anthracene	1.1	mg/kg	0.47	11/08/17 10:39	
EPA 8270 by SIM	Benzo(a)anthracene	3.0	mg/kg	0.26	11/08/17 10:39	
EPA 8270 by SIM	Benzo(a)pyrene	2.7	mg/kg	0.21	11/08/17 10:39	
EPA 8270 by SIM	Benzo(b)fluoranthene	2.9	mg/kg	0.23	11/08/17 10:39	
EPA 8270 by SIM	Benzo(g,h,i)perylene	1.9	mg/kg	0.17	11/08/17 10:39	
EPA 8270 by SIM	Benzo(k)fluoranthene	2.5	mg/kg	0.21	11/08/17 10:39	
EPA 8270 by SIM	Chrysene	3.6	mg/kg	0.28	11/08/17 10:39	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.64	mg/kg	0.19	11/08/17 10:39	
EPA 8270 by SIM	Fluoranthene	9.3	mg/kg	0.43	11/08/17 10:39	
EPA 8270 by SIM	Fluorene	0.30J	mg/kg	0.34	11/08/17 10:39	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	1.7	mg/kg	0.18	11/08/17 10:39	
EPA 8270 by SIM	Phenanthrene	5.2	mg/kg	0.97	11/08/17 10:39	
EPA 8270 by SIM	Pyrene	6.9	mg/kg	0.37	11/08/17 10:39	
ASTM D2974-87	Percent Moisture	19.6	%	0.10	11/06/17 10:21	
<b>40159995046</b>	<b>B8 5.0-7.5</b>					
ASTM D2974-87	Percent Moisture	25.6	%	0.10	11/06/17 10:22	
<b>40159995047</b>	<b>B8 7.5-10.0</b>					
ASTM D2974-87	Percent Moisture	21.5	%	0.10	11/06/17 10:22	
<b>40159995048</b>	<b>B9 0-2.5</b>					
EPA 8270 by SIM	Acenaphthene	0.016J	mg/kg	0.029	11/08/17 11:48	
EPA 8270 by SIM	Acenaphthylene	0.020J	mg/kg	0.025	11/08/17 11:48	
EPA 8270 by SIM	Anthracene	0.083	mg/kg	0.043	11/08/17 11:48	
EPA 8270 by SIM	Benzo(a)anthracene	0.35	mg/kg	0.024	11/08/17 11:48	
EPA 8270 by SIM	Benzo(a)pyrene	0.38	mg/kg	0.019	11/08/17 11:48	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.36	mg/kg	0.021	11/08/17 11:48	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.29	mg/kg	0.015	11/08/17 11:48	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.34	mg/kg	0.019	11/08/17 11:48	
EPA 8270 by SIM	Chrysene	0.46	mg/kg	0.025	11/08/17 11:48	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.098	mg/kg	0.017	11/08/17 11:48	
EPA 8270 by SIM	Fluoranthene	0.93	mg/kg	0.040	11/08/17 11:48	
EPA 8270 by SIM	Fluorene	0.019J	mg/kg	0.031	11/08/17 11:48	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.25	mg/kg	0.017	11/08/17 11:48	
EPA 8270 by SIM	Phenanthrene	0.47	mg/kg	0.088	11/08/17 11:48	
EPA 8270 by SIM	Pyrene	0.88	mg/kg	0.034	11/08/17 11:48	
ASTM D2974-87	Percent Moisture	12.0	%	0.10	11/06/17 10:22	
<b>40159995049</b>	<b>B9 2.5-5.0</b>					
EPA 8270 by SIM	Acenaphthene	0.092J	mg/kg	0.12	11/08/17 10:22	
EPA 8270 by SIM	Anthracene	0.34	mg/kg	0.18	11/08/17 10:22	
EPA 8270 by SIM	Benzo(a)anthracene	1.0	mg/kg	0.10	11/08/17 10:22	
EPA 8270 by SIM	Benzo(a)pyrene	0.99	mg/kg	0.079	11/08/17 10:22	
EPA 8270 by SIM	Benzo(b)fluoranthene	1.0	mg/kg	0.088	11/08/17 10:22	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995049</b>	<b>B9 2.5-5.0</b>					
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.70	mg/kg	0.064	11/08/17 10:22	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.84	mg/kg	0.079	11/08/17 10:22	
EPA 8270 by SIM	Chrysene	1.2	mg/kg	0.11	11/08/17 10:22	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.23	mg/kg	0.070	11/08/17 10:22	
EPA 8270 by SIM	Fluoranthene	2.9	mg/kg	0.16	11/08/17 10:22	
EPA 8270 by SIM	Fluorene	0.096J	mg/kg	0.13	11/08/17 10:22	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.62	mg/kg	0.069	11/08/17 10:22	
EPA 8270 by SIM	Phenanthrene	1.5	mg/kg	0.36	11/08/17 10:22	
EPA 8270 by SIM	Pyrene	2.2	mg/kg	0.14	11/08/17 10:22	
ASTM D2974-87	Percent Moisture	15.0	%	0.10	11/06/17 10:22	
<b>40159995050</b>	<b>B9 5.0-7.5</b>					
EPA 8270 by SIM	Acenaphthene	0.099	mg/kg	0.076	11/08/17 09:47	
EPA 8270 by SIM	Anthracene	0.30	mg/kg	0.11	11/08/17 09:47	
EPA 8270 by SIM	Benzo(a)anthracene	0.54	mg/kg	0.062	11/08/17 09:47	
EPA 8270 by SIM	Benzo(a)pyrene	0.52	mg/kg	0.049	11/08/17 09:47	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.47	mg/kg	0.055	11/08/17 09:47	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.36	mg/kg	0.040	11/08/17 09:47	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.54	mg/kg	0.049	11/08/17 09:47	
EPA 8270 by SIM	Chrysene	0.62	mg/kg	0.066	11/08/17 09:47	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.12	mg/kg	0.044	11/08/17 09:47	
EPA 8270 by SIM	Fluoranthene	1.8	mg/kg	0.10	11/08/17 09:47	
EPA 8270 by SIM	Fluorene	0.11	mg/kg	0.081	11/08/17 09:47	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.33	mg/kg	0.043	11/08/17 09:47	
EPA 8270 by SIM	Naphthalene	0.050J	mg/kg	0.17	11/08/17 09:47	
EPA 8270 by SIM	Phenanthrene	1.3	mg/kg	0.23	11/08/17 09:47	
EPA 8270 by SIM	Pyrene	1.2	mg/kg	0.088	11/08/17 09:47	
ASTM D2974-87	Percent Moisture	15.1	%	0.10	11/06/17 10:22	
<b>40159995051</b>	<b>B9 10-12.5</b>					
EPA 8270 by SIM	Acenaphthene	0.0054J	mg/kg	0.016	11/08/17 11:31	
EPA 8270 by SIM	Anthracene	0.015J	mg/kg	0.023	11/08/17 11:31	
EPA 8270 by SIM	Benzo(a)anthracene	0.043	mg/kg	0.013	11/08/17 11:31	
EPA 8270 by SIM	Benzo(a)pyrene	0.044	mg/kg	0.010	11/08/17 11:31	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.047	mg/kg	0.012	11/08/17 11:31	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.037	mg/kg	0.0083	11/08/17 11:31	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.040	mg/kg	0.010	11/08/17 11:31	
EPA 8270 by SIM	Chrysene	0.053	mg/kg	0.014	11/08/17 11:31	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.011	mg/kg	0.0091	11/08/17 11:31	
EPA 8270 by SIM	Fluoranthene	0.13	mg/kg	0.021	11/08/17 11:31	
EPA 8270 by SIM	Fluorene	0.0066J	mg/kg	0.017	11/08/17 11:31	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.031	mg/kg	0.0090	11/08/17 11:31	
EPA 8270 by SIM	Naphthalene	0.014J	mg/kg	0.034	11/08/17 11:31	
EPA 8270 by SIM	Phenanthrene	0.077	mg/kg	0.047	11/08/17 11:31	
EPA 8270 by SIM	Pyrene	0.095	mg/kg	0.018	11/08/17 11:31	
ASTM D2974-87	Percent Moisture	18.2	%	0.10	11/06/17 10:22	
<b>40159995052</b>	<b>B10 0-2.5</b>					
EPA 8270C SIM	Acenaphthene	22.9	ug/kg	5.0	11/07/17 23:13	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40159995052</b>	<b>B10 0-2.5</b>					
EPA 8270C SIM	Acenaphthylene	0.94J	ug/kg	5.0	11/07/17 23:13	
EPA 8270C SIM	Anthracene	74.5	ug/kg	49.7	11/07/17 19:59	
EPA 8270C SIM	Benzo(a)anthracene	138	ug/kg	49.7	11/07/17 19:59	
EPA 8270C SIM	Benzo(a)pyrene	97.1	ug/kg	49.7	11/07/17 19:59	
EPA 8270C SIM	Benzo(b)fluoranthene	101	ug/kg	62.1	11/07/17 19:59	
EPA 8270C SIM	Benzo(g,h,i)perylene	65.1	ug/kg	6.2	11/07/17 23:13	
EPA 8270C SIM	Benzo(k)fluoranthene	107	ug/kg	62.1	11/07/17 19:59	
EPA 8270C SIM	Chrysene	135	ug/kg	62.1	11/07/17 19:59	
EPA 8270C SIM	Dibenz(a,h)anthracene	21.1	ug/kg	6.2	11/07/17 23:13	
EPA 8270C SIM	Fluoranthene	328	ug/kg	49.7	11/07/17 19:59	
EPA 8270C SIM	Fluorene	26.5	ug/kg	5.0	11/07/17 23:13	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	60.8	ug/kg	5.0	11/07/17 23:13	
EPA 8270C SIM	1-Methylnaphthalene	9.3	ug/kg	5.0	11/07/17 23:13	N2
EPA 8270C SIM	2-Methylnaphthalene	11.7	ug/kg	5.0	11/07/17 23:13	
EPA 8270C SIM	Naphthalene	22.3	ug/kg	5.0	11/07/17 23:13	ED
EPA 8270C SIM	Phenanthrene	295	ug/kg	49.7	11/07/17 19:59	
EPA 8270C SIM	Pyrene	297	ug/kg	49.7	11/07/17 19:59	
SM 2540 G-11/3550	Percent Moisture	16.8	%	0.10	11/06/17 14:44	
<b>40159995053</b>	<b>B10 2.5-5.0</b>					
EPA 8270C SIM	Acenaphthene	29.1	ug/kg	23.8	11/07/17 23:45	
EPA 8270C SIM	Anthracene	106	ug/kg	23.8	11/07/17 23:45	
EPA 8270C SIM	Benzo(a)anthracene	242	ug/kg	23.8	11/07/17 23:45	
EPA 8270C SIM	Benzo(a)pyrene	199	ug/kg	23.8	11/07/17 23:45	
EPA 8270C SIM	Benzo(b)fluoranthene	193	ug/kg	29.8	11/07/17 23:45	
EPA 8270C SIM	Benzo(g,h,i)perylene	131	ug/kg	29.8	11/07/17 23:45	
EPA 8270C SIM	Benzo(k)fluoranthene	185	ug/kg	29.8	11/07/17 23:45	
EPA 8270C SIM	Chrysene	229	ug/kg	29.8	11/07/17 23:45	
EPA 8270C SIM	Dibenz(a,h)anthracene	45.1	ug/kg	29.8	11/07/17 23:45	
EPA 8270C SIM	Fluoranthene	602	ug/kg	95.3	11/07/17 20:31	
EPA 8270C SIM	Fluorene	40.1	ug/kg	23.8	11/07/17 23:45	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	120	ug/kg	23.8	11/07/17 23:45	
EPA 8270C SIM	1-Methylnaphthalene	8.4J	ug/kg	23.8	11/07/17 23:45	N2
EPA 8270C SIM	2-Methylnaphthalene	5.7J	ug/kg	23.8	11/07/17 23:45	
EPA 8270C SIM	Naphthalene	16.0J	ug/kg	23.8	11/07/17 23:45	B,ED
EPA 8270C SIM	Phenanthrene	411	ug/kg	95.3	11/07/17 20:31	
EPA 8270C SIM	Pyrene	479	ug/kg	95.3	11/07/17 20:31	
SM 2540 G-11/3550	Percent Moisture	16.0	%	0.10	11/06/17 14:45	
<b>40159995054</b>	<b>B10 5.0-7.5</b>					
EPA 8270C SIM	Anthracene	0.46J	ug/kg	2.4	11/06/17 18:07	
EPA 8270C SIM	Benzo(a)anthracene	1.9J	ug/kg	2.4	11/06/17 18:07	B
EPA 8270C SIM	Benzo(a)pyrene	1.6J	ug/kg	2.4	11/06/17 18:07	
EPA 8270C SIM	Benzo(b)fluoranthene	1.7J	ug/kg	3.0	11/06/17 18:07	
EPA 8270C SIM	Benzo(g,h,i)perylene	2.0J	ug/kg	3.0	11/06/17 18:07	
EPA 8270C SIM	Benzo(k)fluoranthene	1.6J	ug/kg	3.0	11/06/17 18:07	B
EPA 8270C SIM	Chrysene	2.8J	ug/kg	3.0	11/06/17 18:07	B
EPA 8270C SIM	Fluoranthene	3.2	ug/kg	2.4	11/06/17 18:07	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995054</b>	<b>B10 5.0-7.5</b>					
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	1.3J	ug/kg	2.4	11/06/17 18:07	
EPA 8270C SIM	Naphthalene	0.31J	ug/kg	2.4	11/06/17 18:07	B
EPA 8270C SIM	Phenanthrene	2.5	ug/kg	2.4	11/06/17 18:07	
EPA 8270C SIM	Pyrene	4.2	ug/kg	2.4	11/06/17 18:07	
SM 2540 G-11/3550	Percent Moisture	14.1	%	0.10	11/06/17 14:47	
<b>40159995055</b>	<b>B10 7.5-10.0</b>					
EPA 8270C SIM	Anthracene	0.52J	ug/kg	2.3	11/06/17 18:40	
EPA 8270C SIM	Benzo(a)anthracene	3.7	ug/kg	2.3	11/06/17 18:40	B
EPA 8270C SIM	Benzo(a)pyrene	3.0	ug/kg	2.3	11/06/17 18:40	
EPA 8270C SIM	Benzo(b)fluoranthene	3.4	ug/kg	2.9	11/06/17 18:40	
EPA 8270C SIM	Benzo(g,h,i)perylene	3.2	ug/kg	2.9	11/06/17 18:40	
EPA 8270C SIM	Benzo(k)fluoranthene	2.8J	ug/kg	2.9	11/06/17 18:40	B
EPA 8270C SIM	Chrysene	4.9	ug/kg	2.9	11/06/17 18:40	
EPA 8270C SIM	Dibenz(a,h)anthracene	0.92J	ug/kg	2.9	11/06/17 18:40	
EPA 8270C SIM	Fluoranthene	6.1	ug/kg	2.3	11/06/17 18:40	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	2.3J	ug/kg	2.3	11/06/17 18:40	
EPA 8270C SIM	Naphthalene	0.32J	ug/kg	2.3	11/06/17 18:40	B
EPA 8270C SIM	Phenanthrene	3.0	ug/kg	2.3	11/06/17 18:40	
EPA 8270C SIM	Pyrene	6.9	ug/kg	2.3	11/06/17 18:40	
SM 2540 G-11/3550	Percent Moisture	14.9	%	0.10	11/06/17 14:48	
<b>40159995056</b>	<b>B10 10-12.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.60J	ug/kg	2.4	11/06/17 19:12	B
EPA 8270C SIM	Benzo(a)pyrene	0.57J	ug/kg	2.4	11/06/17 19:12	
EPA 8270C SIM	Benzo(b)fluoranthene	0.76J	ug/kg	3.0	11/06/17 19:12	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.0J	ug/kg	3.0	11/06/17 19:12	
EPA 8270C SIM	Benzo(k)fluoranthene	0.55J	ug/kg	3.0	11/06/17 19:12	B
EPA 8270C SIM	Chrysene	1.4J	ug/kg	3.0	11/06/17 19:12	B
EPA 8270C SIM	Fluoranthene	0.88J	ug/kg	2.4	11/06/17 19:12	
EPA 8270C SIM	Phenanthrene	0.92J	ug/kg	2.4	11/06/17 19:12	
EPA 8270C SIM	Pyrene	1.3J	ug/kg	2.4	11/06/17 19:12	
SM 2540 G-11/3550	Percent Moisture	15.4	%	0.10	11/06/17 14:50	
<b>40159995057</b>	<b>B10 12.5-15.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.79J	ug/kg	2.3	11/06/17 19:45	B
EPA 8270C SIM	Benzo(a)pyrene	0.74J	ug/kg	2.3	11/06/17 19:45	
EPA 8270C SIM	Benzo(b)fluoranthene	0.81J	ug/kg	2.9	11/06/17 19:45	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.1J	ug/kg	2.9	11/06/17 19:45	
EPA 8270C SIM	Benzo(k)fluoranthene	0.79J	ug/kg	2.9	11/06/17 19:45	B
EPA 8270C SIM	Chrysene	1.5J	ug/kg	2.9	11/06/17 19:45	B
EPA 8270C SIM	Fluoranthene	1.3J	ug/kg	2.3	11/06/17 19:45	
EPA 8270C SIM	Phenanthrene	1.3J	ug/kg	2.3	11/06/17 19:45	
EPA 8270C SIM	Pyrene	1.6J	ug/kg	2.3	11/06/17 19:45	B
SM 2540 G-11/3550	Percent Moisture	15.2	%	0.10	11/06/17 18:23	
<b>40159995058</b>	<b>B11 0-2.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.83J	ug/kg	2.4	11/06/17 15:11	B
EPA 8270C SIM	Benzo(a)pyrene	0.59J	ug/kg	2.4	11/06/17 15:11	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995058</b>	<b>B11 0-2.5</b>					
EPA 8270C SIM	Benzo(b)fluoranthene	0.66J	ug/kg	2.9	11/06/17 15:11	
EPA 8270C SIM	Benzo(k)fluoranthene	0.70J	ug/kg	2.9	11/06/17 15:11	B
EPA 8270C SIM	Chrysene	0.87J	ug/kg	2.9	11/06/17 15:11	B
EPA 8270C SIM	Fluoranthene	0.78J	ug/kg	2.4	11/06/17 15:11	
EPA 8270C SIM	Phenanthrene	0.67J	ug/kg	2.4	11/06/17 15:11	
EPA 8270C SIM	Pyrene	0.88J	ug/kg	2.4	11/06/17 15:11	
SM 2540 G-11/3550	Percent Moisture	13.7	%	0.10	11/06/17 18:28	
<b>40159995059</b>	<b>B11 2.5-5.0</b>					
EPA 8270C SIM	Anthracene	0.29J	ug/kg	2.4	11/06/17 20:17	
EPA 8270C SIM	Benzo(a)anthracene	1.4J	ug/kg	2.4	11/06/17 20:17	B
EPA 8270C SIM	Benzo(a)pyrene	1.2J	ug/kg	2.4	11/06/17 20:17	
EPA 8270C SIM	Benzo(b)fluoranthene	1.3J	ug/kg	3.0	11/06/17 20:17	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.2J	ug/kg	3.0	11/06/17 20:17	
EPA 8270C SIM	Benzo(k)fluoranthene	1.1J	ug/kg	3.0	11/06/17 20:17	B
EPA 8270C SIM	Chrysene	1.5J	ug/kg	3.0	11/06/17 20:17	B
EPA 8270C SIM	Fluoranthene	2.1J	ug/kg	2.4	11/06/17 20:17	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	0.95J	ug/kg	2.4	11/06/17 20:17	
EPA 8270C SIM	Phenanthrene	1.5J	ug/kg	2.4	11/06/17 20:17	
EPA 8270C SIM	Pyrene	1.9J	ug/kg	2.4	11/06/17 20:17	
SM 2540 G-11/3550	Percent Moisture	14.5	%	0.10	11/06/17 18:29	
<b>40159995060</b>	<b>B11 5.0-7.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	1.1J	ug/kg	2.5	11/06/17 20:49	B
EPA 8270C SIM	Benzo(a)pyrene	0.76J	ug/kg	2.5	11/06/17 20:49	
EPA 8270C SIM	Benzo(b)fluoranthene	0.92J	ug/kg	3.1	11/06/17 20:49	
EPA 8270C SIM	Benzo(g,h,i)perylene	0.84J	ug/kg	3.1	11/06/17 20:49	
EPA 8270C SIM	Benzo(k)fluoranthene	0.88J	ug/kg	3.1	11/06/17 20:49	B
EPA 8270C SIM	Chrysene	1.7J	ug/kg	3.1	11/06/17 20:49	B
EPA 8270C SIM	Fluoranthene	2.0J	ug/kg	2.5	11/06/17 20:49	
EPA 8270C SIM	Naphthalene	0.39J	ug/kg	2.5	11/06/17 20:49	B
EPA 8270C SIM	Phenanthrene	1.7J	ug/kg	2.5	11/06/17 20:49	
EPA 8270C SIM	Pyrene	1.8J	ug/kg	2.5	11/06/17 20:49	
SM 2540 G-11/3550	Percent Moisture	16.2	%	0.10	11/06/17 18:30	
<b>40159995061</b>	<b>B11 7.5-10.0</b>					
EPA 8270C SIM	Anthracene	1.8J	ug/kg	4.6	11/07/17 14:34	
EPA 8270C SIM	Benzo(a)anthracene	6.7	ug/kg	4.6	11/07/17 14:34	B
EPA 8270C SIM	Benzo(a)pyrene	6.1	ug/kg	4.6	11/07/17 14:34	
EPA 8270C SIM	Benzo(b)fluoranthene	7.3	ug/kg	5.8	11/07/17 14:34	
EPA 8270C SIM	Benzo(g,h,i)perylene	6.0	ug/kg	5.8	11/07/17 14:34	
EPA 8270C SIM	Benzo(k)fluoranthene	6.9	ug/kg	5.8	11/07/17 14:34	B
EPA 8270C SIM	Chrysene	9.8	ug/kg	5.8	11/07/17 14:34	
EPA 8270C SIM	Dibenz(a,h)anthracene	2.4J	ug/kg	5.8	11/07/17 14:34	
EPA 8270C SIM	Fluoranthene	8.3	ug/kg	4.6	11/07/17 14:34	
EPA 8270C SIM	Fluorene	1.4J	ug/kg	4.6	11/07/17 14:34	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	5.0	ug/kg	4.6	11/07/17 14:34	
EPA 8270C SIM	1-Methylnaphthalene	9.4	ug/kg	4.6	11/07/17 14:34	N2
EPA 8270C SIM	2-Methylnaphthalene	11.6	ug/kg	4.6	11/07/17 14:34	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40159995061</b>	<b>B11 7.5-10.0</b>					
EPA 8270C SIM	Naphthalene	4.9	ug/kg	4.6	11/07/17 14:34	B,ED
EPA 8270C SIM	Phenanthrene	8.8	ug/kg	4.6	11/07/17 14:34	
EPA 8270C SIM	Pyrene	14.4	ug/kg	4.6	11/07/17 14:34	
SM 2540 G-11/3550	Percent Moisture	13.7	%	0.10	11/06/17 18:31	
<b>40159995062</b>	<b>B11 10.0-12.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.77J	ug/kg	2.6	11/06/17 21:22	
EPA 8270C SIM	Benzo(a)pyrene	0.65J	ug/kg	2.6	11/06/17 21:22	
EPA 8270C SIM	Benzo(b)fluoranthene	0.68J	ug/kg	3.3	11/06/17 21:22	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.6J	ug/kg	3.3	11/06/17 21:22	
EPA 8270C SIM	Benzo(k)fluoranthene	0.49J	ug/kg	3.3	11/06/17 21:22	B
EPA 8270C SIM	Chrysene	2.2J	ug/kg	3.3	11/06/17 21:22	B
EPA 8270C SIM	Fluoranthene	0.85J	ug/kg	2.6	11/06/17 21:22	
EPA 8270C SIM	1-Methylnaphthalene	0.78J	ug/kg	2.6	11/06/17 21:22	N2
EPA 8270C SIM	2-Methylnaphthalene	0.72J	ug/kg	2.6	11/06/17 21:22	
EPA 8270C SIM	Naphthalene	0.34J	ug/kg	2.6	11/06/17 21:22	B
EPA 8270C SIM	Phenanthrene	1.8J	ug/kg	2.6	11/06/17 21:22	
EPA 8270C SIM	Pyrene	1.5J	ug/kg	2.6	11/06/17 21:22	
SM 2540 G-11/3550	Percent Moisture	25.6	%	0.10	11/06/17 18:34	
<b>40159995063</b>	<b>B11 12.5-15.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	1.2J	ug/kg	2.4	11/06/17 21:53	B
EPA 8270C SIM	Benzo(a)pyrene	1.2J	ug/kg	2.4	11/06/17 21:53	
EPA 8270C SIM	Benzo(b)fluoranthene	1.3J	ug/kg	3.0	11/06/17 21:53	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.5J	ug/kg	3.0	11/06/17 21:53	
EPA 8270C SIM	Benzo(k)fluoranthene	1.0J	ug/kg	3.0	11/06/17 21:53	B
EPA 8270C SIM	Chrysene	2.2J	ug/kg	3.0	11/06/17 21:53	B
EPA 8270C SIM	Fluoranthene	1.8J	ug/kg	2.4	11/06/17 21:53	
EPA 8270C SIM	1-Methylnaphthalene	0.36J	ug/kg	2.4	11/06/17 21:53	N2
EPA 8270C SIM	2-Methylnaphthalene	0.44J	ug/kg	2.4	11/06/17 21:53	
EPA 8270C SIM	Naphthalene	1.0J	ug/kg	2.4	11/06/17 21:53	B
EPA 8270C SIM	Phenanthrene	1.6J	ug/kg	2.4	11/06/17 21:53	
EPA 8270C SIM	Pyrene	2.2J	ug/kg	2.4	11/06/17 21:53	
SM 2540 G-11/3550	Percent Moisture	15.5	%	0.10	11/06/17 18:37	
<b>40159995064</b>	<b>B11 15.0-17.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	1.0J	ug/kg	2.4	11/06/17 22:26	B
EPA 8270C SIM	Benzo(a)pyrene	1.0J	ug/kg	2.4	11/06/17 22:26	
EPA 8270C SIM	Benzo(b)fluoranthene	1.1J	ug/kg	3.0	11/06/17 22:26	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.3J	ug/kg	3.0	11/06/17 22:26	
EPA 8270C SIM	Benzo(k)fluoranthene	0.91J	ug/kg	3.0	11/06/17 22:26	B
EPA 8270C SIM	Chrysene	1.9J	ug/kg	3.0	11/06/17 22:26	B
EPA 8270C SIM	Fluoranthene	1.8J	ug/kg	2.4	11/06/17 22:26	
EPA 8270C SIM	1-Methylnaphthalene	0.63J	ug/kg	2.4	11/06/17 22:26	N2
EPA 8270C SIM	2-Methylnaphthalene	1.1J	ug/kg	2.4	11/06/17 22:26	
EPA 8270C SIM	Phenanthrene	2.5	ug/kg	2.4	11/06/17 22:26	
EPA 8270C SIM	Pyrene	2.1J	ug/kg	2.4	11/06/17 22:26	
SM 2540 G-11/3550	Percent Moisture	15.9	%	0.10	11/06/17 18:39	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40159995065</b>	<b>B11 17.5-20.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.77J	ug/kg	2.4	11/06/17 17:35	B
EPA 8270C SIM	Benzo(b)fluoranthene	0.71J	ug/kg	3.0	11/06/17 17:35	
EPA 8270C SIM	Benzo(k)fluoranthene	0.69J	ug/kg	3.0	11/06/17 17:35	B
EPA 8270C SIM	Chrysene	1.5J	ug/kg	3.0	11/06/17 17:35	B
EPA 8270C SIM	Fluoranthene	0.82J	ug/kg	2.4	11/06/17 17:35	
EPA 8270C SIM	1-Methylnaphthalene	0.35J	ug/kg	2.4	11/06/17 17:35	N2
EPA 8270C SIM	2-Methylnaphthalene	0.66J	ug/kg	2.4	11/06/17 17:35	
EPA 8270C SIM	Naphthalene	0.82J	ug/kg	2.4	11/06/17 17:35	B
EPA 8270C SIM	Phenanthrene	1.2J	ug/kg	2.4	11/06/17 17:35	
EPA 8270C SIM	Pyrene	0.70J	ug/kg	2.4	11/06/17 17:35	
SM 2540 G-11/3550	Percent Moisture	15.8	%	0.10	11/06/17 18:44	
<b>40159995066</b>	<b>B12 0-2.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.43J	ug/kg	2.3	11/06/17 22:58	B
EPA 8270C SIM	Benzo(b)fluoranthene	0.46J	ug/kg	2.9	11/06/17 22:58	
EPA 8270C SIM	Benzo(g,h,i)perylene	0.84J	ug/kg	2.9	11/06/17 22:58	
EPA 8270C SIM	Benzo(k)fluoranthene	0.42J	ug/kg	2.9	11/06/17 22:58	B
EPA 8270C SIM	Chrysene	1.2J	ug/kg	2.9	11/06/17 22:58	B
EPA 8270C SIM	Fluoranthene	0.69J	ug/kg	2.3	11/06/17 22:58	
EPA 8270C SIM	Phenanthrene	0.90J	ug/kg	2.3	11/06/17 22:58	
EPA 8270C SIM	Pyrene	0.97J	ug/kg	2.3	11/06/17 22:58	
SM 2540 G-11/3550	Percent Moisture	15.8	%	0.10	11/06/17 18:45	
<b>40159995067</b>	<b>B12 2.5-5.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.85J	ug/kg	2.4	11/06/17 23:30	B
EPA 8270C SIM	Benzo(a)pyrene	0.67J	ug/kg	2.4	11/06/17 23:30	
EPA 8270C SIM	Benzo(b)fluoranthene	1.0J	ug/kg	3.0	11/06/17 23:30	
EPA 8270C SIM	Benzo(g,h,i)perylene	0.96J	ug/kg	3.0	11/06/17 23:30	
EPA 8270C SIM	Benzo(k)fluoranthene	0.78J	ug/kg	3.0	11/06/17 23:30	B
EPA 8270C SIM	Chrysene	1.7J	ug/kg	3.0	11/06/17 23:30	B
EPA 8270C SIM	Fluoranthene	1.7J	ug/kg	2.4	11/06/17 23:30	
EPA 8270C SIM	1-Methylnaphthalene	0.54J	ug/kg	2.4	11/06/17 23:30	N2
EPA 8270C SIM	2-Methylnaphthalene	0.42J	ug/kg	2.4	11/06/17 23:30	
EPA 8270C SIM	Naphthalene	0.41J	ug/kg	2.4	11/06/17 23:30	B
EPA 8270C SIM	Phenanthrene	2.0J	ug/kg	2.4	11/06/17 23:30	
EPA 8270C SIM	Pyrene	1.9J	ug/kg	2.4	11/06/17 23:30	
SM 2540 G-11/3550	Percent Moisture	15.3	%	0.10	11/06/17 18:46	
<b>40159995068</b>	<b>B12 5.0-7.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.41J	ug/kg	2.3	11/07/17 00:02	B
EPA 8270C SIM	Benzo(b)fluoranthene	0.49J	ug/kg	2.9	11/07/17 00:02	
EPA 8270C SIM	Benzo(k)fluoranthene	0.42J	ug/kg	2.9	11/07/17 00:02	B
EPA 8270C SIM	Chrysene	1.1J	ug/kg	2.9	11/07/17 00:02	B
EPA 8270C SIM	Fluoranthene	0.59J	ug/kg	2.3	11/07/17 00:02	
EPA 8270C SIM	1-Methylnaphthalene	0.72J	ug/kg	2.3	11/07/17 00:02	N2
EPA 8270C SIM	2-Methylnaphthalene	1.2J	ug/kg	2.3	11/07/17 00:02	
EPA 8270C SIM	Naphthalene	0.36J	ug/kg	2.3	11/07/17 00:02	B
EPA 8270C SIM	Phenanthrene	0.73J	ug/kg	2.3	11/07/17 00:02	
EPA 8270C SIM	Pyrene	0.61J	ug/kg	2.3	11/07/17 00:02	B

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995068</b>	<b>B12 5.0-7.5</b>					
SM 2540 G-11/3550	Percent Moisture	14.8	%	0.10	11/06/17 18:49	
<b>40159995069</b>	<b>B12 7.5-10.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.68J	ug/kg	2.5	11/07/17 00:34	
EPA 8270C SIM	Benzo(a)pyrene	1.9J	ug/kg	2.5	11/07/17 00:34	
EPA 8270C SIM	Benzo(b)fluoranthene	0.91J	ug/kg	3.1	11/07/17 00:34	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.7J	ug/kg	3.1	11/07/17 00:34	
EPA 8270C SIM	Benzo(k)fluoranthene	0.57J	ug/kg	3.1	11/07/17 00:34	B
EPA 8270C SIM	Chrysene	2.1J	ug/kg	3.1	11/07/17 00:34	B
EPA 8270C SIM	Fluoranthene	1.0J	ug/kg	2.5	11/07/17 00:34	
EPA 8270C SIM	Phenanthrene	1.1J	ug/kg	2.5	11/07/17 00:34	
EPA 8270C SIM	Pyrene	1.6J	ug/kg	2.5	11/07/17 00:34	
SM 2540 G-11/3550	Percent Moisture	15.2	%	0.10	11/06/17 18:56	
<b>40159995070</b>	<b>B12 10.0-12.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.57J	ug/kg	2.4	11/07/17 01:07	
EPA 8270C SIM	Benzo(b)fluoranthene	0.61J	ug/kg	3.0	11/07/17 01:07	
EPA 8270C SIM	Benzo(k)fluoranthene	0.53J	ug/kg	3.0	11/07/17 01:07	B
EPA 8270C SIM	Chrysene	0.90J	ug/kg	3.0	11/07/17 01:07	B
EPA 8270C SIM	Fluoranthene	0.96J	ug/kg	2.4	11/07/17 01:07	
EPA 8270C SIM	1-Methylnaphthalene	1.4J	ug/kg	2.4	11/07/17 01:07	N2
EPA 8270C SIM	2-Methylnaphthalene	2.0J	ug/kg	2.4	11/07/17 01:07	
EPA 8270C SIM	Naphthalene	0.87J	ug/kg	2.4	11/07/17 01:07	B
EPA 8270C SIM	Phenanthrene	1.7J	ug/kg	2.4	11/07/17 01:07	
EPA 8270C SIM	Pyrene	1.1J	ug/kg	2.4	11/07/17 01:07	
SM 2540 G-11/3550	Percent Moisture	14.3	%	0.10	11/06/17 18:57	
<b>40159995071</b>	<b>B13 0-2.5</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.72J	ug/kg	2.7	11/07/17 01:39	
EPA 8270C SIM	Benzo(b)fluoranthene	0.67J	ug/kg	3.4	11/07/17 01:39	
EPA 8270C SIM	Benzo(k)fluoranthene	0.67J	ug/kg	3.4	11/07/17 01:39	
EPA 8270C SIM	Chrysene	0.74J	ug/kg	3.4	11/07/17 01:39	B
EPA 8270C SIM	Fluoranthene	1.3J	ug/kg	2.7	11/07/17 01:39	
EPA 8270C SIM	Phenanthrene	1.0J	ug/kg	2.7	11/07/17 01:39	
EPA 8270C SIM	Pyrene	1.1J	ug/kg	2.7	11/07/17 01:39	
SM 2540 G-11/3550	Percent Moisture	25.3	%	0.10	11/06/17 18:58	
<b>40159995072</b>	<b>B13 2.5-5.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.53J	ug/kg	2.7	11/07/17 09:43	
EPA 8270C SIM	Benzo(b)fluoranthene	0.63J	ug/kg	3.3	11/07/17 09:43	
EPA 8270C SIM	Benzo(k)fluoranthene	0.41J	ug/kg	3.3	11/07/17 09:43	B
EPA 8270C SIM	Chrysene	1.6J	ug/kg	3.3	11/07/17 09:43	B
EPA 8270C SIM	Fluoranthene	0.62J	ug/kg	2.7	11/07/17 09:43	
EPA 8270C SIM	1-Methylnaphthalene	0.32J	ug/kg	2.7	11/07/17 09:43	N2
EPA 8270C SIM	2-Methylnaphthalene	0.47J	ug/kg	2.7	11/07/17 09:43	
EPA 8270C SIM	Naphthalene	0.68J	ug/kg	2.7	11/07/17 09:43	B
EPA 8270C SIM	Phenanthrene	0.97J	ug/kg	2.7	11/07/17 09:43	
EPA 8270C SIM	Pyrene	0.65J	ug/kg	2.7	11/07/17 09:43	
SM 2540 G-11/3550	Percent Moisture	27.6	%	0.10	11/06/17 18:59	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40159995073</b>	<b>B13 5.0-7.5</b>					
EPA 8270C SIM	Anthracene	1.1J	ug/kg	2.7	11/07/17 10:15	
EPA 8270C SIM	Benzo(a)anthracene	5.5	ug/kg	2.7	11/07/17 10:15	
EPA 8270C SIM	Benzo(a)pyrene	4.8	ug/kg	2.7	11/07/17 10:15	
EPA 8270C SIM	Benzo(b)fluoranthene	4.1	ug/kg	3.4	11/07/17 10:15	
EPA 8270C SIM	Benzo(g,h,i)perylene	2.9J	ug/kg	3.4	11/07/17 10:15	
EPA 8270C SIM	Benzo(k)fluoranthene	4.0	ug/kg	3.4	11/07/17 10:15	
EPA 8270C SIM	Chrysene	5.6	ug/kg	3.4	11/07/17 10:15	
EPA 8270C SIM	Dibenz(a,h)anthracene	1.2J	ug/kg	3.4	11/07/17 10:15	
EPA 8270C SIM	Fluoranthene	9.6	ug/kg	2.7	11/07/17 10:15	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	2.5J	ug/kg	2.7	11/07/17 10:15	
EPA 8270C SIM	Naphthalene	0.41J	ug/kg	2.7	11/07/17 10:15	B
EPA 8270C SIM	Phenanthrene	3.4	ug/kg	2.7	11/07/17 10:15	
EPA 8270C SIM	Pyrene	9.9	ug/kg	2.7	11/07/17 10:15	
SM 2540 G-11/3550	Percent Moisture	22.8	%	0.10	11/06/17 19:01	
<b>40159995074</b>	<b>B13 7.5-10.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	1.1J	ug/kg	2.4	11/07/17 10:48	
EPA 8270C SIM	Benzo(a)pyrene	0.78J	ug/kg	2.4	11/07/17 10:48	
EPA 8270C SIM	Benzo(b)fluoranthene	0.94J	ug/kg	3.0	11/07/17 10:48	
EPA 8270C SIM	Benzo(k)fluoranthene	0.84J	ug/kg	3.0	11/07/17 10:48	B
EPA 8270C SIM	Chrysene	1.3J	ug/kg	3.0	11/07/17 10:48	B
EPA 8270C SIM	Fluoranthene	1.7J	ug/kg	2.4	11/07/17 10:48	
EPA 8270C SIM	Phenanthrene	1.2J	ug/kg	2.4	11/07/17 10:48	
EPA 8270C SIM	Pyrene	1.7J	ug/kg	2.4	11/07/17 10:48	
SM 2540 G-11/3550	Percent Moisture	14.9	%	0.10	11/06/17 19:16	
<b>40159995075</b>	<b>B13 10.0-12.5</b>					
EPA 8270C SIM	Acenaphthene	1.5J	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	Acenaphthylene	0.30J	ug/kg	2.5	11/07/17 11:20	B
EPA 8270C SIM	Anthracene	6.1	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	Benzo(a)anthracene	21.6	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	Benzo(a)pyrene	20.1	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	Benzo(b)fluoranthene	19.7	ug/kg	3.1	11/07/17 11:20	
EPA 8270C SIM	Benzo(g,h,i)perylene	12.1	ug/kg	3.1	11/07/17 11:20	
EPA 8270C SIM	Benzo(k)fluoranthene	17.8	ug/kg	3.1	11/07/17 11:20	
EPA 8270C SIM	Chrysene	22.1	ug/kg	3.1	11/07/17 11:20	
EPA 8270C SIM	Dibenz(a,h)anthracene	4.1	ug/kg	3.1	11/07/17 11:20	
EPA 8270C SIM	Fluoranthene	41.2	ug/kg	4.9	11/07/17 21:04	
EPA 8270C SIM	Fluorene	1.8J	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	11.5	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	1-Methylnaphthalene	0.78J	ug/kg	2.5	11/07/17 11:20	N2
EPA 8270C SIM	2-Methylnaphthalene	0.88J	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	Naphthalene	1.6J	ug/kg	2.5	11/07/17 11:20	B
EPA 8270C SIM	Phenanthrene	27.0	ug/kg	2.5	11/07/17 11:20	
EPA 8270C SIM	Pyrene	37.1	ug/kg	4.9	11/07/17 21:04	
SM 2540 G-11/3550	Percent Moisture	19.4	%	0.10	11/06/17 19:17	
<b>40159995076</b>	<b>B13 12.5-15.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	0.74J	ug/kg	2.6	11/07/17 11:52	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40159995076</b>	<b>B13 12.5-15.0</b>					
EPA 8270C SIM	Benzo(b)fluoranthene	0.55J	ug/kg	3.2	11/07/17 11:52	
EPA 8270C SIM	Benzo(k)fluoranthene	0.52J	ug/kg	3.2	11/07/17 11:52	B
EPA 8270C SIM	Chrysene	0.99J	ug/kg	3.2	11/07/17 11:52	B
EPA 8270C SIM	Fluoranthene	1.2J	ug/kg	2.6	11/07/17 11:52	
EPA 8270C SIM	Phenanthrene	0.62J	ug/kg	2.6	11/07/17 11:52	
EPA 8270C SIM	Pyrene	1.1J	ug/kg	2.6	11/07/17 11:52	
SM 2540 G-11/3550	Percent Moisture	19.5	%	0.10	11/06/17 19:18	
<b>40159995077</b>	<b>B13 15.0-17.5</b>					
EPA 8270C SIM	Acenaphthene	1.2J	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Anthracene	4.4	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Benzo(a)anthracene	10.5	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Benzo(a)pyrene	8.1	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Benzo(b)fluoranthene	8.9	ug/kg	3.2	11/07/17 12:24	
EPA 8270C SIM	Benzo(g,h,i)perylene	5.7	ug/kg	3.2	11/07/17 12:24	
EPA 8270C SIM	Benzo(k)fluoranthene	6.9	ug/kg	3.2	11/07/17 12:24	
EPA 8270C SIM	Chrysene	10.3	ug/kg	3.2	11/07/17 12:24	
EPA 8270C SIM	Dibenz(a,h)anthracene	1.8J	ug/kg	3.2	11/07/17 12:24	
EPA 8270C SIM	Fluoranthene	25.9	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Fluorene	1.1J	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	4.8	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	1-Methylnaphthalene	0.37J	ug/kg	2.6	11/07/17 12:24	N2
EPA 8270C SIM	2-Methylnaphthalene	0.54J	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Naphthalene	1.1J	ug/kg	2.6	11/07/17 12:24	B
EPA 8270C SIM	Phenanthrene	18.3	ug/kg	2.6	11/07/17 12:24	
EPA 8270C SIM	Pyrene	21.7	ug/kg	2.6	11/07/17 12:24	
SM 2540 G-11/3550	Percent Moisture	22.8	%	0.10	11/06/17 19:19	
<b>40159995078</b>	<b>B13 17.5-20.0</b>					
EPA 8270C SIM	Benzo(a)anthracene	1.3J	ug/kg	2.2	11/07/17 12:57	B
EPA 8270C SIM	Benzo(a)pyrene	0.98J	ug/kg	2.2	11/07/17 12:57	
EPA 8270C SIM	Benzo(b)fluoranthene	1.2J	ug/kg	2.7	11/07/17 12:57	
EPA 8270C SIM	Benzo(g,h,i)perylene	1.7J	ug/kg	2.7	11/07/17 12:57	
EPA 8270C SIM	Benzo(k)fluoranthene	0.92J	ug/kg	2.7	11/07/17 12:57	B
EPA 8270C SIM	Chrysene	3.1	ug/kg	2.7	11/07/17 12:57	B
EPA 8270C SIM	Fluoranthene	1.7J	ug/kg	2.2	11/07/17 12:57	B
EPA 8270C SIM	Indeno(1,2,3-cd)pyrene	0.69J	ug/kg	2.2	11/07/17 12:57	
EPA 8270C SIM	1-Methylnaphthalene	1.0J	ug/kg	2.2	11/07/17 12:57	N2
EPA 8270C SIM	2-Methylnaphthalene	2.1J	ug/kg	2.2	11/07/17 12:57	
EPA 8270C SIM	Naphthalene	1.2J	ug/kg	2.2	11/07/17 12:57	B
EPA 8270C SIM	Phenanthrene	1.7J	ug/kg	2.2	11/07/17 12:57	
EPA 8270C SIM	Pyrene	1.8J	ug/kg	2.2	11/07/17 12:57	B
SM 2540 G-11/3550	Percent Moisture	6.4	%	0.10	11/06/17 19:24	
<b>40159995079</b>	<b>B14 0-2.5</b>					
EPA 8270 by SIM	Acenaphthene	0.021J	mg/kg	0.063	11/08/17 10:05	
EPA 8270 by SIM	Anthracene	0.12	mg/kg	0.093	11/08/17 10:05	
EPA 8270 by SIM	Benzo(a)anthracene	0.58	mg/kg	0.052	11/08/17 10:05	
EPA 8270 by SIM	Benzo(a)pyrene	0.56	mg/kg	0.041	11/08/17 10:05	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995079</b>	<b>B14 0-2.5</b>					
EPA 8270 by SIM	Benzo(b)fluoranthene	0.54	mg/kg	0.046	11/08/17 10:05	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.35	mg/kg	0.033	11/08/17 10:05	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.50	mg/kg	0.041	11/08/17 10:05	
EPA 8270 by SIM	Chrysene	0.67	mg/kg	0.055	11/08/17 10:05	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.13	mg/kg	0.036	11/08/17 10:05	
EPA 8270 by SIM	Fluoranthene	1.4	mg/kg	0.085	11/08/17 10:05	
EPA 8270 by SIM	Fluorene	0.025J	mg/kg	0.067	11/08/17 10:05	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.33	mg/kg	0.036	11/08/17 10:05	
EPA 8270 by SIM	Phenanthrene	0.45	mg/kg	0.19	11/08/17 10:05	
EPA 8270 by SIM	Pyrene	1.0	mg/kg	0.073	11/08/17 10:05	
ASTM D2974-87	Percent Moisture	18.0	%	0.10	11/06/17 10:22	
<b>40159995080</b>	<b>B14 2.5-5.0</b>					
EPA 8270 by SIM	Anthracene	0.021J	mg/kg	0.024	11/07/17 17:09	
EPA 8270 by SIM	Benzo(a)anthracene	0.10	mg/kg	0.013	11/07/17 17:09	
EPA 8270 by SIM	Benzo(a)pyrene	0.11	mg/kg	0.011	11/07/17 17:09	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.11	mg/kg	0.012	11/07/17 17:09	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.045	mg/kg	0.0086	11/07/17 17:09	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.11	mg/kg	0.011	11/07/17 17:09	
EPA 8270 by SIM	Chrysene	0.12	mg/kg	0.014	11/07/17 17:09	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.019	mg/kg	0.0095	11/07/17 17:09	
EPA 8270 by SIM	Fluoranthene	0.25	mg/kg	0.022	11/07/17 17:09	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.053	mg/kg	0.0093	11/07/17 17:09	
EPA 8270 by SIM	Phenanthrene	0.078	mg/kg	0.049	11/07/17 17:09	
EPA 8270 by SIM	Pyrene	0.19	mg/kg	0.019	11/07/17 17:09	
ASTM D2974-87	Percent Moisture	21.6	%	0.10	11/06/17 10:22	
<b>40159995081</b>	<b>B14 5.0-7.5</b>					
EPA 8270 by SIM	Acenaphthene	0.12	mg/kg	0.017	11/08/17 16:26	
EPA 8270 by SIM	Acenaphthylene	0.11	mg/kg	0.014	11/08/17 16:26	
EPA 8270 by SIM	Anthracene	0.14	mg/kg	0.025	11/08/17 16:26	
EPA 8270 by SIM	Benzo(a)anthracene	0.19	mg/kg	0.014	11/08/17 16:26	
EPA 8270 by SIM	Benzo(a)pyrene	0.37	mg/kg	0.011	11/08/17 16:26	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.27	mg/kg	0.012	11/08/17 16:26	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.39	mg/kg	0.0089	11/08/17 16:26	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.29	mg/kg	0.011	11/08/17 16:26	
EPA 8270 by SIM	Chrysene	0.21	mg/kg	0.015	11/08/17 16:26	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.10	mg/kg	0.0097	11/08/17 16:26	
EPA 8270 by SIM	Fluoranthene	0.34	mg/kg	0.023	11/08/17 16:26	
EPA 8270 by SIM	Fluorene	0.16	mg/kg	0.018	11/08/17 16:26	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.35	mg/kg	0.0096	11/08/17 16:26	
EPA 8270 by SIM	1-Methylnaphthalene	0.88	mg/kg	0.018	11/08/17 16:26	
EPA 8270 by SIM	2-Methylnaphthalene	1.0	mg/kg	0.022	11/08/17 16:26	
EPA 8270 by SIM	Naphthalene	0.14	mg/kg	0.037	11/08/17 16:26	
EPA 8270 by SIM	Phenanthrene	0.79	mg/kg	0.051	11/08/17 16:26	
EPA 8270 by SIM	Pyrene	0.31	mg/kg	0.020	11/08/17 16:26	
ASTM D2974-87	Percent Moisture	23.5	%	0.10	11/06/17 10:22	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995082</b>	<b>B14 7.5-10.0</b>					
EPA 8270 by SIM	Acenaphthene	0.017	mg/kg	0.016	11/07/17 17:26	
EPA 8270 by SIM	Acenaphthylene	0.0046J	mg/kg	0.014	11/07/17 17:26	
EPA 8270 by SIM	Anthracene	0.031	mg/kg	0.024	11/07/17 17:26	
EPA 8270 by SIM	Benzo(a)anthracene	0.17	mg/kg	0.013	11/07/17 17:26	
EPA 8270 by SIM	Benzo(a)pyrene	0.18	mg/kg	0.010	11/07/17 17:26	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.15	mg/kg	0.012	11/07/17 17:26	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.067	mg/kg	0.0084	11/07/17 17:26	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.20	mg/kg	0.010	11/07/17 17:26	
EPA 8270 by SIM	Chrysene	0.20	mg/kg	0.014	11/07/17 17:26	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.033	mg/kg	0.0093	11/07/17 17:26	
EPA 8270 by SIM	Fluoranthene	0.38	mg/kg	0.022	11/07/17 17:26	
EPA 8270 by SIM	Fluorene	0.011J	mg/kg	0.017	11/07/17 17:26	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.082	mg/kg	0.0091	11/07/17 17:26	
EPA 8270 by SIM	Naphthalene	0.014J	mg/kg	0.035	11/07/17 17:26	
EPA 8270 by SIM	Phenanthrene	0.14	mg/kg	0.048	11/07/17 17:26	
EPA 8270 by SIM	Pyrene	0.31	mg/kg	0.019	11/07/17 17:26	
ASTM D2974-87	Percent Moisture	19.6	%	0.10	11/06/17 10:22	
<b>40159995083</b>	<b>B14 10.0-12.5</b>					
EPA 8270 by SIM	Benzo(a)anthracene	0.0074J	mg/kg	0.013	11/07/17 17:44	
EPA 8270 by SIM	Benzo(a)pyrene	0.0073J	mg/kg	0.0099	11/07/17 17:44	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.0062J	mg/kg	0.011	11/07/17 17:44	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.0025J	mg/kg	0.0080	11/07/17 17:44	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.0080J	mg/kg	0.0099	11/07/17 17:44	
EPA 8270 by SIM	Chrysene	0.010J	mg/kg	0.013	11/07/17 17:44	
EPA 8270 by SIM	Fluoranthene	0.021	mg/kg	0.021	11/07/17 17:44	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.0029J	mg/kg	0.0087	11/07/17 17:44	
EPA 8270 by SIM	Naphthalene	0.15	mg/kg	0.033	11/07/17 17:44	
EPA 8270 by SIM	Phenanthrene	0.015J	mg/kg	0.046	11/07/17 17:44	
EPA 8270 by SIM	Pyrene	0.017J	mg/kg	0.018	11/07/17 17:44	
ASTM D2974-87	Percent Moisture	15.7	%	0.10	11/06/17 10:22	
<b>40159995084</b>	<b>B2 5.0-7.5</b>					
ASTM D2974-87	Percent Moisture	15.3	%	0.10	11/06/17 10:22	
<b>40159995085</b>	<b>B4 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	10.6	%	0.10	11/06/17 10:22	
<b>40159995086</b>	<b>B6 2.5-5.0</b>					
ASTM D2974-87	Percent Moisture	13.7	%	0.10	11/06/17 10:22	
<b>40159995087</b>	<b>B13 7.5-10</b>					
ASTM D2974-87	Percent Moisture	15.0	%	0.10	11/06/17 10:22	
<b>40159995088</b>	<b>B14 7.5-10</b>					
ASTM D2974-87	Percent Moisture	14.3	%	0.10	11/06/17 10:22	
<b>40159995089</b>	<b>B9 7.5-10.00</b>					
EPA 8270 by SIM	Anthracene	0.012J	mg/kg	0.023	11/07/17 18:01	
EPA 8270 by SIM	Benzo(a)anthracene	0.039	mg/kg	0.013	11/07/17 18:01	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40159995089</b>	<b>B9 7.5-10.00</b>					
EPA 8270 by SIM	Benzo(a)pyrene	0.043	mg/kg	0.010	11/07/17 18:01	
EPA 8270 by SIM	Benzo(b)fluoranthene	0.038	mg/kg	0.011	11/07/17 18:01	
EPA 8270 by SIM	Benzo(g,h,i)perylene	0.014	mg/kg	0.0082	11/07/17 18:01	
EPA 8270 by SIM	Benzo(k)fluoranthene	0.041	mg/kg	0.010	11/07/17 18:01	
EPA 8270 by SIM	Chrysene	0.048	mg/kg	0.013	11/07/17 18:01	
EPA 8270 by SIM	Dibenz(a,h)anthracene	0.0070J	mg/kg	0.0090	11/07/17 18:01	
EPA 8270 by SIM	Fluoranthene	0.11	mg/kg	0.021	11/07/17 18:01	
EPA 8270 by SIM	Indeno(1,2,3-cd)pyrene	0.017	mg/kg	0.0088	11/07/17 18:01	
EPA 8270 by SIM	Phenanthrene	0.055	mg/kg	0.047	11/07/17 18:01	
EPA 8270 by SIM	Pyrene	0.084	mg/kg	0.018	11/07/17 18:01	
ASTM D2974-87	Percent Moisture	16.9	%	0.10	11/06/17 10:40	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample:** B3 2.5-5.0      **Lab ID:** 40159995001      Collected: 10/30/17 14:08      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b> Analytical Method: EPA 8260      Preparation Method: EPA 5035/5030B									
Benzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	71-43-2	W
Bromobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	108-86-1	W
Bromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	74-97-5	W
Bromodichloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-27-4	W
Bromoform	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-25-2	W
Bromomethane	<0.070	mg/kg	0.25	0.070	1	11/03/17 07:00	11/03/17 19:41	74-83-9	W
n-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	104-51-8	W
sec-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	135-98-8	W
tert-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	98-06-6	W
Carbon tetrachloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	56-23-5	W
Chlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	108-90-7	W
Chloroethane	<0.067	mg/kg	0.25	0.067	1	11/03/17 07:00	11/03/17 19:41	75-00-3	W
Chloroform	<0.046	mg/kg	0.25	0.046	1	11/03/17 07:00	11/03/17 19:41	67-66-3	W
Chloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	74-87-3	W
2-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	95-49-8	W
4-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	106-43-4	W
1,2-Dibromo-3-chloropropane	<0.091	mg/kg	0.25	0.091	1	11/03/17 07:00	11/03/17 19:41	96-12-8	W
Dibromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	124-48-1	W
1,2-Dibromoethane (EDB)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	106-93-4	W
Dibromomethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	74-95-3	W
1,2-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	95-50-1	W
1,3-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	541-73-1	W
1,4-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	106-46-7	W
Dichlorodifluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-71-8	W
1,1-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-34-3	W
1,2-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	107-06-2	W
1,1-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-35-4	W
cis-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	156-59-2	W
trans-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	156-60-5	W
1,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	78-87-5	W
1,3-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	142-28-9	W
2,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	594-20-7	W
1,1-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	563-58-6	W
cis-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	10061-01-5	W
trans-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	10061-02-6	W
Diisopropyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	108-20-3	W
Ethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	100-41-4	W
Hexachloro-1,3-butadiene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	87-68-3	W
Isopropylbenzene (Cumene)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	98-82-8	W
p-Isopropyltoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	99-87-6	W
Methylene Chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-09-2	W
Methyl-tert-butyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	1634-04-4	W
Naphthalene	<0.040	mg/kg	0.25	0.040	1	11/03/17 07:00	11/03/17 19:41	91-20-3	W
n-Propylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	103-65-1	W
Styrene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	100-42-5	W

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B3 2.5-5.0**      **Lab ID: 40159995001**      Collected: 10/30/17 14:08      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	630-20-6	W
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	79-34-5	W
Tetrachloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	127-18-4	W
Toluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	108-88-3	W
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	87-61-6	W
1,2,4-Trichlorobenzene	<0.048	mg/kg	0.25	0.048	1	11/03/17 07:00	11/03/17 19:41	120-82-1	W
1,1,1-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	71-55-6	W
1,1,2-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	79-00-5	W
Trichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	79-01-6	W
Trichlorofluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-69-4	W
1,2,3-Trichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	96-18-4	W
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	95-63-6	W
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	108-67-8	W
Vinyl chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	75-01-4	W
m&p-Xylene	<0.050	mg/kg	0.12	0.050	1	11/03/17 07:00	11/03/17 19:41	179601-23-1	W
o-Xylene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:41	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	96	%	68-130		1	11/03/17 07:00	11/03/17 19:41	1868-53-7	
Toluene-d8 (S)	100	%	68-149		1	11/03/17 07:00	11/03/17 19:41	2037-26-5	
4-Bromofluorobenzene (S)	88	%	58-141		1	11/03/17 07:00	11/03/17 19:41	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	11.7	%	0.10	0.10	1		11/04/17 07:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 5.0-7.5**      **Lab ID: 40159995002**      Collected: 10/30/17 16:29      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Benzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	71-43-2	W
Bromobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	108-86-1	W
Bromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	74-97-5	W
Bromodichloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-27-4	W
Bromoform	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-25-2	W
Bromomethane	<0.070	mg/kg	0.25	0.070	1	11/03/17 07:00	11/03/17 20:04	74-83-9	W
n-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	104-51-8	W
sec-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	135-98-8	W
tert-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	98-06-6	W
Carbon tetrachloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	56-23-5	W
Chlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	108-90-7	W
Chloroethane	<0.067	mg/kg	0.25	0.067	1	11/03/17 07:00	11/03/17 20:04	75-00-3	W
Chloroform	<0.046	mg/kg	0.25	0.046	1	11/03/17 07:00	11/03/17 20:04	67-66-3	W
Chloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	74-87-3	W
2-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	95-49-8	W
4-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	106-43-4	W
1,2-Dibromo-3-chloropropane	<0.091	mg/kg	0.25	0.091	1	11/03/17 07:00	11/03/17 20:04	96-12-8	W
Dibromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	124-48-1	W
1,2-Dibromoethane (EDB)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	106-93-4	W
Dibromomethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	74-95-3	W
1,2-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	95-50-1	W
1,3-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	541-73-1	W
1,4-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	106-46-7	W
Dichlorodifluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-71-8	W
1,1-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-34-3	W
1,2-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	107-06-2	W
1,1-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-35-4	W
cis-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	156-59-2	W
trans-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	156-60-5	W
1,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	78-87-5	W
1,3-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	142-28-9	W
2,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	594-20-7	W
1,1-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	563-58-6	W
cis-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	10061-01-5	W
trans-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	10061-02-6	W
Diisopropyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	108-20-3	W
Ethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	100-41-4	W
Hexachloro-1,3-butadiene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	87-68-3	W
Isopropylbenzene (Cumene)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	98-82-8	W
p-Isopropyltoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	99-87-6	W
Methylene Chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-09-2	W
Methyl-tert-butyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	1634-04-4	W
Naphthalene	<0.040	mg/kg	0.25	0.040	1	11/03/17 07:00	11/03/17 20:04	91-20-3	W
n-Propylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	103-65-1	W
Styrene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	100-42-5	W

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 5.0-7.5**      **Lab ID: 40159995002**      Collected: 10/30/17 16:29      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	630-20-6	W
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	79-34-5	W
Tetrachloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	127-18-4	W
Toluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	108-88-3	W
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	87-61-6	W
1,2,4-Trichlorobenzene	<0.048	mg/kg	0.25	0.048	1	11/03/17 07:00	11/03/17 20:04	120-82-1	W
1,1,1-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	71-55-6	W
1,1,2-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	79-00-5	W
Trichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	79-01-6	W
Trichlorofluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-69-4	W
1,2,3-Trichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	96-18-4	W
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	95-63-6	W
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	108-67-8	W
Vinyl chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	75-01-4	W
m&p-Xylene	<0.050	mg/kg	0.12	0.050	1	11/03/17 07:00	11/03/17 20:04	179601-23-1	W
o-Xylene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:04	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	95	%	68-130		1	11/03/17 07:00	11/03/17 20:04	1868-53-7	
Toluene-d8 (S)	94	%	68-149		1	11/03/17 07:00	11/03/17 20:04	2037-26-5	
4-Bromofluorobenzene (S)	82	%	58-141		1	11/03/17 07:00	11/03/17 20:04	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>16.2</b>	%	0.10	0.10	1		11/04/17 07:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B10 2.5-5.0**      **Lab ID: 40159995003**      Collected: 10/31/17 09:53      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Benzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	71-43-2	W
Bromobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	108-86-1	W
Bromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	74-97-5	W
Bromodichloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-27-4	W
Bromoform	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-25-2	W
Bromomethane	<0.070	mg/kg	0.25	0.070	1	11/03/17 07:00	11/03/17 20:28	74-83-9	W
n-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	104-51-8	W
sec-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	135-98-8	W
tert-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	98-06-6	W
Carbon tetrachloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	56-23-5	W
Chlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	108-90-7	W
Chloroethane	<0.067	mg/kg	0.25	0.067	1	11/03/17 07:00	11/03/17 20:28	75-00-3	W
Chloroform	<0.046	mg/kg	0.25	0.046	1	11/03/17 07:00	11/03/17 20:28	67-66-3	W
Chloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	74-87-3	W
2-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	95-49-8	W
4-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	106-43-4	W
1,2-Dibromo-3-chloropropane	<0.091	mg/kg	0.25	0.091	1	11/03/17 07:00	11/03/17 20:28	96-12-8	W
Dibromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	124-48-1	W
1,2-Dibromoethane (EDB)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	106-93-4	W
Dibromomethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	74-95-3	W
1,2-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	95-50-1	W
1,3-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	541-73-1	W
1,4-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	106-46-7	W
Dichlorodifluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-71-8	W
1,1-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-34-3	W
1,2-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	107-06-2	W
1,1-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-35-4	W
cis-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	156-59-2	W
trans-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	156-60-5	W
1,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	78-87-5	W
1,3-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	142-28-9	W
2,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	594-20-7	W
1,1-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	563-58-6	W
cis-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	10061-01-5	W
trans-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	10061-02-6	W
Diisopropyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	108-20-3	W
Ethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	100-41-4	W
Hexachloro-1,3-butadiene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	87-68-3	W
Isopropylbenzene (Cumene)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	98-82-8	W
p-Isopropyltoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	99-87-6	W
Methylene Chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-09-2	W
Methyl-tert-butyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	1634-04-4	W
Naphthalene	<0.040	mg/kg	0.25	0.040	1	11/03/17 07:00	11/03/17 20:28	91-20-3	W
n-Propylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	103-65-1	W
Styrene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	100-42-5	W

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B10 2.5-5.0**      **Lab ID: 40159995003**      Collected: 10/31/17 09:53      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	630-20-6	W
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	79-34-5	W
Tetrachloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	127-18-4	W
Toluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	108-88-3	W
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	87-61-6	W
1,2,4-Trichlorobenzene	<0.048	mg/kg	0.25	0.048	1	11/03/17 07:00	11/03/17 20:28	120-82-1	W
1,1,1-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	71-55-6	W
1,1,2-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	79-00-5	W
Trichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	79-01-6	W
Trichlorofluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-69-4	W
1,2,3-Trichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	96-18-4	W
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	95-63-6	W
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	108-67-8	W
Vinyl chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	75-01-4	W
m&p-Xylene	<0.050	mg/kg	0.12	0.050	1	11/03/17 07:00	11/03/17 20:28	179601-23-1	W
o-Xylene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:28	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	93	%	68-130		1	11/03/17 07:00	11/03/17 20:28	1868-53-7	1q
Toluene-d8 (S)	94	%	68-149		1	11/03/17 07:00	11/03/17 20:28	2037-26-5	
4-Bromofluorobenzene (S)	80	%	58-141		1	11/03/17 07:00	11/03/17 20:28	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>18.8</b>	%	0.10	0.10	1		11/04/17 07:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B12 5.0-7.5**      **Lab ID: 40159995004**      Collected: 10/31/17 12:38      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	71-43-2	W
Bromobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	108-86-1	W
Bromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	74-97-5	W
Bromodichloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-27-4	W
Bromoform	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-25-2	W
Bromomethane	<0.070	mg/kg	0.25	0.070	1	11/03/17 07:00	11/03/17 20:51	74-83-9	W
n-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	104-51-8	W
sec-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	135-98-8	W
tert-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	98-06-6	W
Carbon tetrachloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	56-23-5	W
Chlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	108-90-7	W
Chloroethane	<0.067	mg/kg	0.25	0.067	1	11/03/17 07:00	11/03/17 20:51	75-00-3	W
Chloroform	<0.046	mg/kg	0.25	0.046	1	11/03/17 07:00	11/03/17 20:51	67-66-3	W
Chloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	74-87-3	W
2-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	95-49-8	W
4-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	106-43-4	W
1,2-Dibromo-3-chloropropane	<0.091	mg/kg	0.25	0.091	1	11/03/17 07:00	11/03/17 20:51	96-12-8	W
Dibromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	124-48-1	W
1,2-Dibromoethane (EDB)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	106-93-4	W
Dibromomethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	74-95-3	W
1,2-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	95-50-1	W
1,3-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	541-73-1	W
1,4-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	106-46-7	W
Dichlorodifluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-71-8	W
1,1-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-34-3	W
1,2-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	107-06-2	W
1,1-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-35-4	W
cis-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	156-59-2	W
trans-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	156-60-5	W
1,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	78-87-5	W
1,3-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	142-28-9	W
2,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	594-20-7	W
1,1-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	563-58-6	W
cis-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	10061-01-5	W
trans-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	10061-02-6	W
Diisopropyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	108-20-3	W
Ethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	100-41-4	W
Hexachloro-1,3-butadiene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	87-68-3	W
Isopropylbenzene (Cumene)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	98-82-8	W
p-Isopropyltoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	99-87-6	W
Methylene Chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-09-2	W
Methyl-tert-butyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	1634-04-4	W
Naphthalene	<0.040	mg/kg	0.25	0.040	1	11/03/17 07:00	11/03/17 20:51	91-20-3	W
n-Propylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	103-65-1	W
Styrene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	100-42-5	W

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B12 5.0-7.5**      **Lab ID: 40159995004**      Collected: 10/31/17 12:38      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	630-20-6	W
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	79-34-5	W
Tetrachloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	127-18-4	W
Toluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	108-88-3	W
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	87-61-6	W
1,2,4-Trichlorobenzene	<0.048	mg/kg	0.25	0.048	1	11/03/17 07:00	11/03/17 20:51	120-82-1	W
1,1,1-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	71-55-6	W
1,1,2-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	79-00-5	W
Trichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	79-01-6	W
Trichlorofluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-69-4	W
1,2,3-Trichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	96-18-4	W
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	95-63-6	W
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	108-67-8	W
Vinyl chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	75-01-4	W
m&p-Xylene	<0.050	mg/kg	0.12	0.050	1	11/03/17 07:00	11/03/17 20:51	179601-23-1	W
o-Xylene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 20:51	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	89	%	68-130		1	11/03/17 07:00	11/03/17 20:51	1868-53-7	
Toluene-d8 (S)	95	%	68-149		1	11/03/17 07:00	11/03/17 20:51	2037-26-5	
4-Bromofluorobenzene (S)	82	%	58-141		1	11/03/17 07:00	11/03/17 20:51	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>14.8</b>	%	0.10	0.10	1		11/04/17 07:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 7.5-10.0**      **Lab ID: 40159995005**      Collected: 10/31/17 13:48      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Benzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	71-43-2	W
Bromobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	108-86-1	W
Bromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	74-97-5	W
Bromodichloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-27-4	W
Bromoform	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-25-2	W
Bromomethane	<0.070	mg/kg	0.25	0.070	1	11/03/17 07:00	11/03/17 21:14	74-83-9	W
n-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	104-51-8	W
sec-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	135-98-8	W
tert-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	98-06-6	W
Carbon tetrachloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	56-23-5	W
Chlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	108-90-7	W
Chloroethane	<0.067	mg/kg	0.25	0.067	1	11/03/17 07:00	11/03/17 21:14	75-00-3	W
Chloroform	<0.046	mg/kg	0.25	0.046	1	11/03/17 07:00	11/03/17 21:14	67-66-3	W
Chloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	74-87-3	W
2-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	95-49-8	W
4-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	106-43-4	W
1,2-Dibromo-3-chloropropane	<0.091	mg/kg	0.25	0.091	1	11/03/17 07:00	11/03/17 21:14	96-12-8	W
Dibromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	124-48-1	W
1,2-Dibromoethane (EDB)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	106-93-4	W
Dibromomethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	74-95-3	W
1,2-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	95-50-1	W
1,3-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	541-73-1	W
1,4-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	106-46-7	W
Dichlorodifluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-71-8	W
1,1-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-34-3	W
1,2-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	107-06-2	W
1,1-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-35-4	W
cis-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	156-59-2	W
trans-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	156-60-5	W
1,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	78-87-5	W
1,3-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	142-28-9	W
2,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	594-20-7	W
1,1-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	563-58-6	W
cis-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	10061-01-5	W
trans-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	10061-02-6	W
Diisopropyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	108-20-3	W
Ethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	100-41-4	W
Hexachloro-1,3-butadiene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	87-68-3	W
Isopropylbenzene (Cumene)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	98-82-8	W
p-Isopropyltoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	99-87-6	W
Methylene Chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-09-2	W
Methyl-tert-butyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	1634-04-4	W
Naphthalene	<0.040	mg/kg	0.25	0.040	1	11/03/17 07:00	11/03/17 21:14	91-20-3	W
n-Propylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	103-65-1	W
Styrene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	100-42-5	W

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 7.5-10.0**      **Lab ID: 40159995005**      Collected: 10/31/17 13:48      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	630-20-6	W
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	79-34-5	W
Tetrachloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	127-18-4	W
Toluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	108-88-3	W
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	87-61-6	W
1,2,4-Trichlorobenzene	<0.048	mg/kg	0.25	0.048	1	11/03/17 07:00	11/03/17 21:14	120-82-1	W
1,1,1-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	71-55-6	W
1,1,2-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	79-00-5	W
Trichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	79-01-6	W
Trichlorofluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-69-4	W
1,2,3-Trichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	96-18-4	W
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	95-63-6	W
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	108-67-8	W
Vinyl chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	75-01-4	W
m&p-Xylene	<0.050	mg/kg	0.12	0.050	1	11/03/17 07:00	11/03/17 21:14	179601-23-1	W
o-Xylene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 21:14	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	106	%	68-130		1	11/03/17 07:00	11/03/17 21:14	1868-53-7	
Toluene-d8 (S)	111	%	68-149		1	11/03/17 07:00	11/03/17 21:14	2037-26-5	
4-Bromofluorobenzene (S)	98	%	58-141		1	11/03/17 07:00	11/03/17 21:14	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>14.5</b>	%	0.10	0.10	1		11/04/17 07:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

**Sample:** TRIP      **Lab ID:** 40159995006      Collected: 10/31/17 00:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "wet-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	71-43-2	W
Bromobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	108-86-1	W
Bromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	74-97-5	W
Bromodichloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-27-4	W
Bromoform	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-25-2	W
Bromomethane	<0.070	mg/kg	0.25	0.070	1	11/03/17 07:00	11/03/17 19:18	74-83-9	W
n-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	104-51-8	W
sec-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	135-98-8	W
tert-Butylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	98-06-6	W
Carbon tetrachloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	56-23-5	W
Chlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	108-90-7	W
Chloroethane	<0.067	mg/kg	0.25	0.067	1	11/03/17 07:00	11/03/17 19:18	75-00-3	W
Chloroform	<0.046	mg/kg	0.25	0.046	1	11/03/17 07:00	11/03/17 19:18	67-66-3	W
Chloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	74-87-3	W
2-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	95-49-8	W
4-Chlorotoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	106-43-4	W
1,2-Dibromo-3-chloropropane	<0.091	mg/kg	0.25	0.091	1	11/03/17 07:00	11/03/17 19:18	96-12-8	W
Dibromochloromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	124-48-1	W
1,2-Dibromoethane (EDB)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	106-93-4	W
Dibromomethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	74-95-3	W
1,2-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	95-50-1	W
1,3-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	541-73-1	W
1,4-Dichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	106-46-7	W
Dichlorodifluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-71-8	W
1,1-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-34-3	W
1,2-Dichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	107-06-2	W
1,1-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-35-4	W
cis-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	156-59-2	W
trans-1,2-Dichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	156-60-5	W
1,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	78-87-5	W
1,3-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	142-28-9	W
2,2-Dichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	594-20-7	W
1,1-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	563-58-6	W
cis-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	10061-01-5	W
trans-1,3-Dichloropropene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	10061-02-6	W
Diisopropyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	108-20-3	W
Ethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	100-41-4	W
Hexachloro-1,3-butadiene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	87-68-3	W
Isopropylbenzene (Cumene)	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	98-82-8	W
p-Isopropyltoluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	99-87-6	W
Methylene Chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-09-2	W
Methyl-tert-butyl ether	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	1634-04-4	W
Naphthalene	<0.040	mg/kg	0.25	0.040	1	11/03/17 07:00	11/03/17 19:18	91-20-3	W
n-Propylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	103-65-1	W
Styrene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	100-42-5	W

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: TRIP**      **Lab ID: 40159995006**      Collected: 10/31/17 00:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "wet-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	630-20-6	W
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	79-34-5	W
Tetrachloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	127-18-4	W
Toluene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	108-88-3	W
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	87-61-6	W
1,2,4-Trichlorobenzene	<0.048	mg/kg	0.25	0.048	1	11/03/17 07:00	11/03/17 19:18	120-82-1	W
1,1,1-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	71-55-6	W
1,1,2-Trichloroethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	79-00-5	W
Trichloroethene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	79-01-6	W
Trichlorofluoromethane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-69-4	W
1,2,3-Trichloropropane	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	96-18-4	W
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	95-63-6	W
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	108-67-8	W
Vinyl chloride	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	75-01-4	W
m&p-Xylene	<0.050	mg/kg	0.12	0.050	1	11/03/17 07:00	11/03/17 19:18	179601-23-1	W
o-Xylene	<0.025	mg/kg	0.060	0.025	1	11/03/17 07:00	11/03/17 19:18	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	83	%	68-130		1	11/03/17 07:00	11/03/17 19:18	1868-53-7	
Toluene-d8 (S)	85	%	68-149		1	11/03/17 07:00	11/03/17 19:18	2037-26-5	
4-Bromofluorobenzene (S)	80	%	58-141		1	11/03/17 07:00	11/03/17 19:18	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B1 2.5-5.0**      **Lab ID: 40159995007**      Collected: 10/30/17 12:49      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010 Preparation Method: EPA 3050							
Arsenic	<b>4.1J</b>	mg/kg	5.9	1.2	1	11/06/17 14:04	11/07/17 19:20	7440-38-2	
Barium	<b>89.1</b>	mg/kg	0.59	0.18	1	11/06/17 14:04	11/07/17 19:20	7440-39-3	
Cadmium	<b>&lt;0.16</b>	mg/kg	0.59	0.16	1	11/06/17 14:04	11/07/17 19:20	7440-43-9	
Chromium	<b>31.6</b>	mg/kg	1.2	0.33	1	11/06/17 14:04	11/07/17 19:20	7440-47-3	
Lead	<b>21.1</b>	mg/kg	1.5	0.51	1	11/06/17 14:04	11/07/17 19:20	7439-92-1	MO
Selenium	<b>&lt;1.3</b>	mg/kg	5.9	1.3	1	11/06/17 14:04	11/07/17 19:20	7782-49-2	
Silver	<b>&lt;0.40</b>	mg/kg	1.2	0.40	1	11/06/17 14:04	11/07/17 19:20	7440-22-4	
<b>7471 Mercury</b>		Analytical Method: EPA 7471 Preparation Method: EPA 7471							
Mercury	<b>&lt;0.013</b>	mg/kg	0.043	0.013	1	11/08/17 06:27	11/08/17 10:04	7439-97-6	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>15.0</b>	%	0.10	0.10	1		11/04/17 07:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 5.0-7.5**      **Lab ID: 40159995008**      Collected: 10/30/17 16:27      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010 Preparation Method: EPA 3050							
Arsenic	<b>3.8J</b>	mg/kg	5.8	1.2	1	11/06/17 14:04	11/07/17 19:27	7440-38-2	
Barium	<b>74.8</b>	mg/kg	0.58	0.17	1	11/06/17 14:04	11/07/17 19:27	7440-39-3	
Cadmium	<b>&lt;0.15</b>	mg/kg	0.58	0.15	1	11/06/17 14:04	11/07/17 19:27	7440-43-9	
Chromium	<b>26.7</b>	mg/kg	1.2	0.32	1	11/06/17 14:04	11/07/17 19:27	7440-47-3	
Lead	<b>7.5</b>	mg/kg	1.5	0.50	1	11/06/17 14:04	11/07/17 19:27	7439-92-1	
Selenium	<b>&lt;1.3</b>	mg/kg	5.8	1.3	1	11/06/17 14:04	11/07/17 19:27	7782-49-2	
Silver	<b>&lt;0.40</b>	mg/kg	1.2	0.40	1	11/06/17 14:04	11/07/17 19:27	7440-22-4	
<b>7471 Mercury</b>		Analytical Method: EPA 7471 Preparation Method: EPA 7471							
Mercury	<b>0.013J</b>	mg/kg	0.043	0.013	1	11/08/17 06:27	11/08/17 10:11	7439-97-6	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>14.4</b>	%	0.10	0.10	1		11/04/17 07:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B9 2.5-5.0**      **Lab ID: 40159995009**      Collected: 10/31/17 09:24      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010 Preparation Method: EPA 3050							
Arsenic	<b>6.2</b>	mg/kg	5.4	1.1	1	11/06/17 14:04	11/07/17 19:29	7440-38-2	
Barium	<b>108</b>	mg/kg	0.54	0.16	1	11/06/17 14:04	11/07/17 19:29	7440-39-3	
Cadmium	<b>0.32J</b>	mg/kg	0.54	0.14	1	11/06/17 14:04	11/07/17 19:29	7440-43-9	
Chromium	<b>25.0</b>	mg/kg	1.1	0.30	1	11/06/17 14:04	11/07/17 19:29	7440-47-3	
Lead	<b>108</b>	mg/kg	1.4	0.47	1	11/06/17 14:04	11/07/17 19:29	7439-92-1	
Selenium	<b>&lt;1.2</b>	mg/kg	5.4	1.2	1	11/06/17 14:04	11/07/17 19:29	7782-49-2	
Silver	<b>&lt;0.37</b>	mg/kg	1.1	0.37	1	11/06/17 14:04	11/07/17 19:29	7440-22-4	
<b>7471 Mercury</b>		Analytical Method: EPA 7471 Preparation Method: EPA 7471							
Mercury	<b>0.023J</b>	mg/kg	0.040	0.012	1	11/08/17 06:27	11/08/17 10:14	7439-97-6	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>12.9</b>	%	0.10	0.10	1		11/04/17 07:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B11 5.0-7.5**      **Lab ID: 40159995010**      Collected: 10/31/17 10:37      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010 Preparation Method: EPA 3050							
Arsenic	<b>4.4J</b>	mg/kg	5.5	1.2	1	11/06/17 14:04	11/07/17 19:32	7440-38-2	
Barium	<b>96.3</b>	mg/kg	0.55	0.17	1	11/06/17 14:04	11/07/17 19:32	7440-39-3	
Cadmium	<b>0.18J</b>	mg/kg	0.55	0.15	1	11/06/17 14:04	11/07/17 19:32	7440-43-9	
Chromium	<b>30.4</b>	mg/kg	1.1	0.31	1	11/06/17 14:04	11/07/17 19:32	7440-47-3	
Lead	<b>8.0</b>	mg/kg	1.4	0.48	1	11/06/17 14:04	11/07/17 19:32	7439-92-1	
Selenium	<b>&lt;1.2</b>	mg/kg	5.5	1.2	1	11/06/17 14:04	11/07/17 19:32	7782-49-2	
Silver	<b>&lt;0.38</b>	mg/kg	1.1	0.38	1	11/06/17 14:04	11/07/17 19:32	7440-22-4	
<b>7471 Mercury</b>		Analytical Method: EPA 7471 Preparation Method: EPA 7471							
Mercury	<b>&lt;0.013</b>	mg/kg	0.043	0.013	1	11/08/17 06:27	11/08/17 10:16	7439-97-6	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>16.0</b>	%	0.10	0.10	1		11/04/17 07:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B12 2.5-5.0**      **Lab ID: 40159995011**      Collected: 10/31/17 12:33      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010 Preparation Method: EPA 3050							
Arsenic	<b>5.2J</b>	mg/kg	5.5	1.2	1	11/06/17 14:04	11/07/17 19:34	7440-38-2	
Barium	<b>86.4</b>	mg/kg	0.55	0.17	1	11/06/17 14:04	11/07/17 19:34	7440-39-3	
Cadmium	<b>&lt;0.15</b>	mg/kg	0.55	0.15	1	11/06/17 14:04	11/07/17 19:34	7440-43-9	
Chromium	<b>28.7</b>	mg/kg	1.1	0.31	1	11/06/17 14:04	11/07/17 19:34	7440-47-3	
Lead	<b>8.2</b>	mg/kg	1.4	0.48	1	11/06/17 14:04	11/07/17 19:34	7439-92-1	
Selenium	<b>&lt;1.2</b>	mg/kg	5.5	1.2	1	11/06/17 14:04	11/07/17 19:34	7782-49-2	
Silver	<b>&lt;0.38</b>	mg/kg	1.1	0.38	1	11/06/17 14:04	11/07/17 19:34	7440-22-4	
<b>7471 Mercury</b>		Analytical Method: EPA 7471 Preparation Method: EPA 7471							
Mercury	<b>&lt;0.013</b>	mg/kg	0.042	0.013	1	11/08/17 06:27	11/08/17 10:18	7439-97-6	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>16.1</b>	%	0.10	0.10	1		11/04/17 07:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B1 0-2.5**      **Lab ID: 40159995012**      Collected: 10/30/17 12:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.6	ug/kg	15.3	4.6	1	11/03/17 08:36	11/06/17 11:46	83-32-9	
Acenaphthylene	4.6J	ug/kg	13.0	3.9	1	11/03/17 08:36	11/06/17 11:46	208-96-8	
Anthracene	14.7J	ug/kg	22.5	6.8	1	11/03/17 08:36	11/06/17 11:46	120-12-7	
Benzo(a)anthracene	68.6	ug/kg	12.6	3.8	1	11/03/17 08:36	11/06/17 11:46	56-55-3	
Benzo(a)pyrene	75.3	ug/kg	9.9	3.0	1	11/03/17 08:36	11/06/17 11:46	50-32-8	
Benzo(b)fluoranthene	61.7	ug/kg	11.2	3.4	1	11/03/17 08:36	11/06/17 11:46	205-99-2	
Benzo(g,h,i)perylene	50.2	ug/kg	8.0	2.4	1	11/03/17 08:36	11/06/17 11:46	191-24-2	
Benzo(k)fluoranthene	81.4	ug/kg	9.9	3.0	1	11/03/17 08:36	11/06/17 11:46	207-08-9	
Chrysene	86.5	ug/kg	13.3	4.0	1	11/03/17 08:36	11/06/17 11:46	218-01-9	
Dibenz(a,h)anthracene	16.3	ug/kg	8.8	2.7	1	11/03/17 08:36	11/06/17 11:46	53-70-3	
Fluoranthene	175	ug/kg	20.6	6.2	1	11/03/17 08:36	11/06/17 11:46	206-44-0	
Fluorene	<4.9	ug/kg	16.4	4.9	1	11/03/17 08:36	11/06/17 11:46	86-73-7	
Indeno(1,2,3-cd)pyrene	47.3	ug/kg	8.7	2.6	1	11/03/17 08:36	11/06/17 11:46	193-39-5	
1-Methylnaphthalene	86.6	ug/kg	15.9	4.8	1	11/03/17 08:36	11/06/17 11:46	90-12-0	
2-Methylnaphthalene	106	ug/kg	19.8	5.9	1	11/03/17 08:36	11/06/17 11:46	91-57-6	
Naphthalene	92.7	ug/kg	33.3	10	1	11/03/17 08:36	11/06/17 11:46	91-20-3	
Phenanthrene	99.4	ug/kg	46.0	13.8	1	11/03/17 08:36	11/06/17 11:46	85-01-8	
Pyrene	150	ug/kg	17.8	5.4	1	11/03/17 08:36	11/06/17 11:46	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	81	%	23-106		1	11/03/17 08:36	11/06/17 11:46	321-60-8	
Terphenyl-d14 (S)	89	%	29-106		1	11/03/17 08:36	11/06/17 11:46	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.6	%	0.10	0.10	1		11/04/17 07:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B1 2.5-5.0**      **Lab ID: 40159995013**      Collected: 10/30/17 12:45      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM    Preparation Method: EPA 3546									
Acenaphthene	<4.7	ug/kg	15.5	4.7	1	11/03/17 08:36	11/03/17 14:47	83-32-9	
Acenaphthylene	<4.0	ug/kg	13.2	4.0	1	11/03/17 08:36	11/03/17 14:47	208-96-8	
Anthracene	9.3J	ug/kg	22.8	6.8	1	11/03/17 08:36	11/03/17 14:47	120-12-7	
Benzo(a)anthracene	24.2	ug/kg	12.7	3.8	1	11/03/17 08:36	11/03/17 14:47	56-55-3	
Benzo(a)pyrene	21.1	ug/kg	10.0	3.0	1	11/03/17 08:36	11/03/17 14:47	50-32-8	
Benzo(b)fluoranthene	22.1	ug/kg	11.3	3.4	1	11/03/17 08:36	11/03/17 14:47	205-99-2	
Benzo(g,h,i)perylene	8.4	ug/kg	8.1	2.4	1	11/03/17 08:36	11/03/17 14:47	191-24-2	
Benzo(k)fluoranthene	20.2	ug/kg	10.0	3.0	1	11/03/17 08:36	11/03/17 14:47	207-08-9	
Chrysene	25.1	ug/kg	13.4	4.0	1	11/03/17 08:36	11/03/17 14:47	218-01-9	
Dibenz(a,h)anthracene	3.1J	ug/kg	8.9	2.7	1	11/03/17 08:36	11/03/17 14:47	53-70-3	
Fluoranthene	65.4	ug/kg	20.9	6.2	1	11/03/17 08:36	11/03/17 14:47	206-44-0	
Fluorene	<5.0	ug/kg	16.5	5.0	1	11/03/17 08:36	11/03/17 14:47	86-73-7	
Indeno(1,2,3-cd)pyrene	8.7J	ug/kg	8.8	2.6	1	11/03/17 08:36	11/03/17 14:47	193-39-5	
1-Methylnaphthalene	<4.8	ug/kg	16.1	4.8	1	11/03/17 08:36	11/03/17 14:47	90-12-0	
2-Methylnaphthalene	<6.0	ug/kg	20.0	6.0	1	11/03/17 08:36	11/03/17 14:47	91-57-6	
Naphthalene	<10.1	ug/kg	33.7	10.1	1	11/03/17 08:36	11/03/17 14:47	91-20-3	
Phenanthrene	39.7J	ug/kg	46.5	14.0	1	11/03/17 08:36	11/03/17 14:47	85-01-8	
Pyrene	49.7	ug/kg	18.0	5.4	1	11/03/17 08:36	11/03/17 14:47	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	73	%	23-106		1	11/03/17 08:36	11/03/17 14:47	321-60-8	
Terphenyl-d14 (S)	80	%	29-106		1	11/03/17 08:36	11/03/17 14:47	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	16.6	%	0.10	0.10	1		11/04/17 07:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B1 5.0-7.5**      **Lab ID: 40159995014**      Collected: 10/30/17 12:55      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM    Preparation Method: EPA 3546									
Acenaphthene	<4.5	ug/kg	15.1	4.5	1	11/03/17 08:36	11/03/17 15:04	83-32-9	
Acenaphthylene	<3.9	ug/kg	12.9	3.9	1	11/03/17 08:36	11/03/17 15:04	208-96-8	
Anthracene	<6.7	ug/kg	22.3	6.7	1	11/03/17 08:36	11/03/17 15:04	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.4	3.7	1	11/03/17 08:36	11/03/17 15:04	56-55-3	
Benzo(a)pyrene	<2.9	ug/kg	9.8	2.9	1	11/03/17 08:36	11/03/17 15:04	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	11.0	3.3	1	11/03/17 08:36	11/03/17 15:04	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	7.9	2.4	1	11/03/17 08:36	11/03/17 15:04	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.8	2.9	1	11/03/17 08:36	11/03/17 15:04	207-08-9	
Chrysene	<4.0	ug/kg	13.1	4.0	1	11/03/17 08:36	11/03/17 15:04	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.7	2.6	1	11/03/17 08:36	11/03/17 15:04	53-70-3	
Fluoranthene	<6.1	ug/kg	20.4	6.1	1	11/03/17 08:36	11/03/17 15:04	206-44-0	
Fluorene	<4.9	ug/kg	16.2	4.9	1	11/03/17 08:36	11/03/17 15:04	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.6	2.6	1	11/03/17 08:36	11/03/17 15:04	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.7	4.7	1	11/03/17 08:36	11/03/17 15:04	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.6	5.9	1	11/03/17 08:36	11/03/17 15:04	91-57-6	
Naphthalene	<9.9	ug/kg	32.9	9.9	1	11/03/17 08:36	11/03/17 15:04	91-20-3	
Phenanthrene	<13.7	ug/kg	45.5	13.7	1	11/03/17 08:36	11/03/17 15:04	85-01-8	
Pyrene	<5.3	ug/kg	17.6	5.3	1	11/03/17 08:36	11/03/17 15:04	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	77	%	23-106		1	11/03/17 08:36	11/03/17 15:04	321-60-8	
Terphenyl-d14 (S)	90	%	29-106		1	11/03/17 08:36	11/03/17 15:04	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>14.8</b>	%	0.10	0.10	1		11/04/17 07:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B1 7.5-10.0**      **Lab ID: 40159995015**      Collected: 10/30/17 13:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.6	ug/kg	15.3	4.6	1	11/03/17 08:36	11/03/17 15:22	83-32-9	
Acenaphthylene	<3.9	ug/kg	13.0	3.9	1	11/03/17 08:36	11/03/17 15:22	208-96-8	
Anthracene	<6.8	ug/kg	22.5	6.8	1	11/03/17 08:36	11/03/17 15:22	120-12-7	
Benzo(a)anthracene	<3.8	ug/kg	12.6	3.8	1	11/03/17 08:36	11/03/17 15:22	56-55-3	
Benzo(a)pyrene	<3.0	ug/kg	9.9	3.0	1	11/03/17 08:36	11/03/17 15:22	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	11.2	3.3	1	11/03/17 08:36	11/03/17 15:22	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	8.0	2.4	1	11/03/17 08:36	11/03/17 15:22	191-24-2	
Benzo(k)fluoranthene	<3.0	ug/kg	9.9	3.0	1	11/03/17 08:36	11/03/17 15:22	207-08-9	
Chrysene	<4.0	ug/kg	13.3	4.0	1	11/03/17 08:36	11/03/17 15:22	218-01-9	
Dibenz(a,h)anthracene	<2.7	ug/kg	8.8	2.7	1	11/03/17 08:36	11/03/17 15:22	53-70-3	
Fluoranthene	<6.2	ug/kg	20.6	6.2	1	11/03/17 08:36	11/03/17 15:22	206-44-0	
Fluorene	<4.9	ug/kg	16.4	4.9	1	11/03/17 08:36	11/03/17 15:22	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.7	2.6	1	11/03/17 08:36	11/03/17 15:22	193-39-5	
1-Methylnaphthalene	<4.8	ug/kg	15.9	4.8	1	11/03/17 08:36	11/03/17 15:22	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.8	5.9	1	11/03/17 08:36	11/03/17 15:22	91-57-6	
Naphthalene	<10	ug/kg	33.3	10	1	11/03/17 08:36	11/03/17 15:22	91-20-3	
Phenanthrene	<13.8	ug/kg	46.0	13.8	1	11/03/17 08:36	11/03/17 15:22	85-01-8	
Pyrene	<5.4	ug/kg	17.8	5.4	1	11/03/17 08:36	11/03/17 15:22	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	68	%	23-106		1	11/03/17 08:36	11/03/17 15:22	321-60-8	
Terphenyl-d14 (S)	80	%	29-106		1	11/03/17 08:36	11/03/17 15:22	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.8	%	0.10	0.10	1		11/04/17 07:37		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 0-2.5**      **Lab ID: 40159995016**      Collected: 10/30/17 13:15      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.5	ug/kg	15.0	4.5	1	11/03/17 08:36	11/03/17 15:39	83-32-9	
Acenaphthylene	<3.8	ug/kg	12.8	3.8	1	11/03/17 08:36	11/03/17 15:39	208-96-8	
Anthracene	<6.7	ug/kg	22.1	6.7	1	11/03/17 08:36	11/03/17 15:39	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.3	3.7	1	11/03/17 08:36	11/03/17 15:39	56-55-3	
Benzo(a)pyrene	<2.9	ug/kg	9.8	2.9	1	11/03/17 08:36	11/03/17 15:39	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	11.0	3.3	1	11/03/17 08:36	11/03/17 15:39	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	7.9	2.4	1	11/03/17 08:36	11/03/17 15:39	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.7	2.9	1	11/03/17 08:36	11/03/17 15:39	207-08-9	
Chrysene	<3.9	ug/kg	13.0	3.9	1	11/03/17 08:36	11/03/17 15:39	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.7	2.6	1	11/03/17 08:36	11/03/17 15:39	53-70-3	
Fluoranthene	<6.1	ug/kg	20.3	6.1	1	11/03/17 08:36	11/03/17 15:39	206-44-0	
Fluorene	<4.8	ug/kg	16.1	4.8	1	11/03/17 08:36	11/03/17 15:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.5	2.6	1	11/03/17 08:36	11/03/17 15:39	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.6	4.7	1	11/03/17 08:36	11/03/17 15:39	90-12-0	
2-Methylnaphthalene	<5.8	ug/kg	19.5	5.8	1	11/03/17 08:36	11/03/17 15:39	91-57-6	
Naphthalene	<9.8	ug/kg	32.7	9.8	1	11/03/17 08:36	11/03/17 15:39	91-20-3	
Phenanthrene	<13.6	ug/kg	45.2	13.6	1	11/03/17 08:36	11/03/17 15:39	85-01-8	
Pyrene	<5.3	ug/kg	17.5	5.3	1	11/03/17 08:36	11/03/17 15:39	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	75	%	23-106		1	11/03/17 08:36	11/03/17 15:39	321-60-8	
Terphenyl-d14 (S)	85	%	29-106		1	11/03/17 08:36	11/03/17 15:39	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.3	%	0.10	0.10	1		11/04/17 13:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 2.5-5.0**      **Lab ID: 40159995017**      Collected: 10/30/17 13:20      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.7	ug/kg	15.6	4.7	1	11/03/17 08:36	11/03/17 15:56	83-32-9	
Acenaphthylene	<4.0	ug/kg	13.3	4.0	1	11/03/17 08:36	11/03/17 15:56	208-96-8	
Anthracene	<6.9	ug/kg	22.9	6.9	1	11/03/17 08:36	11/03/17 15:56	120-12-7	
Benzo(a)anthracene	<3.8	ug/kg	12.8	3.8	1	11/03/17 08:36	11/03/17 15:56	56-55-3	
Benzo(a)pyrene	<3.0	ug/kg	10.1	3.0	1	11/03/17 08:36	11/03/17 15:56	50-32-8	
Benzo(b)fluoranthene	<3.4	ug/kg	11.4	3.4	1	11/03/17 08:36	11/03/17 15:56	205-99-2	
Benzo(g,h,i)perylene	<2.5	ug/kg	8.2	2.5	1	11/03/17 08:36	11/03/17 15:56	191-24-2	
Benzo(k)fluoranthene	<3.0	ug/kg	10.1	3.0	1	11/03/17 08:36	11/03/17 15:56	207-08-9	
Chrysene	<4.1	ug/kg	13.5	4.1	1	11/03/17 08:36	11/03/17 15:56	218-01-9	
Dibenz(a,h)anthracene	<2.7	ug/kg	9.0	2.7	1	11/03/17 08:36	11/03/17 15:56	53-70-3	
Fluoranthene	<6.3	ug/kg	21.0	6.3	1	11/03/17 08:36	11/03/17 15:56	206-44-0	
Fluorene	<5.0	ug/kg	16.7	5.0	1	11/03/17 08:36	11/03/17 15:56	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.7	ug/kg	8.9	2.7	1	11/03/17 08:36	11/03/17 15:56	193-39-5	
1-Methylnaphthalene	<4.9	ug/kg	16.2	4.9	1	11/03/17 08:36	11/03/17 15:56	90-12-0	
2-Methylnaphthalene	<6.0	ug/kg	20.2	6.0	1	11/03/17 08:36	11/03/17 15:56	91-57-6	
Naphthalene	<10.2	ug/kg	33.9	10.2	1	11/03/17 08:36	11/03/17 15:56	91-20-3	
Phenanthrene	<14.1	ug/kg	46.9	14.1	1	11/03/17 08:36	11/03/17 15:56	85-01-8	
Pyrene	<5.5	ug/kg	18.1	5.5	1	11/03/17 08:36	11/03/17 15:56	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	70	%	23-106		1	11/03/17 08:36	11/03/17 15:56	321-60-8	
Terphenyl-d14 (S)	94	%	29-106		1	11/03/17 08:36	11/03/17 15:56	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	17.1	%	0.10	0.10	1		11/04/17 13:37		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 5.0-7.5**      **Lab ID: 40159995018**      Collected: 10/30/17 13:25      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<4.5	ug/kg	15.0	4.5	1	11/03/17 08:36	11/03/17 16:14	83-32-9	
Acenaphthylene	<3.8	ug/kg	12.8	3.8	1	11/03/17 08:36	11/03/17 16:14	208-96-8	
Anthracene	6.9J	ug/kg	22.2	6.7	1	11/03/17 08:36	11/03/17 16:14	120-12-7	
Benzo(a)anthracene	19.7	ug/kg	12.4	3.7	1	11/03/17 08:36	11/03/17 16:14	56-55-3	
Benzo(a)pyrene	17.1	ug/kg	9.8	2.9	1	11/03/17 08:36	11/03/17 16:14	50-32-8	
Benzo(b)fluoranthene	17.1	ug/kg	11.0	3.3	1	11/03/17 08:36	11/03/17 16:14	205-99-2	
Benzo(g,h,i)perylene	5.1J	ug/kg	7.9	2.4	1	11/03/17 08:36	11/03/17 16:14	191-24-2	
Benzo(k)fluoranthene	16.9	ug/kg	9.7	2.9	1	11/03/17 08:36	11/03/17 16:14	207-08-9	
Chrysene	22.1	ug/kg	13.1	3.9	1	11/03/17 08:36	11/03/17 16:14	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.7	2.6	1	11/03/17 08:36	11/03/17 16:14	53-70-3	
Fluoranthene	45.1	ug/kg	20.3	6.1	1	11/03/17 08:36	11/03/17 16:14	206-44-0	
Fluorene	<4.8	ug/kg	16.1	4.8	1	11/03/17 08:36	11/03/17 16:14	86-73-7	
Indeno(1,2,3-cd)pyrene	5.4J	ug/kg	8.5	2.6	1	11/03/17 08:36	11/03/17 16:14	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.6	4.7	1	11/03/17 08:36	11/03/17 16:14	90-12-0	
2-Methylnaphthalene	<5.8	ug/kg	19.5	5.8	1	11/03/17 08:36	11/03/17 16:14	91-57-6	
Naphthalene	<9.8	ug/kg	32.8	9.8	1	11/03/17 08:36	11/03/17 16:14	91-20-3	
Phenanthrene	23.2J	ug/kg	45.2	13.6	1	11/03/17 08:36	11/03/17 16:14	85-01-8	
Pyrene	35.9	ug/kg	17.5	5.3	1	11/03/17 08:36	11/03/17 16:14	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	74	%	23-106		1	11/03/17 08:36	11/03/17 16:14	321-60-8	
Terphenyl-d14 (S)	82	%	29-106		1	11/03/17 08:36	11/03/17 16:14	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	14.3	%	0.10	0.10	1		11/04/17 13:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 7.5-10.0**      **Lab ID: 40159995019**      Collected: 10/30/17 13:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.4	ug/kg	14.8	4.4	1	11/06/17 10:08	11/06/17 18:33	83-32-9	
Acenaphthylene	<3.8	ug/kg	12.6	3.8	1	11/06/17 10:08	11/06/17 18:33	208-96-8	
Anthracene	<6.5	ug/kg	21.8	6.5	1	11/06/17 10:08	11/06/17 18:33	120-12-7	
Benzo(a)anthracene	<3.6	ug/kg	12.1	3.6	1	11/06/17 10:08	11/06/17 18:33	56-55-3	
Benzo(a)pyrene	<2.9	ug/kg	9.6	2.9	1	11/06/17 10:08	11/06/17 18:33	50-32-8	
Benzo(b)fluoranthene	<3.2	ug/kg	10.8	3.2	1	11/06/17 10:08	11/06/17 18:33	205-99-2	
Benzo(g,h,i)perylene	<2.3	ug/kg	7.8	2.3	1	11/06/17 10:08	11/06/17 18:33	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.6	2.9	1	11/06/17 10:08	11/06/17 18:33	207-08-9	
Chrysene	<3.9	ug/kg	12.8	3.9	1	11/06/17 10:08	11/06/17 18:33	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.5	2.6	1	11/06/17 10:08	11/06/17 18:33	53-70-3	
Fluoranthene	<6.0	ug/kg	19.9	6.0	1	11/06/17 10:08	11/06/17 18:33	206-44-0	
Fluorene	<4.7	ug/kg	15.8	4.7	1	11/06/17 10:08	11/06/17 18:33	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.5	ug/kg	8.4	2.5	1	11/06/17 10:08	11/06/17 18:33	193-39-5	
1-Methylnaphthalene	<4.6	ug/kg	15.4	4.6	1	11/06/17 10:08	11/06/17 18:33	90-12-0	
2-Methylnaphthalene	<5.7	ug/kg	19.1	5.7	1	11/06/17 10:08	11/06/17 18:33	91-57-6	
Naphthalene	<9.7	ug/kg	32.2	9.7	1	11/06/17 10:08	11/06/17 18:33	91-20-3	
Phenanthrene	<13.4	ug/kg	44.5	13.4	1	11/06/17 10:08	11/06/17 18:33	85-01-8	
Pyrene	<5.2	ug/kg	17.2	5.2	1	11/06/17 10:08	11/06/17 18:33	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	70	%	23-106		1	11/06/17 10:08	11/06/17 18:33	321-60-8	
Terphenyl-d14 (S)	75	%	29-106		1	11/06/17 10:08	11/06/17 18:33	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	13.0	%	0.10	0.10	1		11/04/17 13:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 10-12.5**      **Lab ID: 40159995020**      Collected: 10/30/17 13:35      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM    Preparation Method: EPA 3546									
Acenaphthene	<5.0	ug/kg	16.6	5.0	1	11/06/17 10:08	11/06/17 17:41	83-32-9	
Acenaphthylene	<4.2	ug/kg	14.1	4.2	1	11/06/17 10:08	11/06/17 17:41	208-96-8	
Anthracene	<7.3	ug/kg	24.4	7.3	1	11/06/17 10:08	11/06/17 17:41	120-12-7	
Benzo(a)anthracene	4.8J	ug/kg	13.6	4.1	1	11/06/17 10:08	11/06/17 17:41	56-55-3	
Benzo(a)pyrene	<3.2	ug/kg	10.8	3.2	1	11/06/17 10:08	11/06/17 17:41	50-32-8	
Benzo(b)fluoranthene	<3.6	ug/kg	12.1	3.6	1	11/06/17 10:08	11/06/17 17:41	205-99-2	
Benzo(g,h,i)perylene	<2.6	ug/kg	8.7	2.6	1	11/06/17 10:08	11/06/17 17:41	191-24-2	
Benzo(k)fluoranthene	<3.2	ug/kg	10.7	3.2	1	11/06/17 10:08	11/06/17 17:41	207-08-9	
Chrysene	<4.3	ug/kg	14.4	4.3	1	11/06/17 10:08	11/06/17 17:41	218-01-9	
Dibenz(a,h)anthracene	<2.9	ug/kg	9.6	2.9	1	11/06/17 10:08	11/06/17 17:41	53-70-3	
Fluoranthene	<6.7	ug/kg	22.4	6.7	1	11/06/17 10:08	11/06/17 17:41	206-44-0	
Fluorene	<5.3	ug/kg	17.7	5.3	1	11/06/17 10:08	11/06/17 17:41	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.8	ug/kg	9.4	2.8	1	11/06/17 10:08	11/06/17 17:41	193-39-5	
1-Methylnaphthalene	<5.2	ug/kg	17.2	5.2	1	11/06/17 10:08	11/06/17 17:41	90-12-0	
2-Methylnaphthalene	<6.4	ug/kg	21.5	6.4	1	11/06/17 10:08	11/06/17 17:41	91-57-6	
Naphthalene	<10.8	ug/kg	36.1	10.8	1	11/06/17 10:08	11/06/17 17:41	91-20-3	
Phenanthrene	<15.0	ug/kg	49.9	15.0	1	11/06/17 10:08	11/06/17 17:41	85-01-8	
Pyrene	<5.8	ug/kg	19.3	5.8	1	11/06/17 10:08	11/06/17 17:41	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	82	%	23-106		1	11/06/17 10:08	11/06/17 17:41	321-60-8	
Terphenyl-d14 (S)	71	%	29-106		1	11/06/17 10:08	11/06/17 17:41	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	22.1	%	0.10	0.10	1		11/04/17 13:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 12.5-15.0**      **Lab ID: 40159995021**      Collected: 10/30/17 13:40      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM    Preparation Method: EPA 3546									
Acenaphthene	<5.0	ug/kg	16.7	5.0	1	11/06/17 10:08	11/06/17 18:50	83-32-9	
Acenaphthylene	<4.3	ug/kg	14.2	4.3	1	11/06/17 10:08	11/06/17 18:50	208-96-8	
Anthracene	10.8J	ug/kg	24.5	7.4	1	11/06/17 10:08	11/06/17 18:50	120-12-7	
Benzo(a)anthracene	23.7	ug/kg	13.7	4.1	1	11/06/17 10:08	11/06/17 18:50	56-55-3	
Benzo(a)pyrene	13.8	ug/kg	10.8	3.2	1	11/06/17 10:08	11/06/17 18:50	50-32-8	
Benzo(b)fluoranthene	18.4	ug/kg	12.2	3.6	1	11/06/17 10:08	11/06/17 18:50	205-99-2	
Benzo(g,h,i)perylene	5.0J	ug/kg	8.7	2.6	1	11/06/17 10:08	11/06/17 18:50	191-24-2	
Benzo(k)fluoranthene	8.4J	ug/kg	10.8	3.2	1	11/06/17 10:08	11/06/17 18:50	207-08-9	
Chrysene	19.1	ug/kg	14.5	4.4	1	11/06/17 10:08	11/06/17 18:50	218-01-9	
Dibenz(a,h)anthracene	<2.9	ug/kg	9.6	2.9	1	11/06/17 10:08	11/06/17 18:50	53-70-3	
Fluoranthene	54.1	ug/kg	22.5	6.7	1	11/06/17 10:08	11/06/17 18:50	206-44-0	
Fluorene	<5.3	ug/kg	17.8	5.3	1	11/06/17 10:08	11/06/17 18:50	86-73-7	
Indeno(1,2,3-cd)pyrene	5.4J	ug/kg	9.5	2.8	1	11/06/17 10:08	11/06/17 18:50	193-39-5	
1-Methylnaphthalene	<5.2	ug/kg	17.3	5.2	1	11/06/17 10:08	11/06/17 18:50	90-12-0	
2-Methylnaphthalene	<6.5	ug/kg	21.6	6.5	1	11/06/17 10:08	11/06/17 18:50	91-57-6	
Naphthalene	<10.9	ug/kg	36.3	10.9	1	11/06/17 10:08	11/06/17 18:50	91-20-3	
Phenanthrene	37.6J	ug/kg	50.1	15.0	1	11/06/17 10:08	11/06/17 18:50	85-01-8	
Pyrene	37.3	ug/kg	19.4	5.8	1	11/06/17 10:08	11/06/17 18:50	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	60	%	23-106		1	11/06/17 10:08	11/06/17 18:50	321-60-8	
Terphenyl-d14 (S)	70	%	29-106		1	11/06/17 10:08	11/06/17 18:50	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	22.5	%	0.10	0.10	1		11/06/17 13:47		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 15.0-17.5**      **Lab ID: 40159995022**      Collected: 10/30/17 13:45      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<4.6	ug/kg	15.4	4.6	1	11/06/17 10:08	11/06/17 19:07	83-32-9	
Acenaphthylene	<3.9	ug/kg	13.2	3.9	1	11/06/17 10:08	11/06/17 19:07	208-96-8	
Anthracene	<6.8	ug/kg	22.7	6.8	1	11/06/17 10:08	11/06/17 19:07	120-12-7	
Benzo(a)anthracene	<3.8	ug/kg	12.7	3.8	1	11/06/17 10:08	11/06/17 19:07	56-55-3	
Benzo(a)pyrene	3.1J	ug/kg	10.0	3.0	1	11/06/17 10:08	11/06/17 19:07	50-32-8	
Benzo(b)fluoranthene	3.8J	ug/kg	11.3	3.4	1	11/06/17 10:08	11/06/17 19:07	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	8.1	2.4	1	11/06/17 10:08	11/06/17 19:07	191-24-2	
Benzo(k)fluoranthene	<3.0	ug/kg	10	3.0	1	11/06/17 10:08	11/06/17 19:07	207-08-9	
Chrysene	<4.0	ug/kg	13.4	4.0	1	11/06/17 10:08	11/06/17 19:07	218-01-9	
Dibenz(a,h)anthracene	<2.7	ug/kg	8.9	2.7	1	11/06/17 10:08	11/06/17 19:07	53-70-3	
Fluoranthene	8.2J	ug/kg	20.8	6.2	1	11/06/17 10:08	11/06/17 19:07	206-44-0	
Fluorene	<4.9	ug/kg	16.5	4.9	1	11/06/17 10:08	11/06/17 19:07	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.8	2.6	1	11/06/17 10:08	11/06/17 19:07	193-39-5	
1-Methylnaphthalene	<4.8	ug/kg	16.0	4.8	1	11/06/17 10:08	11/06/17 19:07	90-12-0	
2-Methylnaphthalene	<6.0	ug/kg	20.0	6.0	1	11/06/17 10:08	11/06/17 19:07	91-57-6	
Naphthalene	<10.1	ug/kg	33.6	10.1	1	11/06/17 10:08	11/06/17 19:07	91-20-3	
Phenanthrene	<13.9	ug/kg	46.4	13.9	1	11/06/17 10:08	11/06/17 19:07	85-01-8	
Pyrene	7.2J	ug/kg	17.9	5.4	1	11/06/17 10:08	11/06/17 19:07	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	76	%	23-106		1	11/06/17 10:08	11/06/17 19:07	321-60-8	
Terphenyl-d14 (S)	78	%	29-106		1	11/06/17 10:08	11/06/17 19:07	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	16.5	%	0.10	0.10	1		11/06/17 13:47		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 17.5-20.0**      **Lab ID: 40159995023**      Collected: 10/30/17 13:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<5.1	ug/kg	17.0	5.1	1	11/06/17 10:08	11/06/17 19:24	83-32-9	
Acenaphthylene	<4.3	ug/kg	14.5	4.3	1	11/06/17 10:08	11/06/17 19:24	208-96-8	
Anthracene	<7.5	ug/kg	25.0	7.5	1	11/06/17 10:08	11/06/17 19:24	120-12-7	
Benzo(a)anthracene	<4.2	ug/kg	14.0	4.2	1	11/06/17 10:08	11/06/17 19:24	56-55-3	
Benzo(a)pyrene	<3.3	ug/kg	11.0	3.3	1	11/06/17 10:08	11/06/17 19:24	50-32-8	
Benzo(b)fluoranthene	<3.7	ug/kg	12.4	3.7	1	11/06/17 10:08	11/06/17 19:24	205-99-2	
Benzo(g,h,i)perylene	<2.7	ug/kg	8.9	2.7	1	11/06/17 10:08	11/06/17 19:24	191-24-2	
Benzo(k)fluoranthene	<3.3	ug/kg	11.0	3.3	1	11/06/17 10:08	11/06/17 19:24	207-08-9	
Chrysene	<4.4	ug/kg	14.8	4.4	1	11/06/17 10:08	11/06/17 19:24	218-01-9	
Dibenz(a,h)anthracene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/06/17 19:24	53-70-3	
Fluoranthene	<6.9	ug/kg	22.9	6.9	1	11/06/17 10:08	11/06/17 19:24	206-44-0	
Fluorene	<5.5	ug/kg	18.2	5.5	1	11/06/17 10:08	11/06/17 19:24	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.9	ug/kg	9.7	2.9	1	11/06/17 10:08	11/06/17 19:24	193-39-5	
1-Methylnaphthalene	<5.3	ug/kg	17.7	5.3	1	11/06/17 10:08	11/06/17 19:24	90-12-0	
2-Methylnaphthalene	<6.6	ug/kg	22.0	6.6	1	11/06/17 10:08	11/06/17 19:24	91-57-6	
Naphthalene	<11.1	ug/kg	37.0	11.1	1	11/06/17 10:08	11/06/17 19:24	91-20-3	
Phenanthrene	<15.4	ug/kg	51.1	15.4	1	11/06/17 10:08	11/06/17 19:24	85-01-8	
Pyrene	<5.9	ug/kg	19.8	5.9	1	11/06/17 10:08	11/06/17 19:24	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	70	%	23-106		1	11/06/17 10:08	11/06/17 19:24	321-60-8	
Terphenyl-d14 (S)	64	%	29-106		1	11/06/17 10:08	11/06/17 19:24	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>24.2</b>	%	0.10	0.10	1		11/06/17 13:47		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B3 0-2.5**      **Lab ID: 40159995024**      Collected: 10/30/17 14:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<b>89.0J</b>	ug/kg	158	47.7	10	11/06/17 10:08	11/07/17 13:48	83-32-9	
Acenaphthylene	<b>86.7J</b>	ug/kg	135	40.5	10	11/06/17 10:08	11/07/17 13:48	208-96-8	
Anthracene	<b>360</b>	ug/kg	233	70.1	10	11/06/17 10:08	11/07/17 13:48	120-12-7	
Benzo(a)anthracene	<b>1270</b>	ug/kg	130	38.9	10	11/06/17 10:08	11/07/17 13:48	56-55-3	
Benzo(a)pyrene	<b>1240</b>	ug/kg	103	30.9	10	11/06/17 10:08	11/07/17 13:48	50-32-8	
Benzo(b)fluoranthene	<b>1090</b>	ug/kg	116	34.7	10	11/06/17 10:08	11/07/17 13:48	205-99-2	
Benzo(g,h,i)perylene	<b>744</b>	ug/kg	83.1	25.0	10	11/06/17 10:08	11/07/17 13:48	191-24-2	
Benzo(k)fluoranthene	<b>1240</b>	ug/kg	103	30.8	10	11/06/17 10:08	11/07/17 13:48	207-08-9	
Chrysene	<b>1530</b>	ug/kg	138	41.4	10	11/06/17 10:08	11/07/17 13:48	218-01-9	
Dibenz(a,h)anthracene	<b>240</b>	ug/kg	91.5	27.5	10	11/06/17 10:08	11/07/17 13:48	53-70-3	
Fluoranthene	<b>3200</b>	ug/kg	214	64.0	10	11/06/17 10:08	11/07/17 13:48	206-44-0	
Fluorene	<b>196</b>	ug/kg	169	50.8	10	11/06/17 10:08	11/07/17 13:48	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>720</b>	ug/kg	90.0	27.0	10	11/06/17 10:08	11/07/17 13:48	193-39-5	
1-Methylnaphthalene	<b>179</b>	ug/kg	165	49.4	10	11/06/17 10:08	11/07/17 13:48	90-12-0	
2-Methylnaphthalene	<b>232</b>	ug/kg	205	61.4	10	11/06/17 10:08	11/07/17 13:48	91-57-6	
Naphthalene	<b>135J</b>	ug/kg	345	103	10	11/06/17 10:08	11/07/17 13:48	91-20-3	
Phenanthrene	<b>1560</b>	ug/kg	477	143	10	11/06/17 10:08	11/07/17 13:48	85-01-8	
Pyrene	<b>2600</b>	ug/kg	184	55.4	10	11/06/17 10:08	11/07/17 13:48	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	57	%	23-106		10	11/06/17 10:08	11/07/17 13:48	321-60-8	
Terphenyl-d14 (S)	60	%	29-106		10	11/06/17 10:08	11/07/17 13:48	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>18.6</b>	%	0.10	0.10	1		11/06/17 13:47		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B3 2.5-5.0**      **Lab ID: 40159995025**      Collected: 10/30/17 14:05      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM    Preparation Method: EPA 3546									
Acenaphthene	<48.4	ug/kg	161	48.4	10	11/06/17 10:08	11/07/17 16:33	83-32-9	
Acenaphthylene	145	ug/kg	137	41.1	10	11/06/17 10:08	11/07/17 16:33	208-96-8	
Anthracene	324	ug/kg	237	71.3	10	11/06/17 10:08	11/07/17 16:33	120-12-7	
Benzo(a)anthracene	1320	ug/kg	132	39.6	10	11/06/17 10:08	11/07/17 16:33	56-55-3	
Benzo(a)pyrene	1210	ug/kg	104	31.3	10	11/06/17 10:08	11/07/17 16:33	50-32-8	
Benzo(b)fluoranthene	1520	ug/kg	117	35.2	10	11/06/17 10:08	11/07/17 16:33	205-99-2	
Benzo(g,h,i)perylene	577	ug/kg	84.5	25.4	10	11/06/17 10:08	11/07/17 16:33	191-24-2	
Benzo(k)fluoranthene	689	ug/kg	104	31.3	10	11/06/17 10:08	11/07/17 16:33	207-08-9	
Chrysene	1250	ug/kg	140	42.1	10	11/06/17 10:08	11/07/17 16:33	218-01-9	
Dibenz(a,h)anthracene	177	ug/kg	92.9	27.9	10	11/06/17 10:08	11/07/17 16:33	53-70-3	
Fluoranthene	2540	ug/kg	217	65.0	10	11/06/17 10:08	11/07/17 16:33	206-44-0	
Fluorene	<51.6	ug/kg	172	51.6	10	11/06/17 10:08	11/07/17 16:33	86-73-7	
Indeno(1,2,3-cd)pyrene	586	ug/kg	91.5	27.4	10	11/06/17 10:08	11/07/17 16:33	193-39-5	
1-Methylnaphthalene	<50.2	ug/kg	167	50.2	10	11/06/17 10:08	11/07/17 16:33	90-12-0	
2-Methylnaphthalene	<62.4	ug/kg	208	62.4	10	11/06/17 10:08	11/07/17 16:33	91-57-6	
Naphthalene	<105	ug/kg	351	105	10	11/06/17 10:08	11/07/17 16:33	91-20-3	
Phenanthrene	759	ug/kg	484	145	10	11/06/17 10:08	11/07/17 16:33	85-01-8	
Pyrene	2300	ug/kg	187	56.3	10	11/06/17 10:08	11/07/17 16:33	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	78	%	23-106		10	11/06/17 10:08	11/07/17 16:33	321-60-8	
Terphenyl-d14 (S)	74	%	29-106		10	11/06/17 10:08	11/07/17 16:33	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	19.9	%	0.10	0.10	1		11/06/17 13:47		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B3 5.0-7.5**      **Lab ID: 40159995026**      Collected: 10/30/17 14:10      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.6	ug/kg	15.1	4.6	1	11/06/17 10:08	11/06/17 19:41	83-32-9	
Acenaphthylene	<3.9	ug/kg	12.9	3.9	1	11/06/17 10:08	11/06/17 19:41	208-96-8	
Anthracene	<6.7	ug/kg	22.3	6.7	1	11/06/17 10:08	11/06/17 19:41	120-12-7	
Benzo(a)anthracene	3.8J	ug/kg	12.4	3.7	1	11/06/17 10:08	11/06/17 19:41	56-55-3	
Benzo(a)pyrene	4.0J	ug/kg	9.8	2.9	1	11/06/17 10:08	11/06/17 19:41	50-32-8	
Benzo(b)fluoranthene	5.3J	ug/kg	11.0	3.3	1	11/06/17 10:08	11/06/17 19:41	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	7.9	2.4	1	11/06/17 10:08	11/06/17 19:41	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/06/17 19:41	207-08-9	
Chrysene	4.7J	ug/kg	13.1	4.0	1	11/06/17 10:08	11/06/17 19:41	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.7	2.6	1	11/06/17 10:08	11/06/17 19:41	53-70-3	
Fluoranthene	10.3J	ug/kg	20.4	6.1	1	11/06/17 10:08	11/06/17 19:41	206-44-0	
Fluorene	<4.9	ug/kg	16.2	4.9	1	11/06/17 10:08	11/06/17 19:41	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.6	2.6	1	11/06/17 10:08	11/06/17 19:41	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.7	4.7	1	11/06/17 10:08	11/06/17 19:41	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.6	5.9	1	11/06/17 10:08	11/06/17 19:41	91-57-6	
Naphthalene	<9.9	ug/kg	33.0	9.9	1	11/06/17 10:08	11/06/17 19:41	91-20-3	
Phenanthrene	<13.7	ug/kg	45.5	13.7	1	11/06/17 10:08	11/06/17 19:41	85-01-8	
Pyrene	7.9J	ug/kg	17.6	5.3	1	11/06/17 10:08	11/06/17 19:41	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	85	%	23-106		1	11/06/17 10:08	11/06/17 19:41	321-60-8	
Terphenyl-d14 (S)	83	%	29-106		1	11/06/17 10:08	11/06/17 19:41	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.9	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B3 7.5-10.0**      **Lab ID: 40159995027**      Collected: 10/30/17 14:15      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<4.6	ug/kg	15.2	4.6	1	11/06/17 10:08	11/07/17 16:50	83-32-9	
Acenaphthylene	<3.9	ug/kg	13.0	3.9	1	11/06/17 10:08	11/07/17 16:50	208-96-8	
Anthracene	<6.7	ug/kg	22.4	6.7	1	11/06/17 10:08	11/07/17 16:50	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.5	3.7	1	11/06/17 10:08	11/07/17 16:50	56-55-3	
Benzo(a)pyrene	<3.0	ug/kg	9.9	3.0	1	11/06/17 10:08	11/07/17 16:50	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	11.1	3.3	1	11/06/17 10:08	11/07/17 16:50	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	8.0	2.4	1	11/06/17 10:08	11/07/17 16:50	191-24-2	
Benzo(k)fluoranthene	<3.0	ug/kg	9.9	3.0	1	11/06/17 10:08	11/07/17 16:50	207-08-9	
Chrysene	<4.0	ug/kg	13.2	4.0	1	11/06/17 10:08	11/07/17 16:50	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.8	2.6	1	11/06/17 10:08	11/07/17 16:50	53-70-3	
Fluoranthene	<6.1	ug/kg	20.5	6.1	1	11/06/17 10:08	11/07/17 16:50	206-44-0	
Fluorene	<4.9	ug/kg	16.3	4.9	1	11/06/17 10:08	11/07/17 16:50	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.6	2.6	1	11/06/17 10:08	11/07/17 16:50	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.8	4.7	1	11/06/17 10:08	11/07/17 16:50	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.7	5.9	1	11/06/17 10:08	11/07/17 16:50	91-57-6	
Naphthalene	<9.9	ug/kg	33.1	9.9	1	11/06/17 10:08	11/07/17 16:50	91-20-3	
Phenanthrene	<13.7	ug/kg	45.7	13.7	1	11/06/17 10:08	11/07/17 16:50	85-01-8	
Pyrene	<5.3	ug/kg	17.7	5.3	1	11/06/17 10:08	11/07/17 16:50	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	75	%	23-106		1	11/06/17 10:08	11/07/17 16:50	321-60-8	
Terphenyl-d14 (S)	85	%	29-106		1	11/06/17 10:08	11/07/17 16:50	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	15.1	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B3 10-12.5**      **Lab ID: 40159995028**      Collected: 10/30/17 14:20      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.5	ug/kg	14.9	4.5	1	11/06/17 10:08	11/07/17 17:07	83-32-9	
Acenaphthylene	<3.8	ug/kg	12.7	3.8	1	11/06/17 10:08	11/07/17 17:07	208-96-8	
Anthracene	<6.6	ug/kg	22.0	6.6	1	11/06/17 10:08	11/07/17 17:07	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.3	3.7	1	11/06/17 10:08	11/07/17 17:07	56-55-3	
Benzo(a)pyrene	<2.9	ug/kg	9.7	2.9	1	11/06/17 10:08	11/07/17 17:07	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	10.9	3.3	1	11/06/17 10:08	11/07/17 17:07	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	7.8	2.4	1	11/06/17 10:08	11/07/17 17:07	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.7	2.9	1	11/06/17 10:08	11/07/17 17:07	207-08-9	
Chrysene	<3.9	ug/kg	13.0	3.9	1	11/06/17 10:08	11/07/17 17:07	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.6	2.6	1	11/06/17 10:08	11/07/17 17:07	53-70-3	
Fluoranthene	<6.0	ug/kg	20.1	6.0	1	11/06/17 10:08	11/07/17 17:07	206-44-0	
Fluorene	<4.8	ug/kg	16.0	4.8	1	11/06/17 10:08	11/07/17 17:07	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.5	ug/kg	8.5	2.5	1	11/06/17 10:08	11/07/17 17:07	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.5	4.7	1	11/06/17 10:08	11/07/17 17:07	90-12-0	
2-Methylnaphthalene	<5.8	ug/kg	19.3	5.8	1	11/06/17 10:08	11/07/17 17:07	91-57-6	
Naphthalene	<9.7	ug/kg	32.5	9.7	1	11/06/17 10:08	11/07/17 17:07	91-20-3	
Phenanthrene	<13.5	ug/kg	44.9	13.5	1	11/06/17 10:08	11/07/17 17:07	85-01-8	
Pyrene	<5.2	ug/kg	17.4	5.2	1	11/06/17 10:08	11/07/17 17:07	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	75	%	23-106		1	11/06/17 10:08	11/07/17 17:07	321-60-8	
Terphenyl-d14 (S)	93	%	29-106		1	11/06/17 10:08	11/07/17 17:07	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>13.8</b>	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B3 12.5-15.0**      **Lab ID: 40159995029**      Collected: 10/30/17 14:25      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.5	ug/kg	15.1	4.5	1	11/06/17 10:08	11/07/17 17:24	83-32-9	
Acenaphthylene	<3.9	ug/kg	12.9	3.9	1	11/06/17 10:08	11/07/17 17:24	208-96-8	
Anthracene	<6.7	ug/kg	22.3	6.7	1	11/06/17 10:08	11/07/17 17:24	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.4	3.7	1	11/06/17 10:08	11/07/17 17:24	56-55-3	
Benzo(a)pyrene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/07/17 17:24	50-32-8	
Benzo(b)fluoranthene	3.6J	ug/kg	11.0	3.3	1	11/06/17 10:08	11/07/17 17:24	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	7.9	2.4	1	11/06/17 10:08	11/07/17 17:24	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/07/17 17:24	207-08-9	
Chrysene	<4.0	ug/kg	13.1	4.0	1	11/06/17 10:08	11/07/17 17:24	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.7	2.6	1	11/06/17 10:08	11/07/17 17:24	53-70-3	
Fluoranthene	<6.1	ug/kg	20.4	6.1	1	11/06/17 10:08	11/07/17 17:24	206-44-0	
Fluorene	<4.8	ug/kg	16.2	4.8	1	11/06/17 10:08	11/07/17 17:24	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.6	2.6	1	11/06/17 10:08	11/07/17 17:24	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.7	4.7	1	11/06/17 10:08	11/07/17 17:24	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.6	5.9	1	11/06/17 10:08	11/07/17 17:24	91-57-6	
Naphthalene	<9.9	ug/kg	32.9	9.9	1	11/06/17 10:08	11/07/17 17:24	91-20-3	
Phenanthrene	<13.6	ug/kg	45.5	13.6	1	11/06/17 10:08	11/07/17 17:24	85-01-8	
Pyrene	<5.3	ug/kg	17.6	5.3	1	11/06/17 10:08	11/07/17 17:24	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	81	%	23-106		1	11/06/17 10:08	11/07/17 17:24	321-60-8	
Terphenyl-d14 (S)	89	%	29-106		1	11/06/17 10:08	11/07/17 17:24	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.5	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B4 0-2.5**      **Lab ID: 40159995030**      Collected: 10/30/17 14:45      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>10.1J</b>	ug/kg	22.3	1.8	10	11/06/17 08:06	11/07/17 02:11	83-32-9	M6
Acenaphthylene	<b>9.1J</b>	ug/kg	22.3	1.7	10	11/06/17 08:06	11/07/17 02:11	208-96-8	
Anthracene	<b>72.8</b>	ug/kg	22.3	2.4	10	11/06/17 08:06	11/07/17 02:11	120-12-7	M6
Benzo(a)anthracene	<b>346</b>	ug/kg	89.0	15.6	40	11/06/17 08:06	11/07/17 17:19	56-55-3	M6
Benzo(a)pyrene	<b>326</b>	ug/kg	89.0	21.4	40	11/06/17 08:06	11/07/17 17:19	50-32-8	M6
Benzo(b)fluoranthene	<b>282</b>	ug/kg	27.8	3.9	10	11/06/17 08:06	11/07/17 02:11	205-99-2	M6
Benzo(g,h,i)perylene	<b>206</b>	ug/kg	27.8	7.2	10	11/06/17 08:06	11/07/17 02:11	191-24-2	M6
Benzo(k)fluoranthene	<b>280</b>	ug/kg	27.8	2.7	10	11/06/17 08:06	11/07/17 02:11	207-08-9	M6
Chrysene	<b>350</b>	ug/kg	111	7.1	40	11/06/17 08:06	11/07/17 17:19	218-01-9	M6
Dibenz(a,h)anthracene	<b>66.4</b>	ug/kg	27.8	8.3	10	11/06/17 08:06	11/07/17 02:11	53-70-3	M6
Fluoranthene	<b>669</b>	ug/kg	89.0	13.4	40	11/06/17 08:06	11/07/17 17:19	206-44-0	M6
Fluorene	<b>11.2J</b>	ug/kg	22.3	1.9	10	11/06/17 08:06	11/07/17 02:11	86-73-7	M6
Indeno(1,2,3-cd)pyrene	<b>194</b>	ug/kg	22.3	7.0	10	11/06/17 08:06	11/07/17 02:11	193-39-5	M6
1-Methylnaphthalene	<b>8.6J</b>	ug/kg	22.3	2.1	10	11/06/17 08:06	11/07/17 02:11	90-12-0	M6,N2
2-Methylnaphthalene	<b>8.5J</b>	ug/kg	22.3	2.3	10	11/06/17 08:06	11/07/17 02:11	91-57-6	
Naphthalene	<b>18.9J</b>	ug/kg	22.3	2.8	10	11/06/17 08:06	11/07/17 02:11	91-20-3	B,ED
Phenanthrene	<b>281</b>	ug/kg	22.3	2.8	10	11/06/17 08:06	11/07/17 02:11	85-01-8	M6
Pyrene	<b>619</b>	ug/kg	89.0	12.0	40	11/06/17 08:06	11/07/17 17:19	129-00-0	M6
<b>Surrogates</b>									
Fluoranthene-d10 (S)	86	%	50-150		10	11/06/17 08:06	11/07/17 02:11	93951-69-0	
2-Methylnaphthalene-d10 (S)	86	%	50-150		10	11/06/17 08:06	11/07/17 02:11	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>10.1</b>	%	0.10	0.10	1		11/06/17 14:35		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B4 2.5-5.0**      **Lab ID: 40159995031**      Collected: 10/30/17 14:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>16.6J</b>	ug/kg	23.7	1.9	10	11/06/17 08:06	11/07/17 02:43	83-32-9	
Acenaphthylene	<b>7.7J</b>	ug/kg	23.7	1.8	10	11/06/17 08:06	11/07/17 02:43	208-96-8	
Anthracene	<b>113</b>	ug/kg	23.7	2.6	10	11/06/17 08:06	11/07/17 02:43	120-12-7	
Benzo(a)anthracene	<b>618</b>	ug/kg	119	20.8	50	11/06/17 08:06	11/07/17 17:51	56-55-3	
Benzo(a)pyrene	<b>497</b>	ug/kg	119	28.5	50	11/06/17 08:06	11/07/17 17:51	50-32-8	
Benzo(b)fluoranthene	<b>495</b>	ug/kg	148	20.8	50	11/06/17 08:06	11/07/17 17:51	205-99-2	
Benzo(g,h,i)perylene	<b>324</b>	ug/kg	148	38.6	50	11/06/17 08:06	11/07/17 17:51	191-24-2	
Benzo(k)fluoranthene	<b>488</b>	ug/kg	148	14.2	50	11/06/17 08:06	11/07/17 17:51	207-08-9	
Chrysene	<b>638</b>	ug/kg	148	9.5	50	11/06/17 08:06	11/07/17 17:51	218-01-9	
Dibenz(a,h)anthracene	<b>105</b>	ug/kg	29.7	8.9	10	11/06/17 08:06	11/07/17 02:43	53-70-3	
Fluoranthene	<b>1330</b>	ug/kg	119	17.8	50	11/06/17 08:06	11/07/17 17:51	206-44-0	
Fluorene	<b>20.2J</b>	ug/kg	23.7	2.0	10	11/06/17 08:06	11/07/17 02:43	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>302</b>	ug/kg	23.7	7.5	10	11/06/17 08:06	11/07/17 02:43	193-39-5	
1-Methylnaphthalene	<b>13.3J</b>	ug/kg	23.7	2.3	10	11/06/17 08:06	11/07/17 02:43	90-12-0	N2
2-Methylnaphthalene	<b>10.1J</b>	ug/kg	23.7	2.5	10	11/06/17 08:06	11/07/17 02:43	91-57-6	
Naphthalene	<b>15.3J</b>	ug/kg	23.7	3.0	10	11/06/17 08:06	11/07/17 02:43	91-20-3	B,ED
Phenanthrene	<b>374</b>	ug/kg	119	14.8	50	11/06/17 08:06	11/07/17 17:51	85-01-8	
Pyrene	<b>1120</b>	ug/kg	119	16.0	50	11/06/17 08:06	11/07/17 17:51	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	74	%	50-150		10	11/06/17 08:06	11/07/17 02:43	93951-69-0	
2-Methylnaphthalene-d10 (S)	86	%	50-150		10	11/06/17 08:06	11/07/17 02:43	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>12.5</b>	%	0.10	0.10	1		11/06/17 14:40		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B5 0-2.5**      **Lab ID: 40159995032**      Collected: 10/30/17 14:55      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>14.9</b>	ug/kg	11.8	0.94	5	11/06/17 08:06	11/07/17 22:41	83-32-9	
Acenaphthylene	<b>3.4J</b>	ug/kg	11.8	0.89	5	11/06/17 08:06	11/07/17 22:41	208-96-8	
Anthracene	<b>62.5</b>	ug/kg	11.8	1.3	5	11/06/17 08:06	11/07/17 22:41	120-12-7	
Benzo(a)anthracene	<b>172</b>	ug/kg	47.2	8.3	20	11/06/17 08:06	11/07/17 19:27	56-55-3	
Benzo(a)pyrene	<b>152</b>	ug/kg	47.2	11.3	20	11/06/17 08:06	11/07/17 19:27	50-32-8	
Benzo(b)fluoranthene	<b>156</b>	ug/kg	14.8	2.1	5	11/06/17 08:06	11/07/17 22:41	205-99-2	
Benzo(g,h,i)perylene	<b>117</b>	ug/kg	14.8	3.8	5	11/06/17 08:06	11/07/17 22:41	191-24-2	
Benzo(k)fluoranthene	<b>143</b>	ug/kg	14.8	1.4	5	11/06/17 08:06	11/07/17 22:41	207-08-9	
Chrysene	<b>172</b>	ug/kg	59.1	3.8	20	11/06/17 08:06	11/07/17 19:27	218-01-9	
Dibenz(a,h)anthracene	<b>39.5</b>	ug/kg	14.8	4.4	5	11/06/17 08:06	11/07/17 22:41	53-70-3	
Fluoranthene	<b>349</b>	ug/kg	47.2	7.1	20	11/06/17 08:06	11/07/17 19:27	206-44-0	
Fluorene	<b>14.2</b>	ug/kg	11.8	1.0	5	11/06/17 08:06	11/07/17 22:41	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>106</b>	ug/kg	11.8	3.7	5	11/06/17 08:06	11/07/17 22:41	193-39-5	
1-Methylnaphthalene	<b>5.4J</b>	ug/kg	11.8	1.1	5	11/06/17 08:06	11/07/17 22:41	90-12-0	N2
2-Methylnaphthalene	<b>4.1J</b>	ug/kg	11.8	1.2	5	11/06/17 08:06	11/07/17 22:41	91-57-6	
Naphthalene	<b>9.7J</b>	ug/kg	11.8	1.5	5	11/06/17 08:06	11/07/17 22:41	91-20-3	B,ED
Phenanthrene	<b>168</b>	ug/kg	47.2	5.9	20	11/06/17 08:06	11/07/17 19:27	85-01-8	
Pyrene	<b>317</b>	ug/kg	47.2	6.4	20	11/06/17 08:06	11/07/17 19:27	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	79	%	50-150		5	11/06/17 08:06	11/07/17 22:41	93951-69-0	
2-Methylnaphthalene-d10 (S)	77	%	50-150		5	11/06/17 08:06	11/07/17 22:41	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>15.1</b>	%	0.10	0.10	1		11/06/17 14:42		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B5 2.5-5.0**      **Lab ID: 40159995033**      Collected: 10/30/17 16:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>12.9J</b>	ug/kg	24.6	2.0	10	11/06/17 08:06	11/07/17 03:15	83-32-9	
Acenaphthylene	<b>6.5J</b>	ug/kg	24.6	1.8	10	11/06/17 08:06	11/07/17 03:15	208-96-8	
Anthracene	<b>69.0</b>	ug/kg	24.6	2.7	10	11/06/17 08:06	11/07/17 03:15	120-12-7	
Benzo(a)anthracene	<b>356</b>	ug/kg	98.3	17.2	40	11/06/17 08:06	11/07/17 16:47	56-55-3	
Benzo(a)pyrene	<b>358</b>	ug/kg	98.3	23.6	40	11/06/17 08:06	11/07/17 16:47	50-32-8	
Benzo(b)fluoranthene	<b>314</b>	ug/kg	123	17.2	40	11/06/17 08:06	11/07/17 16:47	205-99-2	
Benzo(g,h,i)perylene	<b>258</b>	ug/kg	30.7	8.0	10	11/06/17 08:06	11/07/17 03:15	191-24-2	
Benzo(k)fluoranthene	<b>315</b>	ug/kg	123	11.8	40	11/06/17 08:06	11/07/17 16:47	207-08-9	
Chrysene	<b>395</b>	ug/kg	123	7.9	40	11/06/17 08:06	11/07/17 16:47	218-01-9	
Dibenz(a,h)anthracene	<b>81.9</b>	ug/kg	30.7	9.2	10	11/06/17 08:06	11/07/17 03:15	53-70-3	
Fluoranthene	<b>801</b>	ug/kg	98.3	14.8	40	11/06/17 08:06	11/07/17 16:47	206-44-0	
Fluorene	<b>13.9J</b>	ug/kg	24.6	2.1	10	11/06/17 08:06	11/07/17 03:15	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>232</b>	ug/kg	24.6	7.7	10	11/06/17 08:06	11/07/17 03:15	193-39-5	
1-Methylnaphthalene	<b>9.9J</b>	ug/kg	24.6	2.4	10	11/06/17 08:06	11/07/17 03:15	90-12-0	N2
2-Methylnaphthalene	<b>6.6J</b>	ug/kg	24.6	2.6	10	11/06/17 08:06	11/07/17 03:15	91-57-6	
Naphthalene	<b>14.9J</b>	ug/kg	24.6	3.1	10	11/06/17 08:06	11/07/17 03:15	91-20-3	B,ED
Phenanthrene	<b>292</b>	ug/kg	24.6	3.1	10	11/06/17 08:06	11/07/17 03:15	85-01-8	
Pyrene	<b>692</b>	ug/kg	98.3	13.3	40	11/06/17 08:06	11/07/17 16:47	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	79	%	50-150		10	11/06/17 08:06	11/07/17 03:15	93951-69-0	
2-Methylnaphthalene-d10 (S)	82	%	50-150		10	11/06/17 08:06	11/07/17 03:15	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>16.8</b>	%	0.10	0.10	1		11/06/17 14:43		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 0-2.5**      **Lab ID: 40159995034**      Collected: 10/30/17 16:15      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.6	ug/kg	15.1	4.6	1	11/06/17 10:08	11/07/17 17:41	83-32-9	
Acenaphthylene	<3.9	ug/kg	12.9	3.9	1	11/06/17 10:08	11/07/17 17:41	208-96-8	
Anthracene	<6.7	ug/kg	22.3	6.7	1	11/06/17 10:08	11/07/17 17:41	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.4	3.7	1	11/06/17 10:08	11/07/17 17:41	56-55-3	
Benzo(a)pyrene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/07/17 17:41	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	11.0	3.3	1	11/06/17 10:08	11/07/17 17:41	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	7.9	2.4	1	11/06/17 10:08	11/07/17 17:41	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/07/17 17:41	207-08-9	
Chrysene	<4.0	ug/kg	13.1	4.0	1	11/06/17 10:08	11/07/17 17:41	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.7	2.6	1	11/06/17 10:08	11/07/17 17:41	53-70-3	
Fluoranthene	<6.1	ug/kg	20.4	6.1	1	11/06/17 10:08	11/07/17 17:41	206-44-0	
Fluorene	<4.9	ug/kg	16.2	4.9	1	11/06/17 10:08	11/07/17 17:41	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.6	2.6	1	11/06/17 10:08	11/07/17 17:41	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.7	4.7	1	11/06/17 10:08	11/07/17 17:41	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.6	5.9	1	11/06/17 10:08	11/07/17 17:41	91-57-6	
Naphthalene	<9.9	ug/kg	33.0	9.9	1	11/06/17 10:08	11/07/17 17:41	91-20-3	
Phenanthrene	<13.7	ug/kg	45.5	13.7	1	11/06/17 10:08	11/07/17 17:41	85-01-8	
Pyrene	<5.3	ug/kg	17.6	5.3	1	11/06/17 10:08	11/07/17 17:41	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	70	%	23-106		1	11/06/17 10:08	11/07/17 17:41	321-60-8	
Terphenyl-d14 (S)	86	%	29-106		1	11/06/17 10:08	11/07/17 17:41	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.9	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 2.5-5.0**      **Lab ID: 40159995035**      Collected: 10/30/17 16:20      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<4.6	ug/kg	15.2	4.6	1	11/06/17 10:08	11/07/17 17:58	83-32-9	
Acenaphthylene	<3.9	ug/kg	13.0	3.9	1	11/06/17 10:08	11/07/17 17:58	208-96-8	
Anthracene	<6.7	ug/kg	22.4	6.7	1	11/06/17 10:08	11/07/17 17:58	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.5	3.7	1	11/06/17 10:08	11/07/17 17:58	56-55-3	
Benzo(a)pyrene	<3.0	ug/kg	9.9	3.0	1	11/06/17 10:08	11/07/17 17:58	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	11.1	3.3	1	11/06/17 10:08	11/07/17 17:58	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	8.0	2.4	1	11/06/17 10:08	11/07/17 17:58	191-24-2	
Benzo(k)fluoranthene	<3.0	ug/kg	9.8	3.0	1	11/06/17 10:08	11/07/17 17:58	207-08-9	
Chrysene	<4.0	ug/kg	13.2	4.0	1	11/06/17 10:08	11/07/17 17:58	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.8	2.6	1	11/06/17 10:08	11/07/17 17:58	53-70-3	
Fluoranthene	<6.1	ug/kg	20.5	6.1	1	11/06/17 10:08	11/07/17 17:58	206-44-0	
Fluorene	<4.9	ug/kg	16.2	4.9	1	11/06/17 10:08	11/07/17 17:58	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.6	2.6	1	11/06/17 10:08	11/07/17 17:58	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.8	4.7	1	11/06/17 10:08	11/07/17 17:58	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.7	5.9	1	11/06/17 10:08	11/07/17 17:58	91-57-6	
Naphthalene	<9.9	ug/kg	33.1	9.9	1	11/06/17 10:08	11/07/17 17:58	91-20-3	
Phenanthrene	<13.7	ug/kg	45.7	13.7	1	11/06/17 10:08	11/07/17 17:58	85-01-8	
Pyrene	<5.3	ug/kg	17.7	5.3	1	11/06/17 10:08	11/07/17 17:58	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	30	%	23-106		1	11/06/17 10:08	11/07/17 17:58	321-60-8	
Terphenyl-d14 (S)	53	%	29-106		1	11/06/17 10:08	11/07/17 17:58	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	15.1	%	0.10	0.10	1		11/06/17 13:48		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 5.0-7.5**      **Lab ID: 40159995036**      Collected: 10/30/17 16:25      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.6	ug/kg	15.1	4.6	1	11/06/17 10:08	11/07/17 18:15	83-32-9	
Acenaphthylene	<3.9	ug/kg	12.9	3.9	1	11/06/17 10:08	11/07/17 18:15	208-96-8	
Anthracene	<6.7	ug/kg	22.3	6.7	1	11/06/17 10:08	11/07/17 18:15	120-12-7	
Benzo(a)anthracene	<3.7	ug/kg	12.4	3.7	1	11/06/17 10:08	11/07/17 18:15	56-55-3	
Benzo(a)pyrene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/07/17 18:15	50-32-8	
Benzo(b)fluoranthene	<3.3	ug/kg	11.0	3.3	1	11/06/17 10:08	11/07/17 18:15	205-99-2	
Benzo(g,h,i)perylene	<2.4	ug/kg	7.9	2.4	1	11/06/17 10:08	11/07/17 18:15	191-24-2	
Benzo(k)fluoranthene	<2.9	ug/kg	9.8	2.9	1	11/06/17 10:08	11/07/17 18:15	207-08-9	
Chrysene	<4.0	ug/kg	13.1	4.0	1	11/06/17 10:08	11/07/17 18:15	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	8.7	2.6	1	11/06/17 10:08	11/07/17 18:15	53-70-3	
Fluoranthene	<6.1	ug/kg	20.4	6.1	1	11/06/17 10:08	11/07/17 18:15	206-44-0	
Fluorene	<4.9	ug/kg	16.2	4.9	1	11/06/17 10:08	11/07/17 18:15	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.6	ug/kg	8.6	2.6	1	11/06/17 10:08	11/07/17 18:15	193-39-5	
1-Methylnaphthalene	<4.7	ug/kg	15.7	4.7	1	11/06/17 10:08	11/07/17 18:15	90-12-0	
2-Methylnaphthalene	<5.9	ug/kg	19.6	5.9	1	11/06/17 10:08	11/07/17 18:15	91-57-6	
Naphthalene	<9.9	ug/kg	33.0	9.9	1	11/06/17 10:08	11/07/17 18:15	91-20-3	
Phenanthrene	<13.7	ug/kg	45.5	13.7	1	11/06/17 10:08	11/07/17 18:15	85-01-8	
Pyrene	<5.3	ug/kg	17.6	5.3	1	11/06/17 10:08	11/07/17 18:15	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	73	%	23-106		1	11/06/17 10:08	11/07/17 18:15	321-60-8	
Terphenyl-d14 (S)	78	%	29-106		1	11/06/17 10:08	11/07/17 18:15	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.0	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 7.5-10.0**      **Lab ID: 40159995037**      Collected: 10/30/17 16:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<4.8	ug/kg	15.8	4.8	1	11/06/17 10:08	11/07/17 15:58	83-32-9	
Acenaphthylene	<4.0	ug/kg	13.5	4.0	1	11/06/17 10:08	11/07/17 15:58	208-96-8	
Anthracene	<7.0	ug/kg	23.3	7.0	1	11/06/17 10:08	11/07/17 15:58	120-12-7	
Benzo(a)anthracene	<3.9	ug/kg	13.0	3.9	1	11/06/17 10:08	11/07/17 15:58	56-55-3	
Benzo(a)pyrene	<3.1	ug/kg	10.3	3.1	1	11/06/17 10:08	11/07/17 15:58	50-32-8	
Benzo(b)fluoranthene	<3.5	ug/kg	11.5	3.5	1	11/06/17 10:08	11/07/17 15:58	205-99-2	
Benzo(g,h,i)perylene	<2.5	ug/kg	8.3	2.5	1	11/06/17 10:08	11/07/17 15:58	191-24-2	
Benzo(k)fluoranthene	<3.1	ug/kg	10.2	3.1	1	11/06/17 10:08	11/07/17 15:58	207-08-9	
Chrysene	<4.1	ug/kg	13.7	4.1	1	11/06/17 10:08	11/07/17 15:58	218-01-9	
Dibenz(a,h)anthracene	<2.7	ug/kg	9.1	2.7	1	11/06/17 10:08	11/07/17 15:58	53-70-3	
Fluoranthene	<6.4	ug/kg	21.3	6.4	1	11/06/17 10:08	11/07/17 15:58	206-44-0	
Fluorene	<5.1	ug/kg	16.9	5.1	1	11/06/17 10:08	11/07/17 15:58	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.7	ug/kg	9.0	2.7	1	11/06/17 10:08	11/07/17 15:58	193-39-5	
1-Methylnaphthalene	<4.9	ug/kg	16.4	4.9	1	11/06/17 10:08	11/07/17 15:58	90-12-0	
2-Methylnaphthalene	<6.1	ug/kg	20.5	6.1	1	11/06/17 10:08	11/07/17 15:58	91-57-6	
Naphthalene	<10.3	ug/kg	34.4	10.3	1	11/06/17 10:08	11/07/17 15:58	91-20-3	
Phenanthrene	<14.3	ug/kg	47.5	14.3	1	11/06/17 10:08	11/07/17 15:58	85-01-8	
Pyrene	<5.5	ug/kg	18.4	5.5	1	11/06/17 10:08	11/07/17 15:58	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	67	%	23-106		1	11/06/17 10:08	11/07/17 15:58	321-60-8	
Terphenyl-d14 (S)	77	%	29-106		1	11/06/17 10:08	11/07/17 15:58	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>18.3</b>	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 10-12.5**      **Lab ID: 40159995038**      Collected: 10/30/17 16:35      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<0.0046	mg/kg	0.015	0.0046	1	11/06/17 10:08	11/07/17 19:07	83-32-9	
Acenaphthylene	<0.0039	mg/kg	0.013	0.0039	1	11/06/17 10:08	11/07/17 19:07	208-96-8	
Anthracene	<0.0067	mg/kg	0.022	0.0067	1	11/06/17 10:08	11/07/17 19:07	120-12-7	
Benzo(a)anthracene	0.0099J	mg/kg	0.012	0.0037	1	11/06/17 10:08	11/07/17 19:07	56-55-3	
Benzo(a)pyrene	0.0078J	mg/kg	0.0098	0.0029	1	11/06/17 10:08	11/07/17 19:07	50-32-8	
Benzo(b)fluoranthene	0.011J	mg/kg	0.011	0.0033	1	11/06/17 10:08	11/07/17 19:07	205-99-2	
Benzo(g,h,i)perylene	0.0040J	mg/kg	0.0079	0.0024	1	11/06/17 10:08	11/07/17 19:07	191-24-2	
Benzo(k)fluoranthene	0.0050J	mg/kg	0.0098	0.0029	1	11/06/17 10:08	11/07/17 19:07	207-08-9	
Chrysene	0.0075J	mg/kg	0.013	0.0040	1	11/06/17 10:08	11/07/17 19:07	218-01-9	
Dibenz(a,h)anthracene	<0.0026	mg/kg	0.0087	0.0026	1	11/06/17 10:08	11/07/17 19:07	53-70-3	
Fluoranthene	0.014J	mg/kg	0.020	0.0061	1	11/06/17 10:08	11/07/17 19:07	206-44-0	
Fluorene	<0.0049	mg/kg	0.016	0.0049	1	11/06/17 10:08	11/07/17 19:07	86-73-7	
Indeno(1,2,3-cd)pyrene	0.0038J	mg/kg	0.0086	0.0026	1	11/06/17 10:08	11/07/17 19:07	193-39-5	
1-Methylnaphthalene	<0.0047	mg/kg	0.016	0.0047	1	11/06/17 10:08	11/07/17 19:07	90-12-0	
2-Methylnaphthalene	<0.0059	mg/kg	0.020	0.0059	1	11/06/17 10:08	11/07/17 19:07	91-57-6	
Naphthalene	<0.0099	mg/kg	0.033	0.0099	1	11/06/17 10:08	11/07/17 19:07	91-20-3	
Phenanthrene	<0.014	mg/kg	0.046	0.014	1	11/06/17 10:08	11/07/17 19:07	85-01-8	
Pyrene	0.012J	mg/kg	0.018	0.0053	1	11/06/17 10:08	11/07/17 19:07	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	78	%	23-106		1	11/06/17 10:08	11/07/17 19:07	321-60-8	
Terphenyl-d14 (S)	85	%	29-106		1	11/06/17 10:08	11/07/17 19:07	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	14.8	%	0.10	0.10	1		11/06/17 13:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B6 12.5-15.0**      **Lab ID: 40159995039**      Collected: 10/30/17 16:40      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<0.0046	mg/kg	0.015	0.0046	1	11/06/17 10:08	11/07/17 15:41	83-32-9	
Acenaphthylene	<0.0039	mg/kg	0.013	0.0039	1	11/06/17 10:08	11/07/17 15:41	208-96-8	
Anthracene	<0.0067	mg/kg	0.022	0.0067	1	11/06/17 10:08	11/07/17 15:41	120-12-7	
Benzo(a)anthracene	<0.0037	mg/kg	0.012	0.0037	1	11/06/17 10:08	11/07/17 15:41	56-55-3	
Benzo(a)pyrene	<0.0029	mg/kg	0.0098	0.0029	1	11/06/17 10:08	11/07/17 15:41	50-32-8	
Benzo(b)fluoranthene	<0.0033	mg/kg	0.011	0.0033	1	11/06/17 10:08	11/07/17 15:41	205-99-2	
Benzo(g,h,i)perylene	<0.0024	mg/kg	0.0079	0.0024	1	11/06/17 10:08	11/07/17 15:41	191-24-2	
Benzo(k)fluoranthene	<0.0029	mg/kg	0.0098	0.0029	1	11/06/17 10:08	11/07/17 15:41	207-08-9	
Chrysene	<0.0040	mg/kg	0.013	0.0040	1	11/06/17 10:08	11/07/17 15:41	218-01-9	
Dibenz(a,h)anthracene	<0.0026	mg/kg	0.0087	0.0026	1	11/06/17 10:08	11/07/17 15:41	53-70-3	
Fluoranthene	<0.0061	mg/kg	0.020	0.0061	1	11/06/17 10:08	11/07/17 15:41	206-44-0	
Fluorene	<0.0049	mg/kg	0.016	0.0049	1	11/06/17 10:08	11/07/17 15:41	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.0026	mg/kg	0.0086	0.0026	1	11/06/17 10:08	11/07/17 15:41	193-39-5	
1-Methylnaphthalene	<0.0047	mg/kg	0.016	0.0047	1	11/06/17 10:08	11/07/17 15:41	90-12-0	
2-Methylnaphthalene	<0.0059	mg/kg	0.020	0.0059	1	11/06/17 10:08	11/07/17 15:41	91-57-6	
Naphthalene	<0.0099	mg/kg	0.033	0.0099	1	11/06/17 10:08	11/07/17 15:41	91-20-3	
Phenanthrene	<0.014	mg/kg	0.046	0.014	1	11/06/17 10:08	11/07/17 15:41	85-01-8	
Pyrene	<0.0053	mg/kg	0.018	0.0053	1	11/06/17 10:08	11/07/17 15:41	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	72	%	23-106		1	11/06/17 10:08	11/07/17 15:41	321-60-8	
Terphenyl-d14 (S)	85	%	29-106		1	11/06/17 10:08	11/07/17 15:41	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>14.8</b>	%	0.10	0.10	1		11/06/17 13:49		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B7 0-2.5**      **Lab ID: 40159995040**      Collected: 10/30/17 16:45      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<0.0046	mg/kg	0.015	0.0046	1	11/06/17 10:08	11/07/17 18:33	83-32-9	
Acenaphthylene	<0.0039	mg/kg	0.013	0.0039	1	11/06/17 10:08	11/07/17 18:33	208-96-8	
Anthracene	<0.0067	mg/kg	0.022	0.0067	1	11/06/17 10:08	11/07/17 18:33	120-12-7	
Benzo(a)anthracene	0.026	mg/kg	0.012	0.0037	1	11/06/17 10:08	11/07/17 18:33	56-55-3	
Benzo(a)pyrene	0.026	mg/kg	0.0098	0.0029	1	11/06/17 10:08	11/07/17 18:33	50-32-8	
Benzo(b)fluoranthene	0.034	mg/kg	0.011	0.0033	1	11/06/17 10:08	11/07/17 18:33	205-99-2	
Benzo(g,h,i)perylene	0.0095	mg/kg	0.0079	0.0024	1	11/06/17 10:08	11/07/17 18:33	191-24-2	
Benzo(k)fluoranthene	0.014	mg/kg	0.0098	0.0029	1	11/06/17 10:08	11/07/17 18:33	207-08-9	
Chrysene	0.029	mg/kg	0.013	0.0040	1	11/06/17 10:08	11/07/17 18:33	218-01-9	
Dibenz(a,h)anthracene	0.0034J	mg/kg	0.0087	0.0026	1	11/06/17 10:08	11/07/17 18:33	53-70-3	
Fluoranthene	0.049	mg/kg	0.020	0.0061	1	11/06/17 10:08	11/07/17 18:33	206-44-0	
Fluorene	<0.0049	mg/kg	0.016	0.0049	1	11/06/17 10:08	11/07/17 18:33	86-73-7	
Indeno(1,2,3-cd)pyrene	0.011	mg/kg	0.0086	0.0026	1	11/06/17 10:08	11/07/17 18:33	193-39-5	
1-Methylnaphthalene	<0.0047	mg/kg	0.016	0.0047	1	11/06/17 10:08	11/07/17 18:33	90-12-0	
2-Methylnaphthalene	<0.0059	mg/kg	0.020	0.0059	1	11/06/17 10:08	11/07/17 18:33	91-57-6	
Naphthalene	<0.0099	mg/kg	0.033	0.0099	1	11/06/17 10:08	11/07/17 18:33	91-20-3	
Phenanthrene	0.019J	mg/kg	0.046	0.014	1	11/06/17 10:08	11/07/17 18:33	85-01-8	
Pyrene	0.045	mg/kg	0.018	0.0053	1	11/06/17 10:08	11/07/17 18:33	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	79	%	23-106		1	11/06/17 10:08	11/07/17 18:33	321-60-8	
Terphenyl-d14 (S)	89	%	29-106		1	11/06/17 10:08	11/07/17 18:33	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	14.7	%	0.10	0.10	1		11/06/17 13:49		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B7 2.5-5.0**      **Lab ID: 40159995041**      Collected: 10/30/17 16:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<0.0049	mg/kg	0.016	0.0049	1	11/06/17 10:08	11/07/17 18:50	83-32-9	
Acenaphthylene	<0.0042	mg/kg	0.014	0.0042	1	11/06/17 10:08	11/07/17 18:50	208-96-8	
Anthracene	<0.0072	mg/kg	0.024	0.0072	1	11/06/17 10:08	11/07/17 18:50	120-12-7	
Benzo(a)anthracene	<0.0040	mg/kg	0.013	0.0040	1	11/06/17 10:08	11/07/17 18:50	56-55-3	
Benzo(a)pyrene	<0.0032	mg/kg	0.011	0.0032	1	11/06/17 10:08	11/07/17 18:50	50-32-8	
Benzo(b)fluoranthene	<0.0036	mg/kg	0.012	0.0036	1	11/06/17 10:08	11/07/17 18:50	205-99-2	
Benzo(g,h,i)perylene	<0.0026	mg/kg	0.0086	0.0026	1	11/06/17 10:08	11/07/17 18:50	191-24-2	
Benzo(k)fluoranthene	<0.0032	mg/kg	0.011	0.0032	1	11/06/17 10:08	11/07/17 18:50	207-08-9	
Chrysene	<0.0043	mg/kg	0.014	0.0043	1	11/06/17 10:08	11/07/17 18:50	218-01-9	
Dibenz(a,h)anthracene	<0.0028	mg/kg	0.0094	0.0028	1	11/06/17 10:08	11/07/17 18:50	53-70-3	
Fluoranthene	<0.0066	mg/kg	0.022	0.0066	1	11/06/17 10:08	11/07/17 18:50	206-44-0	
Fluorene	<0.0052	mg/kg	0.017	0.0052	1	11/06/17 10:08	11/07/17 18:50	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.0028	mg/kg	0.0093	0.0028	1	11/06/17 10:08	11/07/17 18:50	193-39-5	
1-Methylnaphthalene	<0.0051	mg/kg	0.017	0.0051	1	11/06/17 10:08	11/07/17 18:50	90-12-0	
2-Methylnaphthalene	<0.0063	mg/kg	0.021	0.0063	1	11/06/17 10:08	11/07/17 18:50	91-57-6	
Naphthalene	<0.011	mg/kg	0.036	0.011	1	11/06/17 10:08	11/07/17 18:50	91-20-3	
Phenanthrene	<0.015	mg/kg	0.049	0.015	1	11/06/17 10:08	11/07/17 18:50	85-01-8	
Pyrene	<0.0057	mg/kg	0.019	0.0057	1	11/06/17 10:08	11/07/17 18:50	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	62	%	23-106		1	11/06/17 10:08	11/07/17 18:50	321-60-8	
Terphenyl-d14 (S)	84	%	29-106		1	11/06/17 10:08	11/07/17 18:50	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	21.2	%	0.10	0.10	1		11/06/17 13:49		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B7 5.0-7.5**      **Lab ID: 40159995042**      Collected: 10/30/17 16:55      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<0.0046	mg/kg	0.015	0.0046	1	11/06/17 10:08	11/07/17 13:13	83-32-9	
Acenaphthylene	<0.0039	mg/kg	0.013	0.0039	1	11/06/17 10:08	11/07/17 13:13	208-96-8	
Anthracene	<0.0068	mg/kg	0.023	0.0068	1	11/06/17 10:08	11/07/17 13:13	120-12-7	
Benzo(a)anthracene	<0.0038	mg/kg	0.013	0.0038	1	11/06/17 10:08	11/07/17 13:13	56-55-3	
Benzo(a)pyrene	<0.0030	mg/kg	0.010	0.0030	1	11/06/17 10:08	11/07/17 13:13	50-32-8	
Benzo(b)fluoranthene	<0.0034	mg/kg	0.011	0.0034	1	11/06/17 10:08	11/07/17 13:13	205-99-2	
Benzo(g,h,i)perylene	<0.0024	mg/kg	0.0081	0.0024	1	11/06/17 10:08	11/07/17 13:13	191-24-2	
Benzo(k)fluoranthene	<0.0030	mg/kg	0.010	0.0030	1	11/06/17 10:08	11/07/17 13:13	207-08-9	
Chrysene	<0.0040	mg/kg	0.013	0.0040	1	11/06/17 10:08	11/07/17 13:13	218-01-9	
Dibenz(a,h)anthracene	<0.0027	mg/kg	0.0089	0.0027	1	11/06/17 10:08	11/07/17 13:13	53-70-3	
Fluoranthene	<0.0062	mg/kg	0.021	0.0062	1	11/06/17 10:08	11/07/17 13:13	206-44-0	
Fluorene	<0.0049	mg/kg	0.016	0.0049	1	11/06/17 10:08	11/07/17 13:13	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.0026	mg/kg	0.0088	0.0026	1	11/06/17 10:08	11/07/17 13:13	193-39-5	
1-Methylnaphthalene	<0.0048	mg/kg	0.016	0.0048	1	11/06/17 10:08	11/07/17 13:13	90-12-0	
2-Methylnaphthalene	<0.0060	mg/kg	0.020	0.0060	1	11/06/17 10:08	11/07/17 13:13	91-57-6	
Naphthalene	<0.010	mg/kg	0.034	0.010	1	11/06/17 10:08	11/07/17 13:13	91-20-3	
Phenanthrene	<0.014	mg/kg	0.046	0.014	1	11/06/17 10:08	11/07/17 13:13	85-01-8	
Pyrene	<0.0054	mg/kg	0.018	0.0054	1	11/06/17 10:08	11/07/17 13:13	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	74	%	23-106		1	11/06/17 10:08	11/07/17 13:13	321-60-8	
Terphenyl-d14 (S)	81	%	29-106		1	11/06/17 10:08	11/07/17 13:13	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>16.3</b>	%	0.10	0.10	1		11/06/17 13:49		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B7 7.5-10.0**      **Lab ID: 40159995043**      Collected: 10/30/17 17:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<0.0049	mg/kg	0.016	0.0049	1	11/07/17 08:32	11/07/17 16:17	83-32-9	
Acenaphthylene	<0.0042	mg/kg	0.014	0.0042	1	11/07/17 08:32	11/07/17 16:17	208-96-8	
Anthracene	<0.0073	mg/kg	0.024	0.0073	1	11/07/17 08:32	11/07/17 16:17	120-12-7	
Benzo(a)anthracene	<0.0040	mg/kg	0.013	0.0040	1	11/07/17 08:32	11/07/17 16:17	56-55-3	
Benzo(a)pyrene	<0.0032	mg/kg	0.011	0.0032	1	11/07/17 08:32	11/07/17 16:17	50-32-8	
Benzo(b)fluoranthene	<0.0036	mg/kg	0.012	0.0036	1	11/07/17 08:32	11/07/17 16:17	205-99-2	
Benzo(g,h,i)perylene	<0.0026	mg/kg	0.0086	0.0026	1	11/07/17 08:32	11/07/17 16:17	191-24-2	
Benzo(k)fluoranthene	<0.0032	mg/kg	0.011	0.0032	1	11/07/17 08:32	11/07/17 16:17	207-08-9	
Chrysene	<0.0043	mg/kg	0.014	0.0043	1	11/07/17 08:32	11/07/17 16:17	218-01-9	
Dibenz(a,h)anthracene	<0.0028	mg/kg	0.0095	0.0028	1	11/07/17 08:32	11/07/17 16:17	53-70-3	
Fluoranthene	<0.0066	mg/kg	0.022	0.0066	1	11/07/17 08:32	11/07/17 16:17	206-44-0	
Fluorene	<0.0053	mg/kg	0.018	0.0053	1	11/07/17 08:32	11/07/17 16:17	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.0028	mg/kg	0.0093	0.0028	1	11/07/17 08:32	11/07/17 16:17	193-39-5	
1-Methylnaphthalene	<0.0051	mg/kg	0.017	0.0051	1	11/07/17 08:32	11/07/17 16:17	90-12-0	
2-Methylnaphthalene	<0.0064	mg/kg	0.021	0.0064	1	11/07/17 08:32	11/07/17 16:17	91-57-6	
Naphthalene	<0.011	mg/kg	0.036	0.011	1	11/07/17 08:32	11/07/17 16:17	91-20-3	
Phenanthrene	<0.015	mg/kg	0.049	0.015	1	11/07/17 08:32	11/07/17 16:17	85-01-8	
Pyrene	<0.0057	mg/kg	0.019	0.0057	1	11/07/17 08:32	11/07/17 16:17	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	68	%	23-106		1	11/07/17 08:32	11/07/17 16:17	321-60-8	
Terphenyl-d14 (S)	93	%	29-106		1	11/07/17 08:32	11/07/17 16:17	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>21.4</b>	%	0.10	0.10	1		11/06/17 10:21		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: **B8 0-2.5** Lab ID: **40159995044** Collected: 10/31/17 08:45 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3546							
Acenaphthene	<b>0.0075J</b>	mg/kg	0.016	0.0047	1	11/07/17 08:32	11/08/17 11:14	83-32-9	
Acenaphthylene	<b>&lt;0.0040</b>	mg/kg	0.013	0.0040	1	11/07/17 08:32	11/08/17 11:14	208-96-8	
Anthracene	<b>0.031</b>	mg/kg	0.023	0.0070	1	11/07/17 08:32	11/08/17 11:14	120-12-7	
Benzo(a)anthracene	<b>0.11</b>	mg/kg	0.013	0.0039	1	11/07/17 08:32	11/08/17 11:14	56-55-3	
Benzo(a)pyrene	<b>0.12</b>	mg/kg	0.010	0.0031	1	11/07/17 08:32	11/08/17 11:14	50-32-8	
Benzo(b)fluoranthene	<b>0.13</b>	mg/kg	0.011	0.0035	1	11/07/17 08:32	11/08/17 11:14	205-99-2	
Benzo(g,h,i)perylene	<b>0.082</b>	mg/kg	0.0083	0.0025	1	11/07/17 08:32	11/08/17 11:14	191-24-2	
Benzo(k)fluoranthene	<b>0.098</b>	mg/kg	0.010	0.0031	1	11/07/17 08:32	11/08/17 11:14	207-08-9	
Chrysene	<b>0.13</b>	mg/kg	0.014	0.0041	1	11/07/17 08:32	11/08/17 11:14	218-01-9	
Dibenz(a,h)anthracene	<b>0.026</b>	mg/kg	0.0091	0.0027	1	11/07/17 08:32	11/08/17 11:14	53-70-3	
Fluoranthene	<b>0.31</b>	mg/kg	0.021	0.0064	1	11/07/17 08:32	11/08/17 11:14	206-44-0	
Fluorene	<b>0.0084J</b>	mg/kg	0.017	0.0051	1	11/07/17 08:32	11/08/17 11:14	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.075</b>	mg/kg	0.0090	0.0027	1	11/07/17 08:32	11/08/17 11:14	193-39-5	
1-Methylnaphthalene	<b>&lt;0.0049</b>	mg/kg	0.016	0.0049	1	11/07/17 08:32	11/08/17 11:14	90-12-0	
2-Methylnaphthalene	<b>&lt;0.0061</b>	mg/kg	0.020	0.0061	1	11/07/17 08:32	11/08/17 11:14	91-57-6	
Naphthalene	<b>&lt;0.010</b>	mg/kg	0.034	0.010	1	11/07/17 08:32	11/08/17 11:14	91-20-3	
Phenanthrene	<b>0.15</b>	mg/kg	0.047	0.014	1	11/07/17 08:32	11/08/17 11:14	85-01-8	
Pyrene	<b>0.24</b>	mg/kg	0.018	0.0055	1	11/07/17 08:32	11/08/17 11:14	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	73	%	23-106		1	11/07/17 08:32	11/08/17 11:14	321-60-8	
Terphenyl-d14 (S)	73	%	29-106		1	11/07/17 08:32	11/08/17 11:14	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>18.1</b>	%	0.10	0.10	1		11/06/17 10:21		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B8 2.5-5.0**      **Lab ID: 40159995045**      Collected: 10/31/17 08:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<b>0.31J</b>	mg/kg	0.32	0.097	20	11/07/17 08:32	11/08/17 10:39	83-32-9	
Acenaphthylene	<b>&lt;0.082</b>	mg/kg	0.27	0.082	20	11/07/17 08:32	11/08/17 10:39	208-96-8	
Anthracene	<b>1.1</b>	mg/kg	0.47	0.14	20	11/07/17 08:32	11/08/17 10:39	120-12-7	
Benzo(a)anthracene	<b>3.0</b>	mg/kg	0.26	0.079	20	11/07/17 08:32	11/08/17 10:39	56-55-3	
Benzo(a)pyrene	<b>2.7</b>	mg/kg	0.21	0.062	20	11/07/17 08:32	11/08/17 10:39	50-32-8	
Benzo(b)fluoranthene	<b>2.9</b>	mg/kg	0.23	0.070	20	11/07/17 08:32	11/08/17 10:39	205-99-2	
Benzo(g,h,i)perylene	<b>1.9</b>	mg/kg	0.17	0.051	20	11/07/17 08:32	11/08/17 10:39	191-24-2	
Benzo(k)fluoranthene	<b>2.5</b>	mg/kg	0.21	0.062	20	11/07/17 08:32	11/08/17 10:39	207-08-9	
Chrysene	<b>3.6</b>	mg/kg	0.28	0.084	20	11/07/17 08:32	11/08/17 10:39	218-01-9	
Dibenz(a,h)anthracene	<b>0.64</b>	mg/kg	0.19	0.056	20	11/07/17 08:32	11/08/17 10:39	53-70-3	
Fluoranthene	<b>9.3</b>	mg/kg	0.43	0.13	20	11/07/17 08:32	11/08/17 10:39	206-44-0	
Fluorene	<b>0.30J</b>	mg/kg	0.34	0.10	20	11/07/17 08:32	11/08/17 10:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>1.7</b>	mg/kg	0.18	0.055	20	11/07/17 08:32	11/08/17 10:39	193-39-5	
1-Methylnaphthalene	<b>&lt;0.10</b>	mg/kg	0.33	0.10	20	11/07/17 08:32	11/08/17 10:39	90-12-0	
2-Methylnaphthalene	<b>&lt;0.12</b>	mg/kg	0.42	0.12	20	11/07/17 08:32	11/08/17 10:39	91-57-6	
Naphthalene	<b>&lt;0.21</b>	mg/kg	0.70	0.21	20	11/07/17 08:32	11/08/17 10:39	91-20-3	
Phenanthrene	<b>5.2</b>	mg/kg	0.97	0.29	20	11/07/17 08:32	11/08/17 10:39	85-01-8	
Pyrene	<b>6.9</b>	mg/kg	0.37	0.11	20	11/07/17 08:32	11/08/17 10:39	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	63	%	23-106		20	11/07/17 08:32	11/08/17 10:39	321-60-8	
Terphenyl-d14 (S)	64	%	29-106		20	11/07/17 08:32	11/08/17 10:39	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>19.6</b>	%	0.10	0.10	1		11/06/17 10:21		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: **B8 5.0-7.5** Lab ID: **40159995046** Collected: 10/31/17 08:55 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3546									
Acenaphthene	<0.0052	mg/kg	0.017	0.0052	1	11/07/17 08:32	11/07/17 16:34	83-32-9	
Acenaphthylene	<0.0044	mg/kg	0.015	0.0044	1	11/07/17 08:32	11/07/17 16:34	208-96-8	
Anthracene	<0.0077	mg/kg	0.026	0.0077	1	11/07/17 08:32	11/07/17 16:34	120-12-7	
Benzo(a)anthracene	<0.0043	mg/kg	0.014	0.0043	1	11/07/17 08:32	11/07/17 16:34	56-55-3	
Benzo(a)pyrene	<0.0034	mg/kg	0.011	0.0034	1	11/07/17 08:32	11/07/17 16:34	50-32-8	
Benzo(b)fluoranthene	<0.0038	mg/kg	0.013	0.0038	1	11/07/17 08:32	11/07/17 16:34	205-99-2	
Benzo(g,h,i)perylene	<0.0027	mg/kg	0.0091	0.0027	1	11/07/17 08:32	11/07/17 16:34	191-24-2	
Benzo(k)fluoranthene	<0.0034	mg/kg	0.011	0.0034	1	11/07/17 08:32	11/07/17 16:34	207-08-9	
Chrysene	<0.0045	mg/kg	0.015	0.0045	1	11/07/17 08:32	11/07/17 16:34	218-01-9	
Dibenz(a,h)anthracene	<0.0030	mg/kg	0.010	0.0030	1	11/07/17 08:32	11/07/17 16:34	53-70-3	
Fluoranthene	<0.0070	mg/kg	0.023	0.0070	1	11/07/17 08:32	11/07/17 16:34	206-44-0	
Fluorene	<0.0056	mg/kg	0.019	0.0056	1	11/07/17 08:32	11/07/17 16:34	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.0030	mg/kg	0.0099	0.0030	1	11/07/17 08:32	11/07/17 16:34	193-39-5	
1-Methylnaphthalene	<0.0054	mg/kg	0.018	0.0054	1	11/07/17 08:32	11/07/17 16:34	90-12-0	
2-Methylnaphthalene	<0.0067	mg/kg	0.022	0.0067	1	11/07/17 08:32	11/07/17 16:34	91-57-6	
Naphthalene	<0.011	mg/kg	0.038	0.011	1	11/07/17 08:32	11/07/17 16:34	91-20-3	
Phenanthrene	<0.016	mg/kg	0.052	0.016	1	11/07/17 08:32	11/07/17 16:34	85-01-8	
Pyrene	<0.0061	mg/kg	0.020	0.0061	1	11/07/17 08:32	11/07/17 16:34	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	64	%	23-106		1	11/07/17 08:32	11/07/17 16:34	321-60-8	
Terphenyl-d14 (S)	78	%	29-106		1	11/07/17 08:32	11/07/17 16:34	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>25.6</b>	%	0.10	0.10	1		11/06/17 10:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: **B8 7.5-10.0** Lab ID: **40159995047** Collected: 10/31/17 09:00 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3546							
Acenaphthene	<0.0049	mg/kg	0.016	0.0049	1	11/07/17 08:32	11/07/17 16:52	83-32-9	
Acenaphthylene	<0.0042	mg/kg	0.014	0.0042	1	11/07/17 08:32	11/07/17 16:52	208-96-8	
Anthracene	<0.0073	mg/kg	0.024	0.0073	1	11/07/17 08:32	11/07/17 16:52	120-12-7	
Benzo(a)anthracene	<0.0040	mg/kg	0.014	0.0040	1	11/07/17 08:32	11/07/17 16:52	56-55-3	
Benzo(a)pyrene	<0.0032	mg/kg	0.011	0.0032	1	11/07/17 08:32	11/07/17 16:52	50-32-8	
Benzo(b)fluoranthene	<0.0036	mg/kg	0.012	0.0036	1	11/07/17 08:32	11/07/17 16:52	205-99-2	
Benzo(g,h,i)perylene	<0.0026	mg/kg	0.0086	0.0026	1	11/07/17 08:32	11/07/17 16:52	191-24-2	
Benzo(k)fluoranthene	<0.0032	mg/kg	0.011	0.0032	1	11/07/17 08:32	11/07/17 16:52	207-08-9	
Chrysene	<0.0043	mg/kg	0.014	0.0043	1	11/07/17 08:32	11/07/17 16:52	218-01-9	
Dibenz(a,h)anthracene	<0.0029	mg/kg	0.0095	0.0029	1	11/07/17 08:32	11/07/17 16:52	53-70-3	
Fluoranthene	<0.0066	mg/kg	0.022	0.0066	1	11/07/17 08:32	11/07/17 16:52	206-44-0	
Fluorene	<0.0053	mg/kg	0.018	0.0053	1	11/07/17 08:32	11/07/17 16:52	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.0028	mg/kg	0.0093	0.0028	1	11/07/17 08:32	11/07/17 16:52	193-39-5	
1-Methylnaphthalene	<0.0051	mg/kg	0.017	0.0051	1	11/07/17 08:32	11/07/17 16:52	90-12-0	
2-Methylnaphthalene	<0.0064	mg/kg	0.021	0.0064	1	11/07/17 08:32	11/07/17 16:52	91-57-6	
Naphthalene	<0.011	mg/kg	0.036	0.011	1	11/07/17 08:32	11/07/17 16:52	91-20-3	
Phenanthrene	<0.015	mg/kg	0.049	0.015	1	11/07/17 08:32	11/07/17 16:52	85-01-8	
Pyrene	<0.0058	mg/kg	0.019	0.0058	1	11/07/17 08:32	11/07/17 16:52	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	68	%	23-106		1	11/07/17 08:32	11/07/17 16:52	321-60-8	
Terphenyl-d14 (S)	69	%	29-106		1	11/07/17 08:32	11/07/17 16:52	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>21.5</b>	%	0.10	0.10	1		11/06/17 10:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B9 0-2.5**      **Lab ID: 40159995048**      Collected: 10/31/17 09:10      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<b>0.016J</b>	mg/kg	0.029	0.0088	2	11/07/17 08:32	11/08/17 11:48	83-32-9	
Acenaphthylene	<b>0.020J</b>	mg/kg	0.025	0.0075	2	11/07/17 08:32	11/08/17 11:48	208-96-8	
Anthracene	<b>0.083</b>	mg/kg	0.043	0.013	2	11/07/17 08:32	11/08/17 11:48	120-12-7	
Benzo(a)anthracene	<b>0.35</b>	mg/kg	0.024	0.0072	2	11/07/17 08:32	11/08/17 11:48	56-55-3	
Benzo(a)pyrene	<b>0.38</b>	mg/kg	0.019	0.0057	2	11/07/17 08:32	11/08/17 11:48	50-32-8	
Benzo(b)fluoranthene	<b>0.36</b>	mg/kg	0.021	0.0064	2	11/07/17 08:32	11/08/17 11:48	205-99-2	
Benzo(g,h,i)perylene	<b>0.29</b>	mg/kg	0.015	0.0046	2	11/07/17 08:32	11/08/17 11:48	191-24-2	
Benzo(k)fluoranthene	<b>0.34</b>	mg/kg	0.019	0.0057	2	11/07/17 08:32	11/08/17 11:48	207-08-9	
Chrysene	<b>0.46</b>	mg/kg	0.025	0.0077	2	11/07/17 08:32	11/08/17 11:48	218-01-9	
Dibenz(a,h)anthracene	<b>0.098</b>	mg/kg	0.017	0.0051	2	11/07/17 08:32	11/08/17 11:48	53-70-3	
Fluoranthene	<b>0.93</b>	mg/kg	0.040	0.012	2	11/07/17 08:32	11/08/17 11:48	206-44-0	
Fluorene	<b>0.019J</b>	mg/kg	0.031	0.0094	2	11/07/17 08:32	11/08/17 11:48	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.25</b>	mg/kg	0.017	0.0050	2	11/07/17 08:32	11/08/17 11:48	193-39-5	
1-Methylnaphthalene	<b>&lt;0.0092</b>	mg/kg	0.030	0.0092	2	11/07/17 08:32	11/08/17 11:48	90-12-0	
2-Methylnaphthalene	<b>&lt;0.011</b>	mg/kg	0.038	0.011	2	11/07/17 08:32	11/08/17 11:48	91-57-6	
Naphthalene	<b>&lt;0.019</b>	mg/kg	0.064	0.019	2	11/07/17 08:32	11/08/17 11:48	91-20-3	
Phenanthrene	<b>0.47</b>	mg/kg	0.088	0.027	2	11/07/17 08:32	11/08/17 11:48	85-01-8	
Pyrene	<b>0.88</b>	mg/kg	0.034	0.010	2	11/07/17 08:32	11/08/17 11:48	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	68	%	23-106		2	11/07/17 08:32	11/08/17 11:48	321-60-8	
Terphenyl-d14 (S)	70	%	29-106		2	11/07/17 08:32	11/08/17 11:48	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>12.0</b>	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B9 2.5-5.0**      **Lab ID: 40159995049**      Collected: 10/31/17 09:15      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<b>0.092J</b>	mg/kg	0.12	0.036	8	11/07/17 08:32	11/08/17 10:22	83-32-9	
Acenaphthylene	<b>&lt;0.031</b>	mg/kg	0.10	0.031	8	11/07/17 08:32	11/08/17 10:22	208-96-8	
Anthracene	<b>0.34</b>	mg/kg	0.18	0.054	8	11/07/17 08:32	11/08/17 10:22	120-12-7	
Benzo(a)anthracene	<b>1.0</b>	mg/kg	0.10	0.030	8	11/07/17 08:32	11/08/17 10:22	56-55-3	
Benzo(a)pyrene	<b>0.99</b>	mg/kg	0.079	0.024	8	11/07/17 08:32	11/08/17 10:22	50-32-8	
Benzo(b)fluoranthene	<b>1.0</b>	mg/kg	0.088	0.027	8	11/07/17 08:32	11/08/17 10:22	205-99-2	
Benzo(g,h,i)perylene	<b>0.70</b>	mg/kg	0.064	0.019	8	11/07/17 08:32	11/08/17 10:22	191-24-2	
Benzo(k)fluoranthene	<b>0.84</b>	mg/kg	0.079	0.024	8	11/07/17 08:32	11/08/17 10:22	207-08-9	
Chrysene	<b>1.2</b>	mg/kg	0.11	0.032	8	11/07/17 08:32	11/08/17 10:22	218-01-9	
Dibenz(a,h)anthracene	<b>0.23</b>	mg/kg	0.070	0.021	8	11/07/17 08:32	11/08/17 10:22	53-70-3	
Fluoranthene	<b>2.9</b>	mg/kg	0.16	0.049	8	11/07/17 08:32	11/08/17 10:22	206-44-0	
Fluorene	<b>0.096J</b>	mg/kg	0.13	0.039	8	11/07/17 08:32	11/08/17 10:22	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.62</b>	mg/kg	0.069	0.021	8	11/07/17 08:32	11/08/17 10:22	193-39-5	
1-Methylnaphthalene	<b>&lt;0.038</b>	mg/kg	0.13	0.038	8	11/07/17 08:32	11/08/17 10:22	90-12-0	
2-Methylnaphthalene	<b>&lt;0.047</b>	mg/kg	0.16	0.047	8	11/07/17 08:32	11/08/17 10:22	91-57-6	
Naphthalene	<b>&lt;0.079</b>	mg/kg	0.26	0.079	8	11/07/17 08:32	11/08/17 10:22	91-20-3	
Phenanthrene	<b>1.5</b>	mg/kg	0.36	0.11	8	11/07/17 08:32	11/08/17 10:22	85-01-8	
Pyrene	<b>2.2</b>	mg/kg	0.14	0.042	8	11/07/17 08:32	11/08/17 10:22	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	63	%	23-106		8	11/07/17 08:32	11/08/17 10:22	321-60-8	
Terphenyl-d14 (S)	63	%	29-106		8	11/07/17 08:32	11/08/17 10:22	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>15.0</b>	%	0.10	0.10	1		11/06/17 10:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B9 5.0-7.5**      **Lab ID: 40159995050**      Collected: 10/31/17 09:20      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<b>0.099</b>	mg/kg	0.076	0.023	5	11/07/17 08:32	11/08/17 09:47	83-32-9	
Acenaphthylene	<b>&lt;0.019</b>	mg/kg	0.065	0.019	5	11/07/17 08:32	11/08/17 09:47	208-96-8	
Anthracene	<b>0.30</b>	mg/kg	0.11	0.034	5	11/07/17 08:32	11/08/17 09:47	120-12-7	
Benzo(a)anthracene	<b>0.54</b>	mg/kg	0.062	0.019	5	11/07/17 08:32	11/08/17 09:47	56-55-3	
Benzo(a)pyrene	<b>0.52</b>	mg/kg	0.049	0.015	5	11/07/17 08:32	11/08/17 09:47	50-32-8	
Benzo(b)fluoranthene	<b>0.47</b>	mg/kg	0.055	0.017	5	11/07/17 08:32	11/08/17 09:47	205-99-2	
Benzo(g,h,i)perylene	<b>0.36</b>	mg/kg	0.040	0.012	5	11/07/17 08:32	11/08/17 09:47	191-24-2	
Benzo(k)fluoranthene	<b>0.54</b>	mg/kg	0.049	0.015	5	11/07/17 08:32	11/08/17 09:47	207-08-9	
Chrysene	<b>0.62</b>	mg/kg	0.066	0.020	5	11/07/17 08:32	11/08/17 09:47	218-01-9	
Dibenz(a,h)anthracene	<b>0.12</b>	mg/kg	0.044	0.013	5	11/07/17 08:32	11/08/17 09:47	53-70-3	
Fluoranthene	<b>1.8</b>	mg/kg	0.10	0.031	5	11/07/17 08:32	11/08/17 09:47	206-44-0	
Fluorene	<b>0.11</b>	mg/kg	0.081	0.024	5	11/07/17 08:32	11/08/17 09:47	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.33</b>	mg/kg	0.043	0.013	5	11/07/17 08:32	11/08/17 09:47	193-39-5	
1-Methylnaphthalene	<b>&lt;0.024</b>	mg/kg	0.079	0.024	5	11/07/17 08:32	11/08/17 09:47	90-12-0	
2-Methylnaphthalene	<b>&lt;0.029</b>	mg/kg	0.098	0.029	5	11/07/17 08:32	11/08/17 09:47	91-57-6	
Naphthalene	<b>0.050J</b>	mg/kg	0.17	0.050	5	11/07/17 08:32	11/08/17 09:47	91-20-3	
Phenanthrene	<b>1.3</b>	mg/kg	0.23	0.069	5	11/07/17 08:32	11/08/17 09:47	85-01-8	
Pyrene	<b>1.2</b>	mg/kg	0.088	0.027	5	11/07/17 08:32	11/08/17 09:47	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	59	%	23-106		5	11/07/17 08:32	11/08/17 09:47	321-60-8	
Terphenyl-d14 (S)	60	%	29-106		5	11/07/17 08:32	11/08/17 09:47	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>15.1</b>	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B9 10-12.5**      **Lab ID: 40159995051**      Collected: 10/31/17 09:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<b>0.0054J</b>	mg/kg	0.016	0.0047	1	11/07/17 08:32	11/08/17 11:31	83-32-9	
Acenaphthylene	<b>&lt;0.0040</b>	mg/kg	0.013	0.0040	1	11/07/17 08:32	11/08/17 11:31	208-96-8	
Anthracene	<b>0.015J</b>	mg/kg	0.023	0.0070	1	11/07/17 08:32	11/08/17 11:31	120-12-7	
Benzo(a)anthracene	<b>0.043</b>	mg/kg	0.013	0.0039	1	11/07/17 08:32	11/08/17 11:31	56-55-3	
Benzo(a)pyrene	<b>0.044</b>	mg/kg	0.010	0.0031	1	11/07/17 08:32	11/08/17 11:31	50-32-8	
Benzo(b)fluoranthene	<b>0.047</b>	mg/kg	0.012	0.0035	1	11/07/17 08:32	11/08/17 11:31	205-99-2	
Benzo(g,h,i)perylene	<b>0.037</b>	mg/kg	0.0083	0.0025	1	11/07/17 08:32	11/08/17 11:31	191-24-2	
Benzo(k)fluoranthene	<b>0.040</b>	mg/kg	0.010	0.0031	1	11/07/17 08:32	11/08/17 11:31	207-08-9	
Chrysene	<b>0.053</b>	mg/kg	0.014	0.0041	1	11/07/17 08:32	11/08/17 11:31	218-01-9	
Dibenz(a,h)anthracene	<b>0.011</b>	mg/kg	0.0091	0.0027	1	11/07/17 08:32	11/08/17 11:31	53-70-3	
Fluoranthene	<b>0.13</b>	mg/kg	0.021	0.0064	1	11/07/17 08:32	11/08/17 11:31	206-44-0	
Fluorene	<b>0.0066J</b>	mg/kg	0.017	0.0051	1	11/07/17 08:32	11/08/17 11:31	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.031</b>	mg/kg	0.0090	0.0027	1	11/07/17 08:32	11/08/17 11:31	193-39-5	
1-Methylnaphthalene	<b>&lt;0.0049</b>	mg/kg	0.016	0.0049	1	11/07/17 08:32	11/08/17 11:31	90-12-0	
2-Methylnaphthalene	<b>&lt;0.0061</b>	mg/kg	0.020	0.0061	1	11/07/17 08:32	11/08/17 11:31	91-57-6	
Naphthalene	<b>0.014J</b>	mg/kg	0.034	0.010	1	11/07/17 08:32	11/08/17 11:31	91-20-3	
Phenanthrene	<b>0.077</b>	mg/kg	0.047	0.014	1	11/07/17 08:32	11/08/17 11:31	85-01-8	
Pyrene	<b>0.095</b>	mg/kg	0.018	0.0055	1	11/07/17 08:32	11/08/17 11:31	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	58	%	23-106		1	11/07/17 08:32	11/08/17 11:31	321-60-8	
Terphenyl-d14 (S)	59	%	29-106		1	11/07/17 08:32	11/08/17 11:31	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>18.2</b>	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B10 0-2.5**      **Lab ID: 40159995052**      Collected: 10/31/17 09:45      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>22.9</b>	ug/kg	5.0	0.40	2	11/06/17 08:06	11/07/17 23:13	83-32-9	
Acenaphthylene	<b>0.94J</b>	ug/kg	5.0	0.37	2	11/06/17 08:06	11/07/17 23:13	208-96-8	
Anthracene	<b>74.5</b>	ug/kg	49.7	5.5	20	11/06/17 08:06	11/07/17 19:59	120-12-7	
Benzo(a)anthracene	<b>138</b>	ug/kg	49.7	8.7	20	11/06/17 08:06	11/07/17 19:59	56-55-3	
Benzo(a)pyrene	<b>97.1</b>	ug/kg	49.7	11.9	20	11/06/17 08:06	11/07/17 19:59	50-32-8	
Benzo(b)fluoranthene	<b>101</b>	ug/kg	62.1	8.7	20	11/06/17 08:06	11/07/17 19:59	205-99-2	
Benzo(g,h,i)perylene	<b>65.1</b>	ug/kg	6.2	1.6	2	11/06/17 08:06	11/07/17 23:13	191-24-2	
Benzo(k)fluoranthene	<b>107</b>	ug/kg	62.1	6.0	20	11/06/17 08:06	11/07/17 19:59	207-08-9	
Chrysene	<b>135</b>	ug/kg	62.1	4.0	20	11/06/17 08:06	11/07/17 19:59	218-01-9	
Dibenz(a,h)anthracene	<b>21.1</b>	ug/kg	6.2	1.9	2	11/06/17 08:06	11/07/17 23:13	53-70-3	
Fluoranthene	<b>328</b>	ug/kg	49.7	7.5	20	11/06/17 08:06	11/07/17 19:59	206-44-0	
Fluorene	<b>26.5</b>	ug/kg	5.0	0.42	2	11/06/17 08:06	11/07/17 23:13	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>60.8</b>	ug/kg	5.0	1.6	2	11/06/17 08:06	11/07/17 23:13	193-39-5	
1-Methylnaphthalene	<b>9.3</b>	ug/kg	5.0	0.48	2	11/06/17 08:06	11/07/17 23:13	90-12-0	N2
2-Methylnaphthalene	<b>11.7</b>	ug/kg	5.0	0.52	2	11/06/17 08:06	11/07/17 23:13	91-57-6	
Naphthalene	<b>22.3</b>	ug/kg	5.0	0.62	2	11/06/17 08:06	11/07/17 23:13	91-20-3	ED
Phenanthrene	<b>295</b>	ug/kg	49.7	6.2	20	11/06/17 08:06	11/07/17 19:59	85-01-8	
Pyrene	<b>297</b>	ug/kg	49.7	6.7	20	11/06/17 08:06	11/07/17 19:59	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	63	%	50-150		2	11/06/17 08:06	11/07/17 23:13	93951-69-0	
2-Methylnaphthalene-d10 (S)	69	%	50-150		2	11/06/17 08:06	11/07/17 23:13	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>16.8</b>	%	0.10	0.10	1		11/06/17 14:44		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B10 2.5-5.0**      **Lab ID: 40159995053**      Collected: 10/31/17 09:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>29.1</b>	ug/kg	23.8	1.9	10	11/06/17 08:06	11/07/17 23:45	83-32-9	
Acenaphthylene	<b>&lt;1.8</b>	ug/kg	23.8	1.8	10	11/06/17 08:06	11/07/17 23:45	208-96-8	
Anthracene	<b>106</b>	ug/kg	23.8	2.6	10	11/06/17 08:06	11/07/17 23:45	120-12-7	
Benzo(a)anthracene	<b>242</b>	ug/kg	23.8	4.2	10	11/06/17 08:06	11/07/17 23:45	56-55-3	
Benzo(a)pyrene	<b>199</b>	ug/kg	23.8	5.7	10	11/06/17 08:06	11/07/17 23:45	50-32-8	
Benzo(b)fluoranthene	<b>193</b>	ug/kg	29.8	4.2	10	11/06/17 08:06	11/07/17 23:45	205-99-2	
Benzo(g,h,i)perylene	<b>131</b>	ug/kg	29.8	7.7	10	11/06/17 08:06	11/07/17 23:45	191-24-2	
Benzo(k)fluoranthene	<b>185</b>	ug/kg	29.8	2.9	10	11/06/17 08:06	11/07/17 23:45	207-08-9	
Chrysene	<b>229</b>	ug/kg	29.8	1.9	10	11/06/17 08:06	11/07/17 23:45	218-01-9	
Dibenz(a,h)anthracene	<b>45.1</b>	ug/kg	29.8	8.9	10	11/06/17 08:06	11/07/17 23:45	53-70-3	
Fluoranthene	<b>602</b>	ug/kg	95.3	14.3	40	11/06/17 08:06	11/07/17 20:31	206-44-0	
Fluorene	<b>40.1</b>	ug/kg	23.8	2.0	10	11/06/17 08:06	11/07/17 23:45	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>120</b>	ug/kg	23.8	7.5	10	11/06/17 08:06	11/07/17 23:45	193-39-5	
1-Methylnaphthalene	<b>8.4J</b>	ug/kg	23.8	2.3	10	11/06/17 08:06	11/07/17 23:45	90-12-0	N2
2-Methylnaphthalene	<b>5.7J</b>	ug/kg	23.8	2.5	10	11/06/17 08:06	11/07/17 23:45	91-57-6	
Naphthalene	<b>16.0J</b>	ug/kg	23.8	3.0	10	11/06/17 08:06	11/07/17 23:45	91-20-3	B,ED
Phenanthrene	<b>411</b>	ug/kg	95.3	11.9	40	11/06/17 08:06	11/07/17 20:31	85-01-8	
Pyrene	<b>479</b>	ug/kg	95.3	12.9	40	11/06/17 08:06	11/07/17 20:31	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	87	%	50-150		10	11/06/17 08:06	11/07/17 23:45	93951-69-0	
2-Methylnaphthalene-d10 (S)	69	%	50-150		10	11/06/17 08:06	11/07/17 23:45	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>16.0</b>	%	0.10	0.10	1		11/06/17 14:45		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B10 5.0-7.5**      **Lab ID: 40159995054**      Collected: 10/31/17 09:55      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 18:07	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 18:07	208-96-8	
Anthracene	0.46J	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 18:07	120-12-7	
Benzo(a)anthracene	1.9J	ug/kg	2.4	0.42	1	11/06/17 08:06	11/06/17 18:07	56-55-3	B
Benzo(a)pyrene	1.6J	ug/kg	2.4	0.57	1	11/06/17 08:06	11/06/17 18:07	50-32-8	
Benzo(b)fluoranthene	1.7J	ug/kg	3.0	0.42	1	11/06/17 08:06	11/06/17 18:07	205-99-2	
Benzo(g,h,i)perylene	2.0J	ug/kg	3.0	0.77	1	11/06/17 08:06	11/06/17 18:07	191-24-2	
Benzo(k)fluoranthene	1.6J	ug/kg	3.0	0.29	1	11/06/17 08:06	11/06/17 18:07	207-08-9	B
Chrysene	2.8J	ug/kg	3.0	0.19	1	11/06/17 08:06	11/06/17 18:07	218-01-9	B
Dibenz(a,h)anthracene	<0.89	ug/kg	3.0	0.89	1	11/06/17 08:06	11/06/17 18:07	53-70-3	
Fluoranthene	3.2	ug/kg	2.4	0.36	1	11/06/17 08:06	11/06/17 18:07	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 18:07	86-73-7	
Indeno(1,2,3-cd)pyrene	1.3J	ug/kg	2.4	0.75	1	11/06/17 08:06	11/06/17 18:07	193-39-5	
1-Methylnaphthalene	<0.23	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 18:07	90-12-0	N2
2-Methylnaphthalene	<0.25	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 18:07	91-57-6	
Naphthalene	0.31J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 18:07	91-20-3	B
Phenanthrene	2.5	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 18:07	85-01-8	
Pyrene	4.2	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 18:07	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	73	%	50-150		1	11/06/17 08:06	11/06/17 18:07	93951-69-0	
2-Methylnaphthalene-d10 (S)	70	%	50-150		1	11/06/17 08:06	11/06/17 18:07	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	14.1	%	0.10	0.10	1		11/06/17 14:47		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B10 7.5-10.0**      **Lab ID: 40159995055**      Collected: 10/31/17 10:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.3	0.19	1	11/06/17 08:06	11/06/17 18:40	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.3	0.18	1	11/06/17 08:06	11/06/17 18:40	208-96-8	
Anthracene	0.52J	ug/kg	2.3	0.26	1	11/06/17 08:06	11/06/17 18:40	120-12-7	
Benzo(a)anthracene	3.7	ug/kg	2.3	0.41	1	11/06/17 08:06	11/06/17 18:40	56-55-3	B
Benzo(a)pyrene	3.0	ug/kg	2.3	0.56	1	11/06/17 08:06	11/06/17 18:40	50-32-8	
Benzo(b)fluoranthene	3.4	ug/kg	2.9	0.41	1	11/06/17 08:06	11/06/17 18:40	205-99-2	
Benzo(g,h,i)perylene	3.2	ug/kg	2.9	0.76	1	11/06/17 08:06	11/06/17 18:40	191-24-2	
Benzo(k)fluoranthene	2.8J	ug/kg	2.9	0.28	1	11/06/17 08:06	11/06/17 18:40	207-08-9	B
Chrysene	4.9	ug/kg	2.9	0.19	1	11/06/17 08:06	11/06/17 18:40	218-01-9	
Dibenz(a,h)anthracene	0.92J	ug/kg	2.9	0.88	1	11/06/17 08:06	11/06/17 18:40	53-70-3	
Fluoranthene	6.1	ug/kg	2.3	0.35	1	11/06/17 08:06	11/06/17 18:40	206-44-0	
Fluorene	<0.20	ug/kg	2.3	0.20	1	11/06/17 08:06	11/06/17 18:40	86-73-7	
Indeno(1,2,3-cd)pyrene	2.3J	ug/kg	2.3	0.74	1	11/06/17 08:06	11/06/17 18:40	193-39-5	
1-Methylnaphthalene	<0.23	ug/kg	2.3	0.23	1	11/06/17 08:06	11/06/17 18:40	90-12-0	N2
2-Methylnaphthalene	<0.25	ug/kg	2.3	0.25	1	11/06/17 08:06	11/06/17 18:40	91-57-6	
Naphthalene	0.32J	ug/kg	2.3	0.29	1	11/06/17 08:06	11/06/17 18:40	91-20-3	B
Phenanthrene	3.0	ug/kg	2.3	0.29	1	11/06/17 08:06	11/06/17 18:40	85-01-8	
Pyrene	6.9	ug/kg	2.3	0.32	1	11/06/17 08:06	11/06/17 18:40	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	65	%	50-150		1	11/06/17 08:06	11/06/17 18:40	93951-69-0	
2-Methylnaphthalene-d10 (S)	65	%	50-150		1	11/06/17 08:06	11/06/17 18:40	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	14.9	%	0.10	0.10	1		11/06/17 14:48		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B10 10-12.5**      **Lab ID: 40159995056**      Collected: 10/31/17 10:05      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 19:12	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 19:12	208-96-8	
Anthracene	<0.26	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 19:12	120-12-7	
Benzo(a)anthracene	<b>0.60J</b>	ug/kg	2.4	0.42	1	11/06/17 08:06	11/06/17 19:12	56-55-3	B
Benzo(a)pyrene	<b>0.57J</b>	ug/kg	2.4	0.57	1	11/06/17 08:06	11/06/17 19:12	50-32-8	
Benzo(b)fluoranthene	<b>0.76J</b>	ug/kg	3.0	0.42	1	11/06/17 08:06	11/06/17 19:12	205-99-2	
Benzo(g,h,i)perylene	<b>1.0J</b>	ug/kg	3.0	0.78	1	11/06/17 08:06	11/06/17 19:12	191-24-2	
Benzo(k)fluoranthene	<b>0.55J</b>	ug/kg	3.0	0.29	1	11/06/17 08:06	11/06/17 19:12	207-08-9	B
Chrysene	<b>1.4J</b>	ug/kg	3.0	0.19	1	11/06/17 08:06	11/06/17 19:12	218-01-9	B
Dibenz(a,h)anthracene	<0.90	ug/kg	3.0	0.90	1	11/06/17 08:06	11/06/17 19:12	53-70-3	
Fluoranthene	<b>0.88J</b>	ug/kg	2.4	0.36	1	11/06/17 08:06	11/06/17 19:12	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 19:12	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.75	ug/kg	2.4	0.75	1	11/06/17 08:06	11/06/17 19:12	193-39-5	
1-Methylnaphthalene	<0.23	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 19:12	90-12-0	N2
2-Methylnaphthalene	<0.25	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 19:12	91-57-6	
Naphthalene	<0.30	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 19:12	91-20-3	
Phenanthrene	<b>0.92J</b>	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 19:12	85-01-8	
Pyrene	<b>1.3J</b>	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 19:12	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	69	%	50-150		1	11/06/17 08:06	11/06/17 19:12	93951-69-0	
2-Methylnaphthalene-d10 (S)	70	%	50-150		1	11/06/17 08:06	11/06/17 19:12	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>15.4</b>	%	0.10	0.10	1		11/06/17 14:50		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: **B10 12.5-15.0** Lab ID: **40159995057** Collected: 10/31/17 10:10 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.3	0.19	1	11/06/17 08:06	11/06/17 19:45	83-32-9	
Acenaphthylene	<0.17	ug/kg	2.3	0.17	1	11/06/17 08:06	11/06/17 19:45	208-96-8	
Anthracene	<0.26	ug/kg	2.3	0.26	1	11/06/17 08:06	11/06/17 19:45	120-12-7	
Benzo(a)anthracene	<b>0.79J</b>	ug/kg	2.3	0.41	1	11/06/17 08:06	11/06/17 19:45	56-55-3	B
Benzo(a)pyrene	<b>0.74J</b>	ug/kg	2.3	0.56	1	11/06/17 08:06	11/06/17 19:45	50-32-8	
Benzo(b)fluoranthene	<b>0.81J</b>	ug/kg	2.9	0.41	1	11/06/17 08:06	11/06/17 19:45	205-99-2	
Benzo(g,h,i)perylene	<b>1.1J</b>	ug/kg	2.9	0.76	1	11/06/17 08:06	11/06/17 19:45	191-24-2	
Benzo(k)fluoranthene	<b>0.79J</b>	ug/kg	2.9	0.28	1	11/06/17 08:06	11/06/17 19:45	207-08-9	B
Chrysene	<b>1.5J</b>	ug/kg	2.9	0.19	1	11/06/17 08:06	11/06/17 19:45	218-01-9	B
Dibenz(a,h)anthracene	<0.87	ug/kg	2.9	0.87	1	11/06/17 08:06	11/06/17 19:45	53-70-3	
Fluoranthene	<b>1.3J</b>	ug/kg	2.3	0.35	1	11/06/17 08:06	11/06/17 19:45	206-44-0	
Fluorene	<0.20	ug/kg	2.3	0.20	1	11/06/17 08:06	11/06/17 19:45	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.73	ug/kg	2.3	0.73	1	11/06/17 08:06	11/06/17 19:45	193-39-5	
1-Methylnaphthalene	<0.22	ug/kg	2.3	0.22	1	11/06/17 08:06	11/06/17 19:45	90-12-0	N2
2-Methylnaphthalene	<0.24	ug/kg	2.3	0.24	1	11/06/17 08:06	11/06/17 19:45	91-57-6	
Naphthalene	<0.29	ug/kg	2.3	0.29	1	11/06/17 08:06	11/06/17 19:45	91-20-3	
Phenanthrene	<b>1.3J</b>	ug/kg	2.3	0.29	1	11/06/17 08:06	11/06/17 19:45	85-01-8	
Pyrene	<b>1.6J</b>	ug/kg	2.3	0.31	1	11/06/17 08:06	11/06/17 19:45	129-00-0	B
<b>Surrogates</b>									
Fluoranthene-d10 (S)	60	%	50-150		1	11/06/17 08:06	11/06/17 19:45	93951-69-0	
2-Methylnaphthalene-d10 (S)	59	%	50-150		1	11/06/17 08:06	11/06/17 19:45	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>15.2</b>	%	0.10	0.10	1		11/06/17 18:23		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B11 0-2.5**      **Lab ID: 40159995058**      Collected: 10/31/17 10:25      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 15:11	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 15:11	208-96-8	
Anthracene	<0.26	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 15:11	120-12-7	
Benzo(a)anthracene	0.83J	ug/kg	2.4	0.41	1	11/06/17 08:06	11/06/17 15:11	56-55-3	B
Benzo(a)pyrene	0.59J	ug/kg	2.4	0.57	1	11/06/17 08:06	11/06/17 15:11	50-32-8	
Benzo(b)fluoranthene	0.66J	ug/kg	2.9	0.41	1	11/06/17 08:06	11/06/17 15:11	205-99-2	
Benzo(g,h,i)perylene	<0.77	ug/kg	2.9	0.77	1	11/06/17 08:06	11/06/17 15:11	191-24-2	
Benzo(k)fluoranthene	0.70J	ug/kg	2.9	0.28	1	11/06/17 08:06	11/06/17 15:11	207-08-9	B
Chrysene	0.87J	ug/kg	2.9	0.19	1	11/06/17 08:06	11/06/17 15:11	218-01-9	B
Dibenz(a,h)anthracene	<0.88	ug/kg	2.9	0.88	1	11/06/17 08:06	11/06/17 15:11	53-70-3	
Fluoranthene	0.78J	ug/kg	2.4	0.35	1	11/06/17 08:06	11/06/17 15:11	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 15:11	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.74	ug/kg	2.4	0.74	1	11/06/17 08:06	11/06/17 15:11	193-39-5	
1-Methylnaphthalene	<0.23	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 15:11	90-12-0	N2
2-Methylnaphthalene	<0.25	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 15:11	91-57-6	
Naphthalene	<0.29	ug/kg	2.4	0.29	1	11/06/17 08:06	11/06/17 15:11	91-20-3	
Phenanthrene	0.67J	ug/kg	2.4	0.29	1	11/06/17 08:06	11/06/17 15:11	85-01-8	
Pyrene	0.88J	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 15:11	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	66	%	50-150		1	11/06/17 08:06	11/06/17 15:11	93951-69-0	
2-Methylnaphthalene-d10 (S)	68	%	50-150		1	11/06/17 08:06	11/06/17 15:11	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	13.7	%	0.10	0.10	1		11/06/17 18:28		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: B11 2.5-5.0 Lab ID: 40159995059 Collected: 10/31/17 10:30 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 20:17	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 20:17	208-96-8	
Anthracene	0.29J	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 20:17	120-12-7	
Benzo(a)anthracene	1.4J	ug/kg	2.4	0.42	1	11/06/17 08:06	11/06/17 20:17	56-55-3	B
Benzo(a)pyrene	1.2J	ug/kg	2.4	0.58	1	11/06/17 08:06	11/06/17 20:17	50-32-8	
Benzo(b)fluoranthene	1.3J	ug/kg	3.0	0.42	1	11/06/17 08:06	11/06/17 20:17	205-99-2	
Benzo(g,h,i)perylene	1.2J	ug/kg	3.0	0.78	1	11/06/17 08:06	11/06/17 20:17	191-24-2	
Benzo(k)fluoranthene	1.1J	ug/kg	3.0	0.29	1	11/06/17 08:06	11/06/17 20:17	207-08-9	B
Chrysene	1.5J	ug/kg	3.0	0.19	1	11/06/17 08:06	11/06/17 20:17	218-01-9	B
Dibenz(a,h)anthracene	<0.90	ug/kg	3.0	0.90	1	11/06/17 08:06	11/06/17 20:17	53-70-3	
Fluoranthene	2.1J	ug/kg	2.4	0.36	1	11/06/17 08:06	11/06/17 20:17	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 20:17	86-73-7	
Indeno(1,2,3-cd)pyrene	0.95J	ug/kg	2.4	0.76	1	11/06/17 08:06	11/06/17 20:17	193-39-5	
1-Methylnaphthalene	<0.23	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 20:17	90-12-0	N2
2-Methylnaphthalene	<0.25	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 20:17	91-57-6	
Naphthalene	<0.30	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 20:17	91-20-3	
Phenanthrene	1.5J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 20:17	85-01-8	
Pyrene	1.9J	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 20:17	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	72	%	50-150		1	11/06/17 08:06	11/06/17 20:17	93951-69-0	
2-Methylnaphthalene-d10 (S)	70	%	50-150		1	11/06/17 08:06	11/06/17 20:17	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	14.5	%	0.10	0.10	1		11/06/17 18:29		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B11 5.0-7.5**      **Lab ID: 40159995060**      Collected: 10/31/17 10:35      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.20	ug/kg	2.5	0.20	1	11/06/17 08:06	11/06/17 20:49	83-32-9	
Acenaphthylene	<0.19	ug/kg	2.5	0.19	1	11/06/17 08:06	11/06/17 20:49	208-96-8	
Anthracene	<0.27	ug/kg	2.5	0.27	1	11/06/17 08:06	11/06/17 20:49	120-12-7	
Benzo(a)anthracene	1.1J	ug/kg	2.5	0.43	1	11/06/17 08:06	11/06/17 20:49	56-55-3	B
Benzo(a)pyrene	0.76J	ug/kg	2.5	0.59	1	11/06/17 08:06	11/06/17 20:49	50-32-8	
Benzo(b)fluoranthene	0.92J	ug/kg	3.1	0.43	1	11/06/17 08:06	11/06/17 20:49	205-99-2	
Benzo(g,h,i)perylene	0.84J	ug/kg	3.1	0.80	1	11/06/17 08:06	11/06/17 20:49	191-24-2	
Benzo(k)fluoranthene	0.88J	ug/kg	3.1	0.30	1	11/06/17 08:06	11/06/17 20:49	207-08-9	B
Chrysene	1.7J	ug/kg	3.1	0.20	1	11/06/17 08:06	11/06/17 20:49	218-01-9	B
Dibenz(a,h)anthracene	<0.93	ug/kg	3.1	0.93	1	11/06/17 08:06	11/06/17 20:49	53-70-3	
Fluoranthene	2.0J	ug/kg	2.5	0.37	1	11/06/17 08:06	11/06/17 20:49	206-44-0	
Fluorene	<0.21	ug/kg	2.5	0.21	1	11/06/17 08:06	11/06/17 20:49	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.78	ug/kg	2.5	0.78	1	11/06/17 08:06	11/06/17 20:49	193-39-5	
1-Methylnaphthalene	<0.24	ug/kg	2.5	0.24	1	11/06/17 08:06	11/06/17 20:49	90-12-0	N2
2-Methylnaphthalene	<0.26	ug/kg	2.5	0.26	1	11/06/17 08:06	11/06/17 20:49	91-57-6	
Naphthalene	0.39J	ug/kg	2.5	0.31	1	11/06/17 08:06	11/06/17 20:49	91-20-3	B
Phenanthrene	1.7J	ug/kg	2.5	0.31	1	11/06/17 08:06	11/06/17 20:49	85-01-8	
Pyrene	1.8J	ug/kg	2.5	0.33	1	11/06/17 08:06	11/06/17 20:49	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	67	%	50-150		1	11/06/17 08:06	11/06/17 20:49	93951-69-0	
2-Methylnaphthalene-d10 (S)	62	%	50-150		1	11/06/17 08:06	11/06/17 20:49	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	16.2	%	0.10	0.10	1		11/06/17 18:30		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B11 7.5-10.0**      **Lab ID: 40159995061**      Collected: 10/31/17 10:40      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.37	ug/kg	4.6	0.37	2	11/06/17 08:06	11/07/17 14:34	83-32-9	
Acenaphthylene	<0.35	ug/kg	4.6	0.35	2	11/06/17 08:06	11/07/17 14:34	208-96-8	
Anthracene	1.8J	ug/kg	4.6	0.51	2	11/06/17 08:06	11/07/17 14:34	120-12-7	
Benzo(a)anthracene	6.7	ug/kg	4.6	0.81	2	11/06/17 08:06	11/07/17 14:34	56-55-3	B
Benzo(a)pyrene	6.1	ug/kg	4.6	1.1	2	11/06/17 08:06	11/07/17 14:34	50-32-8	
Benzo(b)fluoranthene	7.3	ug/kg	5.8	0.81	2	11/06/17 08:06	11/07/17 14:34	205-99-2	
Benzo(g,h,i)perylene	6.0	ug/kg	5.8	1.5	2	11/06/17 08:06	11/07/17 14:34	191-24-2	
Benzo(k)fluoranthene	6.9	ug/kg	5.8	0.55	2	11/06/17 08:06	11/07/17 14:34	207-08-9	B
Chrysene	9.8	ug/kg	5.8	0.37	2	11/06/17 08:06	11/07/17 14:34	218-01-9	
Dibenz(a,h)anthracene	2.4J	ug/kg	5.8	1.7	2	11/06/17 08:06	11/07/17 14:34	53-70-3	
Fluoranthene	8.3	ug/kg	4.6	0.69	2	11/06/17 08:06	11/07/17 14:34	206-44-0	
Fluorene	1.4J	ug/kg	4.6	0.39	2	11/06/17 08:06	11/07/17 14:34	86-73-7	
Indeno(1,2,3-cd)pyrene	5.0	ug/kg	4.6	1.5	2	11/06/17 08:06	11/07/17 14:34	193-39-5	
1-Methylnaphthalene	9.4	ug/kg	4.6	0.44	2	11/06/17 08:06	11/07/17 14:34	90-12-0	N2
2-Methylnaphthalene	11.6	ug/kg	4.6	0.48	2	11/06/17 08:06	11/07/17 14:34	91-57-6	
Naphthalene	4.9	ug/kg	4.6	0.58	2	11/06/17 08:06	11/07/17 14:34	91-20-3	B,ED
Phenanthrene	8.8	ug/kg	4.6	0.58	2	11/06/17 08:06	11/07/17 14:34	85-01-8	
Pyrene	14.4	ug/kg	4.6	0.62	2	11/06/17 08:06	11/07/17 14:34	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	76	%	50-150		2	11/06/17 08:06	11/07/17 14:34	93951-69-0	
2-Methylnaphthalene-d10 (S)	80	%	50-150		2	11/06/17 08:06	11/07/17 14:34	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	13.7	%	0.10	0.10	1		11/06/17 18:31		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: B11 10.0-12.5 Lab ID: 40159995062 Collected: 10/31/17 10:45 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.21	ug/kg	2.6	0.21	1	11/06/17 08:06	11/06/17 21:22	83-32-9	
Acenaphthylene	<0.20	ug/kg	2.6	0.20	1	11/06/17 08:06	11/06/17 21:22	208-96-8	
Anthracene	<0.29	ug/kg	2.6	0.29	1	11/06/17 08:06	11/06/17 21:22	120-12-7	
Benzo(a)anthracene	0.77J	ug/kg	2.6	0.46	1	11/06/17 08:06	11/06/17 21:22	56-55-3	
Benzo(a)pyrene	0.65J	ug/kg	2.6	0.63	1	11/06/17 08:06	11/06/17 21:22	50-32-8	
Benzo(b)fluoranthene	0.68J	ug/kg	3.3	0.46	1	11/06/17 08:06	11/06/17 21:22	205-99-2	
Benzo(g,h,i)perylene	1.6J	ug/kg	3.3	0.85	1	11/06/17 08:06	11/06/17 21:22	191-24-2	
Benzo(k)fluoranthene	0.49J	ug/kg	3.3	0.31	1	11/06/17 08:06	11/06/17 21:22	207-08-9	B
Chrysene	2.2J	ug/kg	3.3	0.21	1	11/06/17 08:06	11/06/17 21:22	218-01-9	B
Dibenz(a,h)anthracene	<0.98	ug/kg	3.3	0.98	1	11/06/17 08:06	11/06/17 21:22	53-70-3	
Fluoranthene	0.85J	ug/kg	2.6	0.39	1	11/06/17 08:06	11/06/17 21:22	206-44-0	
Fluorene	<0.22	ug/kg	2.6	0.22	1	11/06/17 08:06	11/06/17 21:22	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.82	ug/kg	2.6	0.82	1	11/06/17 08:06	11/06/17 21:22	193-39-5	
1-Methylnaphthalene	0.78J	ug/kg	2.6	0.25	1	11/06/17 08:06	11/06/17 21:22	90-12-0	N2
2-Methylnaphthalene	0.72J	ug/kg	2.6	0.27	1	11/06/17 08:06	11/06/17 21:22	91-57-6	
Naphthalene	0.34J	ug/kg	2.6	0.33	1	11/06/17 08:06	11/06/17 21:22	91-20-3	B
Phenanthrene	1.8J	ug/kg	2.6	0.33	1	11/06/17 08:06	11/06/17 21:22	85-01-8	
Pyrene	1.5J	ug/kg	2.6	0.35	1	11/06/17 08:06	11/06/17 21:22	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	64	%	50-150		1	11/06/17 08:06	11/06/17 21:22	93951-69-0	
2-Methylnaphthalene-d10 (S)	68	%	50-150		1	11/06/17 08:06	11/06/17 21:22	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	25.6	%	0.10	0.10	1		11/06/17 18:34		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B11 12.5-15.0**      **Lab ID: 40159995063**      Collected: 10/31/17 10:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 21:53	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 21:53	208-96-8	
Anthracene	<0.26	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 21:53	120-12-7	
Benzo(a)anthracene	1.2J	ug/kg	2.4	0.41	1	11/06/17 08:06	11/06/17 21:53	56-55-3	B
Benzo(a)pyrene	1.2J	ug/kg	2.4	0.57	1	11/06/17 08:06	11/06/17 21:53	50-32-8	
Benzo(b)fluoranthene	1.3J	ug/kg	3.0	0.41	1	11/06/17 08:06	11/06/17 21:53	205-99-2	
Benzo(g,h,i)perylene	1.5J	ug/kg	3.0	0.77	1	11/06/17 08:06	11/06/17 21:53	191-24-2	
Benzo(k)fluoranthene	1.0J	ug/kg	3.0	0.28	1	11/06/17 08:06	11/06/17 21:53	207-08-9	B
Chrysene	2.2J	ug/kg	3.0	0.19	1	11/06/17 08:06	11/06/17 21:53	218-01-9	B
Dibenz(a,h)anthracene	<0.89	ug/kg	3.0	0.89	1	11/06/17 08:06	11/06/17 21:53	53-70-3	
Fluoranthene	1.8J	ug/kg	2.4	0.35	1	11/06/17 08:06	11/06/17 21:53	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 21:53	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.75	ug/kg	2.4	0.75	1	11/06/17 08:06	11/06/17 21:53	193-39-5	
1-Methylnaphthalene	0.36J	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 21:53	90-12-0	N2
2-Methylnaphthalene	0.44J	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 21:53	91-57-6	
Naphthalene	1.0J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 21:53	91-20-3	B
Phenanthrene	1.6J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 21:53	85-01-8	
Pyrene	2.2J	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 21:53	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	67	%	50-150		1	11/06/17 08:06	11/06/17 21:53	93951-69-0	
2-Methylnaphthalene-d10 (S)	66	%	50-150		1	11/06/17 08:06	11/06/17 21:53	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	15.5	%	0.10	0.10	1		11/06/17 18:37		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B11 15.0-17.5**      **Lab ID: 40159995064**      Collected: 10/31/17 11:45      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 22:26	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 22:26	208-96-8	
Anthracene	<0.26	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 22:26	120-12-7	
Benzo(a)anthracene	1.0J	ug/kg	2.4	0.42	1	11/06/17 08:06	11/06/17 22:26	56-55-3	B
Benzo(a)pyrene	1.0J	ug/kg	2.4	0.57	1	11/06/17 08:06	11/06/17 22:26	50-32-8	
Benzo(b)fluoranthene	1.1J	ug/kg	3.0	0.42	1	11/06/17 08:06	11/06/17 22:26	205-99-2	
Benzo(g,h,i)perylene	1.3J	ug/kg	3.0	0.78	1	11/06/17 08:06	11/06/17 22:26	191-24-2	
Benzo(k)fluoranthene	0.91J	ug/kg	3.0	0.29	1	11/06/17 08:06	11/06/17 22:26	207-08-9	B
Chrysene	1.9J	ug/kg	3.0	0.19	1	11/06/17 08:06	11/06/17 22:26	218-01-9	B
Dibenz(a,h)anthracene	<0.90	ug/kg	3.0	0.90	1	11/06/17 08:06	11/06/17 22:26	53-70-3	
Fluoranthene	1.8J	ug/kg	2.4	0.36	1	11/06/17 08:06	11/06/17 22:26	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 22:26	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.75	ug/kg	2.4	0.75	1	11/06/17 08:06	11/06/17 22:26	193-39-5	
1-Methylnaphthalene	0.63J	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 22:26	90-12-0	N2
2-Methylnaphthalene	1.1J	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 22:26	91-57-6	
Naphthalene	<0.30	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 22:26	91-20-3	
Phenanthrene	2.5	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 22:26	85-01-8	
Pyrene	2.1J	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 22:26	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	66	%	50-150		1	11/06/17 08:06	11/06/17 22:26	93951-69-0	
2-Methylnaphthalene-d10 (S)	64	%	50-150		1	11/06/17 08:06	11/06/17 22:26	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	15.9	%	0.10	0.10	1		11/06/17 18:39		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B11 17.5-20.0**      **Lab ID: 40159995065**      Collected: 10/31/17 11:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 17:35	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 17:35	208-96-8	
Anthracene	<0.26	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 17:35	120-12-7	
Benzo(a)anthracene	0.77J	ug/kg	2.4	0.42	1	11/06/17 08:06	11/06/17 17:35	56-55-3	B
Benzo(a)pyrene	<0.58	ug/kg	2.4	0.58	1	11/06/17 08:06	11/06/17 17:35	50-32-8	
Benzo(b)fluoranthene	0.71J	ug/kg	3.0	0.42	1	11/06/17 08:06	11/06/17 17:35	205-99-2	
Benzo(g,h,i)perylene	<0.78	ug/kg	3.0	0.78	1	11/06/17 08:06	11/06/17 17:35	191-24-2	
Benzo(k)fluoranthene	0.69J	ug/kg	3.0	0.29	1	11/06/17 08:06	11/06/17 17:35	207-08-9	B
Chrysene	1.5J	ug/kg	3.0	0.19	1	11/06/17 08:06	11/06/17 17:35	218-01-9	B
Dibenz(a,h)anthracene	<0.90	ug/kg	3.0	0.90	1	11/06/17 08:06	11/06/17 17:35	53-70-3	
Fluoranthene	0.82J	ug/kg	2.4	0.36	1	11/06/17 08:06	11/06/17 17:35	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 17:35	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.76	ug/kg	2.4	0.76	1	11/06/17 08:06	11/06/17 17:35	193-39-5	
1-Methylnaphthalene	0.35J	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 17:35	90-12-0	N2
2-Methylnaphthalene	0.66J	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 17:35	91-57-6	
Naphthalene	0.82J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 17:35	91-20-3	B
Phenanthrene	1.2J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 17:35	85-01-8	
Pyrene	0.70J	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 17:35	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	58	%	50-150		1	11/06/17 08:06	11/06/17 17:35	93951-69-0	
2-Methylnaphthalene-d10 (S)	61	%	50-150		1	11/06/17 08:06	11/06/17 17:35	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	15.8	%	0.10	0.10	1		11/06/17 18:44		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B12 0-2.5**      **Lab ID: 40159995066**      Collected: 10/31/17 12:15      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.3	0.19	1	11/06/17 08:06	11/06/17 22:58	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.3	0.18	1	11/06/17 08:06	11/06/17 22:58	208-96-8	
Anthracene	<0.26	ug/kg	2.3	0.26	1	11/06/17 08:06	11/06/17 22:58	120-12-7	
Benzo(a)anthracene	0.43J	ug/kg	2.3	0.41	1	11/06/17 08:06	11/06/17 22:58	56-55-3	B
Benzo(a)pyrene	<0.56	ug/kg	2.3	0.56	1	11/06/17 08:06	11/06/17 22:58	50-32-8	
Benzo(b)fluoranthene	0.46J	ug/kg	2.9	0.41	1	11/06/17 08:06	11/06/17 22:58	205-99-2	
Benzo(g,h,i)perylene	0.84J	ug/kg	2.9	0.76	1	11/06/17 08:06	11/06/17 22:58	191-24-2	
Benzo(k)fluoranthene	0.42J	ug/kg	2.9	0.28	1	11/06/17 08:06	11/06/17 22:58	207-08-9	B
Chrysene	1.2J	ug/kg	2.9	0.19	1	11/06/17 08:06	11/06/17 22:58	218-01-9	B
Dibenz(a,h)anthracene	<0.88	ug/kg	2.9	0.88	1	11/06/17 08:06	11/06/17 22:58	53-70-3	
Fluoranthene	0.69J	ug/kg	2.3	0.35	1	11/06/17 08:06	11/06/17 22:58	206-44-0	
Fluorene	<0.20	ug/kg	2.3	0.20	1	11/06/17 08:06	11/06/17 22:58	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.74	ug/kg	2.3	0.74	1	11/06/17 08:06	11/06/17 22:58	193-39-5	
1-Methylnaphthalene	<0.23	ug/kg	2.3	0.23	1	11/06/17 08:06	11/06/17 22:58	90-12-0	N2
2-Methylnaphthalene	<0.25	ug/kg	2.3	0.25	1	11/06/17 08:06	11/06/17 22:58	91-57-6	
Naphthalene	<0.29	ug/kg	2.3	0.29	1	11/06/17 08:06	11/06/17 22:58	91-20-3	
Phenanthrene	0.90J	ug/kg	2.3	0.29	1	11/06/17 08:06	11/06/17 22:58	85-01-8	
Pyrene	0.97J	ug/kg	2.3	0.32	1	11/06/17 08:06	11/06/17 22:58	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	73	%	50-150		1	11/06/17 08:06	11/06/17 22:58	93951-69-0	
2-Methylnaphthalene-d10 (S)	66	%	50-150		1	11/06/17 08:06	11/06/17 22:58	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	15.8	%	0.10	0.10	1		11/06/17 18:45		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B12 2.5-5.0**      **Lab ID: 40159995067**      Collected: 10/31/17 12:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 08:06	11/06/17 23:30	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 08:06	11/06/17 23:30	208-96-8	
Anthracene	<0.26	ug/kg	2.4	0.26	1	11/06/17 08:06	11/06/17 23:30	120-12-7	
Benzo(a)anthracene	0.85J	ug/kg	2.4	0.42	1	11/06/17 08:06	11/06/17 23:30	56-55-3	B
Benzo(a)pyrene	0.67J	ug/kg	2.4	0.58	1	11/06/17 08:06	11/06/17 23:30	50-32-8	
Benzo(b)fluoranthene	1.0J	ug/kg	3.0	0.42	1	11/06/17 08:06	11/06/17 23:30	205-99-2	
Benzo(g,h,i)perylene	0.96J	ug/kg	3.0	0.78	1	11/06/17 08:06	11/06/17 23:30	191-24-2	
Benzo(k)fluoranthene	0.78J	ug/kg	3.0	0.29	1	11/06/17 08:06	11/06/17 23:30	207-08-9	B
Chrysene	1.7J	ug/kg	3.0	0.19	1	11/06/17 08:06	11/06/17 23:30	218-01-9	B
Dibenz(a,h)anthracene	<0.90	ug/kg	3.0	0.90	1	11/06/17 08:06	11/06/17 23:30	53-70-3	
Fluoranthene	1.7J	ug/kg	2.4	0.36	1	11/06/17 08:06	11/06/17 23:30	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 08:06	11/06/17 23:30	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.76	ug/kg	2.4	0.76	1	11/06/17 08:06	11/06/17 23:30	193-39-5	
1-Methylnaphthalene	0.54J	ug/kg	2.4	0.23	1	11/06/17 08:06	11/06/17 23:30	90-12-0	N2
2-Methylnaphthalene	0.42J	ug/kg	2.4	0.25	1	11/06/17 08:06	11/06/17 23:30	91-57-6	
Naphthalene	0.41J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 23:30	91-20-3	B
Phenanthrene	2.0J	ug/kg	2.4	0.30	1	11/06/17 08:06	11/06/17 23:30	85-01-8	
Pyrene	1.9J	ug/kg	2.4	0.32	1	11/06/17 08:06	11/06/17 23:30	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	71	%	50-150		1	11/06/17 08:06	11/06/17 23:30	93951-69-0	
2-Methylnaphthalene-d10 (S)	64	%	50-150		1	11/06/17 08:06	11/06/17 23:30	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	15.3	%	0.10	0.10	1		11/06/17 18:46		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B12 5.0-7.5**      **Lab ID: 40159995068**      Collected: 10/31/17 12:35      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.3	0.19	1	11/06/17 10:26	11/07/17 00:02	83-32-9	
Acenaphthylene	<0.17	ug/kg	2.3	0.17	1	11/06/17 10:26	11/07/17 00:02	208-96-8	
Anthracene	<0.26	ug/kg	2.3	0.26	1	11/06/17 10:26	11/07/17 00:02	120-12-7	
Benzo(a)anthracene	0.41J	ug/kg	2.3	0.41	1	11/06/17 10:26	11/07/17 00:02	56-55-3	B
Benzo(a)pyrene	<0.56	ug/kg	2.3	0.56	1	11/06/17 10:26	11/07/17 00:02	50-32-8	
Benzo(b)fluoranthene	0.49J	ug/kg	2.9	0.41	1	11/06/17 10:26	11/07/17 00:02	205-99-2	
Benzo(g,h,i)perylene	<0.76	ug/kg	2.9	0.76	1	11/06/17 10:26	11/07/17 00:02	191-24-2	
Benzo(k)fluoranthene	0.42J	ug/kg	2.9	0.28	1	11/06/17 10:26	11/07/17 00:02	207-08-9	B
Chrysene	1.1J	ug/kg	2.9	0.19	1	11/06/17 10:26	11/07/17 00:02	218-01-9	B
Dibenz(a,h)anthracene	<0.87	ug/kg	2.9	0.87	1	11/06/17 10:26	11/07/17 00:02	53-70-3	
Fluoranthene	0.59J	ug/kg	2.3	0.35	1	11/06/17 10:26	11/07/17 00:02	206-44-0	
Fluorene	<0.20	ug/kg	2.3	0.20	1	11/06/17 10:26	11/07/17 00:02	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.73	ug/kg	2.3	0.73	1	11/06/17 10:26	11/07/17 00:02	193-39-5	
1-Methylnaphthalene	0.72J	ug/kg	2.3	0.22	1	11/06/17 10:26	11/07/17 00:02	90-12-0	N2
2-Methylnaphthalene	1.2J	ug/kg	2.3	0.24	1	11/06/17 10:26	11/07/17 00:02	91-57-6	
Naphthalene	0.36J	ug/kg	2.3	0.29	1	11/06/17 10:26	11/07/17 00:02	91-20-3	B
Phenanthrene	0.73J	ug/kg	2.3	0.29	1	11/06/17 10:26	11/07/17 00:02	85-01-8	
Pyrene	0.61J	ug/kg	2.3	0.31	1	11/06/17 10:26	11/07/17 00:02	129-00-0	B
<b>Surrogates</b>									
Fluoranthene-d10 (S)	69	%	50-150		1	11/06/17 10:26	11/07/17 00:02	93951-69-0	
2-Methylnaphthalene-d10 (S)	62	%	50-150		1	11/06/17 10:26	11/07/17 00:02	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	14.8	%	0.10	0.10	1		11/06/17 18:49		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: B12 7.5-10.0 Lab ID: 40159995069 Collected: 10/31/17 12:45 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.20	ug/kg	2.5	0.20	1	11/06/17 10:26	11/07/17 00:34	83-32-9	
Acenaphthylene	<0.19	ug/kg	2.5	0.19	1	11/06/17 10:26	11/07/17 00:34	208-96-8	
Anthracene	<0.27	ug/kg	2.5	0.27	1	11/06/17 10:26	11/07/17 00:34	120-12-7	
Benzo(a)anthracene	0.68J	ug/kg	2.5	0.44	1	11/06/17 10:26	11/07/17 00:34	56-55-3	
Benzo(a)pyrene	1.9J	ug/kg	2.5	0.60	1	11/06/17 10:26	11/07/17 00:34	50-32-8	
Benzo(b)fluoranthene	0.91J	ug/kg	3.1	0.44	1	11/06/17 10:26	11/07/17 00:34	205-99-2	
Benzo(g,h,i)perylene	1.7J	ug/kg	3.1	0.81	1	11/06/17 10:26	11/07/17 00:34	191-24-2	
Benzo(k)fluoranthene	0.57J	ug/kg	3.1	0.30	1	11/06/17 10:26	11/07/17 00:34	207-08-9	B
Chrysene	2.1J	ug/kg	3.1	0.20	1	11/06/17 10:26	11/07/17 00:34	218-01-9	B
Dibenz(a,h)anthracene	<0.93	ug/kg	3.1	0.93	1	11/06/17 10:26	11/07/17 00:34	53-70-3	
Fluoranthene	1.0J	ug/kg	2.5	0.37	1	11/06/17 10:26	11/07/17 00:34	206-44-0	
Fluorene	<0.21	ug/kg	2.5	0.21	1	11/06/17 10:26	11/07/17 00:34	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.78	ug/kg	2.5	0.78	1	11/06/17 10:26	11/07/17 00:34	193-39-5	
1-Methylnaphthalene	<0.24	ug/kg	2.5	0.24	1	11/06/17 10:26	11/07/17 00:34	90-12-0	N2
2-Methylnaphthalene	<0.26	ug/kg	2.5	0.26	1	11/06/17 10:26	11/07/17 00:34	91-57-6	
Naphthalene	<0.31	ug/kg	2.5	0.31	1	11/06/17 10:26	11/07/17 00:34	91-20-3	
Phenanthrene	1.1J	ug/kg	2.5	0.31	1	11/06/17 10:26	11/07/17 00:34	85-01-8	
Pyrene	1.6J	ug/kg	2.5	0.34	1	11/06/17 10:26	11/07/17 00:34	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	73	%	50-150		1	11/06/17 10:26	11/07/17 00:34	93951-69-0	
2-Methylnaphthalene-d10 (S)	78	%	50-150		1	11/06/17 10:26	11/07/17 00:34	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	15.2	%	0.10	0.10	1		11/06/17 18:56		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B12 10.0-12.5**      **Lab ID: 40159995070**      Collected: 10/31/17 13:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.19	ug/kg	2.4	0.19	1	11/06/17 10:26	11/07/17 01:07	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 10:26	11/07/17 01:07	208-96-8	
Anthracene	<0.26	ug/kg	2.4	0.26	1	11/06/17 10:26	11/07/17 01:07	120-12-7	
Benzo(a)anthracene	0.57J	ug/kg	2.4	0.42	1	11/06/17 10:26	11/07/17 01:07	56-55-3	
Benzo(a)pyrene	<0.57	ug/kg	2.4	0.57	1	11/06/17 10:26	11/07/17 01:07	50-32-8	
Benzo(b)fluoranthene	0.61J	ug/kg	3.0	0.42	1	11/06/17 10:26	11/07/17 01:07	205-99-2	
Benzo(g,h,i)perylene	<0.77	ug/kg	3.0	0.77	1	11/06/17 10:26	11/07/17 01:07	191-24-2	
Benzo(k)fluoranthene	0.53J	ug/kg	3.0	0.29	1	11/06/17 10:26	11/07/17 01:07	207-08-9	B
Chrysene	0.90J	ug/kg	3.0	0.19	1	11/06/17 10:26	11/07/17 01:07	218-01-9	B
Dibenz(a,h)anthracene	<0.89	ug/kg	3.0	0.89	1	11/06/17 10:26	11/07/17 01:07	53-70-3	
Fluoranthene	0.96J	ug/kg	2.4	0.36	1	11/06/17 10:26	11/07/17 01:07	206-44-0	
Fluorene	<0.20	ug/kg	2.4	0.20	1	11/06/17 10:26	11/07/17 01:07	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.75	ug/kg	2.4	0.75	1	11/06/17 10:26	11/07/17 01:07	193-39-5	
1-Methylnaphthalene	1.4J	ug/kg	2.4	0.23	1	11/06/17 10:26	11/07/17 01:07	90-12-0	N2
2-Methylnaphthalene	2.0J	ug/kg	2.4	0.25	1	11/06/17 10:26	11/07/17 01:07	91-57-6	
Naphthalene	0.87J	ug/kg	2.4	0.30	1	11/06/17 10:26	11/07/17 01:07	91-20-3	B
Phenanthrene	1.7J	ug/kg	2.4	0.30	1	11/06/17 10:26	11/07/17 01:07	85-01-8	
Pyrene	1.1J	ug/kg	2.4	0.32	1	11/06/17 10:26	11/07/17 01:07	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	69	%	50-150		1	11/06/17 10:26	11/07/17 01:07	93951-69-0	
2-Methylnaphthalene-d10 (S)	73	%	50-150		1	11/06/17 10:26	11/07/17 01:07	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	14.3	%	0.10	0.10	1		11/06/17 18:57		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: B13 0-2.5 Lab ID: 40159995071 Collected: 10/31/17 13:10 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.22	ug/kg	2.7	0.22	1	11/06/17 10:26	11/07/17 01:39	83-32-9	
Acenaphthylene	<0.20	ug/kg	2.7	0.20	1	11/06/17 10:26	11/07/17 01:39	208-96-8	
Anthracene	<0.30	ug/kg	2.7	0.30	1	11/06/17 10:26	11/07/17 01:39	120-12-7	
Benzo(a)anthracene	0.72J	ug/kg	2.7	0.48	1	11/06/17 10:26	11/07/17 01:39	56-55-3	
Benzo(a)pyrene	<0.65	ug/kg	2.7	0.65	1	11/06/17 10:26	11/07/17 01:39	50-32-8	
Benzo(b)fluoranthene	0.67J	ug/kg	3.4	0.48	1	11/06/17 10:26	11/07/17 01:39	205-99-2	
Benzo(g,h,i)perylene	<0.89	ug/kg	3.4	0.89	1	11/06/17 10:26	11/07/17 01:39	191-24-2	
Benzo(k)fluoranthene	0.67J	ug/kg	3.4	0.33	1	11/06/17 10:26	11/07/17 01:39	207-08-9	
Chrysene	0.74J	ug/kg	3.4	0.22	1	11/06/17 10:26	11/07/17 01:39	218-01-9	B
Dibenz(a,h)anthracene	<1.0	ug/kg	3.4	1.0	1	11/06/17 10:26	11/07/17 01:39	53-70-3	
Fluoranthene	1.3J	ug/kg	2.7	0.41	1	11/06/17 10:26	11/07/17 01:39	206-44-0	
Fluorene	<0.23	ug/kg	2.7	0.23	1	11/06/17 10:26	11/07/17 01:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.86	ug/kg	2.7	0.86	1	11/06/17 10:26	11/07/17 01:39	193-39-5	
1-Methylnaphthalene	<0.26	ug/kg	2.7	0.26	1	11/06/17 10:26	11/07/17 01:39	90-12-0	N2
2-Methylnaphthalene	<0.29	ug/kg	2.7	0.29	1	11/06/17 10:26	11/07/17 01:39	91-57-6	
Naphthalene	<0.34	ug/kg	2.7	0.34	1	11/06/17 10:26	11/07/17 01:39	91-20-3	
Phenanthrene	1.0J	ug/kg	2.7	0.34	1	11/06/17 10:26	11/07/17 01:39	85-01-8	
Pyrene	1.1J	ug/kg	2.7	0.37	1	11/06/17 10:26	11/07/17 01:39	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	59	%	50-150		1	11/06/17 10:26	11/07/17 01:39	93951-69-0	
2-Methylnaphthalene-d10 (S)	66	%	50-150		1	11/06/17 10:26	11/07/17 01:39	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	25.3	%	0.10	0.10	1		11/06/17 18:58		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 2.5-5.0**      **Lab ID: 40159995072**      Collected: 10/31/17 13:20      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.21	ug/kg	2.7	0.21	1	11/06/17 10:26	11/07/17 09:43	83-32-9	
Acenaphthylene	<0.20	ug/kg	2.7	0.20	1	11/06/17 10:26	11/07/17 09:43	208-96-8	
Anthracene	<0.29	ug/kg	2.7	0.29	1	11/06/17 10:26	11/07/17 09:43	120-12-7	
Benzo(a)anthracene	<b>0.53J</b>	ug/kg	2.7	0.46	1	11/06/17 10:26	11/07/17 09:43	56-55-3	
Benzo(a)pyrene	<0.64	ug/kg	2.7	0.64	1	11/06/17 10:26	11/07/17 09:43	50-32-8	
Benzo(b)fluoranthene	<b>0.63J</b>	ug/kg	3.3	0.46	1	11/06/17 10:26	11/07/17 09:43	205-99-2	
Benzo(g,h,i)perylene	<0.86	ug/kg	3.3	0.86	1	11/06/17 10:26	11/07/17 09:43	191-24-2	
Benzo(k)fluoranthene	<b>0.41J</b>	ug/kg	3.3	0.32	1	11/06/17 10:26	11/07/17 09:43	207-08-9	B
Chrysene	<b>1.6J</b>	ug/kg	3.3	0.21	1	11/06/17 10:26	11/07/17 09:43	218-01-9	B
Dibenz(a,h)anthracene	<0.99	ug/kg	3.3	0.99	1	11/06/17 10:26	11/07/17 09:43	53-70-3	
Fluoranthene	<b>0.62J</b>	ug/kg	2.7	0.40	1	11/06/17 10:26	11/07/17 09:43	206-44-0	
Fluorene	<0.23	ug/kg	2.7	0.23	1	11/06/17 10:26	11/07/17 09:43	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.84	ug/kg	2.7	0.84	1	11/06/17 10:26	11/07/17 09:43	193-39-5	
1-Methylnaphthalene	<b>0.32J</b>	ug/kg	2.7	0.25	1	11/06/17 10:26	11/07/17 09:43	90-12-0	N2
2-Methylnaphthalene	<b>0.47J</b>	ug/kg	2.7	0.28	1	11/06/17 10:26	11/07/17 09:43	91-57-6	
Naphthalene	<b>0.68J</b>	ug/kg	2.7	0.33	1	11/06/17 10:26	11/07/17 09:43	91-20-3	B
Phenanthrene	<b>0.97J</b>	ug/kg	2.7	0.33	1	11/06/17 10:26	11/07/17 09:43	85-01-8	
Pyrene	<b>0.65J</b>	ug/kg	2.7	0.36	1	11/06/17 10:26	11/07/17 09:43	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	56	%	50-150		1	11/06/17 10:26	11/07/17 09:43	93951-69-0	
2-Methylnaphthalene-d10 (S)	72	%	50-150		1	11/06/17 10:26	11/07/17 09:43	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>27.6</b>	%	0.10	0.10	1		11/06/17 18:59		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 5.0-7.5**      **Lab ID: 40159995073**      Collected: 10/31/17 13:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.22	ug/kg	2.7	0.22	1	11/06/17 10:26	11/07/17 10:15	83-32-9	
Acenaphthylene	<0.20	ug/kg	2.7	0.20	1	11/06/17 10:26	11/07/17 10:15	208-96-8	
Anthracene	1.1J	ug/kg	2.7	0.30	1	11/06/17 10:26	11/07/17 10:15	120-12-7	
Benzo(a)anthracene	5.5	ug/kg	2.7	0.47	1	11/06/17 10:26	11/07/17 10:15	56-55-3	
Benzo(a)pyrene	4.8	ug/kg	2.7	0.65	1	11/06/17 10:26	11/07/17 10:15	50-32-8	
Benzo(b)fluoranthene	4.1	ug/kg	3.4	0.47	1	11/06/17 10:26	11/07/17 10:15	205-99-2	
Benzo(g,h,i)perylene	2.9J	ug/kg	3.4	0.88	1	11/06/17 10:26	11/07/17 10:15	191-24-2	
Benzo(k)fluoranthene	4.0	ug/kg	3.4	0.32	1	11/06/17 10:26	11/07/17 10:15	207-08-9	
Chrysene	5.6	ug/kg	3.4	0.22	1	11/06/17 10:26	11/07/17 10:15	218-01-9	
Dibenz(a,h)anthracene	1.2J	ug/kg	3.4	1.0	1	11/06/17 10:26	11/07/17 10:15	53-70-3	
Fluoranthene	9.6	ug/kg	2.7	0.41	1	11/06/17 10:26	11/07/17 10:15	206-44-0	
Fluorene	<0.23	ug/kg	2.7	0.23	1	11/06/17 10:26	11/07/17 10:15	86-73-7	
Indeno(1,2,3-cd)pyrene	2.5J	ug/kg	2.7	0.85	1	11/06/17 10:26	11/07/17 10:15	193-39-5	
1-Methylnaphthalene	<0.26	ug/kg	2.7	0.26	1	11/06/17 10:26	11/07/17 10:15	90-12-0	N2
2-Methylnaphthalene	<0.28	ug/kg	2.7	0.28	1	11/06/17 10:26	11/07/17 10:15	91-57-6	
Naphthalene	0.41J	ug/kg	2.7	0.34	1	11/06/17 10:26	11/07/17 10:15	91-20-3	B
Phenanthrene	3.4	ug/kg	2.7	0.34	1	11/06/17 10:26	11/07/17 10:15	85-01-8	
Pyrene	9.9	ug/kg	2.7	0.36	1	11/06/17 10:26	11/07/17 10:15	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	59	%	50-150		1	11/06/17 10:26	11/07/17 10:15	93951-69-0	
2-Methylnaphthalene-d10 (S)	72	%	50-150		1	11/06/17 10:26	11/07/17 10:15	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	22.8	%	0.10	0.10	1		11/06/17 19:01		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: B13 7.5-10.0 Lab ID: 40159995074 Collected: 10/31/17 13:45 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.20	ug/kg	2.4	0.20	1	11/06/17 10:26	11/07/17 10:48	83-32-9	
Acenaphthylene	<0.18	ug/kg	2.4	0.18	1	11/06/17 10:26	11/07/17 10:48	208-96-8	
Anthracene	<0.27	ug/kg	2.4	0.27	1	11/06/17 10:26	11/07/17 10:48	120-12-7	
Benzo(a)anthracene	1.1J	ug/kg	2.4	0.43	1	11/06/17 10:26	11/07/17 10:48	56-55-3	
Benzo(a)pyrene	0.78J	ug/kg	2.4	0.59	1	11/06/17 10:26	11/07/17 10:48	50-32-8	
Benzo(b)fluoranthene	0.94J	ug/kg	3.0	0.43	1	11/06/17 10:26	11/07/17 10:48	205-99-2	
Benzo(g,h,i)perylene	<0.79	ug/kg	3.0	0.79	1	11/06/17 10:26	11/07/17 10:48	191-24-2	
Benzo(k)fluoranthene	0.84J	ug/kg	3.0	0.29	1	11/06/17 10:26	11/07/17 10:48	207-08-9	B
Chrysene	1.3J	ug/kg	3.0	0.20	1	11/06/17 10:26	11/07/17 10:48	218-01-9	B
Dibenz(a,h)anthracene	<0.91	ug/kg	3.0	0.91	1	11/06/17 10:26	11/07/17 10:48	53-70-3	
Fluoranthene	1.7J	ug/kg	2.4	0.37	1	11/06/17 10:26	11/07/17 10:48	206-44-0	
Fluorene	<0.21	ug/kg	2.4	0.21	1	11/06/17 10:26	11/07/17 10:48	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.77	ug/kg	2.4	0.77	1	11/06/17 10:26	11/07/17 10:48	193-39-5	
1-Methylnaphthalene	<0.23	ug/kg	2.4	0.23	1	11/06/17 10:26	11/07/17 10:48	90-12-0	N2
2-Methylnaphthalene	<0.26	ug/kg	2.4	0.26	1	11/06/17 10:26	11/07/17 10:48	91-57-6	
Naphthalene	<0.30	ug/kg	2.4	0.30	1	11/06/17 10:26	11/07/17 10:48	91-20-3	
Phenanthrene	1.2J	ug/kg	2.4	0.30	1	11/06/17 10:26	11/07/17 10:48	85-01-8	
Pyrene	1.7J	ug/kg	2.4	0.33	1	11/06/17 10:26	11/07/17 10:48	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	70	%	50-150		1	11/06/17 10:26	11/07/17 10:48	93951-69-0	
2-Methylnaphthalene-d10 (S)	73	%	50-150		1	11/06/17 10:26	11/07/17 10:48	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	14.9	%	0.10	0.10	1		11/06/17 19:16		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 10.0-12.5**      **Lab ID: 40159995075**      Collected: 10/31/17 13:50      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>1.5J</b>	ug/kg	2.5	0.20	1	11/06/17 10:26	11/07/17 11:20	83-32-9	
Acenaphthylene	<b>0.30J</b>	ug/kg	2.5	0.18	1	11/06/17 10:26	11/07/17 11:20	208-96-8	B
Anthracene	<b>6.1</b>	ug/kg	2.5	0.27	1	11/06/17 10:26	11/07/17 11:20	120-12-7	
Benzo(a)anthracene	<b>21.6</b>	ug/kg	2.5	0.43	1	11/06/17 10:26	11/07/17 11:20	56-55-3	
Benzo(a)pyrene	<b>20.1</b>	ug/kg	2.5	0.59	1	11/06/17 10:26	11/07/17 11:20	50-32-8	
Benzo(b)fluoranthene	<b>19.7</b>	ug/kg	3.1	0.43	1	11/06/17 10:26	11/07/17 11:20	205-99-2	
Benzo(g,h,i)perylene	<b>12.1</b>	ug/kg	3.1	0.80	1	11/06/17 10:26	11/07/17 11:20	191-24-2	
Benzo(k)fluoranthene	<b>17.8</b>	ug/kg	3.1	0.30	1	11/06/17 10:26	11/07/17 11:20	207-08-9	
Chrysene	<b>22.1</b>	ug/kg	3.1	0.20	1	11/06/17 10:26	11/07/17 11:20	218-01-9	
Dibenz(a,h)anthracene	<b>4.1</b>	ug/kg	3.1	0.92	1	11/06/17 10:26	11/07/17 11:20	53-70-3	
Fluoranthene	<b>41.2</b>	ug/kg	4.9	0.74	2	11/06/17 10:26	11/07/17 21:04	206-44-0	
Fluorene	<b>1.8J</b>	ug/kg	2.5	0.21	1	11/06/17 10:26	11/07/17 11:20	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>11.5</b>	ug/kg	2.5	0.78	1	11/06/17 10:26	11/07/17 11:20	193-39-5	
1-Methylnaphthalene	<b>0.78J</b>	ug/kg	2.5	0.24	1	11/06/17 10:26	11/07/17 11:20	90-12-0	N2
2-Methylnaphthalene	<b>0.88J</b>	ug/kg	2.5	0.26	1	11/06/17 10:26	11/07/17 11:20	91-57-6	
Naphthalene	<b>1.6J</b>	ug/kg	2.5	0.31	1	11/06/17 10:26	11/07/17 11:20	91-20-3	B
Phenanthrene	<b>27.0</b>	ug/kg	2.5	0.31	1	11/06/17 10:26	11/07/17 11:20	85-01-8	
Pyrene	<b>37.1</b>	ug/kg	4.9	0.67	2	11/06/17 10:26	11/07/17 21:04	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	57	%	50-150		1	11/06/17 10:26	11/07/17 11:20	93951-69-0	
2-Methylnaphthalene-d10 (S)	70	%	50-150		1	11/06/17 10:26	11/07/17 11:20	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>19.4</b>	%	0.10	0.10	1		11/06/17 19:17		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Sample: B13 12.5-15.0 Lab ID: 40159995076 Collected: 10/31/17 13:55 Received: 11/02/17 07:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.21	ug/kg	2.6	0.21	1	11/06/17 10:26	11/07/17 11:52	83-32-9	
Acenaphthylene	<0.19	ug/kg	2.6	0.19	1	11/06/17 10:26	11/07/17 11:52	208-96-8	
Anthracene	<0.28	ug/kg	2.6	0.28	1	11/06/17 10:26	11/07/17 11:52	120-12-7	
Benzo(a)anthracene	0.74J	ug/kg	2.6	0.45	1	11/06/17 10:26	11/07/17 11:52	56-55-3	
Benzo(a)pyrene	<0.62	ug/kg	2.6	0.62	1	11/06/17 10:26	11/07/17 11:52	50-32-8	
Benzo(b)fluoranthene	0.55J	ug/kg	3.2	0.45	1	11/06/17 10:26	11/07/17 11:52	205-99-2	
Benzo(g,h,i)perylene	<0.84	ug/kg	3.2	0.84	1	11/06/17 10:26	11/07/17 11:52	191-24-2	
Benzo(k)fluoranthene	0.52J	ug/kg	3.2	0.31	1	11/06/17 10:26	11/07/17 11:52	207-08-9	B
Chrysene	0.99J	ug/kg	3.2	0.21	1	11/06/17 10:26	11/07/17 11:52	218-01-9	B
Dibenz(a,h)anthracene	<0.97	ug/kg	3.2	0.97	1	11/06/17 10:26	11/07/17 11:52	53-70-3	
Fluoranthene	1.2J	ug/kg	2.6	0.39	1	11/06/17 10:26	11/07/17 11:52	206-44-0	
Fluorene	<0.22	ug/kg	2.6	0.22	1	11/06/17 10:26	11/07/17 11:52	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.81	ug/kg	2.6	0.81	1	11/06/17 10:26	11/07/17 11:52	193-39-5	
1-Methylnaphthalene	<0.25	ug/kg	2.6	0.25	1	11/06/17 10:26	11/07/17 11:52	90-12-0	N2
2-Methylnaphthalene	<0.27	ug/kg	2.6	0.27	1	11/06/17 10:26	11/07/17 11:52	91-57-6	
Naphthalene	<0.32	ug/kg	2.6	0.32	1	11/06/17 10:26	11/07/17 11:52	91-20-3	
Phenanthrene	0.62J	ug/kg	2.6	0.32	1	11/06/17 10:26	11/07/17 11:52	85-01-8	
Pyrene	1.1J	ug/kg	2.6	0.35	1	11/06/17 10:26	11/07/17 11:52	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	73	%	50-150		1	11/06/17 10:26	11/07/17 11:52	93951-69-0	
2-Methylnaphthalene-d10 (S)	79	%	50-150		1	11/06/17 10:26	11/07/17 11:52	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	19.5	%	0.10	0.10	1		11/06/17 19:18		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 15.0-17.5**      **Lab ID: 40159995077**      Collected: 10/31/17 14:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<b>1.2J</b>	ug/kg	2.6	0.21	1	11/06/17 10:26	11/07/17 12:24	83-32-9	
Acenaphthylene	<b>&lt;0.19</b>	ug/kg	2.6	0.19	1	11/06/17 10:26	11/07/17 12:24	208-96-8	
Anthracene	<b>4.4</b>	ug/kg	2.6	0.29	1	11/06/17 10:26	11/07/17 12:24	120-12-7	
Benzo(a)anthracene	<b>10.5</b>	ug/kg	2.6	0.45	1	11/06/17 10:26	11/07/17 12:24	56-55-3	
Benzo(a)pyrene	<b>8.1</b>	ug/kg	2.6	0.62	1	11/06/17 10:26	11/07/17 12:24	50-32-8	
Benzo(b)fluoranthene	<b>8.9</b>	ug/kg	3.2	0.45	1	11/06/17 10:26	11/07/17 12:24	205-99-2	
Benzo(g,h,i)perylene	<b>5.7</b>	ug/kg	3.2	0.84	1	11/06/17 10:26	11/07/17 12:24	191-24-2	
Benzo(k)fluoranthene	<b>6.9</b>	ug/kg	3.2	0.31	1	11/06/17 10:26	11/07/17 12:24	207-08-9	
Chrysene	<b>10.3</b>	ug/kg	3.2	0.21	1	11/06/17 10:26	11/07/17 12:24	218-01-9	
Dibenz(a,h)anthracene	<b>1.8J</b>	ug/kg	3.2	0.97	1	11/06/17 10:26	11/07/17 12:24	53-70-3	
Fluoranthene	<b>25.9</b>	ug/kg	2.6	0.39	1	11/06/17 10:26	11/07/17 12:24	206-44-0	
Fluorene	<b>1.1J</b>	ug/kg	2.6	0.22	1	11/06/17 10:26	11/07/17 12:24	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>4.8</b>	ug/kg	2.6	0.82	1	11/06/17 10:26	11/07/17 12:24	193-39-5	
1-Methylnaphthalene	<b>0.37J</b>	ug/kg	2.6	0.25	1	11/06/17 10:26	11/07/17 12:24	90-12-0	N2
2-Methylnaphthalene	<b>0.54J</b>	ug/kg	2.6	0.27	1	11/06/17 10:26	11/07/17 12:24	91-57-6	
Naphthalene	<b>1.1J</b>	ug/kg	2.6	0.32	1	11/06/17 10:26	11/07/17 12:24	91-20-3	B
Phenanthrene	<b>18.3</b>	ug/kg	2.6	0.32	1	11/06/17 10:26	11/07/17 12:24	85-01-8	
Pyrene	<b>21.7</b>	ug/kg	2.6	0.35	1	11/06/17 10:26	11/07/17 12:24	129-00-0	
<b>Surrogates</b>									
Fluoranthene-d10 (S)	72	%	50-150		1	11/06/17 10:26	11/07/17 12:24	93951-69-0	
2-Methylnaphthalene-d10 (S)	71	%	50-150		1	11/06/17 10:26	11/07/17 12:24	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	<b>22.8</b>	%	0.10	0.10	1		11/06/17 19:19		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 17.5-20.0**      **Lab ID: 40159995078**      Collected: 10/31/17 14:05      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270C MSSV PAH by SIM</b>									
Analytical Method: EPA 8270C SIM Preparation Method: EPA 3545A									
Acenaphthene	<0.18	ug/kg	2.2	0.18	1	11/06/17 10:26	11/07/17 12:57	83-32-9	
Acenaphthylene	<0.16	ug/kg	2.2	0.16	1	11/06/17 10:26	11/07/17 12:57	208-96-8	
Anthracene	<0.24	ug/kg	2.2	0.24	1	11/06/17 10:26	11/07/17 12:57	120-12-7	
Benzo(a)anthracene	1.3J	ug/kg	2.2	0.38	1	11/06/17 10:26	11/07/17 12:57	56-55-3	B
Benzo(a)pyrene	0.98J	ug/kg	2.2	0.53	1	11/06/17 10:26	11/07/17 12:57	50-32-8	
Benzo(b)fluoranthene	1.2J	ug/kg	2.7	0.38	1	11/06/17 10:26	11/07/17 12:57	205-99-2	
Benzo(g,h,i)perylene	1.7J	ug/kg	2.7	0.71	1	11/06/17 10:26	11/07/17 12:57	191-24-2	
Benzo(k)fluoranthene	0.92J	ug/kg	2.7	0.26	1	11/06/17 10:26	11/07/17 12:57	207-08-9	B
Chrysene	3.1	ug/kg	2.7	0.18	1	11/06/17 10:26	11/07/17 12:57	218-01-9	B
Dibenz(a,h)anthracene	<0.82	ug/kg	2.7	0.82	1	11/06/17 10:26	11/07/17 12:57	53-70-3	
Fluoranthene	1.7J	ug/kg	2.2	0.33	1	11/06/17 10:26	11/07/17 12:57	206-44-0	B
Fluorene	<0.19	ug/kg	2.2	0.19	1	11/06/17 10:26	11/07/17 12:57	86-73-7	
Indeno(1,2,3-cd)pyrene	0.69J	ug/kg	2.2	0.69	1	11/06/17 10:26	11/07/17 12:57	193-39-5	
1-Methylnaphthalene	1.0J	ug/kg	2.2	0.21	1	11/06/17 10:26	11/07/17 12:57	90-12-0	N2
2-Methylnaphthalene	2.1J	ug/kg	2.2	0.23	1	11/06/17 10:26	11/07/17 12:57	91-57-6	
Naphthalene	1.2J	ug/kg	2.2	0.27	1	11/06/17 10:26	11/07/17 12:57	91-20-3	B
Phenanthrene	1.7J	ug/kg	2.2	0.27	1	11/06/17 10:26	11/07/17 12:57	85-01-8	
Pyrene	1.8J	ug/kg	2.2	0.30	1	11/06/17 10:26	11/07/17 12:57	129-00-0	B
<b>Surrogates</b>									
Fluoranthene-d10 (S)	62	%	50-150		1	11/06/17 10:26	11/07/17 12:57	93951-69-0	
2-Methylnaphthalene-d10 (S)	79	%	50-150		1	11/06/17 10:26	11/07/17 12:57	7297-45-2	
<b>Percent Moisture</b>									
Analytical Method: SM 2540 G-11/3550									
Percent Moisture	6.4	%	0.10	0.10	1		11/06/17 19:24		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B14 0-2.5**      **Lab ID: 40159995079**      Collected: 10/30/17 15:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<b>0.021J</b>	mg/kg	0.063	0.019	4	11/07/17 08:32	11/08/17 10:05	83-32-9	
Acenaphthylene	<b>&lt;0.016</b>	mg/kg	0.054	0.016	4	11/07/17 08:32	11/08/17 10:05	208-96-8	
Anthracene	<b>0.12</b>	mg/kg	0.093	0.028	4	11/07/17 08:32	11/08/17 10:05	120-12-7	
Benzo(a)anthracene	<b>0.58</b>	mg/kg	0.052	0.015	4	11/07/17 08:32	11/08/17 10:05	56-55-3	
Benzo(a)pyrene	<b>0.56</b>	mg/kg	0.041	0.012	4	11/07/17 08:32	11/08/17 10:05	50-32-8	
Benzo(b)fluoranthene	<b>0.54</b>	mg/kg	0.046	0.014	4	11/07/17 08:32	11/08/17 10:05	205-99-2	
Benzo(g,h,i)perylene	<b>0.35</b>	mg/kg	0.033	0.0099	4	11/07/17 08:32	11/08/17 10:05	191-24-2	
Benzo(k)fluoranthene	<b>0.50</b>	mg/kg	0.041	0.012	4	11/07/17 08:32	11/08/17 10:05	207-08-9	
Chrysene	<b>0.67</b>	mg/kg	0.055	0.016	4	11/07/17 08:32	11/08/17 10:05	218-01-9	
Dibenz(a,h)anthracene	<b>0.13</b>	mg/kg	0.036	0.011	4	11/07/17 08:32	11/08/17 10:05	53-70-3	
Fluoranthene	<b>1.4</b>	mg/kg	0.085	0.025	4	11/07/17 08:32	11/08/17 10:05	206-44-0	
Fluorene	<b>0.025J</b>	mg/kg	0.067	0.020	4	11/07/17 08:32	11/08/17 10:05	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.33</b>	mg/kg	0.036	0.011	4	11/07/17 08:32	11/08/17 10:05	193-39-5	
1-Methylnaphthalene	<b>&lt;0.020</b>	mg/kg	0.065	0.020	4	11/07/17 08:32	11/08/17 10:05	90-12-0	
2-Methylnaphthalene	<b>&lt;0.024</b>	mg/kg	0.081	0.024	4	11/07/17 08:32	11/08/17 10:05	91-57-6	
Naphthalene	<b>&lt;0.041</b>	mg/kg	0.14	0.041	4	11/07/17 08:32	11/08/17 10:05	91-20-3	
Phenanthrene	<b>0.45</b>	mg/kg	0.19	0.057	4	11/07/17 08:32	11/08/17 10:05	85-01-8	
Pyrene	<b>1.0</b>	mg/kg	0.073	0.022	4	11/07/17 08:32	11/08/17 10:05	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	55	%	23-106		4	11/07/17 08:32	11/08/17 10:05	321-60-8	
Terphenyl-d14 (S)	57	%	29-106		4	11/07/17 08:32	11/08/17 10:05	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	<b>18.0</b>	%	0.10	0.10	1		11/06/17 10:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B14 2.5-5.0**      **Lab ID: 40159995080**      Collected: 10/30/17 15:10      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<0.0049	mg/kg	0.016	0.0049	1	11/07/17 08:32	11/07/17 17:09	83-32-9	
Acenaphthylene	<0.0042	mg/kg	0.014	0.0042	1	11/07/17 08:32	11/07/17 17:09	208-96-8	
Anthracene	0.021J	mg/kg	0.024	0.0073	1	11/07/17 08:32	11/07/17 17:09	120-12-7	
Benzo(a)anthracene	0.10	mg/kg	0.013	0.0040	1	11/07/17 08:32	11/07/17 17:09	56-55-3	
Benzo(a)pyrene	0.11	mg/kg	0.011	0.0032	1	11/07/17 08:32	11/07/17 17:09	50-32-8	
Benzo(b)fluoranthene	0.11	mg/kg	0.012	0.0036	1	11/07/17 08:32	11/07/17 17:09	205-99-2	
Benzo(g,h,i)perylene	0.045	mg/kg	0.0086	0.0026	1	11/07/17 08:32	11/07/17 17:09	191-24-2	
Benzo(k)fluoranthene	0.11	mg/kg	0.011	0.0032	1	11/07/17 08:32	11/07/17 17:09	207-08-9	
Chrysene	0.12	mg/kg	0.014	0.0043	1	11/07/17 08:32	11/07/17 17:09	218-01-9	
Dibenz(a,h)anthracene	0.019	mg/kg	0.0095	0.0028	1	11/07/17 08:32	11/07/17 17:09	53-70-3	
Fluoranthene	0.25	mg/kg	0.022	0.0066	1	11/07/17 08:32	11/07/17 17:09	206-44-0	
Fluorene	<0.0053	mg/kg	0.018	0.0053	1	11/07/17 08:32	11/07/17 17:09	86-73-7	
Indeno(1,2,3-cd)pyrene	0.053	mg/kg	0.0093	0.0028	1	11/07/17 08:32	11/07/17 17:09	193-39-5	
1-Methylnaphthalene	<0.0051	mg/kg	0.017	0.0051	1	11/07/17 08:32	11/07/17 17:09	90-12-0	
2-Methylnaphthalene	<0.0064	mg/kg	0.021	0.0064	1	11/07/17 08:32	11/07/17 17:09	91-57-6	
Naphthalene	<0.011	mg/kg	0.036	0.011	1	11/07/17 08:32	11/07/17 17:09	91-20-3	
Phenanthrene	0.078	mg/kg	0.049	0.015	1	11/07/17 08:32	11/07/17 17:09	85-01-8	
Pyrene	0.19	mg/kg	0.019	0.0057	1	11/07/17 08:32	11/07/17 17:09	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	71	%	23-106		1	11/07/17 08:32	11/07/17 17:09	321-60-8	
Terphenyl-d14 (S)	80	%	29-106		1	11/07/17 08:32	11/07/17 17:09	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	21.6	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B14 5.0-7.5**      **Lab ID: 40159995081**      Collected: 10/30/17 15:20      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<b>0.12</b>	mg/kg	0.017	0.0051	1	11/07/17 08:32	11/08/17 16:26	83-32-9	
Acenaphthylene	<b>0.11</b>	mg/kg	0.014	0.0043	1	11/07/17 08:32	11/08/17 16:26	208-96-8	
Anthracene	<b>0.14</b>	mg/kg	0.025	0.0075	1	11/07/17 08:32	11/08/17 16:26	120-12-7	
Benzo(a)anthracene	<b>0.19</b>	mg/kg	0.014	0.0041	1	11/07/17 08:32	11/08/17 16:26	56-55-3	
Benzo(a)pyrene	<b>0.37</b>	mg/kg	0.011	0.0033	1	11/07/17 08:32	11/08/17 16:26	50-32-8	
Benzo(b)fluoranthene	<b>0.27</b>	mg/kg	0.012	0.0037	1	11/07/17 08:32	11/08/17 16:26	205-99-2	
Benzo(g,h,i)perylene	<b>0.39</b>	mg/kg	0.0089	0.0027	1	11/07/17 08:32	11/08/17 16:26	191-24-2	
Benzo(k)fluoranthene	<b>0.29</b>	mg/kg	0.011	0.0033	1	11/07/17 08:32	11/08/17 16:26	207-08-9	
Chrysene	<b>0.21</b>	mg/kg	0.015	0.0044	1	11/07/17 08:32	11/08/17 16:26	218-01-9	
Dibenz(a,h)anthracene	<b>0.10</b>	mg/kg	0.0097	0.0029	1	11/07/17 08:32	11/08/17 16:26	53-70-3	
Fluoranthene	<b>0.34</b>	mg/kg	0.023	0.0068	1	11/07/17 08:32	11/08/17 16:26	206-44-0	
Fluorene	<b>0.16</b>	mg/kg	0.018	0.0054	1	11/07/17 08:32	11/08/17 16:26	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.35</b>	mg/kg	0.0096	0.0029	1	11/07/17 08:32	11/08/17 16:26	193-39-5	
1-Methylnaphthalene	<b>0.88</b>	mg/kg	0.018	0.0053	1	11/07/17 08:32	11/08/17 16:26	90-12-0	
2-Methylnaphthalene	<b>1.0</b>	mg/kg	0.022	0.0065	1	11/07/17 08:32	11/08/17 16:26	91-57-6	
Naphthalene	<b>0.14</b>	mg/kg	0.037	0.011	1	11/07/17 08:32	11/08/17 16:26	91-20-3	
Phenanthrene	<b>0.79</b>	mg/kg	0.051	0.015	1	11/07/17 08:32	11/08/17 16:26	85-01-8	
Pyrene	<b>0.31</b>	mg/kg	0.020	0.0059	1	11/07/17 08:32	11/08/17 16:26	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	71	%	23-106		1	11/07/17 08:32	11/08/17 16:26	321-60-8	
Terphenyl-d14 (S)	75	%	29-106		1	11/07/17 08:32	11/08/17 16:26	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>23.5</b>	%	0.10	0.10	1		11/06/17 10:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B14 7.5-10.0**      **Lab ID: 40159995082**      Collected: 10/30/17 15:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<b>0.017</b>	mg/kg	0.016	0.0048	1	11/07/17 08:32	11/07/17 17:26	83-32-9	
Acenaphthylene	<b>0.0046J</b>	mg/kg	0.014	0.0041	1	11/07/17 08:32	11/07/17 17:26	208-96-8	
Anthracene	<b>0.031</b>	mg/kg	0.024	0.0071	1	11/07/17 08:32	11/07/17 17:26	120-12-7	
Benzo(a)anthracene	<b>0.17</b>	mg/kg	0.013	0.0040	1	11/07/17 08:32	11/07/17 17:26	56-55-3	
Benzo(a)pyrene	<b>0.18</b>	mg/kg	0.010	0.0031	1	11/07/17 08:32	11/07/17 17:26	50-32-8	
Benzo(b)fluoranthene	<b>0.15</b>	mg/kg	0.012	0.0035	1	11/07/17 08:32	11/07/17 17:26	205-99-2	
Benzo(g,h,i)perylene	<b>0.067</b>	mg/kg	0.0084	0.0025	1	11/07/17 08:32	11/07/17 17:26	191-24-2	
Benzo(k)fluoranthene	<b>0.20</b>	mg/kg	0.010	0.0031	1	11/07/17 08:32	11/07/17 17:26	207-08-9	
Chrysene	<b>0.20</b>	mg/kg	0.014	0.0042	1	11/07/17 08:32	11/07/17 17:26	218-01-9	
Dibenz(a,h)anthracene	<b>0.033</b>	mg/kg	0.0093	0.0028	1	11/07/17 08:32	11/07/17 17:26	53-70-3	
Fluoranthene	<b>0.38</b>	mg/kg	0.022	0.0065	1	11/07/17 08:32	11/07/17 17:26	206-44-0	
Fluorene	<b>0.011J</b>	mg/kg	0.017	0.0052	1	11/07/17 08:32	11/07/17 17:26	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>0.082</b>	mg/kg	0.0091	0.0027	1	11/07/17 08:32	11/07/17 17:26	193-39-5	
1-Methylnaphthalene	<b>&lt;0.0050</b>	mg/kg	0.017	0.0050	1	11/07/17 08:32	11/07/17 17:26	90-12-0	
2-Methylnaphthalene	<b>&lt;0.0062</b>	mg/kg	0.021	0.0062	1	11/07/17 08:32	11/07/17 17:26	91-57-6	
Naphthalene	<b>0.014J</b>	mg/kg	0.035	0.010	1	11/07/17 08:32	11/07/17 17:26	91-20-3	
Phenanthrene	<b>0.14</b>	mg/kg	0.048	0.015	1	11/07/17 08:32	11/07/17 17:26	85-01-8	
Pyrene	<b>0.31</b>	mg/kg	0.019	0.0056	1	11/07/17 08:32	11/07/17 17:26	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	70	%	23-106		1	11/07/17 08:32	11/07/17 17:26	321-60-8	
Terphenyl-d14 (S)	82	%	29-106		1	11/07/17 08:32	11/07/17 17:26	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>19.6</b>	%	0.10	0.10	1		11/06/17 10:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B14 10.0-12.5**      **Lab ID: 40159995083**      Collected: 10/30/17 15:40      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>		Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546							
Acenaphthene	<0.0046	mg/kg	0.015	0.0046	1	11/07/17 08:32	11/07/17 17:44	83-32-9	
Acenaphthylene	<0.0039	mg/kg	0.013	0.0039	1	11/07/17 08:32	11/07/17 17:44	208-96-8	
Anthracene	<0.0068	mg/kg	0.023	0.0068	1	11/07/17 08:32	11/07/17 17:44	120-12-7	
Benzo(a)anthracene	0.0074J	mg/kg	0.013	0.0038	1	11/07/17 08:32	11/07/17 17:44	56-55-3	
Benzo(a)pyrene	0.0073J	mg/kg	0.0099	0.0030	1	11/07/17 08:32	11/07/17 17:44	50-32-8	
Benzo(b)fluoranthene	0.0062J	mg/kg	0.011	0.0034	1	11/07/17 08:32	11/07/17 17:44	205-99-2	
Benzo(g,h,i)perylene	0.0025J	mg/kg	0.0080	0.0024	1	11/07/17 08:32	11/07/17 17:44	191-24-2	
Benzo(k)fluoranthene	0.0080J	mg/kg	0.0099	0.0030	1	11/07/17 08:32	11/07/17 17:44	207-08-9	
Chrysene	0.010J	mg/kg	0.013	0.0040	1	11/07/17 08:32	11/07/17 17:44	218-01-9	
Dibenz(a,h)anthracene	<0.0027	mg/kg	0.0088	0.0027	1	11/07/17 08:32	11/07/17 17:44	53-70-3	
Fluoranthene	0.021	mg/kg	0.021	0.0062	1	11/07/17 08:32	11/07/17 17:44	206-44-0	
Fluorene	<0.0049	mg/kg	0.016	0.0049	1	11/07/17 08:32	11/07/17 17:44	86-73-7	
Indeno(1,2,3-cd)pyrene	0.0029J	mg/kg	0.0087	0.0026	1	11/07/17 08:32	11/07/17 17:44	193-39-5	
1-Methylnaphthalene	<0.0048	mg/kg	0.016	0.0048	1	11/07/17 08:32	11/07/17 17:44	90-12-0	
2-Methylnaphthalene	<0.0059	mg/kg	0.020	0.0059	1	11/07/17 08:32	11/07/17 17:44	91-57-6	
Naphthalene	0.15	mg/kg	0.033	0.010	1	11/07/17 08:32	11/07/17 17:44	91-20-3	
Phenanthrene	0.015J	mg/kg	0.046	0.014	1	11/07/17 08:32	11/07/17 17:44	85-01-8	
Pyrene	0.017J	mg/kg	0.018	0.0054	1	11/07/17 08:32	11/07/17 17:44	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	78	%	23-106		1	11/07/17 08:32	11/07/17 17:44	321-60-8	
Terphenyl-d14 (S)	83	%	29-106		1	11/07/17 08:32	11/07/17 17:44	1718-51-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	15.7	%	0.10	0.10	1		11/06/17 10:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B2 5.0-7.5**      **Lab ID: 40159995084**      Collected: 10/30/17 12:40      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	12674-11-2	
PCB-1221 (Aroclor 1221)	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	11104-28-2	
PCB-1232 (Aroclor 1232)	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	11141-16-5	
PCB-1242 (Aroclor 1242)	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	53469-21-9	
PCB-1248 (Aroclor 1248)	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	12672-29-6	
PCB-1254 (Aroclor 1254)	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	11097-69-1	
PCB-1260 (Aroclor 1260)	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	11096-82-5	
PCB, Total	<29.5	ug/kg	59.1	29.5	1	11/06/17 10:22	11/07/17 05:24	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	81	%	50-102		1	11/06/17 10:22	11/07/17 05:24	877-09-8	
Decachlorobiphenyl (S)	80	%	53-105		1	11/06/17 10:22	11/07/17 05:24	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.3	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B4 2.5-5.0**      **Lab ID: 40159995085**      Collected: 10/30/17 14:52      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	12674-11-2	
PCB-1221 (Aroclor 1221)	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	11104-28-2	
PCB-1232 (Aroclor 1232)	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	11141-16-5	
PCB-1242 (Aroclor 1242)	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	53469-21-9	
PCB-1248 (Aroclor 1248)	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	12672-29-6	
PCB-1254 (Aroclor 1254)	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	11097-69-1	
PCB-1260 (Aroclor 1260)	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	11096-82-5	
PCB, Total	<28.0	ug/kg	55.9	28.0	1	11/06/17 10:22	11/07/17 05:41	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	82	%	50-102		1	11/06/17 10:22	11/07/17 05:41	877-09-8	
Decachlorobiphenyl (S)	73	%	53-105		1	11/06/17 10:22	11/07/17 05:41	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>10.6</b>	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

**Sample: B6 2.5-5.0**      **Lab ID: 40159995086**      Collected: 10/30/17 16:23      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	12674-11-2	
PCB-1221 (Aroclor 1221)	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	11104-28-2	
PCB-1232 (Aroclor 1232)	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	11141-16-5	
PCB-1242 (Aroclor 1242)	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	53469-21-9	
PCB-1248 (Aroclor 1248)	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	12672-29-6	
PCB-1254 (Aroclor 1254)	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	11097-69-1	
PCB-1260 (Aroclor 1260)	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	11096-82-5	
PCB, Total	<29.0	ug/kg	57.9	29.0	1	11/06/17 10:22	11/07/17 05:59	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	82	%	50-102		1	11/06/17 10:22	11/07/17 05:59	877-09-8	
Decachlorobiphenyl (S)	80	%	53-105		1	11/06/17 10:22	11/07/17 05:59	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	13.7	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B13 7.5-10**      **Lab ID: 40159995087**      Collected: 10/31/17 13:48      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082 Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	12674-11-2	
PCB-1221 (Aroclor 1221)	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	11104-28-2	
PCB-1232 (Aroclor 1232)	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	11141-16-5	
PCB-1242 (Aroclor 1242)	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	53469-21-9	
PCB-1248 (Aroclor 1248)	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	12672-29-6	
PCB-1254 (Aroclor 1254)	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	11097-69-1	
PCB-1260 (Aroclor 1260)	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	11096-82-5	
PCB, Total	<29.4	ug/kg	58.8	29.4	1	11/06/17 10:22	11/07/17 06:16	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	85	%	50-102		1	11/06/17 10:22	11/07/17 06:16	877-09-8	
Decachlorobiphenyl (S)	83	%	53-105		1	11/06/17 10:22	11/07/17 06:16	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.0	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B14 7.5-10**      **Lab ID: 40159995088**      Collected: 10/30/17 15:30      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8082 GCS PCB</b>									
Analytical Method: EPA 8082    Preparation Method: EPA 3541									
PCB-1016 (Aroclor 1016)	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	12674-11-2	
PCB-1221 (Aroclor 1221)	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	11104-28-2	
PCB-1232 (Aroclor 1232)	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	11141-16-5	
PCB-1242 (Aroclor 1242)	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	53469-21-9	
PCB-1248 (Aroclor 1248)	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	12672-29-6	
PCB-1254 (Aroclor 1254)	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	11097-69-1	
PCB-1260 (Aroclor 1260)	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	11096-82-5	
PCB, Total	<29.2	ug/kg	58.4	29.2	1	11/06/17 10:22	11/07/17 06:34	1336-36-3	
<b>Surrogates</b>									
Tetrachloro-m-xylene (S)	81	%	50-102		1	11/06/17 10:22	11/07/17 06:34	877-09-8	
Decachlorobiphenyl (S)	80	%	53-105		1	11/06/17 10:22	11/07/17 06:34	2051-24-3	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.3	%	0.10	0.10	1		11/06/17 10:22		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

**Sample: B9 7.5-10.00**      **Lab ID: 40159995089**      Collected: 10/30/17 00:00      Received: 11/02/17 07:35      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by SIM</b>									
Analytical Method: EPA 8270 by SIM      Preparation Method: EPA 3546									
Acenaphthene	<0.0047	mg/kg	0.016	0.0047	1	11/07/17 08:32	11/07/17 18:01	83-32-9	
Acenaphthylene	<0.0040	mg/kg	0.013	0.0040	1	11/07/17 08:32	11/07/17 18:01	208-96-8	
Anthracene	0.012J	mg/kg	0.023	0.0069	1	11/07/17 08:32	11/07/17 18:01	120-12-7	
Benzo(a)anthracene	0.039	mg/kg	0.013	0.0038	1	11/07/17 08:32	11/07/17 18:01	56-55-3	
Benzo(a)pyrene	0.043	mg/kg	0.010	0.0030	1	11/07/17 08:32	11/07/17 18:01	50-32-8	
Benzo(b)fluoranthene	0.038	mg/kg	0.011	0.0034	1	11/07/17 08:32	11/07/17 18:01	205-99-2	
Benzo(g,h,i)perylene	0.014	mg/kg	0.0082	0.0024	1	11/07/17 08:32	11/07/17 18:01	191-24-2	
Benzo(k)fluoranthene	0.041	mg/kg	0.010	0.0030	1	11/07/17 08:32	11/07/17 18:01	207-08-9	
Chrysene	0.048	mg/kg	0.013	0.0041	1	11/07/17 08:32	11/07/17 18:01	218-01-9	
Dibenz(a,h)anthracene	0.0070J	mg/kg	0.0090	0.0027	1	11/07/17 08:32	11/07/17 18:01	53-70-3	
Fluoranthene	0.11	mg/kg	0.021	0.0063	1	11/07/17 08:32	11/07/17 18:01	206-44-0	
Fluorene	<0.0050	mg/kg	0.017	0.0050	1	11/07/17 08:32	11/07/17 18:01	86-73-7	
Indeno(1,2,3-cd)pyrene	0.017	mg/kg	0.0088	0.0026	1	11/07/17 08:32	11/07/17 18:01	193-39-5	
1-Methylnaphthalene	<0.0048	mg/kg	0.016	0.0048	1	11/07/17 08:32	11/07/17 18:01	90-12-0	
2-Methylnaphthalene	<0.0060	mg/kg	0.020	0.0060	1	11/07/17 08:32	11/07/17 18:01	91-57-6	
Naphthalene	<0.010	mg/kg	0.034	0.010	1	11/07/17 08:32	11/07/17 18:01	91-20-3	
Phenanthrene	0.055	mg/kg	0.047	0.014	1	11/07/17 08:32	11/07/17 18:01	85-01-8	
Pyrene	0.084	mg/kg	0.018	0.0054	1	11/07/17 08:32	11/07/17 18:01	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	68	%	23-106		1	11/07/17 08:32	11/07/17 18:01	321-60-8	
Terphenyl-d14 (S)	81	%	29-106		1	11/07/17 08:32	11/07/17 18:01	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	16.9	%	0.10	0.10	1		11/06/17 10:40		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

QC Batch: 273288

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Associated Lab Samples: 40159995007, 40159995008, 40159995009, 40159995010, 40159995011

METHOD BLANK: 1608021

Matrix: Solid

Associated Lab Samples: 40159995007, 40159995008, 40159995009, 40159995010, 40159995011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.011	0.037	11/08/17 10:00	

LABORATORY CONTROL SAMPLE: 1608022

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.83	0.84	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1608023 1608024

Parameter	Units	40159995007 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Result	Spike Conc.	MSD Result						
Mercury	mg/kg	<0.013	.98	1.0	.96	0.95	100	97	85-115	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

QC Batch: 273157 Analysis Method: EPA 6010  
QC Batch Method: EPA 3050 Analysis Description: 6010 MET  
Associated Lab Samples: 40159995007, 40159995008, 40159995009, 40159995010, 40159995011

METHOD BLANK: 1607378 Matrix: Solid  
Associated Lab Samples: 40159995007, 40159995008, 40159995009, 40159995010, 40159995011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<1.0	5.0	11/07/17 19:11	
Barium	mg/kg	<0.15	0.50	11/07/17 19:11	
Cadmium	mg/kg	<0.13	0.50	11/07/17 19:11	
Chromium	mg/kg	<0.28	1.0	11/07/17 19:11	
Lead	mg/kg	<0.43	1.3	11/07/17 19:11	
Selenium	mg/kg	<1.1	5.0	11/07/17 19:11	
Silver	mg/kg	<0.34	1.0	11/07/17 19:11	

LABORATORY CONTROL SAMPLE: 1607379

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	51.9	104	80-120	
Barium	mg/kg	50	51.0	102	80-120	
Cadmium	mg/kg	50	51.6	103	80-120	
Chromium	mg/kg	50	52.2	104	80-120	
Lead	mg/kg	50	51.7	103	80-120	
Selenium	mg/kg	50	53.0	106	80-120	
Silver	mg/kg	25	24.6	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1607380 1607381

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40159995007 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
Arsenic	mg/kg	4.1J	58.6	58.4	61.0	59.0	97	94	75-125	3	20	
Barium	mg/kg	89.1	58.6	58.4	154	147	110	99	75-125	4	20	
Cadmium	mg/kg	<0.16	58.6	58.4	58.1	57.6	99	99	75-125	1	20	
Chromium	mg/kg	31.6	58.6	58.4	89.6	87.5	99	96	75-125	2	20	
Lead	mg/kg	21.1	58.6	58.4	66.6	62.9	78	72	75-125	6	20	M0
Selenium	mg/kg	<1.3	58.6	58.4	55.0	55.4	94	95	75-125	1	20	
Silver	mg/kg	<0.40	29.3	29.2	28.1	27.6	96	95	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

QC Batch: 272995 Analysis Method: EPA 8260  
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List  
Associated Lab Samples: 40159995001, 40159995002, 40159995003, 40159995004, 40159995005, 40159995006

METHOD BLANK: 1606195 Matrix: Solid  
Associated Lab Samples: 40159995001, 40159995002, 40159995003, 40159995004, 40159995005, 40159995006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	mg/kg	<0.014	0.050	11/03/17 08:39	
1,1,1-Trichloroethane	mg/kg	<0.014	0.050	11/03/17 08:39	
1,1,2,2-Tetrachloroethane	mg/kg	<0.018	0.050	11/03/17 08:39	
1,1,2-Trichloroethane	mg/kg	<0.020	0.050	11/03/17 08:39	
1,1-Dichloroethane	mg/kg	<0.018	0.050	11/03/17 08:39	
1,1-Dichloroethene	mg/kg	<0.018	0.050	11/03/17 08:39	
1,1-Dichloropropene	mg/kg	<0.014	0.050	11/03/17 08:39	
1,2,3-Trichlorobenzene	mg/kg	<0.017	0.050	11/03/17 08:39	
1,2,3-Trichloropropane	mg/kg	<0.022	0.050	11/03/17 08:39	
1,2,4-Trichlorobenzene	mg/kg	<0.048	0.25	11/03/17 08:39	
1,2,4-Trimethylbenzene	mg/kg	<0.012	0.050	11/03/17 08:39	
1,2-Dibromo-3-chloropropane	mg/kg	<0.091	0.25	11/03/17 08:39	
1,2-Dibromoethane (EDB)	mg/kg	<0.015	0.050	11/03/17 08:39	
1,2-Dichlorobenzene	mg/kg	<0.016	0.050	11/03/17 08:39	
1,2-Dichloroethane	mg/kg	<0.015	0.050	11/03/17 08:39	
1,2-Dichloropropane	mg/kg	<0.017	0.050	11/03/17 08:39	
1,3,5-Trimethylbenzene	mg/kg	<0.014	0.050	11/03/17 08:39	
1,3-Dichlorobenzene	mg/kg	<0.013	0.050	11/03/17 08:39	
1,3-Dichloropropane	mg/kg	<0.012	0.050	11/03/17 08:39	
1,4-Dichlorobenzene	mg/kg	<0.016	0.050	11/03/17 08:39	
2,2-Dichloropropane	mg/kg	<0.013	0.050	11/03/17 08:39	
2-Chlorotoluene	mg/kg	<0.016	0.050	11/03/17 08:39	
4-Chlorotoluene	mg/kg	<0.013	0.050	11/03/17 08:39	
Benzene	mg/kg	<0.0092	0.020	11/03/17 08:39	
Bromobenzene	mg/kg	<0.021	0.050	11/03/17 08:39	
Bromochloromethane	mg/kg	<0.021	0.050	11/03/17 08:39	
Bromodichloromethane	mg/kg	<0.0098	0.050	11/03/17 08:39	
Bromoform	mg/kg	<0.020	0.050	11/03/17 08:39	
Bromomethane	mg/kg	<0.070	0.25	11/03/17 08:39	
Carbon tetrachloride	mg/kg	<0.012	0.050	11/03/17 08:39	
Chlorobenzene	mg/kg	<0.015	0.050	11/03/17 08:39	
Chloroethane	mg/kg	<0.067	0.25	11/03/17 08:39	
Chloroform	mg/kg	<0.046	0.25	11/03/17 08:39	
Chloromethane	mg/kg	<0.020	0.050	11/03/17 08:39	
cis-1,2-Dichloroethene	mg/kg	<0.017	0.050	11/03/17 08:39	
cis-1,3-Dichloropropene	mg/kg	<0.017	0.050	11/03/17 08:39	
Dibromochloromethane	mg/kg	<0.018	0.050	11/03/17 08:39	
Dibromomethane	mg/kg	<0.019	0.050	11/03/17 08:39	
Dichlorodifluoromethane	mg/kg	<0.012	0.050	11/03/17 08:39	
Diisopropyl ether	mg/kg	<0.018	0.050	11/03/17 08:39	
Ethylbenzene	mg/kg	<0.012	0.050	11/03/17 08:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

METHOD BLANK: 1606195 Matrix: Solid  
Associated Lab Samples: 40159995001, 40159995002, 40159995003, 40159995004, 40159995005, 40159995006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	mg/kg	<0.024	0.050	11/03/17 08:39	
Isopropylbenzene (Cumene)	mg/kg	<0.013	0.050	11/03/17 08:39	
m&p-Xylene	mg/kg	<0.034	0.10	11/03/17 08:39	
Methyl-tert-butyl ether	mg/kg	<0.013	0.050	11/03/17 08:39	
Methylene Chloride	mg/kg	<0.016	0.050	11/03/17 08:39	
n-Butylbenzene	mg/kg	<0.011	0.050	11/03/17 08:39	
n-Propylbenzene	mg/kg	<0.012	0.050	11/03/17 08:39	
Naphthalene	mg/kg	<0.040	0.25	11/03/17 08:39	
o-Xylene	mg/kg	<0.014	0.050	11/03/17 08:39	
p-Isopropyltoluene	mg/kg	<0.012	0.050	11/03/17 08:39	
sec-Butylbenzene	mg/kg	<0.012	0.050	11/03/17 08:39	
Styrene	mg/kg	<0.0090	0.050	11/03/17 08:39	
tert-Butylbenzene	mg/kg	<0.0095	0.050	11/03/17 08:39	
Tetrachloroethene	mg/kg	<0.013	0.050	11/03/17 08:39	
Toluene	mg/kg	<0.011	0.050	11/03/17 08:39	
trans-1,2-Dichloroethene	mg/kg	<0.016	0.050	11/03/17 08:39	
trans-1,3-Dichloropropene	mg/kg	<0.014	0.050	11/03/17 08:39	
Trichloroethene	mg/kg	<0.024	0.050	11/03/17 08:39	
Trichlorofluoromethane	mg/kg	<0.025	0.050	11/03/17 08:39	
Vinyl chloride	mg/kg	<0.021	0.050	11/03/17 08:39	
4-Bromofluorobenzene (S)	%	82	58-141	11/03/17 08:39	
Dibromofluoromethane (S)	%	93	68-130	11/03/17 08:39	
Toluene-d8 (S)	%	94	68-149	11/03/17 08:39	

LABORATORY CONTROL SAMPLE: 1606196

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	mg/kg	2.5	2.3	94	61-122	
1,1,2,2-Tetrachloroethane	mg/kg	2.5	2.4	97	73-130	
1,1,2-Trichloroethane	mg/kg	2.5	2.6	102	70-130	
1,1-Dichloroethane	mg/kg	2.5	2.2	89	63-124	
1,1-Dichloroethene	mg/kg	2.5	2.3	93	53-117	
1,2,4-Trichlorobenzene	mg/kg	2.5	2.0	81	78-130	
1,2-Dibromo-3-chloropropane	mg/kg	2.5	1.9	77	49-140	
1,2-Dibromoethane (EDB)	mg/kg	2.5	2.5	102	70-130	
1,2-Dichlorobenzene	mg/kg	2.5	2.4	97	70-130	
1,2-Dichloroethane	mg/kg	2.5	2.2	87	56-135	
1,2-Dichloropropane	mg/kg	2.5	2.3	91	77-122	
1,3-Dichlorobenzene	mg/kg	2.5	2.4	94	70-130	
1,4-Dichlorobenzene	mg/kg	2.5	2.5	98	70-130	
Benzene	mg/kg	2.5	2.4	97	66-130	
Bromodichloromethane	mg/kg	2.5	2.4	95	62-135	
Bromoform	mg/kg	2.5	2.1	84	68-130	
Bromomethane	mg/kg	2.5	2.4	96	29-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

LABORATORY CONTROL SAMPLE: 1606196

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon tetrachloride	mg/kg	2.5	2.4	96	57-130	
Chlorobenzene	mg/kg	2.5	2.4	97	70-130	
Chloroethane	mg/kg	2.5	2.3	93	36-144	
Chloroform	mg/kg	2.5	2.4	94	69-115	
Chloromethane	mg/kg	2.5	1.5	61	32-126	
cis-1,2-Dichloroethene	mg/kg	2.5	2.3	92	65-130	
cis-1,3-Dichloropropene	mg/kg	2.5	2.1	86	70-130	
Dibromochloromethane	mg/kg	2.5	2.2	88	70-130	
Dichlorodifluoromethane	mg/kg	2.5	1.3	51	10-99	
Ethylbenzene	mg/kg	2.5	2.5	98	82-122	
Isopropylbenzene (Cumene)	mg/kg	2.5	2.5	102	70-130	
m&p-Xylene	mg/kg	5	5.2	104	70-130	
Methyl-tert-butyl ether	mg/kg	2.5	2.3	93	63-134	
Methylene Chloride	mg/kg	2.5	2.4	94	56-123	
o-Xylene	mg/kg	2.5	2.5	102	70-130	
Styrene	mg/kg	2.5	2.6	106	70-130	
Tetrachloroethene	mg/kg	2.5	2.4	95	70-131	
Toluene	mg/kg	2.5	2.5	100	80-120	
trans-1,2-Dichloroethene	mg/kg	2.5	2.5	99	66-130	
trans-1,3-Dichloropropene	mg/kg	2.5	2.1	86	68-130	
Trichloroethene	mg/kg	2.5	2.5	100	70-130	
Trichlorofluoromethane	mg/kg	2.5	2.3	92	37-149	
Vinyl chloride	mg/kg	2.5	1.8	72	43-128	
4-Bromofluorobenzene (S)	%			96	58-141	
Dibromofluoromethane (S)	%			92	68-130	
Toluene-d8 (S)	%			94	68-149	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1606197 1606198

Parameter	Units	40159829001		1606197		1606198		% Rec	% Rec	% Rec	Limits	RPD	RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec							
1,1,1-Trichloroethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	86	88	57-123	2	20			
1,1,2,2-Tetrachloroethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.5	95	98	73-135	3	20			
1,1,2-Trichloroethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.5	1.5	97	101	70-130	4	20			
1,1-Dichloroethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	86	89	63-124	3	20			
1,1-Dichloroethene	mg/kg	<25.0 ug/kg	1.5	1.5	1.2	1.3	79	88	48-117	11	23			
1,2,4-Trichlorobenzene	mg/kg	<47.6 ug/kg	1.5	1.5	1.4	1.3	91	87	78-145	4	20			
1,2-Dibromo-3-chloropropane	mg/kg	<91.2 ug/kg	1.5	1.5	1.2	1.3	78	84	38-168	7	22			
1,2-Dibromoethane (EDB)	mg/kg	<25.0 ug/kg	1.5	1.5	1.5	1.5	98	97	70-130	1	20			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

Parameter	Units	1606197		1606198		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40159829001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
1,2-Dichlorobenzene	mg/kg	<25.0 ug/kg	1.5	1.5	1.5	1.5	99	98	70-130	1	20	
1,2-Dichloroethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	85	86	56-145	1	20	
1,2-Dichloropropane	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.4	84	91	77-123	7	20	
1,3-Dichlorobenzene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.4	94	95	70-130	1	20	
1,4-Dichlorobenzene	mg/kg	<25.0 ug/kg	1.5	1.5	1.5	1.5	102	101	70-130	1	20	
Benzene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.5	94	96	65-130	2	20	
Bromodichloromethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	84	88	59-141	5	20	
Bromoform	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	83	88	59-141	7	20	
Bromomethane	mg/kg	<69.9 ug/kg	1.5	1.5	1.7	1.7	110	111	28-139	1	20	
Carbon tetrachloride	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	85	86	50-130	2	20	
Chlorobenzene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.5	93	96	70-130	3	20	
Chloroethane	mg/kg	<67.0 ug/kg	1.5	1.5	1.5	1.5	96	98	36-144	2	20	
Chloroform	mg/kg	<46.4 ug/kg	1.5	1.5	1.4	1.4	93	93	68-122	0	20	
Chloromethane	mg/kg	<25.0 ug/kg	1.5	1.5	0.97	1.0	63	66	30-126	5	20	
cis-1,2-Dichloroethene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.4	90	93	63-130	3	20	
cis-1,3-Dichloropropene	mg/kg	<25.0 ug/kg	1.5	1.5	1.2	1.3	77	84	70-130	9	20	
Dibromochloromethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	88	88	66-136	1	20	
Dichlorodifluoromethane	mg/kg	<25.0 ug/kg	1.5	1.5	0.87	0.88	57	58	10-99	1	33	
Ethylbenzene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.4	89	89	80-122	0	20	
Isopropylbenzene (Cumene)	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.4	91	92	70-130	1	20	
m&p-Xylene	mg/kg	<50.0 ug/kg	3.1	3.1	2.9	2.9	97	97	70-130	0	20	
Methyl-tert-butyl ether	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.4	87	91	63-134	4	20	
Methylene Chloride	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.5	92	96	56-127	5	20	
o-Xylene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.4	95	94	70-130	1	20	
Styrene	mg/kg	<25.0 ug/kg	1.5	1.5	1.5	1.5	98	101	70-130	3	20	
Tetrachloroethene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.4	90	91	70-131	1	20	
Toluene	mg/kg	<25.0 ug/kg	1.5	1.5	1.5	1.4	96	95	80-120	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1606197		1606198		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40159829001 Result	MS Spike Conc.	MSD Spike Conc.									
trans-1,2-Dichloroethene	mg/kg	<25.0 ug/kg	1.5	1.5	1.4	1.5	94	97	60-130	2	20		
trans-1,3-Dichloropropene	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	83	84	68-130	2	20		
Trichloroethene	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.4	86	91	70-130	5	20		
Trichlorofluoromethane	mg/kg	<25.0 ug/kg	1.5	1.5	1.3	1.3	87	86	37-149	1	24		
Vinyl chloride	mg/kg	<25.0 ug/kg	1.5	1.5	1.1	1.1	71	74	39-128	4	20		
4-Bromofluorobenzene (S)	%						90	89	58-141				
Dibromofluoromethane (S)	%						88	91	68-130				
Toluene-d8 (S)	%						90	90	68-149				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

QC Batch: 273122 Analysis Method: EPA 8082  
 QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB  
 Associated Lab Samples: 40159995084, 40159995085, 40159995086, 40159995087, 40159995088

METHOD BLANK: 1607294 Matrix: Solid  
 Associated Lab Samples: 40159995084, 40159995085, 40159995086, 40159995087, 40159995088

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<25.0	50.0	11/07/17 03:05	
PCB-1221 (Aroclor 1221)	ug/kg	<25.0	50.0	11/07/17 03:05	
PCB-1232 (Aroclor 1232)	ug/kg	<25.0	50.0	11/07/17 03:05	
PCB-1242 (Aroclor 1242)	ug/kg	<25.0	50.0	11/07/17 03:05	
PCB-1248 (Aroclor 1248)	ug/kg	<25.0	50.0	11/07/17 03:05	
PCB-1254 (Aroclor 1254)	ug/kg	<25.0	50.0	11/07/17 03:05	
PCB-1260 (Aroclor 1260)	ug/kg	<25.0	50.0	11/07/17 03:05	
Decachlorobiphenyl (S)	%	82	53-105	11/07/17 03:05	
Tetrachloro-m-xylene (S)	%	82	50-102	11/07/17 03:05	

LABORATORY CONTROL SAMPLE: 1607295

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<25.0			
PCB-1221 (Aroclor 1221)	ug/kg		<25.0			
PCB-1232 (Aroclor 1232)	ug/kg		<25.0			
PCB-1242 (Aroclor 1242)	ug/kg		<25.0			
PCB-1248 (Aroclor 1248)	ug/kg		<25.0			
PCB-1254 (Aroclor 1254)	ug/kg		<25.0			
PCB-1260 (Aroclor 1260)	ug/kg	500	414	83	59-106	
Decachlorobiphenyl (S)	%			87	53-105	
Tetrachloro-m-xylene (S)	%			79	50-102	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1607296 1607297

Parameter	Units	40160142001		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
PCB-1016 (Aroclor 1016)	ug/kg	<160				<160	<160					20	
PCB-1221 (Aroclor 1221)	ug/kg	<160				<160	<160					20	
PCB-1232 (Aroclor 1232)	ug/kg	<160				<160	<160					20	
PCB-1242 (Aroclor 1242)	ug/kg	2310				2260	2280				1	20	
PCB-1248 (Aroclor 1248)	ug/kg	<160				<160	<160					20	
PCB-1254 (Aroclor 1254)	ug/kg	<160				<160	<160					20	
PCB-1260 (Aroclor 1260)	ug/kg	<160		799	799	656	619	82	78	51-109	6	20	
Decachlorobiphenyl (S)	%							69	61	53-105			
Tetrachloro-m-xylene (S)	%							76	71	50-102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

QC Batch: 272920 Analysis Method: EPA 8270 by SIM  
QC Batch Method: EPA 3546 Analysis Description: 8270/3546 MSSV PAH by SIM  
Associated Lab Samples: 40159995012, 40159995013, 40159995014, 40159995015, 40159995016, 40159995017, 40159995018

METHOD BLANK: 1605889 Matrix: Solid  
Associated Lab Samples: 40159995012, 40159995013, 40159995014, 40159995015, 40159995016, 40159995017, 40159995018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<4.0	13.4	11/03/17 11:53	
2-Methylnaphthalene	ug/kg	<5.0	16.7	11/03/17 11:53	
Acenaphthene	ug/kg	<3.9	12.9	11/03/17 11:53	
Acenaphthylene	ug/kg	<3.3	11.0	11/03/17 11:53	
Anthracene	ug/kg	<5.7	19.0	11/03/17 11:53	
Benzo(a)anthracene	ug/kg	<3.2	10.6	11/03/17 11:53	
Benzo(a)pyrene	ug/kg	<2.5	8.4	11/03/17 11:53	
Benzo(b)fluoranthene	ug/kg	<2.8	9.4	11/03/17 11:53	
Benzo(g,h,i)perylene	ug/kg	<2.0	6.8	11/03/17 11:53	
Benzo(k)fluoranthene	ug/kg	<2.5	8.4	11/03/17 11:53	
Chrysene	ug/kg	<3.4	11.2	11/03/17 11:53	
Dibenz(a,h)anthracene	ug/kg	<2.2	7.5	11/03/17 11:53	
Fluoranthene	ug/kg	<5.2	17.4	11/03/17 11:53	
Fluorene	ug/kg	<4.1	13.8	11/03/17 11:53	
Indeno(1,2,3-cd)pyrene	ug/kg	<2.2	7.3	11/03/17 11:53	
Naphthalene	ug/kg	<8.4	28.1	11/03/17 11:53	
Phenanthrene	ug/kg	<11.7	38.9	11/03/17 11:53	
Pyrene	ug/kg	<4.5	15.0	11/03/17 11:53	
2-Fluorobiphenyl (S)	%	90	23-106	11/03/17 11:53	
Terphenyl-d14 (S)	%	107	29-106	11/03/17 11:53	S3

LABORATORY CONTROL SAMPLE: 1605890

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	333	250	75	49-102	
2-Methylnaphthalene	ug/kg	333	249	75	47-91	
Acenaphthene	ug/kg	333	270	81	52-97	
Acenaphthylene	ug/kg	333	263	79	49-97	
Anthracene	ug/kg	333	274	82	62-101	
Benzo(a)anthracene	ug/kg	333	273	82	53-95	
Benzo(a)pyrene	ug/kg	333	287	86	57-108	
Benzo(b)fluoranthene	ug/kg	333	299	90	53-113	
Benzo(g,h,i)perylene	ug/kg	333	280	84	43-114	
Benzo(k)fluoranthene	ug/kg	333	265	80	66-116	
Chrysene	ug/kg	333	285	86	64-109	
Dibenz(a,h)anthracene	ug/kg	333	272	81	50-105	
Fluoranthene	ug/kg	333	309	93	58-107	
Fluorene	ug/kg	333	278	83	52-99	
Indeno(1,2,3-cd)pyrene	ug/kg	333	280	84	51-113	
Naphthalene	ug/kg	333	242	73	50-91	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

LABORATORY CONTROL SAMPLE: 1605890

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenanthrene	ug/kg	333	287	86	57-101	
Pyrene	ug/kg	333	307	92	50-102	
2-Fluorobiphenyl (S)	%			90	23-106	
Terphenyl-d14 (S)	%			104	29-106	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1605891 1605892

Parameter	Units	1605891		1605892		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
1-Methylnaphthalene	ug/kg	37.6	390	390	331	327	75	74	37-102	1	29	
2-Methylnaphthalene	ug/kg	51.4	390	390	347	336	76	73	44-91	3	36	
Acenaphthene	ug/kg	21.4	390	390	359	385	87	93	46-97	7	26	
Acenaphthylene	ug/kg	8.1J	390	390	307	310	77	77	47-97	1	29	
Anthracene	ug/kg	19.1J	390	390	341	376	83	91	50-101	10	28	
Benzo(a)anthracene	ug/kg	30.5	390	390	337	393	79	93	48-95	15	28	
Benzo(a)pyrene	ug/kg	23.2	390	390	320	370	76	89	47-108	15	36	
Benzo(b)fluoranthene	ug/kg	18.4	390	390	289	377	69	92	42-113	26	34	
Benzo(g,h,i)perylene	ug/kg	18.2	390	390	327	354	79	86	18-114	8	30	
Benzo(k)fluoranthene	ug/kg	22.5	390	390	341	345	82	83	50-116	1	27	
Chrysene	ug/kg	39.8	390	390	366	432	84	101	55-109	17	28	
Dibenz(a,h)anthracene	ug/kg	5.5J	390	390	303	317	76	80	39-105	4	29	
Fluoranthene	ug/kg	110	390	390	570	831	118	185	41-107	37	28	M1,R1
Fluorene	ug/kg	26.0	390	390	377	418	90	101	48-99	10	28	M1
Indeno(1,2,3-cd)pyrene	ug/kg	12.8	390	390	313	343	77	85	27-113	9	30	
Naphthalene	ug/kg	36.8	390	390	327	316	74	71	40-91	3	37	
Phenanthrene	ug/kg	160	390	390	629	874	120	183	46-101	33	40	M1
Pyrene	ug/kg	82.5	390	390	510	691	110	156	50-102	30	31	M1
2-Fluorobiphenyl (S)	%						88	82	23-106			
Terphenyl-d14 (S)	%						90	81	29-106			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

QC Batch: 273107 Analysis Method: EPA 8270 by SIM  
QC Batch Method: EPA 3546 Analysis Description: 8270/3546 MSSV PAH by SIM  
Associated Lab Samples: 40159995019, 40159995020, 40159995021, 40159995022, 40159995023, 40159995024, 40159995025,  
40159995026, 40159995027, 40159995028, 40159995029, 40159995034, 40159995035, 40159995036,  
40159995037, 40159995038, 40159995039, 40159995040, 40159995041, 40159995042

METHOD BLANK: 1607225 Matrix: Solid  
Associated Lab Samples: 40159995019, 40159995020, 40159995021, 40159995022, 40159995023, 40159995024, 40159995025,  
40159995026, 40159995027, 40159995028, 40159995029, 40159995034, 40159995035, 40159995036,  
40159995037, 40159995038, 40159995039, 40159995040, 40159995041, 40159995042

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<4.0	13.4	11/06/17 14:16	
2-Methylnaphthalene	ug/kg	<5.0	16.7	11/06/17 14:16	
Acenaphthene	ug/kg	<3.9	12.9	11/06/17 14:16	
Acenaphthylene	ug/kg	<3.3	11.0	11/06/17 14:16	
Anthracene	ug/kg	<5.7	19.0	11/06/17 14:16	
Benzo(a)anthracene	ug/kg	<3.2	10.6	11/06/17 14:16	
Benzo(a)pyrene	ug/kg	<2.5	8.4	11/06/17 14:16	
Benzo(b)fluoranthene	ug/kg	<2.8	9.4	11/06/17 14:16	
Benzo(g,h,i)perylene	ug/kg	<2.0	6.8	11/06/17 14:16	
Benzo(k)fluoranthene	ug/kg	<2.5	8.4	11/06/17 14:16	
Chrysene	ug/kg	<3.4	11.2	11/06/17 14:16	
Dibenz(a,h)anthracene	ug/kg	<2.2	7.4	11/06/17 14:16	
Fluoranthene	ug/kg	<5.2	17.4	11/06/17 14:16	
Fluorene	ug/kg	<4.1	13.8	11/06/17 14:16	
Indeno(1,2,3-cd)pyrene	ug/kg	<2.2	7.3	11/06/17 14:16	
Naphthalene	ug/kg	<8.4	28.1	11/06/17 14:16	
Phenanthrene	ug/kg	<11.6	38.8	11/06/17 14:16	
Pyrene	ug/kg	<4.5	15.0	11/06/17 14:16	
2-Fluorobiphenyl (S)	%	95	23-106	11/06/17 14:16	
Terphenyl-d14 (S)	%	98	29-106	11/06/17 14:16	

LABORATORY CONTROL SAMPLE: 1607226

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	333	316	95	49-102	
2-Methylnaphthalene	ug/kg	333	295	89	47-91	
Acenaphthene	ug/kg	333	308	93	52-97	
Acenaphthylene	ug/kg	333	304	91	49-97	
Anthracene	ug/kg	333	307	92	62-101	
Benzo(a)anthracene	ug/kg	333	294	88	53-95	
Benzo(a)pyrene	ug/kg	333	305	92	57-108	
Benzo(b)fluoranthene	ug/kg	333	310	93	53-113	
Benzo(g,h,i)perylene	ug/kg	333	246	74	43-114	
Benzo(k)fluoranthene	ug/kg	333	312	94	66-116	
Chrysene	ug/kg	333	308	93	64-109	
Dibenz(a,h)anthracene	ug/kg	333	274	82	50-105	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

LABORATORY CONTROL SAMPLE: 1607226

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluoranthene	ug/kg	333	311	94	58-107	
Fluorene	ug/kg	333	305	92	52-99	
Indeno(1,2,3-cd)pyrene	ug/kg	333	283	85	51-113	
Naphthalene	ug/kg	333	285	86	50-91	
Phenanthrene	ug/kg	333	302	91	57-101	
Pyrene	ug/kg	333	289	87	50-102	
2-Fluorobiphenyl (S)	%			110	23-106	S0
Terphenyl-d14 (S)	%			96	29-106	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1607227 1607228

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40159995020 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
1-Methylnaphthalene	ug/kg	<5.2	429	428	286	305	67	71	37-102	6	29	
2-Methylnaphthalene	ug/kg	<6.4	429	428	266	283	62	66	44-91	6	36	
Acenaphthene	ug/kg	<5.0	429	428	300	296	70	69	46-97	1	26	
Acenaphthylene	ug/kg	<4.2	429	428	295	293	69	69	47-97	1	29	
Anthracene	ug/kg	<7.3	429	428	328	295	76	69	50-101	11	28	
Benzo(a)anthracene	ug/kg	4.8J	429	428	315	287	72	66	48-95	9	28	
Benzo(a)pyrene	ug/kg	<3.2	429	428	326	293	76	68	47-108	11	36	
Benzo(b)fluoranthene	ug/kg	<3.6	429	428	337	292	78	68	42-113	14	34	
Benzo(g,h,i)perylene	ug/kg	<2.6	429	428	234	196	55	46	18-114	18	30	
Benzo(k)fluoranthene	ug/kg	<3.2	429	428	341	308	80	72	50-116	10	27	
Chrysene	ug/kg	<4.3	429	428	334	301	77	70	55-109	10	28	
Dibenz(a,h)anthracene	ug/kg	<2.9	429	428	288	252	67	59	39-105	13	29	
Fluoranthene	ug/kg	<6.7	429	428	341	300	78	69	41-107	13	28	
Fluorene	ug/kg	<5.3	429	428	316	296	74	69	48-99	6	28	
Indeno(1,2,3-cd)pyrene	ug/kg	<2.8	429	428	289	248	67	58	27-113	15	30	
Naphthalene	ug/kg	<10.8	429	428	254	277	59	65	40-91	9	37	
Phenanthrene	ug/kg	<15.0	429	428	330	291	76	67	46-101	13	40	
Pyrene	ug/kg	<5.8	429	428	312	281	72	64	50-102	10	31	
2-Fluorobiphenyl (S)	%						73	73	23-106			
Terphenyl-d14 (S)	%						72	64	29-106			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

QC Batch: 273246 Analysis Method: EPA 8270 by SIM  
 QC Batch Method: EPA 3546 Analysis Description: 8270/3546 MSSV PAH by SIM  
 Associated Lab Samples: 40159995043, 40159995044, 40159995045, 40159995046, 40159995047, 40159995048, 40159995049, 40159995050, 40159995051, 40159995079, 40159995080, 40159995081, 40159995082, 40159995083, 40159995089

METHOD BLANK: 1607748 Matrix: Solid

Associated Lab Samples: 40159995043, 40159995044, 40159995045, 40159995046, 40159995047, 40159995048, 40159995049, 40159995050, 40159995051, 40159995079, 40159995080, 40159995081, 40159995082, 40159995083, 40159995089

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	mg/kg	<0.0040	0.013	11/07/17 12:20	
2-Methylnaphthalene	mg/kg	<0.0050	0.017	11/07/17 12:20	
Acenaphthene	mg/kg	<0.0039	0.013	11/07/17 12:20	
Acenaphthylene	mg/kg	<0.0033	0.011	11/07/17 12:20	
Anthracene	mg/kg	<0.0057	0.019	11/07/17 12:20	
Benzo(a)anthracene	mg/kg	<0.0032	0.011	11/07/17 12:20	
Benzo(a)pyrene	mg/kg	<0.0025	0.0084	11/07/17 12:20	
Benzo(b)fluoranthene	mg/kg	<0.0028	0.0094	11/07/17 12:20	
Benzo(g,h,i)perylene	mg/kg	<0.0020	0.0068	11/07/17 12:20	
Benzo(k)fluoranthene	mg/kg	<0.0025	0.0084	11/07/17 12:20	
Chrysene	mg/kg	<0.0034	0.011	11/07/17 12:20	
Dibenz(a,h)anthracene	mg/kg	<0.0022	0.0075	11/07/17 12:20	
Fluoranthene	mg/kg	<0.0052	0.017	11/07/17 12:20	
Fluorene	mg/kg	<0.0041	0.014	11/07/17 12:20	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.0022	0.0073	11/07/17 12:20	
Naphthalene	mg/kg	<0.0084	0.028	11/07/17 12:20	
Phenanthrene	mg/kg	<0.012	0.039	11/07/17 12:20	
Pyrene	mg/kg	<0.0045	0.015	11/07/17 12:20	
2-Fluorobiphenyl (S)	%	85	23-106	11/07/17 12:20	
Terphenyl-d14 (S)	%	96	29-106	11/07/17 12:20	

LABORATORY CONTROL SAMPLE: 1607749

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	mg/kg	.33	0.24	71	49-102	
2-Methylnaphthalene	mg/kg	.33	0.23	69	47-91	
Acenaphthene	mg/kg	.33	0.27	81	52-97	
Acenaphthylene	mg/kg	.33	0.26	78	49-97	
Anthracene	mg/kg	.33	0.31	93	62-101	
Benzo(a)anthracene	mg/kg	.33	0.28	83	53-95	
Benzo(a)pyrene	mg/kg	.33	0.28	83	57-108	
Benzo(b)fluoranthene	mg/kg	.33	0.26	78	53-113	
Benzo(g,h,i)perylene	mg/kg	.33	0.24	73	43-114	
Benzo(k)fluoranthene	mg/kg	.33	0.28	85	66-116	
Chrysene	mg/kg	.33	0.29	87	64-109	
Dibenz(a,h)anthracene	mg/kg	.33	0.26	79	50-105	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

LABORATORY CONTROL SAMPLE: 1607749

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluoranthene	mg/kg	.33	0.33	98	58-107	
Fluorene	mg/kg	.33	0.27	82	52-99	
Indeno(1,2,3-cd)pyrene	mg/kg	.33	0.27	82	51-113	
Naphthalene	mg/kg	.33	0.24	73	50-91	
Phenanthrene	mg/kg	.33	0.30	89	57-101	
Pyrene	mg/kg	.33	0.30	90	50-102	
2-Fluorobiphenyl (S)	%			91	23-106	
Terphenyl-d14 (S)	%			103	29-106	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1607750 1607751

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40159829004 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
1-Methylnaphthalene	mg/kg	<4.4 ug/kg	.36	.36	0.18	0.19	49	51	37-102	5	29	
2-Methylnaphthalene	mg/kg	<5.4 ug/kg	.36	.36	0.17	0.18	46	49	44-91	6	36	
Acenaphthene	mg/kg	<4.2 ug/kg	.36	.36	0.20	0.21	56	58	46-97	4	26	
Acenaphthylene	mg/kg	<3.6 ug/kg	.36	.36	0.21	0.20	58	55	47-97	6	29	
Anthracene	mg/kg	<6.2 ug/kg	.36	.36	0.23	0.24	62	67	50-101	7	28	
Benzo(a)anthracene	mg/kg	4.5J ug/kg	.36	.36	0.25	0.28	67	75	48-95	11	28	
Benzo(a)pyrene	mg/kg	5.3J ug/kg	.36	.36	0.25	0.27	66	74	47-108	11	36	
Benzo(b)fluoranthene	mg/kg	4.8J ug/kg	.36	.36	0.25	0.28	68	75	42-113	10	34	
Benzo(g,h,i)perylene	mg/kg	4.0J ug/kg	.36	.36	0.21	0.21	57	56	18-114	2	30	
Benzo(k)fluoranthene	mg/kg	5.8J ug/kg	.36	.36	0.24	0.25	64	67	50-116	5	27	
Chrysene	mg/kg	6.5J ug/kg	.36	.36	0.27	0.29	71	79	55-109	9	28	
Dibenz(a,h)anthracene	mg/kg	<2.4 ug/kg	.36	.36	0.22	0.22	59	59	39-105	1	29	
Fluoranthene	mg/kg	12.2J ug/kg	.36	.36	0.28	0.42	75	112	41-107	38	28	M1,R1
Fluorene	mg/kg	<4.5 ug/kg	.36	.36	0.22	0.22	60	61	48-99	0	28	
Indeno(1,2,3-cd)pyrene	mg/kg	3.4J ug/kg	.36	.36	0.24	0.23	64	64	27-113	0	30	
Naphthalene	mg/kg	<9.2 ug/kg	.36	.36	0.16	0.18	45	50	40-91	11	37	
Phenanthrene	mg/kg	<12.7 ug/kg	.36	.36	0.24	0.31	63	81	46-101	24	40	
Pyrene	mg/kg	10.6J ug/kg	.36	.36	0.28	0.37	73	98	50-102	28	31	
2-Fluorobiphenyl (S)	%						56	61	23-106			
Terphenyl-d14 (S)	%						73	75	29-106			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

QC Batch: 8301 Analysis Method: EPA 8270C SIM  
 QC Batch Method: EPA 3545A Analysis Description: 8270C MSSV PAH by SIM  
 Associated Lab Samples: 40159995030, 40159995031, 40159995032, 40159995033, 40159995052, 40159995053, 40159995054, 40159995055, 40159995056, 40159995057, 40159995058, 40159995059, 40159995060, 40159995061, 40159995062, 40159995063, 40159995064, 40159995065, 40159995066, 40159995067

METHOD BLANK: 33755 Matrix: Solid  
 Associated Lab Samples: 40159995030, 40159995031, 40159995032, 40159995033, 40159995052, 40159995053, 40159995054, 40159995055, 40159995056, 40159995057, 40159995058, 40159995059, 40159995060, 40159995061, 40159995062, 40159995063, 40159995064, 40159995065, 40159995066, 40159995067

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<0.19	2.0	11/06/17 14:07	N2
2-Methylnaphthalene	ug/kg	<0.21	2.0	11/06/17 14:07	
Acenaphthene	ug/kg	<0.16	2.0	11/06/17 14:07	
Acenaphthylene	ug/kg	<0.15	2.0	11/06/17 14:07	
Anthracene	ug/kg	<0.22	2.0	11/06/17 14:07	
Benzo(a)anthracene	ug/kg	0.43J	2.0	11/06/17 14:07	
Benzo(a)pyrene	ug/kg	<0.48	2.0	11/06/17 14:07	
Benzo(b)fluoranthene	ug/kg	0.36J	2.5	11/06/17 14:07	
Benzo(g,h,i)perylene	ug/kg	<0.65	2.5	11/06/17 14:07	
Benzo(k)fluoranthene	ug/kg	0.38J	2.5	11/06/17 14:07	
Chrysene	ug/kg	0.38J	2.5	11/06/17 14:07	
Dibenz(a,h)anthracene	ug/kg	<0.74	2.5	11/06/17 14:07	
Fluoranthene	ug/kg	0.34J	2.0	11/06/17 14:07	
Fluorene	ug/kg	<0.17	2.0	11/06/17 14:07	
Indeno(1,2,3-cd)pyrene	ug/kg	<0.63	2.0	11/06/17 14:07	
Naphthalene	ug/kg	0.45J	2.0	11/06/17 14:07	
Phenanthrene	ug/kg	0.26J	2.0	11/06/17 14:07	
Pyrene	ug/kg	0.31J	2.0	11/06/17 14:07	
2-Methylnaphthalene-d10 (S)	%	78	50-150	11/06/17 14:07	
Fluoranthene-d10 (S)	%	80	50-150	11/06/17 14:07	

LABORATORY CONTROL SAMPLE: 33756

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	16.3	12.2	75	45-105	N2
2-Methylnaphthalene	ug/kg	16.3	14.4	88	45-105	
Acenaphthene	ug/kg	16.3	12.0	73	45-110	
Acenaphthylene	ug/kg	16.3	14.4	89	45-105	
Anthracene	ug/kg	16.3	14.1	86	55-105	
Benzo(a)anthracene	ug/kg	16.3	14.9	91	50-110	
Benzo(a)pyrene	ug/kg	16.3	13.4	82	50-110	
Benzo(b)fluoranthene	ug/kg	16.3	14.1	87	45-115	
Benzo(g,h,i)perylene	ug/kg	16.3	14.3	88	40-125	
Benzo(k)fluoranthene	ug/kg	16.3	12.4	76	45-125	
Chrysene	ug/kg	16.3	13.9	85	55-110	
Dibenz(a,h)anthracene	ug/kg	16.3	13.6	83	40-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

LABORATORY CONTROL SAMPLE: 33756

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluoranthene	ug/kg	16.3	14.0	86	55-115	
Fluorene	ug/kg	16.3	12.2	75	50-110	
Indeno(1,2,3-cd)pyrene	ug/kg	16.3	14.4	89	40-120	
Naphthalene	ug/kg	16.3	13.2	81	40-105	
Phenanthrene	ug/kg	16.3	14.7	90	50-110	
Pyrene	ug/kg	16.3	13.8	85	45-125	
2-Methylnaphthalene-d10 (S)	%			75	50-150	
Fluoranthene-d10 (S)	%			74	50-150	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 33757 33758

Parameter	Units	40159995030		33757		33758		% Rec	% Rec	% Rec Limits	RPD	RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec						
1-Methylnaphthalene	ug/kg	8.6J	19.4	19.5	30.3	29.7	112	108	45-105	2	30	M6, N2	
2-Methylnaphthalene	ug/kg	8.5J	19.4	19.5	23.5	24.5	78	82	45-105	4	30		
Acenaphthene	ug/kg	10.1J	19.4	19.5	34.8	26.8	128	86	45-110	26	30	M6	
Acenaphthylene	ug/kg	9.1J	19.4	19.5	23.4	24.9	74	81	45-105	6	30		
Anthracene	ug/kg	72.8	19.4	19.5	147	132	382	303	55-105	11	30	M6	
Benzo(a)anthracene	ug/kg	346	19.4	19.5	405	409	307	326	50-110	1	30	M6	
Benzo(a)pyrene	ug/kg	326	19.4	19.5	372	389	240	322	50-110	4	30	M6	
Benzo(b)fluoranthene	ug/kg	282	19.4	19.5	327	340	236	298	45-115	4	30	M6	
Benzo(g,h,i)perylene	ug/kg	206	19.4	19.5	246	259	205	271	40-125	5	30	M6	
Benzo(k)fluoranthene	ug/kg	280	19.4	19.5	372	348	476	348	45-125	7	30	M6	
Chrysene	ug/kg	350	19.4	19.5	415	426	334	390	55-110	3	30	M6	
Dibenz(a,h)anthracene	ug/kg	66.4	19.4	19.5	82.8	92.8	85	136	40-125	11	30	M6	
Fluoranthene	ug/kg	669	19.4	19.5	871	820	1040	775	55-115	6	30	M6	
Fluorene	ug/kg	11.2J	19.4	19.5	41.5	42.2	157	159	50-110	2	30	M6	
Indeno(1,2,3-cd)pyrene	ug/kg	194	19.4	19.5	230	234	184	202	40-120	2	30	M6	
Naphthalene	ug/kg	18.9J	19.4	19.5	39.1	36.2	105	89	40-105	8	30		
Phenanthrene	ug/kg	281	19.4	19.5	414	370	687	456	50-110	11	30	M6	
Pyrene	ug/kg	619	19.4	19.5	805	802	962	941	45-125	0	30	M6	
2-Methylnaphthalene-d10 (S)	%						93	79	50-150				
Fluoranthene-d10 (S)	%						82	78	50-150				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

QC Batch: 8302 Analysis Method: EPA 8270C SIM  
QC Batch Method: EPA 3545A Analysis Description: 8270C MSSV PAH by SIM  
Associated Lab Samples: 40159995068, 40159995069, 40159995070, 40159995071, 40159995072, 40159995073, 40159995074, 40159995075, 40159995076, 40159995077, 40159995078

METHOD BLANK: 33759 Matrix: Solid  
Associated Lab Samples: 40159995068, 40159995069, 40159995070, 40159995071, 40159995072, 40159995073, 40159995074, 40159995075, 40159995076, 40159995077, 40159995078

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<0.20	2.1	11/06/17 16:31	N2
2-Methylnaphthalene	ug/kg	<0.22	2.1	11/06/17 16:31	
Acenaphthene	ug/kg	<0.17	2.1	11/06/17 16:31	
Acenaphthylene	ug/kg	0.27J	2.1	11/06/17 16:31	
Anthracene	ug/kg	<0.23	2.1	11/06/17 16:31	
Benzo(a)anthracene	ug/kg	0.41J	2.1	11/06/17 16:31	
Benzo(a)pyrene	ug/kg	<0.50	2.1	11/06/17 16:31	
Benzo(b)fluoranthene	ug/kg	<0.36	2.6	11/06/17 16:31	
Benzo(g,h,i)perylene	ug/kg	<0.67	2.6	11/06/17 16:31	
Benzo(k)fluoranthene	ug/kg	0.32J	2.6	11/06/17 16:31	
Chrysene	ug/kg	0.35J	2.6	11/06/17 16:31	
Dibenz(a,h)anthracene	ug/kg	<0.78	2.6	11/06/17 16:31	
Fluoranthene	ug/kg	0.33J	2.1	11/06/17 16:31	
Fluorene	ug/kg	<0.18	2.1	11/06/17 16:31	
Indeno(1,2,3-cd)pyrene	ug/kg	<0.65	2.1	11/06/17 16:31	
Naphthalene	ug/kg	0.76J	2.1	11/06/17 16:31	
Phenanthrene	ug/kg	<0.26	2.1	11/06/17 16:31	
Pyrene	ug/kg	0.31J	2.1	11/06/17 16:31	
2-Methylnaphthalene-d10 (S)	%	77	50-150	11/06/17 16:31	
Fluoranthene-d10 (S)	%	78	50-150	11/06/17 16:31	

LABORATORY CONTROL SAMPLE: 33760

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	17	13.7	81	45-105	N2
2-Methylnaphthalene	ug/kg	17	16.3	96	45-105	
Acenaphthene	ug/kg	17	13.0	76	45-110	
Acenaphthylene	ug/kg	17	15.9	94	45-105	
Anthracene	ug/kg	17	15.2	90	55-105	
Benzo(a)anthracene	ug/kg	17	15.7	92	50-110	
Benzo(a)pyrene	ug/kg	17	14.1	83	50-110	
Benzo(b)fluoranthene	ug/kg	17	15.0	88	45-115	
Benzo(g,h,i)perylene	ug/kg	17	14.5	85	40-125	
Benzo(k)fluoranthene	ug/kg	17	12.7	75	45-125	
Chrysene	ug/kg	17	14.6	86	55-110	
Dibenz(a,h)anthracene	ug/kg	17	13.9	82	40-125	
Fluoranthene	ug/kg	17	15.0	88	55-115	
Fluorene	ug/kg	17	13.5	80	50-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

LABORATORY CONTROL SAMPLE: 33760

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Indeno(1,2,3-cd)pyrene	ug/kg	17	15.2	89	40-120	
Naphthalene	ug/kg	17	14.7	87	40-105	
Phenanthrene	ug/kg	17	16.2	95	50-110	
Pyrene	ug/kg	17	15.0	88	45-125	
2-Methylnaphthalene-d10 (S)	%			80	50-150	
Fluoranthene-d10 (S)	%			74	50-150	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 33761 33762

Parameter	Units	40159995068		33762		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
1-Methylnaphthalene	ug/kg	0.72J	20.5	20.4	14.2	12.1	66	45-105	16	30	N2
2-Methylnaphthalene	ug/kg	1.2J	20.5	20.4	16.6	14.6	75	45-105	12	30	
Acenaphthene	ug/kg	<0.19	20.5	20.4	12.5	11.4	61	45-110	9	30	
Acenaphthylene	ug/kg	<0.17	20.5	20.4	16.4	14.9	80	45-105	10	30	
Anthracene	ug/kg	<0.26	20.5	20.4	16.5	16.5	80	55-105	0	30	
Benzo(a)anthracene	ug/kg	0.41J	20.5	20.4	18.4	20.8	88	50-110	12	30	
Benzo(a)pyrene	ug/kg	<0.56	20.5	20.4	16.3	17.6	78	50-110	8	30	
Benzo(b)fluoranthene	ug/kg	0.49J	20.5	20.4	17.9	19.0	85	45-115	6	30	
Benzo(g,h,i)perylene	ug/kg	<0.76	20.5	20.4	15.8	16.9	75	40-125	6	30	
Benzo(k)fluoranthene	ug/kg	0.42J	20.5	20.4	13.9	14.8	66	45-125	6	30	
Chrysene	ug/kg	1.1J	20.5	20.4	16.9	19.8	77	55-110	16	30	
Dibenz(a,h)anthracene	ug/kg	<0.87	20.5	20.4	15.3	16.5	74	40-125	8	30	
Fluoranthene	ug/kg	0.59J	20.5	20.4	15.4	17.7	72	55-115	14	30	
Fluorene	ug/kg	<0.20	20.5	20.4	13.0	13.1	64	50-110	1	30	
Indeno(1,2,3-cd)pyrene	ug/kg	<0.73	20.5	20.4	16.6	18.3	79	40-120	10	30	
Naphthalene	ug/kg	0.36J	20.5	20.4	15.8	14.3	75	40-105	10	30	
Phenanthrene	ug/kg	0.73J	20.5	20.4	17.7	19.5	83	50-110	10	30	
Pyrene	ug/kg	0.61J	20.5	20.4	18.2	20.8	86	45-125	13	30	
2-Methylnaphthalene-d10 (S)	%						72	50-150			
Fluoranthene-d10 (S)	%						63	50-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

---

QC Batch: 8381 Analysis Method: SM 2540 G-11/3550  
 QC Batch Method: SM 2540 G-11/3550 Analysis Description: Dry Weight/Percent Moisture  
 Associated Lab Samples: 40159995068, 40159995069, 40159995070, 40159995071, 40159995072, 40159995073, 40159995074,  
 40159995075, 40159995076, 40159995077, 40159995078

---

SAMPLE DUPLICATE: 34078

Parameter	Units	40159995068 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	14.8	14.9	0	20	

---

SAMPLE DUPLICATE: 34079

Parameter	Units	40159995077 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	22.8	21.6	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

---

QC Batch:	273061	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	40159995001, 40159995002, 40159995003, 40159995004, 40159995005, 40159995007, 40159995008, 40159995009, 40159995010, 40159995011, 40159995012, 40159995013, 40159995014, 40159995015		

---

SAMPLE DUPLICATE: 1606722

Parameter	Units	40159995002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	16.2	16.8	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

---

QC Batch:	273123	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	40159995043, 40159995044, 40159995045, 40159995046, 40159995047, 40159995048, 40159995049, 40159995050, 40159995051, 40159995079, 40159995080, 40159995081, 40159995082, 40159995083, 40159995084, 40159995085, 40159995086, 40159995087, 40159995088		

---

SAMPLE DUPLICATE: 1607299

Parameter	Units	40159995050 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	15.1	16.0	5	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

QC Batch: 273127

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 40159995089

SAMPLE DUPLICATE: 1607303

Parameter	Units	40159995089 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	16.9	18.0	6	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

---

QC Batch:	273166	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	40159995021, 40159995022, 40159995023, 40159995024, 40159995025, 40159995026, 40159995027, 40159995028, 40159995029, 40159995034, 40159995035, 40159995036, 40159995037, 40159995038, 40159995039, 40159995040, 40159995041, 40159995042		

---

SAMPLE DUPLICATE: 1607420

Parameter	Units	40159995022 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	16.5	15.9	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40159995

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-G Pace Analytical Services - Green Bay

PASI-GRMI Pace Analytical - Grand Rapids

### BATCH QUALIFIERS

Batch: 273170

[1] One of the surrogates in the LCS failed high. Accuracy and precision are shown using the MS/MSD recoveries, which were within LCS limits.

### ANALYTE QUALIFIERS

1q MeOH leakage had occurred in shipment. Sample aliquot was taken from 4 oz poly dry weight container with head space and MeOH preserved in the laboratory.

B Analyte was detected in the associated method blank.

ED Due to the extract's physical characteristics, the analysis was performed at dilution.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

M6 Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.

N2 The lab does not hold NELAC/TNI accreditation for this parameter.

R1 RPD value was outside control limits.

S0 Surrogate recovery outside laboratory control limits.

S3 Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

W Non-detect results are reported on a wet weight basis.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40159995084	B2 5.0-7.5	EPA 3541	273122	EPA 8082	273124
40159995085	B4 2.5-5.0	EPA 3541	273122	EPA 8082	273124
40159995086	B6 2.5-5.0	EPA 3541	273122	EPA 8082	273124
40159995087	B13 7.5-10	EPA 3541	273122	EPA 8082	273124
40159995088	B14 7.5-10	EPA 3541	273122	EPA 8082	273124
40159995007	B1 2.5-5.0	EPA 3050	273157	EPA 6010	273347
40159995008	B6 5.0-7.5	EPA 3050	273157	EPA 6010	273347
40159995009	B9 2.5-5.0	EPA 3050	273157	EPA 6010	273347
40159995010	B11 5.0-7.5	EPA 3050	273157	EPA 6010	273347
40159995011	B12 2.5-5.0	EPA 3050	273157	EPA 6010	273347
40159995007	B1 2.5-5.0	EPA 7471	273288	EPA 7471	273386
40159995008	B6 5.0-7.5	EPA 7471	273288	EPA 7471	273386
40159995009	B9 2.5-5.0	EPA 7471	273288	EPA 7471	273386
40159995010	B11 5.0-7.5	EPA 7471	273288	EPA 7471	273386
40159995011	B12 2.5-5.0	EPA 7471	273288	EPA 7471	273386
40159995012	B1 0-2.5	EPA 3546	272920	EPA 8270 by SIM	272972
40159995013	B1 2.5-5.0	EPA 3546	272920	EPA 8270 by SIM	272972
40159995014	B1 5.0-7.5	EPA 3546	272920	EPA 8270 by SIM	272972
40159995015	B1 7.5-10.0	EPA 3546	272920	EPA 8270 by SIM	272972
40159995016	B2 0-2.5	EPA 3546	272920	EPA 8270 by SIM	272972
40159995017	B2 2.5-5.0	EPA 3546	272920	EPA 8270 by SIM	272972
40159995018	B2 5.0-7.5	EPA 3546	272920	EPA 8270 by SIM	272972
40159995019	B2 7.5-10.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995020	B2 10-12.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995021	B2 12.5-15.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995022	B2 15.0-17.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995023	B2 17.5-20.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995024	B3 0-2.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995025	B3 2.5-5.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995026	B3 5.0-7.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995027	B3 7.5-10.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995028	B3 10-12.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995029	B3 12.5-15.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995034	B6 0-2.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995035	B6 2.5-5.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995036	B6 5.0-7.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995037	B6 7.5-10.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995038	B6 10-12.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995039	B6 12.5-15.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995040	B7 0-2.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995041	B7 2.5-5.0	EPA 3546	273107	EPA 8270 by SIM	273170
40159995042	B7 5.0-7.5	EPA 3546	273107	EPA 8270 by SIM	273170
40159995043	B7 7.5-10.0	EPA 3546	273246	EPA 8270 by SIM	273281
40159995044	B8 0-2.5	EPA 3546	273246	EPA 8270 by SIM	273281
40159995045	B8 2.5-5.0	EPA 3546	273246	EPA 8270 by SIM	273281
40159995046	B8 5.0-7.5	EPA 3546	273246	EPA 8270 by SIM	273281

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40159995047	B8 7.5-10.0	EPA 3546	273246	EPA 8270 by SIM	273281
40159995048	B9 0-2.5	EPA 3546	273246	EPA 8270 by SIM	273281
40159995049	B9 2.5-5.0	EPA 3546	273246	EPA 8270 by SIM	273281
40159995050	B9 5.0-7.5	EPA 3546	273246	EPA 8270 by SIM	273281
40159995051	B9 10-12.5	EPA 3546	273246	EPA 8270 by SIM	273281
40159995079	B14 0-2.5	EPA 3546	273246	EPA 8270 by SIM	273281
40159995080	B14 2.5-5.0	EPA 3546	273246	EPA 8270 by SIM	273281
40159995081	B14 5.0-7.5	EPA 3546	273246	EPA 8270 by SIM	273281
40159995082	B14 7.5-10.0	EPA 3546	273246	EPA 8270 by SIM	273281
40159995083	B14 10.0-12.5	EPA 3546	273246	EPA 8270 by SIM	273281
40159995089	B9 7.5-10.00	EPA 3546	273246	EPA 8270 by SIM	273281
40159995030	B4 0-2.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995031	B4 2.5-5.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995032	B5 0-2.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995033	B5 2.5-5.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995052	B10 0-2.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995053	B10 2.5-5.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995054	B10 5.0-7.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995055	B10 7.5-10.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995056	B10 10-12.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995057	B10 12.5-15.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995058	B11 0-2.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995059	B11 2.5-5.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995060	B11 5.0-7.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995061	B11 7.5-10.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995062	B11 10.0-12.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995063	B11 12.5-15.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995064	B11 15.0-17.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995065	B11 17.5-20.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995066	B12 0-2.5	EPA 3545A	8301	EPA 8270C SIM	8395
40159995067	B12 2.5-5.0	EPA 3545A	8301	EPA 8270C SIM	8395
40159995068	B12 5.0-7.5	EPA 3545A	8302	EPA 8270C SIM	8403
40159995069	B12 7.5-10.0	EPA 3545A	8302	EPA 8270C SIM	8403
40159995070	B12 10.0-12.5	EPA 3545A	8302	EPA 8270C SIM	8403
40159995071	B13 0-2.5	EPA 3545A	8302	EPA 8270C SIM	8403
40159995072	B13 2.5-5.0	EPA 3545A	8302	EPA 8270C SIM	8403
40159995073	B13 5.0-7.5	EPA 3545A	8302	EPA 8270C SIM	8403
40159995074	B13 7.5-10.0	EPA 3545A	8302	EPA 8270C SIM	8403
40159995075	B13 10.0-12.5	EPA 3545A	8302	EPA 8270C SIM	8403
40159995076	B13 12.5-15.0	EPA 3545A	8302	EPA 8270C SIM	8403
40159995077	B13 15.0-17.5	EPA 3545A	8302	EPA 8270C SIM	8403
40159995078	B13 17.5-20.0	EPA 3545A	8302	EPA 8270C SIM	8403
40159995001	B3 2.5-5.0	EPA 5035/5030B	272995	EPA 8260	273001
40159995002	B6 5.0-7.5	EPA 5035/5030B	272995	EPA 8260	273001
40159995003	B10 2.5-5.0	EPA 5035/5030B	272995	EPA 8260	273001
40159995004	B12 5.0-7.5	EPA 5035/5030B	272995	EPA 8260	273001
40159995005	B13 7.5-10.0	EPA 5035/5030B	272995	EPA 8260	273001

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40159995006	TRIP	EPA 5035/5030B	272995	EPA 8260	273001
40159995001	B3 2.5-5.0	ASTM D2974-87	273061		
40159995002	B6 5.0-7.5	ASTM D2974-87	273061		
40159995003	B10 2.5-5.0	ASTM D2974-87	273061		
40159995004	B12 5.0-7.5	ASTM D2974-87	273061		
40159995005	B13 7.5-10.0	ASTM D2974-87	273061		
40159995007	B1 2.5-5.0	ASTM D2974-87	273061		
40159995008	B6 5.0-7.5	ASTM D2974-87	273061		
40159995009	B9 2.5-5.0	ASTM D2974-87	273061		
40159995010	B11 5.0-7.5	ASTM D2974-87	273061		
40159995011	B12 2.5-5.0	ASTM D2974-87	273061		
40159995012	B1 0-2.5	ASTM D2974-87	273061		
40159995013	B1 2.5-5.0	ASTM D2974-87	273061		
40159995014	B1 5.0-7.5	ASTM D2974-87	273061		
40159995015	B1 7.5-10.0	ASTM D2974-87	273061		
40159995016	B2 0-2.5	ASTM D2974-87	273079		
40159995017	B2 2.5-5.0	ASTM D2974-87	273079		
40159995018	B2 5.0-7.5	ASTM D2974-87	273079		
40159995019	B2 7.5-10.0	ASTM D2974-87	273079		
40159995020	B2 10-12.5	ASTM D2974-87	273079		
40159995021	B2 12.5-15.0	ASTM D2974-87	273166		
40159995022	B2 15.0-17.5	ASTM D2974-87	273166		
40159995023	B2 17.5-20.0	ASTM D2974-87	273166		
40159995024	B3 0-2.5	ASTM D2974-87	273166		
40159995025	B3 2.5-5.0	ASTM D2974-87	273166		
40159995026	B3 5.0-7.5	ASTM D2974-87	273166		
40159995027	B3 7.5-10.0	ASTM D2974-87	273166		
40159995028	B3 10-12.5	ASTM D2974-87	273166		
40159995029	B3 12.5-15.0	ASTM D2974-87	273166		
40159995030	B4 0-2.5	SM 2540 G-11/3550	8380		
40159995031	B4 2.5-5.0	SM 2540 G-11/3550	8380		
40159995032	B5 0-2.5	SM 2540 G-11/3550	8380		
40159995033	B5 2.5-5.0	SM 2540 G-11/3550	8380		
40159995034	B6 0-2.5	ASTM D2974-87	273166		
40159995035	B6 2.5-5.0	ASTM D2974-87	273166		
40159995036	B6 5.0-7.5	ASTM D2974-87	273166		
40159995037	B6 7.5-10.0	ASTM D2974-87	273166		
40159995038	B6 10-12.5	ASTM D2974-87	273166		
40159995039	B6 12.5-15.0	ASTM D2974-87	273166		
40159995040	B7 0-2.5	ASTM D2974-87	273166		
40159995041	B7 2.5-5.0	ASTM D2974-87	273166		
40159995042	B7 5.0-7.5	ASTM D2974-87	273166		
40159995043	B7 7.5-10.0	ASTM D2974-87	273123		
40159995044	B8 0-2.5	ASTM D2974-87	273123		
40159995045	B8 2.5-5.0	ASTM D2974-87	273123		
40159995046	B8 5.0-7.5	ASTM D2974-87	273123		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40159995

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40159995047	B8 7.5-10.0	ASTM D2974-87	273123		
40159995048	B9 0-2.5	ASTM D2974-87	273123		
40159995049	B9 2.5-5.0	ASTM D2974-87	273123		
40159995050	B9 5.0-7.5	ASTM D2974-87	273123		
40159995051	B9 10-12.5	ASTM D2974-87	273123		
40159995052	B10 0-2.5	SM 2540 G-11/3550	8380		
40159995053	B10 2.5-5.0	SM 2540 G-11/3550	8380		
40159995054	B10 5.0-7.5	SM 2540 G-11/3550	8380		
40159995055	B10 7.5-10.0	SM 2540 G-11/3550	8380		
40159995056	B10 10-12.5	SM 2540 G-11/3550	8380		
40159995057	B10 12.5-15.0	SM 2540 G-11/3550	8380		
40159995058	B11 0-2.5	SM 2540 G-11/3550	8380		
40159995059	B11 2.5-5.0	SM 2540 G-11/3550	8380		
40159995060	B11 5.0-7.5	SM 2540 G-11/3550	8380		
40159995061	B11 7.5-10.0	SM 2540 G-11/3550	8380		
40159995062	B11 10.0-12.5	SM 2540 G-11/3550	8380		
40159995063	B11 12.5-15.0	SM 2540 G-11/3550	8380		
40159995064	B11 15.0-17.5	SM 2540 G-11/3550	8380		
40159995065	B11 17.5-20.0	SM 2540 G-11/3550	8380		
40159995066	B12 0-2.5	SM 2540 G-11/3550	8380		
40159995067	B12 2.5-5.0	SM 2540 G-11/3550	8380		
40159995068	B12 5.0-7.5	SM 2540 G-11/3550	8381		
40159995069	B12 7.5-10.0	SM 2540 G-11/3550	8381		
40159995070	B12 10.0-12.5	SM 2540 G-11/3550	8381		
40159995071	B13 0-2.5	SM 2540 G-11/3550	8381		
40159995072	B13 2.5-5.0	SM 2540 G-11/3550	8381		
40159995073	B13 5.0-7.5	SM 2540 G-11/3550	8381		
40159995074	B13 7.5-10.0	SM 2540 G-11/3550	8381		
40159995075	B13 10.0-12.5	SM 2540 G-11/3550	8381		
40159995076	B13 12.5-15.0	SM 2540 G-11/3550	8381		
40159995077	B13 15.0-17.5	SM 2540 G-11/3550	8381		
40159995078	B13 17.5-20.0	SM 2540 G-11/3550	8381		
40159995079	B14 0-2.5	ASTM D2974-87	273123		
40159995080	B14 2.5-5.0	ASTM D2974-87	273123		
40159995081	B14 5.0-7.5	ASTM D2974-87	273123		
40159995082	B14 7.5-10.0	ASTM D2974-87	273123		
40159995083	B14 10.0-12.5	ASTM D2974-87	273123		
40159995084	B2 5.0-7.5	ASTM D2974-87	273123		
40159995085	B4 2.5-5.0	ASTM D2974-87	273123		
40159995086	B6 2.5-5.0	ASTM D2974-87	273123		
40159995087	B13 7.5-10	ASTM D2974-87	273123		
40159995088	B14 7.5-10	ASTM D2974-87	273123		
40159995089	B9 7.5-10.00	ASTM D2974-87	273127		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Key Engineering  
 Branch/Location: Milwaukee  
 Project Contact: Kurt McClung  
 Phone: 262-853-1196  
 Project Number: 1606-0975-0001  
 Project Name: Boys & Girls Club  
 Project State: WI  
 Sampled By (Print): Sarah Casnewick  
 Sampled By (Sign): [Signature]



UPPER MIDWEST REGION  
 MN: 612-607-1700 WI: 920-469-2436

40159995

Page 156 of 163

### CHAIN OF CUSTODY

**Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	N	N	N															
Pick Letter	F	A	A															
Analyses Requested	VOCs	Dry wt	PCRA Metals															

Quote #: 40159995  
 Mail To Contact: Kurt McClung  
 Mail To Company: Key Engineering  
 Mail To Address: 735 N Water Milwaukee WI  
 Invoice To Contact: Cassie Hays  
 Invoice To Company: Key Engineering  
 Invoice To Address: SAA  
 Invoice To Phone: 414-224-8300  
 CLIENT COMMENTS: 1-40mlv F  
 LAB COMMENTS (Lab Use Only): 1-40zpa  
 Profile #: 1-40zag A  
RW 11/21/17

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested	Y/N	N	N	N								
		DATE	TIME																
001	B3 2.5-5.0	10/30/17	1408	Soil		F	VOCs												
002	B6 5.0-7.5		1629	α		A	Dry wt												
003	B10 2.5-5.0	10/31/17	953	α		A	PCRA Metals												
004	B12 5.0-7.5		1238	α		A													
005	B13 7.5-10.0		1348	α		A													
006	TRIP		-	LAB															
007	B1 2.5-5.0	10/30/17	1249	Soil															
008	B6 5.0-7.5		11627	α															
009	B9 2.5-5.0	10/31/17	924	α															
010	B11 5.0-7.5		1037	α															
011	B12 2.5-5.0		1233	α															

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Transmit Prelim Rush Results by (complete what you want):

Relinquished By: <u>Sarah Casnewick</u> Date/Time: <u>11/1/17</u>	Received By: <u>Mary Fannin</u> Date/Time: <u>11/01/17 1330</u>	PACE Project No. <u>40159995</u> Receipt Temp = <u>201</u> °C Sample Receipt pH <u>OK / Adjusted</u> Cooler Custody Seal <u>Present / Not Present</u> <u>Intact / Not Intact</u>
Relinquished By: <u>Mary Fannin</u> Date/Time: <u>11/01/17 1450</u>	Received By: _____ Date/Time: _____	
Relinquished By: <u>CS Logistics</u> Date/Time: <u>11/21/17 0735</u>	Received By: <u>Rachelle Row</u> Date/Time: <u>11/21/17 0735</u>	
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	

Samples on HOLD are subject to special pricing and release of liability













(Please Print Clearly)

Company Name: Key Engineering  
 Branch/Location: Milwaukee WI  
 Project Contact: Kurt McClung  
 Phone: 262-853-1196  
 Project Number: 1606-0975-0001  
 Project Name: Boys & Girls Club  
 Project State: WI  
 Sampled By (Print): [Signature]  
 Sampled By (Sign): [Signature]  
 PO #: \_\_\_\_\_ Regulatory Program: \_\_\_\_\_



UPPER MIDWEST REGION  
 MN: 612-607-1700 WI: 920-469-2436

40159995

### CHAIN OF CUSTODY

**\*Preservation Codes\***  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	Pick Letter	Matrix Codes	Analyses Requested
N	A	W = Water	RAB PCB
N	A	DW = Drinking Water	
		GW = Ground Water	
		SW = Surface Water	
		WW = Waste Water	
		WP = Wipe	

Quote #: \_\_\_\_\_  
 Mail To Contact: Kurt McClung  
 Mail To Company: Key Engineering  
 Mail To Address: 735 Water St Milwaukee WI  
 Invoice To Contact: Cassie Haupt  
 Invoice To Company: Key Engineering  
 Invoice To Address: SAA  
 Invoice To Phone: 414-224-8300  
 CLIENT COMMENTS: \_\_\_\_\_  
 LAB COMMENTS (Lab Use Only): \_\_\_\_\_  
 Profile #: \_\_\_\_\_

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air B = Biota C = Charcoal O = Oil S = Soil SI = Sludge  
 W = Water DW = Drinking Water GW = Ground Water SW = Surface Water WW = Waste Water WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
077	B13 15.0-17.5	10/31/12	1400	Soil
078	17.5-20.0	↓	1405	α
079	B14 0-2.5	10/30/12	1500	α
080	2.5-5.0	↓	1510	α
081	5.0-7.5	↓	1520	α
082	7.5-10.0	↓	1530	α
083	10.0-12.5	↓	1540	α
084	B2 5.0-7.5	10/30/12	1240	α
085	B4 2.5-5.0	↓	1452	α
086	B6 2.5-5.0	↓	1623	α
087	B13 7.5-10	10/31/12	1348	α
088	B14 7.5-10	10/30/12	1530	α
089	B9 7.5-10.00	10/30/12	17	α

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Transmit Prelim Rush Results by (complete what you want): \_\_\_\_\_

Relinquished By: <u>[Signature]</u> Date/Time: <u>11.1.12</u>	Received By: <u>Mary Fanning</u> Date/Time: <u>11/01/12 1330</u>
Relinquished By: <u>Mary Fanning</u> Date/Time: <u>11/01/12 1450</u>	Received By: _____ Date/Time: _____
Relinquished By: <u>CS Logistics</u> Date/Time: <u>11/21/12 0735</u>	Received By: <u>Racine Bus Ace</u> Date/Time: <u>11/21/12 0735</u>
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 40159995  
 Receipt Temp = 201 °C  
 Sample Receipt pH OK / Adjusted  
 Cooler Custody Seal Present / Not Present Intact / Not Intact

019a(27Jun2006) ① added by lab, included in shipment #8 11/2/12

Sample Condition Upon Receipt

Pace Analytical Services, LLC. - Green Bay WI  
1241 Bellevue Street, Suite 9  
Green Bay, WI 54302



Project #: **WO# : 40159995**

Client Name: Key Engineering  
Courier:  Fed Ex  UPS  Client  Pace Other: CS Logistics



Tracking #: \_\_\_\_\_  
Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no  
Custody Seal on Samples Present:  yes  no Seals intact:  yes  no  
Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_  
Thermometer Used N/A Type of Ice:  Wet  Blue  Dry  None  Samples on ice, cooling process has begun  
Cooler Temperature Uncorr: \_\_\_\_\_ /Corr: RO1 Biological Tissue is Frozen:  yes  no  
Temp Blank Present:  yes  no

Person examining contents:  
Date: 11/21/17  
Initials: Rmw

		Comments:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. 089 added by lab <u>11/21/17</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8. NO ms/m3D <u>rmw 11/21/17</u>
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10. 008 cracked lid <u>11/21/17</u>
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. 007 has time of 1312 <u>rmw 11/21/17</u> All other samples have no time.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH + ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Initial when completed
		Lab Std #ID of preservative
		Date/Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>B7116101VB</u>		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: 11/21/17 Date/Time: \_\_\_\_\_  
Comments/ Resolution: 58 057 ID BID 12.5-1500; 001, 003 to 004 no date on 11/21/17  
vials, 004 vial no depth, 002 vial depth 5.0-7.6; 003 poly date 10/30;  
003 poly 010, 011, 044-048, 058-065, 4087 11/21/17.  
date 10/31: 034-039, 070+075 IDs, are identical placed arbitrarily  
+dates 11/21/17

Project Manager Review: Rm R for Dm Date: 11/21/17

November 20, 2017

Kurt McClung  
Key Engineering Group, LTD.  
735 North Water Street  
Milwaukee, WI 53202

RE: Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40160727

Dear Kurt McClung:

Enclosed are the analytical results for sample(s) received by the laboratory between November 02, 2017 and November 14, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky  
dan.milewsky@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Valerie Collins, Key Engineering Group, LTD.  
Cassie Haupt, KEY ENGINEERING GROUP, LTD.  
Toni Schoen, KEY ENGINEERING GROUP, LTD.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

---

### Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

---

### Grand Rapids Certification ID's

5560 Corporate Exchange Ct SE, Grand Rapids, MI 49512

ISO/IEC 17025:2005, Certificate #AT-1542.01

DoD-ELAP, Certificate #ADE-1542

Minnesota Department of Health, Certificate #1177224

Arkansas Department of Environmental Quality, Certificate #17-046-0

Georgia Environmental Protection Division, Stipulation

Illinois Environmental Protection Agency, Certificate

#004097

Michigan Department of Environmental Quality, Laboratory #0034

New York State Department of Health, Serial #56192 and 56193

North Carolina Division of Water Resources, Certificate #659

Virginia Department of General Services, Certificate #9028

Wisconsin Department of Natural Resources, Laboratory #999472650

U.S. Department of Agriculture Permit to Receive Soil, Permit #P330-14-00305

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40160727001	B-3 0-2.5'	Solid	10/30/17 14:00	11/02/17 07:35
40160727002	B-14 0-2.5'	Solid	10/30/17 15:00	11/02/17 07:35
40160727003	B-8 2.5-5.0'	Solid	10/31/17 08:50	11/02/17 07:35
40160727004	B-9 2.5-5.0'	Solid	10/31/17 09:15	11/02/17 07:35
40160727005	B-3 0-2.5' LEACH	Water	11/14/17 00:00	11/14/17 07:35
40160727006	B-14 0-2.5' LEACH	Water	11/14/17 00:00	11/14/17 07:35
40160727007	B-8 2.5-5.0' LEACH	Water	11/14/17 00:00	11/14/17 07:35
40160727008	B-9 2.5-5.0' LEACH	Water	11/14/17 00:00	11/14/17 07:35

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40160727005	B-3 0-2.5' LEACH	EPA 8270 by HVI	TPO	20	PASI-G
40160727006	B-14 0-2.5' LEACH	EPA 8270 by HVI	TPO	20	PASI-G
40160727007	B-8 2.5-5.0' LEACH	EPA 8270 by HVI	TPO	20	PASI-G
40160727008	B-9 2.5-5.0' LEACH	EPA 6010C	KLV	1	PASI-GRMI
		EPA 8270 by HVI	TPO	20	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40160727006</b>	<b>B-14 0-2.5' LEACH</b>					
EPA 8270 by HVI	1-Methylnaphthalene	0.0092J	ug/L	0.031	11/16/17 13:06	
EPA 8270 by HVI	Pyrene	0.0086J	ug/L	0.040	11/16/17 13:06	
<b>40160727008</b>	<b>B-9 2.5-5.0' LEACH</b>					
EPA 6010C	Lead	19.8J	ug/L	50.0	11/20/17 09:59	
EPA 8270 by HVI	1-Methylnaphthalene	0.0072J	ug/L	0.029	11/16/17 13:43	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

**Sample: B-3 0-2.5' LEACH**      **Lab ID: 40160727005**      Collected: 11/14/17 00:00      Received: 11/14/17 07:35      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by HVI</b>		Analytical Method: EPA 8270 by HVI    Preparation Method: EPA 3510							
Acenaphthene	<0.0058	ug/L	0.029	0.0058	1	11/16/17 08:19	11/16/17 11:52	83-32-9	
Acenaphthylene	<0.0048	ug/L	0.024	0.0048	1	11/16/17 08:19	11/16/17 11:52	208-96-8	
Anthracene	<0.010	ug/L	0.050	0.010	1	11/16/17 08:19	11/16/17 11:52	120-12-7	
Benzo(a)anthracene	<0.0073	ug/L	0.036	0.0073	1	11/16/17 08:19	11/16/17 11:52	56-55-3	
Benzo(a)pyrene	<0.010	ug/L	0.051	0.010	1	11/16/17 08:19	11/16/17 11:52	50-32-8	
Benzo(b)fluoranthene	<0.0055	ug/L	0.028	0.0055	1	11/16/17 08:19	11/16/17 11:52	205-99-2	
Benzo(g,h,i)perylene	<0.0065	ug/L	0.033	0.0065	1	11/16/17 08:19	11/16/17 11:52	191-24-2	
Benzo(k)fluoranthene	<0.0073	ug/L	0.036	0.0073	1	11/16/17 08:19	11/16/17 11:52	207-08-9	
Chrysene	<0.013	ug/L	0.063	0.013	1	11/16/17 08:19	11/16/17 11:52	218-01-9	
Dibenz(a,h)anthracene	<0.0096	ug/L	0.048	0.0096	1	11/16/17 08:19	11/16/17 11:52	53-70-3	
Fluoranthene	<0.010	ug/L	0.051	0.010	1	11/16/17 08:19	11/16/17 11:52	206-44-0	
Fluorene	<0.0077	ug/L	0.038	0.0077	1	11/16/17 08:19	11/16/17 11:52	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.017	ug/L	0.085	0.017	1	11/16/17 08:19	11/16/17 11:52	193-39-5	
1-Methylnaphthalene	<0.0057	ug/L	0.028	0.0057	1	11/16/17 08:19	11/16/17 11:52	90-12-0	
2-Methylnaphthalene	<0.0047	ug/L	0.024	0.0047	1	11/16/17 08:19	11/16/17 11:52	91-57-6	
Naphthalene	<0.018	ug/L	0.088	0.018	1	11/16/17 08:19	11/16/17 11:52	91-20-3	
Phenanthrene	<0.013	ug/L	0.066	0.013	1	11/16/17 08:19	11/16/17 11:52	85-01-8	
Pyrene	<0.0074	ug/L	0.037	0.0074	1	11/16/17 08:19	11/16/17 11:52	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	46	%	35-84		1	11/16/17 08:19	11/16/17 11:52	321-60-8	
Terphenyl-d14 (S)	59	%	10-129		1	11/16/17 08:19	11/16/17 11:52	1718-51-0	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40160727

**Sample: B-14 0-2.5' LEACH**      **Lab ID: 40160727006**      Collected: 11/14/17 00:00      Received: 11/14/17 07:35      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by HVI</b>		Analytical Method: EPA 8270 by HVI    Preparation Method: EPA 3510							
Acenaphthene	<0.0064	ug/L	0.032	0.0064	1	11/16/17 08:19	11/16/17 13:06	83-32-9	
Acenaphthylene	<0.0052	ug/L	0.026	0.0052	1	11/16/17 08:19	11/16/17 13:06	208-96-8	
Anthracene	<0.011	ug/L	0.055	0.011	1	11/16/17 08:19	11/16/17 13:06	120-12-7	
Benzo(a)anthracene	<0.0079	ug/L	0.040	0.0079	1	11/16/17 08:19	11/16/17 13:06	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.055	0.011	1	11/16/17 08:19	11/16/17 13:06	50-32-8	
Benzo(b)fluoranthene	<0.0060	ug/L	0.030	0.0060	1	11/16/17 08:19	11/16/17 13:06	205-99-2	
Benzo(g,h,i)perylene	<0.0071	ug/L	0.036	0.0071	1	11/16/17 08:19	11/16/17 13:06	191-24-2	
Benzo(k)fluoranthene	<0.0079	ug/L	0.040	0.0079	1	11/16/17 08:19	11/16/17 13:06	207-08-9	
Chrysene	<0.014	ug/L	0.069	0.014	1	11/16/17 08:19	11/16/17 13:06	218-01-9	
Dibenz(a,h)anthracene	<0.011	ug/L	0.053	0.011	1	11/16/17 08:19	11/16/17 13:06	53-70-3	
Fluoranthene	<0.011	ug/L	0.056	0.011	1	11/16/17 08:19	11/16/17 13:06	206-44-0	
Fluorene	<0.0084	ug/L	0.042	0.0084	1	11/16/17 08:19	11/16/17 13:06	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.019	ug/L	0.093	0.019	1	11/16/17 08:19	11/16/17 13:06	193-39-5	
1-Methylnaphthalene	0.0092J	ug/L	0.031	0.0062	1	11/16/17 08:19	11/16/17 13:06	90-12-0	
2-Methylnaphthalene	<0.0052	ug/L	0.026	0.0052	1	11/16/17 08:19	11/16/17 13:06	91-57-6	
Naphthalene	<0.019	ug/L	0.096	0.019	1	11/16/17 08:19	11/16/17 13:06	91-20-3	
Phenanthrene	<0.015	ug/L	0.073	0.015	1	11/16/17 08:19	11/16/17 13:06	85-01-8	
Pyrene	0.0086J	ug/L	0.040	0.0081	1	11/16/17 08:19	11/16/17 13:06	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	53	%	35-84		1	11/16/17 08:19	11/16/17 13:06	321-60-8	
Terphenyl-d14 (S)	60	%	10-129		1	11/16/17 08:19	11/16/17 13:06	1718-51-0	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

**Sample: B-8 2.5-5.0' LEACH**      **Lab ID: 40160727007**      Collected: 11/14/17 00:00      Received: 11/14/17 07:35      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270 MSSV PAH by HVI</b>		Analytical Method: EPA 8270 by HVI      Preparation Method: EPA 3510							
Acenaphthene	<0.0063	ug/L	0.032	0.0063	1	11/16/17 08:19	11/16/17 13:24	83-32-9	
Acenaphthylene	<0.0052	ug/L	0.026	0.0052	1	11/16/17 08:19	11/16/17 13:24	208-96-8	
Anthracene	<0.011	ug/L	0.054	0.011	1	11/16/17 08:19	11/16/17 13:24	120-12-7	
Benzo(a)anthracene	<0.0079	ug/L	0.039	0.0079	1	11/16/17 08:19	11/16/17 13:24	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.055	0.011	1	11/16/17 08:19	11/16/17 13:24	50-32-8	
Benzo(b)fluoranthene	<0.0060	ug/L	0.030	0.0060	1	11/16/17 08:19	11/16/17 13:24	205-99-2	
Benzo(g,h,i)perylene	<0.0071	ug/L	0.035	0.0071	1	11/16/17 08:19	11/16/17 13:24	191-24-2	
Benzo(k)fluoranthene	<0.0079	ug/L	0.039	0.0079	1	11/16/17 08:19	11/16/17 13:24	207-08-9	
Chrysene	<0.014	ug/L	0.068	0.014	1	11/16/17 08:19	11/16/17 13:24	218-01-9	
Dibenz(a,h)anthracene	<0.010	ug/L	0.052	0.010	1	11/16/17 08:19	11/16/17 13:24	53-70-3	
Fluoranthene	<0.011	ug/L	0.056	0.011	1	11/16/17 08:19	11/16/17 13:24	206-44-0	
Fluorene	<0.0083	ug/L	0.042	0.0083	1	11/16/17 08:19	11/16/17 13:24	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.018	ug/L	0.092	0.018	1	11/16/17 08:19	11/16/17 13:24	193-39-5	
1-Methylnaphthalene	<0.0061	ug/L	0.031	0.0061	1	11/16/17 08:19	11/16/17 13:24	90-12-0	
2-Methylnaphthalene	<0.0051	ug/L	0.026	0.0051	1	11/16/17 08:19	11/16/17 13:24	91-57-6	
Naphthalene	<0.019	ug/L	0.095	0.019	1	11/16/17 08:19	11/16/17 13:24	91-20-3	
Phenanthrene	<0.014	ug/L	0.072	0.014	1	11/16/17 08:19	11/16/17 13:24	85-01-8	
Pyrene	<0.0080	ug/L	0.040	0.0080	1	11/16/17 08:19	11/16/17 13:24	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	40	%	35-84		1	11/16/17 08:19	11/16/17 13:24	321-60-8	
Terphenyl-d14 (S)	40	%	10-129		1	11/16/17 08:19	11/16/17 13:24	1718-51-0	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

**Sample: B-9 2.5-5.0' LEACH**      **Lab ID: 40160727008**      Collected: 11/14/17 00:00      Received: 11/14/17 07:35      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010C MET ICP</b>		Analytical Method: EPA 6010C    Preparation Method: EPA 3010A							
Lead	<b>19.8J</b>	ug/L	50.0	18.0	1	11/17/17 10:30	11/20/17 09:59	7439-92-1	
<b>8270 MSSV PAH by HVI</b>		Analytical Method: EPA 8270 by HVI    Preparation Method: EPA 3510							
Acenaphthene	<b>&lt;0.0060</b>	ug/L	0.030	0.0060	1	11/16/17 08:19	11/16/17 13:43	83-32-9	
Acenaphthylene	<b>&lt;0.0049</b>	ug/L	0.024	0.0049	1	11/16/17 08:19	11/16/17 13:43	208-96-8	
Anthracene	<b>&lt;0.010</b>	ug/L	0.051	0.010	1	11/16/17 08:19	11/16/17 13:43	120-12-7	
Benzo(a)anthracene	<b>&lt;0.0074</b>	ug/L	0.037	0.0074	1	11/16/17 08:19	11/16/17 13:43	56-55-3	
Benzo(a)pyrene	<b>&lt;0.010</b>	ug/L	0.052	0.010	1	11/16/17 08:19	11/16/17 13:43	50-32-8	
Benzo(b)fluoranthene	<b>&lt;0.0056</b>	ug/L	0.028	0.0056	1	11/16/17 08:19	11/16/17 13:43	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;0.0066</b>	ug/L	0.033	0.0066	1	11/16/17 08:19	11/16/17 13:43	191-24-2	
Benzo(k)fluoranthene	<b>&lt;0.0074</b>	ug/L	0.037	0.0074	1	11/16/17 08:19	11/16/17 13:43	207-08-9	
Chrysene	<b>&lt;0.013</b>	ug/L	0.064	0.013	1	11/16/17 08:19	11/16/17 13:43	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;0.0098</b>	ug/L	0.049	0.0098	1	11/16/17 08:19	11/16/17 13:43	53-70-3	
Fluoranthene	<b>&lt;0.010</b>	ug/L	0.052	0.010	1	11/16/17 08:19	11/16/17 13:43	206-44-0	
Fluorene	<b>&lt;0.0078</b>	ug/L	0.039	0.0078	1	11/16/17 08:19	11/16/17 13:43	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;0.017</b>	ug/L	0.086	0.017	1	11/16/17 08:19	11/16/17 13:43	193-39-5	
1-Methylnaphthalene	<b>0.0072J</b>	ug/L	0.029	0.0058	1	11/16/17 08:19	11/16/17 13:43	90-12-0	
2-Methylnaphthalene	<b>&lt;0.0048</b>	ug/L	0.024	0.0048	1	11/16/17 08:19	11/16/17 13:43	91-57-6	
Naphthalene	<b>&lt;0.018</b>	ug/L	0.090	0.018	1	11/16/17 08:19	11/16/17 13:43	91-20-3	
Phenanthrene	<b>&lt;0.014</b>	ug/L	0.068	0.014	1	11/16/17 08:19	11/16/17 13:43	85-01-8	
Pyrene	<b>&lt;0.0075</b>	ug/L	0.038	0.0075	1	11/16/17 08:19	11/16/17 13:43	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	49	%	35-84		1	11/16/17 08:19	11/16/17 13:43	321-60-8	
Terphenyl-d14 (S)	63	%	10-129		1	11/16/17 08:19	11/16/17 13:43	1718-51-0	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

---

QC Batch: 9467	Analysis Method: EPA 6010C
QC Batch Method: EPA 3010A	Analysis Description: 6010C MET
Associated Lab Samples: 40160727008	

---

METHOD BLANK: 38648 Matrix: Water

Associated Lab Samples: 40160727008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<18.0	50.0	11/20/17 09:55	

---

LABORATORY CONTROL SAMPLE: 38649

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	400	396	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40160727

QC Batch: 274393 Analysis Method: EPA 8270 by HVI  
QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by HVI  
Associated Lab Samples: 40160727005, 40160727006, 40160727007, 40160727008

METHOD BLANK: 1614565 Matrix: Water  
Associated Lab Samples: 40160727005, 40160727006, 40160727007, 40160727008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.0059	0.030	11/16/17 11:15	
2-Methylnaphthalene	ug/L	<0.0049	0.024	11/16/17 11:15	
Acenaphthene	ug/L	<0.0061	0.030	11/16/17 11:15	
Acenaphthylene	ug/L	<0.0050	0.025	11/16/17 11:15	
Anthracene	ug/L	<0.010	0.052	11/16/17 11:15	
Benzo(a)anthracene	ug/L	<0.0076	0.038	11/16/17 11:15	
Benzo(a)pyrene	ug/L	<0.011	0.053	11/16/17 11:15	
Benzo(b)fluoranthene	ug/L	<0.0057	0.029	11/16/17 11:15	
Benzo(g,h,i)perylene	ug/L	<0.0068	0.034	11/16/17 11:15	
Benzo(k)fluoranthene	ug/L	<0.0076	0.038	11/16/17 11:15	
Chrysene	ug/L	<0.013	0.065	11/16/17 11:15	
Dibenz(a,h)anthracene	ug/L	<0.010	0.050	11/16/17 11:15	
Fluoranthene	ug/L	<0.011	0.053	11/16/17 11:15	
Fluorene	ug/L	<0.0080	0.040	11/16/17 11:15	
Indeno(1,2,3-cd)pyrene	ug/L	<0.018	0.088	11/16/17 11:15	
Naphthalene	ug/L	<0.018	0.092	11/16/17 11:15	
Phenanthrene	ug/L	<0.014	0.069	11/16/17 11:15	
Pyrene	ug/L	<0.0076	0.038	11/16/17 11:15	
2-Fluorobiphenyl (S)	%	52	35-84	11/16/17 11:15	
Terphenyl-d14 (S)	%	79	10-129	11/16/17 11:15	

METHOD BLANK: 1614568 Matrix: Water  
Associated Lab Samples: 40160727005, 40160727006, 40160727007, 40160727008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.0053	0.026	11/16/17 11:34	
2-Methylnaphthalene	ug/L	<0.0044	0.022	11/16/17 11:34	
Acenaphthene	ug/L	<0.0054	0.027	11/16/17 11:34	
Acenaphthylene	ug/L	<0.0044	0.022	11/16/17 11:34	
Anthracene	ug/L	<0.0093	0.047	11/16/17 11:34	
Benzo(a)anthracene	ug/L	<0.0067	0.034	11/16/17 11:34	
Benzo(a)pyrene	ug/L	<0.0094	0.047	11/16/17 11:34	
Benzo(b)fluoranthene	ug/L	<0.0051	0.026	11/16/17 11:34	
Benzo(g,h,i)perylene	ug/L	0.0062J	0.030	11/16/17 11:34	
Benzo(k)fluoranthene	ug/L	<0.0067	0.034	11/16/17 11:34	
Chrysene	ug/L	<0.012	0.058	11/16/17 11:34	
Dibenz(a,h)anthracene	ug/L	<0.0089	0.045	11/16/17 11:34	
Fluoranthene	ug/L	<0.0095	0.048	11/16/17 11:34	
Fluorene	ug/L	<0.0071	0.036	11/16/17 11:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40160727

METHOD BLANK: 1614568 Matrix: Water  
Associated Lab Samples: 40160727005, 40160727006, 40160727007, 40160727008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Indeno(1,2,3-cd)pyrene	ug/L	<0.016	0.079	11/16/17 11:34	
Naphthalene	ug/L	<0.016	0.082	11/16/17 11:34	
Phenanthrene	ug/L	<0.012	0.062	11/16/17 11:34	
Pyrene	ug/L	<0.0068	0.034	11/16/17 11:34	
2-Fluorobiphenyl (S)	%	54	35-84	11/16/17 11:34	
Terphenyl-d14 (S)	%	70	10-129	11/16/17 11:34	

LABORATORY CONTROL SAMPLE & LCSD: 1614566 1614567

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1-Methylnaphthalene	ug/L	2	1.3	1.4	66	68	39-83	3	29	
2-Methylnaphthalene	ug/L	2	1.3	1.4	66	68	38-86	3	32	
Acenaphthene	ug/L	2	1.2	1.3	60	66	35-85	10	27	
Acenaphthylene	ug/L	2	1.2	1.3	62	67	31-88	8	29	
Anthracene	ug/L	2	1.5	1.5	73	74	47-104	2	25	
Benzo(a)anthracene	ug/L	2	1.5	1.5	76	76	36-105	0	20	
Benzo(a)pyrene	ug/L	2	1.6	1.6	79	81	69-117	3	20	
Benzo(b)fluoranthene	ug/L	2	1.5	1.5	76	75	54-107	1	22	
Benzo(g,h,i)perylene	ug/L	2	1.1	0.97	57	49	13-86	15	33	
Benzo(k)fluoranthene	ug/L	2	1.5	1.6	77	79	63-128	3	20	
Chrysene	ug/L	2	1.8	1.8	89	89	69-150	1	20	
Dibenz(a,h)anthracene	ug/L	2	1.1	0.86	53	43	10-87	20	37	
Fluoranthene	ug/L	2	1.7	1.8	85	90	57-103	5	20	
Fluorene	ug/L	2	1.3	1.5	66	73	38-85	11	28	
Indeno(1,2,3-cd)pyrene	ug/L	2	1.6	1.5	79	75	40-111	6	22	
Naphthalene	ug/L	2	1.1	1.1	57	57	39-82	1	28	
Phenanthrene	ug/L	2	1.4	1.6	71	79	46-96	10	25	
Pyrene	ug/L	2	1.6	1.7	82	85	57-110	4	20	
2-Fluorobiphenyl (S)	%				56	60	35-84			
Terphenyl-d14 (S)	%				78	80	10-129			

MATRIX SPIKE SAMPLE: 1614569

Parameter	Units	40160727005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	<0.0057	1.8	0.94	51	27-86	
2-Methylnaphthalene	ug/L	<0.0047	1.8	0.93	51	30-86	
Acenaphthene	ug/L	<0.0058	1.8	0.85	47	28-85	
Acenaphthylene	ug/L	<0.0048	1.8	0.87	48	27-88	
Anthracene	ug/L	<0.010	1.8	1.1	59	38-104	
Benzo(a)anthracene	ug/L	<0.0073	1.8	0.99	55	10-105	
Benzo(a)pyrene	ug/L	<0.010	1.8	0.93	51	10-130	
Benzo(b)fluoranthene	ug/L	<0.0055	1.8	0.92	51	10-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

MATRIX SPIKE SAMPLE: 1614569		40160727005	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Benzo(g,h,i)perylene	ug/L	<0.0065	1.8	0.42	23	10-87	
Benzo(k)fluoranthene	ug/L	<0.0073	1.8	0.86	47	10-133	
Chrysene	ug/L	<0.013	1.8	1.2	64	17-150	
Dibenz(a,h)anthracene	ug/L	<0.0096	1.8	0.36	20	10-89	
Fluoranthene	ug/L	<0.010	1.8	1.2	65	41-103	
Fluorene	ug/L	<0.0077	1.8	0.93	51	32-85	
Indeno(1,2,3-cd)pyrene	ug/L	<0.017	1.8	0.66	36	10-111	
Naphthalene	ug/L	<0.018	1.8	0.82	45	23-88	
Phenanthrene	ug/L	<0.013	1.8	1.0	56	33-96	
Pyrene	ug/L	<0.0074	1.8	1.1	63	38-110	
2-Fluorobiphenyl (S)	%				45	35-84	
Terphenyl-d14 (S)	%				57	10-129	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 1711-0018-0001 1632 FRANKLIN P  
Pace Project No.: 40160727

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-G Pace Analytical Services - Green Bay

PASI-GRMI Pace Analytical - Grand Rapids

### WORKORDER QUALIFIERS

WO: 40160727

[1] PAH Leach Preps took place on 11/14/17, 14 and 15 days after sample collection.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1711-0018-0001 1632 FRANKLIN P

Pace Project No.: 40160727

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40160727008	B-9 2.5-5.0' LEACH	EPA 3010A	9467	EPA 6010C	9586
40160727005	B-3 0-2.5' LEACH	EPA 3510	274393	EPA 8270 by HVI	274521
40160727006	B-14 0-2.5' LEACH	EPA 3510	274393	EPA 8270 by HVI	274521
40160727007	B-8 2.5-5.0' LEACH	EPA 3510	274393	EPA 8270 by HVI	274521
40160727008	B-9 2.5-5.0' LEACH	EPA 3510	274393	EPA 8270 by HVI	274521

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



40160727

UPPER MIDWEST REGION

Page 7 of 7

MN: 612-607-1700 WI: 920-469-2436

40159995

Page 17 of 25

(Please Print Clearly)

Company Name: Kou Engineering  
 Branch/Location: Milwaukee WI  
 Project Contact: Kurt McClung  
 Phone: 262-853-1196  
 Project Number: 1606-0975-0001  
 Project Name: BOIS & GOLF CLUB  
 Project State: WI  
 Sampled By (Print): [Signature]  
 Sampled By (Sign): [Signature]  
 PO #: \_\_\_\_\_ Regulatory Program: \_\_\_\_\_



**CHAIN OF CUSTODY**

\*Preservation Codes  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

DATE	TIME	MATRIX	WATER	RAIN	PCB	PER KURT 11/17	ASIM Leach PAF
10/31/12	1400	Soil	α	α			
10/30/12	1405		α	α			
10/30/12	1500		α	α			✓
	1510		α	α			
	1520		α	α			
	1530		α	α			
	1540		α	α			
10/30/12	1240		α	α			
	1452		α	α			
	1123		α	α			
10/31/12	1348		α	α			
10/30/12	1530		α	α			
10/30/12							

Quote #: \_\_\_\_\_  
 Mail To Contact: Kurt McClung  
 Mail To Company: Kou Engineering  
 Mail To Address: 735 Water St Milwaukee WI  
 Invoice To Contact: Russell Gault  
 Invoice To Company: Kou Engineering  
 Invoice To Address: SAA  
 Invoice To Phone: 414-224-8300

Data Package Options (billable)  
 EPA Level III  
 EPA Level IV

MS/MSD  
 On your sample (billable)  
 NOT needed on your sample

Matrix Codes  
 W = Water DW = Drinking Water  
 B = Biota GW = Ground Water  
 C = Charcoal SW = Surface Water  
 O = Oil WW = Waste Water  
 S = Soil WP = Wipe  
 SI = Sludge

PACE LAB #	CLIENT FIELD ID	DATE	TIME	MATRIX
077	B13 15.0-17.5	10/31/12	1400	Soil
078	17.5-20.0		1405	
079	B14 0-2.5	10/30/12	1500	
080	2.5-5.0		1510	
081	5.0-7.5		1520	
082	7.5-10.0		1530	
083	10.0-12.5		1540	
084	B2 5.0-7.5	10/30/12	1240	
085	B4 2.5-5.0		1452	
086	B6 2.5-5.0		1123	
087	B13 7.5-10	10/31/12	1348	
088	B14 7.5-10	10/30/12	1530	
089	B9 7.5-10.00	10/30/12		

Relinquished By: [Signature] Date/Time: 11.1.17  
 Relinquished By: Mary Jannin Date/Time: 11/01/17 1450  
 Relinquished By: CS Logistics Date/Time: 11/21/17 0735  
 Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: Mary Jannin Date/Time: 11/01/17 1330  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received By: Rachel Wus Rice Date/Time: 11/21/17 0735  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

PACE Project No. 40159995  
 Receipt Temp = 201 °C  
 Sample Receipt pH OK / Adjusted  
 Cooler Custody Seal Present / Not Present  
 Inset / Not Intact

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_  
 Transmit Prelim Rush Results by (complete what you want): \_\_\_\_\_  
 Email #1: \_\_\_\_\_  
 Email #2: \_\_\_\_\_  
 Telephone: \_\_\_\_\_

019a(27Jun2006)

① added by lab, included in shipment kg 11/2/17

Version 6.0 06/14/06 ORIGINAL

(Please Print Clearly)

Company Name: Key Engineering  
 Branch/Location: Wauwatosa WI  
 Project Contact: Kurt McClung  
 Phone: 262-853-1196  
 Project Number: 1606-0975-0001  
 Project Name: Boys & Girls Club  
 Project State: WI  
 Sampled By (Print): Joseph Conrad  
 Sampled By (Sign): [Signature]  
 PO #: \_\_\_\_\_ Regulatory Program: \_\_\_\_\_



**CHAIN OF CUSTODY**

Preservation Codes  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

DATE	TIME	MATRIX	ACCEPTED	PER KURT 11/10/17	ASTM Leach PAH	ASTM Leach Pb
10/30/12	1635	Soil	2			
10/30/12	1640		2			
10/30/12	1645		2			
10/30/12	1650		2			
10/30/12	1655		2			
10/30/12	1700		2			
10/31/12	845		2			
10/31/12	850		2		✓	
10/31/12	855		2			
10/31/12	900		2			
10/31/12	910		2			
10/31/12	915		2		✓	✓
10/31/12	920		2			

Data Package Options (billable)  
 EPA Level III  
 EPA Level IV

MS/MSD  
 On your sample (billable)  
 NOT needed on your sample

Matrix Codes  
 A=Air W=Water  
 B=Biota DW=Drinking Water  
 C=Charcoal GW=Ground Water  
 O=Oil SW=Surface Water  
 S=Soil WW=Waste Water  
 Sl=Sludge WP=Wipe

PACE LAB #	CLIENT FIELD ID	DATE	TIME	MATRIX
038	B6 10-12.5	10/30/12	1635	Soil
039	12.5-15.00	10/30/12	1640	
040	B7 0-2.5	10/30/12	1645	
041	2.5-5.0	10/30/12	1650	
042	5.0-7.5	10/30/12	1655	
043	7.5-10.00	10/30/12	1700	
044	B8 0-2.5	10/31/12	845	
045	2.5-5.0	10/31/12	850	
046	5.0-7.5	10/31/12	855	
047	7.5-10.00	10/31/12	900	
048	B9 0-2.5	10/31/12	910	
049	2.5-5.0	10/31/12	915	
050	5.0-7.5	10/31/12	920	

Quote #: \_\_\_\_\_  
 Mail To Contact: Kurt McClung  
 Mail To Company: Key Engineering  
 Mail To Address: 135 N Water St Wauwatosa WI  
 Invoice To Contact: Cassie Haupt  
 Invoice To Company: Key Engineering  
 Invoice To Address: SAA  
 Invoice To Phone: 414-224-8300  
 CLIENT COMMENTS: \_\_\_\_\_  
 LAB COMMENTS (Lab Use Only): \_\_\_\_\_  
 Profile #: \_\_\_\_\_

40159995

003

004

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Transmit Prelim Rush Results by (complete what you want):  
 Email #1: \_\_\_\_\_  
 Email #2: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Joseph Conrad Date/Time: 11/1/17  
 Relinquished By: Mary Farnin Date/Time: 11/01/17 1450  
 Relinquished By: CS LOGISTICS Date/Time: 11/21/17 0735  
 Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: Mary Farnin Date/Time: 11/01/17 1330  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received By: Rachel Wus Ruc Date/Time: 11/21/17 0735  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

PACE Project No. 40159995  
 Receipt Temp = 120 °C  
 Sample Receipt pH OK / Adjusted  
 Chain Custody Seal Present / Not Present Intact / Not Intact

40160727

**Angela Lane - Fwd: RE: FW: 17144 Franklin Place Soil Export**


---

**From:** Dan Milewsky  
**To:** Lane, Angela  
**Date:** 11/14/2017 11:05 AM  
**Subject:** Fwd: RE: FW: 17144 Franklin Place Soil Export  
**Attachments:** Terracon ASTM.pdf

---

Here it is. Key, not Terracon

Dan Milewsky  
 Project Manager  
 Pace Analytical Services  
 1241 Bellevue Street  
 Green Bay, WI 54302  
 920.412-8566 (Direct/Cell) | 920.469.2436 (Green Bay Lab) |  
[www.pacelabs.com](http://www.pacelabs.com)



**We will not be setting up BOD's on Saturday November 18th to allow our employees to spend Thanksgiving with their families.**

**Pace Green Bay will be closed Thursday/Friday Nov 23-24. Sample receiving will be open normal hours on Saturday Nov 25. Please plan your sampling accordingly. Thank you for your understanding.**

**We hope you and your have a wonderful Thanksgiving!**

>>> Dan Milewsky 11/14/2017 8:11 AM >>>  
 Good morning,

Please log these 4 samples in using Profile 4037 LI 12 and 6. We don't have a code for ASTM PAH, so you'll need to log soils for ASTM metals and a separate water sample for PAH.

Dan

---

>>> Kurt McClung <kmccclung@keyengineering.com> 11/13/2017 4:15 PM >>>  
 B-3; 0-2.5' PAH; past-hold acknowledged  
~~B-5; 2.5-5' PAH; past hold/omit~~  
 B-8; 2.5-5' PAH  
 B-9; 2.5-5' PAH and lead  
 B-14; 0-2.5' PAH in place of B-5

40160727

Let me know if that works.

Thanks, --Kurt


**From:** Dan Milewsky [[Dan.Milewsky@pacelabs.com](mailto:Dan.Milewsky@pacelabs.com)]  
**Sent:** Monday, November 13, 2017 3:52 PM  
**To:** Kurt McClung <[kmcclung@keyengineering.com](mailto:kmcclung@keyengineering.com)>  
**Subject:** RE: FW: 17144 Franklin Place Soil Export

B-3 is past hold today for PAH.

B-5 is also past hold today for PAH, and the jar is in our Michigan lab.

Let me know if you want those run past hold or if you want to choose other samples. The following samples are also in Michigan: B4, B10, B11, B12, B13

Dan Milewsky  
 Project Manager  
 Pace Analytical Services  
 1241 Bellevue Street  
 Green Bay, WI 54302  
[920.412-8566](tel:920.412.8566) (Direct/Cell) | [920.469.2436](tel:920.469.2436) (Green Bay Lab) |  
[www.pacelabs.com](http://www.pacelabs.com)



**We will not be setting up BOD's on Saturday November 18th to allow our employees to spend Thanksgiving with their families.**

**Pace Green Bay will be closed Thursday/Friday Nov 23-24. Sample receiving will be open normal hours on Saturday Nov 25. Please plan your sampling accordingly. Thank you for your understanding.**

**We hope you and your have a wonderful Thanksgiving!**

>>> Kurt McClung <[kmcclung@keyengineering.com](mailto:kmcclung@keyengineering.com)> 11/13/2017 3:40 PM >>>

Let me know for sure if the sample volumes are adequate and I'll send a chain, if that's the correct procedure.


40160727

**From:** Dan Milewsky [mailto:Dan.Milewsky@pacelabs.com]  
**Sent:** Monday, November 13, 2017 3:34 PM  
**To:** Kurt McClung <kmcclung@keyengineering.com>  
**Subject:** Re: FW: 17144 Franklin Place Soil Export

Kurt,

The should be enough volume for each individual sample you listed. If not a composite of the boring will work. I'll be back in touch with a confirmation and due date.

Dan Milewsky  
 Project Manager  
 Pace Analytical Services  
 1241 Bellevue Street  
 Green Bay, WI 54302  
 920.412-8566 (Direct/Cell) | 920.469.2436 (Green Bay Lab) |  
[www.pacelabs.com](http://www.pacelabs.com)



**We will not be setting up BOD's on Saturday November 18th to allow our employees to spend Thanksgiving with their families.**

**Pace Green Bay will be closed Thursday/Friday Nov 23-24. Sample receiving will be open normal hours on Saturday Nov 25. Please plan your sampling accordingly. Thank you for your understanding.**

**We hope you and your have a wonderful Thanksgiving!**

>>> Kurt McClung <kmcclung@keyengineering.com> 11/13/2017 3:23 PM >>>

Is there adequate residual soil from 1632 FRANKLIN P (Pace Project # 40159995) to run ASTM 3987 water leach test with neutral water for the following samples:

- B-3; 0-2.5' PAH
- B-5; 2.5-5' PAH
- B-8; 2.5-5' PAH
- B-9; 2.5-5' PAH and lead

I do not know the necessary sample volume for this method. If there is not adequate soil, please determine if a composite of the 0 to 5-foot depth interval would provide adequate sample.

If you have adequate sample quantity, please let me know when I can hope to get the results.



40160727

Thanks, --Kurt

-----Original Message-----

From: Rick Frieseke [mailto:rfrieseke@fecinc.us]

Sent: Monday, November 13, 2017 3:17 PM

To: Kurt McClung <kmclung@keyengineering.com>; Dan Richter <dr@edgerton.us>;  
bsigler@csmith.com

Subject: Re: 17144 Franklin Place Soil Export

Kurt

Test should be ASTM 3987 Water leach test with neutral water.

I would run

B-3; 0-2.5' PAH

B-5; 2.5-5' PAH

B-8; 2.5-5' PAH

B-9; 2.5-5' PAH and lead.

Does your client want us to proceed with the exemption request.

If so, we should meet with Paul Grittner ASAP to discuss the submittal.

Rick

I would run On 11/13/2017 1:59 PM, Kurt McClung wrote:

> We have soil samples collected from the Franklin Place site on October 30 and 31 at the laboratory. I can get SPLP analysis run on samples that exceed the direct contact and/or groundwater pathway standard.

>

> How many samples do you require for an estimated 8,000 cubic yards?

>

> Thanks, --Kurt

>

> -----Original Message-----

> From: Kurt McClung

> Sent: Wednesday, October 25, 2017 11:57 AM

> To: 'rfrieseke@fecinc.us' <rfrieseke@fecinc.us>

> Cc: Brendan Sigler <bsigler@csmith.com>; Dan Richter <dr@edgerton.us>

> Subject: RE: 17144 Franklin Place Soil Export

>

> Hi Rick:

>

> We plan to collect soil samples from a site in Milwaukee. A portion of the site has known impacts from a leaking fuel oil UST and former use as a neighborhood coal yard. The impacts we've found through

40160727

investigating include PAHs to soil above the non-industrial direct contact RCL and the groundwater pathway RCL.

>

> The soil samples we collected to date were to investigate the leaking UST. The soil samples we're planning to collect are to obtain characterization samples (one sample every 100 cy to 60 cy, one sample every 300 cy thereafter).

>

> For an estimated 16,000 cy of soil to be removed, we intend to collect about 70 samples for lab analysis before breaking ground. All soil samples will be analyzed for PAHs, 5 randomly distributed samples will be analyzed for VOCs, PCBs, and RCRA metals.

>

> During the investigation stage for the heating oil UST activity, samples for analysis of VOCs yielded trace levels of a few VOCs, but no detections over a few ppm total and no RCL exceedance. We have no reason to believe metals exceed natural-occurring levels nor evidence of PCBs based on a Phase 1 ESA.

>

> What are the threshold criteria your facility will accept?

>

> Thanks,

>

> Kurt McClung, PG, PE

> Senior Engineer

> Direct (414) 225-0592 Phone (414) 224-8300

> Mobile (262) 853-1196 Fax (414) 224-8383

>

> Key Engineering Group, Ltd., A Division of SET Environmental Inc.

> 735 North Water Street, Suite 510

> Milwaukee, Wisconsin 53202

>

> -----Original Message-----

> From: Dan Richter [<mailto:dr@edgerton.us>]

> Sent: Wednesday, October 25, 2017 10:32 AM

> To: Kurt McClung <[kmccclung@keyengineering.com](mailto:kmccclung@keyengineering.com)>

> Cc: Brendan Sigler <[bsigler@cdsmith.com](mailto:bsigler@cdsmith.com)>

> Subject: 17144 Franklin Place Soil Export

>

> Morning Kurt,

>

> Below is our consultant that could receive the low hazard material. As we discussed, please work with him direct on criteria to be able to take soil to his facility in Cedarburg and keep Brendan and I in the loop. Thank You.

>

>

>

> Dan Richter

> Project Manager

> 545 W. Ryan Road, PO Box 901

> Oak Creek, WI 53154

> Office: 414.764.4443 / Fax: 414.764.9788

> Mobile: 414.406.3987

> [dr@edgerton.us](mailto:dr@edgerton.us)

40160727

> [www.edgerton.us](http://www.edgerton.us)

>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>

> -----Original Message-----

> From: Rick Frieseke [<mailto:rfrieseke@fecinc.us>]  
> Sent: Wednesday, October 25, 2017 10:26 AM  
> To: Dan Richter <[dr@edgerton.us](mailto:dr@edgerton.us)>  
> Subject:

>  
>  
> Dan

>  
> Here is my info

>  
> Rick Frieseke  
>  
> Friess Environmental Consulting, Inc.  
> 6637 North Sidney Place  
> Milwaukee, WI 53209  
>  
> 414 228-9815 work ph  
> 414 228-9816 work fax  
> 414 731-9875 cell  
>

--  
Rick Frieseke

Friess Environmental Consulting, Inc.  
6637 North sidney Place  
Milwaukee, WI 53209

414 228-9815 work ph  
414 228-9816 work fax  
414 731-9875 cell



Sample Condition Upon Receipt

Pace Analytical Services, LLC. - Green Bay WI
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Project: WO#: 40160727

Client Name: Key Engineering

Courier: Fed Ex UPS Client Pace Other: CS Logistics

Tracking #:



Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used N/A Type of Ice: Wet Blue Dry None Samples on Ice, cooling process has begun

Cooler Temperature Uncorr: /Corr: 20 Biological Tissue is Frozen: yes

Temp Blank Present: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C.

Person examining contents:

Date: 11/21/17

Initials: KHW

Comments:

Table with 15 rows and 3 columns: Question, Yes/No/N/A checkboxes, and Comments. Includes items like Chain of Custody Present, Short Hold Time Analysis, and Sample Labels match COC.

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: K 11/21/17

Date/Time:

Comments/ Resolution: 057 ID BID 12.5 1500; 001, 003 to 004 no date on 11/21/17

vial 4, 004 vial no depth, 002 vial depth 5.0-7.6; 003 poly date 10/30/17

003 poly, 010, 011, 044-048, 058-065, 4087 11/21/17

date 10/31: 034-039, 070+075 IDs are identical placed arbitrarily by K 11/21/17

+dates

Project Manager Review: R R for D M

Date: 11/21/17

# LEGEND

- Sample Location
- 0-10' No exceedance of NR 720 Groundwater Pathway Standard





FIGURE 1  
BORING LOCATION MAP  
BOYS & GIRLS CLUB  
1632 N FRANKLIN PLACE  
MILWAUKEE, WISCONSIN

DESIGNED BY TLS	DATE 11/7/2017
DRAWN BY RJN	PROJECT 1606-0975
APPROVED BY TLS	SHEET NO.
CADFILE G:\Projects\1606-0975 Boys and Girls Club\Base.dwg	
XREF LMAN	



© 2016 Key Engineering Group Ltd.



735 NORTH WATER STREET, SUITE 510  
MILWAUKEE, WI 53202  
414.224.8300 (tel) - 414.224.8383 (fax)