

Source Legal Documents (Attachment F)

F.1 Deed

F.2 Certified Survey Map

F.3 Verification of Zoning

F.4 Signed Statement

ATTACHMENT F.1

Deed

SPECIAL WARRANTY DEED

Document Number

Document Name

Cover Sheet
for
Special Warranty Deed

Document #: **2464135**

Date: 05-09-2017 Time: 11:48 AM Pages: 8

Fee: \$30.00 County: RACINE State: WI

Requesting Party: First American Title Insurance Company - NC

Register of Deeds: TYSON FETTES

RACINE COUNTY REGISTER OF DEEDS

Transfer Fee: \$36150.00

*The above recording information verifies

this document has been electronically

recorded and returned to First American Title Insurance Company

Recording Area

Name and Return Address

Grantee

c/o Phillips Edison & Company

11501 Northlake Drive

Cincinnati, Ohio 45249

Attn: Legal Services Department

104-04-23-20-103-110

104-04-23-20-103-130

104-04-23-20-103-150

Parcel Identification Number (PIN)

This **is not** homestead property.

(is) (is not)

THIS INSTRUMENT DRAFTED BY:

Michael J. Levick, Esq.

Levick Legal Group, LLC

THIS INSTRUMENT PREPARED BY:

Michael J. Levick, Esq.
Levick Legal Group, LLC
350 West Hubbard Street, Suite 620
Chicago, IL 60654

AFTER RECORDING RETURN TO:

Grantee
c/o Phillips Edison & Company
11501 Northlake Drive
Cincinnati, Ohio 45249
Attn: Legal Services Department

Tax Key/ID Number(s):

104-04-23-20-103-110
104-04-23-20-103-130
104-04-23-20-103-150

SPECIAL WARRANTY DEED

THIS SPECIAL WARRANTY DEED is made and entered into as of this 5th day of May, 2017, by **IRC GREENTREE, L.L.C.**, a Delaware limited liability company, formerly known as Inland Greentree, LLC, a Delaware limited liability company (hereinafter called the "Grantor"), whose address is c/o IRC Retail Centers LLC, 814 Commerce Drive, Suite 300, Oak Brook, Illinois 60523, to **GREENTREE STATION LLC**, a Delaware limited liability company (hereinafter called the "Grantee"), whose address is c/o Phillips Edison & Company, 11501 Northlake Drive, Cincinnati, Ohio 45249.

WITNESSETH:

THAT the Grantor, for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration the receipt and sufficiency of which are hereby acknowledged, by these presents does grant, bargain, sell, alien, remise, release, convey and confirm unto the Grantee all that certain land situate in the Village of Caledonia, County of Racine, State of Wisconsin, and being more particularly described on Exhibit A attached hereto and incorporated herein by this reference (the "Property").

TOGETHER with all improvements thereon and all rights, interests, tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD the same in fee simple, forever.


This conveyance is subject to the items set forth on Exhibit B.


AND, the Grantor hereby covenants with the Grantee that the Grantor is lawfully seized of

the Property in fee simple; that the Grantor has good right and lawful authority to sell and convey the Property; that the Grantor hereby fully warrants the title to the Property and will defend the same against the lawful claims of all persons whosoever claim by, through or under Grantor, and no others.

IN WITNESS WHEREOF, the Grantor has caused these presents to be executed as of the day and year first above written.

Signed, sealed and delivered
in the presence of:


Print Name: Beth Spracher Brooks



Print Name: Michael Bedell

GRANTOR:

IRC GREENTREE, L.L.C.,
a Delaware limited liability company

By: Midwest Retail Mezz LLC,
a Delaware limited liability company,
its sole member

By: IRC Retail Centers LLC,
a Delaware limited liability company,
its sole member


By: 
Name: Mark Zalatoris
Its: Authorized Signatory
President
Chief Executive Officer

STATE OF ILLINOIS)
) ss.
COUNTY OF DUPAGE)

BE IT REMEMBERED that on this 3rd day of May, 2017, before me, a Notary Public in and for the said county and state, personally appeared Mark Zalatoris, personally known to be to the person whose name is subscribed to the within instrument and acknowledged to me that s/he executed the same in her/his authorized capacity, and that by her/his signature on the instrument the person, or entity on behalf of which the person acted, executed the instrument.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my notarial seal on the date and year above-mentioned.

Affix Notary Stamp/Seal Below:





Notary Public
DuPage County, Illinois
My commission expires: 6-22-19
Acting in DuPage County, Illinois

EXHIBIT A

Legal Description of the Property

The legal description of the Property herein conveyed pursuant to this Deed consists of Parcels A, B and C as hereinafter described:

PARCEL A:

Parcel 1 of Certified Survey Map No. 1475 recorded on June 29, 1990 in Volume 4 of Certified Survey Maps, at Page 549, as Document No. 1314159, being a redivision of all of Lot 1, and part of Lot 2, Certified Survey Map No. 1446 recorded on November 9, 1989 in Volume 4 of Certified Survey Maps, at page 469, as Document No. 1296776, located in the Southeast Quarter of the Southwest Quarter of Section 20, Township 4 North, Range 23 East. Said land being in the Village of Caledonia, County of Racine, State of Wisconsin.

Excepting therefrom land conveyed by Quit Claim Deed executed by Hallmark G., a Wisconsin General Partnership, to Hallmark G, a Wisconsin General Partnership, dated November 1, 1990 and recorded in the office of the Register of Deeds for Racine, County Wisconsin on November 12, 1990 in Volume 2042 of Records, at page 255, as Document No. 1325178, being described therein as follows:

Part of Parcel 1 of Certified Survey Map No. 1475, recorded on June 29, 1990 in Volume 4, pages 549-554, as Document No. 1314159, more particularly described as follows: All that part of the Southwest Quarter of Section 20, Township 4 North, Range 23 East, more fully described as follows: Commencing at the South Quarter corner of said Section 20; thence North 00°28'33" West along the East line of said Southwest Quarter, 820.00 feet to the point of beginning of the hereinafter described lands; thence South 89°31'27" West, 66.00 feet to a point; thence South 00°28'33" East, 136.45 feet to a point; thence West 89.60 feet to a point; thence North, 120.00 feet to a point; thence West, 195.00 feet to a point; thence South 62.00 feet to a point; thence West, 336.50 feet to a point; thence North, 471.00 feet to a point; thence West 161.83 feet to a point of curvature; thence 101.73 feet along the arc of curve to the left with a radius of 200.00 feet, whose chord bears South 75°25'42" West, 100.64 feet to a point of tangency; thence South 60°51'24" West, (South 60°51'23" West) 139.98 feet to a point on the Easterly right-of-way line of State Trunk Highway "32" (Douglas Avenue); thence along said Easterly right-of-way 227.35 feet along the arc of a curve to the left, with a radius of 1205.92 feet, whose chord bears North 33°27'02.5" West, 227.02 feet to a point being on the North line of the South One Half of said Southwest Quarter; thence North 89°03'24" East, (Deeded as South 89°42' East) 1,188.53 feet along the north line of the South Half of said Southwest Quarter; thence South 00°28'33" East along the East line of said Southwest Quarter, 507.52 feet to the place of beginning. Said land being in the Village of Caledonia, County of Racine, State of Wisconsin.

Address: 5111 Douglas Avenue, Racine, Wisconsin 53402
Tax Key/ID No.: 104-04-23-20-103-110

PARCEL B:

Parcel 3 of Certified Survey Map No. 1475 recorded on June 29, 1990 in Volume 4 of Certified Survey Maps, at Page 549, as Document No. 1314159, being a redivision of all of Lot 1, and part of Lot 2, Certified Survey Map No. 1446 recorded on November 9, 1989 in Volume 4 of Certified Survey Maps, at page 469, as Document No. 1296776, located in the Southeast Quarter of the Southwest Quarter of Section 20, Township 4 North, Range 23 East. Said land being in the Village of Caledonia, County of Racine, State of Wisconsin.

Address: 5125 Douglas Avenue, Racine, Wisconsin 53402

Tax Key/ID No.: 104-04-23-20-103-130

PARCEL C:

Parcel 5 of Certified Survey Map No. 1476, recorded on June 29, 1990 in Volume 4 of Certified Survey Maps, at Page 555, as Document No. 1314160, being a part of Lot 2, Certified Survey Map No. 1446, Volume 4, Pages 469-473, located in the Southeast Quarter of Section 20, Township 4 North, Range 23 East. Said land being in the Village of Caledonia, County of Racine, State of Wisconsin.

Address: 5055 Douglas Avenue, Racine, Wisconsin 53402

Tax Key/ID No. 104-04-23-20-103-150

End of Exhibit A

EXHIBIT B

List of Permitted Exceptions

1. Any laws, regulations or ordinances presently in effect (including, but not limited to, zoning, building and environmental protection) as to the use, occupancy, subdivision or improvement of the Property adopted or imposed by any governmental body or the effect of any noncompliance with or any violation thereof.
2. The rights of existing tenants, as tenants only, under existing written, unrecorded space leases, without any options to purchase, rights of first refusal, or similar rights to acquire all or any part of the Property.
3. Real estate taxes, vault charges and water and sewer charges for the year 2017 and subsequent years which are a lien but not yet due and payable.
4. Lake Michigan Drainage Assessments, if any, under Resolution Creating Storm Sewer Utility District, Lake Michigan District, Town of Caledonia, Racine County, Wisconsin recorded December 4, 1984 in Volume 1735, page 933, as Document No. 1159885.
5. Terms, conditions, provisions, easements, right to purchase and restrictions as set forth in Memorandum of Lease by and between Hallmark Leasing and Kohl's Food Stores recorded on November 9, 1989 in Volume 1988, page 519, as Document No. 1296789, along with Second Amendment to Lease recorded on October 19, 1993 in Volume 2305, page 524, as Document No. 1439279, and Third Amendment to Lease recorded on October 5, 1994 in Volume 2405, page 561, as Document No. 1481828 and Third Amendment to Lease recorded on October 6, 1994 in Volume 2406, page 38, as Document No. 1482062, and Fifth Amendment to Lease recorded August 28, 1998 in Volume 2805, page 645, as Document No. 1643309, and Sixth Amendment to Lease recorded October 7, 1999 in Volume 2968, page 320, as Document No. 1704082.
6. Utility Easement granted to Wisconsin Electric Power Company recorded on January 29, 1990 in Volume 1998, page 815, as Document No. 1302318.
7. Terms, conditions and provisions as set forth in Easement for ingress and egress by and between Joel J. Kinlow and M&I Bank of Racine recorded August 26, 1985 in Volume 1764, page 432, as Document No. 1175717, as amended by Driveway Easement Agreement recorded July 3, 1990 in Volume 2021, page 920, as Document No. 1314433, and recorded again July 16, 1990 in Volume 2023, page 501, as Document No. 1315306, and Amendment to Driveway Easement Agreement recorded October 29, 1991 in Volume 2100, page 835, as Document No. 1354392.
8. Easement for Ingress and Egress and Notes as set forth on Certified Survey Map No. 1476.
9. First refusal to purchase option as set forth in Memorandum of Lease by and between Hallmark G and K Mart Corporation recorded August 20, 1990 in Volume 2029, page 413,

as Document No. 1318343.

10. Utility Easement granted to Wisconsin Electric Power Company recorded on November 19, 1990 in Volume 2043, page 233, as Document No. 1325701.
11. Terms, conditions, provisions and expenses as set forth in Declaration of Easements and Outlot Restrictions for Greentree Center recorded November 11, 1991 in Volume 2103, page 382, as Document No. 1355564, along with First Amendment to Declaration of Easements and Outlot Restrictions for Greentree Centre recorded October 5, 1994 in Volume 2405, page 556, as Document No. 1481827, and Second Amendment to Declaration of Easements and Outlot Restrictions for Green Tree Center recorded August 23, 1998 in Volume 2805, page 653, as Document No. 1643310, and Third Amendment to Declaration of Easements and Outlot Restrictions for Greentree Center recorded January 29, 2001 in Volume 3112, page 771, as Document No. 1756618.
12. Distribution Easement Overhead/Underground Joint granted to Wisconsin Electric Power Company and Wisconsin Bell, Inc. recorded October 22, 1993 in Volume 2306, page 970, as Document No. 1439809.
13. Distribution Easement Underground Joint Easement granted to Wisconsin Electric Power Company and Wisconsin Bell, Inc. d/b/a Ameritech recorded on August 9, 1994 in Volume 2393, page 60, as Document No. 1476038.
14. Mutual Easement Agreement for utilities by and between Hallmark G and Hallmark M recorded October 5, 1994 in Volume 2405, page 550, as Document No. 1481826 and recorded again December 19, 1994 in Volume 2419, page 928, as Document No. 1488315.
15. Memorandum of Lease along with right of first refusal and option to purchase by and between Hallmark G and McDonald's Corporation recorded October 5, 1994 in Volume 2405, page 578, as Document No. 1481830, along with Revised Memorandum of Lease recorded December 19, 1994 in Volume 2419, page 240, as Document No. 1488317, and First Amendment to Ground Lease recorded December 19, 1994, in Volume 2419, page 945, as Document No. 1488318, and Supplement to Lease recorded March 27, 1995 in Volume 2435, page 800, as Document No. 1495722, and Covenant not to Compete recorded October 6, 1994 in Volume 2406, page 43, as Document No. 1482063, and Covenant not to Compete recorded December 19, 1994 in Volume 2419, page 935, as Document No. 1488316.
16. Terms, conditions, restrictions and provisions as set forth in Reciprocal Easement Agreement by and between MSI Caledonia, LLC, M&I Marshall & Ilsley Bank, Hallmark G and Hallmark M recorded January 29, 2001 in Volume 3112, page 741, as Document No. 1756617.
17. Distribution Easement Underground Joint granted to Wisconsin Electric Power Company & Wisconsin Bell, Inc. d/b/a Ameritech-Wisconsin recorded April 25, 2001 in Volume 3163, page 27, as Document No. 1768347.

18. Resolution Creating North Park Water Utility District of the Village of Caledonia recorded February 13, 2006, as Document No. 2072270.
19. Resolution Creating North Park Sewer Utility District of the Village of Caledonia recorded February 13, 2006, as Document No. 2072272.
20. Resolution Creating Caledonia East Water Utility District and Caledonia East Sewer Utility District for the Village of Caledonia adopted March 20, 2007, recorded April 4, 2007, as Document No. 2126809, along with an Affidavit of Correction recorded April 26, 2007, as Document No. 2129598.
21. Resolution Creating Caledonia Water Utility District & Caledonia Sewer Utility District recorded October 19, 2010, as Document No. 2265167, along with Affidavit of Correction recorded November 16, 2010, as Document No. 2268473.
22. All matters as disclosed by an ALTA/NSPS survey made by Dan J. Kuehl, License No. 3104-8 of Xcel Consultants on behalf of U.S. Surveyor on October 28, 2016, last revised February 3, 2017, designated Job No. 8851370:
23. Terms and provisions of that certain Reciprocal Easement Agreement by and between Grantor and Grantee executed as of even date hereof and to be recorded subsequent to the recording of this Deed.

End of Exhibit B

NOTES CORRESPONDING TO SCHEDULE B

- AS PER COMMITMENT NO. NCS-823752-CH2 DATED JANUARY 02, 2017 FROM FIRST AMERICAN TITLE INSURANCE COMPANY
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.
- LAKE MICHIGAN DRAINAGE ASSESSMENTS, IF ANY, UNDER RESOLUTION CREATING STORM SEWER UTILITY DISTRICT, LAKE MICHIGAN DISTRICT, TOWN OF CALEDONIA, RACINE COUNTY, WISCONSIN RECORDED DECEMBER 4, 1984 IN VOLUME 1735, PAGE 933, AS DOCUMENT NO. 1159885. **BLANKET IN NATURE—NOTHING TO PLOT**
- THIS ITEM HAS BEEN INTENTIONALLY COMBINED WITH ITEM 16 BELOW.
- TERMS, CONDITIONS, PROVISIONS, EASEMENTS, RIGHT TO PURCHASE AND RESTRICTIONS AS SET FORTH IN MEMORANDUM OF LEASE BY AND BETWEEN HALLMARK LEASING AND KOHL'S FOOD STORES RECORDED ON NOVEMBER 9, 1989 IN VOLUME 1988, PAGE 519, AS DOCUMENT NO. 1296789, ALONG WITH SECOND AMENDMENT TO LEASE RECORDED ON OCTOBER 19, 1993 IN VOLUME 2305, PAGE 524, AS DOCUMENT NO. 1439279, AND THIRD AMENDMENT TO LEASE RECORDED ON OCTOBER 5, 1994 IN VOLUME 2405, PAGE 561, AS DOCUMENT NO. 1481828 AND THIRD AMENDMENT TO LEASE RECORDED ON OCTOBER 8, 1994 IN VOLUME 2406, PAGE 58, AS DOCUMENT NO. 1482062, AND FIFTH AMENDMENT TO LEASE RECORDED AUGUST 28, 1998 IN VOLUME 2805, PAGE 645, AS DOCUMENT NO. 1643309, AND SIXTH AMENDMENT TO LEASE RECORDED OCTOBER 7, 1999 IN VOLUME 2968, PAGE 320, AS DOCUMENT NO. 1704082. **BLANKET IN NATURE—NOTHING TO PLOT**
- UTILITY EASEMENT GRANTED TO WISCONSIN ELECTRIC POWER COMPANY RECORDED ON JANUARY 29, 1990 IN VOLUME 1998, PAGE 815, AS DOCUMENT NO. 1302318. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.
- TERMS, CONDITIONS AND PROVISIONS AS SET FORTH IN DRIVEWAY EASEMENT AGREEMENT RECORDED JULY 3, 1990 IN VOLUME 2021, PAGE 920, AS DOCUMENT NO. 1314433, AND RECORDED AGAIN JULY 16, 1990 IN VOLUME 2023, PAGE 501, AS DOCUMENT NO. 1315306, AND AMENDMENT TO DRIVEWAY EASEMENT AGREEMENT RECORDED OCTOBER 29, 1991 IN VOLUME 2100, PAGE 835, AS DOCUMENT NO. 1354392. **ITEM LOCATED ON ADJACENT PROPERTY, BENEFITING SUBJECT PROPERTY — AS SHOWN**
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.
- PROPOSED EASEMENT FOR INGRESS AND EGRESS AND NOTES AS SET FORTH ON CERTIFIED SURVEY MAP NO. 1476. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- CONDITIONS, COVENANTS, AGREEMENTS AND FIRST REFUSAL TO PURCHASE OPTION AS SET FORTH IN MEMORANDUM OF LEASE BY AND BETWEEN HALLMARK G AND K MART CORPORATION RECORDED AUGUST 20, 1990 IN VOLUME 2029, PAGE 413, AS DOCUMENT NO. 1318343. **BLANKET IN NATURE—NOTHING TO PLOT**
- UTILITY EASEMENT GRANTED TO WISCONSIN ELECTRIC POWER COMPANY RECORDED ON NOVEMBER 19, 1990 IN VOLUME 2043, PAGE 233, AS DOCUMENT NO. 1325701. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- TERMS, CONDITIONS, PROVISIONS AND EXPENSES AS SET FORTH IN DECLARATION OF EASEMENTS AND OUTLOT RESTRICTIONS FOR GREENTREE CENTER RECORDED NOVEMBER 11, 1991 IN VOLUME 2103, PAGE 382, AS DOCUMENT NO. 1355564, ALONG WITH FIRST AMENDMENT TO DECLARATION OF EASEMENTS AND OUTLOT RESTRICTIONS FOR GREENTREE CENTER RECORDED AUGUST 5, 1994 IN VOLUME 2405, PAGE 556, AS DOCUMENT NO. 1481828, AND SECOND AMENDMENT TO DECLARATION OF EASEMENTS AND OUTLOT RESTRICTIONS FOR GREEN TREE CENTER RECORDED AUGUST 23, 1998 IN VOLUME 2805, PAGE 653, AS DOCUMENT NO. 1643310, AND THIRD AMENDMENT TO DECLARATION OF EASEMENTS AND OUTLOT RESTRICTIONS FOR GREENTREE CENTER RECORDED JANUARY 29, 2001 IN VOLUME 3112, PAGE 771, AS DOCUMENT NO. 1756618. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- DISTRIBUTION EASEMENT OVERHEAD/UNDERGROUND JOINT GRANTED TO WISCONSIN ELECTRIC POWER COMPANY AND WISCONSIN BELL, INC. RECORDED OCTOBER 22, 1993 IN VOLUME 2306, PAGE 970, AS DOCUMENT NO. 1439809. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- DISTRIBUTION EASEMENT UNDERGROUND JOINT EASEMENT GRANTED TO WISCONSIN ELECTRIC POWER COMPANY AND WISCONSIN BELL, INC. D/B/A AMERITECH RECORDED ON AUGUST 9, 1994 IN VOLUME 2303, PAGE 60, AS DOCUMENT NO. 1476038. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- MUTUAL EASEMENT AGREEMENT FOR UTILITIES BY AND BETWEEN HALLMARK G AND HALLMARK M RECORDED OCTOBER 5, 1994 IN VOLUME 2405, PAGE 550, AS DOCUMENT NO. 1481826 AND RECORDED AGAIN DECEMBER 19, 1994 IN VOLUME 2419, PAGE 926, AS DOCUMENT NO. 1488315. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- MEMORANDUM OF LEASE ALONG WITH RIGHT OF FIRST REFUSAL AND OPTION TO PURCHASE BY AND BETWEEN HALLMARK G AND MCCONNELL'S CORPORATION, 1994 IN VOLUME 2405, PAGE 578, AS DOCUMENT NO. 1481830, ALONG WITH REVISED MEMORANDUM OF LEASE RECORDED DECEMBER 19, 1994 IN VOLUME 2419, PAGE 240, AS DOCUMENT NO. 1488317, AND FIRST AMENDMENT TO GROUND LEASE RECORDED DECEMBER 19, 1994 IN VOLUME 2419, PAGE 945, AS DOCUMENT NO. 1488318, AND SUPPLEMENT TO LEASE RECORDED MARCH 27, 1995 IN VOLUME 2435, PAGE 800, AS DOCUMENT NO. 1485722, AND COVENANT NOT TO COMPLETE RECORDED OCTOBER 6, 1994 IN VOLUME 2406, PAGE 43, AS DOCUMENT NO. 1482063, AND COVENANT NOT TO COMPLETE RECORDED DECEMBER 19, 1994 IN VOLUME 2419, PAGE 935, AS DOCUMENT NO. 1488316. **ITEM LOCATED ON SUBJECT PROPERTY (PARCEL 2) — AS SHOWN**
- TERMS, CONDITIONS, RESTRICTIONS AND PROVISIONS AS SET FORTH IN RECIPROCAL EASEMENT AGREEMENT BY AND BETWEEN MSI CALEDONIA, LLC, M&I MARSHALL & LUSLEY BANK, HALLMARK G AND HALLMARK M RECORDED JANUARY 29, 2001 IN VOLUME 3112, PAGE 741, AS DOCUMENT NO. 1756617. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.
- DISTRIBUTION EASEMENT UNDERGROUND JOINT GRANTED TO WISCONSIN ELECTRIC POWER COMPANY & WISCONSIN BELL, INC. D/B/A AMERITECH—WISCONSIN RECORDED APRIL 25, 2001 IN VOLUME 3163, PAGE 27, AS DOCUMENT NO. 1768347. **ITEM LOCATED ON SUBJECT PROPERTY — AS SHOWN**
- RESOLUTION CREATING NORTH PARK WATER UTILITY DISTRICT OF THE VILLAGE OF CALEDONIA RECORDED FEBRUARY 13, 2006, AS DOCUMENT NO. 2072270. **BLANKET IN NATURE—NOTHING TO PLOT**
- RESOLUTION CREATING NORTH PARK SEWER UTILITY DISTRICT OF THE VILLAGE OF CALEDONIA RECORDED FEBRUARY 13, 2006, AS DOCUMENT NO. 2072272. **BLANKET IN NATURE—NOTHING TO PLOT**
- RESOLUTION CREATING CALEDONIA EAST WATER UTILITY DISTRICT AND CALEDONIA EAST SEWER UTILITY DISTRICT FOR THE VILLAGE OF CALEDONIA ADOPTED MARCH 20, 2007, RECORDED APRIL 4, 2007, AS DOCUMENT NO. 2128609, ALONG WITH AN AFFIDAVIT OF CORRECTION RECORDED APRIL 26, 2007, AS DOCUMENT NO. 2129598. **BLANKET IN NATURE—NOTHING TO PLOT**
- RESOLUTION CREATING CALEDONIA WATER UTILITY DISTRICT & CALEDONIA SEWER UTILITY DISTRICT RECORDED OCTOBER 19, 2010, AS DOCUMENT NO. 2285187, ALONG WITH AFFIDAVIT OF CORRECTION RECORDED NOVEMBER 16, 2010, AS DOCUMENT NO. 2268473. **BLANKET IN NATURE—NOTHING TO PLOT**
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.
- THIS ITEM HAS BEEN INTENTIONALLY DELETED.

ALTA/NSPS LAND TITLE SURVEY

LEGAL DESCRIPTION

IMPROVEMENT NOTES

SURVEYOR NOTES

PARCEL 1: A. A CERTIFIED SURVEY MAP NO. 1475 RECORDED ON JUNE 29, 1990 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 549, AS DOCUMENT NO. 1314159, BEING A REDIVISION OF ALL OF LOT 1, AND PART OF LOT 2, CERTIFIED SURVEY MAP NO. 1446 RECORDED ON NOVEMBER 9, 1989 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 469, AS DOCUMENT NO. 1296776, LOCATED IN THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

EXCEPTING THEREFROM LAND CONVEYED BY QUIT CLAIM DEED EXECUTED BY HALLMARK G, A WISCONSIN GENERAL PARTNERSHIP, TO HALLMARK G, A WISCONSIN GENERAL PARTNERSHIP, DATED NOVEMBER 1, 1990 AND RECORDED IN THE OFFICE OF THE REGISTER OF DEEDS FOR RACINE, COUNTY WISCONSIN ON NOVEMBER 12, 1990 IN VOLUME 2042 OF RECORDS, AT PAGE 255, AS DOCUMENT NO. 1329178, BEING DESCRIBED THEREIN AS FOLLOWS:

PART OF PARCEL 1 OF CERTIFIED SURVEY MAP NO. 1475, RECORDED ON JUNE 29, 1990 IN VOLUME 4, PAGES 549–554, AS DOCUMENT NO. 1314159, MORE PARTICULARLY DESCRIBED AS FOLLOWS: ALL THAT PART OF THE SOUTHWEST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTH QUARTER CORNER OF SAID SECTION 20; THENCE NORTH 00°28'33" WEST ALONG THE EAST LINE OF SAID SOUTHWEST QUARTER, 820.00 FEET TO THE POINT OF BEGINNING OF THE HEREINAFTER DESCRIBED LANDS; THENCE SOUTH 89°31'27" WEST, 66.00 FEET TO A POINT; THENCE SOUTH 00°28'33" EAST, 136.45 FEET TO A POINT; THENCE WEST 89.60 FEET TO A POINT; THENCE NORTH, 120.00 FEET TO A POINT; THENCE WEST, 195.00 FEET TO A POINT; THENCE SOUTH 42°02'02" WEST, 110.00 FEET TO A POINT; THENCE WEST, 336.50 FEET TO A POINT; THENCE NORTH, 471.00 FEET TO A POINT; THENCE WEST 161.83 FEET TO A POINT OF CURVATURE; THENCE 101.73 FEET ALONG THE ARC OF CURVE TO THE LEFT WITH A RADIUS OF 200.00 FEET, WHOSE CHORD BEARS NORTH 75°25'42" WEST, 100.64 FEET TO A POINT OF TANGENCY; THENCE SOUTH 60°51'23" WEST, (SOUTH 60°51'23" WEST) 139.98 FEET TO A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY 57 (DOUGLAS AVENUE); THENCE ALONG SAID EASTERLY RIGHT-OF-WAY 227.35 FEET ALONG THE ARC OF A CURVE TO THE LEFT, WITH A RADIUS OF 1205.92 FEET, WHOSE CHORD BEARS NORTH 33°02'02" WEST, 227.02 FEET TO A POINT BEING ON THE NORTH LINE OF THE SOUTH ONE HALF OF SAID SOUTHWEST QUARTER; THENCE NORTH 89°03'24" EAST, (DEED AS SOUTH 89°42' EAST) 1,188.53 FEET ALONG THE NORTH LINE OF THE SOUTH ONE HALF OF SAID SOUTHWEST QUARTER; THENCE SOUTH 00°28'33" EAST ALONG THE EAST LINE OF SAID SOUTHWEST QUARTER, 507.52 FEET TO THE PLACE OF BEGINNING, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

ADDRESS: 5111 DOUGLAS AVENUE
TAX KEY: 104-04-23-20-103-110

PARCEL 2: A CERTIFIED SURVEY MAP NO. 1475 RECORDED ON JUNE 29, 1990 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 549, AS DOCUMENT NO. 1314159, BEING A REDIVISION OF ALL OF LOT 1, AND PART OF LOT 2, CERTIFIED SURVEY MAP NO. 1446 RECORDED ON NOVEMBER 9, 1989 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 469, AS DOCUMENT NO. 1296776, LOCATED IN THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

ADDRESS: 5125 DOUGLAS AVENUE
TAX KEY: 104-04-23-20-103-130

PARCEL 3: A CERTIFIED SURVEY MAP NO. 1475 RECORDED ON JUNE 29, 1990 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 549, AS DOCUMENT NO. 1314159, BEING A PART OF LOT 2, CERTIFIED SURVEY MAP NO. 1446, VOLUME 4, PAGES 469–473, LOCATED IN THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

ADDRESS: 5111 DOUGLAS AVENUE
TAX KEY: 104-04-23-20-103-110

PARCEL 1: A CERTIFIED SURVEY MAP NO. 1475 RECORDED ON JUNE 29, 1990 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 549, AS DOCUMENT NO. 1314159, BEING A REDIVISION OF ALL OF LOT 1, AND PART OF LOT 2, CERTIFIED SURVEY MAP NO. 1446 RECORDED ON NOVEMBER 9, 1989 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 469, AS DOCUMENT NO. 1296776, LOCATED IN THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

EXCEPTING THEREFROM LAND CONVEYED BY QUIT CLAIM DEED EXECUTED BY HALLMARK G, A WISCONSIN GENERAL PARTNERSHIP, TO HALLMARK G, A WISCONSIN GENERAL PARTNERSHIP, DATED NOVEMBER 1, 1990 AND RECORDED IN THE OFFICE OF THE REGISTER OF DEEDS FOR RACINE, COUNTY WISCONSIN ON NOVEMBER 12, 1990 IN VOLUME 2042 OF RECORDS, AT PAGE 255, AS DOCUMENT NO. 1329178, BEING DESCRIBED THEREIN AS FOLLOWS:

PART OF PARCEL 1 OF CERTIFIED SURVEY MAP NO. 1475, RECORDED ON JUNE 29, 1990 IN VOLUME 4, PAGES 549–554, AS DOCUMENT NO. 1314159, MORE PARTICULARLY DESCRIBED AS FOLLOWS: ALL THAT PART OF THE SOUTHWEST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTH QUARTER CORNER OF SAID SECTION 20; THENCE NORTH 00°28'33" WEST ALONG THE EAST LINE OF SAID SOUTHWEST QUARTER, 820.00 FEET TO THE POINT OF BEGINNING OF THE HEREINAFTER DESCRIBED LANDS; THENCE SOUTH 89°31'27" WEST, 66.00 FEET TO A POINT; THENCE SOUTH 00°28'33" EAST, 136.45 FEET TO A POINT; THENCE WEST 89.60 FEET TO A POINT; THENCE NORTH, 120.00 FEET TO A POINT; THENCE WEST, 195.00 FEET TO A POINT; THENCE SOUTH 42°02'02" WEST, 110.00 FEET TO A POINT; THENCE WEST, 336.50 FEET TO A POINT; THENCE NORTH, 471.00 FEET TO A POINT; THENCE WEST 161.83 FEET TO A POINT OF CURVATURE; THENCE 101.73 FEET ALONG THE ARC OF CURVE TO THE LEFT WITH A RADIUS OF 200.00 FEET, WHOSE CHORD BEARS NORTH 75°25'42" WEST, 100.64 FEET TO A POINT OF TANGENCY; THENCE SOUTH 60°51'23" WEST, (SOUTH 60°51'23" WEST) 139.98 FEET TO A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY 57 (DOUGLAS AVENUE); THENCE ALONG SAID EASTERLY RIGHT-OF-WAY 227.35 FEET ALONG THE ARC OF A CURVE TO THE LEFT, WITH A RADIUS OF 1205.92 FEET, WHOSE CHORD BEARS NORTH 33°02'02" WEST, 227.02 FEET TO A POINT BEING ON THE NORTH LINE OF THE SOUTH ONE HALF OF SAID SOUTHWEST QUARTER; THENCE NORTH 89°03'24" EAST, (DEED AS SOUTH 89°42' EAST) 1,188.53 FEET ALONG THE NORTH LINE OF THE SOUTH ONE HALF OF SAID SOUTHWEST QUARTER; THENCE SOUTH 00°28'33" EAST ALONG THE EAST LINE OF SAID SOUTHWEST QUARTER, 507.52 FEET TO THE PLACE OF BEGINNING, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

ADDRESS: 5125 DOUGLAS AVENUE
TAX KEY: 104-04-23-20-103-130

PARCEL 2: A CERTIFIED SURVEY MAP NO. 1475 RECORDED ON JUNE 29, 1990 IN VOLUME 4 OF CERTIFIED SURVEY MAPS, AT PAGE 549, AS DOCUMENT NO. 1314159, BEING A PART OF LOT 2, CERTIFIED SURVEY MAP NO. 1446, VOLUME 4, PAGES 469–473, LOCATED IN THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

EXCEPTING THEREFROM LAND CONVEYED BY QUIT CLAIM DEED EXECUTED BY HALLMARK G, A WISCONSIN GENERAL PARTNERSHIP, TO HALLMARK G, A WISCONSIN GENERAL PARTNERSHIP, DATED NOVEMBER 1, 1990 AND RECORDED IN THE OFFICE OF THE REGISTER OF DEEDS FOR RACINE, COUNTY WISCONSIN ON NOVEMBER 12, 1990 IN VOLUME 2042 OF RECORDS, AT PAGE 255, AS DOCUMENT NO. 1329178, BEING DESCRIBED THEREIN AS FOLLOWS:

PART OF PARCEL 1 OF CERTIFIED SURVEY MAP NO. 1475, RECORDED ON JUNE 29, 1990 IN VOLUME 4, PAGES 549–554, AS DOCUMENT NO. 1314159, MORE PARTICULARLY DESCRIBED AS FOLLOWS: ALL THAT PART OF THE SOUTHWEST QUARTER OF SECTION 20, TOWNSHIP 4 NORTH, RANGE 23 EAST, MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTH QUARTER CORNER OF SAID SECTION 20; THENCE NORTH 00°28'33" WEST ALONG THE EAST LINE OF SAID SOUTHWEST QUARTER, 820.00 FEET TO THE POINT OF BEGINNING OF THE HEREINAFTER DESCRIBED LANDS; THENCE SOUTH 89°31'27" WEST, 66.00 FEET TO A POINT; THENCE SOUTH 00°28'33" EAST, 136.45 FEET TO A POINT; THENCE WEST 89.60 FEET TO A POINT; THENCE NORTH, 120.00 FEET TO A POINT; THENCE WEST, 195.00 FEET TO A POINT; THENCE SOUTH 42°02'02" WEST, 110.00 FEET TO A POINT; THENCE WEST, 336.50 FEET TO A POINT; THENCE NORTH, 471.00 FEET TO A POINT; THENCE WEST 161.83 FEET TO A POINT OF CURVATURE; THENCE 101.73 FEET ALONG THE ARC OF CURVE TO THE LEFT WITH A RADIUS OF 200.00 FEET, WHOSE CHORD BEARS NORTH 75°25'42" WEST, 100.64 FEET TO A POINT OF TANGENCY; THENCE SOUTH 60°51'23" WEST, (SOUTH 60°51'23" WEST) 139.98 FEET TO A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY 57 (DOUGLAS AVENUE); THENCE ALONG SAID EASTERLY RIGHT-OF-WAY 227.35 FEET ALONG THE ARC OF A CURVE TO THE LEFT, WITH A RADIUS OF 1205.92 FEET, WHOSE CHORD BEARS NORTH 33°02'02" WEST, 227.02 FEET TO A POINT BEING ON THE NORTH LINE OF THE SOUTH ONE HALF OF SAID SOUTHWEST QUARTER; THENCE NORTH 89°03'24" EAST, (DEED AS SOUTH 89°42' EAST) 1,188.53 FEET ALONG THE NORTH LINE OF THE SOUTH ONE HALF OF SAID SOUTHWEST QUARTER; THENCE SOUTH 00°28'33" EAST ALONG THE EAST LINE OF SAID SOUTHWEST QUARTER, 507.52 FEET TO THE PLACE OF BEGINNING, SAID LAND BEING IN THE VILLAGE OF CALEDONIA, COUNTY OF RACINE, STATE OF WISCONSIN.

NO OBSERVABLE EVIDENCE OF EARTH MOVING WORK, BUILDING CONSTRUCTION OR BUILDING ADDITIONS WITHIN RECENT MONTHS.

NO OBSERVABLE CHANGES IN STREET RIGHT-OF-WAY LINES, RECENT STREET OR SIDEWALK REPAIRS.

NO OBSERVABLE EVIDENCE OF WETLANDS.



AT THE TIME OF THIS SURVEY, THERE WAS NO EVIDENCE OF PARTY WALLS VISIBLE.

AT THE TIME OF THIS SURVEY AND TITLE REVIEW, THERE WERE NEITHER OFFSITE EASEMENTS NOR SERVITUDES THAT BENEFIT THIS PROPERTY.

THIS SURVEY IS SUBJECT TO ANY AND ALL ENFORCEABLE RESTRICTIVE COVENANTS.

ITEMS LISTED BELOW MAY REPRESENT AN EASEMENT THAT WAS NOT SHOWN IN SCHEDULE B DOCUMENTS

A2 NONE FOUND



VICINITY MAP

NOT TO SCALE

SITE DATA

ZONING AND RESTRICTIONS SHOWN HEREON WERE OBTAINED BY A GENERAL REQUEST AT THE PUBLIC COUNTER OF THE LOCAL ZONING AUTHORITY. NO REPRESENTATION IS MADE FOR THE ACCURACY OR COMPLETENESS OF SAID THIRD PARTY INFORMATION. THIS FIRM IS NOT AN EXPERT IN THE INTERPRETATION OF COMPLEX ZONING ORDINANCES, COMPLIANCE IS BEYOND THE SCOPE OF THIS SURVEY. ANY USER OF SAID INFORMATION IS URGED TO CONTACT THE LOCAL AGENCY DIRECTLY.

- ZONING— ZONE B-3, COMMERCIAL
SETBACKS—
—FRONT= 25'
—SIDE= 25'/10'
—REAR= 25'

HEIGHT RESTRICTIONS— NOT TO EXCEED 35'

PARKING PROVIDED—
—REGULAR= 414 SPACES
—HANDICAP= 16 SPACES
—TOTAL SPACES PROVIDED= 430
- VERTICAL DATUM= NAVD88
- BENCHMARK= NGS DG4839 702.70'
- AREA = 418,171 S.F. OR 9.60 ACRES

ALTA/NSPS LAND TITLE SURVEY

SURVEYOR'S CERTIFICATION

PHILLIPS EDISON & COMPANY, LTD; AND FIRST AMERICAN TITLE INSURANCE COMPANY; GREENTREE STATION LLC
THIS IS TO CERTIFY THAT THIS MAP OR PLAN AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2016 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1, 2, 3, 4, 6(A), 6(B), 7(A), 7(B)(1), 7(C), 8, 9, 10, 13, 14, 16, 17, 19, AND 20 OF TABLE A THEREOF. THE FIELD WORK WAS COMPLETED ON OCTOBER 28, 2016.
FIELD SURVEY: DAN J. KUEHL; 3104-8, WISCONSIN, EXP. 1-31-2018

For inquiries, questions or concerns about this survey contact ryoung@ussurveyor.com or call 1-800-867-8783 ext. 206




PREPARED FOR:
PHILLIPS EDISON & COMPANY

PROJECT LOCATION:
RACINE COUNTY, STATE OF WISCONSIN

PROJECT ADDRESS:
5111-5141 DOUGLAS AVE
RACINE, WI 53402

PROJECT TYPE:
ALTA/NSPS LAND
TITLE SURVEY



DAN J. KUEHL
LICENSED IN WISCONSIN
LICENSE NUMBER: 3104-8
LICENSE RENEWAL DATE: JANUARY 31, 2018
DATE OF PLAT: NOVEMBER 7, 2016
NOT VALID WITHOUT
ORIGINAL SIGNATURE

SHEET 1 OF 2

JOB NUMBER:
SS51370


Survey and Plot by:
XCEL
Consultants

NOTE:

THIS SURVEY SHALL NOT BE USED WITH AN AFFIDAVIT OR LETTER OF ANY KIND FOR REUSE INCLUDING, BUT NOT LIMITED TO, FUTURE CLOSURES, MORTGAGES, PLAT PLANS, CONSTRUCTION, LANDSCAPING, PERMITTING, ETC. IT IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT, 17 USC 107, TO COPY OR REPRODUCE THIS SURVEY WITHOUT THE DATE AND SIGNATURE OF THE SURVEYOR, HIS ASSOCIATES, AND/OR AGENTS SHALL NOT BE LIABLE FOR USE OF THIS SURVEY BY ANY OTHER ENTITIES OR PERSONS FOR ANY PURPOSE BEYOND THE ORIGINAL DATE, SCOPE.

FLOOD DATA This property is in Zone X
of the Flood Insurance Rate Map, Community Panel No. 17031C0187J,
which has an effective date of 8/13/2008, and IS NOT in a Special
Flood Hazard Area. Field surveying was not performed to determine this zone.
An elevation certificate may be needed to verify this determination or apply
for an amendment from the Federal Emergency Management Agency.

IT IS THE CONTRACTORS RESPONSIBILITY TO LOCATE ALL UTILITIES, WHETHER SHOWN ON THIS SURVEY OR NOT PRIOR TO COMMENCEMENT OF WORK. THIS SURVEY HAS BEEN PREPARED USING AVAILABLE UTILITY DATA. THIS SURVEYOR DOES NOT MAKE STATEMENTS OF ACCURACY BASED UPON MAPS AND UTILITY LOCATES OF OTHERS.



INSET

8300 42ND STREET WEST
ROCK ISLAND, IL 61201
(O) 309-787-9988
(F) 309-756-5540

RY PEPLS
DATE REVIEWED: _____

INT. —
RECORD CLOSURE 1:5,098
MEASURED CLOSURE 1:247,195


LEGAL DESCRIPTION REVIEWED BY:
INT. —
INT. —

CERTIFICATION IS ONLY TO THE PARTIES HEREIN NAMED.
THIS SURVEY IS NOT VALID FOR ANY FUTURE TRANSACTIONS OF THIS PROPERTY.

DATE OF ORIGINAL: OCTOBER 28, 2016
REVISION: UPDATED TITLE DATE: DEC. 1, 2016
REVISION: REVIEW COMMENTS DATE: JANUARY 24, 2017
REVISION: UPDATED PARKING COUNT DATE: FEBRUARY 3, 2017

ATTACHMENT F.3

Verification of Zoning




ATTACHMENT F.4

Signed Statement

Responsible Party Statement

I, Schawanda Brissom of Phillips Edison & Company (Responsible Party), to the best of my knowledge believe the attached legal description and survey, describe the correct contaminated property for which a Case Closure is being requested.



Signature

9/18/19
Date

Post Remediation Lab Results

January 11, 2019

Steve Newlin
Apex Companies
300 S. Wacker
Chicago, IL 60606

RE: Project: PECO-2017-100 GREEN TREE
Pace Project No.: 10460699

Dear Steve Newlin:

Enclosed are the analytical results for sample(s) received by the laboratory on January 08, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carolynne Trout

Carolynne Trout
carolynne.trout@pacelabs.com
1(612)607-6351
Project Manager

Enclosures

cc: Rose Grenen, Apex Companies, LLC



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

Minnesota Certification IDs

1700 Elm Street SE, Minneapolis, MN 55414-2485

A2LA Certification #: 2926.01

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

CNMI Saipan Certification #: MP0003

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605

Georgia Certification #: 959

Guam EPA Certification #: MN00064

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: 03086

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064

Maryland Certification #: 322

Massachusetts Certification #: M-MN064

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137

Minnesota Dept of Ag Certification #: via MN 027-053-137

Minnesota Petrofund Certification #: 1240

Mississippi Certification #: MN00064

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081

New Jersey Certification #: MN002

New York Certification #: 11647

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon NwTPH Certification #: MN300001

Oregon Secondary Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192

Utah Certification #: MN00064

Virginia Certification #: 460163

Washington Certification #: C486

West Virginia DW Certification #: 9952 C

West Virginia DEP Certification #: 382

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|-----------|--------|----------------|----------------|
| 10460699001 | SV-3 | Air | 01/04/19 11:39 | 01/08/19 09:45 |
| 10460699002 | SV-2 | Air | 01/04/19 11:48 | 01/08/19 09:45 |
| 10460699003 | SV-12 | Air | 01/04/19 11:55 | 01/08/19 09:45 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|-------------|-----------|--------|----------|-------------------|
| 10460699001 | SV-3 | TO-15 | MJL | 61 |
| 10460699002 | SV-2 | TO-15 | AFV | 61 |
| 10460699003 | SV-12 | TO-15 | AFV | 61 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

Sample: SV-3 Lab ID: 10460699001 Collected: 01/04/19 11:39 Received: 01/08/19 09:45 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------|---------|--------------------------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| Dichlorodifluoromethane | 10.9 | ug/m3 | 1.5 | 0.45 | 1.52 | | 01/09/19 12:40 | 75-71-8 | |
| Chloromethane | <0.24 | ug/m3 | 0.64 | 0.24 | 1.52 | | 01/09/19 12:40 | 74-87-3 | |
| Dichlorotetrafluoroethane | <0.66 | ug/m3 | 2.2 | 0.66 | 1.52 | | 01/09/19 12:40 | 76-14-2 | |
| Vinyl chloride | <0.19 | ug/m3 | 0.40 | 0.19 | 1.52 | | 01/09/19 12:40 | 75-01-4 | |
| Bromomethane | <0.35 | ug/m3 | 1.2 | 0.35 | 1.52 | | 01/09/19 12:40 | 74-83-9 | |
| Chloroethane | <0.40 | ug/m3 | 0.81 | 0.40 | 1.52 | | 01/09/19 12:40 | 75-00-3 | |
| Trichlorofluoromethane | 1.1J | ug/m3 | 1.7 | 0.56 | 1.52 | | 01/09/19 12:40 | 75-69-4 | |
| 1,1-Dichloroethene | <0.42 | ug/m3 | 1.2 | 0.42 | 1.52 | | 01/09/19 12:40 | 75-35-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.86 | ug/m3 | 2.4 | 0.86 | 1.52 | | 01/09/19 12:40 | 76-13-1 | |
| Methylene Chloride | 3.9J | ug/m3 | 5.4 | 1.4 | 1.52 | | 01/09/19 12:40 | 75-09-2 | |
| 1,1-Dichloroethane | <0.34 | ug/m3 | 1.3 | 0.34 | 1.52 | | 01/09/19 12:40 | 75-34-3 | |
| cis-1,2-Dichloroethene | <0.33 | ug/m3 | 1.2 | 0.33 | 1.52 | | 01/09/19 12:40 | 156-59-2 | |
| Chloroform | 13.6 | ug/m3 | 0.75 | 0.30 | 1.52 | | 01/09/19 12:40 | 67-66-3 | |
| 1,1,1-Trichloroethane | <0.47 | ug/m3 | 1.7 | 0.47 | 1.52 | | 01/09/19 12:40 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.38 | ug/m3 | 0.84 | 0.38 | 1.52 | | 01/09/19 12:40 | 79-00-5 | |
| 1,2-Dichloroethane | <0.23 | ug/m3 | 0.62 | 0.23 | 1.52 | | 01/09/19 12:40 | 107-06-2 | |
| Benzene | 0.28J | ug/m3 | 0.49 | 0.23 | 1.52 | | 01/09/19 12:40 | 71-43-2 | |
| Carbon tetrachloride | <0.65 | ug/m3 | 1.9 | 0.65 | 1.52 | | 01/09/19 12:40 | 56-23-5 | |
| 1,2-Dichloropropane | <0.35 | ug/m3 | 1.4 | 0.35 | 1.52 | | 01/09/19 12:40 | 78-87-5 | |
| Trichloroethene | 2.0 | ug/m3 | 0.83 | 0.39 | 1.52 | | 01/09/19 12:40 | 79-01-6 | |
| cis-1,3-Dichloropropene | <0.46 | ug/m3 | 1.4 | 0.46 | 1.52 | | 01/09/19 12:40 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.67 | ug/m3 | 1.4 | 0.67 | 1.52 | | 01/09/19 12:40 | 10061-02-6 | |
| Toluene | 3.7 | ug/m3 | 1.2 | 0.53 | 1.52 | | 01/09/19 12:40 | 108-88-3 | |
| 1,2-Dibromoethane (EDB) | <0.56 | ug/m3 | 1.2 | 0.56 | 1.52 | | 01/09/19 12:40 | 106-93-4 | |
| Tetrachloroethene | 128 | ug/m3 | 1.0 | 0.48 | 1.52 | | 01/09/19 12:40 | 127-18-4 | |
| Chlorobenzene | <0.42 | ug/m3 | 1.4 | 0.42 | 1.52 | | 01/09/19 12:40 | 108-90-7 | |
| Ethylbenzene | 1.4 | ug/m3 | 1.3 | 0.46 | 1.52 | | 01/09/19 12:40 | 100-41-4 | |
| m&p-Xylene | 6.6 | ug/m3 | 2.7 | 1.1 | 1.52 | | 01/09/19 12:40 | 179601-23-1 | |
| o-Xylene | 2.7 | ug/m3 | 1.3 | 0.52 | 1.52 | | 01/09/19 12:40 | 95-47-6 | |
| Styrene | <0.52 | ug/m3 | 1.3 | 0.52 | 1.52 | | 01/09/19 12:40 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.44 | ug/m3 | 1.1 | 0.44 | 1.52 | | 01/09/19 12:40 | 79-34-5 | |
| 1,3,5-Trimethylbenzene | 2.4 | ug/m3 | 1.5 | 0.61 | 1.52 | | 01/09/19 12:40 | 108-67-8 | |
| 1,2,4-Trimethylbenzene | 6.6 | ug/m3 | 1.5 | 0.69 | 1.52 | | 01/09/19 12:40 | 95-63-6 | CH |
| 1,3-Dichlorobenzene | <0.88 | ug/m3 | 1.9 | 0.88 | 1.52 | | 01/09/19 12:40 | 541-73-1 | |
| 1,4-Dichlorobenzene | 10.6 | ug/m3 | 4.7 | 1.5 | 1.52 | | 01/09/19 12:40 | 106-46-7 | |
| 1,2-Dichlorobenzene | <0.76 | ug/m3 | 1.9 | 0.76 | 1.52 | | 01/09/19 12:40 | 95-50-1 | |
| 1,2,4-Trichlorobenzene | <5.7 | ug/m3 | 11.5 | 5.7 | 1.52 | | 01/09/19 12:40 | 120-82-1 | |
| Hexachloro-1,3-butadiene | <3.0 | ug/m3 | 8.2 | 3.0 | 1.52 | | 01/09/19 12:40 | 87-68-3 | |
| Tetrahydrofuran | <0.40 | ug/m3 | 0.91 | 0.40 | 1.52 | | 01/09/19 12:40 | 109-99-9 | |
| Acetone | 12.7 | ug/m3 | 3.7 | 1.8 | 1.52 | | 01/09/19 12:40 | 67-64-1 | |
| 2-Butanone (MEK) | 1.6J | ug/m3 | 4.6 | 0.56 | 1.52 | | 01/09/19 12:40 | 78-93-3 | |
| n-Hexane | 0.50J | ug/m3 | 1.1 | 0.47 | 1.52 | | 01/09/19 12:40 | 110-54-3 | |
| Methyl-tert-butyl ether | <1.0 | ug/m3 | 5.6 | 1.0 | 1.52 | | 01/09/19 12:40 | 1634-04-4 | |
| Dibromochloromethane | <1.1 | ug/m3 | 2.6 | 1.1 | 1.52 | | 01/09/19 12:40 | 124-48-1 | |
| 1,3-Butadiene | <0.19 | ug/m3 | 0.68 | 0.19 | 1.52 | | 01/09/19 12:40 | 106-99-0 | |
| Carbon disulfide | <0.33 | ug/m3 | 0.96 | 0.33 | 1.52 | | 01/09/19 12:40 | 75-15-0 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

| Sample: SV-3 Lab ID: 10460699001 Collected: 01/04/19 11:39 Received: 01/08/19 09:45 Matrix: Air | | | | | | | | | |
|---|---------|-------|------|------|------|----------|----------------|----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| Vinyl acetate | <0.41 | ug/m3 | 1.1 | 0.41 | 1.52 | | 01/09/19 12:40 | 108-05-4 | |
| Cyclohexane | <0.54 | ug/m3 | 2.7 | 0.54 | 1.52 | | 01/09/19 12:40 | 110-82-7 | |
| Ethyl acetate | <0.29 | ug/m3 | 1.1 | 0.29 | 1.52 | | 01/09/19 12:40 | 141-78-6 | |
| 4-Methyl-2-pentanone (MIBK) | <0.79 | ug/m3 | 6.3 | 0.79 | 1.52 | | 01/09/19 12:40 | 108-10-1 | |
| 2-Hexanone | <1.1 | ug/m3 | 6.3 | 1.1 | 1.52 | | 01/09/19 12:40 | 591-78-6 | |
| Bromoform | <2.2 | ug/m3 | 8.0 | 2.2 | 1.52 | | 01/09/19 12:40 | 75-25-2 | |
| trans-1,2-Dichloroethene | <0.43 | ug/m3 | 1.2 | 0.43 | 1.52 | | 01/09/19 12:40 | 156-60-5 | |
| Bromodichloromethane | 0.92J | ug/m3 | 2.1 | 0.56 | 1.52 | | 01/09/19 12:40 | 75-27-4 | |
| n-Heptane | <0.58 | ug/m3 | 1.3 | 0.58 | 1.52 | | 01/09/19 12:40 | 142-82-5 | |
| Propylene | <0.22 | ug/m3 | 0.53 | 0.22 | 1.52 | | 01/09/19 12:40 | 115-07-1 | |
| 4-Ethyltoluene | 2.4J | ug/m3 | 3.8 | 0.87 | 1.52 | | 01/09/19 12:40 | 622-96-8 | |
| Naphthalene | 18.0 | ug/m3 | 4.0 | 2.0 | 1.52 | | 01/09/19 12:40 | 91-20-3 | |
| Ethanol | 18.4 | ug/m3 | 2.9 | 1.2 | 1.52 | | 01/09/19 12:40 | 64-17-5 | |
| 2-Propanol | 3.9 | ug/m3 | 3.8 | 1.1 | 1.52 | | 01/09/19 12:40 | 67-63-0 | |
| Benzyl chloride | <1.8 | ug/m3 | 4.0 | 1.8 | 1.52 | | 01/09/19 12:40 | 100-44-7 | |

| Sample: SV-2 Lab ID: 10460699002 Collected: 01/04/19 11:48 Received: 01/08/19 09:45 Matrix: Air | | | | | | | | | |
|---|---------|-------|------|------|------|----------|----------------|----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| Acetone | 8.3 | ug/m3 | 3.7 | 1.8 | 1.52 | | 01/09/19 13:38 | 67-64-1 | |
| Benzene | <0.23 | ug/m3 | 0.49 | 0.23 | 1.52 | | 01/09/19 13:38 | 71-43-2 | |
| Benzyl chloride | <1.8 | ug/m3 | 4.0 | 1.8 | 1.52 | | 01/09/19 13:38 | 100-44-7 | |
| Bromodichloromethane | 5.5 | ug/m3 | 2.1 | 0.56 | 1.52 | | 01/09/19 13:38 | 75-27-4 | |
| Bromoform | <2.2 | ug/m3 | 8.0 | 2.2 | 1.52 | | 01/09/19 13:38 | 75-25-2 | |
| Bromomethane | <0.35 | ug/m3 | 1.2 | 0.35 | 1.52 | | 01/09/19 13:38 | 74-83-9 | |
| 1,3-Butadiene | <0.19 | ug/m3 | 0.68 | 0.19 | 1.52 | | 01/09/19 13:38 | 106-99-0 | |
| 2-Butanone (MEK) | 1.7J | ug/m3 | 4.6 | 0.56 | 1.52 | | 01/09/19 13:38 | 78-93-3 | |
| Carbon disulfide | <0.33 | ug/m3 | 0.96 | 0.33 | 1.52 | | 01/09/19 13:38 | 75-15-0 | |
| Carbon tetrachloride | <0.65 | ug/m3 | 1.9 | 0.65 | 1.52 | | 01/09/19 13:38 | 56-23-5 | |
| Chlorobenzene | <0.42 | ug/m3 | 1.4 | 0.42 | 1.52 | | 01/09/19 13:38 | 108-90-7 | |
| Chloroethane | <0.40 | ug/m3 | 0.81 | 0.40 | 1.52 | | 01/09/19 13:38 | 75-00-3 | |
| Chloroform | 27.3 | ug/m3 | 0.75 | 0.30 | 1.52 | | 01/09/19 13:38 | 67-66-3 | |
| Chloromethane | <0.24 | ug/m3 | 0.64 | 0.24 | 1.52 | | 01/09/19 13:38 | 74-87-3 | |
| Cyclohexane | <0.54 | ug/m3 | 2.7 | 0.54 | 1.52 | | 01/09/19 13:38 | 110-82-7 | |
| Dibromochloromethane | 1.5J | ug/m3 | 2.6 | 1.1 | 1.52 | | 01/09/19 13:38 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.56 | ug/m3 | 1.2 | 0.56 | 1.52 | | 01/09/19 13:38 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.76 | ug/m3 | 1.9 | 0.76 | 1.52 | | 01/09/19 13:38 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.88 | ug/m3 | 1.9 | 0.88 | 1.52 | | 01/09/19 13:38 | 541-73-1 | |
| 1,4-Dichlorobenzene | 6.4 | ug/m3 | 4.7 | 1.5 | 1.52 | | 01/09/19 13:38 | 106-46-7 | |
| Dichlorodifluoromethane | 6.4 | ug/m3 | 1.5 | 0.45 | 1.52 | | 01/09/19 13:38 | 75-71-8 | |
| 1,1-Dichloroethane | <0.34 | ug/m3 | 1.3 | 0.34 | 1.52 | | 01/09/19 13:38 | 75-34-3 | |
| 1,2-Dichloroethane | <0.23 | ug/m3 | 0.62 | 0.23 | 1.52 | | 01/09/19 13:38 | 107-06-2 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

Sample: SV-2 **Lab ID: 10460699002** Collected: 01/04/19 11:48 Received: 01/08/19 09:45 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------|---------|--------------------------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| 1,1-Dichloroethene | <0.42 | ug/m3 | 1.2 | 0.42 | 1.52 | | 01/09/19 13:38 | 75-35-4 | |
| cis-1,2-Dichloroethene | 13.4 | ug/m3 | 1.2 | 0.33 | 1.52 | | 01/09/19 13:38 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.43 | ug/m3 | 1.2 | 0.43 | 1.52 | | 01/09/19 13:38 | 156-60-5 | |
| 1,2-Dichloropropane | <0.35 | ug/m3 | 1.4 | 0.35 | 1.52 | | 01/09/19 13:38 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.46 | ug/m3 | 1.4 | 0.46 | 1.52 | | 01/09/19 13:38 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.67 | ug/m3 | 1.4 | 0.67 | 1.52 | | 01/09/19 13:38 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.66 | ug/m3 | 2.2 | 0.66 | 1.52 | | 01/09/19 13:38 | 76-14-2 | |
| Ethanol | 27.1 | ug/m3 | 2.9 | 1.2 | 1.52 | | 01/09/19 13:38 | 64-17-5 | |
| Ethyl acetate | <0.29 | ug/m3 | 1.1 | 0.29 | 1.52 | | 01/09/19 13:38 | 141-78-6 | |
| Ethylbenzene | 2.0 | ug/m3 | 1.3 | 0.46 | 1.52 | | 01/09/19 13:38 | 100-41-4 | |
| 4-Ethyltoluene | 2.6J | ug/m3 | 3.8 | 0.87 | 1.52 | | 01/09/19 13:38 | 622-96-8 | |
| n-Heptane | <0.58 | ug/m3 | 1.3 | 0.58 | 1.52 | | 01/09/19 13:38 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <3.0 | ug/m3 | 8.2 | 3.0 | 1.52 | | 01/09/19 13:38 | 87-68-3 | |
| n-Hexane | 0.62J | ug/m3 | 1.1 | 0.47 | 1.52 | | 01/09/19 13:38 | 110-54-3 | |
| 2-Hexanone | <1.1 | ug/m3 | 6.3 | 1.1 | 1.52 | | 01/09/19 13:38 | 591-78-6 | |
| Methylene Chloride | 2.9J | ug/m3 | 5.4 | 1.4 | 1.52 | | 01/09/19 13:38 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | <0.79 | ug/m3 | 6.3 | 0.79 | 1.52 | | 01/09/19 13:38 | 108-10-1 | |
| Methyl-tert-butyl ether | <1.0 | ug/m3 | 5.6 | 1.0 | 1.52 | | 01/09/19 13:38 | 1634-04-4 | |
| Naphthalene | 11.7 | ug/m3 | 4.0 | 2.0 | 1.52 | | 01/09/19 13:38 | 91-20-3 | |
| 2-Propanol | 2.6J | ug/m3 | 3.8 | 1.1 | 1.52 | | 01/09/19 13:38 | 67-63-0 | |
| Propylene | <0.22 | ug/m3 | 0.53 | 0.22 | 1.52 | | 01/09/19 13:38 | 115-07-1 | |
| Styrene | <0.52 | ug/m3 | 1.3 | 0.52 | 1.52 | | 01/09/19 13:38 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.44 | ug/m3 | 1.1 | 0.44 | 1.52 | | 01/09/19 13:38 | 79-34-5 | |
| Tetrachloroethene | 490 | ug/m3 | 20.9 | 9.5 | 30.4 | | 01/09/19 17:54 | 127-18-4 | |
| Tetrahydrofuran | <0.40 | ug/m3 | 0.91 | 0.40 | 1.52 | | 01/09/19 13:38 | 109-99-9 | |
| Toluene | 7.9 | ug/m3 | 1.2 | 0.53 | 1.52 | | 01/09/19 13:38 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <5.7 | ug/m3 | 11.5 | 5.7 | 1.52 | | 01/09/19 13:38 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.47 | ug/m3 | 1.7 | 0.47 | 1.52 | | 01/09/19 13:38 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.38 | ug/m3 | 0.84 | 0.38 | 1.52 | | 01/09/19 13:38 | 79-00-5 | |
| Trichloroethene | 44.9 | ug/m3 | 0.83 | 0.39 | 1.52 | | 01/09/19 13:38 | 79-01-6 | |
| Trichlorofluoromethane | <0.56 | ug/m3 | 1.7 | 0.56 | 1.52 | | 01/09/19 13:38 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.86 | ug/m3 | 2.4 | 0.86 | 1.52 | | 01/09/19 13:38 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 6.7 | ug/m3 | 1.5 | 0.69 | 1.52 | | 01/09/19 13:38 | 95-63-6 | CH |
| 1,3,5-Trimethylbenzene | 3.6 | ug/m3 | 1.5 | 0.61 | 1.52 | | 01/09/19 13:38 | 108-67-8 | |
| Vinyl acetate | <0.41 | ug/m3 | 1.1 | 0.41 | 1.52 | | 01/09/19 13:38 | 108-05-4 | |
| Vinyl chloride | <0.19 | ug/m3 | 0.40 | 0.19 | 1.52 | | 01/09/19 13:38 | 75-01-4 | |
| m&p-Xylene | 9.1 | ug/m3 | 2.7 | 1.1 | 1.52 | | 01/09/19 13:38 | 179601-23-1 | |
| o-Xylene | 3.4 | ug/m3 | 1.3 | 0.52 | 1.52 | | 01/09/19 13:38 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

Sample: SV-12 **Lab ID: 10460699003** Collected: 01/04/19 11:55 Received: 01/08/19 09:45 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|-----------------------------|---------|--------------------------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| Acetone | 22.4 | ug/m3 | 3.7 | 1.9 | 1.55 | | 01/09/19 15:26 | 67-64-1 | |
| Benzene | 0.70 | ug/m3 | 0.50 | 0.24 | 1.55 | | 01/09/19 15:26 | 71-43-2 | |
| Benzyl chloride | <1.9 | ug/m3 | 4.1 | 1.9 | 1.55 | | 01/09/19 15:26 | 100-44-7 | |
| Bromodichloromethane | 1.4J | ug/m3 | 2.1 | 0.57 | 1.55 | | 01/09/19 15:26 | 75-27-4 | |
| Bromoform | <2.2 | ug/m3 | 8.1 | 2.2 | 1.55 | | 01/09/19 15:26 | 75-25-2 | |
| Bromomethane | <0.35 | ug/m3 | 1.2 | 0.35 | 1.55 | | 01/09/19 15:26 | 74-83-9 | |
| 1,3-Butadiene | <0.20 | ug/m3 | 0.70 | 0.20 | 1.55 | | 01/09/19 15:26 | 106-99-0 | |
| 2-Butanone (MEK) | 4.6J | ug/m3 | 4.6 | 0.57 | 1.55 | | 01/09/19 15:26 | 78-93-3 | |
| Carbon disulfide | <0.34 | ug/m3 | 0.98 | 0.34 | 1.55 | | 01/09/19 15:26 | 75-15-0 | |
| Carbon tetrachloride | <0.66 | ug/m3 | 2.0 | 0.66 | 1.55 | | 01/09/19 15:26 | 56-23-5 | |
| Chlorobenzene | <0.43 | ug/m3 | 1.5 | 0.43 | 1.55 | | 01/09/19 15:26 | 108-90-7 | |
| Chloroethane | <0.40 | ug/m3 | 0.83 | 0.40 | 1.55 | | 01/09/19 15:26 | 75-00-3 | |
| Chloroform | 6.0 | ug/m3 | 0.77 | 0.30 | 1.55 | | 01/09/19 15:26 | 67-66-3 | |
| Chloromethane | <0.24 | ug/m3 | 0.65 | 0.24 | 1.55 | | 01/09/19 15:26 | 74-87-3 | |
| Cyclohexane | <0.55 | ug/m3 | 2.7 | 0.55 | 1.55 | | 01/09/19 15:26 | 110-82-7 | |
| Dibromochloromethane | <1.1 | ug/m3 | 2.7 | 1.1 | 1.55 | | 01/09/19 15:26 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.57 | ug/m3 | 1.2 | 0.57 | 1.55 | | 01/09/19 15:26 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.77 | ug/m3 | 1.9 | 0.77 | 1.55 | | 01/09/19 15:26 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.90 | ug/m3 | 1.9 | 0.90 | 1.55 | | 01/09/19 15:26 | 541-73-1 | |
| 1,4-Dichlorobenzene | 7.5 | ug/m3 | 4.7 | 1.6 | 1.55 | | 01/09/19 15:26 | 106-46-7 | |
| Dichlorodifluoromethane | 7.4 | ug/m3 | 1.6 | 0.45 | 1.55 | | 01/09/19 15:26 | 75-71-8 | |
| 1,1-Dichloroethane | <0.35 | ug/m3 | 1.3 | 0.35 | 1.55 | | 01/09/19 15:26 | 75-34-3 | |
| 1,2-Dichloroethane | <0.23 | ug/m3 | 0.64 | 0.23 | 1.55 | | 01/09/19 15:26 | 107-06-2 | |
| 1,1-Dichloroethene | <0.42 | ug/m3 | 1.2 | 0.42 | 1.55 | | 01/09/19 15:26 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.34 | ug/m3 | 1.2 | 0.34 | 1.55 | | 01/09/19 15:26 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.44 | ug/m3 | 1.2 | 0.44 | 1.55 | | 01/09/19 15:26 | 156-60-5 | |
| 1,2-Dichloropropane | <0.36 | ug/m3 | 1.5 | 0.36 | 1.55 | | 01/09/19 15:26 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.47 | ug/m3 | 1.4 | 0.47 | 1.55 | | 01/09/19 15:26 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.68 | ug/m3 | 1.4 | 0.68 | 1.55 | | 01/09/19 15:26 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.68 | ug/m3 | 2.2 | 0.68 | 1.55 | | 01/09/19 15:26 | 76-14-2 | |
| Ethanol | 80.2 | ug/m3 | 3.0 | 1.3 | 1.55 | | 01/09/19 15:26 | 64-17-5 | |
| Ethyl acetate | <0.29 | ug/m3 | 1.1 | 0.29 | 1.55 | | 01/09/19 15:26 | 141-78-6 | |
| Ethylbenzene | 2.3 | ug/m3 | 1.4 | 0.47 | 1.55 | | 01/09/19 15:26 | 100-41-4 | |
| 4-Ethyltoluene | 2.2J | ug/m3 | 3.9 | 0.88 | 1.55 | | 01/09/19 15:26 | 622-96-8 | |
| n-Heptane | <0.59 | ug/m3 | 1.3 | 0.59 | 1.55 | | 01/09/19 15:26 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <3.1 | ug/m3 | 8.4 | 3.1 | 1.55 | | 01/09/19 15:26 | 87-68-3 | |
| n-Hexane | 1.2 | ug/m3 | 1.1 | 0.48 | 1.55 | | 01/09/19 15:26 | 110-54-3 | |
| 2-Hexanone | <1.2 | ug/m3 | 6.4 | 1.2 | 1.55 | | 01/09/19 15:26 | 591-78-6 | |
| Methylene Chloride | 1.8J | ug/m3 | 5.5 | 1.5 | 1.55 | | 01/09/19 15:26 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | <0.80 | ug/m3 | 6.4 | 0.80 | 1.55 | | 01/09/19 15:26 | 108-10-1 | |
| Methyl-tert-butyl ether | <1.0 | ug/m3 | 5.7 | 1.0 | 1.55 | | 01/09/19 15:26 | 1634-04-4 | |
| Naphthalene | 12.7 | ug/m3 | 4.1 | 2.0 | 1.55 | | 01/09/19 15:26 | 91-20-3 | |
| 2-Propanol | 10.8 | ug/m3 | 3.9 | 1.1 | 1.55 | | 01/09/19 15:26 | 67-63-0 | |
| Propylene | <0.22 | ug/m3 | 0.54 | 0.22 | 1.55 | | 01/09/19 15:26 | 115-07-1 | |
| Styrene | <0.53 | ug/m3 | 1.3 | 0.53 | 1.55 | | 01/09/19 15:26 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.45 | ug/m3 | 1.1 | 0.45 | 1.55 | | 01/09/19 15:26 | 79-34-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

Sample: SV-12 **Lab ID: 10460699003** Collected: 01/04/19 11:55 Received: 01/08/19 09:45 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------|-----------------|--------------------------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| Tetrachloroethene | 119 | ug/m3 | 1.1 | 0.49 | 1.55 | | 01/09/19 15:26 | 127-18-4 | |
| Tetrahydrofuran | <0.40 | ug/m3 | 0.93 | 0.40 | 1.55 | | 01/09/19 15:26 | 109-99-9 | |
| Toluene | 7.4 | ug/m3 | 1.2 | 0.54 | 1.55 | | 01/09/19 15:26 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <5.8 | ug/m3 | 11.7 | 5.8 | 1.55 | | 01/09/19 15:26 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.48 | ug/m3 | 1.7 | 0.48 | 1.55 | | 01/09/19 15:26 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.39 | ug/m3 | 0.86 | 0.39 | 1.55 | | 01/09/19 15:26 | 79-00-5 | |
| Trichloroethene | 2.0 | ug/m3 | 0.85 | 0.40 | 1.55 | | 01/09/19 15:26 | 79-01-6 | |
| Trichlorofluoromethane | <0.57 | ug/m3 | 1.8 | 0.57 | 1.55 | | 01/09/19 15:26 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.87 | ug/m3 | 2.4 | 0.87 | 1.55 | | 01/09/19 15:26 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 7.1 | ug/m3 | 1.5 | 0.70 | 1.55 | | 01/09/19 15:26 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 1.9 | ug/m3 | 1.5 | 0.62 | 1.55 | | 01/09/19 15:26 | 108-67-8 | |
| Vinyl acetate | <0.42 | ug/m3 | 1.1 | 0.42 | 1.55 | | 01/09/19 15:26 | 108-05-4 | |
| Vinyl chloride | <0.20 | ug/m3 | 0.40 | 0.20 | 1.55 | | 01/09/19 15:26 | 75-01-4 | |
| m&p-Xylene | 9.4 | ug/m3 | 2.7 | 1.1 | 1.55 | | 01/09/19 15:26 | 179601-23-1 | |
| o-Xylene | 3.8 | ug/m3 | 1.4 | 0.53 | 1.55 | | 01/09/19 15:26 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

QC Batch: 584568

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Associated Lab Samples: 10460699001, 10460699002

METHOD BLANK: 3167212

Matrix: Air

Associated Lab Samples: 10460699001, 10460699002

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|--------------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.31 | 1.1 | 01/09/19 09:47 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.29 | 0.70 | 01/09/19 09:47 | |
| 1,1,2-Trichloroethane | ug/m3 | <0.25 | 0.56 | 01/09/19 09:47 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.56 | 1.6 | 01/09/19 09:47 | |
| 1,1-Dichloroethane | ug/m3 | <0.22 | 0.82 | 01/09/19 09:47 | |
| 1,1-Dichloroethene | ug/m3 | <0.27 | 0.81 | 01/09/19 09:47 | |
| 1,2,4-Trichlorobenzene | ug/m3 | <3.7 | 7.5 | 01/09/19 09:47 | |
| 1,2,4-Trimethylbenzene | ug/m3 | <0.45 | 1.0 | 01/09/19 09:47 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.37 | 0.78 | 01/09/19 09:47 | |
| 1,2-Dichlorobenzene | ug/m3 | <0.50 | 1.2 | 01/09/19 09:47 | |
| 1,2-Dichloroethane | ug/m3 | <0.15 | 0.41 | 01/09/19 09:47 | |
| 1,2-Dichloropropane | ug/m3 | <0.23 | 0.94 | 01/09/19 09:47 | |
| 1,3,5-Trimethylbenzene | ug/m3 | <0.40 | 1.0 | 01/09/19 09:47 | |
| 1,3-Butadiene | ug/m3 | <0.13 | 0.45 | 01/09/19 09:47 | |
| 1,3-Dichlorobenzene | ug/m3 | <0.58 | 1.2 | 01/09/19 09:47 | |
| 1,4-Dichlorobenzene | ug/m3 | <1.0 | 3.1 | 01/09/19 09:47 | |
| 2-Butanone (MEK) | ug/m3 | <0.37 | 3.0 | 01/09/19 09:47 | |
| 2-Hexanone | ug/m3 | <0.74 | 4.2 | 01/09/19 09:47 | |
| 2-Propanol | ug/m3 | <0.70 | 2.5 | 01/09/19 09:47 | |
| 4-Ethyltoluene | ug/m3 | <0.57 | 2.5 | 01/09/19 09:47 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | <0.52 | 4.2 | 01/09/19 09:47 | |
| Acetone | ug/m3 | <1.2 | 2.4 | 01/09/19 09:47 | |
| Benzene | ug/m3 | <0.15 | 0.32 | 01/09/19 09:47 | |
| Benzyl chloride | ug/m3 | <1.2 | 2.6 | 01/09/19 09:47 | |
| Bromodichloromethane | ug/m3 | <0.37 | 1.4 | 01/09/19 09:47 | |
| Bromoform | ug/m3 | <1.4 | 5.2 | 01/09/19 09:47 | |
| Bromomethane | ug/m3 | <0.23 | 0.79 | 01/09/19 09:47 | |
| Carbon disulfide | ug/m3 | <0.22 | 0.63 | 01/09/19 09:47 | |
| Carbon tetrachloride | ug/m3 | <0.43 | 1.3 | 01/09/19 09:47 | |
| Chlorobenzene | ug/m3 | <0.28 | 0.94 | 01/09/19 09:47 | |
| Chloroethane | ug/m3 | <0.26 | 0.54 | 01/09/19 09:47 | |
| Chloroform | ug/m3 | <0.20 | 0.50 | 01/09/19 09:47 | |
| Chloromethane | ug/m3 | <0.16 | 0.42 | 01/09/19 09:47 | |
| cis-1,2-Dichloroethene | ug/m3 | <0.22 | 0.81 | 01/09/19 09:47 | |
| cis-1,3-Dichloropropene | ug/m3 | <0.30 | 0.92 | 01/09/19 09:47 | |
| Cyclohexane | ug/m3 | <0.35 | 1.8 | 01/09/19 09:47 | |
| Dibromochloromethane | ug/m3 | <0.72 | 1.7 | 01/09/19 09:47 | |
| Dichlorodifluoromethane | ug/m3 | <0.29 | 1.0 | 01/09/19 09:47 | |
| Dichlorotetrafluoroethane | ug/m3 | <0.44 | 1.4 | 01/09/19 09:47 | |
| Ethanol | ug/m3 | <0.81 | 1.9 | 01/09/19 09:47 | |
| Ethyl acetate | ug/m3 | <0.19 | 0.73 | 01/09/19 09:47 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

METHOD BLANK: 3167212

Matrix: Air

Associated Lab Samples: 10460699001, 10460699002

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Ethylbenzene | ug/m3 | <0.30 | 0.88 | 01/09/19 09:47 | |
| Hexachloro-1,3-butadiene | ug/m3 | <2.0 | 5.4 | 01/09/19 09:47 | |
| m&p-Xylene | ug/m3 | <0.70 | 1.8 | 01/09/19 09:47 | |
| Methyl-tert-butyl ether | ug/m3 | <0.66 | 3.7 | 01/09/19 09:47 | |
| Methylene Chloride | ug/m3 | <0.94 | 3.5 | 01/09/19 09:47 | |
| n-Heptane | ug/m3 | <0.38 | 0.83 | 01/09/19 09:47 | |
| n-Hexane | ug/m3 | <0.31 | 0.72 | 01/09/19 09:47 | |
| Naphthalene | ug/m3 | <1.3 | 2.7 | 01/09/19 09:47 | |
| o-Xylene | ug/m3 | <0.34 | 0.88 | 01/09/19 09:47 | |
| Propylene | ug/m3 | <0.14 | 0.35 | 01/09/19 09:47 | |
| Styrene | ug/m3 | <0.34 | 0.87 | 01/09/19 09:47 | |
| Tetrachloroethene | ug/m3 | <0.31 | 0.69 | 01/09/19 09:47 | |
| Tetrahydrofuran | ug/m3 | <0.26 | 0.60 | 01/09/19 09:47 | |
| Toluene | ug/m3 | <0.35 | 0.77 | 01/09/19 09:47 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.28 | 0.81 | 01/09/19 09:47 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.44 | 0.92 | 01/09/19 09:47 | |
| Trichloroethene | ug/m3 | <0.26 | 0.55 | 01/09/19 09:47 | |
| Trichlorofluoromethane | ug/m3 | <0.37 | 1.1 | 01/09/19 09:47 | |
| Vinyl acetate | ug/m3 | <0.27 | 0.72 | 01/09/19 09:47 | |
| Vinyl chloride | ug/m3 | <0.13 | 0.26 | 01/09/19 09:47 | |

LABORATORY CONTROL SAMPLE: 3167213

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|--------------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | 55.5 | 59.0 | 106 | 70-130 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | 69.8 | 82.0 | 118 | 70-132 | |
| 1,1,2-Trichloroethane | ug/m3 | 55.5 | 59.8 | 108 | 70-130 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | 77.9 | 75.7 | 97 | 70-130 | |
| 1,1-Dichloroethane | ug/m3 | 41.1 | 41.1 | 100 | 70-130 | |
| 1,1-Dichloroethene | ug/m3 | 40.3 | 41.2 | 102 | 70-130 | |
| 1,2,4-Trichlorobenzene | ug/m3 | 75.4 | 70.8 | 94 | 56-130 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 50 | 66.0 | 132 | 70-134 | CH |
| 1,2-Dibromoethane (EDB) | ug/m3 | 78.1 | 90.5 | 116 | 70-130 | |
| 1,2-Dichlorobenzene | ug/m3 | 61.1 | 73.8 | 121 | 70-132 | |
| 1,2-Dichloroethane | ug/m3 | 41.1 | 43.4 | 106 | 70-130 | |
| 1,2-Dichloropropane | ug/m3 | 47 | 50.8 | 108 | 70-130 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 50 | 57.1 | 114 | 70-132 | |
| 1,3-Butadiene | ug/m3 | 22.5 | 22.7 | 101 | 65-130 | |
| 1,3-Dichlorobenzene | ug/m3 | 61.1 | 72.1 | 118 | 70-137 | |
| 1,4-Dichlorobenzene | ug/m3 | 61.1 | 76.2 | 125 | 70-134 | |
| 2-Butanone (MEK) | ug/m3 | 30 | 35.7 | 119 | 70-130 | |
| 2-Hexanone | ug/m3 | 41.6 | 46.9 | 113 | 70-135 | |
| 2-Propanol | ug/m3 | 125 | 124 | 99 | 68-130 | |
| 4-Ethyltoluene | ug/m3 | 50 | 56.7 | 113 | 70-138 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

LABORATORY CONTROL SAMPLE: 3167213

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 41.6 | 55.8 | 134 | 70-131 | CU,L3 |
| Acetone | ug/m3 | 121 | 115 | 96 | 67-130 | |
| Benzene | ug/m3 | 32.5 | 33.0 | 102 | 70-130 | |
| Benzyl chloride | ug/m3 | 52.6 | 57.5 | 109 | 70-130 | |
| Bromodichloromethane | ug/m3 | 68.1 | 77.5 | 114 | 70-130 | |
| Bromoform | ug/m3 | 105 | 134 | 128 | 70-132 | |
| Bromomethane | ug/m3 | 39.5 | 41.7 | 106 | 69-130 | |
| Carbon disulfide | ug/m3 | 31.6 | 33.5 | 106 | 56-137 | |
| Carbon tetrachloride | ug/m3 | 64 | 55.9 | 87 | 66-131 | |
| Chlorobenzene | ug/m3 | 46.8 | 47.7 | 102 | 70-130 | |
| Chloroethane | ug/m3 | 26.8 | 30.8 | 115 | 70-130 | |
| Chloroform | ug/m3 | 49.6 | 51.1 | 103 | 70-130 | |
| Chloromethane | ug/m3 | 21 | 21.1 | 100 | 66-130 | |
| cis-1,2-Dichloroethene | ug/m3 | 40.3 | 42.9 | 106 | 70-130 | |
| cis-1,3-Dichloropropene | ug/m3 | 46.1 | 57.0 | 124 | 70-133 | |
| Cyclohexane | ug/m3 | 35 | 43.5 | 124 | 68-132 | |
| Dibromochloromethane | ug/m3 | 86.6 | 101 | 117 | 70-130 | |
| Dichlorodifluoromethane | ug/m3 | 50.3 | 49.7 | 99 | 70-130 | |
| Dichlorotetrafluoroethane | ug/m3 | 71 | 68.7 | 97 | 70-130 | |
| Ethanol | ug/m3 | 91.6 | 93.5 | 102 | 68-133 | |
| Ethyl acetate | ug/m3 | 36.6 | 40.3 | 110 | 69-130 | |
| Ethylbenzene | ug/m3 | 44.1 | 56.1 | 127 | 67-131 | |
| Hexachloro-1,3-butadiene | ug/m3 | 108 | 105 | 97 | 66-137 | |
| m&p-Xylene | ug/m3 | 88.3 | 112 | 127 | 70-132 | |
| Methyl-tert-butyl ether | ug/m3 | 36.6 | 39.6 | 108 | 70-130 | |
| Methylene Chloride | ug/m3 | 177 | 166 | 94 | 65-130 | |
| n-Heptane | ug/m3 | 41.6 | 48.2 | 116 | 65-130 | |
| n-Hexane | ug/m3 | 35.8 | 40.5 | 113 | 66-130 | |
| Naphthalene | ug/m3 | 53.3 | 53.2 | 100 | 56-130 | |
| o-Xylene | ug/m3 | 44.1 | 56.0 | 127 | 70-130 | |
| Propylene | ug/m3 | 17.5 | 19.3 | 110 | 67-130 | |
| Styrene | ug/m3 | 43.3 | 49.0 | 113 | 69-136 | |
| Tetrachloroethene | ug/m3 | 68.9 | 70.7 | 103 | 70-130 | |
| Tetrahydrofuran | ug/m3 | 30 | 34.0 | 113 | 68-131 | |
| Toluene | ug/m3 | 38.3 | 47.1 | 123 | 70-130 | |
| trans-1,2-Dichloroethene | ug/m3 | 40.3 | 40.6 | 101 | 70-130 | |
| trans-1,3-Dichloropropene | ug/m3 | 46.1 | 52.2 | 113 | 70-134 | |
| Trichloroethene | ug/m3 | 54.6 | 57.0 | 104 | 70-130 | |
| Trichlorofluoromethane | ug/m3 | 57.1 | 57.9 | 101 | 65-130 | |
| Vinyl acetate | ug/m3 | 35.8 | 42.1 | 118 | 61-133 | |
| Vinyl chloride | ug/m3 | 26 | 26.3 | 101 | 70-130 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

SAMPLE DUPLICATE: 3167367

| Parameter | Units | 10460701001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | ND | <0.75 | | 25 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | ND | <0.71 | | 25 | |
| 1,1,2-Trichloroethane | ug/m3 | ND | <0.61 | | 25 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | ND | <1.4 | | 25 | |
| 1,1-Dichloroethane | ug/m3 | ND | <0.55 | | 25 | |
| 1,1-Dichloroethene | ug/m3 | ND | <0.67 | | 25 | |
| 1,2,4-Trichlorobenzene | ug/m3 | ND | <9.1 | | 25 | |
| 1,2,4-Trimethylbenzene | ug/m3 | ND | <1.1 | | 25 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | ND | <0.89 | | 25 | |
| 1,2-Dichlorobenzene | ug/m3 | ND | <1.2 | | 25 | |
| 1,2-Dichloroethane | ug/m3 | ND | <0.37 | | 25 | |
| 1,2-Dichloropropane | ug/m3 | ND | <0.56 | | 25 | |
| 1,3,5-Trimethylbenzene | ug/m3 | ND | <0.97 | | 25 | |
| 1,3-Butadiene | ug/m3 | ND | <0.31 | | 25 | |
| 1,3-Dichlorobenzene | ug/m3 | ND | <1.4 | | 25 | |
| 1,4-Dichlorobenzene | ug/m3 | 190 | 192 | 1 | 25 | |
| 2-Butanone (MEK) | ug/m3 | ND | 2.3J | | 25 | |
| 2-Hexanone | ug/m3 | ND | <1.8 | | 25 | |
| 2-Propanol | ug/m3 | 7.0 | 7.1 | 2 | 25 | |
| 4-Ethyltoluene | ug/m3 | ND | <1.4 | | 25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | ND | <1.3 | | 25 | |
| Acetone | ug/m3 | 14.9 | 15.3 | 2 | 25 | |
| Benzene | ug/m3 | 2.6 | 2.8 | 7 | 25 | |
| Benzyl chloride | ug/m3 | ND | <2.9 | | 25 | |
| Bromodichloromethane | ug/m3 | ND | <0.89 | | 25 | |
| Bromoform | ug/m3 | ND | <3.5 | | 25 | |
| Bromomethane | ug/m3 | ND | <0.55 | | 25 | |
| Carbon disulfide | ug/m3 | ND | <0.53 | | 25 | |
| Carbon tetrachloride | ug/m3 | ND | <1.0 | | 25 | |
| Chlorobenzene | ug/m3 | ND | <0.67 | | 25 | |
| Chloroethane | ug/m3 | ND | <0.63 | | 25 | |
| Chloroform | ug/m3 | 2.4 | 2.5 | 1 | 25 | |
| Chloromethane | ug/m3 | ND | <0.38 | | 25 | |
| cis-1,2-Dichloroethene | ug/m3 | ND | <0.53 | | 25 | |
| cis-1,3-Dichloropropene | ug/m3 | ND | <0.74 | | 25 | |
| Cyclohexane | ug/m3 | ND | <0.86 | | 25 | |
| Dibromochloromethane | ug/m3 | ND | <1.8 | | 25 | |
| Dichlorodifluoromethane | ug/m3 | 3.6 | 3.8 | 4 | 25 | |
| Dichlorotetrafluoroethane | ug/m3 | ND | <1.1 | | 25 | |
| Ethanol | ug/m3 | 288 | 295 | 2 | 25 | |
| Ethyl acetate | ug/m3 | 2.9 | 3.4 | 15 | 25 | |
| Ethylbenzene | ug/m3 | ND | <0.74 | | 25 | |
| Hexachloro-1,3-butadiene | ug/m3 | ND | <4.8 | | 25 | |
| m&p-Xylene | ug/m3 | ND | <1.7 | | 25 | |
| Methyl-tert-butyl ether | ug/m3 | ND | <1.6 | | 25 | |
| Methylene Chloride | ug/m3 | ND | 3.3J | | 25 | |
| n-Heptane | ug/m3 | ND | 1.0J | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

SAMPLE DUPLICATE: 3167367

| Parameter | Units | 10460701001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| n-Hexane | ug/m3 | 3.1 | 3.3 | 7 | 25 | |
| Naphthalene | ug/m3 | ND | <3.2 | | 25 | |
| o-Xylene | ug/m3 | ND | <0.84 | | 25 | |
| Propylene | ug/m3 | ND | <0.35 | | 25 | |
| Styrene | ug/m3 | ND | 2.0J | | 25 | |
| Tetrachloroethene | ug/m3 | 3.4 | 3.5 | 4 | 25 | |
| Tetrahydrofuran | ug/m3 | ND | <0.64 | | 25 | |
| Toluene | ug/m3 | ND | 1.7J | | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | ND | <0.70 | | 25 | |
| trans-1,3-Dichloropropene | ug/m3 | ND | <1.1 | | 25 | |
| Trichloroethene | ug/m3 | ND | <0.63 | | 25 | |
| Trichlorofluoromethane | ug/m3 | 15.4 | 16.0 | 4 | 25 | |
| Vinyl acetate | ug/m3 | ND | <0.66 | | 25 | |
| Vinyl chloride | ug/m3 | ND | <0.31 | | 25 | |

SAMPLE DUPLICATE: 3167370

| Parameter | Units | 10460699001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.47 | <0.47 | | 25 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.44 | <0.44 | | 25 | |
| 1,1,2-Trichloroethane | ug/m3 | <0.38 | <0.38 | | 25 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.86 | <0.86 | | 25 | |
| 1,1-Dichloroethane | ug/m3 | <0.34 | <0.34 | | 25 | |
| 1,1-Dichloroethene | ug/m3 | <0.42 | <0.42 | | 25 | |
| 1,2,4-Trichlorobenzene | ug/m3 | <5.7 | <5.7 | | 25 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 6.6 | 6.5 | 2 | 25 | CH |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.56 | <0.56 | | 25 | |
| 1,2-Dichlorobenzene | ug/m3 | <0.76 | <0.76 | | 25 | |
| 1,2-Dichloroethane | ug/m3 | <0.23 | <0.23 | | 25 | |
| 1,2-Dichloropropane | ug/m3 | <0.35 | <0.35 | | 25 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 2.4 | 2.3 | 5 | 25 | |
| 1,3-Butadiene | ug/m3 | <0.19 | <0.19 | | 25 | |
| 1,3-Dichlorobenzene | ug/m3 | <0.88 | <0.88 | | 25 | |
| 1,4-Dichlorobenzene | ug/m3 | 10.6 | 10.2 | 4 | 25 | |
| 2-Butanone (MEK) | ug/m3 | 1.6J | 1.6J | | 25 | |
| 2-Hexanone | ug/m3 | <1.1 | <1.1 | | 25 | |
| 2-Propanol | ug/m3 | 3.9 | 4.0 | 3 | 25 | |
| 4-Ethyltoluene | ug/m3 | 2.4J | 2.4J | | 25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | <0.79 | <0.79 | | 25 | |
| Acetone | ug/m3 | 12.7 | 12.8 | 1 | 25 | |
| Benzene | ug/m3 | 0.28J | 0.26J | | 25 | |
| Benzyl chloride | ug/m3 | <1.8 | <1.8 | | 25 | |
| Bromodichloromethane | ug/m3 | 0.92J | 0.80J | | 25 | |
| Bromoform | ug/m3 | <2.2 | <2.2 | | 25 | |
| Bromomethane | ug/m3 | <0.35 | <0.35 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

SAMPLE DUPLICATE: 3167370

| Parameter | Units | 10460699001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| Carbon disulfide | ug/m3 | <0.33 | <0.33 | | 25 | |
| Carbon tetrachloride | ug/m3 | <0.65 | <0.65 | | 25 | |
| Chlorobenzene | ug/m3 | <0.42 | <0.42 | | 25 | |
| Chloroethane | ug/m3 | <0.40 | <0.40 | | 25 | |
| Chloroform | ug/m3 | 13.6 | 13.3 | 2 | 25 | |
| Chloromethane | ug/m3 | <0.24 | <0.24 | | 25 | |
| cis-1,2-Dichloroethene | ug/m3 | <0.33 | <0.33 | | 25 | |
| cis-1,3-Dichloropropene | ug/m3 | <0.46 | <0.46 | | 25 | |
| Cyclohexane | ug/m3 | <0.54 | <0.54 | | 25 | |
| Dibromochloromethane | ug/m3 | <1.1 | <1.1 | | 25 | |
| Dichlorodifluoromethane | ug/m3 | 10.9 | 10.5 | 4 | 25 | |
| Dichlorotetrafluoroethane | ug/m3 | <0.66 | <0.66 | | 25 | |
| Ethanol | ug/m3 | 18.4 | 18.5 | 1 | 25 | |
| Ethyl acetate | ug/m3 | <0.29 | <0.29 | | 25 | |
| Ethylbenzene | ug/m3 | 1.4 | 1.2J | | 25 | |
| Hexachloro-1,3-butadiene | ug/m3 | <3.0 | <3.0 | | 25 | |
| m&p-Xylene | ug/m3 | 6.6 | 5.9 | 10 | 25 | |
| Methyl-tert-butyl ether | ug/m3 | <1.0 | <1.0 | | 25 | |
| Methylene Chloride | ug/m3 | 3.9J | 3.8J | | 25 | |
| n-Heptane | ug/m3 | <0.58 | <0.58 | | 25 | |
| n-Hexane | ug/m3 | 0.50J | 0.50J | | 25 | |
| Naphthalene | ug/m3 | 18.0 | 17.7 | 2 | 25 | |
| o-Xylene | ug/m3 | 2.7 | 2.6 | 1 | 25 | |
| Propylene | ug/m3 | <0.22 | <0.22 | | 25 | |
| Styrene | ug/m3 | <0.52 | <0.52 | | 25 | |
| Tetrachloroethene | ug/m3 | 128 | 124 | 3 | 25 | |
| Tetrahydrofuran | ug/m3 | <0.40 | <0.40 | | 25 | |
| Toluene | ug/m3 | 3.7 | 3.4 | 7 | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.43 | <0.43 | | 25 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.67 | <0.67 | | 25 | |
| Trichloroethene | ug/m3 | 2.0 | 2.0 | 2 | 25 | |
| Trichlorofluoromethane | ug/m3 | 1.1J | 1.0J | | 25 | |
| Vinyl acetate | ug/m3 | <0.41 | <0.41 | | 25 | |
| Vinyl chloride | ug/m3 | <0.19 | <0.19 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE
Pace Project No.: 10460699

| | |
|-------------------------------------|--|
| QC Batch: 584707 | Analysis Method: TO-15 |
| QC Batch Method: TO-15 | Analysis Description: TO15 MSV AIR Low Level |
| Associated Lab Samples: 10460699003 | |

| | |
|-------------------------------------|-------------|
| METHOD BLANK: 3167708 | Matrix: Air |
| Associated Lab Samples: 10460699003 | |

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|--------------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.31 | 1.1 | 01/09/19 10:08 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.29 | 0.70 | 01/09/19 10:08 | |
| 1,1,2-Trichloroethane | ug/m3 | <0.25 | 0.56 | 01/09/19 10:08 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.56 | 1.6 | 01/09/19 10:08 | |
| 1,1-Dichloroethane | ug/m3 | <0.22 | 0.82 | 01/09/19 10:08 | |
| 1,1-Dichloroethene | ug/m3 | <0.27 | 0.81 | 01/09/19 10:08 | |
| 1,2,4-Trichlorobenzene | ug/m3 | <3.7 | 7.5 | 01/09/19 10:08 | |
| 1,2,4-Trimethylbenzene | ug/m3 | <0.45 | 1.0 | 01/09/19 10:08 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.37 | 0.78 | 01/09/19 10:08 | |
| 1,2-Dichlorobenzene | ug/m3 | <0.50 | 1.2 | 01/09/19 10:08 | |
| 1,2-Dichloroethane | ug/m3 | <0.15 | 0.41 | 01/09/19 10:08 | |
| 1,2-Dichloropropane | ug/m3 | <0.23 | 0.94 | 01/09/19 10:08 | |
| 1,3,5-Trimethylbenzene | ug/m3 | <0.40 | 1.0 | 01/09/19 10:08 | |
| 1,3-Butadiene | ug/m3 | <0.13 | 0.45 | 01/09/19 10:08 | |
| 1,3-Dichlorobenzene | ug/m3 | <0.58 | 1.2 | 01/09/19 10:08 | |
| 1,4-Dichlorobenzene | ug/m3 | <1.0 | 3.1 | 01/09/19 10:08 | |
| 2-Butanone (MEK) | ug/m3 | <0.37 | 3.0 | 01/09/19 10:08 | |
| 2-Hexanone | ug/m3 | <0.74 | 4.2 | 01/09/19 10:08 | |
| 2-Propanol | ug/m3 | <0.70 | 2.5 | 01/09/19 10:08 | |
| 4-Ethyltoluene | ug/m3 | <0.57 | 2.5 | 01/09/19 10:08 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | <0.52 | 4.2 | 01/09/19 10:08 | |
| Acetone | ug/m3 | <1.2 | 2.4 | 01/09/19 10:08 | |
| Benzene | ug/m3 | <0.15 | 0.32 | 01/09/19 10:08 | |
| Benzyl chloride | ug/m3 | <1.2 | 2.6 | 01/09/19 10:08 | |
| Bromodichloromethane | ug/m3 | <0.37 | 1.4 | 01/09/19 10:08 | |
| Bromoform | ug/m3 | <1.4 | 5.2 | 01/09/19 10:08 | |
| Bromomethane | ug/m3 | <0.23 | 0.79 | 01/09/19 10:08 | |
| Carbon disulfide | ug/m3 | <0.22 | 0.63 | 01/09/19 10:08 | |
| Carbon tetrachloride | ug/m3 | <0.43 | 1.3 | 01/09/19 10:08 | |
| Chlorobenzene | ug/m3 | <0.28 | 0.94 | 01/09/19 10:08 | |
| Chloroethane | ug/m3 | <0.26 | 0.54 | 01/09/19 10:08 | |
| Chloroform | ug/m3 | <0.20 | 0.50 | 01/09/19 10:08 | |
| Chloromethane | ug/m3 | <0.16 | 0.42 | 01/09/19 10:08 | |
| cis-1,2-Dichloroethene | ug/m3 | <0.22 | 0.81 | 01/09/19 10:08 | |
| cis-1,3-Dichloropropene | ug/m3 | <0.30 | 0.92 | 01/09/19 10:08 | |
| Cyclohexane | ug/m3 | <0.35 | 1.8 | 01/09/19 10:08 | |
| Dibromochloromethane | ug/m3 | <0.72 | 1.7 | 01/09/19 10:08 | |
| Dichlorodifluoromethane | ug/m3 | <0.29 | 1.0 | 01/09/19 10:08 | |
| Dichlorotetrafluoroethane | ug/m3 | <0.44 | 1.4 | 01/09/19 10:08 | |
| Ethanol | ug/m3 | <0.81 | 1.9 | 01/09/19 10:08 | |
| Ethyl acetate | ug/m3 | <0.19 | 0.73 | 01/09/19 10:08 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

METHOD BLANK: 3167708

Matrix: Air

Associated Lab Samples: 10460699003

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Ethylbenzene | ug/m3 | <0.30 | 0.88 | 01/09/19 10:08 | |
| Hexachloro-1,3-butadiene | ug/m3 | <2.0 | 5.4 | 01/09/19 10:08 | |
| m&p-Xylene | ug/m3 | <0.70 | 1.8 | 01/09/19 10:08 | |
| Methyl-tert-butyl ether | ug/m3 | <0.66 | 3.7 | 01/09/19 10:08 | |
| Methylene Chloride | ug/m3 | <0.94 | 3.5 | 01/09/19 10:08 | |
| n-Heptane | ug/m3 | <0.38 | 0.83 | 01/09/19 10:08 | |
| n-Hexane | ug/m3 | <0.31 | 0.72 | 01/09/19 10:08 | |
| Naphthalene | ug/m3 | <1.3 | 2.7 | 01/09/19 10:08 | |
| o-Xylene | ug/m3 | <0.34 | 0.88 | 01/09/19 10:08 | |
| Propylene | ug/m3 | <0.14 | 0.35 | 01/09/19 10:08 | |
| Styrene | ug/m3 | <0.34 | 0.87 | 01/09/19 10:08 | |
| Tetrachloroethene | ug/m3 | <0.31 | 0.69 | 01/09/19 10:08 | |
| Tetrahydrofuran | ug/m3 | <0.26 | 0.60 | 01/09/19 10:08 | |
| Toluene | ug/m3 | <0.35 | 0.77 | 01/09/19 10:08 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.28 | 0.81 | 01/09/19 10:08 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.44 | 0.92 | 01/09/19 10:08 | |
| Trichloroethene | ug/m3 | <0.26 | 0.55 | 01/09/19 10:08 | |
| Trichlorofluoromethane | ug/m3 | <0.37 | 1.1 | 01/09/19 10:08 | |
| Vinyl acetate | ug/m3 | <0.27 | 0.72 | 01/09/19 10:08 | |
| Vinyl chloride | ug/m3 | <0.13 | 0.26 | 01/09/19 10:08 | |

LABORATORY CONTROL SAMPLE: 3167709

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|--------------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | 55.5 | 61.8 | 111 | 70-130 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | 69.8 | 77.2 | 111 | 70-132 | |
| 1,1,2-Trichloroethane | ug/m3 | 55.5 | 57.9 | 104 | 70-130 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | 77.9 | 76.6 | 98 | 70-130 | |
| 1,1-Dichloroethane | ug/m3 | 41.1 | 44.2 | 108 | 70-130 | |
| 1,1-Dichloroethene | ug/m3 | 40.3 | 41.7 | 104 | 70-130 | |
| 1,2,4-Trichlorobenzene | ug/m3 | 75.4 | 80.1 | 106 | 56-130 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 50 | 53.9 | 108 | 70-134 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | 78.1 | 82.4 | 105 | 70-130 | |
| 1,2-Dichlorobenzene | ug/m3 | 61.1 | 63.9 | 105 | 70-132 | |
| 1,2-Dichloroethane | ug/m3 | 41.1 | 46.8 | 114 | 70-130 | |
| 1,2-Dichloropropane | ug/m3 | 47 | 51.3 | 109 | 70-130 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 50 | 53.5 | 107 | 70-132 | |
| 1,3-Butadiene | ug/m3 | 22.5 | 24.4 | 109 | 65-130 | |
| 1,3-Dichlorobenzene | ug/m3 | 61.1 | 62.5 | 102 | 70-137 | |
| 1,4-Dichlorobenzene | ug/m3 | 61.1 | 62.9 | 103 | 70-134 | |
| 2-Butanone (MEK) | ug/m3 | 30 | 31.8 | 106 | 70-130 | |
| 2-Hexanone | ug/m3 | 41.6 | 46.0 | 111 | 70-135 | |
| 2-Propanol | ug/m3 | 125 | 119 | 95 | 68-130 | |
| 4-Ethyltoluene | ug/m3 | 50 | 54.6 | 109 | 70-138 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

LABORATORY CONTROL SAMPLE: 3167709

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 41.6 | 46.1 | 111 | 70-131 | |
| Acetone | ug/m3 | 121 | 126 | 105 | 67-130 | |
| Benzene | ug/m3 | 32.5 | 32.6 | 100 | 70-130 | |
| Benzyl chloride | ug/m3 | 52.6 | 65.9 | 125 | 70-130 | |
| Bromodichloromethane | ug/m3 | 68.1 | 76.0 | 112 | 70-130 | |
| Bromoform | ug/m3 | 105 | 87.7 | 84 | 70-132 | |
| Bromomethane | ug/m3 | 39.5 | 39.7 | 101 | 69-130 | |
| Carbon disulfide | ug/m3 | 31.6 | 32.5 | 103 | 56-137 | |
| Carbon tetrachloride | ug/m3 | 64 | 75.0 | 117 | 66-131 | |
| Chlorobenzene | ug/m3 | 46.8 | 47.4 | 101 | 70-130 | |
| Chloroethane | ug/m3 | 26.8 | 31.0 | 116 | 70-130 | |
| Chloroform | ug/m3 | 49.6 | 53.2 | 107 | 70-130 | |
| Chloromethane | ug/m3 | 21 | 21.5 | 102 | 66-130 | |
| cis-1,2-Dichloroethene | ug/m3 | 40.3 | 41.8 | 104 | 70-130 | |
| cis-1,3-Dichloropropene | ug/m3 | 46.1 | 50.3 | 109 | 70-133 | |
| Cyclohexane | ug/m3 | 35 | 37.7 | 108 | 68-132 | |
| Dibromochloromethane | ug/m3 | 86.6 | 92.8 | 107 | 70-130 | |
| Dichlorodifluoromethane | ug/m3 | 50.3 | 54.1 | 108 | 70-130 | |
| Dichlorotetrafluoroethane | ug/m3 | 71 | 72.4 | 102 | 70-130 | |
| Ethanol | ug/m3 | 91.6 | 85.4 | 93 | 68-133 | |
| Ethyl acetate | ug/m3 | 36.6 | 40.2 | 110 | 69-130 | |
| Ethylbenzene | ug/m3 | 44.1 | 46.1 | 104 | 67-131 | |
| Hexachloro-1,3-butadiene | ug/m3 | 108 | 121 | 112 | 66-137 | |
| m&p-Xylene | ug/m3 | 88.3 | 90.9 | 103 | 70-132 | |
| Methyl-tert-butyl ether | ug/m3 | 36.6 | 39.1 | 107 | 70-130 | |
| Methylene Chloride | ug/m3 | 177 | 224 | 127 | 65-130 | |
| n-Heptane | ug/m3 | 41.6 | 43.8 | 105 | 65-130 | |
| n-Hexane | ug/m3 | 35.8 | 36.9 | 103 | 66-130 | |
| Naphthalene | ug/m3 | 53.3 | 53.7 | 101 | 56-130 | |
| o-Xylene | ug/m3 | 44.1 | 45.9 | 104 | 70-130 | |
| Propylene | ug/m3 | 17.5 | 19.5 | 112 | 67-130 | |
| Styrene | ug/m3 | 43.3 | 46.2 | 107 | 69-136 | |
| Tetrachloroethene | ug/m3 | 68.9 | 69.2 | 100 | 70-130 | |
| Tetrahydrofuran | ug/m3 | 30 | 35.0 | 117 | 68-131 | |
| Toluene | ug/m3 | 38.3 | 38.1 | 99 | 70-130 | |
| trans-1,2-Dichloroethene | ug/m3 | 40.3 | 41.4 | 103 | 70-130 | |
| trans-1,3-Dichloropropene | ug/m3 | 46.1 | 52.0 | 113 | 70-134 | |
| Trichloroethene | ug/m3 | 54.6 | 54.8 | 100 | 70-130 | |
| Trichlorofluoromethane | ug/m3 | 57.1 | 61.3 | 107 | 65-130 | |
| Vinyl acetate | ug/m3 | 35.8 | 39.0 | 109 | 61-133 | |
| Vinyl chloride | ug/m3 | 26 | 26.4 | 102 | 70-130 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

SAMPLE DUPLICATE: 3168116

| Parameter | Units | 10460686001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | ND | <374 | | 25 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | ND | <353 | | 25 | |
| 1,1,2-Trichloroethane | ug/m3 | ND | <302 | | 25 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | ND | <682 | | 25 | |
| 1,1-Dichloroethane | ug/m3 | ND | <272 | | 25 | |
| 1,1-Dichloroethene | ug/m3 | ND | <331 | | 25 | |
| 1,2,4-Trichlorobenzene | ug/m3 | ND | <4500 | | 25 | |
| 1,2,4-Trimethylbenzene | ug/m3 | ND | <547 | | 25 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | ND | <443 | | 25 | |
| 1,2-Dichlorobenzene | ug/m3 | ND | <602 | | 25 | |
| 1,2-Dichloroethane | ug/m3 | ND | <181 | | 25 | |
| 1,2-Dichloropropane | ug/m3 | ND | <278 | | 25 | |
| 1,3,5-Trimethylbenzene | ug/m3 | ND | <483 | | 25 | |
| 1,3-Butadiene | ug/m3 | ND | <155 | | 25 | |
| 1,3-Dichlorobenzene | ug/m3 | ND | <703 | | 25 | |
| 1,4-Dichlorobenzene | ug/m3 | ND | <1210 | | 25 | |
| 2-Butanone (MEK) | ug/m3 | ND | <446 | | 25 | |
| 2-Hexanone | ug/m3 | ND | <901 | | 25 | |
| 2-Propanol | ug/m3 | ND | <843 | | 25 | |
| 4-Ethyltoluene | ug/m3 | ND | <689 | | 25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | ND | <627 | | 25 | |
| Acetone | ug/m3 | ND | <1460 | | 25 | |
| Benzene | ug/m3 | 87600 | 82100 | 6 | 25 | |
| Benzyl chloride | ug/m3 | ND | <1450 | | 25 | |
| Bromodichloromethane | ug/m3 | ND | <443 | | 25 | |
| Bromoform | ug/m3 | ND | <1720 | | 25 | |
| Bromomethane | ug/m3 | ND | <275 | | 25 | |
| Carbon disulfide | ug/m3 | ND | <265 | | 25 | |
| Carbon tetrachloride | ug/m3 | ND | <519 | | 25 | |
| Chlorobenzene | ug/m3 | ND | <333 | | 25 | |
| Chloroethane | ug/m3 | ND | <314 | | 25 | |
| Chloroform | ug/m3 | ND | <237 | | 25 | |
| Chloromethane | ug/m3 | ND | <189 | | 25 | |
| cis-1,2-Dichloroethene | ug/m3 | ND | <265 | | 25 | |
| cis-1,3-Dichloropropene | ug/m3 | ND | <368 | | 25 | |
| Cyclohexane | ug/m3 | ND | <427 | | 25 | |
| Dibromochloromethane | ug/m3 | ND | <870 | | 25 | |
| Dichlorodifluoromethane | ug/m3 | ND | <354 | | 25 | |
| Dichlorotetrafluoroethane | ug/m3 | ND | <529 | | 25 | |
| Ethanol | ug/m3 | ND | <982 | | 25 | |
| Ethyl acetate | ug/m3 | ND | <230 | | 25 | |
| Ethylbenzene | ug/m3 | ND | <369 | | 25 | |
| Hexachloro-1,3-butadiene | ug/m3 | ND | <2380 | | 25 | |
| m&p-Xylene | ug/m3 | ND | 1470J | | 25 | |
| Methyl-tert-butyl ether | ug/m3 | ND | <802 | | 25 | |
| Methylene Chloride | ug/m3 | ND | <1140 | | 25 | |
| n-Heptane | ug/m3 | ND | <460 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

SAMPLE DUPLICATE: 3168116

| Parameter | Units | 10460686001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| n-Hexane | ug/m3 | ND | <376 | | 25 | |
| Naphthalene | ug/m3 | ND | <1600 | | 25 | |
| o-Xylene | ug/m3 | ND | 710J | | 25 | |
| Propylene | ug/m3 | ND | <173 | | 25 | |
| Styrene | ug/m3 | ND | <416 | | 25 | |
| Tetrachloroethene | ug/m3 | ND | <380 | | 25 | |
| Tetrahydrofuran | ug/m3 | ND | <316 | | 25 | |
| Toluene | ug/m3 | 12400 | 11500 | 7 | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | ND | <345 | | 25 | |
| trans-1,3-Dichloropropene | ug/m3 | ND | <532 | | 25 | |
| Trichloroethene | ug/m3 | ND | <311 | | 25 | |
| Trichlorofluoromethane | ug/m3 | ND | <443 | | 25 | |
| Vinyl acetate | ug/m3 | ND | <327 | | 25 | |
| Vinyl chloride | ug/m3 | ND | <152 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: PECO-2017-100 GREEN TREE
Pace Project No.: 10460699

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

| | |
|----|--|
| CH | The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high. |
| CU | The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.. |
| L3 | Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 10460699

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|-----------|-----------------|----------|-------------------|------------------|
| 10460699001 | SV-3 | TO-15 | 584568 | | |
| 10460699002 | SV-2 | TO-15 | 584568 | | |
| 10460699003 | SV-12 | TO-15 | 584707 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Air Sample Condition Upon Receipt

Client Name: Apex

Project #:

WO#: 10460699

PM: CT1 **Due Date: 01/15/19**

CLIENT: Apex CO LLC

Courier: ☒ Fed Ex ☐ UPS ☐ Speedee ☐ Client

☐ Commercial ☐ Pace ☐ Other: _____

Tracking Number: 454599081758

Custody Seal on Cooler/Box Present? ☐ Yes ☒ No **Seals Intact?** ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Tin Can ☐ Other: _____

Temp. (TO17 and TO13 samples only) (°C): _____ **Corrected Temp (°C):** _____

Temp should be above freezing to 6°C **Correction Factor:** _____

Type of Ice Received ☐ Blue ☐ Wet ☒ None

Optional: **Proj. Due Date:** **Proj. Name:**

Temp Blank rec: ☐ Yes ☒ No

☐ G87A9170600254
☐ G87A9155100842

Thermom. Used: _____

Date & Initials of Person Examining Contents: RG 1/8/19

| | | | Comments: |
|--|--|-----|--|
| Chain of Custody Present? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 1. | |
| Chain of Custody Filled Out? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 2. | |
| Chain of Custody Relinquished? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 3. | |
| Sampler Name and/or Signature on COC? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. | |
| Samples Arrived within Hold Time? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. | |
| Short Hold Time Analysis (<72 hr)? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. | |
| Rush Turn Around Time Requested? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. | |
| Sufficient Volume? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 8. | |
| Correct Containers Used? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. | |
| -Pace Containers Used? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | |
| Containers Intact? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. | |
| Media: <u>Air Can</u> Airbag Filter TDT Passive | | 11. | Individually Certified Cans Y <u>N</u> (list which samples) |
| Is sufficient information available to reconcile samples to the COC? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 12. | |

| Samples Received: | | | | | Pressure Gauge # 10AIR35 | | | | |
|-------------------|--------|-----------------|------------------|----------------|--------------------------|--------|-----------------|------------------|----------------|
| Canisters | | | | | Canisters | | | | |
| Sample Number | Can ID | Flow Controller | Initial Pressure | Final Pressure | Sample Number | Can ID | Flow Controller | Initial Pressure | Final Pressure |
| SU-3 | 0352 | 2817 | -3.5 | +5 | | | | | |
| " 2 | 1495 | 1722 | -3.5 | " | | | | | |
| " 12 | 1291 | 1574 | -4.5 | " | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Field Data Required? ☐ Yes ☐ No

Project Manager Review: Carolynne Hunt **Date:** 1/8/19

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



SOIL-VAPOR IMPLANT SAMPLE LOG

| | |
|--|---|
| Project Name: <u>Greentree Centre</u> | Project Number: <u>PECO_2017-100</u> |
| Soil-Vapor Implant Installation Date: <u>June 27, 2019</u> | Project Address: <u>5131 Douglas Avenue, Unit D</u> |
| Soil-Vapor Sample Date: <u>June 27, 2019</u> | <u>Racine, Wisconsin</u> |

SAMPLING INFORMATION

| | |
|---|--|
| Soil-Vapor Implant Purge Air: <u>0.0</u> <u>2.5</u> Stabilized PID Reading (PPM) Volume (liters) | Sample Start Time: <u>June 27, 2019</u> <u>10:38</u> DATE TIME |
| Leak Test Method: <u>Shut-in Test</u> <u>Water Dam</u> Sample Train Soil-Vapor Implant | Sample End Time: <u>June 27, 2019</u> <u>11:17</u> DATE TIME |
| Shut-in Test: <u>29</u> <u>30</u> Max. Vacuum (Inches Hg) Test Duration (seconds) | Canister Vacuum: <u>29</u> <u>3</u> Initial (Inches Hg) Final (Inches Hg) |
| Leak Test Notes: <u>No loss</u> Shut-in Test | Analysis Details: <u>Pace Analytical</u> <u>MN</u> Laboratory Location |
| <u>No loss</u> Water Dam | Sample Delivery: <u>June 27, 2019</u> <u>15:00</u> DATE TIME |
| Sample Container Details: <u>6</u> <u>30</u> Volume (liters) Flow Controller (minutes) | Delivery Method (FedEx, courier, etc.): <u>PACE Schaumburg</u> |

METEOROLOGICAL CONDITIONS FOR SAMPLING DAY

| | |
|---|--|
| Ambient Temperature (°F): <u>64</u> <u>83</u> Low High | Sea Level Pressure (inches): <u>29.3</u> |
| Average Wind: <u>SE</u> <u>13</u> Direction Velocity (mph) | Average Humidity (%): <u>60</u> |

ADDITIONAL DETAILS

Other details for tenant space (e.g. recent construction/renovation, cleaning activities, chemical storage, slab/foundation cracks, HVAC status etc.):

Active dry-cleaning operation, sampled through previous sample location.

Problems or inconsistencies encountered during sampling:

Not Applicable

* Include a site sketch on separate sheet noting sample locations (with measurements), chemical storage areas, former operations areas, etc.

| | |
|----------------------------------|--|
| Sample Number: <u>SV-1</u> | Analysis: <u>EPA Method TO-15 (Chlorinated Short List)</u> |
| SUMMA ID Number: <u>927</u> | Requested Turnaround Time: <u>Standard</u> |
| Regulator ID Number: <u>2243</u> | Sample Crew: <u>Ahmed Ali & Steve Newlin</u> |



SOIL-VAPOR IMPLANT SAMPLE LOG

| | |
|--|---|
| Project Name: <u>Greentree Centre</u> | Project Number: <u>PECO_2017-100</u> |
| Soil-Vapor Implant Installation Date: <u>June 27, 2019</u> | Project Address: <u>5131 Douglas Avenue, Unit D</u> |
| Soil-Vapor Sample Date: <u>June 27, 2019</u> | <u>Racine, Wisconsin</u> |

SAMPLING INFORMATION

| | |
|---|--|
| Soil-Vapor Implant Purge Air: <u>0.0</u> <u>2.5</u> Stabilized PID Reading (PPM) Volume (liters) | Sample Start Time: <u>June 27, 2019</u> <u>10:46</u> DATE TIME |
| Leak Test Method: <u>Shut-in Test</u> <u>Water Dam</u> Sample Train Soil-Vapor Implant | Sample End Time: <u>June 27, 2019</u> <u>11:22</u> DATE TIME |
| Shut-in Test: <u>29</u> <u>60</u> Max. Vacuum (Inches Hg) Test Duration (seconds) | Canister Vacuum: <u>28</u> <u>3</u> Initial (Inches Hg) Final (Inches Hg) |
| Leak Test Notes: <u>No loss</u> Shut-in Test | Analysis Details: <u>Pace Analytical</u> <u>MN</u> Laboratory Location |
| <u>No loss</u> Water Dam | Sample Delivery: <u>June 27, 2019</u> <u>15:00</u> DATE TIME |
| Sample Container Details: <u>6</u> <u>30</u> Volume (liters) Flow Controller (minutes) | Delivery Method (FedEx, courier, etc.): <u>PACE Schaumburg</u> |

METEOROLOGICAL CONDITIONS FOR SAMPLING DAY

| | |
|---|--|
| Ambient Temperature (°F): <u>64</u> <u>83</u> Low High | Sea Level Pressure (inches): <u>29.3</u> |
| Average Wind: <u>SE</u> <u>13</u> Direction Velocity (mph) | Average Humidity (%): <u>60</u> |

ADDITIONAL DETAILS

Other details for tenant space (e.g. recent construction/renovation, cleaning activities, chemical storage, slab/foundation cracks, HVAC status etc.):

Active dry-cleaning operation, sampled through previous sample location.

Problems or inconsistencies encountered during sampling:

Not Applicable

* Include a site sketch on separate sheet noting sample locations (with measurements), chemical storage areas, former operations areas, etc.

| | |
|----------------------------------|--|
| Sample Number: <u>SV-3</u> | Analysis: <u>EPA Method TO-15 (Chlorinated Short List)</u> |
| SUMMA ID Number: <u>270</u> | Requested Turnaround Time: <u>Standard</u> |
| Regulator ID Number: <u>2246</u> | Sample Crew: <u>Ahmed Ali & Steve Newlin</u> |



SOIL-VAPOR IMPLANT SAMPLE LOG

| | |
|--|---|
| Project Name: <u>Greentree Centre</u> | Project Number: <u>PECO_2017-100</u> |
| Soil-Vapor Implant Installation Date: <u>June 27, 2019</u> | Project Address: <u>5131 Douglas Avenue, Unit D</u> |
| Soil-Vapor Sample Date: <u>June 27, 2019</u> | <u>Racine, Wisconsin</u> |

SAMPLING INFORMATION

| | | | |
|--|--|--|-------------------------------|
| Soil-Vapor Implant Purge Air: <u>0.0</u> Stabilized PID Reading (PPM) | <u>2.5</u> Volume (liters) | Sample Start Time: <u>June 27, 2019</u> DATE | <u>9:34</u> TIME |
| Leak Test Method: <u>Shut-in Test</u> Sample Train | <u>Water Dam</u> Soil-Vapor Implant | Sample End Time: <u>June 27, 2019</u> DATE | <u>10:11</u> TIME |
| Shut-in Test: <u>29</u> Max. Vacuum (Inches Hg) | <u>30</u> Test Duration (seconds) | Canister Vacuum: <u>29</u> Initial (Inches Hg) | <u>5</u> Final (Inches Hg) |
| Leak Test Notes: <u>No loss</u> Shut-in Test | | Analysis Details: <u>Pace Analytical</u> Laboratory | <u>MN</u> Location |
| | <u>No loss</u> Water Dam | Sample Delivery: <u>June 27, 2019</u> DATE | <u>15:00</u> TIME |
| Sample Container Details: <u>6</u> Volume (liters) | <u>30</u> Flow Controller (minutes) | Delivery Method (FedEx, courier, etc.): <u>PACE Schaumburg</u> | |

METEOROLOGICAL CONDITIONS FOR SAMPLING DAY

| | | |
|--|-----------------------------|--|
| Ambient Temperature (°F): <u>64</u> Low | <u>83</u> High | Sea Level Pressure (inches): <u>29.3</u> |
| Average Wind: <u>SE</u> Direction | <u>13</u> Velocity (mph) | Average Humidity (%): <u>60</u> |

ADDITIONAL DETAILS

Other details for tenant space (e.g. recent construction/renovation, cleaning activities, chemical storage, slab/foundation cracks, HVAC status etc.):

Sampled in neighboring Pay Day Loans office. Carpeted floors.

Problems or inconsistencies encountered during sampling:

Not Applicable

* Include a site sketch on separate sheet noting sample locations (with measurements), chemical storage areas, former operations areas, etc.

| | |
|----------------------------------|--|
| Sample Number: <u>SV-4</u> | Analysis: <u>EPA Method TO-15 (Chlorinated Short List)</u> |
| SUMMA ID Number: <u>145</u> | Requested Turnaround Time: <u>Standard</u> |
| Regulator ID Number: <u>2209</u> | Sample Crew: <u>Ahmed Ali & Steve Newlin</u> |



SOIL-VAPOR IMPLANT SAMPLE LOG

| | |
|--|---|
| Project Name: <u>Greentree Centre</u> | Project Number: <u>PECO_2017-100</u> |
| Soil-Vapor Implant Installation Date: <u>June 27, 2019</u> | Project Address: <u>5131 Douglas Avenue, Unit D</u> |
| Soil-Vapor Sample Date: <u>June 27, 2019</u> | <u>Racine, Wisconsin</u> |

SAMPLING INFORMATION

| | | | |
|--|--|--|-------------------------------|
| Soil-Vapor Implant Purge Air: <u>2.0</u> Stabilized PID Reading (PPM) | <u>2.5</u> Volume (liters) | Sample Start Time: <u>June 27, 2019</u> DATE | <u>10:54</u> TIME |
| Leak Test Method: <u>Shut-in Test</u> Sample Train | <u>Water Dam</u> Soil-Vapor Implant | Sample End Time: <u>June 27, 2019</u> DATE | <u>11:31</u> TIME |
| Shut-in Test: <u>26</u> Max. Vacuum (Inches Hg) | <u>60</u> Test Duration (seconds) | Canister Vacuum: <u>27</u> Initial (Inches Hg) | <u>4</u> Final (Inches Hg) |
| Leak Test Notes: <u>No loss</u> Shut-in Test | | Analysis Details: <u>Pace Analytical</u> Laboratory | <u>MN</u> Location |
| <u>No loss</u> Water Dam | | Sample Delivery: <u>June 27, 2019</u> DATE | <u>15:00</u> TIME |
| Sample Container Details: <u>6</u> Volume (liters) | <u>30</u> Flow Controller (minutes) | Delivery Method (FedEx, courier, etc.): <u>PACE Schaumburg</u> | |

METEOROLOGICAL CONDITIONS FOR SAMPLING DAY

| | | |
|--|-----------------------------|--|
| Ambient Temperature (°F): <u>64</u> Low | <u>83</u> High | Sea Level Pressure (inches): <u>29.3</u> |
| Average Wind: <u>SE</u> Direction | <u>13</u> Velocity (mph) | Average Humidity (%): <u>60</u> |

ADDITIONAL DETAILS

Other details for tenant space (e.g. recent construction/renovation, cleaning activities, chemical storage, slab/foundation cracks, HVAC status etc.):

Active dry-cleaning operation, sampled through previous sample location.

Problems or inconsistencies encountered during sampling:

Not Applicable

* Include a site sketch on separate sheet noting sample locations (with measurements), chemical storage areas, former operations areas, etc.

| | |
|----------------------------------|--|
| Sample Number: <u>SV-12</u> | Analysis: <u>EPA Method TO-15 (Chlorinated Short List)</u> |
| SUMMA ID Number: <u>933</u> | Requested Turnaround Time: <u>Standard</u> |
| Regulator ID Number: <u>2188</u> | Sample Crew: <u>Ahmed Ali & Steve Newlin</u> |

July 11, 2019

Steve Newlin
Apex Companies
300 S. Wacker
Chicago, IL 60606

RE: Project: PECO-2017-100 Green Tree Corne
Pace Project No.: 10481735

Dear Steve Newlin:

Enclosed are the analytical results for sample(s) received by the laboratory on July 02, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carolynne Trout

Carolynne Trout
carolynne.trout@pacelabs.com
1(612)607-6351
Project Manager

Enclosures

cc: Ahmed Ali, Apex Companies LLC



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: PECO-2017-100 Green Tree Corne
Pace Project No.: 10481735

Minnesota Certification IDs

1700 Elm Street SE, Minneapolis, MN 55414-2485
A2LA Certification #: 2926.01
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
CNMI Saipan Certification #: MP0003
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
Guam EPA Certification #: MN00064
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: 03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Massachusetts Certification #: M-MN064
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137

Minnesota Dept of Ag Certification #: via MN 027-053-137
Minnesota Petrofund Certification #: 1240
Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification #: CL101
Oklahoma Certification #: 9507
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #: 74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Vermont Certification #: VT-027053137
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|-----------|--------|----------------|----------------|
| 10481735001 | SV-4 | Air | 06/27/19 10:11 | 07/02/19 11:35 |
| 10481735002 | SV-1 | Air | 06/27/19 11:17 | 07/02/19 11:35 |
| 10481735003 | SV-3 | Air | 06/27/19 11:22 | 07/02/19 11:35 |
| 10481735004 | SV-12 | Air | 06/27/19 11:31 | 07/02/19 11:35 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|-------------|-----------|--------|----------|-------------------|
| 10481735001 | SV-4 | TO-15 | MLS | 61 |
| 10481735002 | SV-1 | TO-15 | MLS | 61 |
| 10481735003 | SV-3 | TO-15 | MLS | 61 |
| 10481735004 | SV-12 | TO-15 | MLS | 61 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

Sample: SV-4 Lab ID: 10481735001 Collected: 06/27/19 10:11 Received: 07/02/19 11:35 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|-----------------------------|---------|--------------------------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| Acetone | 24.8 | ug/m3 | 3.7 | 1.8 | 1.52 | | 07/09/19 22:25 | 67-64-1 | |
| Benzene | 0.50 | ug/m3 | 0.49 | 0.23 | 1.52 | | 07/09/19 22:25 | 71-43-2 | |
| Benzyl chloride | <1.8 | ug/m3 | 4.0 | 1.8 | 1.52 | | 07/09/19 22:25 | 100-44-7 | |
| Bromodichloromethane | <0.56 | ug/m3 | 2.1 | 0.56 | 1.52 | | 07/09/19 22:25 | 75-27-4 | |
| Bromoform | <2.2 | ug/m3 | 8.0 | 2.2 | 1.52 | | 07/09/19 22:25 | 75-25-2 | |
| Bromomethane | <0.35 | ug/m3 | 1.2 | 0.35 | 1.52 | | 07/09/19 22:25 | 74-83-9 | |
| 1,3-Butadiene | <0.19 | ug/m3 | 0.68 | 0.19 | 1.52 | | 07/09/19 22:25 | 106-99-0 | |
| 2-Butanone (MEK) | <0.56 | ug/m3 | 4.6 | 0.56 | 1.52 | | 07/09/19 22:25 | 78-93-3 | |
| Carbon disulfide | <0.33 | ug/m3 | 0.96 | 0.33 | 1.52 | | 07/09/19 22:25 | 75-15-0 | |
| Carbon tetrachloride | 0.66J | ug/m3 | 1.9 | 0.65 | 1.52 | | 07/09/19 22:25 | 56-23-5 | |
| Chlorobenzene | <0.42 | ug/m3 | 1.4 | 0.42 | 1.52 | | 07/09/19 22:25 | 108-90-7 | |
| Chloroethane | <0.40 | ug/m3 | 2.0 | 0.40 | 1.52 | | 07/09/19 22:25 | 75-00-3 | |
| Chloroform | 0.58J | ug/m3 | 0.75 | 0.30 | 1.52 | | 07/09/19 22:25 | 67-66-3 | |
| Chloromethane | 0.26J | ug/m3 | 0.64 | 0.24 | 1.52 | | 07/09/19 22:25 | 74-87-3 | |
| Cyclohexane | <0.54 | ug/m3 | 2.7 | 0.54 | 1.52 | | 07/09/19 22:25 | 110-82-7 | |
| Dibromochloromethane | <1.1 | ug/m3 | 2.6 | 1.1 | 1.52 | | 07/09/19 22:25 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.56 | ug/m3 | 1.2 | 0.56 | 1.52 | | 07/09/19 22:25 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.76 | ug/m3 | 1.9 | 0.76 | 1.52 | | 07/09/19 22:25 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.88 | ug/m3 | 1.9 | 0.88 | 1.52 | | 07/09/19 22:25 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 4.7 | 1.5 | 1.52 | | 07/09/19 22:25 | 106-46-7 | |
| Dichlorodifluoromethane | 2.9 | ug/m3 | 1.5 | 0.45 | 1.52 | | 07/09/19 22:25 | 75-71-8 | |
| 1,1-Dichloroethane | <0.34 | ug/m3 | 1.3 | 0.34 | 1.52 | | 07/09/19 22:25 | 75-34-3 | |
| 1,2-Dichloroethane | <0.23 | ug/m3 | 0.62 | 0.23 | 1.52 | | 07/09/19 22:25 | 107-06-2 | |
| 1,1-Dichloroethene | <0.42 | ug/m3 | 1.2 | 0.42 | 1.52 | | 07/09/19 22:25 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.33 | ug/m3 | 1.2 | 0.33 | 1.52 | | 07/09/19 22:25 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.43 | ug/m3 | 1.2 | 0.43 | 1.52 | | 07/09/19 22:25 | 156-60-5 | |
| 1,2-Dichloropropane | <0.35 | ug/m3 | 1.4 | 0.35 | 1.52 | | 07/09/19 22:25 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.46 | ug/m3 | 1.4 | 0.46 | 1.52 | | 07/09/19 22:25 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.67 | ug/m3 | 1.4 | 0.67 | 1.52 | | 07/09/19 22:25 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.66 | ug/m3 | 2.2 | 0.66 | 1.52 | | 07/09/19 22:25 | 76-14-2 | |
| Ethanol | 127 | ug/m3 | 2.9 | 1.2 | 1.52 | | 07/09/19 22:25 | 64-17-5 | |
| Ethyl acetate | <0.29 | ug/m3 | 1.1 | 0.29 | 1.52 | | 07/09/19 22:25 | 141-78-6 | |
| Ethylbenzene | 0.93J | ug/m3 | 1.3 | 0.46 | 1.52 | | 07/09/19 22:25 | 100-41-4 | |
| 4-Ethyltoluene | <0.87 | ug/m3 | 3.8 | 0.87 | 1.52 | | 07/09/19 22:25 | 622-96-8 | |
| n-Heptane | 1.1J | ug/m3 | 1.3 | 0.58 | 1.52 | | 07/09/19 22:25 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <3.0 | ug/m3 | 8.2 | 3.0 | 1.52 | | 07/09/19 22:25 | 87-68-3 | |
| n-Hexane | 16.7 | ug/m3 | 1.1 | 0.47 | 1.52 | | 07/09/19 22:25 | 110-54-3 | |
| 2-Hexanone | <1.1 | ug/m3 | 6.3 | 1.1 | 1.52 | | 07/09/19 22:25 | 591-78-6 | |
| Methylene Chloride | 105 | ug/m3 | 5.4 | 1.4 | 1.52 | | 07/09/19 22:25 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | <0.79 | ug/m3 | 6.3 | 0.79 | 1.52 | | 07/09/19 22:25 | 108-10-1 | |
| Methyl-tert-butyl ether | <1.0 | ug/m3 | 5.6 | 1.0 | 1.52 | | 07/09/19 22:25 | 1634-04-4 | |
| Naphthalene | <2.0 | ug/m3 | 4.0 | 2.0 | 1.52 | | 07/09/19 22:25 | 91-20-3 | |
| 2-Propanol | <1.1 | ug/m3 | 3.8 | 1.1 | 1.52 | | 07/09/19 22:25 | 67-63-0 | |
| Propylene | <0.22 | ug/m3 | 0.53 | 0.22 | 1.52 | | 07/09/19 22:25 | 115-07-1 | |
| Styrene | <0.52 | ug/m3 | 1.3 | 0.52 | 1.52 | | 07/09/19 22:25 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.44 | ug/m3 | 1.1 | 0.44 | 1.52 | | 07/09/19 22:25 | 79-34-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

| Sample: SV-4 Lab ID: 10481735001 Collected: 06/27/19 10:11 Received: 07/02/19 11:35 Matrix: Air | | | | | | | | | |
|---|---------|-------|------|------|------|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| Tetrachloroethene | 4.3 | ug/m3 | 1.0 | 0.48 | 1.52 | | 07/09/19 22:25 | 127-18-4 | |
| Tetrahydrofuran | <0.40 | ug/m3 | 0.91 | 0.40 | 1.52 | | 07/09/19 22:25 | 109-99-9 | |
| Toluene | 4.7 | ug/m3 | 1.2 | 0.53 | 1.52 | | 07/09/19 22:25 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <5.7 | ug/m3 | 11.5 | 5.7 | 1.52 | | 07/09/19 22:25 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.47 | ug/m3 | 1.7 | 0.47 | 1.52 | | 07/09/19 22:25 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.38 | ug/m3 | 1.7 | 0.38 | 1.52 | | 07/09/19 22:25 | 79-00-5 | |
| Trichloroethene | <0.39 | ug/m3 | 0.83 | 0.39 | 1.52 | | 07/09/19 22:25 | 79-01-6 | |
| Trichlorofluoromethane | 1.4J | ug/m3 | 1.7 | 0.56 | 1.52 | | 07/09/19 22:25 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.86 | ug/m3 | 2.4 | 0.86 | 1.52 | | 07/09/19 22:25 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 1.2J | ug/m3 | 1.5 | 0.69 | 1.52 | | 07/09/19 22:25 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.61 | ug/m3 | 1.5 | 0.61 | 1.52 | | 07/09/19 22:25 | 108-67-8 | |
| Vinyl acetate | <0.41 | ug/m3 | 1.1 | 0.41 | 1.52 | | 07/09/19 22:25 | 108-05-4 | |
| Vinyl chloride | <0.19 | ug/m3 | 0.40 | 0.19 | 1.52 | | 07/09/19 22:25 | 75-01-4 | |
| m&p-Xylene | 2.9 | ug/m3 | 2.7 | 1.1 | 1.52 | | 07/09/19 22:25 | 179601-23-1 | |
| o-Xylene | 0.90J | ug/m3 | 1.3 | 0.52 | 1.52 | | 07/09/19 22:25 | 95-47-6 | |

| Sample: SV-1 Lab ID: 10481735002 Collected: 06/27/19 11:17 Received: 07/02/19 11:35 Matrix: Air | | | | | | | | | |
|---|---------|-------|------|------|------|----------|----------------|----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| Acetone | 56.2 | ug/m3 | 3.6 | 1.8 | 1.49 | | 07/09/19 21:53 | 67-64-1 | |
| Benzene | 0.61 | ug/m3 | 0.48 | 0.23 | 1.49 | | 07/09/19 21:53 | 71-43-2 | |
| Benzyl chloride | <1.8 | ug/m3 | 3.9 | 1.8 | 1.49 | | 07/09/19 21:53 | 100-44-7 | |
| Bromodichloromethane | <0.55 | ug/m3 | 2.0 | 0.55 | 1.49 | | 07/09/19 21:53 | 75-27-4 | |
| Bromoform | <2.1 | ug/m3 | 7.8 | 2.1 | 1.49 | | 07/09/19 21:53 | 75-25-2 | |
| Bromomethane | <0.34 | ug/m3 | 1.2 | 0.34 | 1.49 | | 07/09/19 21:53 | 74-83-9 | |
| 1,3-Butadiene | <0.19 | ug/m3 | 0.67 | 0.19 | 1.49 | | 07/09/19 21:53 | 106-99-0 | |
| 2-Butanone (MEK) | 6.3 | ug/m3 | 4.5 | 0.55 | 1.49 | | 07/09/19 21:53 | 78-93-3 | |
| Carbon disulfide | 0.66J | ug/m3 | 0.94 | 0.33 | 1.49 | | 07/09/19 21:53 | 75-15-0 | |
| Carbon tetrachloride | <0.64 | ug/m3 | 1.9 | 0.64 | 1.49 | | 07/09/19 21:53 | 56-23-5 | |
| Chlorobenzene | <0.41 | ug/m3 | 1.4 | 0.41 | 1.49 | | 07/09/19 21:53 | 108-90-7 | |
| Chloroethane | <0.39 | ug/m3 | 2.0 | 0.39 | 1.49 | | 07/09/19 21:53 | 75-00-3 | |
| Chloroform | 2.2 | ug/m3 | 0.74 | 0.29 | 1.49 | | 07/09/19 21:53 | 67-66-3 | |
| Chloromethane | <0.23 | ug/m3 | 0.63 | 0.23 | 1.49 | | 07/09/19 21:53 | 74-87-3 | |
| Cyclohexane | 1.4J | ug/m3 | 2.6 | 0.53 | 1.49 | | 07/09/19 21:53 | 110-82-7 | |
| Dibromochloromethane | <1.1 | ug/m3 | 2.6 | 1.1 | 1.49 | | 07/09/19 21:53 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.55 | ug/m3 | 1.2 | 0.55 | 1.49 | | 07/09/19 21:53 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.74 | ug/m3 | 1.8 | 0.74 | 1.49 | | 07/09/19 21:53 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.87 | ug/m3 | 1.8 | 0.87 | 1.49 | | 07/09/19 21:53 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 4.6 | 1.5 | 1.49 | | 07/09/19 21:53 | 106-46-7 | |
| Dichlorodifluoromethane | 139 | ug/m3 | 1.5 | 0.44 | 1.49 | | 07/09/19 21:53 | 75-71-8 | |
| 1,1-Dichloroethane | <0.34 | ug/m3 | 1.2 | 0.34 | 1.49 | | 07/09/19 21:53 | 75-34-3 | |
| 1,2-Dichloroethane | <0.22 | ug/m3 | 0.61 | 0.22 | 1.49 | | 07/09/19 21:53 | 107-06-2 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

Sample: SV-1 **Lab ID: 10481735002** Collected: 06/27/19 11:17 Received: 07/02/19 11:35 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------|---------|--------------------------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| 1,1-Dichloroethene | <0.41 | ug/m3 | 1.2 | 0.41 | 1.49 | | 07/09/19 21:53 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.33 | ug/m3 | 1.2 | 0.33 | 1.49 | | 07/09/19 21:53 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.42 | ug/m3 | 1.2 | 0.42 | 1.49 | | 07/09/19 21:53 | 156-60-5 | |
| 1,2-Dichloropropane | <0.34 | ug/m3 | 1.4 | 0.34 | 1.49 | | 07/09/19 21:53 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.45 | ug/m3 | 1.4 | 0.45 | 1.49 | | 07/09/19 21:53 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.66 | ug/m3 | 1.4 | 0.66 | 1.49 | | 07/09/19 21:53 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.65 | ug/m3 | 2.1 | 0.65 | 1.49 | | 07/09/19 21:53 | 76-14-2 | |
| Ethanol | 734 | ug/m3 | 2.9 | 1.2 | 1.49 | | 07/09/19 21:53 | 64-17-5 | E |
| Ethyl acetate | 2.5 | ug/m3 | 1.1 | 0.28 | 1.49 | | 07/09/19 21:53 | 141-78-6 | |
| Ethylbenzene | 1.0J | ug/m3 | 1.3 | 0.45 | 1.49 | | 07/09/19 21:53 | 100-41-4 | |
| 4-Ethyltoluene | 6.6 | ug/m3 | 3.7 | 0.85 | 1.49 | | 07/09/19 21:53 | 622-96-8 | |
| n-Heptane | <0.57 | ug/m3 | 1.2 | 0.57 | 1.49 | | 07/09/19 21:53 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <2.9 | ug/m3 | 8.1 | 2.9 | 1.49 | | 07/09/19 21:53 | 87-68-3 | |
| n-Hexane | <0.46 | ug/m3 | 1.1 | 0.46 | 1.49 | | 07/09/19 21:53 | 110-54-3 | |
| 2-Hexanone | <1.1 | ug/m3 | 6.2 | 1.1 | 1.49 | | 07/09/19 21:53 | 591-78-6 | |
| Methylene Chloride | 19.6 | ug/m3 | 5.3 | 1.4 | 1.49 | | 07/09/19 21:53 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 2.7J | ug/m3 | 6.2 | 0.77 | 1.49 | | 07/09/19 21:53 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.99 | ug/m3 | 5.5 | 0.99 | 1.49 | | 07/09/19 21:53 | 1634-04-4 | |
| Naphthalene | 2.9J | ug/m3 | 4.0 | 2.0 | 1.49 | | 07/09/19 21:53 | 91-20-3 | |
| 2-Propanol | 36.7 | ug/m3 | 3.7 | 1.0 | 1.49 | | 07/09/19 21:53 | 67-63-0 | |
| Propylene | <0.21 | ug/m3 | 0.52 | 0.21 | 1.49 | | 07/09/19 21:53 | 115-07-1 | |
| Styrene | <0.51 | ug/m3 | 1.3 | 0.51 | 1.49 | | 07/09/19 21:53 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.44 | ug/m3 | 1.0 | 0.44 | 1.49 | | 07/09/19 21:53 | 79-34-5 | |
| Tetrachloroethene | 30.8 | ug/m3 | 1.0 | 0.47 | 1.49 | | 07/09/19 21:53 | 127-18-4 | |
| Tetrahydrofuran | <0.39 | ug/m3 | 0.89 | 0.39 | 1.49 | | 07/09/19 21:53 | 109-99-9 | |
| Toluene | 3.9 | ug/m3 | 1.1 | 0.52 | 1.49 | | 07/09/19 21:53 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <5.5 | ug/m3 | 11.2 | 5.5 | 1.49 | | 07/09/19 21:53 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.46 | ug/m3 | 1.7 | 0.46 | 1.49 | | 07/09/19 21:53 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.37 | ug/m3 | 1.7 | 0.37 | 1.49 | | 07/09/19 21:53 | 79-00-5 | |
| Trichloroethene | 1.1 | ug/m3 | 0.81 | 0.38 | 1.49 | | 07/09/19 21:53 | 79-01-6 | |
| Trichlorofluoromethane | 2.9 | ug/m3 | 1.7 | 0.55 | 1.49 | | 07/09/19 21:53 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.84 | ug/m3 | 2.3 | 0.84 | 1.49 | | 07/09/19 21:53 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 15.3 | ug/m3 | 1.5 | 0.67 | 1.49 | | 07/09/19 21:53 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 8.5 | ug/m3 | 1.5 | 0.59 | 1.49 | | 07/09/19 21:53 | 108-67-8 | |
| Vinyl acetate | <0.40 | ug/m3 | 1.1 | 0.40 | 1.49 | | 07/09/19 21:53 | 108-05-4 | |
| Vinyl chloride | <0.19 | ug/m3 | 0.39 | 0.19 | 1.49 | | 07/09/19 21:53 | 75-01-4 | |
| m&p-Xylene | 3.6 | ug/m3 | 2.6 | 1.0 | 1.49 | | 07/09/19 21:53 | 179601-23-1 | |
| o-Xylene | 3.8 | ug/m3 | 1.3 | 0.51 | 1.49 | | 07/09/19 21:53 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

Sample: SV-3 **Lab ID: 10481735003** Collected: 06/27/19 11:22 Received: 07/02/19 11:35 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|-----------------------------|---------|--------------------------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| Acetone | 47.6 | ug/m3 | 3.7 | 1.9 | 1.55 | | 07/09/19 21:23 | 67-64-1 | |
| Benzene | 0.62 | ug/m3 | 0.50 | 0.24 | 1.55 | | 07/09/19 21:23 | 71-43-2 | |
| Benzyl chloride | <1.9 | ug/m3 | 4.1 | 1.9 | 1.55 | | 07/09/19 21:23 | 100-44-7 | |
| Bromodichloromethane | 0.70J | ug/m3 | 2.1 | 0.57 | 1.55 | | 07/09/19 21:23 | 75-27-4 | |
| Bromoform | <2.2 | ug/m3 | 8.1 | 2.2 | 1.55 | | 07/09/19 21:23 | 75-25-2 | |
| Bromomethane | <0.35 | ug/m3 | 1.2 | 0.35 | 1.55 | | 07/09/19 21:23 | 74-83-9 | |
| 1,3-Butadiene | <0.20 | ug/m3 | 0.70 | 0.20 | 1.55 | | 07/09/19 21:23 | 106-99-0 | |
| 2-Butanone (MEK) | 5.7 | ug/m3 | 4.6 | 0.57 | 1.55 | | 07/09/19 21:23 | 78-93-3 | |
| Carbon disulfide | <0.34 | ug/m3 | 0.98 | 0.34 | 1.55 | | 07/09/19 21:23 | 75-15-0 | |
| Carbon tetrachloride | 0.69J | ug/m3 | 2.0 | 0.66 | 1.55 | | 07/09/19 21:23 | 56-23-5 | |
| Chlorobenzene | <0.43 | ug/m3 | 1.5 | 0.43 | 1.55 | | 07/09/19 21:23 | 108-90-7 | |
| Chloroethane | <0.40 | ug/m3 | 2.1 | 0.40 | 1.55 | | 07/09/19 21:23 | 75-00-3 | |
| Chloroform | 16.2 | ug/m3 | 0.77 | 0.30 | 1.55 | | 07/09/19 21:23 | 67-66-3 | |
| Chloromethane | <0.24 | ug/m3 | 0.65 | 0.24 | 1.55 | | 07/09/19 21:23 | 74-87-3 | |
| Cyclohexane | 1.3J | ug/m3 | 2.7 | 0.55 | 1.55 | | 07/09/19 21:23 | 110-82-7 | |
| Dibromochloromethane | <1.1 | ug/m3 | 2.7 | 1.1 | 1.55 | | 07/09/19 21:23 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.57 | ug/m3 | 1.2 | 0.57 | 1.55 | | 07/09/19 21:23 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.77 | ug/m3 | 1.9 | 0.77 | 1.55 | | 07/09/19 21:23 | 95-50-1 | |
| 1,3-Dichlorobenzene | 1.8J | ug/m3 | 1.9 | 0.90 | 1.55 | | 07/09/19 21:23 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.6 | ug/m3 | 4.7 | 1.6 | 1.55 | | 07/09/19 21:23 | 106-46-7 | |
| Dichlorodifluoromethane | 3.3 | ug/m3 | 1.6 | 0.45 | 1.55 | | 07/09/19 21:23 | 75-71-8 | |
| 1,1-Dichloroethane | <0.35 | ug/m3 | 1.3 | 0.35 | 1.55 | | 07/09/19 21:23 | 75-34-3 | |
| 1,2-Dichloroethane | <0.23 | ug/m3 | 0.64 | 0.23 | 1.55 | | 07/09/19 21:23 | 107-06-2 | |
| 1,1-Dichloroethene | <0.42 | ug/m3 | 1.2 | 0.42 | 1.55 | | 07/09/19 21:23 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.34 | ug/m3 | 1.2 | 0.34 | 1.55 | | 07/09/19 21:23 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.44 | ug/m3 | 1.2 | 0.44 | 1.55 | | 07/09/19 21:23 | 156-60-5 | |
| 1,2-Dichloropropane | <0.36 | ug/m3 | 1.5 | 0.36 | 1.55 | | 07/09/19 21:23 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.47 | ug/m3 | 1.4 | 0.47 | 1.55 | | 07/09/19 21:23 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.68 | ug/m3 | 1.4 | 0.68 | 1.55 | | 07/09/19 21:23 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.68 | ug/m3 | 2.2 | 0.68 | 1.55 | | 07/09/19 21:23 | 76-14-2 | |
| Ethanol | 666 | ug/m3 | 3.0 | 1.3 | 1.55 | | 07/09/19 21:23 | 64-17-5 | E |
| Ethyl acetate | <0.29 | ug/m3 | 1.1 | 0.29 | 1.55 | | 07/09/19 21:23 | 141-78-6 | |
| Ethylbenzene | 1.1J | ug/m3 | 1.4 | 0.47 | 1.55 | | 07/09/19 21:23 | 100-41-4 | |
| 4-Ethyltoluene | 6.1 | ug/m3 | 3.9 | 0.88 | 1.55 | | 07/09/19 21:23 | 622-96-8 | |
| n-Heptane | <0.59 | ug/m3 | 1.3 | 0.59 | 1.55 | | 07/09/19 21:23 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <3.1 | ug/m3 | 8.4 | 3.1 | 1.55 | | 07/09/19 21:23 | 87-68-3 | |
| n-Hexane | 1.3 | ug/m3 | 1.1 | 0.48 | 1.55 | | 07/09/19 21:23 | 110-54-3 | |
| 2-Hexanone | <1.2 | ug/m3 | 6.4 | 1.2 | 1.55 | | 07/09/19 21:23 | 591-78-6 | |
| Methylene Chloride | 17.9 | ug/m3 | 5.5 | 1.5 | 1.55 | | 07/09/19 21:23 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 0.94J | ug/m3 | 6.4 | 0.80 | 1.55 | | 07/09/19 21:23 | 108-10-1 | |
| Methyl-tert-butyl ether | <1.0 | ug/m3 | 5.7 | 1.0 | 1.55 | | 07/09/19 21:23 | 1634-04-4 | |
| Naphthalene | 2.3J | ug/m3 | 4.1 | 2.0 | 1.55 | | 07/09/19 21:23 | 91-20-3 | |
| 2-Propanol | 37.2 | ug/m3 | 3.9 | 1.1 | 1.55 | | 07/09/19 21:23 | 67-63-0 | |
| Propylene | <0.22 | ug/m3 | 0.54 | 0.22 | 1.55 | | 07/09/19 21:23 | 115-07-1 | |
| Styrene | <0.53 | ug/m3 | 1.3 | 0.53 | 1.55 | | 07/09/19 21:23 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.45 | ug/m3 | 1.1 | 0.45 | 1.55 | | 07/09/19 21:23 | 79-34-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

| Sample: SV-3 Lab ID: 10481735003 Collected: 06/27/19 11:22 Received: 07/02/19 11:35 Matrix: Air | | | | | | | | | |
|---|---------|-------|------|------|------|----------|----------------|-------------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| Tetrachloroethene | 61.0 | ug/m3 | 1.1 | 0.49 | 1.55 | | 07/09/19 21:23 | 127-18-4 | |
| Tetrahydrofuran | <0.40 | ug/m3 | 0.93 | 0.40 | 1.55 | | 07/09/19 21:23 | 109-99-9 | |
| Toluene | 3.1 | ug/m3 | 1.2 | 0.54 | 1.55 | | 07/09/19 21:23 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <5.8 | ug/m3 | 11.7 | 5.8 | 1.55 | | 07/09/19 21:23 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.48 | ug/m3 | 1.7 | 0.48 | 1.55 | | 07/09/19 21:23 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.39 | ug/m3 | 1.7 | 0.39 | 1.55 | | 07/09/19 21:23 | 79-00-5 | |
| Trichloroethene | 2.1 | ug/m3 | 0.85 | 0.40 | 1.55 | | 07/09/19 21:23 | 79-01-6 | |
| Trichlorofluoromethane | 1.5J | ug/m3 | 1.8 | 0.57 | 1.55 | | 07/09/19 21:23 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.87 | ug/m3 | 2.4 | 0.87 | 1.55 | | 07/09/19 21:23 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 10.3 | ug/m3 | 1.5 | 0.70 | 1.55 | | 07/09/19 21:23 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 4.7 | ug/m3 | 1.5 | 0.62 | 1.55 | | 07/09/19 21:23 | 108-67-8 | |
| Vinyl acetate | <0.42 | ug/m3 | 1.1 | 0.42 | 1.55 | | 07/09/19 21:23 | 108-05-4 | |
| Vinyl chloride | <0.20 | ug/m3 | 0.40 | 0.20 | 1.55 | | 07/09/19 21:23 | 75-01-4 | |
| m&p-Xylene | 4.1 | ug/m3 | 2.7 | 1.1 | 1.55 | | 07/09/19 21:23 | 179601-23-1 | |
| o-Xylene | 3.0 | ug/m3 | 1.4 | 0.53 | 1.55 | | 07/09/19 21:23 | 95-47-6 | |

| Sample: SV-12 Lab ID: 10481735004 Collected: 06/27/19 11:31 Received: 07/02/19 11:35 Matrix: Air | | | | | | | | | |
|--|---------|-------|------|------|------|----------|----------------|----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| Acetone | 42.6 | ug/m3 | 3.7 | 1.8 | 1.52 | | 07/09/19 20:52 | 67-64-1 | |
| Benzene | 0.72 | ug/m3 | 0.49 | 0.23 | 1.52 | | 07/09/19 20:52 | 71-43-2 | |
| Benzyl chloride | <1.8 | ug/m3 | 4.0 | 1.8 | 1.52 | | 07/09/19 20:52 | 100-44-7 | |
| Bromodichloromethane | 0.98J | ug/m3 | 2.1 | 0.56 | 1.52 | | 07/09/19 20:52 | 75-27-4 | |
| Bromoform | <2.2 | ug/m3 | 8.0 | 2.2 | 1.52 | | 07/09/19 20:52 | 75-25-2 | |
| Bromomethane | <0.35 | ug/m3 | 1.2 | 0.35 | 1.52 | | 07/09/19 20:52 | 74-83-9 | |
| 1,3-Butadiene | <0.19 | ug/m3 | 0.68 | 0.19 | 1.52 | | 07/09/19 20:52 | 106-99-0 | |
| 2-Butanone (MEK) | 3.7J | ug/m3 | 4.6 | 0.56 | 1.52 | | 07/09/19 20:52 | 78-93-3 | |
| Carbon disulfide | 0.49J | ug/m3 | 0.96 | 0.33 | 1.52 | | 07/09/19 20:52 | 75-15-0 | |
| Carbon tetrachloride | <0.65 | ug/m3 | 1.9 | 0.65 | 1.52 | | 07/09/19 20:52 | 56-23-5 | |
| Chlorobenzene | <0.42 | ug/m3 | 1.4 | 0.42 | 1.52 | | 07/09/19 20:52 | 108-90-7 | |
| Chloroethane | <0.40 | ug/m3 | 2.0 | 0.40 | 1.52 | | 07/09/19 20:52 | 75-00-3 | |
| Chloroform | 11.5 | ug/m3 | 0.75 | 0.30 | 1.52 | | 07/09/19 20:52 | 67-66-3 | |
| Chloromethane | <0.24 | ug/m3 | 0.64 | 0.24 | 1.52 | | 07/09/19 20:52 | 74-87-3 | |
| Cyclohexane | <0.54 | ug/m3 | 2.7 | 0.54 | 1.52 | | 07/09/19 20:52 | 110-82-7 | |
| Dibromochloromethane | <1.1 | ug/m3 | 2.6 | 1.1 | 1.52 | | 07/09/19 20:52 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.56 | ug/m3 | 1.2 | 0.56 | 1.52 | | 07/09/19 20:52 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.76 | ug/m3 | 1.9 | 0.76 | 1.52 | | 07/09/19 20:52 | 95-50-1 | |
| 1,3-Dichlorobenzene | 1.1J | ug/m3 | 1.9 | 0.88 | 1.52 | | 07/09/19 20:52 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 4.7 | 1.5 | 1.52 | | 07/09/19 20:52 | 106-46-7 | |
| Dichlorodifluoromethane | 2.8 | ug/m3 | 1.5 | 0.45 | 1.52 | | 07/09/19 20:52 | 75-71-8 | |
| 1,1-Dichloroethane | <0.34 | ug/m3 | 1.3 | 0.34 | 1.52 | | 07/09/19 20:52 | 75-34-3 | |
| 1,2-Dichloroethane | <0.23 | ug/m3 | 0.62 | 0.23 | 1.52 | | 07/09/19 20:52 | 107-06-2 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

Sample: SV-12 **Lab ID: 10481735004** Collected: 06/27/19 11:31 Received: 07/02/19 11:35 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------|---------|--------------------------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | | |
| 1,1-Dichloroethene | <0.42 | ug/m3 | 1.2 | 0.42 | 1.52 | | 07/09/19 20:52 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.33 | ug/m3 | 1.2 | 0.33 | 1.52 | | 07/09/19 20:52 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.43 | ug/m3 | 1.2 | 0.43 | 1.52 | | 07/09/19 20:52 | 156-60-5 | |
| 1,2-Dichloropropane | <0.35 | ug/m3 | 1.4 | 0.35 | 1.52 | | 07/09/19 20:52 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.46 | ug/m3 | 1.4 | 0.46 | 1.52 | | 07/09/19 20:52 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.67 | ug/m3 | 1.4 | 0.67 | 1.52 | | 07/09/19 20:52 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.66 | ug/m3 | 2.2 | 0.66 | 1.52 | | 07/09/19 20:52 | 76-14-2 | |
| Ethanol | 780 | ug/m3 | 2.9 | 1.2 | 1.52 | | 07/09/19 20:52 | 64-17-5 | E |
| Ethyl acetate | <0.29 | ug/m3 | 1.1 | 0.29 | 1.52 | | 07/09/19 20:52 | 141-78-6 | |
| Ethylbenzene | 1.3J | ug/m3 | 1.3 | 0.46 | 1.52 | | 07/09/19 20:52 | 100-41-4 | |
| 4-Ethyltoluene | 17.8 | ug/m3 | 3.8 | 0.87 | 1.52 | | 07/09/19 20:52 | 622-96-8 | |
| n-Heptane | 2.4 | ug/m3 | 1.3 | 0.58 | 1.52 | | 07/09/19 20:52 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <3.0 | ug/m3 | 8.2 | 3.0 | 1.52 | | 07/09/19 20:52 | 87-68-3 | |
| n-Hexane | <0.47 | ug/m3 | 1.1 | 0.47 | 1.52 | | 07/09/19 20:52 | 110-54-3 | |
| 2-Hexanone | <1.1 | ug/m3 | 6.3 | 1.1 | 1.52 | | 07/09/19 20:52 | 591-78-6 | |
| Methylene Chloride | 22.1 | ug/m3 | 5.4 | 1.4 | 1.52 | | 07/09/19 20:52 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 3.1J | ug/m3 | 6.3 | 0.79 | 1.52 | | 07/09/19 20:52 | 108-10-1 | |
| Methyl-tert-butyl ether | <1.0 | ug/m3 | 5.6 | 1.0 | 1.52 | | 07/09/19 20:52 | 1634-04-4 | |
| Naphthalene | 4.8 | ug/m3 | 4.0 | 2.0 | 1.52 | | 07/09/19 20:52 | 91-20-3 | |
| 2-Propanol | 26.7 | ug/m3 | 3.8 | 1.1 | 1.52 | | 07/09/19 20:52 | 67-63-0 | |
| Propylene | <0.22 | ug/m3 | 0.53 | 0.22 | 1.52 | | 07/09/19 20:52 | 115-07-1 | |
| Styrene | <0.52 | ug/m3 | 1.3 | 0.52 | 1.52 | | 07/09/19 20:52 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.44 | ug/m3 | 1.1 | 0.44 | 1.52 | | 07/09/19 20:52 | 79-34-5 | |
| Tetrachloroethene | 83.8 | ug/m3 | 1.0 | 0.48 | 1.52 | | 07/09/19 20:52 | 127-18-4 | |
| Tetrahydrofuran | <0.40 | ug/m3 | 0.91 | 0.40 | 1.52 | | 07/09/19 20:52 | 109-99-9 | |
| Toluene | 4.6 | ug/m3 | 1.2 | 0.53 | 1.52 | | 07/09/19 20:52 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <5.7 | ug/m3 | 11.5 | 5.7 | 1.52 | | 07/09/19 20:52 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.47 | ug/m3 | 1.7 | 0.47 | 1.52 | | 07/09/19 20:52 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.38 | ug/m3 | 1.7 | 0.38 | 1.52 | | 07/09/19 20:52 | 79-00-5 | |
| Trichloroethene | 2.5 | ug/m3 | 0.83 | 0.39 | 1.52 | | 07/09/19 20:52 | 79-01-6 | |
| Trichlorofluoromethane | 1.5J | ug/m3 | 1.7 | 0.56 | 1.52 | | 07/09/19 20:52 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.86 | ug/m3 | 2.4 | 0.86 | 1.52 | | 07/09/19 20:52 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 31.7 | ug/m3 | 1.5 | 0.69 | 1.52 | | 07/09/19 20:52 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 16.0 | ug/m3 | 1.5 | 0.61 | 1.52 | | 07/09/19 20:52 | 108-67-8 | |
| Vinyl acetate | <0.41 | ug/m3 | 1.1 | 0.41 | 1.52 | | 07/09/19 20:52 | 108-05-4 | |
| Vinyl chloride | <0.19 | ug/m3 | 0.40 | 0.19 | 1.52 | | 07/09/19 20:52 | 75-01-4 | |
| m&p-Xylene | 5.4 | ug/m3 | 2.7 | 1.1 | 1.52 | | 07/09/19 20:52 | 179601-23-1 | |
| o-Xylene | 8.8 | ug/m3 | 1.3 | 0.52 | 1.52 | | 07/09/19 20:52 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 Green Tree Corne
Pace Project No.: 10481735

QC Batch: 618244 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Associated Lab Samples: 10481735001, 10481735002, 10481735003, 10481735004

METHOD BLANK: 3338694 Matrix: Air
Associated Lab Samples: 10481735001, 10481735002, 10481735003, 10481735004

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|--------------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.31 | 1.1 | 07/09/19 09:00 | MN |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.29 | 0.70 | 07/09/19 09:00 | |
| 1,1,2-Trichloroethane | ug/m3 | <0.25 | 1.1 | 07/09/19 09:00 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.56 | 1.6 | 07/09/19 09:00 | |
| 1,1-Dichloroethane | ug/m3 | <0.22 | 0.82 | 07/09/19 09:00 | |
| 1,1-Dichloroethene | ug/m3 | <0.27 | 0.81 | 07/09/19 09:00 | |
| 1,2,4-Trichlorobenzene | ug/m3 | <3.7 | 7.5 | 07/09/19 09:00 | |
| 1,2,4-Trimethylbenzene | ug/m3 | <0.45 | 1.0 | 07/09/19 09:00 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.37 | 0.78 | 07/09/19 09:00 | |
| 1,2-Dichlorobenzene | ug/m3 | <0.50 | 1.2 | 07/09/19 09:00 | |
| 1,2-Dichloroethane | ug/m3 | <0.15 | 0.41 | 07/09/19 09:00 | |
| 1,2-Dichloropropane | ug/m3 | <0.23 | 0.94 | 07/09/19 09:00 | |
| 1,3,5-Trimethylbenzene | ug/m3 | <0.40 | 1.0 | 07/09/19 09:00 | |
| 1,3-Butadiene | ug/m3 | <0.13 | 0.45 | 07/09/19 09:00 | |
| 1,3-Dichlorobenzene | ug/m3 | <0.58 | 1.2 | 07/09/19 09:00 | |
| 1,4-Dichlorobenzene | ug/m3 | <1.0 | 3.1 | 07/09/19 09:00 | |
| 2-Butanone (MEK) | ug/m3 | <0.37 | 3.0 | 07/09/19 09:00 | |
| 2-Hexanone | ug/m3 | <0.74 | 4.2 | 07/09/19 09:00 | |
| 2-Propanol | ug/m3 | <0.70 | 2.5 | 07/09/19 09:00 | |
| 4-Ethyltoluene | ug/m3 | <0.57 | 2.5 | 07/09/19 09:00 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | <0.52 | 4.2 | 07/09/19 09:00 | MN |
| Acetone | ug/m3 | <1.2 | 2.4 | 07/09/19 09:00 | |
| Benzene | ug/m3 | <0.15 | 0.32 | 07/09/19 09:00 | |
| Benzyl chloride | ug/m3 | <1.2 | 2.6 | 07/09/19 09:00 | |
| Bromodichloromethane | ug/m3 | <0.37 | 1.4 | 07/09/19 09:00 | |
| Bromoform | ug/m3 | <1.4 | 5.2 | 07/09/19 09:00 | |
| Bromomethane | ug/m3 | <0.23 | 0.79 | 07/09/19 09:00 | |
| Carbon disulfide | ug/m3 | <0.22 | 0.63 | 07/09/19 09:00 | |
| Carbon tetrachloride | ug/m3 | <0.43 | 1.3 | 07/09/19 09:00 | |
| Chlorobenzene | ug/m3 | <0.28 | 0.94 | 07/09/19 09:00 | |
| Chloroethane | ug/m3 | <0.26 | 1.3 | 07/09/19 09:00 | |
| Chloroform | ug/m3 | <0.20 | 0.50 | 07/09/19 09:00 | |
| Chloromethane | ug/m3 | <0.16 | 0.42 | 07/09/19 09:00 | |
| cis-1,2-Dichloroethene | ug/m3 | <0.22 | 0.81 | 07/09/19 09:00 | |
| cis-1,3-Dichloropropene | ug/m3 | <0.30 | 0.92 | 07/09/19 09:00 | |
| Cyclohexane | ug/m3 | <0.35 | 1.8 | 07/09/19 09:00 | |
| Dibromochloromethane | ug/m3 | <0.72 | 1.7 | 07/09/19 09:00 | |
| Dichlorodifluoromethane | ug/m3 | <0.29 | 1.0 | 07/09/19 09:00 | |
| Dichlorotetrafluoroethane | ug/m3 | <0.44 | 1.4 | 07/09/19 09:00 | |
| Ethanol | ug/m3 | <0.81 | 1.9 | 07/09/19 09:00 | |
| Ethyl acetate | ug/m3 | <0.19 | 0.73 | 07/09/19 09:00 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

METHOD BLANK: 3338694

Matrix: Air

Associated Lab Samples: 10481735001, 10481735002, 10481735003, 10481735004

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Ethylbenzene | ug/m3 | <0.30 | 0.88 | 07/09/19 09:00 | |
| Hexachloro-1,3-butadiene | ug/m3 | <2.0 | 5.4 | 07/09/19 09:00 | |
| m&p-Xylene | ug/m3 | <0.70 | 1.8 | 07/09/19 09:00 | |
| Methyl-tert-butyl ether | ug/m3 | <0.66 | 3.7 | 07/09/19 09:00 | |
| Methylene Chloride | ug/m3 | <0.94 | 3.5 | 07/09/19 09:00 | |
| n-Heptane | ug/m3 | <0.38 | 0.83 | 07/09/19 09:00 | |
| n-Hexane | ug/m3 | <0.31 | 0.72 | 07/09/19 09:00 | |
| Naphthalene | ug/m3 | <1.3 | 2.7 | 07/09/19 09:00 | |
| o-Xylene | ug/m3 | <0.34 | 0.88 | 07/09/19 09:00 | |
| Propylene | ug/m3 | <0.14 | 0.35 | 07/09/19 09:00 | |
| Styrene | ug/m3 | <0.34 | 0.87 | 07/09/19 09:00 | |
| Tetrachloroethene | ug/m3 | <0.31 | 0.69 | 07/09/19 09:00 | |
| Tetrahydrofuran | ug/m3 | <0.26 | 0.60 | 07/09/19 09:00 | |
| Toluene | ug/m3 | <0.35 | 0.77 | 07/09/19 09:00 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.28 | 0.81 | 07/09/19 09:00 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.44 | 0.92 | 07/09/19 09:00 | |
| Trichloroethene | ug/m3 | <0.26 | 0.55 | 07/09/19 09:00 | |
| Trichlorofluoromethane | ug/m3 | <0.37 | 1.1 | 07/09/19 09:00 | |
| Vinyl acetate | ug/m3 | <0.27 | 0.72 | 07/09/19 09:00 | |
| Vinyl chloride | ug/m3 | <0.13 | 0.26 | 07/09/19 09:00 | |

LABORATORY CONTROL SAMPLE: 3338695

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|--------------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | 55.5 | 54.2 | 98 | 70-130 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | 69.8 | 80.6 | 116 | 70-132 | |
| 1,1,2-Trichloroethane | ug/m3 | 55.5 | 57.7 | 104 | 70-130 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | 77.9 | 75.0 | 96 | 70-130 | |
| 1,1-Dichloroethane | ug/m3 | 41.1 | 39.4 | 96 | 70-130 | |
| 1,1-Dichloroethene | ug/m3 | 40.3 | 40.2 | 100 | 70-130 | |
| 1,2,4-Trichlorobenzene | ug/m3 | 75.4 | 58.3 | 77 | 56-130 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 50 | 59.2 | 118 | 70-134 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | 78.1 | 83.7 | 107 | 70-130 | |
| 1,2-Dichlorobenzene | ug/m3 | 61.1 | 70.3 | 115 | 70-132 | |
| 1,2-Dichloroethane | ug/m3 | 41.1 | 40.4 | 98 | 70-130 | |
| 1,2-Dichloropropane | ug/m3 | 47 | 49.7 | 106 | 70-130 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 50 | 52.6 | 105 | 70-132 | |
| 1,3-Butadiene | ug/m3 | 22.5 | 22.7 | 101 | 65-130 | |
| 1,3-Dichlorobenzene | ug/m3 | 61.1 | 71.7 | 117 | 70-137 | |
| 1,4-Dichlorobenzene | ug/m3 | 61.1 | 74.0 | 121 | 70-134 | |
| 2-Butanone (MEK) | ug/m3 | 30 | 26.2 | 87 | 70-130 | |
| 2-Hexanone | ug/m3 | 41.6 | 47.2 | 113 | 70-135 | |
| 2-Propanol | ug/m3 | 125 | 119 | 95 | 68-130 | |
| 4-Ethyltoluene | ug/m3 | 50 | 54.2 | 108 | 70-138 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

LABORATORY CONTROL SAMPLE: 3338695

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 41.6 | 42.1 | 101 | 70-131 | |
| Acetone | ug/m3 | 121 | 102 | 84 | 67-130 | |
| Benzene | ug/m3 | 32.5 | 30.8 | 95 | 70-130 | |
| Benzyl chloride | ug/m3 | 52.6 | 50.6 | 96 | 70-130 | |
| Bromodichloromethane | ug/m3 | 68.1 | 69.9 | 103 | 70-130 | |
| Bromoform | ug/m3 | 105 | 120 | 114 | 70-132 | |
| Bromomethane | ug/m3 | 39.5 | 39.4 | 100 | 69-130 | |
| Carbon disulfide | ug/m3 | 31.6 | 30.0 | 95 | 56-137 | |
| Carbon tetrachloride | ug/m3 | 64 | 62.7 | 98 | 66-131 | |
| Chlorobenzene | ug/m3 | 46.8 | 47.7 | 102 | 70-130 | |
| Chloroethane | ug/m3 | 26.8 | 24.0 | 90 | 70-130 | |
| Chloroform | ug/m3 | 49.6 | 49.5 | 100 | 70-130 | |
| Chloromethane | ug/m3 | 21 | 19.2 | 92 | 66-130 | |
| cis-1,2-Dichloroethene | ug/m3 | 40.3 | 40.7 | 101 | 70-130 | |
| cis-1,3-Dichloropropene | ug/m3 | 46.1 | 44.9 | 97 | 70-133 | |
| Cyclohexane | ug/m3 | 35 | 35.3 | 101 | 68-132 | |
| Dibromochloromethane | ug/m3 | 86.6 | 96.0 | 111 | 70-130 | |
| Dichlorodifluoromethane | ug/m3 | 50.3 | 46.6 | 93 | 70-130 | |
| Dichlorotetrafluoroethane | ug/m3 | 71 | 66.9 | 94 | 70-130 | |
| Ethanol | ug/m3 | 95.8 | 98.0 | 102 | 68-133 | |
| Ethyl acetate | ug/m3 | 36.6 | 35.2 | 96 | 69-130 | |
| Ethylbenzene | ug/m3 | 44.1 | 48.0 | 109 | 67-131 | |
| Hexachloro-1,3-butadiene | ug/m3 | 108 | 81.2 | 75 | 66-137 | |
| m&p-Xylene | ug/m3 | 88.3 | 99.4 | 113 | 70-132 | |
| Methyl-tert-butyl ether | ug/m3 | 36.6 | 36.7 | 100 | 70-130 | |
| Methylene Chloride | ug/m3 | 177 | 168 | 95 | 65-130 | |
| n-Heptane | ug/m3 | 41.7 | 42.1 | 101 | 65-130 | |
| n-Hexane | ug/m3 | 35.8 | 36.2 | 101 | 66-130 | |
| Naphthalene | ug/m3 | 53.3 | 39.0 | 73 | 56-130 | |
| o-Xylene | ug/m3 | 44.1 | 49.4 | 112 | 70-130 | |
| Propylene | ug/m3 | 17.5 | 17.1 | 98 | 67-130 | |
| Styrene | ug/m3 | 43.3 | 52.5 | 121 | 69-136 | |
| Tetrachloroethene | ug/m3 | 68.9 | 73.9 | 107 | 70-130 | |
| Tetrahydrofuran | ug/m3 | 30 | 29.7 | 99 | 68-131 | |
| Toluene | ug/m3 | 38.3 | 39.4 | 103 | 70-130 | |
| trans-1,2-Dichloroethene | ug/m3 | 40.3 | 40.5 | 100 | 70-130 | |
| trans-1,3-Dichloropropene | ug/m3 | 46.1 | 47.5 | 103 | 70-134 | |
| Trichloroethene | ug/m3 | 54.6 | 56.1 | 103 | 70-130 | |
| Trichlorofluoromethane | ug/m3 | 57.1 | 53.8 | 94 | 65-130 | |
| Vinyl acetate | ug/m3 | 35.8 | 37.4 | 105 | 61-133 | |
| Vinyl chloride | ug/m3 | 26 | 23.9 | 92 | 70-130 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

SAMPLE DUPLICATE: 3339135

| Parameter | Units | 10481675002 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.70 | <0.70 | | 25 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.66 | <0.66 | | 25 | |
| 1,1,2-Trichloroethane | ug/m3 | <0.56 | <0.56 | | 25 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <1.3 | <1.3 | | 25 | |
| 1,1-Dichloroethane | ug/m3 | <0.51 | <0.51 | | 25 | |
| 1,1-Dichloroethene | ug/m3 | <0.62 | <0.62 | | 25 | |
| 1,2,4-Trichlorobenzene | ug/m3 | <8.4 | <8.4 | | 25 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 28.4 | 27.8 | 2 | 25 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.82 | <0.82 | | 25 | |
| 1,2-Dichlorobenzene | ug/m3 | <1.1 | <1.1 | | 25 | |
| 1,2-Dichloroethane | ug/m3 | <0.34 | <0.34 | | 25 | |
| 1,2-Dichloropropane | ug/m3 | <0.52 | <0.52 | | 25 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 5.4 | 5.7 | 4 | 25 | |
| 1,3-Butadiene | ug/m3 | <0.29 | <0.29 | | 25 | |
| 1,3-Dichlorobenzene | ug/m3 | 4.7 | 4.3 | 8 | 25 | |
| 1,4-Dichlorobenzene | ug/m3 | <2.2 | <2.2 | | 25 | |
| 2-Butanone (MEK) | ug/m3 | 48.2 | 51.5 | 6 | 25 | |
| 2-Hexanone | ug/m3 | 3.8J | 3.7J | | 25 | |
| 2-Propanol | ug/m3 | 47.5 | 50.5 | 6 | 25 | |
| 4-Ethyltoluene | ug/m3 | 5.2J | 5.1J | | 25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 3.1J | 3.2J | | 25 | |
| Acetone | ug/m3 | 88.5 | 90.9 | 3 | 25 | |
| Benzene | ug/m3 | 1.5 | 1.5 | 3 | 25 | |
| Benzyl chloride | ug/m3 | <2.7 | <2.7 | | 25 | |
| Bromodichloromethane | ug/m3 | <0.82 | <0.82 | | 25 | |
| Bromoform | ug/m3 | <3.2 | <3.2 | | 25 | |
| Bromomethane | ug/m3 | <0.51 | <0.51 | | 25 | |
| Carbon disulfide | ug/m3 | 1.1J | 1.1J | | 25 | |
| Carbon tetrachloride | ug/m3 | <0.97 | <0.97 | | 25 | |
| Chlorobenzene | ug/m3 | <0.62 | <0.62 | | 25 | |
| Chloroethane | ug/m3 | <0.58 | <0.58 | | 25 | |
| Chloroform | ug/m3 | 2.0 | 1.6 | 21 | 25 | |
| Chloromethane | ug/m3 | <0.35 | <0.35 | | 25 | |
| cis-1,2-Dichloroethene | ug/m3 | <0.49 | <0.49 | | 25 | |
| cis-1,3-Dichloropropene | ug/m3 | <0.68 | <0.68 | | 25 | |
| Cyclohexane | ug/m3 | <0.79 | <0.79 | | 25 | |
| Dibromochloromethane | ug/m3 | <1.6 | <1.6 | | 25 | |
| Dichlorodifluoromethane | ug/m3 | 2.4 | 2.3J | | 25 | |
| Dichlorotetrafluoroethane | ug/m3 | <0.98 | <0.98 | | 25 | |
| Ethanol | ug/m3 | 160 | 186 | 15 | 25 | |
| Ethyl acetate | ug/m3 | 12.9 | 14.6 | 12 | 25 | |
| Ethylbenzene | ug/m3 | 5.3 | 5.2 | 1 | 25 | |
| Hexachloro-1,3-butadiene | ug/m3 | <4.4 | <4.4 | | 25 | |
| m&p-Xylene | ug/m3 | 19.3 | 20.1 | 4 | 25 | |
| Methyl-tert-butyl ether | ug/m3 | <1.5 | <1.5 | | 25 | |
| Methylene Chloride | ug/m3 | 43.5 | 44.3 | 2 | 25 | |
| n-Heptane | ug/m3 | <0.86 | <0.86 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

SAMPLE DUPLICATE: 3339135

| Parameter | Units | 10481675002 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| n-Hexane | ug/m3 | 5.3 | 5.6 | 7 | 25 | |
| Naphthalene | ug/m3 | 13.0 | 12.4 | 5 | 25 | |
| o-Xylene | ug/m3 | 7.7 | 7.4 | 5 | 25 | |
| Propylene | ug/m3 | <0.32 | <0.32 | | 25 | |
| Styrene | ug/m3 | <0.77 | <0.77 | | 25 | |
| Tetrachloroethene | ug/m3 | 54.3 | 46.9 | 15 | 25 | |
| Tetrahydrofuran | ug/m3 | 2.2 | 2.6 | 14 | 25 | |
| Toluene | ug/m3 | 19.1 | 17.6 | 8 | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.64 | <0.64 | | 25 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.99 | <0.99 | | 25 | |
| Trichloroethene | ug/m3 | <0.58 | <0.58 | | 25 | |
| Trichlorofluoromethane | ug/m3 | 7.8 | 7.7 | 2 | 25 | |
| Vinyl acetate | ug/m3 | <0.61 | <0.61 | | 25 | |
| Vinyl chloride | ug/m3 | <0.28 | <0.28 | | 25 | |

SAMPLE DUPLICATE: 3339895

| Parameter | Units | 10481546010 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | ND | <0.45 | | 25 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | ND | <0.43 | | 25 | |
| 1,1,2-Trichloroethane | ug/m3 | ND | <0.36 | | 25 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | ND | <0.82 | | 25 | |
| 1,1-Dichloroethane | ug/m3 | ND | <0.33 | | 25 | |
| 1,1-Dichloroethene | ug/m3 | ND | <0.40 | | 25 | |
| 1,2,4-Trichlorobenzene | ug/m3 | ND | <5.4 | | 25 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 3.4 | 3.5 | 2 | 25 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | ND | <0.53 | | 25 | |
| 1,2-Dichlorobenzene | ug/m3 | ND | <0.73 | | 25 | |
| 1,2-Dichloroethane | ug/m3 | ND | <0.22 | | 25 | |
| 1,2-Dichloropropane | ug/m3 | ND | <0.34 | | 25 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 2.2 | 2.6 | 16 | 25 | |
| 1,3-Butadiene | ug/m3 | ND | <0.19 | | 25 | |
| 1,3-Dichlorobenzene | ug/m3 | ND | <0.85 | | 25 | |
| 1,4-Dichlorobenzene | ug/m3 | ND | <1.5 | | 25 | |
| 2-Butanone (MEK) | ug/m3 | 25.0 | 24.5 | 2 | 25 | |
| 2-Hexanone | ug/m3 | ND | <1.1 | | 25 | |
| 2-Propanol | ug/m3 | 9.1 | 9.1 | 0 | 25 | |
| 4-Ethyltoluene | ug/m3 | ND | 1.2J | | 25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | ND | 2.6J | | 25 | |
| Acetone | ug/m3 | 381 | 376 | 1 | 25 | |
| Benzene | ug/m3 | 0.99 | 0.88 | 12 | 25 | |
| Benzyl chloride | ug/m3 | ND | <1.8 | | 25 | |
| Bromodichloromethane | ug/m3 | ND | <0.53 | | 25 | |
| Bromoform | ug/m3 | ND | <2.1 | | 25 | |
| Bromomethane | ug/m3 | ND | <0.33 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 Green Tree Corne

Pace Project No.: 10481735

SAMPLE DUPLICATE: 3339895

| Parameter | Units | 10481546010 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| Carbon disulfide | ug/m3 | ND | <0.32 | | 25 | |
| Carbon tetrachloride | ug/m3 | ND | <0.63 | | 25 | |
| Chlorobenzene | ug/m3 | ND | <0.40 | | 25 | |
| Chloroethane | ug/m3 | ND | <0.38 | | 25 | |
| Chloroform | ug/m3 | 0.79 | 0.76 | 4 | 25 | |
| Chloromethane | ug/m3 | 2.2 | 2.1 | 5 | 25 | |
| cis-1,2-Dichloroethene | ug/m3 | ND | <0.32 | | 25 | |
| cis-1,3-Dichloropropene | ug/m3 | ND | <0.44 | | 25 | |
| Cyclohexane | ug/m3 | ND | 2.8 | | 25 | |
| Dibromochloromethane | ug/m3 | ND | <1.0 | | 25 | |
| Dichlorodifluoromethane | ug/m3 | 2.3 | 2.4 | 2 | 25 | |
| Dichlorotetrafluoroethane | ug/m3 | ND | <0.64 | | 25 | |
| Ethanol | ug/m3 | 43.3 | 42.6 | 2 | 25 | |
| Ethyl acetate | ug/m3 | 24.1 | 25.6 | 6 | 25 | |
| Ethylbenzene | ug/m3 | 6.6 | 6.6 | 0 | 25 | |
| Hexachloro-1,3-butadiene | ug/m3 | ND | <2.9 | | 25 | |
| m&p-Xylene | ug/m3 | 13.3 | 13.4 | 0 | 25 | |
| Methyl-tert-butyl ether | ug/m3 | ND | 1.1J | | 25 | |
| Methylene Chloride | ug/m3 | 98.0 | 103 | 5 | 25 | |
| n-Heptane | ug/m3 | ND | <0.55 | | 25 | |
| n-Hexane | ug/m3 | 2.8 | 2.6 | 7 | 25 | |
| Naphthalene | ug/m3 | ND | <1.9 | | 25 | |
| o-Xylene | ug/m3 | 5.9 | 6.1 | 4 | 25 | |
| Propylene | ug/m3 | ND | <0.21 | | 25 | |
| Styrene | ug/m3 | ND | 0.76J | | 25 | |
| Tetrachloroethene | ug/m3 | ND | <0.46 | | 25 | |
| Tetrahydrofuran | ug/m3 | ND | <0.38 | | 25 | |
| Toluene | ug/m3 | 34.2 | 35.5 | 4 | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | ND | <0.42 | | 25 | |
| trans-1,3-Dichloropropene | ug/m3 | ND | <0.64 | | 25 | |
| Trichloroethene | ug/m3 | ND | 0.64J | | 25 | |
| Trichlorofluoromethane | ug/m3 | ND | 1.3J | | 25 | |
| Vinyl acetate | ug/m3 | ND | <0.39 | | 25 | |
| Vinyl chloride | ug/m3 | ND | <0.18 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: PECO-2017-100 Green Tree Corne
Pace Project No.: 10481735

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

MN The reporting limit has been raised in accordance with Minnesota Statutes 4740.2100 Subpart 8. C, D. Reporting Limit Evaluation Rule.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: PECO-2017-100 Green Tree Corne


Pace Project No.: 10481735

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|-----------|-----------------|----------|-------------------|------------------|
| 10481735001 | SV-4 | TO-15 | 618244 | | |
| 10481735002 | SV-1 | TO-15 | 618244 | | |
| 10481735003 | SV-3 | TO-15 | 618244 | | |
| 10481735004 | SV-12 | TO-15 | 618244 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

[illegible]

| | | |
|--|-----------------------------------|--|
|  | Document Name: | Document Revised: 31Jan2019 |
| | Air Sample Condition Upon Receipt | Page 1 of 1 |
| | Document No.: F-MN-A-106-rev.18 | Issuing Authority: Para Minnesota Quality Office |

Air Sample Condition Upon Receipt

Client Name: Apex

Project #:

WO#: 10481735

PM: CT1

Due Date: 07/10/19

CLIENT: Apex CO LLC

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client
☐ Pace ☐ SpeedDee ☐ Commercial See Exception

Tracking Number: 1083 0278 2633

Custody Seal on Cooler/Box Present? ☐ Yes ☒ No Seals Intact? ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Tin Can ☐ Other: Temp Blank rec: ☐ Yes ☒ No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C): Thermometer Used: ☐ G87A9170600254 ☒ G87A9155100842

Temp should be above freezing to 6°C Correction Factor: Date & Initials of Person Examining Contents: RG 7/2/19

Type of ice Received ☐ Blue ☐ Wet ☒ None

Comments:

| | | |
|--|--|---|
| Chain of Custody Present? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 1. |
| Chain of Custody Filled Out? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 2. |
| Chain of Custody Relinquished? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 3. |
| Sampler Name and/or Signature on COC? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. |
| Short Hold Time Analysis (<72 hr)? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. |
| Rush Turn Around Time Requested? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. |
| Sufficient Volume? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 8. |
| Correct Containers Used? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. |
| -Pace Containers Used? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | |
| Containers Intact? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. |
| Media: <u>Air Can</u> Airbag Filter TDT Passive | | 11. Individually Certified Cans Y <u>N</u> (list which samples) |
| Is sufficient information available to reconcile samples to the COC? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 12. |
| Do cans need to be pressurized (3C and ASTM 1946 DO NOT PRESSURIZE)? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 13. |

| Samples Received: | | | | | Pressure Gauge # <input type="checkbox"/> 10AIR34 <input type="checkbox"/> 10AIR35 | | | | |
|-------------------|-------------|-----------------|------------------|----------------|--|--------|-----------------|------------------|----------------|
| Canisters | | | | | Canisters | | | | |
| Sample Number | Can ID | Flow Controller | Initial Pressure | Final Pressure | Sample Number | Can ID | Flow Controller | Initial Pressure | Final Pressure |
| <u>SU-4</u> | <u>0145</u> | <u>2209</u> | <u>-3.5</u> | <u>+5</u> | | | | | |
| <u>4 1</u> | <u>0827</u> | <u>2243</u> | <u>-3</u> | <u>4</u> | | | | | |
| <u>4 3</u> | <u>0270</u> | <u>2246</u> | <u>-4</u> | <u>4</u> | | | | | |
| <u>4 12</u> | <u>0933</u> | <u>2188</u> | <u>-3.5</u> | <u>4</u> | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? ☐ Yes ☐ No

Person Contacted: Date/Time:

Comments/Resolution:

Project Manager Review: Carolynne Hunt

Date: 7/3/19

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

August 15, 2019

Steve Newlin
Apex Companies, LLC
300 South Wacker Drive
Suite 630
Chicago, IL 60606


RE: Project: PECO-2017-100 GREEN TREE
Pace Project No.: 40192656

Dear Steve Newlin:

Enclosed are the analytical results for sample(s) received by the laboratory on August 08, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Laurie Woelfel
laurie.woelfel@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|-----------|--------|----------------|----------------|
| 40192656001 | HA-4 | Solid | 08/06/19 13:10 | 08/08/19 09:00 |
| 40192656002 | HA-3 | Solid | 08/06/19 13:45 | 08/08/19 09:00 |
| 40192656003 | HA-2 | Solid | 08/06/19 13:30 | 08/08/19 09:00 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|-------------|-----------|----------|----------|----------------------|------------|
| 40192656001 | HA-4 | EPA 8260 | HNW | 64 | PASI-G |
| 40192656002 | HA-3 | EPA 8260 | HNW | 64 | PASI-G |
| 40192656003 | HA-2 | EPA 8260 | HNW | 64 | PASI-G |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

Sample: HA-4 Lab ID: 40192656001 Collected: 08/06/19 13:10 Received: 08/08/19 09:00 Matrix: Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|----|----------------|----------------|-----------|------|
| 8260 MSV 5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 8260 | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <2.2 | ug/kg | 7.2 | 2.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 630-20-6 | |
| 1,1,1-Trichloroethane | <2.9 | ug/kg | 9.7 | 2.9 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <4.5 | ug/kg | 14.9 | 4.5 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 79-34-5 | |
| 1,1,2-Trichloroethane | <2.8 | ug/kg | 9.3 | 2.8 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 79-00-5 | |
| 1,1-Dichloroethane | <3.7 | ug/kg | 12.3 | 3.7 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-34-3 | |
| 1,1-Dichloroethene | <3.1 | ug/kg | 10.3 | 3.1 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-35-4 | |
| 1,1-Dichloropropene | <2.9 | ug/kg | 9.5 | 2.9 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <2.1 | ug/kg | 7.1 | 2.1 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 87-61-6 | |
| 1,2,3-Trichloropropane | <3.5 | ug/kg | 11.6 | 3.5 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <2.2 | ug/kg | 7.2 | 2.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <2.5 | ug/kg | 8.4 | 2.5 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <5.4 | ug/kg | 17.9 | 5.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.32 | ug/kg | 1.1 | 0.32 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 106-93-4 | |
| 1,2-Dichlorobenzene | <2.2 | ug/kg | 7.4 | 2.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 95-50-1 | |
| 1,2-Dichloroethane | <0.37 | ug/kg | 1.2 | 0.37 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 107-06-2 | |
| 1,2-Dichloropropane | <2.4 | ug/kg | 7.9 | 2.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <2.8 | ug/kg | 9.2 | 2.8 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 108-67-8 | |
| 1,3-Dichlorobenzene | <2.5 | ug/kg | 8.3 | 2.5 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 541-73-1 | |
| 1,3-Dichloropropane | <2.0 | ug/kg | 6.6 | 2.0 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 142-28-9 | |
| 1,4-Dichlorobenzene | <2.6 | ug/kg | 8.8 | 2.6 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 106-46-7 | |
| 2,2-Dichloropropane | <3.0 | ug/kg | 9.8 | 3.0 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 594-20-7 | |
| 2-Chlorotoluene | <2.9 | ug/kg | 9.7 | 2.9 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 95-49-8 | |
| 4-Chlorotoluene | <2.6 | ug/kg | 8.6 | 2.6 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 106-43-4 | |
| Benzene | <2.4 | ug/kg | 8.1 | 2.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 71-43-2 | |
| Bromobenzene | <2.3 | ug/kg | 7.7 | 2.3 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 108-86-1 | |
| Bromochloromethane | <3.1 | ug/kg | 10.4 | 3.1 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 74-97-5 | |
| Bromodichloromethane | <2.2 | ug/kg | 7.4 | 2.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-27-4 | |
| Bromoform | <7.3 | ug/kg | 24.3 | 7.3 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-25-2 | L1 |
| Bromomethane | <5.4 | ug/kg | 18.1 | 5.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 74-83-9 | |
| Carbon tetrachloride | <2.8 | ug/kg | 9.5 | 2.8 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 56-23-5 | |
| Chlorobenzene | <2.6 | ug/kg | 8.8 | 2.6 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 108-90-7 | |
| Chloroethane | <3.3 | ug/kg | 10.9 | 3.3 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-00-3 | |
| Chloroform | <2.9 | ug/kg | 9.8 | 2.9 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 67-66-3 | |
| Chloromethane | 6.8J | ug/kg | 7.4 | 2.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 74-87-3 | |
| Dibromochloromethane | <2.3 | ug/kg | 7.6 | 2.3 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 124-48-1 | |
| Dibromomethane | <2.7 | ug/kg | 8.9 | 2.7 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 74-95-3 | |
| Dichlorodifluoromethane | <2.4 | ug/kg | 7.9 | 2.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-71-8 | |
| Diisopropyl ether | <2.0 | ug/kg | 6.7 | 2.0 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 108-20-3 | |
| Ethylbenzene | <3.1 | ug/kg | 10.4 | 3.1 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <3.6 | ug/kg | 12.1 | 3.6 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <2.6 | ug/kg | 8.7 | 2.6 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 98-82-8 | |
| Methyl-tert-butyl ether | <3.7 | ug/kg | 12.5 | 3.7 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 1634-04-4 | |
| Methylene Chloride | <2.5 | ug/kg | 8.3 | 2.5 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-09-2 | |
| Naphthalene | <3.7 | ug/kg | 12.4 | 3.7 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 91-20-3 | |
| Styrene | <10.8 | ug/kg | 35.9 | 10.8 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

Sample: HA-4 **Lab ID:** 40192656001 **Collected:** 08/06/19 13:10 **Received:** 08/08/19 09:00 **Matrix:** Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------|---------|--|--------|-----|----|----------------|----------------|-------------|------|
| 8260 MSV 5035 Low Level | | Analytical Method: EPA 8260 Preparation Method: EPA 8260 | | | | | | | |
| Tetrachloroethene | <4.4 | ug/kg | 14.7 | 4.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 127-18-4 | |
| Toluene | <2.8 | ug/kg | 9.3 | 2.8 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 108-88-3 | |
| Trichloroethene | <2.8 | ug/kg | 9.2 | 2.8 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 79-01-6 | |
| Trichlorofluoromethane | <4.0 | ug/kg | 13.2 | 4.0 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-69-4 | |
| Vinyl chloride | <4.4 | ug/kg | 14.6 | 4.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 75-01-4 | |
| cis-1,2-Dichloroethene | <3.8 | ug/kg | 12.8 | 3.8 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 156-59-2 | |
| cis-1,3-Dichloropropene | <5.1 | ug/kg | 17.1 | 5.1 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 10061-01-5 | |
| m&p-Xylene | <5.6 | ug/kg | 18.8 | 5.6 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 179601-23-1 | |
| n-Butylbenzene | <3.9 | ug/kg | 13.0 | 3.9 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 104-51-8 | |
| n-Propylbenzene | <3.2 | ug/kg | 10.6 | 3.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 103-65-1 | |
| o-Xylene | <2.2 | ug/kg | 7.2 | 2.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 95-47-6 | |
| p-Isopropyltoluene | <3.4 | ug/kg | 11.4 | 3.4 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 99-87-6 | |
| sec-Butylbenzene | <3.2 | ug/kg | 10.8 | 3.2 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 135-98-8 | |
| tert-Butylbenzene | <2.7 | ug/kg | 9.1 | 2.7 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 98-06-6 | |
| trans-1,2-Dichloroethene | <2.7 | ug/kg | 8.9 | 2.7 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 156-60-5 | |
| trans-1,3-Dichloropropene | <1.9 | ug/kg | 6.3 | 1.9 | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| Dibromofluoromethane (S) | 88 | % | 73-142 | | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 1868-53-7 | 1q |
| Toluene-d8 (S) | 120 | % | 70-130 | | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 2037-26-5 | |
| 4-Bromofluorobenzene (S) | 96 | % | 68-130 | | 1 | 08/14/19 05:00 | 08/14/19 11:35 | 460-00-4 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

Sample: HA-3 Lab ID: 40192656002 Collected: 08/06/19 13:45 Received: 08/08/19 09:00 Matrix: Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|----|----------------|----------------|-----------|------|
| 8260 MSV 5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 8260 | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <3.3 | ug/kg | 11.1 | 3.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 630-20-6 | |
| 1,1,1-Trichloroethane | <4.5 | ug/kg | 15.0 | 4.5 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <6.9 | ug/kg | 22.9 | 6.9 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 79-34-5 | |
| 1,1,2-Trichloroethane | <4.3 | ug/kg | 14.2 | 4.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 79-00-5 | |
| 1,1-Dichloroethane | <5.7 | ug/kg | 18.9 | 5.7 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-34-3 | |
| 1,1-Dichloroethene | <4.7 | ug/kg | 15.8 | 4.7 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-35-4 | |
| 1,1-Dichloropropene | <4.4 | ug/kg | 14.6 | 4.4 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <3.3 | ug/kg | 10.9 | 3.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 87-61-6 | |
| 1,2,3-Trichloropropane | <5.3 | ug/kg | 17.8 | 5.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <3.3 | ug/kg | 11.0 | 3.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <3.9 | ug/kg | 12.9 | 3.9 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <8.2 | ug/kg | 27.4 | 8.2 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.48 | ug/kg | 1.6 | 0.48 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 106-93-4 | |
| 1,2-Dichlorobenzene | <3.4 | ug/kg | 11.3 | 3.4 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 95-50-1 | |
| 1,2-Dichloroethane | <0.56 | ug/kg | 1.9 | 0.56 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 107-06-2 | |
| 1,2-Dichloropropane | <3.7 | ug/kg | 12.2 | 3.7 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <4.2 | ug/kg | 14.1 | 4.2 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 108-67-8 | |
| 1,3-Dichlorobenzene | <3.8 | ug/kg | 12.7 | 3.8 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 541-73-1 | |
| 1,3-Dichloropropane | <3.0 | ug/kg | 10.1 | 3.0 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 142-28-9 | |
| 1,4-Dichlorobenzene | <4.0 | ug/kg | 13.4 | 4.0 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 106-46-7 | |
| 2,2-Dichloropropane | <4.5 | ug/kg | 15.1 | 4.5 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 594-20-7 | |
| 2-Chlorotoluene | <4.5 | ug/kg | 14.9 | 4.5 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 95-49-8 | |
| 4-Chlorotoluene | <4.0 | ug/kg | 13.3 | 4.0 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 106-43-4 | |
| Benzene | <3.8 | ug/kg | 12.5 | 3.8 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 71-43-2 | |
| Bromobenzene | <3.6 | ug/kg | 11.9 | 3.6 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 108-86-1 | |
| Bromochloromethane | <4.8 | ug/kg | 16.0 | 4.8 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 74-97-5 | |
| Bromodichloromethane | <3.4 | ug/kg | 11.4 | 3.4 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-27-4 | |
| Bromoform | <11.2 | ug/kg | 37.4 | 11.2 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-25-2 | L1 |
| Bromomethane | <8.4 | ug/kg | 27.9 | 8.4 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 74-83-9 | |
| Carbon tetrachloride | <4.4 | ug/kg | 14.6 | 4.4 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 56-23-5 | |
| Chlorobenzene | <4.1 | ug/kg | 13.5 | 4.1 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 108-90-7 | |
| Chloroethane | <5.0 | ug/kg | 16.7 | 5.0 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-00-3 | |
| Chloroform | <4.5 | ug/kg | 15.0 | 4.5 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 67-66-3 | |
| Chloromethane | 8.8J | ug/kg | 11.4 | 3.4 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 74-87-3 | |
| Dibromochloromethane | <3.5 | ug/kg | 11.7 | 3.5 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 124-48-1 | |
| Dibromomethane | <4.1 | ug/kg | 13.6 | 4.1 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 74-95-3 | |
| Dichlorodifluoromethane | <3.6 | ug/kg | 12.2 | 3.6 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-71-8 | |
| Diisopropyl ether | <3.1 | ug/kg | 10.3 | 3.1 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 108-20-3 | |
| Ethylbenzene | <4.8 | ug/kg | 16.0 | 4.8 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <5.6 | ug/kg | 18.6 | 5.6 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <4.0 | ug/kg | 13.4 | 4.0 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 98-82-8 | |
| Methyl-tert-butyl ether | <5.7 | ug/kg | 19.1 | 5.7 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 1634-04-4 | |
| Methylene Chloride | <3.8 | ug/kg | 12.8 | 3.8 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-09-2 | |
| Naphthalene | <5.7 | ug/kg | 19.0 | 5.7 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 91-20-3 | |
| Styrene | <16.5 | ug/kg | 55.1 | 16.5 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

Sample: HA-3 Lab ID: 40192656002 Collected: 08/06/19 13:45 Received: 08/08/19 09:00 Matrix: Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------|---------|--|--------|-----|----|----------------|----------------|-------------|------|
| 8260 MSV 5035 Low Level | | Analytical Method: EPA 8260 Preparation Method: EPA 8260 | | | | | | | |
| Tetrachloroethene | <6.8 | ug/kg | 22.6 | 6.8 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 127-18-4 | |
| Toluene | <4.3 | ug/kg | 14.2 | 4.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 108-88-3 | |
| Trichloroethene | <4.3 | ug/kg | 14.2 | 4.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 79-01-6 | |
| Trichlorofluoromethane | <6.1 | ug/kg | 20.3 | 6.1 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-69-4 | |
| Vinyl chloride | <6.7 | ug/kg | 22.4 | 6.7 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 75-01-4 | |
| cis-1,2-Dichloroethene | <5.9 | ug/kg | 19.6 | 5.9 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 156-59-2 | |
| cis-1,3-Dichloropropene | <7.9 | ug/kg | 26.3 | 7.9 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 10061-01-5 | |
| m&p-Xylene | <8.7 | ug/kg | 28.9 | 8.7 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 179601-23-1 | |
| n-Butylbenzene | <6.0 | ug/kg | 20.0 | 6.0 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 104-51-8 | |
| n-Propylbenzene | <4.9 | ug/kg | 16.3 | 4.9 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 103-65-1 | |
| o-Xylene | <3.3 | ug/kg | 11.0 | 3.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 95-47-6 | |
| p-Isopropyltoluene | <5.3 | ug/kg | 17.6 | 5.3 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 99-87-6 | |
| sec-Butylbenzene | <5.0 | ug/kg | 16.6 | 5.0 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 135-98-8 | |
| tert-Butylbenzene | <4.2 | ug/kg | 14.0 | 4.2 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 98-06-6 | |
| trans-1,2-Dichloroethene | <4.1 | ug/kg | 13.6 | 4.1 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 156-60-5 | |
| trans-1,3-Dichloropropene | <2.9 | ug/kg | 9.7 | 2.9 | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| Dibromofluoromethane (S) | 100 | % | 73-142 | | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 1868-53-7 | 1q |
| Toluene-d8 (S) | 108 | % | 70-130 | | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 2037-26-5 | |
| 4-Bromofluorobenzene (S) | 97 | % | 68-130 | | 1 | 08/14/19 05:00 | 08/14/19 11:58 | 460-00-4 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

Sample: HA-2 **Lab ID: 40192656003** Collected: 08/06/19 13:30 Received: 08/08/19 09:00 Matrix: Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|----|----------------|----------------|-----------|------|
| 8260 MSV 5035 Low Level | | | | | | | | | |
| Analytical Method: EPA 8260 Preparation Method: EPA 8260 | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <2.1 | ug/kg | 7.1 | 2.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 630-20-6 | |
| 1,1,1-Trichloroethane | <2.9 | ug/kg | 9.6 | 2.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <4.4 | ug/kg | 14.7 | 4.4 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 79-34-5 | |
| 1,1,2-Trichloroethane | <2.7 | ug/kg | 9.1 | 2.7 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 79-00-5 | |
| 1,1-Dichloroethane | <3.6 | ug/kg | 12.2 | 3.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-34-3 | |
| 1,1-Dichloroethene | <3.0 | ug/kg | 10.1 | 3.0 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-35-4 | |
| 1,1-Dichloropropene | <2.8 | ug/kg | 9.4 | 2.8 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <2.1 | ug/kg | 7.0 | 2.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 87-61-6 | |
| 1,2,3-Trichloropropane | <3.4 | ug/kg | 11.4 | 3.4 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <2.1 | ug/kg | 7.1 | 2.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <2.5 | ug/kg | 8.3 | 2.5 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <5.3 | ug/kg | 17.6 | 5.3 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.31 | ug/kg | 1.0 | 0.31 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 106-93-4 | |
| 1,2-Dichlorobenzene | <2.2 | ug/kg | 7.3 | 2.2 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 95-50-1 | |
| 1,2-Dichloroethane | <0.36 | ug/kg | 1.2 | 0.36 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 107-06-2 | |
| 1,2-Dichloropropane | <2.3 | ug/kg | 7.8 | 2.3 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <2.7 | ug/kg | 9.1 | 2.7 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 108-67-8 | |
| 1,3-Dichlorobenzene | <2.5 | ug/kg | 8.2 | 2.5 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 541-73-1 | |
| 1,3-Dichloropropane | <1.9 | ug/kg | 6.5 | 1.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 142-28-9 | |
| 1,4-Dichlorobenzene | <2.6 | ug/kg | 8.6 | 2.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 106-46-7 | |
| 2,2-Dichloropropane | <2.9 | ug/kg | 9.7 | 2.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 594-20-7 | |
| 2-Chlorotoluene | <2.9 | ug/kg | 9.6 | 2.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 95-49-8 | |
| 4-Chlorotoluene | <2.6 | ug/kg | 8.5 | 2.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 106-43-4 | |
| Benzene | <2.4 | ug/kg | 8.0 | 2.4 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 71-43-2 | |
| Bromobenzene | <2.3 | ug/kg | 7.6 | 2.3 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 108-86-1 | |
| Bromochloromethane | <3.1 | ug/kg | 10.3 | 3.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 74-97-5 | |
| Bromodichloromethane | <2.2 | ug/kg | 7.3 | 2.2 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-27-4 | |
| Bromoform | <7.2 | ug/kg | 24.0 | 7.2 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-25-2 | |
| Bromomethane | <5.4 | ug/kg | 17.9 | 5.4 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 74-83-9 | |
| Carbon tetrachloride | <2.8 | ug/kg | 9.3 | 2.8 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 56-23-5 | |
| Chlorobenzene | <2.6 | ug/kg | 8.7 | 2.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 108-90-7 | |
| Chloroethane | <3.2 | ug/kg | 10.7 | 3.2 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-00-3 | |
| Chloroform | <2.9 | ug/kg | 9.6 | 2.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 67-66-3 | |
| Chloromethane | 7.7 | ug/kg | 7.3 | 2.2 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 74-87-3 | |
| Dibromochloromethane | <2.3 | ug/kg | 7.5 | 2.3 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 124-48-1 | |
| Dibromomethane | <2.6 | ug/kg | 8.7 | 2.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 74-95-3 | |
| Dichlorodifluoromethane | <2.3 | ug/kg | 7.8 | 2.3 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-71-8 | |
| Diisopropyl ether | <2.0 | ug/kg | 6.6 | 2.0 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 108-20-3 | |
| Ethylbenzene | <3.1 | ug/kg | 10.3 | 3.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <3.6 | ug/kg | 12.0 | 3.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <2.6 | ug/kg | 8.6 | 2.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 98-82-8 | |
| Methyl-tert-butyl ether | <3.7 | ug/kg | 12.3 | 3.7 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 1634-04-4 | |
| Methylene Chloride | <2.5 | ug/kg | 8.2 | 2.5 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-09-2 | |
| Naphthalene | <3.7 | ug/kg | 12.2 | 3.7 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 91-20-3 | |
| Styrene | <10.6 | ug/kg | 35.4 | 10.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

Sample: HA-2 **Lab ID:** 40192656003 **Collected:** 08/06/19 13:30 **Received:** 08/08/19 09:00 **Matrix:** Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|--------|-----|----|----------------|----------------|-------------|------|
| 8260 MSV 5035 Low Level | | | | | | | | | |
| Analytical Method: EPA 8260 Preparation Method: EPA 8260 | | | | | | | | | |
| Tetrachloroethene | <4.4 | ug/kg | 14.5 | 4.4 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 127-18-4 | |
| Toluene | <2.7 | ug/kg | 9.1 | 2.7 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 108-88-3 | |
| Trichloroethene | <2.7 | ug/kg | 9.1 | 2.7 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 79-01-6 | |
| Trichlorofluoromethane | <3.9 | ug/kg | 13.0 | 3.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-69-4 | |
| Vinyl chloride | <4.3 | ug/kg | 14.4 | 4.3 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 75-01-4 | |
| cis-1,2-Dichloroethene | <3.8 | ug/kg | 12.6 | 3.8 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 156-59-2 | |
| cis-1,3-Dichloropropene | <5.1 | ug/kg | 16.9 | 5.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 10061-01-5 | |
| m&p-Xylene | <5.6 | ug/kg | 18.5 | 5.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 179601-23-1 | |
| n-Butylbenzene | <3.9 | ug/kg | 12.8 | 3.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 104-51-8 | |
| n-Propylbenzene | <3.1 | ug/kg | 10.5 | 3.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 103-65-1 | |
| o-Xylene | <2.1 | ug/kg | 7.1 | 2.1 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 95-47-6 | |
| p-Isopropyltoluene | <3.4 | ug/kg | 11.3 | 3.4 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 99-87-6 | |
| sec-Butylbenzene | <3.2 | ug/kg | 10.6 | 3.2 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 135-98-8 | |
| tert-Butylbenzene | <2.7 | ug/kg | 9.0 | 2.7 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 98-06-6 | |
| trans-1,2-Dichloroethene | <2.6 | ug/kg | 8.8 | 2.6 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 156-60-5 | |
| trans-1,3-Dichloropropene | <1.9 | ug/kg | 6.2 | 1.9 | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| Dibromofluoromethane (S) | 114 | % | 73-142 | | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 1868-53-7 | |
| Toluene-d8 (S) | 96 | % | 70-130 | | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 2037-26-5 | |
| 4-Bromofluorobenzene (S) | 73 | % | 68-130 | | 1 | 08/15/19 05:00 | 08/15/19 12:51 | 460-00-4 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

QC Batch: 330732

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV Low

Associated Lab Samples: 40192656001, 40192656002

METHOD BLANK: 1918722

Matrix: Solid

Associated Lab Samples: 40192656001, 40192656002

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1,2-Tetrachloroethane | ug/kg | <2.4 | 8.0 | 08/14/19 08:28 | |
| 1,1,1-Trichloroethane | ug/kg | <3.2 | 10.8 | 08/14/19 08:28 | |
| 1,1,2,2-Tetrachloroethane | ug/kg | <5.0 | 16.6 | 08/14/19 08:28 | |
| 1,1,2-Trichloroethane | ug/kg | <3.1 | 10.3 | 08/14/19 08:28 | |
| 1,1-Dichloroethane | ug/kg | <4.1 | 13.7 | 08/14/19 08:28 | |
| 1,1-Dichloroethene | ug/kg | <3.4 | 11.4 | 08/14/19 08:28 | |
| 1,1-Dichloropropene | ug/kg | <3.2 | 10.6 | 08/14/19 08:28 | |
| 1,2,3-Trichlorobenzene | ug/kg | <2.4 | 7.9 | 08/14/19 08:28 | |
| 1,2,3-Trichloropropane | ug/kg | <3.9 | 12.9 | 08/14/19 08:28 | |
| 1,2,4-Trichlorobenzene | ug/kg | <2.4 | 8.0 | 08/14/19 08:28 | |
| 1,2,4-Trimethylbenzene | ug/kg | <2.8 | 9.4 | 08/14/19 08:28 | |
| 1,2-Dibromo-3-chloropropane | ug/kg | <6.0 | 19.9 | 08/14/19 08:28 | |
| 1,2-Dibromoethane (EDB) | ug/kg | <0.35 | 1.2 | 08/14/19 08:28 | |
| 1,2-Dichlorobenzene | ug/kg | <2.5 | 8.2 | 08/14/19 08:28 | |
| 1,2-Dichloroethane | ug/kg | <0.41 | 1.4 | 08/14/19 08:28 | |
| 1,2-Dichloropropane | ug/kg | <2.6 | 8.8 | 08/14/19 08:28 | |
| 1,3,5-Trimethylbenzene | ug/kg | <3.1 | 10.2 | 08/14/19 08:28 | |
| 1,3-Dichlorobenzene | ug/kg | <2.8 | 9.2 | 08/14/19 08:28 | |
| 1,3-Dichloropropane | ug/kg | <2.2 | 7.3 | 08/14/19 08:28 | |
| 1,4-Dichlorobenzene | ug/kg | <2.9 | 9.7 | 08/14/19 08:28 | |
| 2,2-Dichloropropane | ug/kg | <3.3 | 10.9 | 08/14/19 08:28 | |
| 2-Chlorotoluene | ug/kg | <3.2 | 10.8 | 08/14/19 08:28 | |
| 4-Chlorotoluene | ug/kg | <2.9 | 9.6 | 08/14/19 08:28 | |
| Benzene | ug/kg | <2.7 | 9.0 | 08/14/19 08:28 | |
| Bromobenzene | ug/kg | <2.6 | 8.6 | 08/14/19 08:28 | |
| Bromochloromethane | ug/kg | <3.5 | 11.6 | 08/14/19 08:28 | |
| Bromodichloromethane | ug/kg | <2.5 | 8.2 | 08/14/19 08:28 | |
| Bromoform | ug/kg | <8.1 | 27.0 | 08/14/19 08:28 | |
| Bromomethane | ug/kg | <6.0 | 20.2 | 08/14/19 08:28 | |
| Carbon tetrachloride | ug/kg | <3.2 | 10.5 | 08/14/19 08:28 | |
| Chlorobenzene | ug/kg | <2.9 | 9.8 | 08/14/19 08:28 | |
| Chloroethane | ug/kg | <3.6 | 12.1 | 08/14/19 08:28 | |
| Chloroform | ug/kg | <3.3 | 10.8 | 08/14/19 08:28 | |
| Chloromethane | ug/kg | <2.5 | 8.3 | 08/14/19 08:28 | |
| cis-1,2-Dichloroethene | ug/kg | <4.3 | 14.2 | 08/14/19 08:28 | |
| cis-1,3-Dichloropropene | ug/kg | <5.7 | 19.0 | 08/14/19 08:28 | |
| Dibromochloromethane | ug/kg | <2.6 | 8.5 | 08/14/19 08:28 | |
| Dibromomethane | ug/kg | <3.0 | 9.9 | 08/14/19 08:28 | |
| Dichlorodifluoromethane | ug/kg | <2.6 | 8.8 | 08/14/19 08:28 | |
| Diisopropyl ether | ug/kg | <2.2 | 7.5 | 08/14/19 08:28 | |
| Ethylbenzene | ug/kg | <3.5 | 11.6 | 08/14/19 08:28 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

METHOD BLANK: 1918722

Matrix: Solid

Associated Lab Samples: 40192656001, 40192656002

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Hexachloro-1,3-butadiene | ug/kg | <4.0 | 13.5 | 08/14/19 08:28 | |
| Isopropylbenzene (Cumene) | ug/kg | <2.9 | 9.7 | 08/14/19 08:28 | |
| m&p-Xylene | ug/kg | <6.3 | 20.9 | 08/14/19 08:28 | |
| Methyl-tert-butyl ether | ug/kg | <4.2 | 13.8 | 08/14/19 08:28 | |
| Methylene Chloride | ug/kg | <2.8 | 9.3 | 08/14/19 08:28 | |
| n-Butylbenzene | ug/kg | <4.3 | 14.5 | 08/14/19 08:28 | |
| n-Propylbenzene | ug/kg | <3.5 | 11.8 | 08/14/19 08:28 | |
| Naphthalene | ug/kg | <4.1 | 13.7 | 08/14/19 08:28 | |
| o-Xylene | ug/kg | <2.4 | 8.0 | 08/14/19 08:28 | |
| p-Isopropyltoluene | ug/kg | <3.8 | 12.7 | 08/14/19 08:28 | |
| sec-Butylbenzene | ug/kg | <3.6 | 12.0 | 08/14/19 08:28 | |
| Styrene | ug/kg | <12.0 | 39.9 | 08/14/19 08:28 | |
| tert-Butylbenzene | ug/kg | <3.0 | 10.2 | 08/14/19 08:28 | |
| Tetrachloroethene | ug/kg | <4.9 | 16.4 | 08/14/19 08:28 | |
| Toluene | ug/kg | <3.1 | 10.3 | 08/14/19 08:28 | |
| trans-1,2-Dichloroethene | ug/kg | <3.0 | 9.9 | 08/14/19 08:28 | |
| trans-1,3-Dichloropropene | ug/kg | <2.1 | 7.0 | 08/14/19 08:28 | |
| Trichloroethene | ug/kg | <3.1 | 10.3 | 08/14/19 08:28 | |
| Trichlorofluoromethane | ug/kg | <4.4 | 14.7 | 08/14/19 08:28 | |
| Vinyl chloride | ug/kg | <4.9 | 16.2 | 08/14/19 08:28 | |
| 4-Bromofluorobenzene (S) | % | 96 | 68-130 | 08/14/19 08:28 | |
| Dibromofluoromethane (S) | % | 82 | 73-142 | 08/14/19 08:28 | |
| Toluene-d8 (S) | % | 111 | 70-130 | 08/14/19 08:28 | |

LABORATORY CONTROL SAMPLE & LCSD: 1918723

1918724

| Parameter | Units | Spike Conc. | LCS Result | LCSD Result | LCS % Rec | LCSD % Rec | % Rec Limits | RPD | Max RPD | Qualifiers |
|-----------------------------|-------|-------------|------------|-------------|-----------|------------|--------------|-----|---------|------------|
| 1,1,1-Trichloroethane | ug/kg | 50 | 36.2 | 37.9 | 72 | 76 | 66-130 | 4 | 27 | |
| 1,1,2,2-Tetrachloroethane | ug/kg | 50 | 43.4 | 48.9 | 87 | 98 | 75-142 | 12 | 22 | |
| 1,1,2-Trichloroethane | ug/kg | 50 | 52.1 | 57.6 | 104 | 115 | 70-130 | 10 | 22 | |
| 1,1-Dichloroethane | ug/kg | 50 | 36.9 | 39.8 | 74 | 80 | 66-128 | 7 | 20 | |
| 1,1-Dichloroethene | ug/kg | 50 | 34.9 | 41.1 | 70 | 82 | 59-131 | 16 | 24 | |
| 1,2,4-Trichlorobenzene | ug/kg | 50 | 48.6 | 55.5 | 97 | 111 | 72-157 | 13 | 25 | |
| 1,2-Dibromo-3-chloropropane | ug/kg | 50 | 29.2 | 35.0 | 58 | 70 | 55-159 | 18 | 33 | |
| 1,2-Dibromoethane (EDB) | ug/kg | 50 | 46.8 | 52.1 | 94 | 104 | 70-130 | 11 | 24 | |
| 1,2-Dichlorobenzene | ug/kg | 50 | 47.1 | 52.1 | 94 | 104 | 70-137 | 10 | 23 | |
| 1,2-Dichloroethane | ug/kg | 50 | 33.9 | 34.3 | 68 | 69 | 64-135 | 1 | 24 | |
| 1,2-Dichloropropane | ug/kg | 50 | 45.7 | 49.6 | 91 | 99 | 71-123 | 8 | 23 | |
| 1,3-Dichlorobenzene | ug/kg | 50 | 44.0 | 54.4 | 88 | 109 | 65-153 | 21 | 20 | R1 |
| 1,4-Dichlorobenzene | ug/kg | 50 | 48.8 | 53.3 | 98 | 107 | 74-131 | 9 | 25 | |
| Benzene | ug/kg | 50 | 40.3 | 45.7 | 81 | 91 | 70-130 | 12 | 24 | |
| Bromodichloromethane | ug/kg | 50 | 48.4 | 49.6 | 97 | 99 | 70-130 | 2 | 26 | |
| Bromoform | ug/kg | 50 | 59.2 | 65.5 | 118 | 131 | 70-130 | 10 | 24 | L1 |
| Bromomethane | ug/kg | 50 | 37.3 | 45.3 | 75 | 91 | 26-151 | 19 | 30 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| LABORATORY CONTROL SAMPLE & LCSD: 1918723 | | | 1918724 | | | | | | | |
|---|-------|-------------|------------|-------------|-----------|------------|--------------|-----|---------|------------|
| Parameter | Units | Spike Conc. | LCS Result | LCSD Result | LCS % Rec | LCSD % Rec | % Rec Limits | RPD | Max RPD | Qualifiers |
| Carbon tetrachloride | ug/kg | 50 | 36.7 | 38.9 | 73 | 78 | 67-130 | 6 | 22 | |
| Chlorobenzene | ug/kg | 50 | 49.5 | 57.0 | 99 | 114 | 70-130 | 14 | 24 | |
| Chloroethane | ug/kg | 50 | 45.1 | 47.4 | 90 | 95 | 53-131 | 5 | 27 | |
| Chloroform | ug/kg | 50 | 36.9 | 41.4 | 74 | 83 | 66-130 | 11 | 21 | |
| Chloromethane | ug/kg | 50 | 34.2 | 35.4 | 68 | 71 | 21-118 | 4 | 25 | |
| cis-1,2-Dichloroethene | ug/kg | 50 | 45.7 | 47.2 | 91 | 94 | 62-123 | 3 | 23 | |
| cis-1,3-Dichloropropene | ug/kg | 50 | 44.1 | 45.9 | 88 | 92 | 70-130 | 4 | 23 | |
| Dibromochloromethane | ug/kg | 50 | 47.6 | 51.6 | 95 | 103 | 70-130 | 8 | 24 | |
| Dichlorodifluoromethane | ug/kg | 50 | 19.8 | 23.9 | 40 | 48 | 22-103 | 19 | 20 | |
| Ethylbenzene | ug/kg | 50 | 43.9 | 49.5 | 88 | 99 | 80-121 | 12 | 24 | |
| Isopropylbenzene (Cumene) | ug/kg | 50 | 47.7 | 55.0 | 95 | 110 | 70-130 | 14 | 20 | |
| m&p-Xylene | ug/kg | 100 | 95.4 | 112 | 95 | 112 | 70-130 | 16 | 25 | |
| Methyl-tert-butyl ether | ug/kg | 50 | 33.3 | 38.6 | 67 | 77 | 49-140 | 15 | 25 | |
| Methylene Chloride | ug/kg | 50 | 41.0 | 42.1 | 82 | 84 | 63-131 | 3 | 27 | |
| o-Xylene | ug/kg | 50 | 48.7 | 56.1 | 97 | 112 | 70-130 | 14 | 21 | |
| Styrene | ug/kg | 50 | 47.8 | 53.3 | 96 | 107 | 70-130 | 11 | 23 | |
| Tetrachloroethene | ug/kg | 50 | 50.7 | 58.7 | 101 | 117 | 70-130 | 15 | 24 | |
| Toluene | ug/kg | 50 | 42.6 | 48.3 | 85 | 97 | 79-120 | 13 | 22 | |
| trans-1,2-Dichloroethene | ug/kg | 50 | 38.1 | 42.8 | 76 | 86 | 61-139 | 12 | 27 | |
| trans-1,3-Dichloropropene | ug/kg | 50 | 39.0 | 42.5 | 78 | 85 | 70-130 | 9 | 24 | |
| Trichloroethene | ug/kg | 50 | 45.2 | 50.9 | 90 | 102 | 70-130 | 12 | 26 | |
| Trichlorofluoromethane | ug/kg | 50 | 35.0 | 40.8 | 70 | 82 | 47-136 | 15 | 20 | |
| Vinyl chloride | ug/kg | 50 | 38.8 | 42.3 | 78 | 85 | 40-126 | 9 | 30 | |
| 4-Bromofluorobenzene (S) | % | | | | 116 | 115 | 68-130 | | | |
| Dibromofluoromethane (S) | % | | | | 84 | 90 | 73-142 | | | |
| Toluene-d8 (S) | % | | | | 104 | 109 | 70-130 | | | |

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1918725 | | | | 1918726 | | | | | | | | |
|--|-------|-------------|-------|---------|------|------|-----|-----|--------|-----|-----|------|
| Parameter | Units | 40192851001 | MS | MSD | MS | MSD | MS | MSD | % Rec | RPD | Max | Qual |
| | | Result | Spike | Spike | | | | | | | | |
| 1,1,1-Trichloroethane | ug/kg | <3.2 | 49.9 | 49.9 | 31.1 | 35.8 | 62 | 72 | 66-130 | 14 | 44 | M1 |
| 1,1,2,2-Tetrachloroethane | ug/kg | <4.9 | 49.9 | 49.9 | 48.3 | 49.7 | 97 | 100 | 16-199 | 3 | 47 | |
| 1,1,2-Trichloroethane | ug/kg | <3.1 | 49.9 | 49.9 | 52.3 | 60.6 | 105 | 121 | 43-148 | 15 | 46 | |
| 1,1-Dichloroethane | ug/kg | <4.1 | 49.9 | 49.9 | 38.2 | 42.5 | 77 | 85 | 58-137 | 11 | 33 | |
| 1,1-Dichloroethene | ug/kg | <3.4 | 49.9 | 49.9 | 37.9 | 39.7 | 76 | 80 | 53-140 | 5 | 43 | |
| 1,2,4-Trichlorobenzene | ug/kg | <2.4 | 49.9 | 49.9 | 39.8 | 38.8 | 80 | 78 | 41-182 | 2 | 25 | |
| 1,2-Dibromo-3-chloropropane | ug/kg | <5.9 | 49.9 | 49.9 | 28.7 | 30.9 | 58 | 62 | 55-159 | 7 | 40 | |
| 1,2-Dibromoethane (EDB) | ug/kg | <0.35 | 49.9 | 49.9 | 48.4 | 55.4 | 97 | 111 | 52-133 | 14 | 28 | |
| 1,2-Dichlorobenzene | ug/kg | <2.4 | 49.9 | 49.9 | 47.0 | 42.3 | 94 | 85 | 70-140 | 11 | 20 | |
| 1,2-Dichloroethane | ug/kg | <0.40 | 49.9 | 49.9 | 31.8 | 39.9 | 64 | 80 | 49-135 | 22 | 41 | |
| 1,2-Dichloropropane | ug/kg | <2.6 | 49.9 | 49.9 | 46.0 | 53.5 | 92 | 107 | 51-134 | 15 | 40 | |
| 1,3-Dichlorobenzene | ug/kg | <2.7 | 49.9 | 49.9 | 47.0 | 45.9 | 94 | 92 | 65-153 | 2 | 20 | |
| 1,4-Dichlorobenzene | ug/kg | <2.9 | 49.9 | 49.9 | 46.6 | 43.9 | 93 | 88 | 74-134 | 6 | 23 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1918725 1918726 | | | | | | | | | | | |
|--|-------|-----------------------|----------------------|-----------------------|--------------|---------------|-------------|--------------|-----------------|------------|------|
| Parameter | Units | 40192851001 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | Max RPD | Qual |
| Benzene | ug/kg | <2.7 | 49.9 | 49.9 | 42.4 | 41.2 | 85 | 83 | 51-136 | 3 | 37 |
| Bromodichloromethane | ug/kg | <2.5 | 49.9 | 49.9 | 44.7 | 47.5 | 90 | 95 | 56-130 | 6 | 33 |
| Bromoform | ug/kg | <8.1 | 49.9 | 49.9 | 59.5 | 70.2 | 119 | 141 | 21-148 | 16 | 33 |
| Bromomethane | ug/kg | <6.0 | 49.9 | 49.9 | 46.0 | 45.2 | 92 | 91 | 17-175 | 2 | 35 |
| Carbon tetrachloride | ug/kg | <3.1 | 49.9 | 49.9 | 33.6 | 40.4 | 67 | 81 | 53-134 | 18 | 43 |
| Chlorobenzene | ug/kg | <2.9 | 49.9 | 49.9 | 49.9 | 49.4 | 100 | 99 | 35-149 | 1 | 50 |
| Chloroethane | ug/kg | <3.6 | 49.9 | 49.9 | 48.5 | 48.7 | 97 | 98 | 53-140 | 0 | 31 |
| Chloroform | ug/kg | <3.2 | 49.9 | 49.9 | 40.0 | 40.9 | 80 | 82 | 54-133 | 2 | 46 |
| Chloromethane | ug/kg | <2.5 | 49.9 | 49.9 | 34.3 | 34.4 | 69 | 69 | 21-119 | 0 | 40 |
| cis-1,2-Dichloroethene | ug/kg | <4.2 | 49.9 | 49.9 | 48.1 | 50.2 | 96 | 101 | 49-131 | 4 | 44 |
| cis-1,3-Dichloropropene | ug/kg | <5.7 | 49.9 | 49.9 | 44.2 | 47.4 | 89 | 95 | 23-148 | 7 | 35 |
| Dibromochloromethane | ug/kg | <2.5 | 49.9 | 49.9 | 46.7 | 49.8 | 94 | 100 | 51-132 | 7 | 35 |
| Dichlorodifluoromethane | ug/kg | <2.6 | 49.9 | 49.9 | 22.7 | 24.5 | 45 | 49 | 22-103 | 8 | 20 |
| Ethylbenzene | ug/kg | <3.5 | 49.9 | 49.9 | 45.3 | 44.4 | 91 | 89 | 48-144 | 2 | 50 |
| Isopropylbenzene (Cumene) | ug/kg | <2.9 | 49.9 | 49.9 | 48.3 | 48.1 | 97 | 96 | 70-130 | 1 | 20 |
| m&p-Xylene | ug/kg | <6.2 | 99.8 | 99.8 | 98.9 | 101 | 99 | 101 | 35-156 | 2 | 50 |
| Methyl-tert-butyl ether | ug/kg | <4.1 | 49.9 | 49.9 | 35.0 | 39.0 | 70 | 78 | 23-163 | 11 | 50 |
| Methylene Chloride | ug/kg | <2.8 | 49.9 | 49.9 | 39.9 | 45.9 | 80 | 92 | 53-140 | 14 | 30 |
| o-Xylene | ug/kg | <2.4 | 49.9 | 49.9 | 48.2 | 52.0 | 97 | 104 | 32-155 | 8 | 50 |
| Styrene | ug/kg | <11.9 | 49.9 | 49.9 | 48.4 | 50.7 | 97 | 102 | 25-145 | 5 | 28 |
| Tetrachloroethene | ug/kg | <4.9 | 49.9 | 49.9 | 51.9 | 56.4 | 104 | 113 | 33-174 | 8 | 50 |
| Toluene | ug/kg | <3.1 | 49.9 | 49.9 | 44.7 | 46.6 | 89 | 93 | 52-143 | 4 | 42 |
| trans-1,2-Dichloroethene | ug/kg | <2.9 | 49.9 | 49.9 | 41.9 | 42.3 | 84 | 85 | 58-142 | 1 | 36 |
| trans-1,3-Dichloropropene | ug/kg | <2.1 | 49.9 | 49.9 | 41.4 | 43.4 | 83 | 87 | 28-144 | 5 | 34 |
| Trichloroethene | ug/kg | <3.1 | 49.9 | 49.9 | 46.0 | 47.6 | 92 | 95 | 50-138 | 3 | 45 |
| Trichlorofluoromethane | ug/kg | <4.4 | 49.9 | 49.9 | 37.0 | 42.2 | 74 | 85 | 47-136 | 13 | 20 |
| Vinyl chloride | ug/kg | <4.8 | 49.9 | 49.9 | 39.0 | 44.7 | 78 | 90 | 40-139 | 14 | 37 |
| 4-Bromofluorobenzene (S) | % | | | | | | 105 | 109 | 68-130 | | |
| Dibromofluoromethane (S) | % | | | | | | 82 | 87 | 73-142 | | |
| Toluene-d8 (S) | % | | | | | | 103 | 101 | 70-130 | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE
Pace Project No.: 40192656

| | | | |
|-------------------------|-------------|-----------------------|--------------|
| QC Batch: | 330783 | Analysis Method: | EPA 8260 |
| QC Batch Method: | EPA 8260 | Analysis Description: | 8260 MSV Low |
| Associated Lab Samples: | 40192656003 | | |

METHOD BLANK: 1919023 Matrix: Solid
Associated Lab Samples: 40192656003

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1,2-Tetrachloroethane | ug/kg | <2.4 | 8.0 | 08/15/19 10:13 | |
| 1,1,1-Trichloroethane | ug/kg | <3.2 | 10.8 | 08/15/19 10:13 | |
| 1,1,2,2-Tetrachloroethane | ug/kg | <5.0 | 16.6 | 08/15/19 10:13 | |
| 1,1,2-Trichloroethane | ug/kg | <3.1 | 10.3 | 08/15/19 10:13 | |
| 1,1-Dichloroethane | ug/kg | <4.1 | 13.7 | 08/15/19 10:13 | |
| 1,1-Dichloroethene | ug/kg | <3.4 | 11.4 | 08/15/19 10:13 | |
| 1,1-Dichloropropene | ug/kg | <3.2 | 10.6 | 08/15/19 10:13 | |
| 1,2,3-Trichlorobenzene | ug/kg | <2.4 | 7.9 | 08/15/19 10:13 | |
| 1,2,3-Trichloropropane | ug/kg | <3.9 | 12.9 | 08/15/19 10:13 | |
| 1,2,4-Trichlorobenzene | ug/kg | <2.4 | 8.0 | 08/15/19 10:13 | |
| 1,2,4-Trimethylbenzene | ug/kg | <2.8 | 9.4 | 08/15/19 10:13 | |
| 1,2-Dibromo-3-chloropropane | ug/kg | <6.0 | 19.9 | 08/15/19 10:13 | |
| 1,2-Dibromoethane (EDB) | ug/kg | <0.35 | 1.2 | 08/15/19 10:13 | |
| 1,2-Dichlorobenzene | ug/kg | <2.5 | 8.2 | 08/15/19 10:13 | |
| 1,2-Dichloroethane | ug/kg | <0.41 | 1.4 | 08/15/19 10:13 | |
| 1,2-Dichloropropane | ug/kg | <2.6 | 8.8 | 08/15/19 10:13 | |
| 1,3,5-Trimethylbenzene | ug/kg | <3.1 | 10.2 | 08/15/19 10:13 | |
| 1,3-Dichlorobenzene | ug/kg | <2.8 | 9.2 | 08/15/19 10:13 | |
| 1,3-Dichloropropane | ug/kg | <2.2 | 7.3 | 08/15/19 10:13 | |
| 1,4-Dichlorobenzene | ug/kg | <2.9 | 9.7 | 08/15/19 10:13 | |
| 2,2-Dichloropropane | ug/kg | <3.3 | 10.9 | 08/15/19 10:13 | |
| 2-Chlorotoluene | ug/kg | <3.2 | 10.8 | 08/15/19 10:13 | |
| 4-Chlorotoluene | ug/kg | <2.9 | 9.6 | 08/15/19 10:13 | |
| Benzene | ug/kg | <2.7 | 9.0 | 08/15/19 10:13 | |
| Bromobenzene | ug/kg | <2.6 | 8.6 | 08/15/19 10:13 | |
| Bromochloromethane | ug/kg | <3.5 | 11.6 | 08/15/19 10:13 | |
| Bromodichloromethane | ug/kg | <2.5 | 8.2 | 08/15/19 10:13 | |
| Bromoform | ug/kg | <8.1 | 27.0 | 08/15/19 10:13 | |
| Bromomethane | ug/kg | <6.0 | 20.2 | 08/15/19 10:13 | |
| Carbon tetrachloride | ug/kg | <3.2 | 10.5 | 08/15/19 10:13 | |
| Chlorobenzene | ug/kg | <2.9 | 9.8 | 08/15/19 10:13 | |
| Chloroethane | ug/kg | <3.6 | 12.1 | 08/15/19 10:13 | |
| Chloroform | ug/kg | <3.3 | 10.8 | 08/15/19 10:13 | |
| Chloromethane | ug/kg | <2.5 | 8.3 | 08/15/19 10:13 | |
| cis-1,2-Dichloroethene | ug/kg | <4.3 | 14.2 | 08/15/19 10:13 | |
| cis-1,3-Dichloropropene | ug/kg | <5.7 | 19.0 | 08/15/19 10:13 | |
| Dibromochloromethane | ug/kg | <2.6 | 8.5 | 08/15/19 10:13 | |
| Dibromomethane | ug/kg | <3.0 | 9.9 | 08/15/19 10:13 | |
| Dichlorodifluoromethane | ug/kg | <2.6 | 8.8 | 08/15/19 10:13 | |
| Diisopropyl ether | ug/kg | <2.2 | 7.5 | 08/15/19 10:13 | |
| Ethylbenzene | ug/kg | <3.5 | 11.6 | 08/15/19 10:13 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE
Pace Project No.: 40192656

METHOD BLANK: 1919023

Matrix: Solid

Associated Lab Samples: 40192656003

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Hexachloro-1,3-butadiene | ug/kg | <4.0 | 13.5 | 08/15/19 10:13 | |
| Isopropylbenzene (Cumene) | ug/kg | <2.9 | 9.7 | 08/15/19 10:13 | |
| m&p-Xylene | ug/kg | <6.3 | 20.9 | 08/15/19 10:13 | |
| Methyl-tert-butyl ether | ug/kg | <4.2 | 13.8 | 08/15/19 10:13 | |
| Methylene Chloride | ug/kg | <2.8 | 9.3 | 08/15/19 10:13 | |
| n-Butylbenzene | ug/kg | <4.3 | 14.5 | 08/15/19 10:13 | |
| n-Propylbenzene | ug/kg | <3.5 | 11.8 | 08/15/19 10:13 | |
| Naphthalene | ug/kg | <4.1 | 13.7 | 08/15/19 10:13 | |
| o-Xylene | ug/kg | <2.4 | 8.0 | 08/15/19 10:13 | |
| p-Isopropyltoluene | ug/kg | <3.8 | 12.7 | 08/15/19 10:13 | |
| sec-Butylbenzene | ug/kg | <3.6 | 12.0 | 08/15/19 10:13 | |
| Styrene | ug/kg | <12.0 | 39.9 | 08/15/19 10:13 | |
| tert-Butylbenzene | ug/kg | <3.0 | 10.2 | 08/15/19 10:13 | |
| Tetrachloroethene | ug/kg | <4.9 | 16.4 | 08/15/19 10:13 | |
| Toluene | ug/kg | <3.1 | 10.3 | 08/15/19 10:13 | |
| trans-1,2-Dichloroethene | ug/kg | <3.0 | 9.9 | 08/15/19 10:13 | |
| trans-1,3-Dichloropropene | ug/kg | <2.1 | 7.0 | 08/15/19 10:13 | |
| Trichloroethene | ug/kg | <3.1 | 10.3 | 08/15/19 10:13 | |
| Trichlorofluoromethane | ug/kg | <4.4 | 14.7 | 08/15/19 10:13 | |
| Vinyl chloride | ug/kg | <4.9 | 16.2 | 08/15/19 10:13 | |
| 4-Bromofluorobenzene (S) | % | 77 | 68-130 | 08/15/19 10:13 | |
| Dibromofluoromethane (S) | % | 103 | 73-142 | 08/15/19 10:13 | |
| Toluene-d8 (S) | % | 93 | 70-130 | 08/15/19 10:13 | |

LABORATORY CONTROL SAMPLE & LCSD: 1919024

1919025

| Parameter | Units | Spike Conc. | LCS Result | LCSD Result | LCS % Rec | LCSD % Rec | % Rec Limits | RPD | Max RPD | Qualifiers |
|-----------------------------|-------|-------------|------------|-------------|-----------|------------|--------------|-----|---------|------------|
| 1,1,1-Trichloroethane | ug/kg | 50 | 40.8 | 45.1 | 82 | 90 | 66-130 | 10 | 27 | |
| 1,1,2,2-Tetrachloroethane | ug/kg | 50 | 44.3 | 47.8 | 89 | 96 | 75-142 | 8 | 22 | |
| 1,1,2-Trichloroethane | ug/kg | 50 | 47.5 | 51.8 | 95 | 104 | 70-130 | 9 | 22 | |
| 1,1-Dichloroethane | ug/kg | 50 | 40.6 | 44.9 | 81 | 90 | 66-128 | 10 | 20 | |
| 1,1-Dichloroethene | ug/kg | 50 | 37.0 | 41.6 | 74 | 83 | 59-131 | 12 | 24 | |
| 1,2,4-Trichlorobenzene | ug/kg | 50 | 41.1 | 46.8 | 82 | 94 | 72-157 | 13 | 25 | |
| 1,2-Dibromo-3-chloropropane | ug/kg | 50 | 39.7 | 43.6 | 79 | 87 | 55-159 | 9 | 33 | |
| 1,2-Dibromoethane (EDB) | ug/kg | 50 | 47.4 | 52.5 | 95 | 105 | 70-130 | 10 | 24 | |
| 1,2-Dichlorobenzene | ug/kg | 50 | 45.1 | 49.9 | 90 | 100 | 70-137 | 10 | 23 | |
| 1,2-Dichloroethane | ug/kg | 50 | 45.2 | 49.7 | 90 | 99 | 64-135 | 10 | 24 | |
| 1,2-Dichloropropane | ug/kg | 50 | 53.5 | 59.5 | 107 | 119 | 71-123 | 11 | 23 | |
| 1,3-Dichlorobenzene | ug/kg | 50 | 42.9 | 47.7 | 86 | 95 | 65-153 | 11 | 20 | |
| 1,4-Dichlorobenzene | ug/kg | 50 | 45.8 | 51.2 | 92 | 102 | 74-131 | 11 | 25 | |
| Benzene | ug/kg | 50 | 39.1 | 43.7 | 78 | 87 | 70-130 | 11 | 24 | |
| Bromodichloromethane | ug/kg | 50 | 46.2 | 52.0 | 92 | 104 | 70-130 | 12 | 26 | |
| Bromoform | ug/kg | 50 | 53.5 | 58.1 | 107 | 116 | 70-130 | 8 | 24 | |
| Bromomethane | ug/kg | 50 | 24.9 | 28.5 | 50 | 57 | 26-151 | 13 | 30 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| LABORATORY CONTROL SAMPLE & LCSD: 1919024 | | | 1919025 | | | | | | | | |
|---|-------|-------------|------------|-------------|-----------|------------|--------------|-----|---------|------------|--|
| Parameter | Units | Spike Conc. | LCS Result | LCSD Result | LCS % Rec | LCSD % Rec | % Rec Limits | RPD | Max RPD | Qualifiers | |
| Carbon tetrachloride | ug/kg | 50 | 44.0 | 49.1 | 88 | 98 | 67-130 | 11 | 22 | | |
| Chlorobenzene | ug/kg | 50 | 47.7 | 53.1 | 95 | 106 | 70-130 | 11 | 24 | | |
| Chloroethane | ug/kg | 50 | 28.8 | 34.6 | 58 | 69 | 53-131 | 18 | 27 | | |
| Chloroform | ug/kg | 50 | 38.2 | 42.2 | 76 | 84 | 66-130 | 10 | 21 | | |
| Chloromethane | ug/kg | 50 | 23.7 | 27.2 | 47 | 54 | 21-118 | 14 | 25 | | |
| cis-1,2-Dichloroethene | ug/kg | 50 | 39.5 | 43.8 | 79 | 88 | 62-123 | 10 | 23 | | |
| cis-1,3-Dichloropropene | ug/kg | 50 | 43.8 | 49.4 | 88 | 99 | 70-130 | 12 | 23 | | |
| Dibromochloromethane | ug/kg | 50 | 49.5 | 54.8 | 99 | 110 | 70-130 | 10 | 24 | | |
| Dichlorodifluoromethane | ug/kg | 50 | 12.9 | 14.3 | 26 | 29 | 22-103 | 10 | 20 | | |
| Ethylbenzene | ug/kg | 50 | 45.5 | 51.2 | 91 | 102 | 80-121 | 12 | 24 | | |
| Isopropylbenzene (Cumene) | ug/kg | 50 | 48.3 | 54.1 | 97 | 108 | 70-130 | 11 | 20 | | |
| m&p-Xylene | ug/kg | 100 | 99.3 | 110 | 99 | 110 | 70-130 | 11 | 25 | | |
| Methyl-tert-butyl ether | ug/kg | 50 | 37.9 | 42.1 | 76 | 84 | 49-140 | 10 | 25 | | |
| Methylene Chloride | ug/kg | 50 | 36.7 | 41.6 | 73 | 83 | 63-131 | 12 | 27 | | |
| o-Xylene | ug/kg | 50 | 46.9 | 52.6 | 94 | 105 | 70-130 | 11 | 21 | | |
| Styrene | ug/kg | 50 | 51.2 | 56.6 | 102 | 113 | 70-130 | 10 | 23 | | |
| Tetrachloroethene | ug/kg | 50 | 49.7 | 55.7 | 99 | 111 | 70-130 | 11 | 24 | | |
| Toluene | ug/kg | 50 | 45.3 | 51.3 | 91 | 103 | 79-120 | 12 | 22 | | |
| trans-1,2-Dichloroethene | ug/kg | 50 | 38.3 | 42.5 | 77 | 85 | 61-139 | 11 | 27 | | |
| trans-1,3-Dichloropropene | ug/kg | 50 | 41.2 | 45.9 | 82 | 92 | 70-130 | 11 | 24 | | |
| Trichloroethene | ug/kg | 50 | 45.2 | 50.8 | 90 | 102 | 70-130 | 12 | 26 | | |
| Trichlorofluoromethane | ug/kg | 50 | 38.9 | 43.4 | 78 | 87 | 47-136 | 11 | 20 | | |
| Vinyl chloride | ug/kg | 50 | 28.3 | 32.1 | 57 | 64 | 40-126 | 13 | 30 | | |
| 4-Bromofluorobenzene (S) | % | | | | 98 | 98 | 68-130 | | | | |
| Dibromofluoromethane (S) | % | | | | 95 | 95 | 73-142 | | | | |
| Toluene-d8 (S) | % | | | | 97 | 98 | 70-130 | | | | |

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | | | 1919026 | | 1919027 | | | | | | | |
|--|-------|------------------|---------|-------|---------|------|----|-----|--------|-----|-----|-------|
| Parameter | Units | 40192927007 | MS | MSD | MS | MSD | MS | MSD | % Rec | RPD | Max | Qual |
| | | Result | Spike | Spike | | | | | | | | |
| 1,1,1-Trichloroethane | ug/kg | <0.0038 mg/kg | 58.3 | 58.3 | 41.8 | 43.4 | 72 | 74 | 66-130 | 4 | 44 | |
| 1,1,2,2-Tetrachloroethane | ug/kg | <0.0059 mg/kg | 58.3 | 58.3 | 47.2 | 50.8 | 81 | 87 | 16-199 | 8 | 47 | |
| 1,1,2-Trichloroethane | ug/kg | <0.0037 mg/kg | 58.3 | 58.3 | 50.1 | 54.1 | 86 | 93 | 43-148 | 8 | 46 | |
| 1,1-Dichloroethane | ug/kg | <0.0049 mg/kg | 58.3 | 58.3 | 43.4 | 46.6 | 74 | 80 | 58-137 | 7 | 33 | |
| 1,1-Dichloroethene | ug/kg | <0.0040 mg/kg | 58.3 | 58.3 | 38.5 | 35.4 | 66 | 61 | 53-140 | 8 | 43 | |
| 1,2,4-Trichlorobenzene | ug/kg | <2.8 | 58.3 | 58.3 | 22.3 | 17.0 | 37 | 28 | 41-182 | 27 | 25 | M1,R1 |
| 1,2-Dibromo-3-chloropropane | ug/kg | <7.0 | 58.3 | 58.3 | 43.9 | 45.6 | 75 | 78 | 55-159 | 4 | 40 | |
| 1,2-Dibromoethane (EDB) | ug/kg | <0.41 | 58.3 | 58.3 | 50.1 | 53.3 | 86 | 91 | 52-133 | 6 | 28 | |
| 1,2-Dichlorobenzene | ug/kg | <2.9 | 58.3 | 58.3 | 35.8 | 32.3 | 61 | 55 | 70-140 | 10 | 20 | M1 |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1919026 1919027 | | | | | | | | | | | |
|--|-------|-----------------------|----------------------|-----------------------|--------------|---------------|-------------|--------------|-----------------|------------|-------|
| Parameter | Units | 40192927007 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | Max RPD | Qual |
| 1,2-Dichloroethane | ug/kg | <0.00048 mg/kg | 58.3 | 58.3 | 48.0 | 51.4 | 82 | 88 | 49-135 | 7 | 41 |
| 1,2-Dichloropropane | ug/kg | <0.0031 mg/kg | 58.3 | 58.3 | 55.1 | 59.3 | 94 | 102 | 51-134 | 7 | 40 |
| 1,3-Dichlorobenzene | ug/kg | <3.3 | 58.3 | 58.3 | 33.8 | 27.6 | 58 | 47 | 65-153 | 20 | M1 |
| 1,4-Dichlorobenzene | ug/kg | <3.4 | 58.3 | 58.3 | 35.9 | 30.2 | 61 | 51 | 74-134 | 17 | M1 |
| Benzene | ug/kg | <0.0032 mg/kg | 58.3 | 58.3 | 40.3 | 42.2 | 69 | 72 | 51-136 | 5 | 37 |
| Bromodichloromethane | ug/kg | <0.0029 mg/kg | 58.3 | 58.3 | 48.1 | 52.0 | 82 | 89 | 56-130 | 8 | 33 |
| Bromoform | ug/kg | <0.0096 mg/kg | 58.3 | 58.3 | 55.0 | 58.6 | 94 | 100 | 21-148 | 6 | 33 |
| Bromomethane | ug/kg | <0.0071 mg/kg | 58.3 | 58.3 | 31.5 | 31.8 | 54 | 54 | 17-175 | 1 | 35 |
| Carbon tetrachloride | ug/kg | <0.0037 mg/kg | 58.3 | 58.3 | 42.4 | 40.4 | 73 | 69 | 53-134 | 5 | 43 |
| Chlorobenzene | ug/kg | <0.0035 mg/kg | 58.3 | 58.3 | 44.9 | 42.6 | 77 | 73 | 35-149 | 5 | 50 |
| Chloroethane | ug/kg | <0.0043 mg/kg | 58.3 | 58.3 | 33.2 | 34.2 | 57 | 59 | 53-140 | 3 | 31 |
| Chloroform | ug/kg | <0.0038 mg/kg | 58.3 | 58.3 | 41.0 | 43.1 | 70 | 74 | 54-133 | 5 | 46 |
| Chloromethane | ug/kg | <0.0029 mg/kg | 58.3 | 58.3 | 28.8 | 29.1 | 49 | 50 | 21-119 | 1 | 40 |
| cis-1,2-Dichloroethene | ug/kg | <0.0050 mg/kg | 58.3 | 58.3 | 41.8 | 43.2 | 72 | 74 | 49-131 | 3 | 44 |
| cis-1,3-Dichloropropene | ug/kg | <0.0067 mg/kg | 58.3 | 58.3 | 44.3 | 46.7 | 76 | 80 | 23-148 | 5 | 35 |
| Dibromochloromethane | ug/kg | <0.0030 mg/kg | 58.3 | 58.3 | 51.8 | 55.0 | 89 | 94 | 51-132 | 6 | 35 |
| Dichlorodifluoromethane | ug/kg | <3.1 | 58.3 | 58.3 | 13.1 | 9.0J | 23 | 15 | 22-103 | | 20 M1 |
| Ethylbenzene | ug/kg | <0.0041 mg/kg | 58.3 | 58.3 | 39.8 | 36.5 | 68 | 62 | 48-144 | 9 | 50 |
| Isopropylbenzene (Cumene) | ug/kg | <3.4 | 58.3 | 58.3 | 36.1 | 32.5 | 62 | 56 | 70-130 | 10 | 20 M1 |
| m&p-Xylene | ug/kg | <0.0074 mg/kg | 117 | 117 | 85.9 | 76.4 | 74 | 65 | 35-156 | 12 | 50 |
| Methyl-tert-butyl ether | ug/kg | <0.0049 mg/kg | 58.3 | 58.3 | 42.6 | 46.7 | 73 | 80 | 23-163 | 9 | 50 |
| Methylene Chloride | ug/kg | <0.0033 mg/kg | 58.3 | 58.3 | 40.5 | 43.2 | 69 | 74 | 53-140 | 7 | 30 |
| o-Xylene | ug/kg | <0.0028 mg/kg | 58.3 | 58.3 | 41.8 | 40.0 | 72 | 69 | 32-155 | 4 | 50 |
| Styrene | ug/kg | <0.014 mg/kg | 58.3 | 58.3 | 46.2J | 43.5J | 79 | 75 | 25-145 | | 28 |
| Tetrachloroethene | ug/kg | <0.0058 mg/kg | 58.3 | 58.3 | 40.1 | 31.2 | 69 | 53 | 33-174 | 25 | 50 |
| Toluene | ug/kg | <0.0036 mg/kg | 58.3 | 58.3 | 45.3 | 43.7 | 78 | 75 | 52-143 | 4 | 42 |
| trans-1,2-Dichloroethene | ug/kg | <0.0035 mg/kg | 58.3 | 58.3 | 38.9 | 36.6 | 67 | 63 | 58-142 | 6 | 36 |
| trans-1,3-Dichloropropene | ug/kg | <0.0025 mg/kg | 58.3 | 58.3 | 44.2 | 44.7 | 76 | 77 | 28-144 | 1 | 34 |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1919026 1919027 | | | | | | | | | | | |
|--|-------|-----------------------|----------------------|-----------------------|--------------|---------------|-------------|--------------|-----------------|------------|------|
| Parameter | Units | 40192927007 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | Max RPD | Qual |
| Trichloroethene | ug/kg | <0.0036 mg/kg | 58.3 | 58.3 | 42.5 | 39.3 | 73 | 67 | 50-138 | 8 | 45 |
| Trichlorofluoromethane | ug/kg | <0.0052 mg/kg | 58.3 | 58.3 | 37.1 | 31.6 | 64 | 54 | 47-136 | 16 | 20 |
| Vinyl chloride | ug/kg | <0.0058 mg/kg | 58.3 | 58.3 | 32.0 | 30.7 | 55 | 53 | 40-139 | 4 | 37 |
| 4-Bromofluorobenzene (S) | % | | | | | | 98 | 98 | 68-130 | | |
| Dibromofluoromethane (S) | % | | | | | | 95 | 95 | 73-142 | | |
| Toluene-d8 (S) | % | | | | | | 100 | 100 | 70-130 | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: PECO-2017-100 GREEN TREE
Pace Project No.: 40192656

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

WORKORDER QUALIFIERS

WO: 40192656

[1] No dry wt volume received. Report "as received" per client request.

ANALYTE QUALIFIERS

| | |
|----|---|
| 1q | The internal standard response was below the laboratory acceptance criteria limits confirmed by analysis. Results may be biased high. |
| L1 | Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high. |
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. |
| R1 | RPD value was outside control limits. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: PECO-2017-100 GREEN TREE

Pace Project No.: 40192656

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|-----------|-----------------|----------|-------------------|------------------|
| 40192656001 | HA-4 | EPA 8260 | 330732 | EPA 8260 | 330734 |
| 40192656002 | HA-3 | EPA 8260 | 330732 | EPA 8260 | 330734 |
| 40192656003 | HA-2 | EPA 8260 | 330783 | EPA 8260 | 330786 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Official

Client Name: _____

All containers

Glass


Pace
Lab #

AG1U
AG1H
AG4S
AG4U

| | | | | | |
|-----|--|--|--|--|--|
| 001 | | | | | |
| 002 | | | | | |
| 003 | | | | | |
| 004 | | | | | |
| 005 | | | | | |
| 006 | | | | | |
| 007 | | | | | |
| 008 | | | | | |
| 009 | | | | | |
| 010 | | | | | |
| 011 | | | | | |
| 012 | | | | | |
| 013 | | | | | |
| 014 | | | | | |
| 015 | | | | | |
| 016 | | | | | |
| 017 | | | | | |
| 018 | | | | | |
| 019 | | | | | |
| 020 | | | | | |

Exceptions to preservation ch

| | |
|------|-------------------------|
| AG1U | 1 liter amber glass |
| AG1H | 1 liter amber glass HCL |
| AG4S | 125 mL amber glass H2 |
| AG4U | 120 mL amber glass unpr |
| AG5U | 100 mL amber glass unpr |
| AG2S | 500 mL amber glass H2 |
| BG3U | 250 mL clear glass unpr |

| | | |
|---|--|---|
|  1241 Bellevue Street, Green Bay, WI 54302 | Document Name: Sample Condition Upon Receipt (SCUR) | Document Revised: 25Apr2018 |
| | Document No.: F-GB-C-031-Rev.07 | Issuing Authority: Pace Green Bay Quality Office |

Sample Condition Upon Receipt Form (SCUR)

Client Name: APEX
 Project #: _____
 Courier: ☒ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Walto
☐ Client ☐ Pace Other: _____

WO#: 40192656



Tracking #: _____
 Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no
 Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no
 Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other _____
 Thermometer Used SR - N/A Type of Ice: ☒ Wet ☐ Blue ☐ Dry ☐ None ☒ Samples on ice, cooling process has begun
 Cooler Temperature Uncorr: ROT ICorr: _____
 Temp Blank Present: ☐ yes ☒ no Biological Tissue is Frozen: ☐ yes ☐ no
 Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Person examining contents:

Date: 8-8-19

Initials: [Signature]

| | | | |
|--|--|----------------------------------|---------------|
| Chain of Custody Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. <u>CC</u> | <u>8-8-19</u> |
| Chain of Custody Filled Out: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 2. <u>No pg #, Mail, Invoice</u> | <u>8-8-19</u> |
| Chain of Custody Relinquished: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 3. | |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. | |
| Samples Arrived within Hold Time: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. | |
| - VOA Samples frozen upon receipt | <input type="checkbox"/> Yes <input type="checkbox"/> No | Date/Time: | |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. | |
| Rush Turn Around Time Requested: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. | |
| Sufficient Volume: | <u>8/8/19</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 8. <u>001-40mlv F no MEDH</u> | <u>8/8/19</u> |
| For Analysis: <u>MS/MSD</u> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | | |
| Correct Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. | |
| - Pace Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | | |
| - Pace IR Containers Used: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. | |
| Filtered volume received for Dissolved tests | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 11. | |
| Sample Labels match COC: | <u>8/8/19</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 12. <u>No Dry Weight Volume</u> | <u>8/8/19</u> |
| - Includes date/time/ID/Analysis Matrix: | | | |
| Trip Blank Present: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 13. | |
| Trip Blank Custody Seals Present | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | |
| Pace Trip Blank Lot # (if purchased): | | | |

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: Repeat as rec'd per SN Luv P1019

Project Manager Review: [Signature]

Date: 8/8/19