Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

age 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Remediation/Redevelopment Watershed/Wastewater **Drinking Water** Verification Only of Fill and Seal Other: Waste Management 2. Facility / Owner Information 1. Well Location Information WI Unique Well # of Facility Name Hicap # County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Format Code Method Code Latitude / Longitude (see instructions) 252138700 GPS008 **☑** DD 42.78666 License/Permit/Monitoring # SCR002 87.80771 OTH001 W Original Well Owner Range 1/4 / 1/4 SE Section Township **V** E Greentree Station LLC, c/o Phillips Edison & Company 23 W or Gov't Lot # 20 N Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 11501 Northlake Drive 53402 Racine ZIP Code State City of Present Owner Lot# Subdivision Name OH 45249 Cincinnati 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service ⊃N/A Pump and piping removed? Yes No Remediation Complete N/A Yes No Liner(s) removed? 3. Filled & Sealed Well / Drillhole / Borehole Information Yes No N/A Liner(s) perforated? Original Construction Date (mm/dd/yyyy) 7 Yes No N/A Monitoring Well Screen removed? 7es No N/A Casing left in place? Water Well If a Well Construction Report is available, N/A No Was casing cut off below surface? Borehole / Drillhole please attach. No N/A ∕7Yes Did sealing material rise to surface? Construction Type: ∠Yes No N/A Did material settle after 24 hours? Dug Drilled Driven (Sandpoint) N/A If yes, was hole retopped? l No Other (specify): If bentonite chips were used, were they hydrated □N/A No with water from a known safe source? Formation Type: Required Method of Placing Sealing Material Bedrock Unconsolidated Formation Conductor Pipe-Pumped Conductor Pipe-Gravity Casing Diameter (in.) Total Well Depth From Ground Surface (ft.) Screened & Poured Other (Explain): (Bentonite Chips) Sealing Materials Casing Depth (ft.) Lower Drillhole Diameter (in.) Concrete | Neat Cement Grout Bentonite Chips Sand-Cement (Concrete) Grout No Unknown Was well annular space grouted? For Monitoring Wells and Monitoring Well Boreholes Only: Bentonite - Cement Grout Bentonite Chips Depth to Water (feet) If yes, to what depth (feet)? Bentonite - Sand Slurry Granular Bentonite No. Yards, Sacks Sealant or Volume (circle one) To (ft.) From (ft.) 5. Material Used to Fill Well / Drillhole Surface Be160 life 0' 6. Comments **DNR Use Only** 7. Supervision of Work Date of Filling & Sealing or Verification Date Received Noted By Name of Person or Firm Doing Filling & Sealing License # (mm/dd/yyyy) 11/レン Street or Route (620) 789/2800 Signature of Person Doing Work ZIP Code State City 6000

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Remediation/Redevelopment Watershed/Wastewater **Drinking Water** Verification Only of Fill and Seal Waste Management Other: 2. Facility / Owner Information 1. Well Location Information Hicap # Facility Name WI Unique Well # of County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Method Code Format Code Latitude / Longitude (see instructions) 252138700 GPS008 **✓** DD 42.78674 Ν License/Permit/Monitoring # SCR002 87.80684 W OTH001 Original Well Owner Range 1/4 / 1/4 SE Section Township √ E Greentree Station LLC, c/o Phillips Edison & Company 23 20 or Gov't Lot # N Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 11501 Northlake Drive 53402 Racine City of Present Owner State ZIP Code Subdivision Name Lot# OH Cincinnati 45249 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service No Pump and piping removed? Remediation Complete No Yes Liner(s) removed? 3. Filled & Sealed Well / Drillhole / Borehole Information Yes No Liner(s) perforated? Original Construction Date (mm/dd/yyyy) Monitoring Well Yes No Screen removed? Yes No N/A Casing left in place? Water Well If a Well Construction Report is available, No Was casing cut off below surface? Borehole / Drillhole please attach. Did sealing material rise to surface? No N/A Construction Type: No N/A Did material settle after 24 hours? Dug Drilled Driven (Sandpoint) N/A Ŷes No If yes, was hole retopped? Other (specify): If bentonite chips were used, were they hydrated I N/A with water from a known safe source? Formation Type: Required Method of Placing Sealing Material Bedrock Unconsolidated Formation Conductor Pipe-Pumped Conductor Pipe-Gravity Casing Diameter (in.) Total Well Depth From Ground Surface (ft.) Screened & Poured Other (Explain): (Bentonite Chips) Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) **Neat Cement Grout** Concrete 10 Bentonite Chips Sand-Cement (Concrete) Grout Yes Unknown Was well annular space grouted? No For Monitoring Wells and Monitoring Well Boreholes Only: Depth to Water (feet) Bentonite Chips Bentonite - Cement Grout If yes, to what depth (feet)? Bentonite - Sand Slurry Granular Bentonite No. Yards, Sacks Sealant or 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Volume (circle one) Surface 11 D' 6. Comments **DNR Use Only** 7. Supervision of Work Date Received Noted By Date of Filling & Sealing or Verification License # Name of Person or Firm Doing Filling & Sealing Comments Street or Route Signature of Person Doing Work ZIP Code State City 14130/2022

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

age 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Remediation/Redevelopment Watershed/Wastewater Drinking Water Verification Only of Fill and Seal Waste Management 2. Facility / Owner Information 1. Well Location Information Facility Name Hicap # WI Unique Well # of County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Method Code Format Code Latitude / Longitude (see instructions) 252138700 GPS008 **☑** DD 42.80663 Ν License/Permit/Monitoring # SCR002 87.80681 OTH001 W Original Well Owner Range Section Township 1/4 / 1/4 SE **V** E Greentree Station LLC, c/o Phillips Edison & Company 23 20 or Gov't Lot # Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 11501 Northlake Drive 53402 Racine State ZIP Code City of Present Owner Subdivision Name Lot# OH 45249 Cincinnati 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service N/A Pump and piping removed? No Remediation Complete 71N/A No Yes Liner(s) removed? 3. Filled & Sealed Well / Drillhole / Borehole Information Yes Liner(s) perforated? Original Construction Date (mm/dd/yyyy) **₹**es Monitoring Well No N/A Screen removed? Yes N/A No Casing left in place? Water Well If a Well Construction Report is available, Nο Was casing cut off below surface? Borehole / Drillhole please attach. No Did sealing material rise to surface? Construction Type: Did material settle after 24 hours? No N/A Dug Driven (Sandpoint) V Drilled **1Ν/Α** lΝο If yes, was hole retopped? Other (specify): If bentonite chips were used, were they hydrated with water from a known safe source? Formation Type: Required Method of Placing Sealing Material Bedrock Unconsolidated Formation Conductor Pipe-Gravity Conductor Pipe-Pumped Casing Diameter (in.) Total Well Depth From Ground Surface (ft.) Screened & Poured Other (Explain): (Bentonite Chips) Sealing Materials Casing Depth (ft.) Lower Drillhole Diameter (in.) Neat Cement Grout Bentonite Chips Sand-Cement (Concrete) Grout Unknown No For Monitoring Wells and Monitoring Well Boreholes Only: Was well annular space grouted? Depth to Water (feet) Bentonite - Cement Grout Bentonite Chips If yes, to what depth (feet)? Bentonite - Sand Slurry Granular Bentonite Yards, Sacks Sealant or 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Volume (circle one) Surface DĪ 6. Comments DNR Use Only 7. Supervision of Work Noted By Date of Filling & Sealing or Verification Date Received Licenșe # Name of Person or Firm Doing Filling & Sealing WIA (mm/dd/yyyy) Comments Street or Route Date Signed ZIP Code State City 60/12

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Drinking Water Watershed/Wastewater Remediation/Redevelopment Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information 2. Facility / Owner Information WI Unique Well # of Hicap # Facility Name County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Latitude / Longitude (see instructions) Format Code Method Code 252138700 GPS008 **☑** DD 42.78659 Ν License/Permit/Monitoring # SCR002 87.80700 \\/ OTH001 1/4 / 1/4 Original Well Owner Section Township Range **✓ E** Greentree Station LLC, c/o Phillips Edison & Company 23 or Gov't Lot# 20 W Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well City, Village or Town Well ZIP Code 11501 Northlake Drive 53402 Racine City of Present Owner ZIP Code State Subdivision Name Lot# Cincinnati OH 45249 4. Pump, Liner, Screen, Casing & Sealing Material Reason for Removal from Service WI Unique Well # of Replacement Well Pump and piping removed? No [™]N/A Yes Remediation Complete -1N/A Liner(s) removed? Yes No 3. Filled & Sealed Well / Drillhole / Borehole Information N/A Liner(s) perforated? Yes No Original Construction Date (mm/dd/yyyy) Monitoring Well 7 Pes Screen removed? N/A No Water Well ∤Yes Casing left in place? No N/A If a Well Construction Report is available, Borehole / Drillhole Yes Was casing cut off below surface? No N/A please attach. N/A Did sealing material rise to surface? Ŷes No Construction Type: Did material settle after 24 hours? No N/A Drilled Driven (Sandpoint) Dua If yes, was hole retopped? I N/A Other (specify): If bentonite chips were used, were they hydrated □ N/A Formation Type: with water from a known safe source? Unconsolidated Formation Required Method of Placing Sealing Material Bedrock Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured (Bentonite Chips) Other (Explain): Casing Depth (ft.) Sealing Materials Lower Drillhole Diameter (in.) Neat Cement Grout Concrete Sand-Cement (Concrete) Grout Bentonite Chips Yes Was well annular space grouted? No Unknown For Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry No. Yards, Sacks Sealant or 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Volume (circle one) Surface to' 6. Comments 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing or Verification Date Received License # Noted By (mm/dd/yyyy) 11 (14/2012 Telephone Number Street or Route Comments (619) 189-0800 ZIP Code City Signature of Person Doing Work State 60522

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Remediation/Redevelopment Watershed/Wastewater **Drinking Water** Verification Only of Fill and Seal Other: Waste Management 2. Facility / Owner Information 1. Well Location Information WI Unique Well # of Facility Name Hicap # County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Method Code Format Code Latitude / Longitude (see instructions) 252138700 ∃GPS008 **☑** DD 42.78672 N License/Permit/Monitoring # SCR002 \square DDM 87.80807 OTH001 W Original Well Owner Range 1/4 / 1/4 Section Township **V** E Greentree Station LLC, c/o Phillips Edison & Company 23 or Gov't Lot# 20 Ν Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 11501 Northlake Drive 53402 Racine ZIP Code State City of Present Owner Lot# Subdivision Name OH 45249 Cincinnati 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service ₹N/A Yes Pump and piping removed? Remediation Complete N/A Yes No Liner(s) removed? 3. Filled & Sealed Well / Drillhole / Borehole Information Nο Yes Liner(s) perforated? Original Construction Date (mm/dd/yyyy) → Yes No N/A Monitoring Well Screen removed? N/A No Casing left in place? Water Well If a Well Construction Report is available, N/A No Was casing cut off below surface? Borehole / Drillhole please attach. No N/A Yes Did sealing material rise to surface? Construction Type: Yes No N/A Did material settle after 24 hours? Dug Drilled Driven (Sandpoint) l N/A If yes, was hole retopped? Other (specify): If bentonite chips were used, were they hydrated ∃n/a No with water from a known safe source? Formation Type: Required Method of Placing Sealing Material Unconsolidated Formation Bedrock Conductor Pipe-Gravity Conductor Pipe-Pumped Casing Diameter (in.) Total Well Depth From Ground Surface (ft.) Screened & Poured (Bentonite Chips) Other (Explain): Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) Neat Cement Grout Bentonite Chips Sand-Cement (Concrete) Grout Yes No Unknown Was well annular space grouted? For Monitoring Wells and Monitoring Well Boreholes Only: Bentonite - Cement Grout Depth to Water (feet) Bentonite Chips If yes, to what depth (feet)? Bentonite - Sand Slurry Granular Bentonite Yards, Sacks Sealant or To (ft.) From (ft.) 5. Material Used to Fill Well / Drillhole Volume (circle one) Surface D 6. Comments DNR Use Only 7. Supervision of Work Date of Filling & Sealing or, Verification Date Received Noted By Name of Person or Firm Doing Filling & Sealing License # (mm/dd/yyyy) Comments Telephone Number Street or Route TX 9~0% 00 Date Signed Signature of Person Doing Work ZIP Code City

6012

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: ✓ Remediation/Redevelopment Watershed/Wastewater Drinking Water Verification Only of Fill and Seal Other: Waste Management 2. Facility / Owner Information 1. Well Location Information WI Unique Well # of Facility Name Hicap # County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Format Code Method Code Latitude / Longitude (see instructions) 252138700 GPS008 42.78676 **☑** DD Ν License/Permit/Monitoring # SCR002 87.80718 OTH001 W Original Well Owner Range Section Township 1/4 / 1/4 **V** E Greentree Station LLC, c/o Phillips Edison & Company 23 W or Gov't Lot # 20 Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 11501 Northlake Drive 53402 Racine ZIP Code City of Present Owner State Subdivision Name Lot# OH 45249 Cincinnati 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service /N/A Yes No Pump and piping removed? Remediation Complete Yes Liner(s) removed? 3. Filled & Sealed Well / Drillhole / Borehole Information No Yes Liner(s) perforated? Original Construction Date (mm/dd/yyyy) Monitoring Well Ŷes Nο Screen removed? Yes Casing left in place? No N/A Water Well If a Well Construction Report is available, Was casing cut off below surface? Yes Nο Borehole / Drillhole please attach. Yes No N/A Did sealing material rise to surface? Construction Type: Ŷes No N/A Did material settle after 24 hours? Dug Drilled Driven (Sandpoint) N/A If yes, was hole retopped? Other (specify): If bentonite chips were used, were they hydrated 1 Yes N/A No Formation Type: with water from a known safe source? Required Method of Placing Sealing Material Unconsolidated Formation Bedrock Conductor Pipe-Pumped Conductor Pipe-Gravity Casing Diameter (in.) Total Well Depth From Ground Surface (ft.) Screened & Poured Other (Explain): (Bentonite Chips) Sealing Materials Casing Depth (ft.) Lower Drillhole Diameter (in.) Concrete Neat Cement Grout 10 Bentonite Chips Sand-Cement (Concrete) Grout No Unknown Was well annular space grouted? For Monitoring Wells and Monitoring Well Boreholes Only: Depth to Water (feet) Bentonite Chips Bentonite - Cement Grout If yes, to what depth (feet)? Granular Bentonite Bentonite - Sand Slurry No. Yards, Sacks Sealant or Volume (circle one) 5. Material Used to Fill Well / Drillhole To (ft.) From (ft.) Surface 0' 6. Comments **DNR Use Only** 7. Supervision of Work Date of Filling & Sealing or Verification Date Received Noted By License # Name of Person or Firm Doing Filling & Sealing (mm/dd/yyyy) Comments Street or Route Signature of Person Doing Work State City

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Remediation/Redevelopment Watershed/Wastewater **Drinking Water** Verification Only of Fill and Seal Other: Waste Management 2. Facility / Owner Information 1. Well Location Information Facility Name WI Unique Well # of Hicap # County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Method Code Latitude / Longitude (see instructions) Format Code 252138700 GPS008 ✓ DD 42.78663 Ν License/Permit/Monitoring # SCR002 DDM 87.80721 OTH001 Original Well Owner 1/4/1/4 Section Township Range V E Greentree Station LLC, c/o Phillips Edison & Company 23 or Gov't Lot# 20 Ν Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 11501 Northlake Drive 53402 Racine ZIP Code State City of Present Owner Lot# Subdivision Name OH 45249 Cincinnati 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service 7N/A Yes No Pump and piping removed? Remediation Complete .71Ñ/A Νo Liner(s) removed? 3. Filled & Sealed Well / Drillhole / Borehole Information lΝο M/A Yes Liner(s) perforated? Original Construction Date (mm/dd/yyyy) Yes No N/A Monitoring Well Screen removed? N/A Casing left in place? Water Well If a Well Construction Report is available, Nο N/A Was casing cut off below surface? Borehole / Drillhole please attach. N/A √Yes No Did sealing material rise to surface? Construction Type: ₹es No N/A Did material settle after 24 hours? Dug Drilled Driven (Sandpoint) **₹Ν/Α** If yes, was hole retopped? ✓ Yes No Other (specify): If bentonite chips were used, were they hydrated Yes No with water from a known safe source? Formation Type: Required Method of Placing Sealing Material Bedrock Unconsolidated Formation Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured Other (Explain): (Bentonite Chips) Sealing Materials Casing Depth (ft.) Lower Drillhole Diameter (in.) Concrete Neat Cement Grout Bentonite Chips Sand-Cement (Concrete) Grout Unknown Yes No For Monitoring Wells and Monitoring Well Boreholes Only: Was well annular space grouted? Bentonite - Cement Grout Bentonite Chips Depth to Water (feet) If yes, to what depth (feet)? Bentonite - Sand Slurry Granular Bentonite No. Yards, Sacks Sealant or To (ft.) From (ft.) 5. Material Used to Fill Well / Drillhole Volume (circle one) Benmonte Surface 01 1. 6. Comments **DNR Use Only** 7. Supervision of Work Noted By Date of Filling & Sealing or Verification Date Received License # Name of Person or Firm Doing Filling & Sealing (mm/dd/yyyy) 11 /14/2022 Street or Route Signature of Person Doing Work ZIP Code City

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Watershed/Wastewater ✓ Remediation/Redevelopment **Drinking Water** Verification Only of Fill and Seal Other: Waste Management 2. Facility / Owner Information 1. Well Location Information Hicap # Facility Name WI Unique Well # of County Removed Well Greentree Cleaners Racine Facility ID (FID or PWS) Method Code Format Code Latitude / Longitude (see instructions) 252138700 ∃GPS008 **☑** DD 42.78632 Ν License/Permit/Monitoring # SCR002 DDM 87.80690 OTH001 Original Well Owner 1/4 / 1/4 Section Township Range **V** E Greentree Station LLC, c/o Phillips Edison & Company 23 or Gov't Lot# 20 Present Well Owner Well Street Address Greentree Station LLC, c/o Phillips Edison & Company 5131 Douglas Avenue Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 11501 Northlake Drive 53402 Racine ZIP Code City of Present Owner State Subdivision Name Lot# OH 45249 Cincinnati 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service Yes No Pump and piping removed? Remediation Complete Yes No Liner(s) removed? 3. Filled & Sealed Well / Drillhole / Borehole Information No Liner(s) perforated? Original Construction Date (mm/dd/yyyy) Monitoring Well Yes N/A No Screen removed? Casing left in place? Νo N/A Water Well If a Well Construction Report is available, Was casing cut off below surface? Borehole / Drillhole please attach. No N/A Did sealing material rise to surface? Construction Type: No N/A Did material settle after 24 hours? Dua Drilled Driven (Sandpoint) N/A If yes, was hole retopped? Other (specify): If bentonite chips were used, were they hydrated N/A with water from a known safe source? Formation Type: Required Method of Placing Sealing Material X Unconsolidated Formation Bedrock Conductor Pipe-Pumped Conductor Pipe-Gravity Casing Diameter (in.) Total Well Depth From Ground Surface (ft.) Screened & Poured Other (Explain): (Bentonite Chips) Casing Depth (ft.) Sealing Materials Lower Drillhole Diameter (in.) Neat Cement Grout Concrete Bentonite Chips Sand-Cement (Concrete) Grout Unknown Was well annular space grouted? For Moniforing Wells and Monitoring Well Boreholes Only: Depth to Water (feet) Bentonite Chips Bentonite - Cement Grout If yes, to what depth (feet)? Bentonite - Sand Slurry Granular Bentonite No. Yards, Sacks Sealant or Volume (circle one) 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Surface 0 6. Comments DNR Use Only 7. Supervision of Work Date of Filling & Sealing or Verification Date Received Noted By Name of Person or Firm Doing Filling & Sealing (mm/dd/yyyy) Telephone Number Comments Street or Route ((030) 1890800 Signature of Ferson Doing Work ZIP Code State

60522