



Known for excellence.
Built on trust.

GEOTECHNICAL
ENVIRONMENTAL
ECOLOGICAL
WATER
CONSTRUCTION
MANAGEMENT

17975 West Sarah Lane
Suite 100
Brookfield, WI 53045
T: 262.754.2560
F: 262.923.7758
www.gza.com

December 31, 2020
File No. 20.0156045.01

Ms. Christine Young
c/o Bohrer Family Trust
3100 Sunset Drive
Oconomowoc, Wisconsin

Re: Notification of Groundwater Sampling Results - December 2020
Hein Electric Supply Company
1860 Executive Drive
Oconomowoc, Wisconsin

Dear Ms. Young:

On behalf of Leather-Rich Inc. (LRI), GZA GeoEnvironmental, Inc. (GZA) is providing you with the soil and groundwater sampling results from the December 2020 drilling activities on the property occupied by the multi-tenant building located at 1860 Executive Drive and northwest of LRI in Oconomowoc, Wisconsin. The access agreement to conduct the drilling and sampling was received by your office on September 28, 2020. A meeting to discuss the well locations was conducted on October 22, 2020. Please note that this letter is subject to the Limitations provided in Attachment 1.

LRI is conducting a site investigation of soil and groundwater to monitor the presence and extent of tetrachloroethene (PCE), a dry-cleaning chemical, in both soil and groundwater. In 2017, a groundwater sample collected from the LRI property indicated concentrations of PCE above the Wisconsin Administrative Code (Wis. Adm. Code) NR 140 groundwater Enforcement Standard (ES). The Wisconsin Department of Natural Resources (WDNR) issued the following Bureau of Remediation and Redevelopment Tracking System (BRRTS) Number for the Site on April 9, 2018: BRRTS #02-68-581237. Information on the Site is provided on the BRRTS website at: <https://dnr.wi.gov/botw/GetActivityDetail.do?adn=0268581237&siteId=2662000&crumb=1&search=b>.

The following is the contact information for the WDNR Project Manager, Mr. Tim Alessi:

Mr. Tim Alessi – NR Region Program Manager
2300 North Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
(414) 263-8563
timothy.alessi@wisconsin.gov

SOIL AND GROUNDWATER RESULTS

The drilling activities were conducted on December 5, 2020, at two locations south of the 1860 Executive Drive building, and two monitoring wells were installed on the south side of the building. Monitoring well MW-18, located in front of the landlord suite, and MW-19, located near the southwest corner of the building, were both installed to a depth of 20 feet below ground surface (bgs). Each well location had soils collected for visual classification and field screening.



One soil sample was collected from each well at the depth of the following groundwater interface:

- 18 to 20 feet bgs from MW-18; and
- 16 to 18 feet bgs from MW-19.

The results of the analytical testing performed on the collected soil samples confirmed concentrations of PCE above the soil to groundwater residual contaminant level (RCL). Soil data results are presented on Table 1 and the laboratory analytical report is provided in Attachment 2.

Following development, each monitoring well was sampled on December 11, 2020, using low-flow sampling techniques with a peristaltic pump and dedicated disposable polyethylene tubing for laboratory analysis. The results of the analytical testing performed on the collected groundwater samples confirmed concentrations of PCE in exceedance of the Wis. Adm. Code NR 140 ES for both wells. Additionally, reported concentrations of trichloroethylene (TCE), a degradation product of PCE, were also reported in the collected groundwater samples at or slightly above the Wis. Adm. Code NR 140 groundwater Preventive Action Limit (PAL). The results of the groundwater analytical testing are presented on Table 2 and the laboratory analytical report is provided in Attachment 2. Figure 1 presents the site layout, well locations, and the estimated extent of PCE in groundwater for the December 2020 sampling activities.


Additional groundwater sampling activities will likely be required from these wells as part of the ongoing LRI site investigation with the WDNR. GZA or LRI will be in touch with you to schedule the site access for re-sampling the wells on the 1860 Executive Drive property.

Thank you again for the opportunity to advance and sample the soil borings and monitoring wells on your property. Should you have any questions regarding the attached results of the soil and groundwater analytical testing, please feel free to contact the undersigned at (262) 754-2594.

Very truly yours,

GZA GeoEnvironmental, Inc.


Heidi A. Woelfel
Project Manager


James F. Drought, P.H.
Principal Hydrogeologist

J:\156000to156999\156045 Leather Rich\01 Add'l-Off-Site\Report\Off-Site Notification\FINAL 20.0156045.01 Notification of GW Sampling Results_Oconomowoc WI 12-31-20.docx

Attachments: Tables 1 and 2
Figure 1
Limitations
Laboratory Analytical Report

cc: Ms. Cheryl Chew, LRI
Mr. Tim Alessi, WDNR



TABLES

TABLE 1
SOIL ANALYTICAL RESULTS - 1860 EXECUTIVE DRIVE
Leather-Rich Inc.
Oconomowoc, Wisconsin

Parameter	Non-Industrial Direct-Contact RCL (mg/kg)	Groundwater Pathway RCL (mg/kg)	MW-18	MW-19
			12/5/20	12/5/20
			18-20'	16-18'
Collected By			GZA	GZA
Saturated (Yes/No)			Yes	Yes
Fractional Organic Carbon (% w/w)	NS	NS	-	-
1,1,1,2-Tetrachloroethane	2.78	0.0534	< 12.8	< 13.3
1,1,1-Trichloroethane	640	0.1402	< 13.7	< 14.1
1,1,2,2-Tetrachloroethane	0.81	0.0002	< 19.4	< 20
1,1,2-Trichloroethane	1.59	0.0032	< 19.5	< 20.1
1,1-Dichloroethane	5.06	0.4834	< 13.7	< 14.1
1,1-Dichloroethene	320	0.005	< 17.8	< 18.3
1,1-Dichloropropene	NS	NS	< 17.3	< 17.9
1,2,3-Trichlorobenzene	62.6	NS	< 59.6	< 61.5
1,2,3-Trichloropropane	0.005	0.0519	< 26.0	< 26.8
1,2,4-Trichlorobenzene	24	0.408	< 44.1	< 45.5
1,2,4-Trimethylbenzene	219	1.3787	< 15.9	< 16.5
1,3,5-Trimethylbenzene	182		< 17.2	< 17.8
1,2-Dibromo-3-chloropropane	0.0075	0.0002	< 41.5	< 42.9
1,2-Dibromoethane (EDB)	0.05	0.0000282	< 14.7	< 15.1
1,2-Dichlorobenzene	376	1.168	< 16.6	< 17.1
1,2-Dichloroethane	0.652	0.4834	< 12.3	< 12.7
1,2-Dichloropropane	3.4	0.0033	< 12.7	< 12.4
1,3-Dichlorobenzene	297	1.168	< 14.7	< 15.1
1,3-Dichloropropane	1,490	NA	< 11.7	< 12
1,4-Dichlorobenzene	3.74	0.144	< 14.7	< 15.1
2,2-Dichloropropane	191	NS	< 14.4	< 14.9
2-Chlorotoluene	907	NS	< 17.3	< 17.9
4-Chlorotoluene	253	NS	< 20.3	< 21
Benzene	1.6	0.0051	< 12.7	< 13.1
Bromobenzene	342	NS	< 20.9	< 21.5
Bromochloromethane	216	NS	< 14.7	< 15.1
Bromodichloromethane	0.418	0.0003	< 12.7	< 13.1
Bromoform	25.4	0.0023	< 235	< 243
Bromomethane	9.6	0.0051	< 75	< 77.4
Carbon tetrachloride	0.916	0.0039	< 11.8	< 12.2
Chlorobenzene	370	NS	< 6.4	< 6.6
Chloroethane	NS	0.2266	< 22.6	< 23.3
Chloroform	0.454	0.0033	< 38.3	< 39.5
Chloromethane	159	0.0155	< 20.3	< 21
Dibromochloromethane	8.28	0.032	< 182	< 189
Dibromomethane	34	NS	< 15.8	< 16.3
Dichlorodifluoromethane	126	3.0863	< 23	< 23.7
Diisopropyl ether	2,260	NS	< 13.3	< 13.7
Ethylbenzene	8.02	1.57	< 12.7	< 13.1
Hexachloro-1,3-butadiene	NS	NS	< 106	< 110

TABLE 1
SOIL ANALYTICAL RESULTS - 1860 EXECUTIVE DRIVE
Leather-Rich Inc.
Oconomowoc, Wisconsin

Parameter	Non-Industrial Direct-Contact RCL (mg/kg)	Groundwater Pathway RCL (mg/kg)	MW-18	MW-19
			12/5/20	12/5/20
			18-20'	16-18'
Collected By			GZA	GZA
Saturated (Yes/No)			Yes	Yes
Isopropylbenzene (Cumene)	268	NS	< 14.4	< 14.9
Methyl-tert-butyl ether	63.8	0.027	< 15.7	< 16.2
Methylene Chloride	61.8	0.0026	< 14.9	< 15.4
Naphthalene	5.52	0.6582	< 16.7	< 17.2
Styrene	867	0.22	< 13.7	< 14.1
Tetrachloroethene	33	0.0045	53.9	24.4 J
Toluene	818	1.1072	< 13.5	< 13.9
Trichloroethene	1.3	0.0036	< 20	< 20.7
Trichlorofluoromethane	1,230	NS	< 15.5	< 16
Vinyl chloride	0.067	0.0001	< 10.8	< 11.2
cis-1,2-Dichloroethene	156	0.0412	< 11.4	< 11.8
cis-1,3-Dichloropropene	1,210	0.0003	< 35.3	< 36.5
m&p-Xylene	778	3.96	< 22.6	< 23.3
o-Xylene	434		< 16	< 16.6
n-Butylbenzene	108	NS	< 24.5	< 25.3
n-Propylbenzene	NA	NS	< 12.8	< 13.3
p-Isopropyltoluene	162	NS	< 16.3	< 16.8
sec-Butylbenzene	145	NS	< 13	< 13.5
tert-Butylbenzene	183	NS	< 16.8	< 17.3
trans-1,2-Dichloroethene	1,560	0.0626	< 11.6	< 11.9
trans-1,3-Dichloropropene	1,510	0.0003	< 153	< 158

Notes:

1. Samples were collected by GZA GeoEnvironmental, Inc. (GZA) and analyzed by PaceAnalytical® (Pace) of Green Bay, Wisconsin using United States Environmental Protection Agency (USEPA) Method 8260 for volatile organic compounds (VOCs) and American Society for Testing and Materials (ASTM) D2974-87 for Fractional Organic Carbon (FOC).
2. Results are provided in milligrams per kilogram (mg/kg).
3. Residual Contaminant Levels (RCLs) were obtained from the RCL spreadsheet (updated December 2018) available on the following Wisconsin Department of Natural Resources (WDNR) website: <http://dnr.wi.gov/topic/brownfields/professionals.html>. The spreadsheet was prepared by WDNR staff using the USEPA's Regional Screening Level (RSL) Web-Calculator.
4. Concentrations in **bold font** indicate an exceedance of the Groundwater Pathway RCL. Concentrations in **bold/underlined font** indicate an exceedance of the Non-Industrial Direct Contact RCL.
5. "-" = The sample was not analyzed for the specified parameter.
6. NS = no published standard for the specified parameter.
7. J = estimated value. The analyte was detected at a concentration between the limit of detection (LOD) and limit of quantification (LOQ).

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - 1860 EXECUTIVE DRIVE
Leather-Rich Inc.
Oconomowoc, Wisconsin

Parameter	ES (µg/L)	PAL (µg/L)	MW-18	MW-19
		Sample Date	12/11/2020	12/11/2020
		Collected By	GZA	GZA
Tetrachloroethene	5.0	0.5	<u>106</u>	<u>15.6</u>
Trichloroethene	5.0	0.5	2.6	0.51 J
Vinyl Chloride	0.2	0.02	< 0.17	< 0.17
cis-1,2-Dichloroethene	70	7.0	1.8	<0.27
trans-1,2-Dichloroethene	100	20	< 1.1	< 1.1
Nitrate as N	10,000	2,000	NA	NA
Sulfate	NS	NS	NA	NA
Iron, Dissolved	NS	NS	NA	NA
Manganese, Dissolved	300	60	NA	NA
Total Organic Carbon	NS	NS	NA	NA

Notes:















1. Samples were collected by GZA GeoEnvironmental, Inc. (GZA) and analyzed by PaceAnalytical® (Pace) of Green Bay, Wisconsin using United States Environmental Protection Agency (USEPA) Method 8260 for volatile organic compounds (VOCs).
2. Results are provided in micrograms per liter (µg/L).
3. Concentrations in **bold font** indicate an exceedance of the Wisconsin Administrative Code (Wis. Adm. Code) Chapter NR 140 Preventive Action Limit (PAL). Concentrations in **bold/underlined font** indicate an exceedance of the Wis. Adm. Code Chapter NR 140 Enforcement Standard (ES).
4. NA = the sample was not analyzed for the specified parameter.
5. NS = no published standard for the specified parameter.
6. J = estimated value. The analyte was detected at a concentration between the limit of detection (LOD) and limit of quantification (LOQ).



FIGURES


© 2016 - GZA GeoEnvironmental, Inc. GZA-J:\156000T0156999\156045 LEATHER RICH\FIGURES\20.0156045.00_2019.DWG DRAFT GROUNDWATER PCE EXTENT DECEMBER 22, 2020 PAMELA REHBEIN

LEGEND

-  APPROXIMATE PROPERTY BOUNDARY
-  GROUNDWATER MONITORING WELL
-  PIEZOMETER
-  SOIL BORINGS
-  DRAIN
-  SOIL VAPOR POINT
-  SUB-SLAB VAPOR POINT
-  TRENCH DRAIN
-  PCE FILTRATION UNIT
-  PCE ABOVE GROUND STORAGE TANK
-  INJECTION WELL LOCATION
-  SOIL VAPOR EXTRACTION WELL LOCATION
-  PCE PAL EXCEEDANCE, 0.5 UG/L
-  PCE ES EXCEEDANCE, 5 UG/L

NOTES

1. BASE MAP DEVELOPED FROM A GOOGLE PROFESSIONAL ELECTRONIC IMAGE FILE. DIGITAL AERIAL ORTHOPHOTOGRAPHY WAS PUBLISHED BY THE U.S.G.S.
2. THE USE OF AERIAL PHOTOGRAPHY CAN OFTEN MAKE BUILDINGS AND OTHER SITE FEATURES APPEAR TO BE OVERLAPPING AND DISTORTED WHEN OVERLAID WITH ACTUAL SITE FEATURES.
3. THE LOCATION OF THE EXPLORATIONS WERE APPROXIMATELY DETERMINED BY LINE OF SIGHT AND/OR TAPE MEASUREMENTS FROM EXISTING TOPOGRAPHIC FEATURES. THESE LOCATIONS SHOULD BE CONSIDERED ACCURATE ONLY TO THE DEGREE IMPLIED BY THE METHOD USED.
4. THE APPROXIMATE LOCATION OF THE SITE BOUNDARY, BUILDING FOOTPRINT, AND EXPLORATIONS WERE OBTAINED FROM PROFESSIONAL CONSULTANTS, INC. "FIRST FLOOR PLAN", DATED 6-25-93, AND "SITE PLAN PROPOSED", DATED 10-28-96.




NO.	ISSUE/DESCRIPTION	BY	DATE

UNLESS SPECIFICALLY STATED BY WRITTEN AGREEMENT, THIS DRAWING IS THE SOLE PROPERTY OF GZA GEOENVIRONMENTAL, INC. (GZA). THE INFORMATION SHOWN ON THE DRAWING IS SOLELY FOR USE BY GZA'S CLIENT OR THE CLIENT'S DESIGNATED REPRESENTATIVE FOR THE SPECIFIC PROJECT AND LOCATION IDENTIFIED ON THE DRAWING. THE DRAWING SHALL NOT BE TRANSFERRED, REUSED, COPIED, OR ALTERED IN ANY MANNER FOR USE AT ANY OTHER LOCATION OR FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF GZA. ANY TRANSFER, REUSE, OR MODIFICATION TO THE DRAWING BY THE CLIENT OR OTHERS, WITHOUT THE PRIOR WRITTEN EXPRESS CONSENT OF GZA, WILL BE AT THE USER'S SOLE RISK AND WITHOUT ANY RISK OR LIABILITY TO GZA.

LEATHER - RICH, INC.
1250 CORPORATE CENTER DRIVE
OCONOMOWOC, WI 53066

GROUNDWATER TETRACHLOROETHENE (PCE) EXTENT

PREPARED BY:  GZA GeoEnvironmental, Inc. Engineers and Scientists www.gza.com		PREPARED FOR: LEATHER - RICH, INC. 1250 CORPORATE CENTER DRIVE OCONOMOWOC, WI 53066	
PROJ MGR: HAW	REVIEWED BY: JFD	CHECKED BY: JJLP	FIG
DESIGNED BY: HAW	DRAWN BY: PLR	SCALE: see above	1
DATE: 12/30/2020	PROJECT NO. 20.0156045.00	REVISION NO.	



ATTACHMENT 1

Limitations



LIMITATIONS

STANDARD OF CARE

1. GZA's findings and conclusions are based on the work conducted as part of the Scope of Services set forth in the Proposal for Services and/or Report and reflect our professional judgment. These findings and conclusions must be considered not as scientific or engineering certainties, but rather as our professional opinions concerning the limited data gathered during the course of our work. Conditions other than described in this report may be found at the subject location(s).
2. GZA's services were performed using the degree of skill and care ordinarily exercised by qualified professionals performing the same type of services, at the same time, under similar conditions, at the same or a similar property. No warranty, expressed or implied, is made. Specifically, GZA does not and cannot represent that the Site contains no hazardous material, oil, or other latent condition beyond that observed by GZA during its study. Additionally, GZA makes no warranty that any response action or recommended action will achieve all of its objectives or that the findings of this study will be upheld by a local, state or federal agency.
3. In conducting our work, GZA relied upon certain information made available by public agencies, Client and/or others. GZA did not attempt to independently verify the accuracy or completeness of that information. Inconsistencies in this information which we have noted, if any, are discussed in the Report.

SUBSURFACE CONDITIONS

4. The generalized soil profile(s) provided in our Report are based on widely-spaced subsurface explorations and are intended only to convey trends in subsurface conditions. The boundaries between strata are approximate and idealized, and were based on our assessment of subsurface conditions. The composition of strata, and the transitions between strata, may be more variable and more complex than indicated. For more specific information on soil conditions at a specific location refer to the exploration logs. The nature and extent of variations between these explorations may not become evident until further exploration or construction. If variations or other latent conditions then become evident, it will be necessary to reevaluate the conclusions and recommendations of this report.
5. Water level readings have been made, as described in this Report, in and monitoring wells at the specified times and under the stated conditions. These data have been reviewed and interpretations have been made in this report. Fluctuations in the level of the groundwater however occur due to temporal or spatial variations in areal recharge rates, soil heterogeneities, the presence of subsurface utilities, and/or natural or artificially induced perturbations. The observed water table may be other than indicated in the Report.

COMPLIANCE WITH CODES AND REGULATIONS

6. We used reasonable care in identifying and interpreting applicable codes and regulations necessary to execute our scope of work. These codes and regulations are subject to various, and possibly contradictory, interpretations. Interpretations and compliance with codes and regulations by other parties is beyond our control.

SCREENING AND ANALYTICAL TESTING

7. GZA collected environmental samples at the locations identified in the Report. These samples were analyzed for the specific parameters identified in the report. Additional constituents, for which analyses were not conducted, may be present in soil, groundwater, surface water, sediment and/or air. Future Site activities and uses may result in a requirement for additional testing.
8. Our interpretation of field screening and laboratory data is presented in the Report. Unless otherwise noted, we relied upon the laboratory's QA/QC program to validate these data.
9. Variations in the types and concentrations of contaminants observed at a given location or time may occur due to release mechanisms, disposal practices, changes in flow paths, and/or the influence of various physical, chemical, biological or radiological processes. Subsequently observed concentrations may be other than indicated in the Report.



INTERPRETATION OF DATA

10. Our opinions are based on available information as described in the Report, and on our professional judgment. Additional observations made over time, and/or space, may not support the opinions provided in the Report.

ADDITIONAL INFORMATION

11. In the event that the Client or others authorized to use this report obtain additional information on environmental or hazardous waste issues at the Site not contained in this report, such information shall be brought to GZA's attention forthwith. GZA will evaluate such information and, on the basis of this evaluation, may modify the conclusions stated in this report.

ADDITIONAL SERVICES

12. GZA recommends that we be retained to provide services during any future investigations, design, implementation activities, construction, and/or property development/ redevelopment at the Site. This will allow us the opportunity to: i) observe conditions and compliance with our design concepts and opinions; ii) allow for changes in the event that conditions are other than anticipated; iii) provide modifications to our design; and iv) assess the consequences of changes in technologies and/or regulations.



ATTACHMENT 2

Laboratory Analytical Report

December 16, 2020

Heidi Woelfel
GZA
17975 West Sarah Lane
Suite 100
Brookfield, WI 53045

RE: Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Dear Heidi Woelfel:

Enclosed are the analytical results for sample(s) received by the laboratory on December 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40219706001	VAP-1 (10-20')	Water	12/04/20 09:13	12/11/20 08:55
40219706002	VAP-1 (20-30')	Water	12/04/20 09:50	12/11/20 08:55
40219706003	VAP-1 (30-40')	Water	12/04/20 10:33	12/11/20 08:55
40219706004	VAP-1 (40-50')	Water	12/04/20 11:22	12/11/20 08:55
40219706005	VAP-2 (20-30')	Water	12/04/20 13:13	12/11/20 08:55
40219706006	VAP-2 (30-40')	Water	12/04/20 14:29	12/11/20 08:55
40219706007	SB-18/MW-18 (18-20')	Solid	12/05/20 08:35	12/11/20 08:55
40219706008	SB-19/MW-19 (16-18')	Solid	12/05/20 10:55	12/11/20 08:55
40219706009	VAP-2 (40-50')	Water	12/05/20 13:10	12/11/20 08:55
40219706010	DUP-1	Water	12/04/20 00:00	12/11/20 08:55
40219706011	MW-18	Water	12/09/20 16:21	12/11/20 08:55
40219706012	MW-19	Water	12/09/20 16:50	12/11/20 08:55
40219706013	TRIP BLANK HCL	Water	12/09/20 00:00	12/11/20 08:55
40219706014	TRIP BLANK MEOH	Solid	12/09/20 00:00	12/11/20 08:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40219706001	VAP-1 (10-20')	EPA 8260	HNW	8	PASI-G
40219706002	VAP-1 (20-30')	EPA 8260	HNW	8	PASI-G
40219706003	VAP-1 (30-40')	EPA 8260	HNW	8	PASI-G
40219706004	VAP-1 (40-50')	EPA 8260	HNW	8	PASI-G
40219706005	VAP-2 (20-30')	EPA 8260	HNW	8	PASI-G
40219706006	VAP-2 (30-40')	EPA 8260	HNW	8	PASI-G
40219706007	SB-18/MW-18 (18-20')	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40219706008	SB-19/MW-19 (16-18')	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	AH	1	PASI-G
40219706009	VAP-2 (40-50')	EPA 8260	HNW	8	PASI-G
40219706010	DUP-1	EPA 8260	HNW	64	PASI-G
40219706011	MW-18	EPA 8260	HNW	64	PASI-G
40219706012	MW-19	EPA 8260	HNW	64	PASI-G
40219706013	TRIP BLANK HCL	EPA 8260	HNW	64	PASI-G
40219706014	TRIP BLANK MEOH	EPA 8260	ALD	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40219706001	VAP-1 (10-20')					
EPA 8260	Tetrachloroethene	201	ug/L	1.1	12/14/20 21:24	
EPA 8260	Trichloroethene	8.2	ug/L	1.0	12/14/20 21:24	
EPA 8260	cis-1,2-Dichloroethene	18.8	ug/L	1.0	12/14/20 21:24	
40219706002	VAP-1 (20-30')					
EPA 8260	Tetrachloroethene	0.34J	ug/L	1.1	12/15/20 07:40	
40219706003	VAP-1 (30-40')					
EPA 8260	Tetrachloroethene	1.4	ug/L	1.1	12/14/20 22:07	
40219706004	VAP-1 (40-50')					
EPA 8260	Tetrachloroethene	1.6	ug/L	1.1	12/14/20 22:29	
40219706005	VAP-2 (20-30')					
EPA 8260	Tetrachloroethene	88.2	ug/L	1.1	12/14/20 22:50	
EPA 8260	Trichloroethene	1.0	ug/L	1.0	12/14/20 22:50	
EPA 8260	cis-1,2-Dichloroethene	1.3	ug/L	1.0	12/14/20 22:50	
40219706006	VAP-2 (30-40')					
EPA 8260	Tetrachloroethene	77.9	ug/L	1.1	12/14/20 23:12	
EPA 8260	Trichloroethene	1.5	ug/L	1.0	12/14/20 23:12	
40219706007	SB-18/MW-18 (18-20')					
EPA 8260	Tetrachloroethene	53.9	ug/kg	53.5	12/14/20 18:22	
ASTM D2974-87	Percent Moisture	6.5	%	0.10	12/14/20 15:29	
40219706008	SB-19/MW-19 (16-18')					
EPA 8260	Tetrachloroethene	24.4J	ug/kg	55.2	12/15/20 15:01	
ASTM D2974-87	Percent Moisture	9.5	%	0.10	12/14/20 15:29	
40219706009	VAP-2 (40-50')					
EPA 8260	Tetrachloroethene	108	ug/L	2.2	12/15/20 01:42	
40219706010	DUP-1					
EPA 8260	Tetrachloroethene	78.4	ug/L	1.1	12/14/20 23:33	
EPA 8260	Trichloroethene	1.5	ug/L	1.0	12/14/20 23:33	
40219706011	MW-18					
EPA 8260	Tetrachloroethene	106	ug/L	1.1	12/15/20 08:01	
EPA 8260	Trichloroethene	2.6	ug/L	1.0	12/15/20 08:01	
EPA 8260	cis-1,2-Dichloroethene	1.8	ug/L	1.0	12/15/20 08:01	
40219706012	MW-19					
EPA 8260	Tetrachloroethene	15.6	ug/L	1.1	12/14/20 23:55	
EPA 8260	Trichloroethene	0.51J	ug/L	1.0	12/14/20 23:55	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: VAP-1 (10-20') Lab ID: 40219706001 Collected: 12/04/20 09:13 Received: 12/11/20 08:55 Matrix: Water									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Tetrachloroethene	201	ug/L	1.1	0.33	1		12/14/20 21:24	127-18-4	
Trichloroethene	8.2	ug/L	1.0	0.26	1		12/14/20 21:24	79-01-6	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 21:24	75-01-4	
cis-1,2-Dichloroethene	18.8	ug/L	1.0	0.27	1		12/14/20 21:24	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 21:24	156-60-5	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		12/14/20 21:24	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		12/14/20 21:24	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		12/14/20 21:24	2037-26-5	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: VAP-1 (20-30') Lab ID: 40219706002 Collected: 12/04/20 09:50 Received: 12/11/20 08:55 Matrix: Water									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Tetrachloroethene	0.34J	ug/L	1.1	0.33	1		12/15/20 07:40	127-18-4	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		12/15/20 07:40	79-01-6	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/15/20 07:40	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		12/15/20 07:40	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/15/20 07:40	156-60-5	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		12/15/20 07:40	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		12/15/20 07:40	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		12/15/20 07:40	2037-26-5	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: VAP-1 (30-40') Lab ID: 40219706003 Collected: 12/04/20 10:33 Received: 12/11/20 08:55 Matrix: Water									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Tetrachloroethene	1.4	ug/L	1.1	0.33	1		12/14/20 22:07	127-18-4	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		12/14/20 22:07	79-01-6	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 22:07	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		12/14/20 22:07	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 22:07	156-60-5	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		12/14/20 22:07	460-00-4	pH
Dibromofluoromethane (S)	93	%	70-130		1		12/14/20 22:07	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		12/14/20 22:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Sample: VAP-1 (40-50') **Lab ID: 40219706004** Collected: 12/04/20 11:22 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	1.6	ug/L	1.1	0.33	1		12/14/20 22:29	127-18-4	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		12/14/20 22:29	79-01-6	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 22:29	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		12/14/20 22:29	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 22:29	156-60-5	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		12/14/20 22:29	460-00-4	pH
Dibromofluoromethane (S)	93	%	70-130		1		12/14/20 22:29	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		12/14/20 22:29	2037-26-5	

Sample: VAP-2 (20-30') **Lab ID: 40219706005** Collected: 12/04/20 13:13 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	88.2	ug/L	1.1	0.33	1		12/14/20 22:50	127-18-4	
Trichloroethene	1.0	ug/L	1.0	0.26	1		12/14/20 22:50	79-01-6	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 22:50	75-01-4	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.27	1		12/14/20 22:50	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 22:50	156-60-5	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		12/14/20 22:50	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		12/14/20 22:50	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		12/14/20 22:50	2037-26-5	

Sample: VAP-2 (30-40') **Lab ID: 40219706006** Collected: 12/04/20 14:29 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	77.9	ug/L	1.1	0.33	1		12/14/20 23:12	127-18-4	
Trichloroethene	1.5	ug/L	1.0	0.26	1		12/14/20 23:12	79-01-6	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 23:12	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		12/14/20 23:12	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 23:12	156-60-5	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		12/14/20 23:12	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		12/14/20 23:12	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		12/14/20 23:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Sample: SB-18/MW-18 (18-20') Lab ID: **40219706007** Collected: 12/05/20 08:35 Received: 12/11/20 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<12.8	ug/kg	53.5	12.8	1	12/14/20 09:00	12/14/20 18:22	630-20-6	
1,1,1-Trichloroethane	<13.7	ug/kg	53.5	13.7	1	12/14/20 09:00	12/14/20 18:22	71-55-6	
1,1,2,2-Tetrachloroethane	<19.4	ug/kg	53.5	19.4	1	12/14/20 09:00	12/14/20 18:22	79-34-5	
1,1,2-Trichloroethane	<19.5	ug/kg	53.5	19.5	1	12/14/20 09:00	12/14/20 18:22	79-00-5	
1,1-Dichloroethane	<13.7	ug/kg	53.5	13.7	1	12/14/20 09:00	12/14/20 18:22	75-34-3	
1,1-Dichloroethene	<17.8	ug/kg	53.5	17.8	1	12/14/20 09:00	12/14/20 18:22	75-35-4	
1,1-Dichloropropene	<17.3	ug/kg	53.5	17.3	1	12/14/20 09:00	12/14/20 18:22	563-58-6	
1,2,3-Trichlorobenzene	<59.6	ug/kg	267	59.6	1	12/14/20 09:00	12/14/20 18:22	87-61-6	
1,2,3-Trichloropropane	<26.0	ug/kg	53.5	26.0	1	12/14/20 09:00	12/14/20 18:22	96-18-4	
1,2,4-Trichlorobenzene	<44.1	ug/kg	267	44.1	1	12/14/20 09:00	12/14/20 18:22	120-82-1	
1,2,4-Trimethylbenzene	<15.9	ug/kg	53.5	15.9	1	12/14/20 09:00	12/14/20 18:22	95-63-6	
1,2-Dibromo-3-chloropropane	<41.5	ug/kg	267	41.5	1	12/14/20 09:00	12/14/20 18:22	96-12-8	
1,2-Dibromoethane (EDB)	<14.7	ug/kg	53.5	14.7	1	12/14/20 09:00	12/14/20 18:22	106-93-4	
1,2-Dichlorobenzene	<16.6	ug/kg	53.5	16.6	1	12/14/20 09:00	12/14/20 18:22	95-50-1	
1,2-Dichloroethane	<12.3	ug/kg	53.5	12.3	1	12/14/20 09:00	12/14/20 18:22	107-06-2	
1,2-Dichloropropane	<12.7	ug/kg	53.5	12.7	1	12/14/20 09:00	12/14/20 18:22	78-87-5	
1,3,5-Trimethylbenzene	<17.2	ug/kg	53.5	17.2	1	12/14/20 09:00	12/14/20 18:22	108-67-8	
1,3-Dichlorobenzene	<14.7	ug/kg	53.5	14.7	1	12/14/20 09:00	12/14/20 18:22	541-73-1	
1,3-Dichloropropane	<11.7	ug/kg	53.5	11.7	1	12/14/20 09:00	12/14/20 18:22	142-28-9	
1,4-Dichlorobenzene	<14.7	ug/kg	53.5	14.7	1	12/14/20 09:00	12/14/20 18:22	106-46-7	
2,2-Dichloropropane	<14.4	ug/kg	53.5	14.4	1	12/14/20 09:00	12/14/20 18:22	594-20-7	
2-Chlorotoluene	<17.3	ug/kg	53.5	17.3	1	12/14/20 09:00	12/14/20 18:22	95-49-8	
4-Chlorotoluene	<20.3	ug/kg	53.5	20.3	1	12/14/20 09:00	12/14/20 18:22	106-43-4	
Benzene	<12.7	ug/kg	21.4	12.7	1	12/14/20 09:00	12/14/20 18:22	71-43-2	
Bromobenzene	<20.9	ug/kg	53.5	20.9	1	12/14/20 09:00	12/14/20 18:22	108-86-1	
Bromochloromethane	<14.7	ug/kg	53.5	14.7	1	12/14/20 09:00	12/14/20 18:22	74-97-5	
Bromodichloromethane	<12.7	ug/kg	53.5	12.7	1	12/14/20 09:00	12/14/20 18:22	75-27-4	
Bromoform	<235	ug/kg	267	235	1	12/14/20 09:00	12/14/20 18:22	75-25-2	
Bromomethane	<75.0	ug/kg	267	75.0	1	12/14/20 09:00	12/14/20 18:22	74-83-9	
Carbon tetrachloride	<11.8	ug/kg	53.5	11.8	1	12/14/20 09:00	12/14/20 18:22	56-23-5	
Chlorobenzene	<6.4	ug/kg	53.5	6.4	1	12/14/20 09:00	12/14/20 18:22	108-90-7	
Chloroethane	<22.6	ug/kg	267	22.6	1	12/14/20 09:00	12/14/20 18:22	75-00-3	
Chloroform	<38.3	ug/kg	267	38.3	1	12/14/20 09:00	12/14/20 18:22	67-66-3	
Chloromethane	<20.3	ug/kg	53.5	20.3	1	12/14/20 09:00	12/14/20 18:22	74-87-3	
Dibromochloromethane	<183	ug/kg	267	183	1	12/14/20 09:00	12/14/20 18:22	124-48-1	
Dibromomethane	<15.8	ug/kg	53.5	15.8	1	12/14/20 09:00	12/14/20 18:22	74-95-3	
Dichlorodifluoromethane	<23.0	ug/kg	53.5	23.0	1	12/14/20 09:00	12/14/20 18:22	75-71-8	L1
Diisopropyl ether	<13.3	ug/kg	53.5	13.3	1	12/14/20 09:00	12/14/20 18:22	108-20-3	
Ethylbenzene	<12.7	ug/kg	53.5	12.7	1	12/14/20 09:00	12/14/20 18:22	100-41-4	
Hexachloro-1,3-butadiene	<106	ug/kg	267	106	1	12/14/20 09:00	12/14/20 18:22	87-68-3	
Isopropylbenzene (Cumene)	<14.4	ug/kg	53.5	14.4	1	12/14/20 09:00	12/14/20 18:22	98-82-8	
Methyl-tert-butyl ether	<15.7	ug/kg	53.5	15.7	1	12/14/20 09:00	12/14/20 18:22	1634-04-4	
Methylene Chloride	<14.9	ug/kg	53.5	14.9	1	12/14/20 09:00	12/14/20 18:22	75-09-2	
Naphthalene	<16.7	ug/kg	267	16.7	1	12/14/20 09:00	12/14/20 18:22	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Sample: SB-18/MW-18 (18-20') **Lab ID: 40219706007** Collected: 12/05/20 08:35 Received: 12/11/20 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<13.7	ug/kg	53.5	13.7	1	12/14/20 09:00	12/14/20 18:22	100-42-5	
Tetrachloroethene	53.9	ug/kg	53.5	20.8	1	12/14/20 09:00	12/14/20 18:22	127-18-4	
Toluene	<13.5	ug/kg	53.5	13.5	1	12/14/20 09:00	12/14/20 18:22	108-88-3	
Trichloroethene	<20.0	ug/kg	53.5	20.0	1	12/14/20 09:00	12/14/20 18:22	79-01-6	
Trichlorofluoromethane	<15.5	ug/kg	53.5	15.5	1	12/14/20 09:00	12/14/20 18:22	75-69-4	
Vinyl chloride	<10.8	ug/kg	53.5	10.8	1	12/14/20 09:00	12/14/20 18:22	75-01-4	
cis-1,2-Dichloroethene	<11.4	ug/kg	53.5	11.4	1	12/14/20 09:00	12/14/20 18:22	156-59-2	
cis-1,3-Dichloropropene	<35.3	ug/kg	267	35.3	1	12/14/20 09:00	12/14/20 18:22	10061-01-5	
m&p-Xylene	<22.6	ug/kg	107	22.6	1	12/14/20 09:00	12/14/20 18:22	179601-23-1	
n-Butylbenzene	<24.5	ug/kg	53.5	24.5	1	12/14/20 09:00	12/14/20 18:22	104-51-8	
n-Propylbenzene	<12.8	ug/kg	53.5	12.8	1	12/14/20 09:00	12/14/20 18:22	103-65-1	
o-Xylene	<16.0	ug/kg	53.5	16.0	1	12/14/20 09:00	12/14/20 18:22	95-47-6	
p-Isopropyltoluene	<16.3	ug/kg	53.5	16.3	1	12/14/20 09:00	12/14/20 18:22	99-87-6	
sec-Butylbenzene	<13.0	ug/kg	53.5	13.0	1	12/14/20 09:00	12/14/20 18:22	135-98-8	
tert-Butylbenzene	<16.8	ug/kg	53.5	16.8	1	12/14/20 09:00	12/14/20 18:22	98-06-6	
trans-1,2-Dichloroethene	<11.6	ug/kg	53.5	11.6	1	12/14/20 09:00	12/14/20 18:22	156-60-5	
trans-1,3-Dichloropropene	<153	ug/kg	267	153	1	12/14/20 09:00	12/14/20 18:22	10061-02-6	
Surrogates									
Toluene-d8 (S)	83	%	56-140		1	12/14/20 09:00	12/14/20 18:22	2037-26-5	
4-Bromofluorobenzene (S)	83	%	52-137		1	12/14/20 09:00	12/14/20 18:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	83	%	50-150		1	12/14/20 09:00	12/14/20 18:22	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.5	%	0.10	0.10	1		12/14/20 15:29		

Sample: SB-19/MW-19 (16-18') **Lab ID: 40219706008** Collected: 12/05/20 10:55 Received: 12/11/20 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<13.3	ug/kg	55.2	13.3	1	12/15/20 08:00	12/15/20 15:01	630-20-6	
1,1,1-Trichloroethane	<14.1	ug/kg	55.2	14.1	1	12/15/20 08:00	12/15/20 15:01	71-55-6	
1,1,1,2,2-Tetrachloroethane	<20.0	ug/kg	55.2	20.0	1	12/15/20 08:00	12/15/20 15:01	79-34-5	
1,1,2-Trichloroethane	<20.1	ug/kg	55.2	20.1	1	12/15/20 08:00	12/15/20 15:01	79-00-5	
1,1-Dichloroethane	<14.1	ug/kg	55.2	14.1	1	12/15/20 08:00	12/15/20 15:01	75-34-3	
1,1-Dichloroethene	<18.3	ug/kg	55.2	18.3	1	12/15/20 08:00	12/15/20 15:01	75-35-4	
1,1-Dichloropropene	<17.9	ug/kg	55.2	17.9	1	12/15/20 08:00	12/15/20 15:01	563-58-6	
1,2,3-Trichlorobenzene	<61.5	ug/kg	276	61.5	1	12/15/20 08:00	12/15/20 15:01	87-61-6	
1,2,3-Trichloropropane	<26.8	ug/kg	55.2	26.8	1	12/15/20 08:00	12/15/20 15:01	96-18-4	
1,2,4-Trichlorobenzene	<45.5	ug/kg	276	45.5	1	12/15/20 08:00	12/15/20 15:01	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Sample: **SB-19/MW-19 (16-18')** Lab ID: **40219706008** Collected: 12/05/20 10:55 Received: 12/11/20 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trimethylbenzene	<16.5	ug/kg	55.2	16.5	1	12/15/20 08:00	12/15/20 15:01	95-63-6	
1,2-Dibromo-3-chloropropane	<42.9	ug/kg	276	42.9	1	12/15/20 08:00	12/15/20 15:01	96-12-8	
1,2-Dibromoethane (EDB)	<15.1	ug/kg	55.2	15.1	1	12/15/20 08:00	12/15/20 15:01	106-93-4	
1,2-Dichlorobenzene	<17.1	ug/kg	55.2	17.1	1	12/15/20 08:00	12/15/20 15:01	95-50-1	
1,2-Dichloroethane	<12.7	ug/kg	55.2	12.7	1	12/15/20 08:00	12/15/20 15:01	107-06-2	
1,2-Dichloropropane	<13.1	ug/kg	55.2	13.1	1	12/15/20 08:00	12/15/20 15:01	78-87-5	
1,3,5-Trimethylbenzene	<17.8	ug/kg	55.2	17.8	1	12/15/20 08:00	12/15/20 15:01	108-67-8	
1,3-Dichlorobenzene	<15.1	ug/kg	55.2	15.1	1	12/15/20 08:00	12/15/20 15:01	541-73-1	
1,3-Dichloropropane	<12.0	ug/kg	55.2	12.0	1	12/15/20 08:00	12/15/20 15:01	142-28-9	
1,4-Dichlorobenzene	<15.1	ug/kg	55.2	15.1	1	12/15/20 08:00	12/15/20 15:01	106-46-7	
2,2-Dichloropropane	<14.9	ug/kg	55.2	14.9	1	12/15/20 08:00	12/15/20 15:01	594-20-7	
2-Chlorotoluene	<17.9	ug/kg	55.2	17.9	1	12/15/20 08:00	12/15/20 15:01	95-49-8	
4-Chlorotoluene	<21.0	ug/kg	55.2	21.0	1	12/15/20 08:00	12/15/20 15:01	106-43-4	
Benzene	<13.1	ug/kg	22.1	13.1	1	12/15/20 08:00	12/15/20 15:01	71-43-2	
Bromobenzene	<21.5	ug/kg	55.2	21.5	1	12/15/20 08:00	12/15/20 15:01	108-86-1	
Bromochloromethane	<15.1	ug/kg	55.2	15.1	1	12/15/20 08:00	12/15/20 15:01	74-97-5	
Bromodichloromethane	<13.1	ug/kg	55.2	13.1	1	12/15/20 08:00	12/15/20 15:01	75-27-4	
Bromoform	<243	ug/kg	276	243	1	12/15/20 08:00	12/15/20 15:01	75-25-2	
Bromomethane	<77.4	ug/kg	276	77.4	1	12/15/20 08:00	12/15/20 15:01	74-83-9	
Carbon tetrachloride	<12.2	ug/kg	55.2	12.2	1	12/15/20 08:00	12/15/20 15:01	56-23-5	
Chlorobenzene	<6.6	ug/kg	55.2	6.6	1	12/15/20 08:00	12/15/20 15:01	108-90-7	
Chloroethane	<23.3	ug/kg	276	23.3	1	12/15/20 08:00	12/15/20 15:01	75-00-3	
Chloroform	<39.5	ug/kg	276	39.5	1	12/15/20 08:00	12/15/20 15:01	67-66-3	
Chloromethane	<21.0	ug/kg	55.2	21.0	1	12/15/20 08:00	12/15/20 15:01	74-87-3	
Dibromochloromethane	<189	ug/kg	276	189	1	12/15/20 08:00	12/15/20 15:01	124-48-1	
Dibromomethane	<16.3	ug/kg	55.2	16.3	1	12/15/20 08:00	12/15/20 15:01	74-95-3	
Dichlorodifluoromethane	<23.7	ug/kg	55.2	23.7	1	12/15/20 08:00	12/15/20 15:01	75-71-8	
Diisopropyl ether	<13.7	ug/kg	55.2	13.7	1	12/15/20 08:00	12/15/20 15:01	108-20-3	
Ethylbenzene	<13.1	ug/kg	55.2	13.1	1	12/15/20 08:00	12/15/20 15:01	100-41-4	
Hexachloro-1,3-butadiene	<110	ug/kg	276	110	1	12/15/20 08:00	12/15/20 15:01	87-68-3	
Isopropylbenzene (Cumene)	<14.9	ug/kg	55.2	14.9	1	12/15/20 08:00	12/15/20 15:01	98-82-8	
Methyl-tert-butyl ether	<16.2	ug/kg	55.2	16.2	1	12/15/20 08:00	12/15/20 15:01	1634-04-4	
Methylene Chloride	<15.4	ug/kg	55.2	15.4	1	12/15/20 08:00	12/15/20 15:01	75-09-2	
Naphthalene	<17.2	ug/kg	276	17.2	1	12/15/20 08:00	12/15/20 15:01	91-20-3	
Styrene	<14.1	ug/kg	55.2	14.1	1	12/15/20 08:00	12/15/20 15:01	100-42-5	
Tetrachloroethene	24.4J	ug/kg	55.2	21.4	1	12/15/20 08:00	12/15/20 15:01	127-18-4	
Toluene	<13.9	ug/kg	55.2	13.9	1	12/15/20 08:00	12/15/20 15:01	108-88-3	
Trichloroethene	<20.7	ug/kg	55.2	20.7	1	12/15/20 08:00	12/15/20 15:01	79-01-6	
Trichlorofluoromethane	<16.0	ug/kg	55.2	16.0	1	12/15/20 08:00	12/15/20 15:01	75-69-4	
Vinyl chloride	<11.2	ug/kg	55.2	11.2	1	12/15/20 08:00	12/15/20 15:01	75-01-4	
cis-1,2-Dichloroethene	<11.8	ug/kg	55.2	11.8	1	12/15/20 08:00	12/15/20 15:01	156-59-2	
cis-1,3-Dichloropropene	<36.5	ug/kg	276	36.5	1	12/15/20 08:00	12/15/20 15:01	10061-01-5	
m&p-Xylene	<23.3	ug/kg	110	23.3	1	12/15/20 08:00	12/15/20 15:01	179601-23-1	
n-Butylbenzene	<25.3	ug/kg	55.2	25.3	1	12/15/20 08:00	12/15/20 15:01	104-51-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Sample: SB-19/MW-19 (16-18') **Lab ID: 40219706008** Collected: 12/05/20 10:55 Received: 12/11/20 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	<13.3	ug/kg	55.2	13.3	1	12/15/20 08:00	12/15/20 15:01	103-65-1	
o-Xylene	<16.6	ug/kg	55.2	16.6	1	12/15/20 08:00	12/15/20 15:01	95-47-6	
p-Isopropyltoluene	<16.8	ug/kg	55.2	16.8	1	12/15/20 08:00	12/15/20 15:01	99-87-6	
sec-Butylbenzene	<13.5	ug/kg	55.2	13.5	1	12/15/20 08:00	12/15/20 15:01	135-98-8	
tert-Butylbenzene	<17.3	ug/kg	55.2	17.3	1	12/15/20 08:00	12/15/20 15:01	98-06-6	
trans-1,2-Dichloroethene	<11.9	ug/kg	55.2	11.9	1	12/15/20 08:00	12/15/20 15:01	156-60-5	
trans-1,3-Dichloropropene	<158	ug/kg	276	158	1	12/15/20 08:00	12/15/20 15:01	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	56-140		1	12/15/20 08:00	12/15/20 15:01	2037-26-5	
4-Bromofluorobenzene (S)	93	%	52-137		1	12/15/20 08:00	12/15/20 15:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	50-150		1	12/15/20 08:00	12/15/20 15:01	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.5	%	0.10	0.10	1		12/14/20 15:29		

Sample: VAP-2 (40-50') **Lab ID: 40219706009** Collected: 12/05/20 13:10 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	108	ug/L	2.2	0.65	2		12/15/20 01:42	127-18-4	
Trichloroethene	<0.51	ug/L	2.0	0.51	2		12/15/20 01:42	79-01-6	
Vinyl chloride	<0.35	ug/L	2.0	0.35	2		12/15/20 01:42	75-01-4	
cis-1,2-Dichloroethene	<0.54	ug/L	2.0	0.54	2		12/15/20 01:42	156-59-2	
trans-1,2-Dichloroethene	<0.93	ug/L	3.1	0.93	2		12/15/20 01:42	156-60-5	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		2		12/15/20 01:42	460-00-4	pH
Dibromofluoromethane (S)	96	%	70-130		2		12/15/20 01:42	1868-53-7	
Toluene-d8 (S)	94	%	70-130		2		12/15/20 01:42	2037-26-5	

Sample: DUP-1 **Lab ID: 40219706010** Collected: 12/04/20 00:00 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		12/14/20 23:33	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		12/14/20 23:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		12/14/20 23:33	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Sample: DUP-1 Lab ID: 40219706010 Collected: 12/04/20 00:00 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		12/14/20 23:33	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		12/14/20 23:33	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		12/14/20 23:33	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		12/14/20 23:33	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		12/14/20 23:33	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		12/14/20 23:33	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/14/20 23:33	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		12/14/20 23:33	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		12/14/20 23:33	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		12/14/20 23:33	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 23:33	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		12/14/20 23:33	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		12/14/20 23:33	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		12/14/20 23:33	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		12/14/20 23:33	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		12/14/20 23:33	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		12/14/20 23:33	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		12/14/20 23:33	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		12/14/20 23:33	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		12/14/20 23:33	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		12/14/20 23:33	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		12/14/20 23:33	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/14/20 23:33	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		12/14/20 23:33	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		12/14/20 23:33	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		12/14/20 23:33	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		12/14/20 23:33	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 23:33	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		12/14/20 23:33	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/14/20 23:33	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		12/14/20 23:33	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		12/14/20 23:33	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		12/14/20 23:33	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		12/14/20 23:33	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		12/14/20 23:33	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		12/14/20 23:33	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		12/14/20 23:33	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		12/14/20 23:33	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		12/14/20 23:33	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		12/14/20 23:33	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		12/14/20 23:33	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		12/14/20 23:33	100-42-5	
Tetrachloroethene	78.4	ug/L	1.1	0.33	1		12/14/20 23:33	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		12/14/20 23:33	108-88-3	
Trichloroethene	1.5	ug/L	1.0	0.26	1		12/14/20 23:33	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Sample: DUP-1 **Lab ID: 40219706010** Collected: 12/04/20 00:00 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		12/14/20 23:33	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 23:33	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		12/14/20 23:33	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		12/14/20 23:33	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		12/14/20 23:33	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 23:33	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		12/14/20 23:33	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		12/14/20 23:33	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		12/14/20 23:33	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		12/14/20 23:33	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		12/14/20 23:33	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 23:33	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		12/14/20 23:33	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		12/14/20 23:33	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		12/14/20 23:33	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		12/14/20 23:33	2037-26-5	

Sample: MW-18 **Lab ID: 40219706011** Collected: 12/09/20 16:21 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		12/15/20 08:01	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		12/15/20 08:01	71-55-6	
1,1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		12/15/20 08:01	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		12/15/20 08:01	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		12/15/20 08:01	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		12/15/20 08:01	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		12/15/20 08:01	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		12/15/20 08:01	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		12/15/20 08:01	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/15/20 08:01	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		12/15/20 08:01	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		12/15/20 08:01	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		12/15/20 08:01	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		12/15/20 08:01	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		12/15/20 08:01	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		12/15/20 08:01	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		12/15/20 08:01	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		12/15/20 08:01	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		12/15/20 08:01	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Sample: MW-18 **Lab ID: 40219706011** Collected: 12/09/20 16:21 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		12/15/20 08:01	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		12/15/20 08:01	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		12/15/20 08:01	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		12/15/20 08:01	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		12/15/20 08:01	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		12/15/20 08:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/15/20 08:01	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		12/15/20 08:01	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		12/15/20 08:01	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		12/15/20 08:01	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		12/15/20 08:01	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		12/15/20 08:01	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		12/15/20 08:01	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/15/20 08:01	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		12/15/20 08:01	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		12/15/20 08:01	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		12/15/20 08:01	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		12/15/20 08:01	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		12/15/20 08:01	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		12/15/20 08:01	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		12/15/20 08:01	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		12/15/20 08:01	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		12/15/20 08:01	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		12/15/20 08:01	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		12/15/20 08:01	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		12/15/20 08:01	100-42-5	
Tetrachloroethene	106	ug/L	1.1	0.33	1		12/15/20 08:01	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		12/15/20 08:01	108-88-3	
Trichloroethene	2.6	ug/L	1.0	0.26	1		12/15/20 08:01	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		12/15/20 08:01	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/15/20 08:01	75-01-4	
cis-1,2-Dichloroethene	1.8	ug/L	1.0	0.27	1		12/15/20 08:01	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		12/15/20 08:01	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		12/15/20 08:01	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		12/15/20 08:01	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		12/15/20 08:01	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		12/15/20 08:01	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		12/15/20 08:01	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		12/15/20 08:01	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		12/15/20 08:01	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/15/20 08:01	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		12/15/20 08:01	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		12/15/20 08:01	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		12/15/20 08:01	1868-53-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Sample: MW-18 **Lab ID: 40219706011** Collected: 12/09/20 16:21 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

8260 MSV Analytical Method: EPA 8260
Pace Analytical Services - Green Bay

Surrogates
Toluene-d8 (S) 96 % 70-130 1 12/15/20 08:01 2037-26-5

Sample: MW-19 **Lab ID: 40219706012** Collected: 12/09/20 16:50 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

8260 MSV Analytical Method: EPA 8260
Pace Analytical Services - Green Bay

1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		12/14/20 23:55	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		12/14/20 23:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		12/14/20 23:55	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		12/14/20 23:55	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		12/14/20 23:55	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		12/14/20 23:55	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		12/14/20 23:55	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		12/14/20 23:55	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		12/14/20 23:55	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/14/20 23:55	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		12/14/20 23:55	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		12/14/20 23:55	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		12/14/20 23:55	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 23:55	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		12/14/20 23:55	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		12/14/20 23:55	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		12/14/20 23:55	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		12/14/20 23:55	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		12/14/20 23:55	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		12/14/20 23:55	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		12/14/20 23:55	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		12/14/20 23:55	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		12/14/20 23:55	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		12/14/20 23:55	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		12/14/20 23:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/14/20 23:55	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		12/14/20 23:55	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		12/14/20 23:55	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		12/14/20 23:55	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		12/14/20 23:55	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 23:55	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		12/14/20 23:55	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/14/20 23:55	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		12/14/20 23:55	74-87-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Sample: MW-19 **Lab ID: 40219706012** Collected: 12/09/20 16:50 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		12/14/20 23:55	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		12/14/20 23:55	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		12/14/20 23:55	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		12/14/20 23:55	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		12/14/20 23:55	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		12/14/20 23:55	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		12/14/20 23:55	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		12/14/20 23:55	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		12/14/20 23:55	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		12/14/20 23:55	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		12/14/20 23:55	100-42-5	
Tetrachloroethene	15.6	ug/L	1.1	0.33	1		12/14/20 23:55	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		12/14/20 23:55	108-88-3	
Trichloroethene	0.51J	ug/L	1.0	0.26	1		12/14/20 23:55	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		12/14/20 23:55	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 23:55	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		12/14/20 23:55	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		12/14/20 23:55	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		12/14/20 23:55	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 23:55	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		12/14/20 23:55	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		12/14/20 23:55	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		12/14/20 23:55	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		12/14/20 23:55	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		12/14/20 23:55	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 23:55	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		12/14/20 23:55	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		12/14/20 23:55	460-00-4	
Dibromofluoromethane (S)	93	%	70-130		1		12/14/20 23:55	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		12/14/20 23:55	2037-26-5	

Sample: TRIP BLANK HCL **Lab ID: 40219706013** Collected: 12/09/20 00:00 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		12/14/20 19:37	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		12/14/20 19:37	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		12/14/20 19:37	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		12/14/20 19:37	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		12/14/20 19:37	75-34-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Sample: TRIP BLANK HCL **Lab ID: 40219706013** Collected: 12/09/20 00:00 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		12/14/20 19:37	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		12/14/20 19:37	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		12/14/20 19:37	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		12/14/20 19:37	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/14/20 19:37	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		12/14/20 19:37	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		12/14/20 19:37	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		12/14/20 19:37	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 19:37	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		12/14/20 19:37	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		12/14/20 19:37	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		12/14/20 19:37	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		12/14/20 19:37	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		12/14/20 19:37	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		12/14/20 19:37	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		12/14/20 19:37	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		12/14/20 19:37	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		12/14/20 19:37	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		12/14/20 19:37	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		12/14/20 19:37	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		12/14/20 19:37	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		12/14/20 19:37	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		12/14/20 19:37	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		12/14/20 19:37	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		12/14/20 19:37	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 19:37	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		12/14/20 19:37	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/14/20 19:37	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		12/14/20 19:37	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		12/14/20 19:37	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		12/14/20 19:37	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		12/14/20 19:37	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		12/14/20 19:37	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		12/14/20 19:37	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		12/14/20 19:37	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		12/14/20 19:37	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		12/14/20 19:37	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		12/14/20 19:37	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		12/14/20 19:37	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		12/14/20 19:37	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		12/14/20 19:37	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		12/14/20 19:37	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		12/14/20 19:37	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		12/14/20 19:37	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/14/20 19:37	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Sample: TRIP BLANK HCL **Lab ID: 40219706013** Collected: 12/09/20 00:00 Received: 12/11/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		12/14/20 19:37	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		12/14/20 19:37	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		12/14/20 19:37	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		12/14/20 19:37	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		12/14/20 19:37	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		12/14/20 19:37	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		12/14/20 19:37	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		12/14/20 19:37	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		12/14/20 19:37	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		12/14/20 19:37	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		12/14/20 19:37	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		12/14/20 19:37	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		12/14/20 19:37	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		12/14/20 19:37	2037-26-5	

Sample: TRIP BLANK MEOH **Lab ID: 40219706014** Collected: 12/09/20 00:00 Received: 12/11/20 08:55 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<12.0	ug/kg	50.0	12.0	1	12/15/20 08:00	12/15/20 14:22	630-20-6	
1,1,1-Trichloroethane	<12.8	ug/kg	50.0	12.8	1	12/15/20 08:00	12/15/20 14:22	71-55-6	
1,1,2,2-Tetrachloroethane	<18.1	ug/kg	50.0	18.1	1	12/15/20 08:00	12/15/20 14:22	79-34-5	
1,1,2-Trichloroethane	<18.2	ug/kg	50.0	18.2	1	12/15/20 08:00	12/15/20 14:22	79-00-5	
1,1-Dichloroethane	<12.8	ug/kg	50.0	12.8	1	12/15/20 08:00	12/15/20 14:22	75-34-3	
1,1-Dichloroethene	<16.6	ug/kg	50.0	16.6	1	12/15/20 08:00	12/15/20 14:22	75-35-4	
1,1-Dichloropropene	<16.2	ug/kg	50.0	16.2	1	12/15/20 08:00	12/15/20 14:22	563-58-6	
1,2,3-Trichlorobenzene	<55.7	ug/kg	250	55.7	1	12/15/20 08:00	12/15/20 14:22	87-61-6	
1,2,3-Trichloropropane	<24.3	ug/kg	50.0	24.3	1	12/15/20 08:00	12/15/20 14:22	96-18-4	
1,2,4-Trichlorobenzene	<41.2	ug/kg	250	41.2	1	12/15/20 08:00	12/15/20 14:22	120-82-1	
1,2,4-Trimethylbenzene	<14.9	ug/kg	50.0	14.9	1	12/15/20 08:00	12/15/20 14:22	95-63-6	
1,2-Dibromo-3-chloropropane	<38.8	ug/kg	250	38.8	1	12/15/20 08:00	12/15/20 14:22	96-12-8	
1,2-Dibromoethane (EDB)	<13.7	ug/kg	50.0	13.7	1	12/15/20 08:00	12/15/20 14:22	106-93-4	
1,2-Dichlorobenzene	<15.5	ug/kg	50.0	15.5	1	12/15/20 08:00	12/15/20 14:22	95-50-1	
1,2-Dichloroethane	<11.5	ug/kg	50.0	11.5	1	12/15/20 08:00	12/15/20 14:22	107-06-2	
1,2-Dichloropropane	<11.9	ug/kg	50.0	11.9	1	12/15/20 08:00	12/15/20 14:22	78-87-5	
1,3,5-Trimethylbenzene	<16.1	ug/kg	50.0	16.1	1	12/15/20 08:00	12/15/20 14:22	108-67-8	
1,3-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	12/15/20 08:00	12/15/20 14:22	541-73-1	
1,3-Dichloropropane	<10.9	ug/kg	50.0	10.9	1	12/15/20 08:00	12/15/20 14:22	142-28-9	
1,4-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	12/15/20 08:00	12/15/20 14:22	106-46-7	
2,2-Dichloropropane	<13.5	ug/kg	50.0	13.5	1	12/15/20 08:00	12/15/20 14:22	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

Sample: TRIP BLANK MEOH **Lab ID:** 40219706014 Collected: 12/09/20 00:00 Received: 12/11/20 08:55 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
2-Chlorotoluene	<16.2	ug/kg	50.0	16.2	1	12/15/20 08:00	12/15/20 14:22	95-49-8	
4-Chlorotoluene	<19.0	ug/kg	50.0	19.0	1	12/15/20 08:00	12/15/20 14:22	106-43-4	
Benzene	<11.9	ug/kg	20.0	11.9	1	12/15/20 08:00	12/15/20 14:22	71-43-2	
Bromobenzene	<19.5	ug/kg	50.0	19.5	1	12/15/20 08:00	12/15/20 14:22	108-86-1	
Bromochloromethane	<13.7	ug/kg	50.0	13.7	1	12/15/20 08:00	12/15/20 14:22	74-97-5	
Bromodichloromethane	<11.9	ug/kg	50.0	11.9	1	12/15/20 08:00	12/15/20 14:22	75-27-4	
Bromoform	<220	ug/kg	250	220	1	12/15/20 08:00	12/15/20 14:22	75-25-2	
Bromomethane	<70.1	ug/kg	250	70.1	1	12/15/20 08:00	12/15/20 14:22	74-83-9	
Carbon tetrachloride	<11.0	ug/kg	50.0	11.0	1	12/15/20 08:00	12/15/20 14:22	56-23-5	
Chlorobenzene	<6.0	ug/kg	50.0	6.0	1	12/15/20 08:00	12/15/20 14:22	108-90-7	
Chloroethane	<21.1	ug/kg	250	21.1	1	12/15/20 08:00	12/15/20 14:22	75-00-3	
Chloroform	<35.8	ug/kg	250	35.8	1	12/15/20 08:00	12/15/20 14:22	67-66-3	
Chloromethane	<19.0	ug/kg	50.0	19.0	1	12/15/20 08:00	12/15/20 14:22	74-87-3	
Dibromochloromethane	<171	ug/kg	250	171	1	12/15/20 08:00	12/15/20 14:22	124-48-1	
Dibromomethane	<14.8	ug/kg	50.0	14.8	1	12/15/20 08:00	12/15/20 14:22	74-95-3	
Dichlorodifluoromethane	<21.5	ug/kg	50.0	21.5	1	12/15/20 08:00	12/15/20 14:22	75-71-8	
Diisopropyl ether	<12.4	ug/kg	50.0	12.4	1	12/15/20 08:00	12/15/20 14:22	108-20-3	
Ethylbenzene	<11.9	ug/kg	50.0	11.9	1	12/15/20 08:00	12/15/20 14:22	100-41-4	
Hexachloro-1,3-butadiene	<99.4	ug/kg	250	99.4	1	12/15/20 08:00	12/15/20 14:22	87-68-3	
Isopropylbenzene (Cumene)	<13.5	ug/kg	50.0	13.5	1	12/15/20 08:00	12/15/20 14:22	98-82-8	
Methyl-tert-butyl ether	<14.7	ug/kg	50.0	14.7	1	12/15/20 08:00	12/15/20 14:22	1634-04-4	
Methylene Chloride	<13.9	ug/kg	50.0	13.9	1	12/15/20 08:00	12/15/20 14:22	75-09-2	
Naphthalene	<15.6	ug/kg	250	15.6	1	12/15/20 08:00	12/15/20 14:22	91-20-3	
Styrene	<12.8	ug/kg	50.0	12.8	1	12/15/20 08:00	12/15/20 14:22	100-42-5	
Tetrachloroethene	<19.4	ug/kg	50.0	19.4	1	12/15/20 08:00	12/15/20 14:22	127-18-4	
Toluene	<12.6	ug/kg	50.0	12.6	1	12/15/20 08:00	12/15/20 14:22	108-88-3	
Trichloroethene	<18.7	ug/kg	50.0	18.7	1	12/15/20 08:00	12/15/20 14:22	79-01-6	
Trichlorofluoromethane	<14.5	ug/kg	50.0	14.5	1	12/15/20 08:00	12/15/20 14:22	75-69-4	
Vinyl chloride	<10.1	ug/kg	50.0	10.1	1	12/15/20 08:00	12/15/20 14:22	75-01-4	
cis-1,2-Dichloroethene	<10.7	ug/kg	50.0	10.7	1	12/15/20 08:00	12/15/20 14:22	156-59-2	
cis-1,3-Dichloropropene	<33.0	ug/kg	250	33.0	1	12/15/20 08:00	12/15/20 14:22	10061-01-5	
m&p-Xylene	<21.1	ug/kg	100	21.1	1	12/15/20 08:00	12/15/20 14:22	179601-23-1	
n-Butylbenzene	<22.9	ug/kg	50.0	22.9	1	12/15/20 08:00	12/15/20 14:22	104-51-8	
n-Propylbenzene	<12.0	ug/kg	50.0	12.0	1	12/15/20 08:00	12/15/20 14:22	103-65-1	
o-Xylene	<15.0	ug/kg	50.0	15.0	1	12/15/20 08:00	12/15/20 14:22	95-47-6	
p-Isopropyltoluene	<15.2	ug/kg	50.0	15.2	1	12/15/20 08:00	12/15/20 14:22	99-87-6	
sec-Butylbenzene	<12.2	ug/kg	50.0	12.2	1	12/15/20 08:00	12/15/20 14:22	135-98-8	
tert-Butylbenzene	<15.7	ug/kg	50.0	15.7	1	12/15/20 08:00	12/15/20 14:22	98-06-6	
trans-1,2-Dichloroethene	<10.8	ug/kg	50.0	10.8	1	12/15/20 08:00	12/15/20 14:22	156-60-5	
trans-1,3-Dichloropropene	<143	ug/kg	250	143	1	12/15/20 08:00	12/15/20 14:22	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	56-140		1	12/15/20 08:00	12/15/20 14:22	2037-26-5	
4-Bromofluorobenzene (S)	96	%	52-137		1	12/15/20 08:00	12/15/20 14:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	50-150		1	12/15/20 08:00	12/15/20 14:22	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

QC Batch: 373697 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40219706007

METHOD BLANK: 2159869 Matrix: Solid

Associated Lab Samples: 40219706007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	12/14/20 10:54	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	12/14/20 10:54	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	12/14/20 10:54	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	12/14/20 10:54	
1,1-Dichloroethane	ug/kg	<12.8	50.0	12/14/20 10:54	
1,1-Dichloroethene	ug/kg	<16.6	50.0	12/14/20 10:54	
1,1-Dichloropropene	ug/kg	<16.2	50.0	12/14/20 10:54	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	12/14/20 10:54	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	12/14/20 10:54	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	12/14/20 10:54	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	12/14/20 10:54	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	12/14/20 10:54	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	12/14/20 10:54	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	12/14/20 10:54	
1,2-Dichloroethane	ug/kg	<11.5	50.0	12/14/20 10:54	
1,2-Dichloropropane	ug/kg	<11.9	50.0	12/14/20 10:54	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	12/14/20 10:54	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	12/14/20 10:54	
1,3-Dichloropropane	ug/kg	<10.9	50.0	12/14/20 10:54	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	12/14/20 10:54	
2,2-Dichloropropane	ug/kg	<13.5	50.0	12/14/20 10:54	
2-Chlorotoluene	ug/kg	<16.2	50.0	12/14/20 10:54	
4-Chlorotoluene	ug/kg	<19.0	50.0	12/14/20 10:54	
Benzene	ug/kg	<11.9	20.0	12/14/20 10:54	
Bromobenzene	ug/kg	<19.5	50.0	12/14/20 10:54	
Bromochloromethane	ug/kg	<13.7	50.0	12/14/20 10:54	
Bromodichloromethane	ug/kg	<11.9	50.0	12/14/20 10:54	
Bromoform	ug/kg	<220	250	12/14/20 10:54	
Bromomethane	ug/kg	<70.1	250	12/14/20 10:54	
Carbon tetrachloride	ug/kg	<11.0	50.0	12/14/20 10:54	
Chlorobenzene	ug/kg	<6.0	50.0	12/14/20 10:54	
Chloroethane	ug/kg	<21.1	250	12/14/20 10:54	
Chloroform	ug/kg	<35.8	250	12/14/20 10:54	
Chloromethane	ug/kg	<19.0	50.0	12/14/20 10:54	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	12/14/20 10:54	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	12/14/20 10:54	
Dibromochloromethane	ug/kg	<171	250	12/14/20 10:54	
Dibromomethane	ug/kg	<14.8	50.0	12/14/20 10:54	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	12/14/20 10:54	
Diisopropyl ether	ug/kg	<12.4	50.0	12/14/20 10:54	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

METHOD BLANK: 2159869 Matrix: Solid
Associated Lab Samples: 40219706007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	12/14/20 10:54	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	12/14/20 10:54	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	12/14/20 10:54	
m&p-Xylene	ug/kg	<21.1	100	12/14/20 10:54	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	12/14/20 10:54	
Methylene Chloride	ug/kg	<13.9	50.0	12/14/20 10:54	
n-Butylbenzene	ug/kg	<22.9	50.0	12/14/20 10:54	
n-Propylbenzene	ug/kg	<12.0	50.0	12/14/20 10:54	
Naphthalene	ug/kg	<15.6	250	12/14/20 10:54	
o-Xylene	ug/kg	<15.0	50.0	12/14/20 10:54	
p-Isopropyltoluene	ug/kg	<15.2	50.0	12/14/20 10:54	
sec-Butylbenzene	ug/kg	<12.2	50.0	12/14/20 10:54	
Styrene	ug/kg	<12.8	50.0	12/14/20 10:54	
tert-Butylbenzene	ug/kg	<15.7	50.0	12/14/20 10:54	
Tetrachloroethene	ug/kg	<19.4	50.0	12/14/20 10:54	
Toluene	ug/kg	<12.6	50.0	12/14/20 10:54	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	12/14/20 10:54	
trans-1,3-Dichloropropene	ug/kg	<143	250	12/14/20 10:54	
Trichloroethene	ug/kg	<18.7	50.0	12/14/20 10:54	
Trichlorofluoromethane	ug/kg	<14.5	50.0	12/14/20 10:54	
Vinyl chloride	ug/kg	<10.1	50.0	12/14/20 10:54	
1,2-Dichlorobenzene-d4 (S)	%	85	50-150	12/14/20 10:54	
4-Bromofluorobenzene (S)	%	83	52-137	12/14/20 10:54	
Toluene-d8 (S)	%	84	56-140	12/14/20 10:54	

LABORATORY CONTROL SAMPLE: 2159870

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2510	100	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2190	88	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2190	88	70-130	
1,1-Dichloroethane	ug/kg	2500	2720	109	69-143	
1,1-Dichloroethene	ug/kg	2500	2660	106	73-118	
1,2,4-Trichlorobenzene	ug/kg	2500	2350	94	60-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2290	92	66-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2160	86	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2350	94	70-130	
1,2-Dichloroethane	ug/kg	2500	2600	104	70-130	
1,2-Dichloropropane	ug/kg	2500	2280	91	78-126	
1,3-Dichlorobenzene	ug/kg	2500	2360	94	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2400	96	70-130	
Benzene	ug/kg	2500	2270	91	70-130	
Bromodichloromethane	ug/kg	2500	2500	100	70-130	
Bromoform	ug/kg	2500	2170	87	67-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

LABORATORY CONTROL SAMPLE: 2159870

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2520	101	45-134	
Carbon tetrachloride	ug/kg	2500	2690	107	70-130	
Chlorobenzene	ug/kg	2500	2380	95	70-130	
Chloroethane	ug/kg	2500	2950	118	58-143	
Chloroform	ug/kg	2500	2470	99	76-122	
Chloromethane	ug/kg	2500	2170	87	45-120	
cis-1,2-Dichloroethene	ug/kg	2500	2310	92	69-130	
cis-1,3-Dichloropropene	ug/kg	2500	2350	94	70-130	
Dibromochloromethane	ug/kg	2500	2160	86	70-130	
Dichlorodifluoromethane	ug/kg	2500	2840	114	26-99 L1	
Ethylbenzene	ug/kg	2500	2290	92	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2340	94	70-130	
m&p-Xylene	ug/kg	5000	4440	89	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2190	88	70-130	
Methylene Chloride	ug/kg	2500	2440	98	70-130	
o-Xylene	ug/kg	2500	2200	88	70-130	
Styrene	ug/kg	2500	2270	91	70-130	
Tetrachloroethene	ug/kg	2500	2290	92	70-130	
Toluene	ug/kg	2500	2140	86	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2430	97	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2140	86	70-130	
Trichloroethene	ug/kg	2500	2420	97	70-130	
Trichlorofluoromethane	ug/kg	2500	3130	125	70-128	
Vinyl chloride	ug/kg	2500	2710	108	53-110	
1,2-Dichlorobenzene-d4 (S)	%			97	50-150	
4-Bromofluorobenzene (S)	%			90	52-137	
Toluene-d8 (S)	%			89	56-140	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2159871 2159872

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40219650010	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/kg	<14.1	1370	1370	1370	1280	1330	93	97	66-130	4	20	
1,1,2,2-Tetrachloroethane	ug/kg	<19.9	1370	1370	1370	1170	1230	85	89	70-133	5	20	
1,1,2-Trichloroethane	ug/kg	<20.0	1370	1370	1370	1340	1340	98	97	70-130	0	20	
1,1-Dichloroethane	ug/kg	<14.1	1370	1370	1370	1500	1430	109	104	69-143	5	20	
1,1-Dichloroethene	ug/kg	<18.2	1370	1370	1370	1210	1160	88	84	58-120	4	20	
1,2,4-Trichlorobenzene	ug/kg	<45.3	1370	1370	1370	1450	1460	106	107	60-130	1	20	
1,2-Dibromo-3-chloropropane	ug/kg	<42.6	1370	1370	1370	1250	1150	91	84	59-136	8	20	
1,2-Dibromoethane (EDB)	ug/kg	<15.1	1370	1370	1370	1340	1340	98	98	70-130	0	20	
1,2-Dichlorobenzene	ug/kg	<17.0	1370	1370	1370	1360	1390	99	102	70-130	2	20	
1,2-Dichloroethane	ug/kg	<12.6	1370	1370	1370	1470	1520	107	111	70-136	4	20	
1,2-Dichloropropane	ug/kg	<13.1	1370	1370	1370	1280	1320	93	96	78-128	3	20	
1,3-Dichlorobenzene	ug/kg	<15.1	1370	1370	1370	1370	1410	100	103	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2159871		2159872		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40219650010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,4-Dichlorobenzene	ug/kg	<15.1	1370	1370	1360	1400	99	102	70-130	3	20		
Benzene	ug/kg	<13.1	1370	1370	1240	1340	90	97	70-130	8	20		
Bromodichloromethane	ug/kg	<13.1	1370	1370	1360	1430	99	104	70-130	5	20		
Bromoform	ug/kg	<242	1370	1370	1240	1310	90	96	63-130	6	20		
Bromomethane	ug/kg	<77.0	1370	1370	1190	1160	86	84	33-146	2	20		
Carbon tetrachloride	ug/kg	<12.1	1370	1370	1420	1360	103	99	65-130	4	20		
Chlorobenzene	ug/kg	<6.6	1370	1370	1380	1420	101	103	70-130	3	20		
Chloroethane	ug/kg	<23.2	1370	1370	1330	1530	97	111	46-156	14	20		
Chloroform	ug/kg	<39.3	1370	1370	1350	1510	98	110	75-130	11	20		
Chloromethane	ug/kg	<20.9	1370	1370	756	754	55	55	20-139	0	20		
cis-1,2-Dichloroethene	ug/kg	256	1370	1370	1600	1560	98	95	69-130	2	20		
cis-1,3-Dichloropropene	ug/kg	<36.3	1370	1370	1300	1400	94	102	70-130	8	20		
Dibromochloromethane	ug/kg	<188	1370	1370	1270	1350	92	98	70-130	6	20		
Dichlorodifluoromethane	ug/kg	<23.6	1370	1370	492	519	36	38	10-99	5	22		
Ethylbenzene	ug/kg	<13.1	1370	1370	1270	1290	93	94	80-120	1	20		
Isopropylbenzene (Cumene)	ug/kg	<14.8	1370	1370	1330	1350	97	98	70-130	2	20		
m&p-Xylene	ug/kg	<23.2	2750	2750	2570	2670	94	97	70-130	4	20		
Methyl-tert-butyl ether	ug/kg	<16.2	1370	1370	1230	1230	89	89	70-130	0	20		
Methylene Chloride	ug/kg	<15.3	1370	1370	1390	1300	101	94	70-136	7	20		
o-Xylene	ug/kg	<16.5	1370	1370	1290	1330	94	97	70-130	3	20		
Styrene	ug/kg	<14.1	1370	1370	1290	1330	94	97	70-130	3	20		
Tetrachloroethene	ug/kg	1780	1370	1370	3300	3260	110	108	68-130	1	20		
Toluene	ug/kg	<13.8	1370	1370	1260	1270	92	92	80-120	1	20		
trans-1,2-Dichloroethene	ug/kg	<11.9	1370	1370	1280	1290	94	94	70-130	0	20		
trans-1,3-Dichloropropene	ug/kg	<157	1370	1370	1250	1280	91	93	70-130	2	20		
Trichloroethene	ug/kg	230	1370	1370	1580	1630	99	102	70-130	3	20		
Trichlorofluoromethane	ug/kg	<15.9	1370	1370	1400	1500	102	109	53-128	7	20		
Vinyl chloride	ug/kg	14.2J	1370	1370	924	968	66	69	32-118	5	20		
1,2-Dichlorobenzene-d4 (S)	%						94	95	50-150				
4-Bromofluorobenzene (S)	%						94	91	52-137				
Toluene-d8 (S)	%						94	93	56-140				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

QC Batch: 373787 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40219706008, 40219706014

METHOD BLANK: 2160209 Matrix: Solid

Associated Lab Samples: 40219706008, 40219706014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	12/15/20 09:09	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	12/15/20 09:09	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	12/15/20 09:09	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	12/15/20 09:09	
1,1-Dichloroethane	ug/kg	<12.8	50.0	12/15/20 09:09	
1,1-Dichloroethene	ug/kg	<16.6	50.0	12/15/20 09:09	
1,1-Dichloropropene	ug/kg	<16.2	50.0	12/15/20 09:09	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	12/15/20 09:09	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	12/15/20 09:09	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	12/15/20 09:09	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	12/15/20 09:09	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	12/15/20 09:09	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	12/15/20 09:09	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	12/15/20 09:09	
1,2-Dichloroethane	ug/kg	<11.5	50.0	12/15/20 09:09	
1,2-Dichloropropane	ug/kg	<11.9	50.0	12/15/20 09:09	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	12/15/20 09:09	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	12/15/20 09:09	
1,3-Dichloropropane	ug/kg	<10.9	50.0	12/15/20 09:09	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	12/15/20 09:09	
2,2-Dichloropropane	ug/kg	<13.5	50.0	12/15/20 09:09	
2-Chlorotoluene	ug/kg	<16.2	50.0	12/15/20 09:09	
4-Chlorotoluene	ug/kg	<19.0	50.0	12/15/20 09:09	
Benzene	ug/kg	<11.9	20.0	12/15/20 09:09	
Bromobenzene	ug/kg	<19.5	50.0	12/15/20 09:09	
Bromochloromethane	ug/kg	<13.7	50.0	12/15/20 09:09	
Bromodichloromethane	ug/kg	<11.9	50.0	12/15/20 09:09	
Bromoform	ug/kg	<220	250	12/15/20 09:09	
Bromomethane	ug/kg	<70.1	250	12/15/20 09:09	
Carbon tetrachloride	ug/kg	<11.0	50.0	12/15/20 09:09	
Chlorobenzene	ug/kg	<6.0	50.0	12/15/20 09:09	
Chloroethane	ug/kg	<21.1	250	12/15/20 09:09	
Chloroform	ug/kg	<35.8	250	12/15/20 09:09	
Chloromethane	ug/kg	<19.0	50.0	12/15/20 09:09	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	12/15/20 09:09	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	12/15/20 09:09	
Dibromochloromethane	ug/kg	<171	250	12/15/20 09:09	
Dibromomethane	ug/kg	<14.8	50.0	12/15/20 09:09	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	12/15/20 09:09	
Diisopropyl ether	ug/kg	<12.4	50.0	12/15/20 09:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

METHOD BLANK: 2160209 Matrix: Solid
Associated Lab Samples: 40219706008, 40219706014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	12/15/20 09:09	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	12/15/20 09:09	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	12/15/20 09:09	
m&p-Xylene	ug/kg	<21.1	100	12/15/20 09:09	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	12/15/20 09:09	
Methylene Chloride	ug/kg	<13.9	50.0	12/15/20 09:09	
n-Butylbenzene	ug/kg	<22.9	50.0	12/15/20 09:09	
n-Propylbenzene	ug/kg	<12.0	50.0	12/15/20 09:09	
Naphthalene	ug/kg	<15.6	250	12/15/20 09:09	
o-Xylene	ug/kg	<15.0	50.0	12/15/20 09:09	
p-Isopropyltoluene	ug/kg	<15.2	50.0	12/15/20 09:09	
sec-Butylbenzene	ug/kg	<12.2	50.0	12/15/20 09:09	
Styrene	ug/kg	<12.8	50.0	12/15/20 09:09	
tert-Butylbenzene	ug/kg	<15.7	50.0	12/15/20 09:09	
Tetrachloroethene	ug/kg	<19.4	50.0	12/15/20 09:09	
Toluene	ug/kg	<12.6	50.0	12/15/20 09:09	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	12/15/20 09:09	
trans-1,3-Dichloropropene	ug/kg	<143	250	12/15/20 09:09	
Trichloroethene	ug/kg	<18.7	50.0	12/15/20 09:09	
Trichlorofluoromethane	ug/kg	<14.5	50.0	12/15/20 09:09	
Vinyl chloride	ug/kg	<10.1	50.0	12/15/20 09:09	
1,2-Dichlorobenzene-d4 (S)	%	88	50-150	12/15/20 09:09	
4-Bromofluorobenzene (S)	%	84	52-137	12/15/20 09:09	
Toluene-d8 (S)	%	89	56-140	12/15/20 09:09	

LABORATORY CONTROL SAMPLE: 2160210

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2320	93	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	1910	76	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2000	80	70-130	
1,1-Dichloroethane	ug/kg	2500	2420	97	69-143	
1,1-Dichloroethene	ug/kg	2500	2200	88	73-118	
1,2,4-Trichlorobenzene	ug/kg	2500	1920	77	60-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1650	66	66-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2010	80	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2010	80	70-130	
1,2-Dichloroethane	ug/kg	2500	2390	96	70-130	
1,2-Dichloropropane	ug/kg	2500	2120	85	78-126	
1,3-Dichlorobenzene	ug/kg	2500	2090	84	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2100	84	70-130	
Benzene	ug/kg	2500	2100	84	70-130	
Bromodichloromethane	ug/kg	2500	2230	89	70-130	
Bromoform	ug/kg	2500	1860	74	67-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

LABORATORY CONTROL SAMPLE: 2160210

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2080	83	45-134	
Carbon tetrachloride	ug/kg	2500	2580	103	70-130	
Chlorobenzene	ug/kg	2500	2140	85	70-130	
Chloroethane	ug/kg	2500	3090	124	58-143	
Chloroform	ug/kg	2500	2260	90	76-122	
Chloromethane	ug/kg	2500	1830	73	45-120	
cis-1,2-Dichloroethene	ug/kg	2500	1990	79	69-130	
cis-1,3-Dichloropropene	ug/kg	2500	2070	83	70-130	
Dibromochloromethane	ug/kg	2500	2030	81	70-130	
Dichlorodifluoromethane	ug/kg	2500	2390	95	26-99	
Ethylbenzene	ug/kg	2500	2060	82	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2130	85	70-130	
m&p-Xylene	ug/kg	5000	4060	81	70-130	
Methyl-tert-butyl ether	ug/kg	2500	1910	76	70-130	
Methylene Chloride	ug/kg	2500	2040	82	70-130	
o-Xylene	ug/kg	2500	1980	79	70-130	
Styrene	ug/kg	2500	2060	83	70-130	
Tetrachloroethene	ug/kg	2500	2180	87	70-130	
Toluene	ug/kg	2500	2050	82	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2100	84	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	1930	77	70-130	
Trichloroethene	ug/kg	2500	2270	91	70-130	
Trichlorofluoromethane	ug/kg	2500	2900	116	70-128	
Vinyl chloride	ug/kg	2500	2190	88	53-110	
1,2-Dichlorobenzene-d4 (S)	%			87	50-150	
4-Bromofluorobenzene (S)	%			86	52-137	
Toluene-d8 (S)	%			87	56-140	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2160211 2160212

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40219775009	Result	Spike Conc.	MSD Spike Conc.								
1,1,1-Trichloroethane	ug/kg	<15.9	1560	1560	1600	1560	103	101	66-130	3	20		
1,1,2,2-Tetrachloroethane	ug/kg	<22.5	1560	1560	1400	1380	90	89	70-133	1	20		
1,1,2-Trichloroethane	ug/kg	<22.6	1560	1560	1510	1530	97	98	70-130	1	20		
1,1-Dichloroethane	ug/kg	<15.9	1560	1560	1700	1650	109	106	69-143	3	20		
1,1-Dichloroethene	ug/kg	<20.7	1560	1560	1440	1510	93	97	58-120	5	20		
1,2,4-Trichlorobenzene	ug/kg	<51.3	1560	1560	1640	1600	105	103	60-130	2	20		
1,2-Dibromo-3-chloropropane	ug/kg	<48.3	1560	1560	1330	1250	85	80	59-136	6	20		
1,2-Dibromoethane (EDB)	ug/kg	<17.0	1560	1560	1520	1560	97	100	70-130	3	20		
1,2-Dichlorobenzene	ug/kg	<19.3	1560	1560	1580	1590	102	102	70-130	1	20		
1,2-Dichloroethane	ug/kg	<14.3	1560	1560	1740	1770	112	114	70-136	1	20		
1,2-Dichloropropane	ug/kg	<14.8	1560	1560	1450	1500	93	97	78-128	4	20		
1,3-Dichlorobenzene	ug/kg	<17.0	1560	1560	1590	1560	102	100	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Parameter	Units	2160211		2160212		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40219775009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
1,4-Dichlorobenzene	ug/kg	<17.0	1560	1560	1640	1660	106	107	70-130	1	20	
Benzene	ug/kg	<14.8	1560	1560	1510	1510	97	97	70-130	0	20	
Bromodichloromethane	ug/kg	<14.8	1560	1560	1600	1640	103	105	70-130	2	20	
Bromoform	ug/kg	<274	1560	1560	1340	1370	86	88	63-130	2	20	
Bromomethane	ug/kg	<87.2	1560	1560	1670	1700	108	109	33-146	2	20	
Carbon tetrachloride	ug/kg	<13.7	1560	1560	1640	1710	106	110	65-130	4	20	
Chlorobenzene	ug/kg	<7.5	1560	1560	1600	1610	103	104	70-130	0	20	
Chloroethane	ug/kg	<26.3	1560	1560	2570	2360	166	152	46-156	9	20	M1
Chloroform	ug/kg	<44.5	1560	1560	1560	1590	100	102	75-130	2	20	
Chloromethane	ug/kg	<23.6	1560	1560	1490	1500	96	96	20-139	1	20	
cis-1,2-Dichloroethene	ug/kg	<13.3	1560	1560	1460	1460	94	94	69-130	0	20	
cis-1,3-Dichloropropene	ug/kg	<41.1	1560	1560	1440	1500	93	97	70-130	4	20	
Dibromochloromethane	ug/kg	<213	1560	1560	1480	1510	95	97	70-130	2	20	
Dichlorodifluoromethane	ug/kg	<26.8	1560	1560	2070	1900	133	122	10-99	9	22	M1
Ethylbenzene	ug/kg	<14.8	1560	1560	1490	1490	96	96	80-120	0	20	
Isopropylbenzene (Cumene)	ug/kg	<16.8	1560	1560	1520	1520	98	98	70-130	0	20	
m&p-Xylene	ug/kg	<26.3	3110	3110	2910	2980	93	96	70-130	2	20	
Methyl-tert-butyl ether	ug/kg	<18.3	1560	1560	1410	1480	91	95	70-130	5	20	
Methylene Chloride	ug/kg	<17.3	1560	1560	1470	1540	95	99	70-136	4	20	
o-Xylene	ug/kg	<18.7	1560	1560	1480	1480	95	95	70-130	0	20	
Styrene	ug/kg	<15.9	1560	1560	1500	1470	96	95	70-130	2	20	
Tetrachloroethene	ug/kg	<24.1	1560	1560	1610	1590	104	102	68-130	2	20	
Toluene	ug/kg	<15.7	1560	1560	1480	1470	95	95	80-120	0	20	
trans-1,2-Dichloroethene	ug/kg	<13.4	1560	1560	1480	1520	95	98	70-130	2	20	
trans-1,3-Dichloropropene	ug/kg	<178	1560	1560	1440	1500	93	96	70-130	4	20	
Trichloroethene	ug/kg	<23.3	1560	1560	1580	1600	102	103	70-130	1	20	
Trichlorofluoromethane	ug/kg	<18.0	1560	1560	1950	1910	125	123	53-128	2	20	
Vinyl chloride	ug/kg	<12.6	1560	1560	1650	1640	106	105	32-118	1	20	
1,2-Dichlorobenzene-d4 (S)	%						98	97	50-150			
4-Bromofluorobenzene (S)	%						96	92	52-137			
Toluene-d8 (S)	%						95	95	56-140			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

QC Batch:	373657	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40219706001, 40219706002, 40219706003, 40219706004, 40219706005, 40219706006, 40219706009, 40219706010, 40219706011, 40219706012, 40219706013

METHOD BLANK: 2159773 Matrix: Water
Associated Lab Samples: 40219706001, 40219706002, 40219706003, 40219706004, 40219706005, 40219706006, 40219706009, 40219706010, 40219706011, 40219706012, 40219706013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	12/14/20 14:58	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	12/14/20 14:58	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	12/14/20 14:58	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	12/14/20 14:58	
1,1-Dichloroethane	ug/L	<0.27	1.0	12/14/20 14:58	
1,1-Dichloroethene	ug/L	<0.24	1.0	12/14/20 14:58	
1,1-Dichloropropene	ug/L	<0.54	1.8	12/14/20 14:58	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	12/14/20 14:58	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	12/14/20 14:58	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	12/14/20 14:58	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	12/14/20 14:58	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	12/14/20 14:58	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	12/14/20 14:58	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	12/14/20 14:58	
1,2-Dichloroethane	ug/L	<0.28	1.0	12/14/20 14:58	
1,2-Dichloropropane	ug/L	<0.28	1.0	12/14/20 14:58	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	12/14/20 14:58	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	12/14/20 14:58	
1,3-Dichloropropane	ug/L	<0.83	2.8	12/14/20 14:58	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	12/14/20 14:58	
2,2-Dichloropropane	ug/L	<2.3	7.6	12/14/20 14:58	
2-Chlorotoluene	ug/L	<0.93	5.0	12/14/20 14:58	
4-Chlorotoluene	ug/L	<0.76	2.5	12/14/20 14:58	
Benzene	ug/L	<0.25	1.0	12/14/20 14:58	
Bromobenzene	ug/L	<0.24	1.0	12/14/20 14:58	
Bromochloromethane	ug/L	<0.36	5.0	12/14/20 14:58	
Bromodichloromethane	ug/L	<0.36	1.2	12/14/20 14:58	
Bromoform	ug/L	<4.0	13.2	12/14/20 14:58	
Bromomethane	ug/L	<0.97	5.0	12/14/20 14:58	
Carbon tetrachloride	ug/L	<1.1	3.6	12/14/20 14:58	
Chlorobenzene	ug/L	<0.71	2.4	12/14/20 14:58	
Chloroethane	ug/L	<1.3	5.0	12/14/20 14:58	
Chloroform	ug/L	<1.3	5.0	12/14/20 14:58	
Chloromethane	ug/L	<2.2	7.3	12/14/20 14:58	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	12/14/20 14:58	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	12/14/20 14:58	
Dibromochloromethane	ug/L	<2.6	8.7	12/14/20 14:58	
Dibromomethane	ug/L	<0.94	3.1	12/14/20 14:58	
Dichlorodifluoromethane	ug/L	<0.50	5.0	12/14/20 14:58	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

METHOD BLANK: 2159773

Matrix: Water

Associated Lab Samples: 40219706001, 40219706002, 40219706003, 40219706004, 40219706005, 40219706006, 40219706009, 40219706010, 40219706011, 40219706012, 40219706013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.9	6.3	12/14/20 14:58	
Ethylbenzene	ug/L	<0.32	1.1	12/14/20 14:58	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	12/14/20 14:58	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	12/14/20 14:58	
m&p-Xylene	ug/L	<0.47	2.0	12/14/20 14:58	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	12/14/20 14:58	
Methylene Chloride	ug/L	<0.58	5.0	12/14/20 14:58	
n-Butylbenzene	ug/L	<0.71	2.4	12/14/20 14:58	
n-Propylbenzene	ug/L	<0.81	5.0	12/14/20 14:58	
Naphthalene	ug/L	<1.2	5.0	12/14/20 14:58	
o-Xylene	ug/L	<0.26	1.0	12/14/20 14:58	
p-Isopropyltoluene	ug/L	<0.80	2.7	12/14/20 14:58	
sec-Butylbenzene	ug/L	<0.85	5.0	12/14/20 14:58	
Styrene	ug/L	<3.0	10.0	12/14/20 14:58	
tert-Butylbenzene	ug/L	<0.30	1.0	12/14/20 14:58	
Tetrachloroethene	ug/L	<0.33	1.1	12/14/20 14:58	
Toluene	ug/L	<0.27	1.0	12/14/20 14:58	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	12/14/20 14:58	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	12/14/20 14:58	
Trichloroethene	ug/L	<0.26	1.0	12/14/20 14:58	
Trichlorofluoromethane	ug/L	<0.21	1.0	12/14/20 14:58	
Vinyl chloride	ug/L	<0.17	1.0	12/14/20 14:58	
4-Bromofluorobenzene (S)	%	91	70-130	12/14/20 14:58	
Dibromofluoromethane (S)	%	96	70-130	12/14/20 14:58	
Toluene-d8 (S)	%	96	70-130	12/14/20 14:58	

LABORATORY CONTROL SAMPLE: 2159774

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	53.7	107	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	54.2	108	64-131	
1,1,2-Trichloroethane	ug/L	50	48.4	97	70-130	
1,1-Dichloroethane	ug/L	50	54.1	108	69-163	
1,1-Dichloroethene	ug/L	50	55.5	111	77-123	
1,2,4-Trichlorobenzene	ug/L	50	50.2	100	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.0	94	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	47.8	96	70-130	
1,2-Dichlorobenzene	ug/L	50	51.0	102	70-130	
1,2-Dichloroethane	ug/L	50	54.5	109	78-142	
1,2-Dichloropropane	ug/L	50	53.3	107	86-134	
1,3-Dichlorobenzene	ug/L	50	49.9	100	70-130	
1,4-Dichlorobenzene	ug/L	50	48.4	97	70-130	
Benzene	ug/L	50	51.3	103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

LABORATORY CONTROL SAMPLE: 2159774

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	53.5	107	70-130	
Bromoform	ug/L	50	44.5	89	70-130	
Bromomethane	ug/L	50	43.8	88	39-129	
Carbon tetrachloride	ug/L	50	46.6	93	70-132	
Chlorobenzene	ug/L	50	51.5	103	70-130	
Chloroethane	ug/L	50	57.4	115	66-140	
Chloroform	ug/L	50	51.9	104	75-132	
Chloromethane	ug/L	50	51.9	104	32-143	
cis-1,2-Dichloroethene	ug/L	50	51.6	103	70-130	
cis-1,3-Dichloropropene	ug/L	50	52.9	106	70-130	
Dibromochloromethane	ug/L	50	44.4	89	70-130	
Dichlorodifluoromethane	ug/L	50	49.8	100	10-141	
Ethylbenzene	ug/L	50	56.2	112	80-120	
Isopropylbenzene (Cumene)	ug/L	50	57.6	115	70-130	
m&p-Xylene	ug/L	100	114	114	70-130	
Methyl-tert-butyl ether	ug/L	50	52.0	104	61-129	
Methylene Chloride	ug/L	50	54.8	110	70-130	
o-Xylene	ug/L	50	54.1	108	70-130	
Styrene	ug/L	50	58.6	117	70-130	
Tetrachloroethene	ug/L	50	49.9	100	70-130	
Toluene	ug/L	50	51.2	102	80-120	
trans-1,2-Dichloroethene	ug/L	50	56.1	112	70-130	
trans-1,3-Dichloropropene	ug/L	50	48.8	98	69-130	
Trichloroethene	ug/L	50	53.7	107	70-130	
Trichlorofluoromethane	ug/L	50	62.5	125	75-145	
Vinyl chloride	ug/L	50	59.0	118	51-140	
4-Bromofluorobenzene (S)	%			106	70-130	
Dibromofluoromethane (S)	%			96	70-130	
Toluene-d8 (S)	%			95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

QC Batch: 373732

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40219706007, 40219706008

SAMPLE DUPLICATE: 2160007

Parameter	Units	40219800001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	15.2	15.1	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 20.056045 LEATHER RICH INC

Pace Project No.: 40219706

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 20.056045 LEATHER RICH INC
Pace Project No.: 40219706

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40219706007	SB-18/MW-18 (18-20')	EPA 5035/5030B	373697	EPA 8260	373698
40219706008	SB-19/MW-19 (16-18')	EPA 5035/5030B	373787	EPA 8260	373789
40219706014	TRIP BLANK MEOH	EPA 5035/5030B	373787	EPA 8260	373789
40219706001	VAP-1 (10-20')	EPA 8260	373657		
40219706002	VAP-1 (20-30')	EPA 8260	373657		
40219706003	VAP-1 (30-40')	EPA 8260	373657		
40219706004	VAP-1 (40-50')	EPA 8260	373657		
40219706005	VAP-2 (20-30')	EPA 8260	373657		
40219706006	VAP-2 (30-40')	EPA 8260	373657		
40219706009	VAP-2 (40-50')	EPA 8260	373657		
40219706010	DUP-1	EPA 8260	373657		
40219706011	MW-18	EPA 8260	373657		
40219706012	MW-19	EPA 8260	373657		
40219706013	TRIP BLANK HCL	EPA 8260	373657		
40219706007	SB-18/MW-18 (18-20')	ASTM D2974-87	373732		
40219706008	SB-19/MW-19 (16-18')	ASTM D2974-87	373732		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)



www.faceanalytical.com

UPPER MIDWEST REGION
MN: 612-607-1700 WI: 920-469-2436

40219706

CHAIN OF CUSTODY

A=NONE B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
 PRESERVATION (CODE)

Company Name: **62A GeoEnvironmental**
 Branch/Location: **Brookfield**
 Project Contact: **Heidi Wolfel**
 Phone: **414-687-3313**
 Project Number: **20.0156045**
 Project Name: **Leather Rich Inc**
 Project State: **Wisconsin**
 Sampled By (Print): **Sheryl Stephenson**
 Sampled By (Sign): *[Signature]*
 PO #: _____
 Regulatory Program: _____

Data Package Options
 EPA Level III
 EPA Level IV
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air
 B = Biota
 C = Charcoal
 O = Oil
 S = Soil
 SI = Sludge
 W = Water
 DW = Drinking Water
 GW = Ground Water
 SW = Surface Water
 WW = Waste Water
 WP = Wipes

PAGE LAB #	CLIENT FIELD ID	DATE	TIME	MATRIX
001	VAP-1 (10-20')	12/4/20	0913	GW
002	VAP-1 (30-30')		0950	GW
003	VAP-1 (30-40')		1033	GW
004	VAP-1 (40-50')		1122	GW
005	VAP-2 (20-30')		1313	GW
006	VAP-2 (30-40')		1429	GW
007	SB-18/MW-18 (18-20')	12/5/20	0835	S
008	SB-19/MW-19 (16-18')	12/5/20	1055	S
009	VAP-2 (40-50')	12/5/20	1310	GW
010	DWP-1	12/4/20		GW

Analyses Requested	Y/N	
	Y	N
VOC 1	N	N
VOC	N	N
Dry weight	N	N

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____
 Transmit Prelim Rush Results by (complete what you want):
 Mail #1: _____
 Mail #2: _____
 Telephone: _____
 Fax: _____
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *[Signature]* Date/Time: 12/10/20 8:15
 Relinquished By: *[Signature]* Date/Time: 12/10/20 1340
 Relinquished By: *[Signature]* Date/Time: 12/11/20 0855
 Relinquished By: _____ Date/Time: _____

Received By: *[Signature]* Date/Time: 12/10/20 10:30
 Received By: *[Signature]* Date/Time: 12/11/20 0855
 Received By: *[Signature]* Date/Time: _____
 Received By: _____ Date/Time: _____

Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____
 PAGE Project No. **40219706**
 Receipt Temp = **PO25**
 Sample Receipt pH _____
 OK / Adjusted _____
 Cooler/Custody Seal Present / Not Present Intact / Not Intact

1-CVOCs (PCE, TCE, DCE, VC)
 , analyze all VAP sample for short list per Heidi W. 12/11/20 CDH

(Please Print Clearly)

Company Name: **624 Greenview Way**
 Branch/Location: **Brookfield**
 Project Contact: **Heidi Wibel**
 Phone: **414-687-3313**
 Project Number: **20.0156645**
 Project Name: **Leather Rich DMC**
 Project State: **Wisconsin**
 Sampled By (Print): **Andy Wanta**
 Sampled By (Sign): *[Signature]*
 PO #:

Data Package Options (billable)
 EPA Level III
 EPA Level IV
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air
 B = Biota
 C = Charcoal
 O = Oil
 S = Soil
 SI = Sludge
 W = Water
 DW = Drinking Water
 GW = Ground Water
 SW = Surface Water
 WP = Waste Water

PAGE LAB #	CLIENT FIELD ID	DATE	TIME	MATRIX	Analyses Requested
011	NW-18	12/19	1621	GW	VOC
012	NW-19	12/19	1650	GW	X
013	Trip Blank-HLID				X
014	Trip Blank-MedID				X

Retention Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:

Relinquished By: *[Signature]* Date/Time: 12/10/20 8:15
 Relinquished By: *[Signature]* Date/Time: 12/10/20 13:40
 Relinquished By: *[Signature]* Date/Time: 12/11/20 08:55

Received By: *[Signature]* Date/Time: 12/10/20 18:30
 Received By: *[Signature]* Date/Time: 12/11/20 08:55

Quote #: **40219706**
 Mail To Contact: **Same**
 Mail To Company:
 Mail To Address:
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #



CHAIN OF CUSTODY

Preservation Codes
 A=None B=HCl C=H2SO4 D=HNO3 E=D Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

CO139(27Jun2006)

Version 5.0 06/14/06

Client Name: GZA

GZA

Sample Preservation Receipt Form

Project # 40219706

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):


Initial when completed:

Date/Time:

Pace Lab #	Glass			Plastic			Vials				Jars			General			VOA Vials (>6mm) *			pH after adjusted	Volume (mL)																
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D			JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2					
001																																				2.5/5/10	
002																																				2.5/5/10	
003																																				2.5/5/10	
004																																				2.5/5/10	
005																																				2.5/5/10	
006																																				2.5/5/10	
007																																				2.5/5/10	
008																																				2.5/5/10	
009																																				2.5/5/10	
010																																				2.5/5/10	
011																																				2.5/5/10	
012																																				2.5/5/10	
013																																				2.5/5/10	
014																																				2.5/5/10	
015																																				2.5/5/10	
016																																				2.5/5/10	
017																																				2.5/5/10	
018																																				2.5/5/10	
019																																				2.5/5/10	
020																																				2.5/5/10	

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (<6mm): Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: GZA
Courier: CS Logistics Fed Ex Speedee UPS Walto
 Client Pace Other: _____

Project #: _____
WO#: 40219706

 40219706

Tracking #: _____
Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no
Custody Seal on Samples Present: yes no **Seals intact:** yes no
Packing Material: Bubble Wrap Bubble Bags None Other
Thermometer Used SR - N/A **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: ROI / Corr: _____
Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no
 Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
 Date: 12-11-20 / Initials: SKW
 Labeled By Initials: ALZ

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Pg#</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>12-11-20 SKW</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:	For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>no date + time on all WPA's</u>
-Includes date/time/ID/Analysis Matrix: <u>S+W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>In shipment Lab added to COC.</u>
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>12-11-20 SKW</u>
Pace Trip Blank Lot # (if purchased): <u>Hcl-455, Meah B013901UB</u>		<u>12-11-20 SKW</u>

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: Client crossed out on COC 12-11-20 SKW