



**DEPARTMENT OF THE AIR FORCE  
HEADQUARTERS 128TH AIR REFUELING WING (ANG)**

30 May 2023

MEMORANDUM FOR WISCONSIN DEPARTMENT OF NATURAL RESOURCES

FROM: 128 CES/CEIE  
1919 E Grange Ave  
Milwaukee WI 53207-6142

SUBJECT: Materials Management Plan – BRRTS # 02-41-582725

1. Pursuant to Wisconsin Administrative Code NR 718, a materials management plan (MMP) is required for materials that could be removed that contain contaminants of concern. This memorandum serves as the material management plan that the 128<sup>th</sup> Air Refueling Wing will follow during construction related to the replacement of two oil water separators which will be installed to the east of Buildings 208 and 304 and to south of Building 308. This material management plan provides the process for handling soil and water that have the potential to contain contaminants of concern. This site is located in the NW ¼ Section 34 Township 6N, Range 22 East in Milwaukee County, Wisconsin.

2. **Project Area Site Soil Results** – With the replacement of three oil/water separators serving buildings 208, 304 and 308 with two new units (one serving 208 and 304; the other serving 308) it was determined in concert with the Wisconsin Department of Natural Resources that a soils management plan for the management of perfluorinated contaminated soils should be established. After sampling multiple areas around the oil/water separator units to be removed, it was determined that perfluorinated compounds were present in the soils (no groundwater was encountered). Data for this determination was collected from the sampling report for Buildings 208, 304 and 308 (Attachment 1) and the FY16 Phase 1 Regional Site Inspection for Perfluorinated Compounds report. Perfluorinated compounds were detected in all soil samples in the vicinity of both planned oil/water separator replacements. Concentrations of PFOS ranged from non-detect to 28 ug/kg. Concentrations of PFOA ranged from 0.24 to 120 ug/kg. Sample report and map are attached to this letter. A copy of the FY16 Phase 1 Regional Site Inspection for Perfluorinated Compounds can be located on the BRRTS website.

3. **Site Soil Handling and Disposition** – Soil from construction activities will fall into two major categories with different disposition procedures. Implementation for this soil management plan is expected to occur from June 2023 – September 2023.

- To facilitate the proposed installation of two oil/water separator units (OWS) in the project area, soil will be excavated to a maximum depth of approximately 15 feet.
- Soils with perfluorinated compounds will be used as fill within the two planned project excavations pursuant to that the fill location will ultimately be an impervious surface. Current estimated soils to be managed in this option is 300 to 350 cubic yards.
- However, it is anticipated that a small percentage of excess contaminated soil will remain following the backfilling of the excavations. These remaining soils (discussed in the bullet point above) will be stockpiled on paved surfaces adjacent to the OWS units and will eventually be disposed of at a licensed solid waste facility. Prior to disposal soils will be stored on site in accordance with NR 718.05(2). Current estimated soil to be managed in this option is approximately 100-150 cubic yards.
- Soils with perfluorinated compounds may be used in pervious areas within the project site so long as the site conforms to NR 718.12 and is covered with minimum of one foot of clean soil, top soil, and seeded. The location for soils to be reused would within the backfill of each oil/water separator unit (respectively located on the east side of Buildings 208 and 304 and south side of Building 308). These locations are greater than 100 feet west of the drainage ditch which has wetland characteristics, but which is not delineated as wetland per the Wisconsin Department of Natural Resources Surface Water Data Viewer

database. Additionally, this ditch was determined as a non-navigable waterway in the past. This location poses no threat to public health, safety, or welfare for the environment as it is located on an industrial facility with a closed fence line. Additionally, contaminated soils would be covered with clean soil or below a pervious surface, therefore no direct contact can be made with contaminated soils. All contaminated soils in this area would be under both the industrial direct contact residual contact limit (RCL) and the non-industrial direct contact RCL. Only soils that were previously located in a pervious area (i.e. grass/gravel cover) will be reutilized under future planned pervious areas. Soils will be removed and placed next to the excavation and then replaced in same footprint, in order to not introduce any additional contamination than what was previously there. These soils will also be introduced back into the excavation in the same order from which they were removed. This operation will prevent any increased risk for a pathway to groundwater as compared to if the soil was undisturbed by construction activities. Current estimated soils to be managed in this option is 150-175 cubic yards.

**4. Site Water Results** – According to a previous PFAS Preliminary Assessment (PA), prepared by AMEC Foster Wheeler and dated 2016, groundwater in the project area flows from south to north in the area. Groundwater was sampled during the PA from location TW-08 (south-southwest of Building 308) which indicated detections of 32.6 ug/L PFOS and 0.448 ug/L PFOA. Groundwater was also sampled from location TW-07 (immediately east of Building 304) which indicated detections of 1.63 ug/L PFOS and 0.101 ug/L PFOA. According to the more recent Site Inspection report, conducted as part of the nearby Building 522 soil management project in 2021, groundwater sampled from location CB018A-MW0291 indicated detections of 0.74 ug/L PFOS and 0.0799 ug/L PFOA, respectively.

**5. Site Water Handling and Disposition** – Dewatering of each excavation will occur, following a dewatering plan that was approved by WDNR (see Attachment 5) and which will be conducted as per the conditions of WPDES Permit Number WI-0046566-07-0 (please refer to Attachment 6). Water from each excavation will be pumped (via a protected hose) to a grassy area to infiltrate downward into existing groundwater. The hose discharge points will be fitted with filtration bags to capture any bulk solids and will be monitored for clarity..


The above and attached is the 128<sup>th</sup> Air Refueling Wing's approach to material management for oil/water separator replacement work adjacent to Buildings 206/304 and 308 and which is related to BRRTS # 02-41-582725 at General Mitchell Field, Milwaukee, Wisconsin.

If you have any additional questions, please feel free to contact me at 414-944-8414 or robert.chmielecki@us.af.mil at any time. Thank you in advance for your review of this material management plan.

Robert M. Chmielecki, Jr., CHMM  
Sr. Environmental Enforcement Specialist

Attachments:

1. Sample Location Map
2. Project Area Soil Analytical Results
3. Navigability Determination Letter
4. Surface Water Data Viewer Map
5. Dewatering Plan
6. WPDES General Permit No. WI-0046566-07-0




Soil sample locations

Note:  
Soil sample depth = 4 ft bgs



Soil sample locations



Note:  
Soil sample depth = 4 ft bgs

March 29, 2023

Michelle Peed  
Giles Engineering Associates, Inc.  
N8 W22350 Johnson Road  
Waukesha, WI 53186

RE: Project: 128TH ARW  
Pace Project No.: 40258659

Dear Michelle Peed:

Enclosed are the analytical results for sample(s) received by the laboratory on February 25, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Tod Noltemeyer for  
Dan Milewsky  
dan.milewsky@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 128TH ARW

Pace Project No.: 40258659

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 128TH ARW

Pace Project No.: 40258659

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40258659001	OWS 1A	Solid	02/24/23 08:30	02/25/23 09:00
40258659002	OWS 1B	Solid	02/24/23 08:35	02/25/23 09:00
40258659003	OWS 1C	Solid	02/24/23 08:40	02/25/23 09:00
40258659004	OWS 1D	Solid	02/24/23 08:45	02/25/23 09:00
40258659005	OWS 2A	Solid	02/24/23 11:05	02/25/23 09:00
40258659006	OWS 2B	Solid	02/24/23 11:10	02/25/23 09:00
40258659007	OWS 2C	Solid	02/24/23 11:15	02/25/23 09:00
40258659008	OWS 2B	Solid	02/24/23 11:20	02/25/23 09:00

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 128TH ARW  
Pace Project No.: 40258659

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40258659001	OWS 1A	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40258659002	OWS 1B	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40258659003	OWS 1C	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40258659004	OWS 1D	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40258659005	OWS 2A	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40258659006	OWS 2B	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40258659007	OWS 2C	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40258659008	OWS 2B	EPA 6010D	SIS	7	PASI-G
		EPA 7471	LMS	1	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 128TH ARW  
Pace Project No.: 40258659

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	NMK	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 128TH ARW  
Pace Project No.: 40258659

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40258659001</b>	<b>OWS 1A</b>					
EPA 6010D	Arsenic	4.8	mg/kg	2.9	03/01/23 14:52	
EPA 6010D	Barium	58.3	mg/kg	0.58	03/01/23 14:52	M0
EPA 6010D	Cadmium	0.37J	mg/kg	0.58	03/01/23 14:52	
EPA 6010D	Chromium	15.6	mg/kg	1.2	03/01/23 14:52	
EPA 6010D	Lead	35.4	mg/kg	2.3	03/01/23 14:52	M0
EPA 7471	Mercury	0.37	mg/kg	0.040	03/09/23 10:08	
EPA 8270E	Benzo(a)anthracene	445J	ug/kg	778	03/01/23 14:50	
EPA 8270E	Benzo(a)pyrene	446J	ug/kg	778	03/01/23 14:50	
EPA 8270E	Benzo(b)fluoranthene	594J	ug/kg	778	03/01/23 14:50	
EPA 8270E	Benzo(g,h,i)perylene	353J	ug/kg	778	03/01/23 14:50	
EPA 8270E	Benzo(k)fluoranthene	272J	ug/kg	778	03/01/23 14:50	
EPA 8270E	Chrysene	549J	ug/kg	778	03/01/23 14:50	
EPA 8270E	Fluoranthene	1150	ug/kg	778	03/01/23 14:50	
EPA 8270E	Indeno(1,2,3-cd)pyrene	332J	ug/kg	778	03/01/23 14:50	B
EPA 8270E	Phenanthrene	500J	ug/kg	778	03/01/23 14:50	
EPA 8270E	Pyrene	1000	ug/kg	778	03/01/23 14:50	
ASTM D2974-87	Percent Moisture	14.2	%	0.10	02/27/23 11:36	
<b>40258659002</b>	<b>OWS 1B</b>					
EPA 6010D	Arsenic	5.1	mg/kg	2.7	03/01/23 15:00	
EPA 6010D	Barium	77.1	mg/kg	0.54	03/01/23 15:00	
EPA 6010D	Cadmium	0.59	mg/kg	0.54	03/01/23 15:00	
EPA 6010D	Chromium	26.8	mg/kg	1.1	03/01/23 15:00	
EPA 6010D	Lead	38.3	mg/kg	2.1	03/01/23 15:00	
EPA 7471	Mercury	0.12	mg/kg	0.038	03/09/23 10:10	
EPA 8270E	Benzo(a)anthracene	432J	ug/kg	783	03/01/23 14:28	
EPA 8270E	Benzo(a)pyrene	346J	ug/kg	783	03/01/23 14:28	
EPA 8270E	Benzo(b)fluoranthene	554J	ug/kg	783	03/01/23 14:28	M1
EPA 8270E	Benzo(g,h,i)perylene	300J	ug/kg	783	03/01/23 14:28	
EPA 8270E	Benzo(k)fluoranthene	240J	ug/kg	783	03/01/23 14:28	
EPA 8270E	Chrysene	575J	ug/kg	783	03/01/23 14:28	
EPA 8270E	Fluoranthene	1060	ug/kg	783	03/01/23 14:28	M1
EPA 8270E	Indeno(1,2,3-cd)pyrene	269J	ug/kg	783	03/01/23 14:28	B
EPA 8270E	Phenanthrene	543J	ug/kg	783	03/01/23 14:28	
EPA 8270E	Pyrene	924	ug/kg	783	03/01/23 14:28	
ASTM D2974-87	Percent Moisture	14.7	%	0.10	02/27/23 11:36	
<b>40258659003</b>	<b>OWS 1C</b>					
EPA 6010D	Arsenic	6.4	mg/kg	2.8	03/01/23 15:04	
EPA 6010D	Barium	104	mg/kg	0.55	03/01/23 15:04	
EPA 6010D	Cadmium	0.50J	mg/kg	0.55	03/01/23 15:04	
EPA 6010D	Chromium	22.5	mg/kg	1.1	03/01/23 15:04	
EPA 6010D	Lead	98.2	mg/kg	2.2	03/01/23 15:04	
EPA 7471	Mercury	0.057	mg/kg	0.037	03/09/23 10:13	
EPA 8270E	Benzo(a)anthracene	362J	ug/kg	782	03/01/23 16:15	
EPA 8270E	Benzo(a)pyrene	332J	ug/kg	782	03/01/23 16:15	
EPA 8270E	Benzo(b)fluoranthene	483J	ug/kg	782	03/01/23 16:15	
EPA 8270E	Benzo(g,h,i)perylene	261J	ug/kg	782	03/01/23 16:15	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 128TH ARW

Pace Project No.: 40258659

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>40258659003</b>	<b>OWS 1C</b>					
EPA 8270E	Benzo(k)fluoranthene	288J	ug/kg	782	03/01/23 16:15	
EPA 8270E	Chrysene	540J	ug/kg	782	03/01/23 16:15	
EPA 8270E	Fluoranthene	839	ug/kg	782	03/01/23 16:15	
EPA 8270E	Indeno(1,2,3-cd)pyrene	232J	ug/kg	782	03/01/23 16:15	B
EPA 8270E	Phenanthrene	348J	ug/kg	782	03/01/23 16:15	
EPA 8270E	Pyrene	788	ug/kg	782	03/01/23 16:15	
ASTM D2974-87	Percent Moisture	14.5	%	0.10	02/27/23 11:36	
<b>40258659004</b>	<b>OWS 1D</b>					
EPA 6010D	Arsenic	3.3	mg/kg	3.1	03/01/23 15:06	
EPA 6010D	Barium	104	mg/kg	0.61	03/01/23 15:06	
EPA 6010D	Cadmium	0.67	mg/kg	0.61	03/01/23 15:06	
EPA 6010D	Chromium	26.0	mg/kg	1.2	03/01/23 15:06	
EPA 6010D	Lead	14.3	mg/kg	2.5	03/01/23 15:06	
EPA 7471	Mercury	0.053	mg/kg	0.039	03/09/23 10:15	
ASTM D2974-87	Percent Moisture	19.5	%	0.10	02/27/23 11:36	
<b>40258659005</b>	<b>OWS 2A</b>					
EPA 6010D	Arsenic	11.8	mg/kg	3.1	03/01/23 15:12	
EPA 6010D	Barium	70.8	mg/kg	0.63	03/01/23 15:12	
EPA 6010D	Cadmium	0.19J	mg/kg	0.63	03/01/23 15:12	
EPA 6010D	Chromium	19.1	mg/kg	1.3	03/01/23 15:12	
EPA 6010D	Lead	10.4	mg/kg	2.5	03/01/23 15:12	
EPA 7471	Mercury	0.025J	mg/kg	0.044	03/09/23 10:22	
ASTM D2974-87	Percent Moisture	21.1	%	0.10	02/27/23 11:36	
<b>40258659006</b>	<b>OWS 2B</b>					
EPA 6010D	Arsenic	6.3	mg/kg	2.9	03/01/23 15:14	
EPA 6010D	Barium	109	mg/kg	0.59	03/01/23 15:14	
EPA 6010D	Chromium	27.7	mg/kg	1.2	03/01/23 15:14	
EPA 6010D	Lead	13.6	mg/kg	2.3	03/01/23 15:14	
EPA 7471	Mercury	0.048	mg/kg	0.041	03/09/23 10:24	
ASTM D2974-87	Percent Moisture	17.1	%	0.10	02/27/23 11:36	
<b>40258659007</b>	<b>OWS 2C</b>					
EPA 6010D	Arsenic	2.8J	mg/kg	2.9	03/01/23 15:15	
EPA 6010D	Barium	57.9	mg/kg	0.58	03/01/23 15:15	
EPA 6010D	Cadmium	0.36J	mg/kg	0.58	03/01/23 15:15	
EPA 6010D	Chromium	16.5	mg/kg	1.2	03/01/23 15:15	
EPA 6010D	Lead	18.4	mg/kg	2.3	03/01/23 15:15	
EPA 7471	Mercury	0.024J	mg/kg	0.042	03/09/23 10:27	
EPA 8270E	Benzo(a)anthracene	51.9J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Benzo(a)pyrene	66.5J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Benzo(b)fluoranthene	106J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Benzo(g,h,i)perylene	115J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Benzo(k)fluoranthene	63.7J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Chrysene	111J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Dibenz(a,h)anthracene	69.9J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Fluoranthene	164J	ug/kg	198	03/01/23 13:03	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SUMMARY OF DETECTION

Project: 128TH ARW  
Pace Project No.: 40258659

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40258659007</b>	<b>OWS 2C</b>					
EPA 8270E	Indeno(1,2,3-cd)pyrene	120J	ug/kg	198	03/01/23 13:03	B
EPA 8270E	Phenanthrene	70.1J	ug/kg	198	03/01/23 13:03	
EPA 8270E	Pyrene	145J	ug/kg	198	03/01/23 13:03	
EPA 8260	n-Butylbenzene	146	ug/kg	68.7	02/27/23 12:53	
EPA 8260	sec-Butylbenzene	152	ug/kg	68.7	02/27/23 12:53	
EPA 8260	p-Isopropyltoluene	25.6J	ug/kg	68.7	02/27/23 12:53	
ASTM D2974-87	Percent Moisture	15.7	%	0.10	02/27/23 11:37	
<b>40258659008</b>	<b>OWS 2B</b>					
EPA 6010D	Arsenic	5.4	mg/kg	2.7	03/01/23 15:17	
EPA 6010D	Barium	86.2	mg/kg	0.55	03/01/23 15:17	
EPA 6010D	Cadmium	0.83	mg/kg	0.55	03/01/23 15:17	
EPA 6010D	Chromium	21.4	mg/kg	1.1	03/01/23 15:17	
EPA 6010D	Lead	17.5	mg/kg	2.2	03/01/23 15:17	
ASTM D2974-87	Percent Moisture	15.9	%	0.10	02/27/23 11:37	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1A**      **Lab ID: 40258659001**      Collected: 02/24/23 08:30      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	<b>4.8</b>	mg/kg	2.9	1.7	1	03/01/23 06:06	03/01/23 14:52	7440-38-2	
Barium	<b>58.3</b>	mg/kg	0.58	0.17	1	03/01/23 06:06	03/01/23 14:52	7440-39-3	M0
Cadmium	<b>0.37J</b>	mg/kg	0.58	0.15	1	03/01/23 06:06	03/01/23 14:52	7440-43-9	
Chromium	<b>15.6</b>	mg/kg	1.2	0.32	1	03/01/23 06:06	03/01/23 14:52	7440-47-3	
Lead	<b>35.4</b>	mg/kg	2.3	0.70	1	03/01/23 06:06	03/01/23 14:52	7439-92-1	M0
Selenium	<b>&lt;1.5</b>	mg/kg	4.6	1.5	1	03/01/23 06:06	03/01/23 14:52	7782-49-2	
Silver	<b>&lt;0.36</b>	mg/kg	1.2	0.36	1	03/01/23 06:06	03/01/23 14:52	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471    Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<b>0.37</b>	mg/kg	0.040	0.011	1	03/08/23 08:45	03/09/23 10:08	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<b>&lt;276</b>	ug/kg	778	276	4	02/28/23 12:55	03/01/23 14:50	83-32-9	
Acenaphthylene	<b>&lt;277</b>	ug/kg	778	277	4	02/28/23 12:55	03/01/23 14:50	208-96-8	
Anthracene	<b>&lt;124</b>	ug/kg	778	124	4	02/28/23 12:55	03/01/23 14:50	120-12-7	
Benzo(a)anthracene	<b>445J</b>	ug/kg	778	120	4	02/28/23 12:55	03/01/23 14:50	56-55-3	
Benzo(a)pyrene	<b>446J</b>	ug/kg	778	117	4	02/28/23 12:55	03/01/23 14:50	50-32-8	
Benzo(b)fluoranthene	<b>594J</b>	ug/kg	778	134	4	02/28/23 12:55	03/01/23 14:50	205-99-2	
Benzo(g,h,i)perylene	<b>353J</b>	ug/kg	778	203	4	02/28/23 12:55	03/01/23 14:50	191-24-2	
Benzo(k)fluoranthene	<b>272J</b>	ug/kg	778	186	4	02/28/23 12:55	03/01/23 14:50	207-08-9	
4-Bromophenylphenyl ether	<b>&lt;163</b>	ug/kg	778	163	4	02/28/23 12:55	03/01/23 14:50	101-55-3	
Butylbenzylphthalate	<b>&lt;324</b>	ug/kg	778	324	4	02/28/23 12:55	03/01/23 14:50	85-68-7	CH
Carbazole	<b>&lt;122</b>	ug/kg	778	122	4	02/28/23 12:55	03/01/23 14:50	86-74-8	
4-Chloro-3-methylphenol	<b>&lt;242</b>	ug/kg	778	242	4	02/28/23 12:55	03/01/23 14:50	59-50-7	
4-Chloroaniline	<b>&lt;128</b>	ug/kg	778	128	4	02/28/23 12:55	03/01/23 14:50	106-47-8	
bis(2-Chloroethoxy)methane	<b>&lt;209</b>	ug/kg	778	209	4	02/28/23 12:55	03/01/23 14:50	111-91-1	
bis(2-Chloroethyl) ether	<b>&lt;243</b>	ug/kg	778	243	4	02/28/23 12:55	03/01/23 14:50	111-44-4	
2-Chloronaphthalene	<b>&lt;99.8</b>	ug/kg	778	99.8	4	02/28/23 12:55	03/01/23 14:50	91-58-7	
2-Chlorophenol	<b>&lt;194</b>	ug/kg	778	194	4	02/28/23 12:55	03/01/23 14:50	95-57-8	
4-Chlorophenylphenyl ether	<b>&lt;145</b>	ug/kg	778	145	4	02/28/23 12:55	03/01/23 14:50	7005-72-3	
Chrysene	<b>549J</b>	ug/kg	778	116	4	02/28/23 12:55	03/01/23 14:50	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;211</b>	ug/kg	778	211	4	02/28/23 12:55	03/01/23 14:50	53-70-3	
Dibenzofuran	<b>&lt;94.1</b>	ug/kg	778	94.1	4	02/28/23 12:55	03/01/23 14:50	132-64-9	
1,2-Dichlorobenzene	<b>&lt;244</b>	ug/kg	778	244	4	02/28/23 12:55	03/01/23 14:50	95-50-1	
1,3-Dichlorobenzene	<b>&lt;108</b>	ug/kg	778	108	4	02/28/23 12:55	03/01/23 14:50	541-73-1	
1,4-Dichlorobenzene	<b>&lt;108</b>	ug/kg	778	108	4	02/28/23 12:55	03/01/23 14:50	106-46-7	
3,3'-Dichlorobenzidine	<b>&lt;211</b>	ug/kg	778	211	4	02/28/23 12:55	03/01/23 14:50	91-94-1	
2,4-Dichlorophenol	<b>&lt;208</b>	ug/kg	778	208	4	02/28/23 12:55	03/01/23 14:50	120-83-2	
Diethylphthalate	<b>&lt;129</b>	ug/kg	778	129	4	02/28/23 12:55	03/01/23 14:50	84-66-2	
2,4-Dimethylphenol	<b>&lt;154</b>	ug/kg	778	154	4	02/28/23 12:55	03/01/23 14:50	105-67-9	
Dimethylphthalate	<b>&lt;101</b>	ug/kg	778	101	4	02/28/23 12:55	03/01/23 14:50	131-11-3	
Di-n-butylphthalate	<b>&lt;116</b>	ug/kg	778	116	4	02/28/23 12:55	03/01/23 14:50	84-74-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1A**      **Lab ID: 40258659001**      Collected: 02/24/23 08:30      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<240	ug/kg	778	240	4	02/28/23 12:55	03/01/23 14:50	534-52-1	
2,4-Dinitrophenol	<611	ug/kg	1540	611	4	02/28/23 12:55	03/01/23 14:50	51-28-5	
2,4-Dinitrotoluene	<111	ug/kg	778	111	4	02/28/23 12:55	03/01/23 14:50	121-14-2	
2,6-Dinitrotoluene	<148	ug/kg	778	148	4	02/28/23 12:55	03/01/23 14:50	606-20-2	
Di-n-octylphthalate	<175	ug/kg	778	175	4	02/28/23 12:55	03/01/23 14:50	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<265	ug/kg	778	265	4	02/28/23 12:55	03/01/23 14:50	117-81-7	CH
Fluoranthene	1150	ug/kg	778	110	4	02/28/23 12:55	03/01/23 14:50	206-44-0	
Fluorene	<90.9	ug/kg	778	90.9	4	02/28/23 12:55	03/01/23 14:50	86-73-7	
Hexachloro-1,3-butadiene	<198	ug/kg	778	198	4	02/28/23 12:55	03/01/23 14:50	87-68-3	
Hexachlorobenzene	<131	ug/kg	778	131	4	02/28/23 12:55	03/01/23 14:50	118-74-1	
Hexachlorocyclopentadiene	<184	ug/kg	778	184	4	02/28/23 12:55	03/01/23 14:50	77-47-4	
Hexachloroethane	<124	ug/kg	778	124	4	02/28/23 12:55	03/01/23 14:50	67-72-1	
Indeno(1,2,3-cd)pyrene	332J	ug/kg	778	168	4	02/28/23 12:55	03/01/23 14:50	193-39-5	B
Isophorone	<119	ug/kg	778	119	4	02/28/23 12:55	03/01/23 14:50	78-59-1	
2-Methylnaphthalene	<202	ug/kg	778	202	4	02/28/23 12:55	03/01/23 14:50	91-57-6	
2-Methylphenol(o-Cresol)	<141	ug/kg	778	141	4	02/28/23 12:55	03/01/23 14:50	95-48-7	
3&4-Methylphenol(m&p Cresol)	<142	ug/kg	778	142	4	02/28/23 12:55	03/01/23 14:50		
Naphthalene	<272	ug/kg	778	272	4	02/28/23 12:55	03/01/23 14:50	91-20-3	
2-Nitroaniline	<222	ug/kg	778	222	4	02/28/23 12:55	03/01/23 14:50	88-74-4	
3-Nitroaniline	<132	ug/kg	778	132	4	02/28/23 12:55	03/01/23 14:50	99-09-2	
4-Nitroaniline	<323	ug/kg	778	323	4	02/28/23 12:55	03/01/23 14:50	100-01-6	
Nitrobenzene	<158	ug/kg	778	158	4	02/28/23 12:55	03/01/23 14:50	98-95-3	
2-Nitrophenol	<245	ug/kg	778	245	4	02/28/23 12:55	03/01/23 14:50	88-75-5	
4-Nitrophenol	<196	ug/kg	778	196	4	02/28/23 12:55	03/01/23 14:50	100-02-7	
N-Nitroso-di-n-propylamine	<123	ug/kg	778	123	4	02/28/23 12:55	03/01/23 14:50	621-64-7	
N-Nitrosodiphenylamine	<205	ug/kg	778	205	4	02/28/23 12:55	03/01/23 14:50	86-30-6	
2,2'-Oxybis(1-chloropropane)	<200	ug/kg	778	200	4	02/28/23 12:55	03/01/23 14:50	108-60-1	
Pentachlorophenol	<171	ug/kg	778	171	4	02/28/23 12:55	03/01/23 14:50	87-86-5	
Phenanthrene	500J	ug/kg	778	99.7	4	02/28/23 12:55	03/01/23 14:50	85-01-8	
Phenol	<184	ug/kg	778	184	4	02/28/23 12:55	03/01/23 14:50	108-95-2	D3
Pyrene	1000	ug/kg	778	172	4	02/28/23 12:55	03/01/23 14:50	129-00-0	
1,2,4-Trichlorobenzene	<87.9	ug/kg	778	87.9	4	02/28/23 12:55	03/01/23 14:50	120-82-1	
2,4,5-Trichlorophenol	<137	ug/kg	778	137	4	02/28/23 12:55	03/01/23 14:50	95-95-4	
2,4,6-Trichlorophenol	<119	ug/kg	778	119	4	02/28/23 12:55	03/01/23 14:50	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	69	%	10-125		4	02/28/23 12:55	03/01/23 14:50	4165-60-0	
2-Fluorobiphenyl (S)	67	%	12-118		4	02/28/23 12:55	03/01/23 14:50	321-60-8	
Terphenyl-d14 (S)	83	%	10-124		4	02/28/23 12:55	03/01/23 14:50	1718-51-0	
Phenol-d6 (S)	59	%	10-125		4	02/28/23 12:55	03/01/23 14:50	13127-88-3	
2-Fluorophenol (S)	58	%	10-130		4	02/28/23 12:55	03/01/23 14:50	367-12-4	
2,4,6-Tribromophenol (S)	61	%	10-144		4	02/28/23 12:55	03/01/23 14:50	118-79-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1A**      **Lab ID: 40258659001**      Collected: 02/24/23 08:30      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<15.8	ug/kg	26.6	15.8	1	02/27/23 07:30	02/27/23 13:13	71-43-2	
Bromobenzene	<26.0	ug/kg	66.5	26.0	1	02/27/23 07:30	02/27/23 13:13	108-86-1	
Bromochloromethane	<18.2	ug/kg	66.5	18.2	1	02/27/23 07:30	02/27/23 13:13	74-97-5	
Bromodichloromethane	<15.8	ug/kg	66.5	15.8	1	02/27/23 07:30	02/27/23 13:13	75-27-4	
Bromoform	<293	ug/kg	333	293	1	02/27/23 07:30	02/27/23 13:13	75-25-2	
Bromomethane	<93.3	ug/kg	333	93.3	1	02/27/23 07:30	02/27/23 13:13	74-83-9	
n-Butylbenzene	<30.5	ug/kg	66.5	30.5	1	02/27/23 07:30	02/27/23 13:13	104-51-8	
sec-Butylbenzene	<16.2	ug/kg	66.5	16.2	1	02/27/23 07:30	02/27/23 13:13	135-98-8	
tert-Butylbenzene	<20.9	ug/kg	66.5	20.9	1	02/27/23 07:30	02/27/23 13:13	98-06-6	
Carbon tetrachloride	<14.6	ug/kg	66.5	14.6	1	02/27/23 07:30	02/27/23 13:13	56-23-5	
Chlorobenzene	<8.0	ug/kg	66.5	8.0	1	02/27/23 07:30	02/27/23 13:13	108-90-7	
Chloroethane	<28.1	ug/kg	333	28.1	1	02/27/23 07:30	02/27/23 13:13	75-00-3	
Chloroform	<47.6	ug/kg	333	47.6	1	02/27/23 07:30	02/27/23 13:13	67-66-3	
Chloromethane	<25.3	ug/kg	66.5	25.3	1	02/27/23 07:30	02/27/23 13:13	74-87-3	
2-Chlorotoluene	<21.6	ug/kg	66.5	21.6	1	02/27/23 07:30	02/27/23 13:13	95-49-8	
4-Chlorotoluene	<25.3	ug/kg	66.5	25.3	1	02/27/23 07:30	02/27/23 13:13	106-43-4	
1,2-Dibromo-3-chloropropane	<51.6	ug/kg	333	51.6	1	02/27/23 07:30	02/27/23 13:13	96-12-8	
Dibromochloromethane	<227	ug/kg	333	227	1	02/27/23 07:30	02/27/23 13:13	124-48-1	
1,2-Dibromoethane (EDB)	<18.2	ug/kg	66.5	18.2	1	02/27/23 07:30	02/27/23 13:13	106-93-4	
Dibromomethane	<19.7	ug/kg	66.5	19.7	1	02/27/23 07:30	02/27/23 13:13	74-95-3	
1,2-Dichlorobenzene	<20.6	ug/kg	66.5	20.6	1	02/27/23 07:30	02/27/23 13:13	95-50-1	
1,3-Dichlorobenzene	<18.2	ug/kg	66.5	18.2	1	02/27/23 07:30	02/27/23 13:13	541-73-1	
1,4-Dichlorobenzene	<18.2	ug/kg	66.5	18.2	1	02/27/23 07:30	02/27/23 13:13	106-46-7	
Dichlorodifluoromethane	<28.6	ug/kg	66.5	28.6	1	02/27/23 07:30	02/27/23 13:13	75-71-8	
1,1-Dichloroethane	<17.0	ug/kg	66.5	17.0	1	02/27/23 07:30	02/27/23 13:13	75-34-3	
1,2-Dichloroethane	<15.3	ug/kg	66.5	15.3	1	02/27/23 07:30	02/27/23 13:13	107-06-2	
1,1-Dichloroethene	<22.1	ug/kg	66.5	22.1	1	02/27/23 07:30	02/27/23 13:13	75-35-4	
cis-1,2-Dichloroethene	<14.2	ug/kg	66.5	14.2	1	02/27/23 07:30	02/27/23 13:13	156-59-2	
trans-1,2-Dichloroethene	<14.4	ug/kg	66.5	14.4	1	02/27/23 07:30	02/27/23 13:13	156-60-5	
1,2-Dichloropropane	<15.8	ug/kg	66.5	15.8	1	02/27/23 07:30	02/27/23 13:13	78-87-5	
1,3-Dichloropropane	<14.5	ug/kg	66.5	14.5	1	02/27/23 07:30	02/27/23 13:13	142-28-9	
2,2-Dichloropropane	<18.0	ug/kg	66.5	18.0	1	02/27/23 07:30	02/27/23 13:13	594-20-7	
1,1-Dichloropropene	<21.6	ug/kg	66.5	21.6	1	02/27/23 07:30	02/27/23 13:13	563-58-6	
cis-1,3-Dichloropropene	<43.9	ug/kg	333	43.9	1	02/27/23 07:30	02/27/23 13:13	10061-01-5	
trans-1,3-Dichloropropene	<190	ug/kg	333	190	1	02/27/23 07:30	02/27/23 13:13	10061-02-6	
Diisopropyl ether	<16.5	ug/kg	66.5	16.5	1	02/27/23 07:30	02/27/23 13:13	108-20-3	
Ethylbenzene	<15.8	ug/kg	66.5	15.8	1	02/27/23 07:30	02/27/23 13:13	100-41-4	
Hexachloro-1,3-butadiene	<132	ug/kg	333	132	1	02/27/23 07:30	02/27/23 13:13	87-68-3	
Isopropylbenzene (Cumene)	<18.0	ug/kg	66.5	18.0	1	02/27/23 07:30	02/27/23 13:13	98-82-8	
p-Isopropyltoluene	<20.2	ug/kg	66.5	20.2	1	02/27/23 07:30	02/27/23 13:13	99-87-6	
Methylene Chloride	<18.5	ug/kg	66.5	18.5	1	02/27/23 07:30	02/27/23 13:13	75-09-2	
Methyl-tert-butyl ether	<19.6	ug/kg	66.5	19.6	1	02/27/23 07:30	02/27/23 13:13	1634-04-4	
Naphthalene	<20.8	ug/kg	333	20.8	1	02/27/23 07:30	02/27/23 13:13	91-20-3	
n-Propylbenzene	<16.0	ug/kg	66.5	16.0	1	02/27/23 07:30	02/27/23 13:13	103-65-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1A**      **Lab ID: 40258659001**      Collected: 02/24/23 08:30      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.0	ug/kg	66.5	17.0	1	02/27/23 07:30	02/27/23 13:13	100-42-5	
1,1,1,2-Tetrachloroethane	<16.0	ug/kg	66.5	16.0	1	02/27/23 07:30	02/27/23 13:13	630-20-6	
1,1,1,2-Tetrachloroethane	<24.1	ug/kg	66.5	24.1	1	02/27/23 07:30	02/27/23 13:13	79-34-5	
Tetrachloroethene	<25.8	ug/kg	66.5	25.8	1	02/27/23 07:30	02/27/23 13:13	127-18-4	
Toluene	<16.8	ug/kg	66.5	16.8	1	02/27/23 07:30	02/27/23 13:13	108-88-3	
1,2,3-Trichlorobenzene	<74.1	ug/kg	333	74.1	1	02/27/23 07:30	02/27/23 13:13	87-61-6	
1,2,4-Trichlorobenzene	<54.8	ug/kg	333	54.8	1	02/27/23 07:30	02/27/23 13:13	120-82-1	
1,1,1-Trichloroethane	<17.0	ug/kg	66.5	17.0	1	02/27/23 07:30	02/27/23 13:13	71-55-6	
1,1,2-Trichloroethane	<24.2	ug/kg	66.5	24.2	1	02/27/23 07:30	02/27/23 13:13	79-00-5	
Trichloroethene	<24.9	ug/kg	66.5	24.9	1	02/27/23 07:30	02/27/23 13:13	79-01-6	
Trichlorofluoromethane	<19.3	ug/kg	66.5	19.3	1	02/27/23 07:30	02/27/23 13:13	75-69-4	
1,2,3-Trichloropropane	<32.3	ug/kg	66.5	32.3	1	02/27/23 07:30	02/27/23 13:13	96-18-4	
1,2,4-Trimethylbenzene	<19.8	ug/kg	66.5	19.8	1	02/27/23 07:30	02/27/23 13:13	95-63-6	
1,3,5-Trimethylbenzene	<21.4	ug/kg	66.5	21.4	1	02/27/23 07:30	02/27/23 13:13	108-67-8	
Vinyl chloride	<13.4	ug/kg	66.5	13.4	1	02/27/23 07:30	02/27/23 13:13	75-01-4	
Xylene (Total)	<48.0	ug/kg	200	48.0	1	02/27/23 07:30	02/27/23 13:13	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	127	%	69-153		1	02/27/23 07:30	02/27/23 13:13	2037-26-5	
4-Bromofluorobenzene (S)	134	%	68-156		1	02/27/23 07:30	02/27/23 13:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	132	%	71-161		1	02/27/23 07:30	02/27/23 13:13	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.2	%	0.10	0.10	1		02/27/23 11:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 1B**      **Lab ID: 40258659002**      Collected: 02/24/23 08:35      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	5.1	mg/kg	2.7	1.6	1	03/01/23 06:06	03/01/23 15:00	7440-38-2	
Barium	77.1	mg/kg	0.54	0.16	1	03/01/23 06:06	03/01/23 15:00	7440-39-3	
Cadmium	0.59	mg/kg	0.54	0.14	1	03/01/23 06:06	03/01/23 15:00	7440-43-9	
Chromium	26.8	mg/kg	1.1	0.30	1	03/01/23 06:06	03/01/23 15:00	7440-47-3	
Lead	38.3	mg/kg	2.1	0.64	1	03/01/23 06:06	03/01/23 15:00	7439-92-1	
Selenium	<1.4	mg/kg	4.3	1.4	1	03/01/23 06:06	03/01/23 15:00	7782-49-2	
Silver	<0.33	mg/kg	1.1	0.33	1	03/01/23 06:06	03/01/23 15:00	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471    Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.12	mg/kg	0.038	0.011	1	03/08/23 08:45	03/09/23 10:10	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<277	ug/kg	783	277	4	02/28/23 12:55	03/01/23 14:28	83-32-9	
Acenaphthylene	<279	ug/kg	783	279	4	02/28/23 12:55	03/01/23 14:28	208-96-8	
Anthracene	<125	ug/kg	783	125	4	02/28/23 12:55	03/01/23 14:28	120-12-7	
Benzo(a)anthracene	432J	ug/kg	783	121	4	02/28/23 12:55	03/01/23 14:28	56-55-3	
Benzo(a)pyrene	346J	ug/kg	783	118	4	02/28/23 12:55	03/01/23 14:28	50-32-8	
Benzo(b)fluoranthene	554J	ug/kg	783	134	4	02/28/23 12:55	03/01/23 14:28	205-99-2	M1
Benzo(g,h,i)perylene	300J	ug/kg	783	205	4	02/28/23 12:55	03/01/23 14:28	191-24-2	
Benzo(k)fluoranthene	240J	ug/kg	783	187	4	02/28/23 12:55	03/01/23 14:28	207-08-9	
4-Bromophenylphenyl ether	<164	ug/kg	783	164	4	02/28/23 12:55	03/01/23 14:28	101-55-3	
Butylbenzylphthalate	<326	ug/kg	783	326	4	02/28/23 12:55	03/01/23 14:28	85-68-7	CH
Carbazole	<123	ug/kg	783	123	4	02/28/23 12:55	03/01/23 14:28	86-74-8	
4-Chloro-3-methylphenol	<243	ug/kg	783	243	4	02/28/23 12:55	03/01/23 14:28	59-50-7	
4-Chloroaniline	<129	ug/kg	783	129	4	02/28/23 12:55	03/01/23 14:28	106-47-8	
bis(2-Chloroethoxy)methane	<211	ug/kg	783	211	4	02/28/23 12:55	03/01/23 14:28	111-91-1	
bis(2-Chloroethyl) ether	<244	ug/kg	783	244	4	02/28/23 12:55	03/01/23 14:28	111-44-4	M1
2-Chloronaphthalene	<100	ug/kg	783	100	4	02/28/23 12:55	03/01/23 14:28	91-58-7	
2-Chlorophenol	<195	ug/kg	783	195	4	02/28/23 12:55	03/01/23 14:28	95-57-8	
4-Chlorophenylphenyl ether	<146	ug/kg	783	146	4	02/28/23 12:55	03/01/23 14:28	7005-72-3	
Chrysene	575J	ug/kg	783	117	4	02/28/23 12:55	03/01/23 14:28	218-01-9	
Dibenz(a,h)anthracene	<213	ug/kg	783	213	4	02/28/23 12:55	03/01/23 14:28	53-70-3	
Dibenzofuran	<94.7	ug/kg	783	94.7	4	02/28/23 12:55	03/01/23 14:28	132-64-9	
1,2-Dichlorobenzene	<246	ug/kg	783	246	4	02/28/23 12:55	03/01/23 14:28	95-50-1	
1,3-Dichlorobenzene	<108	ug/kg	783	108	4	02/28/23 12:55	03/01/23 14:28	541-73-1	
1,4-Dichlorobenzene	<109	ug/kg	783	109	4	02/28/23 12:55	03/01/23 14:28	106-46-7	
3,3'-Dichlorobenzidine	<212	ug/kg	783	212	4	02/28/23 12:55	03/01/23 14:28	91-94-1	
2,4-Dichlorophenol	<209	ug/kg	783	209	4	02/28/23 12:55	03/01/23 14:28	120-83-2	
Diethylphthalate	<130	ug/kg	783	130	4	02/28/23 12:55	03/01/23 14:28	84-66-2	
2,4-Dimethylphenol	<155	ug/kg	783	155	4	02/28/23 12:55	03/01/23 14:28	105-67-9	
Dimethylphthalate	<102	ug/kg	783	102	4	02/28/23 12:55	03/01/23 14:28	131-11-3	
Di-n-butylphthalate	<117	ug/kg	783	117	4	02/28/23 12:55	03/01/23 14:28	84-74-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 1B**      **Lab ID: 40258659002**      Collected: 02/24/23 08:35      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<241	ug/kg	783	241	4	02/28/23 12:55	03/01/23 14:28	534-52-1	
2,4-Dinitrophenol	<615	ug/kg	1550	615	4	02/28/23 12:55	03/01/23 14:28	51-28-5	M1
2,4-Dinitrotoluene	<112	ug/kg	783	112	4	02/28/23 12:55	03/01/23 14:28	121-14-2	
2,6-Dinitrotoluene	<149	ug/kg	783	149	4	02/28/23 12:55	03/01/23 14:28	606-20-2	
Di-n-octylphthalate	<176	ug/kg	783	176	4	02/28/23 12:55	03/01/23 14:28	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<267	ug/kg	783	267	4	02/28/23 12:55	03/01/23 14:28	117-81-7	CH
Fluoranthene	1060	ug/kg	783	111	4	02/28/23 12:55	03/01/23 14:28	206-44-0	M1
Fluorene	<91.5	ug/kg	783	91.5	4	02/28/23 12:55	03/01/23 14:28	86-73-7	
Hexachloro-1,3-butadiene	<199	ug/kg	783	199	4	02/28/23 12:55	03/01/23 14:28	87-68-3	
Hexachlorobenzene	<132	ug/kg	783	132	4	02/28/23 12:55	03/01/23 14:28	118-74-1	
Hexachlorocyclopentadiene	<185	ug/kg	783	185	4	02/28/23 12:55	03/01/23 14:28	77-47-4	
Hexachloroethane	<125	ug/kg	783	125	4	02/28/23 12:55	03/01/23 14:28	67-72-1	
Indeno(1,2,3-cd)pyrene	269J	ug/kg	783	169	4	02/28/23 12:55	03/01/23 14:28	193-39-5	B
Isophorone	<120	ug/kg	783	120	4	02/28/23 12:55	03/01/23 14:28	78-59-1	
2-Methylnaphthalene	<203	ug/kg	783	203	4	02/28/23 12:55	03/01/23 14:28	91-57-6	
2-Methylphenol(o-Cresol)	<142	ug/kg	783	142	4	02/28/23 12:55	03/01/23 14:28	95-48-7	
3&4-Methylphenol(m&p Cresol)	<143	ug/kg	783	143	4	02/28/23 12:55	03/01/23 14:28		
Naphthalene	<274	ug/kg	783	274	4	02/28/23 12:55	03/01/23 14:28	91-20-3	
2-Nitroaniline	<223	ug/kg	783	223	4	02/28/23 12:55	03/01/23 14:28	88-74-4	
3-Nitroaniline	<133	ug/kg	783	133	4	02/28/23 12:55	03/01/23 14:28	99-09-2	
4-Nitroaniline	<325	ug/kg	783	325	4	02/28/23 12:55	03/01/23 14:28	100-01-6	
Nitrobenzene	<159	ug/kg	783	159	4	02/28/23 12:55	03/01/23 14:28	98-95-3	
2-Nitrophenol	<247	ug/kg	783	247	4	02/28/23 12:55	03/01/23 14:28	88-75-5	
4-Nitrophenol	<197	ug/kg	783	197	4	02/28/23 12:55	03/01/23 14:28	100-02-7	M1
N-Nitroso-di-n-propylamine	<124	ug/kg	783	124	4	02/28/23 12:55	03/01/23 14:28	621-64-7	
N-Nitrosodiphenylamine	<206	ug/kg	783	206	4	02/28/23 12:55	03/01/23 14:28	86-30-6	
2,2'-Oxybis(1-chloropropane)	<202	ug/kg	783	202	4	02/28/23 12:55	03/01/23 14:28	108-60-1	
Pentachlorophenol	<172	ug/kg	783	172	4	02/28/23 12:55	03/01/23 14:28	87-86-5	
Phenanthrene	543J	ug/kg	783	100	4	02/28/23 12:55	03/01/23 14:28	85-01-8	
Phenol	<186	ug/kg	783	186	4	02/28/23 12:55	03/01/23 14:28	108-95-2	D3
Pyrene	924	ug/kg	783	173	4	02/28/23 12:55	03/01/23 14:28	129-00-0	
1,2,4-Trichlorobenzene	<88.5	ug/kg	783	88.5	4	02/28/23 12:55	03/01/23 14:28	120-82-1	
2,4,5-Trichlorophenol	<138	ug/kg	783	138	4	02/28/23 12:55	03/01/23 14:28	95-95-4	
2,4,6-Trichlorophenol	<119	ug/kg	783	119	4	02/28/23 12:55	03/01/23 14:28	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	60	%	10-125		4	02/28/23 12:55	03/01/23 14:28	4165-60-0	
2-Fluorobiphenyl (S)	64	%	12-118		4	02/28/23 12:55	03/01/23 14:28	321-60-8	
Terphenyl-d14 (S)	77	%	10-124		4	02/28/23 12:55	03/01/23 14:28	1718-51-0	
Phenol-d6 (S)	56	%	10-125		4	02/28/23 12:55	03/01/23 14:28	13127-88-3	
2-Fluorophenol (S)	47	%	10-130		4	02/28/23 12:55	03/01/23 14:28	367-12-4	
2,4,6-Tribromophenol (S)	52	%	10-144		4	02/28/23 12:55	03/01/23 14:28	118-79-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 1B**      **Lab ID: 40258659002**      Collected: 02/24/23 08:35      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.0	ug/kg	26.9	16.0	1	02/27/23 07:30	02/27/23 13:33	71-43-2	
Bromobenzene	<26.2	ug/kg	67.3	26.2	1	02/27/23 07:30	02/27/23 13:33	108-86-1	
Bromochloromethane	<18.4	ug/kg	67.3	18.4	1	02/27/23 07:30	02/27/23 13:33	74-97-5	
Bromodichloromethane	<16.0	ug/kg	67.3	16.0	1	02/27/23 07:30	02/27/23 13:33	75-27-4	
Bromoform	<296	ug/kg	336	296	1	02/27/23 07:30	02/27/23 13:33	75-25-2	
Bromomethane	<94.3	ug/kg	336	94.3	1	02/27/23 07:30	02/27/23 13:33	74-83-9	
n-Butylbenzene	<30.8	ug/kg	67.3	30.8	1	02/27/23 07:30	02/27/23 13:33	104-51-8	
sec-Butylbenzene	<16.4	ug/kg	67.3	16.4	1	02/27/23 07:30	02/27/23 13:33	135-98-8	
tert-Butylbenzene	<21.1	ug/kg	67.3	21.1	1	02/27/23 07:30	02/27/23 13:33	98-06-6	
Carbon tetrachloride	<14.8	ug/kg	67.3	14.8	1	02/27/23 07:30	02/27/23 13:33	56-23-5	
Chlorobenzene	<8.1	ug/kg	67.3	8.1	1	02/27/23 07:30	02/27/23 13:33	108-90-7	
Chloroethane	<28.4	ug/kg	336	28.4	1	02/27/23 07:30	02/27/23 13:33	75-00-3	
Chloroform	<48.2	ug/kg	336	48.2	1	02/27/23 07:30	02/27/23 13:33	67-66-3	
Chloromethane	<25.6	ug/kg	67.3	25.6	1	02/27/23 07:30	02/27/23 13:33	74-87-3	
2-Chlorotoluene	<21.8	ug/kg	67.3	21.8	1	02/27/23 07:30	02/27/23 13:33	95-49-8	
4-Chlorotoluene	<25.6	ug/kg	67.3	25.6	1	02/27/23 07:30	02/27/23 13:33	106-43-4	
1,2-Dibromo-3-chloropropane	<52.2	ug/kg	336	52.2	1	02/27/23 07:30	02/27/23 13:33	96-12-8	
Dibromochloromethane	<230	ug/kg	336	230	1	02/27/23 07:30	02/27/23 13:33	124-48-1	
1,2-Dibromoethane (EDB)	<18.4	ug/kg	67.3	18.4	1	02/27/23 07:30	02/27/23 13:33	106-93-4	
Dibromomethane	<19.9	ug/kg	67.3	19.9	1	02/27/23 07:30	02/27/23 13:33	74-95-3	
1,2-Dichlorobenzene	<20.9	ug/kg	67.3	20.9	1	02/27/23 07:30	02/27/23 13:33	95-50-1	
1,3-Dichlorobenzene	<18.4	ug/kg	67.3	18.4	1	02/27/23 07:30	02/27/23 13:33	541-73-1	
1,4-Dichlorobenzene	<18.4	ug/kg	67.3	18.4	1	02/27/23 07:30	02/27/23 13:33	106-46-7	
Dichlorodifluoromethane	<28.9	ug/kg	67.3	28.9	1	02/27/23 07:30	02/27/23 13:33	75-71-8	
1,1-Dichloroethane	<17.2	ug/kg	67.3	17.2	1	02/27/23 07:30	02/27/23 13:33	75-34-3	
1,2-Dichloroethane	<15.5	ug/kg	67.3	15.5	1	02/27/23 07:30	02/27/23 13:33	107-06-2	
1,1-Dichloroethene	<22.3	ug/kg	67.3	22.3	1	02/27/23 07:30	02/27/23 13:33	75-35-4	
cis-1,2-Dichloroethene	<14.4	ug/kg	67.3	14.4	1	02/27/23 07:30	02/27/23 13:33	156-59-2	
trans-1,2-Dichloroethene	<14.5	ug/kg	67.3	14.5	1	02/27/23 07:30	02/27/23 13:33	156-60-5	
1,2-Dichloropropane	<16.0	ug/kg	67.3	16.0	1	02/27/23 07:30	02/27/23 13:33	78-87-5	
1,3-Dichloropropane	<14.7	ug/kg	67.3	14.7	1	02/27/23 07:30	02/27/23 13:33	142-28-9	
2,2-Dichloropropane	<18.2	ug/kg	67.3	18.2	1	02/27/23 07:30	02/27/23 13:33	594-20-7	
1,1-Dichloropropene	<21.8	ug/kg	67.3	21.8	1	02/27/23 07:30	02/27/23 13:33	563-58-6	
cis-1,3-Dichloropropene	<44.4	ug/kg	336	44.4	1	02/27/23 07:30	02/27/23 13:33	10061-01-5	
trans-1,3-Dichloropropene	<192	ug/kg	336	192	1	02/27/23 07:30	02/27/23 13:33	10061-02-6	
Diisopropyl ether	<16.7	ug/kg	67.3	16.7	1	02/27/23 07:30	02/27/23 13:33	108-20-3	
Ethylbenzene	<16.0	ug/kg	67.3	16.0	1	02/27/23 07:30	02/27/23 13:33	100-41-4	
Hexachloro-1,3-butadiene	<134	ug/kg	336	134	1	02/27/23 07:30	02/27/23 13:33	87-68-3	
Isopropylbenzene (Cumene)	<18.2	ug/kg	67.3	18.2	1	02/27/23 07:30	02/27/23 13:33	98-82-8	
p-Isopropyltoluene	<20.5	ug/kg	67.3	20.5	1	02/27/23 07:30	02/27/23 13:33	99-87-6	
Methylene Chloride	<18.7	ug/kg	67.3	18.7	1	02/27/23 07:30	02/27/23 13:33	75-09-2	
Methyl-tert-butyl ether	<19.8	ug/kg	67.3	19.8	1	02/27/23 07:30	02/27/23 13:33	1634-04-4	
Naphthalene	<21.0	ug/kg	336	21.0	1	02/27/23 07:30	02/27/23 13:33	91-20-3	
n-Propylbenzene	<16.1	ug/kg	67.3	16.1	1	02/27/23 07:30	02/27/23 13:33	103-65-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1B**      **Lab ID: 40258659002**      Collected: 02/24/23 08:35      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.2	ug/kg	67.3	17.2	1	02/27/23 07:30	02/27/23 13:33	100-42-5	
1,1,1,2-Tetrachloroethane	<16.1	ug/kg	67.3	16.1	1	02/27/23 07:30	02/27/23 13:33	630-20-6	
1,1,1,2-Tetrachloroethane	<24.4	ug/kg	67.3	24.4	1	02/27/23 07:30	02/27/23 13:33	79-34-5	
Tetrachloroethene	<26.1	ug/kg	67.3	26.1	1	02/27/23 07:30	02/27/23 13:33	127-18-4	
Toluene	<17.0	ug/kg	67.3	17.0	1	02/27/23 07:30	02/27/23 13:33	108-88-3	
1,2,3-Trichlorobenzene	<74.9	ug/kg	336	74.9	1	02/27/23 07:30	02/27/23 13:33	87-61-6	
1,2,4-Trichlorobenzene	<55.4	ug/kg	336	55.4	1	02/27/23 07:30	02/27/23 13:33	120-82-1	
1,1,1-Trichloroethane	<17.2	ug/kg	67.3	17.2	1	02/27/23 07:30	02/27/23 13:33	71-55-6	
1,1,2-Trichloroethane	<24.5	ug/kg	67.3	24.5	1	02/27/23 07:30	02/27/23 13:33	79-00-5	
Trichloroethene	<25.2	ug/kg	67.3	25.2	1	02/27/23 07:30	02/27/23 13:33	79-01-6	
Trichlorofluoromethane	<19.5	ug/kg	67.3	19.5	1	02/27/23 07:30	02/27/23 13:33	75-69-4	
1,2,3-Trichloropropane	<32.7	ug/kg	67.3	32.7	1	02/27/23 07:30	02/27/23 13:33	96-18-4	
1,2,4-Trimethylbenzene	<20.0	ug/kg	67.3	20.0	1	02/27/23 07:30	02/27/23 13:33	95-63-6	
1,3,5-Trimethylbenzene	<21.7	ug/kg	67.3	21.7	1	02/27/23 07:30	02/27/23 13:33	108-67-8	
Vinyl chloride	<13.6	ug/kg	67.3	13.6	1	02/27/23 07:30	02/27/23 13:33	75-01-4	
Xylene (Total)	<48.6	ug/kg	202	48.6	1	02/27/23 07:30	02/27/23 13:33	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	125	%	69-153		1	02/27/23 07:30	02/27/23 13:33	2037-26-5	
4-Bromofluorobenzene (S)	226	%	68-156		1	02/27/23 07:30	02/27/23 13:33	460-00-4	S3
1,2-Dichlorobenzene-d4 (S)	163	%	71-161		1	02/27/23 07:30	02/27/23 13:33	2199-69-1	S3
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.7	%	0.10	0.10	1		02/27/23 11:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1C**      **Lab ID: 40258659003**      Collected: 02/24/23 08:40      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	6.4	mg/kg	2.8	1.6	1	03/01/23 06:06	03/01/23 15:04	7440-38-2	
Barium	104	mg/kg	0.55	0.17	1	03/01/23 06:06	03/01/23 15:04	7440-39-3	
Cadmium	0.50J	mg/kg	0.55	0.15	1	03/01/23 06:06	03/01/23 15:04	7440-43-9	
Chromium	22.5	mg/kg	1.1	0.31	1	03/01/23 06:06	03/01/23 15:04	7440-47-3	
Lead	98.2	mg/kg	2.2	0.66	1	03/01/23 06:06	03/01/23 15:04	7439-92-1	
Selenium	<1.4	mg/kg	4.4	1.4	1	03/01/23 06:06	03/01/23 15:04	7782-49-2	
Silver	<0.34	mg/kg	1.1	0.34	1	03/01/23 06:06	03/01/23 15:04	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471    Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.057	mg/kg	0.037	0.011	1	03/08/23 08:45	03/09/23 10:13	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<277	ug/kg	782	277	4	02/28/23 12:55	03/01/23 16:15	83-32-9	
Acenaphthylene	<279	ug/kg	782	279	4	02/28/23 12:55	03/01/23 16:15	208-96-8	
Anthracene	<125	ug/kg	782	125	4	02/28/23 12:55	03/01/23 16:15	120-12-7	
Benzo(a)anthracene	362J	ug/kg	782	121	4	02/28/23 12:55	03/01/23 16:15	56-55-3	
Benzo(a)pyrene	332J	ug/kg	782	118	4	02/28/23 12:55	03/01/23 16:15	50-32-8	
Benzo(b)fluoranthene	483J	ug/kg	782	134	4	02/28/23 12:55	03/01/23 16:15	205-99-2	
Benzo(g,h,i)perylene	261J	ug/kg	782	204	4	02/28/23 12:55	03/01/23 16:15	191-24-2	
Benzo(k)fluoranthene	288J	ug/kg	782	187	4	02/28/23 12:55	03/01/23 16:15	207-08-9	
4-Bromophenylphenyl ether	<164	ug/kg	782	164	4	02/28/23 12:55	03/01/23 16:15	101-55-3	
Butylbenzylphthalate	<325	ug/kg	782	325	4	02/28/23 12:55	03/01/23 16:15	85-68-7	CH
Carbazole	<122	ug/kg	782	122	4	02/28/23 12:55	03/01/23 16:15	86-74-8	
4-Chloro-3-methylphenol	<243	ug/kg	782	243	4	02/28/23 12:55	03/01/23 16:15	59-50-7	
4-Chloroaniline	<128	ug/kg	782	128	4	02/28/23 12:55	03/01/23 16:15	106-47-8	
bis(2-Chloroethoxy)methane	<210	ug/kg	782	210	4	02/28/23 12:55	03/01/23 16:15	111-91-1	
bis(2-Chloroethyl) ether	<244	ug/kg	782	244	4	02/28/23 12:55	03/01/23 16:15	111-44-4	
2-Chloronaphthalene	<100	ug/kg	782	100	4	02/28/23 12:55	03/01/23 16:15	91-58-7	
2-Chlorophenol	<195	ug/kg	782	195	4	02/28/23 12:55	03/01/23 16:15	95-57-8	
4-Chlorophenylphenyl ether	<146	ug/kg	782	146	4	02/28/23 12:55	03/01/23 16:15	7005-72-3	
Chrysene	540J	ug/kg	782	117	4	02/28/23 12:55	03/01/23 16:15	218-01-9	
Dibenz(a,h)anthracene	<212	ug/kg	782	212	4	02/28/23 12:55	03/01/23 16:15	53-70-3	
Dibenzofuran	<94.6	ug/kg	782	94.6	4	02/28/23 12:55	03/01/23 16:15	132-64-9	
1,2-Dichlorobenzene	<246	ug/kg	782	246	4	02/28/23 12:55	03/01/23 16:15	95-50-1	
1,3-Dichlorobenzene	<108	ug/kg	782	108	4	02/28/23 12:55	03/01/23 16:15	541-73-1	
1,4-Dichlorobenzene	<109	ug/kg	782	109	4	02/28/23 12:55	03/01/23 16:15	106-46-7	
3,3'-Dichlorobenzidine	<212	ug/kg	782	212	4	02/28/23 12:55	03/01/23 16:15	91-94-1	
2,4-Dichlorophenol	<209	ug/kg	782	209	4	02/28/23 12:55	03/01/23 16:15	120-83-2	
Diethylphthalate	<130	ug/kg	782	130	4	02/28/23 12:55	03/01/23 16:15	84-66-2	
2,4-Dimethylphenol	<155	ug/kg	782	155	4	02/28/23 12:55	03/01/23 16:15	105-67-9	
Dimethylphthalate	<102	ug/kg	782	102	4	02/28/23 12:55	03/01/23 16:15	131-11-3	
Di-n-butylphthalate	<117	ug/kg	782	117	4	02/28/23 12:55	03/01/23 16:15	84-74-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 1C**      **Lab ID: 40258659003**      Collected: 02/24/23 08:40      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<241	ug/kg	782	241	4	02/28/23 12:55	03/01/23 16:15	534-52-1	
2,4-Dinitrophenol	<614	ug/kg	1550	614	4	02/28/23 12:55	03/01/23 16:15	51-28-5	
2,4-Dinitrotoluene	<112	ug/kg	782	112	4	02/28/23 12:55	03/01/23 16:15	121-14-2	
2,6-Dinitrotoluene	<148	ug/kg	782	148	4	02/28/23 12:55	03/01/23 16:15	606-20-2	
Di-n-octylphthalate	<176	ug/kg	782	176	4	02/28/23 12:55	03/01/23 16:15	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<267	ug/kg	782	267	4	02/28/23 12:55	03/01/23 16:15	117-81-7	CH
Fluoranthene	839	ug/kg	782	111	4	02/28/23 12:55	03/01/23 16:15	206-44-0	
Fluorene	<91.4	ug/kg	782	91.4	4	02/28/23 12:55	03/01/23 16:15	86-73-7	
Hexachloro-1,3-butadiene	<199	ug/kg	782	199	4	02/28/23 12:55	03/01/23 16:15	87-68-3	
Hexachlorobenzene	<131	ug/kg	782	131	4	02/28/23 12:55	03/01/23 16:15	118-74-1	
Hexachlorocyclopentadiene	<185	ug/kg	782	185	4	02/28/23 12:55	03/01/23 16:15	77-47-4	
Hexachloroethane	<125	ug/kg	782	125	4	02/28/23 12:55	03/01/23 16:15	67-72-1	
Indeno(1,2,3-cd)pyrene	232J	ug/kg	782	169	4	02/28/23 12:55	03/01/23 16:15	193-39-5	B
Isophorone	<120	ug/kg	782	120	4	02/28/23 12:55	03/01/23 16:15	78-59-1	
2-Methylnaphthalene	<203	ug/kg	782	203	4	02/28/23 12:55	03/01/23 16:15	91-57-6	
2-Methylphenol(o-Cresol)	<142	ug/kg	782	142	4	02/28/23 12:55	03/01/23 16:15	95-48-7	
3&4-Methylphenol(m&p Cresol)	<143	ug/kg	782	143	4	02/28/23 12:55	03/01/23 16:15		
Naphthalene	<273	ug/kg	782	273	4	02/28/23 12:55	03/01/23 16:15	91-20-3	
2-Nitroaniline	<223	ug/kg	782	223	4	02/28/23 12:55	03/01/23 16:15	88-74-4	
3-Nitroaniline	<133	ug/kg	782	133	4	02/28/23 12:55	03/01/23 16:15	99-09-2	
4-Nitroaniline	<324	ug/kg	782	324	4	02/28/23 12:55	03/01/23 16:15	100-01-6	
Nitrobenzene	<159	ug/kg	782	159	4	02/28/23 12:55	03/01/23 16:15	98-95-3	
2-Nitrophenol	<247	ug/kg	782	247	4	02/28/23 12:55	03/01/23 16:15	88-75-5	
4-Nitrophenol	<197	ug/kg	782	197	4	02/28/23 12:55	03/01/23 16:15	100-02-7	
N-Nitroso-di-n-propylamine	<124	ug/kg	782	124	4	02/28/23 12:55	03/01/23 16:15	621-64-7	
N-Nitrosodiphenylamine	<206	ug/kg	782	206	4	02/28/23 12:55	03/01/23 16:15	86-30-6	
2,2'-Oxybis(1-chloropropane)	<202	ug/kg	782	202	4	02/28/23 12:55	03/01/23 16:15	108-60-1	
Pentachlorophenol	<172	ug/kg	782	172	4	02/28/23 12:55	03/01/23 16:15	87-86-5	
Phenanthrene	348J	ug/kg	782	100	4	02/28/23 12:55	03/01/23 16:15	85-01-8	
Phenol	<185	ug/kg	782	185	4	02/28/23 12:55	03/01/23 16:15	108-95-2	D3
Pyrene	788	ug/kg	782	173	4	02/28/23 12:55	03/01/23 16:15	129-00-0	
1,2,4-Trichlorobenzene	<88.4	ug/kg	782	88.4	4	02/28/23 12:55	03/01/23 16:15	120-82-1	
2,4,5-Trichlorophenol	<138	ug/kg	782	138	4	02/28/23 12:55	03/01/23 16:15	95-95-4	
2,4,6-Trichlorophenol	<119	ug/kg	782	119	4	02/28/23 12:55	03/01/23 16:15	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	53	%	10-125		4	02/28/23 12:55	03/01/23 16:15	4165-60-0	
2-Fluorobiphenyl (S)	62	%	12-118		4	02/28/23 12:55	03/01/23 16:15	321-60-8	
Terphenyl-d14 (S)	77	%	10-124		4	02/28/23 12:55	03/01/23 16:15	1718-51-0	
Phenol-d6 (S)	50	%	10-125		4	02/28/23 12:55	03/01/23 16:15	13127-88-3	
2-Fluorophenol (S)	48	%	10-130		4	02/28/23 12:55	03/01/23 16:15	367-12-4	
2,4,6-Tribromophenol (S)	57	%	10-144		4	02/28/23 12:55	03/01/23 16:15	118-79-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1C**      **Lab ID: 40258659003**      Collected: 02/24/23 08:40      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.0	ug/kg	26.8	16.0	1	02/27/23 07:30	02/27/23 13:52	71-43-2	
Bromobenzene	<26.1	ug/kg	67.0	26.1	1	02/27/23 07:30	02/27/23 13:52	108-86-1	
Bromochloromethane	<18.4	ug/kg	67.0	18.4	1	02/27/23 07:30	02/27/23 13:52	74-97-5	
Bromodichloromethane	<16.0	ug/kg	67.0	16.0	1	02/27/23 07:30	02/27/23 13:52	75-27-4	
Bromoform	<295	ug/kg	335	295	1	02/27/23 07:30	02/27/23 13:52	75-25-2	
Bromomethane	<94.0	ug/kg	335	94.0	1	02/27/23 07:30	02/27/23 13:52	74-83-9	
n-Butylbenzene	<30.7	ug/kg	67.0	30.7	1	02/27/23 07:30	02/27/23 13:52	104-51-8	
sec-Butylbenzene	<16.4	ug/kg	67.0	16.4	1	02/27/23 07:30	02/27/23 13:52	135-98-8	
tert-Butylbenzene	<21.0	ug/kg	67.0	21.0	1	02/27/23 07:30	02/27/23 13:52	98-06-6	
Carbon tetrachloride	<14.7	ug/kg	67.0	14.7	1	02/27/23 07:30	02/27/23 13:52	56-23-5	
Chlorobenzene	<8.0	ug/kg	67.0	8.0	1	02/27/23 07:30	02/27/23 13:52	108-90-7	
Chloroethane	<28.3	ug/kg	335	28.3	1	02/27/23 07:30	02/27/23 13:52	75-00-3	
Chloroform	<48.0	ug/kg	335	48.0	1	02/27/23 07:30	02/27/23 13:52	67-66-3	
Chloromethane	<25.5	ug/kg	67.0	25.5	1	02/27/23 07:30	02/27/23 13:52	74-87-3	
2-Chlorotoluene	<21.7	ug/kg	67.0	21.7	1	02/27/23 07:30	02/27/23 13:52	95-49-8	
4-Chlorotoluene	<25.5	ug/kg	67.0	25.5	1	02/27/23 07:30	02/27/23 13:52	106-43-4	
1,2-Dibromo-3-chloropropane	<52.0	ug/kg	335	52.0	1	02/27/23 07:30	02/27/23 13:52	96-12-8	
Dibromochloromethane	<229	ug/kg	335	229	1	02/27/23 07:30	02/27/23 13:52	124-48-1	
1,2-Dibromoethane (EDB)	<18.4	ug/kg	67.0	18.4	1	02/27/23 07:30	02/27/23 13:52	106-93-4	
Dibromomethane	<19.8	ug/kg	67.0	19.8	1	02/27/23 07:30	02/27/23 13:52	74-95-3	
1,2-Dichlorobenzene	<20.8	ug/kg	67.0	20.8	1	02/27/23 07:30	02/27/23 13:52	95-50-1	
1,3-Dichlorobenzene	<18.4	ug/kg	67.0	18.4	1	02/27/23 07:30	02/27/23 13:52	541-73-1	
1,4-Dichlorobenzene	<18.4	ug/kg	67.0	18.4	1	02/27/23 07:30	02/27/23 13:52	106-46-7	
Dichlorodifluoromethane	<28.8	ug/kg	67.0	28.8	1	02/27/23 07:30	02/27/23 13:52	75-71-8	
1,1-Dichloroethane	<17.2	ug/kg	67.0	17.2	1	02/27/23 07:30	02/27/23 13:52	75-34-3	
1,2-Dichloroethane	<15.4	ug/kg	67.0	15.4	1	02/27/23 07:30	02/27/23 13:52	107-06-2	
1,1-Dichloroethene	<22.3	ug/kg	67.0	22.3	1	02/27/23 07:30	02/27/23 13:52	75-35-4	
cis-1,2-Dichloroethene	<14.3	ug/kg	67.0	14.3	1	02/27/23 07:30	02/27/23 13:52	156-59-2	
trans-1,2-Dichloroethene	<14.5	ug/kg	67.0	14.5	1	02/27/23 07:30	02/27/23 13:52	156-60-5	
1,2-Dichloropropane	<16.0	ug/kg	67.0	16.0	1	02/27/23 07:30	02/27/23 13:52	78-87-5	
1,3-Dichloropropane	<14.6	ug/kg	67.0	14.6	1	02/27/23 07:30	02/27/23 13:52	142-28-9	
2,2-Dichloropropane	<18.1	ug/kg	67.0	18.1	1	02/27/23 07:30	02/27/23 13:52	594-20-7	
1,1-Dichloropropene	<21.7	ug/kg	67.0	21.7	1	02/27/23 07:30	02/27/23 13:52	563-58-6	
cis-1,3-Dichloropropene	<44.2	ug/kg	335	44.2	1	02/27/23 07:30	02/27/23 13:52	10061-01-5	
trans-1,3-Dichloropropene	<192	ug/kg	335	192	1	02/27/23 07:30	02/27/23 13:52	10061-02-6	
Diisopropyl ether	<16.6	ug/kg	67.0	16.6	1	02/27/23 07:30	02/27/23 13:52	108-20-3	
Ethylbenzene	<16.0	ug/kg	67.0	16.0	1	02/27/23 07:30	02/27/23 13:52	100-41-4	
Hexachloro-1,3-butadiene	<133	ug/kg	335	133	1	02/27/23 07:30	02/27/23 13:52	87-68-3	
Isopropylbenzene (Cumene)	<18.1	ug/kg	67.0	18.1	1	02/27/23 07:30	02/27/23 13:52	98-82-8	
p-Isopropyltoluene	<20.4	ug/kg	67.0	20.4	1	02/27/23 07:30	02/27/23 13:52	99-87-6	
Methylene Chloride	<18.6	ug/kg	67.0	18.6	1	02/27/23 07:30	02/27/23 13:52	75-09-2	
Methyl-tert-butyl ether	<19.7	ug/kg	67.0	19.7	1	02/27/23 07:30	02/27/23 13:52	1634-04-4	
Naphthalene	<20.9	ug/kg	335	20.9	1	02/27/23 07:30	02/27/23 13:52	91-20-3	
n-Propylbenzene	<16.1	ug/kg	67.0	16.1	1	02/27/23 07:30	02/27/23 13:52	103-65-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1C**      **Lab ID: 40258659003**      Collected: 02/24/23 08:40      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.2	ug/kg	67.0	17.2	1	02/27/23 07:30	02/27/23 13:52	100-42-5	
1,1,1,2-Tetrachloroethane	<16.1	ug/kg	67.0	16.1	1	02/27/23 07:30	02/27/23 13:52	630-20-6	
1,1,1,2-Tetrachloroethane	<24.3	ug/kg	67.0	24.3	1	02/27/23 07:30	02/27/23 13:52	79-34-5	
Tetrachloroethene	<26.0	ug/kg	67.0	26.0	1	02/27/23 07:30	02/27/23 13:52	127-18-4	
Toluene	<16.9	ug/kg	67.0	16.9	1	02/27/23 07:30	02/27/23 13:52	108-88-3	
1,2,3-Trichlorobenzene	<74.7	ug/kg	335	74.7	1	02/27/23 07:30	02/27/23 13:52	87-61-6	
1,2,4-Trichlorobenzene	<55.2	ug/kg	335	55.2	1	02/27/23 07:30	02/27/23 13:52	120-82-1	
1,1,1-Trichloroethane	<17.2	ug/kg	67.0	17.2	1	02/27/23 07:30	02/27/23 13:52	71-55-6	
1,1,2-Trichloroethane	<24.4	ug/kg	67.0	24.4	1	02/27/23 07:30	02/27/23 13:52	79-00-5	
Trichloroethene	<25.1	ug/kg	67.0	25.1	1	02/27/23 07:30	02/27/23 13:52	79-01-6	
Trichlorofluoromethane	<19.4	ug/kg	67.0	19.4	1	02/27/23 07:30	02/27/23 13:52	75-69-4	
1,2,3-Trichloropropane	<32.6	ug/kg	67.0	32.6	1	02/27/23 07:30	02/27/23 13:52	96-18-4	
1,2,4-Trimethylbenzene	<20.0	ug/kg	67.0	20.0	1	02/27/23 07:30	02/27/23 13:52	95-63-6	
1,3,5-Trimethylbenzene	<21.6	ug/kg	67.0	21.6	1	02/27/23 07:30	02/27/23 13:52	108-67-8	
Vinyl chloride	<13.5	ug/kg	67.0	13.5	1	02/27/23 07:30	02/27/23 13:52	75-01-4	
Xylene (Total)	<48.4	ug/kg	201	48.4	1	02/27/23 07:30	02/27/23 13:52	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	103	%	69-153		1	02/27/23 07:30	02/27/23 13:52	2037-26-5	
4-Bromofluorobenzene (S)	203	%	68-156		1	02/27/23 07:30	02/27/23 13:52	460-00-4	S3
1,2-Dichlorobenzene-d4 (S)	155	%	71-161		1	02/27/23 07:30	02/27/23 13:52	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.5	%	0.10	0.10	1		02/27/23 11:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 1D**      **Lab ID: 40258659004**      Collected: 02/24/23 08:45      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	3.3	mg/kg	3.1	1.8	1	03/01/23 06:06	03/01/23 15:06	7440-38-2	
Barium	104	mg/kg	0.61	0.18	1	03/01/23 06:06	03/01/23 15:06	7440-39-3	
Cadmium	0.67	mg/kg	0.61	0.16	1	03/01/23 06:06	03/01/23 15:06	7440-43-9	
Chromium	26.0	mg/kg	1.2	0.34	1	03/01/23 06:06	03/01/23 15:06	7440-47-3	
Lead	14.3	mg/kg	2.5	0.74	1	03/01/23 06:06	03/01/23 15:06	7439-92-1	
Selenium	<1.6	mg/kg	4.9	1.6	1	03/01/23 06:06	03/01/23 15:06	7782-49-2	
Silver	<0.38	mg/kg	1.2	0.38	1	03/01/23 06:06	03/01/23 15:06	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471    Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.053	mg/kg	0.039	0.011	1	03/08/23 08:45	03/09/23 10:15	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<294	ug/kg	829	294	4	02/28/23 12:55	03/01/23 13:46	83-32-9	
Acenaphthylene	<295	ug/kg	829	295	4	02/28/23 12:55	03/01/23 13:46	208-96-8	
Anthracene	<132	ug/kg	829	132	4	02/28/23 12:55	03/01/23 13:46	120-12-7	
Benzo(a)anthracene	<128	ug/kg	829	128	4	02/28/23 12:55	03/01/23 13:46	56-55-3	
Benzo(a)pyrene	<125	ug/kg	829	125	4	02/28/23 12:55	03/01/23 13:46	50-32-8	
Benzo(b)fluoranthene	<142	ug/kg	829	142	4	02/28/23 12:55	03/01/23 13:46	205-99-2	
Benzo(g,h,i)perylene	<217	ug/kg	829	217	4	02/28/23 12:55	03/01/23 13:46	191-24-2	
Benzo(k)fluoranthene	<198	ug/kg	829	198	4	02/28/23 12:55	03/01/23 13:46	207-08-9	
4-Bromophenylphenyl ether	<173	ug/kg	829	173	4	02/28/23 12:55	03/01/23 13:46	101-55-3	
Butylbenzylphthalate	<345	ug/kg	829	345	4	02/28/23 12:55	03/01/23 13:46	85-68-7	CH
Carbazole	<130	ug/kg	829	130	4	02/28/23 12:55	03/01/23 13:46	86-74-8	
4-Chloro-3-methylphenol	<258	ug/kg	829	258	4	02/28/23 12:55	03/01/23 13:46	59-50-7	
4-Chloroaniline	<136	ug/kg	829	136	4	02/28/23 12:55	03/01/23 13:46	106-47-8	
bis(2-Chloroethoxy)methane	<223	ug/kg	829	223	4	02/28/23 12:55	03/01/23 13:46	111-91-1	
bis(2-Chloroethyl) ether	<259	ug/kg	829	259	4	02/28/23 12:55	03/01/23 13:46	111-44-4	
2-Chloronaphthalene	<106	ug/kg	829	106	4	02/28/23 12:55	03/01/23 13:46	91-58-7	
2-Chlorophenol	<207	ug/kg	829	207	4	02/28/23 12:55	03/01/23 13:46	95-57-8	
4-Chlorophenylphenyl ether	<154	ug/kg	829	154	4	02/28/23 12:55	03/01/23 13:46	7005-72-3	
Chrysene	<124	ug/kg	829	124	4	02/28/23 12:55	03/01/23 13:46	218-01-9	
Dibenz(a,h)anthracene	<225	ug/kg	829	225	4	02/28/23 12:55	03/01/23 13:46	53-70-3	
Dibenzofuran	<100	ug/kg	829	100	4	02/28/23 12:55	03/01/23 13:46	132-64-9	
1,2-Dichlorobenzene	<260	ug/kg	829	260	4	02/28/23 12:55	03/01/23 13:46	95-50-1	
1,3-Dichlorobenzene	<115	ug/kg	829	115	4	02/28/23 12:55	03/01/23 13:46	541-73-1	
1,4-Dichlorobenzene	<115	ug/kg	829	115	4	02/28/23 12:55	03/01/23 13:46	106-46-7	
3,3'-Dichlorobenzidine	<225	ug/kg	829	225	4	02/28/23 12:55	03/01/23 13:46	91-94-1	
2,4-Dichlorophenol	<221	ug/kg	829	221	4	02/28/23 12:55	03/01/23 13:46	120-83-2	
Diethylphthalate	<137	ug/kg	829	137	4	02/28/23 12:55	03/01/23 13:46	84-66-2	
2,4-Dimethylphenol	<164	ug/kg	829	164	4	02/28/23 12:55	03/01/23 13:46	105-67-9	
Dimethylphthalate	<108	ug/kg	829	108	4	02/28/23 12:55	03/01/23 13:46	131-11-3	
Di-n-butylphthalate	<124	ug/kg	829	124	4	02/28/23 12:55	03/01/23 13:46	84-74-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 1D**      **Lab ID: 40258659004**      Collected: 02/24/23 08:45      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<255	ug/kg	829	255	4	02/28/23 12:55	03/01/23 13:46	534-52-1	
2,4-Dinitrophenol	<651	ug/kg	1640	651	4	02/28/23 12:55	03/01/23 13:46	51-28-5	
2,4-Dinitrotoluene	<118	ug/kg	829	118	4	02/28/23 12:55	03/01/23 13:46	121-14-2	
2,6-Dinitrotoluene	<157	ug/kg	829	157	4	02/28/23 12:55	03/01/23 13:46	606-20-2	
Di-n-octylphthalate	<186	ug/kg	829	186	4	02/28/23 12:55	03/01/23 13:46	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<283	ug/kg	829	283	4	02/28/23 12:55	03/01/23 13:46	117-81-7	CH
Fluoranthene	<117	ug/kg	829	117	4	02/28/23 12:55	03/01/23 13:46	206-44-0	
Fluorene	<96.8	ug/kg	829	96.8	4	02/28/23 12:55	03/01/23 13:46	86-73-7	
Hexachloro-1,3-butadiene	<211	ug/kg	829	211	4	02/28/23 12:55	03/01/23 13:46	87-68-3	
Hexachlorobenzene	<139	ug/kg	829	139	4	02/28/23 12:55	03/01/23 13:46	118-74-1	
Hexachlorocyclopentadiene	<196	ug/kg	829	196	4	02/28/23 12:55	03/01/23 13:46	77-47-4	
Hexachloroethane	<133	ug/kg	829	133	4	02/28/23 12:55	03/01/23 13:46	67-72-1	
Indeno(1,2,3-cd)pyrene	<179	ug/kg	829	179	4	02/28/23 12:55	03/01/23 13:46	193-39-5	
Isophorone	<127	ug/kg	829	127	4	02/28/23 12:55	03/01/23 13:46	78-59-1	
2-Methylnaphthalene	<215	ug/kg	829	215	4	02/28/23 12:55	03/01/23 13:46	91-57-6	
2-Methylphenol(o-Cresol)	<150	ug/kg	829	150	4	02/28/23 12:55	03/01/23 13:46	95-48-7	
3&4-Methylphenol(m&p Cresol)	<152	ug/kg	829	152	4	02/28/23 12:55	03/01/23 13:46		
Naphthalene	<290	ug/kg	829	290	4	02/28/23 12:55	03/01/23 13:46	91-20-3	
2-Nitroaniline	<236	ug/kg	829	236	4	02/28/23 12:55	03/01/23 13:46	88-74-4	
3-Nitroaniline	<141	ug/kg	829	141	4	02/28/23 12:55	03/01/23 13:46	99-09-2	
4-Nitroaniline	<344	ug/kg	829	344	4	02/28/23 12:55	03/01/23 13:46	100-01-6	
Nitrobenzene	<168	ug/kg	829	168	4	02/28/23 12:55	03/01/23 13:46	98-95-3	
2-Nitrophenol	<261	ug/kg	829	261	4	02/28/23 12:55	03/01/23 13:46	88-75-5	
4-Nitrophenol	<209	ug/kg	829	209	4	02/28/23 12:55	03/01/23 13:46	100-02-7	
N-Nitroso-di-n-propylamine	<131	ug/kg	829	131	4	02/28/23 12:55	03/01/23 13:46	621-64-7	
N-Nitrosodiphenylamine	<218	ug/kg	829	218	4	02/28/23 12:55	03/01/23 13:46	86-30-6	
2,2'-Oxybis(1-chloropropane)	<214	ug/kg	829	214	4	02/28/23 12:55	03/01/23 13:46	108-60-1	
Pentachlorophenol	<182	ug/kg	829	182	4	02/28/23 12:55	03/01/23 13:46	87-86-5	
Phenanthrene	<106	ug/kg	829	106	4	02/28/23 12:55	03/01/23 13:46	85-01-8	
Phenol	<197	ug/kg	829	197	4	02/28/23 12:55	03/01/23 13:46	108-95-2	D3
Pyrene	<184	ug/kg	829	184	4	02/28/23 12:55	03/01/23 13:46	129-00-0	
1,2,4-Trichlorobenzene	<93.6	ug/kg	829	93.6	4	02/28/23 12:55	03/01/23 13:46	120-82-1	
2,4,5-Trichlorophenol	<146	ug/kg	829	146	4	02/28/23 12:55	03/01/23 13:46	95-95-4	
2,4,6-Trichlorophenol	<126	ug/kg	829	126	4	02/28/23 12:55	03/01/23 13:46	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	63	%	10-125		4	02/28/23 12:55	03/01/23 13:46	4165-60-0	
2-Fluorobiphenyl (S)	59	%	12-118		4	02/28/23 12:55	03/01/23 13:46	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		4	02/28/23 12:55	03/01/23 13:46	1718-51-0	
Phenol-d6 (S)	51	%	10-125		4	02/28/23 12:55	03/01/23 13:46	13127-88-3	
2-Fluorophenol (S)	49	%	10-130		4	02/28/23 12:55	03/01/23 13:46	367-12-4	
2,4,6-Tribromophenol (S)	64	%	10-144		4	02/28/23 12:55	03/01/23 13:46	118-79-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1D**      **Lab ID: 40258659004**      Collected: 02/24/23 08:45      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.7	ug/kg	29.7	17.7	1	02/27/23 07:30	02/27/23 14:12	71-43-2	
Bromobenzene	<28.9	ug/kg	74.2	28.9	1	02/27/23 07:30	02/27/23 14:12	108-86-1	
Bromochloromethane	<20.3	ug/kg	74.2	20.3	1	02/27/23 07:30	02/27/23 14:12	74-97-5	
Bromodichloromethane	<17.7	ug/kg	74.2	17.7	1	02/27/23 07:30	02/27/23 14:12	75-27-4	
Bromoform	<326	ug/kg	371	326	1	02/27/23 07:30	02/27/23 14:12	75-25-2	
Bromomethane	<104	ug/kg	371	104	1	02/27/23 07:30	02/27/23 14:12	74-83-9	
n-Butylbenzene	<34.0	ug/kg	74.2	34.0	1	02/27/23 07:30	02/27/23 14:12	104-51-8	
sec-Butylbenzene	<18.1	ug/kg	74.2	18.1	1	02/27/23 07:30	02/27/23 14:12	135-98-8	
tert-Butylbenzene	<23.3	ug/kg	74.2	23.3	1	02/27/23 07:30	02/27/23 14:12	98-06-6	
Carbon tetrachloride	<16.3	ug/kg	74.2	16.3	1	02/27/23 07:30	02/27/23 14:12	56-23-5	
Chlorobenzene	<8.9	ug/kg	74.2	8.9	1	02/27/23 07:30	02/27/23 14:12	108-90-7	
Chloroethane	<31.3	ug/kg	371	31.3	1	02/27/23 07:30	02/27/23 14:12	75-00-3	
Chloroform	<53.1	ug/kg	371	53.1	1	02/27/23 07:30	02/27/23 14:12	67-66-3	
Chloromethane	<28.2	ug/kg	74.2	28.2	1	02/27/23 07:30	02/27/23 14:12	74-87-3	
2-Chlorotoluene	<24.0	ug/kg	74.2	24.0	1	02/27/23 07:30	02/27/23 14:12	95-49-8	
4-Chlorotoluene	<28.2	ug/kg	74.2	28.2	1	02/27/23 07:30	02/27/23 14:12	106-43-4	
1,2-Dibromo-3-chloropropane	<57.6	ug/kg	371	57.6	1	02/27/23 07:30	02/27/23 14:12	96-12-8	
Dibromochloromethane	<253	ug/kg	371	253	1	02/27/23 07:30	02/27/23 14:12	124-48-1	
1,2-Dibromoethane (EDB)	<20.3	ug/kg	74.2	20.3	1	02/27/23 07:30	02/27/23 14:12	106-93-4	
Dibromomethane	<22.0	ug/kg	74.2	22.0	1	02/27/23 07:30	02/27/23 14:12	74-95-3	
1,2-Dichlorobenzene	<23.0	ug/kg	74.2	23.0	1	02/27/23 07:30	02/27/23 14:12	95-50-1	
1,3-Dichlorobenzene	<20.3	ug/kg	74.2	20.3	1	02/27/23 07:30	02/27/23 14:12	541-73-1	
1,4-Dichlorobenzene	<20.3	ug/kg	74.2	20.3	1	02/27/23 07:30	02/27/23 14:12	106-46-7	
Dichlorodifluoromethane	<31.9	ug/kg	74.2	31.9	1	02/27/23 07:30	02/27/23 14:12	75-71-8	
1,1-Dichloroethane	<19.0	ug/kg	74.2	19.0	1	02/27/23 07:30	02/27/23 14:12	75-34-3	
1,2-Dichloroethane	<17.1	ug/kg	74.2	17.1	1	02/27/23 07:30	02/27/23 14:12	107-06-2	
1,1-Dichloroethene	<24.6	ug/kg	74.2	24.6	1	02/27/23 07:30	02/27/23 14:12	75-35-4	
cis-1,2-Dichloroethene	<15.9	ug/kg	74.2	15.9	1	02/27/23 07:30	02/27/23 14:12	156-59-2	
trans-1,2-Dichloroethene	<16.0	ug/kg	74.2	16.0	1	02/27/23 07:30	02/27/23 14:12	156-60-5	
1,2-Dichloropropane	<17.7	ug/kg	74.2	17.7	1	02/27/23 07:30	02/27/23 14:12	78-87-5	
1,3-Dichloropropane	<16.2	ug/kg	74.2	16.2	1	02/27/23 07:30	02/27/23 14:12	142-28-9	
2,2-Dichloropropane	<20.0	ug/kg	74.2	20.0	1	02/27/23 07:30	02/27/23 14:12	594-20-7	
1,1-Dichloropropene	<24.0	ug/kg	74.2	24.0	1	02/27/23 07:30	02/27/23 14:12	563-58-6	
cis-1,3-Dichloropropene	<48.9	ug/kg	371	48.9	1	02/27/23 07:30	02/27/23 14:12	10061-01-5	
trans-1,3-Dichloropropene	<212	ug/kg	371	212	1	02/27/23 07:30	02/27/23 14:12	10061-02-6	
Diisopropyl ether	<18.4	ug/kg	74.2	18.4	1	02/27/23 07:30	02/27/23 14:12	108-20-3	
Ethylbenzene	<17.7	ug/kg	74.2	17.7	1	02/27/23 07:30	02/27/23 14:12	100-41-4	
Hexachloro-1,3-butadiene	<147	ug/kg	371	147	1	02/27/23 07:30	02/27/23 14:12	87-68-3	
Isopropylbenzene (Cumene)	<20.0	ug/kg	74.2	20.0	1	02/27/23 07:30	02/27/23 14:12	98-82-8	
p-Isopropyltoluene	<22.5	ug/kg	74.2	22.5	1	02/27/23 07:30	02/27/23 14:12	99-87-6	
Methylene Chloride	<20.6	ug/kg	74.2	20.6	1	02/27/23 07:30	02/27/23 14:12	75-09-2	
Methyl-tert-butyl ether	<21.8	ug/kg	74.2	21.8	1	02/27/23 07:30	02/27/23 14:12	1634-04-4	
Naphthalene	<23.1	ug/kg	371	23.1	1	02/27/23 07:30	02/27/23 14:12	91-20-3	
n-Propylbenzene	<17.8	ug/kg	74.2	17.8	1	02/27/23 07:30	02/27/23 14:12	103-65-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 1D**      **Lab ID: 40258659004**      Collected: 02/24/23 08:45      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<19.0	ug/kg	74.2	19.0	1	02/27/23 07:30	02/27/23 14:12	100-42-5	
1,1,1,2-Tetrachloroethane	<17.8	ug/kg	74.2	17.8	1	02/27/23 07:30	02/27/23 14:12	630-20-6	
1,1,1,2-Tetrachloroethane	<26.8	ug/kg	74.2	26.8	1	02/27/23 07:30	02/27/23 14:12	79-34-5	
Tetrachloroethene	<28.8	ug/kg	74.2	28.8	1	02/27/23 07:30	02/27/23 14:12	127-18-4	
Toluene	<18.7	ug/kg	74.2	18.7	1	02/27/23 07:30	02/27/23 14:12	108-88-3	
1,2,3-Trichlorobenzene	<82.6	ug/kg	371	82.6	1	02/27/23 07:30	02/27/23 14:12	87-61-6	
1,2,4-Trichlorobenzene	<61.1	ug/kg	371	61.1	1	02/27/23 07:30	02/27/23 14:12	120-82-1	
1,1,1-Trichloroethane	<19.0	ug/kg	74.2	19.0	1	02/27/23 07:30	02/27/23 14:12	71-55-6	
1,1,2-Trichloroethane	<27.0	ug/kg	74.2	27.0	1	02/27/23 07:30	02/27/23 14:12	79-00-5	
Trichloroethene	<27.7	ug/kg	74.2	27.7	1	02/27/23 07:30	02/27/23 14:12	79-01-6	
Trichlorofluoromethane	<21.5	ug/kg	74.2	21.5	1	02/27/23 07:30	02/27/23 14:12	75-69-4	
1,2,3-Trichloropropane	<36.0	ug/kg	74.2	36.0	1	02/27/23 07:30	02/27/23 14:12	96-18-4	
1,2,4-Trimethylbenzene	<22.1	ug/kg	74.2	22.1	1	02/27/23 07:30	02/27/23 14:12	95-63-6	
1,3,5-Trimethylbenzene	<23.9	ug/kg	74.2	23.9	1	02/27/23 07:30	02/27/23 14:12	108-67-8	
Vinyl chloride	<15.0	ug/kg	74.2	15.0	1	02/27/23 07:30	02/27/23 14:12	75-01-4	
Xylene (Total)	<53.5	ug/kg	222	53.5	1	02/27/23 07:30	02/27/23 14:12	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	169	%	69-153		1	02/27/23 07:30	02/27/23 14:12	2037-26-5	S3
4-Bromofluorobenzene (S)	182	%	68-156		1	02/27/23 07:30	02/27/23 14:12	460-00-4	S3
1,2-Dichlorobenzene-d4 (S)	142	%	71-161		1	02/27/23 07:30	02/27/23 14:12	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.5	%	0.10	0.10	1		02/27/23 11:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2A**      **Lab ID: 40258659005**      Collected: 02/24/23 11:05      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	11.8	mg/kg	3.1	1.8	1	03/01/23 06:06	03/01/23 15:12	7440-38-2	
Barium	70.8	mg/kg	0.63	0.19	1	03/01/23 06:06	03/01/23 15:12	7440-39-3	
Cadmium	0.19J	mg/kg	0.63	0.17	1	03/01/23 06:06	03/01/23 15:12	7440-43-9	
Chromium	19.1	mg/kg	1.3	0.35	1	03/01/23 06:06	03/01/23 15:12	7440-47-3	
Lead	10.4	mg/kg	2.5	0.75	1	03/01/23 06:06	03/01/23 15:12	7439-92-1	
Selenium	<1.6	mg/kg	5.0	1.6	1	03/01/23 06:06	03/01/23 15:12	7782-49-2	
Silver	<0.38	mg/kg	1.3	0.38	1	03/01/23 06:06	03/01/23 15:12	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471    Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.025J	mg/kg	0.044	0.013	1	03/08/23 08:45	03/09/23 10:22	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<300	ug/kg	847	300	4	02/28/23 12:55	03/01/23 17:19	83-32-9	
Acenaphthylene	<302	ug/kg	847	302	4	02/28/23 12:55	03/01/23 17:19	208-96-8	
Anthracene	<135	ug/kg	847	135	4	02/28/23 12:55	03/01/23 17:19	120-12-7	
Benzo(a)anthracene	<131	ug/kg	847	131	4	02/28/23 12:55	03/01/23 17:19	56-55-3	
Benzo(a)pyrene	<127	ug/kg	847	127	4	02/28/23 12:55	03/01/23 17:19	50-32-8	
Benzo(b)fluoranthene	<145	ug/kg	847	145	4	02/28/23 12:55	03/01/23 17:19	205-99-2	
Benzo(g,h,i)perylene	<221	ug/kg	847	221	4	02/28/23 12:55	03/01/23 17:19	191-24-2	
Benzo(k)fluoranthene	<203	ug/kg	847	203	4	02/28/23 12:55	03/01/23 17:19	207-08-9	
4-Bromophenylphenyl ether	<177	ug/kg	847	177	4	02/28/23 12:55	03/01/23 17:19	101-55-3	
Butylbenzylphthalate	<352	ug/kg	847	352	4	02/28/23 12:55	03/01/23 17:19	85-68-7	CH
Carbazole	<132	ug/kg	847	132	4	02/28/23 12:55	03/01/23 17:19	86-74-8	
4-Chloro-3-methylphenol	<263	ug/kg	847	263	4	02/28/23 12:55	03/01/23 17:19	59-50-7	
4-Chloroaniline	<139	ug/kg	847	139	4	02/28/23 12:55	03/01/23 17:19	106-47-8	
bis(2-Chloroethoxy)methane	<228	ug/kg	847	228	4	02/28/23 12:55	03/01/23 17:19	111-91-1	
bis(2-Chloroethyl) ether	<264	ug/kg	847	264	4	02/28/23 12:55	03/01/23 17:19	111-44-4	
2-Chloronaphthalene	<109	ug/kg	847	109	4	02/28/23 12:55	03/01/23 17:19	91-58-7	
2-Chlorophenol	<211	ug/kg	847	211	4	02/28/23 12:55	03/01/23 17:19	95-57-8	
4-Chlorophenylphenyl ether	<158	ug/kg	847	158	4	02/28/23 12:55	03/01/23 17:19	7005-72-3	
Chrysene	<127	ug/kg	847	127	4	02/28/23 12:55	03/01/23 17:19	218-01-9	
Dibenz(a,h)anthracene	<230	ug/kg	847	230	4	02/28/23 12:55	03/01/23 17:19	53-70-3	
Dibenzofuran	<102	ug/kg	847	102	4	02/28/23 12:55	03/01/23 17:19	132-64-9	
1,2-Dichlorobenzene	<266	ug/kg	847	266	4	02/28/23 12:55	03/01/23 17:19	95-50-1	
1,3-Dichlorobenzene	<117	ug/kg	847	117	4	02/28/23 12:55	03/01/23 17:19	541-73-1	
1,4-Dichlorobenzene	<118	ug/kg	847	118	4	02/28/23 12:55	03/01/23 17:19	106-46-7	
3,3'-Dichlorobenzidine	<230	ug/kg	847	230	4	02/28/23 12:55	03/01/23 17:19	91-94-1	
2,4-Dichlorophenol	<226	ug/kg	847	226	4	02/28/23 12:55	03/01/23 17:19	120-83-2	
Diethylphthalate	<140	ug/kg	847	140	4	02/28/23 12:55	03/01/23 17:19	84-66-2	
2,4-Dimethylphenol	<167	ug/kg	847	167	4	02/28/23 12:55	03/01/23 17:19	105-67-9	
Dimethylphthalate	<110	ug/kg	847	110	4	02/28/23 12:55	03/01/23 17:19	131-11-3	
Di-n-butylphthalate	<126	ug/kg	847	126	4	02/28/23 12:55	03/01/23 17:19	84-74-2	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2A**      **Lab ID: 40258659005**      Collected: 02/24/23 11:05      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<261	ug/kg	847	261	4	02/28/23 12:55	03/01/23 17:19	534-52-1	
2,4-Dinitrophenol	<665	ug/kg	1670	665	4	02/28/23 12:55	03/01/23 17:19	51-28-5	
2,4-Dinitrotoluene	<121	ug/kg	847	121	4	02/28/23 12:55	03/01/23 17:19	121-14-2	
2,6-Dinitrotoluene	<161	ug/kg	847	161	4	02/28/23 12:55	03/01/23 17:19	606-20-2	
Di-n-octylphthalate	<190	ug/kg	847	190	4	02/28/23 12:55	03/01/23 17:19	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<289	ug/kg	847	289	4	02/28/23 12:55	03/01/23 17:19	117-81-7	CH
Fluoranthene	<120	ug/kg	847	120	4	02/28/23 12:55	03/01/23 17:19	206-44-0	
Fluorene	<98.9	ug/kg	847	98.9	4	02/28/23 12:55	03/01/23 17:19	86-73-7	
Hexachloro-1,3-butadiene	<216	ug/kg	847	216	4	02/28/23 12:55	03/01/23 17:19	87-68-3	
Hexachlorobenzene	<142	ug/kg	847	142	4	02/28/23 12:55	03/01/23 17:19	118-74-1	
Hexachlorocyclopentadiene	<200	ug/kg	847	200	4	02/28/23 12:55	03/01/23 17:19	77-47-4	
Hexachloroethane	<135	ug/kg	847	135	4	02/28/23 12:55	03/01/23 17:19	67-72-1	
Indeno(1,2,3-cd)pyrene	<183	ug/kg	847	183	4	02/28/23 12:55	03/01/23 17:19	193-39-5	
Isophorone	<130	ug/kg	847	130	4	02/28/23 12:55	03/01/23 17:19	78-59-1	
2-Methylnaphthalene	<220	ug/kg	847	220	4	02/28/23 12:55	03/01/23 17:19	91-57-6	
2-Methylphenol(o-Cresol)	<154	ug/kg	847	154	4	02/28/23 12:55	03/01/23 17:19	95-48-7	
3&4-Methylphenol(m&p Cresol)	<155	ug/kg	847	155	4	02/28/23 12:55	03/01/23 17:19		
Naphthalene	<296	ug/kg	847	296	4	02/28/23 12:55	03/01/23 17:19	91-20-3	
2-Nitroaniline	<241	ug/kg	847	241	4	02/28/23 12:55	03/01/23 17:19	88-74-4	
3-Nitroaniline	<144	ug/kg	847	144	4	02/28/23 12:55	03/01/23 17:19	99-09-2	
4-Nitroaniline	<351	ug/kg	847	351	4	02/28/23 12:55	03/01/23 17:19	100-01-6	
Nitrobenzene	<172	ug/kg	847	172	4	02/28/23 12:55	03/01/23 17:19	98-95-3	
2-Nitrophenol	<267	ug/kg	847	267	4	02/28/23 12:55	03/01/23 17:19	88-75-5	
4-Nitrophenol	<213	ug/kg	847	213	4	02/28/23 12:55	03/01/23 17:19	100-02-7	
N-Nitroso-di-n-propylamine	<134	ug/kg	847	134	4	02/28/23 12:55	03/01/23 17:19	621-64-7	
N-Nitrosodiphenylamine	<223	ug/kg	847	223	4	02/28/23 12:55	03/01/23 17:19	86-30-6	
2,2'-Oxybis(1-chloropropane)	<218	ug/kg	847	218	4	02/28/23 12:55	03/01/23 17:19	108-60-1	
Pentachlorophenol	<186	ug/kg	847	186	4	02/28/23 12:55	03/01/23 17:19	87-86-5	
Phenanthrene	<109	ug/kg	847	109	4	02/28/23 12:55	03/01/23 17:19	85-01-8	
Phenol	<201	ug/kg	847	201	4	02/28/23 12:55	03/01/23 17:19	108-95-2	D3
Pyrene	<188	ug/kg	847	188	4	02/28/23 12:55	03/01/23 17:19	129-00-0	
1,2,4-Trichlorobenzene	<95.7	ug/kg	847	95.7	4	02/28/23 12:55	03/01/23 17:19	120-82-1	
2,4,5-Trichlorophenol	<149	ug/kg	847	149	4	02/28/23 12:55	03/01/23 17:19	95-95-4	
2,4,6-Trichlorophenol	<129	ug/kg	847	129	4	02/28/23 12:55	03/01/23 17:19	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	59	%	10-125		4	02/28/23 12:55	03/01/23 17:19	4165-60-0	
2-Fluorobiphenyl (S)	64	%	12-118		4	02/28/23 12:55	03/01/23 17:19	321-60-8	
Terphenyl-d14 (S)	71	%	10-124		4	02/28/23 12:55	03/01/23 17:19	1718-51-0	
Phenol-d6 (S)	54	%	10-125		4	02/28/23 12:55	03/01/23 17:19	13127-88-3	
2-Fluorophenol (S)	59	%	10-130		4	02/28/23 12:55	03/01/23 17:19	367-12-4	
2,4,6-Tribromophenol (S)	66	%	10-144		4	02/28/23 12:55	03/01/23 17:19	118-79-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2A**      **Lab ID: 40258659005**      Collected: 02/24/23 11:05      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<18.3	ug/kg	30.7	18.3	1	02/27/23 07:30	02/27/23 14:32	71-43-2	
Bromobenzene	<29.9	ug/kg	76.8	29.9	1	02/27/23 07:30	02/27/23 14:32	108-86-1	
Bromochloromethane	<21.0	ug/kg	76.8	21.0	1	02/27/23 07:30	02/27/23 14:32	74-97-5	
Bromodichloromethane	<18.3	ug/kg	76.8	18.3	1	02/27/23 07:30	02/27/23 14:32	75-27-4	
Bromoform	<338	ug/kg	384	338	1	02/27/23 07:30	02/27/23 14:32	75-25-2	
Bromomethane	<108	ug/kg	384	108	1	02/27/23 07:30	02/27/23 14:32	74-83-9	
n-Butylbenzene	<35.2	ug/kg	76.8	35.2	1	02/27/23 07:30	02/27/23 14:32	104-51-8	
sec-Butylbenzene	<18.7	ug/kg	76.8	18.7	1	02/27/23 07:30	02/27/23 14:32	135-98-8	
tert-Butylbenzene	<24.1	ug/kg	76.8	24.1	1	02/27/23 07:30	02/27/23 14:32	98-06-6	
Carbon tetrachloride	<16.9	ug/kg	76.8	16.9	1	02/27/23 07:30	02/27/23 14:32	56-23-5	
Chlorobenzene	<9.2	ug/kg	76.8	9.2	1	02/27/23 07:30	02/27/23 14:32	108-90-7	
Chloroethane	<32.4	ug/kg	384	32.4	1	02/27/23 07:30	02/27/23 14:32	75-00-3	
Chloroform	<55.0	ug/kg	384	55.0	1	02/27/23 07:30	02/27/23 14:32	67-66-3	
Chloromethane	<29.2	ug/kg	76.8	29.2	1	02/27/23 07:30	02/27/23 14:32	74-87-3	
2-Chlorotoluene	<24.9	ug/kg	76.8	24.9	1	02/27/23 07:30	02/27/23 14:32	95-49-8	
4-Chlorotoluene	<29.2	ug/kg	76.8	29.2	1	02/27/23 07:30	02/27/23 14:32	106-43-4	
1,2-Dibromo-3-chloropropane	<59.6	ug/kg	384	59.6	1	02/27/23 07:30	02/27/23 14:32	96-12-8	
Dibromochloromethane	<262	ug/kg	384	262	1	02/27/23 07:30	02/27/23 14:32	124-48-1	
1,2-Dibromoethane (EDB)	<21.0	ug/kg	76.8	21.0	1	02/27/23 07:30	02/27/23 14:32	106-93-4	
Dibromomethane	<22.7	ug/kg	76.8	22.7	1	02/27/23 07:30	02/27/23 14:32	74-95-3	
1,2-Dichlorobenzene	<23.8	ug/kg	76.8	23.8	1	02/27/23 07:30	02/27/23 14:32	95-50-1	
1,3-Dichlorobenzene	<21.0	ug/kg	76.8	21.0	1	02/27/23 07:30	02/27/23 14:32	541-73-1	
1,4-Dichlorobenzene	<21.0	ug/kg	76.8	21.0	1	02/27/23 07:30	02/27/23 14:32	106-46-7	
Dichlorodifluoromethane	<33.0	ug/kg	76.8	33.0	1	02/27/23 07:30	02/27/23 14:32	75-71-8	
1,1-Dichloroethane	<19.6	ug/kg	76.8	19.6	1	02/27/23 07:30	02/27/23 14:32	75-34-3	
1,2-Dichloroethane	<17.7	ug/kg	76.8	17.7	1	02/27/23 07:30	02/27/23 14:32	107-06-2	
1,1-Dichloroethene	<25.5	ug/kg	76.8	25.5	1	02/27/23 07:30	02/27/23 14:32	75-35-4	
cis-1,2-Dichloroethene	<16.4	ug/kg	76.8	16.4	1	02/27/23 07:30	02/27/23 14:32	156-59-2	
trans-1,2-Dichloroethene	<16.6	ug/kg	76.8	16.6	1	02/27/23 07:30	02/27/23 14:32	156-60-5	
1,2-Dichloropropane	<18.3	ug/kg	76.8	18.3	1	02/27/23 07:30	02/27/23 14:32	78-87-5	
1,3-Dichloropropane	<16.7	ug/kg	76.8	16.7	1	02/27/23 07:30	02/27/23 14:32	142-28-9	
2,2-Dichloropropane	<20.7	ug/kg	76.8	20.7	1	02/27/23 07:30	02/27/23 14:32	594-20-7	
1,1-Dichloropropene	<24.9	ug/kg	76.8	24.9	1	02/27/23 07:30	02/27/23 14:32	563-58-6	
cis-1,3-Dichloropropene	<50.7	ug/kg	384	50.7	1	02/27/23 07:30	02/27/23 14:32	10061-01-5	
trans-1,3-Dichloropropene	<220	ug/kg	384	220	1	02/27/23 07:30	02/27/23 14:32	10061-02-6	
Diisopropyl ether	<19.0	ug/kg	76.8	19.0	1	02/27/23 07:30	02/27/23 14:32	108-20-3	
Ethylbenzene	<18.3	ug/kg	76.8	18.3	1	02/27/23 07:30	02/27/23 14:32	100-41-4	
Hexachloro-1,3-butadiene	<153	ug/kg	384	153	1	02/27/23 07:30	02/27/23 14:32	87-68-3	
Isopropylbenzene (Cumene)	<20.7	ug/kg	76.8	20.7	1	02/27/23 07:30	02/27/23 14:32	98-82-8	
p-Isopropyltoluene	<23.3	ug/kg	76.8	23.3	1	02/27/23 07:30	02/27/23 14:32	99-87-6	
Methylene Chloride	<21.3	ug/kg	76.8	21.3	1	02/27/23 07:30	02/27/23 14:32	75-09-2	
Methyl-tert-butyl ether	<22.6	ug/kg	76.8	22.6	1	02/27/23 07:30	02/27/23 14:32	1634-04-4	
Naphthalene	<23.9	ug/kg	384	23.9	1	02/27/23 07:30	02/27/23 14:32	91-20-3	
n-Propylbenzene	<18.4	ug/kg	76.8	18.4	1	02/27/23 07:30	02/27/23 14:32	103-65-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2A**      **Lab ID: 40258659005**      Collected: 02/24/23 11:05      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<19.6	ug/kg	76.8	19.6	1	02/27/23 07:30	02/27/23 14:32	100-42-5	
1,1,1,2-Tetrachloroethane	<18.4	ug/kg	76.8	18.4	1	02/27/23 07:30	02/27/23 14:32	630-20-6	
1,1,1,2-Tetrachloroethane	<27.8	ug/kg	76.8	27.8	1	02/27/23 07:30	02/27/23 14:32	79-34-5	
Tetrachloroethene	<29.8	ug/kg	76.8	29.8	1	02/27/23 07:30	02/27/23 14:32	127-18-4	
Toluene	<19.3	ug/kg	76.8	19.3	1	02/27/23 07:30	02/27/23 14:32	108-88-3	
1,2,3-Trichlorobenzene	<85.5	ug/kg	384	85.5	1	02/27/23 07:30	02/27/23 14:32	87-61-6	
1,2,4-Trichlorobenzene	<63.2	ug/kg	384	63.2	1	02/27/23 07:30	02/27/23 14:32	120-82-1	
1,1,1-Trichloroethane	<19.6	ug/kg	76.8	19.6	1	02/27/23 07:30	02/27/23 14:32	71-55-6	
1,1,2-Trichloroethane	<27.9	ug/kg	76.8	27.9	1	02/27/23 07:30	02/27/23 14:32	79-00-5	
Trichloroethene	<28.7	ug/kg	76.8	28.7	1	02/27/23 07:30	02/27/23 14:32	79-01-6	
Trichlorofluoromethane	<22.3	ug/kg	76.8	22.3	1	02/27/23 07:30	02/27/23 14:32	75-69-4	
1,2,3-Trichloropropane	<37.3	ug/kg	76.8	37.3	1	02/27/23 07:30	02/27/23 14:32	96-18-4	
1,2,4-Trimethylbenzene	<22.9	ug/kg	76.8	22.9	1	02/27/23 07:30	02/27/23 14:32	95-63-6	
1,3,5-Trimethylbenzene	<24.7	ug/kg	76.8	24.7	1	02/27/23 07:30	02/27/23 14:32	108-67-8	
Vinyl chloride	<15.5	ug/kg	76.8	15.5	1	02/27/23 07:30	02/27/23 14:32	75-01-4	
Xylene (Total)	<55.4	ug/kg	230	55.4	1	02/27/23 07:30	02/27/23 14:32	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	90	%	69-153		1	02/27/23 07:30	02/27/23 14:32	2037-26-5	
4-Bromofluorobenzene (S)	127	%	68-156		1	02/27/23 07:30	02/27/23 14:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	130	%	71-161		1	02/27/23 07:30	02/27/23 14:32	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.1	%	0.10	0.10	1		02/27/23 11:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659006**      Collected: 02/24/23 11:10      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	6.3	mg/kg	2.9	1.7	1	03/01/23 06:06	03/01/23 15:14	7440-38-2	
Barium	109	mg/kg	0.59	0.18	1	03/01/23 06:06	03/01/23 15:14	7440-39-3	
Cadmium	<0.16	mg/kg	0.59	0.16	1	03/01/23 06:06	03/01/23 15:14	7440-43-9	
Chromium	27.7	mg/kg	1.2	0.33	1	03/01/23 06:06	03/01/23 15:14	7440-47-3	
Lead	13.6	mg/kg	2.3	0.70	1	03/01/23 06:06	03/01/23 15:14	7439-92-1	
Selenium	<1.5	mg/kg	4.7	1.5	1	03/01/23 06:06	03/01/23 15:14	7782-49-2	
Silver	<0.36	mg/kg	1.2	0.36	1	03/01/23 06:06	03/01/23 15:14	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471    Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.048	mg/kg	0.041	0.012	1	03/08/23 08:45	03/09/23 10:24	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<286	ug/kg	806	286	4	02/28/23 12:55	03/01/23 16:36	83-32-9	
Acenaphthylene	<288	ug/kg	806	288	4	02/28/23 12:55	03/01/23 16:36	208-96-8	
Anthracene	<129	ug/kg	806	129	4	02/28/23 12:55	03/01/23 16:36	120-12-7	
Benzo(a)anthracene	<125	ug/kg	806	125	4	02/28/23 12:55	03/01/23 16:36	56-55-3	
Benzo(a)pyrene	<121	ug/kg	806	121	4	02/28/23 12:55	03/01/23 16:36	50-32-8	
Benzo(b)fluoranthene	<138	ug/kg	806	138	4	02/28/23 12:55	03/01/23 16:36	205-99-2	
Benzo(g,h,i)perylene	<211	ug/kg	806	211	4	02/28/23 12:55	03/01/23 16:36	191-24-2	
Benzo(k)fluoranthene	<193	ug/kg	806	193	4	02/28/23 12:55	03/01/23 16:36	207-08-9	
4-Bromophenylphenyl ether	<169	ug/kg	806	169	4	02/28/23 12:55	03/01/23 16:36	101-55-3	
Butylbenzylphthalate	<335	ug/kg	806	335	4	02/28/23 12:55	03/01/23 16:36	85-68-7	CH
Carbazole	<126	ug/kg	806	126	4	02/28/23 12:55	03/01/23 16:36	86-74-8	
4-Chloro-3-methylphenol	<251	ug/kg	806	251	4	02/28/23 12:55	03/01/23 16:36	59-50-7	
4-Chloroaniline	<132	ug/kg	806	132	4	02/28/23 12:55	03/01/23 16:36	106-47-8	
bis(2-Chloroethoxy)methane	<217	ug/kg	806	217	4	02/28/23 12:55	03/01/23 16:36	111-91-1	
bis(2-Chloroethyl) ether	<252	ug/kg	806	252	4	02/28/23 12:55	03/01/23 16:36	111-44-4	
2-Chloronaphthalene	<103	ug/kg	806	103	4	02/28/23 12:55	03/01/23 16:36	91-58-7	
2-Chlorophenol	<201	ug/kg	806	201	4	02/28/23 12:55	03/01/23 16:36	95-57-8	
4-Chlorophenylphenyl ether	<150	ug/kg	806	150	4	02/28/23 12:55	03/01/23 16:36	7005-72-3	
Chrysene	<121	ug/kg	806	121	4	02/28/23 12:55	03/01/23 16:36	218-01-9	
Dibenz(a,h)anthracene	<219	ug/kg	806	219	4	02/28/23 12:55	03/01/23 16:36	53-70-3	
Dibenzofuran	<97.6	ug/kg	806	97.6	4	02/28/23 12:55	03/01/23 16:36	132-64-9	
1,2-Dichlorobenzene	<253	ug/kg	806	253	4	02/28/23 12:55	03/01/23 16:36	95-50-1	
1,3-Dichlorobenzene	<112	ug/kg	806	112	4	02/28/23 12:55	03/01/23 16:36	541-73-1	
1,4-Dichlorobenzene	<112	ug/kg	806	112	4	02/28/23 12:55	03/01/23 16:36	106-46-7	
3,3'-Dichlorobenzidine	<219	ug/kg	806	219	4	02/28/23 12:55	03/01/23 16:36	91-94-1	
2,4-Dichlorophenol	<215	ug/kg	806	215	4	02/28/23 12:55	03/01/23 16:36	120-83-2	
Diethylphthalate	<134	ug/kg	806	134	4	02/28/23 12:55	03/01/23 16:36	84-66-2	
2,4-Dimethylphenol	<159	ug/kg	806	159	4	02/28/23 12:55	03/01/23 16:36	105-67-9	
Dimethylphthalate	<105	ug/kg	806	105	4	02/28/23 12:55	03/01/23 16:36	131-11-3	
Di-n-butylphthalate	<120	ug/kg	806	120	4	02/28/23 12:55	03/01/23 16:36	84-74-2	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659006**      Collected: 02/24/23 11:10      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<248	ug/kg	806	248	4	02/28/23 12:55	03/01/23 16:36	534-52-1	
2,4-Dinitrophenol	<634	ug/kg	1590	634	4	02/28/23 12:55	03/01/23 16:36	51-28-5	
2,4-Dinitrotoluene	<115	ug/kg	806	115	4	02/28/23 12:55	03/01/23 16:36	121-14-2	
2,6-Dinitrotoluene	<153	ug/kg	806	153	4	02/28/23 12:55	03/01/23 16:36	606-20-2	
Di-n-octylphthalate	<181	ug/kg	806	181	4	02/28/23 12:55	03/01/23 16:36	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<275	ug/kg	806	275	4	02/28/23 12:55	03/01/23 16:36	117-81-7	CH
Fluoranthene	<114	ug/kg	806	114	4	02/28/23 12:55	03/01/23 16:36	206-44-0	
Fluorene	<94.2	ug/kg	806	94.2	4	02/28/23 12:55	03/01/23 16:36	86-73-7	
Hexachloro-1,3-butadiene	<205	ug/kg	806	205	4	02/28/23 12:55	03/01/23 16:36	87-68-3	
Hexachlorobenzene	<136	ug/kg	806	136	4	02/28/23 12:55	03/01/23 16:36	118-74-1	
Hexachlorocyclopentadiene	<191	ug/kg	806	191	4	02/28/23 12:55	03/01/23 16:36	77-47-4	
Hexachloroethane	<129	ug/kg	806	129	4	02/28/23 12:55	03/01/23 16:36	67-72-1	
Indeno(1,2,3-cd)pyrene	<174	ug/kg	806	174	4	02/28/23 12:55	03/01/23 16:36	193-39-5	
Isophorone	<124	ug/kg	806	124	4	02/28/23 12:55	03/01/23 16:36	78-59-1	
2-Methylnaphthalene	<209	ug/kg	806	209	4	02/28/23 12:55	03/01/23 16:36	91-57-6	
2-Methylphenol(o-Cresol)	<146	ug/kg	806	146	4	02/28/23 12:55	03/01/23 16:36	95-48-7	
3&4-Methylphenol(m&p Cresol)	<148	ug/kg	806	148	4	02/28/23 12:55	03/01/23 16:36		
Naphthalene	<282	ug/kg	806	282	4	02/28/23 12:55	03/01/23 16:36	91-20-3	
2-Nitroaniline	<230	ug/kg	806	230	4	02/28/23 12:55	03/01/23 16:36	88-74-4	
3-Nitroaniline	<137	ug/kg	806	137	4	02/28/23 12:55	03/01/23 16:36	99-09-2	
4-Nitroaniline	<335	ug/kg	806	335	4	02/28/23 12:55	03/01/23 16:36	100-01-6	
Nitrobenzene	<163	ug/kg	806	163	4	02/28/23 12:55	03/01/23 16:36	98-95-3	
2-Nitrophenol	<254	ug/kg	806	254	4	02/28/23 12:55	03/01/23 16:36	88-75-5	
4-Nitrophenol	<203	ug/kg	806	203	4	02/28/23 12:55	03/01/23 16:36	100-02-7	
N-Nitroso-di-n-propylamine	<128	ug/kg	806	128	4	02/28/23 12:55	03/01/23 16:36	621-64-7	
N-Nitrosodiphenylamine	<212	ug/kg	806	212	4	02/28/23 12:55	03/01/23 16:36	86-30-6	
2,2'-Oxybis(1-chloropropane)	<208	ug/kg	806	208	4	02/28/23 12:55	03/01/23 16:36	108-60-1	
Pentachlorophenol	<177	ug/kg	806	177	4	02/28/23 12:55	03/01/23 16:36	87-86-5	
Phenanthrene	<103	ug/kg	806	103	4	02/28/23 12:55	03/01/23 16:36	85-01-8	
Phenol	<191	ug/kg	806	191	4	02/28/23 12:55	03/01/23 16:36	108-95-2	D3
Pyrene	<179	ug/kg	806	179	4	02/28/23 12:55	03/01/23 16:36	129-00-0	
1,2,4-Trichlorobenzene	<91.1	ug/kg	806	91.1	4	02/28/23 12:55	03/01/23 16:36	120-82-1	
2,4,5-Trichlorophenol	<142	ug/kg	806	142	4	02/28/23 12:55	03/01/23 16:36	95-95-4	
2,4,6-Trichlorophenol	<123	ug/kg	806	123	4	02/28/23 12:55	03/01/23 16:36	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	59	%	10-125		4	02/28/23 12:55	03/01/23 16:36	4165-60-0	
2-Fluorobiphenyl (S)	56	%	12-118		4	02/28/23 12:55	03/01/23 16:36	321-60-8	
Terphenyl-d14 (S)	68	%	10-124		4	02/28/23 12:55	03/01/23 16:36	1718-51-0	
Phenol-d6 (S)	51	%	10-125		4	02/28/23 12:55	03/01/23 16:36	13127-88-3	
2-Fluorophenol (S)	48	%	10-130		4	02/28/23 12:55	03/01/23 16:36	367-12-4	
2,4,6-Tribromophenol (S)	56	%	10-144		4	02/28/23 12:55	03/01/23 16:36	118-79-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659006**      Collected: 02/24/23 11:10      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.8	ug/kg	28.3	16.8	1	02/27/23 07:30	02/27/23 14:51	71-43-2	
Bromobenzene	<27.5	ug/kg	70.6	27.5	1	02/27/23 07:30	02/27/23 14:51	108-86-1	
Bromochloromethane	<19.4	ug/kg	70.6	19.4	1	02/27/23 07:30	02/27/23 14:51	74-97-5	
Bromodichloromethane	<16.8	ug/kg	70.6	16.8	1	02/27/23 07:30	02/27/23 14:51	75-27-4	
Bromoform	<311	ug/kg	353	311	1	02/27/23 07:30	02/27/23 14:51	75-25-2	
Bromomethane	<99.0	ug/kg	353	99.0	1	02/27/23 07:30	02/27/23 14:51	74-83-9	
n-Butylbenzene	<32.4	ug/kg	70.6	32.4	1	02/27/23 07:30	02/27/23 14:51	104-51-8	
sec-Butylbenzene	<17.2	ug/kg	70.6	17.2	1	02/27/23 07:30	02/27/23 14:51	135-98-8	
tert-Butylbenzene	<22.2	ug/kg	70.6	22.2	1	02/27/23 07:30	02/27/23 14:51	98-06-6	
Carbon tetrachloride	<15.5	ug/kg	70.6	15.5	1	02/27/23 07:30	02/27/23 14:51	56-23-5	
Chlorobenzene	<8.5	ug/kg	70.6	8.5	1	02/27/23 07:30	02/27/23 14:51	108-90-7	
Chloroethane	<29.8	ug/kg	353	29.8	1	02/27/23 07:30	02/27/23 14:51	75-00-3	
Chloroform	<50.6	ug/kg	353	50.6	1	02/27/23 07:30	02/27/23 14:51	67-66-3	
Chloromethane	<26.8	ug/kg	70.6	26.8	1	02/27/23 07:30	02/27/23 14:51	74-87-3	
2-Chlorotoluene	<22.9	ug/kg	70.6	22.9	1	02/27/23 07:30	02/27/23 14:51	95-49-8	
4-Chlorotoluene	<26.8	ug/kg	70.6	26.8	1	02/27/23 07:30	02/27/23 14:51	106-43-4	
1,2-Dibromo-3-chloropropane	<54.8	ug/kg	353	54.8	1	02/27/23 07:30	02/27/23 14:51	96-12-8	
Dibromochloromethane	<241	ug/kg	353	241	1	02/27/23 07:30	02/27/23 14:51	124-48-1	
1,2-Dibromoethane (EDB)	<19.4	ug/kg	70.6	19.4	1	02/27/23 07:30	02/27/23 14:51	106-93-4	
Dibromomethane	<20.9	ug/kg	70.6	20.9	1	02/27/23 07:30	02/27/23 14:51	74-95-3	
1,2-Dichlorobenzene	<21.9	ug/kg	70.6	21.9	1	02/27/23 07:30	02/27/23 14:51	95-50-1	
1,3-Dichlorobenzene	<19.4	ug/kg	70.6	19.4	1	02/27/23 07:30	02/27/23 14:51	541-73-1	
1,4-Dichlorobenzene	<19.4	ug/kg	70.6	19.4	1	02/27/23 07:30	02/27/23 14:51	106-46-7	
Dichlorodifluoromethane	<30.4	ug/kg	70.6	30.4	1	02/27/23 07:30	02/27/23 14:51	75-71-8	
1,1-Dichloroethane	<18.1	ug/kg	70.6	18.1	1	02/27/23 07:30	02/27/23 14:51	75-34-3	
1,2-Dichloroethane	<16.2	ug/kg	70.6	16.2	1	02/27/23 07:30	02/27/23 14:51	107-06-2	
1,1-Dichloroethene	<23.5	ug/kg	70.6	23.5	1	02/27/23 07:30	02/27/23 14:51	75-35-4	
cis-1,2-Dichloroethene	<15.1	ug/kg	70.6	15.1	1	02/27/23 07:30	02/27/23 14:51	156-59-2	
trans-1,2-Dichloroethene	<15.3	ug/kg	70.6	15.3	1	02/27/23 07:30	02/27/23 14:51	156-60-5	
1,2-Dichloropropane	<16.8	ug/kg	70.6	16.8	1	02/27/23 07:30	02/27/23 14:51	78-87-5	
1,3-Dichloropropane	<15.4	ug/kg	70.6	15.4	1	02/27/23 07:30	02/27/23 14:51	142-28-9	
2,2-Dichloropropane	<19.1	ug/kg	70.6	19.1	1	02/27/23 07:30	02/27/23 14:51	594-20-7	
1,1-Dichloropropene	<22.9	ug/kg	70.6	22.9	1	02/27/23 07:30	02/27/23 14:51	563-58-6	
cis-1,3-Dichloropropene	<46.6	ug/kg	353	46.6	1	02/27/23 07:30	02/27/23 14:51	10061-01-5	
trans-1,3-Dichloropropene	<202	ug/kg	353	202	1	02/27/23 07:30	02/27/23 14:51	10061-02-6	
Diisopropyl ether	<17.5	ug/kg	70.6	17.5	1	02/27/23 07:30	02/27/23 14:51	108-20-3	
Ethylbenzene	<16.8	ug/kg	70.6	16.8	1	02/27/23 07:30	02/27/23 14:51	100-41-4	
Hexachloro-1,3-butadiene	<140	ug/kg	353	140	1	02/27/23 07:30	02/27/23 14:51	87-68-3	
Isopropylbenzene (Cumene)	<19.1	ug/kg	70.6	19.1	1	02/27/23 07:30	02/27/23 14:51	98-82-8	
p-Isopropyltoluene	<21.5	ug/kg	70.6	21.5	1	02/27/23 07:30	02/27/23 14:51	99-87-6	
Methylene Chloride	<19.6	ug/kg	70.6	19.6	1	02/27/23 07:30	02/27/23 14:51	75-09-2	
Methyl-tert-butyl ether	<20.8	ug/kg	70.6	20.8	1	02/27/23 07:30	02/27/23 14:51	1634-04-4	
Naphthalene	<22.0	ug/kg	353	22.0	1	02/27/23 07:30	02/27/23 14:51	91-20-3	
n-Propylbenzene	<17.0	ug/kg	70.6	17.0	1	02/27/23 07:30	02/27/23 14:51	103-65-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659006**      Collected: 02/24/23 11:10      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<18.1	ug/kg	70.6	18.1	1	02/27/23 07:30	02/27/23 14:51	100-42-5	
1,1,1,2-Tetrachloroethane	<17.0	ug/kg	70.6	17.0	1	02/27/23 07:30	02/27/23 14:51	630-20-6	
1,1,1,2-Tetrachloroethane	<25.6	ug/kg	70.6	25.6	1	02/27/23 07:30	02/27/23 14:51	79-34-5	
Tetrachloroethene	<27.4	ug/kg	70.6	27.4	1	02/27/23 07:30	02/27/23 14:51	127-18-4	
Toluene	<17.8	ug/kg	70.6	17.8	1	02/27/23 07:30	02/27/23 14:51	108-88-3	
1,2,3-Trichlorobenzene	<78.7	ug/kg	353	78.7	1	02/27/23 07:30	02/27/23 14:51	87-61-6	
1,2,4-Trichlorobenzene	<58.2	ug/kg	353	58.2	1	02/27/23 07:30	02/27/23 14:51	120-82-1	
1,1,1-Trichloroethane	<18.1	ug/kg	70.6	18.1	1	02/27/23 07:30	02/27/23 14:51	71-55-6	
1,1,2-Trichloroethane	<25.7	ug/kg	70.6	25.7	1	02/27/23 07:30	02/27/23 14:51	79-00-5	
Trichloroethene	<26.4	ug/kg	70.6	26.4	1	02/27/23 07:30	02/27/23 14:51	79-01-6	
Trichlorofluoromethane	<20.5	ug/kg	70.6	20.5	1	02/27/23 07:30	02/27/23 14:51	75-69-4	
1,2,3-Trichloropropane	<34.3	ug/kg	70.6	34.3	1	02/27/23 07:30	02/27/23 14:51	96-18-4	
1,2,4-Trimethylbenzene	<21.0	ug/kg	70.6	21.0	1	02/27/23 07:30	02/27/23 14:51	95-63-6	
1,3,5-Trimethylbenzene	<22.7	ug/kg	70.6	22.7	1	02/27/23 07:30	02/27/23 14:51	108-67-8	
Vinyl chloride	<14.3	ug/kg	70.6	14.3	1	02/27/23 07:30	02/27/23 14:51	75-01-4	
Xylene (Total)	<51.0	ug/kg	212	51.0	1	02/27/23 07:30	02/27/23 14:51	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	136	%	69-153		1	02/27/23 07:30	02/27/23 14:51	2037-26-5	
4-Bromofluorobenzene (S)	146	%	68-156		1	02/27/23 07:30	02/27/23 14:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	148	%	71-161		1	02/27/23 07:30	02/27/23 14:51	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	17.1	%	0.10	0.10	1		02/27/23 11:36		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2C**      **Lab ID: 40258659007**      Collected: 02/24/23 11:15      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	<b>2.8J</b>	mg/kg	2.9	1.7	1	03/01/23 06:06	03/01/23 15:15	7440-38-2	
Barium	<b>57.9</b>	mg/kg	0.58	0.17	1	03/01/23 06:06	03/01/23 15:15	7440-39-3	
Cadmium	<b>0.36J</b>	mg/kg	0.58	0.15	1	03/01/23 06:06	03/01/23 15:15	7440-43-9	
Chromium	<b>16.5</b>	mg/kg	1.2	0.32	1	03/01/23 06:06	03/01/23 15:15	7440-47-3	
Lead	<b>18.4</b>	mg/kg	2.3	0.69	1	03/01/23 06:06	03/01/23 15:15	7439-92-1	
Selenium	<b>&lt;1.5</b>	mg/kg	4.6	1.5	1	03/01/23 06:06	03/01/23 15:15	7782-49-2	
Silver	<b>&lt;0.35</b>	mg/kg	1.2	0.35	1	03/01/23 06:06	03/01/23 15:15	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471    Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<b>0.024J</b>	mg/kg	0.042	0.012	1	03/08/23 08:45	03/09/23 10:27	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<b>&lt;70.3</b>	ug/kg	198	70.3	1	02/28/23 12:55	03/01/23 13:03	83-32-9	
Acenaphthylene	<b>&lt;70.8</b>	ug/kg	198	70.8	1	02/28/23 12:55	03/01/23 13:03	208-96-8	
Anthracene	<b>&lt;31.7</b>	ug/kg	198	31.7	1	02/28/23 12:55	03/01/23 13:03	120-12-7	
Benzo(a)anthracene	<b>51.9J</b>	ug/kg	198	30.7	1	02/28/23 12:55	03/01/23 13:03	56-55-3	
Benzo(a)pyrene	<b>66.5J</b>	ug/kg	198	29.8	1	02/28/23 12:55	03/01/23 13:03	50-32-8	
Benzo(b)fluoranthene	<b>106J</b>	ug/kg	198	34.1	1	02/28/23 12:55	03/01/23 13:03	205-99-2	
Benzo(g,h,i)perylene	<b>115J</b>	ug/kg	198	51.9	1	02/28/23 12:55	03/01/23 13:03	191-24-2	
Benzo(k)fluoranthene	<b>63.7J</b>	ug/kg	198	47.5	1	02/28/23 12:55	03/01/23 13:03	207-08-9	
4-Bromophenylphenyl ether	<b>&lt;41.5</b>	ug/kg	198	41.5	1	02/28/23 12:55	03/01/23 13:03	101-55-3	
Butylbenzylphthalate	<b>&lt;82.6</b>	ug/kg	198	82.6	1	02/28/23 12:55	03/01/23 13:03	85-68-7	CH
Carbazole	<b>&lt;31.1</b>	ug/kg	198	31.1	1	02/28/23 12:55	03/01/23 13:03	86-74-8	
4-Chloro-3-methylphenol	<b>&lt;61.7</b>	ug/kg	198	61.7	1	02/28/23 12:55	03/01/23 13:03	59-50-7	
4-Chloroaniline	<b>&lt;32.6</b>	ug/kg	198	32.6	1	02/28/23 12:55	03/01/23 13:03	106-47-8	
bis(2-Chloroethoxy)methane	<b>&lt;53.4</b>	ug/kg	198	53.4	1	02/28/23 12:55	03/01/23 13:03	111-91-1	
bis(2-Chloroethyl) ether	<b>&lt;61.9</b>	ug/kg	198	61.9	1	02/28/23 12:55	03/01/23 13:03	111-44-4	
2-Chloronaphthalene	<b>&lt;25.5</b>	ug/kg	198	25.5	1	02/28/23 12:55	03/01/23 13:03	91-58-7	
2-Chlorophenol	<b>&lt;49.5</b>	ug/kg	198	49.5	1	02/28/23 12:55	03/01/23 13:03	95-57-8	
4-Chlorophenylphenyl ether	<b>&lt;36.9</b>	ug/kg	198	36.9	1	02/28/23 12:55	03/01/23 13:03	7005-72-3	
Chrysene	<b>111J</b>	ug/kg	198	29.7	1	02/28/23 12:55	03/01/23 13:03	218-01-9	
Dibenz(a,h)anthracene	<b>69.9J</b>	ug/kg	198	53.9	1	02/28/23 12:55	03/01/23 13:03	53-70-3	
Dibenzofuran	<b>&lt;24.0</b>	ug/kg	198	24.0	1	02/28/23 12:55	03/01/23 13:03	132-64-9	
1,2-Dichlorobenzene	<b>&lt;62.4</b>	ug/kg	198	62.4	1	02/28/23 12:55	03/01/23 13:03	95-50-1	
1,3-Dichlorobenzene	<b>&lt;27.5</b>	ug/kg	198	27.5	1	02/28/23 12:55	03/01/23 13:03	541-73-1	
1,4-Dichlorobenzene	<b>&lt;27.6</b>	ug/kg	198	27.6	1	02/28/23 12:55	03/01/23 13:03	106-46-7	
3,3'-Dichlorobenzidine	<b>&lt;53.8</b>	ug/kg	198	53.8	1	02/28/23 12:55	03/01/23 13:03	91-94-1	
2,4-Dichlorophenol	<b>&lt;53.0</b>	ug/kg	198	53.0	1	02/28/23 12:55	03/01/23 13:03	120-83-2	
Diethylphthalate	<b>&lt;32.9</b>	ug/kg	198	32.9	1	02/28/23 12:55	03/01/23 13:03	84-66-2	
2,4-Dimethylphenol	<b>&lt;39.2</b>	ug/kg	198	39.2	1	02/28/23 12:55	03/01/23 13:03	105-67-9	
Dimethylphthalate	<b>&lt;25.8</b>	ug/kg	198	25.8	1	02/28/23 12:55	03/01/23 13:03	131-11-3	
Di-n-butylphthalate	<b>&lt;29.6</b>	ug/kg	198	29.6	1	02/28/23 12:55	03/01/23 13:03	84-74-2	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2C**      **Lab ID: 40258659007**      Collected: 02/24/23 11:15      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<61.1	ug/kg	198	61.1	1	02/28/23 12:55	03/01/23 13:03	534-52-1	
2,4-Dinitrophenol	<156	ug/kg	392	156	1	02/28/23 12:55	03/01/23 13:03	51-28-5	
2,4-Dinitrotoluene	<28.4	ug/kg	198	28.4	1	02/28/23 12:55	03/01/23 13:03	121-14-2	
2,6-Dinitrotoluene	<37.7	ug/kg	198	37.7	1	02/28/23 12:55	03/01/23 13:03	606-20-2	
Di-n-octylphthalate	<44.6	ug/kg	198	44.6	1	02/28/23 12:55	03/01/23 13:03	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<67.7	ug/kg	198	67.7	1	02/28/23 12:55	03/01/23 13:03	117-81-7	CH
Fluoranthene	164J	ug/kg	198	28.1	1	02/28/23 12:55	03/01/23 13:03	206-44-0	
Fluorene	<23.2	ug/kg	198	23.2	1	02/28/23 12:55	03/01/23 13:03	86-73-7	
Hexachloro-1,3-butadiene	<50.5	ug/kg	198	50.5	1	02/28/23 12:55	03/01/23 13:03	87-68-3	
Hexachlorobenzene	<33.4	ug/kg	198	33.4	1	02/28/23 12:55	03/01/23 13:03	118-74-1	
Hexachlorocyclopentadiene	<46.9	ug/kg	198	46.9	1	02/28/23 12:55	03/01/23 13:03	77-47-4	
Hexachloroethane	<31.7	ug/kg	198	31.7	1	02/28/23 12:55	03/01/23 13:03	67-72-1	
Indeno(1,2,3-cd)pyrene	120J	ug/kg	198	42.9	1	02/28/23 12:55	03/01/23 13:03	193-39-5	B
Isophorone	<30.5	ug/kg	198	30.5	1	02/28/23 12:55	03/01/23 13:03	78-59-1	
2-Methylnaphthalene	<51.5	ug/kg	198	51.5	1	02/28/23 12:55	03/01/23 13:03	91-57-6	
2-Methylphenol(o-Cresol)	<36.0	ug/kg	198	36.0	1	02/28/23 12:55	03/01/23 13:03	95-48-7	
3&4-Methylphenol(m&p Cresol)	<36.4	ug/kg	198	36.4	1	02/28/23 12:55	03/01/23 13:03		
Naphthalene	<69.4	ug/kg	198	69.4	1	02/28/23 12:55	03/01/23 13:03	91-20-3	
2-Nitroaniline	<56.5	ug/kg	198	56.5	1	02/28/23 12:55	03/01/23 13:03	88-74-4	
3-Nitroaniline	<33.7	ug/kg	198	33.7	1	02/28/23 12:55	03/01/23 13:03	99-09-2	
4-Nitroaniline	<82.3	ug/kg	198	82.3	1	02/28/23 12:55	03/01/23 13:03	100-01-6	
Nitrobenzene	<40.2	ug/kg	198	40.2	1	02/28/23 12:55	03/01/23 13:03	98-95-3	
2-Nitrophenol	<62.6	ug/kg	198	62.6	1	02/28/23 12:55	03/01/23 13:03	88-75-5	
4-Nitrophenol	<50.0	ug/kg	198	50.0	1	02/28/23 12:55	03/01/23 13:03	100-02-7	
N-Nitroso-di-n-propylamine	<31.5	ug/kg	198	31.5	1	02/28/23 12:55	03/01/23 13:03	621-64-7	
N-Nitrosodiphenylamine	<52.2	ug/kg	198	52.2	1	02/28/23 12:55	03/01/23 13:03	86-30-6	
2,2'-Oxybis(1-chloropropane)	<51.2	ug/kg	198	51.2	1	02/28/23 12:55	03/01/23 13:03	108-60-1	
Pentachlorophenol	<43.7	ug/kg	198	43.7	1	02/28/23 12:55	03/01/23 13:03	87-86-5	
Phenanthrene	70.1J	ug/kg	198	25.5	1	02/28/23 12:55	03/01/23 13:03	85-01-8	
Phenol	<47.1	ug/kg	198	47.1	1	02/28/23 12:55	03/01/23 13:03	108-95-2	
Pyrene	145J	ug/kg	198	44.0	1	02/28/23 12:55	03/01/23 13:03	129-00-0	
1,2,4-Trichlorobenzene	<22.4	ug/kg	198	22.4	1	02/28/23 12:55	03/01/23 13:03	120-82-1	
2,4,5-Trichlorophenol	<35.0	ug/kg	198	35.0	1	02/28/23 12:55	03/01/23 13:03	95-95-4	
2,4,6-Trichlorophenol	<30.2	ug/kg	198	30.2	1	02/28/23 12:55	03/01/23 13:03	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	65	%	10-125		1	02/28/23 12:55	03/01/23 13:03	4165-60-0	
2-Fluorobiphenyl (S)	65	%	12-118		1	02/28/23 12:55	03/01/23 13:03	321-60-8	
Terphenyl-d14 (S)	75	%	10-124		1	02/28/23 12:55	03/01/23 13:03	1718-51-0	
Phenol-d6 (S)	52	%	10-125		1	02/28/23 12:55	03/01/23 13:03	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	02/28/23 12:55	03/01/23 13:03	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		1	02/28/23 12:55	03/01/23 13:03	118-79-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2C**      **Lab ID: 40258659007**      Collected: 02/24/23 11:15      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.3	ug/kg	27.5	16.3	1	02/27/23 07:30	02/27/23 12:53	71-43-2	
Bromobenzene	<26.8	ug/kg	68.7	26.8	1	02/27/23 07:30	02/27/23 12:53	108-86-1	
Bromochloromethane	<18.8	ug/kg	68.7	18.8	1	02/27/23 07:30	02/27/23 12:53	74-97-5	
Bromodichloromethane	<16.3	ug/kg	68.7	16.3	1	02/27/23 07:30	02/27/23 12:53	75-27-4	
Bromoform	<302	ug/kg	343	302	1	02/27/23 07:30	02/27/23 12:53	75-25-2	
Bromomethane	<96.3	ug/kg	343	96.3	1	02/27/23 07:30	02/27/23 12:53	74-83-9	
n-Butylbenzene	146	ug/kg	68.7	31.5	1	02/27/23 07:30	02/27/23 12:53	104-51-8	
sec-Butylbenzene	152	ug/kg	68.7	16.8	1	02/27/23 07:30	02/27/23 12:53	135-98-8	
tert-Butylbenzene	<21.6	ug/kg	68.7	21.6	1	02/27/23 07:30	02/27/23 12:53	98-06-6	
Carbon tetrachloride	<15.1	ug/kg	68.7	15.1	1	02/27/23 07:30	02/27/23 12:53	56-23-5	
Chlorobenzene	<8.2	ug/kg	68.7	8.2	1	02/27/23 07:30	02/27/23 12:53	108-90-7	
Chloroethane	<29.0	ug/kg	343	29.0	1	02/27/23 07:30	02/27/23 12:53	75-00-3	
Chloroform	<49.2	ug/kg	343	49.2	1	02/27/23 07:30	02/27/23 12:53	67-66-3	
Chloromethane	<26.1	ug/kg	68.7	26.1	1	02/27/23 07:30	02/27/23 12:53	74-87-3	
2-Chlorotoluene	<22.3	ug/kg	68.7	22.3	1	02/27/23 07:30	02/27/23 12:53	95-49-8	
4-Chlorotoluene	<26.1	ug/kg	68.7	26.1	1	02/27/23 07:30	02/27/23 12:53	106-43-4	
1,2-Dibromo-3-chloropropane	<53.3	ug/kg	343	53.3	1	02/27/23 07:30	02/27/23 12:53	96-12-8	
Dibromochloromethane	<235	ug/kg	343	235	1	02/27/23 07:30	02/27/23 12:53	124-48-1	
1,2-Dibromoethane (EDB)	<18.8	ug/kg	68.7	18.8	1	02/27/23 07:30	02/27/23 12:53	106-93-4	
Dibromomethane	<20.3	ug/kg	68.7	20.3	1	02/27/23 07:30	02/27/23 12:53	74-95-3	
1,2-Dichlorobenzene	<21.3	ug/kg	68.7	21.3	1	02/27/23 07:30	02/27/23 12:53	95-50-1	
1,3-Dichlorobenzene	<18.8	ug/kg	68.7	18.8	1	02/27/23 07:30	02/27/23 12:53	541-73-1	
1,4-Dichlorobenzene	<18.8	ug/kg	68.7	18.8	1	02/27/23 07:30	02/27/23 12:53	106-46-7	
Dichlorodifluoromethane	<29.5	ug/kg	68.7	29.5	1	02/27/23 07:30	02/27/23 12:53	75-71-8	
1,1-Dichloroethane	<17.6	ug/kg	68.7	17.6	1	02/27/23 07:30	02/27/23 12:53	75-34-3	
1,2-Dichloroethane	<15.8	ug/kg	68.7	15.8	1	02/27/23 07:30	02/27/23 12:53	107-06-2	
1,1-Dichloroethene	<22.8	ug/kg	68.7	22.8	1	02/27/23 07:30	02/27/23 12:53	75-35-4	
cis-1,2-Dichloroethene	<14.7	ug/kg	68.7	14.7	1	02/27/23 07:30	02/27/23 12:53	156-59-2	
trans-1,2-Dichloroethene	<14.8	ug/kg	68.7	14.8	1	02/27/23 07:30	02/27/23 12:53	156-60-5	
1,2-Dichloropropane	<16.3	ug/kg	68.7	16.3	1	02/27/23 07:30	02/27/23 12:53	78-87-5	
1,3-Dichloropropane	<15.0	ug/kg	68.7	15.0	1	02/27/23 07:30	02/27/23 12:53	142-28-9	
2,2-Dichloropropane	<18.5	ug/kg	68.7	18.5	1	02/27/23 07:30	02/27/23 12:53	594-20-7	
1,1-Dichloropropene	<22.3	ug/kg	68.7	22.3	1	02/27/23 07:30	02/27/23 12:53	563-58-6	
cis-1,3-Dichloropropene	<45.3	ug/kg	343	45.3	1	02/27/23 07:30	02/27/23 12:53	10061-01-5	
trans-1,3-Dichloropropene	<196	ug/kg	343	196	1	02/27/23 07:30	02/27/23 12:53	10061-02-6	
Diisopropyl ether	<17.0	ug/kg	68.7	17.0	1	02/27/23 07:30	02/27/23 12:53	108-20-3	
Ethylbenzene	<16.3	ug/kg	68.7	16.3	1	02/27/23 07:30	02/27/23 12:53	100-41-4	
Hexachloro-1,3-butadiene	<137	ug/kg	343	137	1	02/27/23 07:30	02/27/23 12:53	87-68-3	
Isopropylbenzene (Cumene)	<18.5	ug/kg	68.7	18.5	1	02/27/23 07:30	02/27/23 12:53	98-82-8	
p-Isopropyltoluene	25.6J	ug/kg	68.7	20.9	1	02/27/23 07:30	02/27/23 12:53	99-87-6	
Methylene Chloride	<19.1	ug/kg	68.7	19.1	1	02/27/23 07:30	02/27/23 12:53	75-09-2	
Methyl-tert-butyl ether	<20.2	ug/kg	68.7	20.2	1	02/27/23 07:30	02/27/23 12:53	1634-04-4	
Naphthalene	<21.4	ug/kg	343	21.4	1	02/27/23 07:30	02/27/23 12:53	91-20-3	
n-Propylbenzene	<16.5	ug/kg	68.7	16.5	1	02/27/23 07:30	02/27/23 12:53	103-65-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2C**      **Lab ID: 40258659007**      Collected: 02/24/23 11:15      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.6	ug/kg	68.7	17.6	1	02/27/23 07:30	02/27/23 12:53	100-42-5	
1,1,1,2-Tetrachloroethane	<16.5	ug/kg	68.7	16.5	1	02/27/23 07:30	02/27/23 12:53	630-20-6	
1,1,1,2-Tetrachloroethane	<24.9	ug/kg	68.7	24.9	1	02/27/23 07:30	02/27/23 12:53	79-34-5	
Tetrachloroethene	<26.7	ug/kg	68.7	26.7	1	02/27/23 07:30	02/27/23 12:53	127-18-4	
Toluene	<17.3	ug/kg	68.7	17.3	1	02/27/23 07:30	02/27/23 12:53	108-88-3	
1,2,3-Trichlorobenzene	<76.5	ug/kg	343	76.5	1	02/27/23 07:30	02/27/23 12:53	87-61-6	
1,2,4-Trichlorobenzene	<56.6	ug/kg	343	56.6	1	02/27/23 07:30	02/27/23 12:53	120-82-1	
1,1,1-Trichloroethane	<17.6	ug/kg	68.7	17.6	1	02/27/23 07:30	02/27/23 12:53	71-55-6	
1,1,2-Trichloroethane	<25.0	ug/kg	68.7	25.0	1	02/27/23 07:30	02/27/23 12:53	79-00-5	
Trichloroethene	<25.7	ug/kg	68.7	25.7	1	02/27/23 07:30	02/27/23 12:53	79-01-6	
Trichlorofluoromethane	<19.9	ug/kg	68.7	19.9	1	02/27/23 07:30	02/27/23 12:53	75-69-4	
1,2,3-Trichloropropane	<33.4	ug/kg	68.7	33.4	1	02/27/23 07:30	02/27/23 12:53	96-18-4	
1,2,4-Trimethylbenzene	<20.5	ug/kg	68.7	20.5	1	02/27/23 07:30	02/27/23 12:53	95-63-6	
1,3,5-Trimethylbenzene	<22.1	ug/kg	68.7	22.1	1	02/27/23 07:30	02/27/23 12:53	108-67-8	
Vinyl chloride	<13.9	ug/kg	68.7	13.9	1	02/27/23 07:30	02/27/23 12:53	75-01-4	
Xylene (Total)	<49.6	ug/kg	206	49.6	1	02/27/23 07:30	02/27/23 12:53	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	131	%	69-153		1	02/27/23 07:30	02/27/23 12:53	2037-26-5	
4-Bromofluorobenzene (S)	128	%	68-156		1	02/27/23 07:30	02/27/23 12:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	139	%	71-161		1	02/27/23 07:30	02/27/23 12:53	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.7	%	0.10	0.10	1		02/27/23 11:37		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659008**      Collected: 02/24/23 11:20      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	5.4	mg/kg	2.7	1.6	1	03/01/23 06:06	03/01/23 15:17	7440-38-2	
Barium	86.2	mg/kg	0.55	0.16	1	03/01/23 06:06	03/01/23 15:17	7440-39-3	
Cadmium	0.83	mg/kg	0.55	0.15	1	03/01/23 06:06	03/01/23 15:17	7440-43-9	
Chromium	21.4	mg/kg	1.1	0.30	1	03/01/23 06:06	03/01/23 15:17	7440-47-3	
Lead	17.5	mg/kg	2.2	0.65	1	03/01/23 06:06	03/01/23 15:17	7439-92-1	
Selenium	<1.4	mg/kg	4.4	1.4	1	03/01/23 06:06	03/01/23 15:17	7782-49-2	
Silver	<0.34	mg/kg	1.1	0.34	1	03/01/23 06:06	03/01/23 15:17	7440-22-4	
<b>7471 Mercury</b>									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.011	mg/kg	0.039	0.011	1	03/08/23 08:45	03/09/23 10:29	7439-97-6	
<b>8270E MSSV FULL LIST MICROWAVE</b>									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<282	ug/kg	795	282	4	02/28/23 12:55	03/01/23 15:54	83-32-9	
Acenaphthylene	<284	ug/kg	795	284	4	02/28/23 12:55	03/01/23 15:54	208-96-8	
Anthracene	<127	ug/kg	795	127	4	02/28/23 12:55	03/01/23 15:54	120-12-7	
Benzo(a)anthracene	<123	ug/kg	795	123	4	02/28/23 12:55	03/01/23 15:54	56-55-3	
Benzo(a)pyrene	<120	ug/kg	795	120	4	02/28/23 12:55	03/01/23 15:54	50-32-8	
Benzo(b)fluoranthene	<137	ug/kg	795	137	4	02/28/23 12:55	03/01/23 15:54	205-99-2	
Benzo(g,h,i)perylene	<208	ug/kg	795	208	4	02/28/23 12:55	03/01/23 15:54	191-24-2	
Benzo(k)fluoranthene	<190	ug/kg	795	190	4	02/28/23 12:55	03/01/23 15:54	207-08-9	
4-Bromophenylphenyl ether	<166	ug/kg	795	166	4	02/28/23 12:55	03/01/23 15:54	101-55-3	
Butylbenzylphthalate	<331	ug/kg	795	331	4	02/28/23 12:55	03/01/23 15:54	85-68-7	CH
Carbazole	<124	ug/kg	795	124	4	02/28/23 12:55	03/01/23 15:54	86-74-8	
4-Chloro-3-methylphenol	<247	ug/kg	795	247	4	02/28/23 12:55	03/01/23 15:54	59-50-7	
4-Chloroaniline	<131	ug/kg	795	131	4	02/28/23 12:55	03/01/23 15:54	106-47-8	
bis(2-Chloroethoxy)methane	<214	ug/kg	795	214	4	02/28/23 12:55	03/01/23 15:54	111-91-1	
bis(2-Chloroethyl) ether	<248	ug/kg	795	248	4	02/28/23 12:55	03/01/23 15:54	111-44-4	
2-Chloronaphthalene	<102	ug/kg	795	102	4	02/28/23 12:55	03/01/23 15:54	91-58-7	
2-Chlorophenol	<198	ug/kg	795	198	4	02/28/23 12:55	03/01/23 15:54	95-57-8	
4-Chlorophenylphenyl ether	<148	ug/kg	795	148	4	02/28/23 12:55	03/01/23 15:54	7005-72-3	
Chrysene	<119	ug/kg	795	119	4	02/28/23 12:55	03/01/23 15:54	218-01-9	
Dibenz(a,h)anthracene	<216	ug/kg	795	216	4	02/28/23 12:55	03/01/23 15:54	53-70-3	
Dibenzofuran	<96.2	ug/kg	795	96.2	4	02/28/23 12:55	03/01/23 15:54	132-64-9	
1,2-Dichlorobenzene	<250	ug/kg	795	250	4	02/28/23 12:55	03/01/23 15:54	95-50-1	
1,3-Dichlorobenzene	<110	ug/kg	795	110	4	02/28/23 12:55	03/01/23 15:54	541-73-1	
1,4-Dichlorobenzene	<111	ug/kg	795	111	4	02/28/23 12:55	03/01/23 15:54	106-46-7	
3,3'-Dichlorobenzidine	<216	ug/kg	795	216	4	02/28/23 12:55	03/01/23 15:54	91-94-1	
2,4-Dichlorophenol	<212	ug/kg	795	212	4	02/28/23 12:55	03/01/23 15:54	120-83-2	
Diethylphthalate	<132	ug/kg	795	132	4	02/28/23 12:55	03/01/23 15:54	84-66-2	
2,4-Dimethylphenol	<157	ug/kg	795	157	4	02/28/23 12:55	03/01/23 15:54	105-67-9	
Dimethylphthalate	<103	ug/kg	795	103	4	02/28/23 12:55	03/01/23 15:54	131-11-3	
Di-n-butylphthalate	<119	ug/kg	795	119	4	02/28/23 12:55	03/01/23 15:54	84-74-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW

Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659008**      Collected: 02/24/23 11:20      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV FULL LIST MICROWAVE</b> Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<245	ug/kg	795	245	4	02/28/23 12:55	03/01/23 15:54	534-52-1	
2,4-Dinitrophenol	<625	ug/kg	1570	625	4	02/28/23 12:55	03/01/23 15:54	51-28-5	
2,4-Dinitrotoluene	<114	ug/kg	795	114	4	02/28/23 12:55	03/01/23 15:54	121-14-2	
2,6-Dinitrotoluene	<151	ug/kg	795	151	4	02/28/23 12:55	03/01/23 15:54	606-20-2	
Di-n-octylphthalate	<179	ug/kg	795	179	4	02/28/23 12:55	03/01/23 15:54	117-84-0	CH
bis(2-Ethylhexyl)phthalate	<271	ug/kg	795	271	4	02/28/23 12:55	03/01/23 15:54	117-81-7	CH
Fluoranthene	<112	ug/kg	795	112	4	02/28/23 12:55	03/01/23 15:54	206-44-0	
Fluorene	<92.9	ug/kg	795	92.9	4	02/28/23 12:55	03/01/23 15:54	86-73-7	
Hexachloro-1,3-butadiene	<202	ug/kg	795	202	4	02/28/23 12:55	03/01/23 15:54	87-68-3	
Hexachlorobenzene	<134	ug/kg	795	134	4	02/28/23 12:55	03/01/23 15:54	118-74-1	
Hexachlorocyclopentadiene	<188	ug/kg	795	188	4	02/28/23 12:55	03/01/23 15:54	77-47-4	
Hexachloroethane	<127	ug/kg	795	127	4	02/28/23 12:55	03/01/23 15:54	67-72-1	
Indeno(1,2,3-cd)pyrene	<172	ug/kg	795	172	4	02/28/23 12:55	03/01/23 15:54	193-39-5	
Isophorone	<122	ug/kg	795	122	4	02/28/23 12:55	03/01/23 15:54	78-59-1	
2-Methylnaphthalene	<206	ug/kg	795	206	4	02/28/23 12:55	03/01/23 15:54	91-57-6	
2-Methylphenol(o-Cresol)	<144	ug/kg	795	144	4	02/28/23 12:55	03/01/23 15:54	95-48-7	
3&4-Methylphenol(m&p Cresol)	<146	ug/kg	795	146	4	02/28/23 12:55	03/01/23 15:54		
Naphthalene	<278	ug/kg	795	278	4	02/28/23 12:55	03/01/23 15:54	91-20-3	
2-Nitroaniline	<226	ug/kg	795	226	4	02/28/23 12:55	03/01/23 15:54	88-74-4	
3-Nitroaniline	<135	ug/kg	795	135	4	02/28/23 12:55	03/01/23 15:54	99-09-2	
4-Nitroaniline	<330	ug/kg	795	330	4	02/28/23 12:55	03/01/23 15:54	100-01-6	
Nitrobenzene	<161	ug/kg	795	161	4	02/28/23 12:55	03/01/23 15:54	98-95-3	
2-Nitrophenol	<251	ug/kg	795	251	4	02/28/23 12:55	03/01/23 15:54	88-75-5	
4-Nitrophenol	<200	ug/kg	795	200	4	02/28/23 12:55	03/01/23 15:54	100-02-7	
N-Nitroso-di-n-propylamine	<126	ug/kg	795	126	4	02/28/23 12:55	03/01/23 15:54	621-64-7	
N-Nitrosodiphenylamine	<209	ug/kg	795	209	4	02/28/23 12:55	03/01/23 15:54	86-30-6	
2,2'-Oxybis(1-chloropropane)	<205	ug/kg	795	205	4	02/28/23 12:55	03/01/23 15:54	108-60-1	
Pentachlorophenol	<175	ug/kg	795	175	4	02/28/23 12:55	03/01/23 15:54	87-86-5	
Phenanthrene	<102	ug/kg	795	102	4	02/28/23 12:55	03/01/23 15:54	85-01-8	
Phenol	<189	ug/kg	795	189	4	02/28/23 12:55	03/01/23 15:54	108-95-2	D3
Pyrene	<176	ug/kg	795	176	4	02/28/23 12:55	03/01/23 15:54	129-00-0	
1,2,4-Trichlorobenzene	<89.8	ug/kg	795	89.8	4	02/28/23 12:55	03/01/23 15:54	120-82-1	
2,4,5-Trichlorophenol	<140	ug/kg	795	140	4	02/28/23 12:55	03/01/23 15:54	95-95-4	
2,4,6-Trichlorophenol	<121	ug/kg	795	121	4	02/28/23 12:55	03/01/23 15:54	88-06-2	
<b>Surrogates</b>									
Nitrobenzene-d5 (S)	44	%	10-125		4	02/28/23 12:55	03/01/23 15:54	4165-60-0	
2-Fluorobiphenyl (S)	45	%	12-118		4	02/28/23 12:55	03/01/23 15:54	321-60-8	
Terphenyl-d14 (S)	57	%	10-124		4	02/28/23 12:55	03/01/23 15:54	1718-51-0	
Phenol-d6 (S)	40	%	10-125		4	02/28/23 12:55	03/01/23 15:54	13127-88-3	
2-Fluorophenol (S)	40	%	10-130		4	02/28/23 12:55	03/01/23 15:54	367-12-4	
2,4,6-Tribromophenol (S)	43	%	10-144		4	02/28/23 12:55	03/01/23 15:54	118-79-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659008**      Collected: 02/24/23 11:20      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.4	ug/kg	27.6	16.4	1	02/27/23 07:30	02/27/23 15:11	71-43-2	
Bromobenzene	<26.9	ug/kg	69.0	26.9	1	02/27/23 07:30	02/27/23 15:11	108-86-1	
Bromochloromethane	<18.9	ug/kg	69.0	18.9	1	02/27/23 07:30	02/27/23 15:11	74-97-5	
Bromodichloromethane	<16.4	ug/kg	69.0	16.4	1	02/27/23 07:30	02/27/23 15:11	75-27-4	
Bromoform	<303	ug/kg	345	303	1	02/27/23 07:30	02/27/23 15:11	75-25-2	
Bromomethane	<96.7	ug/kg	345	96.7	1	02/27/23 07:30	02/27/23 15:11	74-83-9	
n-Butylbenzene	<31.6	ug/kg	69.0	31.6	1	02/27/23 07:30	02/27/23 15:11	104-51-8	
sec-Butylbenzene	<16.8	ug/kg	69.0	16.8	1	02/27/23 07:30	02/27/23 15:11	135-98-8	
tert-Butylbenzene	<21.7	ug/kg	69.0	21.7	1	02/27/23 07:30	02/27/23 15:11	98-06-6	
Carbon tetrachloride	<15.2	ug/kg	69.0	15.2	1	02/27/23 07:30	02/27/23 15:11	56-23-5	
Chlorobenzene	<8.3	ug/kg	69.0	8.3	1	02/27/23 07:30	02/27/23 15:11	108-90-7	
Chloroethane	<29.1	ug/kg	345	29.1	1	02/27/23 07:30	02/27/23 15:11	75-00-3	
Chloroform	<49.4	ug/kg	345	49.4	1	02/27/23 07:30	02/27/23 15:11	67-66-3	
Chloromethane	<26.2	ug/kg	69.0	26.2	1	02/27/23 07:30	02/27/23 15:11	74-87-3	
2-Chlorotoluene	<22.3	ug/kg	69.0	22.3	1	02/27/23 07:30	02/27/23 15:11	95-49-8	
4-Chlorotoluene	<26.2	ug/kg	69.0	26.2	1	02/27/23 07:30	02/27/23 15:11	106-43-4	
1,2-Dibromo-3-chloropropane	<53.5	ug/kg	345	53.5	1	02/27/23 07:30	02/27/23 15:11	96-12-8	
Dibromochloromethane	<236	ug/kg	345	236	1	02/27/23 07:30	02/27/23 15:11	124-48-1	
1,2-Dibromoethane (EDB)	<18.9	ug/kg	69.0	18.9	1	02/27/23 07:30	02/27/23 15:11	106-93-4	
Dibromomethane	<20.4	ug/kg	69.0	20.4	1	02/27/23 07:30	02/27/23 15:11	74-95-3	
1,2-Dichlorobenzene	<21.4	ug/kg	69.0	21.4	1	02/27/23 07:30	02/27/23 15:11	95-50-1	
1,3-Dichlorobenzene	<18.9	ug/kg	69.0	18.9	1	02/27/23 07:30	02/27/23 15:11	541-73-1	
1,4-Dichlorobenzene	<18.9	ug/kg	69.0	18.9	1	02/27/23 07:30	02/27/23 15:11	106-46-7	
Dichlorodifluoromethane	<29.7	ug/kg	69.0	29.7	1	02/27/23 07:30	02/27/23 15:11	75-71-8	
1,1-Dichloroethane	<17.7	ug/kg	69.0	17.7	1	02/27/23 07:30	02/27/23 15:11	75-34-3	
1,2-Dichloroethane	<15.9	ug/kg	69.0	15.9	1	02/27/23 07:30	02/27/23 15:11	107-06-2	
1,1-Dichloroethene	<22.9	ug/kg	69.0	22.9	1	02/27/23 07:30	02/27/23 15:11	75-35-4	
cis-1,2-Dichloroethene	<14.8	ug/kg	69.0	14.8	1	02/27/23 07:30	02/27/23 15:11	156-59-2	
trans-1,2-Dichloroethene	<14.9	ug/kg	69.0	14.9	1	02/27/23 07:30	02/27/23 15:11	156-60-5	
1,2-Dichloropropane	<16.4	ug/kg	69.0	16.4	1	02/27/23 07:30	02/27/23 15:11	78-87-5	
1,3-Dichloropropane	<15.0	ug/kg	69.0	15.0	1	02/27/23 07:30	02/27/23 15:11	142-28-9	
2,2-Dichloropropane	<18.6	ug/kg	69.0	18.6	1	02/27/23 07:30	02/27/23 15:11	594-20-7	
1,1-Dichloropropene	<22.3	ug/kg	69.0	22.3	1	02/27/23 07:30	02/27/23 15:11	563-58-6	
cis-1,3-Dichloropropene	<45.5	ug/kg	345	45.5	1	02/27/23 07:30	02/27/23 15:11	10061-01-5	
trans-1,3-Dichloropropene	<197	ug/kg	345	197	1	02/27/23 07:30	02/27/23 15:11	10061-02-6	
Diisopropyl ether	<17.1	ug/kg	69.0	17.1	1	02/27/23 07:30	02/27/23 15:11	108-20-3	
Ethylbenzene	<16.4	ug/kg	69.0	16.4	1	02/27/23 07:30	02/27/23 15:11	100-41-4	
Hexachloro-1,3-butadiene	<137	ug/kg	345	137	1	02/27/23 07:30	02/27/23 15:11	87-68-3	
Isopropylbenzene (Cumene)	<18.6	ug/kg	69.0	18.6	1	02/27/23 07:30	02/27/23 15:11	98-82-8	
p-Isopropyltoluene	<21.0	ug/kg	69.0	21.0	1	02/27/23 07:30	02/27/23 15:11	99-87-6	
Methylene Chloride	<19.2	ug/kg	69.0	19.2	1	02/27/23 07:30	02/27/23 15:11	75-09-2	
Methyl-tert-butyl ether	<20.3	ug/kg	69.0	20.3	1	02/27/23 07:30	02/27/23 15:11	1634-04-4	
Naphthalene	<21.5	ug/kg	345	21.5	1	02/27/23 07:30	02/27/23 15:11	91-20-3	
n-Propylbenzene	<16.5	ug/kg	69.0	16.5	1	02/27/23 07:30	02/27/23 15:11	103-65-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 128TH ARW  
Pace Project No.: 40258659

**Sample: OWS 2B**      **Lab ID: 40258659008**      Collected: 02/24/23 11:20      Received: 02/25/23 09:00      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.7	ug/kg	69.0	17.7	1	02/27/23 07:30	02/27/23 15:11	100-42-5	
1,1,1,2-Tetrachloroethane	<16.5	ug/kg	69.0	16.5	1	02/27/23 07:30	02/27/23 15:11	630-20-6	
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	69.0	25.0	1	02/27/23 07:30	02/27/23 15:11	79-34-5	
Tetrachloroethene	<26.8	ug/kg	69.0	26.8	1	02/27/23 07:30	02/27/23 15:11	127-18-4	
Toluene	<17.4	ug/kg	69.0	17.4	1	02/27/23 07:30	02/27/23 15:11	108-88-3	
1,2,3-Trichlorobenzene	<76.8	ug/kg	345	76.8	1	02/27/23 07:30	02/27/23 15:11	87-61-6	
1,2,4-Trichlorobenzene	<56.8	ug/kg	345	56.8	1	02/27/23 07:30	02/27/23 15:11	120-82-1	
1,1,1-Trichloroethane	<17.7	ug/kg	69.0	17.7	1	02/27/23 07:30	02/27/23 15:11	71-55-6	
1,1,2-Trichloroethane	<25.1	ug/kg	69.0	25.1	1	02/27/23 07:30	02/27/23 15:11	79-00-5	
Trichloroethene	<25.8	ug/kg	69.0	25.8	1	02/27/23 07:30	02/27/23 15:11	79-01-6	
Trichlorofluoromethane	<20.0	ug/kg	69.0	20.0	1	02/27/23 07:30	02/27/23 15:11	75-69-4	
1,2,3-Trichloropropane	<33.5	ug/kg	69.0	33.5	1	02/27/23 07:30	02/27/23 15:11	96-18-4	
1,2,4-Trimethylbenzene	<20.5	ug/kg	69.0	20.5	1	02/27/23 07:30	02/27/23 15:11	95-63-6	
1,3,5-Trimethylbenzene	<22.2	ug/kg	69.0	22.2	1	02/27/23 07:30	02/27/23 15:11	108-67-8	
Vinyl chloride	<13.9	ug/kg	69.0	13.9	1	02/27/23 07:30	02/27/23 15:11	75-01-4	
Xylene (Total)	<49.8	ug/kg	207	49.8	1	02/27/23 07:30	02/27/23 15:11	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	92	%	69-153		1	02/27/23 07:30	02/27/23 15:11	2037-26-5	
4-Bromofluorobenzene (S)	130	%	68-156		1	02/27/23 07:30	02/27/23 15:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	130	%	71-161		1	02/27/23 07:30	02/27/23 15:11	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.9	%	0.10	0.10	1		02/27/23 11:37		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

QC Batch:	439397	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

METHOD BLANK: 2523774 Matrix: Solid  
Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	03/09/23 09:54	

LABORATORY CONTROL SAMPLE: 2523775

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.84	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2523776 2523777

Parameter	Units	40258950001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	<0.011	0.92	0.92	0.93	0.92	100	101	85-115	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

QC Batch:	438789	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3050B	Analysis Description:	6010D MET
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

METHOD BLANK: 2520862 Matrix: Solid  
Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<1.5	2.5	03/01/23 14:48	
Barium	mg/kg	<0.15	0.50	03/01/23 14:48	
Cadmium	mg/kg	<0.13	0.50	03/01/23 14:48	
Chromium	mg/kg	<0.28	1.0	03/01/23 14:48	
Lead	mg/kg	0.62J	2.0	03/01/23 14:48	
Selenium	mg/kg	<1.3	4.0	03/01/23 14:48	
Silver	mg/kg	<0.31	1.0	03/01/23 14:48	

LABORATORY CONTROL SAMPLE: 2520863

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	25	24.2	97	80-120	
Barium	mg/kg	25	25.8	103	80-120	
Cadmium	mg/kg	25	25.9	104	80-120	
Chromium	mg/kg	25	26.0	104	80-120	
Lead	mg/kg	25	26.6	106	80-120	
Selenium	mg/kg	25	26.4	106	80-120	
Silver	mg/kg	12.5	12.7	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520864 2520865

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.								
Arsenic	mg/kg	4.8	29	29.1	34.1	31.9	101	93	75-125	7	20		
Barium	mg/kg	58.3	29	29.1	111	108	181	170	75-125	3	20	M0	
Cadmium	mg/kg	0.37J	29	29.1	30.6	30.9	104	105	75-125	1	20		
Chromium	mg/kg	15.6	29	29.1	49.2	47.8	116	111	75-125	3	20		
Lead	mg/kg	35.4	29	29.1	81.8	82.4	160	161	75-125	1	20	M0	
Selenium	mg/kg	<1.5	29	29.1	30.6	30.9	105	105	75-125	1	20		
Silver	mg/kg	<0.36	14.5	14.6	15.0	15.2	103	104	75-125	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

---

QC Batch:	438695	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Normal List
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

---

METHOD BLANK: 2520623 Matrix: Solid  
Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	02/27/23 11:15	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	02/27/23 11:15	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	02/27/23 11:15	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	02/27/23 11:15	
1,1-Dichloroethane	ug/kg	<12.8	50.0	02/27/23 11:15	
1,1-Dichloroethene	ug/kg	<16.6	50.0	02/27/23 11:15	
1,1-Dichloropropene	ug/kg	<16.2	50.0	02/27/23 11:15	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	02/27/23 11:15	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	02/27/23 11:15	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	02/27/23 11:15	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	02/27/23 11:15	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	02/27/23 11:15	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	02/27/23 11:15	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	02/27/23 11:15	
1,2-Dichloroethane	ug/kg	<11.5	50.0	02/27/23 11:15	
1,2-Dichloropropane	ug/kg	<11.9	50.0	02/27/23 11:15	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	02/27/23 11:15	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	02/27/23 11:15	
1,3-Dichloropropane	ug/kg	<10.9	50.0	02/27/23 11:15	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	02/27/23 11:15	
2,2-Dichloropropane	ug/kg	<13.5	50.0	02/27/23 11:15	
2-Chlorotoluene	ug/kg	<16.2	50.0	02/27/23 11:15	
4-Chlorotoluene	ug/kg	<19.0	50.0	02/27/23 11:15	
Benzene	ug/kg	<11.9	20.0	02/27/23 11:15	
Bromobenzene	ug/kg	<19.5	50.0	02/27/23 11:15	
Bromochloromethane	ug/kg	<13.7	50.0	02/27/23 11:15	
Bromodichloromethane	ug/kg	<11.9	50.0	02/27/23 11:15	
Bromoform	ug/kg	<220	250	02/27/23 11:15	
Bromomethane	ug/kg	<70.1	250	02/27/23 11:15	
Carbon tetrachloride	ug/kg	<11.0	50.0	02/27/23 11:15	
Chlorobenzene	ug/kg	<6.0	50.0	02/27/23 11:15	
Chloroethane	ug/kg	<21.1	250	02/27/23 11:15	
Chloroform	ug/kg	<35.8	250	02/27/23 11:15	
Chloromethane	ug/kg	<19.0	50.0	02/27/23 11:15	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	02/27/23 11:15	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	02/27/23 11:15	
Dibromochloromethane	ug/kg	<171	250	02/27/23 11:15	
Dibromomethane	ug/kg	<14.8	50.0	02/27/23 11:15	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	02/27/23 11:15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

METHOD BLANK: 2520623

Matrix: Solid

Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	02/27/23 11:15	
Ethylbenzene	ug/kg	<11.9	50.0	02/27/23 11:15	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	02/27/23 11:15	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	02/27/23 11:15	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	02/27/23 11:15	
Methylene Chloride	ug/kg	<13.9	50.0	02/27/23 11:15	
n-Butylbenzene	ug/kg	<22.9	50.0	02/27/23 11:15	
n-Propylbenzene	ug/kg	<12.0	50.0	02/27/23 11:15	
Naphthalene	ug/kg	<15.6	250	02/27/23 11:15	
p-Isopropyltoluene	ug/kg	<15.2	50.0	02/27/23 11:15	
sec-Butylbenzene	ug/kg	<12.2	50.0	02/27/23 11:15	
Styrene	ug/kg	<12.8	50.0	02/27/23 11:15	
tert-Butylbenzene	ug/kg	<15.7	50.0	02/27/23 11:15	
Tetrachloroethene	ug/kg	<19.4	50.0	02/27/23 11:15	
Toluene	ug/kg	<12.6	50.0	02/27/23 11:15	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	02/27/23 11:15	
trans-1,3-Dichloropropene	ug/kg	<143	250	02/27/23 11:15	
Trichloroethene	ug/kg	<18.7	50.0	02/27/23 11:15	
Trichlorofluoromethane	ug/kg	<14.5	50.0	02/27/23 11:15	
Vinyl chloride	ug/kg	<10.1	50.0	02/27/23 11:15	
Xylene (Total)	ug/kg	<36.1	150	02/27/23 11:15	
1,2-Dichlorobenzene-d4 (S)	%	104	71-161	02/27/23 11:15	
4-Bromofluorobenzene (S)	%	106	68-156	02/27/23 11:15	
Toluene-d8 (S)	%	78	69-153	02/27/23 11:15	

LABORATORY CONTROL SAMPLE: 2520624

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2540	101	70-130	
1,1,1,2-Tetrachloroethane	ug/kg	2500	2520	101	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2470	99	70-130	
1,1-Dichloroethane	ug/kg	2500	2560	102	70-130	
1,1-Dichloroethene	ug/kg	2500	2520	101	77-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2280	91	67-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2420	97	70-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2470	99	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2440	97	70-130	
1,2-Dichloroethane	ug/kg	2500	2680	107	70-130	
1,2-Dichloropropane	ug/kg	2500	2610	105	80-123	
1,3-Dichlorobenzene	ug/kg	2500	2410	97	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2270	91	70-130	
Benzene	ug/kg	2500	2620	105	70-130	
Bromodichloromethane	ug/kg	2500	2670	107	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

LABORATORY CONTROL SAMPLE: 2520624

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/kg	2500	2620	105	60-130	
Bromomethane	ug/kg	2500	2770	111	45-153	
Carbon tetrachloride	ug/kg	2500	2710	108	70-130	
Chlorobenzene	ug/kg	2500	2510	100	70-130	
Chloroethane	ug/kg	2500	2760	110	55-160	
Chloroform	ug/kg	2500	2560	103	80-120	
Chloromethane	ug/kg	2500	2070	83	47-130	
cis-1,2-Dichloroethene	ug/kg	2500	2410	97	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2580	103	70-130	
Dibromochloromethane	ug/kg	2500	2510	101	70-130	
Dichlorodifluoromethane	ug/kg	2500	1630	65	16-83	
Ethylbenzene	ug/kg	2500	2500	100	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2470	99	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2620	105	65-130	
Methylene Chloride	ug/kg	2500	2480	99	70-130	
Styrene	ug/kg	2500	3030	121	70-130	
Tetrachloroethene	ug/kg	2500	2450	98	70-130	
Toluene	ug/kg	2500	2470	99	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2600	104	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2490	100	70-130	
Trichloroethene	ug/kg	2500	2580	103	70-130	
Trichlorofluoromethane	ug/kg	2500	2610	104	70-130	
Vinyl chloride	ug/kg	2500	2170	87	59-114	
Xylene (Total)	ug/kg	7500	7480	100	70-130	
1,2-Dichlorobenzene-d4 (S)	%			102	71-161	
4-Bromofluorobenzene (S)	%			107	68-156	
Toluene-d8 (S)	%			100	69-153	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520625 2520626

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258659007	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/kg	<17.6	1380	1380	1030	1010	75	73	69-130	2	20		
1,1,2,2-Tetrachloroethane	ug/kg	<24.9	1380	1380	1490	1400	109	102	70-130	7	20		
1,1,2-Trichloroethane	ug/kg	<25.0	1380	1380	1360	1430	99	104	70-130	5	20		
1,1-Dichloroethane	ug/kg	<17.6	1380	1380	1240	1210	90	88	70-130	2	20		
1,1-Dichloroethene	ug/kg	<22.8	1380	1380	974	921	71	67	55-120	6	22		
1,2,4-Trichlorobenzene	ug/kg	<56.6	1380	1380	1490	1410	108	103	67-130	6	20		
1,2-Dibromo-3-chloropropane	ug/kg	<53.3	1380	1380	1390	1290	102	94	70-130	8	22		
1,2-Dibromoethane (EDB)	ug/kg	<18.8	1380	1380	1420	1320	103	96	70-130	7	20		
1,2-Dichlorobenzene	ug/kg	<21.3	1380	1380	1510	1490	110	108	70-130	1	20		
1,2-Dichloroethane	ug/kg	<15.8	1380	1380	1380	1420	100	103	70-130	3	20		
1,2-Dichloropropane	ug/kg	<16.3	1380	1380	1350	1380	98	101	80-123	2	20		
1,3-Dichlorobenzene	ug/kg	<18.8	1380	1380	1500	1430	109	104	70-130	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

Parameter	Units	2520625		2520626		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258659007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
1,4-Dichlorobenzene	ug/kg	<18.8	1380	1380	1420	1360	103	99	70-130	4	20
Benzene	ug/kg	<16.3	1380	1380	1270	1270	93	92	70-130	0	20
Bromodichloromethane	ug/kg	<16.3	1380	1380	1340	1380	98	100	70-130	3	20
Bromoform	ug/kg	<302	1380	1380	1390	1340	101	97	60-130	4	20
Bromomethane	ug/kg	<96.3	1380	1380	1470	1490	107	109	38-153	1	20
Carbon tetrachloride	ug/kg	<15.1	1380	1380	977	921	71	67	62-130	6	20
Chlorobenzene	ug/kg	<8.2	1380	1380	1360	1320	99	96	70-130	3	20
Chloroethane	ug/kg	<29.0	1380	1380	1340	1270	98	93	53-160	5	24
Chloroform	ug/kg	<49.2	1380	1380	1360	1420	99	103	80-120	4	20
Chloromethane	ug/kg	<26.1	1380	1380	993	940	72	68	10-130	5	20
cis-1,2-Dichloroethene	ug/kg	<14.7	1380	1380	1170	1270	85	92	70-130	8	20
cis-1,3-Dichloropropene	ug/kg	<45.3	1380	1380	1320	1360	96	99	70-130	3	20
Dibromochloromethane	ug/kg	<235	1380	1380	1320	1340	96	98	70-130	2	20
Dichlorodifluoromethane	ug/kg	<29.5	1380	1380	487	484	35	35	10-83	1	31
Ethylbenzene	ug/kg	<16.3	1380	1380	1230	1180	90	86	80-120	4	20
Isopropylbenzene (Cumene)	ug/kg	<18.5	1380	1380	1180	1090	86	79	70-130	8	20
Methyl-tert-butyl ether	ug/kg	<20.2	1380	1380	1350	1390	98	101	66-130	3	20
Methylene Chloride	ug/kg	<19.1	1380	1380	1310	1390	95	101	70-130	6	20
Styrene	ug/kg	<17.6	1380	1380	1590	1540	116	112	70-130	3	20
Tetrachloroethene	ug/kg	<26.7	1380	1380	1090	1040	80	76	69-130	4	20
Toluene	ug/kg	<17.3	1380	1380	1270	1190	92	86	79-120	7	20
trans-1,2-Dichloroethene	ug/kg	<14.8	1380	1380	1180	1210	86	88	70-130	3	20
trans-1,3-Dichloropropene	ug/kg	<196	1380	1380	1350	1310	98	95	69-130	3	20
Trichloroethene	ug/kg	<25.7	1380	1380	1210	1150	88	84	70-130	5	20
Trichlorofluoromethane	ug/kg	<19.9	1380	1380	801	804	58	59	50-130	0	22
Vinyl chloride	ug/kg	<13.9	1380	1380	867	808	63	59	26-114	7	20
Xylene (Total)	ug/kg	<49.6	4120	4120	3900	3790	95	92	70-130	3	20
1,2-Dichlorobenzene-d4 (S)	%						143	144	71-161		
4-Bromofluorobenzene (S)	%						145	142	68-156		
Toluene-d8 (S)	%						130	131	69-153		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

QC Batch:	438781	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

METHOD BLANK: 2520838 Matrix: Solid  
Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<18.9	167	03/01/23 11:38	
1,2-Dichlorobenzene	ug/kg	<52.5	167	03/01/23 11:38	
1,3-Dichlorobenzene	ug/kg	<23.1	167	03/01/23 11:38	
1,4-Dichlorobenzene	ug/kg	<23.3	167	03/01/23 11:38	
2,2'-Oxybis(1-chloropropane)	ug/kg	<43.0	167	03/01/23 11:38	
2,4,5-Trichlorophenol	ug/kg	<29.5	167	03/01/23 11:38	
2,4,6-Trichlorophenol	ug/kg	<25.5	167	03/01/23 11:38	
2,4-Dichlorophenol	ug/kg	<44.6	167	03/01/23 11:38	
2,4-Dimethylphenol	ug/kg	<33.0	167	03/01/23 11:38	
2,4-Dinitrophenol	ug/kg	<131	330	03/01/23 11:38	
2,4-Dinitrotoluene	ug/kg	<23.9	167	03/01/23 11:38	
2,6-Dinitrotoluene	ug/kg	<31.7	167	03/01/23 11:38	
2-Chloronaphthalene	ug/kg	<21.4	167	03/01/23 11:38	
2-Chlorophenol	ug/kg	<41.7	167	03/01/23 11:38	
2-Methylnaphthalene	ug/kg	<43.3	167	03/01/23 11:38	
2-Methylphenol(o-Cresol)	ug/kg	<30.3	167	03/01/23 11:38	
2-Nitroaniline	ug/kg	<47.6	167	03/01/23 11:38	
2-Nitrophenol	ug/kg	<52.7	167	03/01/23 11:38	
3&4-Methylphenol(m&p Cresol)	ug/kg	<30.6	167	03/01/23 11:38	
3,3'-Dichlorobenzidine	ug/kg	<45.3	167	03/01/23 11:38	
3-Nitroaniline	ug/kg	<28.4	167	03/01/23 11:38	
4,6-Dinitro-2-methylphenol	ug/kg	<51.4	167	03/01/23 11:38	
4-Bromophenylphenyl ether	ug/kg	<35.0	167	03/01/23 11:38	
4-Chloro-3-methylphenol	ug/kg	<51.9	167	03/01/23 11:38	
4-Chloroaniline	ug/kg	<27.4	167	03/01/23 11:38	
4-Chlorophenylphenyl ether	ug/kg	<31.1	167	03/01/23 11:38	
4-Nitroaniline	ug/kg	<69.3	167	03/01/23 11:38	
4-Nitrophenol	ug/kg	<42.0	167	03/01/23 11:38	
Acenaphthene	ug/kg	<59.2	167	03/01/23 11:38	
Acenaphthylene	ug/kg	<59.5	167	03/01/23 11:38	
Anthracene	ug/kg	<26.7	167	03/01/23 11:38	
Benzo(a)anthracene	ug/kg	<25.9	167	03/01/23 11:38	
Benzo(a)pyrene	ug/kg	<25.1	167	03/01/23 11:38	
Benzo(b)fluoranthene	ug/kg	<28.7	167	03/01/23 11:38	
Benzo(g,h,i)perylene	ug/kg	<43.7	167	03/01/23 11:38	
Benzo(k)fluoranthene	ug/kg	<40.0	167	03/01/23 11:38	
bis(2-Chloroethoxy)methane	ug/kg	<45.0	167	03/01/23 11:38	
bis(2-Chloroethyl) ether	ug/kg	<52.1	167	03/01/23 11:38	
bis(2-Ethylhexyl)phthalate	ug/kg	<57.0	167	03/01/23 11:38	CH

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW

Pace Project No.: 40258659

METHOD BLANK: 2520838

Matrix: Solid

Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/kg	<69.5	167	03/01/23 11:38	CH
Carbazole	ug/kg	<26.1	167	03/01/23 11:38	
Chrysene	ug/kg	<25.0	167	03/01/23 11:38	
Di-n-butylphthalate	ug/kg	<24.9	167	03/01/23 11:38	
Di-n-octylphthalate	ug/kg	<37.5	167	03/01/23 11:38	CH
Dibenz(a,h)anthracene	ug/kg	<45.3	167	03/01/23 11:38	
Dibenzofuran	ug/kg	<20.2	167	03/01/23 11:38	
Diethylphthalate	ug/kg	<27.7	167	03/01/23 11:38	
Dimethylphthalate	ug/kg	<21.7	167	03/01/23 11:38	
Fluoranthene	ug/kg	<23.6	167	03/01/23 11:38	
Fluorene	ug/kg	<19.5	167	03/01/23 11:38	
Hexachloro-1,3-butadiene	ug/kg	<42.5	167	03/01/23 11:38	
Hexachlorobenzene	ug/kg	<28.1	167	03/01/23 11:38	
Hexachlorocyclopentadiene	ug/kg	<39.5	167	03/01/23 11:38	
Hexachloroethane	ug/kg	<26.7	167	03/01/23 11:38	
Indeno(1,2,3-cd)pyrene	ug/kg	46.5J	167	03/01/23 11:38	
Isophorone	ug/kg	<25.7	167	03/01/23 11:38	
N-Nitroso-di-n-propylamine	ug/kg	<26.5	167	03/01/23 11:38	
N-Nitrosodiphenylamine	ug/kg	<44.0	167	03/01/23 11:38	
Naphthalene	ug/kg	<58.4	167	03/01/23 11:38	
Nitrobenzene	ug/kg	<33.8	167	03/01/23 11:38	
Pentachlorophenol	ug/kg	<36.8	167	03/01/23 11:38	
Phenanthrene	ug/kg	<21.4	167	03/01/23 11:38	
Phenol	ug/kg	<39.6	167	03/01/23 11:38	
Pyrene	ug/kg	<37.0	167	03/01/23 11:38	
2,4,6-Tribromophenol (S)	%	81	10-144	03/01/23 11:38	
2-Fluorobiphenyl (S)	%	83	12-118	03/01/23 11:38	
2-Fluorophenol (S)	%	71	10-130	03/01/23 11:38	
Nitrobenzene-d5 (S)	%	71	10-125	03/01/23 11:38	
Phenol-d6 (S)	%	68	10-125	03/01/23 11:38	
Terphenyl-d14 (S)	%	100	10-124	03/01/23 11:38	

LABORATORY CONTROL SAMPLE: 2520839

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1670	1460	87	70-130	
1,2-Dichlorobenzene	ug/kg	1670	1530	92	66-130	
1,3-Dichlorobenzene	ug/kg	1670	1510	91	66-130	
1,4-Dichlorobenzene	ug/kg	1670	1540	92	64-130	
2,2'-Oxybis(1-chloropropane)	ug/kg	1670	1600	96	65-130	
2,4,5-Trichlorophenol	ug/kg	1670	1580	95	70-125	
2,4,6-Trichlorophenol	ug/kg	1670	1560	93	70-124	
2,4-Dichlorophenol	ug/kg	1670	1490	90	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW

Pace Project No.: 40258659

LABORATORY CONTROL SAMPLE: 2520839

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	ug/kg	1670	1510	91	70-130	
2,4-Dinitrophenol	ug/kg	1670	1050	63	26-103	
2,4-Dinitrotoluene	ug/kg	1670	1790	107	70-130	
2,6-Dinitrotoluene	ug/kg	1670	1770	106	70-130	
2-Chloronaphthalene	ug/kg	1670	1660	100	70-130	
2-Chlorophenol	ug/kg	1670	1530	92	67-130	
2-Methylnaphthalene	ug/kg	1670	1460	88	70-130	
2-Methylphenol(o-Cresol)	ug/kg	1670	1560	94	69-130	
2-Nitroaniline	ug/kg	1670	1690	102	70-124	
2-Nitrophenol	ug/kg	1670	1540	92	70-130	
3&4-Methylphenol(m&p Cresol)	ug/kg	1670	1380	83	70-130	
3,3'-Dichlorobenzidine	ug/kg	1670	1250	75	48-112	
3-Nitroaniline	ug/kg	1670	1480	89	57-121	
4,6-Dinitro-2-methylphenol	ug/kg	1670	1610	96	59-115	
4-Bromophenylphenyl ether	ug/kg	1670	1560	94	70-130	
4-Chloro-3-methylphenol	ug/kg	1670	1480	89	70-130	
4-Chloroaniline	ug/kg	1670	1050	63	45-130	
4-Chlorophenylphenyl ether	ug/kg	1670	1550	93	70-130	
4-Nitroaniline	ug/kg	1670	1160	69	62-127	
4-Nitrophenol	ug/kg	1670	1390	84	50-126	
Acenaphthene	ug/kg	1670	1580	95	70-130	
Acenaphthylene	ug/kg	1670	1710	103	70-130	
Anthracene	ug/kg	1670	1680	101	70-130	
Benzo(a)anthracene	ug/kg	1670	1570	94	70-130	
Benzo(a)pyrene	ug/kg	1670	1490	90	70-130	
Benzo(b)fluoranthene	ug/kg	1670	1330	80	70-130	
Benzo(g,h,i)perylene	ug/kg	1670	1160	70	65-130	
Benzo(k)fluoranthene	ug/kg	1670	1780	107	70-130	
bis(2-Chloroethoxy)methane	ug/kg	1670	1420	85	70-130	
bis(2-Chloroethyl) ether	ug/kg	1670	1420	85	68-130	
bis(2-Ethylhexyl)phthalate	ug/kg	1670	2010	121	70-130	CH
Butylbenzylphthalate	ug/kg	1670	1970	118	70-130	CH
Carbazole	ug/kg	1670	1620	97	70-130	
Chrysene	ug/kg	1670	1850	111	70-130	
Di-n-butylphthalate	ug/kg	1670	1760	106	70-130	
Di-n-octylphthalate	ug/kg	1670	2030	122	67-134	CH
Dibenz(a,h)anthracene	ug/kg	1670	1320	79	68-130	
Dibenzofuran	ug/kg	1670	1650	99	70-130	
Diethylphthalate	ug/kg	1670	1690	101	70-130	
Dimethylphthalate	ug/kg	1670	1650	99	70-130	
Fluoranthene	ug/kg	1670	1570	94	70-130	
Fluorene	ug/kg	1670	1660	100	70-130	
Hexachloro-1,3-butadiene	ug/kg	1670	1410	85	67-130	
Hexachlorobenzene	ug/kg	1670	1560	93	70-130	
Hexachlorocyclopentadiene	ug/kg	1670	1160	70	54-114	
Hexachloroethane	ug/kg	1670	1650	99	64-130	
Indeno(1,2,3-cd)pyrene	ug/kg	1670	1240	74	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

LABORATORY CONTROL SAMPLE: 2520839

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	ug/kg	1670	1470	89	70-130	
N-Nitroso-di-n-propylamine	ug/kg	1670	1500	90	70-130	
N-Nitrosodiphenylamine	ug/kg	1670	1650	99	70-130	
Naphthalene	ug/kg	1670	1490	90	70-130	
Nitrobenzene	ug/kg	1670	1490	90	70-130	
Pentachlorophenol	ug/kg	1670	1190	71	47-108	
Phenanthrene	ug/kg	1670	1650	99	70-130	
Phenol	ug/kg	1670	1450	87	67-130	
Pyrene	ug/kg	1670	1780	107	70-130	
2,4,6-Tribromophenol (S)	%			94	10-144	
2-Fluorobiphenyl (S)	%			93	12-118	
2-Fluorophenol (S)	%			78	10-130	
Nitrobenzene-d5 (S)	%			87	10-125	
Phenol-d6 (S)	%			85	10-125	
Terphenyl-d14 (S)	%			97	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520840 2520841

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40258659002 Result	Spike Conc.	Spike Conc.	Result								
1,2,4-Trichlorobenzene	ug/kg	<88.5	1950	1960	1450	1440	74	74	45-130	0	28		
1,2-Dichlorobenzene	ug/kg	<246	1950	1960	1360	1590	70	82	45-130	16	29		
1,3-Dichlorobenzene	ug/kg	<108	1950	1960	1320	1510	68	77	42-130	13	30		
1,4-Dichlorobenzene	ug/kg	<109	1950	1960	1370	1530	70	78	42-130	12	32		
2,2'-Oxybis(1-chloropropane)	ug/kg	<202	1950	1960	1520	1640	78	84	44-130	8	26		
2,4,5-Trichlorophenol	ug/kg	<138	1950	1960	1200	1400	61	72	11-125	16	30		
2,4,6-Trichlorophenol	ug/kg	<119	1950	1960	1220	1320	63	68	16-124	8	31		
2,4-Dichlorophenol	ug/kg	<209	1950	1960	1140	877J	58	45	19-121		29		
2,4-Dimethylphenol	ug/kg	<155	1950	1960	1080	1280	55	65	29-130	17	32		
2,4-Dinitrophenol	ug/kg	<615	1950	1960	<768	<769	0	0	10-103		50	M1	
2,4-Dinitrotoluene	ug/kg	<112	1950	1960	1250	1270	64	65	38-130	2	27		
2,6-Dinitrotoluene	ug/kg	<149	1950	1960	1370	1520	70	78	41-130	11	28		
2-Chloronaphthalene	ug/kg	<100	1950	1960	1410	1550	72	79	44-130	9	24		
2-Chlorophenol	ug/kg	<195	1950	1960	1090	1330	56	68	33-130	20	30		
2-Methylnaphthalene	ug/kg	<203	1950	1960	1340	1360	68	69	46-130	2	23		
2-Methylphenol(o-Cresol)	ug/kg	<142	1950	1960	1290	1410	66	72	30-130	9	30		
2-Nitroaniline	ug/kg	<223	1950	1960	1130	1150	58	59	27-124	2	25		
2-Nitrophenol	ug/kg	<247	1950	1960	1190	1270	61	65	10-130	6	27		
3&4-Methylphenol(m&p Cresol)	ug/kg	<143	1950	1960	1030	934J	53	48	28-130		33		
3,3'-Dichlorobenzidine	ug/kg	<212	1950	1960	1190	1190	61	61	10-112	0	43		
3-Nitroaniline	ug/kg	<133	1950	1960	732J	720J	37	37	10-121		33		
4,6-Dinitro-2-methylphenol	ug/kg	<241	1950	1960	801J	891J	41	46	10-115		50		
4-Bromophenylphenyl ether	ug/kg	<164	1950	1960	1220	1450	63	74	40-130	17	25		
4-Chloro-3-methylphenol	ug/kg	<243	1950	1960	1320	1250	68	64	30-130	5	29		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW

Pace Project No.: 40258659

Parameter	Units	2520840		2520841		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40258659002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4-Chloroaniline	ug/kg	<129	1950	1960	763J	804J	39	41	16-130			33	
4-Chlorophenylphenyl ether	ug/kg	<146	1950	1960	1420	1420	73	73	46-130	0		24	
4-Nitroaniline	ug/kg	<325	1950	1960	881J	597J	45	31	10-127			40	
4-Nitrophenol	ug/kg	<197	1950	1960	<246	<246	3	6	10-128			50	M1
Acenaphthene	ug/kg	<277	1950	1960	1440	1570	74	80	47-130	9		21	
Acenaphthylene	ug/kg	<279	1950	1960	1580	1580	81	81	49-130	0		22	
Anthracene	ug/kg	<125	1950	1960	1540	1510	73	72	46-130	2		27	
Benzo(a)anthracene	ug/kg	432J	1950	1960	1610	1780	60	69	45-130	10		24	
Benzo(a)pyrene	ug/kg	346J	1950	1960	1380	1450	53	57	48-130	5		27	
Benzo(b)fluoranthene	ug/kg	554J	1950	1960	1310	1560	39	51	41-130	18		31	M1
Benzo(g,h,i)perylene	ug/kg	300J	1950	1960	1240	1310	48	52	37-130	6		31	
Benzo(k)fluoranthene	ug/kg	240J	1950	1960	1530	1540	66	67	46-130	1		27	
bis(2-Chloroethoxy)methane	ug/kg	<211	1950	1960	1110	1220	57	62	38-130	10		26	
bis(2-Chloroethyl) ether	ug/kg	<244	1950	1960	776J	939J	40	48	42-130			29	M1
bis(2-Ethylhexyl)phthalate	ug/kg	<267	1950	1960	1980	2000	102	102	39-130	1		27	CH,D3
Butylbenzylphthalate	ug/kg	<326	1950	1960	1810	1930	93	99	39-130	6		27	CH,D3
Carbazole	ug/kg	<123	1950	1960	1530	1600	79	82	44-130	5		24	
Chrysene	ug/kg	575J	1950	1960	1790	2070	62	76	44-130	14		25	
Di-n-butylphthalate	ug/kg	<117	1950	1960	1640	1700	84	87	45-130	3		26	
Di-n-octylphthalate	ug/kg	<176	1950	1960	2060	2100	106	108	40-134	2		27	CH,D3
Dibenz(a,h)anthracene	ug/kg	<213	1950	1960	1070	1120	50	52	41-130	4		33	
Dibenzofuran	ug/kg	<94.7	1950	1960	1500	1550	77	79	47-130	3		23	
Diethylphthalate	ug/kg	<130	1950	1960	1690	1700	87	87	46-130	1		24	
Dimethylphthalate	ug/kg	<102	1950	1960	1460	1520	75	78	47-130	4		24	
Fluoranthene	ug/kg	1060	1950	1960	1810	1890	38	43	50-130	5		27	M1
Fluorene	ug/kg	<91.5	1950	1960	1500	1580	77	81	48-130	6		25	
Hexachloro-1,3-butadiene	ug/kg	<199	1950	1960	1360	1480	70	76	42-130	9		27	
Hexachlorobenzene	ug/kg	<132	1950	1960	1390	1480	71	75	51-130	6		24	
Hexachlorocyclopentadiene	ug/kg	<185	1950	1960	457J	461J	23	24	10-114			50	
Hexachloroethane	ug/kg	<125	1950	1960	1520	1620	78	83	33-130	6		35	
Indeno(1,2,3-cd)pyrene	ug/kg	269J	1950	1960	1600	1620	68	69	34-130	1		38	
Isophorone	ug/kg	<120	1950	1960	1230	1350	63	69	45-130	9		28	
N-Nitroso-di-n-propylamine	ug/kg	<124	1950	1960	1250	1310	64	67	47-130	4		27	
N-Nitrosodiphenylamine	ug/kg	<206	1950	1960	1310	1410	67	72	42-130	7		25	
Naphthalene	ug/kg	<274	1950	1960	1370	1450	70	74	48-130	6		24	
Nitrobenzene	ug/kg	<159	1950	1960	1190	1240	61	63	42-130	4		25	
Pentachlorophenol	ug/kg	<172	1950	1960	427J	658J	22	34	10-108			50	
Phenanthrene	ug/kg	543J	1950	1960	1580	1730	53	61	50-130	9		27	
Phenol	ug/kg	<186	1950	1960	1310	1190	67	61	37-130	9		30	D3
Pyrene	ug/kg	924	1950	1960	1770	2040	43	57	43-130	14		29	
2,4,6-Tribromophenol (S)	%						69	65	10-144				
2-Fluorobiphenyl (S)	%						65	68	12-118				
2-Fluorophenol (S)	%						47	53	10-130				
Nitrobenzene-d5 (S)	%						55	62	10-125				
Phenol-d6 (S)	%						53	60	10-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 128TH ARW

Pace Project No.: 40258659

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2520840												2520841	
Parameter	Units	40258659002 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.									
Terphenyl-d14 (S)	%							72	76	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 128TH ARW  
Pace Project No.: 40258659

---

QC Batch:	438702	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40258659001, 40258659002, 40258659003, 40258659004, 40258659005, 40258659006, 40258659007, 40258659008

---

SAMPLE DUPLICATE: 2520633

Parameter	Units	40258603001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	6.2	6.1	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 128TH ARW  
Pace Project No.: 40258659

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

- |    |   |
|----|---|
| B  | Analyte was detected in the associated method blank.  |
| CH | The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high. |
| D3 | Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.                    |
| M0 | Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.                           |
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.                   |
| S3 | Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.          |

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 128TH ARW  
Pace Project No.: 40258659

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40258659001	OWS 1A	EPA 3050B	438789	EPA 6010D	438901
40258659002	OWS 1B	EPA 3050B	438789	EPA 6010D	438901
40258659003	OWS 1C	EPA 3050B	438789	EPA 6010D	438901
40258659004	OWS 1D	EPA 3050B	438789	EPA 6010D	438901
40258659005	OWS 2A	EPA 3050B	438789	EPA 6010D	438901
40258659006	OWS 2B	EPA 3050B	438789	EPA 6010D	438901
40258659007	OWS 2C	EPA 3050B	438789	EPA 6010D	438901
40258659008	OWS 2B	EPA 3050B	438789	EPA 6010D	438901
40258659001	OWS 1A	EPA 7471	439397	EPA 7471	439459
40258659002	OWS 1B	EPA 7471	439397	EPA 7471	439459
40258659003	OWS 1C	EPA 7471	439397	EPA 7471	439459
40258659004	OWS 1D	EPA 7471	439397	EPA 7471	439459
40258659005	OWS 2A	EPA 7471	439397	EPA 7471	439459
40258659006	OWS 2B	EPA 7471	439397	EPA 7471	439459
40258659007	OWS 2C	EPA 7471	439397	EPA 7471	439459
40258659008	OWS 2B	EPA 7471	439397	EPA 7471	439459
40258659001	OWS 1A	EPA 3546	438781	EPA 8270E	438826
40258659002	OWS 1B	EPA 3546	438781	EPA 8270E	438826
40258659003	OWS 1C	EPA 3546	438781	EPA 8270E	438826
40258659004	OWS 1D	EPA 3546	438781	EPA 8270E	438826
40258659005	OWS 2A	EPA 3546	438781	EPA 8270E	438826
40258659006	OWS 2B	EPA 3546	438781	EPA 8270E	438826
40258659007	OWS 2C	EPA 3546	438781	EPA 8270E	438826
40258659008	OWS 2B	EPA 3546	438781	EPA 8270E	438826
40258659001	OWS 1A	EPA 5035/5030B	438695	EPA 8260	438699
40258659002	OWS 1B	EPA 5035/5030B	438695	EPA 8260	438699
40258659003	OWS 1C	EPA 5035/5030B	438695	EPA 8260	438699
40258659004	OWS 1D	EPA 5035/5030B	438695	EPA 8260	438699
40258659005	OWS 2A	EPA 5035/5030B	438695	EPA 8260	438699
40258659006	OWS 2B	EPA 5035/5030B	438695	EPA 8260	438699
40258659007	OWS 2C	EPA 5035/5030B	438695	EPA 8260	438699
40258659008	OWS 2B	EPA 5035/5030B	438695	EPA 8260	438699
40258659001	OWS 1A	ASTM D2974-87	438702		
40258659002	OWS 1B	ASTM D2974-87	438702		
40258659003	OWS 1C	ASTM D2974-87	438702		
40258659004	OWS 1D	ASTM D2974-87	438702		
40258659005	OWS 2A	ASTM D2974-87	438702		
40258659006	OWS 2B	ASTM D2974-87	438702		
40258659007	OWS 2C	ASTM D2974-87	438702		
40258659008	OWS 2B	ASTM D2974-87	438702		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40258659

**ALL SHADED AREAS are for LAB USE ONLY**

Company: **GILES ENGINEERING**  
Address:

Billing Information:  
Email To:  
Site Collection Info/Address:

Report To: **MICHELLE PEED**  
Copy To: **CODY REICH BROOKE**

State: County/City: Time Zone Collected:  
[ ] PT [ ] MT [ ] CT [ ] ET

Customer Project Name/Number: **HANSON 128TH ARW**

Compliance Monitoring?  
[ ] Yes [ ] No

Phone: **262 544 0118**  
Email:

Site/Facility ID #:

Purchase Order #:  
Quote #:

Collected By (print): **BROOKE HANSON**

Turnaround Date Required:

DW PWS ID #:  
DW Location Code:

Collected By (signature): *Brooke Hanson*

Rush:  
[ ] Same Day [ ] Next Day  
[ ] 2 Day [ ] 3 Day [ ] 4 Day [ ] 5 Day  
(Expedite Charges Apply)

Immediately Packed on Ice:  
[ ] Yes [ ] No

Sample Disposal:  
[ ] Dispose as appropriate [ ] Return  
[ ] Archive:  
[ ] Hold:

Field Filtered (if applicable):  
[ ] Yes [ ] No  
Analysis:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
OWS 1A	SOIL	BRAB	2/24	8:30				
OWS 1B				8:35				
OWS 1C				8:40				
OWS 1D				8:45				
OWS 2A				11:05				
OWS 2B				11:10				
OWS 2C				11:15				
OWS 2B.				11:20				

Analyses									
X	X	X	X						
X	X	X	X						
X	X	X	X						
X	X	X	X						
X	X	X	X						
X	X	X	X						
X	X	X	X						
X	X	X	X						
X	X	X	X						
X	X	X	X						

Lab Project Manager:

\*\* Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line:  
Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y N NA  
Custody Signatures Present Y N NA  
Collector Signature Present Y N NA  
Bottles Intact Y N NA  
Correct Bottles Y N NA  
Sufficient Volume Y N NA  
Samples Received on Ice Y N NA  
VOA - Headspace Acceptable Y N NA  
USDA Regulated Soils Y N NA  
Samples in Holding Time Y N NA  
Residual Chlorine Present Y N NA  
Cl Strips: \_\_\_\_\_  
Sample pH Acceptable Y N NA  
pH Strips: \_\_\_\_\_  
Sulfide Present Y N NA  
Lead Acetate Strips: \_\_\_\_\_

LAB USE ONLY:  
Lab Sample # / Comments:

001  
002  
003  
004  
005 - 2/25/2586  
006  
007  
008

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: **Wet** Blue Dry None  
Packing Material Used: **11**  
Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A  
Lab Tracking #: **2824181**  
Samples received via:  
FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:  
Temp Blank Received: Y N NA  
Therm ID#: \_\_\_\_\_  
Cooler 1 Temp Upon Receipt: \_\_\_\_\_ oC  
Cooler 1 Therm Corr. Factor: \_\_\_\_\_ oC  
Cooler 1 Corrected Temp: \_\_\_\_\_ oC  
Comments:

Relinquished by/Company: (Signature)  
*Brooke Hanson*  
Date/Time: **2/24 11:38**

Received by/Company: (Signature)  
*Giles Engineering*  
Date/Time: **2/24/23 4:45pm**

Relinquished by/Company: (Signature)  
*CS Logistics*  
Date/Time: **2/25/23 09:00**

Received by/Company: (Signature)  
*See above*  
Date/Time: **2/25/23 09:00**

MTJL LAB USE ONLY  
Table #: **11**  
Acctnum:  
Template:  
Prelogin:  
PM:  
PB:

Trip Blank Received: Y N NA  
HCL MeOH TSP Other  
Non Conformance(s): Page 56 of 87  
YES / NO of: \_\_\_\_\_

Effective Date: 8/16/2022

Client Name: Giles Engineering  
 All containers needing preservation have been checked and noted below.  
 Lab Lot# of pH paper.

Sample Preservation Receipt Form  
 Project # 40259659  
 Yes  No  N/A  
 Lab Std #/ID of preservation (if pH adjusted):

Initial when completed  
 Date/ Time.

Pace Lab #	Glass						Plastic						Vials					Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2						
001																																	2.5 / 5
002																																	2.5 / 5
003																																	2.5 / 5
004																																	2.5 / 5
005																																	2.5 / 5
006																																	2.5 / 5
007																																	2.5 / 5
008																																	2.5 / 5
009																																	2.5 / 5
010																																	2.5 / 5
011																																	2.5 / 5
012																																	2.5 / 5
013																																	2.5 / 5
014																																	2.5 / 5
015																																	2.5 / 5
016																																	2.5 / 5
017																																	2.5 / 5
018																																	2.5 / 5
019																																	2.5 / 5
020																																	2.5 / 5

*2/25/23 JL*

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: \_\_\_\_\_ Headspace in VOA Vials (>6mm)  Yes  No  N/A \*If yes look in headspace column

<b>AG1U</b>	1 liter amber glass	<b>BP1U</b>	1 liter plastic unpres	<b>VG9C</b>	40 mL clear ascorbic w/ HCl	<b>JGFU</b>	4 oz amber jar unpres
<b>BG1U</b>	1 liter clear glass	<b>BP3U</b>	250 mL plastic unpres	<b>DG9T</b>	40 mL amber Na Thio	<b>JG9U</b>	9 oz amber jar unpres
<b>AG1H</b>	1 liter amber glass HCL	<b>BP3B</b>	250 mL plastic NaOH	<b>VG9U</b>	40 mL clear vial unpres	<b>WGFU</b>	4 oz clear jar unpres
<b>AG4S</b>	125 mL amber glass H2SO4	<b>BP3N</b>	250 mL plastic HNO3	<b>VG9H</b>	40 mL clear vial HCL	<b>WPFU</b>	4 oz plastic jar unpres
<b>AG5U</b>	100 mL amber glass unpres	<b>BP3S</b>	250 mL plastic H2SO4	<b>VG9M</b>	40 mL clear vial MeOH	<b>SP5T</b>	120 mL plastic Na Thiosulfate
<b>AG2S</b>	500 mL amber glass H2SO4	<b>BP2Z</b>	500 mL plastic NaOH + Zn	<b>VG9D</b>	40 mL clear vial DI	<b>ZPLC</b>	ziploc bag
<b>BG3U</b>	250 mL clear glass unpres					<b>GN 1</b>	<i>125 poly unpres</i>
						<b>GN 2</b>	

**Sample Condition Upon Receipt Form (SCUR)**

Project #: \_\_\_\_\_

Client Name: Giles Engineering

WO#: **40258659**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr 1.5 / Corr 2.5

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:  
 Date: 2/25/23 Initials: SE  
 Labeled By Initials: MPJ

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Bill of lading pg #</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>2/25/23</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>not times</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		<u>2/25/23</u>
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir



---

## Report of Analysis

**Pace Analytical Services, LLC**  
1241 Bellevue Street  
Suite 9  
Green Bay, WI 54302  
Attention: Dan Milewsky

Project Name: 128TH ARW

Project Number: 40258659

Lot Number: **YB28016**

Date Completed: 03/27/2023

03/28/2023 7:43 PM

Approved and released by:  
Project Coordinator 1: **Jenna S. Holliday**



The electronic signature above is the equivalent of a handwritten signature.  
This report shall not be reproduced, except in its entirety, without the written approval of Pace Analytical Services, LLC.

# PACE ANALYTICAL SERVICES, LLC

SC DHEC No: 32010001

NELAC No: E87653

NC DENR No: 329

NC Field Parameters No: 5639

## Case Narrative Pace Analytical Services, LLC Lot Number: YB28016

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

All results listed in this report relate only to the samples that are contained within this report. Where sampling is conducted by the client, results relate to the accuracy of the information provided, and as the samples are received.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved The NELAC Institute (TNI) standards, the Pace Analytical Services, LLC ("Pace") Laboratory Quality Manual, standard operating procedures (SOPs), and Pace policies. Any exceptions to the TNI standards, the Laboratory Quality Manual, SOPs or policies are qualified on the results page or discussed below.

Pace is a TNI accredited laboratory; however, the following analyses are currently not listed on our TNI scope of accreditation: Drinking Water: VOC (excluding BTEX, MTBE, Naphthalene, & 1,2-dichloroethane) EPA 524.2, E. coli and Total coliforms SM 9223 B-2004, Solid Chemical Material: TOC Walkley-Black, Biological Tissue: All, Non-Potable Water: SGT-HEM EPA 1664B, Silica EPA 200.7, Boron, Calcium, Silicon, Strontium EPA 200.8, Bicarbonate, Carbonate, and Hydroxide Alkalinity SM 2320 B-2011, SM 9221 C E-2006 & SM 9222D-2006, Strontium SW-846 6010D, VOC SM 6200 B-2011, Fecal Coliform Colilert-18.

Where applicable, all soil sample results (including LOQ and DL if requested) are corrected for dry weight unless flagged with a "W" qualifier.

If you have any questions regarding this report, please contact the Pace Project Manager listed on the cover page.



# PACE ANALYTICAL SERVICES, LLC

---

**Sample Summary**  
**Pace Analytical Services, LLC**  
**Lot Number: YB28016**  
**Project Name: 128TH ARW**  
**Project Number: 40258659**

---

<b>Sample Number</b>	<b>Sample ID</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
001	OWS 1A	Solid	02/24/2023 0830	02/28/2023
002	OWS 1B	Solid	02/24/2023 0835	02/28/2023
003	OWS 1C	Solid	02/24/2023 0840	02/28/2023
004	OWS 1D	Solid	02/24/2023 0845	02/28/2023
005	OWS 2A	Solid	02/24/2023 1105	02/28/2023
006	OWS 2B	Solid	02/24/2023 1110	02/28/2023
007	OWS 2C	Solid	02/24/2023 1115	02/28/2023
008	OWS 2B	Solid	02/24/2023 1120	02/28/2023

---

(8 samples)

# PACE ANALYTICAL SERVICES, LLC

**Detection Summary**  
**Pace Analytical Services, LLC**  
**Lot Number: YB28016**  
**Project Name: 128TH ARW**  
**Project Number: 40258659**

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	OWS 1A	Solid	PFBS	PFAS by ID	0.63	J	ug/kg	6
001	OWS 1A	Solid	PFHpS	PFAS by ID	0.88	J	ug/kg	6
001	OWS 1A	Solid	PFOSA	PFAS by ID	0.76	J	ug/kg	6
001	OWS 1A	Solid	PFPeS	PFAS by ID	1.3		ug/kg	6
001	OWS 1A	Solid	PFHxS	PFAS by ID	28		ug/kg	6
001	OWS 1A	Solid	PFDA	PFAS by ID	0.34	J	ug/kg	6
001	OWS 1A	Solid	PFHpA	PFAS by ID	0.18	J	ug/kg	6
001	OWS 1A	Solid	PFHxA	PFAS by ID	1.2		ug/kg	6
001	OWS 1A	Solid	PFNA	PFAS by ID	0.40	J	ug/kg	6
001	OWS 1A	Solid	PFOA	PFAS by ID	5.8		ug/kg	6
001	OWS 1A	Solid	PFPeA	PFAS by ID	0.48	J	ug/kg	6
001	OWS 1A	Solid	PFOS	PFAS by ID	71		ug/kg	6
002	OWS 1B	Solid	PFBS	PFAS by ID	0.33	J	ug/kg	8
002	OWS 1B	Solid	PFHpS	PFAS by ID	0.51	J	ug/kg	8
002	OWS 1B	Solid	PFOSA	PFAS by ID	0.18	J	ug/kg	8
002	OWS 1B	Solid	PFPeS	PFAS by ID	0.72	J	ug/kg	8
002	OWS 1B	Solid	PFHxS	PFAS by ID	19		ug/kg	8
002	OWS 1B	Solid	PFDA	PFAS by ID	0.20	J	ug/kg	8
002	OWS 1B	Solid	PFHxA	PFAS by ID	0.80	J	ug/kg	8
002	OWS 1B	Solid	PFNA	PFAS by ID	0.24	J	ug/kg	8
002	OWS 1B	Solid	PFOA	PFAS by ID	2.5		ug/kg	8
002	OWS 1B	Solid	PFPeA	PFAS by ID	0.50	J	ug/kg	8
002	OWS 1B	Solid	PFOS	PFAS by ID	24		ug/kg	8
003	OWS 1C	Solid	PFHxS	PFAS by ID	10		ug/kg	10
003	OWS 1C	Solid	PFHxA	PFAS by ID	1.3	J	ug/kg	10
003	OWS 1C	Solid	PFOA	PFAS by ID	1.4	J	ug/kg	10
003	OWS 1C	Solid	PFPeA	PFAS by ID	0.88	J	ug/kg	10
003	OWS 1C	Solid	PFOS	PFAS by ID	120		ug/kg	10
004	OWS 1D	Solid	PFHxS	PFAS by ID	3.0		ug/kg	12
004	OWS 1D	Solid	PFHpA	PFAS by ID	0.24	J	ug/kg	12
004	OWS 1D	Solid	PFHxA	PFAS by ID	1.1	J	ug/kg	12
004	OWS 1D	Solid	PFOA	PFAS by ID	0.86	J	ug/kg	12
004	OWS 1D	Solid	PFPeA	PFAS by ID	0.51	J	ug/kg	12
004	OWS 1D	Solid	PFOS	PFAS by ID	12		ug/kg	12
005	OWS 2A	Solid	PFHxS	PFAS by ID	0.89	J	ug/kg	14
005	OWS 2A	Solid	PFNA	PFAS by ID	0.16	J	ug/kg	14
005	OWS 2A	Solid	PFOA	PFAS by ID	0.24	J	ug/kg	14
005	OWS 2A	Solid	PFPeA	PFAS by ID	0.22	J	ug/kg	14
005	OWS 2A	Solid	PFOS	PFAS by ID	7.5		ug/kg	14
006	OWS 2B	Solid	8:2 FTS	PFAS by ID	0.87	J	ug/kg	16
006	OWS 2B	Solid	PFHxS	PFAS by ID	0.68	J	ug/kg	16
006	OWS 2B	Solid	PFNA	PFAS by ID	0.30	J	ug/kg	16
006	OWS 2B	Solid	PFOS	PFAS by ID	51		ug/kg	16

---

**Detection Summary (Continued)****Lot Number: YB28016**

---

<b>Sample</b>	<b>Sample ID</b>	<b>Matrix</b>	<b>Parameter</b>	<b>Method</b>	<b>Result</b>	<b>Q</b>	<b>Units</b>	<b>Page</b>
007	OWS 2C	Solid	PFHxS	PFAS by ID	0.37	J	ug/kg	18
007	OWS 2C	Solid	PFDA	PFAS by ID	0.23	J	ug/kg	18
007	OWS 2C	Solid	PFOS	PFAS by ID	11		ug/kg	18
008	OWS 2B	Solid	PFHxS	PFAS by ID	0.23	J	ug/kg	20
008	OWS 2B	Solid	PFOS	PFAS by ID	5.2		ug/kg	20

---

(48 detections)

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-001</b>
Description: <b>OWS 1A</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0830</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>80.0 03/02/2023 2100</b>
Project Number: <b>40258659</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	03/24/2023 1620	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9CI-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.2	0.17	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.2	0.19	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.2	0.30	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.2	0.34	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.2	0.24	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.4	0.64	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.2	0.16	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.2	0.39	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.2	0.32	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.2	0.25	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.2	0.38	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.2	0.43	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.2	0.37	ug/kg	1
<b>Perfluoro-1-butanefluoronic acid (PFBS)</b>	<b>375-73-5</b>	<b>PFAS by ID SOP</b>	<b>0.63</b>	<b>J</b>	<b>1.1</b>	<b>0.14</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.1	0.24	ug/kg	1
<b>Perfluoro-1-heptanesulfonic acid (PFHpS)</b>	<b>375-92-8</b>	<b>PFAS by ID SOP</b>	<b>0.88</b>	<b>J</b>	<b>1.1</b>	<b>0.19</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.1	0.24	ug/kg	1
<b>Perfluoro-1-octanesulfonamide (PFOSA)</b>	<b>754-91-6</b>	<b>PFAS by ID SOP</b>	<b>0.76</b>	<b>J</b>	<b>1.1</b>	<b>0.19</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-1-pentanesulfonic acid (PFPeS)</b>	<b>2706-91-4</b>	<b>PFAS by ID SOP</b>	<b>1.3</b>		<b>1.1</b>	<b>0.20</b>	<b>ug/kg</b>	<b>1</b>
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.1	0.28	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>28</b>		<b>1.1</b>	<b>0.19</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.1	0.46	ug/kg	1
<b>Perfluoro-n-decanoic acid (PFDA)</b>	<b>335-76-2</b>	<b>PFAS by ID SOP</b>	<b>0.34</b>	<b>J</b>	<b>1.1</b>	<b>0.17</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
<b>Perfluoro-n-heptanoic acid (PFHpA)</b>	<b>375-85-9</b>	<b>PFAS by ID SOP</b>	<b>0.18</b>	<b>J</b>	<b>1.1</b>	<b>0.16</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-hexanoic acid (PFHxA)</b>	<b>307-24-4</b>	<b>PFAS by ID SOP</b>	<b>1.2</b>		<b>1.1</b>	<b>0.20</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-nonanoic acid (PFNA)</b>	<b>375-95-1</b>	<b>PFAS by ID SOP</b>	<b>0.40</b>	<b>J</b>	<b>1.1</b>	<b>0.16</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>5.8</b>		<b>1.1</b>	<b>0.23</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-pentanoic acid (PFPeA)</b>	<b>2706-90-3</b>	<b>PFAS by ID SOP</b>	<b>0.48</b>	<b>J</b>	<b>1.1</b>	<b>0.17</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.1	0.21	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>71</b>		<b>1.1</b>	<b>0.39</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		114	25-150
13C2_6:2FTS		110	25-150
13C2_8:2FTS		116	25-150
13C2_PFDaA		106	25-150
13C2_PFTeDA		116	25-150
13C3_PFBS		103	25-150
13C3_PFHxS		100	25-150
13C3-HFPO-DA		86	25-150
13C4_PFBA		90	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-001</b>
Description: <b>OWS 1A</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0830</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>80.0 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		94	25-150
13C5_PFHxA		91	25-150
13C5_PFPeA		93	25-150
13C6_PFDA		102	25-150
13C7_PFUdA		103	25-150
13C8_PFOA		98	25-150
13C8_PFOS		97	25-150
13C8_PFOSA		85	10-150
13C9_PFNA		93	25-150
d-EtFOSA		79	10-150
d5-EtFOSAA		105	25-150
d9-EtFOSE		78	10-150
d-MeFOSA		74	10-150
d3-MeFOSAA		108	25-150
d7-MeFOSE		79	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-002</b>
Description: <b>OWS 1B</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0835</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>85.7 03/02/2023 2100</b>
Project Number: <b>40258659</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	03/24/2023 1631	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.0	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.0	0.17	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.0	0.28	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.0	0.31	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.0	0.22	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.1	0.59	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.0	0.15	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.0	0.36	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.0	0.29	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.0	0.23	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.0	0.35	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.0	0.40	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.0	0.34	ug/kg	1
<b>Perfluoro-1-butanefluoronic acid (PFBS)</b>	<b>375-73-5</b>	<b>PFAS by ID SOP</b>	<b>0.33</b>	<b>J</b>	<b>1.0</b>	<b>0.13</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
<b>Perfluoro-1-heptanesulfonic acid (PFHpS)</b>	<b>375-92-8</b>	<b>PFAS by ID SOP</b>	<b>0.51</b>	<b>J</b>	<b>1.0</b>	<b>0.18</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
<b>Perfluoro-1-octanesulfonamide (PFOSA)</b>	<b>754-91-6</b>	<b>PFAS by ID SOP</b>	<b>0.18</b>	<b>J</b>	<b>1.0</b>	<b>0.18</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-1-pentanesulfonic acid (PFPeS)</b>	<b>2706-91-4</b>	<b>PFAS by ID SOP</b>	<b>0.72</b>	<b>J</b>	<b>1.0</b>	<b>0.19</b>	<b>ug/kg</b>	<b>1</b>
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.0	0.26	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>19</b>		<b>1.0</b>	<b>0.18</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.0	0.42	ug/kg	1
<b>Perfluoro-n-decanoic acid (PFDA)</b>	<b>335-76-2</b>	<b>PFAS by ID SOP</b>	<b>0.20</b>	<b>J</b>	<b>1.0</b>	<b>0.16</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.0	0.14	ug/kg	1
<b>Perfluoro-n-hexanoic acid (PFHxA)</b>	<b>307-24-4</b>	<b>PFAS by ID SOP</b>	<b>0.80</b>	<b>J</b>	<b>1.0</b>	<b>0.19</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-nonanoic acid (PFNA)</b>	<b>375-95-1</b>	<b>PFAS by ID SOP</b>	<b>0.24</b>	<b>J</b>	<b>1.0</b>	<b>0.15</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>2.5</b>		<b>1.0</b>	<b>0.22</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-pentanoic acid (PFPeA)</b>	<b>2706-90-3</b>	<b>PFAS by ID SOP</b>	<b>0.50</b>	<b>J</b>	<b>1.0</b>	<b>0.16</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.0	0.17	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>24</b>		<b>1.0</b>	<b>0.36</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		124	25-150
13C2_6:2FTS		122	25-150
13C2_8:2FTS		123	25-150
13C2_PFDaA		117	25-150
13C2_PFTeDA		130	25-150
13C3_PFBS		115	25-150
13C3_PFHxS		108	25-150
13C3-HFPO-DA		103	25-150
13C4_PFBA		111	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-002</b>
Description: <b>OWS 1B</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0835</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>85.7 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		113	25-150
13C5_PFHxA		105	25-150
13C5_PFPeA		108	25-150
13C6_PFDA		110	25-150
13C7_PFUdA		117	25-150
13C8_PFOA		114	25-150
13C8_PFOS		110	25-150
13C8_PFOSA		106	10-150
13C9_PFNA		107	25-150
d-EtFOSA		88	10-150
d5-EtFOSAA		123	25-150
d9-EtFOSE		86	10-150
d-MeFOSA		86	10-150
d3-MeFOSAA		120	25-150
d7-MeFOSE		90	10-150

LOQ = Limit of Quantitation	B = Detected in the method blank	E = Quantitation of compound exceeded the calibration range	DL = Detection Limit	Q = Surrogate failure
ND = Not detected at or above the DL	N = Recovery is out of criteria	P = The RPD between two GC columns exceeds 40%	J = Estimated result < LOQ and ≥ DL	L = LCS/LCSD failure
H = Out of holding time	W = Reported on wet weight basis			S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-003</b>
Description: <b>OWS 1C</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0840</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>84.7 03/02/2023 2100</b>
Project Number: <b>40258659</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	5	03/24/2023 1642	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		11	0.84	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		11	0.91	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		11	1.5	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		11	1.6	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		11	1.2	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		21	3.1	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		11	0.80	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		11	1.9	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		11	1.5	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		11	1.2	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		11	1.9	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		11	2.1	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		11	1.8	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		5.3	0.69	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		5.3	1.2	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		5.3	0.93	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		5.3	1.2	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		5.3	0.94	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		5.3	0.99	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		5.3	1.4	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>10</b>		<b>5.3</b>	<b>0.94</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		5.3	2.2	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		5.3	0.84	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		5.3	0.93	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		5.3	0.76	ug/kg	1
<b>Perfluoro-n-hexanoic acid (PFHxA)</b>	<b>307-24-4</b>	<b>PFAS by ID SOP</b>	<b>1.3</b>	<b>J</b>	<b>5.3</b>	<b>0.98</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		5.3	0.79	ug/kg	1
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>1.4</b>	<b>J</b>	<b>5.3</b>	<b>1.1</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-pentanoic acid (PFPeA)</b>	<b>2706-90-3</b>	<b>PFAS by ID SOP</b>	<b>0.88</b>	<b>J</b>	<b>5.3</b>	<b>0.84</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		5.3	1.0	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		5.3	0.92	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		5.3	0.98	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>120</b>		<b>5.3</b>	<b>1.9</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Run 1 Q	Acceptance % Recovery	Limits
13C2_4:2FTS	114	25-150	
13C2_6:2FTS	110	25-150	
13C2_8:2FTS	108	25-150	
13C2_PFDaA	106	25-150	
13C2_PFTeDA	116	25-150	
13C3_PFBS	103	25-150	
13C3_PFHxS	105	25-150	
13C3-HFPO-DA	100	25-150	
13C4_PFBA	102	25-150	

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com



# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-003</b>
Description: <b>OWS 1C</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0840</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>84.7 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		100	25-150
13C5_PFHxA		98	25-150
13C5_PFPeA		102	25-150
13C6_PFDA		98	25-150
13C7_PFUdA		102	25-150
13C8_PFOA		107	25-150
13C8_PFOS		106	25-150
13C8_PFOSA		88	10-150
13C9_PFNA		101	25-150
d-EtFOSA		87	10-150
d5-EtFOSAA		106	25-150
d9-EtFOSE		89	10-150
d-MeFOSA		86	10-150
d3-MeFOSAA		106	25-150
d7-MeFOSE		85	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-004</b>
Description: <b>OWS 1D</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0845</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>81.0 03/02/2023 2100</b>
Project Number: <b>40258659</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	03/24/2023 1653	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.3	0.18	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.3	0.20	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.3	0.32	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.3	0.35	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.3	0.25	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.6	0.67	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.3	0.17	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.3	0.41	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.3	0.33	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.3	0.26	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.3	0.40	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.3	0.46	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.3	0.39	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.2	0.15	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.2	0.26	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.2	0.20	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.2	0.25	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.2	0.20	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.2	0.21	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.2	0.30	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>3.0</b>		<b>1.2</b>	<b>0.20</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.2	0.48	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.2	0.18	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.2	0.20	ug/kg	1
<b>Perfluoro-n-heptanoic acid (PFHpA)</b>	<b>375-85-9</b>	<b>PFAS by ID SOP</b>	<b>0.24</b>	<b>J</b>	<b>1.2</b>	<b>0.16</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-hexanoic acid (PFHxA)</b>	<b>307-24-4</b>	<b>PFAS by ID SOP</b>	<b>1.1</b>	<b>J</b>	<b>1.2</b>	<b>0.21</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.2	0.17	ug/kg	1
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>0.86</b>	<b>J</b>	<b>1.2</b>	<b>0.25</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-pentanoic acid (PFPeA)</b>	<b>2706-90-3</b>	<b>PFAS by ID SOP</b>	<b>0.51</b>	<b>J</b>	<b>1.2</b>	<b>0.18</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.2	0.22	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.2	0.20	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.2	0.21	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>12</b>		<b>1.2</b>	<b>0.41</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Run 1 Q	Acceptance % Recovery	Limits
13C2_4:2FTS	89	25-150	
13C2_6:2FTS	82	25-150	
13C2_8:2FTS	73	25-150	
13C2_PFDaA	85	25-150	
13C2_PFTeDA	106	25-150	
13C3_PFBS	89	25-150	
13C3_PFHxS	90	25-150	
13C3-HFPO-DA	85	25-150	
13C4_PFBA	87	25-150	

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-004</b>
Description: <b>OWS 1D</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 0845</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>81.0 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		90	25-150
13C5_PFHxA		86	25-150
13C5_PFPeA		90	25-150
13C6_PFDA		81	25-150
13C7_PFUdA		85	25-150
13C8_PFOA		89	25-150
13C8_PFOS		85	25-150
13C8_PFOSA		75	10-150
13C9_PFNA		84	25-150
d-EtFOSA		72	10-150
d5-EtFOSAA		77	25-150
d9-EtFOSE		73	10-150
d-MeFOSA		74	10-150
d3-MeFOSAA		77	25-150
d7-MeFOSE		78	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-005</b>
Description: <b>OWS 2A</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1105</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>83.7 03/02/2023 2100</b>
Project Number: <b>40258659</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	03/24/2023 1726	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9CI-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.1	0.17	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.1	0.18	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.1	0.29	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.1	0.32	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.1	0.23	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.2	0.61	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.1	0.16	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.1	0.38	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.1	0.31	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.1	0.24	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.1	0.37	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.1	0.42	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.1	0.35	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.1	0.14	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.1	0.24	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.1	0.23	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.1	0.27	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>0.89</b>	<b>J</b>	<b>1.1</b>	<b>0.19</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.1	0.44	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.1	0.17	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.1	0.15	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
<b>Perfluoro-n-nonanoic acid (PFNA)</b>	<b>375-95-1</b>	<b>PFAS by ID SOP</b>	<b>0.16</b>	<b>J</b>	<b>1.1</b>	<b>0.16</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>0.24</b>	<b>J</b>	<b>1.1</b>	<b>0.22</b>	<b>ug/kg</b>	<b>1</b>
<b>Perfluoro-n-pentanoic acid (PFPeA)</b>	<b>2706-90-3</b>	<b>PFAS by ID SOP</b>	<b>0.22</b>	<b>J</b>	<b>1.1</b>	<b>0.17</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.1	0.18	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>7.5</b>		<b>1.1</b>	<b>0.38</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Run 1 Q	Acceptance % Recovery	Limits
13C2_4:2FTS	98	25-150	
13C2_6:2FTS	106	25-150	
13C2_8:2FTS	103	25-150	
13C2_PFDaA	124	25-150	
13C2_PFTeDA	138	25-150	
13C3_PFBS	118	25-150	
13C3_PFHxS	117	25-150	
13C3-HFPO-DA	106	25-150	
13C4_PFBA	110	25-150	

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-005</b>
Description: <b>OWS 2A</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1105</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>83.7 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		115	25-150
13C5_PFHxA		111	25-150
13C5_PFPeA		115	25-150
13C6_PFDA		108	25-150
13C7_PFUdA		114	25-150
13C8_PFOA		117	25-150
13C8_PFOS		112	25-150
13C8_PFOSA		106	10-150
13C9_PFNA		106	25-150
d-EtFOSA		95	10-150
d5-EtFOSAA		104	25-150
d9-EtFOSE		105	10-150
d-MeFOSA		91	10-150
d3-MeFOSAA		101	25-150
d7-MeFOSE		97	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-006</b>
Description: <b>OWS 2B</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1110</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	Project Number: <b>40258659</b>
	% Solids: <b>82.1</b> <b>03/02/2023 2100</b>

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	03/24/2023 1737	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.1	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.1	0.18	ug/kg	1
<b>1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)</b>	<b>39108-34-4</b>	<b>PFAS by ID SOP</b>	<b>0.87</b>	<b>J</b>	<b>2.1</b>	<b>0.29</b>	<b>ug/kg</b>	<b>1</b>
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.1	0.32	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.1	0.23	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.2	0.60	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.1	0.16	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.1	0.37	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.1	0.30	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.1	0.24	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.1	0.36	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.1	0.41	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.1	0.35	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.0	0.14	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.0	0.27	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>0.68</b>	<b>J</b>	<b>1.0</b>	<b>0.18</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.0	0.43	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
<b>Perfluoro-n-nonanoic acid (PFNA)</b>	<b>375-95-1</b>	<b>PFAS by ID SOP</b>	<b>0.30</b>	<b>J</b>	<b>1.0</b>	<b>0.16</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.0	0.17	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.0	0.20	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>51</b>		<b>1.0</b>	<b>0.37</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Run 1 Q	Acceptance % Recovery	Limits
13C2_4:2FTS	82	25-150	
13C2_6:2FTS	84	25-150	
13C2_8:2FTS	85	25-150	
13C2_PFDa	101	25-150	
13C2_PFTeDA	118	25-150	
13C3_PFBS	96	25-150	
13C3_PFHxS	98	25-150	
13C3-HFPO-DA	94	25-150	
13C4_PFBA	94	25-150	

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-006</b>
Description: <b>OWS 2B</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1110</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>82.1 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		99	25-150
13C5_PFHxA		94	25-150
13C5_PFPeA		99	25-150
13C6_PFDA		91	25-150
13C7_PFUdA		95	25-150
13C8_PFOA		100	25-150
13C8_PFOS		87	25-150
13C8_PFOSA		93	10-150
13C9_PFNA		89	25-150
d-EtFOSA		83	10-150
d5-EtFOSAA		85	25-150
d9-EtFOSE		90	10-150
d-MeFOSA		81	10-150
d3-MeFOSAA		84	25-150
d7-MeFOSE		79	10-150

LOQ = Limit of Quantitation	B = Detected in the method blank	E = Quantitation of compound exceeded the calibration range	DL = Detection Limit	Q = Surrogate failure
ND = Not detected at or above the DL	N = Recovery is out of criteria	P = The RPD between two GC columns exceeds 40%	J = Estimated result < LOQ and ≥ DL	L = LCS/LCSD failure
H = Out of holding time	W = Reported on wet weight basis			S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-007</b>
Description: <b>OWS 2C</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1115</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>86.3 03/02/2023 2100</b>
Project Number: <b>40258659</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	03/24/2023 1748	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9CI-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		1.9	0.15	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3...)	763051-92-9	PFAS by ID SOP	ND		1.9	0.16	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		1.9	0.26	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		1.9	0.30	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		1.9	0.21	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		3.9	0.56	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		1.9	0.15	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		1.9	0.34	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		1.9	0.28	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		1.9	0.22	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		1.9	0.34	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		1.9	0.38	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		1.9	0.32	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		0.97	0.13	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		0.97	0.22	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		0.97	0.17	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		0.97	0.21	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		0.97	0.17	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		0.97	0.18	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		0.97	0.25	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>0.37</b>	<b>J</b>	<b>0.97</b>	<b>0.17</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		0.97	0.40	ug/kg	1
<b>Perfluoro-n-decanoic acid (PFDA)</b>	<b>335-76-2</b>	<b>PFAS by ID SOP</b>	<b>0.23</b>	<b>J</b>	<b>0.97</b>	<b>0.15</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		0.97	0.17	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		0.97	0.14	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		0.97	0.18	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		0.97	0.14	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		0.97	0.21	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		0.97	0.15	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		0.97	0.18	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		0.97	0.17	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		0.97	0.18	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>11</b>		<b>0.97</b>	<b>0.34</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Run 1 Q	Acceptance % Recovery	Limits
13C2_4:2FTS	88	25-150	
13C2_6:2FTS	87	25-150	
13C2_8:2FTS	94	25-150	
13C2_PFDa	107	25-150	
13C2_PFTeDA	123	25-150	
13C3_PFBS	103	25-150	
13C3_PFHxS	100	25-150	
13C3-HFPO-DA	94	25-150	
13C4_PFBA	100	25-150	

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com



# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-007</b>
Description: <b>OWS 2C</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1115</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>86.3 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		102	25-150
13C5_PFHxA		98	25-150
13C5_PFPeA		102	25-150
13C6_PFDA		97	25-150
13C7_PFUdA		103	25-150
13C8_PFOA		102	25-150
13C8_PFOS		94	25-150
13C8_PFOSA		100	10-150
13C9_PFNA		94	25-150
d-EtFOSA		83	10-150
d5-EtFOSAA		91	25-150
d9-EtFOSE		89	10-150
d-MeFOSA		82	10-150
d3-MeFOSAA		87	25-150
d7-MeFOSE		85	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-008</b>
Description: <b>OWS 2B</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1120</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>82.6 03/02/2023 2100</b>
Project Number: <b>40258659</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	03/24/2023 1759	OMNS	03/07/2023 1308	69303

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9CI-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.0	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.0	0.17	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.0	0.28	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.0	0.31	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.0	0.22	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.1	0.59	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.0	0.15	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.0	0.36	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.0	0.29	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.0	0.23	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.0	0.35	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.0	0.40	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.0	0.34	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.0	0.13	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.0	0.26	ug/kg	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>0.23</b>	<b>J</b>	<b>1.0</b>	<b>0.18</b>	<b>ug/kg</b>	<b>1</b>
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.0	0.42	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.0	0.17	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>5.2</b>		<b>1.0</b>	<b>0.36</b>	<b>ug/kg</b>	<b>1</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		98	25-150
13C2_6:2FTS		98	25-150
13C2_8:2FTS		108	25-150
13C2_PFDaA		123	25-150
13C2_PFTeDA		135	25-150
13C3_PFBS		107	25-150
13C3_PFHxS		115	25-150
13C3-HFPO-DA		102	25-150
13C4_PFBA		109	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YB28016-008</b>
Description: <b>OWS 2B</b>	Matrix: <b>Solid</b>
Date Sampled: <b>02/24/2023 1120</b>	Project Name: <b>128TH ARW</b>
Date Received: <b>02/28/2023</b>	% Solids: <b>82.6 03/02/2023 2100</b>
	Project Number: <b>40258659</b>

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		112	25-150
13C5_PFHxA		111	25-150
13C5_PFPeA		109	25-150
13C6_PFDA		102	25-150
13C7_PFUdA		108	25-150
13C8_PFOA		112	25-150
13C8_PFOS		106	25-150
13C8_PFOSA		110	10-150
13C9_PFNA		105	25-150
d-EtFOSA		89	10-150
d5-EtFOSAA		102	25-150
d9-EtFOSE		95	10-150
d-MeFOSA		92	10-150
d3-MeFOSAA		100	25-150
d7-MeFOSE		87	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

## QC Summary

# PFAS by LC/MS/MS - MB

Sample ID: YQ69303-001

Matrix: Solid

Batch: 69303

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 03/07/2023 1308

Parameter	Result	Q	Dil	LOQ	MDL	Units	Analysis Date
9CI-PF3ONS	ND		1	2.0	0.16	ug/kg	03/23/2023 0343
11CI-PF3OUdS	ND		1	2.0	0.17	ug/kg	03/23/2023 0343
8:2 FTS	ND		1	2.0	0.27	ug/kg	03/23/2023 0343
6:2 FTS	ND		1	2.0	0.31	ug/kg	03/23/2023 0343
4:2 FTS	ND		1	2.0	0.22	ug/kg	03/23/2023 0343
GenX	ND		1	4.0	0.58	ug/kg	03/23/2023 0343
ADONA	ND		1	2.0	0.15	ug/kg	03/23/2023 0343
EtFOSA	ND		1	2.0	0.36	ug/kg	03/23/2023 0343
EtFOSAA	ND		1	2.0	0.29	ug/kg	03/23/2023 0343
EtFOSE	ND		1	2.0	0.23	ug/kg	03/23/2023 0343
MeFOSA	ND		1	2.0	0.35	ug/kg	03/23/2023 0343
MeFOSAA	ND		1	2.0	0.40	ug/kg	03/23/2023 0343
MeFOSE	ND		1	2.0	0.33	ug/kg	03/23/2023 0343
PFBS	ND		1	1.0	0.13	ug/kg	03/23/2023 0343
PFDS	ND		1	1.0	0.22	ug/kg	03/23/2023 0343
PFHpS	ND		1	1.0	0.18	ug/kg	03/23/2023 0343
PFNS	ND		1	1.0	0.22	ug/kg	03/23/2023 0343
PFOSA	ND		1	1.0	0.18	ug/kg	03/23/2023 0343
PFPeS	ND		1	1.0	0.19	ug/kg	03/23/2023 0343
PFDOS	ND		1	1.0	0.26	ug/kg	03/23/2023 0343
PFHxS	ND		1	1.0	0.18	ug/kg	03/23/2023 0343
PFBA	ND		1	1.0	0.42	ug/kg	03/23/2023 0343
PFDA	ND		1	1.0	0.16	ug/kg	03/23/2023 0343
PFDaA	ND		1	1.0	0.18	ug/kg	03/23/2023 0343
PFHpA	ND		1	1.0	0.14	ug/kg	03/23/2023 0343
PFHxA	ND		1	1.0	0.18	ug/kg	03/23/2023 0343
PFNA	ND		1	1.0	0.15	ug/kg	03/23/2023 0343
PFOA	ND		1	1.0	0.21	ug/kg	03/23/2023 0343
PFPeA	ND		1	1.0	0.16	ug/kg	03/23/2023 0343
PFTeDA	ND		1	1.0	0.19	ug/kg	03/23/2023 0343
PFTTrDA	ND		1	1.0	0.17	ug/kg	03/23/2023 0343
PFUdA	ND		1	1.0	0.18	ug/kg	03/23/2023 0343
PFOS	ND		1	1.0	0.36	ug/kg	03/23/2023 0343

Surrogate	Q	% Rec	Acceptance Limit
13C2_4:2FTS		90	25-150
13C2_6:2FTS		86	25-150
13C2_8:2FTS		84	25-150
13C2_PFDaA		86	25-150
13C2_PFTeDA		84	25-150
13C3_PFBs		91	25-150
13C3_PFHxS		94	25-150
13C3-HFPO-DA		81	25-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

# PFAS by LC/MS/MS - MB

Sample ID: YQ69303-001

Matrix: Solid

Batch: 69303

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 03/07/2023 1308

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBAs		90	25-150
13C4_PFHpA		83	25-150
13C5_PFHxA		95	25-150
13C5_PFPeA		88	25-150
13C6_PFDA		83	25-150
13C7_PFUdA		96	25-150
13C8_PFOA		88	25-150
13C8_PFOS		77	25-150
13C8_PFOSA		76	10-150
13C9_PFNA		88	25-150
d-EtFOSA		76	10-150
d5-EtFOSAA		90	25-150
d9-EtFOSE		77	10-150
d-MeFOSA		78	10-150
d3-MeFOSAA		86	25-150
d7-MeFOSE		92	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

# PFAS by LC/MS/MS - LCS

Sample ID: YQ69303-002

Matrix: Solid

Batch: 69303

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 03/07/2023 1308

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	1.9	2.1		1	111	50-150	03/23/2023 0353
11CI-PF3OUdS	1.9	2.3		1	120	50-150	03/23/2023 0353
8:2 FTS	1.9	2.3		1	120	50-150	03/23/2023 0353
6:2 FTS	1.9	1.4		1	75	50-150	03/23/2023 0353
4:2 FTS	1.9	2.2		1	117	50-150	03/23/2023 0353
GenX	4.0	3.9		1	97	50-150	03/23/2023 0353
ADONA	1.9	1.8		1	95	50-150	03/23/2023 0353
EtFOSA	2.0	1.9		1	93	50-150	03/23/2023 0353
EtFOSAA	2.0	2.0		1	102	50-150	03/23/2023 0353
EtFOSE	2.0	2.1		1	104	50-150	03/23/2023 0353
MeFOSA	2.0	2.1		1	107	50-150	03/23/2023 0353
MeFOSAA	2.0	2.1		1	107	50-150	03/23/2023 0353
MeFOSE	2.0	2.0		1	100	50-150	03/23/2023 0353
PFBS	1.8	1.8		1	104	50-150	03/23/2023 0353
PFDS	1.9	2.4		1	125	50-150	03/23/2023 0353
PFHpS	1.9	1.8		1	95	50-150	03/23/2023 0353
PFNS	1.9	2.1		1	111	50-150	03/23/2023 0353
PFOSA	2.0	2.0		1	98	50-150	03/23/2023 0353
PFPeS	1.9	1.9		1	103	50-150	03/23/2023 0353
PFDOS	1.9	2.2		1	114	50-150	03/23/2023 0353
PFHxS	1.8	1.7		1	94	50-150	03/23/2023 0353
PFBA	2.0	2.0		1	100	50-150	03/23/2023 0353
PFDA	2.0	2.1		1	104	50-150	03/23/2023 0353
PFDoA	2.0	2.0		1	100	50-150	03/23/2023 0353
PFHpA	2.0	1.9		1	97	50-150	03/23/2023 0353
PFHxA	2.0	1.9		1	93	50-150	03/23/2023 0353
PFNA	2.0	2.0		1	101	50-150	03/23/2023 0353
PFOA	2.0	2.3		1	113	50-150	03/23/2023 0353
PFPeA	2.0	2.1		1	107	50-150	03/23/2023 0353
PFTeDA	2.0	2.1		1	107	50-150	03/23/2023 0353
PFTTrDA	2.0	2.1		1	106	50-150	03/23/2023 0353
PFUdA	2.0	1.9		1	95	50-150	03/23/2023 0353
PFOS	1.9	2.0		1	107	50-150	03/23/2023 0353

Surrogate	Q	% Rec	Acceptance Limit
13C2_4:2FTS		126	25-150
13C2_6:2FTS		121	25-150
13C2_8:2FTS		107	25-150
13C2_PFDoA		106	25-150
13C2_PFTeDA		93	25-150
13C3_PFBS		118	25-150
13C3_PFHxS		125	25-150
13C3-HFPO-DA		104	25-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

## PFAS by LC/MS/MS - LCS

Sample ID: YQ69303-002

Matrix: Solid

Batch: 69303

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 03/07/2023 1308

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBAs		112	25-150
13C4_PFHpA		118	25-150
13C5_PFHxA		133	25-150
13C5_PFPeA		114	25-150
13C6_PFDA		97	25-150
13C7_PFUdA		129	25-150
13C8_PFOA		94	25-150
13C8_PFOS		100	25-150
13C8_PFOSA		101	10-150
13C9_PFNA		109	25-150
d-EtFOSA		97	10-150
d5-EtFOSAA		110	25-150
d9-EtFOSE		99	10-150
d-MeFOSA		103	10-150
d3-MeFOSAA		113	25-150
d7-MeFOSE		103	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**



**Chain of Custody  
and  
Miscellaneous Documents**



# PACE ANALYTICAL SERVICES, LLC

DC# Title: ENV-FRM-WCOL-0286 v02\_Samples Receipt Checklist (SRC)  
 Effective Date: 8/2/2022

## Sample Receipt Checklist (SRC)

Client: Pace Cooler Inspected by/date: CDR / 02/20/2023 Lot #: YB28016

Means of receipt: <input type="checkbox"/> Pace <input type="checkbox"/> Client <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other: _____	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1. Were custody seals present on the cooler?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	2. If custody seals were present, were they intact and unbroken?
pH Strip ID: NA Chlorine Strip ID: NA Tested by: NA	
Original temperature upon receipt / Derived (Corrected) temperature upon receipt %Solid Snap-Cup ID: 22-2027	
1.5 / 1.5 °C NA / NA °C NA / NA °C NA / NA °C	
Method: <input checked="" type="checkbox"/> Temperature Blank <input type="checkbox"/> Against Bottles IR Gun ID: 8 IR Gun Correction Factor: 0 °C	
Method of coolant: <input checked="" type="checkbox"/> Wet Ice <input type="checkbox"/> Ice Packs <input type="checkbox"/> Dry Ice <input type="checkbox"/> None	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	3. Were all coolers received at or below 6.0°C? If no, was Project Manager notified? PM was Notified by: phone / email / face-to-face (circle one).
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	4. Is the commercial courier's packing slip attached to this form?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Were proper custody procedures (relinquished/received) followed?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. Were sample IDs listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7. Was collection date & time listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8. Did all container label information (ID, date, time) agree with the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. Were tests to be performed listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. Did all samples arrive in the proper containers for each test and/or in good condition (unbroken, lids on, etc.)?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Was adequate sample volume available?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12. Were all samples received within 1/2 the holding time or 48 hours, whichever comes first?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. Were all samples containers accounted for? (No missing/excess)
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	14. Were VOA, SO15C and RSK-175 samples free of bubbles >"pea-size" (1/4" or 6mm in diameter) in any of the VOA vials?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	15. Were all DRO/metals/nutrient samples received at a pH of < 2?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	16. Were all cyanide samples received at a pH > 12 and sulfide samples received at a pH > 9?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	17. Were all applicable NH <sub>3</sub> /TKN/cyanide/phenol/635.1/608.3 (< 0.5ug/L) samples free of residual chlorine?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	18. Was the quote number listed on the container label? If yes, Quote # _____
<b>Sample Preservation</b> (Must be completed for any sample(s) incorrectly preserved or with headspace.)	
Sample(s) NA were received incorrectly preserved and were adjusted accordingly in sample receiving with NA mL of circle one: H <sub>2</sub> SO <sub>4</sub> , HNO <sub>3</sub> , HCl, NaOH using SR # NA.	
Time of preservation NA. If more than one preservative is needed, please note in the comments below.	
Sample(s) NA were received with bubbles >6 mm in diameter.	
Sample(s) NA were received with TRC > 0.5 mg/l. (If #19 is no) and were adjusted accordingly in sample receiving with sodium thiosulfate (Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ) with Unique ID: NA.	
Comments: _____ _____ _____ _____	



**State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES**

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Gloria L. McCutcheon, Regional Director

Sturtevant Service Center  
9531 Rayne Rd Ste 4  
Sturtevant, Wisconsin 53177  
Telephone 262-884-2300  
FAX 262-884-2307  
TTY 262-884-2304

October 20, 2008

128th Air Refueling Wing  
C/o Clair Breckenridge  
1685 East Grange Ave.  
Milwaukee, WI 53207

Subject: Navigability Determinations for all waterways

Dear Mr. Breckenridge:

On Monday June 18, 2008 I met with you for a follow up site visit to discuss the waterways located in the vicinity of the 128<sup>th</sup> Air Refueling Wing. The purpose of the site visit was to discuss past navigability determinations in 1992, 2000, 2006 and 2007 for various projects and to consider other waterways on the property that have not been reviewed by the Department up to this point. The 128<sup>th</sup> refueling wing and the Department agreed that one overall determination for this property, identifying and determining the status of all waterways, would be beneficial for both parties in the future for determining the permitting requirements of future projects.

When determining whether a waterway is navigable and public the Department visits the property to determine if the waterway exhibits a defined bed and bank, and a discernible flow such that the waterway does not maintain the necessary dimensions to float a small watercraft, such as a canoe, on a regularly recurring basis. The Department also reviews historical aerial photos, topographic maps, soils maps, the original government survey and the Bordner Survey for a historical prospective on the presence and possible modifications to the waterway. If a waterway appears to have been constructed for drainage and does not exhibit the necessary characteristics to float a small watercraft on a regular basis, the waterway will not meet the State's standards for navigability and would not be regulated under Wis. Stat. ch. 30.

The Department has reviewed all of the aforementioned materials and has made a determination regarding the navigability status of all of the waterbodies located on or adjacent to the 128<sup>th</sup> ARW property. Included with this letter is an aerial photo of the 128<sup>th</sup> ARW indicating the locations of the waterways reviewed by this recent jurisdictional request and below is a summary of the Department's findings and a jurisdictional determination.

<u>Waterway</u>	<u>Background and Site Conditions</u>	<u>Jurisdictional Determination</u>
A	These roadside ditches were reviewed by Rachel Sabre on 11/14/200	Not navigable
B	This is the headwaters of Wilson Park Creek. The waterway has been lined with concrete, flows into a culvert and does not re-emerge until it reaches the northeast corner of the airport property. It then becomes Wilson Park Creek.	Not Navigable

- |   |  |                         |
|---|--|-------------------------|
| C | This waterway flows into Bailey's Pond and was historically dredged by the airport to remove vegetation. Some areas appear to be navigable but most areas lack a defined Ordinary High Water Mark and does not sustain a depth to float a small watercraft on a regularly recurring basis.   | Not Navigable           |
| D | This is a ditch that is currently mowed. The ditch does not exhibit any sign of an Ordinary High Water Mark nor a defined bed necessary to be deemed a public water.   | Not Navigable           |
| E | This waterway was determined to be navigable in 2000. However, I have reviewed the characteristics of this waterway in 2001 after relocation and enclosure and have reviewed the characteristics in 2008 and believe that the previous navigability determination was in error. The waterway lacks a distinct Ordinary High Water Mark due to a lack of persistent water. Further, although the banks appear large, this waterway was impacted by previous dredging and grading and do not appropriately reflect the characteristics of a bank which has developed because of the presence of flowing water. A defined bed is also absent. | Not navigable           |
| F | This pond has been coined "Bailey's Pond". It is a stormwater pond that was constructed back in 1962 by the City to temporarily store floodwaters. The pond has developed wetland vegetation at the bottom of the pond. Based upon my review of the pond, it does not contain significant functional values such that it would be regulated under Wis. Adm. Code NR 103.06(4). Further, being a dry stormwater pond it would not be regulated as a public waterbody under Wis. Stat. ch. 30.   | Private Stormwater Pond |

Despite the Department's determination that many of these waterways are non-navigable and not regulated under Wis. Stat. ch. 30, please note that other state, local or federal programs may regulate any projects or activities which may occur on or adjacent to the 128<sup>th</sup> ARW. If you have any questions please feel free to call me at 262-884-2355 or email me at [heidi.hopkins@wisconsin.gov](mailto:heidi.hopkins@wisconsin.gov).

Sincerely,



Heidi Hopkins

Water Management Specialist

CC: Greg Failey, Mitchell International  
City of Milwaukee  
Rebecca Gruber, ACOE  
Rachel Sabre





# Surface Water Data Viewer Map



## Legend

- Wetland Class Areas
- Wetland Class Points
  - Dammed pond
  - Excavated pond
  - Filled/draind wetland
  - Wetland too small to delineate
  - Filled excavated pond
- Filled Points
- Wetland Class Areas
- Filled Areas
- 2D Water Surface Elevation Grid
  - High : 937.629
  - Low : 853.184
- Station Points with Historic Data
- Station Points with Recent Data (10 years)
- Station Points without Data (Active, Usable)
- Station Points without Data (New Station, Pending)
- Station Lines with Historic Data
- Station Lines with Recent Data (10 years)
- Station Lines without Data (Active, Usable)
- Station Lines without Data (New Station, Pending)
- Station Areas with Historic Data
- Station Areas with Recent Data (10 years)
- Dams
  - Dam

0.1 0 0.03 0.1 Miles

NAD\_1983\_HARN\_Wisconsin\_TM

1: 1,980

DISCLAIMER: The information shown on these maps has been obtained from various sources, and are of varying age, reliability and resolution. These maps are not intended to be used for navigation, nor are these maps an authoritative source of information about legal land ownership or public access. No warranty, expressed or implied, is made regarding accuracy, applicability for a particular use, completeness, or legality of the information depicted on this map. For more information, see the DNR Legal Notices web page: <http://dnr.wi.gov/legal/>

## Notes





308

Excavation

Filtration bag, Monitoring location

Green lines are hose ramps. 2" hoses will be used, the number of needed hoses are unknown until time of excavation





208

Excavation

Filtration bag, Monitoring location

304

Green lines are hose ramps. 2" hoses will be used, the number of needed hoses are unknown until time of excavation



April 24, 2023

Mr. Steve Adkins, Owner  
CORNERSTONE ONE LLC  
20875 Enterprise Avenue  
Brookfield, WI 53045

SUBJECT: Coverage under WPDES General Permit No. WI-0046566-07-0

Permittee Name: CornerStone One, LLC  
Site Name: Wisconsin Air National Guard 128<sup>th</sup> Refueling Wing  
Site Address: 1919 E Grange Avenue, City of Milwaukee, Milwaukee County  
Site ID (FIN): 8005

Dear Mr. Adkins:

The Wisconsin Department of Natural Resources (hereafter Department) has determined that the proposed discharge from the 128<sup>th</sup> Refueling Wing located at 1919 E Grange Avenue in Milwaukee County, is eligible for coverage and is hereby authorized under the *Contaminated Groundwater from Remedial Action Operations* Wisconsin Pollutant Discharge Elimination System (WPDES) General Permit No. WI-0046566-07-0. This determination was based on review of a complete electronic Notice of Intent (eNOI) and submitted Discharge Management Plan. Please download the permit and fact sheet from the Department website at: <http://dnr.wi.gov/topic/wastewater/GeneralPermits.html>.

The Department is also approving the discharge management plan in accordance with Section 3.2 of the *Contaminated Groundwater from Remedial Action Operations* WPDES General Permit No. WI-0046566-07-0. The approval of the discharge management plan hereby certifies that the discharge management plan requirements in Section 3 of the general permit are met.

The proposed discharge back to groundwater via seepage is eligible for coverage and is hereby authorized under the *Contaminated Groundwater from Remedial Action Operations* WPDES General Permit No. WI-0046566-07-0 in accordance with s. NR 205.08, Wis. Adm. Code. You are responsible for compliance with the general permit requirements and conditions listed below and all other applicable requirements and conditions contained in the general permit. **To assure you remain in compliance and avoid any enforcement action, please read the general permit over carefully.**

1. **Coverage Effective Date:** Coverage at the facility/project will become effective under this permit upon the date of this letter until termination of permit coverage, revoke and reissuance of this general permit, or reissuance of the general permit. This permit applies only to the discharge activities and sites described in the NOI for the above referenced facility/project.
2. **Discharge Management Plan:** The permittee shall operate consistent with the approved discharge management plan. A copy of the discharge management plan shall be retained by the permittee and this plan shall be made available upon department inspection or submitted to the department upon request. Permittees shall notify the department when the discharge management plan is amended to determine if the amendment requires department approval.

3. **Sampling:** The permittee shall sample the wastewater after treatment (if necessary) and prior to discharge to groundwater via Outfall 002 for all the parameters listed below based on the approved discharge management plan and Section 5.2.1 of general permit. Sampling is only required when there is a discharge during any month.

### Outfall 002 – Groundwater Discharge via Seepage

Monitoring Requirements and Effluent Limitations						
Parameter	Limit Type	Limit and Units	Sample Frequency	Sample Type	Reporting Frequency	Notes
Flow Rate		gpd	Daily	Estimated	Monthly	See Section 5.4 of permit
Oil & Grease (Hexane)	Daily Max	10 mg/L	Weekly	Grab	Monthly	See Section 5.4 of permit

4. **Reporting:** The permit requires all monitoring data be submitted on an electronic discharge monitoring report (eDMR) form. The eDMR form is available through the Switchboard (<https://dnr.wisconsin.gov/topic/Switchboard/>). **The report for the month of April 2023 is due by May 21, 2023. The eDMR form shall be submitted to the department regardless of whether or not there is a discharge during the reporting frequency. For days with no flow, the flow rate shall be reported as “0” on those days on the eDMR form.**


In order to access the eDMR forms, you must have or create a Wisconsin Web Access Management System (WAMS) ID and request access for each facility for which you intend to submit data. The Switchboard can be used to create a WAMS ID and register with your contact information and user roles. If you already have a WAMS ID, then you do not need to recreate one but still must request access to the facility. Help with the Switchboard can be found here: <https://dnr.wisconsin.gov/topic/Switchboard/Help.html>.

5. **Laboratory Testing and Analysis:** Samples collected under this general permit shall be tested and analyzed by a laboratory certified or registered under ch. NR 149, Wis. Adm. Code. A list of Wisconsin accredited laboratories can be found here: <https://dnr.wisconsin.gov/topic/labCert/certified-lab-lists>. A list of tests that are excluded from being tested and analyzed by a certified or registered laboratory are included under Section 7.3.13 of the permit and s. NR 219.037, Wis. Adm. Code.
6. **Coverage Termination:** If the project has been completed and/or the remedial action activities have ceased, please complete and submit a Notice of Termination (Form 3400-221) to the Department available at <http://dnr.wi.gov/topic/wastewater/GeneralPermits.html>.
7. **Change of Ownership:** If the facility/project changes ownership in the future, please complete and submit a Transfer of Coverage (Form 3400-222) to the Department available at <http://dnr.wi.gov/topic/wastewater/GeneralPermits.html>
8. **Change of Authorized Representative:** If you plan on changing the authorized representative contact for the facility/project or you want to assign a new person to be a duly authorized representative to submit specific permit documents on your behalf, please complete and submit a Delegation of Signature Authority (Form 3400-220) to the Department available at <http://dnr.wi.gov/topic/wastewater/GeneralPermits.html>.

9. Facility/Project Changes: If there have been or will be any changes in the facility/project operations that result in new or different wastewater discharges to the waters of the state, please contact the Department consistent with the general permit conditions. If reapplication is necessary, please complete a notice of intent (NOI) form for the applicable general permit to verify that your discharge is eligible for that general permit. NOI forms are available at <http://dnr.wi.gov/topic/wastewater/GeneralPermits.html>.

Additional information regarding the Department's legal authority in this matter and your rights of appeal are shown below. Please contact me by email: [bryan.hartsook@wisconsin.gov](mailto:bryan.hartsook@wisconsin.gov) or by phone at 414-607-2275 if you have any questions.

Regards,



Bryan Hartsook, PE  
Southeast Region Wastewater Field Supervisor  
Bureau of Water Quality

cc: Howie Nissen – Site Utilities Manager, CornerStone One LLC  
Riley Neumann – DNR Remediation and Redevelopment Project Manager (BRRS Site No. 02-41-582725)  
Leila Jenkins – DNR General Permits Coordinator  
Permit File(s)

## LEGAL AUTHORITIES AND APPEAL RIGHTS

Section 283.35(1), Wis. Stats., authorizes the Department to issue a general permit applicable to a designated area of the state authorizing discharges from specified categories or classes of point sources located within that area. Upon the request of the owner or operator of a point source, the Department shall withdraw the point source from the coverage of a general permit and issue an individual Wisconsin Pollutant Discharge Elimination System (WPDES) permit for that source in accordance with s. 283.35(2), Wis. Stats. Additionally, the Department may withdraw a point source from the coverage of a general permit and issue an individual WPDES permit if that source meets any of the factors listed in s. 283.35(3), Wis. Stats. Issuance of such an individual permit will provide for a public comment period, and potentially a public informational hearing and/or an adjudicatory hearing. In lieu of general permit withdrawal, the Department may refer any violation of a general permit to the Department of Justice for enforcement under s. 283.91, Wis. Stats., pursuant to s. 283.89, Wis. Stats. In order to remain in compliance and avoid any enforcement action, **please read your permit carefully.**

To challenge the reasonableness of or necessity for any term or condition of an issued, reissued, or modified general permit, s. 283.63, Wis. Stats., and ch. NR 203, Wis. Adm. Code, require that you file a verified petition for review with the Secretary of the Department of Natural Resources within 60 days after notice of the permit decision was issued by the Department. For other permit-related decisions, such as the decision to confer general permit coverage to your facility, that are not reviewable pursuant to s. 283.63, Wis. Stats., it may be possible for permittees or other persons to obtain an administrative review pursuant to s. 227.42, Wis. Stats., and s. NR 2.05(5), Wis. Adm. Code, or a judicial review pursuant to s. 227.52, Wis. Stats. If you choose to pursue one of these options, you should know that Wisconsin Statutes and Administrative Code establish time periods within which requests to review Department decisions must be filed.



**DEPARTMENT OF THE AIR FORCE  
HEADQUARTERS 128TH AIR REFUELING WING (ANG)**

30 May 2023

MEMORANDUM FOR WISCONSIN DEPARTMENT OF NATURAL RESOURCES

FROM: 128 CES/CEIE  
1919 E Grange Ave  
Milwaukee WI 53207-6142

SUBJECT: Cover Maintenance Plan – BRRTS # 02-41-582725

1. This document is the Cover Maintenance Plan in accordance with NR 724.13(2), Wis. Adm. Code for the 128<sup>th</sup> Air Refueling Wing located at 1919 East Grange Avenue, Milwaukee, Wisconsin. The property is located in the NW ¼ Section 34 Township 6 North, Range 22 East, Milwaukee County, Wisconsin. The maintenance activities relate to the cover which addresses or occupies the areas over the Perflourinated Compounds (PFAS) contaminated groundwater or soils.

2. **Description of Contamination** – Soil contaminated by PFAS is located at numerous possible release locations (PRLs) across the installation. Soil borings were done and samples taken at ranges from 0-15 feet below grade surface. Groundwater samples were taken from temporary monitoring wells from 0-15 feet below grade surface as part of the Site Inspection and found to be contaminated with PFAS. Results of samples can be found in the FY16 Phase 1 Regional Site Inspections for Perflourinated Compounds report.

3. **Description of Cover to be Maintained** – Soil from construction activities will fall into two types of cover to be maintained. See attached map for cover locations.

- Contaminated soils will be placed under an impervious surface. Impervious surface would either be asphalt pavement system consisting typically of four inches of asphalt with a twelve inch compacted gravel base or a eight inch concrete pavement with a nine inch compacted gravel base. At the minimum, one foot of clean soil/fill will separate the contaminated soil from the impervious surface.
- Contaminated soils will be placed back in the original excavation. Contaminated soils will be covered by minimum of one foot of clean soils, top soil, and seeded.

4. **Cover Purpose** – The cover over the contaminated soil serves as a barrier to prevent direct human contact with residual soil contamination that might otherwise pose a threat to human health. Additionally, the cover minimizes future soil to groundwater contamination for PFAS. Based on the current use of the property, industrial, the barrier should function as intended unless disturbed.

5. **Annual Inspection** – The cover overlying the contaminated soil and as depicted in the attached map will be inspected once a year, normally in the spring after all the snow and ice is gone, for deterioration, cracks, and other potential problems that can cause exposure to underlying soils. The inspections will be performed by the property owner or their designated representative. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to be come exposed will be documented. Inspections will be documented on Form 4400-305 and will include pictures showing current state each year.

6. **Maintenance Activities** – If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching, filling, resurfacing, or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment (PPE). The owner must sample any soil that is excavated from the site prior to disposal to

ascertain if contamination remains. The soil must be treated, stored, and disposed of by the owner in accordance with applicable local, state, and federal law.

In the event the cover overluing the contaminated soil is removed, or replaced, the replacement cover must be equal to cover that was removed. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the DNR or it successor.

The property owner, in order to maintain the integrity of the cover, will maintain a copy of this maintenance plan in the Civil Engineer Squadron, Environmental Section and make it available to all interested parites for viewing.

**7. Prohibition of Activities and Notification of DNR Prior to Actions Affecting a Cover** – The following activities are prohibited on any portion of the property where a covier is required as shown on the attached map, unless written approval has been obtained from the Wisconsin Department of Natural Resources; 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; 6) construction or placement of a building or other structure; or 7) changing the use or occupapncy of the property to residential exposure setting, such as a residence, school, day care, senior center, hospital, or similar residential exposure setting.

If removal, replacement, or other changes to a cover are considered, the property owner will contact the DNR at least 45 days before taking such action, to determine further action may be necessary to protect human health, safety, welfare, or the environment, in accordance with s. NR 727.07, Wis. Adm. Code.

**8. Amendment or Withdrawl of Maintenance Plan** – This maintenance plan can be amended or withdrawn by the property owner and it successors with the written approval of Wisconsin Department of Natural Resources.

**9. Contact Information** –

Site Owner and Operator– Wisconsin Air National Guard  
1919 East Grange Avenue  
Milwaukee, WI 53207  
414-944-8277

10. If you have any additional questions, please feel free to contact me at 414-944-8277 or robert, chmielecki@us.af.mil at any time. Thank you in advance for your review of this plan.

Robert M. Chmielecki, Jr., CHMM  
Sr. Environmental Enforcement Specialist

**Attachment:**

1. Buildings 208, 304, Soil Cover Map
2. Building 308 Soil Cover Map




# SOILS COVER PLAN

OIL/WATER SERPERATOR PROJECT - BUILDINGS 208 & 304



## Legend

- Concrete\_Curb&Gutter
- Concrete\_Sidewalk
- Grass
- Stone



# SOILS COVER PLAN

OIL/WATER SERPERATOR PROJECT - BUILDINGS 308



## Legend

-  Grass
-  Stone

