



October 21, 2022

Maura O'Connor
Whitman Park Shopping Center
1035 Summit Ave
Oconomowoc, Wisconsin 53066

Subject: Environmental Sampling Results
BRRTS #02-68-582951
DNR FID #268087160

Dear Ms. O'Connor:

EnviroForensics, LLC (EnviroForensics) is providing the results of soil and groundwater samples collected from your property and former One Hour Martinizing (OHM) tenant space located at 1035 Summit Avenue, Oconomowoc, Wisconsin, per the Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14. **Figure 1** presents the locations of soil borings and monitoring wells.

The chemicals of concern are the dry-cleaning solvent tetrachloroethene (PCE) and its associated breakdown products trichloroethene, dichloroethane, and vinyl chloride collectively referred to as chlorinated volatile organic compounds (CVOCs) described in this report.

The Responsible Party is:

Mr. Brian Cass
OHM Holdings, Inc.
W229 N2494 Hwy F
Waukesha, WI 53186
Telephone: 262-521-9710

Sampling Results

Table 1 and **Table 2** summarize the laboratory results of soil and groundwater samples respectively and compare each to the corresponding WDNR screening levels. The analytical laboratory reports are also attached.

Soil

On July 26-28, 2022 soil samples were field screened using a photoionization detector (PID) capable of detecting volatile organic compounds (VOCs) in the parts per billion range. Soil samples were selected for laboratory analysis based on PID readings. The soil samples were sent to a State of Wisconsin certified laboratory and analyzed for the VOCs by EPA Method 8260.

As shown in **Table 1**, soil samples from borings SB-13 through SB-18 did not contain VOCs in concentrations exceeding the laboratory detection limits.

Groundwater

Grab groundwater samples were collected from SB-13, SB-14 and SB-15, which did not contain VOCs in concentrations exceeding the laboratory detection limits.

On July 27 and 28, 2022, a drilling contractor installed three (3) two-inch PVC monitoring well at SB-16, SB-17 and SB-18, designated MW-4, MW-5 and MW-6, respectively. EnviroForensics collected groundwater samples from MW-1A through MW-6 on September 9, 2022, and submitted them to a certified laboratory for VOCs analysis by USEPA Method 8260.

The MW-1A, MW-1B, and MW-2 groundwater samples contained PCE above the Public Health Enforcement Standard, while MW-3 and MW-5 contained PCE in concentrations above the Preventative Action Limit. These results do not indicate a risk to you, as the water supply provided by the City of Oconomowoc.

If you have any questions or concerns, please call me at 414-630-0060. The WDNR project manager, Alice Egan, can be reached at 414-639-4007. We appreciate your help and patience with this matter.

Sincerely,

EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Rob Hoverman".

Rob Hoverman, PG





Senior Project Manager



rhoverman@enviroforensics.com

Attachments: Figure 1: Sample Locations
Table 1: Soil Analytical Results
Table 2: Groundwater Monitoring Well Results
Analytical Reports

Copy: Alice Egan, Wisconsin Department of Natural Resources

Legend

-  Property boundary
-  Area of former dry cleaning machine
-  SB-1 Soil boring
-  MW-1A Monitoring well



SITE AND SURROUNDING SAMPLE LOCATIONS

OHM Summit
 1035 East Summit Avenue
 Oconomowoc, Wisconsin

Date:	9/13/22
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	200009-0318



825 North Capital Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	*
Project	200009

TABLE 2
GROUNDWATER ANALYTICAL RESULTS

One Hour Martinizing
1035 East Summit Avenue, Oconomowoc, Wisconsin

Monitoring Well/ Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
			Chlorinated VOCs (µg/L)				
Enforcement Standard			5	5	70	100	0.2
Preventative Action Limit			0.5	0.5	7	20	0.02
SB-6W	25-35	7/27/2021	21.4	<0.47	<0.39	<0.6	<0.17
SB-7W	25-35	7/27/2021	6.9	<0.47	<0.39	<0.6	<0.17
SB-9W	25-35	7/27/2021	<0.54	<0.47	<0.39	<0.6	<0.17
SB-13W	24-34	7/26/2022	<0.47	<0.38	<0.32	<0.5	<0.15
SB-14W	28-36	7/26/2022	<0.47	<0.38	<0.32	<0.5	<0.15
SB-15W	28-36	7/26/2022	<0.47	<0.38	<0.32	<0.5	<0.15
MW-1A	27.6-37.6	12/23/2021	17.7	<0.47	<0.39	<0.6	<0.17
		DUP 12/23/2021	17.2	<0.47	<0.39	<0.6	<0.17
		9/9/2022	15.3	<0.38	<0.32	<0.5	<0.15
MW-1B	44.8-49.8	12/23/2021	6.9	<0.47	<0.39	<0.6	<0.17
		9/9/2022	5.2	<0.38	<0.32	<0.5	<0.15
MW-2	24.7-34.7	12/23/2021	61	<0.47	<0.39	<0.6	<0.17
		9/9/2022	70	<0.38	<0.32	<0.5	<0.15
		DUP 9/9/2022	74	<0.38	<0.32	<0.5	<0.15
MW-3	27.2-37.2	12/23/2021	2.5	<0.47	<0.39	<0.6	<0.17
		9/9/2022	1.72J	<0.38	<0.32	<0.5	<0.15
MW-4	21.8 - 31.8	9/9/2022	<0.47	<0.38	<0.32	<0.5	<0.15
MW-5	18.4 - 28.4	9/9/2022	0.52J	<0.38	<0.32	<0.5	<0.15
MW-6	17.5 - 27.5	9/9/2022	<0.47	<0.38	<0.32	<0.5	<0.15

Notes:

Samples analyzed using EPA SW-846 Method 8260

Constituents not shown are below laboratory detection limits

Bolded values are above detection limits

Bolded and **blue shaded** values are above the Public Health Preventive Action Limit

Bolded and **orange shaded** values are above the Public Health Enforcement Standard

µg/L = micrograms per liter

bgs = below ground surface

J = Estimated concentration between the laboratory Reporting Limit and Method Detection Limit

NE = Not Established

VOCs = Volatile Organic Compounds

TABLE 1
SOIL ANALYTICAL RESULTS

One Hour Martinizing
1035 East Summit Avenue, Oconomowoc, Wisconsin

Boring Identification	Sample Depth (feet bgs)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
			Chlorinated VOCs (µg/kg)				
Residual Contaminant Level - Industrial			145,000	8,410	2,340,000	1,850,000	2,080
Residual Contaminant Level - Non-Industrial			33,000	1,300	156,000	1,560,000	67
Residual Contaminant Level - Soil to Groundwater			4.5	3.6	41.2	62.6	0.10
SB-1	0-2	6/26/2020	<40	<48	<21	<38	<66
	4-6		<40	<48	<21	<38	<66
	18-20		<40	<48	<21	<38	<66
SB-2	0-2	6/26/2020	<40	<48	<21	<38	<66
	6-8		<40	<48	<21	<38	<66
	16-18		<40	<48	<21	<38	<66
SB-3	0-2	6/22/2020	<40	<48	<21	<38	<66
	14-16		<40	<48	<21	<38	<66
	18-20		<40	<48	<21	<38	<66
SB-4	0-2	6/22/2020	<40	<48	<21	<38	<66
	8-10		<40	<48	<21	<38	<66
	18-20		<40	<48	<21	<38	<66
SB-5	0-2	7/26/2021	<40	<48	<21	<38	<66
	4-6		<40	<48	<21	<38	<66
	12-14		<40	<48	<21	<38	<66
	14-16		<40	<48	<21	<38	<66
	16-18		42 J	<48	<21	<38	<66
	20-21.5		<40	<48	<21	<38	<66
SB-6	0-2	7/27/2021	<40	<48	<21	<38	<66
	6-8		<40	<48	<21	<38	<66
	14-16		<40	<48	<21	<38	<66
	20-22		<40	<48	<21	<38	<66
	28-30		<40	<48	<21	<38	<66
SB-7	2-4	7/26/2021	<40	<48	<21	<38	<66
	4-6		<40	<48	<21	<38	<66
	14-16		<40	<48	<21	<38	<66
	22-24		<40	<48	<21	<38	<66
SB-8	2-4	7/27/2021	<40	<48	<21	<38	<66
	8-10		<40	<48	<21	<38	<66
	20-22		<40	<48	<21	<38	<66
	28-29		<40	<48	<21	<38	<66

TABLE 1
SOIL ANALYTICAL RESULTS

One Hour Martinizing
1035 East Summit Avenue, Oconomowoc, Wisconsin

Boring Identification	Sample Depth (feet bgs)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
			Chlorinated VOCs (µg/kg)				
Residual Contaminant Level - Industrial			145,000	8,410	2,340,000	1,850,000	2,080
Residual Contaminant Level - Non-Industrial			33,000	1,300	156,000	1,560,000	67
Residual Contaminant Level - Soil to Groundwater			4.5	3.6	41.2	62.6	0.10
SB-9	0-2	7/26/2021	<40	<48	<21	<38	<66
	6-8		<40	<48	<21	<38	<66
	14-16		<40	<48	<21	<38	<66
	20-22		<40	<48	<21	<38	<66
SB-10	24-26	12/14/2021	<39	<39	<27	<30	<36
SB-11	14-16	12/14/2021	47 J	<39	<27	<30	<36
SB-12	46-47.5	12/15/2021	<39	<39	<27	<30	<36
SB-13	16-18	7/26/2022	<39	<39	<27	<30	<36
SB-14	14-16	7/26/2022	<39	<39	<27	<30	<36
SB-15	14-16	7/26/2022	<39	<39	<27	<30	<36
SB-16	18-20	7/27/2022	<39	<39	<27	<30	<36
SB-17	14-16	7/27/2022	<39	<39	<27	<30	<36
SB-18	16-18	7/28/2022	<39	<39	<27	<30	<36

Notes:

WDNR Residual Contaminant Levels (RCLs) were calculated according to the procedures described in WDNR Publication RR-890.

Samples analyzed using EPA SW-846 Method 8260

Constituents not shown are below laboratory detection limits

Bolded values exceed laboratory detection levels

Bolded and **blue shaded** values exceed the Soil to Groundwater Residual Contaminant Level

µg/kg = micrograms per kilogram

bgs = below ground surface

J = Estimated concentration between the laboratory reporting limit and method detection limit

VOCs = Volatile Organic Compounds

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 04-Aug-22

Project Name OHM SUMMIT Invoice # E41266
Project # 200009
Lab Code 5041266A
Sample ID 200009-SB-13 16-18
Sample Matrix Soil
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.1	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/3/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/3/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/3/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/3/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/3/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/3/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/3/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/3/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/3/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/3/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/3/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/3/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/3/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/3/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/3/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/3/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/3/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/3/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/3/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/3/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/3/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/3/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266A
Sample ID 200009-SB-13 16-18
Sample Matrix Soil
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/3/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/3/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/3/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/3/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/3/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/3/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/3/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/3/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/3/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/3/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/3/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/3/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/3/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/3/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/3/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/3/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/3/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/3/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/3/2022	CJR	1
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/3/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/3/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/3/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/3/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/3/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/3/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/3/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/3/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/3/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/3/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/3/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/3/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/3/2022	CJR	1
SUR - 4-Bromofluorobenzene	92	Rec %			1	8260B		8/3/2022	CJR	1
SUR - Dibromofluoromethane	104	Rec %			1	8260B		8/3/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			1	8260B		8/3/2022	CJR	1
SUR - Toluene-d8	101	Rec %			1	8260B		8/3/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266B
Sample ID 200009-SB-14 14-16
Sample Matrix Soil
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.8	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266B
Sample ID 200009-SB-14 14-16
Sample Matrix Soil
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	101	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	102	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	93	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266C
Sample ID 200009-SB-15 14-16
Sample Matrix Soil
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.9	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266C
Sample ID 200009-SB-15 14-16
Sample Matrix Soil
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	98	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	95	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266D
Sample ID 200009-SB-16 18-20
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	96.2	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266D
Sample ID 200009-SB-16 18-20
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	100	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	98	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266E
Sample ID 200009-SB-17 14-16
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.1	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266E
Sample ID 200009-SB-17 14-16
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	111	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	92	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	102	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	98	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266F
Sample ID 200009-SB-18 16-18
Sample Matrix Soil
Sample Date 7/28/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.6	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266F
Sample ID 200009-SB-18 16-18
Sample Matrix Soil
Sample Date 7/28/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	96	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	92	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	103	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
 Project # 200009

Invoice # E41266

Lab Code 5041266G
 Sample ID 200009-SB-13-W
 Sample Matrix Water
 Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		8/3/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		8/3/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		8/3/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		8/3/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		8/3/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		8/3/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		8/3/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		8/3/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		8/3/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		8/3/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		8/3/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		8/3/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		8/3/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		8/3/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		8/3/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		8/3/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		8/3/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		8/3/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		8/3/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		8/3/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		8/3/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		8/3/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		8/3/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		8/3/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		8/3/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		8/3/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		8/3/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		8/3/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		8/3/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		8/3/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		8/3/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		8/3/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		8/3/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		8/3/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		8/3/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		8/3/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		8/3/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		8/3/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		8/3/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Toluene	0.49 "J"	ug/l	0.33	1.35	1	8260B		8/3/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		8/3/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266G
Sample ID 200009-SB-13-W
Sample Matrix Water
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		8/3/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		8/3/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		8/3/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		8/3/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		8/3/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		8/3/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		8/3/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		8/3/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		8/3/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		8/3/2022	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/3/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/3/2022	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		8/3/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		8/3/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266H
Sample ID 200009-SB-14-W
Sample Matrix Water
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		8/3/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		8/3/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		8/3/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		8/3/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		8/3/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		8/3/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		8/3/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		8/3/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		8/3/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		8/3/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		8/3/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		8/3/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		8/3/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		8/3/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		8/3/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		8/3/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		8/3/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		8/3/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		8/3/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		8/3/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		8/3/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		8/3/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		8/3/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		8/3/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		8/3/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		8/3/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		8/3/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		8/3/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		8/3/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		8/3/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		8/3/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		8/3/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		8/3/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		8/3/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		8/3/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		8/3/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		8/3/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		8/3/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		8/3/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Toluene	0.51 "J"	ug/l	0.33	1.35	1	8260B		8/3/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		8/3/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266H
Sample ID 200009-SB-14-W
Sample Matrix Water
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		8/3/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		8/3/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		8/3/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		8/3/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		8/3/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		8/3/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		8/3/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		8/3/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		8/3/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		8/3/2022	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		8/3/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		8/3/2022	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		8/3/2022	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		8/3/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266I
Sample ID 200009-SB-15-W
Sample Matrix Water
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		8/3/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		8/3/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		8/3/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		8/3/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		8/3/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		8/3/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		8/3/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		8/3/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		8/3/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		8/3/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		8/3/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		8/3/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		8/3/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		8/3/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		8/3/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		8/3/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		8/3/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		8/3/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		8/3/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		8/3/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		8/3/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		8/3/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		8/3/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		8/3/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		8/3/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		8/3/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		8/3/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		8/3/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		8/3/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		8/3/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		8/3/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		8/3/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		8/3/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		8/3/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		8/3/2022	CJR	1
Methyl tert-butyl ether (MTBE)	1.15 "J"	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		8/3/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		8/3/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		8/3/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		8/3/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		8/3/2022	CJR	1
Toluene	0.57 "J"	ug/l	0.33	1.35	1	8260B		8/3/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		8/3/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266I
Sample ID 200009-SB-15-W
Sample Matrix Water
Sample Date 7/26/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		8/3/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		8/3/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		8/3/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		8/3/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		8/3/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		8/3/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		8/3/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		8/3/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		8/3/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		8/3/2022	CJR	1
SUR - Toluene-d8	103	REC %				8260B		8/3/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				8260B		8/3/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %				8260B		8/3/2022	CJR	1
SUR - Dibromofluoromethane	102	REC %				8260B		8/3/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 15-Sep-22

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431
Lab Code 5041411A
Sample ID 200009 MW-1A
Sample Matrix Water
Sample Date 9/9/2022

Invoice # E41411

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411A
Sample ID 200009 MW-1A
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/14/2022	CJR	1
Tetrachloroethene	15.3	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/14/2022	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		9/14/2022	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/14/2022	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
 Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411B
 Sample ID 200009 MW-1B
 Sample Matrix Water
 Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/14/2022	CJR	1
Tetrachloroethene	5.2	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411B
Sample ID 200009 MW-1B
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/14/2022	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/14/2022	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411C
Sample ID 200009 MW-2
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/14/2022	CJR	1
Tetrachloroethene	70	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411C
Sample ID 200009 MW-2
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/14/2022	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/14/2022	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		9/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411D
Sample ID 200009 MW-3
Sample Matrix Water
Sample Date 9/8/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	1.72 "J"	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411D
Sample ID 200009 MW-3
Sample Matrix Water
Sample Date 9/8/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411E
Sample ID 200009 MW-4
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411E
Sample ID 200009 MW-4
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411F
Sample ID 200009 MW-5
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	0.52 "J"	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411F
Sample ID 200009 MW-5
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411G
Sample ID 200009 MW-6
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411G
Sample ID 200009 MW-6
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
 Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411H
 Sample ID 200009 DUP-1
 Sample Matrix Water
 Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	74	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411H
Sample ID 200009 DUP-1
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411I
Sample ID 200009 EB-1
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/14/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411I
Sample ID 200009 EB-1
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/14/2022	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		9/14/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		9/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		9/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
 Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411J
 Sample ID 200009 TB-1
 Sample Matrix Water
 Sample Date 9/8/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/14/2022	CJR	1
cis-1,2-Dichloroethene	0.33 "J"	ug/l	0.32	1.29	1	8260B		9/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/14/2022	CJR	1
Tetrachloroethene	1.1 "J"	ug/l	0.47	1.91	1	8260B		9/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411J
Sample ID 200009 TB-1
Sample Matrix Water
Sample Date 9/8/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/14/2022	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		9/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/14/2022	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		9/14/2022	CJR	1

Project Name OHM SUMMIT
 Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411K
 Sample ID 200009 IDM
 Sample Matrix Water
 Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411K
Sample ID 200009 IDM
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	91	REC %				8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %				8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %				8260B		9/15/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
 QUOTE #: _____
 Project #: 200009
 Sampler: (signature) *[Signature]*

Project (Name / Location): OHM Summit - Oconomowoc
 Reports To: Rob Haverman Invoice To: Accounts Payable
 Company: Enviro Forensics Company: _____
 Address: 216 W 233rd Stone Ridge Dr Address: _____
 City State Zip: Waukesha, WI 53188 City State Zip: _____
 Phone: 262-290-4001 Phone: _____
 Email: rhaverman@enviroforensics.com Email: accounts.payable@enviroforensics.com

Analysis Requested								Other Analysis																
Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID	
S041411 A	20009-MW-1A	9-9-22	1035	N	3	GW	HCL																	
B	20009-MW-1B	↓	949																					
C	20009-MW-2	↓	906																					
D	20009-MW-3	9-8-22	1441																					
E	20009-MW-4	9-9-22	1134																					
F	20009-MW-5	↓	1332																					
G	20009-MW-6	↓	1235																					
H	20009-DWP-1	↓	-																					
I	20009-EB-1	↓	1345																					
J	20009-EB-1	9-8-22	-		1																			
K	20009-IDM	9-9-22	1410		3																			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO: 2022-0431

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]* Time: 1533 Date: 9/12/22
 Received By: (sign) *[Signature]* Time: _____ Date: _____
 Received in Laboratory By: *[Signature]* Time: 800 Date: 9/15/22



October 21, 2022

David Stoiser
City of Oconomowoc
174 E. Wisconsin Avenue
Oconomowoc, WI 53066

Subject: Environmental Sampling Results
BRRTS #02-68-582951
DNR FID #268087160

Dear Mr. Stoiser:

EnviroForensics, LLC (EnviroForensics) is providing the results of soil and groundwater samples collected from the Right-of Way along Thackery Trail, Keats Circle and Lowell Drive on behalf of the former One Hour Martinizing (OHM) tenant space located at 1035 Summit Avenue, Oconomowoc, Wisconsin, per the Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14. **Figure 1** presents the locations of soil borings and monitoring wells.

The chemicals of concern are the dry-cleaning solvent tetrachloroethene (PCE) and its associated breakdown products trichloroethene, dichloroethane, and vinyl chloride collectively referred to as chlorinated volatile organic compounds (CVOCs) described in this report.

The Responsible Party is:

Mr. Brian Cass
OHM Holdings, Inc.
W229 N2494 Hwy F
Waukesha, WI 53186
Telephone: 262-521-9710

Sampling Results

Table 1 and **Table 2** summarize the laboratory results of soil and groundwater samples respectively and compare each to the corresponding WDNR screening levels. The analytical laboratory reports are also attached.

Soil

On July 26-28, 2022 soil samples were field screened using a photoionization detector (PID) capable of detecting volatile organic compounds (VOCs) in the parts per billion range. Soil samples were selected

for laboratory analysis based on PID readings. The soil samples were sent to a State of Wisconsin certified laboratory and analyzed for the VOCs by EPA Method 8260.

As shown in **Table 1**, soil samples from borings SB-13 through SB-18 did not contain CVOCs in concentrations exceeding the laboratory detection limits.

Groundwater

On July 27 and 28, 2022, a drilling contractor installed three (3) two-inch PVC monitoring well at SB-16, SB-17 and SB-18, designated MW-4, MW-5 and MW-6, respectively. EnviroForensics collected groundwater samples from MW-4 through MW-6 on September 9, 2022 and submitted them to a certified laboratory for VOCs analysis by USEPA Method 8260.

MW-5 contained PCE in estimated concentrations above the Preventative Action Limit. A copy of the laboratory analytical results is attached.

If you have any questions or concerns, please call me at 414-630-0060. The WDNR project manager, Alice Egan, can be reached at 414-639-4007. We appreciate your help and patience with this matter.

Sincerely,

EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Rob Hoverman".

Rob Hoverman, PG





Senior Project Manager



rhoverman@enviroforensics.com

Attachments: Figure 1: Sample Locations
 Table 1: Soil Analytical Results
 Table 2: Groundwater Monitoring Well Results
 Analytical Reports

Copy: Alice Egan, Wisconsin Department of Natural Resources

Legend

-  Property boundary
-  Area of former dry cleaning machine
-  SB-1 Soil boring
-  MW-1A Monitoring well



SITE AND SURROUNDING SAMPLE LOCATIONS

OHM Summit
 1035 East Summit Avenue
 Oconomowoc, Wisconsin

Date:	9/13/22
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	200009-0318



825 North Capital Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	*
Project	200009

TABLE 1
SOIL ANALYTICAL RESULTS

One Hour Martinizing
1035 East Summit Avenue, Oconomowoc, Wisconsin

Boring Identification	Sample Depth (feet bgs)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
			Chlorinated VOCs (µg/kg)				
Residual Contaminant Level - Industrial			145,000	8,410	2,340,000	1,850,000	2,080
Residual Contaminant Level - Non-Industrial			33,000	1,300	156,000	1,560,000	67
Residual Contaminant Level - Soil to Groundwater			4.5	3.6	41.2	62.6	0.10
SB-16	18-20	7/27/2022	<39	<39	<27	<30	<36
SB-17	14-16	7/27/2022	<39	<39	<27	<30	<36
SB-18	16-18	7/28/2022	<39	<39	<27	<30	<36

Notes:

WDNR Residual Contaminant Levels (RCLs) were calculated according to the procedures described in WDNR Publication RR-890.

Samples analyzed using EPA SW-846 Method 8260

Constituents not shown are below laboratory detection limits

Bolded values exceed laboratory detection levels

Bolded and **blue shaded** values exceed the Soil to Groundwater Residual Contaminant Level

µg/kg = micrograms per kilogram

bgs = below ground surface

J = Estimated concentration between the laboratory reporting limit and method detection limit

VOCs = Volatile Organic Compounds

TABLE 2
GROUNDWATER ANALYTICAL RESULTS

One Hour Martinizing
1035 East Summit Avenue, Oconomowoc, Wisconsin

Monitoring Well/ Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
			Chlorinated VOCs (µg/L)				
Enforcement Standard			5	5	70	100	0.2
Preventative Action Limit			0.5	0.5	7	20	0.02
MW-4	21.8 - 31.8	9/9/2022	<0.47	<0.38	<0.32	<0.5	<0.15
MW-5	18.4 - 28.4	9/9/2022	0.52J	<0.38	<0.32	<0.5	<0.15
MW-6	17.5 - 27.5	9/9/2022	<0.47	<0.38	<0.32	<0.5	<0.15

Notes:

Samples analyzed using EPA SW-846 Method 8260

Constituents not shown are below laboratory detection limits

Bolded values are above detection limits

Bolded and **blue shaded** values are above the Public Health Preventive Action Limit

Bolded and **orange shaded** values are above the Public Health Enforcement Standard

µg/L = micrograms per liter

bgs = below ground surface

J = Estimated concentration between the laboratory Reporting Limit and Method Detection Limit

NE = Not Established

VOCs = Volatile Organic Compounds

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266D
Sample ID 200009-SB-16 18-20
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	96.2	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266D
Sample ID 200009-SB-16 18-20
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	100	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	98	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266E
Sample ID 200009-SB-17 14-16
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.1	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266E
Sample ID 200009-SB-17 14-16
Sample Matrix Soil
Sample Date 7/27/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	111	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	92	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	102	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	98	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266F
Sample ID 200009-SB-18 16-18
Sample Matrix Soil
Sample Date 7/28/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.6	%			1	5021		8/1/2022	NJC	1
Organic										
VOC's										
Benzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Bromobenzene	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
Bromodichloromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
Bromoform	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
tert-Butylbenzene	< 0.033	mg/kg	0.033	0.14	1	8260B		8/4/2022	CJR	1
sec-Butylbenzene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
n-Butylbenzene	< 0.029	mg/kg	0.029	0.12	1	8260B		8/4/2022	CJR	1
Carbon Tetrachloride	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chlorobenzene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
Chloroethane	< 0.1	mg/kg	0.1	0.41	1	8260B		8/4/2022	CJR	1
Chloroform	< 0.032	mg/kg	0.032	0.13	1	8260B		8/4/2022	CJR	1
Chloromethane	< 0.064	mg/kg	0.064	0.26	1	8260B		8/4/2022	CJR	1
2-Chlorotoluene	< 0.034	mg/kg	0.034	0.14	1	8260B		8/4/2022	CJR	1
4-Chlorotoluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.055	mg/kg	0.055	0.22	1	8260B		8/4/2022	CJR	1
Dibromochloromethane	< 0.038	mg/kg	0.038	0.16	1	8260B		8/4/2022	CJR	1
1,4-Dichlorobenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3-Dichlorobenzene	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
1,2-Dichlorobenzene	< 0.026	mg/kg	0.026	0.11	1	8260B		8/4/2022	CJR	1
Dichlorodifluoromethane	< 0.046	mg/kg	0.046	0.19	1	8260B		8/4/2022	CJR	1
1,2-Dichloroethane	< 0.042	mg/kg	0.042	0.17	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethane	< 0.033	mg/kg	0.033	0.13	1	8260B		8/4/2022	CJR	1
1,1-Dichloroethene	< 0.049	mg/kg	0.049	0.2	1	8260B		8/4/2022	CJR	1
cis-1,2-Dichloroethene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
trans-1,2-Dichloroethene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,2-Dichloropropane	< 0.04	mg/kg	0.04	0.16	1	8260B		8/4/2022	CJR	1
1,3-Dichloropropane	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
trans-1,3-Dichloropropene	< 0.027	mg/kg	0.027	0.11	1	8260B		8/4/2022	CJR	1
cis-1,3-Dichloropropene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
Di-isopropyl ether	< 0.028	mg/kg	0.028	0.11	1	8260B		8/4/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
Ethylbenzene	< 0.023	mg/kg	0.023	0.096	1	8260B		8/4/2022	CJR	1
Hexachlorobutadiene	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Isopropylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
p-Isopropyltoluene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
Methylene chloride	< 0.1	mg/kg	0.1	0.42	1	8260B		8/4/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
Naphthalene	< 0.12	mg/kg	0.12	0.38	1	8260B		8/4/2022	CJR	1
n-Propylbenzene	< 0.025	mg/kg	0.025	0.1	1	8260B		8/4/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.041	mg/kg	0.041	0.17	1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009

Invoice # E41266

Lab Code 5041266F
Sample ID 200009-SB-18 16-18
Sample Matrix Soil
Sample Date 7/28/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Toluene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.045	mg/kg	0.045	0.18	1	8260B		8/4/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.18	mg/kg	0.18	0.56	1	8260B		8/4/2022	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
1,1,2-Trichloroethane	< 0.037	mg/kg	0.037	0.15	1	8260B		8/4/2022	CJR	1
Trichloroethene (TCE)	< 0.039	mg/kg	0.039	0.16	1	8260B		8/4/2022	CJR	1
Trichlorofluoromethane	< 0.066	mg/kg	0.066	0.27	1	8260B		8/4/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.035	mg/kg	0.035	0.14	1	8260B		8/4/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.031	mg/kg	0.031	0.13	1	8260B		8/4/2022	CJR	1
Vinyl Chloride	< 0.036	mg/kg	0.036	0.15	1	8260B		8/4/2022	CJR	1
m&p-Xylene	< 0.062	mg/kg	0.062	0.25	1	8260B		8/4/2022	CJR	1
o-Xylene	< 0.03	mg/kg	0.03	0.12	1	8260B		8/4/2022	CJR	1
SUR - Toluene-d8	96	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	Rec %			1	8260B		8/4/2022	CJR	1
SUR - 4-Bromofluorobenzene	92	Rec %			1	8260B		8/4/2022	CJR	1
SUR - Dibromofluoromethane	103	Rec %			1	8260B		8/4/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411E
Sample ID 200009 MW-4
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411E
Sample ID 200009 MW-4
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411F
Sample ID 200009 MW-5
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	0.52 "J"	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411F
Sample ID 200009 MW-5
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411G
Sample ID 200009 MW-6
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/15/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/15/2022	CJR	1

Project Name OHM SUMMIT
Project # 200009 PO#2022-0431

Invoice # E41411

Lab Code 5041411G
Sample ID 200009 MW-6
Sample Matrix Water
Sample Date 9/9/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/15/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		9/15/2022	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		9/15/2022	CJR	1