

LEGEND:

- DRINKING WATER WELL LOCATION
- NOT DETECTED
- DETECTION ABOVE HAL
- DETECTION BELOW HAL
- APPROXIMATE SITE PROPERTY BOUNDARY
- APPROXIMATE MARINETTE CITY BOUNDARY
- ROAD
- DITCH/STREAM
- WATERBODY

WS-049 - LOCATION NAME
 24 - WELL DEPTH


11/8/2018

- NOTES:**
1. THE DATA REFLECTED IS THE HIGHEST VALUE DETECTED FROM THE VARIOUS ANALYSES.
 2. WELL LOCATIONS ARE APPROXIMATE.

TYCO FIRE PRODUCTS, LP
 MARINETTE, WISCONSIN

**DRINKING WATER WELL LOCATIONS
 SUMMER 2018**

ARCADIS | **FIGURE 2**



TOWN OF PESHTIGO FINAL DRINKING WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDoA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	General Well Depth	Detailed Well Depth	Source
WS-001	9/5/2018	< 2.6	< 0.91	< 0.77	< 1.2	< 0.62	< 0.45	< 0.51	< 0.79	< 0.28	< 0.86	< 0.62	< 0.58	< 0.49	< 1.1	Shallow	62	+
WS-005	8/20/2018	< 2.4	< 0.84	< 0.71	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.79	< 0.57	< 0.53	< 0.45	< 0.97	Shallow	30	-
WS-005B	8/20/2018	5.9 J	< 0.97	< 0.82	< 1.3	< 0.66	< 0.48	< 0.54	< 0.84	< 0.30	< 0.91	< 0.67	< 0.62	< 0.52	< 1.1	Shallow	30	-
WS-006	8/29/2018	< 2.6	< 0.92	< 0.78	< 1.3	< 0.62	< 0.46	< 0.51	< 0.80	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Deep	521	+, -
WS-010	9/19/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.62	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.63	< 0.58	< 0.50	< 1.1	Deep	100	-
WS-010 DUP	9/19/2018	< 2.6	< 0.92	< 0.78	< 1.3	< 0.62	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.63	< 0.58	< 0.50	< 1.1	Deep	100	-
WS-011	8/21/2018	< 2.4	< 0.84	< 0.70	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.78	< 0.57	< 0.53	< 0.45	< 0.97	Deep	104	+, -
WS-012	9/28/2018	< 2.7	< 0.96	< 0.81	< 1.3	< 0.64	< 0.47	< 0.53	< 0.83	< 0.29	< 0.90	< 0.65	< 0.60	< 0.51	< 1.1	Deep	510	+, -
WS-014	8/24/2018	< 2.5	< 0.87	< 0.73	< 1.2	< 0.58	< 0.43	< 0.48	< 0.75	< 0.26	< 0.81	< 0.59	< 0.55	0.63 J	< 1.0	Deep	264	+, -
WS-015	8/28/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 0.48	< 1.0	NA	NA	NA
WS-016	9/18/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.71	< 0.25	< 0.78	< 0.57	< 0.52	< 0.44	< 0.96	Deep	175	-
WS-016 DUP	9/18/2018	< 2.5	< 0.87	< 0.73	< 1.2	< 0.58	< 0.43	< 0.48	< 0.75	< 0.26	< 0.81	< 0.59	< 0.55	< 0.46	< 1.0	Deep	175	-
WS-017	9/24/2018	< 2.4	< 0.84	< 0.71	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.79	< 0.58	< 0.53	< 0.45	< 0.98	Deep	120	+, -
WS-020	8/22/2018	< 2.3	< 0.81	< 0.68	< 1.1	< 0.55	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	NA	NA	NA
WS-022	9/5/2018	< 2.3	< 0.81	< 0.68	< 1.1	< 0.55	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	NA	NA	NA
WS-026	8/29/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.83	< 0.61	< 0.56	< 0.48	< 1.0	NA	NA	NA
WS-027	9/10/2018	< 2.7	< 0.94	< 0.79	< 1.3	< 0.63	< 0.47	< 0.53	< 0.81	< 0.29	< 0.88	< 0.64	< 0.59	< 0.51	< 1.1	Deep	110	+
WS-028	9/5/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 0.49	< 1.0	Deep	454	+, -
WS-029	8/30/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.62	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.63	< 0.59	< 0.50	< 1.1	Deep	90	-
WS-031	8/20/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.43	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.55	< 0.47	< 1.0	NA	NA	NA
WS-033	8/27/2018	< 2.6	< 0.92	< 0.78	< 1.3	< 0.62	< 0.46	< 0.51	< 0.80	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Deep	125	+
WS-034	8/23/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.55	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.56	< 0.52	< 0.44	< 0.95	Shallow	NA	NA
WS-035	9/21/2018	3.0 J	< 0.91	< 0.77	1.7 J	< 0.62	< 0.45	< 0.51	< 0.79	12	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	NA	NA	NA
WS-039	8/20/2018	< 2.7	< 0.96	< 0.81	< 1.3	< 0.65	< 0.48	< 0.54	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 0.52	< 1.1	Deep	80	-
WS-039 DUP	8/20/2018	< 2.7	< 0.96	< 0.81	< 1.3	< 0.65	< 0.48	< 0.54	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 0.52	< 1.1	Deep	80	-
WS-040	8/22/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.57	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.58	< 0.54	< 0.46	< 0.99	Deep	124	+
WS-041	9/5/2018	< 2.7	< 0.94	< 0.79	< 1.3	< 0.63	< 0.47	< 0.52	< 0.81	< 0.29	< 0.88	< 0.64	< 0.59	< 0.51	< 1.1	NA	NA	NA
WS-042	9/5/2018	< 2.6	< 0.92	< 0.77	< 1.3	< 0.62	< 0.45	< 0.51	< 0.79	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Deep	110	+
WS-043	9/18/2018	< 2.3	< 0.81	< 0.68	< 1.1	< 0.55	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	NA	NA	NA
WS-044	9/4/2018	< 2.5	< 0.90	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.84	< 0.61	< 0.57	< 0.48	< 1.0	Shallow	28	-
WS-045	8/23/2018	< 2.4	< 0.86	< 0.72	< 1.2	< 0.58	< 0.43	< 0.48	< 0.74	< 0.26	< 0.81	< 0.59	< 0.54	< 0.46	< 1.0	Deep	180	-
WS-046	9/5/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 0.49	< 1.0	NA	NA	NA
WS-048	9/5/2018	6.2	< 0.89	< 0.75	1.2 J	0.64 J	< 0.44	< 0.50	< 0.77	3.9	< 0.83	< 0.61	< 0.56	< 0.48	< 1.0	Shallow	20	-

NOTES ARE PROVIDED ON PAGE 5

TOWN OF PESHTIGO FINAL DRINKING WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDoA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	General Well Depth	Detailed Well Depth	Source
WS-050	8/29/2018	< 2.6	< 0.92	< 0.77	< 1.3	< 0.62	< 0.45	< 0.51	< 0.79	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Deep	90	-
WS-050 DUP	8/29/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.84	< 0.62	< 0.57	< 0.48	< 1.0	Deep	90	-
WS-051	8/28/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.83	< 0.61	< 0.56	< 0.48	< 1.0	Deep	107	+, -
WS-055	8/23/2018	< 2.2	< 0.78	< 0.66	< 1.1	< 0.53	< 0.39	< 0.43	< 0.67	< 0.24	< 0.73	< 0.53	< 0.49	< 0.42	< 0.90	Shallow	NA	NA
WS-055 DUP	8/23/2018	< 2.3	< 0.81	< 0.69	< 1.1	< 0.55	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	Shallow	NA	NA
WS-056	9/18/2018	< 2.9	< 1.0	< 0.85	< 1.4	< 0.68	< 0.50	< 0.56	< 0.87	< 0.31	< 0.95	< 0.69	< 0.64	< 0.54	< 1.2	Deep	495	+, -
WS-057	8/29/2018	52	18	3.8	16	11	3.1	< 0.50	< 0.78	27	< 0.84	< 0.62	< 0.57	< 0.48	< 1.0	Shallow	NA	NA
WS-059	8/22/2018	< 2.4 UJ	< 0.84 UJ	< 0.71 UJ	< 1.2 UJ	< 0.57 UJ	< 0.42 UJ	< 0.47 UJ	< 0.73 UJ	< 0.26 UJ	< 0.79 UJ	< 0.58 UJ	< 0.53 UJ	< 0.45 UJ	< 0.97 UJ	Deep	125	+, -
WS-060	9/10/2018	12	3.8	2.9	7.6	1.9	0.60 J	< 0.51	< 0.79	19	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Shallow	25-30	-
WS-062	8/22/2018	21	1.5 J	3.2	9.5	1.6 J	< 0.40	< 0.45	< 0.70	19	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	Shallow	15	-
WS-063	8/21/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.56	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.56	< 0.52	< 0.44	< 0.95	Deep	124	+, -
WS-063 DUP	8/21/2018	< 2.6	< 0.91	< 0.77	< 1.2	< 0.62	< 0.45	< 0.51	< 0.79	< 0.28	< 0.86	< 0.62	< 0.58	< 0.49	< 1.1	Deep	124	+, -
WS-064	8/22/2018	< 2.3	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.57	< 0.52	< 0.44	< 0.96	Shallow	25	-
WS-065	8/27/2018	< 2.9	< 1.0	< 0.86	< 1.4	< 0.69	< 0.50	< 0.57	< 0.88	< 0.31	< 0.95	< 0.70	< 0.64	< 0.55	< 1.2	Deep	95	+, -
WS-065 DUP	8/27/2018	< 2.4	< 0.86	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.59	< 0.54	< 0.46	< 0.99	Deep	95	+, -
WS-066	9/6/2018	< 2.5	< 0.87	< 0.74	< 1.2	< 0.59	< 0.43	< 0.49	< 0.75	< 0.27	< 0.82	< 0.60	< 0.55	< 0.47	< 1.0	Deep	77	+, -
WS-067	8/28/2018	< 2.6	< 0.91	< 0.76	< 1.2	< 0.61	< 0.45	< 0.51	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 0.49	< 1.1	NA	NA	NA
WS-069A	9/4/2018	< 2.4	< 0.84	< 0.70	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.78	< 0.57	< 0.53	< 0.45	< 0.97	Deep	520	+, -
WS-069B	9/4/2018	4.8 J	< 1.1 UJ	1.3 J	4.1 J	1.1 J	< 0.56 UJ	< 0.63 UJ	< 0.98 UJ	5.7 J	< 1.1 UJ	< 0.78 UJ	< 0.72 UJ	< 0.61 UJ	< 1.3 UJ	Shallow	17-20	-
WS-071	8/28/2018	< 2.7	< 0.97	< 0.81	< 1.3	< 0.65	< 0.48	< 0.54	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 0.52	< 1.1	Shallow	40	-
WS-072	8/21/2018	< 2.2	< 0.77	< 0.64	< 1.0	< 0.52	< 0.38	< 0.43	< 0.66	< 0.23	< 0.72	< 0.52	< 0.48	< 0.41	< 0.89	NA	NA	NA
WS-073	8/23/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.72	< 0.25	< 0.78	< 0.57	< 0.52	< 0.45	< 0.96	Deep	110	+, -
WS-075	8/22/2018	< 2.3	< 0.80	< 0.67	< 1.1	< 0.54	< 0.40	< 0.45	< 0.69	< 0.24	< 0.75	< 0.55	< 0.51	< 0.43	< 0.93	Deep	80	-
WS-075 DUP	8/22/2018	< 2.3	< 0.81	< 0.69	< 1.1	< 0.55	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	Deep	80	-
WS-078	8/27/2018	< 2.6	< 0.91	< 0.77	< 1.2	< 0.61	< 0.45	< 0.51	< 0.79	< 0.28	< 0.85	< 0.62	< 0.57	< 0.49	< 1.1	Deep	129	+, -
WS-079	8/27/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.44	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.56	< 0.47	< 1.0	Deep	97	+, -
WS-080	8/27/2018	< 2.6	1.0 J	< 0.78	< 1.3	< 0.62	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.63	< 0.58	< 0.50	< 1.1	NA	NA	NA
WS-081	9/24/2018	< 2.4	< 0.84	< 0.71	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.79	< 0.57	< 0.53	0.56 J	< 0.97	Shallow	NA	NA
WS-081 DUP	9/24/2018	< 2.5	< 0.87	< 0.73	< 1.2	< 0.58	< 0.43	< 0.48	< 0.75	< 0.26	< 0.81	< 0.59	< 0.55	< 0.47	< 1.0	Shallow	NA	NA
WS-082	9/26/2018	< 2.9	< 1.0	< 0.87	< 1.4	< 0.69	< 0.51	< 0.57	< 0.89	< 0.31	< 0.96	< 0.70	< 0.65	< 0.55	< 1.2	NA	NA	NA
WS-082D	9/27/2018	2100 D	< 1.0	< 0.84	39	< 0.67	< 0.49	< 0.56	< 0.86	64	< 0.94	< 0.68	< 0.63	< 0.54	< 1.2	Shallow	28	+, -
WS-082D DUP	9/27/2018	2200 D	< 0.95	< 0.80	40	< 0.64	< 0.47	< 0.53	< 0.82	61	< 0.89	< 0.65	< 0.60	< 0.51	< 1.1	Shallow	28	+, -
WS-084	8/17/2018	< 2.6	< 0.92	< 0.78	< 1.3	< 0.62	< 0.46	< 0.51	< 0.80	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Deep	122	+, -

NOTES ARE PROVIDED ON PAGE 5

TOWN OF PESHTIGO FINAL DRINKING WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDoA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	General Well Depth	Detailed Well Depth	Source
WS-085	8/27/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.63	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.64	< 0.59	< 0.50	< 1.1	Deep	118	+, -
WS-086	9/12/2018	< 2.7	< 0.96	< 0.81	< 1.3	< 0.65	< 0.48	< 0.54	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 0.52	< 1.1	NA	NA	NA
WS-086 DUP	9/12/2018	< 2.7	< 0.94	< 0.79	< 1.3	< 0.63	< 0.46	< 0.52	< 0.81	< 0.29	< 0.88	< 0.64	< 0.59	< 0.50	< 1.1	NA	NA	NA
WS-087	8/27/2018	< 2.6	< 0.91	< 0.77	< 1.2	< 0.61	< 0.45	< 0.51	< 0.79	< 0.28	< 0.85	< 0.62	< 0.58	< 0.49	< 1.1	Shallow	15-20	-
WS-087 DUP	8/27/2018	< 2.4	< 0.86	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.59	< 0.54	< 0.46	< 0.99	Shallow	15-20	-
WS-088	8/27/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.27	< 0.84	< 0.62	< 0.57	< 0.48	< 1.0	Shallow	25	-
WS-089	9/4/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.80	< 0.58	< 0.54	< 0.46	< 0.98	Shallow	64	+, -
WS-093	9/25/2018	< 2.4	< 0.86	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.59	< 0.54	< 0.46	< 0.99	Shallow	45	+, -
WS-094	9/6/2018	< 2.4	< 0.85	< 0.71	4.3 J	< 0.57	< 0.42	< 0.47	< 0.73	4.4 J	< 0.79	< 0.58	< 0.54	< 0.46	< 0.98	Shallow	NA	NA
WS-098	9/28/2018	< 2.8	< 0.98	< 0.82	< 1.3	< 0.66	< 0.48	< 0.54	< 0.84	< 0.30	< 0.91	< 0.67	< 0.62	< 0.52	< 1.1	Deep	100	+, -
WS-098 DUP	9/28/2018	< 2.7	< 0.95	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 0.51	< 1.1	Deep	100	+, -
WS-101	9/20/2018	11	26	< 0.72	15	2.2	7.6	< 0.48	< 0.74	17	< 0.80	< 0.58	< 0.54	0.46 J	< 0.99	Shallow	20	-
WS-101 DUP	9/20/2018	12	26	< 0.68	16	2.6	7.5	< 0.45	< 0.70	20	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	Shallow	20	-
WS-102	8/30/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.44	< 0.50	< 0.78	< 0.27	< 0.84	< 0.62	< 0.57	< 0.48	< 1.0	Shallow	NA	NA
WS-103	9/5/2018	< 2.4	< 0.84	< 0.71	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.79	< 0.58	< 0.53	< 0.45	< 0.98	Deep	622	+
WS-103 DUP	9/5/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.56	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.56	< 0.52	< 0.44	< 0.95	Deep	622	+
WS-104	8/23/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.43	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.55	< 0.47	< 1.0	Deep	>100	-
WS-106	9/18/2018	17	< 0.84	< 0.70	4.8	3.5	< 0.41	< 0.47	< 0.72	10	< 0.78	< 0.57	< 0.53	< 0.45	< 0.97	Shallow	18	-
WS-107	9/7/2018	< 2.4	< 0.86	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.59	< 0.54	< 0.46	< 0.99	Deep	109	+, -
WS-107 DUP	9/7/2018	< 2.5	< 0.86	< 0.73	< 1.2	< 0.58	< 0.43	< 0.48	< 0.74	< 0.26	< 0.81	< 0.59	< 0.54	< 0.46	< 1.0	Deep	109	+, -
WS-108	8/24/2018	< 2.5	< 0.87	< 0.74	< 1.2	< 0.59	< 0.43	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.55	< 0.47	< 1.0	NA	NA	NA
WS-110A	9/4/2018	< 2.4	< 0.84	< 0.71	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.79	< 0.58	< 0.53	< 0.45	< 0.98	Deep	88	+, -
WS-112	9/4/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.58	< 0.54	< 0.46	< 0.99	Deep	87	+, -
WS-113	8/27/2018	< 2.5	< 0.90	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.84	< 0.61	< 0.57	< 0.48	< 1.0	Deep	100	+, -
WS-114	8/29/2018	< 2.6	< 0.91	< 0.77	< 1.2	< 0.61	< 0.45	< 0.51	< 0.79	< 0.28	< 0.85	< 0.62	< 0.58	< 0.49	< 1.1	Deep	400-500	-
WS-116	8/29/2018	< 2.7	< 0.95	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 0.51	< 1.1	NA	NA	NA
WS-116 DUP	8/29/2018	< 2.6	< 0.92	< 0.78	< 1.3	< 0.62	< 0.46	< 0.51	< 0.80	< 0.28	< 0.86	< 0.63	< 0.58	< 0.50	< 1.1	NA	NA	NA
WS-117	8/22/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.55	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.56	< 0.52	< 0.44	< 0.95	Deep	121	+, -
WS-118A	9/4/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.44	< 0.50	< 0.78	< 0.27	< 0.84	< 0.61	< 0.57	< 0.48	< 1.0	Shallow	18	-
WS-118B	9/4/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.58	< 0.54	< 0.46	< 0.99	Shallow	41	+, -
WS-119	9/25/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.60	< 0.44	< 0.49	< 0.76	< 0.27	< 0.83	< 0.61	< 0.56	< 0.47	< 1.0	NA	NA	NA
WS-120	9/10/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.60	< 0.44	< 0.49	< 0.76	< 0.27	< 0.83	< 0.60	< 0.56	< 0.47	< 1.0	Deep	127	-
WS-120 DUP	9/10/2018	< 2.7	< 0.95	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 0.51	< 1.1	Deep	127	-

NOTES ARE PROVIDED ON PAGE 5

TOWN OF PESHTIGO FINAL DRINKING WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDoA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	General Well Depth	Detailed Well Depth	Source
WS-121B	8/17/2018	< 3.0	2.6	< 0.89	< 1.4	< 0.71	< 0.52	< 0.59	< 0.91	1.4 J	< 0.99	< 0.72	< 0.66	< 0.57	< 1.2	Shallow	NA	NA
WS-122	9/5/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.44	< 0.50	< 0.78	< 0.27	< 0.84	< 0.62	< 0.57	< 0.48	< 1.0	Shallow	20	-
WS-122 DUP	9/5/2018	< 2.6	< 0.92	< 0.77	< 1.3	< 0.62	< 0.45	< 0.51	< 0.79	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Shallow	20	-
WS-123	9/5/2018	< 2.4	< 0.84	< 0.71	< 1.1	< 0.57	< 0.42	< 0.47	< 0.72	< 0.26	< 0.79	< 0.57	< 0.53	< 0.45	< 0.97	Deep	98	+, -
WS-124	9/6/2018	2.4 J	3.5	0.89 J	< 1.1	1.5 J	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.56	< 0.51	< 0.44	< 0.94	Shallow	28	-
WS-125	8/29/2018	< 2.6	< 0.91	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 0.49	< 1.0	Shallow	NA	NA
WS-128	8/28/2018	< 2.7	< 0.95	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 0.51	< 1.1	Shallow	NA	NA
WS-129	9/4/2018	2.8 J	< 0.94	< 0.79	< 1.3	< 0.64	< 0.47	< 0.53	< 0.81	1.2 J	< 0.88	< 0.65	< 0.60	< 0.51	< 1.1	Shallow	20	-
WS-129 DUP	9/4/2018	< 2.6 UJ	< 0.92 UJ	< 0.77 UJ	< 1.3 UJ	< 0.62 UJ	< 0.45 UJ	< 0.51 UJ	< 0.79 UJ	1.4 J	< 0.86 UJ	< 0.63 UJ	< 0.58 UJ	< 0.49 UJ	< 1.1 UJ	Shallow	20	-
WS-130	9/11/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.63	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.64	< 0.59	< 0.50	< 1.1	Deep	465	+, -
WS-131	9/18/2018	< 2.4	< 0.84	< 0.70	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	1.1 J	< 0.78	< 0.57	< 0.53	< 0.45	< 0.97	Shallow	28-30	-
WS-132	8/27/2018	< 2.7	< 0.93	< 0.79	< 1.3	< 0.63	< 0.46	< 0.52	< 0.81	< 0.28	< 0.87	< 0.64	< 0.59	< 0.50	< 1.1	Shallow	21	-
WS-134	9/11/2018	< 2.6	< 0.92	< 0.77	< 1.3	< 0.62	< 0.45	< 0.51	< 0.79	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Deep	105	+
WS-136	9/5/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.84	< 0.62	< 0.57	< 0.48	< 1.0	Shallow	25	-
WS-137	8/20/2018	< 2.6	< 0.92	< 0.77	< 1.3	< 0.62	< 0.46	< 0.51	< 0.79	< 0.28	< 0.86	< 0.63	< 0.58	< 0.49	< 1.1	Deep	130	-
WS-138	8/16/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.44	< 0.49	< 0.76	< 0.27	< 0.83	< 0.60	< 0.56	< 0.47	< 1.0	Deep	116	+,-
WS-139	8/31/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.83	< 0.61	< 0.56	< 0.48	< 1.0	Deep	112	-
WS-139 DUP	8/31/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.63	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.64	< 0.59	< 0.50	< 1.1	Deep	112	-
WS-140	9/5/2018	< 2.7	< 0.93	8.0	< 1.3	< 0.63	< 0.46	< 0.52	< 0.81	< 0.28	< 0.87	< 0.64	< 0.59	< 0.50	< 1.1	Shallow	29	-
WS-141	8/21/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.72	< 0.25	< 0.78	< 0.57	< 0.53	< 0.45	< 0.96	Drilled	120	-
WS-143	8/21/2018	< 2.3	< 0.82	2.3	< 1.1	< 0.55	< 0.40	< 0.46	< 0.70	< 0.25	< 0.76	< 0.56	< 0.52	< 0.44	< 0.94	Deep	90	+
WS-144	9/12/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.63	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.64	< 0.59	< 0.50	< 1.1	NA	NA	NA
WS-145	8/21/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.56	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.56	< 0.52	< 0.44	< 0.95	Deep	124	+, -
WS-147	9/11/2018	22	4.7	1.1 J	13	1.7 J	2.1	< 0.51	< 0.79	13	< 0.85	< 0.62	< 0.58	< 0.49	< 1.1	Shallow	25	-
WS-148	8/17/2018	< 2.6	< 0.91	< 0.77	< 1.2	< 0.61	< 0.45	< 0.51	< 0.79	< 0.28	< 0.85	< 0.62	< 0.58	< 0.49	< 1.1	NA	NA	NA
WS-150	8/17/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-150 DUP	8/17/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 5

NOTES:

- = Information gathered from sampling log according to homeowners

+ = Information gathered from well construction form

+, - = Information gathered from well construction form, but information also available from sampling log

Detections are boldfaced

< = Compound not detected at method detection limit

D = Dilution required for sample analysis

J = The compound was positively identified; however, the associated numerical value is an estimated concentration only.

UJ = The compound was not detected above the reported sample method detection limit. However, the reported limit is approximate and may or may not represent the actual method detection limit.

DUP = Duplicate sample result

NA = Not available

PFOA = Perfluorooctanoic acid (C8)

PFOS = Perfluorooctanesulfonic acid (C8)

PFBS = Perfluorobutanesulfonic acid (C4)

PFHpA = Perfluoroheptanoic acid (C7)

PFHxS = Perfluorohexanesulfonic acid (C6)

PFNA = Perfluorononanoic acid (C9)

PFDA = perfluorodecanoic acid (C10)

PFDoA = perfluorododecanoic acid (C12)

PFHxA = perfluorohexanoic acid (C6)

PFTeA = perfluorotetradecanoic acid (C14)

PFTriA = perfluorotridecanoic acid (C13)

PFUnA = perfluoroundecanoic acid (C11)

EtFOSAA=ethylperfluorooctane sulfonamido acetate (C10)

MeFOSAA = methylperfluorooctane sulfonamido acetate (C9)

Units are in ng/L (nanogram per liter)

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
WS-058	8/1/2018	380 D	48	< 14	160 D	67	21	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-1-MID	8/1/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-1-POST	8/1/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-052	7/26/2018	83	11 J	< 16	31	22 J	11 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-2-MID	7/26/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-2-POST	7/26/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-090	6/22/2018	47	< 6.9	< 16	2.5 J	< 5.6	< 8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-090	7/18/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.21 J
WS-090	7/25/2018	16 J	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-090	8/14/2018	14 J	< 6.1	< 14	< 1.7	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-4-MID	6/22/2018	12 J	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-4-MID DUP	6/22/2018	11 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-4-MID	7/18/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-4-MID	7/25/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-4-MID	8/14/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-4-POST	6/22/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-4-POST	7/18/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.1
POET-4-POST	7/25/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-4-POST	8/14/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-019	6/11/2018	71	12 J	< 16	29	12 J	10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-019	7/25/2018	97	15 J	< 16	35	15 J	11 J	NA	NA	NA	NA	NA	NA	NA	NA	0.85 J
WS-019	8/8/2018	58	13 J	< 16	40	14 J	9.5 J	NA	NA	NA	NA	NA	NA	NA	NA	0.74 J
WS-019	8/21/2018	98	14 J	< 14	40	14 J	10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-5-MID	6/11/2018	15 J	< 6.8	< 16	6.0 J	< 5.5	< 8.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-5-MID DUP	6/11/2018	15 J	< 6.6	< 16	6.0 J	< 5.3	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-5-MID	7/25/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-5-MID	8/8/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	0.51 J
POET-5-MID	8/21/2018	5.5 J	< 6.0	< 14	2.5 J	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
POET-5-POST	6/11/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-5-POST	7/25/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	4.0
POET-5-POST	8/8/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-5-POST	8/21/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-096	6/27/2018	89	< 6.4	< 15	9.2 J	6.5 J	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-096 DUP	6/27/2018	87	< 6.1	< 14	8.9 J	6.2 J	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-096	8/1/2018	85	< 6.0	< 14	8.4 J	6.5 J	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-096	8/27/2018	92	< 6.0	< 14	8.7 J	6.0 J	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-6-MID	6/27/2018	< 2.6	< 6.3	< 15	< 1.7	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-6-MID	8/1/2018	2.8 J	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-6-MID	8/27/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-6-POST	6/27/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-6-POST	8/1/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-6-POST	8/27/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-008	6/5/2018	420 D	13 J	< 16	120 D	140	19 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-008	7/5/2018	630 D	17 J	< 15	180 D	170	27	NA	NA	NA	NA	NA	NA	NA	NA	0.39 J
WS-008	7/19/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.46 J
WS-008	7/25/2018	610 D	19 J	< 15	160 D	170	28	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-008	8/7/2018	530 D	21 J	< 15	150 D	180	28	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-7-MID	6/5/2018	150	< 6.7	< 16	42	43	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-7-MID DUP	6/5/2018	150 D	< 6.6	< 16	43	46	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-7-MID	7/5/2018	19	< 6.4	< 15 UJ	5.2 J	5.4 J	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	11
POET-7-MID	7/19/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.77 J
POET-7-MID	7/25/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-7-MID	8/7/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-7-POST	6/5/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-7-POST	7/5/2018	< 2.7	< 6.6	< 16 UJ	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-7-POST	7/19/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.45 J
POET-7-POST	7/25/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-7-POST	8/7/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
WS-146A	6/21/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-146A	6/25/2018	230 D	12 J	< 16	190 D	8.7 J	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-146A	6/28/2018	220 D	< 6.2	< 15	180 D	7.2 J	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-146A	7/5/2018	210 DJ	< 6.4	< 15	180 D	7.0 J	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-146A	7/12/2018	220 D	< 6.7	< 16	180 D	8.6 J	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-146A	7/25/2018	180 D	< 6.5	< 16	150 D	7.5 J	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-MID	6/21/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.2
POET-8-MID	6/25/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-MID	6/28/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.21 J
POET-8-MID DUP	6/28/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-MID	7/5/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	0.21 J
POET-8-MID DUP	7/5/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-MID	7/12/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-MID DUP	7/12/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-MID	7/25/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-POST	6/21/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.9
POET-8-POST	6/25/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-POST DUP	6/25/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-8-POST	6/28/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.47 J
POET-8-POST	7/5/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.41 J
POET-8-POST	7/25/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-146B	7/5/2018	78	43	< 16	50	18 J	22	NA	NA	NA	NA	NA	NA	NA	NA	2.0
WS-146B	7/12/2018	76	44	< 16	45	20 J	23	NA	NA	NA	NA	NA	NA	NA	NA	1.6
WS-146B	7/25/2018	76	28 J	< 16	38	18 J	21	NA	NA	NA	NA	NA	NA	NA	NA	1.9
WS-146B	8/2/2018	76	43	< 14	43	20 J	21	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-9-MID	7/5/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	3.2
POET-9-MID	7/12/2018	< 2.7	7.8 J	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	5.7
POET-9-MID	7/25/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	3.7
POET-9-MID DUP	7/25/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-9-MID	8/2/2018	< 2.3	< 5.6	< 13	< 1.6	< 4.5	< 6.6	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
POET-9-POST	7/5/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	3.1
POET-9-POST	7/12/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.8
POET-9-POST	7/25/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	3.1
POET-9-POST	8/2/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-013	7/16/2018	13 J	< 6.6	< 16	10	< 5.3	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	0.40 J
WS-013	7/24/2018	13 J	< 6.9	19 J	11	< 5.6	< 8.1	NA	NA	NA	NA	NA	NA	NA	NA	0.56 J
WS-013	7/31/2018	13 J	< 6.0	15 J	8.7 J	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	0.57 J
WS-013	8/7/2018	13 J	< 6.7	16 J	10	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-013 DUP	8/7/2018	13 J	< 6.7	16 J	10	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-013	8/14/2018	13 J	< 6.0	16 J	9.1	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-10-MID	7/16/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	5.9
POET-10-MID DUP	7/16/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-10-MID	7/24/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	1.1
POET-10-MID DUP	7/24/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-10-MID	7/31/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.78 J
POET-10-MID	8/7/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-10-MID	8/14/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-10-POST	7/16/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	8.2
POET-10-POST	7/24/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.2
POET-10-POST	7/31/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5
POET-10-POST	8/14/2018	< 2.4	< 5.9	< 14	< 1.6	< 4.7	< 6.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-024	7/17/2018	23	< 6.6	< 16	6.3 J	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	0.21 J
WS-024	7/24/2018	26	< 6.5	< 15	7.5 J	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	0.27 J
WS-024	7/31/2018	24	< 5.8	< 14	5.9 J	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	0.26 J
WS-024	8/14/2018	24	< 6.0	< 14	5.7 J	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-11-MID	7/17/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	8.4
POET-11-MID DUP	7/17/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-11-MID	7/24/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	2.1
POET-11-MID	7/31/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.68 J
POET-11-MID	8/14/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
POET-11-POST	7/17/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	14
POET-11-POST	7/24/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.8
POET-11-POST	7/31/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.4
POET-11-POST	8/14/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-068	7/18/2018	79	< 6.2	< 15	12	7.2 J	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-068	7/30/2018	63	< 6.0	< 14	8.8 J	5.2 J	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-068	8/6/2018	63	< 7.2	< 17	11	< 5.8	< 8.4	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-068	8/13/2018	60	< 5.9	< 14	10	5.4 J	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-068	8/20/2018	49	< 6.0	< 14	8.5 J	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-12-MID	7/18/2018	< 2.4 UJ	< 5.9 UJ	< 14 UJ	< 1.7 UJ	< 4.8 UJ	< 7.0 UJ	NA	NA	NA	NA	NA	NA	NA	NA	3.1
POET-12-MID DUP	7/18/2018	< 2.5	< 6.1	< 15	< 1.7	< 5.0	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-12-MID	7/30/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	0.84 J
POET-12-MID DUP	7/30/2018	< 2.5	< 6.1	< 15	< 1.7	< 5.0	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-12-MID	8/6/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	0.42 J
POET-12-MID	8/13/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-12-MID DUP	8/13/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-12-MID	8/20/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-12-MID DUP	8/20/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-12-POST	7/18/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	4.1
POET-12-POST	7/30/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.3
POET-12-POST	8/6/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.99 J
POET-12-POST	8/20/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-097	7/19/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.94 J
WS-097	7/26/2018	3.3 J	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-097	7/30/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	1.1
WS-097	8/6/2018	3.4 J	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	0.72 J
WS-097	8/13/2018	4.2 J	< 6.0 UJ	< 14 UJ	< 1.7 UJ	< 4.9 UJ	< 7.1 UJ	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-097	8/20/2018	4.8 J	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
POET-13-MID	7/19/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.3
POET-13-MID	7/26/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-13-MID	7/30/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.56 J
POET-13-MID	8/6/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	0.55 J
POET-13-MID	8/13/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-13-MID	8/20/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-13-POST	7/19/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.1
POET-13-POST	7/26/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-13-POST DUP	7/26/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-13-POST	7/30/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.63 J
POET-13-POST	8/6/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.81 J
POET-13-POST	8/20/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-023	7/20/2018	5.2 J	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-023	7/25/2018	5.0 J	< 6.5	< 15	< 1.8	< 5.3	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-023	8/1/2018	4.4 J	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-023	8/8/2018	4.7 J	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-023	8/15/2018	6.2 J	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-14-MID	7/20/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	1.5
POET-14-MID DUP	7/20/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-14-MID	7/25/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	2.0
POET-14-MID DUP	7/25/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-14-MID	8/1/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.9	NA	NA	NA	NA	NA	NA	NA	NA	1.1
POET-14-MID	8/8/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-14-MID DUP	8/8/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-14-MID	8/15/2018	< 2.4	< 5.7	< 14	< 1.6	< 4.6	< 6.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-14-POST	7/20/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	NA	NA	NA	NA	NA	NA	NA	NA	1.1
POET-14-POST	7/25/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.8
POET-14-POST	8/1/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.0
POET-14-POST	8/15/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
WS-099	7/24/2018	5.6 J	< 6.8	< 16	2.5 J	< 5.5	< 8.0	NA	NA	NA	NA	NA	NA	NA	NA	0.83 J
WS-099	7/31/2018	5.5 J	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	0.70 J
WS-099	8/7/2018	5.0 J	< 6.8	< 16	< 1.9	< 5.5	< 8.1	NA	NA	NA	NA	NA	NA	NA	NA	0.70 J
WS-099	8/14/2018	6.0 J	< 6.0	< 14	2.5 J	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-099	8/21/2018	6.7 J	< 6.2	< 15	2.6 J	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-15-MID	7/24/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	3.0
POET-15-MID	7/31/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	1.5
POET-15-MID	8/7/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	0.93 J
POET-15-MID	8/14/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-15-MID DUP	8/14/2018	< 2.4	< 5.7	< 14	< 1.6	< 4.6	< 6.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-15-MID	8/21/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-15-POST	7/24/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	6.4
POET-15-POST	7/31/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.5
POET-15-POST	8/7/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.6
POET-15-POST	8/21/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-121A	7/25/2018	5.7 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	0.97 J
WS-121A	8/1/2018	6.3 J	< 6.0	< 14	1.9 J	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.91 J
WS-121A	8/8/2018	6.7 J	< 6.4	< 15	2.0 J	< 5.1	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	0.83 J
WS-121A	8/15/2018	8.3 J	< 6.1	< 14	2.4 J	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-121A	8/22/2018	5.4 J	< 6.2 UJ	< 15 UJ	< 1.7 UJ	< 5.0 UJ	< 7.2 UJ	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-16-MID	7/25/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	3.6
POET-16-MID	8/1/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	2.3
POET-16-MID	8/8/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	0.97 J
POET-16-MID	8/15/2018	< 2.4	< 5.7	< 14	< 1.6	< 4.6	< 6.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-16-MID	8/22/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-16-POST	7/25/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	NA	NA	NA	NA	NA	NA	NA	NA	6.8
POET-16-POST	8/1/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.2
POET-16-POST	8/8/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.3
POET-16-POST	8/22/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDoA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
WS-109	7/26/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	NA	NA	NA	NA	NA	NA	NA	NA	1.5
WS-109	8/7/2018	4.7 J	< 6.5	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	1.3
WS-109	8/16/2018	4.4 J	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-109	8/23/2018	4.7 J	< 6.2	< 15	2.2 J	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-17-MID	7/26/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	1.6
POET-17-MID	8/7/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	0.75 J
POET-17-MID	8/16/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-17-MID	8/23/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-17-POST	7/26/2018	< 2.9	< 7.0	< 17	< 1.9	< 5.6	< 8.2	NA	NA	NA	NA	NA	NA	NA	NA	0.86 J
POET-17-POST	8/7/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0
POET-17-POST	8/23/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-111	7/31/2018	5.3 J	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	0.32 J
WS-111	8/7/2018	5.7 J	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA	NA	NA	NA	NA	NA	0.29 J
WS-111	8/15/2018	5.4 J	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.27 J
WS-111	8/23/2018	5.4 J	< 6.1	< 15	< 1.7	< 5.0 UJ	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-18-MID	7/31/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	1.5
POET-18-MID	8/7/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	1.0
POET-18-MID	8/15/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.37 J
POET-18-MID	8/23/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-18-POST	7/31/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	2.7
POET-18-POST	8/7/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.8
POET-18-POST	8/15/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.67 J
WS-038	8/1/2018	19	< 6.1	< 14	3.4 J	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	0.47 J
WS-038	8/8/2018	22	< 6.7	< 16	3.8 J	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	0.39 J
WS-038	8/15/2018	22	< 6.3	< 15	3.5 J	< 5.1	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	0.52 J
WS-038	8/22/2018	22	< 6.1	< 14	3.6 J	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-19-MID	8/1/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	3.3
POET-19-MID DUP	8/1/2018	< 2.4	< 5.9	< 14	< 1.6	< 4.8	< 6.9	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
POET-19-MID	8/8/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-19-MID DUP	8/8/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-19-MID	8/15/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-19-MID DUP	8/15/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-19-MID	8/22/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-19-POST	8/1/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	7.8
POET-19-POST	8/8/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.22 J
POET-19-POST	8/15/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.23 J
WS-115	8/2/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.2	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-115 DUP	8/2/2018	< 2.4	< 5.7	< 14	< 1.6	< 4.6	< 6.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
WS-115	8/10/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-115	8/15/2018	< 2.4	< 5.9	< 14	< 1.6	< 4.8	< 6.9	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-115	8/22/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-20-MID	8/2/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	1.6
POET-20-MID	8/10/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	2.3
POET-20-MID	8/15/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	1.9
POET-20-MID	8/22/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-20-MID DUP	8/22/2018	< 2.4	< 5.9	< 14	< 1.6	< 4.7	< 6.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-20-POST	8/2/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA	NA	NA	NA	NA	NA	NA	NA	2.0
POET-20-POST	8/10/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.1
POET-20-POST	8/15/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.5
WS-053	8/8/2018	3.7 J	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
WS-053	8/15/2018	4.1 J	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.26 J
WS-053	8/22/2018	4.2 J	< 6.0	< 14	< 1.7	< 4.8	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-21-MID	8/8/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA	NA	NA	NA	NA	NA	3.8
POET-21-MID	8/15/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.9	NA	NA	NA	NA	NA	NA	NA	NA	0.35 J
POET-21-MID	8/22/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	< 0.15
POET-21-POST	8/8/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA	NA	NA	NA	NA	NA	5.3
POET-21-POST	8/15/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.72 J
POET-21-POST	8/22/2018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37 J

NOTES ARE PROVIDED ON PAGE 10

TOWN OF PESHTIGO FINAL POET SYSTEM WATER SAMPLE RESULTS - OCTOBER 31, 2018

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	EtFOSAA	MeFOSAA	Arsenic
WS-126	8/22/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA	NA	NA	NA	NA	NA	0.43 J
POET-23-MID	8/22/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.42 J
POET-23-POST	8/22/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	1.7
WS-100	8/23/2018	3.1 J	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA	NA	NA	NA	NA	NA	NA	NA	0.22 J
POET-24-MID	8/23/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA	NA	NA	NA	NA	NA	0.74 J
POET-24-MID DUP	8/23/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
POET-24-POST	8/23/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA	NA	NA	NA	NA	NA	1.5

Notes:

Detections are boldfaced

< = Compound not detected at method detection limit

D = Dilution required for sample analysis

DUP = Field Duplicate

J = The compound was positively identified; however, the associated numerical value is an estimated concentration only.

NA = Not Analyzed/Not Available

UB = Compound considered non-detect at the listed value due to associated blank contamination.

UJ = The compound was not detected above the reported sample method detection limit. However, the reported limit is approximate and may or may not represent the actual method detection limit.

PFOA = Perfluorooctanoic acid (C8)

PFOS = Perfluorooctanesulfonic acid (C8)

PFBS = Perfluorobutanesulfonic acid (C4)

PFHpA = Perfluoroheptanoic acid (C7)

PFHxS = Perfluorohexanesulfonic acid (C6)

PFNA = Perfluorononanoic acid (C9)

PFDA = perfluorodecanoic acid (C10)

PFDaA = perfluorododecanoic acid (C12)

PFHxA = perfluorohexanoic acid (C6)

PFTeA = perfluorotetradecanoic acid (C14)

PFTriA = perfluorotridecanoic acid (C13)

PFUnA = perfluoroundecanoic acid (C11)

EtFOSAA=ethylperfluorooctane sulfonamido acetate (C10)

MeFOSAA = methylperfluorooctane sulfonamido acetate (C9)

Arsenic unit is ug/L (microgram per liter), all others are in ng/L (nanogram per liter)