

---

**From:** Patrick Patterson <patrick.patterson@intertek.com>  
**Sent:** Wednesday, September 25, 2019 10:16 AM  
**To:** DNR RR NOR  
**Cc:** Camacho, Joaquin; Jadrich, Dan; Larry Raether  
**Subject:** Form 4400-225 Notification For Hazardous Substance Discharge (Non-Emergency Only)  
**Attachments:** 4400-225.pdf; Laboratory Report (003).pdf; Laboratory Report COC.pdf; Soil Results.pdf; Soil Results-COC.pdf; Water Results.pdf; Water Results-COC.pdf; probe and well location diagram.pdf

Form 4400-225 Notification For Hazardous Substance Discharge (Non-Emergency Only)

The attached file is the filled-out form. Please open it to review the data.

Total Quality. Assured.

---

CONFIDENTIALITY NOTICE

This email may contain confidential or privileged information, if you are not the intended recipient, or the person responsible for delivering the message to the intended recipient then please notify us by return email immediately. Should you have received this email in error then you should not copy this for any purpose nor disclose its contents to any other person.

<http://www.intertek.com>

**Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003**

**Notice: Hazardous substance discharges must be reported immediately** according to s. 292.11 Wis. Stats. Non-emergency hazardous substance discharges may be reported by telefaxing or e-mailing a completed report to the Department, or calling or visiting a Department office in person. If you choose to notify the Department by telefax or by email, you should use this form to be sure that all necessary information is included. However, use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 – 19.39, Wis. Stats.).

Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. **TYPE or PRINT LEGIBLY.** NOTIFY appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (**check one**):

- Underground Petroleum Storage Tank System (additional information may be required for Item 6 below)
- Aboveground Petroleum Storage Tank System
- Dry Cleaner Facility
- Other - Describe: Auto repair facility and dry cleaning facility

ATTN DNR: **R & R Program Associate**

Date DNR Notified: 09/25/2019

**1. Discharge Reported By**

Name Patrick J. Patterson	Firm Professional Service Industries, Inc	Phone Number (include area code) (262) 521-2125
Mailing Address 821 Corporate Court, Waukesha, WI 53189	Email patrick.patterson@intertek.com	

**2. Site Information**

Name of site at which discharge occurred. Include local name of site/business, not responsible party name, unless a residence/vacant property.

BMO Harris Bank Branch

Location: Include street address, not PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60.

900 E. Main Street

Municipality: (City, Village, Township) Specify municipality in which the site is located, not mailing address/city.

City of Merrill

County Lincoln	Legal Description: ¼ of SW ¼ Section 12, Town 31 N, Range 06 <input checked="" type="radio"/> E <input type="radio"/> W	WTM: X 544600 Y 523052
-------------------	--	---------------------------

**3. Responsible Party (RP) and/or RP Representative**

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

BMO Harris Bank, NA

A local governmental unit claiming an exemption from state Spill Law and Solid Waste Management responsibilities for the discharge being reported, per Wis. Stat. §§ 292.11(9)(e) and 292.23, should: 1) check this box; 2) review [DNR publication RR-055](#); and 3) provide documentation to DNR that demonstrates compliance with the statutory requirements of the liability exemptions. Local governmental units may also request a fee-based liability clarification letter from DNR by using [DNR Form 4400-237](#).

Contact Person Name (if different) June Evans, VP Sr. Mgr. CRE US Fac. Mngmnt	Phone Number (630) 981-1538	Email june.evans@bmo.com	
Mailing Address 111 W. Monroe Street	City Chicago	State IL	ZIP Code 60603

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

Contact Person Name (if different)	Phone Number	Email	
Mailing Address	City	State	ZIP Code

(continued)



# Notification For Hazardous Substance Discharge (Non-Emergency Only)

## 4. Hazardous Substance Information

Identify hazardous substance discharged (check all that apply):

- |  |   |   |
|--|---|---|
| <input checked="" type="checkbox"/> VOCs<br><input checked="" type="checkbox"/> PCE<br><input type="checkbox"/> TCE<br><input type="checkbox"/> Other Chlorinated<br><input type="checkbox"/> Diesel<br><input type="checkbox"/> Fuel Oil<br><input checked="" type="checkbox"/> Gasoline<br><input type="checkbox"/> Hydraulic Oil<br><input type="checkbox"/> Jet Fuel | <i>(VOCs continued)</i><br><input type="checkbox"/> Mineral Oil<br><input type="checkbox"/> Waste Oil<br><input type="checkbox"/> Petroleum-Unknown Type<br><input checked="" type="checkbox"/> PAHs<br><input type="checkbox"/> PCBs<br><input type="checkbox"/> Cyanide<br><input type="checkbox"/> Leachate<br><input type="checkbox"/> Manure | <input checked="" type="checkbox"/> Metals<br><input type="checkbox"/> Arsenic<br><input type="checkbox"/> Chromium<br><input type="checkbox"/> Lead<br><input checked="" type="checkbox"/> Other: Cadmium<br><input type="checkbox"/> Pesticides:<br><input type="checkbox"/> Fertilizer:<br><input type="checkbox"/> RCRA Hazardous Waste:<br><input type="checkbox"/> Other:<br><input type="checkbox"/> Unknown |
|--|---|---|

## 5. Impacts to the Environment Information

Enter "K" for known/confirmed or "P" for potential for all that apply.

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Air Contamination                       | <input type="checkbox"/> Fire Explosion Threat                | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Co-mingled (Petroleum & Non-Petroleum)  | <input type="checkbox"/> Free Product                         | <input type="checkbox"/> Soil Gas Contamination        |
| <input type="checkbox"/> Contamination in Fractured Bedrock      | <input checked="" type="checkbox"/> Groundwater Contamination | <input type="checkbox"/> Sub-slab Vapor Contamination  |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input type="checkbox"/> Off-Site Contamination               | <input type="checkbox"/> Surface Water Contamination   |
| <input type="checkbox"/> Contaminated Private Well               | <input type="checkbox"/> Sanitary Sewer Contamination         | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Public Well                | <input type="checkbox"/> Storm Sewer Contamination            | <input type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contamination in Right of Way           | <input type="checkbox"/> Sediment Contamination               |  |
|  | Other (specify):  |  |

Contamination was discovered as a result of:

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Tank closure assessment | <input checked="" type="checkbox"/> Site assessment | <input type="checkbox"/> Other - Describe: |
| Date <input type="text"/>                        | Date <input type="text" value="07/01/2019"/>        | Date <input type="text"/>                  |

Lab results:  Lab results will be faxed upon receipt  Lab results are attached

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.

## 6. Federal Energy Act Requirements (Section 9002(d) of the Solid Waste Disposal Act (SWDA))

	Source	Cause
For all confirmed releases from USTs occurring after 9/30/2007 please provide the following information:  <input type="checkbox"/> Does not apply.	<input checked="" type="checkbox"/> Tank <input type="checkbox"/> Piping <input type="checkbox"/> Dispenser <input type="checkbox"/> Submersible Turbine Pump <input type="checkbox"/> Delivery Problem  <input type="checkbox"/> Other (specify):	<input type="checkbox"/> Spill <input type="checkbox"/> Overfill <input type="checkbox"/> Corrosion <input type="checkbox"/> Physical or Mechanical Damage <input type="checkbox"/> Installation Problem <input type="checkbox"/> Other (does not fit any of above) <input checked="" type="checkbox"/> Unknown

Contact information to report non-emergency releases in DNR's five regions are as follows:

- Northeast Region (FAX: 920-662-5413); Attention -- R&R Program Associate:** DNRRNER@wisconsin.gov  
 Brown, Calumet, Door, Fond du Lac (except City of Waupun - see South Central Region), Green Lake, Kewaunee, Manitowoc, Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Sheboygan, Waupaca, Waushara, Winnebago counties
- Northern Region (FAX: 715-623-6773); Attention -- R&R Program Associate:** DNRRRNOR@wisconsin.gov  
 Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Langlade, Lincoln, Oneida, Polk, Price, Rusk, Sawyer, Taylor, Vilas, Washburn counties
- South Central Region (FAX: 608-273-5610); Attention -- R&R Program Associate:** DNRRRSCR@wisconsin.gov  
 Columbia, Dane, Dodge, Fond du Lac (City of Waupun only), Grant, Green, Iowa, Jefferson, Lafayette, Richland, Rock, Sauk, Walworth counties
- Southeast Region (FAX: 414-263-8550); Attention -- R&R Program Associate:** DNRRRSER@wisconsin.gov  
 Kenosha, Milwaukee, Ozaukee, Racine, Washington, Waukesha counties

## Notification For Hazardous Substance Discharge (Non-Emergency Only)

Patrick J. Patterson Professional Service Industries, Inc

Form 4400-225 (R 06/17)

Page 3 of 3

**West Central Region (FAX: 715-839-6076); Attention -- R&R Program Associate: [DNRRRWCR@wisconsin.gov](mailto:DNRRRWCR@wisconsin.gov)**

Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties

# Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

PAT PATTERSON  
 PSI  
 821 CORPORATE COURT  
 WAUKESHA, WI 53189

Report Date 08-Jul-19

**Project Name** BMO BANK  
**Project #** 0541886  
**Lab Code** 5036424A  
**Sample ID** SP-1 2-4'  
**Sample Matrix** Soil  
**Sample Date** 7/1/2019

**Invoice #** E36424

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	94.5	%			1	5021		7/8/2019	NJC	1
Inorganic										
Metals										
Arsenic, Total	2.06	mg/kg	0.46	1.53	1	6010B		7/7/2019	ESC	1
Barium, Total	84.1	mg/kg	0.17	0.567	1	6010B		7/7/2019	ESC	1 86
Cadmium, Total	1.12	mg/kg	0.07	0.233	1	6010B		7/7/2019	ESC	1
Chromium, Total	16.7	mg/kg	0.14	0.467	1	6010B		7/7/2019	ESC	1 86
Lead, Total	37.4	mg/kg	0.19	0.633	1	6010B		7/7/2019	ESC	1
Mercury, Total	0.113	mg/kg	0.0028	0.0093	1	7471		7/5/2019	ESC	1
Selenium, Total	< 0.62	mg/kg	0.62	2.07	1	6010B		7/7/2019	ESC	1
Silver, Total	< 0.12	mg/kg	0.12	0.4	1	6010B		7/7/2019	ESC	1
Organic										
PAH SIM										
Acenaphthene	0.048 "J"	mg/kg	0.0163	0.054	1	M8270C	7/3/2019	7/3/2019	MJR	1
Acenaphthylene	0.0213 "J"	mg/kg	0.0086	0.029	1	M8270C	7/3/2019	7/3/2019	MJR	1
Anthracene	0.199	mg/kg	0.0043	0.014	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)anthracene	0.75	mg/kg	0.016	0.053	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)pyrene	0.71	mg/kg	0.0124	0.041	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(b)fluoranthene	1.08	mg/kg	0.0109	0.036	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(g,h,i)perylene	0.69	mg/kg	0.0084	0.028	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(k)fluoranthene	0.39	mg/kg	0.0091	0.03	1	M8270C	7/3/2019	7/3/2019	MJR	1
Chrysene	0.84	mg/kg	0.006	0.02	1	M8270C	7/3/2019	7/3/2019	MJR	1
Dibenzo(a,h)anthracene	0.131	mg/kg	0.0101	0.034	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluoranthene	2.45	mg/kg	0.0054	0.018	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluorene	0.057	mg/kg	0.0086	0.029	1	M8270C	7/3/2019	7/3/2019	MJR	1

Project Name BMO BANK  
Project # 0541886

Invoice # E36424

Lab Code 5036424A  
Sample ID SP-1 2-4'  
Sample Matrix Soil  
Sample Date 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Indeno(1,2,3-cd)pyrene	0.57	mg/kg	0.0082	0.027	1	M8270C	7/3/2019	7/3/2019	MJR	1
1-Methyl naphthalene	< 0.0086	mg/kg	0.0086	0.029	1	M8270C	7/3/2019	7/3/2019	MJR	1
2-Methyl naphthalene	< 0.0147	mg/kg	0.0147	0.049	1	M8270C	7/3/2019	7/3/2019	MJR	1
Naphthalene	< 0.0153	mg/kg	0.0153	0.0486	1	M8270C	7/3/2019	7/3/2019	MJR	1
Phenanthrene	1.11	mg/kg	0.0071	0.024	1	M8270C	7/3/2019	7/3/2019	MJR	1
Pyrene	1.95	mg/kg	0.0067	0.022	1	M8270C	7/3/2019	7/3/2019	MJR	1
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		7/3/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		7/3/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424A  
**Sample ID** SP-1 2-4'  
**Sample Matrix** Soil  
**Sample Date** 7/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		7/3/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		7/3/2019	CJR	1
SUR - Dibromofluoromethane	103	Rec %			1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	97	Rec %			1	8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	Rec %			1	8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	Rec %			1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424B  
**Sample ID** SP-1  
**Sample Matrix** Water  
**Sample Date** 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Arsenic, Dissolved	< 6.4	ug/l	6.4	21.3	1	200.7		7/5/2019	ESC	1
Barium, Dissolved	110	ug/l	1	3.33	1	200.7		7/5/2019	ESC	1 86
Cadmium, Dissolved	< 0.3	ug/l	0.3	0.9	1	200.7		7/5/2019	ESC	1
Chromium, Dissolved	3.99 "J"	ug/l	1.8	6	1	200.7		7/5/2019	ESC	1
Lead, Dissolved	2.73 "J"	ug/l	2	6.67	1	200.7		7/5/2019	ESC	1
Mercury, Dissolved	< 0.049	ug/l	0.049	0.163	1	245.1		7/8/2019	ESC	1
Selenium, Dissolved	< 7.6	ug/l	7.6	25.3	1	200.7		7/5/2019	ESC	1
Silver, Dissolved	< 2.7	ug/l	2.7	9	1	200.7		7/5/2019	ESC	1
<b>Organic</b>										
<b>PAH SIM</b>										
Acenaphthene	< 0.0094	ug/l	0.0094	0.03	1	M8270C	7/3/2019	7/3/2019	MJR	1
Acenaphthylene	< 0.0156	ug/l	0.0156	0.0495	1	M8270C	7/3/2019	7/3/2019	MJR	1
Anthracene	< 0.015	ug/l	0.015	0.0478	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)anthracene	0.0176 "J"	ug/l	0.0131	0.0418	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)pyrene	< 0.0167	ug/l	0.0167	0.0531	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(b)fluoranthene	0.0161 "J"	ug/l	0.016	0.0509	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(g,h,i)perylene	0.0306 "J"	ug/l	0.0142	0.0451	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(k)fluoranthene	0.0192 "J"	ug/l	0.0146	0.0463	1	M8270C	7/3/2019	7/3/2019	MJR	1
Chrysene	0.0183 "J"	ug/l	0.0157	0.0499	1	M8270C	7/3/2019	7/3/2019	MJR	1
Dibenzo(a,h)anthracene	0.028 "J"	ug/l	0.0173	0.0549	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluoranthene	< 0.0088	ug/l	0.0088	0.0281	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluorene	< 0.0079	ug/l	0.0079	0.0251	1	M8270C	7/3/2019	7/3/2019	MJR	1
Indeno(1,2,3-cd)pyrene	0.0298 "J"	ug/l	0.0121	0.0385	1	M8270C	7/3/2019	7/3/2019	MJR	1
1-Methyl naphthalene	< 0.0191	ug/l	0.0191	0.0609	1	M8270C	7/3/2019	7/3/2019	MJR	1
2-Methyl naphthalene	< 0.0186	ug/l	0.0186	0.059	1	M8270C	7/3/2019	7/3/2019	MJR	1
Naphthalene	< 0.026	ug/l	0.026	0.083	1	M8270C	7/3/2019	7/3/2019	MJR	1
Phenanthrene	< 0.0143	ug/l	0.0143	0.0456	1	M8270C	7/3/2019	7/3/2019	MJR	1
Pyrene	< 0.0121	ug/l	0.0121	0.0386	1	M8270C	7/3/2019	7/3/2019	MJR	1
<b>VOC's</b>										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		7/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		7/3/2019	CJR	1



**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424B  
**Sample ID** SP-1  
**Sample Matrix** Water  
**Sample Date** 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		7/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		7/3/2019	CJR	1
Tetrachloroethene	0.51 "J"	ug/l	0.38	1.21	1	8260B		7/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		7/3/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		7/3/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		7/3/2019	CJR	1

Project Name BMO BANK  
 Project # 0541886

Invoice # E36424

Lab Code 5036424C  
 Sample ID SP-2 2-4'  
 Sample Matrix Soil  
 Sample Date 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.0	%			1	5021		7/8/2019	NJC	1
Inorganic										
Metals										
Arsenic, Total	1.37 "J"	mg/kg	0.46	1.53	1	6010B		7/7/2019	ESC	1
Barium, Total	79.8	mg/kg	0.17	0.567	1	6010B		7/7/2019	ESC	1
Cadmium, Total	0.081 "J"	mg/kg	0.07	0.233	1	6010B		7/7/2019	ESC	1
Chromium, Total	9.21	mg/kg	0.14	0.467	1	6010B		7/7/2019	ESC	1
Lead, Total	25.1	mg/kg	0.19	0.633	1	6010B		7/7/2019	ESC	1
Mercury, Total	0.144	mg/kg	0.0028	0.0093	1	7471		7/5/2019	ESC	1
Selenium, Total	< 0.62	mg/kg	0.62	2.07	1	6010B		7/7/2019	ESC	1
Silver, Total	< 0.12	mg/kg	0.12	0.4	1	6010B		7/7/2019	ESC	1
Organic										
PAH SIM										
Acenaphthene	< 0.0163	mg/kg	0.0163	0.054	1	M8270C	7/3/2019	7/3/2019	MJR	1
Acenaphthylene	0.0094 "J"	mg/kg	0.0086	0.029	1	M8270C	7/3/2019	7/3/2019	MJR	1
Anthracene	0.0113 "J"	mg/kg	0.0043	0.014	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)anthracene	0.07	mg/kg	0.016	0.053	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)pyrene	0.071	mg/kg	0.0124	0.041	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(b)fluoranthene	0.101	mg/kg	0.0109	0.036	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(g,h,i)perylene	0.068	mg/kg	0.0084	0.028	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(k)fluoranthene	0.043	mg/kg	0.0091	0.03	1	M8270C	7/3/2019	7/3/2019	MJR	1
Chrysene	0.085	mg/kg	0.006	0.02	1	M8270C	7/3/2019	7/3/2019	MJR	1
Dibenzo(a,h)anthracene	0.0157 "J"	mg/kg	0.0101	0.034	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluoranthene	0.145	mg/kg	0.0054	0.018	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluorene	< 0.0086	mg/kg	0.0086	0.029	1	M8270C	7/3/2019	7/3/2019	MJR	1
Indeno(1,2,3-cd)pyrene	0.056	mg/kg	0.0082	0.027	1	M8270C	7/3/2019	7/3/2019	MJR	1
1-Methyl naphthalene	< 0.0086	mg/kg	0.0086	0.029	1	M8270C	7/3/2019	7/3/2019	MJR	1
2-Methyl naphthalene	< 0.0147	mg/kg	0.0147	0.049	1	M8270C	7/3/2019	7/3/2019	MJR	1
Naphthalene	< 0.0153	mg/kg	0.0153	0.0486	1	M8270C	7/3/2019	7/3/2019	MJR	1
Phenanthrene	0.053	mg/kg	0.0071	0.024	1	M8270C	7/3/2019	7/3/2019	MJR	1
Pyrene	0.154	mg/kg	0.0067	0.022	1	M8270C	7/3/2019	7/3/2019	MJR	1
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424C  
**Sample ID** SP-2 2-4'  
**Sample Matrix** Soil  
**Sample Date** 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		7/3/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		7/3/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1
Tetrachloroethene	0.07 "J"	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		7/3/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	95	Rec %			1	8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	Rec %			1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424C  
**Sample ID** SP-2 2-4'  
**Sample Matrix** Soil  
**Sample Date** 7/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
SUR - Dibromofluoromethane	102	Rec %			1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424D  
**Sample ID** SP-2  
**Sample Matrix** Water  
**Sample Date** 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Arsenic, Dissolved	< 6.4	ug/l	6.4	21.3	1	200.7		7/5/2019	ESC	1
Barium, Dissolved	215	ug/l	1	3.33	1	200.7		7/5/2019	ESC	1
Cadmium, Dissolved	< 0.3	ug/l	0.3	0.9	1	200.7		7/5/2019	ESC	1
Chromium, Dissolved	< 1.8	ug/l	1.8	6	1	200.7		7/5/2019	ESC	1
Lead, Dissolved	< 2	ug/l	2	6.67	1	200.7		7/5/2019	ESC	1
Mercury, Dissolved	< 0.049	ug/l	0.049	0.163	1	245.1		7/8/2019	ESC	1
Selenium, Dissolved	< 7.6	ug/l	7.6	25.3	1	200.7		7/5/2019	ESC	1
Silver, Dissolved	< 2.7	ug/l	2.7	9	1	200.7		7/5/2019	ESC	1
<b>Organic</b>										
<b>PAH SIM</b>										
Acenaphthene	< 0.0094	ug/l	0.0094	0.03	1	M8270C	7/3/2019	7/3/2019	MJR	1
Acenaphthylene	< 0.0156	ug/l	0.0156	0.0495	1	M8270C	7/3/2019	7/3/2019	MJR	1
Anthracene	< 0.015	ug/l	0.015	0.0478	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)anthracene	< 0.0131	ug/l	0.0131	0.0418	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(a)pyrene	< 0.0167	ug/l	0.0167	0.0531	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(b)fluoranthene	< 0.016	ug/l	0.016	0.0509	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(g,h,i)perylene	< 0.0142	ug/l	0.0142	0.0451	1	M8270C	7/3/2019	7/3/2019	MJR	1
Benzo(k)fluoranthene	< 0.0146	ug/l	0.0146	0.0463	1	M8270C	7/3/2019	7/3/2019	MJR	1
Chrysene	< 0.0157	ug/l	0.0157	0.0499	1	M8270C	7/3/2019	7/3/2019	MJR	1
Dibenzo(a,h)anthracene	< 0.0173	ug/l	0.0173	0.0549	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluoranthene	< 0.0088	ug/l	0.0088	0.0281	1	M8270C	7/3/2019	7/3/2019	MJR	1
Fluorene	< 0.0079	ug/l	0.0079	0.0251	1	M8270C	7/3/2019	7/3/2019	MJR	1
Indeno(1,2,3-cd)pyrene	< 0.0121	ug/l	0.0121	0.0385	1	M8270C	7/3/2019	7/3/2019	MJR	1
1-Methyl naphthalene	< 0.0191	ug/l	0.0191	0.0609	1	M8270C	7/3/2019	7/3/2019	MJR	1
2-Methyl naphthalene	< 0.0186	ug/l	0.0186	0.059	1	M8270C	7/3/2019	7/3/2019	MJR	1
Naphthalene	< 0.026	ug/l	0.026	0.083	1	M8270C	7/3/2019	7/3/2019	MJR	1
Phenanthrene	< 0.0143	ug/l	0.0143	0.0456	1	M8270C	7/3/2019	7/3/2019	MJR	1
Pyrene	< 0.0121	ug/l	0.0121	0.0386	1	M8270C	7/3/2019	7/3/2019	MJR	1
<b>VOC's</b>										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		7/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424D  
**Sample ID** SP-2  
**Sample Matrix** Water  
**Sample Date** 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		7/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		7/3/2019	CJR	1
Tetrachloroethene	0.46 "J"	ug/l	0.38	1.21	1	8260B		7/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		7/3/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		7/3/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		7/3/2019	CJR	1



**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424E  
**Sample ID** SP-3 6-8'  
**Sample Matrix** Soil  
**Sample Date** 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.3	%			1	5021		7/8/2019	NJC	1
Organic										
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		7/3/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		7/3/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424E  
**Sample ID** SP-3 6-8'  
**Sample Matrix** Soil  
**Sample Date** 7/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Tetrachloroethene	0.065 "J"	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		7/3/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	96	Rec %			1	8260B		7/3/2019	CJR	1
SUR - Dibromofluoromethane	101	Rec %			1	8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	Rec %			1	8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	Rec %			1	8260B		7/3/2019	CJR	1

Project Name BMO BANK  
 Project # 0541886

Invoice # E36424

Lab Code 5036424F  
 Sample ID SP-3  
 Sample Matrix Water  
 Sample Date 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		7/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		7/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		7/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		7/3/2019	CJR	1
Tetrachloroethene	0.45 "J"	ug/l	0.38	1.21	1	8260B		7/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424F  
**Sample ID** SP-3  
**Sample Matrix** Water  
**Sample Date** 7/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		7/3/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		7/3/2019	CJR	1

Project Name BMO BANK  
 Project # 0541886

Invoice # E36424

Lab Code 5036424G  
 Sample ID SP-4 2-4'  
 Sample Matrix Soil  
 Sample Date 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	89.8	%			1	5021		7/8/2019	NJC	1
Organic										
VOC's										
Benzene	0.062 "J"	mg/kg	0.03	0.096	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		7/3/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		7/3/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		7/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424G  
**Sample ID** SP-4 2-4'  
**Sample Matrix** Soil  
**Sample Date** 7/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Toluene	0.038 "J"	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		7/3/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	Rec %			1	8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	Rec %			1	8260B		7/3/2019	CJR	1
SUR - Dibromofluoromethane	103	Rec %			1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	96	Rec %			1	8260B		7/3/2019	CJR	1



Project Name BMO BANK  
 Project # 0541886

Invoice # E36424

Lab Code 5036424H  
 Sample ID SP-4  
 Sample Matrix Water  
 Sample Date 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		7/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		7/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		7/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		7/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		7/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		7/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		7/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		7/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		7/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		7/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		7/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		7/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		7/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		7/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		7/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		7/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		7/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		7/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		7/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		7/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		7/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		7/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		7/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		7/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		7/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		7/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		7/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		7/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		7/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		7/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		7/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		7/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		7/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		7/3/2019	CJR	1
Tetrachloroethene	0.46 "J"	ug/l	0.38	1.21	1	8260B		7/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		7/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		7/3/2019	CJR	1

**Project Name** BMO BANK  
**Project #** 0541886

**Invoice #** E36424

**Lab Code** 5036424H  
**Sample ID** SP-4  
**Sample Matrix** Water  
**Sample Date** 7/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		7/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		7/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		7/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		7/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		7/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		7/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		7/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		7/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		7/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		7/3/2019	CJR	1
SUR - Toluene-d8	100	REC %				8260B		7/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		7/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %				8260B		7/3/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %				8260B		7/3/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

***Code***      ***Comment***

- 1      Laboratory QC within limits.
- 86      The analyte failed the method required serial dilution test.  
           ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**



## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required **3 Day**  
(Rushes accepted only with prior authorization)

\_\_\_\_ Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: **0541886**  
Sampler: (signature) *King Heppel*

Project (Name / Location): **BMO Bank - Merrill, WI**  
Reports To: **Pat Patterson** Invoice To: **Same**  
Company: **PSI, Inc** Company: \_\_\_\_\_  
Address: **821 Corporate Ct** Address: \_\_\_\_\_  
City State Zip: **Waukesha, WI** City State Zip: \_\_\_\_\_  
Phone: **262-521-2125** Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOOC (EPA 8021)	PVOOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
		Date	Time																						
5036424A	SP-1 2'-4'	7/1	910		X		3	S	MeOH																
B	SP-1		925			Y	5	GW	HCl, HNO3													X	X		
C	SP-2 2'-4'		950		X		3	S	MeOH													X	X		
	<del>SP-3 6'-8'</del>		<del>1040</del>																						
D	SP-2		1005			Y	5	GW	HCl, HNO3						X							X	X		
E	SP-3 6'-8'		1040		X		1	S	MeOH													X			
F	SP-3		1100			N	3	GW	HCl													X			
G	SP-4 2'-4'		1115		X		1	S	MeOH													X			
H	SP-4		1145			N	3	GW	HCl													X			

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: Cooler  
Temp. of Temp. Blank \_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes \_\_\_\_ No

Relinquished By: (sign) *King Heppel* Time: 12:30 Date: 7/1/19  
Received By: (sign) \_\_\_\_\_ Time: \_\_\_\_\_ Date: \_\_\_\_\_  
Received in Laboratory By: *Chad R...* Time: 8:00 Date: 7/2/19



**PROBE AND WELL LOCATION DIAGRAM**  
**PSI PROJECT No. 00541937**



Legend:  
● : Soil Probe Location - 7/1/2019  
● : Soil Probe Location - 8/28/2019  
● : Probe/NR-141 Well Location- 8/28/2019



Environmental Services  
821 Corporate Court  
Waukesha, Wisconsin 53189  
(262) 521-2125 Fax (262) 521-2471

**BMO Bank Branch**  
900 East Main Street  
Merrill, Wisconsin 54452

Scale:  
Not to Scale

Date:  
2/7/2019



# Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

PAT PATTERSON  
PSI  
821 CORPORATE COURT  
WAUKESHA, WI 53189

Report Date 16-Sep-19

Project Name BMO BANK-MERRILL  
Project # 0541937

Invoice # E36713

Lab Code 5036713A  
Sample ID SP-5 2-4'  
Sample Matrix Soil  
Sample Date 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.1	%			1	5021		9/3/2019	NJC	1
Inorganic										
Metals										
Cadmium, Total	0.807	mg/kg	0.07	0.233	1	6010B		9/7/2019	ESC	1
Organic										
PAH SIM										
Acenaphthene	< 0.0163	mg/kg	0.0163	0.054	1	M8270C	9/3/2019	9/4/2019	NJC	1
Acenaphthylene	0.047	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
Anthracene	0.10	mg/kg	0.0043	0.014	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(a)anthracene	0.51	mg/kg	0.016	0.053	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(a)pyrene	0.61	mg/kg	0.0124	0.041	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(b)fluoranthene	1.05	mg/kg	0.0109	0.036	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(g,h,i)perylene	0.43	mg/kg	0.0084	0.028	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(k)fluoranthene	0.309	mg/kg	0.0091	0.03	1	M8270C	9/3/2019	9/4/2019	NJC	1
Chrysene	0.75	mg/kg	0.006	0.02	1	M8270C	9/3/2019	9/4/2019	NJC	1
Dibenzo(a,h)anthracene	0.091	mg/kg	0.0101	0.034	1	M8270C	9/3/2019	9/4/2019	NJC	1
Fluoranthene	1.74	mg/kg	0.0054	0.018	1	M8270C	9/3/2019	9/4/2019	NJC	1
Fluorene	0.0244 "J"	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
Indeno(1,2,3-cd)pyrene	0.36	mg/kg	0.0082	0.027	1	M8270C	9/3/2019	9/4/2019	NJC	1
1-Methyl naphthalene	0.0105 "J"	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
2-Methyl naphthalene	< 0.0147	mg/kg	0.0147	0.049	1	M8270C	9/3/2019	9/4/2019	NJC	1
Naphthalene	< 0.0153	mg/kg	0.0153	0.0486	1	M8270C	9/3/2019	9/4/2019	NJC	1
Phenanthrene	0.63	mg/kg	0.0071	0.024	1	M8270C	9/3/2019	9/4/2019	NJC	1
Pyrene	1.41	mg/kg	0.0067	0.022	1	M8270C	9/3/2019	9/4/2019	NJC	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713A  
**Sample ID** SP-5 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1



**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713A  
**Sample ID** SP-5 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	98	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	Rec %			1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713B  
**Sample ID** SP-6 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.6	%			1	5021		9/3/2019	NJC	1
Inorganic										
Metals										
Cadmium, Total	0.124 "J"	mg/kg	0.07	0.233	1	6010B		9/7/2019	ESC	1
Organic										
PAH SIM										
Acenaphthene	< 0.0163	mg/kg	0.0163	0.054	1	M8270C	9/3/2019	9/4/2019	NJC	1
Acenaphthylene	< 0.0086	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
Anthracene	< 0.0043	mg/kg	0.0043	0.014	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(a)anthracene	< 0.016	mg/kg	0.016	0.053	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(a)pyrene	< 0.0124	mg/kg	0.0124	0.041	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(b)fluoranthene	< 0.0109	mg/kg	0.0109	0.036	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(g,h,i)perylene	< 0.0084	mg/kg	0.0084	0.028	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(k)fluoranthene	< 0.0091	mg/kg	0.0091	0.03	1	M8270C	9/3/2019	9/4/2019	NJC	1
Chrysene	< 0.006	mg/kg	0.006	0.02	1	M8270C	9/3/2019	9/4/2019	NJC	1
Dibenzo(a,h)anthracene	< 0.0101	mg/kg	0.0101	0.034	1	M8270C	9/3/2019	9/4/2019	NJC	1
Fluoranthene	0.0067 "J"	mg/kg	0.0054	0.018	1	M8270C	9/3/2019	9/4/2019	NJC	1
Fluorene	< 0.0086	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
Indeno(1,2,3-cd)pyrene	< 0.0082	mg/kg	0.0082	0.027	1	M8270C	9/3/2019	9/4/2019	NJC	1
1-Methyl naphthalene	< 0.0086	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
2-Methyl naphthalene	< 0.0147	mg/kg	0.0147	0.049	1	M8270C	9/3/2019	9/4/2019	NJC	1
Naphthalene	< 0.0153	mg/kg	0.0153	0.0486	1	M8270C	9/3/2019	9/4/2019	NJC	1
Phenanthrene	< 0.0071	mg/kg	0.0071	0.024	1	M8270C	9/3/2019	9/4/2019	NJC	1
Pyrene	0.0095 "J"	mg/kg	0.0067	0.022	1	M8270C	9/3/2019	9/4/2019	NJC	1
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713B  
**Sample ID** SP-6 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	102	Rec %			1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713C  
**Sample ID** SP-7 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.1	%			1	5021		9/3/2019	NJC	1
Organic										
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713C  
**Sample ID** SP-7 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	99	Rec %			1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713D  
**Sample ID** SP-8 6-8'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.0	%			1	5021		9/3/2019	NJC	1
Organic										
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713D  
**Sample ID** SP-8 6-8'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	101	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713E  
**Sample ID** SP-9 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	94.2	%			1	5021		9/3/2019	NJC	1
Inorganic										
Metals										
Cadmium, Total	0.122 "J"	mg/kg	0.07	0.233	1	6010B		9/7/2019	ESC	1
Organic										
PAH SIM										
Acenaphthene	0.144	mg/kg	0.0163	0.054	1	M8270C	9/3/2019	9/4/2019	NJC	1
Acenaphthylene	0.0182 "J"	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
Anthracene	0.70	mg/kg	0.0043	0.014	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(a)anthracene	2.22	mg/kg	0.016	0.053	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(a)pyrene	2.15	mg/kg	0.0124	0.041	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(b)fluoranthene	3.20	mg/kg	0.0109	0.036	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(g,h,i)perylene	1.21	mg/kg	0.0084	0.028	1	M8270C	9/3/2019	9/4/2019	NJC	1
Benzo(k)fluoranthene	1.07	mg/kg	0.0091	0.03	1	M8270C	9/3/2019	9/4/2019	NJC	1
Chrysene	2.33	mg/kg	0.006	0.02	1	M8270C	9/3/2019	9/4/2019	NJC	1
Dibenzo(a,h)anthracene	0.276	mg/kg	0.0101	0.034	1	M8270C	9/3/2019	9/4/2019	NJC	1
Fluoranthene	6.50	mg/kg	0.0054	0.018	1	M8270C	9/3/2019	9/4/2019	NJC	1
Fluorene	0.214	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
Indeno(1,2,3-cd)pyrene	1.08	mg/kg	0.0082	0.027	1	M8270C	9/3/2019	9/4/2019	NJC	1
1-Methyl naphthalene	0.009 "J"	mg/kg	0.0086	0.029	1	M8270C	9/3/2019	9/4/2019	NJC	1
2-Methyl naphthalene	< 0.0147	mg/kg	0.0147	0.049	1	M8270C	9/3/2019	9/4/2019	NJC	1
Naphthalene	< 0.0153	mg/kg	0.0153	0.0486	1	M8270C	9/3/2019	9/4/2019	NJC	1
Phenanthrene	3.40	mg/kg	0.0071	0.024	1	M8270C	9/3/2019	9/4/2019	NJC	1
Pyrene	5.20	mg/kg	0.0067	0.022	1	M8270C	9/3/2019	9/4/2019	NJC	1



**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713F  
**Sample ID** SP-9 6-8'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	94.5	%			1	5021		9/3/2019	NJC	1
Organic										
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713F  
**Sample ID** SP-9 6-8'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713G  
**Sample ID** SP-10 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	93.9	%			1	5021		9/3/2019	NJC	1
Organic										
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713G  
**Sample ID** SP-10 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	99	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713H  
**Sample ID** SP-11 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	93.8	%			1	5021		9/3/2019	NJC	1
Organic										
VOC's										
Benzene	< 0.03	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	< 0.094	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713H  
**Sample ID** SP-11 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	< 0.072	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	< 0.044	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713I  
**Sample ID** SP-12 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.5	%			1	5021		9/3/2019	NJC	1
Organic										
VOC's										
Benzene	0.072 "J"	mg/kg	0.03	0.096	1	8260B		9/6/2019	CJR	1
Bromobenzene	< 0.025	mg/kg	0.025	0.081	1	8260B		9/6/2019	CJR	1
Bromodichloromethane	< 0.074	mg/kg	0.074	0.24	1	8260B		9/6/2019	CJR	1
Bromoform	< 0.029	mg/kg	0.029	0.092	1	8260B		9/6/2019	CJR	1
tert-Butylbenzene	< 0.026	mg/kg	0.026	0.084	1	8260B		9/6/2019	CJR	1
sec-Butylbenzene	< 0.033	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
n-Butylbenzene	< 0.04	mg/kg	0.04	0.13	1	8260B		9/6/2019	CJR	1
Carbon Tetrachloride	< 0.016	mg/kg	0.016	0.053	1	8260B		9/6/2019	CJR	1
Chlorobenzene	< 0.013	mg/kg	0.013	0.04	1	8260B		9/6/2019	CJR	1
Chloroethane	< 0.091	mg/kg	0.091	0.29	1	8260B		9/6/2019	CJR	1
Chloroform	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Chloromethane	< 0.076	mg/kg	0.076	0.24	1	8260B		9/6/2019	CJR	1
2-Chlorotoluene	< 0.015	mg/kg	0.015	0.047	1	8260B		9/6/2019	CJR	1
4-Chlorotoluene	< 0.018	mg/kg	0.018	0.057	1	8260B		9/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 0.058	mg/kg	0.058	0.18	1	8260B		9/6/2019	CJR	1
Dibromochloromethane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.037	mg/kg	0.037	0.12	1	8260B		9/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.028	mg/kg	0.028	0.088	1	8260B		9/6/2019	CJR	1
Dichlorodifluoromethane	< 0.048	mg/kg	0.048	0.15	1	8260B		9/6/2019	CJR	1
1,2-Dichloroethane	< 0.038	mg/kg	0.038	0.12	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethane	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
1,1-Dichloroethene	< 0.022	mg/kg	0.022	0.069	1	8260B		9/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1
1,2-Dichloropropane	< 0.035	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
1,3-Dichloropropane	< 0.025	mg/kg	0.025	0.079	1	8260B		9/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.022	mg/kg	0.022	0.068	1	8260B		9/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.039	mg/kg	0.039	0.12	1	8260B		9/6/2019	CJR	1
Di-isopropyl ether	< 0.01	mg/kg	0.01	0.032	1	8260B		9/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.023	mg/kg	0.023	0.072	1	8260B		9/6/2019	CJR	1
Ethylbenzene	0.125	mg/kg	0.035	0.11	1	8260B		9/6/2019	CJR	1
Hexachlorobutadiene	< 0.085	mg/kg	0.085	0.27	1	8260B		9/6/2019	CJR	1
Isopropylbenzene	< 0.034	mg/kg	0.034	0.11	1	8260B		9/6/2019	CJR	1
p-Isopropyltoluene	< 0.029	mg/kg	0.029	0.093	1	8260B		9/6/2019	CJR	1
Methylene chloride	< 0.15	mg/kg	0.15	0.46	1	8260B		9/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.05	mg/kg	0.05	0.16	1	8260B		9/6/2019	CJR	1
Naphthalene	0.52	mg/kg	0.094	0.3	1	8260B		9/6/2019	CJR	1
n-Propylbenzene	0.041 "J"	mg/kg	0.033	0.1	1	8260B		9/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.88	1	8260B		9/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.028	mg/kg	0.028	0.09	1	8260B		9/6/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36713

**Lab Code** 5036713I  
**Sample ID** SP-12 2-4'  
**Sample Matrix** Soil  
**Sample Date** 8/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Toluene	0.60	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 0.064	mg/kg	0.064	0.2	1	8260B		9/6/2019	CJR	1
1,2,3-Trichlorobenzene	< 0.066	mg/kg	0.066	0.21	1	8260B		9/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.03	mg/kg	0.03	0.96	1	8260B		9/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.033	mg/kg	0.033	0.11	1	8260B		9/6/2019	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
Trichlorofluoromethane	< 0.041	mg/kg	0.041	0.13	1	8260B		9/6/2019	CJR	1
1,2,4-Trimethylbenzene	0.223	mg/kg	0.025	0.08	1	8260B		9/6/2019	CJR	1
1,3,5-Trimethylbenzene	0.045 "J"	mg/kg	0.032	0.1	1	8260B		9/6/2019	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		9/6/2019	CJR	1
m&p-Xylene	0.53	mg/kg	0.072	0.23	1	8260B		9/6/2019	CJR	1
o-Xylene	0.34	mg/kg	0.044	0.14	1	8260B		9/6/2019	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	Rec %			1	8260B		9/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	Rec %			1	8260B		9/6/2019	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		9/6/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code**      **Comment**

1      Laboratory QC within limits.

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**





## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
 Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: **0541937**  
 Sampler: (signature) *Kuyk*

Project (Name / Location) **BMO Bank- Merrill**  
 Reports To: **Pat Patterson** Invoice To: **Same**  
 Company **PSI, Inc** Company \_\_\_\_\_  
 Address **821 Corporate Ct** Address \_\_\_\_\_  
 City State Zip **Waukesha, WI 53189** City State Zip \_\_\_\_\_  
 Phone **262-521-2125** Phone \_\_\_\_\_  
 FAX \_\_\_\_\_ FAX \_\_\_\_\_

Analysis Requested										Other Analysis									
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	Cadmium	PID/ FID				

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<b>S036713 A</b>	<b>SP-5 2'-4'</b>	<b>8/28</b>	<b>815</b>		<b>X</b>		<b>3</b>	<b>S</b>	<b>MeOH</b>
<b>B</b>	<b>SP-6 2'-4'</b>		<b>920</b>				<b>3</b>		
<b>C</b>	<b>SP-7 2'-4'</b>		<b>935</b>				<b>1</b>		
<b>D</b>	<b>SP-8 6'-8'</b>		<b>1000</b>				<b>1</b>		<b>↓</b>
<b>E</b>	<b>SP-9 2'-4'</b>		<b>1110</b>				<b>2</b>		
<b>F</b>	<b>SP-9 6'-8'</b>		<b>1115</b>				<b>1</b>		<b>MeOH</b>
<b>G</b>	<b>SP-10 2'-4'</b>		<b>1130</b>				<b>1</b>		
<b>H</b>	<b>SP-11 2'-4'</b>		<b>1155</b>				<b>1</b>		
<b>I</b>	<b>SP-12 2'-4'</b>	<b>↓</b>	<b>1210</b>		<b>↓</b>		<b>1</b>		<b>↓</b>

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: GC  
 Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:   
 Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) *Kuyk* Time: 8:30 Date: 8/30/19  
 Received By: (sign) \_\_\_\_\_ Time: \_\_\_\_\_ Date: \_\_\_\_\_

Received in Laboratory By: *Christina* Time: 10:00 Date: 8/31/19

# Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

PAT PATTERSON  
PSI  
821 CORPORATE COURT  
WAUKESHA, WI 53189

Report Date 16-Sep-19

Project Name BMO BANK-MERRILL  
Project # 0541937

Invoice # E36714

Lab Code 5036714A  
Sample ID MW-1  
Sample Matrix Water  
Sample Date 8/29/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	< 2	ug/l	2	6.67	1	200.7		9/6/2019	ESC	1
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/5/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36714

**Lab Code** 5036714A  
**Sample ID** MW-1  
**Sample Matrix** Water  
**Sample Date** 8/29/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/5/2019	CJR	1
Tetrachloroethene	0.42 "J"	ug/l	0.38	1.21	1	8260B		9/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/5/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/5/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/5/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/5/2019	CJR	1

Project Name BMO BANK-MERRILL  
 Project # 0541937

Invoice # E36714

Lab Code 5036714B  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 8/29/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/5/2019	CJR	1
Tetrachloroethene	0.58 "J"	ug/l	0.38	1.21	1	8260B		9/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/5/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36714

**Lab Code** 5036714B  
**Sample ID** MW-2  
**Sample Matrix** Water  
**Sample Date** 8/29/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/5/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/5/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/5/2019	CJR	1

Project Name BMO BANK-MERRILL  
 Project # 0541937

Invoice # E36714

Lab Code 5036714C  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 8/29/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/5/2019	CJR	1
Tetrachloroethene	0.38 "J"	ug/l	0.38	1.21	1	8260B		9/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/5/2019	CJR	1

**Project Name** BMO BANK-MERRILL  
**Project #** 0541937

**Invoice #** E36714

**Lab Code** 5036714C  
**Sample ID** MW-3  
**Sample Matrix** Water  
**Sample Date** 8/29/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/5/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		9/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/5/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/5/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

***Code***      ***Comment***

1      Laboratory QC within limits.

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**





## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: 0541937  
Sampler: (signature) King Hejpal

Project (Name / Location) BMO Bank - Merrill

Reports To: Pat Patterson Invoice To: Same

Company PSI, Inc Company \_\_\_\_\_

Address 821 Corporate Ct Address \_\_\_\_\_

City State Zip Waukesha, WI 53189 City State Zip \_\_\_\_\_

Phone 262-521-2125 Phone \_\_\_\_\_

FAX \_\_\_\_\_ FAX \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD - Dissolved	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOG (EPA 8021)	PVOG + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID	
		Date	Time																						
<u>5036714 A</u>	<u>MW-1</u>	<u>8/29</u>	<u>830</u>			<u>Y</u>	<u>4</u>	<u>GW</u>	<u>HCl, HNO<sub>3</sub></u>			<u>X</u>													
<u>B</u>	<u>MW-2</u>	<u>↓</u>	<u>845</u>			<u>-</u>	<u>3</u>	<u>↓</u>	<u>↓</u>													<u>X</u>			
<u>C</u>	<u>MW-3</u>	<u>↓</u>	<u>855</u>			<u>-</u>	<u>3</u>	<u>↓</u>	<u>↓</u>													<u>X</u>			

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Ice

Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:

Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) King Hejpal

Time 8:30 Date 8/30/19

Received By: (sign) \_\_\_\_\_

Time \_\_\_\_\_ Date \_\_\_\_\_

Received in Laboratory By: Ch... Run

Time: 10:00

Date: 8/31/19