

Lauridsen, Keld B - DNR

From: Hronek, Sally S - DNR
Sent: Thursday, November 10, 2022 1:52 PM
To: jacquelyn.beaulieu@gapac.com
Cc: DuFresne, Kristin I - DNR; Joosten, Valerie A - DNR; Lauridsen, Keld B - DNR; Beggs, Tauren R - DNR
Subject: GP-Northland expedited approval for one-time disposal
Attachments: 2022_1110 expedited plan mod 1x disposal.pdf

Hi Jaquelyn –

I have attached the approval for the one-time disposal of contaminated soil from the GP Broadway mill at the Northland landfill.

Let us know if you have any questions.

Thank you.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Sally Hronek

Waste & Materials Management Engineer – Environmental Management Division

Wisconsin Department of Natural Resources

2984 Shawano Ave., Green Bay, WI 54313

Mobile: 1-920-609-5236

Sally.Hronek@wisconsin.gov



dnr.wi.gov





November 10, 2022

FID: 405017250
Brown County
SW / Approval

Jacquelyn Beaulieu – Environmental Manager
Georgia-Pacific Consumer Operations LLC – Green Bay Operations
1919 South Broadway
Green Bay, WI 54304

Subject: No Objection to Expedited Plan Modification for One Time Disposal of Contaminated Soil at the Georgia-Pacific Green Bay Northland Landfill, Green Bay, DNR License No. 2893

Dear Ms. Beaulieu:


The Department of Natural Resources (department) does not object to the request dated October 17, 2022 to dispose of contaminated soil at the Georgia-Pacific (GP) Northland landfill. Based on the information provided, the department has determined that the proposal poses low risk to human health and the environment in accordance with s. NR 514.09(1)(a)10., Wis. Adm. Code. Please include this letter in the written operating record for the landfill as specified in s. NR 506.17, Wis. Adm. Code.

The department received the request on October 21, 2022, and Georgia-Pacific paid the review fee of \$1,000 on November 2, 2022. The expedited plan modification is for the one-time disposal of contaminated soil within the approved waste fill areas at the Georgia-Pacific Northland landfill. The material proposed for disposal will be excavated from GP's Broadway mill facility to accommodate an equipment pad for building expansion. An estimated volume of 950 cubic yards of contaminated soil from the project will be disposed in the landfill in fall 2022. The contaminated soil to be disposed consists of mostly clay (~80%) with some gravel (~5%) and sand (~15%). The material is contaminated with volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, and per- and polyfluoroalkyl (PFAS) substances. One VOC was detected and exceeded the groundwater pathway residual contaminant levels (RCL), four SVOCs were detected, three of which exceeded the industrial direct contact (RCL) or groundwater pathway RCL. Metals and PFAS substances were below RCLs or background threshold value. Polychlorinated biphenyls (PCBs) were not detected in samples above the laboratory limits of detection. The landfill has approximately 185,000 cubic yards of remaining waste capacity (Phases 2 and 3) based on aerial survey results and has available capacity to accommodate disposal of the contaminated soil.

This letter is based on the information available to the department as of the date of this letter. If additional information, project changes or other circumstances indicate a possible need to modify the approved plan, the department may ask you to provide further information relating to this activity. Likewise, the department accepts proposals to modify approvals, as provided for in state statutes and administrative codes.

If you have any questions regarding this letter, you may contact Sally Hronek by telephone at 920-609-5236 or email at Sally.Hronek@wisconsin.gov.

Sincerely,



Kristin DuFresne

Waste and Materials Management Program Supervisor
Northeast Region

cc: Sally Hronek – DNR/WA (via email Sally.Hronek@wisconsin.gov)
Valerie Joosten – DNR/WA (via email Valerie.Joosten@wisconsin.gov)

Lauridsen, Keld B - DNR

From: Beaulieu, Jacquelyn Marie <jacquelyn.beaulieu@gapac.com>
Sent: Monday, October 17, 2022 9:59 AM
To: Hronek, Sally S - DNR
Cc: Mrotek, Melissa A; Lauridsen, Keld B - DNR; Moore, Michael T; Ferkel, Bryce
Subject: One Time Disposal Request - Northland Landfill (02893)
Attachments: Plan of Operation - One Time Disposal Request 10172022.pdf

**CAUTION: This email originated from outside the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Sally

The facility is requested an expedited one time approval request for the Northland Landfill (Lic No. 02893). The request is for approximately 950 cy of soil material that is going to be excavated at the Broadway Mill the week of 10/31, as a result to a project constructing a crane pad for a large crane necessary to lift some equipment in place for a paper machine rebuild project. If the Department approves of the disposal of this material at the Northland Landfill, plans to bring the material to Northland will be finalized upon receipt of approval.

This project is within the facility's ongoing site investigation for PFAS and as a result this soil was characterized for PFAS along with other contaminants deemed necessary for disposal characterization.

Please let me know if the Department has any questions or concerns during the review of this request.

Jacquelyn Beaulieu (Pomerville)

Environmental Manager

Georgia-Pacific Consumer Operations LLC

Green Bay Operations

Office #: 920-438-4243

Cell #: 920-606-3228

jacquelyn.beaulieu@gapac.com



**Georgia-Pacific
Consumer Operations LLC**

1919 S. Broadway
P.O. Box 19130
Green Bay, WI 54307-9130
(920) 435-8821
www.gp.com

October 17, 2022

VIA EMAIL

Ms. Sally Hronek
Wisconsin Department of Natural Resources
Northeast Region Headquarters
2984 Shawano Avenue
Green Bay, WI 54313-6727

Re: 2022 Expedited Plan Modification
One Time Disposal Request – GBB Crane Pad Excavation
Georgia-Pacific Consumer Operations LLC; Northland Landfill
Green Bay, Wisconsin, License No. 02893

Dear Ms. Hronek:

Georgia-Pacific Consumer Operations LLC (GP) is submitting this request pursuant to Wisconsin Administrative Code NR 514.09(1)(a) for approval to place approximately 950 cy of contaminated soil to Phase 3 of the Northland Landfill as waste material.

The GP Broadway Facility is executing a project to rebuild a facility paper machine. There will be parts of the new machine that will need to be lifted with a crane to be put in place. The crane that is required to do this work is of substantial size and will require installation of a crane pad using timber mats. As a result of constructing the crane pad, an estimated 950 CY of soil material will need to be disposed of. This soil composition is mostly clay (~80%) with some sand (~15%) and gravel (~5%). If approved, this material would be spread out over the existing slopes vs consolidating in one area to prevent drainage concerns due to the clay composition.

Borings of the work site were taken to assess soil conditions and profile the material that needed to be excavated. The soil boring analytical results showed low level metals and PFAS compounds. This submittal includes the official laboratory report from PACE. The facility plans to begin excavation of the area the week of 10/31 and will be stockpiling the material onsite at the Broadway Mill until disposal plans are finalized.

GEI Consultants performed a site survey at the Northland Landfill on 10/6/22 and determined that between Phase 2 and 3, Northland Landfill has a remaining waste capacity of approximately 185,000 CY. Phase 2 has approximately 89,000 CY and Phase 3 has approximately 96,000 CY. The Day Street Facility is no longer actively sending wastewater treatment sludge to the Northland Landfill as facility tissue production operations, except for one napkin converting line, have ceased. Therefore, the proposed modifications do not change the site's waste disposal capacity or modify the horizontal waste disposal limits of the site.

If you have any questions regarding this submittal request, please feel free to call me at 920/438-4243.

Sincerely,

GEORGIA-PACIFIC BROADWAY LLC



Jacquelyn Beaulieu
Environmental Manager

Enc.

PM 7&8 Crane Pad Analytical – PACE 40246079
GEI Survey Northland 10-6-22
Crane Pad Excavation Drawing

cc: Keld Lauridsen, WDNR (Electronic)
Melissa Mrotek, GP GBB Mill (Electronic)
Mike Moore, GP GBB Mill (Electronic)
Steve Landers, GP GBB Mill (Electronic)
Bryce Ferkel, GP GBB Mill (Electronic)

July 14, 2022

Jeremy Thomas
AECOM
558 N. Main St
Oshkosh, WI 54901

RE: Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Dear Jeremy Thomas:

Enclosed are the analytical results for sample(s) received by the laboratory on June 07, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Katie Crotteau, AECOM



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40246079001	B-5/B-3 COMP	Solid	06/06/22 14:15	06/07/22 15:42
40246079002	B-11/B-2/B-4 COMP	Solid	06/06/22 15:00	06/07/22 15:42

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40246079001	B-5/B-3 COMP	EPA 8082A	BLM	10	PASI-G
		EPA 6010D	TXW	7	PASI-G
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	K1S	1	PASI-G
40246079002	B-11/B-2/B-4 COMP	EPA 8082A	BLM	10	PASI-G
		EPA 6010D	TXW	7	PASI-G
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	K1S	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40246079001	B-5/B-3 COMP					
EPA 6010D	Arsenic	4.6	mg/kg	3.0	06/08/22 14:18	
EPA 6010D	Barium	94.1	mg/kg	0.60	06/08/22 14:18	
EPA 6010D	Chromium	29.1	mg/kg	1.2	06/08/22 14:18	
EPA 6010D	Lead	17.1	mg/kg	2.4	06/08/22 14:18	
EPA 7471	Mercury	0.052	mg/kg	0.041	06/14/22 10:46	
EPA 8270E	2-Methylnaphthalene	107J	ug/kg	181	06/10/22 16:51	
EPA 8270E	Naphthalene	78.6J	ug/kg	243	06/10/22 16:51	
EPA 8270E	Phenanthrene	42.8J	ug/kg	89.3	06/10/22 16:51	
EPA 8260	Toluene	20.1J	ug/kg	75.0	06/10/22 02:12	
EPA 8260	1,1,1-Trichloroethane	66.4J	ug/kg	75.0	06/10/22 02:12	
ASTM D2974-87	Percent Moisture	20.0	%	0.10	06/15/22 15:00	
40246079002	B-11/B-2/B-4 COMP					
EPA 6010D	Arsenic	1.9J	mg/kg	2.9	06/08/22 14:20	
EPA 6010D	Barium	29.6	mg/kg	0.59	06/08/22 14:20	
EPA 6010D	Chromium	11.4	mg/kg	1.2	06/08/22 14:20	
EPA 6010D	Lead	2.9	mg/kg	2.4	06/08/22 14:20	
EPA 8270E	bis(2-Ethylhexyl)phthalate	869	ug/kg	284	06/10/22 19:40	
ASTM D2974-87	Percent Moisture	18.6	%	0.10	06/15/22 15:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Sample: B-5/B-3 COMP **Lab ID: 40246079001** Collected: 06/06/22 14:15 Received: 06/07/22 15:42 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	12674-11-2	
PCB-1221 (Aroclor 1221)	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	11104-28-2	
PCB-1232 (Aroclor 1232)	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	11141-16-5	
PCB-1242 (Aroclor 1242)	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	53469-21-9	
PCB-1248 (Aroclor 1248)	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	12672-29-6	
PCB-1254 (Aroclor 1254)	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	11097-69-1	
PCB-1260 (Aroclor 1260)	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	11096-82-5	
PCB, Total	<19.0	ug/kg	62.3	19.0	1	06/08/22 17:56	06/09/22 14:26	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	06/08/22 17:56	06/09/22 14:26	877-09-8	
Decachlorobiphenyl (S)	66	%	38-95		1	06/08/22 17:56	06/09/22 14:26	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	4.6	mg/kg	3.0	1.8	1	06/08/22 06:04	06/08/22 14:18	7440-38-2	
Barium	94.1	mg/kg	0.60	0.18	1	06/08/22 06:04	06/08/22 14:18	7440-39-3	
Cadmium	<0.16	mg/kg	0.60	0.16	1	06/08/22 06:04	06/08/22 14:18	7440-43-9	
Chromium	29.1	mg/kg	1.2	0.33	1	06/08/22 06:04	06/08/22 14:18	7440-47-3	
Lead	17.1	mg/kg	2.4	0.72	1	06/08/22 06:04	06/08/22 14:18	7439-92-1	
Selenium	<1.6	mg/kg	4.8	1.6	1	06/08/22 06:04	06/08/22 14:18	7782-49-2	
Silver	<0.37	mg/kg	1.2	0.37	1	06/08/22 06:04	06/08/22 14:18	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.052	mg/kg	0.041	0.012	1	06/13/22 09:44	06/14/22 10:46	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<23.6	ug/kg	78.6	23.6	1	06/09/22 12:34	06/10/22 16:51	120-82-1	
1,2-Dichlorobenzene	<65.6	ug/kg	219	65.6	1	06/09/22 12:34	06/10/22 16:51	95-50-1	
1,3-Dichlorobenzene	<28.9	ug/kg	96.3	28.9	1	06/09/22 12:34	06/10/22 16:51	541-73-1	
1,4-Dichlorobenzene	<29.1	ug/kg	96.9	29.1	1	06/09/22 12:34	06/10/22 16:51	106-46-7	
2,2'-Oxybis(1-chloropropane)	<53.8	ug/kg	179	53.8	1	06/09/22 12:34	06/10/22 16:51	108-60-1	
2,4,5-Trichlorophenol	<36.9	ug/kg	123	36.9	1	06/09/22 12:34	06/10/22 16:51	95-95-4	
2,4,6-Trichlorophenol	<31.8	ug/kg	106	31.8	1	06/09/22 12:34	06/10/22 16:51	88-06-2	
2,4-Dichlorophenol	<55.8	ug/kg	186	55.8	1	06/09/22 12:34	06/10/22 16:51	120-83-2	
2,4-Dimethylphenol	<41.3	ug/kg	138	41.3	1	06/09/22 12:34	06/10/22 16:51	105-67-9	
2,4-Dinitrophenol	<63.6	ug/kg	212	63.6	1	06/09/22 12:34	06/10/22 16:51	51-28-5	
2,4-Dinitrotoluene	<29.8	ug/kg	99.5	29.8	1	06/09/22 12:34	06/10/22 16:51	121-14-2	
2,6-Dinitrotoluene	<39.6	ug/kg	132	39.6	1	06/09/22 12:34	06/10/22 16:51	606-20-2	
2-Chloronaphthalene	<26.8	ug/kg	89.3	26.8	1	06/09/22 12:34	06/10/22 16:51	91-58-7	
2-Chlorophenol	<52.1	ug/kg	174	52.1	1	06/09/22 12:34	06/10/22 16:51	95-57-8	
2-Methylnaphthalene	107J	ug/kg	181	54.2	1	06/09/22 12:34	06/10/22 16:51	91-57-6	
2-Methylphenol(o-Cresol)	<37.9	ug/kg	126	37.9	1	06/09/22 12:34	06/10/22 16:51	95-48-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Sample: B-5/B-3 COMP **Lab ID: 40246079001** Collected: 06/06/22 14:15 Received: 06/07/22 15:42 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitroaniline	<59.5	ug/kg	198	59.5	1	06/09/22 12:34	06/10/22 16:51	88-74-4	
2-Nitrophenol	<65.9	ug/kg	220	65.9	1	06/09/22 12:34	06/10/22 16:51	88-75-5	
3&4-Methylphenol(m&p Cresol)	<38.2	ug/kg	127	38.2	1	06/09/22 12:34	06/10/22 16:51		
3,3'-Dichlorobenzidine	<56.6	ug/kg	189	56.6	1	06/09/22 12:34	06/10/22 16:51	91-94-1	
3-Nitroaniline	<35.5	ug/kg	118	35.5	1	06/09/22 12:34	06/10/22 16:51	99-09-2	
4,6-Dinitro-2-methylphenol	<64.3	ug/kg	214	64.3	1	06/09/22 12:34	06/10/22 16:51	534-52-1	
4-Bromophenylphenyl ether	<43.7	ug/kg	146	43.7	1	06/09/22 12:34	06/10/22 16:51	101-55-3	
4-Chloro-3-methylphenol	<64.9	ug/kg	216	64.9	1	06/09/22 12:34	06/10/22 16:51	59-50-7	
4-Chloroaniline	<34.3	ug/kg	114	34.3	1	06/09/22 12:34	06/10/22 16:51	106-47-8	2q
4-Chlorophenylphenyl ether	<38.9	ug/kg	130	38.9	1	06/09/22 12:34	06/10/22 16:51	7005-72-3	
4-Nitroaniline	<86.6	ug/kg	289	86.6	1	06/09/22 12:34	06/10/22 16:51	100-01-6	
4-Nitrophenol	<52.6	ug/kg	175	52.6	1	06/09/22 12:34	06/10/22 16:51	100-02-7	
Acenaphthene	<74.0	ug/kg	247	74.0	1	06/09/22 12:34	06/10/22 16:51	83-32-9	
Acenaphthylene	<74.5	ug/kg	248	74.5	1	06/09/22 12:34	06/10/22 16:51	208-96-8	
Anthracene	<33.4	ug/kg	111	33.4	1	06/09/22 12:34	06/10/22 16:51	120-12-7	
Benzo(a)anthracene	<32.3	ug/kg	108	32.3	1	06/09/22 12:34	06/10/22 16:51	56-55-3	
Benzo(a)pyrene	<31.4	ug/kg	105	31.4	1	06/09/22 12:34	06/10/22 16:51	50-32-8	
Benzo(b)fluoranthene	<35.9	ug/kg	120	35.9	1	06/09/22 12:34	06/10/22 16:51	205-99-2	
Benzo(g,h,i)perylene	<54.6	ug/kg	182	54.6	1	06/09/22 12:34	06/10/22 16:51	191-24-2	
Benzo(k)fluoranthene	<50.0	ug/kg	167	50.0	1	06/09/22 12:34	06/10/22 16:51	207-08-9	
Butylbenzylphthalate	<33.5	ug/kg	112	33.5	1	06/09/22 12:34	06/10/22 16:51	85-68-7	
Carbazole	<32.7	ug/kg	109	32.7	1	06/09/22 12:34	06/10/22 16:51	86-74-8	
Chrysene	<31.2	ug/kg	104	31.2	1	06/09/22 12:34	06/10/22 16:51	218-01-9	
Di-n-butylphthalate	<31.2	ug/kg	104	31.2	1	06/09/22 12:34	06/10/22 16:51	84-74-2	
Di-n-octylphthalate	<46.9	ug/kg	156	46.9	1	06/09/22 12:34	06/10/22 16:51	117-84-0	
Dibenz(a,h)anthracene	<56.7	ug/kg	189	56.7	1	06/09/22 12:34	06/10/22 16:51	53-70-3	
Dibenzofuran	<25.3	ug/kg	84.2	25.3	1	06/09/22 12:34	06/10/22 16:51	132-64-9	
Diethylphthalate	<34.6	ug/kg	115	34.6	1	06/09/22 12:34	06/10/22 16:51	84-66-2	
Dimethylphthalate	<27.2	ug/kg	90.5	27.2	1	06/09/22 12:34	06/10/22 16:51	131-11-3	
Fluoranthene	<29.5	ug/kg	98.4	29.5	1	06/09/22 12:34	06/10/22 16:51	206-44-0	
Fluorene	<24.4	ug/kg	81.3	24.4	1	06/09/22 12:34	06/10/22 16:51	86-73-7	
Hexachloro-1,3-butadiene	<53.2	ug/kg	177	53.2	1	06/09/22 12:34	06/10/22 16:51	87-68-3	
Hexachlorobenzene	<35.1	ug/kg	117	35.1	1	06/09/22 12:34	06/10/22 16:51	118-74-1	
Hexachlorocyclopentadiene	<49.4	ug/kg	165	49.4	1	06/09/22 12:34	06/10/22 16:51	77-47-4	
Hexachloroethane	<33.4	ug/kg	111	33.4	1	06/09/22 12:34	06/10/22 16:51	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.2	ug/kg	151	45.2	1	06/09/22 12:34	06/10/22 16:51	193-39-5	
Isophorone	<32.1	ug/kg	107	32.1	1	06/09/22 12:34	06/10/22 16:51	78-59-1	
N-Nitroso-di-n-propylamine	<33.1	ug/kg	110	33.1	1	06/09/22 12:34	06/10/22 16:51	621-64-7	
N-Nitrosodiphenylamine	<283	ug/kg	944	283	1	06/09/22 12:34	06/10/22 16:51	86-30-6	
Naphthalene	78.6J	ug/kg	243	73.0	1	06/09/22 12:34	06/10/22 16:51	91-20-3	
Nitrobenzene	<42.3	ug/kg	141	42.3	1	06/09/22 12:34	06/10/22 16:51	98-95-3	
Pentachlorophenol	<46.0	ug/kg	153	46.0	1	06/09/22 12:34	06/10/22 16:51	87-86-5	
Phenanthrene	42.8J	ug/kg	89.3	26.8	1	06/09/22 12:34	06/10/22 16:51	85-01-8	
Phenol	<49.5	ug/kg	165	49.5	1	06/09/22 12:34	06/10/22 16:51	108-95-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Sample: B-5/B-3 COMP **Lab ID: 40246079001** Collected: 06/06/22 14:15 Received: 06/07/22 15:42 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Pyrene	<46.3	ug/kg	154	46.3	1	06/09/22 12:34	06/10/22 16:51	129-00-0	
bis(2-Chloroethoxy)methane	<56.2	ug/kg	187	56.2	1	06/09/22 12:34	06/10/22 16:51	111-91-1	
bis(2-Chloroethyl) ether	<65.2	ug/kg	217	65.2	1	06/09/22 12:34	06/10/22 16:51	111-44-4	
bis(2-Ethylhexyl)phthalate	<34.7	ug/kg	116	34.7	1	06/09/22 12:34	06/10/22 16:51	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	74	%	10-125		1	06/09/22 12:34	06/10/22 16:51	4165-60-0	
2-Fluorobiphenyl (S)	65	%	12-118		1	06/09/22 12:34	06/10/22 16:51	321-60-8	
Terphenyl-d14 (S)	71	%	10-124		1	06/09/22 12:34	06/10/22 16:51	1718-51-0	
Phenol-d6 (S)	66	%	10-125		1	06/09/22 12:34	06/10/22 16:51	13127-88-3	
2-Fluorophenol (S)	72	%	10-130		1	06/09/22 12:34	06/10/22 16:51	367-12-4	
2,4,6-Tribromophenol (S)	79	%	10-144		1	06/09/22 12:34	06/10/22 16:51	118-79-6	
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.9	ug/kg	30.0	17.9	1	06/09/22 08:30	06/10/22 02:12	71-43-2	
Bromobenzene	<29.3	ug/kg	75.0	29.3	1	06/09/22 08:30	06/10/22 02:12	108-86-1	
Bromochloromethane	<20.6	ug/kg	75.0	20.6	1	06/09/22 08:30	06/10/22 02:12	74-97-5	
Bromodichloromethane	<17.9	ug/kg	75.0	17.9	1	06/09/22 08:30	06/10/22 02:12	75-27-4	
Bromoform	<330	ug/kg	375	330	1	06/09/22 08:30	06/10/22 02:12	75-25-2	
Bromomethane	<105	ug/kg	375	105	1	06/09/22 08:30	06/10/22 02:12	74-83-9	1q,L1, MO
n-Butylbenzene	<34.4	ug/kg	75.0	34.4	1	06/09/22 08:30	06/10/22 02:12	104-51-8	
sec-Butylbenzene	<18.3	ug/kg	75.0	18.3	1	06/09/22 08:30	06/10/22 02:12	135-98-8	
tert-Butylbenzene	<23.6	ug/kg	75.0	23.6	1	06/09/22 08:30	06/10/22 02:12	98-06-6	
Carbon tetrachloride	<16.5	ug/kg	75.0	16.5	1	06/09/22 08:30	06/10/22 02:12	56-23-5	
Chlorobenzene	<9.0	ug/kg	75.0	9.0	1	06/09/22 08:30	06/10/22 02:12	108-90-7	
Chloroethane	<31.7	ug/kg	375	31.7	1	06/09/22 08:30	06/10/22 02:12	75-00-3	1q,L1, MO
Chloroform	<53.7	ug/kg	375	53.7	1	06/09/22 08:30	06/10/22 02:12	67-66-3	M1
Chloromethane	<28.5	ug/kg	75.0	28.5	1	06/09/22 08:30	06/10/22 02:12	74-87-3	
2-Chlorotoluene	<24.3	ug/kg	75.0	24.3	1	06/09/22 08:30	06/10/22 02:12	95-49-8	
4-Chlorotoluene	<28.5	ug/kg	75.0	28.5	1	06/09/22 08:30	06/10/22 02:12	106-43-4	
1,2-Dibromo-3-chloropropane	<58.2	ug/kg	375	58.2	1	06/09/22 08:30	06/10/22 02:12	96-12-8	
Dibromochloromethane	<256	ug/kg	375	256	1	06/09/22 08:30	06/10/22 02:12	124-48-1	
1,2-Dibromoethane (EDB)	<20.6	ug/kg	75.0	20.6	1	06/09/22 08:30	06/10/22 02:12	106-93-4	
Dibromomethane	<22.2	ug/kg	75.0	22.2	1	06/09/22 08:30	06/10/22 02:12	74-95-3	
1,2-Dichlorobenzene	<23.3	ug/kg	75.0	23.3	1	06/09/22 08:30	06/10/22 02:12	95-50-1	
1,3-Dichlorobenzene	<20.6	ug/kg	75.0	20.6	1	06/09/22 08:30	06/10/22 02:12	541-73-1	
1,4-Dichlorobenzene	<20.6	ug/kg	75.0	20.6	1	06/09/22 08:30	06/10/22 02:12	106-46-7	
Dichlorodifluoromethane	<32.3	ug/kg	75.0	32.3	1	06/09/22 08:30	06/10/22 02:12	75-71-8	M1
1,1-Dichloroethane	<19.2	ug/kg	75.0	19.2	1	06/09/22 08:30	06/10/22 02:12	75-34-3	
1,2-Dichloroethane	<17.3	ug/kg	75.0	17.3	1	06/09/22 08:30	06/10/22 02:12	107-06-2	M1
1,1-Dichloroethene	<24.9	ug/kg	75.0	24.9	1	06/09/22 08:30	06/10/22 02:12	75-35-4	
cis-1,2-Dichloroethene	<16.1	ug/kg	75.0	16.1	1	06/09/22 08:30	06/10/22 02:12	156-59-2	
trans-1,2-Dichloroethene	<16.2	ug/kg	75.0	16.2	1	06/09/22 08:30	06/10/22 02:12	156-60-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

Sample: B-5/B-3 COMP **Lab ID: 40246079001** Collected: 06/06/22 14:15 Received: 06/07/22 15:42 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2-Dichloropropane	<17.9	ug/kg	75.0	17.9	1	06/09/22 08:30	06/10/22 02:12	78-87-5	
1,3-Dichloropropane	<16.4	ug/kg	75.0	16.4	1	06/09/22 08:30	06/10/22 02:12	142-28-9	
2,2-Dichloropropane	<20.3	ug/kg	75.0	20.3	1	06/09/22 08:30	06/10/22 02:12	594-20-7	
1,1-Dichloropropene	<24.3	ug/kg	75.0	24.3	1	06/09/22 08:30	06/10/22 02:12	563-58-6	
cis-1,3-Dichloropropene	<49.5	ug/kg	375	49.5	1	06/09/22 08:30	06/10/22 02:12	10061-01-5	
trans-1,3-Dichloropropene	<215	ug/kg	375	215	1	06/09/22 08:30	06/10/22 02:12	10061-02-6	
Diisopropyl ether	<18.6	ug/kg	75.0	18.6	1	06/09/22 08:30	06/10/22 02:12	108-20-3	
Ethylbenzene	<17.9	ug/kg	75.0	17.9	1	06/09/22 08:30	06/10/22 02:12	100-41-4	
Hexachloro-1,3-butadiene	<149	ug/kg	375	149	1	06/09/22 08:30	06/10/22 02:12	87-68-3	
Isopropylbenzene (Cumene)	<20.3	ug/kg	75.0	20.3	1	06/09/22 08:30	06/10/22 02:12	98-82-8	
p-Isopropyltoluene	<22.8	ug/kg	75.0	22.8	1	06/09/22 08:30	06/10/22 02:12	99-87-6	
Methylene Chloride	<20.9	ug/kg	75.0	20.9	1	06/09/22 08:30	06/10/22 02:12	75-09-2	
Methyl-tert-butyl ether	<22.1	ug/kg	75.0	22.1	1	06/09/22 08:30	06/10/22 02:12	1634-04-4	
Naphthalene	<23.4	ug/kg	375	23.4	1	06/09/22 08:30	06/10/22 02:12	91-20-3	
n-Propylbenzene	<18.0	ug/kg	75.0	18.0	1	06/09/22 08:30	06/10/22 02:12	103-65-1	
Styrene	<19.2	ug/kg	75.0	19.2	1	06/09/22 08:30	06/10/22 02:12	100-42-5	
1,1,1,2-Tetrachloroethane	<18.0	ug/kg	75.0	18.0	1	06/09/22 08:30	06/10/22 02:12	630-20-6	
1,1,2,2-Tetrachloroethane	<27.2	ug/kg	75.0	27.2	1	06/09/22 08:30	06/10/22 02:12	79-34-5	
Tetrachloroethene	<29.1	ug/kg	75.0	29.1	1	06/09/22 08:30	06/10/22 02:12	127-18-4	
Toluene	20.1J	ug/kg	75.0	18.9	1	06/09/22 08:30	06/10/22 02:12	108-88-3	
1,2,3-Trichlorobenzene	<83.6	ug/kg	375	83.6	1	06/09/22 08:30	06/10/22 02:12	87-61-6	
1,2,4-Trichlorobenzene	<61.8	ug/kg	375	61.8	1	06/09/22 08:30	06/10/22 02:12	120-82-1	M1
1,1,1-Trichloroethane	66.4J	ug/kg	75.0	19.2	1	06/09/22 08:30	06/10/22 02:12	71-55-6	
1,1,2-Trichloroethane	<27.3	ug/kg	75.0	27.3	1	06/09/22 08:30	06/10/22 02:12	79-00-5	
Trichloroethene	<28.1	ug/kg	75.0	28.1	1	06/09/22 08:30	06/10/22 02:12	79-01-6	
Trichlorofluoromethane	<21.8	ug/kg	75.0	21.8	1	06/09/22 08:30	06/10/22 02:12	75-69-4	M1
1,2,3-Trichloropropane	<36.5	ug/kg	75.0	36.5	1	06/09/22 08:30	06/10/22 02:12	96-18-4	
1,2,4-Trimethylbenzene	<22.4	ug/kg	75.0	22.4	1	06/09/22 08:30	06/10/22 02:12	95-63-6	
1,3,5-Trimethylbenzene	<24.2	ug/kg	75.0	24.2	1	06/09/22 08:30	06/10/22 02:12	108-67-8	
Vinyl chloride	<15.2	ug/kg	75.0	15.2	1	06/09/22 08:30	06/10/22 02:12	75-01-4	
m&p-Xylene	<31.7	ug/kg	150	31.7	1	06/09/22 08:30	06/10/22 02:12	179601-23-1	
o-Xylene	<22.5	ug/kg	75.0	22.5	1	06/09/22 08:30	06/10/22 02:12	95-47-6	
Surrogates									
Toluene-d8 (S)	124	%	69-153		1	06/09/22 08:30	06/10/22 02:12	2037-26-5	
4-Bromofluorobenzene (S)	121	%	68-156		1	06/09/22 08:30	06/10/22 02:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	122	%	71-161		1	06/09/22 08:30	06/10/22 02:12	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87

Pace Analytical Services - Green Bay

Percent Moisture	20.0	%	0.10	0.10	1		06/15/22 15:00		
------------------	------	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Sample: B-11/B-2/B-4 COMP **Lab ID: 40246079002** Collected: 06/06/22 15:00 Received: 06/07/22 15:42 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	12674-11-2	
PCB-1221 (Aroclor 1221)	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	11104-28-2	
PCB-1232 (Aroclor 1232)	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	11141-16-5	
PCB-1242 (Aroclor 1242)	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	53469-21-9	
PCB-1248 (Aroclor 1248)	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	12672-29-6	
PCB-1254 (Aroclor 1254)	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	11097-69-1	
PCB-1260 (Aroclor 1260)	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	11096-82-5	
PCB, Total	<18.8	ug/kg	61.6	18.8	1	06/08/22 17:56	06/09/22 14:51	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	50-99		1	06/08/22 17:56	06/09/22 14:51	877-09-8	
Decachlorobiphenyl (S)	74	%	38-95		1	06/08/22 17:56	06/09/22 14:51	2051-24-3	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	1.9J	mg/kg	2.9	1.7	1	06/08/22 06:04	06/08/22 14:20	7440-38-2	
Barium	29.6	mg/kg	0.59	0.18	1	06/08/22 06:04	06/08/22 14:20	7440-39-3	
Cadmium	<0.16	mg/kg	0.59	0.16	1	06/08/22 06:04	06/08/22 14:20	7440-43-9	
Chromium	11.4	mg/kg	1.2	0.33	1	06/08/22 06:04	06/08/22 14:20	7440-47-3	
Lead	2.9	mg/kg	2.4	0.71	1	06/08/22 06:04	06/08/22 14:20	7439-92-1	
Selenium	<1.5	mg/kg	4.7	1.5	1	06/08/22 06:04	06/08/22 14:20	7782-49-2	
Silver	<0.36	mg/kg	1.2	0.36	1	06/08/22 06:04	06/08/22 14:20	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.012	mg/kg	0.042	0.012	1	06/13/22 09:44	06/14/22 10:48	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<58.0	ug/kg	193	58.0	2.5	06/09/22 12:34	06/10/22 19:40	120-82-1	
1,2-Dichlorobenzene	<161	ug/kg	538	161	2.5	06/09/22 12:34	06/10/22 19:40	95-50-1	
1,3-Dichlorobenzene	<71.0	ug/kg	237	71.0	2.5	06/09/22 12:34	06/10/22 19:40	541-73-1	
1,4-Dichlorobenzene	<71.5	ug/kg	238	71.5	2.5	06/09/22 12:34	06/10/22 19:40	106-46-7	
2,2'-Oxybis(1-chloropropane)	<132	ug/kg	441	132	2.5	06/09/22 12:34	06/10/22 19:40	108-60-1	
2,4,5-Trichlorophenol	<90.6	ug/kg	302	90.6	2.5	06/09/22 12:34	06/10/22 19:40	95-95-4	
2,4,6-Trichlorophenol	<78.2	ug/kg	261	78.2	2.5	06/09/22 12:34	06/10/22 19:40	88-06-2	
2,4-Dichlorophenol	<137	ug/kg	457	137	2.5	06/09/22 12:34	06/10/22 19:40	120-83-2	
2,4-Dimethylphenol	<101	ug/kg	338	101	2.5	06/09/22 12:34	06/10/22 19:40	105-67-9	
2,4-Dinitrophenol	<156	ug/kg	521	156	2.5	06/09/22 12:34	06/10/22 19:40	51-28-5	
2,4-Dinitrotoluene	<73.4	ug/kg	245	73.4	2.5	06/09/22 12:34	06/10/22 19:40	121-14-2	
2,6-Dinitrotoluene	<97.4	ug/kg	325	97.4	2.5	06/09/22 12:34	06/10/22 19:40	606-20-2	
2-Chloronaphthalene	<65.9	ug/kg	220	65.9	2.5	06/09/22 12:34	06/10/22 19:40	91-58-7	
2-Chlorophenol	<128	ug/kg	427	128	2.5	06/09/22 12:34	06/10/22 19:40	95-57-8	
2-Methylnaphthalene	<133	ug/kg	444	133	2.5	06/09/22 12:34	06/10/22 19:40	91-57-6	
2-Methylphenol(o-Cresol)	<93.2	ug/kg	311	93.2	2.5	06/09/22 12:34	06/10/22 19:40	95-48-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

Sample: B-11/B-2/B-4 COMP **Lab ID: 40246079002** Collected: 06/06/22 15:00 Received: 06/07/22 15:42 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitroaniline	<146	ug/kg	487	146	2.5	06/09/22 12:34	06/10/22 19:40	88-74-4	
2-Nitrophenol	<162	ug/kg	540	162	2.5	06/09/22 12:34	06/10/22 19:40	88-75-5	
3&4-Methylphenol(m&p Cresol)	<94.0	ug/kg	313	94.0	2.5	06/09/22 12:34	06/10/22 19:40		
3,3'-Dichlorobenzidine	<139	ug/kg	464	139	2.5	06/09/22 12:34	06/10/22 19:40	91-94-1	
3-Nitroaniline	<87.2	ug/kg	291	87.2	2.5	06/09/22 12:34	06/10/22 19:40	99-09-2	
4,6-Dinitro-2-methylphenol	<158	ug/kg	527	158	2.5	06/09/22 12:34	06/10/22 19:40	534-52-1	
4-Bromophenylphenyl ether	<107	ug/kg	358	107	2.5	06/09/22 12:34	06/10/22 19:40	101-55-3	
4-Chloro-3-methylphenol	<160	ug/kg	532	160	2.5	06/09/22 12:34	06/10/22 19:40	59-50-7	
4-Chloroaniline	<84.3	ug/kg	281	84.3	2.5	06/09/22 12:34	06/10/22 19:40	106-47-8	2q
4-Chlorophenylphenyl ether	<95.5	ug/kg	318	95.5	2.5	06/09/22 12:34	06/10/22 19:40	7005-72-3	
4-Nitroaniline	<213	ug/kg	710	213	2.5	06/09/22 12:34	06/10/22 19:40	100-01-6	
4-Nitrophenol	<129	ug/kg	430	129	2.5	06/09/22 12:34	06/10/22 19:40	100-02-7	
Acenaphthene	<182	ug/kg	606	182	2.5	06/09/22 12:34	06/10/22 19:40	83-32-9	
Acenaphthylene	<183	ug/kg	610	183	2.5	06/09/22 12:34	06/10/22 19:40	208-96-8	
Anthracene	<82.0	ug/kg	273	82.0	2.5	06/09/22 12:34	06/10/22 19:40	120-12-7	
Benzo(a)anthracene	<79.4	ug/kg	265	79.4	2.5	06/09/22 12:34	06/10/22 19:40	56-55-3	
Benzo(a)pyrene	<77.2	ug/kg	257	77.2	2.5	06/09/22 12:34	06/10/22 19:40	50-32-8	
Benzo(b)fluoranthene	<88.1	ug/kg	294	88.1	2.5	06/09/22 12:34	06/10/22 19:40	205-99-2	
Benzo(g,h,i)perylene	<134	ug/kg	447	134	2.5	06/09/22 12:34	06/10/22 19:40	191-24-2	
Benzo(k)fluoranthene	<123	ug/kg	409	123	2.5	06/09/22 12:34	06/10/22 19:40	207-08-9	
Butylbenzylphthalate	<82.2	ug/kg	274	82.2	2.5	06/09/22 12:34	06/10/22 19:40	85-68-7	
Carbazole	<80.3	ug/kg	268	80.3	2.5	06/09/22 12:34	06/10/22 19:40	86-74-8	
Chrysene	<76.7	ug/kg	256	76.7	2.5	06/09/22 12:34	06/10/22 19:40	218-01-9	
Di-n-butylphthalate	<76.7	ug/kg	256	76.7	2.5	06/09/22 12:34	06/10/22 19:40	84-74-2	
Di-n-octylphthalate	<115	ug/kg	384	115	2.5	06/09/22 12:34	06/10/22 19:40	117-84-0	
Dibenz(a,h)anthracene	<139	ug/kg	464	139	2.5	06/09/22 12:34	06/10/22 19:40	53-70-3	
Dibenzofuran	<62.1	ug/kg	207	62.1	2.5	06/09/22 12:34	06/10/22 19:40	132-64-9	
Diethylphthalate	<85.0	ug/kg	283	85.0	2.5	06/09/22 12:34	06/10/22 19:40	84-66-2	
Dimethylphthalate	<66.7	ug/kg	222	66.7	2.5	06/09/22 12:34	06/10/22 19:40	131-11-3	
Fluoranthene	<72.6	ug/kg	242	72.6	2.5	06/09/22 12:34	06/10/22 19:40	206-44-0	
Fluorene	<59.9	ug/kg	200	59.9	2.5	06/09/22 12:34	06/10/22 19:40	86-73-7	
Hexachloro-1,3-butadiene	<131	ug/kg	436	131	2.5	06/09/22 12:34	06/10/22 19:40	87-68-3	
Hexachlorobenzene	<86.3	ug/kg	288	86.3	2.5	06/09/22 12:34	06/10/22 19:40	118-74-1	
Hexachlorocyclopentadiene	<121	ug/kg	405	121	2.5	06/09/22 12:34	06/10/22 19:40	77-47-4	
Hexachloroethane	<82.1	ug/kg	274	82.1	2.5	06/09/22 12:34	06/10/22 19:40	67-72-1	
Indeno(1,2,3-cd)pyrene	<111	ug/kg	370	111	2.5	06/09/22 12:34	06/10/22 19:40	193-39-5	
Isophorone	<78.8	ug/kg	263	78.8	2.5	06/09/22 12:34	06/10/22 19:40	78-59-1	
N-Nitroso-di-n-propylamine	<81.3	ug/kg	271	81.3	2.5	06/09/22 12:34	06/10/22 19:40	621-64-7	
N-Nitrosodiphenylamine	<696	ug/kg	2320	696	2.5	06/09/22 12:34	06/10/22 19:40	86-30-6	
Naphthalene	<179	ug/kg	598	179	2.5	06/09/22 12:34	06/10/22 19:40	91-20-3	
Nitrobenzene	<104	ug/kg	347	104	2.5	06/09/22 12:34	06/10/22 19:40	98-95-3	
Pentachlorophenol	<113	ug/kg	377	113	2.5	06/09/22 12:34	06/10/22 19:40	87-86-5	
Phenanthrene	<65.8	ug/kg	219	65.8	2.5	06/09/22 12:34	06/10/22 19:40	85-01-8	
Phenol	<122	ug/kg	406	122	2.5	06/09/22 12:34	06/10/22 19:40	108-95-2	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Sample: B-11/B-2/B-4 COMP **Lab ID: 40246079002** Collected: 06/06/22 15:00 Received: 06/07/22 15:42 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Pyrene	<114	ug/kg	379	114	2.5	06/09/22 12:34	06/10/22 19:40	129-00-0	
bis(2-Chloroethoxy)methane	<138	ug/kg	460	138	2.5	06/09/22 12:34	06/10/22 19:40	111-91-1	
bis(2-Chloroethyl) ether	<160	ug/kg	534	160	2.5	06/09/22 12:34	06/10/22 19:40	111-44-4	
bis(2-Ethylhexyl)phthalate	869	ug/kg	284	85.3	2.5	06/09/22 12:34	06/10/22 19:40	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	75	%	10-125		2.5	06/09/22 12:34	06/10/22 19:40	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		2.5	06/09/22 12:34	06/10/22 19:40	321-60-8	
Terphenyl-d14 (S)	68	%	10-124		2.5	06/09/22 12:34	06/10/22 19:40	1718-51-0	
Phenol-d6 (S)	73	%	10-125		2.5	06/09/22 12:34	06/10/22 19:40	13127-88-3	
2-Fluorophenol (S)	78	%	10-130		2.5	06/09/22 12:34	06/10/22 19:40	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		2.5	06/09/22 12:34	06/10/22 19:40	118-79-6	
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.3	ug/kg	29.1	17.3	1	06/09/22 08:30	06/10/22 13:09	71-43-2	
Bromobenzene	<28.4	ug/kg	72.8	28.4	1	06/09/22 08:30	06/10/22 13:09	108-86-1	
Bromochloromethane	<20.0	ug/kg	72.8	20.0	1	06/09/22 08:30	06/10/22 13:09	74-97-5	
Bromodichloromethane	<17.3	ug/kg	72.8	17.3	1	06/09/22 08:30	06/10/22 13:09	75-27-4	
Bromoform	<320	ug/kg	364	320	1	06/09/22 08:30	06/10/22 13:09	75-25-2	
Bromomethane	<102	ug/kg	364	102	1	06/09/22 08:30	06/10/22 13:09	74-83-9	1q,L1
n-Butylbenzene	<33.4	ug/kg	72.8	33.4	1	06/09/22 08:30	06/10/22 13:09	104-51-8	
sec-Butylbenzene	<17.8	ug/kg	72.8	17.8	1	06/09/22 08:30	06/10/22 13:09	135-98-8	
tert-Butylbenzene	<22.9	ug/kg	72.8	22.9	1	06/09/22 08:30	06/10/22 13:09	98-06-6	
Carbon tetrachloride	<16.0	ug/kg	72.8	16.0	1	06/09/22 08:30	06/10/22 13:09	56-23-5	
Chlorobenzene	<8.7	ug/kg	72.8	8.7	1	06/09/22 08:30	06/10/22 13:09	108-90-7	
Chloroethane	<30.7	ug/kg	364	30.7	1	06/09/22 08:30	06/10/22 13:09	75-00-3	1q,L1
Chloroform	<52.1	ug/kg	364	52.1	1	06/09/22 08:30	06/10/22 13:09	67-66-3	
Chloromethane	<27.7	ug/kg	72.8	27.7	1	06/09/22 08:30	06/10/22 13:09	74-87-3	
2-Chlorotoluene	<23.6	ug/kg	72.8	23.6	1	06/09/22 08:30	06/10/22 13:09	95-49-8	
4-Chlorotoluene	<27.7	ug/kg	72.8	27.7	1	06/09/22 08:30	06/10/22 13:09	106-43-4	
1,2-Dibromo-3-chloropropane	<56.5	ug/kg	364	56.5	1	06/09/22 08:30	06/10/22 13:09	96-12-8	
Dibromochloromethane	<249	ug/kg	364	249	1	06/09/22 08:30	06/10/22 13:09	124-48-1	
1,2-Dibromoethane (EDB)	<20.0	ug/kg	72.8	20.0	1	06/09/22 08:30	06/10/22 13:09	106-93-4	
Dibromomethane	<21.6	ug/kg	72.8	21.6	1	06/09/22 08:30	06/10/22 13:09	74-95-3	
1,2-Dichlorobenzene	<22.6	ug/kg	72.8	22.6	1	06/09/22 08:30	06/10/22 13:09	95-50-1	
1,3-Dichlorobenzene	<20.0	ug/kg	72.8	20.0	1	06/09/22 08:30	06/10/22 13:09	541-73-1	
1,4-Dichlorobenzene	<20.0	ug/kg	72.8	20.0	1	06/09/22 08:30	06/10/22 13:09	106-46-7	
Dichlorodifluoromethane	<31.3	ug/kg	72.8	31.3	1	06/09/22 08:30	06/10/22 13:09	75-71-8	
1,1-Dichloroethane	<18.6	ug/kg	72.8	18.6	1	06/09/22 08:30	06/10/22 13:09	75-34-3	
1,2-Dichloroethane	<16.8	ug/kg	72.8	16.8	1	06/09/22 08:30	06/10/22 13:09	107-06-2	
1,1-Dichloroethene	<24.2	ug/kg	72.8	24.2	1	06/09/22 08:30	06/10/22 13:09	75-35-4	
cis-1,2-Dichloroethene	<15.6	ug/kg	72.8	15.6	1	06/09/22 08:30	06/10/22 13:09	156-59-2	
trans-1,2-Dichloroethene	<15.7	ug/kg	72.8	15.7	1	06/09/22 08:30	06/10/22 13:09	156-60-5	
1,2-Dichloropropane	<17.3	ug/kg	72.8	17.3	1	06/09/22 08:30	06/10/22 13:09	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Sample: B-11/B-2/B-4 COMP **Lab ID: 40246079002** Collected: 06/06/22 15:00 Received: 06/07/22 15:42 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,3-Dichloropropane	<15.9	ug/kg	72.8	15.9	1	06/09/22 08:30	06/10/22 13:09	142-28-9	
2,2-Dichloropropane	<19.7	ug/kg	72.8	19.7	1	06/09/22 08:30	06/10/22 13:09	594-20-7	
1,1-Dichloropropene	<23.6	ug/kg	72.8	23.6	1	06/09/22 08:30	06/10/22 13:09	563-58-6	
cis-1,3-Dichloropropene	<48.1	ug/kg	364	48.1	1	06/09/22 08:30	06/10/22 13:09	10061-01-5	
trans-1,3-Dichloropropene	<208	ug/kg	364	208	1	06/09/22 08:30	06/10/22 13:09	10061-02-6	
Diisopropyl ether	<18.1	ug/kg	72.8	18.1	1	06/09/22 08:30	06/10/22 13:09	108-20-3	
Ethylbenzene	<17.3	ug/kg	72.8	17.3	1	06/09/22 08:30	06/10/22 13:09	100-41-4	
Hexachloro-1,3-butadiene	<145	ug/kg	364	145	1	06/09/22 08:30	06/10/22 13:09	87-68-3	
Isopropylbenzene (Cumene)	<19.7	ug/kg	72.8	19.7	1	06/09/22 08:30	06/10/22 13:09	98-82-8	
p-Isopropyltoluene	<22.1	ug/kg	72.8	22.1	1	06/09/22 08:30	06/10/22 13:09	99-87-6	
Methylene Chloride	<20.2	ug/kg	72.8	20.2	1	06/09/22 08:30	06/10/22 13:09	75-09-2	
Methyl-tert-butyl ether	<21.4	ug/kg	72.8	21.4	1	06/09/22 08:30	06/10/22 13:09	1634-04-4	
Naphthalene	<22.7	ug/kg	364	22.7	1	06/09/22 08:30	06/10/22 13:09	91-20-3	
n-Propylbenzene	<17.5	ug/kg	72.8	17.5	1	06/09/22 08:30	06/10/22 13:09	103-65-1	
Styrene	<18.6	ug/kg	72.8	18.6	1	06/09/22 08:30	06/10/22 13:09	100-42-5	
1,1,1,2-Tetrachloroethane	<17.5	ug/kg	72.8	17.5	1	06/09/22 08:30	06/10/22 13:09	630-20-6	
1,1,2,2-Tetrachloroethane	<26.4	ug/kg	72.8	26.4	1	06/09/22 08:30	06/10/22 13:09	79-34-5	
Tetrachloroethene	<28.3	ug/kg	72.8	28.3	1	06/09/22 08:30	06/10/22 13:09	127-18-4	
Toluene	<18.4	ug/kg	72.8	18.4	1	06/09/22 08:30	06/10/22 13:09	108-88-3	
1,2,3-Trichlorobenzene	<81.1	ug/kg	364	81.1	1	06/09/22 08:30	06/10/22 13:09	87-61-6	
1,2,4-Trichlorobenzene	<60.0	ug/kg	364	60.0	1	06/09/22 08:30	06/10/22 13:09	120-82-1	
1,1,1-Trichloroethane	<18.6	ug/kg	72.8	18.6	1	06/09/22 08:30	06/10/22 13:09	71-55-6	
1,1,2-Trichloroethane	<26.5	ug/kg	72.8	26.5	1	06/09/22 08:30	06/10/22 13:09	79-00-5	
Trichloroethene	<27.2	ug/kg	72.8	27.2	1	06/09/22 08:30	06/10/22 13:09	79-01-6	
Trichlorofluoromethane	<21.1	ug/kg	72.8	21.1	1	06/09/22 08:30	06/10/22 13:09	75-69-4	
1,2,3-Trichloropropane	<35.4	ug/kg	72.8	35.4	1	06/09/22 08:30	06/10/22 13:09	96-18-4	
1,2,4-Trimethylbenzene	<21.7	ug/kg	72.8	21.7	1	06/09/22 08:30	06/10/22 13:09	95-63-6	
1,3,5-Trimethylbenzene	<23.5	ug/kg	72.8	23.5	1	06/09/22 08:30	06/10/22 13:09	108-67-8	
Vinyl chloride	<14.7	ug/kg	72.8	14.7	1	06/09/22 08:30	06/10/22 13:09	75-01-4	
m&p-Xylene	<30.7	ug/kg	146	30.7	1	06/09/22 08:30	06/10/22 13:09	179601-23-1	
o-Xylene	<21.8	ug/kg	72.8	21.8	1	06/09/22 08:30	06/10/22 13:09	95-47-6	
Surrogates									
Toluene-d8 (S)	149	%	69-153		1	06/09/22 08:30	06/10/22 13:09	2037-26-5	
4-Bromofluorobenzene (S)	139	%	68-156		1	06/09/22 08:30	06/10/22 13:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	132	%	71-161		1	06/09/22 08:30	06/10/22 13:09	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	18.6	%	0.10	0.10	1		06/15/22 15:00		
------------------	-------------	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

QC Batch: 417872

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246079001, 40246079002

METHOD BLANK: 2406499

Matrix: Solid

Associated Lab Samples: 40246079001, 40246079002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	06/14/22 09:56	

LABORATORY CONTROL SAMPLE: 2406500

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.82	99	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2406501 2406502

Parameter	Units	40245900001		2406502		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Mercury	mg/kg	0.078	0.88	0.88	0.99	1.1	103	112	85-115	8	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

QC Batch: 417706 Analysis Method: EPA 6010D
QC Batch Method: EPA 3050B Analysis Description: 6010D MET
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246079001, 40246079002

METHOD BLANK: 2405181 Matrix: Solid
Associated Lab Samples: 40246079001, 40246079002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<1.5	2.5	06/08/22 13:05	
Barium	mg/kg	<0.15	0.50	06/08/22 13:05	
Cadmium	mg/kg	<0.13	0.50	06/08/22 13:05	
Chromium	mg/kg	<0.28	1.0	06/08/22 13:05	
Lead	mg/kg	<0.60	2.0	06/08/22 13:05	
Selenium	mg/kg	<1.3	4.0	06/08/22 13:05	
Silver	mg/kg	<0.31	1.0	06/08/22 13:05	

LABORATORY CONTROL SAMPLE: 2405182

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	25	25.7	103	80-120	
Barium	mg/kg	25	26.7	107	80-120	
Cadmium	mg/kg	25	26.7	107	80-120	
Chromium	mg/kg	25	26.6	106	80-120	
Lead	mg/kg	25	26.8	107	80-120	
Selenium	mg/kg	25	27.1	108	80-120	
Silver	mg/kg	12.5	13.6	109	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2405183 2405184

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40246035001 Result	Spike Conc.	Spike Conc.	MS Result						
Arsenic	mg/kg	<3.5	29.9	29.8	32.5	32.7	102	104	75-125	1	20
Barium	mg/kg	82.6	29.9	29.8	146	158	211	253	75-125	8	20 M0
Cadmium	mg/kg	<0.32	29.9	29.8	29.6	30.7	99	103	75-125	4	20
Chromium	mg/kg	27.2	29.9	29.8	63.5	67.8	121	136	75-125	7	20 M0
Lead	mg/kg	12.7	29.9	29.8	45.2	48.6	109	120	75-125	7	20
Selenium	mg/kg	<3.1	29.9	29.8	29.1	30.6	97	103	75-125	5	20
Silver	mg/kg	<0.73	14.9	14.9	15.4	15.8	103	106	75-125	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

QC Batch: 417884 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246079001, 40246079002

METHOD BLANK: 2406543 Matrix: Solid
Associated Lab Samples: 40246079001, 40246079002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	06/09/22 20:00	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	06/09/22 20:00	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	06/09/22 20:00	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	06/09/22 20:00	
1,1-Dichloroethane	ug/kg	<12.8	50.0	06/09/22 20:00	
1,1-Dichloroethene	ug/kg	<16.6	50.0	06/09/22 20:00	
1,1-Dichloropropene	ug/kg	<16.2	50.0	06/09/22 20:00	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	06/09/22 20:00	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	06/09/22 20:00	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	06/09/22 20:00	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	06/09/22 20:00	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	06/09/22 20:00	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	06/09/22 20:00	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	06/09/22 20:00	
1,2-Dichloroethane	ug/kg	<11.5	50.0	06/09/22 20:00	
1,2-Dichloropropane	ug/kg	<11.9	50.0	06/09/22 20:00	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	06/09/22 20:00	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	06/09/22 20:00	
1,3-Dichloropropane	ug/kg	<10.9	50.0	06/09/22 20:00	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	06/09/22 20:00	
2,2-Dichloropropane	ug/kg	<13.5	50.0	06/09/22 20:00	
2-Chlorotoluene	ug/kg	<16.2	50.0	06/09/22 20:00	
4-Chlorotoluene	ug/kg	<19.0	50.0	06/09/22 20:00	
Benzene	ug/kg	<11.9	20.0	06/09/22 20:00	
Bromobenzene	ug/kg	<19.5	50.0	06/09/22 20:00	
Bromochloromethane	ug/kg	<13.7	50.0	06/09/22 20:00	
Bromodichloromethane	ug/kg	<11.9	50.0	06/09/22 20:00	
Bromoform	ug/kg	<220	250	06/09/22 20:00	
Bromomethane	ug/kg	<70.1	250	06/09/22 20:00	1q
Carbon tetrachloride	ug/kg	<11.0	50.0	06/09/22 20:00	
Chlorobenzene	ug/kg	<6.0	50.0	06/09/22 20:00	
Chloroethane	ug/kg	<21.1	250	06/09/22 20:00	1q
Chloroform	ug/kg	<35.8	250	06/09/22 20:00	
Chloromethane	ug/kg	<19.0	50.0	06/09/22 20:00	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	06/09/22 20:00	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	06/09/22 20:00	
Dibromochloromethane	ug/kg	<171	250	06/09/22 20:00	
Dibromomethane	ug/kg	<14.8	50.0	06/09/22 20:00	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	06/09/22 20:00	
Diisopropyl ether	ug/kg	<12.4	50.0	06/09/22 20:00	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

METHOD BLANK: 2406543

Matrix: Solid

Associated Lab Samples: 40246079001, 40246079002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	06/09/22 20:00	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	06/09/22 20:00	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	06/09/22 20:00	
m&p-Xylene	ug/kg	<21.1	100	06/09/22 20:00	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	06/09/22 20:00	
Methylene Chloride	ug/kg	<13.9	50.0	06/09/22 20:00	
n-Butylbenzene	ug/kg	<22.9	50.0	06/09/22 20:00	
n-Propylbenzene	ug/kg	<12.0	50.0	06/09/22 20:00	
Naphthalene	ug/kg	<15.6	250	06/09/22 20:00	
o-Xylene	ug/kg	<15.0	50.0	06/09/22 20:00	
p-Isopropyltoluene	ug/kg	<15.2	50.0	06/09/22 20:00	
sec-Butylbenzene	ug/kg	<12.2	50.0	06/09/22 20:00	
Styrene	ug/kg	<12.8	50.0	06/09/22 20:00	
tert-Butylbenzene	ug/kg	<15.7	50.0	06/09/22 20:00	
Tetrachloroethene	ug/kg	<19.4	50.0	06/09/22 20:00	
Toluene	ug/kg	<12.6	50.0	06/09/22 20:00	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	06/09/22 20:00	
trans-1,3-Dichloropropene	ug/kg	<143	250	06/09/22 20:00	
Trichloroethene	ug/kg	<18.7	50.0	06/09/22 20:00	
Trichlorofluoromethane	ug/kg	<14.5	50.0	06/09/22 20:00	
Vinyl chloride	ug/kg	<10.1	50.0	06/09/22 20:00	
1,2-Dichlorobenzene-d4 (S)	%	93	71-161	06/09/22 20:00	
4-Bromofluorobenzene (S)	%	90	68-156	06/09/22 20:00	
Toluene-d8 (S)	%	100	69-153	06/09/22 20:00	

LABORATORY CONTROL SAMPLE: 2406544

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2670	107	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2600	104	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2630	105	70-130	
1,1-Dichloroethane	ug/kg	2500	2730	109	70-130	
1,1-Dichloroethene	ug/kg	2500	2470	99	77-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2370	95	67-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2650	106	70-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2530	101	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2690	108	70-130	
1,2-Dichloroethane	ug/kg	2500	2820	113	70-130	
1,2-Dichloropropane	ug/kg	2500	2510	100	80-123	
1,3-Dichlorobenzene	ug/kg	2500	2660	107	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2580	103	70-130	
Benzene	ug/kg	2500	2480	99	70-130	
Bromodichloromethane	ug/kg	2500	2550	102	70-130	
Bromoform	ug/kg	2500	2160	86	60-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

LABORATORY CONTROL SAMPLE: 2406544

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	4400	176	45-153	CC,L1
Carbon tetrachloride	ug/kg	2500	2900	116	70-130	
Chlorobenzene	ug/kg	2500	2670	107	70-130	
Chloroethane	ug/kg	2500	4240	170	55-160	CC,L1
Chloroform	ug/kg	2500	2510	100	80-120	
Chloromethane	ug/kg	2500	2100	84	47-130	
cis-1,2-Dichloroethene	ug/kg	2500	2410	96	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2440	97	70-130	
Dibromochloromethane	ug/kg	2500	2280	91	70-130	
Dichlorodifluoromethane	ug/kg	2500	1940	78	16-83	
Ethylbenzene	ug/kg	2500	2440	97	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2470	99	70-130	
m&p-Xylene	ug/kg	5000	4890	98	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2210	88	65-130	
Methylene Chloride	ug/kg	2500	2540	101	70-130	
o-Xylene	ug/kg	2500	2490	99	70-130	
Styrene	ug/kg	2500	2530	101	70-130	
Tetrachloroethene	ug/kg	2500	2630	105	70-130	
Toluene	ug/kg	2500	2500	100	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2420	97	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2470	99	70-130	
Trichloroethene	ug/kg	2500	2550	102	70-130	
Trichlorofluoromethane	ug/kg	2500	2900	116	70-130	
Vinyl chloride	ug/kg	2500	2170	87	59-114	
1,2-Dichlorobenzene-d4 (S)	%			105	71-161	
4-Bromofluorobenzene (S)	%			109	68-156	
Toluene-d8 (S)	%			113	69-153	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2406545 2406546

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40246079001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/kg	66.4J	1250	1250	1480	1650	113	127	69-130	11	20		
1,1,2,2-Tetrachloroethane	ug/kg	<27.2	1250	1250	1420	1510	114	121	70-130	6	20		
1,1,2-Trichloroethane	ug/kg	<27.3	1250	1250	1370	1520	110	121	70-130	10	20		
1,1-Dichloroethane	ug/kg	<19.2	1250	1250	1490	1550	119	124	70-130	4	20		
1,1-Dichloroethene	ug/kg	<24.9	1250	1250	1320	1430	105	114	55-120	8	22		
1,2,4-Trichlorobenzene	ug/kg	<61.8	1250	1250	1680	1420	134	113	67-130	17	20	M1	
1,2-Dibromo-3-chloropropane	ug/kg	<58.2	1250	1250	1370	1380	110	110	70-130	0	22		
1,2-Dibromoethane (EDB)	ug/kg	<20.6	1250	1250	1310	1450	104	116	70-130	10	20		
1,2-Dichlorobenzene	ug/kg	<23.3	1250	1250	1570	1540	126	123	70-130	2	20		
1,2-Dichloroethane	ug/kg	<17.3	1250	1250	1530	1670	123	134	70-130	9	20	M1	
1,2-Dichloropropane	ug/kg	<17.9	1250	1250	1370	1470	110	118	80-123	7	20		
1,3-Dichlorobenzene	ug/kg	<20.6	1250	1250	1520	1420	121	114	70-130	6	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

Parameter	Units	2406545		2406546		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40246079001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
1,4-Dichlorobenzene	ug/kg	<20.6	1250	1250	1410	1400	113	112	70-130	1	20	
Benzene	ug/kg	<17.9	1250	1250	1390	1430	111	115	70-130	3	20	
Bromodichloromethane	ug/kg	<17.9	1250	1250	1390	1460	111	117	70-130	5	20	
Bromoform	ug/kg	<330	1250	1250	1180	1230	94	99	60-130	5	20	
Bromomethane	ug/kg	<105	1250	1250	2510	2600	201	208	38-153	4	20	CC,M0
Carbon tetrachloride	ug/kg	<16.5	1250	1250	1440	1510	116	121	62-130	5	20	
Chlorobenzene	ug/kg	<9.0	1250	1250	1490	1500	119	120	70-130	1	20	
Chloroethane	ug/kg	<31.7	1250	1250	2560	3110	205	249	53-160	19	24	CC,M0
Chloroform	ug/kg	<53.7	1250	1250	1500	1560	120	125	80-120	4	20	M1
Chloromethane	ug/kg	<28.5	1250	1250	1220	1250	98	100	10-130	2	20	
cis-1,2-Dichloroethene	ug/kg	<16.1	1250	1250	1290	1380	103	110	70-130	6	20	
cis-1,3-Dichloropropene	ug/kg	<49.5	1250	1250	1300	1360	104	109	70-130	4	20	
Dibromochloromethane	ug/kg	<256	1250	1250	1250	1360	100	108	70-130	8	20	
Dichlorodifluoromethane	ug/kg	<32.3	1250	1250	955	1090	76	87	10-83	13	31	M1
Ethylbenzene	ug/kg	<17.9	1250	1250	1370	1400	109	112	80-120	2	20	
Isopropylbenzene (Cumene)	ug/kg	<20.3	1250	1250	1370	1370	110	110	70-130	0	20	
m&p-Xylene	ug/kg	<31.7	2500	2500	2730	2800	109	112	70-130	3	20	
Methyl-tert-butyl ether	ug/kg	<22.1	1250	1250	1240	1320	99	105	66-130	6	20	
Methylene Chloride	ug/kg	<20.9	1250	1250	1440	1580	115	126	70-130	9	20	
o-Xylene	ug/kg	<22.5	1250	1250	1400	1440	112	115	70-130	3	20	
Styrene	ug/kg	<19.2	1250	1250	1320	1370	105	110	70-130	4	20	
Tetrachloroethene	ug/kg	<29.1	1250	1250	1330	1460	106	116	69-130	9	20	
Toluene	ug/kg	20.1J	1250	1250	1360	1450	107	114	79-120	6	20	
trans-1,2-Dichloroethene	ug/kg	<16.2	1250	1250	1320	1410	106	112	70-130	6	20	
trans-1,3-Dichloropropene	ug/kg	<215	1250	1250	1290	1260	103	101	69-130	2	20	
Trichloroethene	ug/kg	<28.1	1250	1250	1480	1520	118	122	70-130	3	20	
Trichlorofluoromethane	ug/kg	<21.8	1250	1250	1640	1840	131	147	50-130	11	22	M1
Vinyl chloride	ug/kg	<15.2	1250	1250	1190	1270	95	102	26-114	7	20	
1,2-Dichlorobenzene-d4 (S)	%						111	113	71-161			
4-Bromofluorobenzene (S)	%						123	125	68-156			
Toluene-d8 (S)	%						117	125	69-153			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

QC Batch: 417814 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246079001, 40246079002

METHOD BLANK: 2406235 Matrix: Solid
Associated Lab Samples: 40246079001, 40246079002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<15.2	50.0	06/09/22 10:47	
PCB-1221 (Aroclor 1221)	ug/kg	<15.2	50.0	06/09/22 10:47	
PCB-1232 (Aroclor 1232)	ug/kg	<15.2	50.0	06/09/22 10:47	
PCB-1242 (Aroclor 1242)	ug/kg	<15.2	50.0	06/09/22 10:47	
PCB-1248 (Aroclor 1248)	ug/kg	<15.2	50.0	06/09/22 10:47	
PCB-1254 (Aroclor 1254)	ug/kg	<15.2	50.0	06/09/22 10:47	
PCB-1260 (Aroclor 1260)	ug/kg	<15.2	50.0	06/09/22 10:47	
Decachlorobiphenyl (S)	%	88	38-95	06/09/22 10:47	
Tetrachloro-m-xylene (S)	%	87	50-99	06/09/22 10:47	

LABORATORY CONTROL SAMPLE: 2406236

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<15.2			
PCB-1221 (Aroclor 1221)	ug/kg		<15.2			
PCB-1232 (Aroclor 1232)	ug/kg		<15.2			
PCB-1242 (Aroclor 1242)	ug/kg		<15.2			
PCB-1248 (Aroclor 1248)	ug/kg		<15.2			
PCB-1254 (Aroclor 1254)	ug/kg		<15.2			
PCB-1260 (Aroclor 1260)	ug/kg	500	437	87	71-104	
Decachlorobiphenyl (S)	%			88	38-95	
Tetrachloro-m-xylene (S)	%			89	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2406237 2406238

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40246079002	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	ug/kg	<18.8			<18.8	<18.7					20
PCB-1221 (Aroclor 1221)	ug/kg	<18.8			<18.8	<18.7					20
PCB-1232 (Aroclor 1232)	ug/kg	<18.8			<18.8	<18.7					20
PCB-1242 (Aroclor 1242)	ug/kg	<18.8			<18.8	<18.7					20
PCB-1248 (Aroclor 1248)	ug/kg	<18.8			<18.8	<18.7					20
PCB-1254 (Aroclor 1254)	ug/kg	<18.8			<18.8	<18.7					20
PCB-1260 (Aroclor 1260)	ug/kg	<18.8	617	613	474	399	77	65	42-109	17	20
Decachlorobiphenyl (S)	%						78	65	38-95		
Tetrachloro-m-xylene (S)	%						85	68	50-99		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

QC Batch: 417840

Analysis Method: EPA 8270E

QC Batch Method: EPA 3546

Analysis Description: 8270E Solid MSSV Microwave

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246079001, 40246079002

METHOD BLANK: 2406319

Matrix: Solid

Associated Lab Samples: 40246079001, 40246079002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<18.9	62.9	06/10/22 12:56	
1,2-Dichlorobenzene	ug/kg	<52.5	175	06/10/22 12:56	
1,3-Dichlorobenzene	ug/kg	<23.1	77.0	06/10/22 12:56	
1,4-Dichlorobenzene	ug/kg	<23.3	77.5	06/10/22 12:56	
2,2'-Oxybis(1-chloropropane)	ug/kg	<43.0	143	06/10/22 12:56	
2,4,5-Trichlorophenol	ug/kg	<29.5	98.3	06/10/22 12:56	
2,4,6-Trichlorophenol	ug/kg	<25.5	84.8	06/10/22 12:56	
2,4-Dichlorophenol	ug/kg	<44.6	149	06/10/22 12:56	
2,4-Dimethylphenol	ug/kg	<33.0	110	06/10/22 12:56	
2,4-Dinitrophenol	ug/kg	<50.8	169	06/10/22 12:56	
2,4-Dinitrotoluene	ug/kg	<23.9	79.6	06/10/22 12:56	
2,6-Dinitrotoluene	ug/kg	<31.7	106	06/10/22 12:56	
2-Chloronaphthalene	ug/kg	<21.4	71.4	06/10/22 12:56	
2-Chlorophenol	ug/kg	<41.7	139	06/10/22 12:56	
2-Methylnaphthalene	ug/kg	<43.3	144	06/10/22 12:56	
2-Methylphenol(o-Cresol)	ug/kg	<30.3	101	06/10/22 12:56	
2-Nitroaniline	ug/kg	<47.6	159	06/10/22 12:56	
2-Nitrophenol	ug/kg	<52.7	176	06/10/22 12:56	
3&4-Methylphenol(m&p Cresol)	ug/kg	<30.6	102	06/10/22 12:56	
3,3'-Dichlorobenzidine	ug/kg	<45.3	151	06/10/22 12:56	
3-Nitroaniline	ug/kg	<28.4	94.6	06/10/22 12:56	
4,6-Dinitro-2-methylphenol	ug/kg	<51.4	171	06/10/22 12:56	
4-Bromophenylphenyl ether	ug/kg	<35.0	117	06/10/22 12:56	
4-Chloro-3-methylphenol	ug/kg	<51.9	173	06/10/22 12:56	
4-Chloroaniline	ug/kg	<27.4	91.4	06/10/22 12:56	2q
4-Chlorophenylphenyl ether	ug/kg	<31.1	104	06/10/22 12:56	
4-Nitroaniline	ug/kg	<69.3	231	06/10/22 12:56	
4-Nitrophenol	ug/kg	<42.0	140	06/10/22 12:56	
Acenaphthene	ug/kg	<59.2	197	06/10/22 12:56	
Acenaphthylene	ug/kg	<59.5	198	06/10/22 12:56	
Anthracene	ug/kg	<26.7	88.9	06/10/22 12:56	
Benzo(a)anthracene	ug/kg	<25.9	86.2	06/10/22 12:56	
Benzo(a)pyrene	ug/kg	<25.1	83.7	06/10/22 12:56	
Benzo(b)fluoranthene	ug/kg	<28.7	95.6	06/10/22 12:56	
Benzo(g,h,i)perylene	ug/kg	<43.7	146	06/10/22 12:56	
Benzo(k)fluoranthene	ug/kg	<40.0	133	06/10/22 12:56	
bis(2-Chloroethoxy)methane	ug/kg	<45.0	150	06/10/22 12:56	
bis(2-Chloroethyl) ether	ug/kg	<52.1	174	06/10/22 12:56	
bis(2-Ethylhexyl)phthalate	ug/kg	<27.8	92.5	06/10/22 12:56	
Butylbenzylphthalate	ug/kg	<26.8	89.2	06/10/22 12:56	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

METHOD BLANK: 2406319

Matrix: Solid

Associated Lab Samples: 40246079001, 40246079002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Carbazole	ug/kg	<26.1	87.1	06/10/22 12:56	
Chrysene	ug/kg	<25.0	83.2	06/10/22 12:56	
Di-n-butylphthalate	ug/kg	<24.9	83.2	06/10/22 12:56	
Di-n-octylphthalate	ug/kg	<37.5	125	06/10/22 12:56	
Dibenz(a,h)anthracene	ug/kg	<45.3	151	06/10/22 12:56	
Dibenzofuran	ug/kg	<20.2	67.4	06/10/22 12:56	
Diethylphthalate	ug/kg	<27.7	92.3	06/10/22 12:56	
Dimethylphthalate	ug/kg	<21.7	72.4	06/10/22 12:56	
Fluoranthene	ug/kg	<23.6	78.7	06/10/22 12:56	
Fluorene	ug/kg	<19.5	65.0	06/10/22 12:56	
Hexachloro-1,3-butadiene	ug/kg	<42.5	142	06/10/22 12:56	
Hexachlorobenzene	ug/kg	<28.1	93.6	06/10/22 12:56	
Hexachlorocyclopentadiene	ug/kg	<39.5	132	06/10/22 12:56	
Hexachloroethane	ug/kg	<26.7	89.0	06/10/22 12:56	
Indeno(1,2,3-cd)pyrene	ug/kg	<36.1	120	06/10/22 12:56	
Isophorone	ug/kg	<25.7	85.5	06/10/22 12:56	
N-Nitroso-di-n-propylamine	ug/kg	<26.5	88.2	06/10/22 12:56	
N-Nitrosodiphenylamine	ug/kg	<226	755	06/10/22 12:56	
Naphthalene	ug/kg	<58.4	195	06/10/22 12:56	
Nitrobenzene	ug/kg	<33.8	113	06/10/22 12:56	
Pentachlorophenol	ug/kg	<36.8	123	06/10/22 12:56	
Phenanthrene	ug/kg	<21.4	71.4	06/10/22 12:56	
Phenol	ug/kg	<39.6	132	06/10/22 12:56	
Pyrene	ug/kg	<37.0	123	06/10/22 12:56	
2,4,6-Tribromophenol (S)	%	100	10-144	06/10/22 12:56	
2-Fluorobiphenyl (S)	%	77	12-118	06/10/22 12:56	
2-Fluorophenol (S)	%	66	10-130	06/10/22 12:56	
Nitrobenzene-d5 (S)	%	77	10-125	06/10/22 12:56	
Phenol-d6 (S)	%	67	10-125	06/10/22 12:56	
Terphenyl-d14 (S)	%	93	10-124	06/10/22 12:56	

LABORATORY CONTROL SAMPLE: 2406320

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1670	1610	97	70-130	
1,2-Dichlorobenzene	ug/kg	1670	1360	82	66-130	
1,3-Dichlorobenzene	ug/kg	1670	1320	79	66-130	
1,4-Dichlorobenzene	ug/kg	1670	1360	82	64-130	
2,2'-Oxybis(1-chloropropane)	ug/kg	1670	1370	82	65-130	
2,4,5-Trichlorophenol	ug/kg	1670	1820	109	70-125	
2,4,6-Trichlorophenol	ug/kg	1670	1700	102	70-124	
2,4-Dichlorophenol	ug/kg	1670	1720	103	70-121	
2,4-Dimethylphenol	ug/kg	1670	1630	98	70-130	
2,4-Dinitrophenol	ug/kg	1670	1440	86	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

LABORATORY CONTROL SAMPLE: 2406320

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/kg	1670	1830	110	70-130	
2,6-Dinitrotoluene	ug/kg	1670	1850	111	70-130	
2-Chloronaphthalene	ug/kg	1670	1640	99	70-130	
2-Chlorophenol	ug/kg	1670	1500	90	67-130	
2-Methylnaphthalene	ug/kg	1670	1660	99	70-130	
2-Methylphenol(o-Cresol)	ug/kg	1670	1580	95	69-130	
2-Nitroaniline	ug/kg	1670	1690	101	70-124	
2-Nitrophenol	ug/kg	1670	1860	111	70-130	
3&4-Methylphenol(m&p Cresol)	ug/kg	1670	1550	93	70-130	
3,3'-Dichlorobenzidine	ug/kg	1670	1480	89	48-112	
3-Nitroaniline	ug/kg	1670	1470	88	57-121	
4,6-Dinitro-2-methylphenol	ug/kg	1670	1580	95	59-115	
4-Bromophenylphenyl ether	ug/kg	1670	1820	109	70-130	
4-Chloro-3-methylphenol	ug/kg	1670	1700	102	70-130	
4-Chloroaniline	ug/kg	1670	1220	73	45-130	2q
4-Chlorophenylphenyl ether	ug/kg	1670	1800	108	70-130	
4-Nitroaniline	ug/kg	1670	1570	94	62-127	
4-Nitrophenol	ug/kg	1670	1510	90	50-126	
Acenaphthene	ug/kg	1670	1570	94	70-130	
Acenaphthylene	ug/kg	1670	1670	101	70-130	
Anthracene	ug/kg	1670	1600	96	70-130	
Benzo(a)anthracene	ug/kg	1670	1720	103	70-130	
Benzo(a)pyrene	ug/kg	1670	1580	95	70-130	
Benzo(b)fluoranthene	ug/kg	1670	1550	93	70-130	
Benzo(g,h,i)perylene	ug/kg	1670	1570	94	65-130	
Benzo(k)fluoranthene	ug/kg	1670	1560	93	70-130	
bis(2-Chloroethoxy)methane	ug/kg	1670	1590	96	70-130	
bis(2-Chloroethyl) ether	ug/kg	1670	1340	80	68-130	
bis(2-Ethylhexyl)phthalate	ug/kg	1670	1780	107	70-130	
Butylbenzylphthalate	ug/kg	1670	1830	110	70-130	
Carbazole	ug/kg	1670	1630	98	70-130	
Chrysene	ug/kg	1670	1750	105	70-130	
Di-n-butylphthalate	ug/kg	1670	1740	104	70-130	
Di-n-octylphthalate	ug/kg	1670	1800	108	67-134	
Dibenz(a,h)anthracene	ug/kg	1670	1670	100	68-130	
Dibenzofuran	ug/kg	1670	1690	101	70-130	
Diethylphthalate	ug/kg	1670	1660	99	70-130	
Dimethylphthalate	ug/kg	1670	1700	102	70-130	
Fluoranthene	ug/kg	1670	1700	102	70-130	
Fluorene	ug/kg	1670	1720	103	70-130	
Hexachloro-1,3-butadiene	ug/kg	1670	1690	101	67-130	
Hexachlorobenzene	ug/kg	1670	1670	100	70-130	
Hexachlorocyclopentadiene	ug/kg	1670	1490	90	54-114	
Hexachloroethane	ug/kg	1670	1380	83	64-130	
Indeno(1,2,3-cd)pyrene	ug/kg	1670	1570	94	63-130	
Isophorone	ug/kg	1670	1690	101	70-130	
N-Nitroso-di-n-propylamine	ug/kg	1670	1480	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

LABORATORY CONTROL SAMPLE: 2406320

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	ug/kg	1670	1670	100	70-130	
Naphthalene	ug/kg	1670	1560	94	70-130	
Nitrobenzene	ug/kg	1670	1560	94	70-130	
Pentachlorophenol	ug/kg	1670	1460	87	47-108	
Phenanthrene	ug/kg	1670	1610	96	70-130	
Phenol	ug/kg	1670	1450	87	67-130	
Pyrene	ug/kg	1670	1610	97	70-130	
2,4,6-Tribromophenol (S)	%			117	10-144	
2-Fluorobiphenyl (S)	%			97	12-118	
2-Fluorophenol (S)	%			81	10-130	
Nitrobenzene-d5 (S)	%			93	10-125	
Phenol-d6 (S)	%			82	10-125	
Terphenyl-d14 (S)	%			104	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2406321 2406322

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40246079002	Result	Spike Conc.	MSD Spike Conc.								
1,2,4-Trichlorobenzene	ug/kg	<58.0	2050	2050	1720	1640	84	80	45-130	5	28		
1,2-Dichlorobenzene	ug/kg	<161	2050	2050	1630	1550	80	76	45-130	5	29		
1,3-Dichlorobenzene	ug/kg	<71.0	2050	2050	1490	1500	73	74	42-130	1	30		
1,4-Dichlorobenzene	ug/kg	<71.5	2050	2050	1620	1500	79	73	42-130	8	32		
2,2'-Oxybis(1-chloropropane)	ug/kg	<132	2050	2050	1460	1470	72	72	44-130	0	26		
2,4,5-Trichlorophenol	ug/kg	<90.6	2050	2050	1750	1630	86	80	11-125	7	30		
2,4,6-Trichlorophenol	ug/kg	<78.2	2050	2050	1620	1680	79	82	16-124	4	31		
2,4-Dichlorophenol	ug/kg	<137	2050	2050	1480	1550	72	76	19-121	5	29		
2,4-Dimethylphenol	ug/kg	<101	2050	2050	1550	1560	76	76	29-130	1	32		
2,4-Dinitrophenol	ug/kg	<156	2050	2050	713J	751J	35	37	10-103		50		
2,4-Dinitrotoluene	ug/kg	<73.4	2050	2050	1580	1580	77	77	38-130	1	27		
2,6-Dinitrotoluene	ug/kg	<97.4	2050	2050	1990	1870	97	92	41-130	6	28		
2-Chloronaphthalene	ug/kg	<65.9	2050	2050	1750	1670	86	82	44-130	5	24		
2-Chlorophenol	ug/kg	<128	2050	2050	1500	1630	73	80	33-130	8	30		
2-Methylnaphthalene	ug/kg	<133	2050	2050	1790	1610	87	79	46-130	11	23		
2-Methylphenol(o-Cresol)	ug/kg	<93.2	2050	2050	1570	1570	77	77	30-130	0	30		
2-Nitroaniline	ug/kg	<146	2050	2050	1670	1620	81	79	27-124	3	25		
2-Nitrophenol	ug/kg	<162	2050	2050	1880	1640	92	80	10-130	13	27		
3&4-Methylphenol(m&p Cresol)	ug/kg	<94.0	2050	2050	1530	1550	75	76	28-130	1	33		
3,3'-Dichlorobenzidine	ug/kg	<139	2050	2050	1580	1650	77	80	10-112	4	43		
3-Nitroaniline	ug/kg	<87.2	2050	2050	1470	1540	72	75	10-121	4	33		
4,6-Dinitro-2-methylphenol	ug/kg	<158	2050	2050	1340	1470	66	72	10-115	9	50		
4-Bromophenylphenyl ether	ug/kg	<107	2050	2050	1820	1750	89	86	40-130	4	25		
4-Chloro-3-methylphenol	ug/kg	<160	2050	2050	1530	1590	75	78	30-130	4	29		
4-Chloroaniline	ug/kg	<84.3	2050	2050	1230	1220	60	60	16-130	1	33	2q	
4-Chlorophenylphenyl ether	ug/kg	<95.5	2050	2050	1670	1710	82	84	46-130	2	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD
Pace Project No.: 40246079

Parameter	Units	2406321		2406322		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40246079002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4-Nitroaniline	ug/kg	<213	2050	2050	1340	1380	65	68	10-127	3	40		
4-Nitrophenol	ug/kg	<129	2050	2050	1010	991	50	48	10-128	2	50		
Acenaphthene	ug/kg	<182	2050	2050	1590	1640	78	80	47-130	3	21		
Acenaphthylene	ug/kg	<183	2050	2050	1600	1620	78	79	49-130	2	22		
Anthracene	ug/kg	<82.0	2050	2050	1610	1540	79	75	46-130	4	27		
Benzo(a)anthracene	ug/kg	<79.4	2050	2050	1700	1720	83	84	45-130	1	24		
Benzo(a)pyrene	ug/kg	<77.2	2050	2050	1610	1530	77	73	48-130	5	27		
Benzo(b)fluoranthene	ug/kg	<88.1	2050	2050	1430	1550	68	74	41-130	8	31		
Benzo(g,h,i)perylene	ug/kg	<134	2050	2050	1580	1720	77	84	37-130	9	31		
Benzo(k)fluoranthene	ug/kg	<123	2050	2050	1460	1390	71	68	46-130	5	27		
bis(2-Chloroethoxy)methane	ug/kg	<138	2050	2050	1590	1510	78	74	38-130	5	26		
bis(2-Chloroethyl) ether	ug/kg	<160	2050	2050	1430	1400	70	69	42-130	2	29		
bis(2-Ethylhexyl)phthalate	ug/kg	869	2050	2050	2390	2340	74	72	39-130	2	27		
Butylbenzylphthalate	ug/kg	<82.2	2050	2050	1730	1820	85	89	39-130	5	27		
Carbazole	ug/kg	<80.3	2050	2050	1670	1590	81	78	44-130	5	24		
Chrysene	ug/kg	<76.7	2050	2050	1620	1580	79	77	44-130	3	25		
Di-n-butylphthalate	ug/kg	<76.7	2050	2050	1800	1610	88	79	45-130	11	26		
Di-n-octylphthalate	ug/kg	<115	2050	2050	2170	2190	106	107	40-134	1	27		
Dibenz(a,h)anthracene	ug/kg	<139	2050	2050	1650	1600	81	78	41-130	3	33		
Dibenzofuran	ug/kg	<62.1	2050	2050	1790	1670	87	81	47-130	7	23		
Diethylphthalate	ug/kg	<85.0	2050	2050	1700	1700	83	83	46-130	0	24		
Dimethylphthalate	ug/kg	<66.7	2050	2050	1690	1650	83	81	47-130	2	24		
Fluoranthene	ug/kg	<72.6	2050	2050	1720	1720	84	84	50-130	0	27		
Fluorene	ug/kg	<59.9	2050	2050	1680	1730	82	85	48-130	3	25		
Hexachloro-1,3-butadiene	ug/kg	<131	2050	2050	2120	1810	104	88	42-130	16	27		
Hexachlorobenzene	ug/kg	<86.3	2050	2050	1900	1670	93	82	51-130	13	24		
Hexachlorocyclopentadiene	ug/kg	<121	2050	2050	1020	935	50	46	10-114	9	50		
Hexachloroethane	ug/kg	<82.1	2050	2050	1440	1530	70	75	33-130	6	35		
Indeno(1,2,3-cd)pyrene	ug/kg	<111	2050	2050	1700	1610	81	77	34-130	5	38		
Isophorone	ug/kg	<78.8	2050	2050	1670	1520	81	74	45-130	9	28		
N-Nitroso-di-n-propylamine	ug/kg	<81.3	2050	2050	1460	1430	71	70	47-130	2	27		
N-Nitrosodiphenylamine	ug/kg	<696	2050	2050	1670J	1540J	82	75	42-130		25		
Naphthalene	ug/kg	<179	2050	2050	1710	1570	84	77	48-130	8	24		
Nitrobenzene	ug/kg	<104	2050	2050	1630	1490	80	73	42-130	9	25		
Pentachlorophenol	ug/kg	<113	2050	2050	963	902	47	44	10-108	7	50		
Phenanthrene	ug/kg	<65.8	2050	2050	1700	1540	83	75	50-130	10	27		
Phenol	ug/kg	<122	2050	2050	1540	1510	75	74	37-130	2	30	D3	
Pyrene	ug/kg	<114	2050	2050	1650	1560	81	76	43-130	6	29		
2,4,6-Tribromophenol (S)	%						82	92	10-144				
2-Fluorobiphenyl (S)	%						79	77	12-118				
2-Fluorophenol (S)	%						75	68	10-130				
Nitrobenzene-d5 (S)	%						80	75	10-125				
Phenol-d6 (S)	%						69	70	10-125				
Terphenyl-d14 (S)	%						78	74	10-124				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

QC Batch: 418450

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246079001, 40246079002

SAMPLE DUPLICATE: 2409871

Parameter	Units	40246151003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	17.8	18.0	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- 1q Analyte recovery in the continuing calibration verification (CCV) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
- 2q This analyte's recovery was below secondary source verification limits. The results may be biased low.
- CC The continuing calibration for this compound is outside of method control limits. The result is estimated.
- D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
- L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.
- M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 60685247 PM 8 CRANE PAD

Pace Project No.: 40246079

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40246079001	B-5/B-3 COMP	EPA 3541	417814	EPA 8082A	417815
40246079002	B-11/B-2/B-4 COMP	EPA 3541	417814	EPA 8082A	417815
40246079001	B-5/B-3 COMP	EPA 3050B	417706	EPA 6010D	417779
40246079002	B-11/B-2/B-4 COMP	EPA 3050B	417706	EPA 6010D	417779
40246079001	B-5/B-3 COMP	EPA 7471	417872	EPA 7471	418130
40246079002	B-11/B-2/B-4 COMP	EPA 7471	417872	EPA 7471	418130
40246079001	B-5/B-3 COMP	EPA 3546	417840	EPA 8270E	417899
40246079002	B-11/B-2/B-4 COMP	EPA 3546	417840	EPA 8270E	417899
40246079001	B-5/B-3 COMP	EPA 5035/5030B	417884	EPA 8260	417887
40246079002	B-11/B-2/B-4 COMP	EPA 5035/5030B	417884	EPA 8260	417887
40246079001	B-5/B-3 COMP	ASTM D2974-87	418450		
40246079002	B-11/B-2/B-4 COMP	ASTM D2974-87	418450		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40246079

ALL SHADED AREAS are for LAB USE ONLY

Company: **AECOM**

Billing Information: *Accounts Payable*

Address: *2985 S Ridge RD Green Bay*

Report To: *Jeremy Thomas*

Copy To:

Email To: *Jeremy.Thomas@aecom.com*

Customer Project Name/Number: *PM8 Crane Pad 60685247*

Site Collection Info/Address: *1919 S Broadway St*

Phone: *262-278-7823*

State: *WI* County/City: *Waukegan* Time Zone Collected: *EST*

Site/Facility ID #:

Compliance Monitoring? Yes No

Collected By (print): *Chris Ludeen*

DW PWS ID #: DW Location Code:

Collected By (signature): *[Signature]*

Immediately Packed on Ice: Yes No

Sample Disposal: Dispose as appropriate Return

Field Filtered (if applicable): Yes No

Rush: Same Day Next Day 2 Day 3 Day 4 Day 5 Day

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	Analyses	Lab Profile/Line:
			Date	Time	Date	Time				
<i>B-5/B-3 Comp</i>	<i>SL</i>	<i>Comp</i>	<i>6/6/22</i>	<i>215</i>			<i>6</i>	<i>3</i>	<i>VOCs 8260</i>	Lab Sample Receipt Checklist: Custody Seals Present/Intact Y N NA Custody Signatures Present Y N NA Collector Signature Present Y N NA Bottles Intact Y N NA Correct Bottles Y N NA Sufficient Volume Y N NA Samples Received on Ice Y N NA VOA - Headspace Acceptable Y N NA USDA Regulated Solids Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: <i>U/20 ONLY</i> Sample pH Acceptable Y N NA pH Strips: <i>U/20 ONLY</i> Sulfide Present Y N NA Lead Acetate Strips: _____ LAB USE ONLY: Lab Sample # / Comments:
<i>B-1/B-2/B-4 Comp</i>	<i>SL</i>	<i>Comp</i>	<i>6/6/22</i>	<i>300</i>			<i>6</i>	<i>3</i>	<i>PCB/Suoc</i> <i>Metals / Dry weight</i> <i>PFA 5 by 5317</i>	

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None *(1)*

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Sample Temperature Info:

Packing Material Used:

Radchem sample(s) screened (<500 cpm): Y N NA

Lab Tracking #: **2781099**

Temp Blank Received: Y N NA
Therm ID#: *116*
Cooler 1 Temp Upon Receipt: *5.5*oC
Cooler 1 Therm Corr. Factor: *5.0*oC
Cooler 1 Corrected Temp: _____oC
Comments:

Relinquished by/Company: (Signature) *Chris Ludeen / AECOM*

Date/Time: *1542*
6/7/22

Received by/Company: (Signature) *[Signature]*

Date/Time: *1542*
6/7/22

MTJL LAB USE ONLY

Trip Blank Received: Y N NA
HCL MeOH TSP Other

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

Table #:
Acctnum:
Template:
Prelogin:

Non Conformance(s): YES / NO

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

PM:
PB:

Page: *29* of *31*
of: *1*

Sample Preservation Receipt Form

Client Name: AECOM

Project # W0246079

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T
001																															2.5 / 5 / 10
002																															2.5 / 5 / 10
003																															2.5 / 5 / 10
004																															2.5 / 5 / 10
005																															2.5 / 5 / 10
006																															2.5 / 5 / 10
007																															2.5 / 5 / 10
008																															2.5 / 5 / 10
009																															2.5 / 5 / 10
010																															2.5 / 5 / 10
011																															2.5 / 5 / 10
012																															2.5 / 5 / 10
013																															2.5 / 5 / 10
014																															2.5 / 5 / 10
015																															2.5 / 5 / 10
016																															2.5 / 5 / 10
017																															2.5 / 5 / 10
018																															2.5 / 5 / 10
019																															2.5 / 5 / 10
020																															2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *if yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

Sample Condition Upon Receipt Form (SCUR)

Client Name: AECOM

Project #:

WO#: **40246079**

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 116 Type of Ice Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 5.5 / Corr: 5.6

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 6/7/22 / Initials: AW

Labeled By Initials: MP

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>ACC 6/7/22 AW</u>
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>001: one vial no label, in bag with other 001 vials; 002: vials used water soluble ink, illegible, placed by elimination 6/7/22 AW</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

Report Prepared for:

Christopher Hyska
PACE Wisconsin
1241 Bellevue Street
Green Bay WI 54302

**REPORT OF
LABORATORY
ANALYSIS
FOR PFAAs**

Report Prepared Date:

July 14, 2022

Report Information:


Pace Project #: 10612096
Sample Receipt Date: 06/09/2022
Client Project #: 40246079 AECOM Oshkosh
Client Sub PO #: N/A
State Cert #: N/A

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 PFAA Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Scott Unze, your Pace Project Manager.

This report has been reviewed by:



July 14, 2022

Scott Unze, Project Manager
(612) 607-6383
(612) 607-6444 (fax)
scott.unze@pacelabs.com



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.

DISCUSSION

This report presents the results from the analyses performed on two samples submitted by a representative of Pace Wisconsin. The samples were analyzed for thirty-three perfluorinated compounds using Wisconsin DNR guidance for PFAS. Reporting limits were set to MDL levels.

A laboratory method blank was prepared and analyzed with the sample batch as part of our routine quality control procedures. The results show the blank was free of the target perfluorinated compounds at the reporting limits. This indicates that the sample processing procedures did not significantly contribute to the analyte content determined for the sample material.

A laboratory spike sample was also prepared with the sample batch using clean reference matrix that had been fortified with native standards. The recovery results were within the method limits. This spike indicates that extraction performed as expected. No usable matrix spike data is available with the batch, analysis was completed at client request.

Diminished extracted internal standard (EIS) recovery ("R" flagged) were present in samples, however, the use of the isotope dilution method generally precludes any adverse impact on those individual native compounds that have a directly associated standard.

Both samples have recoveries less than 1% for selected EIS. The results for these native compounds should be considered estimated.

The four injection internal standards (13C4 PFOA, 13C4 PFOS, 13C2_PFDA, and 13C2_PFHxA) pass for each analysis in the batch verifying that the instrument detector is working as expected.

Results that were below the calibration range were flagged "J".

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Mississippi	MN00064
Alabama	40770	Missouri	10100
Alaska-DW	MN00064	Montana	CERT0092
Alaska-UST	17-009	Nebraska	NE-OS-18-06
Arizona	AZ0014	Nevada	MN00064
Arkansas - WW	88-0680	New Hampshire	2081
Arkansas-DW	MN00064	New Jersey	MN002
California	2929	New York	11647
Colorado	MN00064	North Carolina-	27700
Connecticut	PH-0256	North Carolina-	530
Florida	E87605	North Dakota	R-036
Georgia	959	Ohio-DW	41244
Hawaii	MN00064	Ohio-VAP (170	CL101
Idaho	MN00064	Ohio-VAP (180	CL110
Illinois	200011	Oklahoma	9507
Indiana	C-MN-01	Oregon- rimary	MN300001
Iowa	368	Oregon-Second	MN200001
Kansas	E-10167	Pennsylvania	68-00563
Kentucky-DW	90062	Puerto Rico	MN00064
Kentucky-WW	90062	South Carolina	74003
Louisiana-DEQ	AI-84596	Tennessee	TN02818
Louisiana-DW	MN00064	Texas	T104704192
Maine	MN00064	Utah	MN00064
Maryland	322	Vermont	VT-027053137
Michigan	9909	Virginia	460163
Minnesota	027-053-137	Washington	C486
Minnesota-Ag	via MN 027-053	West Virginia-D	382
Minnesota-Petr	1240	West Virginia-D	9952C
		Wisconsin	999407970
		Wyoming-UST	via A2LA 2926.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, LLC
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444
www.pacelabs.com

Appendix A

Sample Management

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample ID Cross Reference

<u>Client Sample ID</u>	<u>Pace Sample ID</u>	<u>Date Received</u>	<u>Sample Type</u>
B-5/B-3 COMP	40246079001	06/09/2022	Solid
B-11/B-2/B-4 COMP	40246079002	06/09/2022	Solid

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Internal Transfer Chain of Custody



Samples Pre-Logged into eCOC.

State Of Origin: WI
 Cert. Needed: Yes No
 Owner Received Date: 6/7/2022 Results Requested By: 6/21/2022

Report No: 10612096 DFR

Workorder: 40246079 Workorder Name: PM 8 CRANE PAD 60685247

Report To	Subcontract To	Requested Analysis
-----------	----------------	--------------------

Christopher Hyska
 Pace Analytical Green Bay
 241 Bellevue Street
 Suite 9
 Green Bay, WI 54302
 Phone (920)469-2436

Pace Analytical Minnesota
 1700 Elm Street SE
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

PFAS WIS ID 36S (WI 33)

WO#: 10612096

10612096

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers										LAB USE ONLY						
						Unreserved																
1	B-5/B-3 COMP	PS	6/6/2022 14:15	40246079001	Solid	1															X	W1
2	B-11/B-2/B-4 COMP	PS	6/6/2022 15:00	40246079002	Solid	1															X	W2
3																						
4																						
5																						

Transfers	Released By	Date/Time	Received By	Date/Time	Comments
1	<i>[Signature]</i>	6/8/22 16:00	<i>[Signature]</i>	6/8/22 9:20	WI 33 list
2					
3					

Cooler Temperature on Receipt 36 °C Custody Seal or N Received on Ice or N Samples Intact or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.*

Page 6 of 29



DC# Title: ENV-FRM-MIN4-0150 v05_Sample Condition Upon Receipt (SCUR)

Effective Date: 04/12/2022

Sample Condition Upon Receipt

Client Name:

Project #:

WO#: 10612096

PM: SCU Due Date: 06/30/22
CLIENT: PASI-WI

Courier: Fed Ex, UPS, USPS, Client, Pace, Speedee, Commercial

See Exceptions ENV-FRM-MIN4-0142

Tracking Number:

Custody Seal on Cooler/Box Present? Seals Intact? Biological Tissue Frozen?

Packing Material: Bubble-Wrap, Bubble Bags, None, Other, Temp Blank?

Thermometer: T1-T7, Type of Ice: Wet, Blue, None, Dry, Melted

Did Samples Originate in West Virginia? Were All Container Temps Taken?

Temp should be above freezing to 6°C Cooler Temp Read w/temp blank: 3.6 °C

Average Corrected Temp (no temp blank only): °C

Correction Factor: True Cooler Temp Corrected w/temp blank: 3.6 °C

USDA Regulated Soil: N/A, water sample/Other: Solid

Date/Initials of Person Examining Contents: EN 06/16/22

Did samples originate in a quarantine zone within the United States... Did samples originate from a foreign source...

If Yes to either question, fill out a Regulated Soil Checklist ENV-FRM-MIN4-0154 and include with SCUR/COC paperwork.

Table with 2 columns: Location (check one) and COMMENTS. Rows include Chain of Custody, Short Hold Time Analysis, Rush Turn Around Time, Field Filtered Volume, etc.

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: Date/Time: Field Data Required? Comments/Resolution:

Project Manager Review:

Date: 06/10/22

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office...

Labeled by: A# 3

CHAIN-OF-CUSTODY Analytical Request Document

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40246079

ALL SHADED AREAS are for LAB USE ONLY

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company: **AECOM**
 Billing Information: **Accounts Payable**
 Address: **2985 S Ridge RD Green Bay**
 Report To: **Jeremy Thomas**
 Email To: **Jeremy.Thomas@aecom.com**
 Copy To:
 Site Collection Info/Address: **1915 Broadway St**
 State: **WI** County/City: **Brown/Bay** Time Zone Collected: **ET**
 Customer Project Name/Number: **M8 Crane Pad 60685247**
 Phone: **262-278-9823** Site/Facility ID #:
 Collected By (print): **Chris Ludean** Purchase Order #: DW PWS ID #:
 Collected By (signature): *[Signature]* Quote #: DW Location Code:
 Sample Disposal: Rush: **[] Same Day [] Next Day** Field Filtered (if applicable): **[] Yes [] No**
 Dispose as appropriate Return Archive: Hold: **[] 2 Day [] 3 Day [] 4 Day [] 5 Day** (Expedite Charges Apply) Analysis:

Container Preservative Type **
6 U U U U
 Lab Project Manager:
 ** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses	Lab Profile/Line:
	Lab Sample Receipt Checklist:
	Custody Seals Present/Intact Y N NA
	Custody Signatures Present Y N NA
	Collector Signature Present Y N NA
	Bottles Intact Y N NA
	Correct Bottles Y N NA
	Sufficient Volume Y N NA
	Samples Received on Ice Y N NA
	VOA - Headspace Acceptable Y N NA
	USDA Regulated Solids Y N NA
	Samples in Holding Time Y N NA
	Residual Chlorine Present Y N NA
	Cl Strips: 4 Y N NA
	Sample pH Acceptable Y N NA
	pH Strips: 4 Y N NA
	Sulfide Present Y N NA
	Lead Acetate Strips: 4
	LAB USE ONLY: Lab Sample # / Comments:
UOCs 8260	001
PCB/5uoc	002
Metals / Dry weight	
PFA 5 by 5317	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res CI	# of Ctns
			Date	Time	Date	Time		
B-5/B-3 Comp	SL	Comp	6/6/22	215			6	3
B-1/B-2/B-4 Comp	SL	Comp	6/6/22	300			6	3

Customer Remarks / Special Conditions / Possible Hazards:
 Type of Ice Used: **Wet Blue Dry None**
 Packing Material Used: **1**
 Radchem sample(s) screened (<500 cpm): **Y N NA**

SHORT HOLDS PRESENT (<72 hours): **Y N N/A**
 Lab Tracking #: **2781099**
 Samples received via: **FEDEX UPS Client Courier Pace Courier**

Relinquished by/Company: (Signature) *[Signature]* Date/Time: **1542 6/7/22**
 Relinquished by/Company: (Signature) Date/Time:
 Relinquished by/Company: (Signature) Date/Time:

MTJL LAB USE ONLY
 Table #: **1542 6/7/22**
 Acctnum:
 Template:
 Prelogin:
 PM:
 PB:
 Trip Blank Received: **Y N NA**
 HCL MeOH TSP Other
 Non Conformance(s): **1** Page: **1**
 YES / NO of: **1**

Sample Preservation Receipt Form

Client Name: AECOM

Project # 10246079

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper: _____ Lab Std #ID of preservation (if pH adjusted): _____

Initial when completed: _____ Date/Time: _____

Pace Lab #	Glass						Plastic					Vials				Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act. pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU								WPFU	SP5T	ZPLC	GN		
001																																	2.5 / 5 / 10		
002																																			
003																																		2.5 / 5 / 10	
004																																			
005																																		2.5 / 5 / 10	
006																																		2.5 / 5 / 10	
007																																		2.5 / 5 / 10	
008																																			
009																																		2.5 / 5 / 10	
010																																			
011																																		2.5 / 5 / 10	
012																																			
013																																			2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			
019																																			2.5 / 5 / 10
020																																			

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Client Name: AECOM
 Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

Project #:

WO#: 40246079



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-116 Type of Ice Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 5.5 / Corr: 5.6

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 6/7/22 / Initials: AW
 Labeled By Initials:

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>ACC</u> <u>6/7/22 AW</u>
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>001: one vial no label, in bag with other 001 vials; 002: vials used water soluble ink, negligible, placed by elimination 6/7/22 AW</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMS. By releasing the project, the PM acknowledges they have reviewed the sample login

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40246079001	B-5/B-3 COMP	SW3535	33368	PFAS-36	B220701B_01
40246079002	B-11/B-2/B-4 COMP	SW3535	33368	PFAS-36	B220701B_02

Reporting Flags

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs
- * = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, LLC
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444
www.pacelabs.com

Appendix B

Sample Analysis Summary

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID B-5/B-3 COMP
 Lab Sample ID 40246079001
 Lab File ID B220701B_027
 Matrix Solid
 Collected 06/06/2022 14:15
 Received 06/09/2022 09:20

Extraction Date 06/30/2022 09:00
 Total Amount Extracted 5.02g
 Percent Moisture 20.0271%
 Ical ID 220629A02
 CCal File B220701B_017
 Ending CCal File B220701B_028
 Blank File B220701B_007

Compound	Concentration (ug/Kg)	QL (ug/Kg)	RL (ug/Kg)	MDL (ug/Kg)	Dil.	CAS No.	Qual.	Analyzed
PFBA	ND	0.12	0.02	0.02	1	375-22-4		07/02/2022 06:49
PFPeA	ND	0.12	0.03	0.03	1	2706-90-3		07/02/2022 06:49
HFPO-DA	ND	0.12	0.03	0.03	1	13252-13-6		07/02/2022 06:49
PFBS	ND	0.11	0.02	0.02	1	375-73-5		07/02/2022 06:49
PFHxA	ND	0.12	0.03	0.03	1	307-24-4		07/02/2022 06:49
4:2 FTS	ND	0.12	0.04	0.04	1	757124-72-4		07/02/2022 06:49
PFPeS	ND	0.12	0.02	0.02	1	2706-91-4		07/02/2022 06:49
PFHpA	ND	0.12	0.02	0.02	1	375-85-9		07/02/2022 06:49
DONA	ND	0.12	0.04	0.04	1	919005-14-4		07/02/2022 06:49
PFHxS	0.096 J	0.11	0.02	0.02	1	355-46-4		07/02/2022 06:49
PFOA	0.029 J	0.12	0.02	0.02	1	335-67-1		07/02/2022 06:49
6:2 FTS	ND	0.12	0.04	0.04	1	27619-97-2		07/02/2022 06:49
PFHpS	ND	0.12	0.03	0.03	1	375-92-8		07/02/2022 06:49
PFNA	ND	0.12	0.03	0.03	1	375-95-1		07/02/2022 06:49
PFOSAm	ND	0.12	0.02	0.02	1	754-91-6		07/02/2022 06:49
PFOS	0.11 J	0.12	0.03	0.03	1	1763-23-1		07/02/2022 06:49
MeFOSA	ND	0.12	0.03	0.03	1	31506-32-8		07/02/2022 06:49
PFDA	ND	0.12	0.02	0.02	1	335-76-2		07/02/2022 06:49
EtFOSAm	ND	0.12	0.02	0.02	1	4151-50-2		07/02/2022 06:49
8:2 FTS	ND	0.12	0.03	0.03	1	39108-34-4		07/02/2022 06:49
9-CI-PF3ON	ND	0.12	0.01	0.01	1	756426-58-1		07/02/2022 06:49
PFNS	ND	0.12	0.02	0.02	1	68259-12-1		07/02/2022 06:49
PFUnDA	ND	0.12	0.03	0.03	1	2058-94-8		07/02/2022 06:49
NMeFOSAA	ND	0.12	0.02	0.02	1	2355-31-9		07/02/2022 06:49
NEtFOSAA	ND	0.12	0.03	0.03	1	2991-50-6		07/02/2022 06:49
PFDS	ND	0.12	0.03	0.03	1	335-77-3		07/02/2022 06:49
PFDOA	ND	0.12	0.03	0.03	1	307-55-1		07/02/2022 06:49
MeFOSE	ND	0.12	0.02	0.02	1	24448-09-7		07/02/2022 06:49
EtFOSE	ND	0.12	0.03	0.03	1	1691-99-2		07/02/2022 06:49
11-CI-PF3OUdS	ND	0.12	0.02	0.02	1	763051-92-9		07/02/2022 06:49
PFTTrDA	ND	0.12	0.02	0.02	1	72629-94-8		07/02/2022 06:49
PFDoS	ND	0.12	0.03	0.03	1	79780-39-5		07/02/2022 06:49
PFTDA	ND	0.12	0.04	0.04	1	376-06-7		07/02/2022 06:49

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	B-5/B-3 COMP	Extraction Date	06/30/2022 09:00
Lab Sample ID	40246079001	Total Amount Extracted	5.02g
Lab File ID	B220701B_027	Percent Moisture	20.0271%
Matrix	Solid	Ical ID	220629A02
Collected	06/06/2022 14:15	CCal File	B220701B_017
Received	06/09/2022 09:20	Ending CCal File	B220701B_028
		Blank File	B220701B_007

Injection Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers	Analyzed
13C2 PFHxA	1.2	1.2	95	50-150		07/02/2022 06:49
13C4 PFOA	1.2	1.1	85	50-150		07/02/2022 06:49
13C2 PFDA	1.2	1.3	104	50-150		07/02/2022 06:49
13C4 PFOS	1.2	1.2	102	50-150		07/02/2022 06:49

Extracted Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers	Analyzed
13C4 PFBA	1.2	0.99	79	25-150		07/02/2022 06:49
13C5 PFPeA	1.2	1.1	85	25-150		07/02/2022 06:49
13C3 PFBS	1.2	0.95	82	25-150		07/02/2022 06:49
13C2 4:2FTS	1.2	1.0	88	25-150		07/02/2022 06:49
13C5 PFHxA	1.2	1.0	84	25-150		07/02/2022 06:49
13C4 PFHpA	1.2	1.0	81	25-150		07/02/2022 06:49
13C3 PFHxS	1.2	1.0	87	25-150		07/02/2022 06:49
13C2 6:2FTS	1.2	1.0	86	25-150		07/02/2022 06:49
13C8 PFOA	1.2	1.0	83	25-150		07/02/2022 06:49
13C9 PFNA	1.2	1.0	82	25-150		07/02/2022 06:49
13C8 PFOS	1.2	1.1	95	25-150		07/02/2022 06:49
13C2 8:2FTS	1.2	1.0	85	25-150		07/02/2022 06:49
13C6 PFDA	1.2	1.3	101	25-150		07/02/2022 06:49
d3-MeFOSAA	1.2	1.2	93	25-150		07/02/2022 06:49
13C8 PFOSA	1.2	0.48	39	25-150		07/02/2022 06:49
d5-EtFOSAA	1.2	0.97	78	25-150		07/02/2022 06:49
13C7 PFUdA	1.2	1.1	89	25-150		07/02/2022 06:49
13C2 PFDoA	1.2	1.2	95	25-150		07/02/2022 06:49
13C2 PFTeDA	1.2	1.1	85	25-150		07/02/2022 06:49
13C3 HFPO-DA	1.2	1.0	84	25-150		07/02/2022 06:49
d7-N-MeFOSE	1.2	0.19	15	10-150		07/02/2022 06:49
d9-N-EtFOSE	1.2	0.22	18	10-150		07/02/2022 06:49
d3-N-MeFOSA	1.2	0.0062	0	10-150	R	07/02/2022 06:49
d5-N-EtFOSA	1.2	0.0073	1	10-150	R	07/02/2022 06:49

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	B-5/B-3 COMP	Extraction Date	06/30/2022 09:00
Lab Sample ID	40246079001	Total Amount Extracted	5.02g
Lab File ID	B220701B_027	Percent Moisture	20.0271%
Matrix	Solid	Ical ID	220629A02
Collected	06/06/2022 14:15	CCal File	B220701B_017
Received	06/09/2022 09:20	Ending CCal File	B220701B_028
		Blank File	B220701B_007

Injection Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
13C2 PFHxA	N/A	N/A	5.78	5.81	1560		07/02/2022 06:49
13C4 PFOA	N/A	N/A	7.15	7.17	2354		07/02/2022 06:49
13C2 PFDA	N/A	N/A	8.51	8.54	2636		07/02/2022 06:49
13C4 PFOS	N/A	N/A	8.99	9.01	965		07/02/2022 06:49

Extracted Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
13C4 PFBA	N/A	N/A	4.31	4.32	2450		07/02/2022 06:49
13C5 PFPeA	N/A	N/A	5.10	5.12	1767		07/02/2022 06:49
13C3 PFBS	N/A	N/A	6.04	6.06	958		07/02/2022 06:49
13C2 4:2FTS	N/A	N/A	5.50	5.52	453		07/02/2022 06:49
13C5 PFHxA	N/A	N/A	5.78	5.81	1679		07/02/2022 06:49
13C4 PFHpA	N/A	N/A	6.46	6.49	1500		07/02/2022 06:49
13C3 PFHxS	N/A	N/A	7.58	7.59	1086		07/02/2022 06:49
13C2 6:2FTS	N/A	N/A	6.80	6.82	629		07/02/2022 06:49
13C8 PFOA	N/A	N/A	7.15	7.17	2017		07/02/2022 06:49
13C9 PFNA	N/A	N/A	7.83	7.85	2286		07/02/2022 06:49
13C8 PFOS	N/A	N/A	9.00	9.01	972		07/02/2022 06:49
13C2 8:2FTS	N/A	N/A	8.11	8.15	982		07/02/2022 06:49
13C6 PFDA	N/A	N/A	8.51	8.54	1512		07/02/2022 06:49
d3-MeFOSAA	N/A	N/A	8.37	8.40	1515		07/02/2022 06:49
13C8 PFOSA	N/A	N/A	10.79	10.77	2721		07/02/2022 06:49
d5-EtFOSAA	N/A	N/A	8.68	8.71	1095		07/02/2022 06:49
13C7 PFUdA	N/A	N/A	9.19	9.22	2895		07/02/2022 06:49
13C2 PFDoA	N/A	N/A	9.88	9.90	1245		07/02/2022 06:49
13C2 PFTeDA	N/A	N/A	11.21	11.21	1374		07/02/2022 06:49
13C3 HFPO-DA	N/A	N/A	6.06	6.09	1431		07/02/2022 06:49
d7-N-MeFOSE	N/A	N/A	12.53	12.50	295		07/02/2022 06:49
d9-N-EtFOSE	N/A	N/A	13.00	12.97	336		07/02/2022 06:49
d3-N-MeFOSA	N/A	N/A	12.75	12.70	79	R	07/02/2022 06:49
d5-N-EtFOSA	N/A	N/A	13.16	13.11	85	R	07/02/2022 06:49

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	B-5/B-3 COMP	Extraction Date	06/30/2022 09:00
Lab Sample ID	40246079001	Total Amount Extracted	5.02g
Lab File ID	B220701B_027	Percent Moisture	20.0271%
Matrix	Solid	Ical ID	220629A02
Collected	06/06/2022 14:15	CCal File	B220701B_017
Received	06/09/2022 09:20	Ending CCal File	B220701B_028
		Blank File	B220701B_007

Native Analytes

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
PFBA	N/A	N/A	0.00	4.33	ND		07/02/2022 06:49
PFPeA	N/A	N/A	5.11	5.12	ND		07/02/2022 06:49
HFPO-DA	0.00	0.27	0.00	6.10	ND		07/02/2022 06:49
PFBS	0.26	0.42	6.05	6.07	ND		07/02/2022 06:49
PFHxA	0.00	0.08	0.00	5.82	ND		07/02/2022 06:49
4:2 FTS	0.00	0.90	0.00	5.53	ND		07/02/2022 06:49
PFPeS	0.33	0.43	6.84	6.86	ND		07/02/2022 06:49
PFHpA	0.30	0.30	6.47	6.50	ND		07/02/2022 06:49
DONA	0.00	0.57	0.00	6.75	ND		07/02/2022 06:49
PFHxS	0.38	0.35	7.58	7.60	248	J	07/02/2022 06:49
PFOA	0.37	0.41	7.16	7.18	56	J	07/02/2022 06:49
6:2 FTS	0.75	1.00	6.80	6.82	ND		07/02/2022 06:49
PFHpS	0.62	0.41	8.30	8.32	ND		07/02/2022 06:49
PFNA	0.21	0.14	7.83	7.86	ND		07/02/2022 06:49
PFOSAm	N/A	N/A	10.80	10.78	ND		07/02/2022 06:49
PFOS	0.38	0.42	9.01	9.03	135	J	07/02/2022 06:49
MeFOSA	0.00	0.63	0.00	12.73	ND		07/02/2022 06:49
PFDA	0.00	0.18	0.00	8.58	ND		07/02/2022 06:49
EtFOSAm	0.00	0.65	0.00	13.10	ND		07/02/2022 06:49
8:2 FTS	0.00	0.93	0.00	8.15	ND		07/02/2022 06:49
9-Cl-PF3ON	0.00	0.07	0.00	9.52	ND		07/02/2022 06:49
PFNS	0.00	0.46	0.00	9.74	ND		07/02/2022 06:49
PFUnDA	0.00	0.14	0.00	9.22	ND		07/02/2022 06:49
NMeFOSAA	0.00	0.90	0.00	8.41	ND		07/02/2022 06:49
NEtFOSAA	0.00	0.69	0.00	8.72	ND		07/02/2022 06:49
PFDS	0.00	0.35	0.00	10.41	ND		07/02/2022 06:49
PFDOA	0.00	0.17	0.00	9.92	ND		07/02/2022 06:49
MeFOSE	N/A	N/A	0.00	12.52	ND		07/02/2022 06:49
EtFOSE	0.00	0.00	0.00	12.99	ND		07/02/2022 06:49
11-Cl-PF3OUdS	0.00	0.02	0.00	10.87	ND		07/02/2022 06:49
PFTTrDA	0.00	0.14	0.00	10.59	ND		07/02/2022 06:49
PFDoS	0.00	0.46	0.00	11.61	ND		07/02/2022 06:49
PFTDA	0.00	0.26	0.00	11.21	ND		07/02/2022 06:49

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID B-11/B-2/B-4 COMP
 Lab Sample ID 40246079002
 Lab File ID B220701B_029
 Matrix Solid
 Collected 06/06/2022 15:00
 Received 06/09/2022 09:20

Extraction Date 06/30/2022 09:00
 Total Amount Extracted 5.16g
 Percent Moisture 18.5865%
 Ical ID 220629A02
 CCal File B220701B_028
 Ending CCal File B220701B_032
 Blank File B220701B_007

Compound	Concentration (ug/Kg)	QL (ug/Kg)	RL (ug/Kg)	MDL (ug/Kg)	Dil.	CAS No.	Qual.	Analyzed
PFBA	ND	0.12	0.02	0.02	1	375-22-4		07/02/2022 07:29
PFPeA	ND	0.12	0.03	0.03	1	2706-90-3		07/02/2022 07:29
HFPO-DA	ND	0.12	0.03	0.03	1	13252-13-6		07/02/2022 07:29
PFBS	ND	0.11	0.02	0.02	1	375-73-5		07/02/2022 07:29
PFHxA	ND	0.12	0.03	0.03	1	307-24-4		07/02/2022 07:29
4:2 FTS	ND	0.11	0.03	0.03	1	757124-72-4		07/02/2022 07:29
PFPeS	ND	0.11	0.02	0.02	1	2706-91-4		07/02/2022 07:29
PFHpA	ND	0.12	0.02	0.02	1	375-85-9		07/02/2022 07:29
DONA	ND	0.11	0.04	0.04	1	919005-14-4		07/02/2022 07:29
PFHxS	0.28	0.11	0.02	0.02	1	355-46-4		07/02/2022 07:29
PFOA	0.036 J	0.12	0.02	0.02	1	335-67-1		07/02/2022 07:29
6:2 FTS	ND	0.11	0.03	0.03	1	27619-97-2		07/02/2022 07:29
PFHpS	ND	0.11	0.03	0.03	1	375-92-8		07/02/2022 07:29
PFNA	ND	0.12	0.03	0.03	1	375-95-1		07/02/2022 07:29
PFOSAm	ND	0.12	0.02	0.02	1	754-91-6		07/02/2022 07:29
PFOS	0.23	0.11	0.03	0.03	1	1763-23-1		07/02/2022 07:29
MeFOSA	ND	0.12	0.03	0.03	1	31506-32-8		07/02/2022 07:29
PFDA	ND	0.12	0.02	0.02	1	335-76-2		07/02/2022 07:29
EtFOSAm	ND	0.12	0.02	0.02	1	4151-50-2		07/02/2022 07:29
8:2 FTS	ND	0.11	0.03	0.03	1	39108-34-4		07/02/2022 07:29
9-CI-PF3ON	ND	0.11	0.01	0.01	1	756426-58-1		07/02/2022 07:29
PFNS	ND	0.11	0.02	0.02	1	68259-12-1		07/02/2022 07:29
PFUnDA	ND	0.12	0.03	0.03	1	2058-94-8		07/02/2022 07:29
NMeFOSAA	ND	0.12	0.02	0.02	1	2355-31-9		07/02/2022 07:29
NEtFOSAA	ND	0.12	0.02	0.02	1	2991-50-6		07/02/2022 07:29
PFDS	ND	0.11	0.03	0.03	1	335-77-3		07/02/2022 07:29
PFDOA	ND	0.12	0.03	0.03	1	307-55-1		07/02/2022 07:29
MeFOSE	ND	0.12	0.02	0.02	1	24448-09-7		07/02/2022 07:29
EtFOSE	ND	0.12	0.03	0.03	1	1691-99-2		07/02/2022 07:29
11-CI-PF3OUdS	ND	0.11	0.01	0.01	1	763051-92-9		07/02/2022 07:29
PFTTrDA	ND	0.12	0.02	0.02	1	72629-94-8		07/02/2022 07:29
PFDoS	ND	0.12	0.03	0.03	1	79780-39-5		07/02/2022 07:29
PFTDA	ND	0.12	0.03	0.03	1	376-06-7		07/02/2022 07:29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	B-11/B-2/B-4 COMP	Extraction Date	06/30/2022 09:00
Lab Sample ID	40246079002	Total Amount Extracted	5.16g
Lab File ID	B220701B_029	Percent Moisture	18.5865%
Matrix	Solid	Ical ID	220629A02
Collected	06/06/2022 15:00	CCal File	B220701B_028
Received	06/09/2022 09:20	Ending CCal File	B220701B_032
		Blank File	B220701B_007

Injection Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers	Analyzed
13C2 PFHxA	1.2	1.0	88	50-150		07/02/2022 07:29
13C4 PFOA	1.2	1.1	95	50-150		07/02/2022 07:29
13C2 PFDA	1.2	1.1	94	50-150		07/02/2022 07:29
13C4 PFOS	1.1	1.1	98	50-150		07/02/2022 07:29

Extracted Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers	Analyzed
13C4 PFBA	1.2	0.99	83	25-150		07/02/2022 07:29
13C5 PFPeA	1.2	1.0	86	25-150		07/02/2022 07:29
13C3 PFBS	1.1	0.99	90	25-150		07/02/2022 07:29
13C2 4:2FTS	1.1	0.92	82	25-150		07/02/2022 07:29
13C5 PFHxA	1.2	1.1	90	25-150		07/02/2022 07:29
13C4 PFHpA	1.2	0.99	83	25-150		07/02/2022 07:29
13C3 PFHxS	1.1	1.00	89	25-150		07/02/2022 07:29
13C2 6:2FTS	1.1	0.98	86	25-150		07/02/2022 07:29
13C8 PFOA	1.2	0.99	84	25-150		07/02/2022 07:29
13C9 PFNA	1.2	0.99	83	25-150		07/02/2022 07:29
13C8 PFOS	1.1	1.0	92	25-150		07/02/2022 07:29
13C2 8:2FTS	1.1	0.98	86	25-150		07/02/2022 07:29
13C6 PFDA	1.2	1.2	97	25-150		07/02/2022 07:29
d3-MeFOSAA	1.2	1.0	86	25-150		07/02/2022 07:29
13C8 PFOSA	1.2	0.39	33	25-150		07/02/2022 07:29
d5-EtFOSAA	1.2	0.93	78	25-150		07/02/2022 07:29
13C7 PFUdA	1.2	1.0	87	25-150		07/02/2022 07:29
13C2 PFDoA	1.2	0.98	83	25-150		07/02/2022 07:29
13C2 PFTeDA	1.2	1.0	86	25-150		07/02/2022 07:29
13C3 HFPO-DA	1.2	0.94	79	25-150		07/02/2022 07:29
d7-N-MeFOSE	1.2	0.22	19	10-150		07/02/2022 07:29
d9-N-EtFOSE	1.2	0.23	20	10-150		07/02/2022 07:29
d3-N-MeFOSA	1.2	0.0022	0	10-150	R	07/02/2022 07:29
d5-N-EtFOSA	1.2	0.0035	0	10-150	R	07/02/2022 07:29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	B-11/B-2/B-4 COMP	Extraction Date	06/30/2022 09:00
Lab Sample ID	40246079002	Total Amount Extracted	5.16g
Lab File ID	B220701B_029	Percent Moisture	18.5865%
Matrix	Solid	Ical ID	220629A02
Collected	06/06/2022 15:00	CCal File	B220701B_028
Received	06/09/2022 09:20	Ending CCal File	B220701B_032
		Blank File	B220701B_007

Injection Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
13C2 PFHxA	N/A	N/A	5.78	5.81	1590		07/02/2022 07:29
13C4 PFOA	N/A	N/A	7.15	7.17	1914		07/02/2022 07:29
13C2 PFDA	N/A	N/A	8.52	8.54	2221		07/02/2022 07:29
13C4 PFOS	N/A	N/A	9.00	9.01	1666		07/02/2022 07:29

Extracted Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
13C4 PFBA	N/A	N/A	4.31	4.32	2529		07/02/2022 07:29
13C5 PFPeA	N/A	N/A	5.10	5.12	2146		07/02/2022 07:29
13C3 PFBS	N/A	N/A	6.04	6.06	1461		07/02/2022 07:29
13C2 4:2FTS	N/A	N/A	5.50	5.52	533		07/02/2022 07:29
13C5 PFHxA	N/A	N/A	5.78	5.81	1473		07/02/2022 07:29
13C4 PFHpA	N/A	N/A	6.47	6.49	1748		07/02/2022 07:29
13C3 PFHxS	N/A	N/A	7.58	7.59	1212		07/02/2022 07:29
13C2 6:2FTS	N/A	N/A	6.79	6.82	674		07/02/2022 07:29
13C8 PFOA	N/A	N/A	7.15	7.17	2447		07/02/2022 07:29
13C9 PFNA	N/A	N/A	7.84	7.85	2081		07/02/2022 07:29
13C8 PFOS	N/A	N/A	9.01	9.01	1417		07/02/2022 07:29
13C2 8:2FTS	N/A	N/A	8.13	8.15	1163		07/02/2022 07:29
13C6 PFDA	N/A	N/A	8.52	8.54	1985		07/02/2022 07:29
d3-MeFOSAA	N/A	N/A	8.39	8.40	3160		07/02/2022 07:29
13C8 PFOSA	N/A	N/A	10.79	10.77	1744		07/02/2022 07:29
d5-EtFOSAA	N/A	N/A	8.69	8.71	1286		07/02/2022 07:29
13C7 PFUdA	N/A	N/A	9.20	9.22	1718		07/02/2022 07:29
13C2 PFDoA	N/A	N/A	9.89	9.90	1540		07/02/2022 07:29
13C2 PFTeDA	N/A	N/A	11.21	11.21	1398		07/02/2022 07:29
13C3 HFPO-DA	N/A	N/A	6.06	6.09	1658		07/02/2022 07:29
d7-N-MeFOSE	N/A	N/A	12.52	12.50	280		07/02/2022 07:29
d9-N-EtFOSE	N/A	N/A	13.00	12.97	426		07/02/2022 07:29
d3-N-MeFOSA	N/A	N/A	12.73	12.70	955	R	07/02/2022 07:29
d5-N-EtFOSA	N/A	N/A	13.15	13.11	66	R	07/02/2022 07:29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Sample Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID B-11/B-2/B-4 COMP
 Lab Sample ID 40246079002
 Lab File ID B220701B_029
 Matrix Solid
 Collected 06/06/2022 15:00
 Received 06/09/2022 09:20

Extraction Date 06/30/2022 09:00
 Total Amount Extracted 5.16g
 Percent Moisture 18.5865%
 Ical ID 220629A02
 CCal File B220701B_028
 Ending CCal File B220701B_032
 Blank File B220701B_007

Native Analytes

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
PFBA	N/A	N/A	4.31	4.33	ND		07/02/2022 07:29
PFPeA	N/A	N/A	5.10	5.12	ND		07/02/2022 07:29
HFPO-DA	0.38	0.28	6.07	6.10	ND		07/02/2022 07:29
PFBS	0.34	0.43	6.05	6.07	ND		07/02/2022 07:29
PFHxA	0.08	0.09	5.79	5.82	ND		07/02/2022 07:29
4:2 FTS	0.00	0.93	0.00	5.53	ND		07/02/2022 07:29
PFPeS	0.42	0.46	6.83	6.86	ND		07/02/2022 07:29
PFHpA	0.32	0.32	6.48	6.50	ND		07/02/2022 07:29
DONA	0.54	0.56	6.72	6.75	ND		07/02/2022 07:29
PFHxS	0.35	0.37	7.58	7.60	771		07/02/2022 07:29
PFOA	0.44	0.40	7.15	7.18	57	J	07/02/2022 07:29
6:2 FTS	0.97	0.90	6.79	6.82	ND		07/02/2022 07:29
PFHpS	0.41	0.41	8.31	8.32	ND		07/02/2022 07:29
PFNA	0.15	0.14	7.84	7.86	ND		07/02/2022 07:29
PFOSAm	N/A	N/A	10.77	10.78	ND		07/02/2022 07:29
PFOS	0.37	0.38	8.97	9.03	202		07/02/2022 07:29
MeFOSA	0.00	0.59	0.00	12.73	ND		07/02/2022 07:29
PFDA	0.14	0.19	8.52	8.58	ND		07/02/2022 07:29
EtFOSAm	0.00	0.57	0.00	13.10	ND		07/02/2022 07:29
8:2 FTS	0.00	1.00	0.00	8.15	ND		07/02/2022 07:29
9-Cl-PF3ON	0.00	0.06	0.00	9.52	ND		07/02/2022 07:29
PFNS	0.00	0.47	0.00	9.74	ND		07/02/2022 07:29
PFUnDA	0.00	0.14	0.00	9.22	ND		07/02/2022 07:29
NMeFOSAA	0.00	0.85	8.39	8.41	ND		07/02/2022 07:29
NEtFOSAA	0.83	0.65	8.71	8.72	ND		07/02/2022 07:29
PFDS	0.00	0.34	0.00	10.41	ND		07/02/2022 07:29
PFDOA	0.00	0.18	0.00	9.92	ND		07/02/2022 07:29
MeFOSE	N/A	N/A	0.00	12.52	ND		07/02/2022 07:29
EtFOSE	0.00	0.00	13.02	12.99	ND		07/02/2022 07:29
11-Cl-PF3OUdS	0.00	0.02	0.00	10.87	ND		07/02/2022 07:29
PFTTrDA	0.00	0.15	0.00	10.59	ND		07/02/2022 07:29
PFDoS	0.00	0.46	0.00	11.61	ND		07/02/2022 07:29
PFTDA	0.00	0.25	0.00	11.21	ND		07/02/2022 07:29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Method Blank Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	BLKKT	Extraction Date	06/30/2022 09:00
Lab Sample ID	BLANK-99647	Total Amount Extracted	5.00g
Lab File ID	B220701B_007	Percent Moisture	100%
Matrix	Soil	Ical ID	220629A02
Collected	06/24/2022 14:55	CCal File	B220701B_005
Received	06/24/2022 14:55	Ending CCal File	B220701B_017
		Blank File	

Compound	Concentration (ug/Kg)	QL (ug/Kg)	RL (ug/Kg)	MDL (ug/Kg)	Dil.	CAS No.	Qual.	Analyzed
PFBA	ND	0.10	0.02	0.02	1	375-22-4		07/02/2022 00:09
PFPeA	ND	0.10	0.02	0.02	1	2706-90-3		07/02/2022 00:09
HFPO-DA	ND	0.10	0.03	0.03	1	13252-13-6		07/02/2022 00:09
PFBS	ND	0.08	0.02	0.02	1	375-73-5		07/02/2022 00:09
PFHxA	ND	0.10	0.03	0.03	1	307-24-4		07/02/2022 00:09
4:2 FTS	ND	0.09	0.03	0.03	1	757124-72-4		07/02/2022 00:09
PFPeS	ND	0.09	0.01	0.01	1	2706-91-4		07/02/2022 00:09
PFHpA	ND	0.10	0.02	0.02	1	375-85-9		07/02/2022 00:09
DONA	ND	0.09	0.03	0.03	1	919005-14-4		07/02/2022 00:09
PFHxS	ND	0.09	0.02	0.02	1	355-46-4		07/02/2022 00:09
PFOA	ND	0.10	0.02	0.02	1	335-67-1		07/02/2022 00:09
6:2 FTS	ND	0.09	0.03	0.03	1	27619-97-2		07/02/2022 00:09
PFHpS	ND	0.09	0.02	0.02	1	375-92-8		07/02/2022 00:09
PFNA	ND	0.10	0.02	0.02	1	375-95-1		07/02/2022 00:09
PFOSAm	ND	0.10	0.02	0.02	1	754-91-6		07/02/2022 00:09
PFOS	ND	0.09	0.02	0.02	1	1763-23-1		07/02/2022 00:09
MeFOSA	ND	0.10	0.02	0.02	1	31506-32-8		07/02/2022 00:09
PFDA	ND	0.10	0.02	0.02	1	335-76-2		07/02/2022 00:09
EtFOSAm	ND	0.10	0.02	0.02	1	4151-50-2		07/02/2022 00:09
8:2 FTS	ND	0.09	0.02	0.02	1	39108-34-4		07/02/2022 00:09
9-CI-PF3ON	ND	0.09	0.01	0.01	1	756426-58-1		07/02/2022 00:09
PFNS	ND	0.09	0.01	0.01	1	68259-12-1		07/02/2022 00:09
PFUnDA	ND	0.10	0.02	0.02	1	2058-94-8		07/02/2022 00:09
NMeFOSAA	ND	0.10	0.02	0.02	1	2355-31-9		07/02/2022 00:09
NEtFOSAA	ND	0.10	0.02	0.02	1	2991-50-6		07/02/2022 00:09
PFDS	ND	0.09	0.02	0.02	1	335-77-3		07/02/2022 00:09
PFDOA	ND	0.10	0.02	0.02	1	307-55-1		07/02/2022 00:09
MeFOSE	ND	0.10	0.02	0.02	1	24448-09-7		07/02/2022 00:09
EtFOSE	ND	0.10	0.02	0.02	1	1691-99-2		07/02/2022 00:09
11-CI-PF3OUdS	ND	0.09	0.01	0.01	1	763051-92-9		07/02/2022 00:09
PFTTrDA	ND	0.10	0.02	0.02	1	72629-94-8		07/02/2022 00:09
PFDoS	ND	0.09	0.03	0.03	1	79780-39-5		07/02/2022 00:09
PFTDA	ND	0.10	0.03	0.03	1	376-06-7		07/02/2022 00:09

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Method Blank Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	BLKKT	Extraction Date	06/30/2022 09:00
Lab Sample ID	BLANK-99647	Total Amount Extracted	5.00g
Lab File ID	B220701B_007	Percent Moisture	100%
Matrix	Soil	Ical ID	220629A02
Collected	06/24/2022 14:55	CCal File	B220701B_005
Received	06/24/2022 14:55	Ending CCal File	B220701B_017
		Blank File	

Injection Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers	Analyzed
13C2 PFHxA	1.0	0.88	88	50-150		07/02/2022 00:09
13C4 PFOA	1.0	0.87	87	50-150		07/02/2022 00:09
13C2 PFDA	1.0	0.90	90	50-150		07/02/2022 00:09
13C4 PFOS	0.96	0.92	96	50-150		07/02/2022 00:09

Extracted Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers	Analyzed
13C4 PFBA	1.0	0.89	89	50-150		07/02/2022 00:09
13C5 PFPeA	1.0	0.86	86	50-150		07/02/2022 00:09
13C3 PFBS	0.93	0.80	86	50-150		07/02/2022 00:09
13C2 4:2FTS	0.94	0.81	87	50-150		07/02/2022 00:09
13C5 PFHxA	1.0	0.87	87	50-150		07/02/2022 00:09
13C4 PFHpA	1.0	0.85	85	50-150		07/02/2022 00:09
13C3 PFHxS	0.95	0.86	91	50-150		07/02/2022 00:09
13C2 6:2FTS	0.95	0.85	90	50-150		07/02/2022 00:09
13C8 PFOA	1.0	0.83	83	50-150		07/02/2022 00:09
13C9 PFNA	1.0	0.88	88	50-150		07/02/2022 00:09
13C8 PFOS	0.96	0.84	88	50-150		07/02/2022 00:09
13C2 8:2FTS	0.96	0.87	91	50-150		07/02/2022 00:09
13C6 PFDA	1.0	0.86	86	50-150		07/02/2022 00:09
d3-MeFOSAA	1.0	0.86	86	50-150		07/02/2022 00:09
13C8 PFOSA	1.0	0.84	84	50-150		07/02/2022 00:09
d5-EtFOSAA	1.0	0.81	81	50-150		07/02/2022 00:09
13C7 PFUdA	1.0	0.91	91	50-150		07/02/2022 00:09
13C2 PFDoA	1.0	0.86	86	50-150		07/02/2022 00:09
13C2 PFTeDA	1.0	0.79	79	50-150		07/02/2022 00:09
13C3 HFPO-DA	1.0	0.91	91	50-150		07/02/2022 00:09
d7-N-MeFOSE	1.0	0.84	84	20-150		07/02/2022 00:09
d9-N-EtFOSE	1.0	0.79	79	20-150		07/02/2022 00:09
d3-N-MeFOSA	1.0	0.73	73	20-150		07/02/2022 00:09
d5-N-EtFOSA	1.0	0.78	78	20-150		07/02/2022 00:09

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Method Blank Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	BLKKT	Extraction Date	06/30/2022 09:00
Lab Sample ID	BLANK-99647	Total Amount Extracted	5.00g
Lab File ID	B220701B_007	Percent Moisture	100%
Matrix	Soil	Ical ID	220629A02
Collected	06/24/2022 14:55	CCal File	B220701B_005
Received	06/24/2022 14:55	Ending CCal File	B220701B_017
		Blank File	

Injection Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
13C2 PFHxA	N/A	N/A	5.79	5.81	2784		07/02/2022 00:09
13C4 PFOA	N/A	N/A	7.16	7.17	2317		07/02/2022 00:09
13C2 PFDA	N/A	N/A	8.51	8.54	1691		07/02/2022 00:09
13C4 PFOS	N/A	N/A	9.00	9.01	1700		07/02/2022 00:09

Extracted Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
13C4 PFBA	N/A	N/A	4.31	4.32	2518		07/02/2022 00:09
13C5 PFPeA	N/A	N/A	5.11	5.12	2161		07/02/2022 00:09
13C3 PFBS	N/A	N/A	6.05	6.06	1579		07/02/2022 00:09
13C2 4:2FTS	N/A	N/A	5.51	5.52	744		07/02/2022 00:09
13C5 PFHxA	N/A	N/A	5.79	5.81	2247		07/02/2022 00:09
13C4 PFHpA	N/A	N/A	6.48	6.49	1731		07/02/2022 00:09
13C3 PFHxS	N/A	N/A	7.58	7.59	1714		07/02/2022 00:09
13C2 6:2FTS	N/A	N/A	6.81	6.82	1366		07/02/2022 00:09
13C8 PFOA	N/A	N/A	7.16	7.17	3184		07/02/2022 00:09
13C9 PFNA	N/A	N/A	7.83	7.85	2433		07/02/2022 00:09
13C8 PFOS	N/A	N/A	9.00	9.01	3492		07/02/2022 00:09
13C2 8:2FTS	N/A	N/A	8.12	8.15	637		07/02/2022 00:09
13C6 PFDA	N/A	N/A	8.52	8.54	1444		07/02/2022 00:09
d3-MeFOSAA	N/A	N/A	8.38	8.40	1128		07/02/2022 00:09
13C8 PFOSA	N/A	N/A	10.79	10.77	3409		07/02/2022 00:09
d5-EtFOSAA	N/A	N/A	8.69	8.71	898		07/02/2022 00:09
13C7 PFUdA	N/A	N/A	9.20	9.22	2694		07/02/2022 00:09
13C2 PFDoA	N/A	N/A	9.88	9.90	1302		07/02/2022 00:09
13C2 PFTeDA	N/A	N/A	11.22	11.21	2145		07/02/2022 00:09
13C3 HFPO-DA	N/A	N/A	6.07	6.09	1456		07/02/2022 00:09
d7-N-MeFOSE	N/A	N/A	12.53	12.50	540		07/02/2022 00:09
d9-N-EtFOSE	N/A	N/A	13.00	12.97	798		07/02/2022 00:09
d3-N-MeFOSA	N/A	N/A	12.74	12.70	1036		07/02/2022 00:09
d5-N-EtFOSA	N/A	N/A	13.16	13.11	709		07/02/2022 00:09

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Method Blank Analysis Summary
 PFAS by Isotope Dilution

Client Sample ID	BLKKT	Extraction Date	06/30/2022 09:00
Lab Sample ID	BLANK-99647	Total Amount Extracted	5.00g
Lab File ID	B220701B_007	Percent Moisture	100%
Matrix	Soil	Ical ID	220629A02
Collected	06/24/2022 14:55	CCal File	B220701B_005
Received	06/24/2022 14:55	Ending CCal File	B220701B_017
		Blank File	

Native Analytes

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers	Analyzed
PFBA	N/A	N/A	0.00	4.33	ND		07/02/2022 00:09
PFPeA	N/A	N/A	5.11	5.12	ND		07/02/2022 00:09
HFPO-DA	0.17	0.30	6.08	6.10	ND		07/02/2022 00:09
PFBS	0.00	0.45	0.00	6.07	ND		07/02/2022 00:09
PFHxA	0.00	0.08	0.00	5.82	ND		07/02/2022 00:09
4:2 FTS	0.00	0.90	0.00	5.53	ND		07/02/2022 00:09
PFPeS	0.00	0.38	0.00	6.86	ND		07/02/2022 00:09
PFHpA	0.00	0.31	0.00	6.50	ND		07/02/2022 00:09
DONA	0.00	0.59	0.00	6.75	ND		07/02/2022 00:09
PFHxS	0.00	0.36	0.00	7.60	ND		07/02/2022 00:09
PFOA	0.00	0.41	0.00	7.18	ND		07/02/2022 00:09
6:2 FTS	0.00	0.89	0.00	6.82	ND		07/02/2022 00:09
PFHpS	0.00	0.42	0.00	8.32	ND		07/02/2022 00:09
PFNA	0.13	0.14	7.86	7.86	ND		07/02/2022 00:09
PFOSAm	N/A	N/A	10.80	10.78	ND		07/02/2022 00:09
PFOS	0.00	0.40	0.00	9.03	ND		07/02/2022 00:09
MeFOSA	0.00	0.60	0.00	12.73	ND		07/02/2022 00:09
PFDA	0.00	0.19	0.00	8.58	ND		07/02/2022 00:09
EtFOSAm	0.00	0.59	0.00	13.10	ND		07/02/2022 00:09
8:2 FTS	0.00	0.79	0.00	8.15	ND		07/02/2022 00:09
9-CI-PF3ON	0.00	0.05	0.00	9.52	ND		07/02/2022 00:09
PFNS	0.00	0.47	0.00	9.74	ND		07/02/2022 00:09
PFUnDA	0.00	0.14	0.00	9.22	ND		07/02/2022 00:09
NMeFOSAA	0.00	0.84	0.00	8.41	ND		07/02/2022 00:09
NEtFOSAA	0.00	0.65	0.00	8.72	ND		07/02/2022 00:09
PFDS	0.00	0.32	0.00	10.41	ND		07/02/2022 00:09
PFDOA	0.00	0.16	0.00	9.92	ND		07/02/2022 00:09
MeFOSE	N/A	N/A	0.00	12.52	ND		07/02/2022 00:09
EtFOSE	0.00	0.00	0.00	12.99	ND		07/02/2022 00:09
11-CI-PF3OUdS	0.00	0.01	0.00	10.87	ND		07/02/2022 00:09
PFTTrDA	0.00	0.14	0.00	10.59	ND		07/02/2022 00:09
PFDoS	0.00	0.47	0.00	11.61	ND		07/02/2022 00:09
PFTDA	0.00	0.21	0.00	11.21	ND		07/02/2022 00:09

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



LCS Analysis Summary
 PFAS by Isotope Dilution

Lab Sample ID	LCS-99648	Instrument ID	10LCMS02
Run File Name	B220701B_008	Column ID	1071B00011
Analyzed	07/02/2022 00:29	Ical ID	220629A02
Injected By	NH	Level	L

Injection Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers
13C2_PFHxA	1.0	0.83	83	50-150	
13C4_PFOA	1.0	0.90	90	50-150	
13C2_PFDA	1.0	0.81	81	50-150	
13C4_PFOS	0.96	0.91	95	50-150	

Extracted Internal Standards

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers
13C4_PFBFA	1.0	0.80	80	50-150	
13C5_PFPeA	1.0	0.78	78	50-150	
13C3_PFBFS	0.93	0.71	76	50-150	
13C2_4:2FTS	0.94	0.67	71	50-150	
13C5_PFHxA	1.0	0.78	78	50-150	
13C4_PFHpA	1.0	0.74	74	50-150	
13C3_PFHxS	0.95	0.80	84	50-150	
13C2_6:2FTS	0.95	0.71	75	50-150	
13C8_PFOA	1.0	0.72	72	50-150	
13C9_PFNA	1.0	0.80	80	50-150	
13C8_PFOS	0.96	0.74	77	50-150	
13C2_8:2FTS	0.96	0.77	80	50-150	
13C6_PFDA	1.0	0.79	79	50-150	
d3-MeFOSAA	1.0	0.70	70	50-150	
13C8_PFOA	1.0	0.72	72	50-150	
d5-EtFOSAA	1.0	0.71	71	50-150	
13C7_PFUdA	1.0	0.79	79	50-150	
13C2_PFDaA	1.0	0.77	77	50-150	
13C2_PFTeDA	1.0	0.75	75	50-150	
13C3_HFPO-DA	1.0	0.77	77	50-150	
d7-N-MeFOSE	1.0	0.64	64	20-150	
d9-N-EtFOSE	1.0	0.68	68	20-150	
d3-N-MeFOSA	1.0	0.59	59	20-150	
d5-N-EtFOSA	1.0	0.59	59	20-150	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



LCS Analysis Summary
 PFAS by Isotope Dilution

Lab Sample ID LCS-99648
 Run File Name B220701B_008
 Analyzed 07/02/2022 00:29
 Injected By NH

Instrument ID 10LCMS02
 Column ID 1071B00011
 Ical ID 220629A02
 Level L

Native Analytes

Compound	Known Conc.	Conc. Found	%Recovery	Recovery Limits	Qualifiers	CAS No.
PFBA	0.20	0.21	106	50-150		375-22-4
PFPeA	0.20	0.22	109	50-150		2706-90-3
HFPO-DA	0.20	0.23	114	50-150		13252-13-6
PFBS	0.18	0.20	111	50-150		375-73-5
PFHxA	0.20	0.24	118	50-150		307-24-4
4:2 FTS	0.19	0.18	95	50-150		757124-72-4
PFPeS	0.19	0.19	101	50-150		2706-91-4
PFHpA	0.20	0.22	111	50-150		375-85-9
DONA	0.19	0.21	111	50-150		919005-14-4
PFHxS	0.18	0.18	99	50-150		355-46-4
PFOA	0.20	0.22	110	50-150		335-67-1
6:2 FTS	0.19	0.21	111	50-150		27619-97-2
PFHpS	0.19	0.20	106	50-150		375-92-8
PFNA	0.20	0.20	101	50-150		375-95-1
PFOSAm	0.20	0.22	108	50-150		754-91-6
PFOS	0.18	0.19	105	50-150		1763-23-1
MeFOSA	0.20	0.16	80	50-150		31506-32-8
PFDA	0.20	0.19	97	50-150		335-76-2
EtFOSAm	0.20	0.19	96	50-150		4151-50-2
8:2 FTS	0.19	0.19	100	50-150		39108-34-4
9-CI-PF3ON	0.19	0.19	101	50-150		756426-58-1
PFNS	0.19	0.20	105	50-150		68259-12-1
PFUnDA	0.20	0.21	107	50-150		2058-94-8
NMeFOSAA	0.20	0.24	120	50-150		2355-31-9
NEtFOSAA	0.20	0.23	117	50-150		2991-50-6
PFDS	0.19	0.19	98	50-150		335-77-3
PFDOA	0.20	0.20	102	50-150		307-55-1
MeFOSE	0.20	0.22	109	50-150		24448-09-7
EtFOSE	0.20	0.19	93	50-150		1691-99-2
11-CI-PF3OUdS	0.19	0.18	97	50-150		763051-92-9
PFTrDA	0.20	0.21	105	50-150		72629-94-8
PFDoS	0.19	0.18	92	50-150		79780-39-5
PFTDA	0.20	0.21	106	50-150		376-06-7

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



LCS Analysis Summary
 PFAS by Isotope Dilution

Lab Sample ID LCS-99648
 Run File Name B220701B_008
 Analyzed 07/02/2022 00:29
 Injected By NH

Instrument ID 10LCMS02
 Column ID 1071B00011
 Ical ID 220629A02
 Level L

Injection Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers
13C2 PFHxA	N/A	N/A	5.79	5.81	1806	
13C4 PFOA	N/A	N/A	7.16	7.17	1933	
13C2 PFDA	N/A	N/A	8.51	8.54	2630	
13C4 PFOS	N/A	N/A	9.00	9.01	1805	

Extracted Internal Standards

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers
13C4 PFBA	N/A	N/A	4.31	4.32	2535	
13C5 PFPeA	N/A	N/A	5.11	5.12	2200	
13C3 PFBS	N/A	N/A	6.05	6.06	1732	
13C2 4:2FTS	N/A	N/A	5.51	5.52	655	
13C5 PFHxA	N/A	N/A	5.79	5.81	1778	
13C4 PFHpA	N/A	N/A	6.48	6.49	1745	
13C3 PFHxS	N/A	N/A	7.58	7.59	1665	
13C2 6:2FTS	N/A	N/A	6.81	6.82	1040	
13C8 PFOA	N/A	N/A	7.16	7.17	2476	
13C9 PFNA	N/A	N/A	7.83	7.85	2065	
13C8 PFOS	N/A	N/A	9.00	9.01	3493	
13C2 8:2FTS	N/A	N/A	8.13	8.15	285	
13C6 PFDA	N/A	N/A	8.52	8.54	1756	
d3-MeFOSAA	N/A	N/A	8.38	8.40	965	
13C8 PFOSA	N/A	N/A	10.79	10.77	3087	
d5-EtFOSAA	N/A	N/A	8.69	8.71	989	
13C7 PFUdA	N/A	N/A	9.20	9.22	2337	
13C2 PFDoA	N/A	N/A	9.89	9.90	1293	
13C2 PFTeDA	N/A	N/A	11.22	11.21	2024	
13C3 HFPO-DA	N/A	N/A	6.07	6.09	1692	
d7-N-MeFOSE	N/A	N/A	12.53	12.50	577	
d9-N-EtFOSE	N/A	N/A	13.00	12.97	858	
d3-N-MeFOSA	N/A	N/A	12.74	12.70	996	
d5-N-EtFOSA	N/A	N/A	13.16	13.11	866	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



LCS Analysis Summary
 PFAS by Isotope Dilution

Lab Sample ID LCS-99648
 Run File Name B220701B_008
 Analyzed 07/02/2022 00:29
 Injected By NH

Instrument ID 10LCMS02
 Column ID 1071B00011
 Ical ID 220629A02
 Level L


Native Analytes

Compound	Ion Abund. Ratio	Reference Ratio	Retention Time	Reference Time	Signal to Noise	Qualifiers
PFBA	N/A	N/A	4.32	4.33	114	
PFPeA	N/A	N/A	5.12	5.12	434	
HFPO-DA	0.26	0.30	6.08	6.10	589	
PFBS	0.43	0.45	6.06	6.07	798	
PFHxA	0.07	0.08	5.80	5.82	283	
4:2 FTS	0.95	0.90	5.51	5.53	946	
PFPeS	0.45	0.38	6.85	6.86	1587	
PFHpA	0.31	0.31	6.49	6.50	22	
DONA	0.62	0.59	6.73	6.75	1560	
PFHxS	0.37	0.36	7.58	7.60	1134	
PFOA	0.39	0.41	7.16	7.18	186	
6:2 FTS	0.87	0.89	6.81	6.82	520	
PFHpS	0.42	0.42	8.31	8.32	3080	
PFNA	0.13	0.14	7.84	7.86	733	
PFOSAm	N/A	N/A	10.80	10.78	1344	
PFOS	0.41	0.40	9.01	9.03	548	
MeFOSA	0.63	0.60	12.77	12.73	163	
PFDA	0.18	0.19	8.53	8.58	274	
EtFOSAm	0.61	0.59	13.18	13.10	776	
8:2 FTS	0.92	0.79	8.13	8.15	13846	
9-CI-PF3ON	0.05	0.05	9.51	9.52	1137	
PFNS	0.50	0.47	9.70	9.74	1314	
PFUnDA	0.13	0.14	9.21	9.22	454	
NMeFOSAA	0.77	0.84	8.39	8.41	24331	
NEtFOSAA	0.61	0.65	8.70	8.72	210	
PFDS	0.36	0.32	10.38	10.41	2427	
PFDOA	0.18	0.16	9.89	9.92	292	
MeFOSE	N/A	N/A	12.58	12.52	383	
EtFOSE	0.00	0.00	13.04	12.99	388	
11-CI-PF3OUdS	0.02	0.01	10.86	10.87	507	
PFTrDA	0.14	0.14	10.57	10.59	305	
PFDoS	0.46	0.47	11.63	11.61	2398	
PFTDA	0.24	0.21	11.22	11.21	228	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Elevations Table				
Number	Minimum Elevation	Maximum Elevation	Area	Color
1	-6.51	0.00	12243.36	Red
2	0.01	10.00	244593.76	Orange
3	10.01	20.00	99438.12	Light Green
4	20.01	30.00	52772.42	Green
5	30.01	35.00	18001.01	Blue
6	35.01	41.09	13224.48	Purple



LEGEND


- 640 — GROUND SURFACE CONTOUR, 10-FT
- 650 — GROUND SURFACE CONTOUR, 2-FT
- GRAY — GRAVEL ROAD
- BLACK — PAVED ROAD
- X — APPROXIMATE FENCE, PROPERTY LINE
- I — CULVERT
- MW-104 — MONITORING WELL
- X — ELECTRIC TRANSMISSION LINE TOWER
- □ — BUILDING
- 650 — PERMIT WASTE GRADES (SEE NOTE 6)

NOTES:

1. HORIZONTAL GRID IS BROWN COUNTY COORDINATE SYSTEM.
2. ELEVATIONS REFERENCED TO USGS DATUM, 1929.
3. CONTOURS IN PHASE I REPRESENT TOP OF TOPSOIL GRADES.
4. CONTOURS IN PHASES II & III REPRESENT WORKING WASTE GRADES FROM 10-05-2022 SURVEY BY GEI CONSULTANTS.
5. PROPOSED WASTE GRADES ARE FROM 2000 PLAN OF OPERATION MODIFICATION.

Cut/Fill Summary

Name	Cut Factor	Fill Factor	2d Area	Cut	Fill	Net
VOL 10-05-22 PHASE 2 REMAINING WASTE VOL	1.000	1.000	205464.32 Sq. Ft.	211.90 Cu. Yd.	88942.11 Cu. Yd.	88730.22 Cu. Yd.<Fill>
VOL 10-05-22 PHASE 3 REMAINING WASTE VOL	1.000	1.000	234979.85 Sq. Ft.	520.02 Cu. Yd.	96616.85 Cu. Yd.	96096.83 Cu. Yd.<Fill>



J:\Landfill\GP_Northland\GP_Northland Airspace Survey\Clean_up\ISO-10-06-2022

Attention:				
NO.	DATE	ISSUE/REVISION	APP	


Designed: DAB
 Checked: MJV
 Drawn: DAB
 Submittal Date: 10-06-2022



Northland Landfill
 Georgia-Pacific Consumer Operations LLC
 1732 Quincy Street
 Green Bay, Wisconsin
 GEI Project 2203883

2022 AIRSPACE ANALYSIS
 ISOPACH TO FINAL WASTE GRADES
 (10-06-2022)

DWG. NO.
2
 SHEET NO.
2




PARTIAL SITE PLAN - PROPOSED CRANE MAT LAYOUT

SCALE: 1/8" = 1'-0"

GP PM 8 CRANE PAD
 PROJECT NUMBER: 60685247

FIGURE 1 - PROPOSED CRANE MAT LAYOUT

CREATED BY: BRANDON T. MILLER 10/10/2022
 CHECKED BY: CHARLES D. DEAN 10/10/2022



SECTION A - SOIL REPLACEMENT AND CONCRETE STRUCTURE

SCALE: 3/8" = 1'-0"


NOTES:

1. CONCRETE COMPRESSIVE STRENGTH $F'_c = 4,000$ PSI
2. REINFORCING STEEL - ASTM A615 GRADE 60
3. THE LOCATION OF THE 36-INCH CONCRETE PROCESS STORM SEWER PIPE SHOWN ON THIS SHEET IS BASED ON FIELD LOCATION BY OTHERS. DEPTH OF PIPE COULD BE 8 FT TO 9 FT BELOW GROUND SURFACE. TO BE VERIFIED IN FIELD DURING CONSTRUCTION.

GP PM 8 CRANE PAD
PROJECT NUMBER: 60685247

FIGURE 2 - SOIL REPLACEMENT AND CONCRETE STRUCTURE

CREATED BY: BRANDON T. MILLER 10/10/2022
CHECKED BY: CHARLES D. DEAN 10/10/2022



SECTION B - EXCAVATION LIMITS

SCALE: 1/4" = 1'-0"

NOTES:

1. THE LOCATION OF THE 36-INCH CONCRETE PROCESS STORM SEWER PIPE SHOWN ON THIS SHEET IS BASED ON FIELD LOCATION BY OTHERS. DEPTH OF PIPE COULD BE 8 FT TO 9 FT BELOW GROUND SURFACE. TO BE VERIFIED IN FIELD DURING CONSTRUCTION.

GP PM 8 CRANE PAD
PROJECT NUMBER: 60685247

FIGURE 3 - EXCAVATION LIMITS

CREATED BY: BRANDON T. MILLER
CHECKED BY: CHARLES D. DEAN

10/10/2022
10/10/2022