

Notification For Hazardous Substance Discharge (Non-Emergency Only)

Form 4400-225 (R 02/20)

Page 1 of 2

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to s. 292.11 Wis. Stats. Non-emergency hazardous substance discharges may be reported by telefaxing or e-mailing a completed report to the Department, or calling or visiting a Department office in person. If you choose to notify the Department by telefax or by email, you should use this form to be sure that all necessary information is included. However, use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 – 19.39, Wis. Stats.).

Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. **TYPE or PRINT LEGIBLY.** NOTIFY appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (**check one**):

- Underground Petroleum Storage Tank System (additional information may be required for Item 6 below)
- Aboveground Petroleum Storage Tank System
- Dry Cleaner Facility
- Other - Describe: _____

ATTN DNR: **R & R Program Associate**

Date DNR Notified: 08/28/2020

1. Discharge Reported By

Name Richard Mazurkiewicz	Firm Ramboll US Corporation	Phone Number (include area code) (262) 901-3502
------------------------------	--------------------------------	--

Mailing Address Brookfield, WI 53045175 North Corporate	Email rmazurkiewicz@ramboll.com
--	------------------------------------

2. Site Information

Name of site at which discharge occurred. Include local name of site/business, not responsible party name, unless a residence/vacant property.

Retail/Wholesale Store

Location: Include street address, not PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60.

1305 North Johns Street

Municipality: (City, Village, Township) Specify municipality in which the site is located, not mailing address/city.

City of Dodgeville

County Iowa	Legal Description: SE ¼ of SW ¼ Section 22, Town 06 N, Range 03 <input checked="" type="radio"/> E <input type="radio"/> W	WTM: X 509676 Y 278222
----------------	---	---------------------------

3. Responsible Party (RP) and/or RP Representative

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

Trace Mitchell Real Estate, LLC

A local governmental unit claiming an exemption from state Spill Law and Solid Waste Management responsibilities for the discharge being reported, per Wis. Stat. §§ 292.11(9)(e) and 292.23, should: 1) check this box; 2) review [DNR publication RR-055](#); and 3) provide documentation to DNR that demonstrates compliance with the statutory requirements of the liability exemptions. Local governmental units may also request a fee-based liability clarification letter from DNR by using [DNR Form 4400-237](#).

Contact Person Name (if different) Marla Mitchell	Phone Number (608) 574-5382	Email
--	--------------------------------	-------

Mailing Address 3909 Berg Road	City Dodgeville	State WI	ZIP Code 53533
-----------------------------------	--------------------	-------------	-------------------

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

Contact Person Name (if different)	Phone Number	Email
------------------------------------	--------------	-------

Mailing Address	City	State	ZIP Code
-----------------	------	-------	----------

(continued)

Notification For Hazardous Substance Discharge (Non-Emergency Only)

4. Hazardous Substance Information

Identify hazardous substance discharged (check all that apply):

- | | | |
|--|---|--|
| <input type="checkbox"/> VOCs | (VOCs continued) | <input type="checkbox"/> Metals |
| <input checked="" type="checkbox"/> PCE | <input type="checkbox"/> Mineral Oil | <input type="checkbox"/> Arsenic |
| <input type="checkbox"/> TCE | <input type="checkbox"/> Waste Oil | <input type="checkbox"/> Chromium |
| <input type="checkbox"/> Other Chlorinated | <input type="checkbox"/> Petroleum-Unknown Type | <input type="checkbox"/> Lead |
| <input type="checkbox"/> Diesel | <input type="checkbox"/> PAHs | <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Fuel Oil | <input type="checkbox"/> PCBs | <input type="checkbox"/> Pesticides: _____ |
| <input type="checkbox"/> Gasoline | <input type="checkbox"/> Cyanide | <input type="checkbox"/> Fertilizer: _____ |
| <input type="checkbox"/> Hydraulic Oil | <input type="checkbox"/> Leachate | <input type="checkbox"/> RCRA Hazardous Waste: _____ |
| <input type="checkbox"/> Jet Fuel | <input type="checkbox"/> Manure | <input checked="" type="checkbox"/> Other: _____ |
| | | <input type="checkbox"/> Unknown |

Foam Building Material (dichlorodifluoromethane and styrene) and ethylbenzene in soil.
See attachment 1 for list of other analytes detected in sub-slab soil vapor.

5. Impacts to the Environment Information

Enter "K" for known/confirmed or "P" for potential for all that apply.

- | | | |
|--|---|--|
| <input type="checkbox"/> Air Contamination | <input type="checkbox"/> Fire Explosion Threat | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Co-mingled (Petroleum & Non-Petroleum) | <input type="checkbox"/> Free Product | <input type="checkbox"/> Soil Gas Contamination |
| <input type="checkbox"/> Contamination in Fractured Bedrock | <input type="checkbox"/> Groundwater Contamination | <input checked="" type="checkbox"/> Sub-slab Vapor Contamination |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input type="checkbox"/> Off-Site Contamination | <input type="checkbox"/> Surface Water Contamination |
| <input type="checkbox"/> Contaminated Private Well | <input type="checkbox"/> Sanitary Sewer Contamination | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Public Well | <input type="checkbox"/> Storm Sewer Contamination | <input type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contamination in Right of Way | <input type="checkbox"/> Sediment Contamination | |
| | Other (specify): _____ | |

Contamination was discovered as a result of:

- | | | |
|--|---|--|
| <input type="checkbox"/> Tank closure assessment | <input checked="" type="checkbox"/> Site assessment | <input type="checkbox"/> Other - Describe: _____ |
| Date <input type="text"/> | Date <input type="text"/> | Date <input type="text"/> |

Lab results: Lab results will be faxed upon receipt Lab results provided as attachment 2

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.
Lab results attached. Assessment report is being finalized.

6. Federal Energy Act Requirements (Section 9002(d) of the Solid Waste Disposal Act (SWDA))

For all confirmed releases from USTs occurring after 9/30/2007 please provide the following information:

- | Source | Cause |
|---|--|
| <input type="checkbox"/> Tank | <input type="checkbox"/> Spill |
| <input type="checkbox"/> Piping | <input type="checkbox"/> Overfill |
| <input type="checkbox"/> Dispenser | <input type="checkbox"/> Corrosion |
| <input type="checkbox"/> Submersible Turbine Pump | <input type="checkbox"/> Physical or Mechanical Damage |
| <input type="checkbox"/> Delivery Problem | <input type="checkbox"/> Installation Problem |
| | <input type="checkbox"/> Other (does not fit any of above) |
| <input checked="" type="checkbox"/> Does not apply. | <input type="checkbox"/> Unknown |
| <input type="checkbox"/> Other (specify): _____ | |

Submit this completed form along with any associate lab results using the RR Program Submittal Portal, found on the DNR website at <https://dnr.wi.gov/topic/Brownfields/Submittal.html>.

If you have any questions, please contact the appropriate regional Environmental Program Associate (EPA) listed under the "EPAs" tab at <https://dnr.wi.gov/topic/Brownfields/Contact.html>.

Attachment 1

Other volatile organic compounds detected in sub-slab vapor samples.

1. Acetone
2. Benzene
3. Carbon Disulfide
4. Carbon Tetrachloride
5. Chlorobenzene
6. Chloroform
7. Cyclohexane
8. Dichlorobenzene, 1,2-
9. Dichlorobenzene, 1,3-
10. Dichlorobenzene, 1,4-
11. Dichlorodifluoromethane
12. Dichloroethylene, 1,2-trans-
13. Ethanol
14. Ethyl Acetate
15. Ethylbenzene
16. 4-Ethyltoluene
17. n-Heptane
18. Hexane, N-
19. Hexanone, 2-
20. Isopropanol
21. Methyl Ethyl Ketone (2-
22. Butanone)
23. Methyl Isobutyl Ketone (4-
24. methyl-2-pentanone)
25. Methylene Chloride
26. Naphthalene
27. Styrene
28. Tetrachloroethylene
29. Tetrahydrofuran
30. Toluene
31. Trichloro-1,2,2-trifluoroethane,
32. 1,1,2-
33. Trichloroethylene
34. Trichlorofluoromethane
35. Trimethylbenzene, 1,2,4-
36. Trimethylbenzene, 1,3,5-
37. m&p-Xylene
38. Xylene, o-

Attachment 2

July 15, 2020

Richard Mazurkiewicz
Ramboll
175 North Corporate Drive
Suite 160
Brookfield, WI 53045

RE: Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

Dear Richard Mazurkiewicz:

Enclosed are the analytical results for sample(s) received by the laboratory on July 09, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Staci Goetz, Ramboll
David L. Markelz, Ramboll Environ
Erin Veder, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40210832001	SB-1 (1-2)	Solid	07/07/20 17:55	07/09/20 10:20
40210832002	SB-2 (0.5-1.5)	Solid	07/07/20 11:00	07/09/20 10:20
40210832003	SB-3 (2-3)	Solid	07/07/20 09:15	07/09/20 10:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40210832001	SB-1 (1-2)	EPA 8260	MDS	65	PASI-G
		ASTM D2974-87	K1S	1	PASI-G
40210832002	SB-2 (0.5-1.5)	EPA 8260	MDS	65	PASI-G
		ASTM D2974-87	K1S	1	PASI-G
40210832003	SB-3 (2-3)	EPA 8260	MDS	65	PASI-G
		ASTM D2974-87	K1S	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40210832001	SB-1 (1-2)					
EPA 8260	Dichlorodifluoromethane	647	ug/kg	79.6	07/13/20 21:09	
EPA 8260	Ethylbenzene	61.2J	ug/kg	66.4	07/13/20 21:09	
EPA 8260	Styrene	131	ug/kg	66.4	07/13/20 21:09	
ASTM D2974-87	Percent Moisture	9.6	%	0.10	07/15/20 13:11	
40210832002	SB-2 (0.5-1.5)					
ASTM D2974-87	Percent Moisture	10.2	%	0.10	07/15/20 13:11	
40210832003	SB-3 (2-3)					
ASTM D2974-87	Percent Moisture	19.0	%	0.10	07/15/20 13:11	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

Sample: **SB-1 (1-2)** Lab ID: **40210832001** Collected: 07/07/20 17:55 Received: 07/09/20 10:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	563-58-6	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	07/13/20 09:15	07/13/20 21:09	87-61-6	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	07/13/20 09:15	07/13/20 21:09	96-18-4	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	07/13/20 09:15	07/13/20 21:09	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	95-63-6	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	07/13/20 09:15	07/13/20 21:09	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	07/13/20 09:15	07/13/20 21:09	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	07/13/20 09:15	07/13/20 21:09	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	07/13/20 09:15	07/13/20 21:09	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	07/13/20 09:15	07/13/20 21:09	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 21:09	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	07/13/20 09:15	07/13/20 21:09	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	07/13/20 09:15	07/13/20 21:09	75-00-3	L2,W
Chloroform	<47.5	ug/kg	250	47.5	1	07/13/20 09:15	07/13/20 21:09	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	07/13/20 09:15	07/13/20 21:09	74-87-3	W
Dibromochloromethane	<229	ug/kg	763	229	1	07/13/20 09:15	07/13/20 21:09	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	74-95-3	W
Dichlorodifluoromethane	647	ug/kg	79.6	27.6	1	07/13/20 09:15	07/13/20 21:09	75-71-8	
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	108-20-3	W
Ethylbenzene	61.2J	ug/kg	66.4	27.6	1	07/13/20 09:15	07/13/20 21:09	100-41-4	
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	07/13/20 09:15	07/13/20 21:09	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	1634-04-4	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	07/13/20 09:15	07/13/20 21:09	75-09-2	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	07/13/20 09:15	07/13/20 21:09	91-20-3	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

Sample: SB-1 (1-2) **Lab ID: 40210832001** Collected: 07/07/20 17:55 Received: 07/09/20 10:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	131	ug/kg	66.4	27.6	1	07/13/20 09:15	07/13/20 21:09	100-42-5	
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	07/13/20 09:15	07/13/20 21:09	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	07/13/20 09:15	07/13/20 21:09	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/13/20 09:15	07/13/20 21:09	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	156-59-2	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	07/13/20 09:15	07/13/20 21:09	10061-01-5	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	07/13/20 09:15	07/13/20 21:09	179601-23-1	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	07/13/20 09:15	07/13/20 21:09	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	103-65-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:09	95-47-6	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 21:09	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 21:09	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	07/13/20 09:15	07/13/20 21:09	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	07/13/20 09:15	07/13/20 21:09	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	07/13/20 09:15	07/13/20 21:09	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	114	%	58-145		1	07/13/20 09:15	07/13/20 21:09	1868-53-7	
Toluene-d8 (S)	107	%	56-140		1	07/13/20 09:15	07/13/20 21:09	2037-26-5	
4-Bromofluorobenzene (S)	106	%	52-137		1	07/13/20 09:15	07/13/20 21:09	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.6	%	0.10	0.10	1		07/15/20 13:11		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

Sample: SB-2 (0.5-1.5) **Lab ID: 40210832002** Collected: 07/07/20 11:00 Received: 07/09/20 10:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	563-58-6	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	07/13/20 09:15	07/13/20 19:13	87-61-6	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	07/13/20 09:15	07/13/20 19:13	96-18-4	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	07/13/20 09:15	07/13/20 19:13	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	95-63-6	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	07/13/20 09:15	07/13/20 19:13	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	07/13/20 09:15	07/13/20 19:13	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	07/13/20 09:15	07/13/20 19:13	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	07/13/20 09:15	07/13/20 19:13	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	07/13/20 09:15	07/13/20 19:13	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 19:13	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	07/13/20 09:15	07/13/20 19:13	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	07/13/20 09:15	07/13/20 19:13	75-00-3	L2,W
Chloroform	<47.5	ug/kg	250	47.5	1	07/13/20 09:15	07/13/20 19:13	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	07/13/20 09:15	07/13/20 19:13	74-87-3	W
Dibromochloromethane	<229	ug/kg	763	229	1	07/13/20 09:15	07/13/20 19:13	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 19:13	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	07/13/20 09:15	07/13/20 19:13	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	1634-04-4	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	07/13/20 09:15	07/13/20 19:13	75-09-2	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	07/13/20 09:15	07/13/20 19:13	91-20-3	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

Sample: SB-2 (0.5-1.5) **Lab ID: 40210832002** Collected: 07/07/20 11:00 Received: 07/09/20 10:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	100-42-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	07/13/20 09:15	07/13/20 19:13	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	07/13/20 09:15	07/13/20 19:13	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/13/20 09:15	07/13/20 19:13	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	156-59-2	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	07/13/20 09:15	07/13/20 19:13	10061-01-5	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	07/13/20 09:15	07/13/20 19:13	179601-23-1	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	07/13/20 09:15	07/13/20 19:13	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	103-65-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 19:13	95-47-6	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 19:13	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 19:13	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	07/13/20 09:15	07/13/20 19:13	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	07/13/20 09:15	07/13/20 19:13	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	07/13/20 09:15	07/13/20 19:13	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	114	%	58-145		1	07/13/20 09:15	07/13/20 19:13	1868-53-7	
Toluene-d8 (S)	112	%	56-140		1	07/13/20 09:15	07/13/20 19:13	2037-26-5	
4-Bromofluorobenzene (S)	112	%	52-137		1	07/13/20 09:15	07/13/20 19:13	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.2	%	0.10	0.10	1		07/15/20 13:11		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

Sample: SB-3 (2-3) Lab ID: **40210832003** Collected: 07/07/20 09:15 Received: 07/09/20 10:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	563-58-6	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	07/13/20 09:15	07/13/20 21:32	87-61-6	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	07/13/20 09:15	07/13/20 21:32	96-18-4	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	07/13/20 09:15	07/13/20 21:32	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	95-63-6	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	07/13/20 09:15	07/13/20 21:32	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	07/13/20 09:15	07/13/20 21:32	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	07/13/20 09:15	07/13/20 21:32	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	07/13/20 09:15	07/13/20 21:32	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	07/13/20 09:15	07/13/20 21:32	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 21:32	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	07/13/20 09:15	07/13/20 21:32	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	07/13/20 09:15	07/13/20 21:32	75-00-3	L2,W
Chloroform	<47.5	ug/kg	250	47.5	1	07/13/20 09:15	07/13/20 21:32	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	07/13/20 09:15	07/13/20 21:32	74-87-3	W
Dibromochloromethane	<229	ug/kg	763	229	1	07/13/20 09:15	07/13/20 21:32	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 21:32	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	07/13/20 09:15	07/13/20 21:32	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	1634-04-4	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	07/13/20 09:15	07/13/20 21:32	75-09-2	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	07/13/20 09:15	07/13/20 21:32	91-20-3	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

Sample: SB-3 (2-3) **Lab ID: 40210832003** Collected: 07/07/20 09:15 Received: 07/09/20 10:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	100-42-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	07/13/20 09:15	07/13/20 21:32	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	07/13/20 09:15	07/13/20 21:32	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/13/20 09:15	07/13/20 21:32	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	156-59-2	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	07/13/20 09:15	07/13/20 21:32	10061-01-5	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	07/13/20 09:15	07/13/20 21:32	179601-23-1	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	07/13/20 09:15	07/13/20 21:32	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	103-65-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	07/13/20 09:15	07/13/20 21:32	95-47-6	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 21:32	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	07/13/20 09:15	07/13/20 21:32	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	07/13/20 09:15	07/13/20 21:32	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	07/13/20 09:15	07/13/20 21:32	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	07/13/20 09:15	07/13/20 21:32	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	116	%	58-145		1	07/13/20 09:15	07/13/20 21:32	1868-53-7	
Toluene-d8 (S)	115	%	56-140		1	07/13/20 09:15	07/13/20 21:32	2037-26-5	
4-Bromofluorobenzene (S)	111	%	52-137		1	07/13/20 09:15	07/13/20 21:32	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.0	%	0.10	0.10	1		07/15/20 13:11		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

QC Batch: 359978 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40210832001, 40210832002, 40210832003

METHOD BLANK: 2081744 Matrix: Solid
Associated Lab Samples: 40210832001, 40210832002, 40210832003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<7.8	50.0	07/13/20 16:31	
1,1,1-Trichloroethane	ug/kg	<13.5	50.0	07/13/20 16:31	
1,1,2,2-Tetrachloroethane	ug/kg	<15.7	52.0	07/13/20 16:31	
1,1,2-Trichloroethane	ug/kg	<15.7	52.0	07/13/20 16:31	
1,1-Dichloroethane	ug/kg	<13.5	50.0	07/13/20 16:31	
1,1-Dichloroethene	ug/kg	<11.8	50.0	07/13/20 16:31	
1,1-Dichloropropene	ug/kg	<10.7	50.0	07/13/20 16:31	
1,2,3-Trichlorobenzene	ug/kg	<47.3	158	07/13/20 16:31	
1,2,3-Trichloropropane	ug/kg	<37.4	125	07/13/20 16:31	
1,2,4-Trichlorobenzene	ug/kg	<41.7	250	07/13/20 16:31	
1,2,4-Trimethylbenzene	ug/kg	<18.1	60.0	07/13/20 16:31	
1,2-Dibromo-3-chloropropane	ug/kg	<237	789	07/13/20 16:31	
1,2-Dibromoethane (EDB)	ug/kg	<17.0	57.0	07/13/20 16:31	
1,2-Dichlorobenzene	ug/kg	<13.1	50.0	07/13/20 16:31	
1,2-Dichloroethane	ug/kg	<13.8	50.0	07/13/20 16:31	
1,2-Dichloropropane	ug/kg	<13.5	50.0	07/13/20 16:31	
1,3,5-Trimethylbenzene	ug/kg	<16.0	53.0	07/13/20 16:31	
1,3-Dichlorobenzene	ug/kg	<13.0	50.0	07/13/20 16:31	
1,3-Dichloropropane	ug/kg	<11.0	50.0	07/13/20 16:31	
1,4-Dichlorobenzene	ug/kg	<12.0	50.0	07/13/20 16:31	
2,2-Dichloropropane	ug/kg	<15.7	52.0	07/13/20 16:31	
2-Chlorotoluene	ug/kg	<19.3	64.0	07/13/20 16:31	
4-Chlorotoluene	ug/kg	<19.3	64.0	07/13/20 16:31	
Benzene	ug/kg	<12.5	42.0	07/13/20 16:31	
Bromobenzene	ug/kg	<18.5	62.0	07/13/20 16:31	
Bromochloromethane	ug/kg	<20.9	70.0	07/13/20 16:31	
Bromodichloromethane	ug/kg	<10.0	50.0	07/13/20 16:31	
Bromoform	ug/kg	<21.6	72.0	07/13/20 16:31	
Bromomethane	ug/kg	<63.8	250	07/13/20 16:31	
Carbon tetrachloride	ug/kg	<7.5	50.0	07/13/20 16:31	
Chlorobenzene	ug/kg	<16.8	56.0	07/13/20 16:31	
Chloroethane	ug/kg	<46.4	250	07/13/20 16:31	
Chloroform	ug/kg	<47.5	250	07/13/20 16:31	
Chloromethane	ug/kg	<24.0	80.0	07/13/20 16:31	
cis-1,2-Dichloroethene	ug/kg	<14.8	50.0	07/13/20 16:31	
cis-1,3-Dichloropropene	ug/kg	<42.3	141	07/13/20 16:31	
Dibromochloromethane	ug/kg	<229	763	07/13/20 16:31	
Dibromomethane	ug/kg	<17.7	59.0	07/13/20 16:31	
Dichlorodifluoromethane	ug/kg	<21.7	72.0	07/13/20 16:31	
Diisopropyl ether	ug/kg	<14.0	50.0	07/13/20 16:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

METHOD BLANK: 2081744 Matrix: Solid
Associated Lab Samples: 40210832001, 40210832002, 40210832003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<14.5	50.0	07/13/20 16:31	
Hexachloro-1,3-butadiene	ug/kg	<68.7	229	07/13/20 16:31	
Isopropylbenzene (Cumene)	ug/kg	<17.7	59.0	07/13/20 16:31	
m&p-Xylene	ug/kg	<32.4	108	07/13/20 16:31	
Methyl-tert-butyl ether	ug/kg	<16.2	54.0	07/13/20 16:31	
Methylene Chloride	ug/kg	<26.3	88.0	07/13/20 16:31	
n-Butylbenzene	ug/kg	84.1J	100	07/13/20 16:31	
n-Propylbenzene	ug/kg	<17.8	59.0	07/13/20 16:31	
Naphthalene	ug/kg	<27.3	91.0	07/13/20 16:31	
o-Xylene	ug/kg	<18.1	60.0	07/13/20 16:31	
p-Isopropyltoluene	ug/kg	<21.7	72.0	07/13/20 16:31	
sec-Butylbenzene	ug/kg	<21.5	72.0	07/13/20 16:31	
Styrene	ug/kg	<12.3	50.0	07/13/20 16:31	
tert-Butylbenzene	ug/kg	<18.7	62.0	07/13/20 16:31	
Tetrachloroethene	ug/kg	<38.7	129	07/13/20 16:31	
Toluene	ug/kg	<13.1	50.0	07/13/20 16:31	
trans-1,2-Dichloroethene	ug/kg	<20.2	67.0	07/13/20 16:31	
trans-1,3-Dichloropropene	ug/kg	<22.2	74.0	07/13/20 16:31	
Trichloroethene	ug/kg	<12.8	50.0	07/13/20 16:31	
Trichlorofluoromethane	ug/kg	<19.6	65.0	07/13/20 16:31	
Vinyl chloride	ug/kg	<14.5	50.0	07/13/20 16:31	
Xylene (Total)	ug/kg	<50.5	168	07/13/20 16:31	
4-Bromofluorobenzene (S)	%	88	52-137	07/13/20 16:31	
Dibromofluoromethane (S)	%	91	58-145	07/13/20 16:31	
Toluene-d8 (S)	%	89	56-140	07/13/20 16:31	

LABORATORY CONTROL SAMPLE: 2081745

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2540	102	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2690	108	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2530	101	70-130	
1,1-Dichloroethane	ug/kg	2500	2640	106	69-143	
1,1-Dichloroethene	ug/kg	2500	2250	90	73-118	
1,2,4-Trichlorobenzene	ug/kg	2500	2480	99	60-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2820	113	66-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2530	101	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2450	98	70-130	
1,2-Dichloroethane	ug/kg	2500	2660	106	70-130	
1,2-Dichloropropane	ug/kg	2500	2700	108	78-126	
1,3-Dichlorobenzene	ug/kg	2500	2410	96	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2410	96	70-130	
Benzene	ug/kg	2500	2580	103	70-130	
Bromodichloromethane	ug/kg	2500	2540	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

LABORATORY CONTROL SAMPLE: 2081745

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/kg	2500	2130	85	67-130	
Bromomethane	ug/kg	2500	1290	52	45-134	
Carbon tetrachloride	ug/kg	2500	2510	101	70-130	
Chlorobenzene	ug/kg	2500	2370	95	70-130	
Chloroethane	ug/kg	2500	1380	55	58-143	L2
Chloroform	ug/kg	2500	2570	103	76-122	
Chloromethane	ug/kg	2500	2040	82	45-120	
cis-1,2-Dichloroethene	ug/kg	2500	2310	93	69-130	
cis-1,3-Dichloropropene	ug/kg	2500	2380	95	70-130	
Dibromochloromethane	ug/kg	2500	2490	100	70-130	
Dichlorodifluoromethane	ug/kg	2500	1300	52	26-99	
Ethylbenzene	ug/kg	2500	2500	100	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2280	91	70-130	
m&p-Xylene	ug/kg	5000	5090	102	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2410	96	70-130	
Methylene Chloride	ug/kg	2500	2290	92	70-130	
o-Xylene	ug/kg	2500	2550	102	70-130	
Styrene	ug/kg	2500	2360	94	70-130	
Tetrachloroethene	ug/kg	2500	2250	90	70-130	
Toluene	ug/kg	2500	2620	105	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2370	95	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2380	95	70-130	
Trichloroethene	ug/kg	2500	2480	99	70-130	
Trichlorofluoromethane	ug/kg	2500	1860	74	70-128	
Vinyl chloride	ug/kg	2500	2110	84	53-110	
Xylene (Total)	ug/kg	7500	7630	102	70-130	
4-Bromofluorobenzene (S)	%			107	52-137	
Dibromofluoromethane (S)	%			101	58-145	
Toluene-d8 (S)	%			97	56-140	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2081746 2081747

Parameter	Units	2081746		2081747		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40210832002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
1,1,1-Trichloroethane	ug/kg	<25.0	1390	1390	1440	1330	103	96	66-130	8	20	
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	1390	1390	1670	1470	120	105	70-133	13	20	
1,1,2-Trichloroethane	ug/kg	<25.0	1390	1390	1490	1390	107	100	70-130	7	20	
1,1-Dichloroethane	ug/kg	<25.0	1390	1390	1490	1420	107	102	69-143	5	20	
1,1-Dichloroethene	ug/kg	<25.0	1390	1390	1260	1190	90	85	58-120	5	20	
1,2,4-Trichlorobenzene	ug/kg	<41.7	1390	1390	1660	1380	120	99	60-130	18	20	
1,2-Dibromo-3-chloropropane	ug/kg	<237	1390	1390	1720	1490	124	107	59-136	14	20	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	1390	1390	1440	1330	103	96	70-130	8	20	
1,2-Dichlorobenzene	ug/kg	<25.0	1390	1390	1510	1380	109	99	70-130	9	20	
1,2-Dichloroethane	ug/kg	<25.0	1390	1390	1580	1460	114	105	70-136	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA 1305 N JOHNS
Pace Project No.: 40210832

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2081746		2081747		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40210832002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloropropane	ug/kg	<25.0	1390	1390	1590	1460	114	105	78-128	9	20		
1,3-Dichlorobenzene	ug/kg	<25.0	1390	1390	1470	1270	106	91	70-130	14	20		
1,4-Dichlorobenzene	ug/kg	<25.0	1390	1390	1530	1360	110	98	70-130	12	20		
Benzene	ug/kg	<25.0	1390	1390	1490	1390	107	100	70-130	7	20		
Bromodichloromethane	ug/kg	<25.0	1390	1390	1440	1360	104	98	70-130	6	20		
Bromoform	ug/kg	<25.0	1390	1390	1340	1280	97	92	63-130	5	20		
Bromomethane	ug/kg	<63.8	1390	1390	780	711	56	51	33-146	9	20		
Carbon tetrachloride	ug/kg	<25.0	1390	1390	1410	1290	101	93	65-130	9	20		
Chlorobenzene	ug/kg	<25.0	1390	1390	1380	1280	99	92	70-130	8	20		
Chloroethane	ug/kg	<46.4	1390	1390	770	730	55	52	46-156	5	20		
Chloroform	ug/kg	<47.5	1390	1390	1480	1370	106	98	75-130	7	20		
Chloromethane	ug/kg	<25.0	1390	1390	1200	1120	86	80	20-139	7	20		
cis-1,2-Dichloroethene	ug/kg	<25.0	1390	1390	1360	1290	98	93	69-130	5	20		
cis-1,3-Dichloropropene	ug/kg	<42.3	1390	1390	1430	1340	103	96	70-130	7	20		
Dibromochloromethane	ug/kg	<229	1390	1390	1400	1310	100	94	70-130	7	20		
Dichlorodifluoromethane	ug/kg	<25.0	1390	1390	755	687	54	49	10-99	9	22		
Ethylbenzene	ug/kg	<25.0	1390	1390	1410	1300	101	93	80-120	8	20		
Isopropylbenzene (Cumene)	ug/kg	<25.0	1390	1390	1300	1190	94	86	70-130	9	20		
m&p-Xylene	ug/kg	<50.0	2780	2780	2840	2680	102	96	70-130	6	20		
Methyl-tert-butyl ether	ug/kg	<25.0	1390	1390	1430	1320	102	95	70-130	7	20		
Methylene Chloride	ug/kg	<26.3	1390	1390	1360	1280	98	92	70-136	7	20		
o-Xylene	ug/kg	<25.0	1390	1390	1430	1320	103	95	70-130	8	20		
Styrene	ug/kg	<25.0	1390	1390	1370	1240	98	89	70-130	10	20		
Tetrachloroethene	ug/kg	<38.7	1390	1390	1300	1150	93	83	68-130	12	20		
Toluene	ug/kg	<25.0	1390	1390	1470	1370	105	98	80-120	7	20		
trans-1,2-Dichloroethene	ug/kg	<25.0	1390	1390	1400	1290	100	93	70-130	7	20		
trans-1,3-Dichloropropene	ug/kg	<25.0	1390	1390	1380	1250	99	90	70-130	10	20		
Trichloroethene	ug/kg	<25.0	1390	1390	1420	1320	102	95	70-130	7	20		
Trichlorofluoromethane	ug/kg	<25.0	1390	1390	1090	984	78	71	53-128	10	20		
Vinyl chloride	ug/kg	<25.0	1390	1390	1220	1150	88	82	32-118	6	20		
Xylene (Total)	ug/kg	<75.0	4180	4180	4270	4000	102	96	70-130	7	20		
4-Bromofluorobenzene (S)	%						115	114	52-137				
Dibromofluoromethane (S)	%						113	112	58-145				
Toluene-d8 (S)	%						111	109	56-140				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

QC Batch: 360240

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40210832001, 40210832002, 40210832003

SAMPLE DUPLICATE: 2083051

Parameter	Units	40211042013 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	13.3	13.9	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.

W Non-detect results are reported on a wet weight basis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690018043 NAPA 1305 N JOHNS

Pace Project No.: 40210832

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40210832001	SB-1 (1-2)	EPA 5035/5030B	359978	EPA 8260	359981
40210832002	SB-2 (0.5-1.5)	EPA 5035/5030B	359978	EPA 8260	359981
40210832003	SB-3 (2-3)	EPA 5035/5030B	359978	EPA 8260	359981
40210832001	SB-1 (1-2)	ASTM D2974-87	360240		
40210832002	SB-2 (0.5-1.5)	ASTM D2974-87	360240		
40210832003	SB-3 (2-3)	ASTM D2974-87	360240		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)


Company Name: **Ramboll**
 Branch/location: **Breckfield, CO**
 Project Contact: **Rubend Mazurkiewicz**
 Phone: **262-901-3502**
 Project Number: **1690018043**
 Project Name: **NAPA - 1305 N. Johns St.**
 Project State: **CO**
 Sampled By (Print): **Kyle Heurstead**
 Sampled By (Sign): *[Signature]*
 PO #: _____
 Regulatory Program: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD (billable)
 On your sample
 NOT needed on your sample

Matrix Codes
 A = Air
 B = Biotra
 C = Charcoal
 O = Oil
 S = Soil
 SI = Sludge
 W = Water
 DW = Drinking Water
 GW = Ground Water
 SW = Surface Water
 WW = Waste Water
 WP = Wipe

Filtered? (YES/NO)
Preservation (CODE)
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H= Sodium Bisulfate Solution I= Sodium Thiosulfate J=Other



CHAIN OF CUSTODY

UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-489-2436

Y/N	Pick Letter
N	F

Analysis Requested	DATE	TIME	MATRIX
VOL 8260	7/3/20	1755	S
		1100	S
		915	S

Relinquished By: *[Signature]* Date/Time: **7/8/20 1458**
Relinquished By: *[Signature]* Date/Time: _____
Relinquished By: *[Signature]* Date/Time: _____
Relinquished By: *[Signature]* Date/Time: _____

Received By: *[Signature]* Date/Time: **14:38**
Received By: *[Signature]* Date/Time: _____
Received By: *[Signature]* Date/Time: _____
Received By: *[Signature]* Date/Time: _____

Quote #: _____
Mail To Contact: _____
Mail To Company: _____
Mail To Address: _____

Invoice To Contact: **Rubend Mazurkiewicz**
Invoice To Company: **Ramboll**
Invoice To Address: _____
Invoice To Phone: **262-901-3502**

CLIENT COMMENTS
LAB COMMENTS (Lab Use Only) _____
Profile # _____

Transmit Prelim Rush Results by (complete what you want):
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Relinquished By: *[Signature]* Date/Time: **7/8/20 1458**
Relinquished By: *[Signature]* Date/Time: _____
Relinquished By: *[Signature]* Date/Time: _____
Relinquished By: *[Signature]* Date/Time: _____

Received By: *[Signature]* Date/Time: **14:38**
Received By: *[Signature]* Date/Time: _____
Received By: *[Signature]* Date/Time: _____
Received By: *[Signature]* Date/Time: _____

Page Project No. **40210833**
Receipt Temp = **20°C**
Sample Receipt pH _____
OK / Adjusted _____
Cooler Custody Seal _____
Present / Not Present _____
Intact / Not Intact _____

Client Name: Rambo 11

Sample Preservation Receipt Form

Project # U0016832

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper: _____ Lab Sid #ID of preservation (if pH adjusted): _____

Initial when completed: _____

Date/Time: _____

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Pace Lab #	Glass					Plastic					Vials					Jars			General		VOA Vials (>6mm) *				Volume (mL)								
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T		ZPLC	GN	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	
001																																	2.5 / 5 / 10
002																																	2.5 / 5 / 10
003																																	2.5 / 5 / 10
004																																	2.5 / 5 / 10
005																																	2.5 / 5 / 10
006																																	2.5 / 5 / 10
007																																	2.5 / 5 / 10
008																																	2.5 / 5 / 10
009																																	2.5 / 5 / 10
010																																	2.5 / 5 / 10
011																																	2.5 / 5 / 10
012																																	2.5 / 5 / 10
013																																	2.5 / 5 / 10
014																																	2.5 / 5 / 10
015																																	2.5 / 5 / 10
016																																	2.5 / 5 / 10
017																																	2.5 / 5 / 10
018																																	2.5 / 5 / 10
019																																	2.5 / 5 / 10
020																																	2.5 / 5 / 10

Handwritten: SP5T 7/19/20

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass
BG1U	1 liter clear glass
AG1H	1 liter amber glass HCL
AG4S	125 mL amber glass H2SO4
AG4U	120 mL amber glass unpres
AG5U	100 mL amber glass unpres
AG2S	500 mL amber glass H2SO4
BG3U	250 mL clear glass unpres

BP1U	1 liter plastic unpres
BP3U	250 mL plastic unpres
BP3B	250 mL plastic NaOH
BP3N	250 mL plastic HNO3
BP3S	250 mL plastic H2SO4


VG9A	40 mL clear ascorbic
DG9T	40 mL clear Na Thio
VG9U	40 mL clear vial unpres
VG9H	40 mL clear vial HCL
VG9M	40 mL clear vial MeOH
VG9D	40 mL clear vial DI

JGFU	4 oz amber jar unpres
JG9U	9 oz amber jar unpres
WGFU	4 oz clear jar unpres
WPFU	4 oz plastic jar unpres
SP5T	120 mL plastic Na Thiosulfate
ZPLC	ziploc bag
GN	

Sample Condition Upon Receipt Form (SCUR)

Client Name: Ramboll
 Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Project #: **WO# : 40210832**



40210832

Tracking #: 2158 070820
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
 Cooler Temperature Uncorr: ROI Corr: _____

Person examining contents:
 Date: 7/9/20 / Initials: SMW
 Labeled By Initials: SMW

Temp Blank Present: yes no Biological Tissue is Frozen: yes no
 Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>+CC</u>	<u>SMW</u> <u>7/9/20</u> <u>SMW</u> <u>7/9/20</u> <u>SMW</u> <u>7/9/20</u>
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>No mail</u>	
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>1st Received not relinquished</u>	
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.	
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:	
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.	
Sufficient Volume:		8.	
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.	
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.	
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.	
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	
-Includes date/time/ID/Analysis Matrix: <u>S</u>			
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.	
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Pace Trip Blank Lot # (if purchased):			

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

July 16, 2020

Richard Mazurkiewicz
Ramboll
175 N. Corporate Drive
Brookfield, WI 53045

RE: Project: 1690018043 NAPA Auto Parts
Pace Project No.: 10524263

Dear Richard Mazurkiewicz:

Enclosed are the analytical results for sample(s) received by the laboratory on July 09, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout
carolynne.trout@pacelabs.com
1(612)607-6351
Project Manager

Enclosures

cc: Kyle Heimstead, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Pace Analytical Services - Minneapolis MN

A2LA Certification #: 2926.01	Minnesota Petrofund Certification #: 1240
Alabama Certification #: 40770	Mississippi Certification #: MN00064
Alaska Contaminated Sites Certification #: 17-009	Missouri Certification #: 10100
Alaska DW Certification #: MN00064	Montana Certification #: CERT0092
Arizona Certification #: AZ0014	Nebraska Certification #: NE-OS-18-06
Arkansas DW Certification #: MN00064	Nevada Certification #: MN00064
Arkansas WW Certification #: 88-0680	New Hampshire Certification #: 2081
California Certification #: 2929	New Jersey Certification #: MN002
CNMI Saipan Certification #: MP0003	New York Certification #: 11647
Colorado Certification #: MN00064	North Carolina DW Certification #: 27700
Connecticut Certification #: PH-0256	North Carolina WW Certification #: 530
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Dakota Certification #: R-036
Florida Certification #: E87605	Ohio DW Certification #: 41244
Georgia Certification #: 959	Ohio VAP Certification #: CL101
Guam EPA Certification #: MN00064	Oklahoma Certification #: 9507
Hawaii Certification #: MN00064	Oregon Primary Certification #: MN300001
Idaho Certification #: MN00064	Oregon Secondary Certification #: MN200001
Illinois Certification #: 200011	Pennsylvania Certification #: 68-00563
Indiana Certification #: C-MN-01	Puerto Rico Certification #: MN00064
Iowa Certification #: 368	South Carolina Certification #: 74003001
Kansas Certification #: E-10167	Tennessee Certification #: TN02818
Kentucky DW Certification #: 90062	Texas Certification #: T104704192
Kentucky WW Certification #: 90062	Utah Certification #: MN00064
Louisiana DEQ Certification #: 03086	Vermont Certification #: VT-027053137
Louisiana DW Certification #: MN00064	Virginia Certification #: 460163
Maine Certification #: MN00064	Washington Certification #: C486
Maryland Certification #: 322	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Dept of Ag Certification #: via MN 027-053-137	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690018043 NAPA Auto Parts
Pace Project No.: 10524263

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10524263001	SS-1	Air	07/07/20 13:20	07/09/20 10:25
10524263002	SS-2	Air	07/07/20 14:05	07/09/20 10:25
10524263003	SS-3	Air	07/07/20 14:50	07/09/20 10:25
10524263004	SS-4	Air	07/07/20 15:35	07/09/20 10:25
10524263005	SS-5	Air	07/07/20 16:20	07/09/20 10:25
10524263006	SS-6	Air	07/07/20 17:05	07/09/20 10:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10524263001	SS-1	TO-15	MJL, NCK	61
10524263002	SS-2	TO-15	MJL, NCK	61
10524263003	SS-3	TO-15	MJL, NCK	61
10524263004	SS-4	TO-15	MJL, NCK	61
10524263005	SS-5	TO-15	MJL, NCK	61
10524263006	SS-6	TO-15	MJL, NCK	61

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Method: TO-15

Description: TO15 MSV AIR

Client: Ramboll Environ- WI AIR

Date: July 16, 2020

General Information:

6 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 686468

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- SS-1 (Lab ID: 10524263001)
 - 2-Butanone (MEK)
- SS-2 (Lab ID: 10524263002)
 - 2-Butanone (MEK)
- SS-3 (Lab ID: 10524263003)
 - 2-Butanone (MEK)

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-1 Lab ID: 10524263001 Collected: 07/07/20 13:20 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	2510	ug/m3	2440	706	403.2		07/15/20 09:28	67-64-1	
Benzene	7.2	ug/m3	0.55	0.22	1.68		07/14/20 13:20	71-43-2	
Benzyl chloride	<0.55	ug/m3	4.4	0.55	1.68		07/14/20 13:20	100-44-7	
Bromodichloromethane	<0.44	ug/m3	2.3	0.44	1.68		07/14/20 13:20	75-27-4	
Bromoform	<2.4	ug/m3	8.8	2.4	1.68		07/14/20 13:20	75-25-2	
Bromomethane	<0.30	ug/m3	1.3	0.30	1.68		07/14/20 13:20	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.76	0.17	1.68		07/14/20 13:20	106-99-0	
2-Butanone (MEK)	74.5	ug/m3	5.0	0.90	1.68		07/14/20 13:20	78-93-3	E
Carbon disulfide	<0.33	ug/m3	1.1	0.33	1.68		07/14/20 13:20	75-15-0	
Carbon tetrachloride	<0.25	ug/m3	2.2	0.25	1.68		07/14/20 13:20	56-23-5	
Chlorobenzene	20.9	ug/m3	1.6	0.26	1.68		07/14/20 13:20	108-90-7	
Chloroethane	<0.22	ug/m3	0.90	0.22	1.68		07/14/20 13:20	75-00-3	
Chloroform	<0.32	ug/m3	0.83	0.32	1.68		07/14/20 13:20	67-66-3	
Chloromethane	<0.16	ug/m3	0.71	0.16	1.68		07/14/20 13:20	74-87-3	
Cyclohexane	7.2	ug/m3	2.9	0.38	1.68		07/14/20 13:20	110-82-7	
Dibromochloromethane	<0.50	ug/m3	2.9	0.50	1.68		07/14/20 13:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.3	0.55	1.68		07/14/20 13:20	106-93-4	
1,2-Dichlorobenzene	<0.63	ug/m3	2.0	0.63	1.68		07/14/20 13:20	95-50-1	
1,3-Dichlorobenzene	<0.79	ug/m3	2.0	0.79	1.68		07/14/20 13:20	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	5.1	1.4	1.68		07/14/20 13:20	106-46-7	
Dichlorodifluoromethane	277000	ug/m3	13000	1940	12902		07/15/20 15:00	75-71-8	
1,1-Dichloroethane	<0.21	ug/m3	1.4	0.21	1.68		07/14/20 13:20	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	0.69	0.30	1.68		07/14/20 13:20	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.68		07/14/20 13:20	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.4	0.27	1.68		07/14/20 13:20	156-59-2	
trans-1,2-Dichloroethene	1.8	ug/m3	1.4	0.28	1.68		07/14/20 13:20	156-60-5	
1,2-Dichloropropane	<0.29	ug/m3	1.6	0.29	1.68		07/14/20 13:20	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	1.6	0.37	1.68		07/14/20 13:20	10061-01-5	
trans-1,3-Dichloropropene	<0.48	ug/m3	1.6	0.48	1.68		07/14/20 13:20	10061-02-6	
Dichlorotetrafluoroethane	<0.55	ug/m3	2.4	0.55	1.68		07/14/20 13:20	76-14-2	
Ethanol	471	ug/m3	3.2	1.6	1.68		07/14/20 13:20	64-17-5	
Ethyl acetate	<0.28	ug/m3	1.2	0.28	1.68		07/14/20 13:20	141-78-6	
Ethylbenzene	624	ug/m3	356	73.0	403.2		07/15/20 09:28	100-41-4	
4-Ethyltoluene	11.3	ug/m3	4.2	0.80	1.68		07/14/20 13:20	622-96-8	
n-Heptane	17.4	ug/m3	1.4	0.29	1.68		07/14/20 13:20	142-82-5	
Hexachloro-1,3-butadiene	<1.3	ug/m3	9.1	1.3	1.68		07/14/20 13:20	87-68-3	
n-Hexane	15.8	ug/m3	1.2	0.41	1.68		07/14/20 13:20	110-54-3	
2-Hexanone	2.9J	ug/m3	7.0	0.60	1.68		07/14/20 13:20	591-78-6	
Methylene Chloride	5.8J	ug/m3	5.9	1.7	1.68		07/14/20 13:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.0	ug/m3	7.0	0.35	1.68		07/14/20 13:20	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.1	0.23	1.68		07/14/20 13:20	1634-04-4	
Naphthalene	4.5	ug/m3	4.5	2.1	1.68		07/14/20 13:20	91-20-3	
2-Propanol	66.4	ug/m3	4.2	1.4	1.68		07/14/20 13:20	67-63-0	
Propylene	<0.16	ug/m3	0.59	0.16	1.68		07/14/20 13:20	115-07-1	
Styrene	144	ug/m3	1.5	0.62	1.68		07/14/20 13:20	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-1 Lab ID: 10524263001 Collected: 07/07/20 13:20 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.51	ug/m3	1.2	0.51	1.68		07/14/20 13:20	79-34-5	
Tetrachloroethene	1910	ug/m3	278	115	403.2		07/15/20 09:28	127-18-4	
Tetrahydrofuran	5.8	ug/m3	1.0	0.29	1.68		07/14/20 13:20	109-99-9	
Toluene	119	ug/m3	1.3	0.28	1.68		07/14/20 13:20	108-88-3	
1,2,4-Trichlorobenzene	<5.6	ug/m3	12.7	5.6	1.68		07/14/20 13:20	120-82-1	
1,1,1-Trichloroethane	<0.23	ug/m3	1.9	0.23	1.68		07/14/20 13:20	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.93	0.38	1.68		07/14/20 13:20	79-00-5	
Trichloroethene	0.53J	ug/m3	0.92	0.30	1.68		07/14/20 13:20	79-01-6	
Trichlorofluoromethane	3.7	ug/m3	1.9	0.48	1.68		07/14/20 13:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	31.1	ug/m3	2.6	0.42	1.68		07/14/20 13:20	76-13-1	
1,2,4-Trimethylbenzene	22.2	ug/m3	1.7	0.68	1.68		07/14/20 13:20	95-63-6	
1,3,5-Trimethylbenzene	6.6	ug/m3	1.7	0.50	1.68		07/14/20 13:20	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.2	0.30	1.68		07/14/20 13:20	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.44	0.17	1.68		07/14/20 13:20	75-01-4	
m&p-Xylene	353	ug/m3	3.0	0.72	1.68		07/14/20 13:20	179601-23-1	
o-Xylene	89.2	ug/m3	1.5	0.33	1.68		07/14/20 13:20	95-47-6	

Sample: SS-2 Lab ID: 10524263002 Collected: 07/07/20 14:05 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	421	ug/m3	9.9	2.9	1.64		07/14/20 13:48	67-64-1	
Benzene	12.2	ug/m3	0.53	0.21	1.64		07/14/20 13:48	71-43-2	
Benzyl chloride	<0.54	ug/m3	4.3	0.54	1.64		07/14/20 13:48	100-44-7	
Bromodichloromethane	<0.43	ug/m3	2.2	0.43	1.64		07/14/20 13:48	75-27-4	
Bromoform	<2.3	ug/m3	8.6	2.3	1.64		07/14/20 13:48	75-25-2	
Bromomethane	<0.30	ug/m3	1.3	0.30	1.64		07/14/20 13:48	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.74	0.16	1.64		07/14/20 13:48	106-99-0	
2-Butanone (MEK)	95.9	ug/m3	4.9	0.88	1.64		07/14/20 13:48	78-93-3	E
Carbon disulfide	1.0J	ug/m3	1.0	0.32	1.64		07/14/20 13:48	75-15-0	
Carbon tetrachloride	0.26J	ug/m3	2.1	0.24	1.64		07/14/20 13:48	56-23-5	
Chlorobenzene	48.8	ug/m3	1.5	0.25	1.64		07/14/20 13:48	108-90-7	
Chloroethane	<0.21	ug/m3	0.88	0.21	1.64		07/14/20 13:48	75-00-3	
Chloroform	<0.32	ug/m3	0.81	0.32	1.64		07/14/20 13:48	67-66-3	
Chloromethane	<0.16	ug/m3	0.69	0.16	1.64		07/14/20 13:48	74-87-3	
Cyclohexane	11.3	ug/m3	2.9	0.38	1.64		07/14/20 13:48	110-82-7	
Dibromochloromethane	<0.48	ug/m3	2.8	0.48	1.64		07/14/20 13:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.3	0.53	1.64		07/14/20 13:48	106-93-4	
1,2-Dichlorobenzene	1.5J	ug/m3	2.0	0.62	1.64		07/14/20 13:48	95-50-1	
1,3-Dichlorobenzene	1.4J	ug/m3	2.0	0.78	1.64		07/14/20 13:48	541-73-1	
1,4-Dichlorobenzene	3.7J	ug/m3	5.0	1.4	1.64		07/14/20 13:48	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-2 **Lab ID: 10524263002** Collected: 07/07/20 14:05 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	314000	ug/m3	12700	1890	12595		07/15/20 15:26	75-71-8	
1,1-Dichloroethane	<0.21	ug/m3	1.3	0.21	1.64		07/14/20 13:48	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	0.67	0.29	1.64		07/14/20 13:48	107-06-2	
1,1-Dichloroethene	<0.23	ug/m3	1.3	0.23	1.64		07/14/20 13:48	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.3	0.26	1.64		07/14/20 13:48	156-59-2	
trans-1,2-Dichloroethene	1.3	ug/m3	1.3	0.28	1.64		07/14/20 13:48	156-60-5	
1,2-Dichloropropane	<0.28	ug/m3	1.5	0.28	1.64		07/14/20 13:48	78-87-5	
cis-1,3-Dichloropropene	<0.36	ug/m3	1.5	0.36	1.64		07/14/20 13:48	10061-01-5	
trans-1,3-Dichloropropene	<0.47	ug/m3	1.5	0.47	1.64		07/14/20 13:48	10061-02-6	
Dichlorotetrafluoroethane	<0.54	ug/m3	2.3	0.54	1.64		07/14/20 13:48	76-14-2	
Ethanol	513	ug/m3	3.1	1.5	1.64		07/14/20 13:48	64-17-5	
Ethyl acetate	1.4	ug/m3	1.2	0.28	1.64		07/14/20 13:48	141-78-6	
Ethylbenzene	955	ug/m3	348	71.2	393.6		07/15/20 09:54	100-41-4	
4-Ethyltoluene	10.4	ug/m3	4.1	0.78	1.64		07/14/20 13:48	622-96-8	
n-Heptane	21.0	ug/m3	1.4	0.28	1.64		07/14/20 13:48	142-82-5	
Hexachloro-1,3-butadiene	<1.3	ug/m3	8.9	1.3	1.64		07/14/20 13:48	87-68-3	
n-Hexane	22.8	ug/m3	1.2	0.40	1.64		07/14/20 13:48	110-54-3	
2-Hexanone	3.6J	ug/m3	6.8	0.58	1.64		07/14/20 13:48	591-78-6	
Methylene Chloride	11.5	ug/m3	5.8	1.6	1.64		07/14/20 13:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	23.2	ug/m3	6.8	0.34	1.64		07/14/20 13:48	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.0	0.23	1.64		07/14/20 13:48	1634-04-4	
Naphthalene	4.3J	ug/m3	4.4	2.0	1.64		07/14/20 13:48	91-20-3	
2-Propanol	66.9	ug/m3	4.1	1.4	1.64		07/14/20 13:48	67-63-0	
Propylene	<0.16	ug/m3	0.57	0.16	1.64		07/14/20 13:48	115-07-1	
Styrene	597	ug/m3	341	146	393.6		07/15/20 09:54	100-42-5	
1,1,2,2-Tetrachloroethane	<0.49	ug/m3	1.1	0.49	1.64		07/14/20 13:48	79-34-5	
Tetrachloroethene	1490	ug/m3	271	113	393.6		07/15/20 09:54	127-18-4	
Tetrahydrofuran	5.8	ug/m3	0.98	0.28	1.64		07/14/20 13:48	109-99-9	
Toluene	130	ug/m3	1.3	0.27	1.64		07/14/20 13:48	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	12.4	5.4	1.64		07/14/20 13:48	120-82-1	
1,1,1-Trichloroethane	<0.22	ug/m3	1.8	0.22	1.64		07/14/20 13:48	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.91	0.37	1.64		07/14/20 13:48	79-00-5	
Trichloroethene	1.2	ug/m3	0.90	0.29	1.64		07/14/20 13:48	79-01-6	
Trichlorofluoromethane	7.0	ug/m3	1.9	0.46	1.64		07/14/20 13:48	75-69-4	
1,1,2-Trichlorotrifluoroethane	13.0	ug/m3	2.6	0.41	1.64		07/14/20 13:48	76-13-1	
1,2,4-Trimethylbenzene	17.1	ug/m3	1.6	0.67	1.64		07/14/20 13:48	95-63-6	
1,3,5-Trimethylbenzene	5.2	ug/m3	1.6	0.49	1.64		07/14/20 13:48	108-67-8	
Vinyl acetate	<0.29	ug/m3	1.2	0.29	1.64		07/14/20 13:48	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.43	0.17	1.64		07/14/20 13:48	75-01-4	
m&p-Xylene	232	ug/m3	2.9	0.70	1.64		07/14/20 13:48	179601-23-1	
o-Xylene	61.2	ug/m3	1.4	0.32	1.64		07/14/20 13:48	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-3 **Lab ID: 10524263003** Collected: 07/07/20 14:50 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	459	ug/m3	9.4	2.7	1.55		07/14/20 14:16	67-64-1	
Benzene	9.5	ug/m3	0.50	0.20	1.55		07/14/20 14:16	71-43-2	
Benzyl chloride	<0.51	ug/m3	4.1	0.51	1.55		07/14/20 14:16	100-44-7	
Bromodichloromethane	<0.41	ug/m3	2.1	0.41	1.55		07/14/20 14:16	75-27-4	
Bromoform	<2.2	ug/m3	8.1	2.2	1.55		07/14/20 14:16	75-25-2	
Bromomethane	<0.28	ug/m3	1.2	0.28	1.55		07/14/20 14:16	74-83-9	
1,3-Butadiene	<0.15	ug/m3	0.70	0.15	1.55		07/14/20 14:16	106-99-0	
2-Butanone (MEK)	96.4	ug/m3	4.6	0.83	1.55		07/14/20 14:16	78-93-3	E
Carbon disulfide	<0.30	ug/m3	0.98	0.30	1.55		07/14/20 14:16	75-15-0	
Carbon tetrachloride	<0.23	ug/m3	2.0	0.23	1.55		07/14/20 14:16	56-23-5	
Chlorobenzene	37.2	ug/m3	1.5	0.24	1.55		07/14/20 14:16	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		07/14/20 14:16	75-00-3	
Chloroform	<0.30	ug/m3	0.77	0.30	1.55		07/14/20 14:16	67-66-3	
Chloromethane	<0.15	ug/m3	0.65	0.15	1.55		07/14/20 14:16	74-87-3	
Cyclohexane	9.5	ug/m3	2.7	0.35	1.55		07/14/20 14:16	110-82-7	
Dibromochloromethane	<0.46	ug/m3	2.7	0.46	1.55		07/14/20 14:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.50	ug/m3	1.2	0.50	1.55		07/14/20 14:16	106-93-4	
1,2-Dichlorobenzene	2.3	ug/m3	1.9	0.58	1.55		07/14/20 14:16	95-50-1	
1,3-Dichlorobenzene	1.5J	ug/m3	1.9	0.73	1.55		07/14/20 14:16	541-73-1	
1,4-Dichlorobenzene	4.8	ug/m3	4.7	1.3	1.55		07/14/20 14:16	106-46-7	
Dichlorodifluoromethane	300000	ug/m3	12000	1790	11904		07/15/20 15:52	75-71-8	
1,1-Dichloroethane	<0.20	ug/m3	1.3	0.20	1.55		07/14/20 14:16	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	0.64	0.28	1.55		07/14/20 14:16	107-06-2	
1,1-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.55		07/14/20 14:16	75-35-4	
cis-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.55		07/14/20 14:16	156-59-2	
trans-1,2-Dichloroethene	1.6	ug/m3	1.2	0.26	1.55		07/14/20 14:16	156-60-5	
1,2-Dichloropropane	<0.26	ug/m3	1.5	0.26	1.55		07/14/20 14:16	78-87-5	
cis-1,3-Dichloropropene	<0.34	ug/m3	1.4	0.34	1.55		07/14/20 14:16	10061-01-5	
trans-1,3-Dichloropropene	<0.44	ug/m3	1.4	0.44	1.55		07/14/20 14:16	10061-02-6	
Dichlorotetrafluoroethane	<0.51	ug/m3	2.2	0.51	1.55		07/14/20 14:16	76-14-2	
Ethanol	436	ug/m3	3.0	1.5	1.55		07/14/20 14:16	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.1	0.26	1.55		07/14/20 14:16	141-78-6	
Ethylbenzene	916	ug/m3	328	67.3	372		07/15/20 10:19	100-41-4	
4-Ethyltoluene	12.8	ug/m3	3.9	0.74	1.55		07/14/20 14:16	622-96-8	
n-Heptane	22.7	ug/m3	1.3	0.27	1.55		07/14/20 14:16	142-82-5	
Hexachloro-1,3-butadiene	<1.2	ug/m3	8.4	1.2	1.55		07/14/20 14:16	87-68-3	
n-Hexane	18.5	ug/m3	1.1	0.38	1.55		07/14/20 14:16	110-54-3	
2-Hexanone	2.7J	ug/m3	6.4	0.55	1.55		07/14/20 14:16	591-78-6	
Methylene Chloride	1.6J	ug/m3	5.5	1.5	1.55		07/14/20 14:16	75-09-2	
4-Methyl-2-pentanone (MIBK)	12.2	ug/m3	6.4	0.33	1.55		07/14/20 14:16	108-10-1	
Methyl-tert-butyl ether	<0.21	ug/m3	5.7	0.21	1.55		07/14/20 14:16	1634-04-4	
Naphthalene	3.3J	ug/m3	4.1	1.9	1.55		07/14/20 14:16	91-20-3	
2-Propanol	52.2	ug/m3	3.9	1.3	1.55		07/14/20 14:16	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		07/14/20 14:16	115-07-1	
Styrene	377	ug/m3	322	138	372		07/15/20 10:19	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: **SS-3** Lab ID: **10524263003** Collected: 07/07/20 14:50 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.47	ug/m3	1.1	0.47	1.55		07/14/20 14:16	79-34-5	
Tetrachloroethene	117	ug/m3	1.1	0.44	1.55		07/14/20 14:16	127-18-4	
Tetrahydrofuran	8.8	ug/m3	0.93	0.26	1.55		07/14/20 14:16	109-99-9	
Toluene	188	ug/m3	1.2	0.26	1.55		07/14/20 14:16	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		07/14/20 14:16	120-82-1	
1,1,1-Trichloroethane	<0.21	ug/m3	1.7	0.21	1.55		07/14/20 14:16	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.86	0.35	1.55		07/14/20 14:16	79-00-5	
Trichloroethene	0.68J	ug/m3	0.85	0.27	1.55		07/14/20 14:16	79-01-6	
Trichlorofluoromethane	6.4	ug/m3	1.8	0.44	1.55		07/14/20 14:16	75-69-4	
1,1,2-Trichlorotrifluoroethane	5.7	ug/m3	2.4	0.39	1.55		07/14/20 14:16	76-13-1	
1,2,4-Trimethylbenzene	21.2	ug/m3	1.5	0.63	1.55		07/14/20 14:16	95-63-6	
1,3,5-Trimethylbenzene	6.4	ug/m3	1.5	0.46	1.55		07/14/20 14:16	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		07/14/20 14:16	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.40	0.16	1.55		07/14/20 14:16	75-01-4	
m&p-Xylene	433	ug/m3	2.7	0.66	1.55		07/14/20 14:16	179601-23-1	
o-Xylene	105	ug/m3	1.4	0.30	1.55		07/14/20 14:16	95-47-6	

Sample: **SS-4** Lab ID: **10524263004** Collected: 07/07/20 15:35 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	253	ug/m3	9.7	2.8	1.61		07/14/20 14:44	67-64-1	
Benzene	8.0	ug/m3	0.52	0.21	1.61		07/14/20 14:44	71-43-2	
Benzyl chloride	<0.53	ug/m3	4.2	0.53	1.61		07/14/20 14:44	100-44-7	
Bromodichloromethane	<0.43	ug/m3	2.2	0.43	1.61		07/14/20 14:44	75-27-4	
Bromoform	<2.3	ug/m3	8.5	2.3	1.61		07/14/20 14:44	75-25-2	
Bromomethane	<0.29	ug/m3	1.3	0.29	1.61		07/14/20 14:44	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.72	0.16	1.61		07/14/20 14:44	106-99-0	
2-Butanone (MEK)	33.4	ug/m3	4.8	0.86	1.61		07/14/20 14:44	78-93-3	
Carbon disulfide	<0.31	ug/m3	1.0	0.31	1.61		07/14/20 14:44	75-15-0	
Carbon tetrachloride	<0.24	ug/m3	2.1	0.24	1.61		07/14/20 14:44	56-23-5	
Chlorobenzene	51.1	ug/m3	1.5	0.24	1.61		07/14/20 14:44	108-90-7	
Chloroethane	<0.21	ug/m3	0.86	0.21	1.61		07/14/20 14:44	75-00-3	
Chloroform	<0.31	ug/m3	0.80	0.31	1.61		07/14/20 14:44	67-66-3	
Chloromethane	<0.15	ug/m3	0.68	0.15	1.61		07/14/20 14:44	74-87-3	
Cyclohexane	7.1	ug/m3	2.8	0.37	1.61		07/14/20 14:44	110-82-7	
Dibromochloromethane	<0.47	ug/m3	2.8	0.47	1.61		07/14/20 14:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.3	0.52	1.61		07/14/20 14:44	106-93-4	
1,2-Dichlorobenzene	1.5J	ug/m3	2.0	0.61	1.61		07/14/20 14:44	95-50-1	
1,3-Dichlorobenzene	1.5J	ug/m3	2.0	0.76	1.61		07/14/20 14:44	541-73-1	
1,4-Dichlorobenzene	4.4J	ug/m3	4.9	1.4	1.61		07/14/20 14:44	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-4 **Lab ID: 10524263004** Collected: 07/07/20 15:35 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	241000	ug/m3	12500	1850	12364		07/15/20 17:10	75-71-8	
1,1-Dichloroethane	<0.20	ug/m3	1.3	0.20	1.61		07/14/20 14:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	0.66	0.29	1.61		07/14/20 14:44	107-06-2	
1,1-Dichloroethene	<0.23	ug/m3	1.3	0.23	1.61		07/14/20 14:44	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.3	0.26	1.61		07/14/20 14:44	156-59-2	
trans-1,2-Dichloroethene	0.84J	ug/m3	1.3	0.27	1.61		07/14/20 14:44	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.5	0.27	1.61		07/14/20 14:44	78-87-5	
cis-1,3-Dichloropropene	<0.35	ug/m3	1.5	0.35	1.61		07/14/20 14:44	10061-01-5	
trans-1,3-Dichloropropene	<0.46	ug/m3	1.5	0.46	1.61		07/14/20 14:44	10061-02-6	
Dichlorotetrafluoroethane	<0.53	ug/m3	2.3	0.53	1.61		07/14/20 14:44	76-14-2	
Ethanol	286	ug/m3	3.1	1.5	1.61		07/14/20 14:44	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.2	0.27	1.61		07/14/20 14:44	141-78-6	
Ethylbenzene	875	ug/m3	341	69.9	386.4		07/15/20 11:37	100-41-4	
4-Ethyltoluene	9.3	ug/m3	4.0	0.77	1.61		07/14/20 14:44	622-96-8	
n-Heptane	10.0	ug/m3	1.3	0.28	1.61		07/14/20 14:44	142-82-5	
Hexachloro-1,3-butadiene	<1.3	ug/m3	8.7	1.3	1.61		07/14/20 14:44	87-68-3	
n-Hexane	10.5	ug/m3	1.2	0.39	1.61		07/14/20 14:44	110-54-3	
2-Hexanone	1.5J	ug/m3	6.7	0.57	1.61		07/14/20 14:44	591-78-6	
Methylene Chloride	4.2J	ug/m3	5.7	1.6	1.61		07/14/20 14:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	3.1J	ug/m3	6.7	0.34	1.61		07/14/20 14:44	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	5.9	0.22	1.61		07/14/20 14:44	1634-04-4	
Naphthalene	2.6J	ug/m3	4.3	2.0	1.61		07/14/20 14:44	91-20-3	
2-Propanol	26.2	ug/m3	4.0	1.4	1.61		07/14/20 14:44	67-63-0	
Propylene	<0.16	ug/m3	0.56	0.16	1.61		07/14/20 14:44	115-07-1	
Styrene	668	ug/m3	335	143	386.4		07/15/20 11:37	100-42-5	
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.61		07/14/20 14:44	79-34-5	
Tetrachloroethene	123	ug/m3	1.1	0.46	1.61		07/14/20 14:44	127-18-4	
Tetrahydrofuran	3.1	ug/m3	0.97	0.27	1.61		07/14/20 14:44	109-99-9	
Toluene	110	ug/m3	1.2	0.27	1.61		07/14/20 14:44	108-88-3	
1,2,4-Trichlorobenzene	<5.3	ug/m3	12.1	5.3	1.61		07/14/20 14:44	120-82-1	
1,1,1-Trichloroethane	<0.22	ug/m3	1.8	0.22	1.61		07/14/20 14:44	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.89	0.36	1.61		07/14/20 14:44	79-00-5	
Trichloroethene	<0.28	ug/m3	0.88	0.28	1.61		07/14/20 14:44	79-01-6	
Trichlorofluoromethane	3.3	ug/m3	1.8	0.46	1.61		07/14/20 14:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	102	ug/m3	2.5	0.40	1.61		07/14/20 14:44	76-13-1	
1,2,4-Trimethylbenzene	15.8	ug/m3	1.6	0.65	1.61		07/14/20 14:44	95-63-6	
1,3,5-Trimethylbenzene	5.7	ug/m3	1.6	0.48	1.61		07/14/20 14:44	108-67-8	
Vinyl acetate	<0.28	ug/m3	1.2	0.28	1.61		07/14/20 14:44	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.42	0.16	1.61		07/14/20 14:44	75-01-4	
m&p-Xylene	216	ug/m3	2.8	0.69	1.61		07/14/20 14:44	179601-23-1	
o-Xylene	54.6	ug/m3	1.4	0.31	1.61		07/14/20 14:44	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-5 **Lab ID: 10524263005** Collected: 07/07/20 16:20 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	127	ug/m3	9.5	2.8	1.58		07/14/20 15:40	67-64-1	
Benzene	2.2	ug/m3	0.51	0.20	1.58		07/14/20 15:40	71-43-2	
Benzyl chloride	<0.52	ug/m3	4.2	0.52	1.58		07/14/20 15:40	100-44-7	
Bromodichloromethane	<0.42	ug/m3	2.1	0.42	1.58		07/14/20 15:40	75-27-4	
Bromoform	<2.2	ug/m3	8.3	2.2	1.58		07/14/20 15:40	75-25-2	
Bromomethane	<0.28	ug/m3	1.2	0.28	1.58		07/14/20 15:40	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.71	0.16	1.58		07/14/20 15:40	106-99-0	
2-Butanone (MEK)	25.8	ug/m3	4.7	0.85	1.58		07/14/20 15:40	78-93-3	
Carbon disulfide	0.71J	ug/m3	1.0	0.31	1.58		07/14/20 15:40	75-15-0	
Carbon tetrachloride	<0.23	ug/m3	2.0	0.23	1.58		07/14/20 15:40	56-23-5	
Chlorobenzene	8.3	ug/m3	1.5	0.24	1.58		07/14/20 15:40	108-90-7	
Chloroethane	<0.21	ug/m3	0.85	0.21	1.58		07/14/20 15:40	75-00-3	
Chloroform	4.9	ug/m3	0.78	0.30	1.58		07/14/20 15:40	67-66-3	
Chloromethane	<0.15	ug/m3	0.66	0.15	1.58		07/14/20 15:40	74-87-3	
Cyclohexane	4.1	ug/m3	2.8	0.36	1.58		07/14/20 15:40	110-82-7	
Dibromochloromethane	<0.47	ug/m3	2.7	0.47	1.58		07/14/20 15:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.51	ug/m3	1.2	0.51	1.58		07/14/20 15:40	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	1.9	0.59	1.58		07/14/20 15:40	95-50-1	
1,3-Dichlorobenzene	<0.75	ug/m3	1.9	0.75	1.58		07/14/20 15:40	541-73-1	
1,4-Dichlorobenzene	<1.3	ug/m3	4.8	1.3	1.58		07/14/20 15:40	106-46-7	
Dichlorodifluoromethane	137000	ug/m3	12300	1820	12134		07/15/20 16:18	75-71-8	
1,1-Dichloroethane	<0.20	ug/m3	1.3	0.20	1.58		07/14/20 15:40	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	0.65	0.28	1.58		07/14/20 15:40	107-06-2	
1,1-Dichloroethene	<0.23	ug/m3	1.3	0.23	1.58		07/14/20 15:40	75-35-4	
cis-1,2-Dichloroethene	<0.25	ug/m3	1.3	0.25	1.58		07/14/20 15:40	156-59-2	
trans-1,2-Dichloroethene	0.47J	ug/m3	1.3	0.27	1.58		07/14/20 15:40	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.5	0.27	1.58		07/14/20 15:40	78-87-5	
cis-1,3-Dichloropropene	<0.35	ug/m3	1.5	0.35	1.58		07/14/20 15:40	10061-01-5	
trans-1,3-Dichloropropene	<0.45	ug/m3	1.5	0.45	1.58		07/14/20 15:40	10061-02-6	
Dichlorotetrafluoroethane	<0.52	ug/m3	2.2	0.52	1.58		07/14/20 15:40	76-14-2	
Ethanol	233	ug/m3	3.0	1.5	1.58		07/14/20 15:40	64-17-5	
Ethyl acetate	5.0	ug/m3	1.2	0.27	1.58		07/14/20 15:40	141-78-6	
Ethylbenzene	121	ug/m3	1.4	0.29	1.58		07/14/20 15:40	100-41-4	
4-Ethyltoluene	7.7	ug/m3	4.0	0.75	1.58		07/14/20 15:40	622-96-8	
n-Heptane	5.3	ug/m3	1.3	0.27	1.58		07/14/20 15:40	142-82-5	
Hexachloro-1,3-butadiene	<1.3	ug/m3	8.6	1.3	1.58		07/14/20 15:40	87-68-3	
n-Hexane	18.7	ug/m3	1.1	0.38	1.58		07/14/20 15:40	110-54-3	
2-Hexanone	1.9J	ug/m3	6.6	0.56	1.58		07/14/20 15:40	591-78-6	
Methylene Chloride	107	ug/m3	5.6	1.6	1.58		07/14/20 15:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	4.7J	ug/m3	6.6	0.33	1.58		07/14/20 15:40	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	5.8	0.22	1.58		07/14/20 15:40	1634-04-4	
Naphthalene	3.4J	ug/m3	4.2	2.0	1.58		07/14/20 15:40	91-20-3	
2-Propanol	35.7	ug/m3	4.0	1.3	1.58		07/14/20 15:40	67-63-0	
Propylene	<0.15	ug/m3	0.55	0.15	1.58		07/14/20 15:40	115-07-1	
Styrene	52.9	ug/m3	1.4	0.58	1.58		07/14/20 15:40	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-5 Lab ID: 10524263005 Collected: 07/07/20 16:20 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.1	0.48	1.58		07/14/20 15:40	79-34-5	
Tetrachloroethene	167	ug/m3	1.1	0.45	1.58		07/14/20 15:40	127-18-4	
Tetrahydrofuran	4.8	ug/m3	0.95	0.27	1.58		07/14/20 15:40	109-99-9	
Toluene	62.0	ug/m3	1.2	0.26	1.58		07/14/20 15:40	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	11.9	5.2	1.58		07/14/20 15:40	120-82-1	
1,1,1-Trichloroethane	<0.21	ug/m3	1.8	0.21	1.58		07/14/20 15:40	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.88	0.36	1.58		07/14/20 15:40	79-00-5	
Trichloroethene	<0.28	ug/m3	0.86	0.28	1.58		07/14/20 15:40	79-01-6	
Trichlorofluoromethane	4.3	ug/m3	1.8	0.45	1.58		07/14/20 15:40	75-69-4	
1,1,2-Trichlorotrifluoroethane	335	ug/m3	2.5	0.39	1.58		07/14/20 15:40	76-13-1	
1,2,4-Trimethylbenzene	13.8	ug/m3	1.6	0.64	1.58		07/14/20 15:40	95-63-6	
1,3,5-Trimethylbenzene	4.2	ug/m3	1.6	0.47	1.58		07/14/20 15:40	108-67-8	
Vinyl acetate	<0.28	ug/m3	1.1	0.28	1.58		07/14/20 15:40	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.41	0.16	1.58		07/14/20 15:40	75-01-4	
m&p-Xylene	156	ug/m3	2.8	0.67	1.58		07/14/20 15:40	179601-23-1	
o-Xylene	38.3	ug/m3	1.4	0.31	1.58		07/14/20 15:40	95-47-6	

Sample: SS-6 Lab ID: 10524263006 Collected: 07/07/20 17:05 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	213	ug/m3	9.4	2.7	1.55		07/14/20 17:53	67-64-1	
Benzene	3.5	ug/m3	0.50	0.20	1.55		07/14/20 17:53	71-43-2	
Benzyl chloride	<0.51	ug/m3	4.1	0.51	1.55		07/14/20 17:53	100-44-7	
Bromodichloromethane	<0.41	ug/m3	2.1	0.41	1.55		07/14/20 17:53	75-27-4	
Bromoform	<2.2	ug/m3	8.1	2.2	1.55		07/14/20 17:53	75-25-2	
Bromomethane	<0.28	ug/m3	1.2	0.28	1.55		07/14/20 17:53	74-83-9	
1,3-Butadiene	<0.15	ug/m3	0.70	0.15	1.55		07/14/20 17:53	106-99-0	
2-Butanone (MEK)	32.9	ug/m3	4.6	0.83	1.55		07/14/20 17:53	78-93-3	
Carbon disulfide	0.73J	ug/m3	0.98	0.30	1.55		07/14/20 17:53	75-15-0	
Carbon tetrachloride	<0.23	ug/m3	2.0	0.23	1.55		07/14/20 17:53	56-23-5	
Chlorobenzene	27.1	ug/m3	1.5	0.24	1.55		07/14/20 17:53	108-90-7	
Chloroethane	<0.20	ug/m3	0.83	0.20	1.55		07/14/20 17:53	75-00-3	
Chloroform	<0.30	ug/m3	0.77	0.30	1.55		07/14/20 17:53	67-66-3	
Chloromethane	<0.15	ug/m3	0.65	0.15	1.55		07/14/20 17:53	74-87-3	
Cyclohexane	5.1	ug/m3	2.7	0.35	1.55		07/14/20 17:53	110-82-7	
Dibromochloromethane	<0.46	ug/m3	2.7	0.46	1.55		07/14/20 17:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.50	ug/m3	1.2	0.50	1.55		07/14/20 17:53	106-93-4	
1,2-Dichlorobenzene	0.95J	ug/m3	1.9	0.58	1.55		07/14/20 17:53	95-50-1	
1,3-Dichlorobenzene	0.94J	ug/m3	1.9	0.73	1.55		07/14/20 17:53	541-73-1	
1,4-Dichlorobenzene	2.1J	ug/m3	4.7	1.3	1.55		07/14/20 17:53	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Sample: SS-6 **Lab ID: 10524263006** Collected: 07/07/20 17:05 Received: 07/09/20 10:25 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	165000	ug/m3	12000	1790	11904		07/15/20 16:44	75-71-8	
1,1-Dichloroethane	<0.20	ug/m3	1.3	0.20	1.55		07/14/20 17:53	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	0.64	0.28	1.55		07/14/20 17:53	107-06-2	
1,1-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.55		07/14/20 17:53	75-35-4	
cis-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.55		07/14/20 17:53	156-59-2	
trans-1,2-Dichloroethene	0.51J	ug/m3	1.2	0.26	1.55		07/14/20 17:53	156-60-5	
1,2-Dichloropropane	<0.26	ug/m3	1.5	0.26	1.55		07/14/20 17:53	78-87-5	
cis-1,3-Dichloropropene	<0.34	ug/m3	1.4	0.34	1.55		07/14/20 17:53	10061-01-5	
trans-1,3-Dichloropropene	<0.44	ug/m3	1.4	0.44	1.55		07/14/20 17:53	10061-02-6	
Dichlorotetrafluoroethane	<0.51	ug/m3	2.2	0.51	1.55		07/14/20 17:53	76-14-2	
Ethanol	270	ug/m3	3.0	1.5	1.55		07/14/20 17:53	64-17-5	
Ethyl acetate	1.4	ug/m3	1.1	0.26	1.55		07/14/20 17:53	141-78-6	
Ethylbenzene	205	ug/m3	1.4	0.28	1.55		07/14/20 17:53	100-41-4	
4-Ethyltoluene	8.4	ug/m3	3.9	0.74	1.55		07/14/20 17:53	622-96-8	
n-Heptane	7.8	ug/m3	1.3	0.27	1.55		07/14/20 17:53	142-82-5	
Hexachloro-1,3-butadiene	<1.2	ug/m3	8.4	1.2	1.55		07/14/20 17:53	87-68-3	
n-Hexane	12.0	ug/m3	1.1	0.38	1.55		07/14/20 17:53	110-54-3	
2-Hexanone	1.6J	ug/m3	6.4	0.55	1.55		07/14/20 17:53	591-78-6	
Methylene Chloride	35.9	ug/m3	5.5	1.5	1.55		07/14/20 17:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	6.6	ug/m3	6.4	0.33	1.55		07/14/20 17:53	108-10-1	
Methyl-tert-butyl ether	<0.21	ug/m3	5.7	0.21	1.55		07/14/20 17:53	1634-04-4	
Naphthalene	2.6J	ug/m3	4.1	1.9	1.55		07/14/20 17:53	91-20-3	
2-Propanol	73.4	ug/m3	3.9	1.3	1.55		07/14/20 17:53	67-63-0	
Propylene	<0.15	ug/m3	0.54	0.15	1.55		07/14/20 17:53	115-07-1	
Styrene	175	ug/m3	1.3	0.57	1.55		07/14/20 17:53	100-42-5	
1,1,2,2-Tetrachloroethane	<0.47	ug/m3	1.1	0.47	1.55		07/14/20 17:53	79-34-5	
Tetrachloroethene	199	ug/m3	1.1	0.44	1.55		07/14/20 17:53	127-18-4	
Tetrahydrofuran	2.2	ug/m3	0.93	0.26	1.55		07/14/20 17:53	109-99-9	
Toluene	71.3	ug/m3	1.2	0.26	1.55		07/14/20 17:53	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		07/14/20 17:53	120-82-1	
1,1,1-Trichloroethane	<0.21	ug/m3	1.7	0.21	1.55		07/14/20 17:53	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.86	0.35	1.55		07/14/20 17:53	79-00-5	
Trichloroethene	<0.27	ug/m3	0.85	0.27	1.55		07/14/20 17:53	79-01-6	
Trichlorofluoromethane	4.4	ug/m3	1.8	0.44	1.55		07/14/20 17:53	75-69-4	
1,1,2-Trichlorotrifluoroethane	238	ug/m3	2.4	0.39	1.55		07/14/20 17:53	76-13-1	
1,2,4-Trimethylbenzene	12.4	ug/m3	1.5	0.63	1.55		07/14/20 17:53	95-63-6	
1,3,5-Trimethylbenzene	4.3	ug/m3	1.5	0.46	1.55		07/14/20 17:53	108-67-8	
Vinyl acetate	<0.27	ug/m3	1.1	0.27	1.55		07/14/20 17:53	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.40	0.16	1.55		07/14/20 17:53	75-01-4	
m&p-Xylene	198	ug/m3	2.7	0.66	1.55		07/14/20 17:53	179601-23-1	
o-Xylene	48.3	ug/m3	1.4	0.30	1.55		07/14/20 17:53	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

QC Batch: 686468

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10524263001, 10524263002, 10524263003, 10524263004, 10524263005, 10524263006

METHOD BLANK: 3670862

Matrix: Air

Associated Lab Samples: 10524263001, 10524263002, 10524263003, 10524263004, 10524263005, 10524263006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.067	0.56	07/14/20 08:12	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.35	07/14/20 08:12	
1,1,2-Trichloroethane	ug/m3	<0.11	0.28	07/14/20 08:12	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.12	0.78	07/14/20 08:12	
1,1-Dichloroethane	ug/m3	<0.063	0.41	07/14/20 08:12	
1,1-Dichloroethene	ug/m3	<0.072	0.40	07/14/20 08:12	
1,2,4-Trichlorobenzene	ug/m3	<1.7	3.8	07/14/20 08:12	
1,2,4-Trimethylbenzene	ug/m3	<0.20	0.50	07/14/20 08:12	
1,2-Dibromoethane (EDB)	ug/m3	<0.16	0.39	07/14/20 08:12	
1,2-Dichlorobenzene	ug/m3	<0.19	0.61	07/14/20 08:12	
1,2-Dichloroethane	ug/m3	<0.089	0.21	07/14/20 08:12	
1,2-Dichloropropane	ug/m3	<0.085	0.47	07/14/20 08:12	
1,3,5-Trimethylbenzene	ug/m3	<0.15	0.50	07/14/20 08:12	
1,3-Butadiene	ug/m3	<0.050	0.22	07/14/20 08:12	
1,3-Dichlorobenzene	ug/m3	<0.24	0.61	07/14/20 08:12	
1,4-Dichlorobenzene	ug/m3	<0.42	1.5	07/14/20 08:12	
2-Butanone (MEK)	ug/m3	<0.27	1.5	07/14/20 08:12	
2-Hexanone	ug/m3	<0.18	2.1	07/14/20 08:12	
2-Propanol	ug/m3	<0.43	1.2	07/14/20 08:12	
4-Ethyltoluene	ug/m3	<0.24	1.2	07/14/20 08:12	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.10	2.1	07/14/20 08:12	
Acetone	ug/m3	<0.88	3.0	07/14/20 08:12	
Benzene	ug/m3	<0.064	0.16	07/14/20 08:12	
Benzyl chloride	ug/m3	<0.16	1.3	07/14/20 08:12	
Bromodichloromethane	ug/m3	<0.13	0.68	07/14/20 08:12	
Bromoform	ug/m3	<0.70	2.6	07/14/20 08:12	
Bromomethane	ug/m3	<0.090	0.39	07/14/20 08:12	
Carbon disulfide	ug/m3	<0.098	0.32	07/14/20 08:12	
Carbon tetrachloride	ug/m3	<0.074	0.64	07/14/20 08:12	
Chlorobenzene	ug/m3	<0.076	0.47	07/14/20 08:12	
Chloroethane	ug/m3	<0.066	0.27	07/14/20 08:12	
Chloroform	ug/m3	<0.096	0.25	07/14/20 08:12	
Chloromethane	ug/m3	<0.048	0.21	07/14/20 08:12	
cis-1,2-Dichloroethene	ug/m3	<0.080	0.40	07/14/20 08:12	
cis-1,3-Dichloropropene	ug/m3	<0.11	0.46	07/14/20 08:12	
Cyclohexane	ug/m3	<0.11	0.88	07/14/20 08:12	
Dibromochloromethane	ug/m3	<0.15	0.86	07/14/20 08:12	
Dichlorodifluoromethane	ug/m3	<0.075	0.50	07/14/20 08:12	
Dichlorotetrafluoroethane	ug/m3	<0.16	0.71	07/14/20 08:12	
Ethanol	ug/m3	<0.47	0.96	07/14/20 08:12	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA Auto Parts
Pace Project No.: 10524263

METHOD BLANK: 3670862 Matrix: Air
Associated Lab Samples: 10524263001, 10524263002, 10524263003, 10524263004, 10524263005, 10524263006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.084	0.37	07/14/20 08:12	
Ethylbenzene	ug/m3	<0.090	0.44	07/14/20 08:12	
Hexachloro-1,3-butadiene	ug/m3	<0.40	2.7	07/14/20 08:12	
m&p-Xylene	ug/m3	<0.21	0.88	07/14/20 08:12	
Methyl-tert-butyl ether	ug/m3	<0.069	1.8	07/14/20 08:12	
Methylene Chloride	ug/m3	<0.49	1.8	07/14/20 08:12	
n-Heptane	ug/m3	<0.086	0.42	07/14/20 08:12	
n-Hexane	ug/m3	<0.12	0.36	07/14/20 08:12	
Naphthalene	ug/m3	<0.62	1.3	07/14/20 08:12	
o-Xylene	ug/m3	<0.097	0.44	07/14/20 08:12	
Propylene	ug/m3	<0.049	0.18	07/14/20 08:12	
Styrene	ug/m3	<0.18	0.43	07/14/20 08:12	
Tetrachloroethene	ug/m3	<0.14	0.34	07/14/20 08:12	
Tetrahydrofuran	ug/m3	<0.085	0.30	07/14/20 08:12	
Toluene	ug/m3	<0.083	0.38	07/14/20 08:12	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	07/14/20 08:12	
trans-1,3-Dichloropropene	ug/m3	<0.14	0.46	07/14/20 08:12	
Trichloroethene	ug/m3	<0.088	0.27	07/14/20 08:12	
Trichlorofluoromethane	ug/m3	<0.14	0.57	07/14/20 08:12	
Vinyl acetate	ug/m3	<0.088	0.36	07/14/20 08:12	
Vinyl chloride	ug/m3	<0.050	0.13	07/14/20 08:12	

LABORATORY CONTROL SAMPLE: 3670863

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	57	55.4	97	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	71.9	63.8	89	70-132	
1,1,2-Trichloroethane	ug/m3	57.3	54.2	95	70-133	
1,1,2-Trichlorotrifluoroethane	ug/m3	80.3	81.7	102	70-130	
1,1-Dichloroethane	ug/m3	42.7	42.9	101	70-130	
1,1-Dichloroethene	ug/m3	41.4	41.5	100	69-137	
1,2,4-Trichlorobenzene	ug/m3	156	152	97	70-130	
1,2,4-Trimethylbenzene	ug/m3	51.5	45.3	88	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.3	77.4	96	70-138	
1,2-Dichlorobenzene	ug/m3	63.1	58.3	92	70-136	
1,2-Dichloroethane	ug/m3	42.4	43.7	103	70-130	
1,2-Dichloropropane	ug/m3	48.6	48.0	99	70-132	
1,3,5-Trimethylbenzene	ug/m3	51.6	44.8	87	70-136	
1,3-Butadiene	ug/m3	23.3	20.9	89	67-139	
1,3-Dichlorobenzene	ug/m3	63.4	58.6	93	70-138	
1,4-Dichlorobenzene	ug/m3	63.4	58.5	92	70-145	
2-Butanone (MEK)	ug/m3	31.4	32.1	102	61-130	
2-Hexanone	ug/m3	42.8	36.9	86	70-138	
2-Propanol	ug/m3	119	117	98	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

LABORATORY CONTROL SAMPLE: 3670863

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.4	46.3	88	70-142	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	39.5	91	70-134	
Acetone	ug/m3	126	112	88	59-137	
Benzene	ug/m3	33.5	32.9	98	70-133	
Benzyl chloride	ug/m3	55.1	46.9	85	70-139	
Bromodichloromethane	ug/m3	71.5	69.7	97	70-130	
Bromoform	ug/m3	110	109	99	60-140	
Bromomethane	ug/m3	41.3	39.5	96	70-131	
Carbon disulfide	ug/m3	33.3	33.9	102	70-130	
Carbon tetrachloride	ug/m3	66.2	67.1	101	70-133	
Chlorobenzene	ug/m3	48.3	45.3	94	70-131	
Chloroethane	ug/m3	28.1	26.9	96	70-141	
Chloroform	ug/m3	51.1	49.3	97	70-130	
Chloromethane	ug/m3	21.9	21.2	97	64-137	
cis-1,2-Dichloroethene	ug/m3	41.6	41.4	99	70-132	
cis-1,3-Dichloropropene	ug/m3	47.7	47.6	100	70-138	
Cyclohexane	ug/m3	36.7	32.7	89	70-133	
Dibromochloromethane	ug/m3	90.7	86.8	96	70-139	
Dichlorodifluoromethane	ug/m3	51.6	50.9	99	70-130	
Dichlorotetrafluoroethane	ug/m3	72.7	70.7	97	65-133	
Ethanol	ug/m3	103	96.7	94	65-135	
Ethyl acetate	ug/m3	38.6	36.0	93	70-135	
Ethylbenzene	ug/m3	45.6	41.1	90	70-142	
Hexachloro-1,3-butadiene	ug/m3	112	95.5	85	70-134	
m&p-Xylene	ug/m3	91.2	81.2	89	70-141	
Methyl-tert-butyl ether	ug/m3	38.4	35.5	92	70-131	
Methylene Chloride	ug/m3	182	167	92	69-130	
n-Heptane	ug/m3	43.6	39.4	90	70-130	
n-Hexane	ug/m3	37.6	38.0	101	70-131	
Naphthalene	ug/m3	57.7	53.8	93	63-130	
o-Xylene	ug/m3	45.5	40.0	88	70-135	
Propylene	ug/m3	18.2	17.5	96	63-139	
Styrene	ug/m3	44.9	41.3	92	70-143	
Tetrachloroethene	ug/m3	71	66.8	94	70-136	
Tetrahydrofuran	ug/m3	31.5	26.9	85	70-137	
Toluene	ug/m3	39.5	37.9	96	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	41.9	99	70-132	
trans-1,3-Dichloropropene	ug/m3	47.7	47.0	99	70-139	
Trichloroethene	ug/m3	56.3	56.3	100	70-132	
Trichlorofluoromethane	ug/m3	59.7	62.4	105	65-136	
Vinyl acetate	ug/m3	34.5	33.0	96	66-140	
Vinyl chloride	ug/m3	26.7	26.8	101	68-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

SAMPLE DUPLICATE: 3673028

Parameter	Units	10524263004 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.22	<0.22		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.48	<0.48		25	
1,1,2-Trichloroethane	ug/m3	<0.36	<0.36		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	102	102	0	25	
1,1-Dichloroethane	ug/m3	<0.20	<0.20		25	
1,1-Dichloroethene	ug/m3	<0.23	<0.23		25	
1,2,4-Trichlorobenzene	ug/m3	<5.3	<5.3		25	
1,2,4-Trimethylbenzene	ug/m3	15.8	16.0	1	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.52	<0.52		25	
1,2-Dichlorobenzene	ug/m3	1.5J	1.6J		25	
1,2-Dichloroethane	ug/m3	<0.29	<0.29		25	
1,2-Dichloropropane	ug/m3	<0.27	<0.27		25	
1,3,5-Trimethylbenzene	ug/m3	5.7	5.8	1	25	
1,3-Butadiene	ug/m3	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m3	1.5J	1.6J		25	
1,4-Dichlorobenzene	ug/m3	4.4J	4.5J		25	
2-Butanone (MEK)	ug/m3	33.4	34.2	2	25	
2-Hexanone	ug/m3	1.5J	1.7J		25	
2-Propanol	ug/m3	26.2	25.9	1	25	
4-Ethyltoluene	ug/m3	9.3	9.2	1	25	
4-Methyl-2-pentanone (MIBK)	ug/m3	3.1J	3.1J		25	
Acetone	ug/m3	253	250	1	25	
Benzene	ug/m3	8.0	8.1	1	25	
Benzyl chloride	ug/m3	<0.53	<0.53		25	
Bromodichloromethane	ug/m3	<0.43	<0.43		25	
Bromoform	ug/m3	<2.3	<2.3		25	
Bromomethane	ug/m3	<0.29	<0.29		25	
Carbon disulfide	ug/m3	<0.31	<0.31		25	
Carbon tetrachloride	ug/m3	<0.24	<0.24		25	
Chlorobenzene	ug/m3	51.1	52.7	3	25	
Chloroethane	ug/m3	<0.21	<0.21		25	
Chloroform	ug/m3	<0.31	<0.31		25	
Chloromethane	ug/m3	<0.15	<0.15		25	
cis-1,2-Dichloroethene	ug/m3	<0.26	<0.26		25	
cis-1,3-Dichloropropene	ug/m3	<0.35	<0.35		25	
Cyclohexane	ug/m3	7.1	7.1	0	25	
Dibromochloromethane	ug/m3	<0.47	<0.47		25	
Dichlorodifluoromethane	ug/m3	241000	230000	5	25	
Dichlorotetrafluoroethane	ug/m3	<0.53	<0.53		25	
Ethanol	ug/m3	286	278	3	25	
Ethyl acetate	ug/m3	<0.27	<0.27		25	
Ethylbenzene	ug/m3	875	893	2	25	
Hexachloro-1,3-butadiene	ug/m3	<1.3	<1.3		25	
m&p-Xylene	ug/m3	216	218	1	25	
Methyl-tert-butyl ether	ug/m3	<0.22	<0.22		25	
Methylene Chloride	ug/m3	4.2J	4.3J		25	
n-Heptane	ug/m3	10.0	9.9	1	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

SAMPLE DUPLICATE: 3673028

Parameter	Units	10524263004 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	10.5	10.7	2	25	
Naphthalene	ug/m3	2.6J	2.6J		25	
o-Xylene	ug/m3	54.6	55.6	2	25	
Propylene	ug/m3	<0.16	<0.16		25	
Styrene	ug/m3	668	684	2	25	
Tetrachloroethene	ug/m3	123	125	2	25	
Tetrahydrofuran	ug/m3	3.1	3.1	1	25	
Toluene	ug/m3	110	111	1	25	
trans-1,2-Dichloroethene	ug/m3	0.84J	0.87J		25	
trans-1,3-Dichloropropene	ug/m3	<0.46	<0.46		25	
Trichloroethene	ug/m3	<0.28	<0.28		25	
Trichlorofluoromethane	ug/m3	3.3	3.2	0	25	
Vinyl acetate	ug/m3	<0.28	<0.28		25	
Vinyl chloride	ug/m3	<0.16	<0.16		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690018043 NAPA Auto Parts

Pace Project No.: 10524263

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10524263001	SS-1	TO-15	686468		
10524263002	SS-2	TO-15	686468		
10524263003	SS-3	TO-15	686468		
10524263004	SS-4	TO-15	686468		
10524263005	SS-5	TO-15	686468		
10524263006	SS-6	TO-15	686468		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.


Section A Required Client Information: Company: Pamball Address: 175 N. Corporate Dr. STE 160 Brookfield WI 53005 Email To: K. Heinmstead Phone: 262-901-0129 Fax: Requested Due Date/TAT: Standard		Section B Required Project Information: Report To: P. Mazurkiewicz Copy To: K. Heinmstead Purchase Order No.: Project Name: WAPA Auto Parts Project Number: 1690018043		Section C Invoice Information: Attention: P. Mazurkiewicz Company Name: Pamball Address: Place Quote Reference: Place Project Manager/Sales Rep. Place Profile #: 40863		Page: 1 of 1 Program <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other Reporting Units Location of Sampling by State: WI <input checked="" type="checkbox"/> ug/m ³ <input type="checkbox"/> mg/m ³ <input type="checkbox"/> PPBV <input type="checkbox"/> PPMV <input type="checkbox"/> Other Report Level II. III. IV.	
Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE		COLLECTED MEDIA CODE PID Reading (Client only)		Canister Pressure (Initial Field - in Hg) Canister Pressure (Final Field - in Hg)		Summa Can Number Flow Control Number	
ITEM #	Valid Media Codes MEDIA Tedlar Bag 1 Liter Summa Can 6 Liter Summa Can Low Volume Puff High Volume Puff Other CODE TB 1LC 6LC LVP HVP PM10	DATE	TIME	DATE	TIME	DATE	TIME
1	6LL	7/7/20	1245	7/7/20	1320	7/8/20	730
2	6LL	7/7/20	1335	7/7/20	1405	7/8/20	730
3	6LL	7/7/20	1420	7/7/20	1450	7/8/20	730
4	6LL	7/7/20	1505	7/7/20	1555	7/8/20	730
5	6LL	7/7/20	1550	7/7/20	1620	7/8/20	730
6	6LL	7/7/20	1655	7/7/20	1705	7/8/20	730
7							
8							
9							
10							
11							
12							

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>K. Heinmstead / Pamball</i>	7/8/20	730	<i>Fred...</i>	7/8/20	1025	Temp in C Received on Ice Custody Sealed Cooler Samples Intact
			<i>M. J. ...</i>	7/9/20	1025	

WO#: 10524263

10524263

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: **Kyle Heinmstead**
 SIGNATURE of SAMPLER: *Kyle Heinmstead*
 DATE Signed (MM/DD/YYYY): **7/8/20**



Document Name:
Sample Condition Upon Receipt (SCUR) - Air

Document No.:
ENV-FRM-MIN4-0113 Rev 00

Document Revised: 24Mar2020
 Page 1 of 1
 Pace Analytical Services --
 Minneapolis

Air Sample Condition Upon Receipt

Client Name: **Ramboll**

Project #: **WO# : 10524263**
 PM: CT1 Due Date: 07/16/20
 CLIENT: Ramboll-WI

Courier: Fed Ex UPS USPS Client
 Pace Speedee Commercial See Exception

Tracking Number: **1723 2543 8318 + 8307**

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____

Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): **—** Corrected Temp (°C): **—**

Thermometer Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: **—**

Date & Initials of Person Examining Contents: **ML 7/9/20**

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <u>Air Can</u> Airbag Filter TDT Passive		11. Individually Certified Cans Y <u>N</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
SS-1	933	2359	-6	5					
SS-2	556	2197	-5.5	↓					
SS-3	519	2367	-4						
SS-4	3378	2287	-5						
SS-5	189	2202	-4.5						
SS-6	1547	2568	-4						

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No


Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Caitlyne Hunt

Date: 7/9/20

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)



Source: Grant County GIS 06/29/2020

WI Vapor Quick Look-Up Table ^{1,2}
Indoor Air Vapor Action Levels and Vapor Risk Screening Levels
Based on **November 2017** U.S.EPA Regional Screening Levels

CHEMICAL	RESIDENTIAL				SMALL COMMERCIAL				LARGE COMMERCIAL/INDUSTRIAL				MOLECULAR WEIGHT	U.S.EPA RSL BASIS
	AF = 0.03				AF = 0.03				AF = 0.01					
	INDOOR AIR VAL		SUB-SLAB VAPOR VRSL		INDOOR AIR VAL		SUB-SLAB VAPOR VRSL		INDOOR AIR VAL		SUB-SLAB VAPOR VRSL			
	µg/m ³	ppbv	µg/m ³	ppbv	µg/m ³	ppbv	µg/m ³	ppbv	µg/m ³	ppbv	µg/m ³	ppbv	g/mole	
Benzene	3.6	1.1	120	37	16	4.9	530	160	16	4.9	1,600	490	78.11	c
Carbon Tetrachloride	4.7	0.73	160	24	20	3.1	670	100	20	3.1	2,000	310	153.82	c
Chloroform	1.2	0.24	40	8.0	5.3	1.1	180	37	5.3	1.1	530	110	119.38	c
Chloromethane	94	45	3,100	1,500	390	190	13,000	6,300	390	190	39,000	19,000	50.49	n
Dichlorodifluoromethane	100	20	3,300	670	440	88	15,000	2,900	440	88	44,000	8,800	120.91	n
1,1-Dichloroethane (1,1-DCA)	18	4.4	600	150	77	19	2,600	630	77	19	7,700	1,900	98.96	c
1,2-Dichloroethane (1,2-DCA)	1.1	0.27	37	9.0	4.7	1.1	160	37	4.7	1.1	470	110	98.96	c
1,1-Dichloroethylene (1,1-DCE)	210	52	7,000	1,700	880	220	29,000	7,300	880	220	88,000	22,000	96.94	n
1,2-Dichloroethylene (cis and trans)	--	--	--	--	--	--	--	--	--	--	--	--	96.94	--
Ethylbenzene	11	2.5	370	83	49	11	1,600	370	49	11	4,900	1,100	106.17	c
Methyl Tert-Butyl Ether (MTBE)	110	30	3,700	1,000	470	130	16,000	4,300	470	130	47,000	13,000	88.15	c
Methylene Chloride	630	180	21,000	6,000	2,600	740	87,000	25,000	2,600	740	260,000	74,000	84.93	n
Naphthalene	0.83	0.16	28	5.3	3.6	0.68	120	23	3.6	0.68	360	68	128.18	c
Tetrachloroethylene (PCE)	42	6.2	1,400	210	180	27	6,000	900	180	27	18,000	2,700	165.83	n
Toluene	5,200	1,400	170,000	47,000	22,000	5,700	730,000	190,000	22,000	5,700	2,200,000	570,000	92.14	n
1,1,1-Trichloroethane (1,1,1-TCA)	5,200	940	170,000	31,000	22,000	4,000	730,000	130,000	22,000	4,000	2,200,000	400,000	133.41	n
Trichloroethylene (TCE)	2.1	0.39	70	13	8.8	1.6	290	53	8.8	1.6	880	160	131.39	n
Trichlorofluoromethane	--	--	--	--	--	--	--	--	--	--	--	--	137.37	--
1,2,4 -Trimethylbenzene	63	13	2,100	430	260	52	8,700	1,700	260	52	26,000	5,200	120.20	n
1,3,5- Trimethylbenzene	63	13	2,100	430	260	52	8,700	1,700	260	52	26,000	5,200	120.20	n
Vinyl Chloride	1.7	0.65	57	22	28	11	930	370	28	11	2,800	1,100	62.50	c
Xylene (mix)	100	23	3,300	770	440	100	15,000	3,300	440	100	44,000	10,000	106.17	n
Xylene (n,m,o separately)	100	23	3,300	770	440	100	15,000	3,300	440	100	44,000	10,000	106.17	n

Notes

All values reported to two significant digits.

-- = Inhalation toxicity values are *not* available from U.S. EPA

AF = Attenuation Factor

VAL = Vapor Action Level

VRSL = Vapor Risk Screening Level

U.S. EPA RSL = Regional Screening Level

n= noncancer; c = carcinogenic

Immediate Action Criteria for Indoor Air: carcinogens (c) = 10 x VAL; non-carcinogens (n) = 3 x VAL

Footnotes

1. Quick Look-up Table only includes common contaminants. To determine the VAL and VRSL for other contaminants, refer to the steps on the next page.

2. Concentrations reported in ppbv and µg/m³ are *not* equivalent for air. If comparing datasets with both units, refer to the instructions on the next page for how to convert between ppbv and µg/m³.

STEP 1: Check if the contaminant is sufficiently volatile and toxic to pose a vapor risk:

- Open the current U.S.EPA Vapor Intrusion Screening Levels (VISLs) calculator spreadsheet: <https://www.epa.gov/vaporintrusion/vapor-intrusion-screening-levels-visl>
- Go to the worksheet titled "VISL" and scroll down to find the chemical name in the list.
- Scroll over to columns F and G to determine if the chemical is sufficiently volatile and toxic to pose an inhalation risk via vapor intrusion.
 - If no, this means the chemical does not pose an inhalation risk, and the vapor intrusion assessment may be complete for that chemical.
 - If yes, move to Step 2.

STEP 2: Determine the indoor air Vapor Action Level (VAL)

- On the worksheet titled "VISL", choose an Exposure Scenario from the dropdown menu:
 - Select Residential for settings meeting the definition of residential in Wisc. Admin. § NR 700.03(49g).
 - Select Commercial for settings meeting definition of commercial or industrial in Wisc. Admin. § NR 700.03(39m).
- Set Target Risk for Carcinogens to 1.00 E-05 and Target Hazard Quotient for Non-Carcinogens to 1.
- Lookup the Target Indoor Air Concentration for the chemical in column H.
- Target Indoor Air Concentration = VAL.

STEP 3: Calculate the Vapor Risk Screening Levels (VRSLs)

- Select the appropriate attenuation factor from table below:
 - Attenuation factor is based on the building type and the location where the sample was collected.
 - It is expected that the *sub-slab vapor attenuation factor* will be the default for most sampling scenarios.
- Divide each VAL by the selected attenuation factor.
- VAL/attenuation factor = VRSL.

MEDIA	ATTENUATION FACTOR	
	RESIDENTIAL OR SMALL COMMERCIAL BUILDING	INDUSTRIAL OR LARGE COMMERCIAL BUILDING
Crawl space	1	1
Sub-slab vapor	0.03	0.01
Deep soil gas	0.01	0.001
Groundwater*	0.001	0.0001

* Groundwater VRSLs:

- Use the following formula to calculate the groundwater concentrations that could cause a VAL exceedance in indoor air for a compound.
- Do not use this formula for PCE and TCE. If PCE or TCE are in groundwater, use their respective Wis. Admin. Code ch. NR 140 Enforcement Standards as the vapor screening criteria.

$$C_{gw} = \frac{VAL}{H \times AF \times 1000 \text{ L/m}^3}$$

Where:

C_{gw} = Groundwater Concentration ($\mu\text{g/L}$)

VAL = Vapor Action Level ($\mu\text{g/m}^3$)

AF = attenuation factor (dimensionless or unitless)

- Use *groundwater attenuation factor* in most cases, or
- Use the *sub-slab attenuation factor* if groundwater is near, or in contact with the building foundation.

H = Henry's Law constant (dimensionless)

- On the VISL spreadsheet, go to worksheet titled "Parameters Summary" and look up the Henry's law constant for the chemical.
- Or go to <https://www3.epa.gov/ceampubl/learn2model/part-two/onsite/esthenry.html> Input the temperature and chemical name to get Henry' law constant.

Convert data from ppbv to $\mu\text{g/m}^3$ (if needed)

- If a vapor dataset has multiple units (ppbv and $\mu\text{g/m}^3$), convert the data to a common unit of measure prior to evaluating trends or comparing values in the data.
- To convert between $\mu\text{g/m}^3$ and ppbv, go to http://www3.epa.gov/ceampubl/learn2model/part-two/onsite/ia_unit_conversion.html, or use following formula:

$$\mu\text{g/m}^3 = \frac{\text{ppbv} \times \text{MW}}{24.05}$$

Where:

MW = molecular weight (g/mole)

24.05 = conversion factor based on temperature = 20°C and pressure = 1 atm