

Sent via Email Caroline.rice@wisconsin.gov

Caroline Rice
Hydrogeologist
Wisconsin Department of Natural Resources
Fitchburg, WI 53711
3911 Fish Hatchery Rd
Fitchburg, WI 53711

SUB-SLAB VAPOR RESULTS
TRACE-MITCHELL REAL ESTATE LLC
RETAIL WHOLESALE STORE
1305 N. JOHNS STREET
DODGEVILLE, IOWA COUNTY, WI 53533
BRRTS 02-25-586566

Dear Ms. Rice:

April 8, 2021


We received the analytical results for the sub-slab soil vapor sampling that was completed on March 12, 2021, from six Vapor Pins™ at the subject property. This transmittal is in accordance with the sample results notification required under Wisconsin Administrative Code Chapter NR 716.14(2). The laboratory analytical results are summarized in **Table 1**, the Vapor Pin locations are illustrated in **Figure 1**, and the laboratory report is provided as **Attachment A**. A discussion of these results will be included in an upcoming Site Investigation Report.

Please let us know if you have any questions or if you would like us to upload a copy of this submittal to the WDNR document portal.

Yours sincerely,



Richard Mazurkiewicz
Managing Consultant
D 262 901 3502
rmazurkiewicz@ramboll.com



Jeanne M. Tarvin, PG, CPG
Managing Principal
D 262 901 0085
itarvin@ramboll.com

Ref. 1690020998

Attachments:

Table 1. Sub-Slab Vapor Analytical Results
Former Dry Cleaner
1305 N Johns Street
Dodgeville, Wisconsin
Ramboll Project No. 1690020998

Parameters		Residential				Small Commercial				USEPA RSL Basis ⁽²⁾	SS-1		SS-2	
Analyte ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	CAS No.	Indoor Air VAL (1 E -5)	Sub-Slab Vapor VRSL (33.3 x)	Indoor Air VAL (HI = 1)	Sub-Slab Vapor VRSL (33.3 x)	Indoor Air VAL (1 E -5)	Sub-Slab Vapor VRSL (33.3 x)	Indoor Air VAL (HI = 1)	Sub-Slab Vapor VRSL (33.3 x)	--	7/7/2020	3/12/2021	7/7/2020	3/12/2021
Acetone	67-64-1	--	--	32000	1100000	--	--	140000	4700000	nc	2510	685 E	421	371
Benzene	71-43-2	3.6	120	31	1000	16	530	130	4300	c	7.2	4.7	12.2	9.4
Carbon Disulfide	75-15-0	--	--	730	24000	--	--	3100	100000	nc	<0.33	<0.15	1.0 J	<0.17
Carbon Tetrachloride	56-23-5	4.7	160	100	3300	20	670	440	15000	c	<0.25	<0.32	0.26 J	<0.35
Chlorobenzene	108-90-7	--	--	52	1700	--	--	220	7300	nc	20.9	12.9	48.8	34.7
Chloroform	67-66-3	1.2	40	100	3300	5.3	180	430	14000	c	<0.32	<0.22	<0.32	<0.24
Cyclohexane	110-82-7	--	--	6300	210000	--	--	26000	870000	nc	7.2	3.0	11.3	6.7
Dichlorobenzene, 1,2-	95-50-1	--	--	210	7000	--	--	880	29000	nc	<0.63	<1.1	1.5 J	1.6 J
Dichlorobenzene, 1,3-	541-73-1	--	--	--	--	--	--	--	--	--	<0.79	<1.2	1.4 J	<1.4
Dichlorobenzene, 1,4-	106-46-7	2.6	87	830	28000	11	370	3500	120000	c	<1.4	<1.4	3.7 J	10.1
Dichlorodifluoromethane	75-71-8	--	--	100	3300	--	--	440	15000	nc	206000 E A,B	88700 A,B	218000 E A,B	101000 A,B
Dichloroethylene, 1,2-trans-	156-60-5	--	--	--	--	--	--	--	--	--	1.8	0.66 J	1.3	1.3 J
Ethanol	64-17-5	--	--	--	--	--	--	--	--	--	471	415	513	485
Ethyl Acetate	141-78-6	--	--	73	2400	--	--	310	10000	nc	<0.28	3.1	1.4	<0.20
Ethylbenzene	100-41-4	11	370	1000	33000	49	1600	4400	150000	c	624 A	199 E	955 A	331 E
4-Ethyltoluene	622-96-8	--	--	--	--	--	--	--	--	--	11.3	12.6	10.4	11.2
n-Heptane	142-82-5	--	--	420	14000	--	--	1800	60000	nc	17.4	6.1	21.0	13.0
Hexane, N-	110-54-3	--	--	730	24000	--	--	3100	100000	nc	15.8	4.4	22.8	10.0
Hexanone, 2-	591-78-6	--	--	31	1000	--	--	130	4300	nc	2.9	4.5 J	3.6 J	2.9 J
Isopropanol	67-63-0	--	--	210	7000	--	--	880	29000	nc	66.4	49.8	66.9	39.2
Methyl Ethyl Ketone (2-Butanone)	78-93-3	--	--	5200	170000	--	--	22000	730000	nc	74.5 E	56.9	95.9 E	65.3
Methyl Isobutyl Ketone (4-methyl-2-pentanone)	108-10-1	--	--	3100	100000	--	--	13000	430000	nc	8.0	11.3	23.2	348 E
Methylene Chloride	75-09-2	1000	33000	630	21000	12000	400000	2600	87000	nc	5.8	<1.8	11.5	2.1 J
Naphthalene	91-20-3	0.83	28	3.1	100	3.6	120	13	430	c	4.5	3.7 J	4.3 J	3.1 J
Styrene	100-42-5	--	--	1000	33000	--	--	4400	150000	nc	144	79.5	597	215 E
Tetrachloroethylene	127-18-4	110	3700	42	1400	470	16000	180	6000	nc	1910 A	533	1490 A	1090
Tetrahydrofuran	109-99-9	--	--	2100	70000	--	--	8800	290000	nc	5.8	5.1	5.8	2.4
Toluene	108-88-3	--	--	5200	170000	--	--	22000	730000	nc	119	56.5	130	109
Trichloro-1,2,2-trifluoroethane, 1,1,2-	76-13-1	--	--	5200	170000	--	--	22000	730000	nc	31.1	101	13.0	36.0
Trichloroethylene	79-01-6	4.8	160	2.1	70	30	1000	8.8	290	nc	0.53	0.68 J	1.2	0.76 J
Trichlorofluoromethane	75-69-4	--	--	--	--	--	--	--	--	--	3.7	<0.34	7.0	4.9
Trimethylbenzene, 1,2,4-	95-63-6	--	--	63	2100	--	--	260	8700	nc	22.2	20.3	17.1	13.5
Trimethylbenzene, 1,3,5-	108-67-8	--	--	63	2100	--	--	260	8700	nc	6.6	6.2	5.2	4.4
m&p-Xylene	179601-23-1	--	--	100	3300	--	--	440	15000	nc	353	177	232	213
Xylene, o-	95-47-6	--	--	100	3300	--	--	440	15000	nc	89.2	46.2	61.2	55.8

Notes:

Standards based on May 2020 USEPA Regional Screening Level (RSL) Tables.
Samples analyzed using USEPA Method TO-15. Only detected compounds are listed.

$\mu\text{g}/\text{m}^3$ = Microgram per cubic meter

AF = Attenuation Factor

VAL= Indoor Air Vapor Action Level

VRSL = Vapor Risk Screening Level

⁽¹⁾ For parameters with both carcinogenic and non-carcinogenic indoor air VALs, results are compared to the most conservative sub-slab vapor VRSL displayed in **bold** font.

⁽²⁾ The USEPA RSL Basis indicates whether the carcinogenic (c) or non-carcinogenic (nc) indoor air VAL is most stringent.

A = Exceeds Residential VRSL

B = Exceeds Small Commercial VRSL

C = Exceeds Large Commercial/Industrial VRSL

J = Estimated concentration at or above the level of detection (LOD) and below the level of quantification (LOQ).

E = Analyte concentration exceeded the calibration range. The reported result is estimated.

CH = The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

L1 = Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

SS = This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

-- No RSL established.

Table 1. Sub-Slab Vapor Analytical Results
Former Dry Cleaner
1305 N Johns Street
Dodgeville, Wisconsin
Ramboll Project No. 1690020998

Parameters		Residential			Small Commercial			USEPA RSL Basis ⁽²⁾	SS-3		SS-4		SS-5		SS-6			
Analyte ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	CAS No.	Indoor Air VAL (1 E -5)	Sub-Slab Vapor VRSL (33.3 x)	Indoor Air VAL (HI = 1)	Sub-Slab Vapor VRSL (33.3 x)	Indoor Air VAL (1 E -5)	Sub-Slab Vapor VRSL (33.3 x)	Indoor Air VAL (HI = 1)	Sub-Slab Vapor VRSL (33.3 x)	--	7/7/2020	3/12/2021	7/7/2020	3/12/2021	7/7/2020	3/12/2021	7/7/2020	3/12/2021
Acetone	67-64-1	--	--	32000	1100000	--	--	140000	4700000	nc	459	178	253	185	127	54.8	213	79.3
Benzene	71-43-2	3.6	120	31	1000	16	530	130	4300	c	9.5	9.4	8.0	4.7	2.2	3.9	3.5	2.5
Carbon Disulfide	75-15-0	--	--	730	24000	--	--	3100	100000	nc	<0.30	29.9	<0.31	1.1	0.71 J	0.24 J	0.73 J	<0.15
Carbon Tetrachloride	56-23-5	4.7	160	100	3300	20	670	440	15000	c	<0.23	<0.32	<0.24	<0.32	<0.23	<0.32	<0.23	<0.31
Chlorobenzene	108-90-7	--	--	52	1700	--	--	220	7300	nc	37.2	17.5	51.1	24.0	8.3	11.8	27.1	13.5
Chloroform	67-66-3	1.2	40	100	3300	5.3	180	430	14000	c	<0.30	<0.22	<0.31	<0.22	4.9	<0.22	<0.30	<0.22
Cyclohexane	110-82-7	--	--	6300	21000	--	--	26000	870000	nc	9.5	5.0	7.1	5.8	4.1	5.9	5.1	3.4
Dichlorobenzene, 1,2-	95-50-1	--	--	210	7000	--	--	880	29000	nc	2.3	<1.1	1.5 J	2.0	<0.59	<1.1	0.95 J	1.1 J
Dichlorobenzene, 1,3-	541-73-1	--	--	--	--	--	--	--	--	--	1.5 J	<1.3	1.5 J	2.3 J	<0.75	2.0 J	0.94 J	<1.2
Dichlorobenzene, 1,4-	106-46-7	2.6	87	830	28000	11	370	3500	120000	c	4.8	1.9 J	4.4 J	3.9 J	<1.3	<1.5	2.1 J	2.0 J
Dichlorodifluoromethane	75-71-8	--	--	100	3300	--	--	440	15000	nc	217000 E A,B	39200 A,B	185000 E A,B	67600 A,B	3540 E A	60200 A,B	3370 E A	29100 A,B
Dichloroethylene, 1,2-trans-	156-60-5	--	--	--	--	--	--	--	--	--	1.6	1.3	0.84 J	<0.25	0.47 J	<0.25	0.51 J	<0.24
Ethanol	64-17-5	--	--	--	--	--	--	--	--	--	436	400	286	224	233	356	270	336
Ethyl Acetate	141-78-6	--	--	73	2400	--	--	310	10000	nc	<0.26	<0.18	<0.27	<0.18	5.0	1.4	1.4	<0.18
Ethylbenzene	100-41-4	11	370	1000	33000	49	1600	4400	150000	c	916 A	210	875 A	192	121	70.9	205	67.0
4-Ethyltoluene	622-96-8	--	--	--	--	--	--	--	--	--	12.8	2.0 J	9.3	5.9	7.7	4.0	8.4	7.0
n-Heptane	142-82-5	--	--	420	14000	--	--	1800	60000	nc	22.7	9.6	10.0	5.8	5.3	8.2	7.8	6.2
Hexane, N-	110-54-3	--	--	730	24000	--	--	3100	100000	nc	18.5	10.5	10.5	5.8	18.7	9.9	12.0	4.7
Hexanone, 2-	591-78-6	--	--	31	1000	--	--	130	4300	nc	2.7 J	3.0 J	1.5 J	3.0 J	1.9 J	2.7 J	1.6 J	2.8 J
Isopropanol	67-63-0	--	--	210	7000	--	--	880	29000	nc	52.2	37.1	26.2	30.6	35.7	23.3	73.4	62.2
Methyl Ethyl Ketone (2-Butanone)	78-93-3	--	--	5200	170000	--	--	22000	730000	nc	96.4 E	40.3	33.4	19.7	25.8	10.0	32.9	18.4
Methyl Isobutyl Ketone (4-methyl-2-pentanone)	108-10-1	--	--	3100	100000	--	--	13000	430000	nc	12.2	9.9	3.1 J	3.7 J	4.7 J	2.0 J	6.6	7.9
Methylene Chloride	75-09-2	1000	33000	630	21000	12000	400000	2600	87000	nc	1.6 J	4.2 J CH,LS,SS	4.2 J	<1.8	107	<1.8	35.9	<1.8
Naphthalene	91-20-3	0.83	28	3.1	100	3.6	120	13	430	c	3.3 J	<2.9	2.6 J	8.3	3.4 J	3.8 J	2.6 J	3.8 J
Styrene	100-42-5	--	--	1000	33000	--	--	4400	150000	nc	377	27.1	668	136	52.9	65.5	175	91.2
Tetrachloroethylene	127-18-4	110	3700	42	1400	470	16000	180	6000	nc	117	62.6	123	96.9	167	122	199	96.8
Tetrahydrofuran	109-99-9	--	--	2100	70000	--	--	8800	290000	nc	8.8	5.6	3.1	5.8	4.8	<0.20	2.2	3.4
Toluene	108-88-3	--	--	5200	170000	--	--	22000	730000	nc	188	78.7	110	59.1	62.0	21.0	71.3	25.5
Trichloro-1,2,2-trifluoroethane, 1,1,2-	76-13-1	--	--	5200	170000	--	--	22000	730000	nc	5.7	235 CH,LS,SS	102	99.2	335	545 E	238	162
Trichloroethylene	79-01-6	4.8	160	2.1	70	30	1000	8.8	290	nc	0.68 J	0.80 J	<0.28	<0.31	<0.28	<0.32	<0.27	3.2
Trichlorofluoromethane	75-69-4	--	--	--	--	--	--	--	--	--	6.4	<0.35	3.3	4.0 J	4.3	5.5	4.4	2.3
Trimethylbenzene, 1,2,4-	95-63-6	--	--	63	2100	--	--	260	8700	nc	21.2	2.5	15.8	13.9	13.8	14.7	12.4	11.1
Trimethylbenzene, 1,3,5-	108-67-8	--	--	63	2100	--	--	260	8700	nc	6.4	1.5 J	5.7	5.0	4.2	3.5	4.3	3.3
m&p-Xylene	179601-23-1	--	--	100	3300	--	--	440	15000	nc	433	93.4	216	83.2	156	27.9	198	25.6
Xylene, o-	95-47-6	--	--	100	3300	--	--	440	15000	nc	105	23.8	54.6	19.8	38.3	10.5	48.3	7.7

Notes:

Standards based on May 2020 USEPA Regional Screening Level (RSL) Tables.

Samples analyzed using USEPA Method TO-15. Only detected compounds are listed.

$\mu\text{g}/\text{m}^3$ = Microgram per cubic meter

AF = Attenuation Factor

VAL= Indoor Air Vapor Action Level

VRSI = Vapor Risk Screening Level

⁽¹⁾ For parameters with both carcinogenic and non-carcinogenic indoor air VALs, results are compared to the most conservative sub-slab vapor VRSI displayed in **bold** font.

⁽²⁾ The USEPA RSL Basis indicates whether the carcinogenic (c) or non-carcinogenic (nc) indoor air VAL is most stringent.

A = Exceeds Residential VRSI



Attachment A

March 31, 2021

Richard Mazurkiewicz
Ramboll
234 West Florida St.
5th floor
Milwaukee, WI 53204

RE: Project: 1690020998 NAPA AUTO PARTS
Pace Project No.: 10551358

Dear Richard Mazurkiewicz:

Enclosed are the analytical results for sample(s) received by the laboratory on March 16, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout
carolynne.trout@pacelabs.com
1(612)607-6351
Project Manager

Enclosures

cc: Kyle Heimstead, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690020998 NAPA AUTO PARTS
 Pace Project No.: 10551358

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414	Missouri Certification #: 10100
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab	Montana Certification #: CERT0092
A2LA Certification #: 2926.01*	Nebraska Certification #: NE-OS-18-06
Alabama Certification #: 40770	Nevada Certification #: MN00064
Alaska Contaminated Sites Certification #: 17-009*	New Hampshire Certification #: 2081*
Alaska DW Certification #: MN00064	New Jersey Certification #: MN002
Arizona Certification #: AZ0014*	New York Certification #: 11647*
Arkansas DW Certification #: MN00064	North Carolina DW Certification #: 27700
Arkansas WW Certification #: 88-0680	North Carolina WW Certification #: 530
California Certification #: 2929	North Dakota Certification #: R-036
Colorado Certification #: MN00064	Ohio DW Certification #: 41244
Connecticut Certification #: PH-0256	Ohio VAP Certification (1700) #: CL101
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137	Ohio VAP Certification (1800) #: CL110*
Florida Certification #: E87605*	Oklahoma Certification #: 9507*
Georgia Certification #: 959	Oregon Primary Certification #: MN300001
Hawaii Certification #: MN00064	Oregon Secondary Certification #: MN200001*
Idaho Certification #: MN00064	Pennsylvania Certification #: 68-00563*
Illinois Certification #: 200011	Puerto Rico Certification #: MN00064
Indiana Certification #: C-MN-01	South Carolina Certification #: 74003001
Iowa Certification #: 368	Tennessee Certification #: TN02818
Kansas Certification #: E-10167	Texas Certification #: T104704192*
Kentucky DW Certification #: 90062	Utah Certification #: MN00064*
Kentucky WW Certification #: 90062	Vermont Certification #: VT-027053137
Louisiana DEQ Certification #: AI-03086*	Virginia Certification #: 460163*
Louisiana DW Certification #: MN00064	Washington Certification #: C486*
Maine Certification #: MN00064*	West Virginia DEP Certification #: 382
Maryland Certification #: 322	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137*	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Dept of Ag Approval: via MN 027-053-137	USDA Permit #: P330-19-00208
Minnesota Petrofund Registration #: 1240*	*Please Note: Applicable air certifications are denoted with an asterisk (*).
Mississippi Certification #: MN00064	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10551358001	SS-1	Air	03/12/21 11:30	03/16/21 14:35
10551358002	SS-2	Air	03/12/21 12:19	03/16/21 14:35
10551358003	SS-3	Air	03/12/21 12:20	03/16/21 14:35
10551358004	SS-4	Air	03/12/21 11:28	03/16/21 14:35
10551358005	SS-5	Air	03/12/21 10:05	03/16/21 14:35
10551358006	SS-6	Air	03/12/21 10:35	03/16/21 14:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690020998 NAPA AUTO PARTS
Pace Project No.: 10551358

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10551358001	SS-1	TO-15	AFV	61
10551358002	SS-2	TO-15	AFV	61
10551358003	SS-3	TO-15	AFV	61
10551358004	SS-4	TO-15	DR1	61
10551358005	SS-5	TO-15	DR1	61
10551358006	SS-6	TO-15	AFV	61

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Method: TO-15

Description: TO15 MSV AIR

Client: Ramboll Environ- WI AIR

Date: March 31, 2021

General Information:

6 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

QC Batch: 732054

SS: This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

- LCS (Lab ID: 3901905)
 - 1,1,2-Trichlorotrifluoroethane
 - Methylene Chloride
- SS-3 (Lab ID: 10551358003)
 - 1,1,2-Trichlorotrifluoroethane
 - Methylene Chloride

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 732054

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- LCS (Lab ID: 3901905)
 - 1,1,2-Trichlorotrifluoroethane
 - Methylene Chloride
- SS-3 (Lab ID: 10551358003)
 - 1,1,2-Trichlorotrifluoroethane
 - Methylene Chloride

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 732054

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

- LCS (Lab ID: 3901905)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 1690020998 NAPA AUTO PARTS
Pace Project No.: 10551358

Method: TO-15

Description: TO15 MSV AIR

Client: Ramboll Environ- WI AIR

Date: March 31, 2021

QC Batch: 732054

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

- 1,1,2-Trichlorotrifluoroethane
- Methylene Chloride

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 731536

R1: RPD value was outside control limits.

- DUP (Lab ID: 3901718)
 - Ethanol

Additional Comments:

Analyte Comments:

QC Batch: 731536

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- SS-5 (Lab ID: 10551358005)
 - 1,1,2-Trichlorotrifluoroethane

QC Batch: 731810

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- SS-1 (Lab ID: 10551358001)
 - Acetone
 - Ethylbenzene
- SS-2 (Lab ID: 10551358002)
 - Ethylbenzene
 - 4-Methyl-2-pentanone (MIBK)
 - Styrene

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-1	Lab ID: 10551358001	Collected: 03/12/21 11:30	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	685	ug/m3	9.0	3.3	1.49		03/29/21 20:21	67-64-1	E
Benzene	4.7	ug/m3	0.48	0.20	1.49		03/29/21 20:21	71-43-2	
Benzyl chloride	<2.0	ug/m3	3.9	2.0	1.49		03/29/21 20:21	100-44-7	
Bromodichloromethane	<0.34	ug/m3	2.0	0.34	1.49		03/29/21 20:21	75-27-4	
Bromoform	<1.4	ug/m3	7.8	1.4	1.49		03/29/21 20:21	75-25-2	
Bromomethane	<0.27	ug/m3	1.2	0.27	1.49		03/29/21 20:21	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.67	0.16	1.49		03/29/21 20:21	106-99-0	
2-Butanone (MEK)	56.9	ug/m3	4.5	1.3	1.49		03/29/21 20:21	78-93-3	
Carbon disulfide	<0.15	ug/m3	0.94	0.15	1.49		03/29/21 20:21	75-15-0	
Carbon tetrachloride	<0.32	ug/m3	1.9	0.32	1.49		03/29/21 20:21	56-23-5	
Chlorobenzene	12.9	ug/m3	1.4	0.24	1.49		03/29/21 20:21	108-90-7	
Chloroethane	<0.21	ug/m3	0.80	0.21	1.49		03/29/21 20:21	75-00-3	
Chloroform	<0.22	ug/m3	0.74	0.22	1.49		03/29/21 20:21	67-66-3	
Chloromethane	<0.12	ug/m3	0.63	0.12	1.49		03/29/21 20:21	74-87-3	
Cyclohexane	3.0	ug/m3	2.6	0.27	1.49		03/29/21 20:21	110-82-7	
Dibromochloromethane	<0.49	ug/m3	2.6	0.49	1.49		03/29/21 20:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.35	ug/m3	1.2	0.35	1.49		03/29/21 20:21	106-93-4	
1,2-Dichlorobenzene	<1.1	ug/m3	1.8	1.1	1.49		03/29/21 20:21	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	1.8	1.2	1.49		03/29/21 20:21	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.6	1.4	1.49		03/29/21 20:21	106-46-7	
Dichlorodifluoromethane	88700	ug/m3	722	392	715.2		03/30/21 11:45	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.2	0.19	1.49		03/29/21 20:21	75-34-3	
1,2-Dichloroethane	<0.20	ug/m3	0.61	0.20	1.49		03/29/21 20:21	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.2	0.19	1.49		03/29/21 20:21	75-35-4	
cis-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		03/29/21 20:21	156-59-2	
trans-1,2-Dichloroethene	0.66J	ug/m3	1.2	0.25	1.49		03/29/21 20:21	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.4	0.27	1.49		03/29/21 20:21	78-87-5	
cis-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.49		03/29/21 20:21	10061-01-5	
trans-1,3-Dichloropropene	<0.99	ug/m3	1.4	0.99	1.49		03/29/21 20:21	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.1	0.36	1.49		03/29/21 20:21	76-14-2	
Ethanol	415	ug/m3	2.9	0.84	1.49		03/29/21 20:21	64-17-5	
Ethyl acetate	3.1	ug/m3	1.1	0.18	1.49		03/29/21 20:21	141-78-6	
Ethylbenzene	199	ug/m3	1.3	0.23	1.49		03/29/21 20:21	100-41-4	E
4-Ethyltoluene	12.6	ug/m3	3.7	0.32	1.49		03/29/21 20:21	622-96-8	
n-Heptane	6.1	ug/m3	1.2	0.23	1.49		03/29/21 20:21	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.1	2.9	1.49		03/29/21 20:21	87-68-3	
n-Hexane	4.4	ug/m3	1.1	0.32	1.49		03/29/21 20:21	110-54-3	
2-Hexanone	4.5J	ug/m3	6.2	1.2	1.49		03/29/21 20:21	591-78-6	
Methylene Chloride	<1.8	ug/m3	5.3	1.8	1.49		03/29/21 20:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	11.3	ug/m3	6.2	0.17	1.49		03/29/21 20:21	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.5	0.20	1.49		03/29/21 20:21	1634-04-4	
Naphthalene	3.7J	ug/m3	4.0	2.8	1.49		03/29/21 20:21	91-20-3	
2-Propanol	49.8	ug/m3	3.7	1.3	1.49		03/29/21 20:21	67-63-0	
Propylene	<0.36	ug/m3	0.52	0.36	1.49		03/29/21 20:21	115-07-1	
Styrene	79.5	ug/m3	1.3	0.41	1.49		03/29/21 20:21	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-1	Lab ID: 10551358001	Collected: 03/12/21 11:30	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.32	ug/m3	1.0	0.32	1.49		03/29/21 20:21	79-34-5	
Tetrachloroethene	533	ug/m3	493	179	715.2		03/30/21 11:45	127-18-4	
Tetrahydrofuran	5.1	ug/m3	0.89	0.20	1.49		03/29/21 20:21	109-99-9	
Toluene	56.5	ug/m3	1.1	0.18	1.49		03/29/21 20:21	108-88-3	
1,2,4-Trichlorobenzene	<5.8	ug/m3	11.2	5.8	1.49		03/29/21 20:21	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		03/29/21 20:21	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.83	0.26	1.49		03/29/21 20:21	79-00-5	
Trichloroethylene	0.68J	ug/m3	0.81	0.31	1.49		03/29/21 20:21	79-01-6	
Trichlorofluoromethane	<0.34	ug/m3	1.7	0.34	1.49		03/29/21 20:21	75-69-4	
1,1,2-Trichlorotrifluoroethane	101	ug/m3	2.3	0.34	1.49		03/29/21 20:21	76-13-1	
1,2,4-Trimethylbenzene	20.3	ug/m3	1.5	0.29	1.49		03/29/21 20:21	95-63-6	
1,3,5-Trimethylbenzene	6.2	ug/m3	1.5	0.30	1.49		03/29/21 20:21	108-67-8	
Vinyl acetate	<0.17	ug/m3	1.1	0.17	1.49		03/29/21 20:21	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		03/29/21 20:21	75-01-4	
m&p-Xylene	177	ug/m3	2.6	0.57	1.49		03/29/21 20:21	179601-23-1	
o-Xylene	46.2	ug/m3	1.3	0.22	1.49		03/29/21 20:21	95-47-6	
<hr/>									
Sample: SS-2	Lab ID: 10551358002	Collected: 03/12/21 12:19	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	371	ug/m3	9.9	3.6	1.64		03/29/21 20:58	67-64-1	
Benzene	9.4	ug/m3	0.53	0.22	1.64		03/29/21 20:58	71-43-2	
Benzyl chloride	<2.2	ug/m3	4.3	2.2	1.64		03/29/21 20:58	100-44-7	
Bromodichloromethane	<0.37	ug/m3	2.2	0.37	1.64		03/29/21 20:58	75-27-4	
Bromoform	<1.5	ug/m3	8.6	1.5	1.64		03/29/21 20:58	75-25-2	
Bromomethane	<0.30	ug/m3	1.3	0.30	1.64		03/29/21 20:58	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.74	0.18	1.64		03/29/21 20:58	106-99-0	
2-Butanone (MEK)	65.3	ug/m3	4.9	1.4	1.64		03/29/21 20:58	78-93-3	
Carbon disulfide	<0.17	ug/m3	1.0	0.17	1.64		03/29/21 20:58	75-15-0	
Carbon tetrachloride	<0.35	ug/m3	2.1	0.35	1.64		03/29/21 20:58	56-23-5	
Chlorobenzene	34.7	ug/m3	1.5	0.26	1.64		03/29/21 20:58	108-90-7	
Chloroethane	<0.23	ug/m3	0.88	0.23	1.64		03/29/21 20:58	75-00-3	
Chloroform	<0.24	ug/m3	0.81	0.24	1.64		03/29/21 20:58	67-66-3	
Chloromethane	<0.13	ug/m3	0.69	0.13	1.64		03/29/21 20:58	74-87-3	
Cyclohexane	6.7	ug/m3	2.9	0.30	1.64		03/29/21 20:58	110-82-7	
Dibromochloromethane	<0.54	ug/m3	2.8	0.54	1.64		03/29/21 20:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.3	0.38	1.64		03/29/21 20:58	106-93-4	
1,2-Dichlorobenzene	1.6J	ug/m3	2.0	1.2	1.64		03/29/21 20:58	95-50-1	
1,3-Dichlorobenzene	<1.4	ug/m3	2.0	1.4	1.64		03/29/21 20:58	541-73-1	
1,4-Dichlorobenzene	10.1	ug/m3	5.0	1.6	1.64		03/29/21 20:58	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-2	Lab ID: 10551358002	Collected: 03/12/21 12:19	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	101000	ug/m3	781	423	772.8		03/30/21 12:49	75-71-8	
1,1-Dichloroethane	<0.21	ug/m3	1.3	0.21	1.64		03/29/21 20:58	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.67	0.21	1.64		03/29/21 20:58	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.3	0.21	1.64		03/29/21 20:58	75-35-4	
cis-1,2-Dichloroethene	<0.23	ug/m3	1.3	0.23	1.64		03/29/21 20:58	156-59-2	
trans-1,2-Dichloroethene	1.3J	ug/m3	1.3	0.27	1.64		03/29/21 20:58	156-60-5	
1,2-Dichloropropane	<0.30	ug/m3	1.5	0.30	1.64		03/29/21 20:58	78-87-5	
cis-1,3-Dichloropropene	<0.26	ug/m3	1.5	0.26	1.64		03/29/21 20:58	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	1.5	1.1	1.64		03/29/21 20:58	10061-02-6	
Dichlorotetrafluoroethane	<0.40	ug/m3	2.3	0.40	1.64		03/29/21 20:58	76-14-2	
Ethanol	485	ug/m3	3.1	0.93	1.64		03/29/21 20:58	64-17-5	
Ethyl acetate	<0.20	ug/m3	1.2	0.20	1.64		03/29/21 20:58	141-78-6	
Ethylbenzene	331	ug/m3	1.4	0.25	1.64		03/29/21 20:58	100-41-4	E
4-Ethyltoluene	11.2	ug/m3	4.1	0.35	1.64		03/29/21 20:58	622-96-8	
n-Heptane	13.0	ug/m3	1.4	0.25	1.64		03/29/21 20:58	142-82-5	
Hexachloro-1,3-butadiene	<3.2	ug/m3	8.9	3.2	1.64		03/29/21 20:58	87-68-3	
n-Hexane	10.0	ug/m3	1.2	0.35	1.64		03/29/21 20:58	110-54-3	
2-Hexanone	2.9J	ug/m3	6.8	1.3	1.64		03/29/21 20:58	591-78-6	
Methylene Chloride	2.1J	ug/m3	5.8	2.0	1.64		03/29/21 20:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	348	ug/m3	6.8	0.18	1.64		03/29/21 20:58	108-10-1	E
Methyl-tert-butyl ether	<0.22	ug/m3	6.0	0.22	1.64		03/29/21 20:58	1634-04-4	
Naphthalene	3.1J	ug/m3	4.4	3.1	1.64		03/29/21 20:58	91-20-3	
2-Propanol	39.2	ug/m3	4.1	1.4	1.64		03/29/21 20:58	67-63-0	
Propylene	<0.40	ug/m3	0.57	0.40	1.64		03/29/21 20:58	115-07-1	
Styrene	215	ug/m3	1.4	0.45	1.64		03/29/21 20:58	100-42-5	E
1,1,2,2-Tetrachloroethane	<0.35	ug/m3	1.1	0.35	1.64		03/29/21 20:58	79-34-5	
Tetrachloroethene	1090	ug/m3	532	193	772.8		03/30/21 12:49	127-18-4	
Tetrahydrofuran	2.4	ug/m3	0.98	0.21	1.64		03/29/21 20:58	109-99-9	
Toluene	109	ug/m3	1.3	0.20	1.64		03/29/21 20:58	108-88-3	
1,2,4-Trichlorobenzene	<6.4	ug/m3	12.4	6.4	1.64		03/29/21 20:58	120-82-1	
1,1,1-Trichloroethane	<0.31	ug/m3	1.8	0.31	1.64		03/29/21 20:58	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.91	0.29	1.64		03/29/21 20:58	79-00-5	
Trichloroethene	0.76J	ug/m3	0.90	0.34	1.64		03/29/21 20:58	79-01-6	
Trichlorofluoromethane	4.9	ug/m3	1.9	0.37	1.64		03/29/21 20:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	36.0	ug/m3	2.6	0.38	1.64		03/29/21 20:58	76-13-1	
1,2,4-Trimethylbenzene	13.5	ug/m3	1.6	0.32	1.64		03/29/21 20:58	95-63-6	
1,3,5-Trimethylbenzene	4.4	ug/m3	1.6	0.33	1.64		03/29/21 20:58	108-67-8	
Vinyl acetate	<0.19	ug/m3	1.2	0.19	1.64		03/29/21 20:58	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.43	0.14	1.64		03/29/21 20:58	75-01-4	
m&p-Xylene	213	ug/m3	2.9	0.63	1.64		03/29/21 20:58	179601-23-1	
o-Xylene	55.8	ug/m3	1.4	0.24	1.64		03/29/21 20:58	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-3	Lab ID: 10551358003	Collected: 03/12/21 12:20	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	178	ug/m3	9.2	3.4	1.52		03/30/21 17:39	67-64-1	
Benzene	9.4	ug/m3	0.49	0.21	1.52		03/30/21 17:39	71-43-2	
Benzyl chloride	<2.0	ug/m3	4.0	2.0	1.52		03/30/21 17:39	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.1	0.35	1.52		03/30/21 17:39	75-27-4	
Bromoform	<1.4	ug/m3	8.0	1.4	1.52		03/30/21 17:39	75-25-2	
Bromomethane	<0.27	ug/m3	1.2	0.27	1.52		03/30/21 17:39	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.68	0.17	1.52		03/30/21 17:39	106-99-0	
2-Butanone (MEK)	40.3	ug/m3	4.6	1.3	1.52		03/30/21 17:39	78-93-3	
Carbon disulfide	29.9	ug/m3	0.96	0.16	1.52		03/30/21 17:39	75-15-0	
Carbon tetrachloride	<0.32	ug/m3	1.9	0.32	1.52		03/30/21 17:39	56-23-5	
Chlorobenzene	17.5	ug/m3	1.4	0.24	1.52		03/30/21 17:39	108-90-7	
Chloroethane	<0.21	ug/m3	0.81	0.21	1.52		03/30/21 17:39	75-00-3	
Chloroform	<0.22	ug/m3	0.75	0.22	1.52		03/30/21 17:39	67-66-3	
Chloromethane	<0.12	ug/m3	0.64	0.12	1.52		03/30/21 17:39	74-87-3	
Cyclohexane	5.0	ug/m3	2.7	0.28	1.52		03/30/21 17:39	110-82-7	
Dibromochloromethane	<0.50	ug/m3	2.6	0.50	1.52		03/30/21 17:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.35	ug/m3	1.2	0.35	1.52		03/30/21 17:39	106-93-4	
1,2-Dichlorobenzene	<1.1	ug/m3	1.9	1.1	1.52		03/30/21 17:39	95-50-1	
1,3-Dichlorobenzene	<1.3	ug/m3	1.9	1.3	1.52		03/30/21 17:39	541-73-1	
1,4-Dichlorobenzene	1.9J	ug/m3	4.7	1.5	1.52		03/30/21 17:39	106-46-7	
Dichlorodifluoromethane	39200	ug/m3	5900	3200	5837		03/31/21 11:44	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.3	0.19	1.52		03/30/21 17:39	75-34-3	
1,2-Dichloroethane	<0.20	ug/m3	0.62	0.20	1.52		03/30/21 17:39	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.2	0.19	1.52		03/30/21 17:39	75-35-4	
cis-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.52		03/30/21 17:39	156-59-2	
trans-1,2-Dichloroethene	1.3	ug/m3	1.2	0.25	1.52		03/30/21 17:39	156-60-5	
1,2-Dichloropropane	<0.28	ug/m3	1.4	0.28	1.52		03/30/21 17:39	78-87-5	
cis-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.52		03/30/21 17:39	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	1.4	1.0	1.52		03/30/21 17:39	10061-02-6	
Dichlorotetrafluoroethane	<0.37	ug/m3	2.2	0.37	1.52		03/30/21 17:39	76-14-2	
Ethanol	400	ug/m3	2.9	0.86	1.52		03/30/21 17:39	64-17-5	
Ethyl acetate	<0.18	ug/m3	1.1	0.18	1.52		03/30/21 17:39	141-78-6	
Ethylbenzene	210	ug/m3	1.3	0.24	1.52		03/30/21 17:39	100-41-4	
4-Ethyltoluene	2.0J	ug/m3	3.8	0.32	1.52		03/30/21 17:39	622-96-8	
n-Heptane	9.6	ug/m3	1.3	0.23	1.52		03/30/21 17:39	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.2	2.9	1.52		03/30/21 17:39	87-68-3	
n-Hexane	10.5	ug/m3	1.1	0.33	1.52		03/30/21 17:39	110-54-3	
2-Hexanone	3.0J	ug/m3	6.3	1.2	1.52		03/30/21 17:39	591-78-6	
Methylene Chloride	4.2J	ug/m3	5.4	1.8	1.52		03/30/21 17:39	75-09-2	CH,L1, SS
4-Methyl-2-pentanone (MIBK)	9.9	ug/m3	6.3	0.17	1.52		03/30/21 17:39	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.6	0.20	1.52		03/30/21 17:39	1634-04-4	
Naphthalene	<2.9	ug/m3	4.0	2.9	1.52		03/30/21 17:39	91-20-3	
2-Propanol	37.1	ug/m3	3.8	1.3	1.52		03/30/21 17:39	67-63-0	
Propylene	<0.37	ug/m3	0.53	0.37	1.52		03/30/21 17:39	115-07-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-3	Lab ID: 10551358003	Collected: 03/12/21 12:20	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Styrene	27.1	ug/m3	1.3	0.41	1.52		03/30/21 17:39	100-42-5	
1,1,2,2-Tetrachloroethane	<0.33	ug/m3	1.1	0.33	1.52		03/30/21 17:39	79-34-5	
Tetrachloroethene	62.6	ug/m3	1.0	0.38	1.52		03/30/21 17:39	127-18-4	
Tetrahydrofuran	5.6	ug/m3	0.91	0.20	1.52		03/30/21 17:39	109-99-9	
Toluene	78.7	ug/m3	1.2	0.18	1.52		03/30/21 17:39	108-88-3	
1,2,4-Trichlorobenzene	<5.9	ug/m3	11.5	5.9	1.52		03/30/21 17:39	120-82-1	
1,1,1-Trichloroethane	<0.29	ug/m3	1.7	0.29	1.52		03/30/21 17:39	71-55-6	
1,1,2-Trichloroethane	0.51J	ug/m3	0.84	0.26	1.52		03/30/21 17:39	79-00-5	
Trichloroethene	0.80J	ug/m3	0.83	0.32	1.52		03/30/21 17:39	79-01-6	
Trichlorofluoromethane	<0.35	ug/m3	1.7	0.35	1.52		03/30/21 17:39	75-69-4	
1,1,2-Trichlorotrifluoroethane	235	ug/m3	2.4	0.35	1.52		03/30/21 17:39	76-13-1	CH,L1, SS
1,2,4-Trimethylbenzene	2.5	ug/m3	1.5	0.29	1.52		03/30/21 17:39	95-63-6	
1,3,5-Trimethylbenzene	1.5J	ug/m3	1.5	0.31	1.52		03/30/21 17:39	108-67-8	
Vinyl acetate	<0.17	ug/m3	1.1	0.17	1.52		03/30/21 17:39	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.40	0.13	1.52		03/30/21 17:39	75-01-4	
m&p-Xylene	93.4	ug/m3	2.7	0.59	1.52		03/30/21 17:39	179601-23-1	
o-Xylene	23.8	ug/m3	1.3	0.22	1.52		03/30/21 17:39	95-47-6	
Sample: SS-4	Lab ID: 10551358004	Collected: 03/12/21 11:28	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	185	ug/m3	9.0	3.3	1.49		03/27/21 06:48	67-64-1	
Benzene	4.7	ug/m3	0.48	0.20	1.49		03/27/21 06:48	71-43-2	
Benzyl chloride	<2.0	ug/m3	3.9	2.0	1.49		03/27/21 06:48	100-44-7	
Bromodichloromethane	<0.34	ug/m3	2.0	0.34	1.49		03/27/21 06:48	75-27-4	
Bromoform	<1.4	ug/m3	7.8	1.4	1.49		03/27/21 06:48	75-25-2	
Bromomethane	<0.27	ug/m3	1.2	0.27	1.49		03/27/21 06:48	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.67	0.16	1.49		03/27/21 06:48	106-99-0	
2-Butanone (MEK)	19.7	ug/m3	4.5	1.3	1.49		03/27/21 06:48	78-93-3	
Carbon disulfide	1.1	ug/m3	0.94	0.15	1.49		03/27/21 06:48	75-15-0	
Carbon tetrachloride	<0.32	ug/m3	1.9	0.32	1.49		03/27/21 06:48	56-23-5	
Chlorobenzene	24.0	ug/m3	1.4	0.24	1.49		03/27/21 06:48	108-90-7	
Chloroethane	<0.21	ug/m3	0.80	0.21	1.49		03/27/21 06:48	75-00-3	
Chloroform	<0.22	ug/m3	0.74	0.22	1.49		03/27/21 06:48	67-66-3	
Chloromethane	<0.12	ug/m3	0.63	0.12	1.49		03/27/21 06:48	74-87-3	
Cyclohexane	5.8	ug/m3	2.6	0.27	1.49		03/27/21 06:48	110-82-7	
Dibromochloromethane	<0.49	ug/m3	2.6	0.49	1.49		03/27/21 06:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.35	ug/m3	1.2	0.35	1.49		03/27/21 06:48	106-93-4	
1,2-Dichlorobenzene	2.0	ug/m3	1.8	1.1	1.49		03/27/21 06:48	95-50-1	
1,3-Dichlorobenzene	2.3J	ug/m3	4.6	1.2	1.49		03/27/21 06:48	541-73-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-4	Lab ID: 10551358004	Collected: 03/12/21 11:28	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,4-Dichlorobenzene	3.9J	ug/m3	4.6	1.4	1.49		03/27/21 06:48	106-46-7	
Dichlorodifluoromethane	67600	ug/m3	1440	784	1430		03/30/21 13:30	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.2	0.19	1.49		03/27/21 06:48	75-34-3	
1,2-Dichloroethane	<0.20	ug/m3	0.61	0.20	1.49		03/27/21 06:48	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.2	0.19	1.49		03/27/21 06:48	75-35-4	
cis-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		03/27/21 06:48	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		03/27/21 06:48	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.4	0.27	1.49		03/27/21 06:48	78-87-5	
cis-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.49		03/27/21 06:48	10061-01-5	
trans-1,3-Dichloropropene	<0.99	ug/m3	1.4	0.99	1.49		03/27/21 06:48	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.1	0.36	1.49		03/27/21 06:48	76-14-2	
Ethanol	224	ug/m3	2.9	0.84	1.49		03/27/21 06:48	64-17-5	
Ethyl acetate	<0.18	ug/m3	1.1	0.18	1.49		03/27/21 06:48	141-78-6	
Ethylbenzene	192	ug/m3	1.3	0.23	1.49		03/27/21 06:48	100-41-4	
4-Ethyltoluene	5.9	ug/m3	3.7	0.32	1.49		03/27/21 06:48	622-96-8	
n-Heptane	5.8	ug/m3	1.2	0.23	1.49		03/27/21 06:48	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.1	2.9	1.49		03/27/21 06:48	87-68-3	
n-Hexane	5.8	ug/m3	1.1	0.32	1.49		03/27/21 06:48	110-54-3	
2-Hexanone	3.0J	ug/m3	6.2	1.2	1.49		03/27/21 06:48	591-78-6	
Methylene Chloride	<1.8	ug/m3	5.3	1.8	1.49		03/27/21 06:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	3.7J	ug/m3	6.2	0.17	1.49		03/27/21 06:48	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.5	0.20	1.49		03/27/21 06:48	1634-04-4	
Naphthalene	8.3	ug/m3	7.9	2.8	1.49		03/27/21 06:48	91-20-3	
2-Propanol	30.6	ug/m3	3.7	1.3	1.49		03/27/21 06:48	67-63-0	
Propylene	<0.36	ug/m3	0.52	0.36	1.49		03/27/21 06:48	115-07-1	
Styrene	136	ug/m3	1.3	0.41	1.49		03/27/21 06:48	100-42-5	
1,1,2,2-Tetrachloroethane	<0.32	ug/m3	1.0	0.32	1.49		03/27/21 06:48	79-34-5	
Tetrachloroethene	96.9	ug/m3	1.0	0.37	1.49		03/27/21 06:48	127-18-4	
Tetrahydrofuran	5.8	ug/m3	0.89	0.20	1.49		03/27/21 06:48	109-99-9	
Toluene	59.1	ug/m3	1.1	0.18	1.49		03/27/21 06:48	108-88-3	
1,2,4-Trichlorobenzene	<5.8	ug/m3	11.2	5.8	1.49		03/27/21 06:48	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		03/27/21 06:48	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.83	0.26	1.49		03/27/21 06:48	79-00-5	
Trichloroethene	<0.31	ug/m3	0.81	0.31	1.49		03/27/21 06:48	79-01-6	
Trichlorofluoromethane	4.0J	ug/m3	4.3	0.34	1.49		03/27/21 06:48	75-69-4	
1,1,2-Trichlorotrifluoroethane	99.2	ug/m3	2.3	0.34	1.49		03/27/21 06:48	76-13-1	
1,2,4-Trimethylbenzene	13.9	ug/m3	1.5	0.29	1.49		03/27/21 06:48	95-63-6	
1,3,5-Trimethylbenzene	5.0	ug/m3	1.5	0.30	1.49		03/27/21 06:48	108-67-8	
Vinyl acetate	<0.17	ug/m3	1.1	0.17	1.49		03/27/21 06:48	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		03/27/21 06:48	75-01-4	
m&p-Xylene	83.2	ug/m3	2.6	0.57	1.49		03/27/21 06:48	179601-23-1	
o-Xylene	19.8	ug/m3	1.3	0.22	1.49		03/27/21 06:48	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-5	Lab ID: 10551358005	Collected: 03/12/21 10:05	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	54.8	ug/m3	9.2	3.4	1.52		03/27/21 07:22	67-64-1	
Benzene	3.9	ug/m3	0.49	0.21	1.52		03/27/21 07:22	71-43-2	
Benzyl chloride	<2.0	ug/m3	4.0	2.0	1.52		03/27/21 07:22	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.1	0.35	1.52		03/27/21 07:22	75-27-4	
Bromoform	<1.4	ug/m3	8.0	1.4	1.52		03/27/21 07:22	75-25-2	
Bromomethane	<0.27	ug/m3	1.2	0.27	1.52		03/27/21 07:22	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.68	0.17	1.52		03/27/21 07:22	106-99-0	
2-Butanone (MEK)	10	ug/m3	4.6	1.3	1.52		03/27/21 07:22	78-93-3	
Carbon disulfide	0.24J	ug/m3	0.96	0.16	1.52		03/27/21 07:22	75-15-0	
Carbon tetrachloride	<0.32	ug/m3	1.9	0.32	1.52		03/27/21 07:22	56-23-5	
Chlorobenzene	11.8	ug/m3	1.4	0.24	1.52		03/27/21 07:22	108-90-7	
Chloroethane	<0.21	ug/m3	0.81	0.21	1.52		03/27/21 07:22	75-00-3	
Chloroform	<0.22	ug/m3	0.75	0.22	1.52		03/27/21 07:22	67-66-3	
Chloromethane	<0.12	ug/m3	0.64	0.12	1.52		03/27/21 07:22	74-87-3	
Cyclohexane	5.9	ug/m3	2.7	0.28	1.52		03/27/21 07:22	110-82-7	
Dibromochloromethane	<0.50	ug/m3	2.6	0.50	1.52		03/27/21 07:22	124-48-1	
1,2-Dibromoethane (EDB)	<0.35	ug/m3	1.2	0.35	1.52		03/27/21 07:22	106-93-4	
1,2-Dichlorobenzene	<1.1	ug/m3	1.9	1.1	1.52		03/27/21 07:22	95-50-1	
1,3-Dichlorobenzene	2.0J	ug/m3	4.6	1.3	1.52		03/27/21 07:22	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	4.7	1.5	1.52		03/27/21 07:22	106-46-7	
Dichlorodifluoromethane	60200	ug/m3	1470	800	1459		03/30/21 13:02	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.3	0.19	1.52		03/27/21 07:22	75-34-3	
1,2-Dichloroethane	<0.20	ug/m3	0.62	0.20	1.52		03/27/21 07:22	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.2	0.19	1.52		03/27/21 07:22	75-35-4	
cis-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.52		03/27/21 07:22	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.52		03/27/21 07:22	156-60-5	
1,2-Dichloropropane	<0.28	ug/m3	1.4	0.28	1.52		03/27/21 07:22	78-87-5	
cis-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.52		03/27/21 07:22	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	1.4	1.0	1.52		03/27/21 07:22	10061-02-6	
Dichlorotetrafluoroethane	<0.37	ug/m3	2.2	0.37	1.52		03/27/21 07:22	76-14-2	
Ethanol	356	ug/m3	2.9	0.86	1.52		03/27/21 07:22	64-17-5	
Ethyl acetate	1.4	ug/m3	1.1	0.18	1.52		03/27/21 07:22	141-78-6	
Ethylbenzene	70.9	ug/m3	1.3	0.24	1.52		03/27/21 07:22	100-41-4	
4-Ethyltoluene	4.0	ug/m3	3.8	0.32	1.52		03/27/21 07:22	622-96-8	
n-Heptane	8.2	ug/m3	1.3	0.23	1.52		03/27/21 07:22	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.2	2.9	1.52		03/27/21 07:22	87-68-3	
n-Hexane	9.9	ug/m3	1.1	0.33	1.52		03/27/21 07:22	110-54-3	
2-Hexanone	2.7J	ug/m3	6.3	1.2	1.52		03/27/21 07:22	591-78-6	
Methylene Chloride	<1.8	ug/m3	5.4	1.8	1.52		03/27/21 07:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	2.0J	ug/m3	6.3	0.17	1.52		03/27/21 07:22	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.6	0.20	1.52		03/27/21 07:22	1634-04-4	
Naphthalene	3.8J	ug/m3	8.1	2.9	1.52		03/27/21 07:22	91-20-3	
2-Propanol	23.3	ug/m3	3.8	1.3	1.52		03/27/21 07:22	67-63-0	
Propylene	<0.37	ug/m3	0.53	0.37	1.52		03/27/21 07:22	115-07-1	
Styrene	65.5	ug/m3	1.3	0.41	1.52		03/27/21 07:22	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-5	Lab ID: 10551358005	Collected: 03/12/21 10:05	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.33	ug/m3	1.1	0.33	1.52		03/27/21 07:22	79-34-5	
Tetrachloroethene	122	ug/m3	1.0	0.38	1.52		03/27/21 07:22	127-18-4	
Tetrahydrofuran	<0.20	ug/m3	0.91	0.20	1.52		03/27/21 07:22	109-99-9	
Toluene	21.0	ug/m3	1.2	0.18	1.52		03/27/21 07:22	108-88-3	
1,2,4-Trichlorobenzene	<5.9	ug/m3	11.5	5.9	1.52		03/27/21 07:22	120-82-1	
1,1,1-Trichloroethane	<0.29	ug/m3	1.7	0.29	1.52		03/27/21 07:22	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.84	0.26	1.52		03/27/21 07:22	79-00-5	
Trichloroethylene	<0.32	ug/m3	0.83	0.32	1.52		03/27/21 07:22	79-01-6	
Trichlorofluoromethane	5.5	ug/m3	4.3	0.35	1.52		03/27/21 07:22	75-69-4	
1,1,2-Trichlorotrifluoroethane	545	ug/m3	2.4	0.35	1.52		03/27/21 07:22	76-13-1	E
1,2,4-Trimethylbenzene	14.7	ug/m3	1.5	0.29	1.52		03/27/21 07:22	95-63-6	
1,3,5-Trimethylbenzene	3.5	ug/m3	1.5	0.31	1.52		03/27/21 07:22	108-67-8	
Vinyl acetate	<0.17	ug/m3	1.1	0.17	1.52		03/27/21 07:22	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.40	0.13	1.52		03/27/21 07:22	75-01-4	
m&p-Xylene	27.9	ug/m3	2.7	0.59	1.52		03/27/21 07:22	179601-23-1	
o-Xylene	10.5	ug/m3	1.3	0.22	1.52		03/27/21 07:22	95-47-6	
<hr/>									
Sample: SS-6	Lab ID: 10551358006	Collected: 03/12/21 10:35	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	79.3	ug/m3	8.8	3.2	1.46		03/29/21 21:34	67-64-1	
Benzene	2.5	ug/m3	0.47	0.20	1.46		03/29/21 21:34	71-43-2	
Benzyl chloride	<1.9	ug/m3	3.8	1.9	1.46		03/29/21 21:34	100-44-7	
Bromodichloromethane	<0.33	ug/m3	2.0	0.33	1.46		03/29/21 21:34	75-27-4	
Bromoform	<1.3	ug/m3	7.7	1.3	1.46		03/29/21 21:34	75-25-2	
Bromomethane	<0.26	ug/m3	1.2	0.26	1.46		03/29/21 21:34	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.66	0.16	1.46		03/29/21 21:34	106-99-0	
2-Butanone (MEK)	18.4	ug/m3	4.4	1.3	1.46		03/29/21 21:34	78-93-3	
Carbon disulfide	<0.15	ug/m3	0.92	0.15	1.46		03/29/21 21:34	75-15-0	
Carbon tetrachloride	<0.31	ug/m3	1.9	0.31	1.46		03/29/21 21:34	56-23-5	
Chlorobenzene	13.5	ug/m3	1.4	0.24	1.46		03/29/21 21:34	108-90-7	
Chloroethane	<0.20	ug/m3	0.78	0.20	1.46		03/29/21 21:34	75-00-3	
Chloroform	<0.22	ug/m3	0.72	0.22	1.46		03/29/21 21:34	67-66-3	
Chloromethane	<0.11	ug/m3	0.61	0.11	1.46		03/29/21 21:34	74-87-3	
Cyclohexane	3.4	ug/m3	2.6	0.27	1.46		03/29/21 21:34	110-82-7	
Dibromochloromethane	<0.48	ug/m3	2.5	0.48	1.46		03/29/21 21:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.34	ug/m3	1.1	0.34	1.46		03/29/21 21:34	106-93-4	
1,2-Dichlorobenzene	1.1J	ug/m3	1.8	1.1	1.46		03/29/21 21:34	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	1.8	1.2	1.46		03/29/21 21:34	541-73-1	
1,4-Dichlorobenzene	2.0J	ug/m3	4.5	1.4	1.46		03/29/21 21:34	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Sample: SS-6	Lab ID: 10551358006	Collected: 03/12/21 10:35	Received: 03/16/21 14:35	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	29100	ug/m3	708	384	700.8		03/30/21 12:17	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.2	0.19	1.46		03/29/21 21:34	75-34-3	
1,2-Dichloroethane	<0.19	ug/m3	0.60	0.19	1.46		03/29/21 21:34	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.2	0.19	1.46		03/29/21 21:34	75-35-4	
cis-1,2-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.46		03/29/21 21:34	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.46		03/29/21 21:34	156-60-5	
1,2-Dichloropropane	<0.26	ug/m3	1.4	0.26	1.46		03/29/21 21:34	78-87-5	
cis-1,3-Dichloropropene	<0.24	ug/m3	1.3	0.24	1.46		03/29/21 21:34	10061-01-5	
trans-1,3-Dichloropropene	<0.97	ug/m3	1.3	0.97	1.46		03/29/21 21:34	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.1	0.35	1.46		03/29/21 21:34	76-14-2	
Ethanol	336	ug/m3	2.8	0.83	1.46		03/29/21 21:34	64-17-5	
Ethyl acetate	<0.18	ug/m3	1.1	0.18	1.46		03/29/21 21:34	141-78-6	
Ethylbenzene	67.0	ug/m3	1.3	0.23	1.46		03/29/21 21:34	100-41-4	
4-Ethyltoluene	7.0	ug/m3	3.6	0.31	1.46		03/29/21 21:34	622-96-8	
n-Heptane	6.2	ug/m3	1.2	0.22	1.46		03/29/21 21:34	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.9	2.8	1.46		03/29/21 21:34	87-68-3	
n-Hexane	4.7	ug/m3	1.0	0.31	1.46		03/29/21 21:34	110-54-3	
2-Hexanone	2.8J	ug/m3	6.1	1.2	1.46		03/29/21 21:34	591-78-6	
Methylene Chloride	<1.8	ug/m3	5.2	1.8	1.46		03/29/21 21:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	7.9	ug/m3	6.1	0.16	1.46		03/29/21 21:34	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.3	0.19	1.46		03/29/21 21:34	1634-04-4	
Naphthalene	3.8J	ug/m3	3.9	2.7	1.46		03/29/21 21:34	91-20-3	
2-Propanol	62.2	ug/m3	3.6	1.2	1.46		03/29/21 21:34	67-63-0	
Propylene	<0.35	ug/m3	0.51	0.35	1.46		03/29/21 21:34	115-07-1	
Styrene	91.2	ug/m3	1.3	0.40	1.46		03/29/21 21:34	100-42-5	
1,1,2,2-Tetrachloroethane	<0.31	ug/m3	1.0	0.31	1.46		03/29/21 21:34	79-34-5	
Tetrachloroethene	96.8	ug/m3	1.0	0.36	1.46		03/29/21 21:34	127-18-4	
Tetrahydrofuran	3.4	ug/m3	0.88	0.19	1.46		03/29/21 21:34	109-99-9	
Toluene	25.5	ug/m3	1.1	0.18	1.46		03/29/21 21:34	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	11.0	5.7	1.46		03/29/21 21:34	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.46		03/29/21 21:34	71-55-6	
1,1,2-Trichloroethane	<0.25	ug/m3	0.81	0.25	1.46		03/29/21 21:34	79-00-5	
Trichloroethene	3.2	ug/m3	0.80	0.31	1.46		03/29/21 21:34	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.7	0.33	1.46		03/29/21 21:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	162	ug/m3	2.3	0.34	1.46		03/29/21 21:34	76-13-1	
1,2,4-Trimethylbenzene	11.1	ug/m3	1.5	0.28	1.46		03/29/21 21:34	95-63-6	
1,3,5-Trimethylbenzene	3.3	ug/m3	1.5	0.30	1.46		03/29/21 21:34	108-67-8	
Vinyl acetate	<0.17	ug/m3	1.0	0.17	1.46		03/29/21 21:34	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.38	0.12	1.46		03/29/21 21:34	75-01-4	
m&p-Xylene	25.6	ug/m3	2.6	0.56	1.46		03/29/21 21:34	179601-23-1	
o-Xylene	7.7	ug/m3	1.3	0.21	1.46		03/29/21 21:34	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

QC Batch: 731536

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory:

Pace Analytical Services - Minneapolis

Associated Lab Samples: 10551358004, 10551358005

METHOD BLANK: 3898952

Matrix: Air

Associated Lab Samples: 10551358004, 10551358005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.19	1.1	03/26/21 16:10	
1,1,2,2-Tetrachloroethane	ug/m3	<0.22	0.70	03/26/21 16:10	
1,1,2-Trichloroethane	ug/m3	<0.17	0.56	03/26/21 16:10	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.23	1.6	03/26/21 16:10	
1,1-Dichloroethane	ug/m3	<0.13	0.82	03/26/21 16:10	
1,1-Dichloroethene	ug/m3	<0.13	0.81	03/26/21 16:10	
1,2,4-Trichlorobenzene	ug/m3	<3.9	7.5	03/26/21 16:10	
1,2,4-Trimethylbenzene	ug/m3	<0.19	1.0	03/26/21 16:10	
1,2-Dibromoethane (EDB)	ug/m3	<0.23	0.78	03/26/21 16:10	
1,2-Dichlorobenzene	ug/m3	1.1J	1.2	03/26/21 16:10	
1,2-Dichloroethane	ug/m3	<0.13	0.41	03/26/21 16:10	
1,2-Dichloropropane	ug/m3	<0.18	0.94	03/26/21 16:10	
1,3,5-Trimethylbenzene	ug/m3	<0.20	1.0	03/26/21 16:10	
1,3-Butadiene	ug/m3	<0.11	0.45	03/26/21 16:10	
1,3-Dichlorobenzene	ug/m3	<0.84	3.1	03/26/21 16:10	
1,4-Dichlorobenzene	ug/m3	<0.97	3.1	03/26/21 16:10	
2-Butanone (MEK)	ug/m3	<0.88	3.0	03/26/21 16:10	
2-Hexanone	ug/m3	<0.80	4.2	03/26/21 16:10	
2-Propanol	ug/m3	<0.85	2.5	03/26/21 16:10	
4-Ethyltoluene	ug/m3	<0.21	2.5	03/26/21 16:10	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.11	4.2	03/26/21 16:10	
Acetone	ug/m3	<2.2	6.0	03/26/21 16:10	
Benzene	ug/m3	<0.14	0.32	03/26/21 16:10	
Benzyl chloride	ug/m3	<1.3	2.6	03/26/21 16:10	
Bromodichloromethane	ug/m3	<0.23	1.4	03/26/21 16:10	
Bromoform	ug/m3	<0.92	5.2	03/26/21 16:10	
Bromomethane	ug/m3	<0.18	0.79	03/26/21 16:10	
Carbon disulfide	ug/m3	<0.10	0.63	03/26/21 16:10	
Carbon tetrachloride	ug/m3	<0.21	1.3	03/26/21 16:10	
Chlorobenzene	ug/m3	<0.16	0.94	03/26/21 16:10	
Chloroethane	ug/m3	<0.14	0.54	03/26/21 16:10	
Chloroform	ug/m3	<0.15	0.50	03/26/21 16:10	
Chloromethane	ug/m3	<0.077	0.42	03/26/21 16:10	
cis-1,2-Dichloroethene	ug/m3	<0.14	0.81	03/26/21 16:10	
cis-1,3-Dichloropropene	ug/m3	<0.16	0.92	03/26/21 16:10	
Cyclohexane	ug/m3	<0.18	1.8	03/26/21 16:10	
Dibromochloromethane	ug/m3	<0.33	1.7	03/26/21 16:10	
Dichlorodifluoromethane	ug/m3	<0.55	1.0	03/26/21 16:10	
Dichlorotetrafluoroethane	ug/m3	<0.24	1.4	03/26/21 16:10	
Ethanol	ug/m3	0.91J	1.9	03/26/21 16:10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

METHOD BLANK: 3898952

Matrix: Air

Associated Lab Samples: 10551358004, 10551358005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.12	0.73	03/26/21 16:10	
Ethylbenzene	ug/m3	<0.16	0.88	03/26/21 16:10	
Hexachloro-1,3-butadiene	ug/m3	<1.9	5.4	03/26/21 16:10	
m&p-Xylene	ug/m3	<0.38	1.8	03/26/21 16:10	
Methyl-tert-butyl ether	ug/m3	<0.13	3.7	03/26/21 16:10	
Methylene Chloride	ug/m3	<1.2	3.5	03/26/21 16:10	
n-Heptane	ug/m3	<0.15	0.83	03/26/21 16:10	
n-Hexane	ug/m3	<0.21	0.72	03/26/21 16:10	
Naphthalene	ug/m3	2.7J	5.3	03/26/21 16:10	
o-Xylene	ug/m3	<0.15	0.88	03/26/21 16:10	
Propylene	ug/m3	<0.24	0.35	03/26/21 16:10	
Styrene	ug/m3	<0.27	0.87	03/26/21 16:10	
Tetrachloroethene	ug/m3	<0.25	0.69	03/26/21 16:10	
Tetrahydrofuran	ug/m3	<0.13	0.60	03/26/21 16:10	
Toluene	ug/m3	<0.12	0.77	03/26/21 16:10	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	03/26/21 16:10	
trans-1,3-Dichloropropene	ug/m3	<0.66	0.92	03/26/21 16:10	
Trichloroethene	ug/m3	<0.21	0.55	03/26/21 16:10	
Trichlorofluoromethane	ug/m3	<0.23	2.9	03/26/21 16:10	
Vinyl acetate	ug/m3	<0.11	0.72	03/26/21 16:10	
Vinyl chloride	ug/m3	<0.084	0.26	03/26/21 16:10	

LABORATORY CONTROL SAMPLE: 3898953

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.2	60.1	109	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.5	77.4	107	70-132	
1,1,2-Trichloroethane	ug/m3	56.3	63.5	113	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	83.9	108	70-130	
1,1-Dichloroethane	ug/m3	42.1	43.4	103	70-133	
1,1-Dichloroethene	ug/m3	41.5	44.2	106	70-130	
1,2,4-Trichlorobenzene	ug/m3	82	102	124	69-132	
1,2,4-Trimethylbenzene	ug/m3	51.9	56.9	110	70-142	
1,2-Dibromoethane (EDB)	ug/m3	80.4	89.2	111	70-138	
1,2-Dichlorobenzene	ug/m3	66	62.6	95	70-146	
1,2-Dichloroethane	ug/m3	42.1	45.3	108	70-132	
1,2-Dichloropropane	ug/m3	47.1	49.0	104	70-134	
1,3,5-Trimethylbenzene	ug/m3	51.4	51.6	100	70-143	
1,3-Butadiene	ug/m3	23	20.5	89	70-136	
1,3-Dichlorobenzene	ug/m3	63	62.4	99	70-145	
1,4-Dichlorobenzene	ug/m3	65.5	63.1	96	70-140	
2-Butanone (MEK)	ug/m3	32.4	30.1	93	50-139	
2-Hexanone	ug/m3	41.4	42.1	102	70-148	
2-Propanol	ug/m3	27.4	31.5	115	67-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

LABORATORY CONTROL SAMPLE: 3898953

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	51.7	50.4	98	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	42.4	43.2	102	70-139	
Acetone	ug/m3	24.6	24.2	98	64-130	
Benzene	ug/m3	32.9	33.8	103	70-131	
Benzyl chloride	ug/m3	57.3	48.3	84	70-130	
Bromodichloromethane	ug/m3	69.7	78.9	113	70-133	
Bromoform	ug/m3	110	101	92	70-137	
Bromomethane	ug/m3	39.9	34.2	86	64-134	
Carbon disulfide	ug/m3	33.4	34.2	102	70-131	
Carbon tetrachloride	ug/m3	65	76.5	118	70-131	
Chlorobenzene	ug/m3	48.3	51.9	108	70-130	
Chloroethane	ug/m3	26.9	27.6	103	69-141	
Chloroform	ug/m3	48.5	51.3	106	70-130	
Chloromethane	ug/m3	21.1	20.5	97	70-130	
cis-1,2-Dichloroethene	ug/m3	41	43.8	107	70-137	
cis-1,3-Dichloropropene	ug/m3	46.9	48.7	104	70-144	
Cyclohexane	ug/m3	35.2	36.6	104	70-137	
Dibromochloromethane	ug/m3	87.3	110	125	70-132	
Dichlorodifluoromethane	ug/m3	51.3	52.7	103	70-130	
Dichlorotetrafluoroethane	ug/m3	65.1	71.2	109	70-130	
Ethanol	ug/m3	19.2	23.0	120	63-133	
Ethyl acetate	ug/m3	35.9	39.7	111	70-136	
Ethylbenzene	ug/m3	45.6	47.1	103	70-142	
Hexachloro-1,3-butadiene	ug/m3	117	125	107	70-135	
m&p-Xylene	ug/m3	45.9	48.9	106	70-141	
Methyl-tert-butyl ether	ug/m3	36.9	38.2	103	70-143	
Methylene Chloride	ug/m3	37.8	41.9	111	70-130	
n-Heptane	ug/m3	41.7	40.4	97	70-137	
n-Hexane	ug/m3	35.1	34.6	98	70-135	
Naphthalene	ug/m3	58.1	62.1	107	67-132	
o-Xylene	ug/m3	46	45.0	98	70-141	
Propylene	ug/m3	17.9	17.3	97	70-130	
Styrene	ug/m3	45.3	45.1	100	70-142	
Tetrachloroethene	ug/m3	69.9	70.9	102	70-130	
Tetrahydrofuran	ug/m3	30.1	29.5	98	70-136	
Toluene	ug/m3	39.4	42.5	108	70-138	
trans-1,2-Dichloroethene	ug/m3	40.8	42.1	103	70-130	
trans-1,3-Dichloropropene	ug/m3	48.2	47.1	98	70-145	
Trichloroethene	ug/m3	55.7	59.5	107	70-130	
Trichlorofluoromethane	ug/m3	56.5	55.6	98	69-135	
Vinyl acetate	ug/m3	38.1	47.4	124	70-146	
Vinyl chloride	ug/m3	26.6	27.1	102	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

SAMPLE DUPLICATE: 3901718

Parameter	Units	10551134006 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	<0.24		25	
1,1,2,2-Tetrachloroethane	ug/m3	ND	<0.28		25	
1,1,2-Trichloroethane	ug/m3	ND	<0.23		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	0.38J		25	
1,1-Dichloroethane	ug/m3	ND	<0.17		25	
1,1-Dichloroethene	ug/m3	ND	<0.17		25	
1,2,4-Trichlorobenzene	ug/m3	ND	<5.1		25	
1,2,4-Trimethylbenzene	ug/m3	ND	<0.25		25	
1,2-Dibromoethane (EDB)	ug/m3	ND	<0.30		25	
1,2-Dichlorobenzene	ug/m3	ND	<0.95		25	
1,2-Dichloroethane	ug/m3	ND	<0.17		25	
1,2-Dichloropropane	ug/m3	ND	<0.24		25	
1,3,5-Trimethylbenzene	ug/m3	ND	<0.27		25	
1,3-Butadiene	ug/m3	ND	<0.14		25	
1,3-Dichlorobenzene	ug/m3	ND	<1.1		25	
1,4-Dichlorobenzene	ug/m3	ND	<1.3		25	
2-Butanone (MEK)	ug/m3	ND	<1.1		25	
2-Hexanone	ug/m3	ND	<1.0		25	
2-Propanol	ug/m3	ND	<1.1		25	
4-Ethyltoluene	ug/m3	ND	<0.28		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	<0.14		25	
Acetone	ug/m3	ND	4.3J		25	
Benzene	ug/m3	1.3	1.4	6	25	
Benzyl chloride	ug/m3	ND	<1.7		25	
Bromodichloromethane	ug/m3	ND	<0.30		25	
Bromoform	ug/m3	ND	<1.2		25	
Bromomethane	ug/m3	ND	<0.23		25	
Carbon disulfide	ug/m3	0.84	0.79J		25	
Carbon tetrachloride	ug/m3	ND	<0.28		25	
Chlorobenzene	ug/m3	ND	<0.21		25	
Chloroethane	ug/m3	ND	<0.18		25	
Chloroform	ug/m3	ND	0.28J		25	
Chloromethane	ug/m3	ND	<0.10		25	
cis-1,2-Dichloroethene	ug/m3	ND	<0.18		25	
cis-1,3-Dichloropropene	ug/m3	ND	<0.21		25	
Cyclohexane	ug/m3	7.7	9.0	15	25	
Dibromochloromethane	ug/m3	ND	<0.43		25	
Dichlorodifluoromethane	ug/m3	ND	2.3		25	
Dichlorotetrafluoroethane	ug/m3	ND	<0.31		25	
Ethanol	ug/m3	7.5	5.7	27	25 R1	
Ethyl acetate	ug/m3	ND	<0.16		25	
Ethylbenzene	ug/m3	ND	0.26J		25	
Hexachloro-1,3-butadiene	ug/m3	ND	<2.5		25	
m&p-Xylene	ug/m3	ND	0.85J		25	
Methyl-tert-butyl ether	ug/m3	ND	<0.17		25	
Methylene Chloride	ug/m3	ND	1.8J		25	
n-Heptane	ug/m3	2.2	2.5	14	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

SAMPLE DUPLICATE: 3901718

Parameter	Units	10551134006 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	27.4	28.7	5	25	
Naphthalene	ug/m3	ND	<2.4		25	
o-Xylene	ug/m3	ND	0.21J		25	
Propylene	ug/m3	ND	<0.31		25	
Styrene	ug/m3	ND	<0.35		25	
Tetrachloroethene	ug/m3	2.4	2.4	2	25	
Tetrahydrofuran	ug/m3	ND	<0.17		25	
Toluene	ug/m3	2.6	2.6	3	25	
trans-1,2-Dichloroethene	ug/m3	ND	0.37J		25	
trans-1,3-Dichloropropene	ug/m3	ND	<0.86		25	
Trichloroethene	ug/m3	3.1	3.1	0	25	
Trichlorofluoromethane	ug/m3	ND	2.2J		25	
Vinyl acetate	ug/m3	ND	<0.15		25	
Vinyl chloride	ug/m3	ND	<0.11		25	

SAMPLE DUPLICATE: 3901719

Parameter	Units	10551134008 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	<0.31		25	
1,1,2,2-Tetrachloroethane	ug/m3	ND	<0.35		25	
1,1,2-Trichloroethane	ug/m3	ND	<0.29		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	0.74J		25	
1,1-Dichloroethane	ug/m3	ND	<0.21		25	
1,1-Dichloroethene	ug/m3	ND	<0.21		25	
1,2,4-Trichlorobenzene	ug/m3	ND	<6.4		25	
1,2,4-Trimethylbenzene	ug/m3	2.0	2.0	0	25	
1,2-Dibromoethane (EDB)	ug/m3	ND	<0.38		25	
1,2-Dichlorobenzene	ug/m3	ND	<1.2		25	
1,2-Dichloroethane	ug/m3	ND	<0.21		25	
1,2-Dichloropropane	ug/m3	ND	<0.30		25	
1,3,5-Trimethylbenzene	ug/m3	ND	0.66J		25	
1,3-Butadiene	ug/m3	ND	<0.18		25	
1,3-Dichlorobenzene	ug/m3	ND	<1.4		25	
1,4-Dichlorobenzene	ug/m3	ND	<1.6		25	
2-Butanone (MEK)	ug/m3	ND	4.1J		25	
2-Hexanone	ug/m3	ND	<1.3		25	
2-Propanol	ug/m3	6.1	6.9	12	25	
4-Ethyltoluene	ug/m3	ND	1.3J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	5.2J		25	
Acetone	ug/m3	42.9	45.1	5	25	
Benzene	ug/m3	2.2	2.1	4	25	
Benzyl chloride	ug/m3	ND	<2.2		25	
Bromodichloromethane	ug/m3	ND	<0.37		25	
Bromoform	ug/m3	ND	<1.5		25	
Bromomethane	ug/m3	ND	<0.30		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

SAMPLE DUPLICATE: 3901719

Parameter	Units	10551134008 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m ³	ND	<0.17		25	
Carbon tetrachloride	ug/m ³	ND	0.45J		25	
Chlorobenzene	ug/m ³	ND	<0.26		25	
Chloroethane	ug/m ³	ND	<0.23		25	
Chloroform	ug/m ³	ND	<0.24		25	
Chloromethane	ug/m ³	2.2	2.0	11	25	
cis-1,2-Dichloroethene	ug/m ³	ND	<0.23		25	
cis-1,3-Dichloropropene	ug/m ³	ND	<0.26		25	
Cyclohexane	ug/m ³	7.0	6.9	2	25	
Dibromochloromethane	ug/m ³	ND	<0.54		25	
Dichlorodifluoromethane	ug/m ³	ND	2.3		25	
Dichlorotetrafluoroethane	ug/m ³	ND	<0.40		25	
Ethanol	ug/m ³	47.2	48.3	2	25	
Ethyl acetate	ug/m ³	ND	3.0		25	
Ethylbenzene	ug/m ³	4.5	4.5	0	25	
Hexachloro-1,3-butadiene	ug/m ³	ND	<3.2		25	
m&p-Xylene	ug/m ³	16.5	16.5	0	25	
Methyl-tert-butyl ether	ug/m ³	ND	<0.22		25	
Methylene Chloride	ug/m ³	ND	<2.0		25	
n-Heptane	ug/m ³	4.0	4.1	3	25	
n-Hexane	ug/m ³	8.2	8.1	0	25	
Naphthalene	ug/m ³	ND	<3.1		25	
o-Xylene	ug/m ³	4.6	4.5	1	25	
Propylene	ug/m ³	ND	<0.40		25	
Styrene	ug/m ³	ND	1.5		25	
Tetrachloroethene	ug/m ³	ND	<0.41		25	
Tetrahydrofuran	ug/m ³	ND	<0.21		25	
Toluene	ug/m ³	19.0	18.4	3	25	
trans-1,2-Dichloroethene	ug/m ³	ND	<0.27		25	
trans-1,3-Dichloropropene	ug/m ³	ND	<1.1		25	
Trichloroethene	ug/m ³	ND	<0.34		25	
Trichlorofluoromethane	ug/m ³	ND	2.6J		25	
Vinyl acetate	ug/m ³	ND	<0.19		25	
Vinyl chloride	ug/m ³	ND	<0.14		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

QC Batch: 731810

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory:

Pace Analytical Services - Minneapolis

Associated Lab Samples: 10551358001, 10551358002, 10551358006

METHOD BLANK: 3900837

Matrix: Air

Associated Lab Samples: 10551358001, 10551358002, 10551358006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.094	0.56	03/29/21 19:45	
1,1,2,2-Tetrachloroethane	ug/m3	<0.11	0.35	03/29/21 19:45	
1,1,2-Trichloroethane	ug/m3	<0.087	0.28	03/29/21 19:45	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.12	0.78	03/29/21 19:45	
1,1-Dichloroethane	ug/m3	<0.064	0.41	03/29/21 19:45	
1,1-Dichloroethene	ug/m3	<0.064	0.40	03/29/21 19:45	
1,2,4-Trichlorobenzene	ug/m3	<2.0	3.8	03/29/21 19:45	
1,2,4-Trimethylbenzene	ug/m3	<0.097	0.50	03/29/21 19:45	
1,2-Dibromoethane (EDB)	ug/m3	<0.12	0.39	03/29/21 19:45	
1,2-Dichlorobenzene	ug/m3	<0.36	0.61	03/29/21 19:45	
1,2-Dichloroethane	ug/m3	<0.066	0.21	03/29/21 19:45	
1,2-Dichloropropane	ug/m3	<0.090	0.47	03/29/21 19:45	
1,3,5-Trimethylbenzene	ug/m3	<0.10	0.50	03/29/21 19:45	
1,3-Butadiene	ug/m3	<0.055	0.22	03/29/21 19:45	
1,3-Dichlorobenzene	ug/m3	<0.42	0.61	03/29/21 19:45	
1,4-Dichlorobenzene	ug/m3	<0.48	1.5	03/29/21 19:45	
2-Butanone (MEK)	ug/m3	<0.44	1.5	03/29/21 19:45	
2-Hexanone	ug/m3	<0.40	2.1	03/29/21 19:45	
2-Propanol	ug/m3	<0.43	1.2	03/29/21 19:45	
4-Ethyltoluene	ug/m3	<0.11	1.2	03/29/21 19:45	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.056	2.1	03/29/21 19:45	
Acetone	ug/m3	<1.1	3.0	03/29/21 19:45	
Benzene	ug/m3	<0.068	0.16	03/29/21 19:45	
Benzyl chloride	ug/m3	<0.66	1.3	03/29/21 19:45	
Bromodichloromethane	ug/m3	<0.11	0.68	03/29/21 19:45	
Bromoform	ug/m3	<0.46	2.6	03/29/21 19:45	
Bromomethane	ug/m3	<0.090	0.39	03/29/21 19:45	
Carbon disulfide	ug/m3	<0.052	0.32	03/29/21 19:45	
Carbon tetrachloride	ug/m3	<0.11	0.64	03/29/21 19:45	
Chlorobenzene	ug/m3	<0.080	0.47	03/29/21 19:45	
Chloroethane	ug/m3	<0.069	0.27	03/29/21 19:45	
Chloroform	ug/m3	<0.074	0.25	03/29/21 19:45	
Chloromethane	ug/m3	<0.039	0.21	03/29/21 19:45	
cis-1,2-Dichloroethene	ug/m3	<0.070	0.40	03/29/21 19:45	
cis-1,3-Dichloropropene	ug/m3	<0.080	0.46	03/29/21 19:45	
Cyclohexane	ug/m3	<0.092	0.88	03/29/21 19:45	
Dibromochloromethane	ug/m3	<0.17	0.86	03/29/21 19:45	
Dichlorodifluoromethane	ug/m3	<0.27	0.50	03/29/21 19:45	
Dichlorotetrafluoroethane	ug/m3	<0.12	0.71	03/29/21 19:45	
Ethanol	ug/m3	<0.28	0.96	03/29/21 19:45	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

METHOD BLANK: 3900837

Matrix: Air

Associated Lab Samples: 10551358001, 10551358002, 10551358006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.060	0.37	03/29/21 19:45	
Ethylbenzene	ug/m3	<0.078	0.44	03/29/21 19:45	
Hexachloro-1,3-butadiene	ug/m3	<0.97	2.7	03/29/21 19:45	
m&p-Xylene	ug/m3	<0.19	0.88	03/29/21 19:45	
Methyl-tert-butyl ether	ug/m3	<0.066	1.8	03/29/21 19:45	
Methylene Chloride	ug/m3	<0.60	1.8	03/29/21 19:45	
n-Heptane	ug/m3	<0.076	0.42	03/29/21 19:45	
n-Hexane	ug/m3	<0.11	0.36	03/29/21 19:45	
Naphthalene	ug/m3	<0.94	1.3	03/29/21 19:45	
o-Xylene	ug/m3	<0.073	0.44	03/29/21 19:45	
Propylene	ug/m3	<0.12	0.18	03/29/21 19:45	
Styrene	ug/m3	<0.14	0.43	03/29/21 19:45	
Tetrachloroethene	ug/m3	<0.12	0.34	03/29/21 19:45	
Tetrahydrofuran	ug/m3	<0.066	0.30	03/29/21 19:45	
Toluene	ug/m3	<0.060	0.38	03/29/21 19:45	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	03/29/21 19:45	
trans-1,3-Dichloropropene	ug/m3	<0.33	0.46	03/29/21 19:45	
Trichloroethene	ug/m3	<0.10	0.27	03/29/21 19:45	
Trichlorofluoromethane	ug/m3	<0.11	0.57	03/29/21 19:45	
Vinyl acetate	ug/m3	<0.057	0.36	03/29/21 19:45	
Vinyl chloride	ug/m3	<0.042	0.13	03/29/21 19:45	

LABORATORY CONTROL SAMPLE: 3900838

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.2	47.6	86	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.5	67.6	93	70-132	
1,1,2-Trichloroethane	ug/m3	56.3	46.9	83	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	62.2	80	70-130	
1,1-Dichloroethane	ug/m3	42.1	35.3	84	70-133	
1,1-Dichloroethene	ug/m3	41.5	34.7	84	70-130	
1,2,4-Trichlorobenzene	ug/m3	82	66.4	81	69-132	
1,2,4-Trimethylbenzene	ug/m3	51.9	41.9	81	70-142	
1,2-Dibromoethane (EDB)	ug/m3	80.4	62.7	78	70-138	
1,2-Dichlorobenzene	ug/m3	66	50.5	77	70-146	
1,2-Dichloroethane	ug/m3	42.1	36.1	86	70-132	
1,2-Dichloropropane	ug/m3	47.1	45.1	96	70-134	
1,3,5-Trimethylbenzene	ug/m3	51.4	41.6	81	70-143	
1,3-Butadiene	ug/m3	23	20.3	88	70-136	
1,3-Dichlorobenzene	ug/m3	63	51.1	81	70-145	
1,4-Dichlorobenzene	ug/m3	65.5	51.3	78	70-140	
2-Butanone (MEK)	ug/m3	32.4	25.8	80	50-139	
2-Hexanone	ug/m3	41.4	36.9	89	70-148	
2-Propanol	ug/m3	27.4	23.6	86	67-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

LABORATORY CONTROL SAMPLE: 3900838

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	51.7	41.3	80	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	42.4	36.7	87	70-139	
Acetone	ug/m3	24.6	19.0	77	64-130	
Benzene	ug/m3	32.9	29.6	90	70-131	
Benzyl chloride	ug/m3	57.3	42.3	74	70-130	
Bromodichloromethane	ug/m3	69.7	64.8	93	70-133	
Bromoform	ug/m3	110	83.6	76	70-137	
Bromomethane	ug/m3	39.9	33.1	83	64-134	
Carbon disulfide	ug/m3	33.4	30.0	90	70-131	
Carbon tetrachloride	ug/m3	65	57.2	88	70-131	
Chlorobenzene	ug/m3	48.3	41.0	85	70-130	
Chloroethane	ug/m3	26.9	25.0	93	69-141	
Chloroform	ug/m3	48.5	39.7	82	70-130	
Chloromethane	ug/m3	21.1	18.7	89	70-130	
cis-1,2-Dichloroethene	ug/m3	41	37.7	92	70-137	
cis-1,3-Dichloropropene	ug/m3	46.9	41.6	89	70-144	
Cyclohexane	ug/m3	35.2	31.3	89	70-137	
Dibromochloromethane	ug/m3	87.3	66.4	76	70-132	
Dichlorodifluoromethane	ug/m3	51.3	37.4	73	70-130	
Dichlorotetrafluoroethane	ug/m3	65.1	50.9	78	70-130	
Ethanol	ug/m3	19.2	19.8	104	63-133	
Ethyl acetate	ug/m3	35.9	34.6	96	70-136	
Ethylbenzene	ug/m3	45.6	38.7	85	70-142	
Hexachloro-1,3-butadiene	ug/m3	117	91.3	78	70-135	
m&p-Xylene	ug/m3	45.9	36.5	80	70-141	
Methyl-tert-butyl ether	ug/m3	36.9	34.0	92	70-143	
Methylene Chloride	ug/m3	37.8	31.2	82	70-130	
n-Heptane	ug/m3	41.7	36.8	88	70-137	
n-Hexane	ug/m3	35.1	30.6	87	70-135	
Naphthalene	ug/m3	58.1	49.4	85	67-132	
o-Xylene	ug/m3	46	36.9	80	70-141	
Propylene	ug/m3	17.9	15.6	87	70-130	
Styrene	ug/m3	45.3	36.9	81	70-142	
Tetrachloroethene	ug/m3	69.9	59.0	84	70-130	
Tetrahydrofuran	ug/m3	30.1	25.5	85	70-136	
Toluene	ug/m3	39.4	33.0	84	70-138	
trans-1,2-Dichloroethene	ug/m3	40.8	37.1	91	70-130	
trans-1,3-Dichloropropene	ug/m3	48.2	39.5	82	70-145	
Trichloroethene	ug/m3	55.7	47.6	86	70-130	
Trichlorofluoromethane	ug/m3	56.5	44.1	78	69-135	
Vinyl acetate	ug/m3	38.1	37.6	99	70-146	
Vinyl chloride	ug/m3	26.6	23.4	88	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

QC Batch: 732054

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory:

Pace Analytical Services - Minneapolis

Associated Lab Samples: 10551358003

METHOD BLANK: 3901904

Matrix: Air

Associated Lab Samples: 10551358003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.094	0.56	03/30/21 10:12	
1,1,2,2-Tetrachloroethane	ug/m3	<0.11	0.35	03/30/21 10:12	
1,1,2-Trichloroethane	ug/m3	<0.087	0.28	03/30/21 10:12	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.12	0.78	03/30/21 10:12	
1,1-Dichloroethane	ug/m3	<0.064	0.41	03/30/21 10:12	
1,1-Dichloroethene	ug/m3	<0.064	0.40	03/30/21 10:12	
1,2,4-Trichlorobenzene	ug/m3	<2.0	3.8	03/30/21 10:12	
1,2,4-Trimethylbenzene	ug/m3	<0.097	0.50	03/30/21 10:12	
1,2-Dibromoethane (EDB)	ug/m3	<0.12	0.39	03/30/21 10:12	
1,2-Dichlorobenzene	ug/m3	<0.36	0.61	03/30/21 10:12	
1,2-Dichloroethane	ug/m3	<0.066	0.21	03/30/21 10:12	
1,2-Dichloropropane	ug/m3	<0.090	0.47	03/30/21 10:12	
1,3,5-Trimethylbenzene	ug/m3	<0.10	0.50	03/30/21 10:12	
1,3-Butadiene	ug/m3	<0.055	0.22	03/30/21 10:12	
1,3-Dichlorobenzene	ug/m3	<0.42	0.61	03/30/21 10:12	
1,4-Dichlorobenzene	ug/m3	<0.48	1.5	03/30/21 10:12	
2-Butanone (MEK)	ug/m3	<0.44	1.5	03/30/21 10:12	
2-Hexanone	ug/m3	<0.40	2.1	03/30/21 10:12	
2-Propanol	ug/m3	<0.43	1.2	03/30/21 10:12	
4-Ethyltoluene	ug/m3	<0.11	1.2	03/30/21 10:12	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.056	2.1	03/30/21 10:12	
Acetone	ug/m3	<1.1	3.0	03/30/21 10:12	
Benzene	ug/m3	<0.068	0.16	03/30/21 10:12	
Benzyl chloride	ug/m3	<0.66	1.3	03/30/21 10:12	
Bromodichloromethane	ug/m3	<0.11	0.68	03/30/21 10:12	
Bromoform	ug/m3	<0.46	2.6	03/30/21 10:12	
Bromomethane	ug/m3	<0.090	0.39	03/30/21 10:12	
Carbon disulfide	ug/m3	<0.052	0.32	03/30/21 10:12	
Carbon tetrachloride	ug/m3	<0.11	0.64	03/30/21 10:12	
Chlorobenzene	ug/m3	<0.080	0.47	03/30/21 10:12	
Chloroethane	ug/m3	<0.069	0.27	03/30/21 10:12	
Chloroform	ug/m3	<0.074	0.25	03/30/21 10:12	
Chloromethane	ug/m3	<0.039	0.21	03/30/21 10:12	
cis-1,2-Dichloroethene	ug/m3	<0.070	0.40	03/30/21 10:12	
cis-1,3-Dichloropropene	ug/m3	<0.080	0.46	03/30/21 10:12	
Cyclohexane	ug/m3	<0.092	0.88	03/30/21 10:12	
Dibromochloromethane	ug/m3	<0.17	0.86	03/30/21 10:12	
Dichlorodifluoromethane	ug/m3	<0.27	0.50	03/30/21 10:12	
Dichlorotetrafluoroethane	ug/m3	<0.12	0.71	03/30/21 10:12	
Ethanol	ug/m3	<0.28	0.96	03/30/21 10:12	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

METHOD BLANK: 3901904

Matrix: Air

Associated Lab Samples: 10551358003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.060	0.37	03/30/21 10:12	
Ethylbenzene	ug/m3	<0.078	0.44	03/30/21 10:12	
Hexachloro-1,3-butadiene	ug/m3	<0.97	2.7	03/30/21 10:12	
m&p-Xylene	ug/m3	<0.19	0.88	03/30/21 10:12	
Methyl-tert-butyl ether	ug/m3	<0.066	1.8	03/30/21 10:12	
Methylene Chloride	ug/m3	<0.60	1.8	03/30/21 10:12	
n-Heptane	ug/m3	<0.076	0.42	03/30/21 10:12	
n-Hexane	ug/m3	<0.11	0.36	03/30/21 10:12	
Naphthalene	ug/m3	<0.94	1.3	03/30/21 10:12	
o-Xylene	ug/m3	<0.073	0.44	03/30/21 10:12	
Propylene	ug/m3	<0.12	0.18	03/30/21 10:12	
Styrene	ug/m3	<0.14	0.43	03/30/21 10:12	
Tetrachloroethene	ug/m3	<0.12	0.34	03/30/21 10:12	
Tetrahydrofuran	ug/m3	<0.066	0.30	03/30/21 10:12	
Toluene	ug/m3	<0.060	0.38	03/30/21 10:12	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	03/30/21 10:12	
trans-1,3-Dichloropropene	ug/m3	<0.33	0.46	03/30/21 10:12	
Trichloroethene	ug/m3	<0.10	0.27	03/30/21 10:12	
Trichlorofluoromethane	ug/m3	<0.11	0.57	03/30/21 10:12	
Vinyl acetate	ug/m3	<0.057	0.36	03/30/21 10:12	
Vinyl chloride	ug/m3	<0.042	0.13	03/30/21 10:12	

LABORATORY CONTROL SAMPLE: 3901905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	59.3	71.4	120	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	75.4	95.3	126	70-132	
1,1,2-Trichloroethane	ug/m3	59.6	73.9	124	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	83.6	144	172	70-130	CH,L1,SS
1,1-Dichloroethane	ug/m3	43.9	53.6	122	70-133	
1,1-Dichloroethene	ug/m3	43.5	53.8	124	70-130	
1,2,4-Trichlorobenzene	ug/m3	177	194	109	69-132	
1,2,4-Trimethylbenzene	ug/m3	54	64.9	120	70-142	
1,2-Dibromoethane (EDB)	ug/m3	82.5	101	122	70-138	
1,2-Dichlorobenzene	ug/m3	66.2	80.2	121	70-146	
1,2-Dichloroethane	ug/m3	44.4	55.5	125	70-132	
1,2-Dichloropropane	ug/m3	50.6	62.7	124	70-134	
1,3,5-Trimethylbenzene	ug/m3	53.7	62.8	117	70-143	
1,3-Butadiene	ug/m3	24.2	28.8	119	70-136	
1,3-Dichlorobenzene	ug/m3	66.3	81.1	122	70-145	
1,4-Dichlorobenzene	ug/m3	66.3	68.2	103	70-140	
2-Butanone (MEK)	ug/m3	32.3	37.5	116	50-139	
2-Hexanone	ug/m3	44.8	54.5	122	70-148	
2-Propanol	ug/m3	149	189	127	67-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

LABORATORY CONTROL SAMPLE: 3901905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	53.7	62.4	116	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	44.9	56.2	125	70-139	
Acetone	ug/m3	128	156	122	64-130	
Benzene	ug/m3	34.8	42.3	121	70-131	
Benzyl chloride	ug/m3	57.6	58.4	101	70-130	
Bromodichloromethane	ug/m3	73.1	89.0	122	70-133	
Bromoform	ug/m3	114	128	113	70-137	
Bromomethane	ug/m3	42.5	49.7	117	64-134	
Carbon disulfide	ug/m3	34.4	41.7	121	70-131	
Carbon tetrachloride	ug/m3	69.4	79.3	114	70-131	
Chlorobenzene	ug/m3	50.2	59.0	118	70-130	
Chloroethane	ug/m3	28.8	32.7	113	69-141	
Chloroform	ug/m3	52.4	64.8	124	70-130	
Chloromethane	ug/m3	22.6	27.8	123	70-130	
cis-1,2-Dichloroethene	ug/m3	43.4	51.1	118	70-137	
cis-1,3-Dichloropropene	ug/m3	49.4	59.2	120	70-144	
Cyclohexane	ug/m3	37.4	45.0	120	70-137	
Dibromochloromethane	ug/m3	93.2	109	117	70-132	
Dichlorodifluoromethane	ug/m3	54.6	64.3	118	70-130	
Dichlorotetrafluoroethane	ug/m3	71.2	83.0	117	70-130	
Ethanol	ug/m3	124	151	122	63-133	
Ethyl acetate	ug/m3	38.9	46.7	120	70-136	
Ethylbenzene	ug/m3	47.8	58.9	123	70-142	
Hexachloro-1,3-butadiene	ug/m3	133	160	121	70-135	
m&p-Xylene	ug/m3	95.4	111	117	70-141	
Methyl-tert-butyl ether	ug/m3	39.6	49.1	124	70-143	
Methylene Chloride	ug/m3	190	349	183	70-130	CH,L1,SS
n-Heptane	ug/m3	44.6	55.9	125	70-137	
n-Hexane	ug/m3	38	45.9	121	70-135	
Naphthalene	ug/m3	65.2	71.0	109	67-132	
o-Xylene	ug/m3	47.6	55.4	116	70-141	
Propylene	ug/m3	18.9	22.4	119	70-130	
Styrene	ug/m3	47	57.6	123	70-142	
Tetrachloroethene	ug/m3	73.4	84.0	114	70-130	
Tetrahydrofuran	ug/m3	32.1	39.8	124	70-136	
Toluene	ug/m3	41.6	51.3	124	70-138	
trans-1,2-Dichloroethene	ug/m3	43.6	54.0	124	70-130	
trans-1,3-Dichloropropene	ug/m3	50.5	62.0	123	70-145	
Trichloroethene	ug/m3	58.4	69.8	119	70-130	
Trichlorofluoromethane	ug/m3	62	71.4	115	69-135	
Vinyl acetate	ug/m3	46.4	53.2	115	70-146	
Vinyl chloride	ug/m3	28	32.1	114	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690020998 NAPA AUTO PARTS
Pace Project No.: 10551358

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
R1	RPD value was outside control limits.
SS	This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690020998 NAPA AUTO PARTS

Pace Project No.: 10551358

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10551358001	SS-1	TO-15	731810		
10551358002	SS-2	TO-15	731810		
10551358003	SS-3	TO-15	732054		
10551358004	SS-4	TO-15	731536		
10551358005	SS-5	TO-15	731536		
10551358006	SS-6	TO-15	731810		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Program		SAMPLE CONDITIONS							
Company: <u>Pambore</u>	Report To: <u>FEDERAL MARINE KITES LLC</u>	Copy To:	<u>FEDERAL MARINE KITES LLC</u>	Attention:	<u>Pambore</u>	<input type="checkbox"/> UST	<input type="checkbox"/> Superfund	<input type="checkbox"/> Emissions	<input type="checkbox"/> Clean Air Act						
Address: <u>734 W FLORIDA ST</u>	Purchase Order No.:	Address:		Pace Quote Reference:		<input type="checkbox"/> Voluntary Clean Up	<input type="checkbox"/> Dry Clean	<input type="checkbox"/> RCRA	<input type="checkbox"/> Other						
Email To: <u>Karen@federalkites.com</u>	Project Name: <u>Auto Parts</u>	Phone: <u>262-901-0125</u>	Fax: <u></u>	Project Number: <u>16900020918</u>	Pace Profile #: <u>41243</u>	Reporting Units <u>kg/m³</u>	<u>PPMV</u>	<u>mg/m³</u>							
Requested Due Date/TAT: <u>5/10</u>									Sampling by State <u>WI</u>						
#	Section D Required Client Information		AIR SAMPLE ID		Report Level <u>II</u>	<input type="checkbox"/> TO-15 Short List Criteria	<input type="checkbox"/> TO-15 Full List VOCs	<input type="checkbox"/> TO-15 Short List CHонаhane	<input type="checkbox"/> TO-14 Methane						
ITEM #	Sample IDs MUST BE UNIQUE		Valid Media Codes		Method: <u>COLLECTED</u>	<input type="checkbox"/> Fixed Gases (%)	<input type="checkbox"/> TO-3 BETX	<input type="checkbox"/> TO-3M Methane	<input type="checkbox"/> PM10						
			MEDIA CODE		Initial Pressure - in Hg <u>100</u>	Canister Field - in Hg <u>100</u>	Final Pressure - in Hg <u>100</u>	Flow Control Number	Pace Lab ID <u>001</u>						
			MEDIA		Composite Start ENDGRAB	Date	Time	Date	Time						
1	<u>SS-1</u>		<u>6LC</u>		<u>3/12/12</u>	<u>1057</u>	<u>3/12/12</u>	<u>1130</u>	<u>-30</u>	<u>04</u>	<u>06</u>	<u>58</u>	<u>29</u>	<u>54</u>	<input checked="" type="checkbox"/>
2	<u>SS-2</u>		<u>6LC</u>		<u>1142</u>		<u>1219</u>	<u>-29</u>	<u>-4</u>	<u>11</u>	<u>8</u>	<u>1</u>	<u>24</u>	<u>32</u>	<input checked="" type="checkbox"/>
3	<u>SS-3</u>		<u>6LC</u>		<u>1147</u>		<u>1220</u>	<u>-28</u>	<u>-3</u>	<u>0</u>	<u>12</u>	<u>1</u>	<u>27</u>	<u>00</u>	<input checked="" type="checkbox"/>
4	<u>SS-4</u>		<u>6LC</u>		<u>1050</u>		<u>1128</u>	<u>-30</u>	<u>-4</u>	<u>3</u>	<u>68</u>	<u>0</u>	<u>15</u>	<u>19</u>	<input checked="" type="checkbox"/>
5	<u>SS-5</u>		<u>6LC</u>		<u>0125</u>		<u>1065</u>	<u>-30</u>	<u>-4</u>	<u>0</u>	<u>32</u>	<u>7</u>	<u>28</u>	<u>41</u>	<input checked="" type="checkbox"/>
6	<u>SS-6</u>		<u>6LC</u>		<u>955</u>		<u>1035</u>	<u>-30</u>	<u>-4</u>	<u>3</u>	<u>62</u>	<u>3</u>	<u>09</u>	<u>07</u>	<input checked="" type="checkbox"/>
7															
8															
9															
10															
11															
12															
Comments :		RELINQUISHED BY / AFFILIATION		DATE		TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS					
<u>Pyle Hartland Pambore</u>		<u>3/12/12</u>		<u>16:10</u>		<u>FEDEX</u>	<u>Craig Pace</u>	<u>3/16/21</u>	<u>1435</u>						
										SAMPLER NAME AND SIGNATURE PRINT Name of SAMPLER: <u>KYLE ITTERSTROM</u>					
										SIGNATURE OF SAMPLER <u>Kyle Itterstrom</u>	DATE Signed (MM/DD/YY) <u>03/12/2021</u>				
										ORIGINAL					

	Document Name: Sample Condition Upon Receipt (SCUR) - Air	Document Revised: 24Mar2020 Page 1 of 1
	Document No.: ENV-FRM-MIN4-0113 Rev.00	Pace Analytical Services - Minneapolis

Air Sample Condition Upon Receipt	Client Name: RAMBOLL	Project #:	WO# : 10551358
Courier:	<input checked="" type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Pace <input type="checkbox"/> SpeeDee <input type="checkbox"/> Commercial See Exception	PM: CT1	Due Date: 03/23/21
Tracking Number:	1723 2550 2982, 2993		

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): **X** Corrected Temp (°C): **X** Thermometer Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: **X** Date & Initials of Person Examining Contents: **3/7/21 CMY**

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: Air Can Airbag Filter TDT Passive		11. Individually Certified Cans Y <input checked="" type="checkbox"/> N <input type="checkbox"/> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
SS-1	0658	2954	-3	+5					
SS-2	1181	2682	-5	"					
SS-3	6121	2700	-3.5	"					
SS-4	3680	1519	-3	"					
SS-5	0327	2841	-3.5	"					
SS-6	3623	0907	-2.5	"					

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: **Carlyne Hart**

Date: **3/18/21**

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)