

From: Charity Zich <Charity.Zich@chippewavalleyairport.com>
Sent: Wednesday, June 23, 2021 12:05 PM
To: Schrank, Jayson S - DNR
Subject: FW: SERTS ID 20210430WC18-1 Eau Claire Co.
Attachments: 20210506122330860.pdf; GPS.JPG; Dirt photo.jpg;
20210512124502895.pdf; 20210623122626965.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Good Afternoon,

We were finally able to dispose of the dirt. I've reattached the original documents I sent you along with the manifest for the disposal. Please let me know what else you need to be able to close this out on your end.

Thank you,



Charity Zich
Airport Director
3800 Starr Ave. • Eau Claire, WI 54703
Direct: 715-839-6241 **Fax:** 715-839-5099
Email: charity.zich@chippewavalleyairport.com

From: Charity Zich
Sent: Wednesday, May 12, 2021 1:08 PM
To: Schrank, Jayson S - DNR <jayson.schrank@wisconsin.gov>
Subject: RE: SERTS ID 20210430WC18-1 Eau Claire Co.

Hi Jayson,

Attached is the SDS for the AFFF, a photo of the dirt and an aerial of the location the foam was sprayed with the GPS coordinates. Also attached is our aircraft accident/incident report for timeframe and general info.

I reached out to 7 mile landfill and WRR and neither will take any soil with PFAS. Any other suggestions for disposing of the soil?

Thank you,

Charity

From: Schrank, Jayson S - DNR <jayson.schrank@wisconsin.gov>
Sent: Thursday, May 6, 2021 10:04 AM
To: Charity Zich <Charity.Zich@chippewavalleyairport.com>
Subject: SERTS ID 20210430WC18-1 Eau Claire Co.

WARNING!! This email originated outside Eau Claire County. Do not click any links or attachments unless you know the sender.

Hi Charity,

Thanks for reaching out this morning. I apologize again for not getting back to you sooner. I have attached a few resources for you to refer to and hopefully help with disposal, including a list of landfills with contact and location information. In order to achieve No Further Action (NFA) for this release, I will need the following information:

1. Photos of the site and excavated/ backfilled area.
2. Disposal receipt or manifest with appropriate signatures.
3. Foam product SDS.
4. Simple site map showing the location of the release – GPS coordinates are useful.
5. A brief summary of events – cause, response actions taken, general timeframe of events.

Please feel free to contact me if you have any questions or concerns.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Jayson Schrank

Regional Spills Coordinator / Hydrogeologist
Bureau of Remediation and Redevelopment
Wisconsin Department of Natural Resources
1300 W Clairemont Ave, Eau Claire, WI 54701
Phone: 715-410-8841

Jayson.Schrank@wisconsin.gov



This communication constitutes an electronic communication within the meaning of the Electronic Privacy Act, 18 USC 2510 and its disclosure is strictly limited to the recipient intended by the sender of this message. This communication is confidential and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Receipt by anyone other than the intended recipient does not constitute waiver or loss of the confidential or privileged nature of the communication. If the person receiving this message is not the intended recipient or you have received this message in error, any review, publication, copying or other distribution of this information is strictly prohibited. If you received this communication in error, please notify the sender immediately at the email address above, return the original message to me by mail, destroy any copies you may have made

and delete the communication from any computer and/or storage media. Thank you for your cooperation.



Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name CHEMGUARD 3% AFFF C306-MS-C

1. Identification

1.1. Product Identifier

Product name CHEMGUARD 3% AFFF C306-MS-C

1.2. Other means of identification

Product code 770810
Synonyms None
Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Fire extinguishing agent.
Uses advised against Consumer use.

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products
One Stanton Street
Marinette, WI 54143-2542
Telephone: 715-735-7411
Contact point Product Stewardship at 1-715-735-7411
E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 800-424-9300 or 703-527-3887

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Serious eye damage/eye irritation - Category 1
Skin Sensitization - Category 1B

2.2. Label Elements

Signal Word
DANGER

Hazard Statements

Causes serious eye damage
May cause an allergic skin reaction



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Disposal

Dispose of contents/container to an approved waste disposal plant.

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. Other Information

Unknown Acute Toxicity 28.333% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients**3.1. Mixture**

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

| Chemical name | CAS No. | weight-% |
|---|-------------|----------|
| 2-(2-Butoxyethoxy)ethanol | 112-34-5 | 10 - 30 |
| Laurylamidopropyl betaine | 4292-10-8 | 1 - 5 |
| Caprylcaprylyl glucoside | 68515-73-1 | 1 - 5 |
| Polyfluorinated alkyl polyamide | Proprietary | 1 - 5 |
| Octylphenoxyethoxyethanol | 9036-19-5 | 1 - 5 |
| Polyfluorinated alkyl quaternary amine chloride | Proprietary | 0.1 - 1 |

4. First aid measures**4.1. Description of first aid measures**

| | |
|---------------------|--|
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact | Wash skin with soap and water. Get medical attention if irritation develops and persists. |
| Inhalation | Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately if symptoms occur.) |
| Ingestion | Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison control center or physician immediately. |

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

5.1. Suitable Extinguishing Media

Product is extinguishing agent. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Unsuitable Extinguishing Media

None.

5.3. Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

5.4. Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions**Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up**Methods for Containment**

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. Handling and Storage**7.1. Precautions for Safe Handling****Advice on safe handling**

Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure Controls/Personal Protection**8.1. Control Parameters****Exposure guidelines**

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL |
|---------------------------------------|---|----------|------------|------------|
| 2-(2-Butoxyethoxy)ethanol 112-34-5 | TWA: 10 ppm inhalable fraction and vapor | - | - | - |

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

8.2. Appropriate Engineering Controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Ventilation Use local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties**9.1. Information on basic physical and chemical properties**

| | | | |
|-----------------------|-------------------|--------------|--------------|
| Physical State | Liquid | Color | Light yellow |
| Odor | Characteristic | | |
| Odor Threshold | No data available | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|-------------------------------|-------------------|-------------------------|
| pH | 7- 8.5 | |
| Melting point/freezing point | No data available | |
| Boiling point / boiling range | No data available | |
| Flash Point | No data available | |
| Evaporation Rate | No data available | |
| Flammability (solid, gas) | No data available | |
| Flammability limit in air | | |
| Upper flammability limit: | No data available | |
| Lower flammability limit: | No data available | |
| Vapor Pressure | No data available | |
| Vapor Density | No data available | |
| Specific gravity | No data available | |
| Water Solubility | No data available | |
| Solubility in Other Solvents | No data available | |

| | |
|---------------------------|-------------------|
| Partition coefficient | No data available |
| Autoignition Temperature | No data available |
| Decomposition Temperature | No data available |
| Kinematic viscosity | No data available |
| Density | 1.02 |

10. Stability and Reactivity

10.1. Chemical Stability

Stable under recommended storage conditions.

10.2. Reactivity

No data available

10.3. Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

11. Toxicological Information

11.1. Information on Likely Routes of Exposure

Product information

| | |
|---------------------|--|
| Inhalation | No data available. |
| Eye Contact | Corrosive to the eyes and may cause severe damage including blindness. |
| Skin contact | May cause allergic skin reaction. |
| Ingestion | No data available. |

Component Information

Acute Toxicity

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|-----------------------------------|-------------------------|-----------------|
| 2-(2-Butoxyethoxy)ethanol 112-34-5 | = 5660 mg/kg (Rat) | = 2700 mg/kg (Rabbit) | - |
| Laurylamidopropyl betaine 4292-10-8 | > 2000 mg/kg (Rat) | - | - |
| Polyfluorinated alkyl polyamide | >2000 mg/kg | >2000 mg/kg | >5.11 mg/l |
| Octylphenoxyethoxyethanol | = 1700 mg/kg (Rat) = 4190 mg/kg | - | - |

| | | | |
|---|--------------------|---|---|
| 9036-19-5 | (Rat) | | |
| Polyfluorinated alkyl quaternary amine chloride | >300 - <2000 mg/kg | - | - |

11.2. Information on Toxicological Effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation No information available.
Serious eye damage/eye irritation Risk of serious damage to eyes.
Sensitization May cause sensitization by skin contact.
Germ Cell Mutagenicity No information available.
Carcinogenicity No information available.
Reproductive Toxicity No information available.
STOT - Single Exposure No information available.
STOT - Repeated Exposure No information available.
Aspiration Hazard No information available.

11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 11648 mg/kg
ATEmix (dermal) 12061 mg/kg
ATEmix (inhalation-dust/mist) 223.9 mg/l

12. Ecological Information

12.1. Ecotoxicity

0.1011% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|---|--|--|--|
| 2-(2-Butoxyethoxy)ethanol 112-34-5 | EC50 (96h) > 100 mg/L Desmodesmus subspicatus | LC50 (96h) static = 1300 mg/L Lepomis macrochirus | EC50 (48h) > 100 mg/L Daphnia magna EC50 (24h) = 2850 mg/L Daphnia magna |
| 2-Methyl-2,4-pentanediol 107-41-5 | - | LC50 (96h) flow-through = 8690 mg/L Pimephales promelas LC50 (96h) flow-through 10500 - 11000 mg/L Pimephales promelas LC50 (96h) static = 10000 mg/L Lepomis macrochirus LC50 (96h) static = 10700 mg/L Pimephales promelas | EC50 (48h) 2700 - 3700 mg/L Daphnia magna |
| t-Butanol 75-65-0 | EC50 (72h) > 1000 mg/L Desmodesmus subspicatus | LC50 (96h) flow-through 6130 - 6700 mg/L Pimephales promelas | EC50 (48h) Static 4607 - 6577 mg/L Daphnia magna EC50 (48h) = 933 mg/L Daphnia magna |
| Polyethylene Glycol 25322-68-3 | - | LC50 (24h) > 5000 mg/L Carassius auratus | - |
| Sodium chloride 7647-14-5 | - | LC50 (96h) semi-static = 7050 mg/L Pimephales promelas LC50 (96h) flow-through 4747 - 7824 mg/L Oncorhynchus mykiss LC50 (96h) static = 12946 mg/L Lepomis macrochirus LC50 (96h) static 6020 - 7070 mg/L Pimephales promelas LC50 (96h) flow-through 5560 - 6080 mg/L Lepomis macrochirus LC50 (96h) static 6420 - 6700 mg/L Pimephales promelas | EC50 (48h) Static 340.7 - 469.2 mg/L Daphnia magna EC50 (48h) = 1000 mg/L Daphnia magna |
| 4,4'-bis-(sulfostyryl)-biphenyl disodium salt | EC50 (72h) = 10 mg/L Desmodesmus subspicatus EC50 | LC50 (96h) static = 76 mg/L Brachydanio rerio | EC50 (48h) = 1000 mg/L Daphnia magna |

| | | | |
|------------|--|--|--|
| 27344-41-8 | (96h) 10.0 - 11.0 mg/L Desmodemus subspicatus | | |
|------------|--|--|--|

| Polyfluorinated alkyl polyamide | | | | | |
|--|-------------------------------------|---------------|----------------|---------------|---|
| Method | Species | Endpoint type | Effective dose | Exposure time | Results |
| OECD Test No. 203: Fish, Acute Toxicity Test | Oncorhynchus mykiss (rainbow trout) | LC50 | >14 mg/l | 96h | NOEC: 14 mg/L No toxic effects at saturation. |
| OECD Test No. 201: Freshwater Alga and Cyanobacteria, Growth Inhibition Test | Algae | ErC50 | >15 mg/l | 72h | Growth rate >15, Yield 13. NOEC: 4.0 mg/L, LOEC: 8.5 mg/L |
| OECD Test No. 202: Daphnia sp., Acute Immobilization Test | Daphnia magna | EC50 | >20 mg/l | 48h | NOEC: 20 mg/L No toxic effects at saturation. |

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulation

No information available.

12.4. Other Adverse Effects

No information available

13. Disposal Considerations**13.1. Waste Treatment Methods**

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Do not reuse container.

14. Transport Information**DOT** NOT REGULATED**TDG** NOT REGULATED**MEX** NOT REGULATED**ICAO (air)** NOT REGULATED**IATA** NOT REGULATED**IMDG** NOT REGULATED**15. Regulatory Information****15.1. International Inventories**

TSCA Complies
DSL/NDSL Does not comply

| | |
|-------|-----------------|
| ENCS | Does not comply |
| IECSC | Does not comply |
| KECL | Does not comply |
| PICCS | Does not comply |
| AICS | Does not comply |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

15.2. US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | SARA 313 - Threshold Values % |
|--------------------------------------|-------------------------------|
| 2-(2-Butoxyethoxy)ethanol - 112-34-5 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic health hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

15.3. US State Regulations**U.S. State Right-to-Know Regulations**

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------|------------|---------------|--------------|
| 2-(2-Butoxyethoxy)ethanol 112-34-5 | X | - | X |

16. Other information, including date of preparation of the last revision

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| NFPA | Health Hazards 2 | Flammability 0 | Instability 0 | Physical and chemical properties - |
| HMIS | Health Hazards 2 | Flammability 0 | Physical Hazards 0 | Personal Protection X |



Product code 770810

/

Product name CHEMGUARD 3%/
AFFF C306-MS-C

PAGE 9 / 9

Revision date 10-Apr-2017

Revision note SDS sections updated, 2, 11, 12.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Chippewa Valley Regional Airport Aircraft Accident/Incident Report

| | |
|--|-----------------------------|
| <input checked="" type="checkbox"/> Accident <input type="checkbox"/> Incident | Incident #: <u>20210001</u> |
|--|-----------------------------|

| | |
|------------------------|----------------------|
| Date: <u>4-30-2021</u> | Time: <u>1:27 pm</u> |
|------------------------|----------------------|

Aircraft Information

| | |
|---|-------------------------------------|
| Registration: <u>N 991CB</u> | Aircraft Manufacturer: <u>Piper</u> |
| Model Series: <u>235 Piper</u> | Aircraft Owner: <u>Darin Ruud</u> |
| Address: <u>16050 Inglewood Dr Lakeville Mn 55044</u> | Phone: <u>858-347-3340</u> |

Aircraft Damage

| | | | |
|-------------------------------|--------------------------------|---|------------------------------------|
| <input type="checkbox"/> None | <input type="checkbox"/> Minor | <input checked="" type="checkbox"/> Substantial | <input type="checkbox"/> Destroyed |
| Aircraft Value: \$ | Cargo Value: \$ | Amount Lost: \$ | |

Accident/Incident Information

Accident/Incident phase of operation

| | | | | | |
|---|--------------------------------------|-----------------------------------|--------------------------------|---------------------------------|----------------------------------|
| <input type="checkbox"/> Standing | <input type="checkbox"/> Taxi | <input type="checkbox"/> Takeoff | <input type="checkbox"/> Climb | <input type="checkbox"/> Cruise | <input type="checkbox"/> Descent |
| <input checked="" type="checkbox"/> Landing | <input type="checkbox"/> Maneuvering | <input type="checkbox"/> Hovering | <input type="checkbox"/> Other | | |

Property Damage

| | | | | |
|--|--|---|---|--|
| <input checked="" type="checkbox"/> Vehicle Air P ^l ant | <input type="checkbox"/> T/W Lights/Reflectors | <input type="checkbox"/> Airport Facility | <input type="checkbox"/> Threshold Lights | <input checked="" type="checkbox"/> R/W Lights |
| <input type="checkbox"/> Wire Poles | <input type="checkbox"/> T/W Signs | <input type="checkbox"/> Windsock | <input type="checkbox"/> Other | |

Please indicate if this is:

| | | | |
|---|---------------------------------------|--|--|
| <input type="checkbox"/> Initial Report | <input type="checkbox"/> Supplemental | <input checked="" type="checkbox"/> Final Report | Photographs taken? <input checked="" type="radio"/> Yes <input type="radio"/> No |
|---|---------------------------------------|--|--|

Location

| |
|---|
| <u>Rwy 04 started at DTR # 7 ended up close to Rwy 14</u> |
|---|

Witnesses

| | | |
|---------------------------|----------|--------|
| Name: <u>Tower (Bill)</u> | Address: | Phone: |
| | | |
| Name: | Address: | Phone: |
| | | |

Narrative of Accident/Incident

| |
|--|
| <u>Looked like he may have come down to hard. Broke front landing gear then right wing tip hit rwy - skided off the west side of the rwy while the propeller was striking the rwy. Came to a stop near the intersection of rwy 4/22 & 14/32.</u> |
|--|

Injury Summary

| | | | | |
|-------------------------|---------------------------------------|--------------------------------------|--------------|----------|
| # Rescued _____ | Escorted Unaided: <u>3</u> <u>1</u> | | | |
| Injury Code: | Fatal = 4 | Serious = 3 | Minor = 2 | None = 1 |
| Name: <u>Darin Ruid</u> | Address: <u>16050 Inglewood Drive</u> | Passenger/Crew? <u>Lakrville Mo.</u> | Injury Code: | |
| Name: | Address: | Passenger/Crew? | Injury Code: | |
| Name: | Address: | Passenger/Crew? | Injury Code: | |
| Name: | Address: | Passenger/Crew? | Injury Code: | |

Operator Information

| | |
|--|--------|
| Name: <u>same</u> | Phone: |
| Address: | |
| Airman's Certificate Information & Number: | |
| Last Departure Point: | |
| Destination: | |
| NOTAMs in Effect | |

Weather Information at Time of Accident/Incident

| | | | |
|-----------------------------|----------------------------|---------------------------------|------------|
| Visibility: <u>Clear</u> | Ceiling: | Temp: <u>65 F</u> | Dew Point: |
| Wind Direction: <u>Calm</u> | Velocity: | Gust: | Humidity: |
| Barometric Pressure: | Precipitation: <u>None</u> | Weather Condition: <u>Clear</u> | |

ARFF Information:

| |
|--|
| Alarm Received Via: <u>Broadcast on tower freq.</u> |
| Equipment Lost or Damaged: <u>—</u> |
| Accidents or Personal Injuries: <u>None</u> |
| Responding Vehicles: <u>Striker</u> |
| Extinguishing Agent Used: <u>Water - Foam</u> |
| Hazardous Materials: <u>Foam</u> |
| Fuel Spilled and F.D. Action: <u>Yes - Foam ed</u> |
| Time Out of Station: <u>1:28 pm</u> |
| Time Alert Was Terminated: <u>2:45 pm</u> |
| Action Taken to Close/Open Paved Surfaces: <u>Tower closed all movement area</u> |

I certify this report and all attached material to be true and correct to the best of my knowledge.


| | | |
|-----------------------------------|----------------------|----------------------|
| Signature: <u>Robert R. Weiss</u> | Date: <u>4-30-21</u> | Time: <u>3:30 pm</u> |
|-----------------------------------|----------------------|----------------------|

| | | | | | | |
|--|--|---------------------------------|---|---|---|--|
| NON-HAZARDOUS WASTE MANIFEST | | 1. Generator ID Number CESQG | 2. Page 1 of | 3. Emergency Response Phone (800) 814-1204 | 4. Waste Tracking Number CES 174804 | |
| 5. Generator's Name and Mailing Address Chippewa Valley Regional Airport 3800 Starr Ave. Eau Claire Wisconsin 54703 (715) 839-6241 Generator's Phone: | | | Generator's Site Address (if different than mailing address) Chippewa Valley Regional Airport 3800 Starr Ave. Eau Claire Wisconsin 54703 | | | |
| 6. Transporter 1 Company Name Covanta Environmental Solutions Carriers II, LLC | | | U.S. EPA ID Number WTR000165399 | | | |
| 7. Transporter 2 Company Name | | | U.S. EPA ID Number | | | |
| 8. Designated Facility Name and Site Address Chemical Waste Management, Inc. 36964 AL Hwy 17 Emelle AL 35459 (205) 652-8037 Facility's Phone: | | | U.S. EPA ID Number | | | |
| 9. Waste Shipping Name and Description | | 10. Containers | | 11. Total Quantity | 12. Unit Wt./Vol. | |
| | | No. | Type | | | |
| 1. Non-RCRA, Non-DOE Regulated Material | | 001 | CM | | | |
| 2. | | | | | | |
| 3. | | | | | | |
| 4. | | | | | | |
| 13. Special Handling Instructions and Additional Information 14U/233AL PI OAS & TULL contaminated soil LWI: N/A POK: Trailer #S14 Emergency Response Guide Site arrival time _____ Site departure time _____ www.covanta.com | | | | | | |
| 14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste. | | | | | | |
| Generator's/Officer's Printed/Typed Name Todd Norrell | | | Signature <i>Todd Norrell</i> | | Month Day Year 06 03 21 | |
| 15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____ | | | | | | |
| 16. Transporter Acknowledgment of Receipt of Materials | | | | | | |
| Transporter 1 Printed/Typed Name Kev A Carries | | | Signature <i>Kev A Carries</i> | | Month Day Year 06 03 21 | |
| Transporter 2 Printed/Typed Name | | | Signature | | Month Day Year | |
| 17. Discrepancy | | | | | | |
| 17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection | | | | | | |
| Manifest Reference Number: | | | | | | |
| 17b. Alternate Facility (or Generator) | | | U.S. EPA ID Number | | | |
| Facility's Phone: | | | | | | |
| 17c. Signature of Alternate Facility (or Generator) | | | Signature | | Month Day Year | |
| 18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a | | | | | | |
| Printed/Typed Name | | | Signature | | Month Day Year | |

GENERATOR
INT'L
TRANSPORTER
DESIGNATED FACILITY

Dirt photo.jpg





Google Earth - Edit Placemark

Name:

Latitude:

Longitude:

Description




20210430WC09-1 CHIPPEWA VALLEY REGIONAL AIRPORT



Legend

- Open Site
- Closed Site
- Continuing Obligations Apply
- Facility-wide Site



NAD_1983_HARN_Wisconsin_TM

1: 15,840



DISCLAIMER: The information shown on these maps has been obtained from various sources, and are of varying age, reliability and resolution. These maps are not intended to be used for navigation, nor are these maps an authoritative source of information about legal land ownership or public access. No warranty, expressed or implied, is made regarding accuracy, applicability for a particular use, completeness, or legality of the information depicted on this map. For more information, see the DNR Legal Notices web page: <http://dnr.wi.gov/org/legal/>

Note: Not all sites are mapped.

Notes

AFFF FOAM
EAU CLAIRE
CHIPPEWA COUNTY