

From: Paul Lindquist <PLINDQUIST@ramboll.com>
Sent: Friday, July 8, 2022 10:46 AM
To: Beggs, Tauren R - DNR
Cc: Susan Petrofske; Jeanne Tarvin
Subject: RE: Update Request for Potable Well Sampling for Mirro Co Plt 2 (Former), BRRTS # 02-36-588656

Follow Up Flag: Follow up
Flag Status: Flagged

Hello Tauren,

This e-mail provides a brief update on the potable well sampling status and the telephone conference call between the Newell Operating Company (NOC) team (ArentFox Schiff [AFS] and Ramboll) and the Tramontina team (Akerman and Geosyntec) for the former Mirro Plant No. 2 project.

The following provides a status update for the seven addresses identified in the Immediate Action Work Plan for possible potable well sampling. Please note that access requests were initiated prior to May 28, 2022, and the most recently signed access agreement was received on July 6, 2022.

- 1750 Mirro Drive
 - Left several voicemails and sent proposed access agreement to owner.
 - Owner has not responded to phone calls or letter.
- 3202 Mirro Drive
 - Access was granted by owner.
- 1924 Woodland Drive
 - Owner indicated residence is on municipal water.
 - Access was not requested.
- 2509 Woodland Drive
 - Owner indicated well used for non-potable purposes (toilet and bathroom sink) only.
 - WDNR concurred that sampling was not required.
 - Access was not requested.
- 2519 Woodland Drive
 - Access was granted by owner.
- 2722 Woodland Drive
 - Access was granted by owner.
- 3104 Woodland Drive
 - Access was granted by owner.

At this time, only the property owner at 1750 Mirro Drive has not responded to NOC's request for access. If possible, we would appreciate WDNR's assistance with contacting 1750 Mirro Drive to secure access for sampling.

After 1750 approves or declines to provide access, we will contact each homeowner to schedule sampling dates.

On Thursday, July 7, 2022, a conference call was completed between the AFS/Ramboll and Akerman/Geosyntec teams. The call allowed the parties to open a line of communication. The parties agreed to share certain documents, and to provide sampling data to each other no later than providing that data to WDNR.

Please let me know if you have any questions.

Thank you.

Paul Lindquist

Managing Consultant

D 262-901-3510
M 612-209-8676
plindquist@ramboll.com

From: Beggs, Tauren R - DNR <Tauren.Beggs@wisconsin.gov>
Sent: Wednesday, July 6, 2022 12:36 PM
To: Paul Lindquist <PLINDQUIST@ramboll.com>; Susan Petrofske <SPETROFSKE@ramboll.com>
Subject: Update Request for Potable Well Sampling for Mirro Co Plt 2 (Former), BRRTS # 02-36-588656

Good afternoon Paul and Susan,

Just reaching out to see when you think the results for the potable well sampling is expected to be submitted to the DNR for the sampling that was proposed in the April 2022 work plan that was approved by DNR on May 13, 2022.

Regards,

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Tauren R. Beggs

Hydrogeologist & Northeast Region Land Recycling Expert
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
2984 Shawano Ave
Green Bay, WI 54313
Phone: (920) 510-3472

Tauren.Beggs@wisconsin.gov (preferred contact method during work at home)

dnr.wi.gov