

February 22, 2022

Kevin Nestingen  
Kwik Trip  
1813 Kramer St  
La Crosse, WI 54603

RE: Project: KT 749  
Pace Project No.: 40240703

Dear Kevin Nestingen:

Enclosed are the analytical results for sample(s) received by the laboratory on February 17, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten  
brian.basten@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Jason Powell, Kwik Trip



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: KT 749  
Pace Project No.: 40240703

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: KT 749  
Pace Project No.: 40240703

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40240703001	G-1-2	Solid	02/15/22 10:45	02/17/22 10:05
40240703002	G-1-4	Solid	02/15/22 11:15	02/17/22 10:05
40240703003	TW-1	Water	02/15/22 11:45	02/17/22 10:05

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: KT 749  
Pace Project No.: 40240703

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40240703001	G-1-2	EPA 8260	ALD	13
		ASTM D2974-87	MRP	1
40240703002	G-1-4	EPA 8260	ALD	13
		ASTM D2974-87	MRP	1
40240703003	TW-1	EPA 8260	JAV	64

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: KT 749  
Pace Project No.: 40240703

---

**Method:** EPA 8260  
**Description:** 8260 MSV Med Level Short List  
**Client:** KWIK TRIP  
**Date:** February 22, 2022

**General Information:**

2 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 5035/5030B with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: KT 749  
Pace Project No.: 40240703

---

**Method:** EPA 8260  
**Description:** 8260 MSV  
**Client:** KWIK TRIP  
**Date:** February 22, 2022

**General Information:**

1 sample was analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: KT 749  
Pace Project No.: 40240703

**Sample: G-1-2**      **Lab ID: 40240703001**      Collected: 02/15/22 10:45      Received: 02/17/22 10:05      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Short List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.7	ug/kg	23.1	13.7	1	02/18/22 07:30	02/18/22 16:50	71-43-2	
Ethylbenzene	<13.7	ug/kg	57.7	13.7	1	02/18/22 07:30	02/18/22 16:50	100-41-4	
Methyl-tert-butyl ether	<17.0	ug/kg	57.7	17.0	1	02/18/22 07:30	02/18/22 16:50	1634-04-4	
Naphthalene	<18.0	ug/kg	288	18.0	1	02/18/22 07:30	02/18/22 16:50	91-20-3	
Toluene	<14.5	ug/kg	57.7	14.5	1	02/18/22 07:30	02/18/22 16:50	108-88-3	
1,2,4-Trimethylbenzene	<17.2	ug/kg	57.7	17.2	1	02/18/22 07:30	02/18/22 16:50	95-63-6	
1,3,5-Trimethylbenzene	<18.6	ug/kg	57.7	18.6	1	02/18/22 07:30	02/18/22 16:50	108-67-8	
Xylene (Total)	<41.6	ug/kg	173	41.6	1	02/18/22 07:30	02/18/22 16:50	1330-20-7	
m&p-Xylene	<24.3	ug/kg	115	24.3	1	02/18/22 07:30	02/18/22 16:50	179601-23-1	
o-Xylene	<17.3	ug/kg	57.7	17.3	1	02/18/22 07:30	02/18/22 16:50	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	113	%	66-153		1	02/18/22 07:30	02/18/22 16:50	460-00-4	
Toluene-d8 (S)	106	%	67-159		1	02/18/22 07:30	02/18/22 16:50	2037-26-5	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	02/18/22 07:30	02/18/22 16:50	2199-69-1	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	7.1	%	0.10	0.10	1		02/18/22 15:33		
------------------	-----	---	------	------	---	--	----------------	--	--

**Sample: G-1-4**      **Lab ID: 40240703002**      Collected: 02/15/22 11:15      Received: 02/17/22 10:05      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Short List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.7	ug/kg	21.3	12.7	1	02/18/22 07:30	02/18/22 17:10	71-43-2	
Ethylbenzene	<12.7	ug/kg	53.3	12.7	1	02/18/22 07:30	02/18/22 17:10	100-41-4	
Methyl-tert-butyl ether	<15.7	ug/kg	53.3	15.7	1	02/18/22 07:30	02/18/22 17:10	1634-04-4	
Naphthalene	<16.6	ug/kg	266	16.6	1	02/18/22 07:30	02/18/22 17:10	91-20-3	
Toluene	<13.4	ug/kg	53.3	13.4	1	02/18/22 07:30	02/18/22 17:10	108-88-3	
1,2,4-Trimethylbenzene	<15.9	ug/kg	53.3	15.9	1	02/18/22 07:30	02/18/22 17:10	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/kg	53.3	17.2	1	02/18/22 07:30	02/18/22 17:10	108-67-8	
Xylene (Total)	<38.5	ug/kg	160	38.5	1	02/18/22 07:30	02/18/22 17:10	1330-20-7	
m&p-Xylene	<22.5	ug/kg	107	22.5	1	02/18/22 07:30	02/18/22 17:10	179601-23-1	
o-Xylene	<16.0	ug/kg	53.3	16.0	1	02/18/22 07:30	02/18/22 17:10	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	97	%	66-153		1	02/18/22 07:30	02/18/22 17:10	460-00-4	
Toluene-d8 (S)	94	%	67-159		1	02/18/22 07:30	02/18/22 17:10	2037-26-5	
1,2-Dichlorobenzene-d4 (S)	103	%	82-158		1	02/18/22 07:30	02/18/22 17:10	2199-69-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: KT 749  
Pace Project No.: 40240703

**Sample: G-1-4**      **Lab ID: 40240703002**      Collected: 02/15/22 11:15      Received: 02/17/22 10:05      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.2	%	0.10	0.10	1		02/18/22 15:33		

**Sample: TW-1**      **Lab ID: 40240703003**      Collected: 02/15/22 11:45      Received: 02/17/22 10:05      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/18/22 14:55	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/18/22 14:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/18/22 14:55	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/18/22 14:55	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/18/22 14:55	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/18/22 14:55	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/18/22 14:55	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/18/22 14:55	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/18/22 14:55	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/18/22 14:55	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/18/22 14:55	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/18/22 14:55	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/18/22 14:55	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/18/22 14:55	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/18/22 14:55	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/18/22 14:55	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/18/22 14:55	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/18/22 14:55	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/18/22 14:55	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/18/22 14:55	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/18/22 14:55	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/18/22 14:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/18/22 14:55	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		02/18/22 14:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/18/22 14:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/18/22 14:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/18/22 14:55	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/18/22 14:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/18/22 14:55	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/18/22 14:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/18/22 14:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/18/22 14:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/18/22 14:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/18/22 14:55	74-87-3	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: KT 749  
Pace Project No.: 40240703

**Sample: TW-1**      **Lab ID: 40240703003**      Collected: 02/15/22 11:45      Received: 02/17/22 10:05      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/18/22 14:55	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/18/22 14:55	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/18/22 14:55	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/18/22 14:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/18/22 14:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/18/22 14:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/18/22 14:55	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/18/22 14:55	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/18/22 14:55	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/18/22 14:55	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		02/18/22 14:55	100-42-5	
Tetrachloroethene	22.1	ug/L	1.0	0.41	1		02/18/22 14:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/18/22 14:55	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/18/22 14:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/18/22 14:55	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/18/22 14:55	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/18/22 14:55	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/18/22 14:55	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/18/22 14:55	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/18/22 14:55	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/18/22 14:55	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/18/22 14:55	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/18/22 14:55	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/18/22 14:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/18/22 14:55	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/18/22 14:55	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/18/22 14:55	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	91	%	70-130		1		02/18/22 14:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		02/18/22 14:55	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		02/18/22 14:55	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: KT 749  
Pace Project No.: 40240703

QC Batch: 408590 Analysis Method: EPA 8260  
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Short List  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40240703001, 40240703002

METHOD BLANK: 2354779 Matrix: Solid

Associated Lab Samples: 40240703001, 40240703002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	02/18/22 10:12	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	02/18/22 10:12	
Benzene	ug/kg	<11.9	20.0	02/18/22 10:12	
Ethylbenzene	ug/kg	<11.9	50.0	02/18/22 10:12	
m&p-Xylene	ug/kg	<21.1	100	02/18/22 10:12	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	02/18/22 10:12	
Naphthalene	ug/kg	<15.6	250	02/18/22 10:12	
o-Xylene	ug/kg	<15.0	50.0	02/18/22 10:12	
Toluene	ug/kg	<12.6	50.0	02/18/22 10:12	
Xylene (Total)	ug/kg	<36.1	150	02/18/22 10:12	
1,2-Dichlorobenzene-d4 (S)	%	103	82-158	02/18/22 10:12	
4-Bromofluorobenzene (S)	%	99	66-153	02/18/22 10:12	
Toluene-d8 (S)	%	102	67-159	02/18/22 10:12	

LABORATORY CONTROL SAMPLE: 2354780

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	2500	2330	93	70-130	
Ethylbenzene	ug/kg	2500	2600	104	78-120	
m&p-Xylene	ug/kg	5000	5040	101	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2130	85	65-130	
o-Xylene	ug/kg	2500	2530	101	70-130	
Toluene	ug/kg	2500	2330	93	76-120	
Xylene (Total)	ug/kg	7500	7570	101	70-130	
1,2-Dichlorobenzene-d4 (S)	%			102	82-158	
4-Bromofluorobenzene (S)	%			103	66-153	
Toluene-d8 (S)	%			97	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2354781 2354782

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40240736005 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
Benzene	ug/kg	<15.7	1320	1320	1170	1180	89	90	70-130	1	20	
Ethylbenzene	ug/kg	<15.7	1320	1320	1280	1290	97	98	78-120	1	20	
m&p-Xylene	ug/kg	<27.8	2630	2630	2490	2520	95	96	70-130	1	20	
Methyl-tert-butyl ether	ug/kg	<19.3	1320	1320	1080	1080	82	82	65-130	0	20	
o-Xylene	ug/kg	<19.7	1320	1320	1290	1300	98	99	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: KT 749  
Pace Project No.: 40240703

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2354781		2354782		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40240736005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Toluene	ug/kg	<16.6	1320	1320	1190	1180	90	90	76-120	1	20		
Xylene (Total)	ug/kg	<47.5	3950	3950	3780	3820	96	97	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						121	123	82-158				
4-Bromofluorobenzene (S)	%						123	125	66-153				
Toluene-d8 (S)	%						111	113	67-159				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: KT 749  
Pace Project No.: 40240703

QC Batch: 408567      Analysis Method: EPA 8260  
QC Batch Method: EPA 8260      Analysis Description: 8260 MSV  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40240703003

METHOD BLANK: 2354665      Matrix: Water  
Associated Lab Samples: 40240703003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	02/18/22 08:38	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	02/18/22 08:38	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	02/18/22 08:38	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	02/18/22 08:38	
1,1-Dichloroethane	ug/L	<0.30	1.0	02/18/22 08:38	
1,1-Dichloroethene	ug/L	<0.58	1.0	02/18/22 08:38	
1,1-Dichloropropene	ug/L	<0.41	1.0	02/18/22 08:38	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	02/18/22 08:38	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	02/18/22 08:38	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	02/18/22 08:38	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	02/18/22 08:38	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	02/18/22 08:38	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	02/18/22 08:38	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	02/18/22 08:38	
1,2-Dichloroethane	ug/L	<0.29	1.0	02/18/22 08:38	
1,2-Dichloropropane	ug/L	<0.45	1.0	02/18/22 08:38	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	02/18/22 08:38	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	02/18/22 08:38	
1,3-Dichloropropane	ug/L	<0.30	1.0	02/18/22 08:38	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	02/18/22 08:38	
2,2-Dichloropropane	ug/L	<4.2	5.0	02/18/22 08:38	
2-Chlorotoluene	ug/L	<0.89	5.0	02/18/22 08:38	
4-Chlorotoluene	ug/L	<0.89	5.0	02/18/22 08:38	
Benzene	ug/L	<0.30	1.0	02/18/22 08:38	
Bromobenzene	ug/L	<0.36	1.0	02/18/22 08:38	
Bromochloromethane	ug/L	<0.36	5.0	02/18/22 08:38	
Bromodichloromethane	ug/L	<0.42	1.0	02/18/22 08:38	
Bromoform	ug/L	<3.8	5.0	02/18/22 08:38	
Bromomethane	ug/L	<1.2	5.0	02/18/22 08:38	
Carbon tetrachloride	ug/L	<0.37	1.0	02/18/22 08:38	
Chlorobenzene	ug/L	<0.86	1.0	02/18/22 08:38	
Chloroethane	ug/L	<1.4	5.0	02/18/22 08:38	
Chloroform	ug/L	<1.2	5.0	02/18/22 08:38	
Chloromethane	ug/L	<1.6	5.0	02/18/22 08:38	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	02/18/22 08:38	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	02/18/22 08:38	
Dibromochloromethane	ug/L	<2.6	5.0	02/18/22 08:38	
Dibromomethane	ug/L	<0.99	5.0	02/18/22 08:38	
Dichlorodifluoromethane	ug/L	<0.46	5.0	02/18/22 08:38	
Diisopropyl ether	ug/L	<1.1	5.0	02/18/22 08:38	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: KT 749  
Pace Project No.: 40240703

METHOD BLANK: 2354665

Matrix: Water

Associated Lab Samples: 40240703003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	02/18/22 08:38	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	02/18/22 08:38	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	02/18/22 08:38	
m&p-Xylene	ug/L	<0.70	2.0	02/18/22 08:38	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	02/18/22 08:38	
Methylene Chloride	ug/L	<0.32	5.0	02/18/22 08:38	
n-Butylbenzene	ug/L	<0.86	1.0	02/18/22 08:38	
n-Propylbenzene	ug/L	<0.35	1.0	02/18/22 08:38	
Naphthalene	ug/L	<1.1	5.0	02/18/22 08:38	
o-Xylene	ug/L	<0.35	1.0	02/18/22 08:38	
p-Isopropyltoluene	ug/L	<1.0	5.0	02/18/22 08:38	
sec-Butylbenzene	ug/L	<0.42	1.0	02/18/22 08:38	
Styrene	ug/L	<0.36	1.0	02/18/22 08:38	
tert-Butylbenzene	ug/L	<0.59	1.0	02/18/22 08:38	
Tetrachloroethene	ug/L	<0.41	1.0	02/18/22 08:38	
Toluene	ug/L	<0.29	1.0	02/18/22 08:38	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	02/18/22 08:38	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	02/18/22 08:38	
Trichloroethene	ug/L	<0.32	1.0	02/18/22 08:38	
Trichlorofluoromethane	ug/L	<0.42	1.0	02/18/22 08:38	
Vinyl chloride	ug/L	<0.17	1.0	02/18/22 08:38	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	02/18/22 08:38	
4-Bromofluorobenzene (S)	%	92	70-130	02/18/22 08:38	
Toluene-d8 (S)	%	99	70-130	02/18/22 08:38	

LABORATORY CONTROL SAMPLE: 2354666

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.2	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	45.4	91	66-130	
1,1,2-Trichloroethane	ug/L	50	49.1	98	70-130	
1,1-Dichloroethane	ug/L	50	52.9	106	68-132	
1,1-Dichloroethene	ug/L	50	48.4	97	85-126	
1,2,4-Trichlorobenzene	ug/L	50	45.9	92	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	42.7	85	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	48.7	97	70-130	
1,2-Dichlorobenzene	ug/L	50	49.8	100	70-130	
1,2-Dichloroethane	ug/L	50	55.5	111	70-130	
1,2-Dichloropropane	ug/L	50	51.9	104	78-125	
1,3-Dichlorobenzene	ug/L	50	47.8	96	70-130	
1,4-Dichlorobenzene	ug/L	50	49.3	99	70-130	
Benzene	ug/L	50	48.7	97	70-132	
Bromodichloromethane	ug/L	50	49.9	100	70-130	
Bromoform	ug/L	50	45.6	91	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: KT 749  
Pace Project No.: 40240703

LABORATORY CONTROL SAMPLE: 2354666

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	26.0	52	44-128	
Carbon tetrachloride	ug/L	50	55.6	111	70-130	
Chlorobenzene	ug/L	50	50.4	101	70-130	
Chloroethane	ug/L	50	49.3	99	73-137	
Chloroform	ug/L	50	50.0	100	80-122	
Chloromethane	ug/L	50	45.9	92	27-148	
cis-1,2-Dichloroethene	ug/L	50	47.0	94	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.5	93	70-130	
Dibromochloromethane	ug/L	50	49.5	99	70-130	
Dichlorodifluoromethane	ug/L	50	28.8	58	22-151	
Ethylbenzene	ug/L	50	49.2	98	80-123	
Isopropylbenzene (Cumene)	ug/L	50	52.7	105	70-130	
m&p-Xylene	ug/L	100	101	101	70-130	
Methyl-tert-butyl ether	ug/L	50	42.0	84	66-130	
Methylene Chloride	ug/L	50	47.7	95	70-130	
o-Xylene	ug/L	50	49.9	100	70-130	
Styrene	ug/L	50	52.8	106	70-130	
Tetrachloroethene	ug/L	50	52.4	105	70-130	
Toluene	ug/L	50	47.4	95	80-121	
trans-1,2-Dichloroethene	ug/L	50	47.3	95	70-130	
trans-1,3-Dichloropropene	ug/L	50	46.8	94	58-125	
Trichloroethene	ug/L	50	50.7	101	70-130	
Trichlorofluoromethane	ug/L	50	55.4	111	84-148	
Vinyl chloride	ug/L	50	51.5	103	63-142	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			94	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2354746 2354747

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40240666001 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
1,1,1-Trichloroethane	ug/L	<0.30	50	50	49.6	50.6	99	101	70-130	2	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	43.1	45.7	86	91	66-130	6	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	48.1	49.5	96	99	70-130	3	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	51.8	50.9	104	102	68-132	2	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	47.2	48.5	94	97	76-132	3	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.0	46.6	92	93	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	39.8	43.6	80	87	51-126	9	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	47.5	49.1	95	98	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	47.2	49.1	94	98	70-130	4	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	55.2	56.6	110	113	70-130	2	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	50.8	51.7	102	103	77-125	2	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	46.5	48.7	93	97	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: KT 749  
Pace Project No.: 40240703

Parameter	Units	2354746		2354747		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40240666001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.0	49.5	96	99	70-130	3	20		
Benzene	ug/L	<0.30	50	50	47.5	48.7	95	97	70-132	3	20		
Bromodichloromethane	ug/L	<0.42	50	50	49.5	50.2	99	100	70-130	2	20		
Bromoform	ug/L	<3.8	50	50	44.0	46.1	88	92	65-130	5	20		
Bromomethane	ug/L	<1.2	50	50	31.0	33.6	62	67	44-128	8	21		
Carbon tetrachloride	ug/L	<0.37	50	50	53.4	54.3	107	109	70-132	2	20		
Chlorobenzene	ug/L	<0.86	50	50	47.6	49.8	95	100	70-130	5	20		
Chloroethane	ug/L	<1.4	50	50	49.0	50.1	98	100	70-137	2	20		
Chloroform	ug/L	<1.2	50	50	48.8	49.9	98	100	80-122	2	20		
Chloromethane	ug/L	<1.6	50	50	44.7	45.6	89	91	17-149	2	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	47.1	48.0	94	96	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	45.4	47.1	91	94	70-130	4	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.9	50.9	98	102	70-130	4	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	26.4	26.8	53	54	22-158	2	20		
Ethylbenzene	ug/L	<0.33	50	50	46.2	48.7	92	97	80-123	5	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	50.7	52.1	101	104	70-130	3	20		
m&p-Xylene	ug/L	<0.70	100	100	96.5	98.9	97	99	70-130	2	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	39.9	45.2	80	90	66-130	12	20		
Methylene Chloride	ug/L	<0.32	50	50	47.6	48.5	95	97	70-130	2	20		
o-Xylene	ug/L	<0.35	50	50	47.2	50.0	94	100	70-130	6	20		
Styrene	ug/L	<0.36	50	50	51.0	52.7	102	105	70-130	3	20		
Tetrachloroethene	ug/L	<0.41	50	50	49.7	51.0	99	102	70-130	2	20		
Toluene	ug/L	<0.29	50	50	45.6	47.0	91	94	80-121	3	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	46.3	48.3	93	97	70-134	4	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	45.9	47.4	92	95	58-130	3	20		
Trichloroethene	ug/L	<0.32	50	50	50.4	49.4	101	99	70-130	2	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	54.6	55.3	109	111	82-151	1	20		
Vinyl chloride	ug/L	<0.17	50	50	50.9	50.9	102	102	61-143	0	20		
1,2-Dichlorobenzene-d4 (S)	%						99	100	70-130				
4-Bromofluorobenzene (S)	%						92	94	70-130				
Toluene-d8 (S)	%						98	98	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: KT 749  
Pace Project No.: 40240703

---

QC Batch: 408620	Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87	Analysis Description: Dry Weight/Percent Moisture
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40240703001, 40240703002

---

SAMPLE DUPLICATE: 2355038

Parameter	Units	40240574001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	5.1	5.0	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: KT 749  
Pace Project No.: 40240703

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: KT 749  
Pace Project No.: 40240703

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40240703001	G-1-2	EPA 5035/5030B	408590	EPA 8260	408594
40240703002	G-1-4	EPA 5035/5030B	408590	EPA 8260	408594
40240703003	TW-1	EPA 8260	408567		
40240703001	G-1-2	ASTM D2974-87	408620		
40240703002	G-1-4	ASTM D2974-87	408620		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name:	Kwik Trip, Inc	
Branch/Location:		
Project Contact:	Jason Powell	
Phone:	612 791-3482	
Project Number:		
Project Name:	LT 749	
Project State:	WI	
Sampled By (Print):	Jason Powell	
Sampled By (Sign):	<i>Jason T. Powell</i>	
PO #:	M797323742	Regulatory Program:



UPPER MIDWEST REGION  
 MN: 612-607-1700 WI: 920-469-2436

40240703

## CHAIN OF CUSTODY

**\*Preservation Codes**

A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Quote #:		
Mail To Contact:		
Mail To Company:	Kwik Trip	
Mail To Address:		
Invoice To Contact:		
Invoice To Company:	Kwik Trip	
Invoice To Address:		
Invoice To Phone:		
<b>CLIENT COMMENTS</b>	<b>LAB COMMENTS (Lab Use Only)</b>	Profile #

FILTERED? (YES/NO)	PRESERVATION (CODE)*	Y/N	Pick Letter	Analyses Requested									
		N	F	PUOC + Naph									
		N	A	% Solid									
		N	B	VOC									

<b>Data Package Options</b> (billable) <input type="checkbox"/> EPA Level III <input type="checkbox"/> EPA Level IV	<b>MS/MSD</b> <input type="checkbox"/> On your sample (billable) <input type="checkbox"/> NOT needed on your sample	<b>Matrix Codes</b> A = Air W = Water B = Biota DW = Drinking Water C = Charcoal GW = Ground Water O = Oil SW = Surface Water S = Soil WW = Waste Water SI = Sludge WP = Wipe
--	---	---

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	G-1-2	2/15/22	10:45 AM	S
002	G-1-4		11:15 AM	S
003	TW-1		11:45 AM	GW

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed: Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <i>Jason T. Powell</i> Date/Time: 2/16/22 9:20 AM	Received By: Date/Time:	PACE Project No. 40240703 Receipt Temp = 1 °C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / Not Present Intact / Not Intact
	Relinquished By: Fed ex Date/Time: 2-17-22 1005	Received By: <i>Jason Powell</i> Date/Time: 2-17-22 1005	
	Relinquished By: Date/Time:	Received By: Date/Time:	
	Relinquished By: Date/Time:	Received By: Date/Time:	
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: Date/Time:	Received By: Date/Time:	

# Sample Preservation Receipt Form

Pace Analytical Services, LLC  
1241 Bellevue Street, Suite 9  
Green Bay, WI 54302

Client Name: Kwik Trip

Project # 40240703

All containers needing preservation have been checked and noted below:  Yes  No  N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #/ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials				Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN				
001																																				2.5 / 5 / 10
002																																				2.5 / 5 / 10
003																																				2.5 / 5 / 10
004																																				2.5 / 5 / 10
005																																				2.5 / 5 / 10
006																																				2.5 / 5 / 10
007																																				2.5 / 5 / 10
008																																				2.5 / 5 / 10
009																																				2.5 / 5 / 10
010																																				2.5 / 5 / 10
011																																				2.5 / 5 / 10
012																																				2.5 / 5 / 10
013																																				2.5 / 5 / 10
014																																				2.5 / 5 / 10
015																																				2.5 / 5 / 10
016																																				2.5 / 5 / 10
017																																				2.5 / 5 / 10
018																																				2.5 / 5 / 10
019																																				2.5 / 5 / 10
020																																				2.5 / 5 / 10

Exceptions to preservation check:  VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: \_\_\_\_\_ Headspace in VOA Vials (>6mm) :  Yes  No  N/A \*If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			



Document Name:  
**Sample Condition Upon Receipt (SCUR)**  
 Document No.:  
**ENV-FRM-GBAY-0014-Rev.00**

Document Revised: 26Mar2020  
 Author:  
 Pace Green Bay Quality Office

**Sample Condition Upon Receipt Form (SCUR)**

Project #: \_\_\_\_\_

Client Name: Kwik Trip

**WO#: 40240703**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: 8138 7565 8210

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Thermometer Used SR-113 Type of Ice:  Wet  Blue  Dry  None  Samples on ice, cooling process has begun

Cooler Temperature Uncorr: \ /Corr: \. \

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Person examining contents:  
 Date: 2-17-22 /Initials: AP  
 Labeled By Initials: NK

Temp should be above freezing to 6°C.  
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Proj #, Pg #</u> <span style="float: right;"><u>2-17-22 AP</u></span>
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No - VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time: _____
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No -Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A -Pace IR Containers Used: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	9.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A -Includes date/time/ID/Analysis Matrix: <u>S/W</u>	12. <u>NO date + time on samples</u> <span style="float: right;"><u>2-17-22 AP</u></span>
Trip Blank Present: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments   
 Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir