

**From:** Lumley, Lisa - DOT  
**Sent:** Wednesday, May 11, 2022 5:08 PM  
**To:** Schmenk, Colin R -DNR  
**Cc:** Sommerfeld, Mae M - DOT  
**Subject:** RE: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County  
**Attachments:** WisDOT 6230-20-00 Seymour Phase 2.5.pdf

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

See attached!

Let me know if you need anything else, Colin!

---

**From:** Schmenk, Colin R -DNR <[colinr.schmenk@wisconsin.gov](mailto:colinr.schmenk@wisconsin.gov)>  
**Sent:** Monday, May 9, 2022 2:13 PM  
**To:** Lumley, Lisa - DOT <[lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)>  
**Cc:** Sommerfeld, Mae M - DOT <[mae.sommerfeld@dot.wi.gov](mailto:mae.sommerfeld@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County

Hi Lisa,

Do you have a Phase 2.5 or other documentation to go along with this special provisions review? I only received the special provisions for this project but you included a Phase 2.5 in addition to the special provisions for the 6517-15-30 project. I'm not familiar with the project so some additional information (Phase 2/2.5, Phase 1, plan figures, associated BRRTS case(s), etc.) would be appreciated for 6230-20-00.

Thanks,  
-Colin

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Colin Schmenk

Hydrogeologist – Remediation & Redevelopment Program  
Wisconsin Department of Natural Resources  
2984 Shawano Ave  
Green Bay, WI 54313-6727  
Phone #: (920) 510-9482  
[ColinR.Schmenk@Wisconsin.gov](mailto:ColinR.Schmenk@Wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)



---

**From:** Lumley, Lisa - DOT <[lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)>  
**Sent:** Monday, May 9, 2022 12:10 PM  
**To:** Schmenk, Colin R -DNR <[colinr.schmenk@wisconsin.gov](mailto:colinr.schmenk@wisconsin.gov)>

**Cc:** Sommerfeld, Mae M - DOT <[mae.sommerfeld@dot.wi.gov](mailto:mae.sommerfeld@dot.wi.gov)>  
**Subject:** FW: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County

Hi Colin,

Please review the special provisions for project 6230-20-00, WIS 54, Seymour, Outagamie County. Let me know if you have comments or concerns. I will wait for your concurrence before proceeding.

## **Lisa Lumley**

Environmental Analysis and Review Specialist  
Wisconsin Department of Transportation  
Northeast Region  
(920) 360-6684  
[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** Paul Raymaker <[praymaker@baywest.com](mailto:praymaker@baywest.com)>  
**Sent:** Thursday, May 5, 2022 11:57 AM  
**To:** Sommerfeld, Mae M - DOT <[mae.sommerfeld@dot.wi.gov](mailto:mae.sommerfeld@dot.wi.gov)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>; Lumley, Lisa - DOT <[lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)>;  
Tarek Aboueid <[taboueid@BAYWEST.com](mailto:taboueid@BAYWEST.com)>  
**Subject:** RE: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County

**CAUTION: This email originated from outside the organization.  
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hi Mae-

Attached are the special provisions for Project 6230-20-00 in Seymour that was revised based on your comments. Take a look and let me know if you have any questions or additional revisions. I've also attached the special provisions for Project 6517-15-30 in Shiocton that has your revisions integrated into the document as applicable; however, let me know if I need to send those special provisions to a different group in a separate project specific email.

Thanks,

**Paul Raymaker, P.G.**

**Project Manager**

direct: 651-291-3411 | cell: 651-785-5618

24-hr Emergency: 1-800-279-0456



[www.baywest.com](http://www.baywest.com)

---

**From:** Sommerfeld, Mae M - DOT <[mae.sommerfeld@dot.wi.gov](mailto:mae.sommerfeld@dot.wi.gov)>  
**Sent:** Monday, April 11, 2022 3:13 PM  
**To:** Paul Raymaker <[praymaker@baywest.com](mailto:praymaker@baywest.com)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>; Lumley, Lisa - DOT <[lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County

Hi Paul,

Attached are comments for STPS. After these changes are made and we are happy with the adjustments we will send to DNR for concurrence.

For the stockpiling comment, below is example language from a previous project.

When material is encountered outside the above-identified limits of known contamination that appears to have been impacted with petroleum or chemical products, or when other obvious potentially contaminated materials are encountered or material exhibits characteristics of industrial-type wastes, such as fly ash, foundry sand, and cinders, or when underground storage tanks are encountered, suspend excavation in that area and notify the engineer.

Some material may require additional characterization prior to disposal. Provide for the temporary stockpiling of up to XX cubic yards of contaminated soil on-site that require additional characterization. Construct and maintain a temporary stockpile of the material according to NR 718.05(3), including, but not limited to, placement of the contaminated soil/fill material on an impervious surface and covering the stockpile with impervious material to prevent infiltration of precipitation. The environmental consultant will collect representative samples of the stockpiled material, laboratory-analyze the samples, and advise the contractor, within XX business days of the construction of the stockpile, of disposal requirements. The stockpiled material shall be disposed either at the WDNR-licensed disposal facility by the contractor or, if characterized as hazardous waste, by the department. As an alternative to temporarily stockpiling contaminated soil/fill material that requires additional characterization, the contractor has the option to suspend excavation in those areas, as stated above.

As far as the contaminated water, we didn't see any language addressing that in the STPS, there is a comment about it now in there. I wanted to ask if any coordination has been done with the municipality to see if we could dewater into their waste water treatment facility?

Thanks,

**Mae Sommerfeld**

Regional Environmental Coordinator  
Department of Transportation  
Northeast Region  
Email: [Mae.sommerfeld@dot.wi.gov](mailto:Mae.sommerfeld@dot.wi.gov)

---

**From:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Sent:** Wednesday, March 16, 2022 8:44 AM  
**To:** Sommerfeld, Mae M - DOT <[mae.sommerfeld@dot.wi.gov](mailto:mae.sommerfeld@dot.wi.gov)>; Lumley, Lisa - DOT <[lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)>  
**Subject:** FW: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County

Are one of you comfortable working with Jesse to make sure everything we need is here? Just a note that after we're good with them, they should be sent to our DNR R&R LTE (would be Colin now) for concurrence.

Let me know if you have any questions.

Thanks,  
Kathie

---

**From:** Paul Raymaker <[praymaker@baywest.com](mailto:praymaker@baywest.com)>  
**Sent:** Monday, March 14, 2022 1:17 PM  
**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>; Mark Gretebeck <[mgretebeck@BAYWEST.com](mailto:mgretebeck@BAYWEST.com)>  
**Cc:** Lumley, Lisa - DOT <[lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)>; Sommerfeld, Mae M - DOT <[mae.sommerfeld@dot.wi.gov](mailto:mae.sommerfeld@dot.wi.gov)>; Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County

**CAUTION: This email originated from outside the organization.  
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hi Kathie-

Attached are the special provisions for WIS 54 project (6230-20-00) for your review. Let me know if you have any changes or if you think any other special provision text blocks are required for this work.

**Paul Raymaker, PG**

Project Manager/Geologist  
Direct: 651-291-3411 Cell: 651-785-5618  
[praymaker@baywest.com](mailto:praymaker@baywest.com)

**Bay West LLC**

*Customer-Focused Environmental & Industrial Solutions*  
5201 East River Road #313, Minneapolis, MN 55421  
24-hrs: 1-800-279-0456  
[www.baywest.com](http://www.baywest.com)

*[Check it out. . . Bay West Way of Being](#)*

---

**From:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Sent:** Monday, February 7, 2022 12:48 PM  
**To:** Paul Raymaker <[praymaker@baywest.com](mailto:praymaker@baywest.com)>; Mark Gretebeck <[mgretebeck@BAYWEST.com](mailto:mgretebeck@BAYWEST.com)>  
**Cc:** Lumley, Lisa - DOT <[lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)>; Sommerfeld, Mae M - DOT <[mae.sommerfeld@dot.wi.gov](mailto:mae.sommerfeld@dot.wi.gov)>; Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** FW: Phase 2.5 Work Plan 6230-20-00, WIS 54, Outagamie County

Hi, Paul and Mark

The e-mail below contains a link to the updated plans for the WIS 54 project (6230-20-00) in Outagamie County.

If you have any questions, feel free to reach out to Lisa, or Mae, or Jesse. I can also assist as needed.

Thank you,

Kathie

---

**From:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Sent:** Monday, February 07, 2022 11:11 AM  
**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Good morning Kathie,

Please see link below for the latest plan set for STH 54 project 6230-20-00.

<https://wisdot.box.com/s/fga6qfoarbxky2zvcxls7poghz9bhs9b>

Sincerely,

Jesse

**Jesse Hansen, P.E.**

Wisconsin Department of Transportation

Northeast Region

Phone: (920) 492-5630

[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** Hansen, Jesse J - DOT  
**Sent:** Wednesday, December 15, 2021 3:47 PM  
**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Kathie,

Thank you for the follow up.

Please see link below for project 6517-15-30:

<https://wisdot.box.com/s/vsartqldmnrw8r8wn8jyhf073gya4wq2>

As for project 6230-20-00, I should be getting an update plans in the middle of January. I think it would be best to wait for those more detailed plans.

Sincerely,  
Jesse

**Jesse Hansen, P.E.**

Wisconsin Department of Transportation  
Northeast Region  
Phone: (920) 492-5630  
[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Sent:** Monday, December 13, 2021 7:59 AM  
**To:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** FW: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Nudging this or I'm afraid it will fall off my radar. I apologize if you've sent and I overlooked, but can you please send a link to the current plans for 6517-15-30 and 6230-20-00?  
Thank you!  
Kathie

---

**From:** VanPrice, Kathie - DOT  
**Sent:** Tuesday, December 07, 2021 5:18 PM  
**To:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Sounds good. Can you please send me a link to the current plans for each project?

---

**From:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Sent:** Tuesday, December 07, 2021 3:23 PM  
**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Thank you Kathie, I do not see any tweaks being needs to either project.

Sincerely,  
Jesse

**Jesse Hansen, P.E.**

Wisconsin Department of Transportation  
Northeast Region  
Phone: (920) 492-5630  
[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Sent:** Tuesday, December 07, 2021 2:03 PM  
**To:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Usually storm sewer (and any other potential utility) are the outstanding items. Most other changes typically are not so substantial that they would affect the language.

---

**From:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Sent:** Tuesday, December 07, 2021 1:28 PM  
**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Good morning Kathie,

Both designs are fairly set, what design tweaks would require changes to the Special Provisions? I was trying to think of possible changes that may effect this and could not think of any. Added work or things like that I do not see happening at this point.

Sincerely,  
Jesse

**Jesse Hansen, P.E.**

Wisconsin Department of Transportation  
Northeast Region  
Phone: (920) 492-5630  
[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Sent:** Thursday, December 02, 2021 11:37 AM  
**To:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Hi, Jesse.

I reached out to Bay West. Typically preparation of the special provisions is included in the phase 2.5 effort, but Bay West is new to our hazmat contract. I assumed they did not include it in their scope of work and that I had overlooked this when I reviewed. Paul (Bay West) clarified that they did intend to provide the special provisions; however, they assumed these would be provided later in the design process and then appended to the Ph 2.5 report.

So, good news is, the existing work order will cover this effort. If we're comfortable with the design, I'll ask Bay West to move forward with drafting the special provisions. If we think there will still be tweaks, we can hold until later. Pertains to both projects.

Let me know how you'd like to proceed. Thanks, and sorry for any confusion I caused.

Kathie

---

**From:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Sent:** Thursday, December 02, 2021 9:01 AM  
**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Thank you Kathie and that does sounds good to me.

There are 2 different consultant design teams, I have not heard back from the 54 project team yet but I know it is not in their contract either as I looked at both of them this morning. I was going to wait and see with what they responded with.

Sincerely,  
Jesse

**Jesse Hansen, P.E.**  
Wisconsin Department of Transportation  
Northeast Region  
Phone: (920) 492-5630  
[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Sent:** Thursday, December 02, 2021 8:54 AM  
**To:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Yes, I will reach out to Bay West to see if they have enough budget in their existing work order. If not, I'll ask them to put together a change order and/or scope a small new work order.



Does this sound OK for you? And does this pertain to both projects or just the one listed here?  
Thanks,  
Kathie

---

**From:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Sent:** Thursday, December 02, 2021 8:47 AM  
**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** FW: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Good morning Kathie,

The design consultant is asking for the hazmat special provisions as it is not in their design contract and I would prefer not to add it. Can we have Bay West complete the special provisions?

Sincerely,  
Jesse

**Jesse Hansen, P.E.**

Wisconsin Department of Transportation  
Northeast Region  
Phone: (920) 492-5630  
[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** Hanson, Eric <[Eric.Hanson@strand.com](mailto:Eric.Hanson@strand.com)>  
**Sent:** Thursday, December 02, 2021 8:11 AM  
**To:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Cc:** Rosenthal, Brian <[brian.rosenthal@strand.com](mailto:brian.rosenthal@strand.com)>  
**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

**CAUTION: This email originated from outside the organization.  
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Good morning Jesse,

Thank you for passing along the Phase 2.5 report for STH 76 - ID 6517-15-30. I noticed the text about the project team potentially preparing the special provisions. We would ask that the consultant that completed the investigation/Phase 2.5 report prepare the applicable special provision as they are the ones who did the investigation. (The special provision(s) is a typical requirement of a Phase 2.5 Report per the FDM. )

Also, We Energies had requested the report once it was completed. Is it okay for us to forward the report to them?

Thank you,

Eric



**Eric Hanson, P.E.**

Strand Associates, Inc.®  
608.251.2129 ext.1181  
[eric.hanson@strand.com](mailto:eric.hanson@strand.com) | [www.strand.com](http://www.strand.com)  
P.E. (WI)

*Excellence in Engineering Since 1946.*

---

**From:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Sent:** Wednesday, December 1, 2021 6:54 AM  
**To:** Hanson, Eric <[Eric.Hanson@strand.com](mailto:Eric.Hanson@strand.com)>  
**Cc:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Subject:** FW: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

[EXTERNAL EMAIL]: Verify sender before opening links or attachments.

Good morning Eric,

Please see email below for Hazmat report.

Sincerely,  
Jesse

**Jesse Hansen, P.E.**

Wisconsin Department of Transportation  
Northeast Region  
Phone: (920) 492-5630  
[wisconsindot.gov](http://wisconsindot.gov)

If this is related to a records request, please email: [dotdtsdnerecords@dot.wi.gov](mailto:dotdtsdnerecords@dot.wi.gov)

---

**From:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>  
**Sent:** Wednesday, December 01, 2021 6:25 AM  
**To:** Hansen, Jesse J - DOT <[Jesse.Hansen@dot.wi.gov](mailto:Jesse.Hansen@dot.wi.gov)>  
**Cc:** Rank, Tim R - DOT <[Tim.Rank@dot.wi.gov](mailto:Tim.Rank@dot.wi.gov)>  
**Subject:** FW: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Hi, Jesse.

I'm forwarding the Phase 2.5 reports for projects 6517-15-30 and 6230-20-00 (will come shortly in a separate e-mail).

Next steps –

Review/comment on reports (I have not yet reviewed. I will try to do so in the next couple weeks. However, I rarely have substantive comments on these reports)

Develop special provisions (will likely require coordination with local waste water treatment operator for contaminated groundwater management)

Send Phase 2.5 report and special provisions to DNR for review and concurrence on special provisions

If the project team is uncomfortable with preparation of the special provision, we can ask Bay West to assist.

If you have any questions, please let me know.

Thanks,

Kathie

---

**From:** Mark Gretebeck <[mgretebeck@BAYWEST.com](mailto:mgretebeck@BAYWEST.com)>

**Sent:** Tuesday, November 30, 2021 5:08 PM

**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>

**Cc:** DOT Hazmat Unit <[DOTHazmatUnit@dot.wi.gov](mailto:DOTHazmatUnit@dot.wi.gov)>; Paul Raymaker <[praymaker@baywest.com](mailto:praymaker@baywest.com)>

**Subject:** RE: Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

**CAUTION: This email originated from outside the organization.  
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hi Kathie – I have attached the final report for 6517-15-30, Shiocton, WI.

We appreciate the opportunity to work with you on this project.

Thanks.

Mark.

**Mark Gretebeck**

Wisconsin Program Manager

cell: 608-769-5045 direct: 651-291-3146

[mgretebeck@baywest.com](mailto:mgretebeck@baywest.com)

**Bay West LLC**

*Customer-Focused Environmental & Industrial Solutions*

P.O. Box 69, La Crosse, WI 54602

24-hrs: 1-800-279-0456

[www.baywest.com](http://www.baywest.com)

[Check it out. . . Bay West Way of Being](#)

Please consider the environment before printing this email.

---

**From:** Mark Gretebeck

**Sent:** Tuesday, September 28, 2021 1:17 PM

**To:** VanPrice, Kathie - DOT <[Kathie.VanPrice@dot.wi.gov](mailto:Kathie.VanPrice@dot.wi.gov)>

**Cc:** DOT Hazmat Unit <[DOTHazmatUnit@dot.wi.gov](mailto:DOTHazmatUnit@dot.wi.gov)>; Paul Raymaker <[praymaker@baywest.com](mailto:praymaker@baywest.com)>;  
Grace Olson <[golson@BAYWEST.com](mailto:golson@BAYWEST.com)>

**Subject:** Phase 2.5 Work Plan 6517-15-30, WIS 76, Outagamie County - Shiocton, WI

Hello Kathie and Project Team – I am Mark Gretebeck with the La Crosse, WI Office of Bay West. I am working with Paul and our team on this project.

Attached is a copy of the Phase 2.5 Work Plan for Project 6517-15-30. We will be conducting the field work on 9/30 and 10/1.

We appreciate the opportunity to work with you on this project.

Thank you.

**Mark Gretebeck**

Wisconsin Program Manager

cell: 608-769-5045 direct: 651-291-3146

[mgretebeck@baywest.com](mailto:mgretebeck@baywest.com)

**Bay West LLC**

*Customer-Focused Environmental & Industrial Solutions*

P.O. Box 69, La Crosse, WI 54602

24-hrs: 1-800-279-0456

[www.baywest.com](http://www.baywest.com)

[Check it out. . . Bay West Way of Being](#)

Please consider the environment before printing this email.

6230-20-00, STH 54, Shell Station and Mobil Station,  
Seymour, Outagamie County

## STH 54 Seymour Phase 2.5

November 2021

BWJ210618

Prepared for:



Prepared by:



**Bay West LLC**  
5 Empire Drive  
St. Paul, MN 55103-1867  
651-291-0456  
Fx: 651-291-0099



## STH54 Seymour Phase 2.5

STH76 and East Avenue

November 2021

WisDOT Project #6230-20-00

**Prepared For:**

Wisconsin Department of Transportation

**Prepared By:**

Bay West LLC  
5 Empire Drive  
St. Paul, MN 55103

---

Patrick Sweeney  
Geologist

---

Mark Gretebeck  
Project Manager

---

Matt Schemmel, PG (WI #1406-13)  
Program Manager, Hydrogeologist

I, Matt Schemmel, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

## Table of Contents

<b>1.0</b>	<b>BACKGROUND</b> .....	<b>1-1</b>
1.1	Site Location.....	1-1
1.2	Continuing Obligations .....	1-1
1.3	Nature of Contamination.....	1-1
<b>2.0</b>	<b>SAMPLING ACTIVITIES</b> .....	<b>2-1</b>
2.1	Soil Borings .....	2-1
2.1.1	Soil sampling methods .....	2-1
2.2	Groundwater Sampling.....	2-1
2.2.1	Groundwater Sampling Methods.....	2-2
<b>3.0</b>	<b>SAMPLING RESULTS AND EVALUATION</b> .....	<b>3-1</b>
3.1	Closed Shell Station Site .....	3-1
3.1.1	Soil Analytical Results .....	3-1
3.1.2	Groundwater Analytical Results .....	3-2
3.2	Active Mobil Station Site .....	3-2
3.2.1	Soil Analytical Results .....	3-2
3.2.2	Groundwater Analytical Results .....	3-3
<b>4.0</b>	<b>RECOMMENDATIONS</b> .....	<b>4-1</b>
4.1	Closed Shell Station .....	4-1
4.1.1	Summary of Findings .....	4-1
4.1.2	Special Provisions .....	4-1
4.1.3	Recommendations .....	4-2
4.2	Active Mobile Station .....	4-2
4.2.1	Summary of Findings .....	4-2
4.2.2	Special Provisions .....	4-3
4.2.3	Recommendations .....	4-3
<b>5.0</b>	<b>REFERENCES</b> .....	<b>5-1</b>

### List of Tables

Table 1	Soil Boring Headspace Readings
Table 2a	Closed Shell Station Laboratory Analytical (Soil)
Table 2b	Active Mobil Station Laboratory Analytical (Soil)
Table 3	Groundwater Laboratory Analytical
Table 4	Leachate Analytical

### List of Figures

Figure 1	Site Location Map
Figure 2	Project Corridors
Figure 3	Cross Section Location Map
Figure 4	Closed Shell Station Analytical and Special Provisions
Figure 5	Active Mobil Station Analytical and Special Provisions
Figure 6A	Cross Section A-A (Closed Shell Station)
Figure 6B	Cross Section B-B (Active Mobil Station)

**List of Appendices**

- Appendix A Phase 1 Hazardous Materials Assessment Excerpts
- Appendix B Boring Logs
- Appendix C Lab Reports
- Appendix D Phase 2.5 Work Plan



## **1.0 BACKGROUND**

The Wisconsin Department of Transportation (DOT) is completing roadway improvements which include Americans with Disabilities Act (ADA) curb ramp updates, storm water drainage improvements, and installation of two roundabouts at the intersections of STH54/STH55 and STH 54/CTH C in Outagamie County, Wisconsin.

In November 2019, Wisconsin Department of Transportation completed a Phase I Hazardous Materials Assessment (HMA) of the Project Corridor (WisDOT, 2019; **Appendix A**). Two sites were identified within the Phase I HMA as having environmental impacts that could be encountered during construction..

The DOT requested Bay West LLC (Bay West) to complete this Phase 2.5 site investigation to assess the two areas of environmental concern.

### **1.1 Site Location**

Listed below are the locations on the Bureau of Remediation and Redevelopment Tracking System (BRRTS) which were identified in the Phase I HMA (**Appendix A**) as posing an environmental concern (**Figure 1**). Investigation areas are depicted in **Figure 2**.

- **Closed Shell Station, 1043 Ivory St in Seymour BRRTS (#03-45-001819):** The area of concern is located along the northern sidewalk/curb-line of STH 54 from approximate station (STA) 717+00 to approximate STA 719+00 (**Figures 3 and 4**). This site is a former gas station. This site is a closed leaky underground storage tank (LUST) site and has had four tanks removed and replaced in the year 2000. Contaminated soil was found and left onsite during tank removal.
- **Active Mobil Station (Former Gas Station), 140 STH 54 in Seymour, BRRTS (#03-45-153996):** The area of concern is located along the southern sidewalk/curb-line of STH 54 from approximate STA 717+00 to approximate STA 718+00 (**Figures 3 and 5**). The site is an active gasoline (leaded fuel) and diesel filling station. This site is a closed LUST site with multiple USTs. In 2000, four tanks were pulled and replaced with two 6,000-gallon unleaded gasoline, one 12,000-gallon unleaded gasoline and one 6,000-gallon diesel fuel underground storage tanks that are currently in place.

This Phase 2.5 investigation report was completed to investigate potential soil and groundwater contamination within DOT ROW, assist in parcel acquisitions, and to determine the feasibility of doing a limited clean up in the proposed or existing right of way.

### **1.2 Continuing Obligations**

- The Closed Shell Station Site (BRRT #03-45-001819) has continuing obligations that apply to this property, as follows: "Prior to constructing or reconstructing a water supply well, you need to contact DNR for approval of well construction specification."
- The Active Mobil Station Site (BRRT #03-45-153996) has continuing obligations that apply to this property, as follows: "Prior to constructing or reconstructing a water supply well, you need to contact DNR for approval of well construction specification."

### **1.3 Nature of Contamination**

**Closed Shell Station:** Contamination pertaining to this site is related to leaking underground storage tanks containing gasoline. The site has been closed since 1996 and more recently in 2012, however residual contamination may be encountered to the south and east of the property near the ROW. Further discussion of findings from this Phase 2.5 Investigation is presented in

**Section 3.1** and **Section 4.1**. Boring locations and analytical results are exhibited in **Figure 3**. Cross sections of this site are illustrated on **Figure 5A**.

**Active Mobil Station:** Contamination pertaining to this site is related to leaking USTs containing gasoline (unleaded) and other petroleum products. Background documents included with this site explain the extent of contamination as a northeastern trending plume located at the groundwater table (4-5 feet below ground surface - bgs). The extent of contamination was noted to also extend into the DOT ROW. Further discussion of findings from this Phase 2.5 Investigation report are discussed in **Section 3.2** and **Section 4.2**. Boring locations and analytical results are exhibited on **Figure 4**. Cross sections of this site are presented in **Figure 5B**. Results are exhibited on **Figure 4**.

## **2.0 SAMPLING ACTIVITIES**

The Phase 2.5 Work Plan dated July 6, 2021, was developed with DOT and provided the detailed scope and rationale for the soil boring locations and analytical samples collected during the investigation (**Appendix D**). Bay West completed the Phase 2.5 investigation field activities on September 29 and 30, 2021.

### **2.1 Soil Borings**

On September 29 and 30, 2021, 14 borings were advanced by Probe Technologies, Inc. with a truck mounted push-probe drilling rig to a depth of 6 to 10.5 feet below ground surface (bgs). Seven borings were advanced along the northern curb line of STH 54 in front of the Closed Shell Station site (SB-01 through SB-07) and seven borings were advanced along the southern curb line of STH 54 in front of the active Mobil Station site (SB-07 through SB-14). Soil boring locations in relation to the Project Corridor are shown in **Figure 3, 4, and 5**. A total of 19 soil samples were submitted to Pace Laboratory (Pace) in Green Bay, Wisconsin for laboratory analysis, and results are tabulated in **Tables 2a and b**. Lab reports are included in **Appendix C**.

#### 2.1.1 Soil sampling methods

Soil samples were collected using a stainless-steel core sampler equipped with a disposable acetate liner advanced to the desired depth using a hydraulic push-probe drilling rig. The core sampler produced discrete samples approximately 2 inches in diameter and 4 feet long. Soil samples were collected continuously at 4-foot intervals to the termination depth of each boring.

The acetate liner of each sample was cut open and the respective soil samples were placed into the appropriate containers for field screening and laboratory analysis. Samples were collected at a rate of every 2 feet to be field screened for volatile organic compounds (VOCs) using a photoionization detector (PID) equipped with a 10.6-electron volt bulb. PID results ranged from <0.1 parts per million (ppm) to 15,000 ppm. Soil headspace results are tabulated in **Table 1**. Following field screening sample collection, the soil borings were characterized and observed for visible/olfactory signs of contamination (e.g. debris, staining, odors, and sheen). Boring logs were prepared for each soil boring and are included in **Appendix B**.

A total of 19 soil samples were collected and submitted to Pace Analytical (Pace) for laboratory analysis using the following methods:

- Diesel Range Organics (DRO; Wisconsin Method DRO);
- Gasoline Range Organics (GRO; Wisconsin Modified GRO);
- Volatile Organic Compounds [VOCs; Environmental Protection Agency (EPA) 8260];
- Toxicity Characteristic Leaching Procedure (TCLP) 8 Metals (EPA 6010 / EPA 7471)

Samples collected were labeled corresponding to the soil boring number from which they were collected (e.g., SB-01). Additionally, soil samples were labeled with the corresponding depth interval from which they were collected (in feet bgs). For example, a sample collected from the 8- to 10-foot depth in SB-01 was labeled "SB-01 (8-10)."

### **2.2 Groundwater Sampling**

Groundwater samples were collected from five soil borings. Three temporary wells (samples TW-01, TW-02, and TW-03) were installed to a depth of between 6 and 10 feet bgs at the closed Shell Station site to investigate potential groundwater contamination near the former UST basin. Two temporary wells (TW-04 and TW-05) were placed at the active Mobil Station site at soil boring locations SB-11 and SB-14. Groundwater level measurements were collected using a water level

meter from each temporary well. The groundwater levels from the Shell Station Site ranged from 4.46–7.82 feet bgs. Groundwater levels from the Mobil Station Site ranged from 4.81–4.97 feet bgs. Groundwater sampling locations are shown on **Figure 3** and **Figure 4**. Five groundwater samples were submitted to Pace for laboratory analysis, and results are tabulated in **Table 3** and **Table 4**. Lab reports are included in **Appendix C**.

### 2.2.1 Groundwater Sampling Methods

Groundwater samples were collected through a polyvinyl chloride (PVC) screen (5 feet in length) with polyethylene tubing using a peristaltic pump and reverse flow method. A new pair of disposable nitrile gloves were used for each sample. Groundwater samples were placed in the appropriate laboratory-provided containers. A new, clean field filter was utilized during the collection of each groundwater sample analyzed for dissolved RCRA Metals. The sample containers were placed in a cooler with ice for storage and transport to the analytical laboratory. A total of five groundwater samples were collected for laboratory analysis using the following methods:

- DRO (Wisconsin Method DRO);
- GRO (Wisconsin Modified GRO);
- VOCs (EPA 8260);
- TCLP Metals (EPA 6010 / 200.7 / EPA 7470)

Samples collected were labeled corresponding to the soil boring where they were collected (e.g., SB-1 or TW-1). For example, a groundwater sample collected from boring SB-01 was labeled “TW-01.”

### 3.0 SAMPLING RESULTS AND EVALUATION

Samples were collected from the intervals in each boring per the sampling rationale in the Work Plan (**Appendix D**). Soil sample laboratory results are summarized in **Tables 2a and 2b**. Groundwater sample laboratory results are summarized in **Table 3**. The laboratory analytical reports are included in **Appendix C**.

Analytical results were compared to Wisconsin Department of Natural Resources (DNR) residual contaminant levels (RCLs) and enforcement standards (ESs). Specifically, soil analytical results were compared to DNR Groundwater RCLs, Non-Industrial RCLs, and Industrial Direct Contact (DC) RCLs. Groundwater analytical results were compared to NR140 ESs and NR140 Preventative Action Limits (PALs).

Regulating criteria have not been established for DRO and GRO; however, a typical action level for these parameters in an unrestricted use setting is 100 milligram per kilogram (mg/kg) in soil.

Analytical results from the Phase 2.5 are discussed in the following sections.

#### 3.1 Closed Shell Station Site

##### 3.1.1 Soil Analytical Results

Seven soil borings were advanced at the Closed Shell Station site for soil sample collection (SB-01 through SB-07) and ten soil samples were submitted for laboratory analysis. The following sections summarize the soil sample analytical results:

###### 3.1.1.1 *Petroleum*

GRO was detected at concentrations exceeding the laboratory reporting limits in soil samples collected from borings SB-01, SB-02, SB-05, and SB-06 with concentrations ranging from 1.4 mg/kg to 209 mg/kg. GRO detections within the soil samples were as follows: SB-01(8-10.5): 1.4 mg/kg; SB-02(6-8): 4.9 mg/kg; SB-05(4-6): 6.1 mg/kg; SB-05(6-7): 209 mg/kg; and SB-06(4-6): 5.2 mg/kg.

DRO was detected at concentrations exceeding the laboratory reporting limits in soil samples collected from borings SB-02, SB-03, SB-05, and SB-06 with concentrations ranging from 1.6 mg/kg to 61.4 mg/kg. DRO detections within the soil samples were as follows: SB-02(6-8): 1.6 mg/kg; SB-03(2-4): 2.4 mg/kg; SB-05(4-6): 10.5 mg/kg; SB-05(6-7): 61.4 mg/kg; and SB-06(2-3): 1.4 mg/kg. As stated in **Section 3.0**, DNR has not established comparison criteria for GRO and DRO, however typical action levels used for these parameters in an unrestricted use setting is 100 mg/kg in soil.

###### 3.1.1.2 *Volatile Organic Compounds*

VOCs were detected at levels that exceed their respective regulatory criteria in two soil samples. In sample SB-04(6-7), the benzene concentration was 0.0703 mg/kg which exceeds its respective groundwater RCL.

In sample SB-05(6-7), 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzene, and toluene were detected at 54.7, 13.1, 0709, and 1.83 mg/kg, respectively, exceeding their respective groundwater RCLs. Sample SB-05(6-7) also had an ethylbenzene concentration of 16.6 mg/kg and a naphthalene concentration of 6.18 mg/kg, both of which exceed the Industrial RCL.

Various other VOCs were detected at concentrations exceeding laboratory reporting limits in soil samples SB-02(6-8), SB-05(4-6), and SB-05(6-7); however, these concentrations did not exceed their corresponding regulatory criteria.

### 3.1.1.3 *Metals*

Various RCRA metals were detected in all ten soil samples collected at concentrations exceeding their respective laboratory reporting limits; however, none of the concentrations exceeded their corresponding regulatory criteria.

### 3.1.2 Groundwater Analytical Results

Three temporary wells were installed at the Closed Shell Station Site to collect groundwater samples (TW-01, TW-02, and TW-03). The following sections summarize the groundwater sample analytical results:

#### 3.1.2.1 *Petroleum*

GRO was detected at a concentration exceeding the laboratory reporting limits in groundwater sample TW-01, TW-02, and TW-03 at a concentration of 102 µg/L, 6590 µg/L, and 7630 µg/L. DRO was also detected at a concentration exceeding the laboratory reporting limits in at concentrations of 180 µg/L, 920 µg/L, and 3,200 µg/L. As stated in **Section 3.0**, regulatory criteria have not been established for these parameters.

#### 3.1.2.2 *Volatile Organic Compounds*

Multiple VOC concentrations exceeding laboratory reporting limits were detected in all three samples (TW-01, TW-02, and TW-03).

In TW-01, benzene was detected at 4.8 µg/L, exceeding the NR140 Preventative Action Limits.

In sample TW-02, ethylbenzene and naphthalene detections exceeded the PALs at concentrations of 547 µg/L and 94.3 µg/L, respectively. Benzene was detected at 1710 µg/L, which exceeds the ES.

Detections of benzene, ethylbenzene, and naphthalene in TW-03 exceed the ES at 879 µg/L, 1230 µg/L, and 182 µg/L, respectively. Toluene exceeded the PAL at 493 µg/L.

#### 3.1.2.3 *Metals*

Metals were not detected at concentrations exceeding their respective laboratory reporting limit with the exception of Barium in TW-01, TW-02, and TW-03; however, barium concentrations did not exceed the corresponding regulatory criteria.

## 3.2 **Active Mobil Station Site**

### 3.2.1 Soil Analytical Results

Seven soil borings were advanced at the Active Mobil Station site for soil sample collection (SB-08 through SB-14) and nine soil samples were submitted for laboratory analysis. The following sections summarize the soil sample analytical results:

#### 3.2.1.1 *Petroleum*

GRO was detected at a concentration exceeding the laboratory reporting limit in soil samples collected from SB-10, SB-11, and SB-13 with results ranging from 51.1 to 2050 mg/kg. GRO detections were the following: SB-10(2-4): 2050 mg/kg; SB-10(6-7.5): 217 mg/kg; SB-11(4-6): 51.1 mg/kg; and SB-11(6-8): 295 mg/kg.

DRO was detected at concentrations exceeding the laboratory reporting limit in soil samples collected from SB-10, SB-11, and SB-13 ranging from 1.3 mg/kg to 707 mg/kg. DRO detections were as follows: SB-10(2-4): 707 mg/kg; SB-10(6-7.5): 11.3 mg/kg; SB-11(4-6): 2.3 mg/kg; SB-11(6-8): 41.3 mg/kg; and SB-13(6-7.5): 1.3 mg/kg.

As stated in **Section 3.0**, DNR has not established comparison criteria for GRO and DRO, however typical action levels used for these parameters in an unrestricted use setting is 100 milligram per kilogram (mg/kg) in soil.

**3.2.1.2** *Volatile Organic Compounds*

VOCs were detected at levels that exceed their respective regulatory criteria in three soil samples. In sample SB-11(6-8), the 1,2,4-trimethylbenzene and naphthalene concentrations were 5.71 mg/kg and 0.862 mg/kg, which exceeds their respective groundwater RCL.

In sample SB-10(2-4), 1,2,4-trimethylbenzene and naphthalene were detected at 286 and 35.3 mg/kg, respectively, exceeding their Non-Industrial RCLs. Sample SB-10(2-4) also had an 1,3,5-trimethylbenzene concentration of 89.1 mg/kg and an ethylbenzene concentration of 17.6 mg/kg, which exceeds the groundwater RCL and Industrial RCL, respectively.

In sample SB-10(6-7.5), 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene were detected at concentrations of 6.91 mg/kg and 1.5 mg/kg, which exceeds the respective groundwater RCLs.

Various other VOCs were detected at concentrations exceeding laboratory reporting limits in soil samples SB-10(2-4), SB-10(6-7.5), SB-11(4-6), and SB-11(6-8); however, these concentrations did not exceed their corresponding regulatory criteria.

**3.2.1.3** *Metals*

Various RCRA metals were detected in all nine soils samples collected at the Active Mobile Station Site at concentrations exceeding their respective laboratory reporting limits. All detections exceeding laboratory reporting limits did not exceed their corresponding TCLP criteria.

**3.2.2** Groundwater Analytical Results

Two temporary wells were installed at the Express Mart Site to collect groundwater samples (TW-04, and TW-05). The following sections summarize the groundwater sample analytical results:

**3.2.2.1** *Petroleum*

Groundwater samples exceeding the laboratory reporting limits for DRO were found at concentrations of 4,300 µg/L and 55 µg/L at TW-04 and TW-05, respectively. GRO was detected in TW-04 at 4,090 µg/L. As stated in **Section 3.0**, comparison criteria have not been established for these parameters.

**3.2.2.2** *Volatile Organic Compounds*

Multiple VOC detections exceeding laboratory reporting limits were encountered in both groundwater samples. Of these detections, benzene concentrations in TW-03 exceeded the NR140 Enforcement Standards and NR140 Preventative Action Limits at 5.3 µg/L. Naphthalene exceeded the NR140 Preventative Action Limits at 15.5 µg/L.

**3.2.2.3** *Metals*

Metals were not detected at concentrations exceeding their respective laboratory reporting limit except for Barium in samples TW-04, and TW-05. Barium concentrations did not exceed the corresponding regulatory criteria.

## **4.0 RECOMMENDATIONS**

Findings, considerations, and recommendations from this Phase 2.5 Investigation Report are as follows:

### **4.1 Closed Shell Station**

The Closed Shell Station site is a known LUST site with documents stating that contaminated soil and groundwater remain on-site as noted from the Phase I investigation. This Phase 2.5 Investigation Report identifies locations within the site where sub-surface soil and groundwater remains impacted with various contaminants.

#### 4.1.1 Summary of Findings

Soil contamination was encountered from 6–7 feet bgs. Groundwater was encountered between 4.46–7.82 feet bgs, and groundwater contamination was identified at TW-01, TW-02, and TW-03. Soil contamination was identified from approximate construction survey point STA 717+45 eastward associated with soil borings SB-04 and SB-05. PID headspace readings collected during soil sample collection are tabulated in **Table 1**. The nature of contamination is as follows:

- Petroleum contamination (GRO/DRO) above 100mg/kg has been identified in SB-05 from 6 to 7 feet bgs.
- Non-Industrial RCL soil exceedances: Ethylbenzene (0.19 mg/kg) and naphthalene (10.5 mg/kg) identified at SB-05 at depths of 6 to 7 feet bgs. Naphthalene concentration of 6.3 mg/kg identified in SB-4 from 8 to 10 feet bgs.
- Groundwater RCL soil exceedances: Benzene (0.0703 mg/kg) identified within SB-04 from 6 to 7 feet bgs. Benzene (0.709 mg/kg), 1,2,4-trimethylbenzene (54.7 mg/kg), 1,3,5-trimethylbenzene (13.1 mg/kg), naphthalene (6.18 g/kg) and toluene (1.83 mg/kg) were identified in SB-05 from 6 to 7 feet bgs
- Petroleum contamination was identified in groundwater samples collected from TW-01, TW-02, and TW-03 at the following levels:
  - TW-01: DRO: 180 µg/L; GRO: 102 µg/L.
  - TW-02: DRO: 920 µg/L; GRO: 6590 µg/L.
  - TW-03: DRO 3200 µg/L; GRO: 7630 µg/L.
- VOC contaminants in the groundwater identified in samples TW-01, TW-02, and TW-03 exceeding corresponding NR140 Enforcement Standards or NR140 Preventative Action Limits are as follows.
  - TW-01: Benzene: 4.8 µg/L
  - TW-02: Benzene: 1710 µg/L; ethylbenzene: 547 µg/L; and naphthalene: 94.3 µg/L
  - TW-03: Benzene: 879 µg/L; ethylbenzene: 1230 µg/L; naphthalene: 182 µg/L; and Toluene: 493 µg/L

#### 4.1.2 Special Provisions

Special provisions will need to be considered when conducting construction activities that would disturb soil and groundwater within the proximity of the boring locations described above. Requirements to manage contaminated soil and groundwater during construction should be applied to the following location:

- Soil is contaminated from 6-7 feet bgs at locations SB-05 and SB-04 and occupies an area of approximately 15 by 25 square yards. Approximately 375 cubic yards



(approximately 565 tons using a conversion factor of 1.5 tons per cubic yard) of impacted soil remains on site. Petroleum impacted groundwater was encountered from 4 to 8 feet bgs within this location.

The Closed Shell Station Special Provisions map is included as **Figure 3**.

#### 4.1.3 Recommendations

This Phase 2.5 report takes into consideration the historical use of this property and the identification of residual contaminated soil and groundwater at this site and therefore recommends environmental oversight by an approved environmental consultant during construction activities at depths greater than 2 feet bgs. Based on the Phase 2.5 findings, surficial construction activities such as road construction do not appear to pose risk of encountering contaminated soils and groundwater; however, utility installations or storm sewer installation/replacements (subsurface work greater than 4 feet bgs) through the areas described above may be at risk of encountering contaminated soil and groundwater that requires special handling, treatment, and/or disposal at a landfill.

### 4.2 Active Mobile Station

The active Mobile Station site operated as a current gas station and is a known LUST site with documents stating that contaminated soil and groundwater remain on-site as noted from the Phase I investigation. This Phase 2.5 investigation report identifies locations with impacted soil and groundwater.

#### 4.2.1 Summary of Findings

Soil contamination was identified exceeding laboratory reporting limits at borings SB-10 and SB-11 (**Figure 4**). Groundwater was encountered between 4 –5 feet bgs and groundwater contamination exceeding corresponding regulatory criteria was identified at TW-04 and TW-05. PID headspace readings collected during soil sample collection are tabulated in **Table 1**. The nature of contamination is as follows:

- Petroleum contamination (GRO/DRO) in soil has been identified exceeding laboratory reporting limits within borings SB-10, SB-11, and SB-13 from the 2 to 8 feet bgs ranging concentrations between 1.3 mg/kg to 2050 mg/kg.
- Non-Industrial RCL soil exceedances: 1,2,4-trimethylbenzene (286 mg/kg) and naphthalene (35.3 mg/kg) identified at SB-10 at depths of 2 to 4 feet bgs.
- Industrial RCL soil exceedances: Ethylbenzene (17.6 mg/kg), 1,2,4-trimethylbenzene (286 mg/kg) and naphthalene (35.3 mg/kg) were identified at SB-10 from 2 to 4 feet bgs.
- Groundwater RCL soil exceedances: 1,3,5-trimethylbenzene (89.1 mg/kg) was identified in SB-10 from 2 to 4 feet bgs. 1,2,4-trimethylbenzene (6.91 mg/kg) and 1,3,5-trimethylbenzene (1.5 mg/kg) were identified in SB-10 from 6 to 7.5 feet bgs. Naphthalene (0.862 mg/kg) was identified in SB-11 from 6 to 8 feet bgs.
- Naphthalene concentrations within soil boring SB-11 from the 6 to 8 feet bgs depth interval exceeded the Groundwater RCL regulatory threshold criteria.
- Concentrations of 1,2,4-trimethylbenzene and 1,2,5-trimethylbenzene exceeding the corresponding Groundwater RCL were identified within the 6 to 7.5 feet bgs depth interval of SB-10. Concentrations within the 2 to 4 feet bgs depth interval of boring SB-10 (286 mg/kg) also exceeded the Background Threshold Value of 52 mg/kg.
- Petroleum (GRO/DRO) contamination was identified within groundwater from TW-04 (GRO: 4,090 µg/L, 4,300 µg/L).

- Petroleum (DRO) contamination was identified within groundwater from TW-05 (DRO: 55 µg/L).
- VOC contaminants in the groundwater identified in samples TW-04 exceeding corresponding NR140 Enforcement Standards or NR140 Preventative Action Limits are as follows.
  - TW-01: Benzene: 5.3 µg/L; and naphthalene: 15.5 µg/L

#### 4.2.2 Special Provisions

Special provisions will need to be considered when conducting construction activities that would disturb soil and groundwater near the boring locations described above. Requirements to manage petroleum-contaminated soil and groundwater during construction should be applied to the following locations:

- Proximity to SB-10 and SB-11: from 2 to 8 feet bgs soil is impacted with petroleum hydrocarbons in an approximate 10 by 25 square yard area. Approximately 500 cubic yards (750 tons using a conversion factor of 1.5 tons per cubic yard) of impacted soil remains at this location.
- Groundwater from TW-04 is contaminated with concentration of naphthalene exceeding the NR140 Preventative Action Limits. Groundwater from the same location is contaminated with benzene above NR140 Enforcement Standards and NR140 Preventative Action Limits.

The Active Mobile Station Special provisions map is included in **Figure 4**.

#### 4.2.3 Recommendations

This Phase 2.5 report takes into consideration the historical use of this property and the identification of residual contaminated soil and groundwater at this site and therefore recommends the preparation of a soil management plan and environmental oversight by an approved environmental consultant during all construction activities involving the disturbance of soil or groundwater at this site. Residual petroleum hydrocarbon soil contamination is also present at depths of 2 to 8 feet bgs. Environmental oversight provided by an approved consultant is recommended during construction activities that include sub-surface disturbances greater than 2 feet bgs to aid in management of impacted soil.

Shallow groundwater was encountered throughout the site ranging from 4 to 5 feet bgs. Groundwater near the center of the site is contaminated with petroleum constituents exceeding their corresponding NR140 Enforcement Standards and NR140 Preventative Action Limits. Groundwater may be encountered during subsurface construction activities that are greater than 4 feet bgs. If construction dewatering is necessary on this Site, removed groundwater may require management or containment. Sampling of excavation water may be necessary for disposal profiling purposes.

## **5.0 REFERENCES**

Wisconsin Department of Natural Resources. March 2020, *Hazardous Materials/Waste Initial Site Reconnaissance*, STH 76 City of Seymour South JCT S – STH 54, Wisconsin (WIDNR, 2020).

## **Tables**

**Table 1**  
 Soil Headspace Screening Results  
 6230-20-00, STH 54, Closed Shell Station and Active Mobil Station, Seymour, Outagamie County  
 STH 54 Seymour Phase 2.5

Soil Boring	SB-01	SB-02	SB-03	SB-04	SB-05	SB-06	SB-07	SB-08	SB-09	SB-10	SB-11	SB-12	SB-13	SB-14	
Date	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	
Depth Interval (ft bgs)	Site #6 - Closed Shell Station							Site #5 - Active Mobil Station							
0.0-2.0	3.8	2.9	4.2	2.6	0.2	<b>34.2</b>	3.3	1.6	0	2.4	0	0	0	0	
2.0-4.0	0	<b>21.3</b>	<b>71.3</b>	<b>156.6</b>	<b>234.8</b>	<b>15000</b>	<b>35.2</b>	<b>119.2</b>	<b>34.8</b>	<b>15000</b>	<b>136.6</b>	0	0	0	
4.0-6.0	0	<b>16</b>	<b>53.8</b>	<b>92</b>	<b>218.1</b>	<b>15000</b>	<b>33.6</b>	<b>49.7</b>	0	<b>15000</b>	<b>5607</b>	0	0	0	
6.0-8.0	0	<b>73.8</b>		<b>15000</b>	<b>15000</b>	EOB at 6 ft bgs.	EOB at 6ft bgs.	0	0	<b>15000</b>	<b>15000</b>	0	0	0	
8.0-10	<b>101.4</b>	EOB at 8 ft bgs.	<b>42.3</b>	<b>15000</b>	EOB at 7 ft bgs.	EOB at 6 ft bgs.	EOB at 6ft bgs.	<b>40.1</b>	EOB at 7 ft bgs.	EOB at 7.5 ft bgs.	EOB at 8 ft bgs.	EOB at 8 ft bgs.	EOB at 8 ft bgs.	EOB at 7.5 ft bgs.	EOB at 7 ft bgs.
	EOB at 10.5 ft bgs.		EOB at 9 ft bgs.	EOB at 10 ft bgs.				EOB at 9 ft bgs.							

Notes:  
 All headspace readings were collected with a photoionization detector (PID) and are reported in parts per million (ppm)  
 The PID was calibrated and passed background reading tests prior to use each day  
 ft bgs – feet below ground surface  
**BOLD** – Results exceed 10 ppm





**Table 3**  
Analytical (Groundwater)  
6230-20-00, STH 54, Closed Shell Station and Active Mobil Station, Seymour, Outagamie County  
STH 54 Seymour Phase 2.5

Analyte	CAS #	Unit	NR140 ENFORCEMENT STANDARD	NR140 PREVENTIVE ACTION LIMIT	Sample ID		TW-01		TW-02		TW-03		TW-04		TW-05	
					Date Sampled		29 Sep 2021		29 Sep 2021		29 Sep 2021		30 Sep 2021		30 Sep 2021	
					Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*
<b>DRO (method WI MOD DRO)</b>																
Diesel Range Organics	68334-30-5	µg/L	-	-	180		920		3,200		4,300		55.0			
<b>GRO (method WI MOD GRO)</b>																
Gasoline Range Organics	8006-61-9	µg/L	-	-	102		6,590		7,630		4,090		50.0		U	
<b>VOCs (method EPA 8260D)</b>																
1,1,1,2-Tetrachloroethane	630-20-6	µg/L	70	7	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,1,1-Trichloroethane	71-55-6	µg/L	200	40	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,1,2,2-Tetrachloroethane	79-34-5	µg/L	0.2	0.02	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,1,2-Trichloroethane	79-00-5	µg/L	5	0.5	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
1,1-Dichloroethane	75-34-3	µg/L	850	85	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,1-Dichloroethene	75-35-4	µg/L	7	0.7	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,1-Dichloropropene	563-58-6	µg/L	-	-	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,2,3-Trichlorobenzene	87-61-6	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
1,2,3-Trichloropropane	96-18-4	µg/L	60	12	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
1,2,4-Trichlorobenzene	120-82-1	µg/L	70	14	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
1,2,4-Trimethylbenzene	95-63-6	µg/L	-	-	1.0	U	436		413		778		1.0	U		
1,2-Dibromo-3-Chloropropane	96-12-8	µg/L	0.2	0.02	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
1,2-Dibromoethane	106-93-4	µg/L	0.05	0.005	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,2-Dichlorobenzene	95-50-1	µg/L	600	60	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,2-Dichloroethane	107-06-2	µg/L	5	0.5	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,2-Dichloropropane	78-87-5	µg/L	5	0.5	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,3,5-Trimethylbenzene	108-67-8	µg/L	-	-	1.0	U	94.9		73.0		10.0	U	1.0	U		
1,3-Dichlorobenzene	541-73-1	µg/L	600	120	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,3-Dichloropropane	142-28-9	µg/L	-	-	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
1,4-Dichlorobenzene	106-46-7	µg/L	75	15	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
2,2-Dichloropropane	594-20-7	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
2-Chlorotoluene	95-49-8	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
4-Chlorotoluene	106-43-4	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
4-Isopropyltoluene	99-87-6	µg/L	-	-	5.0	U	50.0	U	125	U	12.4	J	5.0	U		
Benzene	71-43-2	µg/L	<b>5</b>	<b>0.5</b>	<b>4.8</b>		<b>1,710</b>		<b>879</b>		<b>5.3</b>	<b>J</b>	1.0	U		
Bromobenzene	108-86-1	µg/L	-	-	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Bromochloromethane	74-97-5	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Bromodichloromethane	75-27-4	µg/L	0.6	0.06	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Bromoform	75-25-2	µg/L	4.4	0.44	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Bromomethane	74-83-9	µg/L	10	1	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Carbon tetrachloride	56-23-5	µg/L	5	0.5	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Chlorobenzene	108-90-7	µg/L	100	20	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Chloroethane	75-00-3	µg/L	400	80	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Chloroform	67-66-3	µg/L	6	0.6	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Chloromethane	74-87-3	µg/L	30	3	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
cis-1,2-Dichloroethene	156-59-2	µg/L	70	7	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
cis-1,3-Dichloropropene	10061-01-5	µg/L	-	-	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Dibromochloromethane	124-48-1	µg/L	60	6	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Dibromomethane	74-95-3	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Dichlorodifluoromethane	75-71-8	µg/L	1000	200	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Diisopropyl ether	108-20-3	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Ethylbenzene	100-41-4	µg/L	<b>700</b>	<b>140</b>	1.0	U	<b>547</b>		<b>1,230</b>		9.0	J	1.0	U		
Hexachlorobutadiene	87-68-3	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Isopropylbenzene	98-82-8	µg/L	-	-	1.7	J	30.2	J	64.6	J	50.0	U	5.0	U		
Methyl tert-butyl ether	1634-04-4	µg/L	60	12	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Methylene Chloride	75-09-2	µg/L	5	0.5	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
m-Xylene & p-Xylene	179601-23-1	µg/L	-	-	0.75	J	1,110		1,280		28.7		2.0	U		
Naphthalene	91-20-3	µg/L	<b>100</b>	<b>10</b>	5.0	U	<b>94.3</b>		<b>182</b>		<b>15.5</b>	<b>J</b>	5.0	U		
n-Butylbenzene	104-51-8	µg/L	-	-	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
n-Propylbenzene	103-65-1	µg/L	-	-	1.4		78.6		182		9.2	J	1.0	U		
o-Xylene	95-47-6	µg/L	-	-	1.0	U	289		490		4.9	J	1.0	U		
sec-Butylbenzene	135-98-8	µg/L	-	-	0.46	J	8.0	J	14.6	J	10.2		1.0	U		
Styrene	100-42-5	µg/L	100	10	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
tert-Butylbenzene	98-06-6	µg/L	-	-	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Tetrachloroethene	127-18-4	µg/L	5	0.5	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Toluene	108-88-3	µg/L	800	<b>160</b>	3.1		75.2		<b>493</b>		10.0	U	0.65	J		
trans-1,2-Dichloroethene	156-60-5	µg/L	100	20	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
trans-1,3-Dichloropropene	10061-02-6	µg/L	-	-	5.0	U	50.0	U	125	U	50.0	U	5.0	U		
Trichloroethene	79-01-6	µg/L	5	0.5	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Trichlorofluoromethane	75-69-4	µg/L	3490	698	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		
Vinyl chloride	75-01-4	µg/L	0.2	0.02	1.0	U	10.0	U	25.0	U	10.0	U	1.0	U		

**Notes:**

- \* Other qualifiers may apply, see laboratory report for sample delivery groups 40234317 and 40234318
- µg/L – micrograms per liter
- WDNR – Wisconsin Department of Natural Resources
- Enforcement Standards (ES) and Preventive Action Limits (PAL) as published by the WDNR, Chapter 140
- TW – Temporary well
- Action level not established for this analyte
- U – Compound was analyzed for, but not detected at or above the adjusted limit of detection (LOD)
- J – Estimated result: concentration is above the LOD and below the limit of quantitation (LOQ)
- Underline – Result exceeds the ES
- Bold** – Result exceeds the PAL



**Table 4**

Analytical (Leachate)

6230-20-00, STH 54, Closed Shell Station and Active Mobil Station, Seymour, Outagamie County

STH 54 Seymour Phase 2.5

Analyte	CAS #	Unit	Sample ID Sample Matrix Date Sampled	SB-01 (8-10.5)		SB-02 (6-8)		SB-03 (2-4)		SB-04 (2-4)		SB-04 (6-7)		SB-05 (4-6)		SB-05 (6-7)		SB-06 (2-3)		SB-06 (4-6)		SB-07 (2-3)	
				Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
				29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021	29 Sep 2021
				Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*
<b>Metals (method EPA 6010D unless otherwise noted)</b>																							
Arsenic	7440-38-2	mg/L	5	0.025	U	0.0088	J	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U	0.050	U	0.025	U
Barium	7440-39-3	mg/L	100	0.33		0.37		0.22		0.38		0.29		0.33		0.28		0.36		0.54		0.18	
Cadmium	7440-43-9	mg/L	1	0.0016	J	0.0050	U	0.0015	J	0.0016	J	0.0050	U	0.0050	U	0.0050	U	0.0015	J	0.010	U	0.0050	U
Chromium	7440-47-3	mg/L	5	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U	0.0032	J	0.020	U	0.010	U
Lead, total	7439-92-1	mg/L	5	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.0086	J	0.040	U	0.020	U
Lead, dissolved	7439-92-1	mg/L	5	-		-		-		-		-		-		-		-		-		-	
Mercury [EPA 7470]	7439-97-6	mg/L	0.2	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.0001	J	0.00021		0.00037		0.00037		0.00029	
Selenium	7782-49-2	mg/L	1	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U
Silver	7440-22-4	mg/L	5	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U	0.0034	J	0.010	U	0.020	U	0.010	U

**Notes:**

\* Other qualifiers may apply, see laboratory report for sample delivery groups 40234317 and 40234318

mg/L – milligrams per liter

WDNR – Wisconsin Department of Natural Resources

TCLP – Maximum allowed concentration determined using the Toxicity Leaching Characteristic Procedure

TCLP values as published by the WDNR April 2021, Chapter 661

SB – Soil boring

TW – Temporary well

-- Analyte not tested for

U – Compound was analyzed for, but not detected at or above the adjusted limit of detection (LOD)

J – Estimated result: concentration is above the LOD and below the limit of quantitation (LOQ)

**Bold** – Result exceeds the maximum TCLP concentration

**Table 4**

Analytical (Leachate)

6230-20-00, STH 54, Closed Shell Station and Active Mobil Station, Seymour, Outagamie County

STH 54 Seymour Phase 2.5

Analyte	CAS #	Unit	Sample ID Sample Matrix Date Sampled	SB-08 (2-3)		SB-09 (2-4)		SB-10 (2-4)		SB-10 (6-7.5)		SB-11 (4-6)		SB-11 (6-8)		SB-12 (6-8)		SB-13 (6-7.5)		SB-14 (6-7)		TW-01 Groundwater	
				Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
				29 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	30 Sep 2021	29 Sep 2021	29 Sep 2021
				Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*	Result	Q*
<b>Metals (method EPA 6010D unless otherwise noted)</b>																							
Arsenic	7440-38-2	mg/L	5	0.025	U	0.025	U	0.050	U	0.0099	J	0.0088	J	0.050	U	0.025	U	0.011	J	0.0091	J	0.025	U
Barium	7440-39-3	mg/L	100	0.22	U	0.21	U	0.31	U	0.36	U	0.33	U	0.31	U	0.18	U	0.22	U	0.21	U	0.053	U
Cadmium	7440-43-9	mg/L	1	0.0050	U	0.0050	U	0.010	U	0.0013	J	0.0050	U	0.010	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U
Chromium	7440-47-3	mg/L	5	0.010	U	0.010	U	0.020	U	0.010	U	0.010	U	0.020	U	0.010	U	0.010	U	0.010	U	0.010	U
Lead, total	7439-92-1	mg/L	5	0.020	U	0.020	U	0.040	U	0.020	U	0.020	U	0.040	U	0.020	U	0.020	U	0.020	U	0.020	U
Lead, dissolved	7439-92-1	mg/L	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.020	U
Mercury [EPA 7470]	7439-97-6	mg/L	0.2	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.00020	U	0.00020	U
Selenium	7782-49-2	mg/L	1	0.040	U	0.040	U	0.08	U	0.040	U	0.040	U	0.08	U	0.040	U	0.040	U	0.040	U	0.040	U
Silver	7440-22-4	mg/L	5	0.0033	J	0.0037	J	0.020	U	0.010	U	0.010	U	0.020	U	0.010	U	0.010	U	0.010	U	0.010	U

**Notes:**

\* Other qualifiers may apply, see laboratory report for sample delivery groups 40234317 and 40234318

mg/L – milligrams per liter

WDNR – Wisconsin Department of Natural Resources

TCLP – Maximum allowed concentration determined using the Toxicity Leaching Characteristic Procedure

TCLP values as published by the WDNR April 2021, Chapter 661

SB – Soil boring

TW – Temporary well

-- Analyte not tested for

U – Compound was analyzed for, but not detected at or above the adjusted limit of detection (LOD)

J – Estimated result: concentration is above the LOD and below the limit of quantitation (LOQ)

**Bold** – Result exceeds the maximum TCLP concentration

**Table 4**

Analytical (Leachate)

6230-20-00, STH 54, Closed Shell Station and Active Mobil Station, Seymour, Outagamie County

STH 54 Seymour Phase 2.5

Analyte	CAS #	Unit	Sample ID Sample Matrix Date Sampled NR661 TCLP	TW-02		TW-03		TW-04		TW-05	
				Groundwater 29 Sep 2021	Q*	Groundwater 29 Sep 2021	Q*	Groundwater 30 Sep 2021	Q*	Groundwater 30 Sep 2021	Q*
<b>Metals</b> (method EPA 6010D unless otherwise noted)											
Arsenic	7440-38-2	mg/L	5	0.025	U	0.025	U	0.050	U	0.025	U
Barium	7440-39-3	mg/L	100	0.078		0.11		0.28		0.12	
Cadmium	7440-43-9	mg/L	1	0.0050	U	0.0050	U	0.010	U	0.0050	U
Chromium	7440-47-3	mg/L	5	0.010	U	0.010	U	0.020	U	0.010	U
Lead, total	7439-92-1	mg/L	5	0.020	U	0.020	U	0.040	U	0.020	U
Lead, dissolved	7439-92-1	mg/L	5	0.020	U	0.020	U	0.040	U	0.020	U
Mercury [EPA 7470]	7439-97-6	mg/L	0.2	0.00020	U	0.00020	U	0.00020	U	0.00020	U
Selenium	7782-49-2	mg/L	1	0.040	U	0.040	U	0.08	U	0.040	U
Silver	7440-22-4	mg/L	5	0.010	U	0.010	U	0.020	U	0.010	U

Notes:

\* Other qualifiers may apply, see laboratory report for sample delivery groups 40234317 and 40234318

mg/L – milligrams per liter

WDNR – Wisconsin Department of Natural Resources

TCLP – Maximum allowed concentration determined using the Toxicity Leaching Characteristic Procedure

TCLP values as published by the WDNR April 2021, Chapter 661

SB – Soil boring

TW – Temporary well

-- Analyte not tested for


U – Compound was analyzed for, but not detected at or above the adjusted limit of detection (LOD)

J – Estimated result: concentration is above the LOD and below the limit of quantitation (LOQ)

**Bold** – Result exceeds the maximum TCLP concentration


## **Figures**

Y:\Clients\WISCONSIN\_DEPARTMENT\_OF\_TRANSPORTATION\STH\_54\_Seymour\MapDocs\210618\002\_Compiled\_Borings\210618\002\_FIG 1 Site Location Map.mxd




# Figure 1 Site Location Map

**STH 54 Seymour**  
STH 54 & Ivory Street  
Seymour, WI 54165



Map Projection: NAD 1983 UTM Zone 16 N, Meters  
Basemap: National Geographic Society, i-cubed



1 inch = 2,000 feet

★ Site Location






**Figure 2**


**Investigation Area**




**STH 54 Seymour**

STH 54 & Ivory Street  
Seymour, WI 54165



Map Projection: NAD 1983 UTM Zone 16 N, Meters  
Basemap: Wisconsin DNR Outagamie County WMS, 2014



-  Soil Boring
-  Soil Boring and Groundwater Sample
-  Investigation Area








Figure 3


**Cross Section Location Map**

**STH 54 Seymour**

STH 54 & Ivory Street  
Seymour, WI 54165




Map Projection: NAD 1983 UTM Zone 16 N, Meters  
Basemap: Wisconsin DNR Outagamie County WMS, 2014




- Soil Boring
- Soil Boring and Groundwater Sample
- Cross Section Line A to A'
- Cross Section Line B to B'
- Groundwater Plume
- Soil Contamination
- Investigation Area






**Figure 4**  
**Closed Shell Station**  
**Analytical Results**  
**& Special Provisions**

**STH 54 Seymour**  
 STH 54 & Ivory Street  
 Seymour, WI 54165



Map Projection: NAD 1983 UTM Zone 16 N, Meters  
 Basemap: Wisconsin DNR Outagamie County WMS, 2014




- Soil Boring
- Soil Boring and Groundwater Sample
- Cross Section Line A to A'
- Groundwater Plume
- Soil Contamination
- Investigation Area

**Soil Notes:**  
 GRO = Gasoline Range Organics  
 DRO = Diesel Range Organics  
 ND = Non Detect  
*Italics* = WI DNR Groundwater RCL exceedance  
Underline = WI DNR Non-Industrial RCL Soil exceedance  
**Bold** = WI Industrial DC RCL Soil exceedance

**Groundwater Notes:**  
 GRO = Gasoline Range Organics  
 DRO = Diesel Range Organics  
 ND = Non Detect  
Underline = WI NR140 Enforcement Standard exceedance  
**Bold** = WI NR140 Action Levels exceedance







SB-09 (2-4)	
30 Sep 2021	Results (mg/kg)
DRO	ND
GRO	ND

SB-12 (6-8)	
30 Sep 2021	Results (mg/kg)
DRO	ND
GRO	ND

SB-08 (2-3)	
29 Sep 2021	Results (mg/kg)
DRO	ND
GRO	ND

SB-10 (2-4)	
30 Sep 2021	Results (mg/kg)
DRO	707
GRO	2,050
1,2,4-Trimethylbenzene	<b>286</b>
1,3,5-Trimethylbenzene	89.1
Ethylbenzene	<b>17.6</b>
Naphthalene	<b>35.3</b>

SB-11 (4-6)	
30 Sep 2021	Results (mg/kg)
DRO	2.3
GRO	51.1

SB-13 (6-7.5)	
30 Sep 2021	Results (mg/kg)
DRO	1.3
GRO	ND

SB-11 (6-8)	
30 Sep 2021	Results (mg/kg)
DRO	41.3
GRO	295
Naphthalene	0.862

SB-14 (6-7)	
30 Sep 2021	Results (mg/kg)
DRO	ND
GRO	ND

SB-10 (6-7.5)	
30 Sep 2021	Results (mg/kg)
DRO	11.3
GRO	217
1,2,4-Trimethylbenzene	6.91
1,3,5-Trimethylbenzene	1.5

TW-04	
30 Sep 2021	Results (µg/L)
DRO	4,300
GRO	4,090
Benzene	<b>5.3</b>
Naphthalene	<b>15.5</b>


TW-05	
30 Sep 2021	Results (µg/L)
DRO	55.0
GRO	ND

## Figure 5


### Active Mobil Station Analytical Results & Special Provisions

STH 54 Seymour

STH 54 & Ivory Street  
Seymour, WI 54165



Map Projection: NAD 1983 UTM Zone 16 N, Meters  
Basemap: Wisconsin DNR Outagamie County WMS, 2014



- Soil Boring
- Soil Boring and Groundwater Sample
- Cross Section Line B to B'
- Groundwater Plume
- Soil Contamination
- Investigation Area

**Soil Notes:**  
 GRO = Gasoline Range Organics  
 DRO = Diesel Range Organics  
 ND = Non Detect  
*Italics* = WI DNR Groundwater RCL exceedance  
Underline = WI DNR Non-Industrial RCL Soil exceedance  
**Bold** = WI Industrial DC RCL Soil exceedance



**Groundwater Notes:**  
 GRO = Gasoline Range Organics  
 DRO = Diesel Range Organics  
 ND = Non Detect  
Underline = WI NR140 Enforcement Standard exceedance  
**Bold** = WI NR140 Action Levels exceedance



A  
West

A'  
East

Site #6 - Closed Shell Station  
BRRTS# 03-45-001819



- Topsoil
- Sandy Clay
- Asphalt
- Clay
- Sandy Silt
- Bedrock
- Silty Clay
- Sand



- Temporary Well
- Groundwater Elevation
- PID (ppm)
- Boring

ENGR'G	PLS	 Customer-Focused Environmental & Industrial Solutions
DRAWN	3-Nov-21	
REV.	v1	
PROJECT NAME		STH 54 Seymour Phase 2.5
TITLE		CROSS SECTION A - A'
DWG. NO.	SCALE	FIGURE # 6A
TH54_Seymour.dwg	AS SHOWN	


B  
West


B'  
East

Site #5 - Seymour Mobil Station  
BRRTS# 03-45-153996



- + Topsoil
- Sandy Clay
- Asphalt
- Clay
- Sandy Silt
- Bedrock
- Silty Clay
- Sand



ENGR'G	PLS	 Customer-Focused Environmental & Industrial Solutions
DRAWN	3-Nov-21	
REV.	v1	
PROJECT NAME		STH 54 Seymour Phase 2.5
TITLE		CROSS SECTION B - B'
DWG. NO.	SCALE	FIGURE # 6B
TH54_Seymour.dwg	AS SHOWN	

C:\Users\P.Sweeney\Desktop\TH54\_Seymour.dwg

## **Appendix A**

### **Phase 1 Hazardous Materials Assessment Excerpts**

# **Hazardous Materials/Waste**

## **Initial Site Reconnaissance**

Project ID: 6230-20-00

STH 54

French Rd – Seminary Rd

Outagamie County

**Hazardous Materials/Waste**  
**Initial Site Reconnaissance**

**Project ID:** 6230-20-00

**Highway:** STH 54

**Termini:** French Rd – Seminary Rd




**County:** Outagamie

**Project Supervisor:** Charles Karow

**Project Manager:** Timothy Rank

**Prepared by:** Marisa Christie

**Prepared on:** 11/22/2019



Project ID: 6230-20-00  
 STH 54  
 French Rd to Seminary Rd  
 Outagamie County

**Legend**  
 — Project Extent  
 ● Problem Site

**Site List**

**Project ID:** 6230-20-00  
**Highway:** STH 54  
**Termini:** French Rd - Seminary Rd  
**County:** Outagamie

Site #	Site Name	Site Address	Red Flag	Continuing Obligations	Recommended Further Action
1	Charles Jenkins	W3342 Hwy 54, Seymour, WI 54165	1 UST on site - Closed/Removed (8/7/1990, 180 gallons, leaded gasoline)		
2	STH 54 and French Rd	Intersection of STH 54 and French Rd, Seymour, WI 54165	BRRTS - Closed Spill (#04-45-048047, 1/22/1983)		
3	ETC Investments/Hartland Cicero Insurance Co	106 E STH 54, Seymour, WI 54165	BRRTS - Closed LUST (#03-45-230480, 6/12/2002); Closed Spill (#04-45-495045, 1/21/1982); 1 UST on site - Abandoned without Product (5/7/1986, 2500 gallons, fuel oil); asbuilts (#0324(4), 1964)	Yes (#03-45-230480)	
4	Dunbar Self-Service (former)	1020 S Main St, Seymour, WI 54165	BRRTS - Closed LUST (#03-45-000013, 12/4/2000); asbuilts - gas station and pumps (#0113(3), 1954; #038-2(18), 1952; #0324(4), 1964)	Yes	
5	Seymour Mobil/Condon Oil Mobil	140 STH 54, Seymour, WI 54165	BRRTS - Closed LUST (#03-45-153996, 9/28/2007); SHWIMS - HW Small Generator (EPA ID: W1R000104786); 8 USTs on site - 4 Closed/Removed (10/11/2000, 4000 gallons, diesel; 10/11/2000, 6000 gallons, unleaded gasoline; 10/11/2000 (8000 gallons, unleaded gasoline; 10/11/2000 10000 gallons, unleaded gasoline) 4 In Use (6000 gallons, diesel; 6000 gallons, unleaded gasoline; 6000 gallons, unleaded gasoline; 12000 gallons, unleaded gasoline); asbuilts - gas station (#0324(4), 1964; #038-2(18), 1952)	Yes	
6	Coonen Inc	1043 Ivory St, Seymour, WI 54165	BRRTS - Closed LUST (#03-45-001819, 6/18/1996; #03-45-213120, 11/10/2009); Closed Spill (#04-45-559757, 2/16/2012); RCRA Waste Site (EPA ID: 11000540370); gas station-asbuilts (#038-2(18), 1952)	Yes (#03-45-213120)	
7	CTH C @ HWY 54/55	Intersection of CTH C and Hwy 54/55, Seymour, WI 54165	BRRTS - Closed Spill (#04-45-042163, 7/29/1987)		
8	Everest Petroleum Corporation Seymour	211 STH 54, Seymour, WI 54165	2 USTs on site - In Use (12000 gallons, unleaded gasoline; 12000 gallons, unleaded gasoline)		
9	Eick Auto Parts	401 E STH 54, Seymour, WI 54165	BRRTS - Closed LUST (#03-45-000358, 7/9/1991); SHWIMS site (EPA ID: none, FID:445077160)		
10	Bellin Health Family Medical Center	405 Commercial St, Seymour, WI 54165	RCRA Waste Site (EPA ID: 110039590760)		
11	O'Reilly Auto Parts Store 5046	1125 Orchard Dr, Seymour, WI 54165	RCRA Waste Site (EPA ID: 110070124933)		
12	Woodland Plaza Shopping Center	607 Woodland Plaza, Seymour, WI 54165	1 UST on site - Closed/Removed 12/31/1978 (10,000 gallons, fuel oil)		
13	Family Dollar #3915	629 Woodland Plaza, Seymour, WI 54165	RCRA Waste Site (EPA ID: 110063675973)		
14	Valley Veterinary Clinic	707 Woodland Plaza, Seymour, WI 54165	1 UST on site - Closed/Removed 6/4/1995 (1000 gallons, fuel oil)		
15	Meike Pontiac/Gustman Collision Center	725 Woodland Plaza, Seymour, WI 54165	BRRTS - Closed LUST (#03-45-001351, 1/27/1993); RCRA Waste Site (EPA ID: 110005436394); 1 UST on site - Closed/Removed 10/29/1992 (1000 gallons, waste/used motor oil); 1 AST on site - Closed/Removed 11/6/2002 (280 gallons, waste/used motor oil)		
16	Gustman Motors	1145 S Mainline Dr, Seymour, WI 54165	RCRA Waste Site (EPA ID: 110005411116)		
17	ANR-Seymour Metering Station	W2695 STH 54/55, Seymour, WI 54165	BRRTS - Closed ERP (#02-45-547935, 6/9/2008)		
18	Rynish Small Engine Repair/Seymour Machine & Welding	W2677 STH 54/55, Seymour, WI 54165	BRRTS - Closed LUST (#03-45-000388, 7/12/1994); SHWIMS site (EPA ID: none, FID: 445014680); 3 USTs on site - Closed/Removed (12/31/1986, leaded gasoline; 12/31/1979, 300 gallons, fuel oil; 12/31/1986, 300 gallons, waste/used motor oil)		
19	Greg Hanots Property	W1804 STH 54, Seymour, WI 54165	1 UST on site - Closed/Removed (10/31/1990, 250 gallons, unleaded gasoline)		
20	Selfred Peters	1665/1679 STH 54, Seymour, WI 54165	1 UST on site - In Use (1000 gallons, leaded gasoline); AST on site (field review)		
21	Pump		Pump (asbuilts, #038-2(18), 1952)		
22	Ronald J Vanden Heuvel Property	1415 STH 54, Seymour, WI 54165	1 UST on site - In Use (550 gallons, leaded gasoline)		
23	CTH H & STH 54	Intersection of CTH H and STH 54, Seymour, WI 54165	BRRTS - Closed Spill (#04-45-039535, 1/27/1984)		
24	Pump		Pump (asbuilts, #038-2(18), 1952)		
25	Oneida One Stop	W180 STH 54, Oneida, WI 54155	BRRTS - Closed LUST (#03-45-001745, 12/15/2000); Closed Spill (#04-45-046167, 8/12/1991); SHWIMS site - HW Generator, Small (EPA ID: W1D9889668); 3 ASTs on site - Closed/Removed (11/11/1983, 20000 gallons, diesel; 1/1/1983, 20000 gallons, fuel oil; 1/1/1983, 20000 gallons, unleaded gasoline); 7 USTs on site - Closed/Removed (6/23/1994, 550 gallons, fuel oil; 6/23/1994, 550 gallons, fuel oil; 10/14/2015, 12000 gallons, unleaded gasoline; 10/14/2015, 12000 gallons, unleaded gasoline) In Use (6000 gallons, diesel; 6000 gallons, unleaded gasoline; 20000 gallons, unleaded gasoline); canopy/gas station-asbuilts (#210-11-70, 2011)		
26	Appletons Garage	N7284 CTH J, Oneida, WI 54155	BRRTS - Closed ERP (#02-45-000016, 10/15/2003); Closed LUST (#03-45-114222, 9/1/2009); RCRA Waste Site (EPA ID: 11006108798); canopy/gas station-asbuilts (#210-11-70, 2011)	Yes (#02-45-000016, #03-45-114222)	

Note: There were several orphan/unknown sites identified during review. Those sites can be found at the back of this packet.

**Orphan Sites**

Site Name	Site Address	Red Flag
Creative Home Builders	STH 54 Rt 2	BRRTS - Closed Spill (#04-45-449592, 12/20/1990)
HWY 54	STH 54	BRRTS - Closed Spill (#04-45-052685, 4/15/1983)
HWY 54 3 M E of N	STH 54 3 miles east of N	BRRTS - Closed Spill (#04-45-047910, 12/10/1992)
STH 55 From Kaukauna to Seymour	STH 55 from Kaukauna to Seymour	BRRTS - Closed Spill (#04-45-049454, 4/13/1994)
Terry F Stingle	Hwy 55	1 UST on site - In Use (500 gallons, leaded gasoline)
Michael J Peters	2743 Hwy 55, Seymour, WI	1 UST on site - In Use (500 gallons, leaded gasoline)
Milton J Peters	2882 Hwy 55, Seymour, WI	1 UST on site - In Use (320 gallons, leaded gasoline)



WisDOT Phase 1 Hazardous Materials Assessment Site Summary  
(rev. 2/2016)

**Instructions:** following FDM 21-35-5, perform site assessment, fill in information for each site investigated. Multiple sites with no identified environmental concerns may be summarized on one form.

Recommendation acceptance/rejection/modification should be completed and signed by the person with the authority to make project decisions (for example: region hazardous materials coordinator, project manager, local road management consultant)

**WisDOT Project ID: 6230-20-00**  
**Highway/Street: STH 54**  
**Termini/Limits: French Rd – Seminary Rd**  
**County or Counties: Outagamie**

**Property Information:**

Site Name(s): Seymour Mobil/Condon Oil Mobil  
 DOT parcel number (if known):  
 Property Address: 140 STH 54, Seymour, WI 54165  
 Owner's Name:  
 Owner's Address:  
 Owner's Phone:  
 Current Land Use:  
 Past Land Use:

**Real Estate Requirements:**

- None  Total take  Strip acquisition of \_\_\_\_\_ feet
- Temporary Limited Easement (TLE)
- Permanent Limited Easement (PLE)
- Other (describe)

**Construction Requirements:**

- Excavation within current right of way to a depth of \_\_\_\_\_ feet
- Excavation within proposed right of way to a depth of \_\_\_\_\_ feet
- Excavation within easement to a depth of \_\_\_\_\_ feet
- Public or private utility or sanitary or storm sewer installation or excavation to a depth of \_\_\_\_\_ feet

**Information from database searches and interviews:**

Department of Agriculture, Trade and Consumer Protection (DATCP)  
 site has 8 (number) registered tanks  ASTs \_\_\_\_\_ (number)  USTs 8 (number)  
 tanks are currently in use 4 (number)  
 some 4 (number)  all tanks are abandoned; date(s): 10/11/2000  
 Tank contents and total number of tanks, both in place and abandoned:  
 Leaded gasoline  Unleaded gasoline 6  Fuel Oil  
 Diesel 2  Kerosene  Unknown  Other (describe)

Comments:

Department of Natural Resources (DNR)  
 site is a DNR administered LUST site; BRRTS number: 03-45-153996  
 site is a DNR administered ERP site; BRRTS number:  
 site is a closed  LUST  ERP site; closure date: 9/28/2007  
 site is a landfill  
 site is an abandoned waste disposal site  
 site is a hazardous waste generator EPA Generator ID: WIR000104786  
 site is a spill site  
 site has continuing obligations (attach copy of closure letter with continuing obligations)  
 Other (please describe)

Sanborn Maps: site is a \_\_\_\_\_ on map dated \_\_\_\_\_ . Comments:

WisDOT historic plan sets: site is a gas station on project s0324(4); f038-2(18) dated 1964; 1952. Comments:

Business directories: site is a \_\_\_\_\_ in the directory dated \_\_\_\_\_. Comments:

Aerial photos: site is a \_\_\_\_\_ on photo dated \_\_\_\_\_. Comments:

Contamination discovered at \_\_\_\_\_ feet during utility or other excavation in the area. Indicate location on site map.

Interview Information or other comments:

**Visual Evidence of Potential Contamination:** (include additional information in space provided)

No evidence of tanks

USTs  ASTs Location, number and condition of tanks, contents, comments:

Location in relationship to current right of way:  map attached

Location in relationship to proposed right of way:  map attached

Drums  Stained soils  Odor  Sheen on surface water  Areas of excavation  Areas of fill

Stressed vegetation  Pond(s)  Basins/sumps  Monitoring wells  Soil borings

Comments:

**Potential for Contaminant Migration:** (attach supporting documentation such as plume maps, summaries of site investigation or closure reports).

Property is a potential source of contamination

Adjacent property is a potential source of contamination. Include site name and address or BRRTS number if known, describe location, and include contaminant type and any additional information.

Contaminated soil within proposed right of way from \_\_\_\_\_ feet to \_\_\_\_\_ feet below ground surface

Contaminated groundwater within proposed right of way at \_\_\_\_\_ feet below ground surface.

Contaminated soil or groundwater within existing right of way. Attach copy of most recent investigation and plume maps or DNR form 4400-286 and plume maps.

**Attachments – required**

Site photographs and a site map showing areas of concern

Plat map showing parcel and any proposed areas of acquisition or easement

Historic aerial photos of site - clearly outline site

Historic WisDOT or other as-builts and plat maps - clearly outline site

Plume maps for known contamination. Indicate existing or proposed right of way on plume maps where applicable.

Closure letter with continuing obligations for sites closed with continuing obligations

**Recommendations**

No additional hazardous materials investigation is required.

If construction or real estate requirements change, evaluation of need for further investigation will be necessary.

Information is sufficient to use Standard Special Provisions. Copy of completed Standard Special Provision is attached.

Conduct additional investigation

Phase 2 (determine if contamination is present)

Phase 2.5 (determine extent of contamination within existing R/W only)

Phase 3 (determine full extent of contamination prior to acquisition)

Phase 4 (remediate site)

Other (describe)

Site has continuing obligations. Coordination with DNR will be required.

Prepared by: Marisa Christie on 11/27/2019

Recommendations  accepted  modified  rejected by: Name and Title on Modifications:

Signature of person accepting/modifying/rejecting recommendations:



55

Ivory St

C

Google Earth

© 2018 Google



200 ft



Mobil

McDonald's

CONDON

11.45 - 18.40



# Wisconsin Department of Natural Resources


## Environmental Cleanup & Brownfields Redevelopment

### BRRTS on the Web

Click the Location Name or FID below to view Location Details page for this Activity. Other Activities, if present, may be accessed from Location Details.

[< Basic Search](#)

<b>CONTINUING OBLIGATIONS APPLY</b>							
Due to remaining contamination, continuing obligations apply to one or more properties. For information specific to the continuing obligations review the documentation below. Prior to constructing or reconstructing a water supply well, you need to contact DNR for approval of well construction specifications.							
<b>IMPACTED ANOTHER PROPERTY OR RIGHT-OF-WAY</b>							
A hazardous substance discharge originating from this property has impacted one or more other properties or right-of-ways (ROWS). For more information, please review the documents below. Certain exemptions regarding the cleanup of impacted properties under Wisconsin Stat. Section 292.13 may apply.							
<b>03-45-153996 SEYMOUR MOBIL</b>							
<b>CLOSED LUST</b>							
<b>Location Name</b> (Click Location Name or FID to View Location Details)					<b>County</b>	<b>WDNR Region</b>	
<a href="#">SEYMOUR MOBIL</a>					OUTAGAMIE	NORTHEAST	
<b>Address</b>					<b>Municipality</b>		
140 STH 54					SEYMOUR		
<b>PLSS Description</b>			<b>Latitude</b>	<b>Longitude</b>	<b>Google Maps</b>	<b>RR Sites Map</b>	
NE 1/4 of the NE 1/4 of Sec 05, T23N, R18E			44.5003233	-88.3296335	<a href="#">CLICK TO VIEW</a>	<a href="#">CLICK TO VIEW</a>	
<b>Additional Location Description</b>					<b>Size (Acres)</b>	<b>Facility ID</b>	
310 E STH 54/55					.5	<a href="#">NONE</a>	
<b>Jurisdiction</b>		<b>PECFA No.</b>	<b>EPA Cerclis ID</b>		<b>Start Date</b>	<b>End Date</b>	<b>Last Action</b>
<b>DNR RR</b>		<a href="#">54165-1904-10</a>			1997-08-04	2007-09-28	2007-10-04
<b>Characteristics</b>							
<b>PECFA Tracked?</b>	<b>EPA NPL Site?</b>	<b>Eligible for PECFA Funds?</b>	<b>Above Ground Storage Tank?</b>	<b>Drycleaner?</b>	<b>Co-Contamination?</b>	<b>WI DOT Site?</b>	<b>COs Apply?</b>
Yes	No	Yes	No	No	No	No	Yes
<b>Actions</b>							
Place Cursor Over Action Code to View Description							
<b>Date</b>	<b>Code</b>	<b>Name</b>			<b>Comment</b>		
1997-08-04	1	Notification of Hazardous Substance Discharge					
1997-08-07	2	Responsible Party (RP) letter sent					
1998-07-03	43	Site Activity Status Update Received			REQUEST FOR PROJECT REVIEW MEETING		
Linked to Code 43: <a href="#">19980703_43_Status_Report.pdf</a> Click to Download or Open							
1999-06-28	43	Site Activity Status Update Received					
1999-08-24	37	Site Investigation Report (SIR) Received (non-fee)			CONTAMINATION IN BEDROCK, OFF-SITE		
Linked to Code 37: <a href="#">19990824_37_SIR.pdf</a> Click to Download or Open							

1999-08-24	143	Remedial Action Options Report (RAOR) Received (fee)				
1999-08-26	140	Site Investigation Report (SIR) Not Approved				
1999-08-26	40	Remedial Action Options Report (RAOR) Approved				
1999-09-02	43	Site Activity Status Update Received				
2002-07-24	99	Miscellaneous	WRPDES SAMPLING RESULTS			
2002-11-08	92	Operation & Maintenance (O & M) Report Received (non-Fee)				
Linked to Code 92: <a href="#">20021108_92_OM.pdf</a> Click to Download or Open						
2003-08-11	43	Site Activity Status Update Received	GROUNDWATER UPDATE			
2004-06-21	501	PECFA Bidding to Establish Cost Cap	* SYSTEM ADDED *			
Linked to Code 501: <a href="#">0345153996_20040621_501_PECFA_Bid.pdf</a> Click to Download or Open						
2006-02-06	50	GIS Registry Site	AUTOPOPULATED FROM 700/710 ACTION ENTRY ON 07-FEB-06			
2006-02-06	79	Case Closure Review Request Received				
2006-02-06	700	Database Fee Paid for Groundwater Continuing Obligation(s)				
2006-02-06	710	Database Fee Paid for Soil Continuing Obligation(s)				
2006-03-02	80	Closure Not Recommended	ADDT'L MONITORING & UTILITY TRENCH INVESTIGATION			
2006-11-16	179	Case Closure Review Request Received (non-fee)	RESUBMITTAL			
2007-07-20	179	Case Closure Review Request Received (non-fee)	RESUBMITTAL			
2007-08-13	84	Remaining Actions Needed	MW ABANDONMENT, CAP MAINT PLAN NEEDED			
2007-09-28	236	Continuing Obligation - Residual GW Contamination				
2007-09-28	46	Impacted Right-of-Way (ROW) Notification	AUTO-POPULATED 2018-03-20			
2007-09-28	66	Continuing Obligations (COs) Apply at Off-site Property(ies)	auto-populated on 08/01/2019 per activity relationship to off-site(s)			
2007-09-28	232	Continuing Obligation - Residual Soil Contamination				
2007-09-28	11	Activity Closed				
2007-09-28	56	Continuing Obligation(s) Applied	CAP MAINTENANCE PERFORMANCE STD CLOSURE			
Linked to Code 56: <a href="#">20070928_56_CO_Packet.pdf</a> Click to Download or Open						
2007-09-28	222	Continuing Obligation - Maintain Cap Over Contaminated Area				
<b>Other Documents and Images Not Linked to Actions Above</b> Click File Name to Download or Open						
The file below contains permanent records related to the site available at the time the paper Site File was scanned and uploaded. Records withheld by the department due to confidentiality, attorney-client privilege, and other sensitive records, as well as lab data, may not be included. Additional records associated with the site may or may not be accessible through an open records request.						
Site File		<a href="#">0345153996_SITE_FILE.pdf</a>				
<b>PECFA Claims Paid or Pending Payment</b> Payments made from the Petroleum Environmental Cleanup Fund Award						
<b>PECFA Site Name:</b>		Seymour Mobil				
<b>Maximum Reimbursement:</b>	\$1,000,000	<b>Total Amount Paid:</b>	\$212,425.24			
<b>Occ No</b> 	<b>Claim No</b>	<b>Audit Date</b>	<b>Paid Date</b>	<b>Amt Submitted</b>	<b>Amt Ineligible</b>	<b>Amt Paid</b>
A	1	2000-07-17	2000-11-03	\$46,782.55	\$3,023.07	\$41,446.51
A	2	2004-11-09	2005-01-12	\$168,075.16	\$11,194.67	\$154,193.46


A	3	2007-12-19	2008-02-27	\$18,836.53	\$2,051.26	\$16,785.27
Substances						
Substance	Type			Est Amt Released	Units	
Petroleum - Unknown Type	Petroleum					
Who						
Role	Name/Address					
Responsible Party	WESTERFELD OIL CO INC 102 N WARRINGTON ST CECIL, WI 54111					
For Additional Information, Please Contact						
<b>DENISE DANELSKI</b> 920-662-5494 <a href="mailto:denise.danelski@wisconsin.gov">denise.danelski@wisconsin.gov</a>						

BRRTS data comes from various sources, both internal and external to DNR. There may be omissions and errors in the data and delays in updating new information. Please see the [disclaimers page](#) for more information. We welcome your [Feedback](#).

---

The Official Internet site for the Wisconsin Department of Natural Resources  
101 S. Webster Street . PO Box 7921 . Madison, Wisconsin 53707-7921 . 608.266.2621





## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Ronald W. Kazmierczak, Regional Director

Shawano Field Office  
647 Lakeland Rd.  
Shawano, Wisconsin 54166  
Telephone 715-524-2183  
FAX 715-524-3214  
TTY Access via relay - 711

September 28, 2007

Mr. Leon Westerfeld  
Westerfeld Oil Co.  
PO Box 85  
Cecil, WI 54111

**SUBJECT:** Final Case Closure with Land Use Limitations or Conditions  
Seymour Mobil, 310 STH 54/55, Seymour, WI  
WDNR BRRTS Activity #: 03-45-153996, PECFA Claim # 54165-1904-10

Dear Mr. Westerfeld:

On August 13, 2007, the Department's Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On August 24, 2007, you were notified that the Closure Committee had granted conditional closure to this case.

On September 24, 2007, the Department received correspondence indicating that you have complied with the requirements of closure. The correspondence included a cap maintenance plan and monitoring well abandonment forms.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

### Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

### Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the pavement or other impervious cap that currently exists in the location shown on the attached map shall be maintained in compliance with the **attached maintenance plan** in order to minimize the infiltration of water and prevent additional

groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

### Prohibited Activities

The following activities are prohibited on any portion of the property where [pavement, a building foundation, soil cover, engineered cap or other barrier] is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.

### Vapor Migration

In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

### GIS Registry

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites for the following reasons:

Remaining Residual Groundwater Contamination

Remaining Residual Soil Contamination

Maintenance of Existing Cover or Barrier

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Tom Sturm at 715-526-4230

Sincerely,

A handwritten signature in black ink, appearing to read "B.G. Urban", with a long horizontal flourish extending to the right.

Bruce G. Urban  
Northeast Region Remediation & Redevelopment Team Supervisor

cc: Tom Reinsch - Condon Oil Co., PO Box 184, Ripon, WI 54971-0184  
Jason Powell - METCO, 1421 US Hwy. 16, La Crosse, WI 54601

## PAVEMENT COVER MAINTENANCE PLAN

September 20, 2007

Seymour Mobil

Property Located at:

310 State Highway 54/55, Seymour, WI 54165

FID # none, WDNR BRRTS # 03-45-153996

See attached deed for legal description (Exhibit A). TAX # 34-0-1193-02

### Introduction

This document is the Maintenance Plan for a pavement cover at the above-referenced property in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing paved surfaces occupying the area over the contaminated soil and groundwater on the property. The contaminated soil and groundwater is impacted by Gasoline Range Organics, 1,2,4 & 1,3,5-Trimethylbenzene, Benzene, Ethylbenzene, Xylene's, Toluene, and Naphthalene. The location of the paved surfaces and building structure to be maintained in accordance with this Maintenance Plan, as well as the impacted soil are identified in the attached map (Exhibit B).

### Cover Purpose

The paved surfaces over the contaminated soil and groundwater serve as a barrier to prevent direct human contact with residual soil contamination that might otherwise pose a threat to human health. The paved surfaces also act as a partial infiltration barrier to minimize future soil-to-groundwater contaminant migration that would violate the groundwater standards in ch. NR 140, Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

### Annual Inspection

The paved surface overlying the contaminated soil and groundwater as depicted in Exhibit B will be inspected once a year, normally in the spring after all snow and ice is gone, for deterioration, cracks and other potential problems that can cause additional infiltration into underlying soils. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit C, Cap Inspection Log. The log will include

recommendations for necessary repair of any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log. A copy of the inspection log will be sent to the Wisconsin Department of Natural Resources (WDNR) at least annually after every inspection, unless otherwise directed in the case closure letter.

#### Maintenance Activities

If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment ("PPE"). The owner must also sample any soil that is excavated from the site or property prior to disposal to ascertain if contaminants remain. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the paved surfaces overlying the contaminated soil/groundwater are removed or replaced, the replacement barrier must be, at a minimum, equally impervious as the original paved surfaces. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the WDNR or its successor.

The property owner, in order to maintain the integrity of the paved surfaces, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, etc.) for viewing.

#### Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.

#### Contact Information - September 2007

Site or Property Owner and Operator:

Tom Reinsch  
Condon Oil Company  
P.O. Box 184  
Ripon, WI 54971  
(920) 748-3186


Consultant: Jason T. Powell  
METCO  
1421 US Highway 16  
La Crosse WI, 54601  
(608) 781-8879

WDNR: Tom Sturm - WDNR  
647 Lakeland Road  
Shawano, WI 54166  
(715) 524-2183


# Exhibit B (Coonon Oil LUST site)

MW-300

- benzene: 140 ppb
- ethylbenzene: 400 ppb
- toluene: <13 ppb
- xylene: 930 ppb
- MTBE: 211 ppb
- MBs: 1330 ppb
- naphthalene: 140 ppb

 - Area requiring cap to be maintained.

NOTE: SINCE THE ENTIRE AREA HAS HISTORICALLY BEEN IMPACTED BY FREE PHASE PETROLEUM PRODUCT AS A RESULT OF A RELEASE FROM A NEIGHBORING PROPERTY, NO LIMIT OF DETECTION (LOD) ISOCONCENTRATION LINE HAS BEEN SHOWN ON THIS PLAN. IT IS LIKELY THAT DETECTION OF REMAINING DISSOLVED CONSTITUENTS FROM THAT RELEASE WOULD BE OBSERVED OVER A MUCH LARGER AREA THAN THAT SHOWN ON THIS PLAN.



- LEGEND**
- EXISTING**
- EXISTING SANITARY
  - EXISTING STORM
  - EXISTING WATER
- UTILITIES**
- SANITARY SEWER
  - SANITARY LATERAL
  - STORM SEWER
  - STORM SEWER LATERAL
  - MANHOLE
  - CATCH BASIN
  - CURB INLET
  - CLEANOUT
  - END SECTION
  - WATER MAIN
  - WATER SERVICE
  - HYDRANT & VALVE
  - WATER VALVE
  - CURB STOP
  - GAS MAIN
  - GAS SERVICE
  - GAS VALVE
  - GAS METER
  - OVERHEAD ELECTRIC
  - UNDERGROUND ELECTRIC
  - LIGHT POLE
  - POWER POLE
  - ELECTRIC PEDESTAL
  - ELECTRIC TRANSFORMER
  - OVERHEAD TELEPHONE
  - UNDERGROUND TELEPHONE
  - TELEPHONE PEDESTAL
  - CABLE TV
- MISCELLANEOUS**
- TREES
  - SIGN
  - FENCE
  - CONTOURS
  - EASEMENTS
  - ROADWAY CENTERLINE
- ENVIRONMENTAL**
- MW GROUND WATER MONITORING WELL
  - B SOIL BORING
  - RW GROUND WATER RECOVERY WELL
  - RS GROUND WATER RECOVERY SUMP
  - VMP VAPOR MONITORING POINT
  - VEP VAPOR EXTRACTION POINT
  - HP HYDROPUNCH LOCATION
  - GP GEOPROBE
  - AS AIR SPARGING POINT

General Extent of Petroleum Contamination in Groundwater Exceeding NR140 ES and PAL




FIGURE 6: ESTIMATED SEPT. 1998 BETX ISOCONCENTRATION PLAN


**MILLER ENGINEERS SCIENTISTS**  
5308 South Twelfth Street  
Sheboygan, Wisconsin 53081  
414-458-6164

WESTERFIELD OIL COMPANY  
SEYMOUR MOBIL  
140 EAST HWY. 54/55  
SEYMOUR, WISCONSIN

NO.	DATE	DESCRIPTION	SCALE	DATE	BY	CHK	SHEET
			HOR. 1" = 30'	8-29-02	SCM		01
						TWC	02
							03
							04
							05
							06
							07
							08
							09
							10

R. VENKON WESTER

WESTERFIELD OIL COMPANY



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Shawano Field Office  
647 Lakeland Rd.  
Shawano, Wisconsin 54166  
Telephone 715-524-2183  
FAX 715-524-3214  
TTY Access via relay - 711

August 24, 2007

Mr. Leon Westerfeld  
Westerfeld Oil Co.  
PO Box 85  
Cecil, WI 54111

Subject: Conditional Closure Decision,  
With Requirements to Achieve Final Closure  
Seymour Mobil, 310 STH 54/55, Seymour, Wisconsin  
WDNR BRRTS Activity # 03-45-153996, PECFA Claim#54165-1904-10

Dear Mr. Westerfeld:

On August 13, 2007, the Department's Northeast Region Closure Committee reviewed your request for closure of the case described above. The Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Committee has determined that the petroleum contamination on the above site appears to have been investigated and remediated to the extent practicable under site conditions to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

### **MONITORING WELL ABANDONMENT**

The monitoring wells and all piping associated with the remedial system at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Tom Sturm at the above address on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources.

### **PURGE WATER, INVESTIGATIVE WASTE AND SOIL PILE REMOVAL**

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

### **CAP MAINTENANCE PLAN**

The site will be closed with the requirement that the existing impervious cap be maintained to protect the groundwater from the remaining contamination at the site. A maintenance plan detailing how this cap will be maintained shall be submitted to me at the above address.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be

listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-526-4230.

Sincerely,



Tom Sturm  
Hydrogeologist  
Remediation & Redevelopment Program

cc: Jason Powell – METCO (e-copy)  
Beth Erdman – DCOMM (e-copy)




1193-01-4

Hwy 54

1193-02-4

1193-03-4


1193-04-4



C

(Coonon Oil Lust Site)

NOTE: SINCE THE ENTIRE AREA HAS HISTORICALLY BEEN IMPACTED BY FREE PHASE PETROLEUM PRODUCT AS A RESULT OF A RELEASE FROM A NEIGHBORING PROPERTY, NO LIMIT OF DETECTION (LOD) ISOCONCENTRATION LINE HAS BEEN SHOWN ON THIS PLAN. IT IS LIKELY THAT DETECTION OF REMAINING DISSOLVED CONSTITUENTS FROM THAT RELEASE WOULD BE OBSERVED OVER A MUCH LARGER AREA THAN THAT SHOWN ON THIS PLAN.



- LEGEND**
- |                   |                              |
|-------------------|------------------------------|
| <b>EXISTING</b>   | <b>UTILITIES</b>             |
| EXISTING SANITARY | SANITARY SEWER               |
| EXISTING STORM    | SANITARY LATERAL             |
| MH                | STORM SEWER                  |
| CB                | STORM SEWER LATERAL          |
| DL                | MANHOLE                      |
| CS                | CATCH BASIN                  |
| GV                | CURB INLET                   |
| OE                | CLEANOUT                     |
| UE                | END SECTION                  |
| UT                | EXISTING WATER               |
| CTV               | WATER MAIN                   |
|                   | WATER SERVICE                |
|                   | HYDRANT & VALVE              |
|                   | WATER VALVE                  |
|                   | CURB STOP                    |
|                   | GAS MAIN                     |
|                   | GAS SERVICE                  |
|                   | GAS VALVE                    |
|                   | GAS METER                    |
|                   | OVERHEAD ELECTRIC            |
|                   | UNDERGROUND ELECTRIC         |
|                   | LIGHT POLE                   |
|                   | POWER POLE                   |
|                   | ELECTRIC PEDESTAL            |
|                   | ELECTRIC TRANSFORMER         |
|                   | OVERHEAD TELEPHONE           |
|                   | UNDERGROUND TELEPHONE        |
|                   | TELEPHONE PEDESTAL           |
|                   | CABLE TV                     |
|                   | <b>MISCELLANEOUS</b>         |
|                   | TREES                        |
|                   | SIGN                         |
|                   | FENCE                        |
|                   | CONTOURS                     |
|                   | EASEMENTS                    |
|                   | ROADWAY CENTERLINE           |
|                   | <b>ENVIRONMENTAL</b>         |
|                   | MW                           |
|                   | B                            |
|                   | RW                           |
|                   | RS                           |
|                   | VAP                          |
|                   | VAP                          |
|                   | X H                          |
|                   | GP                           |
|                   | AS                           |
|                   | GROUND WATER MONITORING WELL |
|                   | SOIL BORING                  |
|                   | GROUND WATER RECOVERY WELL   |
|                   | GROUND WATER RECOVERY SUMP   |
|                   | VAPOR MONITORING POINT       |
|                   | VAPOR EXTRACTION POINT       |
|                   | HYDRO PUNCH LOCATION         |
|                   | GEOPROBE                     |
|                   | AIR SPARGING POINT           |




FIGURE 6: ESTIMATED SEPT. 1998 BETX ISOCONCENTRATION PLAN

**MILLER ENGINEERS SCIENTISTS**  
5308 South Twelfth Street  
Sheboygan, Wisconsin 53081  
414-458-6164

WESTERFIELD OIL COMPANY  
SEYMOUR MOBIL  
140 EAST HWY. 54/55  
SEYMOUR, WISCONSIN

NO.	DATE	DESCRIPTION

SCALE	DATE	BY	SCM	SHEET
HOR. 1"=30'	B-29-02			

K. YENNON/VESTER


Modified By METCO/LE 1-26-04

MW-300

- benzene: 140 ppb
- ethylbenzene: 400 ppb
- toluene: <13 ppb
- xylene: 930 ppb
- MTBE: <11 ppb
- TMBs: 1330 ppb
- naphthalene: 140 ppb

(Lagoon Oil LUST Site)

NOTE: SINCE THE ENTIRE AREA HAS HISTORICALLY BEEN IMPACTED BY FREE PHASE PETROLEUM PRODUCT AS A RESULT OF A RELEASE FROM A NEIGHBORING PROPERTY, NO LIMIT OF DETECTION (LOD) ISOCONCENTRATION LINE HAS BEEN SHOWN ON THIS PLAN. IT IS LIKELY THAT DETECTION OF REMAINING DISSOLVED CONSTITUENTS FROM THAT RELEASE WOULD BE OBSERVED OVER A MUCH LARGER AREA THAN THAT SHOWN ON THIS PLAN.



General Extent of Petroleum Contamination in Groundwater Exceeding NR140 ES and PAL




FIGURE 6: ESTIMATED SEPT. 1998 BETX ISOCONCENTRATION PLAN

**MILLER ENGINEERS SCIENTISTS**  
5308 South Twelfth Street  
Shobogan, Wisconsin 53081  
414-458-6164


WESTERFIELD OIL COMPANY  
SEYMOUR MOBIL  
140 EAST HWY. 54/55  
SEYMOUR, WISCONSIN

SCALE	DATE	BY	SCM	SHEET
HOR. 1" = 30'	8-29-02	OK	TWG	of
NO.	DATE	DESCRIPTION	VER.	

K. ENVIROM WESTER


Modified By ME TC0116 10/25/05

NOTE: SINCE THE ENTIRE AREA HAS HISTORICALLY BEEN IMPACTED BY FREE PHASE PETROLEUM PRODUCT AS A RESULT OF A RELEASE FROM A NEIGHBORING PROPERTY, NO LIMIT OF DETECTION (LOD) ISOCONCENTRATION LINE HAS BEEN SHOWN ON THIS PLAN. IT IS LIKELY THAT DETECTION OF REMAINING DISSOLVED CONSTITUENTS FROM THAT RELEASE WOULD BE OBSERVED OVER A MUCH LARGER AREA THAN THAT SHOWN ON THIS PLAN.



- LEGEND**
- EXISTING**
- EXISTING SANITARY
  - EXISTING STORM
  - EXISTING WATER
- UTILITIES**
- SANITARY SEWER
  - SANITARY LATERAL
  - STORM SEWER
  - STORM SEWER LATERAL
  - MANHOLE
  - CATCH BASIN
  - CURB INLET
  - CLEANOUT
  - END SECTION
  - WATER MAIN
  - WATER SERVICE
  - HYDRANT & VALVE
  - WATER VALVE
  - CURB STOP
  - GAS MAIN
  - GAS SERVICE
  - GAS VALVE
  - GAS METER
  - OVERHEAD ELECTRIC
  - UNDERGROUND ELECTRIC
  - LIGHT POLE
  - POWER POLE
  - ELECTRIC PEDESTAL
  - ELECTRIC TRANSFORMER
  - OVERHEAD TELEPHONE
  - UNDERGROUND TELEPHONE
  - TELEPHONE PEDESTAL
  - CABLE TV

- MISCELLANEOUS**
- TREES
  - SHOW
  - FENCE
  - CONTOURS
  - EASEMENTS
  - ROADWAY CENTERLINE
- ENVIRONMENTAL**
- GROUND WATER MONITORING WELL
  - SOIL BORING
  - GROUND WATER RECOVERY WELL
  - GROUND WATER RECOVERY SUMP
  - VAPOR MONITORING POINT
  - VAPOR EXTRACTION POINT
  - HYDRO-PUNCH LOCATION
  - GEO-PROBE
  - AIR SPARGING POINT



Groundwater Contour Map  
December 20, 2004

**MILLER ENGINEERS SCIENTISTS**  
5308 South Twelfth Street  
Shubogon, Wisconsin 53081  
414-458-6164


WESTERFIELD OIL COMPANY  
SEYMOUR MOBIL  
140 EAST HWY. 54/55  
SEYMOUR, WISCONSIN

NO.	DATE	DESCRIPTION	SCALE	DATE	BY	SCM	SHEET
			HOR. 1" = 30'	8-29-02			
					CK	TWG	


K. VERNON WESTER

Modified By METCO/IG 10-25-05

NOTE: SINCE THE ENTIRE AREA HAS HISTORICALLY BEEN IMPACTED BY FREE PHASE PETROLEUM PRODUCT AS A RESULT OF A RELEASE FROM A NEIGHBORING PROPERTY, NO LIMIT OF DETECTION (LOD) ISOCONCENTRATION LINE HAS BEEN SHOWN ON THIS PLAN. IT IS LIKELY THAT DETECTION OF REMAINING DISSOLVED CONSTITUENTS FROM THAT RELEASE WOULD BE OBSERVED OVER A MUCH LARGER AREA THAN THAT SHOWN ON THIS PLAN.



- LEGEND**
- |                           |                              |
|---------------------------|------------------------------|
| <b>EXISTING</b>           | <b>UTILITIES</b>             |
| EXISTING SANITARY         | SANITARY SEWER               |
| EXISTING SANITARY LATERAL | SANITARY LATERAL             |
| EXISTING STORM            | STORM SEWER                  |
| EXISTING STORM LATERAL    | STORM SEWER LATERAL          |
| MH                        | MANHOLE                      |
| CB                        | CATCH BASIN                  |
| INL                       | CURB INLET                   |
| CL                        | CLEANOUT                     |
| ES                        | END SECTION                  |
| EXISTING WATER            | WATER MAIN                   |
| WS                        | WATER SERVICE                |
| HW                        | HYDRANT & VALVE              |
| CS                        | WATER VALVE                  |
| CS                        | CURB STOP                    |
| G                         | GAS MAIN                     |
| GS                        | GAS SERVICE                  |
| GV                        | GAS VALVE                    |
| GM                        | GAS METER                    |
| OE                        | OVERHEAD ELECTRIC            |
| UE                        | UNDERGROUND ELECTRIC         |
| LP                        | LIGHT POLE                   |
| PP                        | POWER POLE                   |
| EP                        | ELECTRIC PEDESTAL            |
| ET                        | ELECTRIC TRANSFORMER         |
| OT                        | OVERHEAD TELEPHONE           |
| UT                        | UNDERGROUND TELEPHONE        |
| TP                        | TELEPHONE PEDESTAL           |
| CTV                       | CABLE TV                     |
| <b>MISCELLANEOUS</b>      |                              |
| T                         | TREES                        |
| S                         | SIGN                         |
| F                         | FENCE                        |
| C                         | CONTOURS                     |
| E                         | EASEMENTS                    |
| R                         | ROADWAY CENTERLINE           |
| <b>ENVIRONMENTAL</b>      |                              |
| MW                        | GROUND WATER MONITORING WELL |
| B                         | SOIL BORING                  |
| RW                        | GROUND WATER RECOVERY WELL   |
| RS                        | GROUND WATER RECOVERY SUMP   |
| VMP                       | VAPOR MONITORING POINT       |
| VEP                       | VAPOR EXTRACTION POINT       |
| X H                       | HYDROFUNCH LOCATION          |
| CP                        | GEOPROBE                     |
| AS                        | AIR SPARGING POINT           |



Groundwater Contour Map  
June 21, 2005

**MILLER ENGINEERS SCIENTISTS**  
5308 South Twelfth Street  
Sheboygan, Wisconsin 53081  
414-458-6164


WESTERFIELD OIL COMPANY  
SEYMOUR MOBIL  
140 EAST HWY. 54/55  
SEYMOUR, WISCONSIN

SCALE	DATE	BY	SCM	SHEET
HOR. 1" = 30'	8-29-02	CK	TWG	OF
JOB	1412BEIU			

NO.	DATE	DESCRIPTION	BY

K. ENVRON WESTER


Modified By METCO 110  
10/25/05



Area of Soil Contamination  
Exceeding NR720 Soil Clean-up  
Standards and/or  
Table 1 / Table 2 Values

LIMITS OF EXCAVATION  
FOR CONTAMINATED  
SOIL REMOVAL  
(NOVEMBER 2000)

- LEGEND**
- EXISTING**
- EXISTING SANITARY
  - EXISTING STORM
  - EXISTING WATER
- UTILITIES**
- SANITARY SEWER
  - SANITARY LATERAL
  - STORM SEWER
  - STORM SEWER LATERAL
  - MANHOLE
  - CATCH BASIN
  - CURB INLET
  - CLEANOUT
  - END SECTION
  - WATER MAIN
  - WATER SERVICE
  - HYDRANT & VALVE
  - WATER VALVE
  - CURB STOP
  - GAS MAIN
  - GAS SERVICE
  - GAS VALVE
  - GAS METER
  - OVERHEAD ELECTRIC
  - UNDERGROUND ELECTRIC
  - LIGHT POLE
  - POWER POLE
  - ELECTRIC PEDESTAL
  - ELECTRIC TRANSFORMER
  - OVERHEAD TELEPHONE
  - UNDERGROUND TELEPHONE
  - TELEPHONE PEDESTAL
  - CABLE TV
- MISCELLANEOUS**
- TREES
  - SIGN
  - FENCE
  - CONTOURS
  - EASEMENTS
  - ROADWAY CENTERLINE
- ENVIRONMENTAL**
- GROUND WATER MONITORING WELL
  - SOIL BORING
  - GROUND WATER RECOVERY WELL
  - GROUND WATER RECOVERY SUMP
  - VAPOR MONITORING POINT
  - VAPOR EXTRACTION POINT
  - HYDROPUNCH LOCATION
  - GEOPROBE
  - AIR SPARGING POINT
- (S29) INDICATES SOIL SAMPLE LOCATION**



**FIGURE 8: REMEDIAL EXCAVATION SOIL SAMPLE LOCATION PLAN**


**MILLER ENGINEERS SCIENTISTS**  
5308 South Twelfth Street  
Sheboygan, Wisconsin 53081  
414-458-6164

**WESTERFIELD OIL COMPANY**  
SEYMOUR MOBIL  
140 EAST HYW. 54/55  
SEYMOUR, WISCONSIN

SCALE	DATE	BY	SHEET
HOR. 1" = 30'	8-29-02	SCM	of
NO.	DATE	DESCRIPTION	BY
VER.	JOB	CK	
	1412BE1W	TWC	

Modified By METCO ILL  
10/25/05

*Coonen*  
*X Approx MW403*



- LEGEND**
- EXISTING**
- EXISTING SANITARY
  - EXISTING STORM
  - EXISTING WATER
- UTILITIES**
- SANITARY SEWER
  - SANITARY LATERAL
  - STORM SEWER
  - STORM SEWER LATERAL
  - MANHOLE
  - CATCH BASIN
  - CURB INLET
  - CLEANOUT
  - END SECTION
  - WATER MAIN
  - WATER SERVICE
  - HYDRANT & VALVE
  - WATER VALVE
  - CURB STOP
  - GAS MAIN
  - GAS SERVICE
  - GAS VALVE
  - GAS METER
  - OVERHEAD ELECTRIC
  - UNDERGROUND ELECTRIC
  - LIGHT POLE
  - POWER POLE
  - ELECTRIC PEDESTAL
  - ELECTRIC TRANSFORMER
  - OVERHEAD TELEPHONE
  - UNDERGROUND TELEPHONE
  - TELEPHONE PEDESTAL
  - CABLE TV
- MISCELLANEOUS**
- TREES
  - SIGN
  - FENCE
  - CONTOURS
  - EASEMENTS
  - ROADWAY CENTERLINE
- ENVIRONMENTAL**
- GROUND WATER MONITORING WELL
  - SOIL BORING
  - GROUND WATER RECOVERY WELL
  - GROUND WATER RECOVERY SUMP
  - VAPOR MONITORING POINT
  - VAPOR EXTRACTION POINT
  - HYDROPLUNCH LOCATION
  - GEOPROBE
  - AIR SPARGING POINT

AUGUST 6, 2002

MONITORING WELL #	TOP OF SCREEN	BOTTOM OF SCREEN	GROUND WATER ELEVATION
MW1	830.30	815.30	828.42
MW2	829.70	814.70	828.41
MW3	829.70	814.70	828.49
MW4	829.80	814.80	828.40
MW5	832.40	817.40	829.82
MW6	831.50	816.50	827.41
MW8	832.54	818.30	829.77
RW1	831.30	816.30	829.22
RW2	830.40	815.40	828.50
RW3	831.40	816.40	828.55
RW4	831.50	816.50	828.39
RW5	831.80	816.80	828.07
RW6	832.10	817.10	828.10

**FIGURE 4: ESTIMATED AUGUST 2002 GROUND WATER CONTOUR PLAN**

**MILLER ENGINEERS SCIENTISTS**  
 5308 South Twelfth Street  
 Sheboygan, Wisconsin 53081  
 414-458-6164


**WESTERFIELD OIL COMPANY**  
 SEYMOUR MOBIL  
 140 EAST HYW. 54/55  
 SEYMOUR, WISCONSIN

SCALE	DATE	BY	SCM	SHEET
HOR. 1"=30'	8-29-02	OK	TWG	of
NO.	DATE	DESCRIPTION	BY	
VER.				


NO.	DATE	DESCRIPTION	BY	
VER.				

NOTE: SINCE THE ENTIRE AREA HAS HISTORICALLY BEEN IMPACTED BY FREE PHASE PETROLEUM PRODUCT AS A RESULT OF A RELEASE FROM A NEIGHBORING PROPERTY, NO LIMIT OF DETECTION (LOD) ISOCONCENTRATION LINE HAS BEEN SHOWN ON THIS PLAN. IT IS LIKELY THAT DETECTION OF REMAINING DISSOLVED CONSTITUENTS FROM THAT RELEASE WOULD BE OBSERVED OVER A MUCH LARGER AREA THAN THAT SHOWN ON THIS PLAN.

*Cooper*  
*Approx MW30*



- LEGEND**
- EXISTING**
- EXISTING SANITARY
  - EXISTING STORM
  - EXISTING WATER
- UTILITIES**
- SANITARY SEWER
  - SANITARY LATERAL
  - STORM SEWER
  - STORM SEWER LATERAL
  - MH MANHOLE
  - CB CATCH BASIN
  - INL CURB INLET
  - CS CLEANOUT
  - END SECTION
  - WATER MAIN
  - WATER SERVICE
  - HYDRANT & VALVE
  - WATER VALVE
  - CURB STOP
  - GAS MAIN
  - GAS SERVICE
  - GAS VALVE
  - GAS METER
  - OVERHEAD ELECTRIC
  - UNDERGROUND ELECTRIC
  - LIGHT POLE
  - POWER POLE
  - ELECTRIC PEDESTAL
  - ELECTRIC TRANSFORMER
  - OVERHEAD TELEPHONE
  - UNDERGROUND TELEPHONE
  - TELEPHONE PEDESTAL
  - CTV CABLE TV
- MISCELLANEOUS**
- TREES
  - SIGN
  - FENCE
  - CONTOURS
  - EASEMENTS
  - ROADWAY CENTERLINE
- ENVIRONMENTAL**
- MW GROUND WATER MONITORING WELL
  - B SOIL BORING
  - RW GROUND WATER RECOVERY WELL
  - RS GROUND WATER RECOVERY SUMP
  - VMP VAPOR MONITORING POINT
  - VEP VAPOR EXTRACTION POINT
  - HP HYDROPUNCH LOCATION
  - GP GEOPROBE
  - AS AIR SPARGING POINT



( IN FEET )  
1 inch = 30ft.

FIGURE 6: ESTIMATED SEPT. 1998 BETX ISOCONCENTRATION PLAN

**MILLER ENGINEERS SCIENTISTS**

5308 South Twelfth Street  
Sheboygan, Wisconsin 53081  
414-458-6164

WESTERFIELD OIL COMPANY  
SEYMOUR MOBIL  
140 EAST HYW. 54/55  
SEYMOUR, WISCONSIN

SCALE	DATE	BY	SHEET
HOR. 1"=30'	8-29-02	SCM	
VER.	JOB	CK	OF
	14128ETU	TWG	07

NO.	DATE	DESCRIPTION	BY



**WDNR SHWIMS on the Web**

Navigation: [SOTW Home](#) >> [Basic Search](#) >> [Search Results](#) >> Location Detail

**SEYMOUR MOBIL MART**  
Facility Name

<a href="#">HELP</a>				
General Information				
Facility Name		County	WDNR Region	
SEYMOUR MOBIL MART		OUTAGAMIE	NORTHEAST REGION	
Facility Status	FID	EPA ID	SIC Code	NAICS Code
OPERATING	445003570	WIR000104786	NONE	NONE
Physical Address <a href="#">Find on Google Maps</a> [Exit DNR]	Municipality	State	Zip	
140 E STH 54	SEYMOUR	WI	54165	
Mailing Address	City	State	Zip	
PO BOX 184	RIPON	WI	54971	
Facility Owner Type	Public Land Survey System Desc.	Latitude and Longitude		
PRIVATE	NOT AVAILABLE	NOT AVAILABLE		

Facility Owner(s)
CONDON COMPANIES PO BOX 184 RIPON, WI 54971

Waste Management Activities at this Location		
Activity Type <a href="#">Click to view details</a>	Activity Status	License No.
HW SMALL GENERATOR - ONE TIME/PERIODIC	INACTIVE	N/A

**WDNR SHWIMS on the Web**

**206 HW Small Generator - One time/Periodic  
 SHWIMS on the Web - Waste Activity Details**

General Information					
Activity Code and Name			Activity Status	License Number	License Status
206 HW Small Generator - One time/Periodic			INACTIVE	N/A	N/A
Original Approval Date	Original License Date	Planned Closure Date	Closure Ltr. Received Date	Actual Closure Date	Status Changed Date
-	-	-	-	-	-

Activity Contact(s)		
Contact Name	Contact Mailing Address	Contact Phone
TOM R REINSCH, VP	PO BOX 184 RIPON, WI 54971	920-748-3186

To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 55114, WANG ID: 442500138, Closed/Removed as of 2000-10-11

<b>Install Date:</b>		<b>Capacity In Gallons:</b>	4,000	<b>Contents:</b>	Diesel
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Not Installed
<b>Overfill Prot Type:</b>	Not Installed	<b>Containment Sump Installed:</b>	N	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>		<b>Date Of Lining:</b>		<b>Underground Piping:</b>	N
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>					
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING -

<b>Flex Connectors:</b>	<b>UST Mainfolded:</b>	<b>Related Tank ID:</b>
<b>Type:</b>	<b>Aboveground Piping:</b> N	<b>Aboveground Pipe Cons:</b>
<b>Construction Material:</b>	<b>Corrosion Protect Type:</b>	<b>Leak Detection:</b>
<b>Catastrophic Leak Detection:</b>		<b>Leak Test Method:</b>
		<b>Pipe Wall Type:</b>
		<b>Piping System Type:</b>

### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections

FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019

To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 57822, WANG ID: 442500282, Closed/Removed as of 2000-10-11

<b>Install Date:</b>		<b>Capacity In Gallons:</b>	6,000	<b>Contents:</b>	Unleaded Gasoline
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Not Installed
<b>Overfill Prot Type:</b>	Not Installed	<b>Containment Sump Installed:</b>	N	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>		<b>Date Of Lining:</b>		<b>Underground Piping:</b>	N
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>					
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING -

<b>Flex Connectors:</b>	<b>UST Mainfolded:</b>	<b>Related Tank ID:</b>
<b>Type:</b>	<b>Aboveground Piping:</b> N	<b>Aboveground Pipe Cons:</b>
<b>Construction Material:</b>	<b>Corrosion Protect Type:</b>	<b>Leak Detection:</b>
<b>Catastrophic Leak Detection:</b>		<b>Leak Test Method:</b>
		<b>Pipe Wall Type:</b>
		<b>Piping System Type:</b>

### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections

FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019

To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 59197, WANG ID: 442500279, Closed/Removed as of 2000-10-11

<b>Install Date:</b>		<b>Capacity In Gallons:</b>	8,000	<b>Contents:</b>	Unleaded Gasoline
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Not Installed
<b>Overfill Prot Type:</b>	Not Installed	<b>Containment Sump Installed:</b>	N	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>		<b>Date Of Lining:</b>		<b>Underground Piping:</b>	N
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>					
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING -

<b>Flex Connectors:</b>	<b>UST Mainfolded:</b>	<b>Related Tank ID:</b>
<b>Type:</b>	<b>Aboveground Piping:</b> N	<b>Aboveground Pipe Cons:</b>
<b>Construction Material:</b>	<b>Corrosion Protect Type:</b>	<b>Leak Detection:</b>
<b>Catastrophic Leak Detection:</b>		<b>Leak Test Method:</b>
		<b>Pipe Wall Type:</b>
		<b>Piping System Type:</b>

### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections

FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019

To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 61876, WANG ID: 442500278, Closed/Removed as of 2000-10-11

<b>Install Date:</b>		<b>Capacity In Gallons:</b>	10,000	<b>Contents:</b>	Unleaded Gasoline
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Not Installed
<b>Overfill Prot Type:</b>	Not Installed	<b>Containment Sump Installed:</b>	N	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>		<b>Date Of Lining:</b>		<b>Underground Piping:</b>	N
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>					
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING -

<b>Flex Connectors:</b>	<b>UST Mainfolded:</b>	<b>Related Tank ID:</b>
<b>Type:</b>	<b>Aboveground Piping:</b> N	<b>Aboveground Pipe Cons:</b>
<b>Construction Material:</b>	<b>Corrosion Protect Type:</b>	<b>Leak Detection:</b>
<b>Catastrophic Leak Detection:</b>		<b>Leak Test Method:</b>
		<b>Pipe Wall Type:</b>
		<b>Piping System Type:</b>

### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections

FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019

To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 105343, WANG ID: , In Use, PTO Expiration: 2020-07-28

<b>Install Date:</b>	11/10/2000	<b>Capacity In Gallons:</b>	6,000	<b>Contents:</b>	Diesel
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Installed
<b>Overfill Prot Type:</b>	90alrm95auto	<b>Containment Sump Installed:</b>	Y	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>	Not Applicable	<b>Date Of Lining:</b>		<b>Underground Piping:</b>	Y
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>	Monthly Monitoring				
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING - In Use

<b>Flex Connectors:</b>	Y	<b>UST Mainfolded:</b>	N	<b>Related Tank ID:</b>	204770
<b>Type:</b>	Piping (Storage Tank)	<b>Aboveground Piping:</b>	N	<b>Aboveground Pipe Cons:</b>	
<b>Construction Material:</b>	Flexible	<b>Corrosion Protect Type:</b>	Not Applicable	<b>Leak Detection:</b>	Inventory Control/Tightness Testing
<b>Catastrophic Leak Detection:</b>	Flow Restrictor			<b>Leak Test Method:</b>	Annual Tightness Test
				<b>Pipe Wall Type:</b>	Double
				<b>Piping System Type:</b>	Pressurized

### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections

FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019

To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 106199, WANG ID: , In Use, PTO Expiration: 2020-07-28

<b>Install Date:</b>	11/10/2000	<b>Capacity In Gallons:</b>	6,000	<b>Contents:</b>	Unleaded Gasoline
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Installed
<b>Overfill Prot Type:</b>	90alm95auto	<b>Containment Sump Installed:</b>	Y	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>	Not Applicable	<b>Date Of Lining:</b>		<b>Underground Piping:</b>	Y
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>	Monthly Monitoring				
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING - In Use

<b>Flex Connectors:</b>	Y	<b>UST Mainfolded:</b>	N	<b>Related Tank ID:</b>	205625
<b>Type:</b>	Piping (Storage Tank)	<b>Aboveground Piping:</b>	N	<b>Aboveground Pipe Cons:</b>	
<b>Construction Material:</b>	Flexible	<b>Corrosion Protect Type:</b>	Not Applicable	<b>Leak Detection:</b>	Inventory Control/Tightness Testing
<b>Catastrophic Leak Detection:</b>	Flow Restrictor			<b>Leak Test Method:</b>	Annual Tightness Test
				<b>Pipe Wall Type:</b>	Double
				<b>Piping System Type:</b>	Pressurized

### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections

FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019



To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 106283, WANG ID: , In Use, PTO Expiration: 2020-07-28

<b>Install Date:</b>	11/10/2000	<b>Capacity In Gallons:</b>	6,000	<b>Contents:</b>	Unleaded Gasoline
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Installed
<b>Overfill Prot Type:</b>	90alm95auto	<b>Containment Sump Installed:</b>	Y	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>	Not Applicable	<b>Date Of Lining:</b>		<b>Underground Piping:</b>	Y
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>	Monthly Monitoring				
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING - In Use

<b>Flex Connectors:</b>	Y	<b>UST Mainfolded:</b>	N	<b>Related Tank ID:</b>	205709
<b>Type:</b>	Piping (Storage Tank)	<b>Aboveground Piping:</b>	N	<b>Aboveground Pipe Cons:</b>	
<b>Construction Material:</b>	Flexible	<b>Corrosion Protect Type:</b>	Not Applicable	<b>Leak Detection:</b>	Inventory Control/Tightness Testing
<b>Catastrophic Leak Detection:</b>	Flow Restrictor			<b>Leak Test Method:</b>	Annual Tightness Test
				<b>Pipe Wall Type:</b>	Double
				<b>Piping System Type:</b>	Pressurized

### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections

FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019

To go back to your search results please click the back arrow  in the above Toolbar

## Tank Details

### Site and Owner

Site Info	County & Municipality	Owner
Facility ID: 414389	Outagamie County	Condon Oil Co
Condon Oil Mobil	City of Seymour	126 E Jackson St
140 E Hwy 54 & 55	Fire Dept ID: 4425	Ripon
Seymour		WI 54971
Site Anniversary Date: July 28	Dispenser Has Sumps: N	

### Underground Storage Tank - ID: 113106, WANG ID: , In Use, PTO Expiration: 2020-07-28

<b>Install Date:</b>	11/10/2000	<b>Capacity In Gallons:</b>	12,000	<b>Contents:</b>	Unleaded Gasoline
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Marketer:</b>	Y	<b>CAS Number</b>	
<b>Federally Regulated:</b>	Yes	<b>Spill Protection:</b>	Installed	<b>Overfill Protection:</b>	Installed
<b>Overfill Prot Type:</b>	90alm95auto	<b>Containment Sump Installed:</b>	Y	<b>Lining Inspected Date:</b>	
<b>Corrosion Protect Type:</b>	Not Applicable	<b>Date Of Lining:</b>		<b>Underground Piping:</b>	Y
<b>Leak Detection:</b>	Automatic Tank Gauge	<b>Wall Type:</b>	Single		
<b>Leak Test Method:</b>	Monthly Monitoring				
<b>Construction Material:</b>	Fiberglass or Poly				

### PIPING - In Use

<b>Flex Connectors:</b>	Y	<b>UST Mainfolded:</b>	N	<b>Related Tank ID:</b>	212465
<b>Type:</b>	Piping (Storage Tank)	<b>Aboveground Piping:</b>	N	<b>Aboveground Pipe Cons:</b>	
<b>Construction Material:</b>	Flexible	<b>Corrosion Protect Type:</b>	Not Applicable	<b>Leak Detection:</b>	Inventory Control/Tightness Testing
<b>Catastrophic Leak Detection:</b>	Flow Restrictor			<b>Leak Test Method:</b>	Annual Tightness Test
				<b>Pipe Wall Type:</b>	Double
				<b>Piping System Type:</b>	Pressurized


### Inspection Test Dates

Test Type	Test Date	Test Expire Date

### Inspections


FacilityId	Inspection Type	Inspection Date
414389	Annual	03/03/2016
414389	Annual	03/23/2017
414389	Annual	06/07/2018
414389	Annual	06/11/2019

NO.	STATION	DESCRIPTION	ELEV.
23	436+62	SPIKE IN 48" MAPLE 42' LT.	824.98
24	441+23	" " 16" " 45' LT.	829.72
25	456+79	" " 20" " 32' LT.	837.75
26	461+30	" " 6" TWIN POPLAR 50' RT.	835.97
27	463+90	PT. MK. CENTER END GAS ISL. LT.	837.00





NET LENGTH OF CENTERLINE		
STATION TO STATION	LIN. FT.	
435+00	464+11.2	2911.20

STA. 438+04 - ±30' RT.  
STA. 451+28 - ±30' RT.  
STA. 454+65 - ±30' RT.  
TYPE 3-C C.B. REQ'D.  
AT EACH LOCATION  
ELEVATIONS TO BE DETERMINED  
IN THE FIELD.  
CONNECT EXISTING FIELD TILE  
(NO SUMP REQ'D. IN C.B.S)



UNC. EXC. = 3,668 C.Y.  
FILL = 2,819 C.Y.  
USE 74 C.Y. OLD CONC.

UNC. EXC. = 1,227 C.Y.  
FILL = 917 C.Y.  
USE 191 C.Y. OLD CONC.



STA. 438+04  
REMOVE 2- 18" X 34' CULV. PIPES  
50" X 31" X 60' C.M.P.A. REQ'D.


STA. 451+28  
REMOVE 3' X 2' X 24' CONC. BOX CULV.  
36" X 54' CULV. PIPE REQ'D.

STA. 463+06  
REMOVE 2' X 2' X 28' CONC. BOX CULV.  
36" X 22" X 46' C.M.P.A. REQ'D.

435	824.15	6	824.65	7	825.15	8	825.65	9	826.15	440	826.75	1	827.35	2	827.95	3	828.55	4	829.15	445	829.75	6	830.35	7	830.95	8	831.55	9	832.15	450	832.75	1	833.35	2	833.95	3	834.55	4	835.15	455	835.68	6	836.05	7	836.19	8	836.28	9	836.37	9	836.30	460	836.16	1	836.09	2	836.02	3	835.95	4	835.88	5	835.81	6	835.74	7	835.67	8	835.60
-----	--------	---	--------	---	--------	---	--------	---	--------	-----	--------	---	--------	---	--------	---	--------	---	--------	-----	--------	---	--------	---	--------	---	--------	---	--------	-----	--------	---	--------	---	--------	---	--------	---	--------	-----	--------	---	--------	---	--------	---	--------	---	--------	---	--------	-----	--------	---	--------	---	--------	---	--------	---	--------	---	--------	---	--------	---	--------	---	--------





**BENCH MARKS**

NO.	STATION	DESCRIPTION	ELEV.
67	699+82	SPIKE IN 20' ELM. - 100LT	855.29
68	708+55	SPIKE IN 10' APPLE - 75RT	851.27
69	714+70	SPIKE IN 18" BOX EL. - 75LT	847.06
70	719+20	SPIKE IN N.E. COR. OF BOT. CONG. STEP - 65RT	837.84



**NET LENGTH OF CENTERLINE**

STATION TO STATION	LIN. FT.	
718+43	720+00	157.0





WisDOT Phase 1 Hazardous Materials Assessment Site Summary  
(rev. 2/2016)

**Instructions:** following FDM 21-35-5, perform site assessment, fill in information for each site investigated. Multiple sites with no identified environmental concerns may be summarized on one form.

Recommendation acceptance/rejection/modification should be completed and signed by the person with the authority to make project decisions (for example: region hazardous materials coordinator, project manager, local road management consultant)

**WisDOT Project ID: 6230-20-00**  
**Highway/Street: STH 54**  
**Termini/Limits: French Rd – Seminary Rd**  
**County or Counties: Outagamie**

**Property Information:**

Site Name(s): Coonen Inc  
 DOT parcel number (if known):  
 Property Address: 1043 Ivory St, Seymour, WI 54165  
 Owner's Name:  
 Owner's Address:  
 Owner's Phone:  
 Current Land Use:  
 Past Land Use:

**Real Estate Requirements:**

- None  Total take  Strip acquisition of \_\_\_\_\_ feet
- Temporary Limited Easement (TLE)
- Permanent Limited Easement (PLE)
- Other (describe)

**Construction Requirements:**

- Excavation within current right of way to a depth of \_\_\_\_\_ feet
- Excavation within proposed right of way to a depth of \_\_\_\_\_ feet
- Excavation within easement to a depth of \_\_\_\_\_ feet
- Public or private utility or sanitary or storm sewer installation or excavation to a depth of \_\_\_\_\_ feet

**Information from database searches and interviews:**

Department of Agriculture, Trade and Consumer Protection (DATCP)  
 site has \_\_\_\_\_ (number) registered tanks  ASTs \_\_\_\_\_ (number)  USTs \_\_\_\_\_ (number)  
 tanks are currently in use \_\_\_\_\_ (number)  
 some \_\_\_\_\_ (number)  all tanks are abandoned date(s):  
 Tank contents and total number of tanks, both in place and abandoned:  
 Leaded gasoline  Unleaded gasoline  Fuel Oil  
 Diesel  Kerosene  Unknown  Other (describe)

Comments:

Department of Natural Resources (DNR)  
 site is a DNR administered LUST site; BRRTS number: 03-45-001819; 03-45-213120  
 site is a DNR administered ERP site; BRRTS number:  
 site is a closed  LUST  ERP site; closure date: 6/18/1996; 11/10/2009  
 site is a landfill  
 site is an abandoned waste disposal site  
 site is a hazardous waste generator EPA Generator ID: 110005540370  
 site is a spill site; BRRTS number: 04-45-559757; closure date: 2/16/2012  
 site has continuing obligations (attach copy of closure letter with continuing obligations)  
 Other (please describe)

Sanborn Maps: site is a \_\_\_\_\_ on map dated \_\_\_\_\_ . Comments:

WisDOT historic plan sets: site is a gas station on project f038-2(18) dated 1952. Comments:

Business directories: site is a \_\_\_\_\_ in the directory dated \_\_\_\_\_. Comments:

Aerial photos: site is a \_\_\_\_\_ on photo dated \_\_\_\_\_. Comments:

Contamination discovered at \_\_\_\_\_ feet during utility or other excavation in the area. Indicate location on site map.

Interview Information or other comments:

**Visual Evidence of Potential Contamination:** (include additional information in space provided)

No evidence of tanks

USTs  ASTs Location, number and condition of tanks, contents, comments:

Location in relationship to current right of way:  map attached

Location in relationship to proposed right of way:  map attached

Drums  Stained soils  Odor  Sheen on surface water  Areas of excavation  Areas of fill

Stressed vegetation  Pond(s)  Basins/sumps  Monitoring wells  Soil borings

Comments:

**Potential for Contaminant Migration:** (attach supporting documentation such as plume maps, summaries of site investigation or closure reports).

Property is a potential source of contamination

Adjacent property is a potential source of contamination. Include site name and address or BRRTS number if known, describe location, and include contaminant type and any additional information.

Contaminated soil within proposed right of way from \_\_\_\_\_ feet to \_\_\_\_\_ feet below ground surface

Contaminated groundwater within proposed right of way at \_\_\_\_\_ feet below ground surface.

Contaminated soil or groundwater within existing right of way. Attach copy of most recent investigation and plume maps or DNR form 4400-286 and plume maps.

**Attachments – required**

Site photographs and a site map showing areas of concern

Plat map showing parcel and any proposed areas of acquisition or easement

Historic aerial photos of site - clearly outline site

Historic WisDOT or other as-builts and plat maps - clearly outline site

Plume maps for known contamination. Indicate existing or proposed right of way on plume maps where applicable.

Closure letter with continuing obligations for sites closed with continuing obligations

**Recommendations**

No additional hazardous materials investigation is required.

If construction or real estate requirements change, evaluation of need for further investigation will be necessary.

Information is sufficient to use Standard Special Provisions. Copy of completed Standard Special Provision is attached.

Conduct additional investigation

Phase 2 (determine if contamination is present)

Phase 2.5 (determine extent of contamination within existing R/W only)

Phase 3 (determine full extent of contamination prior to acquisition)

Phase 4 (remediate site)

Other (describe)

Site has continuing obligations. Coordination with DNR will be required.

Prepared by: Marisa Christie on 11/27/2019

Recommendations  accepted  modified  rejected by: Name and Title on Modifications:

Signature of person accepting/modifying/rejecting recommendations:

\_\_\_\_\_



Google Earth

© 2018 Google

54



200 ft





Regular  
Plus  
V-Power  
Diesel  
ATM

STOP

ONE WAY  
112

WYOMING

# Wisconsin Department of Natural Resources

## Environmental Cleanup & Brownfields Redevelopment

### BRRTS on the Web

Click the Location Name or FID below to view Location Details page for this Activity. Other Activities, if present, may be accessed from Location Details.

[< Basic Search](#)

<b>03-45-001819 COONEN INC</b>							
<b>CLOSED LUST</b>							
<b>Location Name</b> (Click Location Name or FID to View Location Details)					<b>County</b>	<b>WDNR Region</b>	
<a href="#">COONEN INC</a>					OUTAGAMIE	NORTHEAST	
<b>Address</b>					<b>Municipality</b>		
1043 IVORY ST					SEYMOUR		
<b>PLSS Description</b>			<b>Latitude</b>	<b>Longitude</b>	<b>Google Maps</b>	<b>RR Sites Map</b>	
SW 1/4 of the SW 1/4 of Sec 33, T24N, R18E			44.5011759	-88.3295918	<a href="#">CLICK TO VIEW</a>	<a href="#">CLICK TO VIEW</a>	
<b>Additional Location Description</b>					<b>Size (Acres)</b>	<b>Facility ID</b>	
					UNKNOWN	<a href="#">445154270</a>	
<b>Jurisdiction</b>		<b>PECFA No.</b>	<b>EPA Cerclis ID</b>		<b>Start Date</b>	<b>End Date</b>	<b>Last Action</b>
DNR RR		<a href="#">54165-1682-43</a>			1994-05-24	1996-06-18	1996-06-18
Characteristics							
<b>PECFA Tracked?</b>	<b>EPA NPL Site?</b>	<b>Eligible for PECFA Funds?</b>	<b>Above Ground Storage Tank?</b>	<b>Drycleaner?</b>	<b>Co-Contamination?</b>	<b>WI DOT Site?</b>	<b>COs Apply?</b>
No	No	No	No	No	No	No	No
Actions							
Place Cursor Over Action Code to View Description							
<b>Date</b>	<b>Code</b>	<b>Name</b>			<b>Comment</b>		
1994-05-24	1	Notification of Hazardous Substance Discharge					
1994-05-25	2	Responsible Party (RP) letter sent			SIWP DUE 7/30/94		
1994-11-10	30	Site Investigation Workplan (SIWP) Notice to Proceed (NTP)					
1994-11-10	35	Site Investigation Workplan (SIWP) Received (non-fee)					
1995-05-04	30	Site Investigation Workplan (SIWP) Notice to Proceed (NTP)					
1995-05-04	39	Remedial Action Options Report (RAOR) Received (non-fee)					
1995-08-14	43	Site Activity Status Update Received			RA UPDATE		
1996-03-13	43	Site Activity Status Update Received			QUARTERLY GW REPORT		
1996-06-18	11	Activity Closed					
Linked to Code 11: <a href="#">0345001819 Final Closure.pdf</a> Click to Download or Open							
PECFA Claims Paid or Pending Payment							
Payments made from the Petroleum Environmental Cleanup Fund Award							
<b>PECFA Site Name:</b>							
<b>Maximum Reimbursement:</b>				<b>Total Amount Paid:</b>			
<b>Occ No</b>	<b>Claim No</b>	<b>Audit Date</b>	<b>Paid Date</b>				<b>Amt Paid</b>


				<b>Amt Submitted</b>	<b>Amt Ineligible</b>	
A	1			\$ .00	\$ .00	\$ .00
<b>Who</b>						
<b>Role</b>			<b>Name/Address</b>			
Responsible Party			COONEN OIL INC 1043 IVORY ST SEYMOUR, WI 54165			

<b>For Additional Information, Please Contact</b>	
<b>DENISE DANELSKI</b> 920-662-5494 <a href="mailto:denise.danelski@wisconsin.gov">denise.danelski@wisconsin.gov</a>	

BRRTS data comes from various sources, both internal and external to DNR. There may be omissions and errors in the data and delays in updating new information. Please see the [disclaimers page](#) for more information. We welcome your [Feedback](#).

---

The Official Internet site for the Wisconsin Department of Natural Resources  
101 S. Webster Street . PO Box 7921 . Madison, Wisconsin 53707-7921 . 608.266.2621



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
William R. Selbig, District Director

Department of Natural Resources  
Box 2565  
Oshkosh, Wisconsin 54903  
TELEPHONE 414-424-3050  
FAX 414-424-4404

June 18, 1996

Mr. Robert Coonen  
1043 Ivory Street  
Seymour, WI 54165

Subject: Closeout of LUST Case #45-1819, Coonen Inc.  
1043 Ivory Street, Seymour

Dear Mr. Coonen,

On May 29, 1996 the above named site was reviewed by the Northeast Region Closure Committee for a determination on case close out as provided in ch. NR 726, Wis. Adm. Code. Based on the investigative and remedial documentation provided, it appears as though the site has been remediated to acceptable standards. Therefore, the Department considers the site "closed" and no further action is necessary at this time.

The Department will continue to track this site as an open case until the proper abandonment form is received for the sump which was installed in the excavation. After the form has been received, the case will appear as "closed" on the tracking system.

The Department appreciates the cooperation you have shown in this matter. If you have any additional questions please call me at 414-424-7887.

Sincerely,

Thomas Verstegen  
Hydrogeologist  
Bureau for Remediation and Redevelopment

cc: Case File - OSH  
Karen Chopp, Environmental Assessments, Inc., PO Box 9127, Appleton, WI 54911

# Wisconsin Department of Natural Resources

## Environmental Cleanup & Brownfields Redevelopment

### BRRTS on the Web

Click the Location Name or FID below to view Location Details page for this Activity. Other Activities, if present, may be accessed from Location Details.

[< Basic Search](#)

<b>CONTINUING OBLIGATIONS APPLY</b>							
Due to remaining contamination, continuing obligations apply to one or more properties. For information specific to the continuing obligations review the documentation below. Prior to constructing or reconstructing a water supply well, you need to contact DNR for approval of well construction specifications.							
<b>IMPACTED ANOTHER PROPERTY OR RIGHT-OF-WAY</b>							
A hazardous substance discharge originating from this property has impacted one or more other properties or right-of-ways (ROWS). For more information, please review the documents below. Certain exemptions regarding the cleanup of impacted properties under Wisconsin Stat. Section 292.13 may apply.							
<b>03-45-213120 COONEN OIL STATION</b>							
<b>CLOSED LUST</b>							
<b>Location Name</b> (Click Location Name or FID to View Location Details)					<b>County</b>	<b>WDNR Region</b>	
<a href="#">COONEN INC</a>					OUTAGAMIE	NORTHEAST	
<b>Address</b>					<b>Municipality</b>		
1043 IVORY ST					SEYMOUR		
<b>PLSS Description</b>			<b>Latitude</b>	<b>Longitude</b>	<b>Google Maps</b>	<b>RR Sites Map</b>	
SW 1/4 of the SW 1/4 of Sec 33, T24N, R18E			44.5009036	-88.3293589	<a href="#">CLICK TO VIEW</a>	<a href="#">CLICK TO VIEW</a>	
<b>Additional Location Description</b>					<b>Size (Acres)</b>	<b>Facility ID</b>	
					1	<a href="#">445154270</a>	
<b>Jurisdiction</b>		<b>PECFA No.</b>	<b>EPA Cerclis ID</b>		<b>Start Date</b>	<b>End Date</b>	<b>Last Action</b>
<b>DNR RR</b>		<a href="#">54165-1682-43</a>			1999-01-21	2009-11-10	2009-11-18
<b>Characteristics</b>							
<b>PECFA Tracked?</b>	<b>EPA NPL Site?</b>	<b>Eligible for PECFA Funds?</b>	<b>Above Ground Storage Tank?</b>	<b>Drycleaner?</b>	<b>Co-Contamination?</b>	<b>WI DOT Site?</b>	<b>COs Apply?</b>
Yes	No	Yes	No	No	No	No	Yes
<b>Actions</b>							
Place Cursor Over Action Code to View Description							
<b>Date</b>	<b>Code</b>	<b>Name</b>			<b>Comment</b>		
1999-01-21	1	Notification of Hazardous Substance Discharge					
1999-01-29	33	Tank System Site Assessment (TSSA) Report Received					
Linked to Code 33: <a href="#">19990129_33_TSSA.pdf</a> Click to Download or Open							
1999-02-22	2	Responsible Party (RP) letter sent					
1999-09-13	43	Site Activity Status Update Received					
1999-10-13	35	Site Investigation Workplan (SIWP) Received (non-fee)					
1999-10-18	36						

		Site Investigation Workplan (SIWP) Approved	
2001-11-08	43	Site Activity Status Update Received	
2002-05-21	99	Miscellaneous	WDNR REQUESTS STATUS UPDATE
2002-07-29	99	Miscellaneous	WDNR REQUESTS STATUS UPDATE
2003-03-11	43	Site Activity Status Update Received	ESTABLISHING BANK LOAN, PLAN TO TAKE WATER SAMPLES IN SUMMER
2004-05-11	43	Site Activity Status Update Received	GW UPDATE
2004-08-15	43	Site Activity Status Update Received	SITE UPDATE
2004-12-29	37	Site Investigation Report (SIR) Received (non-fee)	
Linked to Code 37: <a href="#">20041229_37_SIR.pdf</a> Click to Download or Open			
2004-12-30	43	Site Activity Status Update Received	STATUS REPORT - CLOSURE REQUEST TO FOLLOW
2005-01-31	700	Database Fee Paid for Groundwater Continuing Obligation(s)	
2005-01-31	79	Case Closure Review Request Received	
2005-01-31	710	Database Fee Paid for Soil Continuing Obligation(s)	
2005-01-31	50	GIS Registry Site	
2005-05-17	84	Remaining Actions Needed	MW ABANDONMENT
2007-02-05	43	Site Activity Status Update Received	REQUESTED INFO FOR FINAL CLOSURE
2008-07-09	99	Miscellaneous	REQUEST FOR INFORMATION FOR FINAL CLOSURE (MONITORING WELL ABANDONMENT, MAINTENANCE PLAN)
2009-11-03	190	Remaining Actions Needed Requirements Met or Docs Received	
2009-11-10	236	Continuing Obligation - Residual GW Contamination	
2009-11-10	232	Continuing Obligation - Residual Soil Contamination	*** AUTO POPULATED AT FINAL CLOSURE DUE TO 710 ACTION ***
2009-11-10	56	Continuing Obligation(s) Applied	
2009-11-10	222	Continuing Obligation - Maintain Cap Over Contaminated Area	
2009-11-10	84	Remaining Actions Needed	
2009-11-10	46	Impacted Right-of-Way (ROW) Notification	AUTO-POPULATED 2018-03-20
2009-11-10	11	Activity Closed	
<b>Other Documents and Images Not Linked to Actions Above</b> Click File Name to Download or Open			
The file below contains permanent records related to the site available at the time the paper Site File was scanned and uploaded. Records withheld by the department due to confidentiality, attorney-client privilege, and other sensitive records, as well as lab data, may not be included. Additional records associated with the site may or may not be accessible through an open records request.			
Site File	<a href="#">0345213120_SITE_FILE.pdf</a>		
<b>PECFA Claims Paid or Pending Payment</b> Payments made from the Petroleum Environmental Cleanup Fund Award			
<b>PECFA Site Name:</b>		Coonen Oil Co	
<b>Maximum Reimbursement:</b>	\$1,000,000	<b>Total Amount Paid:</b>	\$25,737.04
<b>Occ No</b>	<b>Claim No</b>	<b>Audit Date</b>	<b>Paid Date</b>
B	1	2005-08-29	2005-10-11
		<b>Amt Submitted</b>	<b>Amt Ineligible</b>
		\$30,234.72	\$3,011.52
		<b>Amt Paid</b>	\$25,737.04
<b>Substances</b>			
<b>Substance</b>	<b>Type</b>		<b>Est Amt Released</b>
Gasoline - Unleaded and Leaded	Petroleum		
Diesel Fuel	Petroleum		
<b>Who</b>			

<b>Role</b>	<b>Name/Address</b>
Responsible Party	COONEN TRUST 471 BROOKWOOD DR SEYMOUR, WI 54165

<b>For Additional Information, Please Contact</b>
<b>DENISE DANELSKI</b> 920-662-5494 <a href="mailto:denise.danelski@wisconsin.gov">denise.danelski@wisconsin.gov</a>

BRRTS data comes from various sources, both internal and external to DNR. There may be omissions and errors in the data and delays in updating new information. Please see the [disclaimers page](#) for more information. We welcome your [Feedback](#).

---

The Official Internet site for the Wisconsin Department of Natural Resources  
101 S. Webster Street . PO Box 7921 . Madison, Wisconsin 53707-7921 . 608.266.2621

Release 2.8.6 | 10/16/2019 | [Release Notes](#)



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters  
2984 Shawano Ave.  
Green Bay, Wisconsin 54313-6727  
Telephone 920-662-5100  
FAX 920-662-5413  
TTY Access via relay - 711

November 10, 2009

Mr. Robert Coonen  
Coonen Inc.  
471 Brookwood Dr.  
Seymour, WI 54165

**SUBJECT:** Final Case Closure with Continuing Obligations  
Coonen Oil Station, 1043 Ivory St., Seymour, WI  
WDNR BRRTS Activity #: 03-45-213120

Dear Mr. Coonen:

On April 25, 2005, the Department's Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On May 16, 2005, you were notified that the Closure Committee had granted conditional closure to this case.

On November 9, 2009 the Department received documentation indicating that you have complied with the requirements for final closure that included a cap maintenance plan and monitoring well abandonment forms.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time, however, you and future property owners must comply with certain continuing obligations as explained in this letter.

### GIS Registry

This site will be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's



contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

#### Dewatering Permits

The Department's Watershed Management Program regulates point source discharges of contaminated water, including discharges to surface waters, storm sewers, pits or to the ground surface. This includes discharges from construction related dewatering activities, including utility and building construction.

Based on the concentrations of contaminants remaining in groundwater at this location, it appears likely that dewatering activities would require a permit from the Watershed Management Program. If you or any other person plan to conduct such activities, you or that person must contact that program, and if necessary, apply for the necessary discharge permit. Additional information regarding discharge permits is available at <http://www.dnr.state.wi.us/org/water/wm/ww/>

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Tom Sturm at 715-526-4230.

Sincerely,



Bruce G. Urben Team Supervisor  
Northeast Region Remediation & Redevelopment Program

Attachment: Maintenance Plan

cc: Jeffery Brand/Susan Knabe – Bonestroo, 954 Circle Dr., Green Bay, WI 54304  
Tom Sturm - Shawano



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters  
2984 Shawano Ave.  
Green Bay, Wisconsin 54313-6727  
Telephone 920-662-5100  
FAX 920-662-5413  
TTY Access via relay - 711

November 10, 2009

Mr. Robert Coonen  
Coonen Inc.  
471 Brookwood Dr.  
Seymour, WI 54165

SUBJECT: Final Case Closure with Continuing Obligations  
Coonen Oil Station, 1043 Ivory St., Seymour, WI  
WDNR BRRTS Activity #: 03-45-213120

Dear Coonen:

On April 25, 2005, the Department's Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On May 16, 2005, you were notified that the Closure Committee had granted conditional closure to this case.

On November 9, 2009 the Department received documentation indicating that you have complied with the requirements for final closure that included a cap maintenance plan and monitoring well abandonment forms.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time, however, you and future property owners must comply with certain continuing obligations as explained in this letter.

### GIS Registry

This site will be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval,

Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

### Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. You must pass on the information about these continuing obligations to the next property owner or owners. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. The Department intends to conduct inspections in the future to ensure that the property is in compliance with the conditions included in this letter.

### Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the pavement or other impervious cap that currently exists in the location shown on the attached map shall be maintained in compliance with the **attached maintenance plan** in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The attached maintenance plan and inspection log are to be kept up-to-date and on-site. Please submit the inspection log to the Department only upon request.

### Prohibited Activities

The following activities are prohibited on any portion of the property where [pavement, a building foundation, soil cover, engineered cap or other barrier] is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; 6) construction or placement of a building or other structure.

### Residual Groundwater Contamination

Groundwater impacted by benzene contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present the property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated

contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

#### Dewatering Permits

The Department's Watershed Management Program regulates point source discharges of contaminated water, including discharges to surface waters, storm sewers, pits or to the ground surface. This includes discharges from construction related dewatering activities, including utility and building construction.

Based on the concentrations of contaminants remaining in groundwater at this location, it appears likely that dewatering activities would require a permit from the Watershed Management Program. If you or any other person plan to conduct such activities, you or that person must contact that program, and if necessary, apply for the necessary discharge permit. Additional information regarding discharge permits is available at <http://www.dnr.state.wi.us/org/water/wm/www/>

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Tom Sturm at 715-526-4230.

Sincerely,

Bruce G. Urben Team Supervisor  
Northeast Region Remediation & Redevelopment Program

Attachment: Maintenance Plan


cc: Jeffery Brand/Susan Knabe – Bonestroo, 954 Circle Dr., Green Bay, WI 54304

**Table 5 Inorganic Groundwater Quality Data, Coonen Oil Company, Seymour, Wisconsin**

Well Number	Sample Date	Temperature (°F)	pH (su)	Conductivity (µmho/cm)	O.R.P. (mV)	D.O. (mg/l)	Nitrate (mg/l)	Iron (mg/l)	Manganese (mg/l)	Sulfate (mg/l)
MW100	05/02/03	49.1	6.83	380	-60	0.85	---	---	---	---
	08/11/03	63.0	7.08	240	-70	0.40	---	---	---	---
	03/15/04	46.4	7.25	380	-80	2.51	---	---	---	---
	08/20/04	62.6	7.15	210	<-80	3.48	< 0.024	5.5	0.35	130
MW200	05/02/03	47.1	6.92	200	<-80	0.80	---	---	---	---
	08/11/03	61.0	6.99	200	-40	0.83	---	---	---	---
	03/15/04	43.9	7.38	240	-75	2.57	---	---	---	---
	08/20/04	60.3	7.21	150	<-80	3.12	< 0.024	0.42	0.38	84
MW300	05/02/03	47.8	7.10	200	-60	0.73	---	---	---	---
	08/11/03	63.0	7.15	170	<-80	1.14	---	---	---	---
	03/15/04	44.2	7.76	250	<-80	1.50	---	---	---	---
	08/20/04	62.2	7.20	190	<-80	3.83	< 0.024	8.8	0.49	13
MW400	05/02/03	48.2	7.38	170	110	0.82	---	---	---	---
	08/11/03	57.7	7.30	200	-65	3.55	---	---	---	---
	03/15/04	46.00	7.73	250	-40	4.91	---	---	---	---
	08/20/04	60.10	7.48	150	<-80	3.17	2.90	0.077	< 0.0018	89

**Key:**

- D.O.           = dissolved oxygen
- O.R.P.        = oxygen-reduction potential
- mg/l          = milligrams per liter
- mV           = millivolts
- su            = standard units
- µMho/cm     = microMhos per centimeter



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Shawano Field Office  
647 Lakeland Rd.  
Shawano, Wisconsin 54166  
Telephone 715-524-2183  
FAX 715-524-3214  
TTY Access via relay - 711

February 5, 2007

Mr. Robert Coonen  
Coonen Inc.  
1043 Ivory St.  
Seymour, WI 54165

Subject: Coonen Oil Station, 1043 Ivory St., Seymour, Wisconsin  
WDNR BRRTS # 03-45-213120

Dear Mr. Coonen:

On May 16, 2005, I sent you a letter indicating that the Department had conditionally closed the above case and that final closure would be granted when certain conditions are met. Please note that the following conditions have still not been satisfied and we are unable to close the case.

1. The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources.
2. Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining purge water, waste and/or soil piles have been removed once that work is completed.
3. As a condition of this closure, the impermeable cover (pavement and buildings) that presently exist on the site must be maintained to minimize direct contact concerns and/or for groundwater protection. The cover is to be maintained in accordance with a plan prepared and submitted to the Department of Natural Resources pursuant to s. NR 724.13(2), Wis. Adm. Code and will be included on the GIS registry. Your consultant will need to prepare and submit this maintenance plan to me. Please note, due to a statutory change, the deed restriction referenced in the May 16, 2005 letter is no longer required.

After I receive the requested information, I will issue a final closure letter for the site. We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-526-4230.

Sincerely,

A handwritten signature in black ink that reads "Tom Sturm". The signature is written in a cursive style with a large, prominent "T" and "S".

Tom Sturm  
Hydrogeologist  
Remediation & Redevelopment Program

cc: Mark Foht – Northern Environmental, 954 Circle Dr., Green Bay, WI 54304



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Shawano Field Office  
647 Lakeland Rd.  
Shawano, Wisconsin 54166  
Telephone 715-524-2183  
FAX 715-524-3214  
TTY Access via relay - 711

May 16, 2005

Mr. Leon Westerfeld  
Westerfeld Oil Co.  
PO Box 85  
Cecil, WI 54111-0085

Subject: Seymour Mobil, 310 E. State Highway 54/55, Seymour, WI ; DNR # 03-45-153996,  
Commerce # 54165-1904-10

Dear Mr. Westerfeld:

On April 25, 2005, the Department granted conditional closure for the Coonen Oil Station, DNR # 03-45-213120, directly north and across Highway 54/55 from the Seymour Mobil. The review determined that, while contamination remains on site from the Coonen Station, contamination at MW-300 on the Coonen property is likely migrating from the Seymour Mobil.

The Department is requesting that Westerfeld Oil Company take over responsibility of monitoring well MW-300 at Coonen for the purpose of additional monitoring related to the cleanup of the Seymour Mobil Site. Monitoring results from this well, in conjunction with the results from the existing Seymour Mobil site wells will be used to assist in the review at the time closure is requested. This well should be sampled in conjunction with the current monitoring schedule for the existing wells at Seymour Mobil. If closure is approved you will also be responsible for abandoning this well.

Please inform me in writing within 14 days of this letter indicating you will take over responsibility for MW-300 on the Coonen site. If you do not intend to accept the transfer of this well, or if I do not hear from you at that time, the well will be abandoned along with the other Coonen Site wells. However, please be aware that the Department may require additional monitoring points for the Seymour Mobil if there is insufficient information to allow for a decision to be made at the time closure is requested.

Please contact me at 715-526-4230 if you need more information.

Sincerely,

Tom Sturm  
Hydrogeologist  
Remediation & Redevelopment Program

Cc: Beth Erdman—Comm (email)  
Jason Powel – METCO, 2956 Airport Rd., LaCrosse, WI 54603  
Mark Foht – Northern Environmental, 954 Circle Drive, Green Bay, WI 54304  
Bob Coonen—Coonen Inc., PO Box 266, Seymour, WI 54165





## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Shawano Field Office  
647 Lakeland Rd.  
Shawano, Wisconsin 54166  
Telephone 715-524-2183  
FAX 715-524-3214  
TTY Access via relay - 711

May 16, 2005

Mr. Robert Coonen  
Coonen Inc.  
1043 Ivory St.  
Seymour, WI 54165

Subject: Conditional Closure Decision with Requirements to Achieve Final Closure  
Coonen Oil Station, 1043 Ivory St., Seymour, Wisconsin  
WDNR BRRTS # 03-45-213120

Dear Mr. Coonen:

On April 25, 2005, the Northeast Region Closure Committee reviewed your request for closure of the case described above. The Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the Coonen Oil Station appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

### **MONITORING WELL ABANDONMENT**

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources.

Note: The Department is requesting that MW-300 remain for groundwater monitoring for the cleanup at the Seymour Mobil. You should delay abandonment of the other wells until I receive notification from the RP for Seymour Mobil that they will be accepting the responsibility for this well. If responsibility is transferred, you will need to grant access to your property for sampling and abandonment of this well.

### **PURGE WATER, WASTE AND SOIL PILE REMOVAL**

Any remaining purge water, waste and/or soil piles generated as part of site investigation or

remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining purge water, waste and/or soil piles have been removed once that work is completed.

#### **DEED RESTRICTION FOR CONTAMINATED SOIL**

To close this site, the Department requires that a deed restriction be signed and recorded to address the issue of the remaining soil contamination associated with the site. The purpose of the restriction is to maintain a surface barrier over the remaining soil contamination to:

(A) prevent contamination from impacting human health through direct contact.

(B) prevent contamination from impacting groundwater due to the infiltration of precipitation. (See Option 3 in the model deed restriction in the appendix of PUB-RR-606, "Guidance on Case Close Out and the Requirements for Institutional Controls and VPLE Environmental Insurance.")


You will need to submit a draft deed restriction to me (electronically via email preferred) before the document is signed and recorded. You may find a model deed restriction enclosed for your use or you can visit our web site at [www.dnr.state.wi.us/org/aw/rr](http://www.dnr.state.wi.us/org/aw/rr) or go directly to <http://dnr.wi.gov/org/aw/rr/archives/pubs/RR606.pdf> to find an electronic copy of PUB-RAR\_606, which includes a model deed restriction. If there is a deed more recent than the one I have that was filed 4/28/05, please submit that to me as well to assist us in our review of the deed restriction. After the Department of Natural Resources has reviewed the draft document for completeness, you should sign it if you own the property, or have the appropriate property owner sign it, and have it recorded by the Waupaca County Register of Deeds. Then you must submit a copy of the recorded document, with the recording information stamped on it, to me. Please be aware that if a deed restriction is recorded for the wrong property because of an inaccurate legal description or parcel identification number that you have provided, you will be responsible for recording corrected documents at the Register of Deeds Office to correct the problem.

#### **MAINTENANCE PLAN**

As a condition of this closure, the impermeable cover (pavement and buildings) that presently exist on the site must be maintained to minimize direct contact concerns and/or for groundwater protection. The cover is to be maintained in accordance with a plan prepared and submitted to the Department of Natural Resources pursuant to s. NR 724.13(2), Wis. Adm. Code. Please submit a draft maintenance plan to me with the draft deed restriction. The maintenance plan will be attached to the restriction.

#### **EXCAVATION OF CONTAMINATED SOIL**

Residual soil contamination remains at B-1 as indicated in the information submitted to the Department of Natural Resources. If soil in this location is excavated in the future, the property owner at that time will be required to sample and analyze the excavated soil in order to determine whether the contamination still remains. The owner will also have to properly store, treat, or dispose of any excavated materials, based upon the results of that characterization, and take special precautions during excavation activities to prevent a direct contact threat to humans. All future owners and occupants of this property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Shawano Field Office  
647 Lakeland Rd.  
Shawano, Wisconsin 54166  
Telephone 715-524-2183  
FAX 715-524-3214  
TTY Access via relay - 711

May 16, 2005

Mr. Leon Westerfeld  
Westerfeld Oil Co.  
PO Box 85  
Cecil, WI 54111-0085

Subject: Seymour Mobil, 310 E. State Highway 54/55, Seymour, WI ; DNR # 03-45-153996,  
Commerce # 54165-1904-10

Dear Mr. Westerfeld:

On April 25, 2005, the Department granted conditional closure for the Coonen Oil Station, DNR # 03-45-213120, directly north and across Highway 54/55 from the Seymour Mobil. The review determined that, while contamination remains on site from the Coonen Station, contamination at MW-300 on the Coonen property is likely migrating from the Seymour Mobil.

The Department is requesting that Westerfeld Oil Company take over responsibility of monitoring well MW-300 at Coonen for the purpose of additional monitoring related to the cleanup of the Seymour Mobil Site. Monitoring results from this well, in conjunction with the results from the existing Seymour Mobil site wells will be used to assist in the review at the time closure is requested. This well should be sampled in conjunction with the current monitoring schedule for the existing wells at Seymour Mobil. If closure is approved you will also be responsible for abandoning this well.

Please inform me in writing within 14 days of this letter indicating you will take over responsibility for MW-300 on the Coonen site. If you do not intend to accept the transfer of this well, or if I do not hear from you at that time, the well will be abandoned along with the other Coonen Site wells. However, please be aware that the Department may require additional monitoring points for the Seymour Mobil if there is insufficient information to allow for a decision to be made at the time closure is requested.

Please contact me at 715-526-4230 if you need more information.

Sincerely,

Tom Sturm  
Hydrogeologist  
Remediation & Redevelopment Program


Cc: Beth Erdman—Comm (email)  
Jason Powel – METCO, 2956 Airport Rd., LaCrosse, WI 54603  
Mark Foht – Northern Environmental, 954 Circle Drive, Green Bay, WI 54304  
Bob Coonen—Coonen Inc., PO Box 266, Seymour, WI 54165

Table 3 Soil Analytical Results, Coonen Oil Station, Seymour, Wisconsin


Boring Number	Sample Number	Sample Depth (feet)	Date Sampled	DRO (mg/kg)	GRO (mg/kg)	Lead (mg/kg)	Relevant and Significant Analytical Results (µg/kg)																1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes	Acenaphthene	Anthracene	Benzo(A)Anthracene	Benzo(A)Pyrene	Benzo(B)Fluoranthene	Benzo(K)Fluoranthene	Benzo(G,H,I)Perylene	Chrysene	Fluoranthene	Fluorene	Indeno(1,2,3-CD)Pyrene	1-Methyl Naphthalene	2-Methyl Naphthalene	Naphthalene	Phenanthrene	Pyrene
							Benzene	n-Butylbenzene	sec-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Naphthalene	n-Propylbenzene	Toluene																										
NR 720.09 Residual Contaminant Level				100	100	50	5.5	NE	NE	2900	NE	NE	NE	NE	1500	NE	NE	4100	38000*	3000000*	17000*	48000*	360000*	870000*	6800000*	37000*	500000*	100000*	680000*	23000*	20000*	400*	1800*	8700000*							
NR 746.06 Table 1 Value				NE	NE	NE	8500	NE	NE	4600	NE	NE	2700	NE	38000	83000	11000	42000	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	2700	NE	NE							
NR 746.06 Table 2 Value				NE	NE	NE	1100	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE						
NA	W-1**	8	12/15/98	3.6	< 0.65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
NA	W-4**	8	12/15/98	2.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
NA	E-3**	8	12/15/98	—	223	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
NA	D-1**	4	12/15/98	—	< 0.65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
B100	S102	5-7	11/30/99	1600	590	< 6	350	5400	630	1500	400	490	11000	740	2800	76000	26000	36000	180 "J"	210 "J"	660	340 "J"	430 "J"	450 "J"	340 "J"	910	1300	270 "J"	240 "J"	4700	5300	4100	900	2100							
B200	S202	5-7	03/28/00	< 10	< 10	—	< 25	< 25	—	< 25	—	—	—	< 25	< 25	< 25	< 75	< 21	< 36	< 23	< 34	< 46	< 48	< 29	< 42	< 38	< 47	< 18	< 31	< 21	< 30	< 35	< 45								
B300	S302	5-7	03/28/00	< 10	< 10	—	< 25	< 25	—	< 25	—	—	—	< 25	32	< 25	< 75	< 21	< 36	< 23	< 34	< 46	< 48	< 29	< 42	< 38	< 47	< 18	< 31	< 21	< 30	< 35	< 45								
B400	S402	5-7	03/28/00	< 10	< 10	—	< 25	< 25	—	< 25	—	—	—	< 25	< 25	< 25	< 75	< 21	< 36	< 23	< 34	< 46	< 48	< 29	< 42	< 38	< 47	< 18	< 31	< 21	< 30	< 35	< 45								

Key:  
 GRO = Gasoline Range Organics  
 DRO = Diesel Range Organics  
 NA = Not Applicable  
 mg/kg = milligrams per kilogram  
 µg/kg = micrograms per kilogram  
 — = Not Analyzed  
 J = Analyte detected between the Limit of Detection and the Limit of Quantitation  
 NE = Not Established by Wisconsin Administrative Code  
 \* = WDNR Suggested Residual Contaminant Level  
 100 = Exceeds NR 720.09 Residual Contaminant Level  
 \*\* = Robert E. Lee UST Closure Assessment Soil Sample

S:\PROJ\DCP\04070952\DRAWINGS\110601-1.DWG



- LEGEND**
- DISPENSER ISLAND
  - FORMER UST LOCATION
    - 1: 4,000 GALLON GASOLINE UST
    - 2: 8,000 GALLON GASOLINE UST
    - 3: 8,000 GALLON GASOLINE UST
    - 4: 8,000 GALLON DIESEL UST
  - EXISTING UST LOCATION
    - 5: 15,000 GALLON GASOLINE UST
    - 6: 8,000 GALLON GASOLINE UST
    - 7: 8,000 GALLON GASOLINE UST
  - ROBERT E. LEE UST CLOSURE ASSESSMENT SOIL SAMPLE LOCATION
  - SOIL BORING LOCATION
  - ESTIMATED EXTENT OF SOIL CONTAMINATION BASED ON RCL EXCEEDANCES
  - APPROXIMATE PROPERTY LINE
  - APPROXIMATE SANITARY SEWER LINE LOCATION
  - APPROXIMATE WATER LINE LOCATION



DRAWN BY: JRB	PROJECT: DCP-0952	DATE: 11/6/01
REV. DATE 12/22/04 2/8/05	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
<b>Northern Environmental</b> <sup>SM</sup> Hydrologists • Engineers • Geologists		

COONEN OIL COMPANY  
SEYMOUR, WISCONSIN

**SOIL BORING LOCATIONS AND  
ESTIMATED EXTENT OF  
SOIL CONTAMINATION**

FIGURE 3

Table 2 Soil Field Screening Results, Coonen Oil Company, Seymour, Wisconsin

Boring Number	Sample Label	Depth (feet)	Petroleum Odor	Sample Description	Date Collected	PID Headspace Analysis		
						Time Collected	Time Analyzed	PID Response (iui)
B100	S101	2.5-4.5	Slight	Silt and Sand	11/30/99	1403	1443	60
	S102*	5-7	Strong	Sand	11/30/99	1405	1443	316
B200	S201	2.5-4.5	None	Silt	3/28/00	829	936	30
	S202*	5-7	None	Silt	3/28/00	831	936	0
B300	S301	2.5-4.5	No recovery					
	S302*	5-7	Slight	Silt	3/28/00	949	1045	2
B400	S401	2.5-4.5	None	Silt	3/28/00	1057	1200	0
	S402*	5-7	None	Silt	3/28/00	1101	1200	0


Note:  
 PID = Photoionization Detector  
 iui = Instrument units as isobutylene  
 \* = Submitted for laboratory analysis

Table 4 Groundwater Analytical Results, Coonen Oil Company, Seymour, Wisconsin

Well ID	Date Sampled	Lead	Relevant and Significant Analytical Results (µg/l) (VOCs)											Relevant and Significant Analytical Results (µg/l) (PAHs)											
			Benzene	n-Butylbenzene	sec-Butylbenzene	Ethylbenzene	Isopropylbenzene	MTBE	Naphthalene	n-Propylbenzene	Toluene	Trimethylbenzenes	Xylenes	Acenaphthene	Acenaphthylene	Anthracene	Benzo(k)fluoranthene	Fluoranthene	Fluorene	1-Methyl Naphthalene	2-Methyl Naphthalene	Naphthalene	Phenanthrene	Pyrene	
WAC PAL (µg/l)			1.5	0.5	NE	NE	140	NE	12	8	NE	200	96	1000	NE	NE	600	NE	80	80	NE	NE	8	NE	50
WAC ES (µg/l)			15	5	NE	NE	700	NE	60	40	NE	1000	480	10000	NE	NE	3000	NE	400	400	NE	NE	40	NE	250
MW100	12/29/99		3.8	1700	310	<68	1600	89 *J	<62	400 *J	400	2800	3000	9200											
	05/01/00														14	40	0.74	0.049	2.4	4.9	56	63	180	9.2	0.6
	06/08/00			360			170		25	120 *J		180	1100	950											
	05/02/03			45			89		10	22		12	462	186											
	08/11/03			10			45		2 *J	31		6.4	375	187											
	03/15/04			29			85		7.3	49		15	426	380											
	08/20/04		2.6				9.6		4.0	11		1.2	98.7	37											
MW200	05/01/00		<1	100	290	35	570	60	31	190	210	210	1490	2560	<0.17	23	0.038	<0.01	<0.36	<0.33	53	150	130	1.7	<0.059
	06/08/00			94 *J			550		<30	170 *J		120 *J	1250	2310											
	05/02/03			220			690		20	170		55	1110	1693											
	08/11/03			110			190		6.2	41		8	224	354											
	03/15/04			130			210		16	40		15	258	398											
	08/20/04		8.8				72		5.4	20		<2.2	139	76											
MW300	05/01/00		<1	650	290	44	1100	94	12 *J	310	300	610	2130	4700	<0.17	50	0.02 *J	<0.01	<0.36	<0.33	58	150	200	1.7	<0.059
	06/08/00			330			1200		<30	360		430	2890	5100											
	05/02/03			250			470		22	210		27	1850	1340											
	08/11/03			350			440		51	160		52	1650	1350											
	03/15/04			330			500		67	170		55	1520	1370											
	08/20/04			420			300		<22	120		18	1050	770											
MW400	05/01/00		<1	56	200	21	430	38	<4.7	95	140	290	760	1490	<0.17	18	<0.01	<0.01	<0.36	<0.33	23	58	42	0.17	<0.059
	06/08/00			<50			740		<30	170 *J		540	1240	2780											
	05/02/03			<0.30			1.2 *J		1.4 *J	<0.58		<0.58	16.76 *J	<1.84											
	08/11/03			<0.30			2.1		2.8	2.3		<0.58	46.54 *J	<1.84											
	03/15/04			<0.14			3.7		5.5	2.7		<0.36	22.4	2.2 *J											
	08/20/04			<0.34			1.4		5.9	0.86		0.26	28	0.49											

Key:  
 MTBE = Methyl-Tertiary-Butyl-Ether  
 µg/l = micrograms per liter  
 WAC = Wisconsin Administrative Code  
 PAL = Preventive Action Limit  
 ES = Enforcement Standard  
 NE = Not established by WAC  
 \*J = Analyte detected between Limit of Detection and Limit of Quantitation  
 — = Not analyzed  
 32 = WAC Preventive Action Limit Exceeded  
 32 = WAC Enforcement Standard Exceeded

S:\PROJ\DCP\04070952\DRAWINGS\04\_1222\_5.DWG



**LEGEND**

- DISPENSER ISLAND
- FORMER UST LOCATION
  - 1: 4,000 GALLON GASOLINE UST
  - 2: 8,000 GALLON GASOLINE UST
  - 3: 8,000 GALLON GASOLINE UST
  - 4: 8,000 GALLON DIESEL UST
- EXISTING UST LOCATION
  - 5: 15,000 GALLON GASOLINE UST
  - 6: 8,000 GALLON GASOLINE UST
  - 7: 8,000 GALLON GASOLINE UST
- MONITORING WELL LOCATION AND BENZENE CONCENTRATION IN MICROGRAMS PER LITER ( $\mu\text{g/L}$ ) ON 08/20/04
- ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION DASHED WHERE INFERRED
- APPROXIMATE PROPERTY LINE
- APPROXIMATE SANITARY SEWER LINE LOCATION
- APPROXIMATE WATER LINE LOCATION

DRAWN BY: KRE	PROJECT: DCP-0952	DATE: 12/22/04
REV. DATE 2/8/05	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
<b>Northern Environmental</b> <sup>SM</sup> Hydrologists • Engineers • Geologists		


COONEN OIL COMPANY  
SEYMOUR, WISCONSIN

**ESTIMATED EXTENT OF  
GROUNDWATER CONTAMINATION**








FIGURE 5




S:\PROJ\DCP\04070952\DRAWINGS\062700-2.DWG




**LEGEND**

-  DISPENSER ISLAND
-  FORMER UST LOCATION
  - 1: 4,000 GALLON GASOLINE UST
  - 2: 8,000 GALLON GASOLINE UST
  - 3: 8,000 GALLON GASOLINE UST
  - 4: 8,000 GALLON DIESEL UST
-  EXISTING UST LOCATION
  - 5: 15,000 GALLON GASOLINE UST
  - 6: 8,000 GALLON GASOLINE UST
  - 7: 8,000 GALLON GASOLINE UST
-  MW100 MONITORING WELL LOCATION AND GROUNDWATER ELEVATION ON 6/8/00
-  100.00 GROUNDWATER CONTOUR LINE CONTOUR LINE INTERVAL = 0.5 FEET
-  GROUNDWATER FLOW DIRECTION
-  (2,880) TOTAL BENZENE, ETHYLBENZENE, TOLUENE TRIMETHYLBENZENES, XYLENE, AND NAPHTHALENE CONCENTRATIONS IN µg/L

HWY. 54-55



DRAWN BY: KRE	PROJECT: DCP-0952	DATE: 06/27/00
REV. DATE	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
 <b>Northern Environmental</b> <sup>SM</sup> Hydrologists • Engineers • Geologists		

COONEN OIL COMPANY  
SEYMOUR, WISCONSIN

**MONITORING WELL LOCATION AND  
GROUNDWATER CONTOUR  
MAP (6/8/00)**

FIGURE 2





FIGURE 4

File



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor  
Darrell Bazzell, Secretary  
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center  
625 East County Road Y, STE 700  
Oshkosh, Wisconsin 54901-9731  
TELEPHONE 920-424-3050  
FAX 920-424-4404

July 29, 2002

Mark Coonen  
Coonen Trust  
741 Brookwood Drive  
Seymour, Wisconsin 54165

Subject: Status Update Request for Coonen Oil Company, Seymour, WI  
WDNR BRRTS # 03-45-213120

Dear Mr. Coonen:

I am writing to request an update on the status of the above referenced property. On November 7, 2001 the Department received a Project Status Update from Mark Foht of Northern Environmental for the above referenced site. Since November 2001 the Department has not received any correspondence on this case.

Please provide the Department with a letter or report documenting the most recent site investigation/remediation activities taking place at the above referenced site. **Within 14 days of receipt of this letter, please respond in writing to the Department.** Failure to provide an adequate response may result in a recommendation for enforcement action.

I anticipate your cooperation and thank you for your timely response in this matter. If you have any questions or comments, please feel free to contact me at 920-303-5435.

Sincerely,

A handwritten signature in cursive script that reads 'Cheryl Laatsch'.

Cheryl Laatsch  
Hydrogeologist  
Bureau of Remediation & Redevelopment

Cc: Mark Foht, Northern Environmental, 954 Circle Drive, Green Bay WI 54304





**State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES**

Scott McCallum, Governor  
Darrell Bazzell, Secretary  
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center  
625 East County Road, Suite 700  
Oshkosh, WI 54901-9731  
Telephone 920-424-3050  
FAX 920-424-4404  
TTY 920-492-5912

May 20, 2002

Mark Coonen  
Coonen Incorporated  
1043 Ivory Street  
Seymour, WI 54165



SUBJECT: Request for Case Status Update  
Coonen Oil Company, 1043 Ivory Street, Seymour  
WDNR BRRTS #: 03-45-213120

Dear Mr. Coonen:

I am writing to request an update on the status of the above referenced leaking underground storage tank case. On November 7, 2001, the Department received the Project Status Update by Mark Foht of Northern Environmental and submitted on behalf of the above referenced site. Since this time the Department has not received any correspondence on this case.

Please provide the Department with a letter or report documenting the most recent site investigation/remediation activities taking place at the above referenced site. **Within 14 days of receipt of this letter**, please respond in writing to the Department. Failure to provide an adequate response may result in a recommendation for enforcement action.


I anticipate your cooperation and thank you for your timely response in this matter. If you have any questions or comments, please feel free to contact me in Oshkosh at 920-303-5435.

Sincerely,

Cheryl Laatsch  
Hydrogeologist  
Bureau for Remediation & Redevelopment

cc: Mark Foht, Northern Environmental, 954 Circle Drive, Green Bay, WI 54304

S:\PROJ\DCP\04070852\DRAWINGS\091598-2.DWG



**LEGEND**



DISPENSER ISLAND



FORMER UST LOCATION

- 1: 4,000 GALLON GASOLINE UST
- 2: 8,000 GALLON GASOLINE UST
- 3: 8,000 GALLON GASOLINE UST
- 4: 8,000 GALLON DIESEL UST



EXISTING UST LOCATION

- 5: 15,000 GALLON GASOLINE UST
- 6: 8,000 GALLON GASOLINE UST
- 7: 8,000 GALLON GASOLINE UST




PROPOSED BORING/MONITORING WELL LOCATION

↳ also location of former GRO: 233ppm



SCALE IN FEET



HWY. 54-55

DRAWN BY: SXM PROJECT: DCP-0952 DATE: 9/15/99

REV. DATE

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.




**Northern Environmental**<sup>SM</sup>  
Hydrologists • Engineers • Geologists

COONEN OIL COMPANY  
SEYMOUR, WISCONSIN





SITE LAYOUT WITH PROPOSED  
SOIL BORING AND  
MONITORING WELL LOCATION


FIGURE 2


S:\PROJ\DCP\04070952\DRAWINGS\110601-1.DWG



**LEGEND**

-  DISPENSER ISLAND
-  FORMER UST LOCATION
  - 1: 4,000 GALLON GASOLINE UST
  - 2: 8,000 GALLON GASOLINE UST
  - 3: 8,000 GALLON GASOLINE UST
  - 4: 8,000 GALLON DIESEL UST
-  EXISTING UST LOCATION
  - 5: 15,000 GALLON GASOLINE UST
  - 6: 8,000 GALLON GASOLINE UST
  - 7: 8,000 GALLON GASOLINE UST
-  B100 SOIL BORING LOCATION



DRAWN BY: JRB	PROJECT: DCP-0952	DATE: 11/6/01
REV. DATE	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
 <b>Northern Environmental</b> <sup>SM</sup> Hydrologists · Engineers · Geologists		

COONEN OIL COMPANY SEYMOUR, WISCONSIN
SOIL BORING LOCATIONS

FIGURE 1

Table 1 Soil Analytical Results, Coonen Inc., Seymour, WI

Boring Number	Sample Number	Sample Depth (feet)	Date Sampled	DRO (mg/kg)	GRO (mg/kg)	Lead (mg/kg)	Relevant and Significant Analytical Results (µg/kg)											
							Benzene	n-Butylbenzene	sec-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Naphthalene	n-Propylbenzene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes
WAC Residual Contaminant Level				100	100	50	5.5	NE	NE	2900	NE	NE	NE	NE	1500	NE	NE	4100
B100	S102	5-7	11/30/99	1600	590	< 6	350	5400	630	1500	400	490	11000	740	2800	76000	26000	36000
B200	S202	5-7	03/28/00	< 10	< 10	---	< 25	---	---	< 25	---	---	---	---	< 25	< 25	< 25	< 75
B300	S302	5-7	03/28/00	< 10	< 10	---	< 25	---	---	< 25	---	---	---	---	< 25	32	< 25	< 75
B400	S402	5-7	03/28/00	< 10	< 10	---	< 25	---	---	< 25	---	---	---	---	< 25	< 25	< 25	< 75

- Key:
- DRO = Diesel Range Organics
  - GRO = Gasoline Range Organics
  - MTBE = Methyl-Tertiary-Butyl-Ether
  - mg/kg = milligrams per kilogram
  - µg/kg = micrograms per kilogram
  - 
  - NE = Not Established by Wisconsin Department of Natural Resources (WDNR)
  - RCL = Residual Contaminant Level
  - 120** = WDNR Residual Contaminant Level Exceeded

Table 2 Ground-Water Analytical Results, Coonen Oil Company, Seymour, Wisconsin

Well ID	Date Sampled	Relevant and Significant Analytical Results (µg/l) (VOCs)											
		Lead	Benzene	n-Butylbenzene	sec-Butylbenzene	Ethylbenzene	Isopropylbenzene	MTBE	Naphthalene	n-Propylbenzene	Toluene	Trimethylbenzenes	Xylenes
WAC PAL (µg/l)		1.5	0.5	NE	NE	140	NE	12	8	NE	200	96	1000
WAC ES (µg/l)		15	5	NE	NE	700	NE	60	40	NE	1000	480	10000
MW100	12/29/99	3.8	1700	310	< 68	1600	89 "J"	< 62	400 "J"	400	2800	3000	9200
	05/01/00	---	---	---	---	---	---	---	---	---	---	---	---
	06/08/00	---	360	---	---	170	---	25	120 "J"	---	180	1100	950
MW200	05/01/00	< 1	100	290	35	570	60	31	190	210	210	1490	2560
	06/08/00	---	94 "J"	---	---	550	---	< 30	170 "J"	---	120 "J"	1250	2310
MW300	05/01/00	< 1	650	290	44	1100	94	12 "J"	310	300	610	2130	4700
	06/08/00	---	330	---	---	1200	---	< 30	360	---	430	2890	5100
MW400	05/01/00	< 1	56	200	21	430	38	< 4.7	95	140	290	760	1490
	06/08/00	---	< 50	---	---	740	---	< 30	170 "J"	---	540	1240	2780

Key:

MTBE = Methyl-Tertiary-Butyl-Ether

µg/l = micrograms per liter

WAC = Wisconsin Administrative Code

PAL = Preventive Action Limit

ES = Enforcement Standard

NE = Not established by WAC

"J" = Analyte detected between Limit of Detection and Limit of Quantitation

--- = Not analyzed

32 = WAC Preventive Action Limit Exceeded

32 = WAC Enforcement Standard Exceeded





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Ronald W. Kazmierczak, Regional Director

Shawano Office  
647 Lakeland Rd.  
Shawano, Wisconsin 54166-3843  
Telephone 715-524-2183  
FAX 715-524-3214

August 31, 2000

**COPY**

Mr. John Dunbar  
1020 S. Main St.  
Seymour, WI 54165

Subject: Closure Approval, with Restrictions for former Dunbar Service Station, 1020 S. Main St., Seymour, WI; WDNR # 03-45-000013.

Dear Mr. Dunbar:

The Department's Case Closeout Committee in the Northeast Region has completed a review of the above-referenced petroleum contamination case and has approved it for closure. Your case closure letter has the following two significant parts:

1. General case closure criteria.
2. Groundwater Use Deed Restriction

Please read this entire letter. It addresses each of these topics with subtitled indented paragraphs.

1. General Case Closure

The case closure panel reviews environmental remediation cases for compliance with state laws, standards, and guidelines to maintain consistency in the closeout of cases. At the present time, it appears that actions have been taken to the extent practicable to restore the environment and minimize the harmful effects from this discharge to the air, lands and waters of this state. Please be aware that this letter does not absolve the current or any future owner of this property from future decisions regarding this site or impacts which may be discovered and/or traced back to past or future activities at this site. If additional information in the future indicates that further investigation or cleanup is warranted, the Department will require that appropriate action be taken at that time.

2. Deed Notice of Remaining On-site Groundwater Contamination.

Groundwater contamination in excess of NR140 Enforcement Standards for benzene remains at the site. However monitoring data indicates that natural attenuation will remediate the remaining contamination in a reasonable period of time. As a condition of closure, the Department is requiring that a groundwater use restriction be placed on the property deed indicating this condition and special requirements that will be necessary to construct a well on the property.

Please send me a copy of the current property deed as filed with the Outagamie County Register of Deeds. The deed must have a detailed property description and the name of the current property owner. A certified survey map if available, should also be included. The Department will prepare the groundwater use restriction based on this information and return it to the appropriate person for

filing at the register of deed office. Please note that the current property owner or an authorized representative must sign the notice.

The Department appreciates the actions you have undertaken to restore the environment at this site. This case will appear as closed on the Department's case tracking system after our receipt of 1) the monitoring well abandonment forms (Form 3300-05B) for all monitoring wells related to this case and 2) documentation that the deed document has been filed at the register of deeds office.

If you have questions regarding this letter, you may contact me at (715) 526-4230.

Sincerely,

A handwritten signature in cursive script that reads "Tom Sturm".

Tom Sturm  
Hydrogeologist  
Remediation and Redevelopment Program  
E-mail: sturmt@dnr.state.wi.us

C: James B. Hutchison – Foth and Van Dyke, PO Box 19012, Green Bay, WI 54307-9012

Mark Folt  
920-592-8444



**State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES**

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
William R. Selbig, Regional Director

Northeast Region  
Remediation & Redevelopment  
PO Box 10448, 1125 N. Military Avenue  
Green Bay, WI 54307-0448  
TELEPHONE 920-492-5916  
TELEFAX 920-492-5859

February 22, 1999

Coonen Oil Company  
Attn: Mark Coonen  
1043 Ivory Street  
Seymour, WI 54165

**SUBJECT:** Petroleum Contamination from Underground Storage Tank System  
Coonen Oil Company, 1043 Ivory Street, Seymour  
WDNR LUST ID #03-45-213120

Dear Mr. Coonen:

On January 21, 1999, the Department of Natural Resources (DNR) received notification from William Vachon of Robert E. Lee & Associates that petroleum contamination was discovered on December 15, 1998, while performing a tank closure assessment at the above referenced site.

Based on the information received by the DNR, we believe that Coonen Oil is responsible for restoring the environment at this site under Section 292.11, Wisconsin Statutes (hazardous substances spills law). This responsibility includes first investigating the extent of the contamination, then selecting and implementing the most appropriate remedial action. Enclosed is information to help you understand what you need to do to ensure your compliance with the spills law.

The purpose of this letter is threefold: (1) to describe your legal responsibilities; (2) to explain what you need to do to investigate and clean up the contamination; and (3) to provide you with information about cleanups, environmental consultants, and working cooperatively with the DNR.

**Legal Responsibilities:**

Your legal responsibilities are defined both in statute and administrative code. The hazardous substances spill law, Section 292.11(3) Wisconsin Statutes, states:

**RESPONSIBILITY.** A person who possesses or controls a hazardous substance which is discharged or who causes the discharge of a hazardous substance shall take the actions necessary to restore the environment to the extent practicable and minimize the harmful effects from the discharge to the air, lands, or waters of the state.

Wisconsin Administrative Codes NR 700 through NR 728 establish requirements for emergency and interim actions, public information, site investigations, design and operation of remedial action systems, and case closure. Chapter NR 708 includes provisions for immediate actions in response to limited contamination. Wisconsin Administrative Code NR 140 establishes groundwater standards for contaminants that reach groundwater.



### Steps to Take

The longer contamination is left in the environment, the farther it can spread and the more it may cost to clean up. Quick action may lessen damage to your property and to neighboring properties and reduce your costs in investigating and cleaning up the contamination. To ensure that your cleanup complies with Wisconsin's laws and administrative codes, you should hire a professional environmental consultant who understands what needs to be done. These are the first four steps to take:

1. **By March 30, 1999**, please submit written verification (such as a letter from the consultant) that you have hired an environmental consultant (we would like a contact name, mailing address and phone number). If you cannot meet this timeline, please send a request for an extension, in writing, to the name listed at the bottom of this page, indicating the reason why the timeline cannot be met and when you expect to be able to meet this requirement.
2. **By April 30, 1999**, your consultant must submit a workplan and a schedule for conducting the investigation. The consultant must follow the Department's administrative codes and our technical guidance documents. Please include with the workplan a copy of any previous information that has been completed for your site (such as an underground tank removal report or a preliminary soil excavation report).
3. Please keep us informed of what is being done at your site. You or your consultant must provide us with a brief report at least every 90 days starting after your workplan is submitted. These quarterly reports should summarize the work completed since the last report. Quarterly reports need only include one or two pages of text, plus any relevant maps and tables. Should conditions at your site warrant, you may receive a letter requiring more frequent contacts with the Department.
4. When the site investigation is complete, your consultant must submit a full report on the extent and degree of soil and groundwater contamination and a proposal for cleaning up the contamination.

Due to the number of contaminated sites and our staffing levels, we will be unable to respond to each report. To maintain your compliance with the spills law and chapters NR 700 through NR 728, do not delay the investigation and cleanup by waiting for DNR responses. We have provided detailed technical guidance to environmental consultants. Your consultant is expected to be familiar with our technical procedures and administrative codes and should be able to answer your questions on meeting Wisconsin's cleanup requirements.

**Any questions regarding this site should be directed to the following DNR staff person; all correspondence and reports should be sent to the Department at the address below:**

Wisconsin Department of Natural Resources  
Attn: Jennifer Tobias (920-424-7887)  
Box 2565  
Oshkosh, WI 54903

If the contamination doesn't include groundwater, the responsibility for governmental oversight of this site will be transferred to the Wisconsin Department of Commerce in accordance with Wisconsin Act 27.

Unless otherwise requested, please send only one duplexed copy of all plans and reports. Correspondence and reports should be identified with the assigned WDNR ID number and name of the site, which can be found on the first page of this letter.

Information for Site Owners:


Enclosed is a list of environmental consultants and some important tips on selecting a consultant. If you are eligible for reimbursement of costs under Wisconsin's PECFA program (see last paragraph), you will need to compare at least three consultants' proposals before hiring a consultant. Consultants and laboratories working in the PECFA program are required to carry errors and omissions insurance to help protect you against unsuitable work. Also enclosed are materials on controlling costs, understanding the cleanup process, and choosing a site cleanup method. This information has been prepared to help you understand your responsibilities and what your environmental consultant needs to do. Please read this information carefully.

Financial Information:

Reimbursement from the Petroleum Environmental Cleanup Fund (PECFA) is available for the costs of cleaning up contamination from eligible petroleum storage tanks. The Wisconsin Department of Commerce (DCOM) administers the fund. Please contact DCOM at (608) 266-2424 for more information on eligibility and regulations for this program.

Thank you for your cooperation.


Sincerely,



Janis DeBrock, Program Assistant

Enc:     Selecting An Environmental Consultant; Consultant List  
          Controlling UST Cleanup Costs Factsheets  
          Quarterly Updates for Cleanup of Contaminated Properties  
          Cleanup Process for Emergency & Remedial Response Program  
          Cleanup Methods for Petroleum Contaminated Soil & Groundwater  
          Information About PECFA

cc: William Vachon, Robert E. Lee & Associates, 2825 S. Webster Avenue, Green Bay, WI 54301



→  
NORTH

Legend  
⊕ = Sample Location  
NOT TO SCALE

FIGURE 1  
SITE LOCATION MAP

COONEN OIL COMPANY  
1043 IVORY STREET  
SEYMOUR, WI



PHOTO 1 View of the product and vent piping along the east side of the building.



PHOTO 2 View of the former dispenser island area. New island being installed.



PHOTO 3 View of the dispenser island to the south of the building.



PHOTO 4 View of the 4,000 gallon gasoline tank being removed Tank 1.





PHOTO 5 View of the 8,000 gallon gasoline tank being removed. Tank 2.



PHOTO 6 View of the excavation for the 8,000 gallon gasoline tank. Tank 3.



PHOTO 7 View of the 8,000 gallon diesel fuel tank prior to removal.

# Wisconsin Department of Natural Resources

## Environmental Cleanup & Brownfields Redevelopment

### BRRTS on the Web

Click the Location Name or FID below to view Location Details page for this Activity. Other Activities, if present, may be accessed from Location Details.

[Basic Search](#) > [Search Results](#) > 04-45-559757 Activity Details

<b>04-45-559757 COONEN SHELL SPILL</b>						
<b>CLOSED SPILL</b>						
<b>Location Name</b> (Click Location Name or FID to View Location Details)				<b>County</b>	<b>WDNR Region</b>	
<a href="#">COONEN INC</a>				OUTAGAMIE	NORTHEAST	
<b>Address</b>				<b>Municipality</b>		
1043 IVORY ST				SEYMOUR		
<b>PLSS Description</b>		<b>Latitude</b>	<b>Longitude</b>	<b>Google Maps</b>	<b>RR Sites Map</b>	
SW 1/4 of the SW 1/4 of Sec 33, T24N, R18E		44.501174	-88.3293199	<a href="#">CLICK TO VIEW</a>		
<b>Additional Location Description</b>				<b>Size (Acres)</b>	<b>Facility ID</b>	
CORNER OF IVORY ST & HWY 54				UNKNOWN	<a href="#">445154270</a>	
<b>Jurisdiction</b>	<b>PECFA No.</b>	<b>EPA Cerclis ID</b>	<b>Start Date</b>	<b>End Date</b>	<b>Last Action</b>	
<b>DNR RR</b>			2012-01-24	2012-02-16	2013-11-03	
Characteristics						
<b>PECFA Tracked?</b>	<b>EPA NPL Site?</b>	<b>Eligible for PECFA Funds?</b>	<b>Above Ground Storage Tank?</b>	<b>Drycleaner?</b>	<b>Co-Contamination?</b>	<b>WI DOT Site? COs Apply?</b>
No	No	No	No	No	No	No
Actions						
Place Cursor Over Action Code to View Description						
<b>Date</b>	<b>Code</b>	<b>Name</b>	<b>Comment</b>			
2012-01-24	1	Spill Incident Occurred				
2012-01-24	5	Notification of Hazardous Substance Spill				
2012-02-16	11	Spill Activity Closed				
Spill Information						
<b>Incident Date</b>	<b>Reported Date</b>	<b>Investigator</b>	<b>Location Type</b>			
01/24/2012	01/24/2012	W YOUNG	Gas or Service Station/Garage/Auto Dealer/Repair Shop			
Cause: THE STATION HAD 11 55-GALLON METAL DRUMS WITH A COMBINATION OF DIESEL FUEL AND WATER WHICH HAD BEEN PUMPED OUT OF THE TANK FILLER SUMPS OVER THE COURSE OF 10 YEARS. THE DRUMS WERE LEFT OUTSIDE AND ONE						
Comment: MOELLER WAS CONTACTED BY BOB HERUBIN - NRP CONSULTANTS - BOB IS WORKING ON THE SPILL CLEAN UP AND WILL SEND MOELLER A REPORT WHEN COMPLETE. 02-16-2012, MOELLER RECEIVED THE CLEAN UP REPORT FROM BOB HERUBIN. THE SPILL WAS CLEANED UP TO THE EXTENT PRACTICAL. SPILL CASE CLOSED.						
Spiller Actions						
<b>Action</b>			<b>Comment</b>			
Cleanup Method - Absorbent			OIL DRY AND ABSORBENT PADS			
Products/Waste Removed			DRUMS REMOVED			
Contractor Hired			NRP CONSULTANTS			


Substances			
Substance	Type	Est Amt Released	Units
Diesel Fuel (UNK AMT)	Petroleum	0	
Who			
Role	Name/Address		
Responsible Party	COONEN OIL CO 1043 IVORY ST SEYMOUR, WI 54165		

BRRTS data comes from various sources, both internal and external to DNR. There may be omissions and errors in the data and delays in updating new information. Please see the [disclaimers page](#) for more information. We welcome your [Feedback](#).

---

The Official Internet site for the Wisconsin Department of Natural Resources  
 101 S. Webster Street . PO Box 7921 . Madison, Wisconsin 53707-7921 . 608.266.2621

**COONEN INC  
1043 IVORY ST  
SEYMOUR, WI 54165**



*\*You can navigate within the map with your mouse.*

**EPA Facility Information**

*This query was executed on NOV-22-2019*

**RCRAInfo**

<b><u>HANDLER ID:</u></b>	WIR000045161
---------------------------	--------------

**No NAICS Codes are available for the facility listed above.**

**HANDLER / FACILITY CLASSIFICATION**

**Unspecified Universe for the facility listed above.**

<u>HANDLER TYPE</u>	<u>LAND DISPOSAL</u>	<u>INCINERATOR</u>	<u>BOILER AND OR INDUSTRIAL FURNACE</u>	<u>STORAGE</u>	<u>TREATMENT</u>
-------------------------	--------------------------	--------------------	---	----------------	------------------

<u>HANDLER TYPE</u>
Not in a universe

**No PROCESS INFORMATION is available for the facility listed above.**

Additional Information can be obtained from Resource Conservation and Recovery Information **RCRAInfo**

Search.


Related Topics: Envirofacts

FRS

# FRS Facility Detail Report

## COONEN INC

EPA Registry Id: 110005540370  
 1043 IVORY ST  
 SEYMOUR, WI 54165



### Facility Registry Service Links:

- Facility Registry Service (FRS) Overview
- FRS Facility Query
- FRS Organization Query
- EZ Query
- FRS Physical Data Model
- FRS Geospatial Model

### Environmental Interests

Information System	System Facility Name	Information System Id/Report Link	Environmental Interest Type	Data Source	Last Updated Date	Supplemental Environmental Interests:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM	COONEN INC	WIR000045161	UNSPECIFIED UNIVERSE (N)	RCRAINFO	04/04/2008	

Additional EPA Reports: MyEnvironment Enforcement and Compliance Site Demographics Facility Coordinates Viewer Environmental Justice Map Viewer Watershed Report

#### Standard Industrial Classification Codes (SIC)

No SIC Codes returned.

#### Facility Codes and Flags

EPA Region:	05
Duns Number:	
Congressional District Number:	08
Legislative District Number:	WI
HUC Code/Watershed:	04030202 / WOLF
US Mexico Border Indicator:	
Federal Facility:	NO
Tribal Land:	NO

#### National Industry Classification System Codes (NAICS)

No NAICS Codes returned.

#### Facility Mailing Addresses

Affiliation Type	Delivery Point	City Name	State	Postal Code	Information System
FACILITY MAILING ADDRESS	1043 IVORY ST	SEYMOUR	WI	54165	RCRAINFO

#### Alternative Names

No Alternative Names returned.

#### Contacts

No Contacts returned.


#### Organizations

Affiliation Type	Name	DUNS Number	Information System	Mailing Address
OWNER	COONEN INC		RCRAINFO	

Query executed on: NOV-22-2019





**BENCH MARKS**

NO.	STATION	DESCRIPTION	ELEV.
67	699+82	SPIKE IN 20' ELM. - 100LT	855.29
68	708+55	SPIKE IN 10' APPLE - 75RT	851.27
69	714+70	SPIKE IN 10' BOX EL. - 75LT	847.06
70	719+20	SPIKE IN N.E. COR. OF BOT. CONG. STEP - 65RT	837.84



**NET LENGTH OF CENTERLINE**

STATION TO STATION	LIN. FT.	
718+43	720+00	157.0



NOTE: SEE PRECEDING SHEET FOR CONST. DETAILS, STA. 712+60 TO 718+43

STA. 720+07-RT. EXISTING DRAINAGE FACILITY TO REMAIN. EXTEND WITH 18x12" G.P.


UNC. EXC. 1272 C.Y.  
F. 851 C.Y.  
HAUL 1164 C.Y. TO STA. 738+35-740+66

ALL DIMENSIONS IN FEET UNLESS OTHERWISE NOTED  
 1" = 40'


ALL DIMENSIONS IN FEET UNLESS OTHERWISE NOTED  
 1" = 40'



BENCH MARKS			
NO.	STATION	DESCRIPTION	ELEV.
69	714+70	SPIKE IN 18" BOX EL. 75' LT.	847.06
70	719+20	NE COR. BOT. CONC. STEP 65' RT.	837.84



NET LENGTH OF CENTERLINE		
STATION	TO STATION	LIN. FT.
713+87	718+43	456.0



LEGEND	
UNC. EXC.	UNCLASSIFIED EXCAVATION
M. EXC.	MARSH EXCAVATION
F.	FILL
B.	BORROW
C.P.	CONCRETE PAVEMENT
R.C.C.P.	REINF. CONC. CULV. PIPE
NON-R.C.S.P.	NON-REINF. CONC. SEWER PIPE
C.S.M.C.P.	CORR. GALV. SHEET METAL CULV. PIPE
C.B.	CATCH BASIN
M.H.	MANHOLE
I.N.L.	INLET
P.E.	PRIVATE ENTRANCE
---	EXISTING FACILITIES TO BE REMOVED
---	OLD ROAD OBLITERATION

**GENERAL NOTES**  
 THE EXACT LOCATIONS OF PRIVATE ENTRANCES AND RIGHT OF WAY MARKERS SHALL BE DETERMINED BY THE ENGINEER IN THE FIELD.  
 CURBS OF "F" AS SHOWN ON PLAN SHEETS PERTAINS TO EMBANKMENT CONSTRUCTED FROM UNCLASSIFIED EXCAVATION AND WAS COMPUTED WITH A SHRINKAGE ALLOWANCE VARYING FROM 25% TO 35%.








839  
 838  
 837  
 838  
 837  
 838  
 837  
 836

**Appendix B**  
**Boring Logs**

---

# SOIL BORING LOG









BOREHOLE NO. <b>SB-01</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		START - FINISH DATE <b>9/29/21 - 9/29/21</b>	
NORTHING <b>394341.644299999</b>		EASTING <b>4928352.084</b>		START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>7.82'</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Topsoil.				
2			Reddish brown silty clay, poorly graded, dry, loose, low density, low plasticity.				3.8
3			Same as prior but moist and medium plasticity.				0
4			Reddish brown silty clay with sparse coarse grains, dark brown/black streaks, medium plasticity, moist.				0
5			Pebble in core.				
6			Reddish brown clay, dry, very dense, sparse pebbles, crumbly.				0
7							▽
8							
9							
10			Dark grey silty clay, loose, low plasticity, wet, petrol odor.				101.4

End of boring at 10.5 ft bgs due to refusal.








# SOIL BORING LOG

BOREHOLE NO. <b>SB-02</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		APPROVED BY <b>Paul Raymaker</b>	
DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
LOGGED BY <b>Sam Gans</b>		SAMPLING METHOD <b>Macrocore</b>	
NORTHING <b>394327.6621</b>		EASTING <b>4928364.366</b>	
		STATION	
		START - FINISH DATE <b>9/29/21 - 9/29/21</b>	
		START - FINISH TIME <b>-</b>	
		DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Loose sand, grey, well graded, coarse to very coarse, sparse pebbles.				
2			Clayey sand, dark brown, dry, loose, v fine-fine, subangular.				2.9
3			Dry, clay, brown, med plasticity, med density.				
4			Moist, reddish brown, clay, med plasticity, med density, sparse coarse grains, mild petro odor.				21.3
5							16
6							
7			Sand lense w/ coarse grains to pebbles, some broken rock, tan sands, subangular, well graded.				73.8
8			Moist, reddish brown, clay, med plasticity, med density, sparse coarse grains, mild petro odor. End of boring at 8 ft bgs due to refusal.				









# SOIL BORING LOG

BOREHOLE NO. <b>SB-03</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
NORTHING <b>394328.7355</b>		EASTING <b>4928353.9975</b>		START - FINISH DATE <b>9/29/21 - 9/29/21</b>	
				START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Broken up asphalt.				
2			Dark brown silt, moist, petro odor, low plasticity, low density.				4.2
3							71.3
4							
5			Moist, high plasticity, silty clay, brown, petro odor, low density, slight petro odor.				53.8
6			Moist, high plasticity, clay, reddish brown, slight petro odor, very dense.				
7			No recovery.				42.3
8							
9			Dark brown and yellow sandy clay, well graded, fine-coarse with pebbles.				
			End of boring at 9 ft bgs due to refusal.				






# SOIL BORING LOG

BOREHOLE NO. <b>SB-04</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
NORTHING <b>394320.173399999</b>		EASTING <b>4928345.8264</b>		START - FINISH DATE <b>9/29/21 - 9/29/21</b>	
				START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>4.95'</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Asphalt.				
2			Sandy clay, brown, low density, low plasticity, med-coarse, no odor, well graded.				2.6
3			Silty clay, reddish brown, low plasticity, low density, sparse pebbles, no odor.				156.6
4			Sand lens, tan, fine-med, subrounded.				
5			Black clay, low plasticity, med density, mod petro odor, moist.				
6			Brown clay w/ sparse pebbles, med plasticity, low density, mod petro odor.				92
7			Brown, silty sand, saturated, slight petr, fine-med, subrounded.				15000
8							
9							
10			Crushed bedrock.				15000
			End of boring at 10 ft bgs due to refusal.				

# SOIL BORING LOG




BOREHOLE NO. <b>SB-05</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
NORTHING <b>394308.015599999</b>		EASTING <b>4928340.4915</b>		START - FINISH DATE <b>9/29/21 - 9/29/21</b>	
				START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>4.46'</b>	
				SAMPLING METHOD <b>Macrocore</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Crushed asphalt.				
2			Tan sand, fine-med w/ sparse coarse grains, loose, subangular, well graded.				0.2
3			Black clay, low plasticity, med density, mod petro odor, dry.				
4			No recovery.				234.8
5			Sandy clay, moist, low plasticity, low density.				
6			Sandy clay, dark brown, wet, med plasticity, low density, med petro odor.				218.1
7			Black sandy clay, moist, low plasticity, low density, wet, strong petro odor.				15000
			End of boring at 7 ft bgs due to refusal.				

MNDOT BORING LOG WISDOT\_STH54-SEYMOUR\_u210618.GPJ BAY WEST BORING LOG TEMPLATE.GDT 11/2/21

# SOIL BORING LOG





BOREHOLE NO. <b>SB-06</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		DRILLER'S NAME <b>Seymour, WI</b>	
APPROVED BY <b>Paul Raymaker</b>		STATION	
DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		SIZE / TYPE OF BIT <b>2 inch</b>	START - FINISH DATE <b>9/29/21 - 9/29/21</b>
LOGGED BY <b>Sam Gans</b>		SAMPLING METHOD <b>Macrocore</b>	START - FINISH TIME <b>-</b>
NORTHING <b>394300.745199999</b>	EASTING <b>4928340.4298</b>	DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Crushed asphalt.				34.2
2			Tan sand, well graded med-coarse w/ sparse pebbles, loose, subangular.				
3			Dark brown/black clay, low plasticity, low density, moist, no odor.				15000
4			No recovery.				
5			Dark brown silty clay, low plasticity, med density, wet, slight petro odor.				15000
6			End of boring at 6 ft bgs due to refusal.				












# SOIL BORING LOG

BOREHOLE NO. <b>SB-07</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		START - FINISH DATE <b>9/29/21 - 9/29/21</b>	
NORTHING <b>394291.615199999</b>		EASTING <b>4928340.4256</b>		START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Crushed asphalt.				
2			Tan sand, med-coarse w/ sparse pebbles, subangular, well graded.				3.3
3			Dark brown clay, med plasticity, low density, wet, slight petro odor.				
4			No recovery.				35.2
5			Reddish brown clay, med plasticity, med density, moist, no odor.				
6			End of boring at 6 ft bgs due to refusal.				33.6







# SOIL BORING LOG

BOREHOLE NO. <b>SB-08</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		DRILLER'S NAME <b>Seymour, WI</b>	
APPROVED BY <b>Paul Raymaker</b>		STATION	
DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
LOGGED BY <b>Sam Gans</b>		START - FINISH DATE <b>9/29/21 - 9/29/21</b>	
SAMPLING METHOD <b>Macrocore</b>		START - FINISH TIME <b>-</b>	
NORTHING EASTING <b>394346.538099999 4928319.08049999</b>		DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Crushed asphalt.				
2			Tan clayey sand, fine-med w/ sparse pebbles, well graded, no odor.				1.6
3			Reddish brown clay, low plasticity, med density, no odor, dry.				
4			Dark brown clay, low plasticity, med density, no odor, moist.				
5			No recovery.				119.2
6			Dark brown low plasticity, low density, no odor, moist, silty clay.				
7			Reddish brown clay, very dense, no odor, moist.				49.7
8							0
9			Same as above with saturation. Black and white sand, poorly graded, mod petro odor. End of boring 9 ft bgs due to refusal.				40.1








# SOIL BORING LOG

BOREHOLE NO. <b>SB-09</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
NORTHING <b>394293.8058</b>		EASTING <b>4928324.7232</b>		START - FINISH DATE <b>9/30/21 - 9/30/21</b>	
				START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Topsoil.				
2			Red sand, fine, poorly graded, dry, no odor.				0
3			Black silty clay, med density, dry, low plasticity, no odor.				
4			Reddish brown, clayey sand, v fine, no odor, moist.				34.8
5			Reddish brown, sandy clay, v fine sand grains, wet, sparse pebbles, med plasticity, slight petro odor increases with depth.				0
6			Reddish brown, sandy clay, dry, v dense, low plasticity.				0
7			End of boring at 7 ft bgs due to refusal.				

# SOIL BORING LOG








BOREHOLE NO. <b>SB-10</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		APPROVED BY <b>Paul Raymaker</b>	
DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
LOGGED BY <b>Sam Gans</b>		SAMPLING METHOD <b>Macrocore</b>	
NORTHING EASTING <b>394304.041199999 4928324.2499</b>		START - FINISH DATE <b>9/30/21 - 9/30/21</b>	
		START - FINISH TIME <b>-</b>	
		DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Topsoil.				
2			Reddish brown sand, v fine-fine, no odor, poorly graded.				7.4
3			Black clay, med plasticity, slight petro odor, med density.				
4			Silty sand, grey, mod petro odor, moist, product in macrocore.				15000
5			Reddish brown clay, dense, med plasticity, mod petro smell.				
6			Silty Clay, dark brown, low plasticity, low density, mod petro odor, wet.				15000
7			Black sandy clay, dense, low plasticity, strong petro smell, wet.				15000

End of boring at 7.5 ft bgs due to refusal.




# SOIL BORING LOG

BOREHOLE NO. <b>SB-11</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
NORTHING <b>394310.7681</b>		EASTING <b>4928323.5363</b>		START - FINISH DATE <b>9/30/21 - 9/30/21</b>	
				START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>4.97'</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Topsoil.				
2			Tan sand, well graded, fine-med with sparse pebbles, no odor, dry.				0
3			Dark brown clay, low plasticity, med density, no odor, dry.				
4			Clayey sand, v fine-fine, poorly graded, mod petro odor, moist.				136.6
5			Silty Clay, brown, slight petro odor, med plasticity, med density, moist.				▽ 5607
6			Black, silty sand, wet, strong petro odor.				
7			Dark brown low plasticity, v dense, slight petro odor, dry.				15000
8			End of boring at 8 ft bgs due to refusal.				








# SOIL BORING LOG

BOREHOLE NO. <b>SB-12</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		APPROVED BY <b>Paul Raymaker</b>	
DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
LOGGED BY <b>Sam Gans</b>		START - FINISH DATE <b>9/30/21 - 9/30/21</b>	
NORTHING <b>394321.8317</b>		EASTING <b>4928319.75599999</b>	
		DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Topsoil.				0
2			Reddish brown clay, med plasticity, med density, no dor, moist.				0
3							0
4							0
5							0
6							0
7			Silty sand, brown, v fine-fine, no odor, wet, poorly graded.				0
8			Silty sand, brown, c fine-fine, no odor, moist-dry, poorly graded.				0
			End of boring at 8 ft bgs due to refusal.				

# SOIL BORING LOG







BOREHOLE NO. <b>SB-13</b>		PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
APPROVED BY <b>Paul Raymaker</b>		DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME <b>Seymour, WI</b>	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		LOGGED BY <b>Sam Gans</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
NORTHING <b>394324.6961</b>		EASTING <b>4928313.0655</b>		START - FINISH DATE <b>9/30/21 - 9/30/21</b>	
				START - FINISH TIME <b>-</b>	
				DEPTH TO GROUNDWATER <b>-</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Head space Values (ppm)
1			Topsoil.				
2			Black sand, no odor, well graded, coarse-v coarse, subangular to angular.				0
3			Tan sand, no odor, well graded, med-coarse w/ sparse pebbles, subangular.				0
4			Reddish brown clay, med plasticity, mod density, no odor, dry.				0
5							0
6							0
7			Reddish brown clayey sand, v fine-fine, no odor, wet, poorly sorted.				0
			Dark brown sand, med-coarse, well graded, moist, no odor, angular.				0
			End of boring at 7.5 ft bgs due to refusal.				

MNDOT BORING LOG WISDOT\_STH54-SEYMOUR\_u210618.GPJ BAY WEST BORING LOG TEMPLATE.GDT 11/2/21

# SOIL BORING LOG

BOREHOLE NO. <b>SB-14</b>		LOCATION <b>Site 5/Condon Oil Mobil Station and Site 6/Coonen Oil Station</b>	
PROJECT NO. / NAME <b>6230-20-00 / STH-54 Seymour</b>		DRILLER'S NAME <b>Seymour, WI</b>	
APPROVED BY <b>Paul Raymaker</b>		STATION	
DRILLING CONTRACTOR <b>Probe Technologies, Inc</b>		DRILLER'S NAME	
DRILLING EQUIPMENT / METHOD <b>Geoprobe / Direct Push</b>		SIZE / TYPE OF BIT <b>2 inch</b>	
LOGGED BY <b>Sam Gans</b>		START - FINISH DATE <b>9/30/21 - 9/30/21</b>	
SAMPLING METHOD <b>Macrocore</b>		START - FINISH TIME <b>-</b>	
NORTHING <b>394328.8233</b>	EASTING <b>4928303.94459999</b>	DEPTH TO GROUNDWATER <b>4.81'</b>	

Depth, ft bgs	Recovery (ft)	Graphic Log	Visual Description	Geology	Analytical Sample Number	Sample Interval Temp. Well Construction	Headspace Values (ppm)
1			Crushed asphalt.				
2			Tan sand, well graded, med coarse, w/ sparse pebbles, no odor, dry.				0
3			Reddish brown clay, med plasticity, med density, no odor, dry.				0
4							
5							▽ 0
6			Reddish brown sand, fine-med, well graded, saturated, no odor.				0
7			Reddish brown silty sand, fine-med, well graded, moist, no odor, v dense. End of boring at 7 ft bgs due to refusal.				0



7-92



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-01

Well No.: TV-01

Total Depth: 10.5'

Drilling Method: Direct Push

Sampling Method: MUCO Core

Grade Elevation:

Date Started/Completed: 9/29/21 / 9/29/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Topsoil							3.8 ppm
1	Reddish Brown silty clay, poorly graded, dry, loose, low density, low plasticity			CL				↓
2								0.0 ppm
3	Same as prior but moist and medium plasticity			CH				↓
4	Reddish Brown silty clay w/ sparse coarse grains, dark brown/black streaks, medium plasticity, moist			CL-MC				0.0 ppm
5								↓
6	← 5.9' pebble in core Reddish Brown clay, dry, very dense, sparse pebbles, crumbly			CL				0.0 ppm
7								↓
8								↓
9	well ↓ Dark grey silty clay, loose, low plasticity, wet, petrol odor			CL	SB-01(8-10.5) MUCO (9/29/21)			1014 ppm
10								↓
11	Refusal. end of Boring @ 10.5' Bedrock							
12								
13								
14								
15								

SB 9/29/21



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-02

Well No.: ---

Total Depth: 8'

Drilling Method: Direct Push

Sampling Method: Macro core

Grade Elevation: ---

Date Started/Completed: 9/29/21 / 9/29/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	loose sand, grey, well graded, coarse to very coarse, sparse pebbles			SW-SM				2.9 ppm
1	Clayey sand, dark brown, dry, loose, v. fine - fine, sub angular, 2' large pebble			SC				
2	Dry, clay, brown, med plasticity, med density,			ML				21.3 ppm
3	Moist reddish brown, clay, med plasticity, med density, sparse coarse grains, mild petrol odor			CL				
4								16.0 ppm
5								
6	Sand large w/ coarse grains to pebbles, some broken rock thin sands, sub angular, well graded			SW	SB-02 (6-8) @ 1200			73.8 ppm
7	continue as above			CL				
8	Refusal. end Boring Bed rock							
9								
10								
11								
12								
13								
14								
15								

SG 9/29/21





Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-04

Well No.: TU-02

Total Depth: 10'

Drilling Method: Direct Push

Sampling Method: Macro Core

Grade Elevation: \_\_\_\_\_

Date Started/Completed: 8/29/21/9/29/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Asphalt			Asph. 17				2.6 ppm
1	Sandy clay, Brown, low-low density, low plasticity, sand med-coarse, no odor, well graded			CL				↓
2	Silty clay, Reddish Brown, low plasticity, low density, sparse pebbles, no odor			CL-ML				↓
3	Sand las, fin, fine-med, sub rounded			SP	SB-01 (2-1) @ 1315			156.6 ppm
4	Black clay, low plasticity, med density, mod petro odor, moist			CL				↓
4	Brown clay w/ sparse pebbles, med plasticity, low density, mod petro odor			CL				92.0 ppm
5	Brown, silty sand, streaked, slight petro, fine-med, sub rounded			SP-SM		75%		
6					SB-01 (6-7) @ 1330			1500 ppm
7	No Recovery							
8								1500 ppm
9								
10	crushed bedrock Refusal. end boring Bed rock							
11								
12								
13								
14								
15								

GW

SB  
3/19/21



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-05

Well No.: TY-03

Total Depth: 7

Drilling Method: Direct Push

Sampling Method: MUCR Core

Grade Elevation: \_\_\_\_\_

Date Started/Completed: 9/29/21 / 9/29/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Crushed asphalt			Asphalt				0.2 ppm
1	Thin Sand, fine-med w/ sparse coarse grains, loose, sub angular, well sorted			SW-SM				
2	Black clay, low plasticity, med density, mod petro odor, dry			CL		75%		231.8 ppm
3	No Recovery							
4	SW ↓ Sand clay, moist, low plas, low den, Sandy clay, dark brown, wet, med plasticity, low density, mod petro odor			CL CH	SB-05 (4-6) SB-05 (4-6) @1350			218.1 ppm
5	↓							
6	Black Sandy clay, moist, low plas, low den, wet, strong petro odor			CL	SB-05 (6-7) @1405			15000 ppm
7	Refusal, end boring Bedrock							
8								
9								
10								
11								
12								
13								
14								
15								

56 9/29/21



Customer-Focused Environmental & Industrial Solutions

Project Name: STH 54 Seymour  
 Project Number: J210618  
 Driller: Probe Technologies Inc.  
 Geologist: Samuel Gans

Soil Boring No.: SB-06  
 Well No.: ~~SB-06~~ (SB)  
 Total Depth: 6'  
 Drilling Method: Direct Push  
 Sampling Method: Mud Core  
 Grade Elevation: \_\_\_\_\_  
 Date Started/Completed: 9/29/21 / 9/29/21

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Crush Asphalt			Asphalt				34.2 ppm
1								
2	Thin Sand, well graded med-course w/ sparse pebbles, loose, sat. w/ water			SW		75%		
2	dark brown/black clay, low plastic, low density, moist, no odor,			CL	SB-06 (2-3) @ 1435			15000 ppm
3	No Recovery							
4	Dark Brown <sup>silty</sup> clay, low plasticity, med density, wet, slight petro odor			CL	SB-06 (4-6) @ 1445			15000 ppm
5	↓							
6	Refusal. End Boring Bed rock							
7								
8								
9								
10								
11								
12								
13								
14								
15								

(SB)

SB  
9/29/21



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-07

Well No.:           

Total Depth: 6'

Drilling Method: Direct Push

Sampling Method: Mudcore

Grade Elevation:           

Date Started/Completed: 9/29/21 / 9/29/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Crush Asphalt			Asphalt				
1	Tan sand med-coarse w/ sparse pebbles, sub-angular, well graded			SW				3.3 ppm
2	→ 1/2" cobble Dark brown clay, med plus, low density, wet, slight petro odor			CL	SB-07 G25 Q1500	75%		35.2 ppm
3	No Recovery							
4	Reddish brown clay, med plus, med density, moist, no odor			CL				33.6 ppm
5	↓							
6	Refusal. and Boring Bedrock							
7								
8								
9								
10								
11								
12								
13								
14								
15								

SB 9/29/21



Customer-Focused Environmental & Industrial Solutions

Project Name: STH 54 Seymour  
 Project Number: J210618  
 Driller: Probe Technologies Inc.  
 Geologist: Samuel Gans

Soil Boring No.: SB-08

Well No.: 1

Total Depth: 9'

Drilling Method: Direct Push

Sampling Method: macro core

Grade Elevation: \_\_\_\_\_

Date Started/Completed: 9/29/24 / 9/29/24

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Crack Asphalt			Asphalt				
0.5	Thin sand, fine-med w/ sparse pebbles, clayey, well graded, no odor			SW				1.6 ppm
1	Reddish Brown clay, low plasticity, med density, no odor, dry			CL				
2	Dark Brown, clay, lo v plas, med dens, no odor, moist			CL		75%		119.2 ppm
3	no Recovery							
4	Dark Brown, low plas, low density, no odor, moist, silty clay			CL-ML				49.7 ppm
5	Reddish brown clay, very dense, no odor, moist			CH				
6						100%		0.0 ppm
7								
8	Some is above w/ saturation Black and white sand, poorly graded, med plastic odor			CH SP		low		40.1 ppm
9	Refusal - end of Boring Bedrock							
10								
11								
12								
13								
14								
15								

56 9/29/24





Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-09

Well No.: —

Total Depth: 7'

Drilling Method: Direct Push

Sampling Method: Macro Core

Grade Elevation: —

Date Started/Completed: 9/30/21 / 9/30/21

Project Name: STH 54 Seymour  
 Project Number: J210618  
 Driller: Probe Technologies Inc.  
 Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Topsoil			Topsoil				0 ppm
1	Red sand, fine, poorly graded, dry, no odor Black silty clay, med density, dry, low plus, no odor			SP CL				
2					SB-09 (2.25) P0745			34.8 ppm
3	Reddish brown, clayey sand, v. fine, no odor, moist.			SP-SC				
4	Reddish brown, sandy clay, v. fine sand grains, wet, sparse pebbles, med plasticity, slight pte color			CL				0 ppm
5	increases density w/ depth ↓							
6	→ 2" cobble Reddish brown, sandy clay, dry, v. dense, low plasticity			CL				0 ppm
7	Refusal, end of Boring Bedrock							
8	SB 9/30/21							
9	SB 9/30/21							
10	SB 9/30/21							
11	SB 9/30/21							
12	SB 9/30/21							
13	SB 9/30/21							
14	SB 9/30/21							
15	SB 9/30/21							



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-10

Well No.: —

Total Depth: 7.5'

Drilling Method: Direct Push

Sampling Method: macro core

Grade Elevation: —

Date Started/Completed: 9/30/21 / 9/30/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

product line in macro core

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Topsol			Topsol				2.4 ppm
1	Reddish brown sand, v. fine - fine, w/odors, poorly graded			SP				
2	Black clay, med plus, slight petro odor, med dens. silt			CL	SB-10 (2.4) DOB10			15000 ppm
3	Silty sand, grey, med petro, moist, reddish-brown Reddish Brown clay, dense, med plus, med petro smell			SP-SM Cl				
4	Silty clay, dark brown, low plus, low dens. silt, med petro odor, wet			CL	SB-10 (4.5) P. 668			15000 ppm
5								
6								
7	Black sandy clay, dense, low plus, strong petro smell, wet			CL	SB-10 (6.7.5) EC015			15000 ppm
8	Refusal. end of Boring Bedrock							
9								
10								
11								
12								
13								
14								
15								

26  
9/30/21

Soil Boring No.: SB-11

Well No.: TW-04

Total Depth: 8'

Drilling Method: Direct Push

Sampling Method: Mudro Core

Grade Elevation: \_\_\_\_\_

Date Started/Completed: 9/30/21/9/30/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Topsoil		<u>10YR 5/6</u>	Topsoil				0 ppm
1	Tan sand, well graded, fine-med w/ sparse pebbles, no odor, dry			SW				
2	<u>Black</u> Dark brown clay, low plus, med density, no odor, dry			CL				136.6 ppm
3	clay sand, v fine-fine, poorly graded, mod petro odor, moist			SP-SC				
4	↓ Silty clay, Brown, slight petro odor, med plus, med density, moist			CL	SB-11(4) @ 0845			5670 ppm
5	Black, silty sand, wet, strong petro odor,			SP-SM				
6	→ 2" pebble Dark brown, low plus, v. dense, slight petro odor, dry			CL	SB-11(6) @ 0855			15000 ppm
7								
8	Retract, end of boring Borehole							
9								
10								
11								
12								
13								
14								
15								

56 9/30/21



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-12

Well No.:           

Total Depth: 8'

Drilling Method: Direct Push

Sampling Method: Mudrot core

Grade Elevation:           

Date Started/Completed: 9/30/21 / 9/30/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Topsoil			Topsoil				0 ppm
1	Reddish brown clay, med plus, med dense, no odor, <del>dry</del> moist			CL				0 ppm
2								0 ppm
3								0 ppm
4								0 ppm
5								0 ppm
6					SB-12(6-8) @ 0915			0 ppm
7	Silty shud, Brown, v. fine-fine, no odor, <del>moist</del> moist, poorly graded			SP-SM				0 ppm
8	Silty shud, brown, v. fine-fine, no odor, moist, dry, poorly graded Refusal. end of core Bedrock			SP-SM				0 ppm
9								
10								
11								
12								
13								
14								
15								

SB  
9/30/21



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-13

Well No.: —

Total Depth: 7.5'

Drilling Method: Direct Push

Sampling Method: Macro cone

Grade Elevation: —

Date Started/Completed: 9/30/21/9/30/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Topsoil			Topsoil				0 ppm
1	Black sand, no odor, well graded, coarse-v. coarse, subang-ang			SW				
2	Fin sand, no odor, well graded, med-coarse w/ sparse pebbles, sub angular			SW				
3	→ 2" pebble Reddish Brown clay, med plus, med density, no odor, dry			CL				0 ppm
4								0 ppm
5								
6	Reddish Brown clayey sand, v. fine - fine, no odor, wet, poorly sorted,			SP-SC	SB-(6-7.5) @ 0930			0 ppm
7	Dark Brown sand, med-coarse, well graded, moist, no odor, angular Refusal - end of Boring			SW				
8	Bedrock							
9								
10								
11								
12								
13								
14								
15								

SB  
9/30/21



Customer-Focused Environmental & Industrial Solutions

Soil Boring No.: SB-14

Well No.: T11-05

Total Depth: 7'

Drilling Method: Direct Push

Sampling Method: macro core

Grade Elevation: \_\_\_\_\_

Date Started/Completed: 9/30/21/9/30/21

Project Name: STH 54 Seymour

Project Number: J210618

Driller: Probe Technologies Inc.

Geologist: Samuel Gans

Depth (ft bgs)	Description - Remarks	Graphic Section	Munsell Color	USCS Class.	Analytical Sample	REC (in.)	Blows	Headspace FID (ppm)
0	Crushed Asphalt			Asphalt				0 ppm
1	7in sand, well graded, med-coarse, w/ coarse pebbles, no odor, dry			SW				
2	Reddish Brown clay, med plus, med density, no odor, dry			CL				0 ppm
3								
4								0 ppm
5	Reddish Brown sand, fine-med, well graded, saturated, no odor			SW				
6	Reddish Brown silty sand, fine-med, well graded, moist, no odor, v. dense			SW-SM	SB-H16-7 0945			0 ppm
7	Regular - end of Boring Bedrock							
8								
9								
10								
11								
12								
13								
14								
15								

SB 9/30/21

# **Appendix C**

## **Lab Reports**

October 13, 2021

Mark Gretebeck  
Bay West

La Crosse, WI 54603

RE: Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Dear Mark Gretebeck:

Enclosed are the analytical results for sample(s) received by the laboratory on October 01, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten  
brian.basten@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Sylvia Hunter, Pace ANalytical



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40234318001	SB-01 (8-10.5)	Solid	09/29/21 10:30	10/01/21 08:50
40234318002	SB-02 (6-8)	Solid	09/29/21 12:00	10/01/21 08:50
40234318003	SB-03 (2-4)	Solid	09/29/21 12:15	10/01/21 08:50
40234318004	SB-04 (2-4)	Solid	09/29/21 13:15	10/01/21 08:50
40234318005	SB-04 (6-7)	Solid	09/29/21 13:30	10/01/21 08:50
40234318006	SB-05 (4-6)	Solid	09/29/21 13:50	10/01/21 08:50
40234318007	SB-05 (6-7)	Solid	09/29/21 14:05	10/01/21 08:50
40234318008	SB-06 (2-3)	Solid	09/29/21 14:35	10/01/21 08:50
40234318009	SB-06 (4-6)	Solid	09/29/21 14:45	10/01/21 08:50
40234318010	SB-07 (2-3)	Solid	09/29/21 15:05	10/01/21 08:50
40234318011	SB-08 (2-3)	Solid	09/29/21 16:00	10/01/21 08:50
40234318012	SB-09 (2-4)	Solid	09/30/21 07:45	10/01/21 08:50
40234318013	SB-10 (2-4)	Solid	09/30/21 08:10	10/01/21 08:50
40234318014	SB-10 (6-7.5)	Solid	09/30/21 08:15	10/01/21 08:50
40234318015	SB-11 (4-6)	Solid	09/30/21 08:45	10/01/21 08:50
40234318016	SB-11 (6-8)	Solid	09/30/21 08:55	10/01/21 08:50
40234318017	SB-12 (6-8)	Solid	09/30/21 09:15	10/01/21 08:50
40234318018	SB-13 (6-7.5)	Solid	09/30/21 09:30	10/01/21 08:50
40234318019	SB-14 (6-7)	Solid	09/30/21 09:45	10/01/21 08:50

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40234318001	SB-01 (8-10.5)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318002	SB-02 (6-8)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318003	SB-03 (2-4)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318004	SB-04 (2-4)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318005	SB-04 (6-7)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318006	SB-05 (4-6)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318007	SB-05 (6-7)	WI MOD DRO	MRN	1

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Lab ID	Sample ID	Method	Analysts	Analytes Reported
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318008	SB-06 (2-3)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318009	SB-06 (4-6)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318010	SB-07 (2-3)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318011	SB-08 (2-3)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318012	SB-09 (2-4)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318013	SB-10 (2-4)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40234318014	SB-10 (6-7.5)	EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
		WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
40234318015	SB-11 (4-6)	EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
		WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
40234318016	SB-11 (6-8)	EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
		WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
40234318017	SB-12 (6-8)	ASTM D2974-87	PDV	1
		WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
40234318018	SB-13 (6-7.5)	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1
		WI MOD DRO	MRN	1
40234318019	SB-14 (6-7)	WI MOD GRO	ALD	1
		EPA 6010D	TXW	7

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Lab ID	Sample ID	Method	Analysts	Analytes Reported
		EPA 7470	AJT	1
		EPA 8260	ALD	64
		ASTM D2974-87	PDV	1

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40234318001</b>	<b>SB-01 (8-10.5)</b>					
WI MOD GRO	Gasoline Range Organics	1.4J	mg/kg	2.8	10/05/21 19:54	
EPA 6010D	Barium	0.33	mg/L	0.0050	10/06/21 23:06	
EPA 6010D	Cadmium	0.0016J	mg/L	0.0050	10/06/21 23:06	
ASTM D2974-87	Percent Moisture	11.7	%	0.10	10/04/21 17:44	
<b>40234318002</b>	<b>SB-02 (6-8)</b>					
WI MOD DRO	Diesel Range Organics	1.6J	mg/kg	4.8	10/07/21 09:25	
WI MOD GRO	Gasoline Range Organics	4.9	mg/kg	3.6	10/05/21 20:20	G+
EPA 6010D	Arsenic	0.0088J	mg/L	0.025	10/06/21 23:20	
EPA 6010D	Barium	0.37	mg/L	0.0050	10/06/21 23:20	
EPA 8260	n-Propylbenzene	22.0J	ug/kg	82.1	10/04/21 18:13	
ASTM D2974-87	Percent Moisture	20.6	%	0.10	10/04/21 17:44	
<b>40234318003</b>	<b>SB-03 (2-4)</b>					
WI MOD DRO	Diesel Range Organics	2.4J	mg/kg	3.9	10/07/21 09:34	
EPA 6010D	Barium	0.22	mg/L	0.0050	10/06/21 23:25	
EPA 6010D	Cadmium	0.0015J	mg/L	0.0050	10/06/21 23:25	
ASTM D2974-87	Percent Moisture	12.3	%	0.10	10/04/21 17:44	
<b>40234318004</b>	<b>SB-04 (2-4)</b>					
EPA 6010D	Barium	0.38	mg/L	0.0050	10/06/21 23:28	
EPA 6010D	Cadmium	0.0016J	mg/L	0.0050	10/06/21 23:28	
ASTM D2974-87	Percent Moisture	14.1	%	0.10	10/04/21 17:45	
<b>40234318005</b>	<b>SB-04 (6-7)</b>					
EPA 6010D	Barium	0.29	mg/L	0.0050	10/06/21 23:31	
EPA 8260	Benzene	70.3	ug/kg	26.8	10/04/21 19:12	
ASTM D2974-87	Percent Moisture	14.6	%	0.10	10/04/21 17:45	
<b>40234318006</b>	<b>SB-05 (4-6)</b>					
WI MOD DRO	Diesel Range Organics	10.5	mg/kg	5.0	10/07/21 10:01	DC
WI MOD GRO	Gasoline Range Organics	6.1	mg/kg	2.9	10/05/21 22:02	G-
EPA 6010D	Barium	0.33	mg/L	0.0050	10/06/21 23:33	
EPA 7470	Mercury	0.10J	ug/L	0.20	10/12/21 09:42	
EPA 8260	Ethylbenzene	95.1	ug/kg	67.6	10/04/21 22:46	
EPA 8260	Isopropylbenzene (Cumene)	19.3J	ug/kg	67.6	10/04/21 22:46	
EPA 8260	n-Propylbenzene	94.2	ug/kg	67.6	10/04/21 22:46	
EPA 8260	sec-Butylbenzene	19.2J	ug/kg	67.6	10/04/21 22:46	
ASTM D2974-87	Percent Moisture	15.0	%	0.10	10/04/21 17:45	
<b>40234318007</b>	<b>SB-05 (6-7)</b>					
WI MOD DRO	Diesel Range Organics	61.4	mg/kg	4.3	10/07/21 12:26	DC
WI MOD GRO	Gasoline Range Organics	209	mg/kg	5.9	10/05/21 13:04	GO
EPA 6010D	Barium	0.28	mg/L	0.0050	10/06/21 23:36	
EPA 6010D	Silver	0.0034J	mg/L	0.010	10/06/21 23:36	
EPA 7470	Mercury	0.21	ug/L	0.20	10/12/21 09:44	
EPA 8260	1,2,4-Trimethylbenzene	54700	ug/kg	536	10/04/21 23:06	
EPA 8260	1,3,5-Trimethylbenzene	13100	ug/kg	536	10/04/21 23:06	
EPA 8260	Benzene	709	ug/kg	215	10/04/21 23:06	
EPA 8260	Ethylbenzene	16600	ug/kg	536	10/04/21 23:06	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40234318007</b>	<b>SB-05 (6-7)</b>					
EPA 8260	Isopropylbenzene (Cumene)	2340	ug/kg	536	10/04/21 23:06	
EPA 8260	Naphthalene	6180	ug/kg	2680	10/04/21 23:06	
EPA 8260	Toluene	1830	ug/kg	536	10/04/21 23:06	
EPA 8260	m&p-Xylene	32100	ug/kg	1070	10/04/21 23:06	
EPA 8260	n-Butylbenzene	6760	ug/kg	536	10/04/21 23:06	
EPA 8260	n-Propylbenzene	10200	ug/kg	536	10/04/21 23:06	
EPA 8260	o-Xylene	7010	ug/kg	536	10/04/21 23:06	
EPA 8260	p-Isopropyltoluene	814	ug/kg	536	10/04/21 23:06	
EPA 8260	sec-Butylbenzene	1540	ug/kg	536	10/04/21 23:06	
ASTM D2974-87	Percent Moisture	14.6	%	0.10	10/04/21 17:45	
<b>40234318008</b>	<b>SB-06 (2-3)</b>					
WI MOD DRO	Diesel Range Organics	1.4J	mg/kg	4.5	10/11/21 10:02	
WI MOD GRO	Gasoline Range Organics	3.8	mg/kg	3.0	10/08/21 01:31	1q
EPA 6010D	Barium	0.36	mg/L	0.0050	10/06/21 23:43	
EPA 6010D	Cadmium	0.0015J	mg/L	0.0050	10/06/21 23:43	
EPA 6010D	Chromium	0.0032J	mg/L	0.010	10/06/21 23:43	
EPA 6010D	Lead	0.0086J	mg/L	0.020	10/06/21 23:43	
EPA 7470	Mercury	0.37	ug/L	0.20	10/12/21 09:47	
ASTM D2974-87	Percent Moisture	15.8	%	0.10	10/04/21 17:45	
<b>40234318009</b>	<b>SB-06 (4-6)</b>					
WI MOD GRO	Gasoline Range Organics	5.2	mg/kg	2.9	10/08/21 01:57	1q
EPA 6010D	Barium	0.54	mg/L	0.010	10/07/21 10:34	
EPA 7470	Mercury	0.37	ug/L	0.20	10/12/21 09:49	
ASTM D2974-87	Percent Moisture	15.1	%	0.10	10/04/21 17:45	
<b>40234318010</b>	<b>SB-07 (2-3)</b>					
EPA 6010D	Barium	0.18	mg/L	0.0050	10/06/21 23:49	
EPA 7470	Mercury	0.29	ug/L	0.20	10/12/21 09:51	
ASTM D2974-87	Percent Moisture	13.3	%	0.10	10/04/21 17:45	
<b>40234318011</b>	<b>SB-08 (2-3)</b>					
EPA 6010D	Barium	0.22	mg/L	0.0050	10/07/21 00:02	
EPA 6010D	Silver	0.0033J	mg/L	0.010	10/07/21 00:02	
ASTM D2974-87	Percent Moisture	18.0	%	0.10	10/04/21 17:45	
<b>40234318012</b>	<b>SB-09 (2-4)</b>					
EPA 6010D	Barium	0.21	mg/L	0.0050	10/07/21 00:05	
EPA 6010D	Silver	0.0037J	mg/L	0.010	10/07/21 00:05	
ASTM D2974-87	Percent Moisture	14.5	%	0.10	10/04/21 17:46	
<b>40234318013</b>	<b>SB-10 (2-4)</b>					
WI MOD DRO	Diesel Range Organics	707	mg/kg	71.4	10/11/21 12:24	DC
WI MOD GRO	Gasoline Range Organics	2050	mg/kg	60.5	10/06/21 14:29	GO
EPA 6010D	Barium	0.31	mg/L	0.010	10/07/21 10:37	
EPA 8260	1,2,4-Trimethylbenzene	286000	ug/kg	2840	10/08/21 12:02	
EPA 8260	1,3,5-Trimethylbenzene	89100	ug/kg	2840	10/08/21 12:02	
EPA 8260	Ethylbenzene	17600	ug/kg	2840	10/08/21 12:02	
EPA 8260	Isopropylbenzene (Cumene)	3090	ug/kg	2840	10/08/21 12:02	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SUMMARY OF DETECTION

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40234318013</b>	<b>SB-10 (2-4)</b>					
EPA 8260	Naphthalene	35300	ug/kg	14200	10/08/21 12:02	
EPA 8260	Toluene	881J	ug/kg	2840	10/08/21 12:02	
EPA 8260	m&p-Xylene	287000	ug/kg	5670	10/08/21 12:02	
EPA 8260	n-Butylbenzene	24500	ug/kg	2840	10/08/21 12:02	
EPA 8260	n-Propylbenzene	16500	ug/kg	2840	10/08/21 12:02	
EPA 8260	o-Xylene	112000	ug/kg	2840	10/08/21 12:02	
EPA 8260	p-Isopropyltoluene	2260J	ug/kg	2840	10/08/21 12:02	1q
EPA 8260	sec-Butylbenzene	3440	ug/kg	2840	10/08/21 12:02	1q
ASTM D2974-87	Percent Moisture	17.3	%	0.10	10/04/21 17:46	
<b>40234318014</b>	<b>SB-10 (6-7.5)</b>					
WI MOD DRO	Diesel Range Organics	11.3	mg/kg	4.5	10/11/21 08:22	DC
WI MOD GRO	Gasoline Range Organics	217	mg/kg	5.8	10/06/21 14:55	GO
EPA 6010D	Arsenic	0.0099J	mg/L	0.025	10/07/21 00:15	
EPA 6010D	Barium	0.36	mg/L	0.0050	10/07/21 00:15	
EPA 6010D	Cadmium	0.0013J	mg/L	0.0050	10/07/21 00:15	
EPA 8260	1,2,4-Trimethylbenzene	6910	ug/kg	65.8	10/08/21 11:21	
EPA 8260	1,3,5-Trimethylbenzene	1500	ug/kg	65.8	10/08/21 11:21	
EPA 8260	Ethylbenzene	138	ug/kg	65.8	10/08/21 11:21	
EPA 8260	Isopropylbenzene (Cumene)	46.4J	ug/kg	65.8	10/08/21 11:21	
EPA 8260	Naphthalene	603	ug/kg	329	10/08/21 11:21	
EPA 8260	m&p-Xylene	1760	ug/kg	132	10/08/21 11:21	
EPA 8260	n-Propylbenzene	238	ug/kg	65.8	10/08/21 11:21	
EPA 8260	o-Xylene	449	ug/kg	65.8	10/08/21 11:21	
EPA 8260	p-Isopropyltoluene	178	ug/kg	65.8	10/08/21 11:21	1q
EPA 8260	sec-Butylbenzene	118	ug/kg	65.8	10/08/21 11:21	1q
ASTM D2974-87	Percent Moisture	13.7	%	0.10	10/04/21 17:46	
<b>40234318015</b>	<b>SB-11 (4-6)</b>					
WI MOD DRO	Diesel Range Organics	2.3J	mg/kg	4.8	10/11/21 08:31	
WI MOD GRO	Gasoline Range Organics	51.1	mg/kg	3.0	10/06/21 13:22	G+
EPA 6010D	Arsenic	0.0088J	mg/L	0.025	10/07/21 00:18	
EPA 6010D	Barium	0.33	mg/L	0.0050	10/07/21 00:18	
EPA 8260	1,2,4-Trimethylbenzene	88.1	ug/kg	69.7	10/08/21 11:01	
EPA 8260	p-Isopropyltoluene	23.0J	ug/kg	69.7	10/08/21 11:01	1q
EPA 8260	sec-Butylbenzene	41.7J	ug/kg	69.7	10/08/21 11:01	1q
ASTM D2974-87	Percent Moisture	16.5	%	0.10	10/04/21 17:46	
<b>40234318016</b>	<b>SB-11 (6-8)</b>					
WI MOD DRO	Diesel Range Organics	41.3	mg/kg	4.1	10/11/21 08:40	DC
WI MOD GRO	Gasoline Range Organics	295	mg/kg	11.3	10/06/21 15:21	GO
EPA 6010D	Barium	0.31	mg/L	0.010	10/07/21 10:40	
EPA 8260	1,2,4-Trimethylbenzene	5710	ug/kg	63.3	10/08/21 11:42	
EPA 8260	1,3,5-Trimethylbenzene	257	ug/kg	63.3	10/08/21 11:42	
EPA 8260	Ethylbenzene	351	ug/kg	63.3	10/08/21 11:42	
EPA 8260	Isopropylbenzene (Cumene)	68.3	ug/kg	63.3	10/08/21 11:42	
EPA 8260	Naphthalene	862	ug/kg	316	10/08/21 11:42	
EPA 8260	Toluene	17.1J	ug/kg	63.3	10/08/21 11:42	
EPA 8260	m&p-Xylene	1130	ug/kg	127	10/08/21 11:42	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40234318016</b>	<b>SB-11 (6-8)</b>					
EPA 8260	n-Butylbenzene	354	ug/kg	63.3	10/08/21 11:42	
EPA 8260	n-Propylbenzene	314	ug/kg	63.3	10/08/21 11:42	
EPA 8260	o-Xylene	68.3	ug/kg	63.3	10/08/21 11:42	
EPA 8260	p-Isopropyltoluene	67.9	ug/kg	63.3	10/08/21 11:42	1q
EPA 8260	sec-Butylbenzene	79.5	ug/kg	63.3	10/08/21 11:42	1q
ASTM D2974-87	Percent Moisture	11.7	%	0.10	10/04/21 18:16	
<b>40234318017</b>	<b>SB-12 (6-8)</b>					
EPA 6010D	Barium	0.18	mg/L	0.0050	10/07/21 00:23	
ASTM D2974-87	Percent Moisture	12.1	%	0.10	10/04/21 18:16	
<b>40234318018</b>	<b>SB-13 (6-7.5)</b>					
WI MOD DRO	Diesel Range Organics	1.3J	mg/kg	4.2	10/11/21 09:43	
EPA 6010D	Arsenic	0.011J	mg/L	0.025	10/06/21 22:31	
EPA 6010D	Barium	0.22	mg/L	0.0050	10/06/21 22:31	
ASTM D2974-87	Percent Moisture	12.0	%	0.10	10/04/21 18:16	
<b>40234318019</b>	<b>SB-14 (6-7)</b>					
EPA 6010D	Arsenic	0.0091J	mg/L	0.025	10/06/21 22:34	
EPA 6010D	Barium	0.21	mg/L	0.0050	10/06/21 22:34	
ASTM D2974-87	Percent Moisture	11.7	%	0.10	10/04/21 18:16	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-01 (8-10.5)**      **Lab ID: 40234318001**      Collected: 09/29/21 10:30      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<1.2	mg/kg	4.2	1.2	1	10/06/21 08:48	10/07/21 09:16		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	1.4J	mg/kg	2.8	1.4	1	10/05/21 09:30	10/05/21 19:54		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<0.0084	mg/L	0.025	0.0084	1	10/06/21 11:42	10/06/21 23:06	7440-38-2	
Barium	0.33	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/06/21 23:06	7440-39-3	
Cadmium	0.0016J	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/06/21 23:06	7440-43-9	
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:42	10/06/21 23:06	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:42	10/06/21 23:06	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:42	10/06/21 23:06	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:42	10/06/21 23:06	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:21	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<15.2	ug/kg	63.3	15.2	1	10/04/21 11:15	10/04/21 17:54	630-20-6	
1,1,1-Trichloroethane	<16.2	ug/kg	63.3	16.2	1	10/04/21 11:15	10/04/21 17:54	71-55-6	
1,1,2,2-Tetrachloroethane	<22.9	ug/kg	63.3	22.9	1	10/04/21 11:15	10/04/21 17:54	79-34-5	
1,1,2-Trichloroethane	<23.0	ug/kg	63.3	23.0	1	10/04/21 11:15	10/04/21 17:54	79-00-5	
1,1-Dichloroethane	<16.2	ug/kg	63.3	16.2	1	10/04/21 11:15	10/04/21 17:54	75-34-3	
1,1-Dichloroethene	<21.0	ug/kg	63.3	21.0	1	10/04/21 11:15	10/04/21 17:54	75-35-4	
1,1-Dichloropropene	<20.5	ug/kg	63.3	20.5	1	10/04/21 11:15	10/04/21 17:54	563-58-6	
1,2,3-Trichlorobenzene	<70.5	ug/kg	316	70.5	1	10/04/21 11:15	10/04/21 17:54	87-61-6	
1,2,3-Trichloropropane	<30.8	ug/kg	63.3	30.8	1	10/04/21 11:15	10/04/21 17:54	96-18-4	
1,2,4-Trichlorobenzene	<52.1	ug/kg	316	52.1	1	10/04/21 11:15	10/04/21 17:54	120-82-1	
1,2,4-Trimethylbenzene	<18.9	ug/kg	63.3	18.9	1	10/04/21 11:15	10/04/21 17:54	95-63-6	
1,2-Dibromo-3-chloropropane	<49.1	ug/kg	316	49.1	1	10/04/21 11:15	10/04/21 17:54	96-12-8	
1,2-Dibromoethane (EDB)	<17.3	ug/kg	63.3	17.3	1	10/04/21 11:15	10/04/21 17:54	106-93-4	
1,2-Dichlorobenzene	<19.6	ug/kg	63.3	19.6	1	10/04/21 11:15	10/04/21 17:54	95-50-1	
1,2-Dichloroethane	<14.6	ug/kg	63.3	14.6	1	10/04/21 11:15	10/04/21 17:54	107-06-2	
1,2-Dichloropropane	<15.1	ug/kg	63.3	15.1	1	10/04/21 11:15	10/04/21 17:54	78-87-5	
1,3,5-Trimethylbenzene	<20.4	ug/kg	63.3	20.4	1	10/04/21 11:15	10/04/21 17:54	108-67-8	
1,3-Dichlorobenzene	<17.3	ug/kg	63.3	17.3	1	10/04/21 11:15	10/04/21 17:54	541-73-1	
1,3-Dichloropropane	<13.8	ug/kg	63.3	13.8	1	10/04/21 11:15	10/04/21 17:54	142-28-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Sample: **SB-01 (8-10.5)** Lab ID: **40234318001** Collected: 09/29/21 10:30 Received: 10/01/21 08:50 Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<17.3	ug/kg	63.3	17.3	1	10/04/21 11:15	10/04/21 17:54	106-46-7	
2,2-Dichloropropane	<17.1	ug/kg	63.3	17.1	1	10/04/21 11:15	10/04/21 17:54	594-20-7	
2-Chlorotoluene	<20.5	ug/kg	63.3	20.5	1	10/04/21 11:15	10/04/21 17:54	95-49-8	
4-Chlorotoluene	<24.0	ug/kg	63.3	24.0	1	10/04/21 11:15	10/04/21 17:54	106-43-4	
Benzene	<15.1	ug/kg	25.3	15.1	1	10/04/21 11:15	10/04/21 17:54	71-43-2	
Bromobenzene	<24.7	ug/kg	63.3	24.7	1	10/04/21 11:15	10/04/21 17:54	108-86-1	
Bromochloromethane	<17.3	ug/kg	63.3	17.3	1	10/04/21 11:15	10/04/21 17:54	74-97-5	
Bromodichloromethane	<15.1	ug/kg	63.3	15.1	1	10/04/21 11:15	10/04/21 17:54	75-27-4	
Bromoform	<278	ug/kg	316	278	1	10/04/21 11:15	10/04/21 17:54	75-25-2	
Bromomethane	<88.7	ug/kg	316	88.7	1	10/04/21 11:15	10/04/21 17:54	74-83-9	
Carbon tetrachloride	<13.9	ug/kg	63.3	13.9	1	10/04/21 11:15	10/04/21 17:54	56-23-5	
Chlorobenzene	<7.6	ug/kg	63.3	7.6	1	10/04/21 11:15	10/04/21 17:54	108-90-7	
Chloroethane	<26.7	ug/kg	316	26.7	1	10/04/21 11:15	10/04/21 17:54	75-00-3	
Chloroform	<45.3	ug/kg	316	45.3	1	10/04/21 11:15	10/04/21 17:54	67-66-3	
Chloromethane	<24.0	ug/kg	63.3	24.0	1	10/04/21 11:15	10/04/21 17:54	74-87-3	
Dibromochloromethane	<216	ug/kg	316	216	1	10/04/21 11:15	10/04/21 17:54	124-48-1	
Dibromomethane	<18.7	ug/kg	63.3	18.7	1	10/04/21 11:15	10/04/21 17:54	74-95-3	
Dichlorodifluoromethane	<27.2	ug/kg	63.3	27.2	1	10/04/21 11:15	10/04/21 17:54	75-71-8	
Diisopropyl ether	<15.7	ug/kg	63.3	15.7	1	10/04/21 11:15	10/04/21 17:54	108-20-3	
Ethylbenzene	<15.1	ug/kg	63.3	15.1	1	10/04/21 11:15	10/04/21 17:54	100-41-4	
Hexachloro-1,3-butadiene	<126	ug/kg	316	126	1	10/04/21 11:15	10/04/21 17:54	87-68-3	
Isopropylbenzene (Cumene)	<17.1	ug/kg	63.3	17.1	1	10/04/21 11:15	10/04/21 17:54	98-82-8	
Methyl-tert-butyl ether	<18.6	ug/kg	63.3	18.6	1	10/04/21 11:15	10/04/21 17:54	1634-04-4	
Methylene Chloride	<17.6	ug/kg	63.3	17.6	1	10/04/21 11:15	10/04/21 17:54	75-09-2	
Naphthalene	<19.7	ug/kg	316	19.7	1	10/04/21 11:15	10/04/21 17:54	91-20-3	
Styrene	<16.2	ug/kg	63.3	16.2	1	10/04/21 11:15	10/04/21 17:54	100-42-5	
Tetrachloroethene	<24.6	ug/kg	63.3	24.6	1	10/04/21 11:15	10/04/21 17:54	127-18-4	
Toluene	<15.9	ug/kg	63.3	15.9	1	10/04/21 11:15	10/04/21 17:54	108-88-3	
Trichloroethene	<23.7	ug/kg	63.3	23.7	1	10/04/21 11:15	10/04/21 17:54	79-01-6	
Trichlorofluoromethane	<18.4	ug/kg	63.3	18.4	1	10/04/21 11:15	10/04/21 17:54	75-69-4	
Vinyl chloride	<12.8	ug/kg	63.3	12.8	1	10/04/21 11:15	10/04/21 17:54	75-01-4	
cis-1,2-Dichloroethene	<13.5	ug/kg	63.3	13.5	1	10/04/21 11:15	10/04/21 17:54	156-59-2	
cis-1,3-Dichloropropene	<41.8	ug/kg	316	41.8	1	10/04/21 11:15	10/04/21 17:54	10061-01-5	
m&p-Xylene	<26.7	ug/kg	127	26.7	1	10/04/21 11:15	10/04/21 17:54	179601-23-1	
n-Butylbenzene	<29.0	ug/kg	63.3	29.0	1	10/04/21 11:15	10/04/21 17:54	104-51-8	
n-Propylbenzene	<15.2	ug/kg	63.3	15.2	1	10/04/21 11:15	10/04/21 17:54	103-65-1	
o-Xylene	<19.0	ug/kg	63.3	19.0	1	10/04/21 11:15	10/04/21 17:54	95-47-6	
p-Isopropyltoluene	<19.2	ug/kg	63.3	19.2	1	10/04/21 11:15	10/04/21 17:54	99-87-6	
sec-Butylbenzene	<15.4	ug/kg	63.3	15.4	1	10/04/21 11:15	10/04/21 17:54	135-98-8	
tert-Butylbenzene	<19.9	ug/kg	63.3	19.9	1	10/04/21 11:15	10/04/21 17:54	98-06-6	
trans-1,2-Dichloroethene	<13.7	ug/kg	63.3	13.7	1	10/04/21 11:15	10/04/21 17:54	156-60-5	
trans-1,3-Dichloropropene	<181	ug/kg	316	181	1	10/04/21 11:15	10/04/21 17:54	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	113	%	67-159		1	10/04/21 11:15	10/04/21 17:54	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-01 (8-10.5)**      **Lab ID: 40234318001**      Collected: 09/29/21 10:30      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	117	%	66-153		1	10/04/21 11:15	10/04/21 17:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	10/04/21 11:15	10/04/21 17:54	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	<b>11.7</b>	%	0.10	0.10	1		10/04/21 17:44		

**Sample: SB-02 (6-8)**      **Lab ID: 40234318002**      Collected: 09/29/21 12:00      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>1.6J</b>	mg/kg	4.8	1.4	1	10/06/21 08:48	10/07/21 09:25		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>4.9</b>	mg/kg	3.6	1.8	1	10/05/21 09:30	10/05/21 20:20		G+
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>0.0088J</b>	mg/L	0.025	0.0084	1	10/06/21 11:42	10/06/21 23:20	7440-38-2	
Barium	<b>0.37</b>	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/06/21 23:20	7440-39-3	
Cadmium	<b>&lt;0.0013</b>	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/06/21 23:20	7440-43-9	
Chromium	<b>&lt;0.0025</b>	mg/L	0.010	0.0025	1	10/06/21 11:42	10/06/21 23:20	7440-47-3	
Lead	<b>&lt;0.0059</b>	mg/L	0.020	0.0059	1	10/06/21 11:42	10/06/21 23:20	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:42	10/06/21 23:20	7782-49-2	
Silver	<b>&lt;0.0032</b>	mg/L	0.010	0.0032	1	10/06/21 11:42	10/06/21 23:20	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470    Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:28	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;19.7</b>	ug/kg	82.1	19.7	1	10/04/21 11:15	10/04/21 18:13	630-20-6	
1,1,1-Trichloroethane	<b>&lt;21.0</b>	ug/kg	82.1	21.0	1	10/04/21 11:15	10/04/21 18:13	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;29.7</b>	ug/kg	82.1	29.7	1	10/04/21 11:15	10/04/21 18:13	79-34-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Sample: **SB-02 (6-8)** Lab ID: **40234318002** Collected: 09/29/21 12:00 Received: 10/01/21 08:50 Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,2-Trichloroethane	<29.9	ug/kg	82.1	29.9	1	10/04/21 11:15	10/04/21 18:13	79-00-5	
1,1-Dichloroethane	<21.0	ug/kg	82.1	21.0	1	10/04/21 11:15	10/04/21 18:13	75-34-3	
1,1-Dichloroethene	<27.3	ug/kg	82.1	27.3	1	10/04/21 11:15	10/04/21 18:13	75-35-4	
1,1-Dichloropropene	<26.6	ug/kg	82.1	26.6	1	10/04/21 11:15	10/04/21 18:13	563-58-6	
1,2,3-Trichlorobenzene	<91.5	ug/kg	410	91.5	1	10/04/21 11:15	10/04/21 18:13	87-61-6	
1,2,3-Trichloropropane	<39.9	ug/kg	82.1	39.9	1	10/04/21 11:15	10/04/21 18:13	96-18-4	
1,2,4-Trichlorobenzene	<67.6	ug/kg	410	67.6	1	10/04/21 11:15	10/04/21 18:13	120-82-1	
1,2,4-Trimethylbenzene	<24.5	ug/kg	82.1	24.5	1	10/04/21 11:15	10/04/21 18:13	95-63-6	
1,2-Dibromo-3-chloropropane	<63.7	ug/kg	410	63.7	1	10/04/21 11:15	10/04/21 18:13	96-12-8	
1,2-Dibromoethane (EDB)	<22.5	ug/kg	82.1	22.5	1	10/04/21 11:15	10/04/21 18:13	106-93-4	
1,2-Dichlorobenzene	<25.4	ug/kg	82.1	25.4	1	10/04/21 11:15	10/04/21 18:13	95-50-1	
1,2-Dichloroethane	<18.9	ug/kg	82.1	18.9	1	10/04/21 11:15	10/04/21 18:13	107-06-2	
1,2-Dichloropropane	<19.5	ug/kg	82.1	19.5	1	10/04/21 11:15	10/04/21 18:13	78-87-5	
1,3,5-Trimethylbenzene	<26.4	ug/kg	82.1	26.4	1	10/04/21 11:15	10/04/21 18:13	108-67-8	
1,3-Dichlorobenzene	<22.5	ug/kg	82.1	22.5	1	10/04/21 11:15	10/04/21 18:13	541-73-1	
1,3-Dichloropropane	<17.9	ug/kg	82.1	17.9	1	10/04/21 11:15	10/04/21 18:13	142-28-9	
1,4-Dichlorobenzene	<22.5	ug/kg	82.1	22.5	1	10/04/21 11:15	10/04/21 18:13	106-46-7	
2,2-Dichloropropane	<22.2	ug/kg	82.1	22.2	1	10/04/21 11:15	10/04/21 18:13	594-20-7	
2-Chlorotoluene	<26.6	ug/kg	82.1	26.6	1	10/04/21 11:15	10/04/21 18:13	95-49-8	
4-Chlorotoluene	<31.2	ug/kg	82.1	31.2	1	10/04/21 11:15	10/04/21 18:13	106-43-4	
Benzene	<19.5	ug/kg	32.8	19.5	1	10/04/21 11:15	10/04/21 18:13	71-43-2	
Bromobenzene	<32.0	ug/kg	82.1	32.0	1	10/04/21 11:15	10/04/21 18:13	108-86-1	
Bromochloromethane	<22.5	ug/kg	82.1	22.5	1	10/04/21 11:15	10/04/21 18:13	74-97-5	
Bromodichloromethane	<19.5	ug/kg	82.1	19.5	1	10/04/21 11:15	10/04/21 18:13	75-27-4	
Bromoform	<361	ug/kg	410	361	1	10/04/21 11:15	10/04/21 18:13	75-25-2	
Bromomethane	<115	ug/kg	410	115	1	10/04/21 11:15	10/04/21 18:13	74-83-9	
Carbon tetrachloride	<18.1	ug/kg	82.1	18.1	1	10/04/21 11:15	10/04/21 18:13	56-23-5	
Chlorobenzene	<9.8	ug/kg	82.1	9.8	1	10/04/21 11:15	10/04/21 18:13	108-90-7	
Chloroethane	<34.6	ug/kg	410	34.6	1	10/04/21 11:15	10/04/21 18:13	75-00-3	
Chloroform	<58.8	ug/kg	410	58.8	1	10/04/21 11:15	10/04/21 18:13	67-66-3	
Chloromethane	<31.2	ug/kg	82.1	31.2	1	10/04/21 11:15	10/04/21 18:13	74-87-3	
Dibromochloromethane	<281	ug/kg	410	281	1	10/04/21 11:15	10/04/21 18:13	124-48-1	
Dibromomethane	<24.3	ug/kg	82.1	24.3	1	10/04/21 11:15	10/04/21 18:13	74-95-3	
Dichlorodifluoromethane	<35.3	ug/kg	82.1	35.3	1	10/04/21 11:15	10/04/21 18:13	75-71-8	
Diisopropyl ether	<20.4	ug/kg	82.1	20.4	1	10/04/21 11:15	10/04/21 18:13	108-20-3	
Ethylbenzene	<19.5	ug/kg	82.1	19.5	1	10/04/21 11:15	10/04/21 18:13	100-41-4	
Hexachloro-1,3-butadiene	<163	ug/kg	410	163	1	10/04/21 11:15	10/04/21 18:13	87-68-3	
Isopropylbenzene (Cumene)	<22.2	ug/kg	82.1	22.2	1	10/04/21 11:15	10/04/21 18:13	98-82-8	
Methyl-tert-butyl ether	<24.1	ug/kg	82.1	24.1	1	10/04/21 11:15	10/04/21 18:13	1634-04-4	
Methylene Chloride	<22.8	ug/kg	82.1	22.8	1	10/04/21 11:15	10/04/21 18:13	75-09-2	
Naphthalene	<25.6	ug/kg	410	25.6	1	10/04/21 11:15	10/04/21 18:13	91-20-3	
Styrene	<21.0	ug/kg	82.1	21.0	1	10/04/21 11:15	10/04/21 18:13	100-42-5	
Tetrachloroethene	<31.9	ug/kg	82.1	31.9	1	10/04/21 11:15	10/04/21 18:13	127-18-4	
Toluene	<20.7	ug/kg	82.1	20.7	1	10/04/21 11:15	10/04/21 18:13	108-88-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-02 (6-8)**      **Lab ID: 40234318002**      Collected: 09/29/21 12:00      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Trichloroethene	<30.7	ug/kg	82.1	30.7	1	10/04/21 11:15	10/04/21 18:13	79-01-6	
Trichlorofluoromethane	<23.8	ug/kg	82.1	23.8	1	10/04/21 11:15	10/04/21 18:13	75-69-4	
Vinyl chloride	<16.6	ug/kg	82.1	16.6	1	10/04/21 11:15	10/04/21 18:13	75-01-4	
cis-1,2-Dichloroethene	<17.6	ug/kg	82.1	17.6	1	10/04/21 11:15	10/04/21 18:13	156-59-2	
cis-1,3-Dichloropropene	<54.2	ug/kg	410	54.2	1	10/04/21 11:15	10/04/21 18:13	10061-01-5	
m&p-Xylene	<34.6	ug/kg	164	34.6	1	10/04/21 11:15	10/04/21 18:13	179601-23-1	
n-Butylbenzene	<37.6	ug/kg	82.1	37.6	1	10/04/21 11:15	10/04/21 18:13	104-51-8	
n-Propylbenzene	22.0J	ug/kg	82.1	19.7	1	10/04/21 11:15	10/04/21 18:13	103-65-1	
o-Xylene	<24.6	ug/kg	82.1	24.6	1	10/04/21 11:15	10/04/21 18:13	95-47-6	
p-Isopropyltoluene	<25.0	ug/kg	82.1	25.0	1	10/04/21 11:15	10/04/21 18:13	99-87-6	
sec-Butylbenzene	<20.0	ug/kg	82.1	20.0	1	10/04/21 11:15	10/04/21 18:13	135-98-8	
tert-Butylbenzene	<25.8	ug/kg	82.1	25.8	1	10/04/21 11:15	10/04/21 18:13	98-06-6	
trans-1,2-Dichloroethene	<17.7	ug/kg	82.1	17.7	1	10/04/21 11:15	10/04/21 18:13	156-60-5	
trans-1,3-Dichloropropene	<235	ug/kg	410	235	1	10/04/21 11:15	10/04/21 18:13	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	124	%	67-159		1	10/04/21 11:15	10/04/21 18:13	2037-26-5	
4-Bromofluorobenzene (S)	127	%	66-153		1	10/04/21 11:15	10/04/21 18:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	124	%	82-158		1	10/04/21 11:15	10/04/21 18:13	2199-69-1	

**Percent Moisture**      Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **20.6**      %      0.10      0.10      1      10/04/21 17:44

**Sample: SB-03 (2-4)**      **Lab ID: 40234318003**      Collected: 09/29/21 12:15      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	2.4J	mg/kg	3.9	1.2	1	10/06/21 08:48	10/07/21 09:34		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<1.4	mg/kg	2.9	1.4	1	10/05/21 09:30	10/05/21 20:45		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<0.0084	mg/L	0.025	0.0084	1	10/06/21 11:42	10/06/21 23:25	7440-38-2	
Barium	0.22	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/06/21 23:25	7440-39-3	
Cadmium	0.0015J	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/06/21 23:25	7440-43-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-03 (2-4)**      **Lab ID: 40234318003**      Collected: 09/29/21 12:15      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:42	10/06/21 23:25	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:42	10/06/21 23:25	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:42	10/06/21 23:25	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:42	10/06/21 23:25	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:30	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<15.4	ug/kg	64.0	15.4	1	10/04/21 11:15	10/04/21 18:33	630-20-6	
1,1,1-Trichloroethane	<16.4	ug/kg	64.0	16.4	1	10/04/21 11:15	10/04/21 18:33	71-55-6	
1,1,2,2-Tetrachloroethane	<23.2	ug/kg	64.0	23.2	1	10/04/21 11:15	10/04/21 18:33	79-34-5	
1,1,2-Trichloroethane	<23.3	ug/kg	64.0	23.3	1	10/04/21 11:15	10/04/21 18:33	79-00-5	
1,1-Dichloroethane	<16.4	ug/kg	64.0	16.4	1	10/04/21 11:15	10/04/21 18:33	75-34-3	
1,1-Dichloroethene	<21.3	ug/kg	64.0	21.3	1	10/04/21 11:15	10/04/21 18:33	75-35-4	
1,1-Dichloropropene	<20.7	ug/kg	64.0	20.7	1	10/04/21 11:15	10/04/21 18:33	563-58-6	
1,2,3-Trichlorobenzene	<71.3	ug/kg	320	71.3	1	10/04/21 11:15	10/04/21 18:33	87-61-6	
1,2,3-Trichloropropane	<31.1	ug/kg	64.0	31.1	1	10/04/21 11:15	10/04/21 18:33	96-18-4	
1,2,4-Trichlorobenzene	<52.8	ug/kg	320	52.8	1	10/04/21 11:15	10/04/21 18:33	120-82-1	
1,2,4-Trimethylbenzene	<19.1	ug/kg	64.0	19.1	1	10/04/21 11:15	10/04/21 18:33	95-63-6	
1,2-Dibromo-3-chloropropane	<49.7	ug/kg	320	49.7	1	10/04/21 11:15	10/04/21 18:33	96-12-8	
1,2-Dibromoethane (EDB)	<17.5	ug/kg	64.0	17.5	1	10/04/21 11:15	10/04/21 18:33	106-93-4	
1,2-Dichlorobenzene	<19.8	ug/kg	64.0	19.8	1	10/04/21 11:15	10/04/21 18:33	95-50-1	
1,2-Dichloroethane	<14.7	ug/kg	64.0	14.7	1	10/04/21 11:15	10/04/21 18:33	107-06-2	
1,2-Dichloropropane	<15.2	ug/kg	64.0	15.2	1	10/04/21 11:15	10/04/21 18:33	78-87-5	
1,3,5-Trimethylbenzene	<20.6	ug/kg	64.0	20.6	1	10/04/21 11:15	10/04/21 18:33	108-67-8	
1,3-Dichlorobenzene	<17.5	ug/kg	64.0	17.5	1	10/04/21 11:15	10/04/21 18:33	541-73-1	
1,3-Dichloropropane	<14.0	ug/kg	64.0	14.0	1	10/04/21 11:15	10/04/21 18:33	142-28-9	
1,4-Dichlorobenzene	<17.5	ug/kg	64.0	17.5	1	10/04/21 11:15	10/04/21 18:33	106-46-7	
2,2-Dichloropropane	<17.3	ug/kg	64.0	17.3	1	10/04/21 11:15	10/04/21 18:33	594-20-7	
2-Chlorotoluene	<20.7	ug/kg	64.0	20.7	1	10/04/21 11:15	10/04/21 18:33	95-49-8	
4-Chlorotoluene	<24.3	ug/kg	64.0	24.3	1	10/04/21 11:15	10/04/21 18:33	106-43-4	
Benzene	<15.2	ug/kg	25.6	15.2	1	10/04/21 11:15	10/04/21 18:33	71-43-2	
Bromobenzene	<25.0	ug/kg	64.0	25.0	1	10/04/21 11:15	10/04/21 18:33	108-86-1	
Bromochloromethane	<17.5	ug/kg	64.0	17.5	1	10/04/21 11:15	10/04/21 18:33	74-97-5	
Bromodichloromethane	<15.2	ug/kg	64.0	15.2	1	10/04/21 11:15	10/04/21 18:33	75-27-4	
Bromoform	<282	ug/kg	320	282	1	10/04/21 11:15	10/04/21 18:33	75-25-2	
Bromomethane	<89.8	ug/kg	320	89.8	1	10/04/21 11:15	10/04/21 18:33	74-83-9	
Carbon tetrachloride	<14.1	ug/kg	64.0	14.1	1	10/04/21 11:15	10/04/21 18:33	56-23-5	
Chlorobenzene	<7.7	ug/kg	64.0	7.7	1	10/04/21 11:15	10/04/21 18:33	108-90-7	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.









### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-04 (2-4)** Lab ID: 40234318004 Collected: 09/29/21 13:15 Received: 10/01/21 08:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	122	%	66-153		1	10/04/21 11:15	10/04/21 18:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	121	%	82-158		1	10/04/21 11:15	10/04/21 18:52	2199-69-1	
<b>Percent Moisture</b>	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	<b>14.1</b>	%	0.10	0.10	1		10/04/21 17:45		

**Sample: SB-04 (6-7)** Lab ID: 40234318005 Collected: 09/29/21 13:30 Received: 10/01/21 08:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay								
Diesel Range Organics	<b>&lt;1.6</b>	mg/kg	5.2	1.6	1	10/06/21 08:48	10/07/21 09:52		
<b>WIGRO GCV</b>	Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay								
Gasoline Range Organics	<b>&lt;1.5</b>	mg/kg	3.0	1.5	1	10/05/21 09:30	10/05/21 21:36		
<b>6010D MET ICP, TCLP</b>	Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay								
Arsenic	<b>&lt;0.0084</b>	mg/L	0.025	0.0084	1	10/06/21 11:42	10/06/21 23:31	7440-38-2	
Barium	<b>0.29</b>	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/06/21 23:31	7440-39-3	
Cadmium	<b>&lt;0.0013</b>	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/06/21 23:31	7440-43-9	
Chromium	<b>&lt;0.0025</b>	mg/L	0.010	0.0025	1	10/06/21 11:42	10/06/21 23:31	7440-47-3	
Lead	<b>&lt;0.0059</b>	mg/L	0.020	0.0059	1	10/06/21 11:42	10/06/21 23:31	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:42	10/06/21 23:31	7782-49-2	
Silver	<b>&lt;0.0032</b>	mg/L	0.010	0.0032	1	10/06/21 11:42	10/06/21 23:31	7440-22-4	
<b>7470 Mercury, TCLP</b>	Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay								
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:35	7439-97-6	
<b>8260 MSV Med Level Normal List</b>	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<b>&lt;16.1</b>	ug/kg	67.0	16.1	1	10/04/21 11:15	10/04/21 19:12	630-20-6	
1,1,1-Trichloroethane	<b>&lt;17.2</b>	ug/kg	67.0	17.2	1	10/04/21 11:15	10/04/21 19:12	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;24.3</b>	ug/kg	67.0	24.3	1	10/04/21 11:15	10/04/21 19:12	79-34-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.











### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-05 (6-7)**      **Lab ID: 40234318007**      Collected: 09/29/21 14:05      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>61.4</b>	mg/kg	4.3	1.3	1	10/06/21 08:48	10/07/21 12:26		DC
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>209</b>	mg/kg	5.9	2.9	2	10/05/21 09:30	10/05/21 13:04		GO
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>&lt;0.0084</b>	mg/L	0.025	0.0084	1	10/06/21 11:42	10/06/21 23:36	7440-38-2	
Barium	<b>0.28</b>	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/06/21 23:36	7440-39-3	
Cadmium	<b>&lt;0.0013</b>	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/06/21 23:36	7440-43-9	
Chromium	<b>&lt;0.0025</b>	mg/L	0.010	0.0025	1	10/06/21 11:42	10/06/21 23:36	7440-47-3	
Lead	<b>&lt;0.0059</b>	mg/L	0.020	0.0059	1	10/06/21 11:42	10/06/21 23:36	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:42	10/06/21 23:36	7782-49-2	
Silver	<b>0.0034J</b>	mg/L	0.010	0.0032	1	10/06/21 11:42	10/06/21 23:36	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>0.21</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:44	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;129</b>	ug/kg	536	129	8	10/04/21 11:15	10/04/21 23:06	630-20-6	
1,1,1-Trichloroethane	<b>&lt;137</b>	ug/kg	536	137	8	10/04/21 11:15	10/04/21 23:06	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;194</b>	ug/kg	536	194	8	10/04/21 11:15	10/04/21 23:06	79-34-5	
1,1,2-Trichloroethane	<b>&lt;195</b>	ug/kg	536	195	8	10/04/21 11:15	10/04/21 23:06	79-00-5	
1,1-Dichloroethane	<b>&lt;137</b>	ug/kg	536	137	8	10/04/21 11:15	10/04/21 23:06	75-34-3	
1,1-Dichloroethene	<b>&lt;178</b>	ug/kg	536	178	8	10/04/21 11:15	10/04/21 23:06	75-35-4	
1,1-Dichloropropene	<b>&lt;174</b>	ug/kg	536	174	8	10/04/21 11:15	10/04/21 23:06	563-58-6	
1,2,3-Trichlorobenzene	<b>&lt;598</b>	ug/kg	2680	598	8	10/04/21 11:15	10/04/21 23:06	87-61-6	
1,2,3-Trichloropropane	<b>&lt;261</b>	ug/kg	536	261	8	10/04/21 11:15	10/04/21 23:06	96-18-4	
1,2,4-Trichlorobenzene	<b>&lt;442</b>	ug/kg	2680	442	8	10/04/21 11:15	10/04/21 23:06	120-82-1	
1,2,4-Trimethylbenzene	<b>54700</b>	ug/kg	536	160	8	10/04/21 11:15	10/04/21 23:06	95-63-6	
1,2-Dibromo-3-chloropropane	<b>&lt;416</b>	ug/kg	2680	416	8	10/04/21 11:15	10/04/21 23:06	96-12-8	
1,2-Dibromoethane (EDB)	<b>&lt;147</b>	ug/kg	536	147	8	10/04/21 11:15	10/04/21 23:06	106-93-4	
1,2-Dichlorobenzene	<b>&lt;166</b>	ug/kg	536	166	8	10/04/21 11:15	10/04/21 23:06	95-50-1	
1,2-Dichloroethane	<b>&lt;123</b>	ug/kg	536	123	8	10/04/21 11:15	10/04/21 23:06	107-06-2	
1,2-Dichloropropane	<b>&lt;128</b>	ug/kg	536	128	8	10/04/21 11:15	10/04/21 23:06	78-87-5	
1,3,5-Trimethylbenzene	<b>13100</b>	ug/kg	536	173	8	10/04/21 11:15	10/04/21 23:06	108-67-8	
1,3-Dichlorobenzene	<b>&lt;147</b>	ug/kg	536	147	8	10/04/21 11:15	10/04/21 23:06	541-73-1	
1,3-Dichloropropane	<b>&lt;117</b>	ug/kg	536	117	8	10/04/21 11:15	10/04/21 23:06	142-28-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-05 (6-7)**      **Lab ID: 40234318007**      Collected: 09/29/21 14:05      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<147	ug/kg	536	147	8	10/04/21 11:15	10/04/21 23:06	106-46-7	
2,2-Dichloropropane	<145	ug/kg	536	145	8	10/04/21 11:15	10/04/21 23:06	594-20-7	
2-Chlorotoluene	<174	ug/kg	536	174	8	10/04/21 11:15	10/04/21 23:06	95-49-8	
4-Chlorotoluene	<204	ug/kg	536	204	8	10/04/21 11:15	10/04/21 23:06	106-43-4	
Benzene	709	ug/kg	215	128	8	10/04/21 11:15	10/04/21 23:06	71-43-2	
Bromobenzene	<209	ug/kg	536	209	8	10/04/21 11:15	10/04/21 23:06	108-86-1	
Bromochloromethane	<147	ug/kg	536	147	8	10/04/21 11:15	10/04/21 23:06	74-97-5	
Bromodichloromethane	<128	ug/kg	536	128	8	10/04/21 11:15	10/04/21 23:06	75-27-4	
Bromoform	<2360	ug/kg	2680	2360	8	10/04/21 11:15	10/04/21 23:06	75-25-2	
Bromomethane	<752	ug/kg	2680	752	8	10/04/21 11:15	10/04/21 23:06	74-83-9	
Carbon tetrachloride	<118	ug/kg	536	118	8	10/04/21 11:15	10/04/21 23:06	56-23-5	
Chlorobenzene	<64.3	ug/kg	536	64.3	8	10/04/21 11:15	10/04/21 23:06	108-90-7	
Chloroethane	<226	ug/kg	2680	226	8	10/04/21 11:15	10/04/21 23:06	75-00-3	
Chloroform	<384	ug/kg	2680	384	8	10/04/21 11:15	10/04/21 23:06	67-66-3	
Chloromethane	<204	ug/kg	536	204	8	10/04/21 11:15	10/04/21 23:06	74-87-3	
Dibromochloromethane	<1830	ug/kg	2680	1830	8	10/04/21 11:15	10/04/21 23:06	124-48-1	
Dibromomethane	<159	ug/kg	536	159	8	10/04/21 11:15	10/04/21 23:06	74-95-3	
Dichlorodifluoromethane	<231	ug/kg	536	231	8	10/04/21 11:15	10/04/21 23:06	75-71-8	
Diisopropyl ether	<133	ug/kg	536	133	8	10/04/21 11:15	10/04/21 23:06	108-20-3	
Ethylbenzene	16600	ug/kg	536	128	8	10/04/21 11:15	10/04/21 23:06	100-41-4	
Hexachloro-1,3-butadiene	<1070	ug/kg	2680	1070	8	10/04/21 11:15	10/04/21 23:06	87-68-3	
Isopropylbenzene (Cumene)	2340	ug/kg	536	145	8	10/04/21 11:15	10/04/21 23:06	98-82-8	
Methyl-tert-butyl ether	<158	ug/kg	536	158	8	10/04/21 11:15	10/04/21 23:06	1634-04-4	
Methylene Chloride	<149	ug/kg	536	149	8	10/04/21 11:15	10/04/21 23:06	75-09-2	
Naphthalene	6180	ug/kg	2680	167	8	10/04/21 11:15	10/04/21 23:06	91-20-3	
Styrene	<137	ug/kg	536	137	8	10/04/21 11:15	10/04/21 23:06	100-42-5	
Tetrachloroethene	<208	ug/kg	536	208	8	10/04/21 11:15	10/04/21 23:06	127-18-4	
Toluene	1830	ug/kg	536	135	8	10/04/21 11:15	10/04/21 23:06	108-88-3	
Trichloroethene	<201	ug/kg	536	201	8	10/04/21 11:15	10/04/21 23:06	79-01-6	
Trichlorofluoromethane	<156	ug/kg	536	156	8	10/04/21 11:15	10/04/21 23:06	75-69-4	
Vinyl chloride	<108	ug/kg	536	108	8	10/04/21 11:15	10/04/21 23:06	75-01-4	
cis-1,2-Dichloroethene	<115	ug/kg	536	115	8	10/04/21 11:15	10/04/21 23:06	156-59-2	
cis-1,3-Dichloropropene	<354	ug/kg	2680	354	8	10/04/21 11:15	10/04/21 23:06	10061-01-5	
m&p-Xylene	32100	ug/kg	1070	226	8	10/04/21 11:15	10/04/21 23:06	179601-23-1	
n-Butylbenzene	6760	ug/kg	536	246	8	10/04/21 11:15	10/04/21 23:06	104-51-8	
n-Propylbenzene	10200	ug/kg	536	129	8	10/04/21 11:15	10/04/21 23:06	103-65-1	
o-Xylene	7010	ug/kg	536	161	8	10/04/21 11:15	10/04/21 23:06	95-47-6	
p-Isopropyltoluene	814	ug/kg	536	163	8	10/04/21 11:15	10/04/21 23:06	99-87-6	
sec-Butylbenzene	1540	ug/kg	536	131	8	10/04/21 11:15	10/04/21 23:06	135-98-8	
tert-Butylbenzene	<168	ug/kg	536	168	8	10/04/21 11:15	10/04/21 23:06	98-06-6	
trans-1,2-Dichloroethene	<116	ug/kg	536	116	8	10/04/21 11:15	10/04/21 23:06	156-60-5	
trans-1,3-Dichloropropene	<1530	ug/kg	2680	1530	8	10/04/21 11:15	10/04/21 23:06	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	122	%	67-159		8	10/04/21 11:15	10/04/21 23:06	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-05 (6-7)**      **Lab ID: 40234318007**      Collected: 09/29/21 14:05      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	127	%	66-153		8	10/04/21 11:15	10/04/21 23:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	138	%	82-158		8	10/04/21 11:15	10/04/21 23:06	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	<b>14.6</b>	%	0.10	0.10	1		10/04/21 17:45		

**Sample: SB-06 (2-3)**      **Lab ID: 40234318008**      Collected: 09/29/21 14:35      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>1.4J</b>	mg/kg	4.5	1.3	1	10/08/21 08:38	10/11/21 10:02		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>3.8</b>	mg/kg	3.0	1.5	1	10/06/21 09:30	10/08/21 01:31		1q
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>&lt;0.0084</b>	mg/L	0.025	0.0084	1	10/06/21 11:42	10/06/21 23:43	7440-38-2	
Barium	<b>0.36</b>	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/06/21 23:43	7440-39-3	
Cadmium	<b>0.0015J</b>	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/06/21 23:43	7440-43-9	
Chromium	<b>0.0032J</b>	mg/L	0.010	0.0025	1	10/06/21 11:42	10/06/21 23:43	7440-47-3	
Lead	<b>0.0086J</b>	mg/L	0.020	0.0059	1	10/06/21 11:42	10/06/21 23:43	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:42	10/06/21 23:43	7782-49-2	
Silver	<b>&lt;0.0032</b>	mg/L	0.010	0.0032	1	10/06/21 11:42	10/06/21 23:43	7440-22-4	

<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470    Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>0.37</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:47	7439-97-6	

<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;16.5</b>	ug/kg	68.7	16.5	1	10/04/21 11:15	10/04/21 21:28	630-20-6	
1,1,1-Trichloroethane	<b>&lt;17.6</b>	ug/kg	68.7	17.6	1	10/04/21 11:15	10/04/21 21:28	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;24.9</b>	ug/kg	68.7	24.9	1	10/04/21 11:15	10/04/21 21:28	79-34-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Sample: **SB-06 (2-3)** Lab ID: **40234318008** Collected: 09/29/21 14:35 Received: 10/01/21 08:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,2-Trichloroethane	<25.0	ug/kg	68.7	25.0	1	10/04/21 11:15	10/04/21 21:28	79-00-5	
1,1-Dichloroethane	<17.6	ug/kg	68.7	17.6	1	10/04/21 11:15	10/04/21 21:28	75-34-3	
1,1-Dichloroethene	<22.8	ug/kg	68.7	22.8	1	10/04/21 11:15	10/04/21 21:28	75-35-4	
1,1-Dichloropropene	<22.3	ug/kg	68.7	22.3	1	10/04/21 11:15	10/04/21 21:28	563-58-6	
1,2,3-Trichlorobenzene	<76.6	ug/kg	344	76.6	1	10/04/21 11:15	10/04/21 21:28	87-61-6	
1,2,3-Trichloropropane	<33.4	ug/kg	68.7	33.4	1	10/04/21 11:15	10/04/21 21:28	96-18-4	
1,2,4-Trichlorobenzene	<56.6	ug/kg	344	56.6	1	10/04/21 11:15	10/04/21 21:28	120-82-1	
1,2,4-Trimethylbenzene	<20.5	ug/kg	68.7	20.5	1	10/04/21 11:15	10/04/21 21:28	95-63-6	
1,2-Dibromo-3-chloropropane	<53.3	ug/kg	344	53.3	1	10/04/21 11:15	10/04/21 21:28	96-12-8	
1,2-Dibromoethane (EDB)	<18.8	ug/kg	68.7	18.8	1	10/04/21 11:15	10/04/21 21:28	106-93-4	
1,2-Dichlorobenzene	<21.3	ug/kg	68.7	21.3	1	10/04/21 11:15	10/04/21 21:28	95-50-1	
1,2-Dichloroethane	<15.8	ug/kg	68.7	15.8	1	10/04/21 11:15	10/04/21 21:28	107-06-2	
1,2-Dichloropropane	<16.4	ug/kg	68.7	16.4	1	10/04/21 11:15	10/04/21 21:28	78-87-5	
1,3,5-Trimethylbenzene	<22.1	ug/kg	68.7	22.1	1	10/04/21 11:15	10/04/21 21:28	108-67-8	
1,3-Dichlorobenzene	<18.8	ug/kg	68.7	18.8	1	10/04/21 11:15	10/04/21 21:28	541-73-1	
1,3-Dichloropropane	<15.0	ug/kg	68.7	15.0	1	10/04/21 11:15	10/04/21 21:28	142-28-9	
1,4-Dichlorobenzene	<18.8	ug/kg	68.7	18.8	1	10/04/21 11:15	10/04/21 21:28	106-46-7	
2,2-Dichloropropane	<18.6	ug/kg	68.7	18.6	1	10/04/21 11:15	10/04/21 21:28	594-20-7	
2-Chlorotoluene	<22.3	ug/kg	68.7	22.3	1	10/04/21 11:15	10/04/21 21:28	95-49-8	
4-Chlorotoluene	<26.1	ug/kg	68.7	26.1	1	10/04/21 11:15	10/04/21 21:28	106-43-4	
Benzene	<16.4	ug/kg	27.5	16.4	1	10/04/21 11:15	10/04/21 21:28	71-43-2	
Bromobenzene	<26.8	ug/kg	68.7	26.8	1	10/04/21 11:15	10/04/21 21:28	108-86-1	
Bromochloromethane	<18.8	ug/kg	68.7	18.8	1	10/04/21 11:15	10/04/21 21:28	74-97-5	
Bromodichloromethane	<16.4	ug/kg	68.7	16.4	1	10/04/21 11:15	10/04/21 21:28	75-27-4	
Bromoform	<302	ug/kg	344	302	1	10/04/21 11:15	10/04/21 21:28	75-25-2	
Bromomethane	<96.3	ug/kg	344	96.3	1	10/04/21 11:15	10/04/21 21:28	74-83-9	
Carbon tetrachloride	<15.1	ug/kg	68.7	15.1	1	10/04/21 11:15	10/04/21 21:28	56-23-5	
Chlorobenzene	<8.2	ug/kg	68.7	8.2	1	10/04/21 11:15	10/04/21 21:28	108-90-7	
Chloroethane	<29.0	ug/kg	344	29.0	1	10/04/21 11:15	10/04/21 21:28	75-00-3	
Chloroform	<49.2	ug/kg	344	49.2	1	10/04/21 11:15	10/04/21 21:28	67-66-3	
Chloromethane	<26.1	ug/kg	68.7	26.1	1	10/04/21 11:15	10/04/21 21:28	74-87-3	
Dibromochloromethane	<235	ug/kg	344	235	1	10/04/21 11:15	10/04/21 21:28	124-48-1	
Dibromomethane	<20.3	ug/kg	68.7	20.3	1	10/04/21 11:15	10/04/21 21:28	74-95-3	
Dichlorodifluoromethane	<29.6	ug/kg	68.7	29.6	1	10/04/21 11:15	10/04/21 21:28	75-71-8	
Diisopropyl ether	<17.0	ug/kg	68.7	17.0	1	10/04/21 11:15	10/04/21 21:28	108-20-3	
Ethylbenzene	<16.4	ug/kg	68.7	16.4	1	10/04/21 11:15	10/04/21 21:28	100-41-4	
Hexachloro-1,3-butadiene	<137	ug/kg	344	137	1	10/04/21 11:15	10/04/21 21:28	87-68-3	
Isopropylbenzene (Cumene)	<18.6	ug/kg	68.7	18.6	1	10/04/21 11:15	10/04/21 21:28	98-82-8	
Methyl-tert-butyl ether	<20.2	ug/kg	68.7	20.2	1	10/04/21 11:15	10/04/21 21:28	1634-04-4	
Methylene Chloride	<19.1	ug/kg	68.7	19.1	1	10/04/21 11:15	10/04/21 21:28	75-09-2	
Naphthalene	<21.4	ug/kg	344	21.4	1	10/04/21 11:15	10/04/21 21:28	91-20-3	
Styrene	<17.6	ug/kg	68.7	17.6	1	10/04/21 11:15	10/04/21 21:28	100-42-5	
Tetrachloroethene	<26.7	ug/kg	68.7	26.7	1	10/04/21 11:15	10/04/21 21:28	127-18-4	
Toluene	<17.3	ug/kg	68.7	17.3	1	10/04/21 11:15	10/04/21 21:28	108-88-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-06 (2-3)**      **Lab ID: 40234318008**      Collected: 09/29/21 14:35      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Trichloroethene	<25.7	ug/kg	68.7	25.7	1	10/04/21 11:15	10/04/21 21:28	79-01-6	
Trichlorofluoromethane	<19.9	ug/kg	68.7	19.9	1	10/04/21 11:15	10/04/21 21:28	75-69-4	
Vinyl chloride	<13.9	ug/kg	68.7	13.9	1	10/04/21 11:15	10/04/21 21:28	75-01-4	
cis-1,2-Dichloroethene	<14.7	ug/kg	68.7	14.7	1	10/04/21 11:15	10/04/21 21:28	156-59-2	
cis-1,3-Dichloropropene	<45.4	ug/kg	344	45.4	1	10/04/21 11:15	10/04/21 21:28	10061-01-5	
m&p-Xylene	<29.0	ug/kg	137	29.0	1	10/04/21 11:15	10/04/21 21:28	179601-23-1	
n-Butylbenzene	<31.5	ug/kg	68.7	31.5	1	10/04/21 11:15	10/04/21 21:28	104-51-8	
n-Propylbenzene	<16.5	ug/kg	68.7	16.5	1	10/04/21 11:15	10/04/21 21:28	103-65-1	
o-Xylene	<20.6	ug/kg	68.7	20.6	1	10/04/21 11:15	10/04/21 21:28	95-47-6	
p-Isopropyltoluene	<20.9	ug/kg	68.7	20.9	1	10/04/21 11:15	10/04/21 21:28	99-87-6	
sec-Butylbenzene	<16.8	ug/kg	68.7	16.8	1	10/04/21 11:15	10/04/21 21:28	135-98-8	
tert-Butylbenzene	<21.6	ug/kg	68.7	21.6	1	10/04/21 11:15	10/04/21 21:28	98-06-6	
trans-1,2-Dichloroethene	<14.8	ug/kg	68.7	14.8	1	10/04/21 11:15	10/04/21 21:28	156-60-5	
trans-1,3-Dichloropropene	<197	ug/kg	344	197	1	10/04/21 11:15	10/04/21 21:28	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	112	%	67-159		1	10/04/21 11:15	10/04/21 21:28	2037-26-5	
4-Bromofluorobenzene (S)	116	%	66-153		1	10/04/21 11:15	10/04/21 21:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	82-158		1	10/04/21 11:15	10/04/21 21:28	2199-69-1	

**Percent Moisture**      Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>15.8</b>	%	0.10	0.10	1		10/04/21 17:45		
------------------	-------------	---	------	------	---	--	----------------	--	--

**Sample: SB-06 (4-6)**      **Lab ID: 40234318009**      Collected: 09/29/21 14:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO									
Pace Analytical Services - Green Bay									
Diesel Range Organics	<1.2	mg/kg	4.1	1.2	1	10/08/21 08:38	10/11/21 08:58		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext.									
Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>5.2</b>	mg/kg	2.9	1.5	1	10/06/21 09:30	10/08/21 01:57		1q
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Arsenic	<0.017	mg/L	0.050	0.017	2	10/06/21 11:42	10/07/21 10:34	7440-38-2	D3
Barium	<b>0.54</b>	mg/L	0.010	0.0030	2	10/06/21 11:42	10/07/21 10:34	7440-39-3	
Cadmium	<0.0027	mg/L	0.010	0.0027	2	10/06/21 11:42	10/07/21 10:34	7440-43-9	D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-06 (4-6)**      **Lab ID: 40234318009**      Collected: 09/29/21 14:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Chromium	<0.0051	mg/L	0.020	0.0051	2	10/06/21 11:42	10/07/21 10:34	7440-47-3	D3
Lead	<0.012	mg/L	0.040	0.012	2	10/06/21 11:42	10/07/21 10:34	7439-92-1	D3
Selenium	<0.024	mg/L	0.080	0.024	2	10/06/21 11:42	10/07/21 10:34	7782-49-2	D3
Silver	<0.0064	mg/L	0.020	0.0064	2	10/06/21 11:42	10/07/21 10:34	7440-22-4	D3
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470    Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Mercury	0.37	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:49	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<16.3	ug/kg	67.8	16.3	1	10/04/21 11:15	10/04/21 21:48	630-20-6	
1,1,1-Trichloroethane	<17.4	ug/kg	67.8	17.4	1	10/04/21 11:15	10/04/21 21:48	71-55-6	
1,1,2,2-Tetrachloroethane	<24.6	ug/kg	67.8	24.6	1	10/04/21 11:15	10/04/21 21:48	79-34-5	
1,1,2-Trichloroethane	<24.7	ug/kg	67.8	24.7	1	10/04/21 11:15	10/04/21 21:48	79-00-5	
1,1-Dichloroethane	<17.4	ug/kg	67.8	17.4	1	10/04/21 11:15	10/04/21 21:48	75-34-3	
1,1-Dichloroethene	<22.5	ug/kg	67.8	22.5	1	10/04/21 11:15	10/04/21 21:48	75-35-4	
1,1-Dichloropropene	<22.0	ug/kg	67.8	22.0	1	10/04/21 11:15	10/04/21 21:48	563-58-6	
1,2,3-Trichlorobenzene	<75.6	ug/kg	339	75.6	1	10/04/21 11:15	10/04/21 21:48	87-61-6	
1,2,3-Trichloropropane	<33.0	ug/kg	67.8	33.0	1	10/04/21 11:15	10/04/21 21:48	96-18-4	
1,2,4-Trichlorobenzene	<55.9	ug/kg	339	55.9	1	10/04/21 11:15	10/04/21 21:48	120-82-1	
1,2,4-Trimethylbenzene	<20.2	ug/kg	67.8	20.2	1	10/04/21 11:15	10/04/21 21:48	95-63-6	
1,2-Dibromo-3-chloropropane	<52.6	ug/kg	339	52.6	1	10/04/21 11:15	10/04/21 21:48	96-12-8	
1,2-Dibromoethane (EDB)	<18.6	ug/kg	67.8	18.6	1	10/04/21 11:15	10/04/21 21:48	106-93-4	
1,2-Dichlorobenzene	<21.0	ug/kg	67.8	21.0	1	10/04/21 11:15	10/04/21 21:48	95-50-1	
1,2-Dichloroethane	<15.6	ug/kg	67.8	15.6	1	10/04/21 11:15	10/04/21 21:48	107-06-2	
1,2-Dichloropropane	<16.1	ug/kg	67.8	16.1	1	10/04/21 11:15	10/04/21 21:48	78-87-5	
1,3,5-Trimethylbenzene	<21.8	ug/kg	67.8	21.8	1	10/04/21 11:15	10/04/21 21:48	108-67-8	
1,3-Dichlorobenzene	<18.6	ug/kg	67.8	18.6	1	10/04/21 11:15	10/04/21 21:48	541-73-1	
1,3-Dichloropropane	<14.8	ug/kg	67.8	14.8	1	10/04/21 11:15	10/04/21 21:48	142-28-9	
1,4-Dichlorobenzene	<18.6	ug/kg	67.8	18.6	1	10/04/21 11:15	10/04/21 21:48	106-46-7	
2,2-Dichloropropane	<18.3	ug/kg	67.8	18.3	1	10/04/21 11:15	10/04/21 21:48	594-20-7	
2-Chlorotoluene	<22.0	ug/kg	67.8	22.0	1	10/04/21 11:15	10/04/21 21:48	95-49-8	
4-Chlorotoluene	<25.8	ug/kg	67.8	25.8	1	10/04/21 11:15	10/04/21 21:48	106-43-4	
Benzene	<16.1	ug/kg	27.1	16.1	1	10/04/21 11:15	10/04/21 21:48	71-43-2	
Bromobenzene	<26.5	ug/kg	67.8	26.5	1	10/04/21 11:15	10/04/21 21:48	108-86-1	
Bromochloromethane	<18.6	ug/kg	67.8	18.6	1	10/04/21 11:15	10/04/21 21:48	74-97-5	
Bromodichloromethane	<16.1	ug/kg	67.8	16.1	1	10/04/21 11:15	10/04/21 21:48	75-27-4	
Bromoform	<298	ug/kg	339	298	1	10/04/21 11:15	10/04/21 21:48	75-25-2	
Bromomethane	<95.1	ug/kg	339	95.1	1	10/04/21 11:15	10/04/21 21:48	74-83-9	
Carbon tetrachloride	<14.9	ug/kg	67.8	14.9	1	10/04/21 11:15	10/04/21 21:48	56-23-5	
Chlorobenzene	<8.1	ug/kg	67.8	8.1	1	10/04/21 11:15	10/04/21 21:48	108-90-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-06 (4-6)**      **Lab ID: 40234318009**      Collected: 09/29/21 14:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Chloroethane	<28.6	ug/kg	339	28.6	1	10/04/21 11:15	10/04/21 21:48	75-00-3	
Chloroform	<48.6	ug/kg	339	48.6	1	10/04/21 11:15	10/04/21 21:48	67-66-3	
Chloromethane	<25.8	ug/kg	67.8	25.8	1	10/04/21 11:15	10/04/21 21:48	74-87-3	
Dibromochloromethane	<232	ug/kg	339	232	1	10/04/21 11:15	10/04/21 21:48	124-48-1	
Dibromomethane	<20.1	ug/kg	67.8	20.1	1	10/04/21 11:15	10/04/21 21:48	74-95-3	
Dichlorodifluoromethane	<29.2	ug/kg	67.8	29.2	1	10/04/21 11:15	10/04/21 21:48	75-71-8	
Diisopropyl ether	<16.8	ug/kg	67.8	16.8	1	10/04/21 11:15	10/04/21 21:48	108-20-3	
Ethylbenzene	<16.1	ug/kg	67.8	16.1	1	10/04/21 11:15	10/04/21 21:48	100-41-4	
Hexachloro-1,3-butadiene	<135	ug/kg	339	135	1	10/04/21 11:15	10/04/21 21:48	87-68-3	
Isopropylbenzene (Cumene)	<18.3	ug/kg	67.8	18.3	1	10/04/21 11:15	10/04/21 21:48	98-82-8	
Methyl-tert-butyl ether	<19.9	ug/kg	67.8	19.9	1	10/04/21 11:15	10/04/21 21:48	1634-04-4	
Methylene Chloride	<18.9	ug/kg	67.8	18.9	1	10/04/21 11:15	10/04/21 21:48	75-09-2	
Naphthalene	<21.2	ug/kg	339	21.2	1	10/04/21 11:15	10/04/21 21:48	91-20-3	
Styrene	<17.4	ug/kg	67.8	17.4	1	10/04/21 11:15	10/04/21 21:48	100-42-5	
Tetrachloroethene	<26.3	ug/kg	67.8	26.3	1	10/04/21 11:15	10/04/21 21:48	127-18-4	
Toluene	<17.1	ug/kg	67.8	17.1	1	10/04/21 11:15	10/04/21 21:48	108-88-3	
Trichloroethene	<25.4	ug/kg	67.8	25.4	1	10/04/21 11:15	10/04/21 21:48	79-01-6	
Trichlorofluoromethane	<19.7	ug/kg	67.8	19.7	1	10/04/21 11:15	10/04/21 21:48	75-69-4	
Vinyl chloride	<13.7	ug/kg	67.8	13.7	1	10/04/21 11:15	10/04/21 21:48	75-01-4	
cis-1,2-Dichloroethene	<14.5	ug/kg	67.8	14.5	1	10/04/21 11:15	10/04/21 21:48	156-59-2	
cis-1,3-Dichloropropene	<44.8	ug/kg	339	44.8	1	10/04/21 11:15	10/04/21 21:48	10061-01-5	
m&p-Xylene	<28.6	ug/kg	136	28.6	1	10/04/21 11:15	10/04/21 21:48	179601-23-1	
n-Butylbenzene	<31.1	ug/kg	67.8	31.1	1	10/04/21 11:15	10/04/21 21:48	104-51-8	
n-Propylbenzene	<16.3	ug/kg	67.8	16.3	1	10/04/21 11:15	10/04/21 21:48	103-65-1	
o-Xylene	<20.4	ug/kg	67.8	20.4	1	10/04/21 11:15	10/04/21 21:48	95-47-6	
p-Isopropyltoluene	<20.6	ug/kg	67.8	20.6	1	10/04/21 11:15	10/04/21 21:48	99-87-6	
sec-Butylbenzene	<16.6	ug/kg	67.8	16.6	1	10/04/21 11:15	10/04/21 21:48	135-98-8	
tert-Butylbenzene	<21.3	ug/kg	67.8	21.3	1	10/04/21 11:15	10/04/21 21:48	98-06-6	
trans-1,2-Dichloroethene	<14.7	ug/kg	67.8	14.7	1	10/04/21 11:15	10/04/21 21:48	156-60-5	
trans-1,3-Dichloropropene	<194	ug/kg	339	194	1	10/04/21 11:15	10/04/21 21:48	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	113	%	67-159		1	10/04/21 11:15	10/04/21 21:48	2037-26-5	
4-Bromofluorobenzene (S)	117	%	66-153		1	10/04/21 11:15	10/04/21 21:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	116	%	82-158		1	10/04/21 11:15	10/04/21 21:48	2199-69-1	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	15.1	%	0.10	0.10	1		10/04/21 17:45		
------------------	------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-07 (2-3)**      **Lab ID: 40234318010**      Collected: 09/29/21 15:05      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<1.2	mg/kg	4.1	1.2	1	10/08/21 08:38	10/11/21 09:07		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<1.4	mg/kg	2.9	1.4	1	10/06/21 09:30	10/06/21 18:22		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<0.0084	mg/L	0.025	0.0084	1	10/06/21 11:42	10/06/21 23:49	7440-38-2	
Barium	0.18	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/06/21 23:49	7440-39-3	
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/06/21 23:49	7440-43-9	
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:42	10/06/21 23:49	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:42	10/06/21 23:49	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:42	10/06/21 23:49	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:42	10/06/21 23:49	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470    Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	0.29	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 09:51	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<15.7	ug/kg	65.3	15.7	1	10/04/21 11:15	10/04/21 22:07	630-20-6	
1,1,1-Trichloroethane	<16.7	ug/kg	65.3	16.7	1	10/04/21 11:15	10/04/21 22:07	71-55-6	
1,1,2,2-Tetrachloroethane	<23.6	ug/kg	65.3	23.6	1	10/04/21 11:15	10/04/21 22:07	79-34-5	
1,1,2-Trichloroethane	<23.8	ug/kg	65.3	23.8	1	10/04/21 11:15	10/04/21 22:07	79-00-5	
1,1-Dichloroethane	<16.7	ug/kg	65.3	16.7	1	10/04/21 11:15	10/04/21 22:07	75-34-3	
1,1-Dichloroethene	<21.7	ug/kg	65.3	21.7	1	10/04/21 11:15	10/04/21 22:07	75-35-4	
1,1-Dichloropropene	<21.2	ug/kg	65.3	21.2	1	10/04/21 11:15	10/04/21 22:07	563-58-6	
1,2,3-Trichlorobenzene	<72.8	ug/kg	327	72.8	1	10/04/21 11:15	10/04/21 22:07	87-61-6	
1,2,3-Trichloropropane	<31.7	ug/kg	65.3	31.7	1	10/04/21 11:15	10/04/21 22:07	96-18-4	
1,2,4-Trichlorobenzene	<53.8	ug/kg	327	53.8	1	10/04/21 11:15	10/04/21 22:07	120-82-1	
1,2,4-Trimethylbenzene	<19.5	ug/kg	65.3	19.5	1	10/04/21 11:15	10/04/21 22:07	95-63-6	
1,2-Dibromo-3-chloropropane	<50.7	ug/kg	327	50.7	1	10/04/21 11:15	10/04/21 22:07	96-12-8	
1,2-Dibromoethane (EDB)	<17.9	ug/kg	65.3	17.9	1	10/04/21 11:15	10/04/21 22:07	106-93-4	
1,2-Dichlorobenzene	<20.3	ug/kg	65.3	20.3	1	10/04/21 11:15	10/04/21 22:07	95-50-1	
1,2-Dichloroethane	<15.0	ug/kg	65.3	15.0	1	10/04/21 11:15	10/04/21 22:07	107-06-2	
1,2-Dichloropropane	<15.5	ug/kg	65.3	15.5	1	10/04/21 11:15	10/04/21 22:07	78-87-5	
1,3,5-Trimethylbenzene	<21.0	ug/kg	65.3	21.0	1	10/04/21 11:15	10/04/21 22:07	108-67-8	
1,3-Dichlorobenzene	<17.9	ug/kg	65.3	17.9	1	10/04/21 11:15	10/04/21 22:07	541-73-1	
1,3-Dichloropropane	<14.2	ug/kg	65.3	14.2	1	10/04/21 11:15	10/04/21 22:07	142-28-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-07 (2-3)**      **Lab ID: 40234318010**      Collected: 09/29/21 15:05      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<17.9	ug/kg	65.3	17.9	1	10/04/21 11:15	10/04/21 22:07	106-46-7	
2,2-Dichloropropane	<17.6	ug/kg	65.3	17.6	1	10/04/21 11:15	10/04/21 22:07	594-20-7	
2-Chlorotoluene	<21.2	ug/kg	65.3	21.2	1	10/04/21 11:15	10/04/21 22:07	95-49-8	
4-Chlorotoluene	<24.8	ug/kg	65.3	24.8	1	10/04/21 11:15	10/04/21 22:07	106-43-4	
Benzene	<15.5	ug/kg	26.1	15.5	1	10/04/21 11:15	10/04/21 22:07	71-43-2	
Bromobenzene	<25.5	ug/kg	65.3	25.5	1	10/04/21 11:15	10/04/21 22:07	108-86-1	
Bromochloromethane	<17.9	ug/kg	65.3	17.9	1	10/04/21 11:15	10/04/21 22:07	74-97-5	
Bromodichloromethane	<15.5	ug/kg	65.3	15.5	1	10/04/21 11:15	10/04/21 22:07	75-27-4	
Bromoform	<287	ug/kg	327	287	1	10/04/21 11:15	10/04/21 22:07	75-25-2	
Bromomethane	<91.6	ug/kg	327	91.6	1	10/04/21 11:15	10/04/21 22:07	74-83-9	
Carbon tetrachloride	<14.4	ug/kg	65.3	14.4	1	10/04/21 11:15	10/04/21 22:07	56-23-5	
Chlorobenzene	<7.8	ug/kg	65.3	7.8	1	10/04/21 11:15	10/04/21 22:07	108-90-7	
Chloroethane	<27.6	ug/kg	327	27.6	1	10/04/21 11:15	10/04/21 22:07	75-00-3	
Chloroform	<46.8	ug/kg	327	46.8	1	10/04/21 11:15	10/04/21 22:07	67-66-3	
Chloromethane	<24.8	ug/kg	65.3	24.8	1	10/04/21 11:15	10/04/21 22:07	74-87-3	
Dibromochloromethane	<223	ug/kg	327	223	1	10/04/21 11:15	10/04/21 22:07	124-48-1	
Dibromomethane	<19.3	ug/kg	65.3	19.3	1	10/04/21 11:15	10/04/21 22:07	74-95-3	
Dichlorodifluoromethane	<28.1	ug/kg	65.3	28.1	1	10/04/21 11:15	10/04/21 22:07	75-71-8	
Diisopropyl ether	<16.2	ug/kg	65.3	16.2	1	10/04/21 11:15	10/04/21 22:07	108-20-3	
Ethylbenzene	<15.5	ug/kg	65.3	15.5	1	10/04/21 11:15	10/04/21 22:07	100-41-4	
Hexachloro-1,3-butadiene	<130	ug/kg	327	130	1	10/04/21 11:15	10/04/21 22:07	87-68-3	
Isopropylbenzene (Cumene)	<17.6	ug/kg	65.3	17.6	1	10/04/21 11:15	10/04/21 22:07	98-82-8	
Methyl-tert-butyl ether	<19.2	ug/kg	65.3	19.2	1	10/04/21 11:15	10/04/21 22:07	1634-04-4	
Methylene Chloride	<18.2	ug/kg	65.3	18.2	1	10/04/21 11:15	10/04/21 22:07	75-09-2	
Naphthalene	<20.4	ug/kg	327	20.4	1	10/04/21 11:15	10/04/21 22:07	91-20-3	
Styrene	<16.7	ug/kg	65.3	16.7	1	10/04/21 11:15	10/04/21 22:07	100-42-5	
Tetrachloroethene	<25.3	ug/kg	65.3	25.3	1	10/04/21 11:15	10/04/21 22:07	127-18-4	
Toluene	<16.5	ug/kg	65.3	16.5	1	10/04/21 11:15	10/04/21 22:07	108-88-3	
Trichloroethene	<24.4	ug/kg	65.3	24.4	1	10/04/21 11:15	10/04/21 22:07	79-01-6	
Trichlorofluoromethane	<18.9	ug/kg	65.3	18.9	1	10/04/21 11:15	10/04/21 22:07	75-69-4	
Vinyl chloride	<13.2	ug/kg	65.3	13.2	1	10/04/21 11:15	10/04/21 22:07	75-01-4	
cis-1,2-Dichloroethene	<14.0	ug/kg	65.3	14.0	1	10/04/21 11:15	10/04/21 22:07	156-59-2	
cis-1,3-Dichloropropene	<43.1	ug/kg	327	43.1	1	10/04/21 11:15	10/04/21 22:07	10061-01-5	
m&p-Xylene	<27.6	ug/kg	131	27.6	1	10/04/21 11:15	10/04/21 22:07	179601-23-1	
n-Butylbenzene	<29.9	ug/kg	65.3	29.9	1	10/04/21 11:15	10/04/21 22:07	104-51-8	
n-Propylbenzene	<15.7	ug/kg	65.3	15.7	1	10/04/21 11:15	10/04/21 22:07	103-65-1	
o-Xylene	<19.6	ug/kg	65.3	19.6	1	10/04/21 11:15	10/04/21 22:07	95-47-6	
p-Isopropyltoluene	<19.9	ug/kg	65.3	19.9	1	10/04/21 11:15	10/04/21 22:07	99-87-6	
sec-Butylbenzene	<15.9	ug/kg	65.3	15.9	1	10/04/21 11:15	10/04/21 22:07	135-98-8	
tert-Butylbenzene	<20.5	ug/kg	65.3	20.5	1	10/04/21 11:15	10/04/21 22:07	98-06-6	
trans-1,2-Dichloroethene	<14.1	ug/kg	65.3	14.1	1	10/04/21 11:15	10/04/21 22:07	156-60-5	
trans-1,3-Dichloropropene	<187	ug/kg	327	187	1	10/04/21 11:15	10/04/21 22:07	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	116	%	67-159		1	10/04/21 11:15	10/04/21 22:07	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-07 (2-3)**      **Lab ID: 40234318010**      Collected: 09/29/21 15:05      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	125	%	66-153		1	10/04/21 11:15	10/04/21 22:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	120	%	82-158		1	10/04/21 11:15	10/04/21 22:07	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	<b>13.3</b>	%	0.10	0.10	1		10/04/21 17:45		

**Sample: SB-08 (2-3)**      **Lab ID: 40234318011**      Collected: 09/29/21 16:00      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>&lt;1.3</b>	mg/kg	4.4	1.3	1	10/08/21 08:38	10/11/21 09:16		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>&lt;1.5</b>	mg/kg	3.0	1.5	1	10/06/21 09:30	10/06/21 18:48		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>&lt;0.0084</b>	mg/L	0.025	0.0084	1	10/06/21 11:42	10/07/21 00:02	7440-38-2	
Barium	<b>0.22</b>	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/07/21 00:02	7440-39-3	
Cadmium	<b>&lt;0.0013</b>	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/07/21 00:02	7440-43-9	
Chromium	<b>&lt;0.0025</b>	mg/L	0.010	0.0025	1	10/06/21 11:42	10/07/21 00:02	7440-47-3	
Lead	<b>&lt;0.0059</b>	mg/L	0.020	0.0059	1	10/06/21 11:42	10/07/21 00:02	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:42	10/07/21 00:02	7782-49-2	
Silver	<b>0.0033J</b>	mg/L	0.010	0.0032	1	10/06/21 11:42	10/07/21 00:02	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470    Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:00	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;17.3</b>	ug/kg	71.9	17.3	1	10/04/21 11:15	10/04/21 22:27	630-20-6	
1,1,1-Trichloroethane	<b>&lt;18.4</b>	ug/kg	71.9	18.4	1	10/04/21 11:15	10/04/21 22:27	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;26.0</b>	ug/kg	71.9	26.0	1	10/04/21 11:15	10/04/21 22:27	79-34-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-08 (2-3)**      **Lab ID: 40234318011**      Collected: 09/29/21 16:00      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,2-Trichloroethane	<26.2	ug/kg	71.9	26.2	1	10/04/21 11:15	10/04/21 22:27	79-00-5	
1,1-Dichloroethane	<18.4	ug/kg	71.9	18.4	1	10/04/21 11:15	10/04/21 22:27	75-34-3	
1,1-Dichloroethene	<23.9	ug/kg	71.9	23.9	1	10/04/21 11:15	10/04/21 22:27	75-35-4	
1,1-Dichloropropene	<23.3	ug/kg	71.9	23.3	1	10/04/21 11:15	10/04/21 22:27	563-58-6	
1,2,3-Trichlorobenzene	<80.1	ug/kg	360	80.1	1	10/04/21 11:15	10/04/21 22:27	87-61-6	
1,2,3-Trichloropropane	<35.0	ug/kg	71.9	35.0	1	10/04/21 11:15	10/04/21 22:27	96-18-4	
1,2,4-Trichlorobenzene	<59.3	ug/kg	360	59.3	1	10/04/21 11:15	10/04/21 22:27	120-82-1	
1,2,4-Trimethylbenzene	<21.4	ug/kg	71.9	21.4	1	10/04/21 11:15	10/04/21 22:27	95-63-6	
1,2-Dibromo-3-chloropropane	<55.8	ug/kg	360	55.8	1	10/04/21 11:15	10/04/21 22:27	96-12-8	
1,2-Dibromoethane (EDB)	<19.7	ug/kg	71.9	19.7	1	10/04/21 11:15	10/04/21 22:27	106-93-4	
1,2-Dichlorobenzene	<22.3	ug/kg	71.9	22.3	1	10/04/21 11:15	10/04/21 22:27	95-50-1	
1,2-Dichloroethane	<16.5	ug/kg	71.9	16.5	1	10/04/21 11:15	10/04/21 22:27	107-06-2	
1,2-Dichloropropane	<17.1	ug/kg	71.9	17.1	1	10/04/21 11:15	10/04/21 22:27	78-87-5	
1,3,5-Trimethylbenzene	<23.2	ug/kg	71.9	23.2	1	10/04/21 11:15	10/04/21 22:27	108-67-8	
1,3-Dichlorobenzene	<19.7	ug/kg	71.9	19.7	1	10/04/21 11:15	10/04/21 22:27	541-73-1	
1,3-Dichloropropane	<15.7	ug/kg	71.9	15.7	1	10/04/21 11:15	10/04/21 22:27	142-28-9	
1,4-Dichlorobenzene	<19.7	ug/kg	71.9	19.7	1	10/04/21 11:15	10/04/21 22:27	106-46-7	
2,2-Dichloropropane	<19.4	ug/kg	71.9	19.4	1	10/04/21 11:15	10/04/21 22:27	594-20-7	
2-Chlorotoluene	<23.3	ug/kg	71.9	23.3	1	10/04/21 11:15	10/04/21 22:27	95-49-8	
4-Chlorotoluene	<27.3	ug/kg	71.9	27.3	1	10/04/21 11:15	10/04/21 22:27	106-43-4	
Benzene	<17.1	ug/kg	28.8	17.1	1	10/04/21 11:15	10/04/21 22:27	71-43-2	
Bromobenzene	<28.1	ug/kg	71.9	28.1	1	10/04/21 11:15	10/04/21 22:27	108-86-1	
Bromochloromethane	<19.7	ug/kg	71.9	19.7	1	10/04/21 11:15	10/04/21 22:27	74-97-5	
Bromodichloromethane	<17.1	ug/kg	71.9	17.1	1	10/04/21 11:15	10/04/21 22:27	75-27-4	
Bromoform	<317	ug/kg	360	317	1	10/04/21 11:15	10/04/21 22:27	75-25-2	
Bromomethane	<101	ug/kg	360	101	1	10/04/21 11:15	10/04/21 22:27	74-83-9	
Carbon tetrachloride	<15.8	ug/kg	71.9	15.8	1	10/04/21 11:15	10/04/21 22:27	56-23-5	
Chlorobenzene	<8.6	ug/kg	71.9	8.6	1	10/04/21 11:15	10/04/21 22:27	108-90-7	
Chloroethane	<30.4	ug/kg	360	30.4	1	10/04/21 11:15	10/04/21 22:27	75-00-3	
Chloroform	<51.5	ug/kg	360	51.5	1	10/04/21 11:15	10/04/21 22:27	67-66-3	
Chloromethane	<27.3	ug/kg	71.9	27.3	1	10/04/21 11:15	10/04/21 22:27	74-87-3	
Dibromochloromethane	<246	ug/kg	360	246	1	10/04/21 11:15	10/04/21 22:27	124-48-1	
Dibromomethane	<21.3	ug/kg	71.9	21.3	1	10/04/21 11:15	10/04/21 22:27	74-95-3	
Dichlorodifluoromethane	<30.9	ug/kg	71.9	30.9	1	10/04/21 11:15	10/04/21 22:27	75-71-8	
Diisopropyl ether	<17.8	ug/kg	71.9	17.8	1	10/04/21 11:15	10/04/21 22:27	108-20-3	
Ethylbenzene	<17.1	ug/kg	71.9	17.1	1	10/04/21 11:15	10/04/21 22:27	100-41-4	
Hexachloro-1,3-butadiene	<143	ug/kg	360	143	1	10/04/21 11:15	10/04/21 22:27	87-68-3	
Isopropylbenzene (Cumene)	<19.4	ug/kg	71.9	19.4	1	10/04/21 11:15	10/04/21 22:27	98-82-8	
Methyl-tert-butyl ether	<21.2	ug/kg	71.9	21.2	1	10/04/21 11:15	10/04/21 22:27	1634-04-4	
Methylene Chloride	<20.0	ug/kg	71.9	20.0	1	10/04/21 11:15	10/04/21 22:27	75-09-2	
Naphthalene	<22.4	ug/kg	360	22.4	1	10/04/21 11:15	10/04/21 22:27	91-20-3	
Styrene	<18.4	ug/kg	71.9	18.4	1	10/04/21 11:15	10/04/21 22:27	100-42-5	
Tetrachloroethene	<27.9	ug/kg	71.9	27.9	1	10/04/21 11:15	10/04/21 22:27	127-18-4	
Toluene	<18.1	ug/kg	71.9	18.1	1	10/04/21 11:15	10/04/21 22:27	108-88-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-08 (2-3)**      **Lab ID: 40234318011**      Collected: 09/29/21 16:00      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Trichloroethene	<26.9	ug/kg	71.9	26.9	1	10/04/21 11:15	10/04/21 22:27	79-01-6	
Trichlorofluoromethane	<20.9	ug/kg	71.9	20.9	1	10/04/21 11:15	10/04/21 22:27	75-69-4	
Vinyl chloride	<14.5	ug/kg	71.9	14.5	1	10/04/21 11:15	10/04/21 22:27	75-01-4	
cis-1,2-Dichloroethene	<15.4	ug/kg	71.9	15.4	1	10/04/21 11:15	10/04/21 22:27	156-59-2	
cis-1,3-Dichloropropene	<47.5	ug/kg	360	47.5	1	10/04/21 11:15	10/04/21 22:27	10061-01-5	
m&p-Xylene	<30.4	ug/kg	144	30.4	1	10/04/21 11:15	10/04/21 22:27	179601-23-1	
n-Butylbenzene	<33.0	ug/kg	71.9	33.0	1	10/04/21 11:15	10/04/21 22:27	104-51-8	
n-Propylbenzene	<17.3	ug/kg	71.9	17.3	1	10/04/21 11:15	10/04/21 22:27	103-65-1	
o-Xylene	<21.6	ug/kg	71.9	21.6	1	10/04/21 11:15	10/04/21 22:27	95-47-6	
p-Isopropyltoluene	<21.9	ug/kg	71.9	21.9	1	10/04/21 11:15	10/04/21 22:27	99-87-6	
sec-Butylbenzene	<17.6	ug/kg	71.9	17.6	1	10/04/21 11:15	10/04/21 22:27	135-98-8	
tert-Butylbenzene	<22.6	ug/kg	71.9	22.6	1	10/04/21 11:15	10/04/21 22:27	98-06-6	
trans-1,2-Dichloroethene	<15.5	ug/kg	71.9	15.5	1	10/04/21 11:15	10/04/21 22:27	156-60-5	
trans-1,3-Dichloropropene	<206	ug/kg	360	206	1	10/04/21 11:15	10/04/21 22:27	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	118	%	67-159		1	10/04/21 11:15	10/04/21 22:27	2037-26-5	
4-Bromofluorobenzene (S)	122	%	66-153		1	10/04/21 11:15	10/04/21 22:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	120	%	82-158		1	10/04/21 11:15	10/04/21 22:27	2199-69-1	

**Percent Moisture**      Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>18.0</b>	%	0.10	0.10	1		10/04/21 17:45		
------------------	-------------	---	------	------	---	--	----------------	--	--

**Sample: SB-09 (2-4)**      **Lab ID: 40234318012**      Collected: 09/30/21 07:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<1.3	mg/kg	4.4	1.3	1	10/08/21 08:38	10/11/21 09:25		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<1.5	mg/kg	2.9	1.5	1	10/06/21 09:30	10/08/21 01:06		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<0.0084	mg/L	0.025	0.0084	1	10/06/21 11:42	10/07/21 00:05	7440-38-2	
Barium	0.21	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/07/21 00:05	7440-39-3	
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/07/21 00:05	7440-43-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-09 (2-4)**      **Lab ID: 40234318012**      Collected: 09/30/21 07:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:42	10/07/21 00:05	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:42	10/07/21 00:05	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:42	10/07/21 00:05	7782-49-2	
Silver	0.0037J	mg/L	0.010	0.0032	1	10/06/21 11:42	10/07/21 00:05	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:12	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<16.1	ug/kg	66.9	16.1	1	10/05/21 10:00	10/05/21 15:21	630-20-6	
1,1,1-Trichloroethane	<17.1	ug/kg	66.9	17.1	1	10/05/21 10:00	10/05/21 15:21	71-55-6	
1,1,2,2-Tetrachloroethane	<24.2	ug/kg	66.9	24.2	1	10/05/21 10:00	10/05/21 15:21	79-34-5	
1,1,2-Trichloroethane	<24.4	ug/kg	66.9	24.4	1	10/05/21 10:00	10/05/21 15:21	79-00-5	
1,1-Dichloroethane	<17.1	ug/kg	66.9	17.1	1	10/05/21 10:00	10/05/21 15:21	75-34-3	
1,1-Dichloroethene	<22.2	ug/kg	66.9	22.2	1	10/05/21 10:00	10/05/21 15:21	75-35-4	
1,1-Dichloropropene	<21.7	ug/kg	66.9	21.7	1	10/05/21 10:00	10/05/21 15:21	563-58-6	
1,2,3-Trichlorobenzene	<74.6	ug/kg	335	74.6	1	10/05/21 10:00	10/05/21 15:21	87-61-6	
1,2,3-Trichloropropane	<32.5	ug/kg	66.9	32.5	1	10/05/21 10:00	10/05/21 15:21	96-18-4	
1,2,4-Trichlorobenzene	<55.2	ug/kg	335	55.2	1	10/05/21 10:00	10/05/21 15:21	120-82-1	
1,2,4-Trimethylbenzene	<19.9	ug/kg	66.9	19.9	1	10/05/21 10:00	10/05/21 15:21	95-63-6	
1,2-Dibromo-3-chloropropane	<51.9	ug/kg	335	51.9	1	10/05/21 10:00	10/05/21 15:21	96-12-8	
1,2-Dibromoethane (EDB)	<18.3	ug/kg	66.9	18.3	1	10/05/21 10:00	10/05/21 15:21	106-93-4	
1,2-Dichlorobenzene	<20.7	ug/kg	66.9	20.7	1	10/05/21 10:00	10/05/21 15:21	95-50-1	
1,2-Dichloroethane	<15.4	ug/kg	66.9	15.4	1	10/05/21 10:00	10/05/21 15:21	107-06-2	
1,2-Dichloropropane	<15.9	ug/kg	66.9	15.9	1	10/05/21 10:00	10/05/21 15:21	78-87-5	
1,3,5-Trimethylbenzene	<21.6	ug/kg	66.9	21.6	1	10/05/21 10:00	10/05/21 15:21	108-67-8	
1,3-Dichlorobenzene	<18.3	ug/kg	66.9	18.3	1	10/05/21 10:00	10/05/21 15:21	541-73-1	
1,3-Dichloropropane	<14.6	ug/kg	66.9	14.6	1	10/05/21 10:00	10/05/21 15:21	142-28-9	
1,4-Dichlorobenzene	<18.3	ug/kg	66.9	18.3	1	10/05/21 10:00	10/05/21 15:21	106-46-7	
2,2-Dichloropropane	<18.1	ug/kg	66.9	18.1	1	10/05/21 10:00	10/05/21 15:21	594-20-7	
2-Chlorotoluene	<21.7	ug/kg	66.9	21.7	1	10/05/21 10:00	10/05/21 15:21	95-49-8	
4-Chlorotoluene	<25.4	ug/kg	66.9	25.4	1	10/05/21 10:00	10/05/21 15:21	106-43-4	
Benzene	<15.9	ug/kg	26.8	15.9	1	10/05/21 10:00	10/05/21 15:21	71-43-2	
Bromobenzene	<26.1	ug/kg	66.9	26.1	1	10/05/21 10:00	10/05/21 15:21	108-86-1	
Bromochloromethane	<18.3	ug/kg	66.9	18.3	1	10/05/21 10:00	10/05/21 15:21	74-97-5	
Bromodichloromethane	<15.9	ug/kg	66.9	15.9	1	10/05/21 10:00	10/05/21 15:21	75-27-4	
Bromoform	<295	ug/kg	335	295	1	10/05/21 10:00	10/05/21 15:21	75-25-2	
Bromomethane	<93.8	ug/kg	335	93.8	1	10/05/21 10:00	10/05/21 15:21	74-83-9	
Carbon tetrachloride	<14.7	ug/kg	66.9	14.7	1	10/05/21 10:00	10/05/21 15:21	56-23-5	
Chlorobenzene	<8.0	ug/kg	66.9	8.0	1	10/05/21 10:00	10/05/21 15:21	108-90-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-09 (2-4)**      **Lab ID: 40234318012**      Collected: 09/30/21 07:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Chloroethane	<28.2	ug/kg	335	28.2	1	10/05/21 10:00	10/05/21 15:21	75-00-3	
Chloroform	<47.9	ug/kg	335	47.9	1	10/05/21 10:00	10/05/21 15:21	67-66-3	
Chloromethane	<25.4	ug/kg	66.9	25.4	1	10/05/21 10:00	10/05/21 15:21	74-87-3	
Dibromochloromethane	<229	ug/kg	335	229	1	10/05/21 10:00	10/05/21 15:21	124-48-1	
Dibromomethane	<19.8	ug/kg	66.9	19.8	1	10/05/21 10:00	10/05/21 15:21	74-95-3	
Dichlorodifluoromethane	<28.8	ug/kg	66.9	28.8	1	10/05/21 10:00	10/05/21 15:21	75-71-8	
Diisopropyl ether	<16.6	ug/kg	66.9	16.6	1	10/05/21 10:00	10/05/21 15:21	108-20-3	
Ethylbenzene	<15.9	ug/kg	66.9	15.9	1	10/05/21 10:00	10/05/21 15:21	100-41-4	
Hexachloro-1,3-butadiene	<133	ug/kg	335	133	1	10/05/21 10:00	10/05/21 15:21	87-68-3	
Isopropylbenzene (Cumene)	<18.1	ug/kg	66.9	18.1	1	10/05/21 10:00	10/05/21 15:21	98-82-8	
Methyl-tert-butyl ether	<19.7	ug/kg	66.9	19.7	1	10/05/21 10:00	10/05/21 15:21	1634-04-4	
Methylene Chloride	<18.6	ug/kg	66.9	18.6	1	10/05/21 10:00	10/05/21 15:21	75-09-2	
Naphthalene	<20.9	ug/kg	335	20.9	1	10/05/21 10:00	10/05/21 15:21	91-20-3	
Styrene	<17.1	ug/kg	66.9	17.1	1	10/05/21 10:00	10/05/21 15:21	100-42-5	
Tetrachloroethene	<26.0	ug/kg	66.9	26.0	1	10/05/21 10:00	10/05/21 15:21	127-18-4	
Toluene	<16.9	ug/kg	66.9	16.9	1	10/05/21 10:00	10/05/21 15:21	108-88-3	
Trichloroethene	<25.0	ug/kg	66.9	25.0	1	10/05/21 10:00	10/05/21 15:21	79-01-6	
Trichlorofluoromethane	<19.4	ug/kg	66.9	19.4	1	10/05/21 10:00	10/05/21 15:21	75-69-4	
Vinyl chloride	<13.5	ug/kg	66.9	13.5	1	10/05/21 10:00	10/05/21 15:21	75-01-4	
cis-1,2-Dichloroethene	<14.3	ug/kg	66.9	14.3	1	10/05/21 10:00	10/05/21 15:21	156-59-2	
cis-1,3-Dichloropropene	<44.2	ug/kg	335	44.2	1	10/05/21 10:00	10/05/21 15:21	10061-01-5	
m&p-Xylene	<28.2	ug/kg	134	28.2	1	10/05/21 10:00	10/05/21 15:21	179601-23-1	
n-Butylbenzene	<30.7	ug/kg	66.9	30.7	1	10/05/21 10:00	10/05/21 15:21	104-51-8	
n-Propylbenzene	<16.1	ug/kg	66.9	16.1	1	10/05/21 10:00	10/05/21 15:21	103-65-1	
o-Xylene	<20.1	ug/kg	66.9	20.1	1	10/05/21 10:00	10/05/21 15:21	95-47-6	
p-Isopropyltoluene	<20.3	ug/kg	66.9	20.3	1	10/05/21 10:00	10/05/21 15:21	99-87-6	
sec-Butylbenzene	<16.3	ug/kg	66.9	16.3	1	10/05/21 10:00	10/05/21 15:21	135-98-8	
tert-Butylbenzene	<21.0	ug/kg	66.9	21.0	1	10/05/21 10:00	10/05/21 15:21	98-06-6	
trans-1,2-Dichloroethene	<14.5	ug/kg	66.9	14.5	1	10/05/21 10:00	10/05/21 15:21	156-60-5	
trans-1,3-Dichloropropene	<191	ug/kg	335	191	1	10/05/21 10:00	10/05/21 15:21	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	125	%	67-159		1	10/05/21 10:00	10/05/21 15:21	2037-26-5	
4-Bromofluorobenzene (S)	116	%	66-153		1	10/05/21 10:00	10/05/21 15:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	116	%	82-158		1	10/05/21 10:00	10/05/21 15:21	2199-69-1	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>14.5</b>	%	0.10	0.10	1		10/04/21 17:46		
------------------	-------------	---	------	------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-10 (2-4)**      **Lab ID: 40234318013**      Collected: 09/30/21 08:10      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>707</b>	mg/kg	71.4	21.3	15	10/08/21 08:38	10/11/21 12:24		DC
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>2050</b>	mg/kg	60.5	30.1	20	10/06/21 09:30	10/06/21 14:29		GO
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>&lt;0.017</b>	mg/L	0.050	0.017	2	10/06/21 11:42	10/07/21 10:37	7440-38-2	D3
Barium	<b>0.31</b>	mg/L	0.010	0.0030	2	10/06/21 11:42	10/07/21 10:37	7440-39-3	
Cadmium	<b>&lt;0.0027</b>	mg/L	0.010	0.0027	2	10/06/21 11:42	10/07/21 10:37	7440-43-9	D3
Chromium	<b>&lt;0.0051</b>	mg/L	0.020	0.0051	2	10/06/21 11:42	10/07/21 10:37	7440-47-3	D3
Lead	<b>&lt;0.012</b>	mg/L	0.040	0.012	2	10/06/21 11:42	10/07/21 10:37	7439-92-1	D3
Selenium	<b>&lt;0.024</b>	mg/L	0.080	0.024	2	10/06/21 11:42	10/07/21 10:37	7782-49-2	D3
Silver	<b>&lt;0.0064</b>	mg/L	0.020	0.0064	2	10/06/21 11:42	10/07/21 10:37	7440-22-4	D3
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:14	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;681</b>	ug/kg	2840	681	40	10/07/21 10:45	10/08/21 12:02	630-20-6	
1,1,1-Trichloroethane	<b>&lt;726</b>	ug/kg	2840	726	40	10/07/21 10:45	10/08/21 12:02	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;1030</b>	ug/kg	2840	1030	40	10/07/21 10:45	10/08/21 12:02	79-34-5	
1,1,2-Trichloroethane	<b>&lt;1030</b>	ug/kg	2840	1030	40	10/07/21 10:45	10/08/21 12:02	79-00-5	
1,1-Dichloroethane	<b>&lt;726</b>	ug/kg	2840	726	40	10/07/21 10:45	10/08/21 12:02	75-34-3	
1,1-Dichloroethene	<b>&lt;942</b>	ug/kg	2840	942	40	10/07/21 10:45	10/08/21 12:02	75-35-4	
1,1-Dichloropropene	<b>&lt;919</b>	ug/kg	2840	919	40	10/07/21 10:45	10/08/21 12:02	563-58-6	
1,2,3-Trichlorobenzene	<b>&lt;3160</b>	ug/kg	14200	3160	40	10/07/21 10:45	10/08/21 12:02	87-61-6	
1,2,3-Trichloropropane	<b>&lt;1380</b>	ug/kg	2840	1380	40	10/07/21 10:45	10/08/21 12:02	96-18-4	
1,2,4-Trichlorobenzene	<b>&lt;2340</b>	ug/kg	14200	2340	40	10/07/21 10:45	10/08/21 12:02	120-82-1	
1,2,4-Trimethylbenzene	<b>286000</b>	ug/kg	2840	845	40	10/07/21 10:45	10/08/21 12:02	95-63-6	
1,2-Dibromo-3-chloropropane	<b>&lt;2200</b>	ug/kg	14200	2200	40	10/07/21 10:45	10/08/21 12:02	96-12-8	
1,2-Dibromoethane (EDB)	<b>&lt;777</b>	ug/kg	2840	777	40	10/07/21 10:45	10/08/21 12:02	106-93-4	
1,2-Dichlorobenzene	<b>&lt;879</b>	ug/kg	2840	879	40	10/07/21 10:45	10/08/21 12:02	95-50-1	
1,2-Dichloroethane	<b>&lt;652</b>	ug/kg	2840	652	40	10/07/21 10:45	10/08/21 12:02	107-06-2	
1,2-Dichloropropane	<b>&lt;675</b>	ug/kg	2840	675	40	10/07/21 10:45	10/08/21 12:02	78-87-5	
1,3,5-Trimethylbenzene	<b>89100</b>	ug/kg	2840	913	40	10/07/21 10:45	10/08/21 12:02	108-67-8	
1,3-Dichlorobenzene	<b>&lt;777</b>	ug/kg	2840	777	40	10/07/21 10:45	10/08/21 12:02	541-73-1	
1,3-Dichloropropane	<b>&lt;618</b>	ug/kg	2840	618	40	10/07/21 10:45	10/08/21 12:02	142-28-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Sample: **SB-10 (2-4)** Lab ID: **40234318013** Collected: 09/30/21 08:10 Received: 10/01/21 08:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<777	ug/kg	2840	777	40	10/07/21 10:45	10/08/21 12:02	106-46-7	
2,2-Dichloropropane	<766	ug/kg	2840	766	40	10/07/21 10:45	10/08/21 12:02	594-20-7	
2-Chlorotoluene	<919	ug/kg	2840	919	40	10/07/21 10:45	10/08/21 12:02	95-49-8	
4-Chlorotoluene	<1080	ug/kg	2840	1080	40	10/07/21 10:45	10/08/21 12:02	106-43-4	
Benzene	<675	ug/kg	1130	675	40	10/07/21 10:45	10/08/21 12:02	71-43-2	
Bromobenzene	<1110	ug/kg	2840	1110	40	10/07/21 10:45	10/08/21 12:02	108-86-1	
Bromochloromethane	<777	ug/kg	2840	777	40	10/07/21 10:45	10/08/21 12:02	74-97-5	
Bromodichloromethane	<675	ug/kg	2840	675	40	10/07/21 10:45	10/08/21 12:02	75-27-4	
Bromoform	<12500	ug/kg	14200	12500	40	10/07/21 10:45	10/08/21 12:02	75-25-2	
Bromomethane	<3980	ug/kg	14200	3980	40	10/07/21 10:45	10/08/21 12:02	74-83-9	
Carbon tetrachloride	<624	ug/kg	2840	624	40	10/07/21 10:45	10/08/21 12:02	56-23-5	
Chlorobenzene	<340	ug/kg	2840	340	40	10/07/21 10:45	10/08/21 12:02	108-90-7	
Chloroethane	<1200	ug/kg	14200	1200	40	10/07/21 10:45	10/08/21 12:02	75-00-3	
Chloroform	<2030	ug/kg	14200	2030	40	10/07/21 10:45	10/08/21 12:02	67-66-3	
Chloromethane	<1080	ug/kg	2840	1080	40	10/07/21 10:45	10/08/21 12:02	74-87-3	
Dibromochloromethane	<9700	ug/kg	14200	9700	40	10/07/21 10:45	10/08/21 12:02	124-48-1	
Dibromomethane	<840	ug/kg	2840	840	40	10/07/21 10:45	10/08/21 12:02	74-95-3	
Dichlorodifluoromethane	<1220	ug/kg	2840	1220	40	10/07/21 10:45	10/08/21 12:02	75-71-8	
Diisopropyl ether	<704	ug/kg	2840	704	40	10/07/21 10:45	10/08/21 12:02	108-20-3	
Ethylbenzene	17600	ug/kg	2840	675	40	10/07/21 10:45	10/08/21 12:02	100-41-4	
Hexachloro-1,3-butadiene	<5640	ug/kg	14200	5640	40	10/07/21 10:45	10/08/21 12:02	87-68-3	
Isopropylbenzene (Cumene)	3090	ug/kg	2840	766	40	10/07/21 10:45	10/08/21 12:02	98-82-8	
Methyl-tert-butyl ether	<834	ug/kg	2840	834	40	10/07/21 10:45	10/08/21 12:02	1634-04-4	
Methylene Chloride	<789	ug/kg	2840	789	40	10/07/21 10:45	10/08/21 12:02	75-09-2	
Naphthalene	35300	ug/kg	14200	885	40	10/07/21 10:45	10/08/21 12:02	91-20-3	
Styrene	<726	ug/kg	2840	726	40	10/07/21 10:45	10/08/21 12:02	100-42-5	
Tetrachloroethene	<1100	ug/kg	2840	1100	40	10/07/21 10:45	10/08/21 12:02	127-18-4	
Toluene	881J	ug/kg	2840	715	40	10/07/21 10:45	10/08/21 12:02	108-88-3	
Trichloroethene	<1060	ug/kg	2840	1060	40	10/07/21 10:45	10/08/21 12:02	79-01-6	
Trichlorofluoromethane	<823	ug/kg	2840	823	40	10/07/21 10:45	10/08/21 12:02	75-69-4	
Vinyl chloride	<573	ug/kg	2840	573	40	10/07/21 10:45	10/08/21 12:02	75-01-4	
cis-1,2-Dichloroethene	<607	ug/kg	2840	607	40	10/07/21 10:45	10/08/21 12:02	156-59-2	
cis-1,3-Dichloropropene	<1870	ug/kg	14200	1870	40	10/07/21 10:45	10/08/21 12:02	10061-01-5	
m&p-Xylene	287000	ug/kg	5670	1200	40	10/07/21 10:45	10/08/21 12:02	179601-23-1	
n-Butylbenzene	24500	ug/kg	2840	1300	40	10/07/21 10:45	10/08/21 12:02	104-51-8	
n-Propylbenzene	16500	ug/kg	2840	681	40	10/07/21 10:45	10/08/21 12:02	103-65-1	
o-Xylene	112000	ug/kg	2840	851	40	10/07/21 10:45	10/08/21 12:02	95-47-6	
p-Isopropyltoluene	2260J	ug/kg	2840	862	40	10/07/21 10:45	10/08/21 12:02	99-87-6	1q
sec-Butylbenzene	3440	ug/kg	2840	692	40	10/07/21 10:45	10/08/21 12:02	135-98-8	1q
tert-Butylbenzene	<891	ug/kg	2840	891	40	10/07/21 10:45	10/08/21 12:02	98-06-6	
trans-1,2-Dichloroethene	<613	ug/kg	2840	613	40	10/07/21 10:45	10/08/21 12:02	156-60-5	
trans-1,3-Dichloropropene	<8110	ug/kg	14200	8110	40	10/07/21 10:45	10/08/21 12:02	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	176	%	67-159		40	10/07/21 10:45	10/08/21 12:02	2037-26-5	S4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Sample: **SB-10 (2-4)** Lab ID: **40234318013** Collected: 09/30/21 08:10 Received: 10/01/21 08:50 Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	216	%	66-153		40	10/07/21 10:45	10/08/21 12:02	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	386	%	82-158		40	10/07/21 10:45	10/08/21 12:02	2199-69-1	S4
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	<b>17.3</b>	%	0.10	0.10	1		10/04/21 17:46		

Sample: **SB-10 (6-7.5)** Lab ID: **40234318014** Collected: 09/30/21 08:15 Received: 10/01/21 08:50 Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>11.3</b>	mg/kg	4.5	1.3	1	10/08/21 08:38	10/11/21 08:22		DC
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>217</b>	mg/kg	5.8	2.9	2	10/06/21 09:30	10/06/21 14:55		GO
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>0.0099J</b>	mg/L	0.025	0.0084	1	10/06/21 11:42	10/07/21 00:15	7440-38-2	
Barium	<b>0.36</b>	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/07/21 00:15	7440-39-3	
Cadmium	<b>0.0013J</b>	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/07/21 00:15	7440-43-9	
Chromium	<b>&lt;0.0025</b>	mg/L	0.010	0.0025	1	10/06/21 11:42	10/07/21 00:15	7440-47-3	
Lead	<b>&lt;0.0059</b>	mg/L	0.020	0.0059	1	10/06/21 11:42	10/07/21 00:15	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:42	10/07/21 00:15	7782-49-2	
Silver	<b>&lt;0.0032</b>	mg/L	0.010	0.0032	1	10/06/21 11:42	10/07/21 00:15	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:17	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;15.8</b>	ug/kg	65.8	15.8	1	10/07/21 10:45	10/08/21 11:21	630-20-6	
1,1,1-Trichloroethane	<b>&lt;16.8</b>	ug/kg	65.8	16.8	1	10/07/21 10:45	10/08/21 11:21	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;23.8</b>	ug/kg	65.8	23.8	1	10/07/21 10:45	10/08/21 11:21	79-34-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Sample: **SB-10 (6-7.5)** Lab ID: **40234318014** Collected: 09/30/21 08:15 Received: 10/01/21 08:50 Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,2-Trichloroethane	<24.0	ug/kg	65.8	24.0	1	10/07/21 10:45	10/08/21 11:21	79-00-5	
1,1-Dichloroethane	<16.8	ug/kg	65.8	16.8	1	10/07/21 10:45	10/08/21 11:21	75-34-3	
1,1-Dichloroethene	<21.9	ug/kg	65.8	21.9	1	10/07/21 10:45	10/08/21 11:21	75-35-4	
1,1-Dichloropropene	<21.3	ug/kg	65.8	21.3	1	10/07/21 10:45	10/08/21 11:21	563-58-6	
1,2,3-Trichlorobenzene	<73.3	ug/kg	329	73.3	1	10/07/21 10:45	10/08/21 11:21	87-61-6	
1,2,3-Trichloropropane	<32.0	ug/kg	65.8	32.0	1	10/07/21 10:45	10/08/21 11:21	96-18-4	
1,2,4-Trichlorobenzene	<54.2	ug/kg	329	54.2	1	10/07/21 10:45	10/08/21 11:21	120-82-1	
1,2,4-Trimethylbenzene	6910	ug/kg	65.8	19.6	1	10/07/21 10:45	10/08/21 11:21	95-63-6	
1,2-Dibromo-3-chloropropane	<51.1	ug/kg	329	51.1	1	10/07/21 10:45	10/08/21 11:21	96-12-8	
1,2-Dibromoethane (EDB)	<18.0	ug/kg	65.8	18.0	1	10/07/21 10:45	10/08/21 11:21	106-93-4	
1,2-Dichlorobenzene	<20.4	ug/kg	65.8	20.4	1	10/07/21 10:45	10/08/21 11:21	95-50-1	
1,2-Dichloroethane	<15.1	ug/kg	65.8	15.1	1	10/07/21 10:45	10/08/21 11:21	107-06-2	
1,2-Dichloropropane	<15.7	ug/kg	65.8	15.7	1	10/07/21 10:45	10/08/21 11:21	78-87-5	
1,3,5-Trimethylbenzene	1500	ug/kg	65.8	21.2	1	10/07/21 10:45	10/08/21 11:21	108-67-8	
1,3-Dichlorobenzene	<18.0	ug/kg	65.8	18.0	1	10/07/21 10:45	10/08/21 11:21	541-73-1	
1,3-Dichloropropane	<14.3	ug/kg	65.8	14.3	1	10/07/21 10:45	10/08/21 11:21	142-28-9	
1,4-Dichlorobenzene	<18.0	ug/kg	65.8	18.0	1	10/07/21 10:45	10/08/21 11:21	106-46-7	
2,2-Dichloropropane	<17.8	ug/kg	65.8	17.8	1	10/07/21 10:45	10/08/21 11:21	594-20-7	
2-Chlorotoluene	<21.3	ug/kg	65.8	21.3	1	10/07/21 10:45	10/08/21 11:21	95-49-8	
4-Chlorotoluene	<25.0	ug/kg	65.8	25.0	1	10/07/21 10:45	10/08/21 11:21	106-43-4	
Benzene	<15.7	ug/kg	26.3	15.7	1	10/07/21 10:45	10/08/21 11:21	71-43-2	
Bromobenzene	<25.7	ug/kg	65.8	25.7	1	10/07/21 10:45	10/08/21 11:21	108-86-1	
Bromochloromethane	<18.0	ug/kg	65.8	18.0	1	10/07/21 10:45	10/08/21 11:21	74-97-5	
Bromodichloromethane	<15.7	ug/kg	65.8	15.7	1	10/07/21 10:45	10/08/21 11:21	75-27-4	
Bromoform	<290	ug/kg	329	290	1	10/07/21 10:45	10/08/21 11:21	75-25-2	
Bromomethane	<92.3	ug/kg	329	92.3	1	10/07/21 10:45	10/08/21 11:21	74-83-9	
Carbon tetrachloride	<14.5	ug/kg	65.8	14.5	1	10/07/21 10:45	10/08/21 11:21	56-23-5	
Chlorobenzene	<7.9	ug/kg	65.8	7.9	1	10/07/21 10:45	10/08/21 11:21	108-90-7	
Chloroethane	<27.8	ug/kg	329	27.8	1	10/07/21 10:45	10/08/21 11:21	75-00-3	
Chloroform	<47.1	ug/kg	329	47.1	1	10/07/21 10:45	10/08/21 11:21	67-66-3	
Chloromethane	<25.0	ug/kg	65.8	25.0	1	10/07/21 10:45	10/08/21 11:21	74-87-3	
Dibromochloromethane	<225	ug/kg	329	225	1	10/07/21 10:45	10/08/21 11:21	124-48-1	
Dibromomethane	<19.5	ug/kg	65.8	19.5	1	10/07/21 10:45	10/08/21 11:21	74-95-3	
Dichlorodifluoromethane	<28.3	ug/kg	65.8	28.3	1	10/07/21 10:45	10/08/21 11:21	75-71-8	
Diisopropyl ether	<16.3	ug/kg	65.8	16.3	1	10/07/21 10:45	10/08/21 11:21	108-20-3	
Ethylbenzene	138	ug/kg	65.8	15.7	1	10/07/21 10:45	10/08/21 11:21	100-41-4	
Hexachloro-1,3-butadiene	<131	ug/kg	329	131	1	10/07/21 10:45	10/08/21 11:21	87-68-3	
Isopropylbenzene (Cumene)	46.4J	ug/kg	65.8	17.8	1	10/07/21 10:45	10/08/21 11:21	98-82-8	
Methyl-tert-butyl ether	<19.3	ug/kg	65.8	19.3	1	10/07/21 10:45	10/08/21 11:21	1634-04-4	
Methylene Chloride	<18.3	ug/kg	65.8	18.3	1	10/07/21 10:45	10/08/21 11:21	75-09-2	
Naphthalene	603	ug/kg	329	20.5	1	10/07/21 10:45	10/08/21 11:21	91-20-3	
Styrene	<16.8	ug/kg	65.8	16.8	1	10/07/21 10:45	10/08/21 11:21	100-42-5	
Tetrachloroethene	<25.5	ug/kg	65.8	25.5	1	10/07/21 10:45	10/08/21 11:21	127-18-4	
Toluene	<16.6	ug/kg	65.8	16.6	1	10/07/21 10:45	10/08/21 11:21	108-88-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**ANALYTICAL RESULTS**

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-10 (6-7.5)**      **Lab ID: 40234318014**      Collected: 09/30/21 08:15      Received: 10/01/21 08:50      Matrix: Solid**Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.**

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Trichloroethene	<24.6	ug/kg	65.8	24.6	1	10/07/21 10:45	10/08/21 11:21	79-01-6	
Trichlorofluoromethane	<19.1	ug/kg	65.8	19.1	1	10/07/21 10:45	10/08/21 11:21	75-69-4	
Vinyl chloride	<13.3	ug/kg	65.8	13.3	1	10/07/21 10:45	10/08/21 11:21	75-01-4	
cis-1,2-Dichloroethene	<14.1	ug/kg	65.8	14.1	1	10/07/21 10:45	10/08/21 11:21	156-59-2	
cis-1,3-Dichloropropene	<43.4	ug/kg	329	43.4	1	10/07/21 10:45	10/08/21 11:21	10061-01-5	
m&p-Xylene	1760	ug/kg	132	27.8	1	10/07/21 10:45	10/08/21 11:21	179601-23-1	
n-Butylbenzene	<30.1	ug/kg	65.8	30.1	1	10/07/21 10:45	10/08/21 11:21	104-51-8	
n-Propylbenzene	238	ug/kg	65.8	15.8	1	10/07/21 10:45	10/08/21 11:21	103-65-1	
o-Xylene	449	ug/kg	65.8	19.7	1	10/07/21 10:45	10/08/21 11:21	95-47-6	
p-Isopropyltoluene	178	ug/kg	65.8	20.0	1	10/07/21 10:45	10/08/21 11:21	99-87-6	1q
sec-Butylbenzene	118	ug/kg	65.8	16.1	1	10/07/21 10:45	10/08/21 11:21	135-98-8	1q
tert-Butylbenzene	<20.7	ug/kg	65.8	20.7	1	10/07/21 10:45	10/08/21 11:21	98-06-6	
trans-1,2-Dichloroethene	<14.2	ug/kg	65.8	14.2	1	10/07/21 10:45	10/08/21 11:21	156-60-5	
trans-1,3-Dichloropropene	<188	ug/kg	329	188	1	10/07/21 10:45	10/08/21 11:21	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	112	%	67-159		1	10/07/21 10:45	10/08/21 11:21	2037-26-5	
4-Bromofluorobenzene (S)	107	%	66-153		1	10/07/21 10:45	10/08/21 11:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	82-158		1	10/07/21 10:45	10/08/21 11:21	2199-69-1	

**Percent Moisture**Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      13.7      %      0.10      0.10      1      10/04/21 17:46

**Sample: SB-11 (4-6)**      **Lab ID: 40234318015**      Collected: 09/30/21 08:45      Received: 10/01/21 08:50      Matrix: Solid**Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.**

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	2.3J	mg/kg	4.8	1.4	1	10/08/21 08:38	10/11/21 08:31		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	51.1	mg/kg	3.0	1.5	1	10/06/21 09:30	10/06/21 13:22		G+
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	0.0088J	mg/L	0.025	0.0084	1	10/06/21 11:42	10/07/21 00:18	7440-38-2	
Barium	0.33	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/07/21 00:18	7440-39-3	
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/07/21 00:18	7440-43-9	

**REPORT OF LABORATORY ANALYSIS**This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-11 (4-6)**      **Lab ID: 40234318015**      Collected: 09/30/21 08:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:42	10/07/21 00:18	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:42	10/07/21 00:18	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:42	10/07/21 00:18	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:42	10/07/21 00:18	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470    Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:19	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<16.7	ug/kg	69.7	16.7	1	10/07/21 10:45	10/08/21 11:01	630-20-6	
1,1,1-Trichloroethane	<17.8	ug/kg	69.7	17.8	1	10/07/21 10:45	10/08/21 11:01	71-55-6	
1,1,2,2-Tetrachloroethane	<25.2	ug/kg	69.7	25.2	1	10/07/21 10:45	10/08/21 11:01	79-34-5	
1,1,2-Trichloroethane	<25.4	ug/kg	69.7	25.4	1	10/07/21 10:45	10/08/21 11:01	79-00-5	
1,1-Dichloroethane	<17.8	ug/kg	69.7	17.8	1	10/07/21 10:45	10/08/21 11:01	75-34-3	
1,1-Dichloroethene	<23.1	ug/kg	69.7	23.1	1	10/07/21 10:45	10/08/21 11:01	75-35-4	
1,1-Dichloropropene	<22.6	ug/kg	69.7	22.6	1	10/07/21 10:45	10/08/21 11:01	563-58-6	
1,2,3-Trichlorobenzene	<77.7	ug/kg	349	77.7	1	10/07/21 10:45	10/08/21 11:01	87-61-6	
1,2,3-Trichloropropane	<33.9	ug/kg	69.7	33.9	1	10/07/21 10:45	10/08/21 11:01	96-18-4	
1,2,4-Trichlorobenzene	<57.4	ug/kg	349	57.4	1	10/07/21 10:45	10/08/21 11:01	120-82-1	
1,2,4-Trimethylbenzene	88.1	ug/kg	69.7	20.8	1	10/07/21 10:45	10/08/21 11:01	95-63-6	
1,2-Dibromo-3-chloropropane	<54.1	ug/kg	349	54.1	1	10/07/21 10:45	10/08/21 11:01	96-12-8	
1,2-Dibromoethane (EDB)	<19.1	ug/kg	69.7	19.1	1	10/07/21 10:45	10/08/21 11:01	106-93-4	
1,2-Dichlorobenzene	<21.6	ug/kg	69.7	21.6	1	10/07/21 10:45	10/08/21 11:01	95-50-1	
1,2-Dichloroethane	<16.0	ug/kg	69.7	16.0	1	10/07/21 10:45	10/08/21 11:01	107-06-2	
1,2-Dichloropropane	<16.6	ug/kg	69.7	16.6	1	10/07/21 10:45	10/08/21 11:01	78-87-5	
1,3,5-Trimethylbenzene	<22.4	ug/kg	69.7	22.4	1	10/07/21 10:45	10/08/21 11:01	108-67-8	
1,3-Dichlorobenzene	<19.1	ug/kg	69.7	19.1	1	10/07/21 10:45	10/08/21 11:01	541-73-1	
1,3-Dichloropropane	<15.2	ug/kg	69.7	15.2	1	10/07/21 10:45	10/08/21 11:01	142-28-9	
1,4-Dichlorobenzene	<19.1	ug/kg	69.7	19.1	1	10/07/21 10:45	10/08/21 11:01	106-46-7	
2,2-Dichloropropane	<18.8	ug/kg	69.7	18.8	1	10/07/21 10:45	10/08/21 11:01	594-20-7	
2-Chlorotoluene	<22.6	ug/kg	69.7	22.6	1	10/07/21 10:45	10/08/21 11:01	95-49-8	
4-Chlorotoluene	<26.5	ug/kg	69.7	26.5	1	10/07/21 10:45	10/08/21 11:01	106-43-4	
Benzene	<16.6	ug/kg	27.9	16.6	1	10/07/21 10:45	10/08/21 11:01	71-43-2	
Bromobenzene	<27.2	ug/kg	69.7	27.2	1	10/07/21 10:45	10/08/21 11:01	108-86-1	
Bromochloromethane	<19.1	ug/kg	69.7	19.1	1	10/07/21 10:45	10/08/21 11:01	74-97-5	
Bromodichloromethane	<16.6	ug/kg	69.7	16.6	1	10/07/21 10:45	10/08/21 11:01	75-27-4	
Bromoform	<307	ug/kg	349	307	1	10/07/21 10:45	10/08/21 11:01	75-25-2	
Bromomethane	<97.7	ug/kg	349	97.7	1	10/07/21 10:45	10/08/21 11:01	74-83-9	
Carbon tetrachloride	<15.3	ug/kg	69.7	15.3	1	10/07/21 10:45	10/08/21 11:01	56-23-5	
Chlorobenzene	<8.4	ug/kg	69.7	8.4	1	10/07/21 10:45	10/08/21 11:01	108-90-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-11 (4-6)**      **Lab ID: 40234318015**      Collected: 09/30/21 08:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Chloroethane	<29.4	ug/kg	349	29.4	1	10/07/21 10:45	10/08/21 11:01	75-00-3	
Chloroform	<49.9	ug/kg	349	49.9	1	10/07/21 10:45	10/08/21 11:01	67-66-3	
Chloromethane	<26.5	ug/kg	69.7	26.5	1	10/07/21 10:45	10/08/21 11:01	74-87-3	
Dibromochloromethane	<238	ug/kg	349	238	1	10/07/21 10:45	10/08/21 11:01	124-48-1	
Dibromomethane	<20.6	ug/kg	69.7	20.6	1	10/07/21 10:45	10/08/21 11:01	74-95-3	
Dichlorodifluoromethane	<30.0	ug/kg	69.7	30.0	1	10/07/21 10:45	10/08/21 11:01	75-71-8	
Diisopropyl ether	<17.3	ug/kg	69.7	17.3	1	10/07/21 10:45	10/08/21 11:01	108-20-3	
Ethylbenzene	<16.6	ug/kg	69.7	16.6	1	10/07/21 10:45	10/08/21 11:01	100-41-4	
Hexachloro-1,3-butadiene	<139	ug/kg	349	139	1	10/07/21 10:45	10/08/21 11:01	87-68-3	
Isopropylbenzene (Cumene)	<18.8	ug/kg	69.7	18.8	1	10/07/21 10:45	10/08/21 11:01	98-82-8	
Methyl-tert-butyl ether	<20.5	ug/kg	69.7	20.5	1	10/07/21 10:45	10/08/21 11:01	1634-04-4	
Methylene Chloride	<19.4	ug/kg	69.7	19.4	1	10/07/21 10:45	10/08/21 11:01	75-09-2	
Naphthalene	<21.7	ug/kg	349	21.7	1	10/07/21 10:45	10/08/21 11:01	91-20-3	
Styrene	<17.8	ug/kg	69.7	17.8	1	10/07/21 10:45	10/08/21 11:01	100-42-5	
Tetrachloroethene	<27.0	ug/kg	69.7	27.0	1	10/07/21 10:45	10/08/21 11:01	127-18-4	
Toluene	<17.6	ug/kg	69.7	17.6	1	10/07/21 10:45	10/08/21 11:01	108-88-3	
Trichloroethene	<26.1	ug/kg	69.7	26.1	1	10/07/21 10:45	10/08/21 11:01	79-01-6	
Trichlorofluoromethane	<20.2	ug/kg	69.7	20.2	1	10/07/21 10:45	10/08/21 11:01	75-69-4	
Vinyl chloride	<14.1	ug/kg	69.7	14.1	1	10/07/21 10:45	10/08/21 11:01	75-01-4	
cis-1,2-Dichloroethene	<14.9	ug/kg	69.7	14.9	1	10/07/21 10:45	10/08/21 11:01	156-59-2	
cis-1,3-Dichloropropene	<46.0	ug/kg	349	46.0	1	10/07/21 10:45	10/08/21 11:01	10061-01-5	
m&p-Xylene	<29.4	ug/kg	139	29.4	1	10/07/21 10:45	10/08/21 11:01	179601-23-1	
n-Butylbenzene	<31.9	ug/kg	69.7	31.9	1	10/07/21 10:45	10/08/21 11:01	104-51-8	
n-Propylbenzene	<16.7	ug/kg	69.7	16.7	1	10/07/21 10:45	10/08/21 11:01	103-65-1	
o-Xylene	<20.9	ug/kg	69.7	20.9	1	10/07/21 10:45	10/08/21 11:01	95-47-6	
p-Isopropyltoluene	23.0J	ug/kg	69.7	21.2	1	10/07/21 10:45	10/08/21 11:01	99-87-6	1q
sec-Butylbenzene	41.7J	ug/kg	69.7	17.0	1	10/07/21 10:45	10/08/21 11:01	135-98-8	1q
tert-Butylbenzene	<21.9	ug/kg	69.7	21.9	1	10/07/21 10:45	10/08/21 11:01	98-06-6	
trans-1,2-Dichloroethene	<15.1	ug/kg	69.7	15.1	1	10/07/21 10:45	10/08/21 11:01	156-60-5	
trans-1,3-Dichloropropene	<199	ug/kg	349	199	1	10/07/21 10:45	10/08/21 11:01	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	116	%	67-159		1	10/07/21 10:45	10/08/21 11:01	2037-26-5	
4-Bromofluorobenzene (S)	111	%	66-153		1	10/07/21 10:45	10/08/21 11:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	114	%	82-158		1	10/07/21 10:45	10/08/21 11:01	2199-69-1	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture      **16.5**      %      0.10      0.10      1      10/04/21 17:46

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-11 (6-8)**      **Lab ID: 40234318016**      Collected: 09/30/21 08:55      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>41.3</b>	mg/kg	4.1	1.2	1	10/08/21 08:38	10/11/21 08:40		DC
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>295</b>	mg/kg	11.3	5.6	4	10/06/21 09:30	10/06/21 15:21		GO
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>&lt;0.017</b>	mg/L	0.050	0.017	2	10/06/21 11:42	10/07/21 10:40	7440-38-2	D3
Barium	<b>0.31</b>	mg/L	0.010	0.0030	2	10/06/21 11:42	10/07/21 10:40	7440-39-3	
Cadmium	<b>&lt;0.0027</b>	mg/L	0.010	0.0027	2	10/06/21 11:42	10/07/21 10:40	7440-43-9	D3
Chromium	<b>&lt;0.0051</b>	mg/L	0.020	0.0051	2	10/06/21 11:42	10/07/21 10:40	7440-47-3	D3
Lead	<b>&lt;0.012</b>	mg/L	0.040	0.012	2	10/06/21 11:42	10/07/21 10:40	7439-92-1	D3
Selenium	<b>&lt;0.024</b>	mg/L	0.080	0.024	2	10/06/21 11:42	10/07/21 10:40	7782-49-2	D3
Silver	<b>&lt;0.0064</b>	mg/L	0.020	0.0064	2	10/06/21 11:42	10/07/21 10:40	7440-22-4	D3
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470    Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:21	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;15.2</b>	ug/kg	63.3	15.2	1	10/07/21 10:45	10/08/21 11:42	630-20-6	
1,1,1-Trichloroethane	<b>&lt;16.2</b>	ug/kg	63.3	16.2	1	10/07/21 10:45	10/08/21 11:42	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;22.9</b>	ug/kg	63.3	22.9	1	10/07/21 10:45	10/08/21 11:42	79-34-5	
1,1,2-Trichloroethane	<b>&lt;23.0</b>	ug/kg	63.3	23.0	1	10/07/21 10:45	10/08/21 11:42	79-00-5	
1,1-Dichloroethane	<b>&lt;16.2</b>	ug/kg	63.3	16.2	1	10/07/21 10:45	10/08/21 11:42	75-34-3	
1,1-Dichloroethene	<b>&lt;21.0</b>	ug/kg	63.3	21.0	1	10/07/21 10:45	10/08/21 11:42	75-35-4	
1,1-Dichloropropene	<b>&lt;20.5</b>	ug/kg	63.3	20.5	1	10/07/21 10:45	10/08/21 11:42	563-58-6	
1,2,3-Trichlorobenzene	<b>&lt;70.5</b>	ug/kg	316	70.5	1	10/07/21 10:45	10/08/21 11:42	87-61-6	
1,2,3-Trichloropropane	<b>&lt;30.8</b>	ug/kg	63.3	30.8	1	10/07/21 10:45	10/08/21 11:42	96-18-4	
1,2,4-Trichlorobenzene	<b>&lt;52.1</b>	ug/kg	316	52.1	1	10/07/21 10:45	10/08/21 11:42	120-82-1	
1,2,4-Trimethylbenzene	<b>5710</b>	ug/kg	63.3	18.9	1	10/07/21 10:45	10/08/21 11:42	95-63-6	
1,2-Dibromo-3-chloropropane	<b>&lt;49.1</b>	ug/kg	316	49.1	1	10/07/21 10:45	10/08/21 11:42	96-12-8	
1,2-Dibromoethane (EDB)	<b>&lt;17.3</b>	ug/kg	63.3	17.3	1	10/07/21 10:45	10/08/21 11:42	106-93-4	
1,2-Dichlorobenzene	<b>&lt;19.6</b>	ug/kg	63.3	19.6	1	10/07/21 10:45	10/08/21 11:42	95-50-1	
1,2-Dichloroethane	<b>&lt;14.6</b>	ug/kg	63.3	14.6	1	10/07/21 10:45	10/08/21 11:42	107-06-2	
1,2-Dichloropropane	<b>&lt;15.1</b>	ug/kg	63.3	15.1	1	10/07/21 10:45	10/08/21 11:42	78-87-5	
1,3,5-Trimethylbenzene	<b>257</b>	ug/kg	63.3	20.4	1	10/07/21 10:45	10/08/21 11:42	108-67-8	
1,3-Dichlorobenzene	<b>&lt;17.3</b>	ug/kg	63.3	17.3	1	10/07/21 10:45	10/08/21 11:42	541-73-1	
1,3-Dichloropropane	<b>&lt;13.8</b>	ug/kg	63.3	13.8	1	10/07/21 10:45	10/08/21 11:42	142-28-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-11 (6-8)**      **Lab ID: 40234318016**      Collected: 09/30/21 08:55      Received: 10/01/21 08:50      Matrix: Solid  
*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	108	%	66-153		1	10/07/21 10:45	10/08/21 11:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	82-158		1	10/07/21 10:45	10/08/21 11:42	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	<b>11.7</b>	%	0.10	0.10	1		10/04/21 18:16		

**Sample: SB-12 (6-8)**      **Lab ID: 40234318017**      Collected: 09/30/21 09:15      Received: 10/01/21 08:50      Matrix: Solid  
*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>&lt;1.3</b>	mg/kg	4.5	1.3	1	10/08/21 08:38	10/11/21 08:49		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>&lt;1.4</b>	mg/kg	2.8	1.4	1	10/06/21 09:30	10/06/21 19:39		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>&lt;0.0084</b>	mg/L	0.025	0.0084	1	10/06/21 11:42	10/07/21 00:23	7440-38-2	
Barium	<b>0.18</b>	mg/L	0.0050	0.0015	1	10/06/21 11:42	10/07/21 00:23	7440-39-3	
Cadmium	<b>&lt;0.0013</b>	mg/L	0.0050	0.0013	1	10/06/21 11:42	10/07/21 00:23	7440-43-9	
Chromium	<b>&lt;0.0025</b>	mg/L	0.010	0.0025	1	10/06/21 11:42	10/07/21 00:23	7440-47-3	
Lead	<b>&lt;0.0059</b>	mg/L	0.020	0.0059	1	10/06/21 11:42	10/07/21 00:23	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:42	10/07/21 00:23	7782-49-2	
Silver	<b>&lt;0.0032</b>	mg/L	0.010	0.0032	1	10/06/21 11:42	10/07/21 00:23	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:24	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<b>&lt;15.3</b>	ug/kg	63.8	15.3	1	10/07/21 10:45	10/07/21 17:15	630-20-6	
1,1,1-Trichloroethane	<b>&lt;16.3</b>	ug/kg	63.8	16.3	1	10/07/21 10:45	10/07/21 17:15	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;23.1</b>	ug/kg	63.8	23.1	1	10/07/21 10:45	10/07/21 17:15	79-34-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-12 (6-8)**      **Lab ID: 40234318017**      Collected: 09/30/21 09:15      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,2-Trichloroethane	<23.2	ug/kg	63.8	23.2	1	10/07/21 10:45	10/07/21 17:15	79-00-5	
1,1-Dichloroethane	<16.3	ug/kg	63.8	16.3	1	10/07/21 10:45	10/07/21 17:15	75-34-3	
1,1-Dichloroethene	<21.2	ug/kg	63.8	21.2	1	10/07/21 10:45	10/07/21 17:15	75-35-4	
1,1-Dichloropropene	<20.7	ug/kg	63.8	20.7	1	10/07/21 10:45	10/07/21 17:15	563-58-6	
1,2,3-Trichlorobenzene	<71.0	ug/kg	319	71.0	1	10/07/21 10:45	10/07/21 17:15	87-61-6	
1,2,3-Trichloropropane	<31.0	ug/kg	63.8	31.0	1	10/07/21 10:45	10/07/21 17:15	96-18-4	
1,2,4-Trichlorobenzene	<52.5	ug/kg	319	52.5	1	10/07/21 10:45	10/07/21 17:15	120-82-1	
1,2,4-Trimethylbenzene	<19.0	ug/kg	63.8	19.0	1	10/07/21 10:45	10/07/21 17:15	95-63-6	
1,2-Dibromo-3-chloropropane	<49.5	ug/kg	319	49.5	1	10/07/21 10:45	10/07/21 17:15	96-12-8	
1,2-Dibromoethane (EDB)	<17.5	ug/kg	63.8	17.5	1	10/07/21 10:45	10/07/21 17:15	106-93-4	
1,2-Dichlorobenzene	<19.8	ug/kg	63.8	19.8	1	10/07/21 10:45	10/07/21 17:15	95-50-1	
1,2-Dichloroethane	<14.7	ug/kg	63.8	14.7	1	10/07/21 10:45	10/07/21 17:15	107-06-2	
1,2-Dichloropropane	<15.2	ug/kg	63.8	15.2	1	10/07/21 10:45	10/07/21 17:15	78-87-5	
1,3,5-Trimethylbenzene	<20.5	ug/kg	63.8	20.5	1	10/07/21 10:45	10/07/21 17:15	108-67-8	
1,3-Dichlorobenzene	<17.5	ug/kg	63.8	17.5	1	10/07/21 10:45	10/07/21 17:15	541-73-1	
1,3-Dichloropropane	<13.9	ug/kg	63.8	13.9	1	10/07/21 10:45	10/07/21 17:15	142-28-9	
1,4-Dichlorobenzene	<17.5	ug/kg	63.8	17.5	1	10/07/21 10:45	10/07/21 17:15	106-46-7	
2,2-Dichloropropane	<17.2	ug/kg	63.8	17.2	1	10/07/21 10:45	10/07/21 17:15	594-20-7	
2-Chlorotoluene	<20.7	ug/kg	63.8	20.7	1	10/07/21 10:45	10/07/21 17:15	95-49-8	
4-Chlorotoluene	<24.2	ug/kg	63.8	24.2	1	10/07/21 10:45	10/07/21 17:15	106-43-4	
Benzene	<15.2	ug/kg	25.5	15.2	1	10/07/21 10:45	10/07/21 17:15	71-43-2	
Bromobenzene	<24.9	ug/kg	63.8	24.9	1	10/07/21 10:45	10/07/21 17:15	108-86-1	
Bromochloromethane	<17.5	ug/kg	63.8	17.5	1	10/07/21 10:45	10/07/21 17:15	74-97-5	
Bromodichloromethane	<15.2	ug/kg	63.8	15.2	1	10/07/21 10:45	10/07/21 17:15	75-27-4	
Bromoform	<281	ug/kg	319	281	1	10/07/21 10:45	10/07/21 17:15	75-25-2	
Bromomethane	<89.4	ug/kg	319	89.4	1	10/07/21 10:45	10/07/21 17:15	74-83-9	
Carbon tetrachloride	<14.0	ug/kg	63.8	14.0	1	10/07/21 10:45	10/07/21 17:15	56-23-5	
Chlorobenzene	<7.6	ug/kg	63.8	7.6	1	10/07/21 10:45	10/07/21 17:15	108-90-7	
Chloroethane	<26.9	ug/kg	319	26.9	1	10/07/21 10:45	10/07/21 17:15	75-00-3	
Chloroform	<45.7	ug/kg	319	45.7	1	10/07/21 10:45	10/07/21 17:15	67-66-3	
Chloromethane	<24.2	ug/kg	63.8	24.2	1	10/07/21 10:45	10/07/21 17:15	74-87-3	
Dibromochloromethane	<218	ug/kg	319	218	1	10/07/21 10:45	10/07/21 17:15	124-48-1	
Dibromomethane	<18.9	ug/kg	63.8	18.9	1	10/07/21 10:45	10/07/21 17:15	74-95-3	
Dichlorodifluoromethane	<27.4	ug/kg	63.8	27.4	1	10/07/21 10:45	10/07/21 17:15	75-71-8	
Diisopropyl ether	<15.8	ug/kg	63.8	15.8	1	10/07/21 10:45	10/07/21 17:15	108-20-3	
Ethylbenzene	<15.2	ug/kg	63.8	15.2	1	10/07/21 10:45	10/07/21 17:15	100-41-4	
Hexachloro-1,3-butadiene	<127	ug/kg	319	127	1	10/07/21 10:45	10/07/21 17:15	87-68-3	
Isopropylbenzene (Cumene)	<17.2	ug/kg	63.8	17.2	1	10/07/21 10:45	10/07/21 17:15	98-82-8	
Methyl-tert-butyl ether	<18.7	ug/kg	63.8	18.7	1	10/07/21 10:45	10/07/21 17:15	1634-04-4	
Methylene Chloride	<17.7	ug/kg	63.8	17.7	1	10/07/21 10:45	10/07/21 17:15	75-09-2	
Naphthalene	<19.9	ug/kg	319	19.9	1	10/07/21 10:45	10/07/21 17:15	91-20-3	
Styrene	<16.3	ug/kg	63.8	16.3	1	10/07/21 10:45	10/07/21 17:15	100-42-5	
Tetrachloroethene	<24.7	ug/kg	63.8	24.7	1	10/07/21 10:45	10/07/21 17:15	127-18-4	
Toluene	<16.1	ug/kg	63.8	16.1	1	10/07/21 10:45	10/07/21 17:15	108-88-3	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-12 (6-8)**      **Lab ID: 40234318017**      Collected: 09/30/21 09:15      Received: 10/01/21 08:50      Matrix: Solid  
*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Trichloroethene	<23.8	ug/kg	63.8	23.8	1	10/07/21 10:45	10/07/21 17:15	79-01-6	
Trichlorofluoromethane	<18.5	ug/kg	63.8	18.5	1	10/07/21 10:45	10/07/21 17:15	75-69-4	
Vinyl chloride	<12.9	ug/kg	63.8	12.9	1	10/07/21 10:45	10/07/21 17:15	75-01-4	
cis-1,2-Dichloroethene	<13.6	ug/kg	63.8	13.6	1	10/07/21 10:45	10/07/21 17:15	156-59-2	
cis-1,3-Dichloropropene	<42.1	ug/kg	319	42.1	1	10/07/21 10:45	10/07/21 17:15	10061-01-5	
m&p-Xylene	<26.9	ug/kg	128	26.9	1	10/07/21 10:45	10/07/21 17:15	179601-23-1	
n-Butylbenzene	<29.2	ug/kg	63.8	29.2	1	10/07/21 10:45	10/07/21 17:15	104-51-8	
n-Propylbenzene	<15.3	ug/kg	63.8	15.3	1	10/07/21 10:45	10/07/21 17:15	103-65-1	
o-Xylene	<19.1	ug/kg	63.8	19.1	1	10/07/21 10:45	10/07/21 17:15	95-47-6	
p-Isopropyltoluene	<19.4	ug/kg	63.8	19.4	1	10/07/21 10:45	10/07/21 17:15	99-87-6	
sec-Butylbenzene	<15.6	ug/kg	63.8	15.6	1	10/07/21 10:45	10/07/21 17:15	135-98-8	
tert-Butylbenzene	<20.0	ug/kg	63.8	20.0	1	10/07/21 10:45	10/07/21 17:15	98-06-6	
trans-1,2-Dichloroethene	<13.8	ug/kg	63.8	13.8	1	10/07/21 10:45	10/07/21 17:15	156-60-5	
trans-1,3-Dichloropropene	<182	ug/kg	319	182	1	10/07/21 10:45	10/07/21 17:15	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	130	%	67-159		1	10/07/21 10:45	10/07/21 17:15	2037-26-5	
4-Bromofluorobenzene (S)	122	%	66-153		1	10/07/21 10:45	10/07/21 17:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	121	%	82-158		1	10/07/21 10:45	10/07/21 17:15	2199-69-1	

<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	12.1	%	0.10	0.10	1		10/04/21 18:16		

**Sample: SB-13 (6-7.5)**      **Lab ID: 40234318018**      Collected: 09/30/21 09:30      Received: 10/01/21 08:50      Matrix: Solid  
*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	1.3J	mg/kg	4.2	1.3	1	10/08/21 08:38	10/11/21 09:43		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO    Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<1.4	mg/kg	2.8	1.4	1	10/06/21 09:30	10/06/21 20:05		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	0.011J	mg/L	0.025	0.0084	1	10/06/21 11:18	10/06/21 22:31	7440-38-2	
Barium	0.22	mg/L	0.0050	0.0015	1	10/06/21 11:18	10/06/21 22:31	7440-39-3	
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	10/06/21 11:18	10/06/21 22:31	7440-43-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-13 (6-7.5)**      **Lab ID: 40234318018**      Collected: 09/30/21 09:30      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:18	10/06/21 22:31	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:18	10/06/21 22:31	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:18	10/06/21 22:31	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:18	10/06/21 22:31	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:52	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<15.3	ug/kg	63.6	15.3	1	10/07/21 10:45	10/07/21 17:35	630-20-6	
1,1,1-Trichloroethane	<16.3	ug/kg	63.6	16.3	1	10/07/21 10:45	10/07/21 17:35	71-55-6	
1,1,2,2-Tetrachloroethane	<23.0	ug/kg	63.6	23.0	1	10/07/21 10:45	10/07/21 17:35	79-34-5	
1,1,2-Trichloroethane	<23.2	ug/kg	63.6	23.2	1	10/07/21 10:45	10/07/21 17:35	79-00-5	
1,1-Dichloroethane	<16.3	ug/kg	63.6	16.3	1	10/07/21 10:45	10/07/21 17:35	75-34-3	
1,1-Dichloroethene	<21.1	ug/kg	63.6	21.1	1	10/07/21 10:45	10/07/21 17:35	75-35-4	
1,1-Dichloropropene	<20.6	ug/kg	63.6	20.6	1	10/07/21 10:45	10/07/21 17:35	563-58-6	
1,2,3-Trichlorobenzene	<70.9	ug/kg	318	70.9	1	10/07/21 10:45	10/07/21 17:35	87-61-6	
1,2,3-Trichloropropane	<30.9	ug/kg	63.6	30.9	1	10/07/21 10:45	10/07/21 17:35	96-18-4	
1,2,4-Trichlorobenzene	<52.4	ug/kg	318	52.4	1	10/07/21 10:45	10/07/21 17:35	120-82-1	
1,2,4-Trimethylbenzene	<19.0	ug/kg	63.6	19.0	1	10/07/21 10:45	10/07/21 17:35	95-63-6	
1,2-Dibromo-3-chloropropane	<49.4	ug/kg	318	49.4	1	10/07/21 10:45	10/07/21 17:35	96-12-8	
1,2-Dibromoethane (EDB)	<17.4	ug/kg	63.6	17.4	1	10/07/21 10:45	10/07/21 17:35	106-93-4	
1,2-Dichlorobenzene	<19.7	ug/kg	63.6	19.7	1	10/07/21 10:45	10/07/21 17:35	95-50-1	
1,2-Dichloroethane	<14.6	ug/kg	63.6	14.6	1	10/07/21 10:45	10/07/21 17:35	107-06-2	
1,2-Dichloropropane	<15.1	ug/kg	63.6	15.1	1	10/07/21 10:45	10/07/21 17:35	78-87-5	
1,3,5-Trimethylbenzene	<20.5	ug/kg	63.6	20.5	1	10/07/21 10:45	10/07/21 17:35	108-67-8	
1,3-Dichlorobenzene	<17.4	ug/kg	63.6	17.4	1	10/07/21 10:45	10/07/21 17:35	541-73-1	
1,3-Dichloropropane	<13.9	ug/kg	63.6	13.9	1	10/07/21 10:45	10/07/21 17:35	142-28-9	
1,4-Dichlorobenzene	<17.4	ug/kg	63.6	17.4	1	10/07/21 10:45	10/07/21 17:35	106-46-7	
2,2-Dichloropropane	<17.2	ug/kg	63.6	17.2	1	10/07/21 10:45	10/07/21 17:35	594-20-7	
2-Chlorotoluene	<20.6	ug/kg	63.6	20.6	1	10/07/21 10:45	10/07/21 17:35	95-49-8	
4-Chlorotoluene	<24.2	ug/kg	63.6	24.2	1	10/07/21 10:45	10/07/21 17:35	106-43-4	
Benzene	<15.1	ug/kg	25.5	15.1	1	10/07/21 10:45	10/07/21 17:35	71-43-2	
Bromobenzene	<24.8	ug/kg	63.6	24.8	1	10/07/21 10:45	10/07/21 17:35	108-86-1	
Bromochloromethane	<17.4	ug/kg	63.6	17.4	1	10/07/21 10:45	10/07/21 17:35	74-97-5	
Bromodichloromethane	<15.1	ug/kg	63.6	15.1	1	10/07/21 10:45	10/07/21 17:35	75-27-4	
Bromoform	<280	ug/kg	318	280	1	10/07/21 10:45	10/07/21 17:35	75-25-2	
Bromomethane	<89.2	ug/kg	318	89.2	1	10/07/21 10:45	10/07/21 17:35	74-83-9	
Carbon tetrachloride	<14.0	ug/kg	63.6	14.0	1	10/07/21 10:45	10/07/21 17:35	56-23-5	
Chlorobenzene	<7.6	ug/kg	63.6	7.6	1	10/07/21 10:45	10/07/21 17:35	108-90-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-13 (6-7.5)**      **Lab ID: 40234318018**      Collected: 09/30/21 09:30      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Chloroethane	<26.9	ug/kg	318	26.9	1	10/07/21 10:45	10/07/21 17:35	75-00-3	
Chloroform	<45.6	ug/kg	318	45.6	1	10/07/21 10:45	10/07/21 17:35	67-66-3	
Chloromethane	<24.2	ug/kg	63.6	24.2	1	10/07/21 10:45	10/07/21 17:35	74-87-3	
Dibromochloromethane	<218	ug/kg	318	218	1	10/07/21 10:45	10/07/21 17:35	124-48-1	
Dibromomethane	<18.8	ug/kg	63.6	18.8	1	10/07/21 10:45	10/07/21 17:35	74-95-3	
Dichlorodifluoromethane	<27.4	ug/kg	63.6	27.4	1	10/07/21 10:45	10/07/21 17:35	75-71-8	
Diisopropyl ether	<15.8	ug/kg	63.6	15.8	1	10/07/21 10:45	10/07/21 17:35	108-20-3	
Ethylbenzene	<15.1	ug/kg	63.6	15.1	1	10/07/21 10:45	10/07/21 17:35	100-41-4	
Hexachloro-1,3-butadiene	<127	ug/kg	318	127	1	10/07/21 10:45	10/07/21 17:35	87-68-3	
Isopropylbenzene (Cumene)	<17.2	ug/kg	63.6	17.2	1	10/07/21 10:45	10/07/21 17:35	98-82-8	
Methyl-tert-butyl ether	<18.7	ug/kg	63.6	18.7	1	10/07/21 10:45	10/07/21 17:35	1634-04-4	
Methylene Chloride	<17.7	ug/kg	63.6	17.7	1	10/07/21 10:45	10/07/21 17:35	75-09-2	
Naphthalene	<19.9	ug/kg	318	19.9	1	10/07/21 10:45	10/07/21 17:35	91-20-3	
Styrene	<16.3	ug/kg	63.6	16.3	1	10/07/21 10:45	10/07/21 17:35	100-42-5	
Tetrachloroethene	<24.7	ug/kg	63.6	24.7	1	10/07/21 10:45	10/07/21 17:35	127-18-4	
Toluene	<16.0	ug/kg	63.6	16.0	1	10/07/21 10:45	10/07/21 17:35	108-88-3	
Trichloroethene	<23.8	ug/kg	63.6	23.8	1	10/07/21 10:45	10/07/21 17:35	79-01-6	
Trichlorofluoromethane	<18.5	ug/kg	63.6	18.5	1	10/07/21 10:45	10/07/21 17:35	75-69-4	
Vinyl chloride	<12.9	ug/kg	63.6	12.9	1	10/07/21 10:45	10/07/21 17:35	75-01-4	
cis-1,2-Dichloroethene	<13.6	ug/kg	63.6	13.6	1	10/07/21 10:45	10/07/21 17:35	156-59-2	
cis-1,3-Dichloropropene	<42.0	ug/kg	318	42.0	1	10/07/21 10:45	10/07/21 17:35	10061-01-5	
m&p-Xylene	<26.9	ug/kg	127	26.9	1	10/07/21 10:45	10/07/21 17:35	179601-23-1	
n-Butylbenzene	<29.2	ug/kg	63.6	29.2	1	10/07/21 10:45	10/07/21 17:35	104-51-8	
n-Propylbenzene	<15.3	ug/kg	63.6	15.3	1	10/07/21 10:45	10/07/21 17:35	103-65-1	
o-Xylene	<19.1	ug/kg	63.6	19.1	1	10/07/21 10:45	10/07/21 17:35	95-47-6	
p-Isopropyltoluene	<19.3	ug/kg	63.6	19.3	1	10/07/21 10:45	10/07/21 17:35	99-87-6	
sec-Butylbenzene	<15.5	ug/kg	63.6	15.5	1	10/07/21 10:45	10/07/21 17:35	135-98-8	
tert-Butylbenzene	<20.0	ug/kg	63.6	20.0	1	10/07/21 10:45	10/07/21 17:35	98-06-6	
trans-1,2-Dichloroethene	<13.7	ug/kg	63.6	13.7	1	10/07/21 10:45	10/07/21 17:35	156-60-5	
trans-1,3-Dichloropropene	<182	ug/kg	318	182	1	10/07/21 10:45	10/07/21 17:35	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	128	%	67-159		1	10/07/21 10:45	10/07/21 17:35	2037-26-5	
4-Bromofluorobenzene (S)	132	%	66-153		1	10/07/21 10:45	10/07/21 17:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	127	%	82-158		1	10/07/21 10:45	10/07/21 17:35	2199-69-1	

**Percent Moisture**

Analytical Method: ASTM D2974-87  
Pace Analytical Services - Green Bay

Percent Moisture	<b>12.0</b>	%	0.10	0.10	1		10/04/21 18:16		
------------------	-------------	---	------	------	---	--	----------------	--	--

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

**Sample: SB-14 (6-7)**      **Lab ID: 40234318019**      Collected: 09/30/21 09:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<1.2	mg/kg	4.0	1.2	1	10/08/21 08:38	10/11/21 09:53		
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext. Pace Analytical Services - Green Bay									
Gasoline Range Organics	<1.4	mg/kg	2.8	1.4	1	10/06/21 09:30	10/06/21 20:31		
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>0.0091J</b>	mg/L	0.025	0.0084	1	10/06/21 11:18	10/06/21 22:34	7440-38-2	
Barium	<b>0.21</b>	mg/L	0.0050	0.0015	1	10/06/21 11:18	10/06/21 22:34	7440-39-3	
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	10/06/21 11:18	10/06/21 22:34	7440-43-9	
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:18	10/06/21 22:34	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:18	10/06/21 22:34	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:18	10/06/21 22:34	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:18	10/06/21 22:34	7440-22-4	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:54	7439-97-6	
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<15.2	ug/kg	63.2	15.2	1	10/07/21 10:45	10/07/21 16:55	630-20-6	
1,1,1-Trichloroethane	<16.2	ug/kg	63.2	16.2	1	10/07/21 10:45	10/07/21 16:55	71-55-6	
1,1,2,2-Tetrachloroethane	<22.9	ug/kg	63.2	22.9	1	10/07/21 10:45	10/07/21 16:55	79-34-5	
1,1,2-Trichloroethane	<23.0	ug/kg	63.2	23.0	1	10/07/21 10:45	10/07/21 16:55	79-00-5	
1,1-Dichloroethane	<16.2	ug/kg	63.2	16.2	1	10/07/21 10:45	10/07/21 16:55	75-34-3	
1,1-Dichloroethene	<21.0	ug/kg	63.2	21.0	1	10/07/21 10:45	10/07/21 16:55	75-35-4	
1,1-Dichloropropene	<20.5	ug/kg	63.2	20.5	1	10/07/21 10:45	10/07/21 16:55	563-58-6	
1,2,3-Trichlorobenzene	<70.5	ug/kg	316	70.5	1	10/07/21 10:45	10/07/21 16:55	87-61-6	
1,2,3-Trichloropropane	<30.7	ug/kg	63.2	30.7	1	10/07/21 10:45	10/07/21 16:55	96-18-4	
1,2,4-Trichlorobenzene	<52.1	ug/kg	316	52.1	1	10/07/21 10:45	10/07/21 16:55	120-82-1	
1,2,4-Trimethylbenzene	<18.8	ug/kg	63.2	18.8	1	10/07/21 10:45	10/07/21 16:55	95-63-6	
1,2-Dibromo-3-chloropropane	<49.1	ug/kg	316	49.1	1	10/07/21 10:45	10/07/21 16:55	96-12-8	
1,2-Dibromoethane (EDB)	<17.3	ug/kg	63.2	17.3	1	10/07/21 10:45	10/07/21 16:55	106-93-4	
1,2-Dichlorobenzene	<19.6	ug/kg	63.2	19.6	1	10/07/21 10:45	10/07/21 16:55	95-50-1	
1,2-Dichloroethane	<14.5	ug/kg	63.2	14.5	1	10/07/21 10:45	10/07/21 16:55	107-06-2	
1,2-Dichloropropane	<15.1	ug/kg	63.2	15.1	1	10/07/21 10:45	10/07/21 16:55	78-87-5	
1,3,5-Trimethylbenzene	<20.4	ug/kg	63.2	20.4	1	10/07/21 10:45	10/07/21 16:55	108-67-8	
1,3-Dichlorobenzene	<17.3	ug/kg	63.2	17.3	1	10/07/21 10:45	10/07/21 16:55	541-73-1	
1,3-Dichloropropane	<13.8	ug/kg	63.2	13.8	1	10/07/21 10:45	10/07/21 16:55	142-28-9	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-14 (6-7)**      **Lab ID: 40234318019**      Collected: 09/30/21 09:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,4-Dichlorobenzene	<17.3	ug/kg	63.2	17.3	1	10/07/21 10:45	10/07/21 16:55	106-46-7	
2,2-Dichloropropane	<17.1	ug/kg	63.2	17.1	1	10/07/21 10:45	10/07/21 16:55	594-20-7	
2-Chlorotoluene	<20.5	ug/kg	63.2	20.5	1	10/07/21 10:45	10/07/21 16:55	95-49-8	
4-Chlorotoluene	<24.0	ug/kg	63.2	24.0	1	10/07/21 10:45	10/07/21 16:55	106-43-4	
Benzene	<15.1	ug/kg	25.3	15.1	1	10/07/21 10:45	10/07/21 16:55	71-43-2	
Bromobenzene	<24.7	ug/kg	63.2	24.7	1	10/07/21 10:45	10/07/21 16:55	108-86-1	
Bromochloromethane	<17.3	ug/kg	63.2	17.3	1	10/07/21 10:45	10/07/21 16:55	74-97-5	
Bromodichloromethane	<15.1	ug/kg	63.2	15.1	1	10/07/21 10:45	10/07/21 16:55	75-27-4	
Bromoform	<278	ug/kg	316	278	1	10/07/21 10:45	10/07/21 16:55	75-25-2	
Bromomethane	<88.7	ug/kg	316	88.7	1	10/07/21 10:45	10/07/21 16:55	74-83-9	
Carbon tetrachloride	<13.9	ug/kg	63.2	13.9	1	10/07/21 10:45	10/07/21 16:55	56-23-5	
Chlorobenzene	<7.6	ug/kg	63.2	7.6	1	10/07/21 10:45	10/07/21 16:55	108-90-7	
Chloroethane	<26.7	ug/kg	316	26.7	1	10/07/21 10:45	10/07/21 16:55	75-00-3	
Chloroform	<45.3	ug/kg	316	45.3	1	10/07/21 10:45	10/07/21 16:55	67-66-3	
Chloromethane	<24.0	ug/kg	63.2	24.0	1	10/07/21 10:45	10/07/21 16:55	74-87-3	
Dibromochloromethane	<216	ug/kg	316	216	1	10/07/21 10:45	10/07/21 16:55	124-48-1	
Dibromomethane	<18.7	ug/kg	63.2	18.7	1	10/07/21 10:45	10/07/21 16:55	74-95-3	
Dichlorodifluoromethane	<27.2	ug/kg	63.2	27.2	1	10/07/21 10:45	10/07/21 16:55	75-71-8	R1
Diisopropyl ether	<15.7	ug/kg	63.2	15.7	1	10/07/21 10:45	10/07/21 16:55	108-20-3	
Ethylbenzene	<15.1	ug/kg	63.2	15.1	1	10/07/21 10:45	10/07/21 16:55	100-41-4	
Hexachloro-1,3-butadiene	<126	ug/kg	316	126	1	10/07/21 10:45	10/07/21 16:55	87-68-3	
Isopropylbenzene (Cumene)	<17.1	ug/kg	63.2	17.1	1	10/07/21 10:45	10/07/21 16:55	98-82-8	
Methyl-tert-butyl ether	<18.6	ug/kg	63.2	18.6	1	10/07/21 10:45	10/07/21 16:55	1634-04-4	
Methylene Chloride	<17.6	ug/kg	63.2	17.6	1	10/07/21 10:45	10/07/21 16:55	75-09-2	
Naphthalene	<19.7	ug/kg	316	19.7	1	10/07/21 10:45	10/07/21 16:55	91-20-3	
Styrene	<16.2	ug/kg	63.2	16.2	1	10/07/21 10:45	10/07/21 16:55	100-42-5	
Tetrachloroethene	<24.5	ug/kg	63.2	24.5	1	10/07/21 10:45	10/07/21 16:55	127-18-4	
Toluene	<15.9	ug/kg	63.2	15.9	1	10/07/21 10:45	10/07/21 16:55	108-88-3	
Trichloroethene	<23.7	ug/kg	63.2	23.7	1	10/07/21 10:45	10/07/21 16:55	79-01-6	
Trichlorofluoromethane	<18.3	ug/kg	63.2	18.3	1	10/07/21 10:45	10/07/21 16:55	75-69-4	
Vinyl chloride	<12.8	ug/kg	63.2	12.8	1	10/07/21 10:45	10/07/21 16:55	75-01-4	
cis-1,2-Dichloroethene	<13.5	ug/kg	63.2	13.5	1	10/07/21 10:45	10/07/21 16:55	156-59-2	
cis-1,3-Dichloropropene	<41.7	ug/kg	316	41.7	1	10/07/21 10:45	10/07/21 16:55	10061-01-5	
m&p-Xylene	<26.7	ug/kg	126	26.7	1	10/07/21 10:45	10/07/21 16:55	179601-23-1	
n-Butylbenzene	<29.0	ug/kg	63.2	29.0	1	10/07/21 10:45	10/07/21 16:55	104-51-8	
n-Propylbenzene	<15.2	ug/kg	63.2	15.2	1	10/07/21 10:45	10/07/21 16:55	103-65-1	
o-Xylene	<19.0	ug/kg	63.2	19.0	1	10/07/21 10:45	10/07/21 16:55	95-47-6	
p-Isopropyltoluene	<19.2	ug/kg	63.2	19.2	1	10/07/21 10:45	10/07/21 16:55	99-87-6	
sec-Butylbenzene	<15.4	ug/kg	63.2	15.4	1	10/07/21 10:45	10/07/21 16:55	135-98-8	
tert-Butylbenzene	<19.9	ug/kg	63.2	19.9	1	10/07/21 10:45	10/07/21 16:55	98-06-6	
trans-1,2-Dichloroethene	<13.7	ug/kg	63.2	13.7	1	10/07/21 10:45	10/07/21 16:55	156-60-5	
trans-1,3-Dichloropropene	<181	ug/kg	316	181	1	10/07/21 10:45	10/07/21 16:55	10061-02-6	
<b>Surrogates</b>									
Toluene-d8 (S)	122	%	67-159		1	10/07/21 10:45	10/07/21 16:55	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

**Sample: SB-14 (6-7)**      **Lab ID: 40234318019**      Collected: 09/30/21 09:45      Received: 10/01/21 08:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	122	%	66-153		1	10/07/21 10:45	10/07/21 16:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	10/07/21 10:45	10/07/21 16:55	2199-69-1	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	<b>11.7</b>	%	0.10	0.10	1		10/04/21 18:16		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

QC Batch: 397517

Analysis Method: WI MOD GRO

QC Batch Method: TPH GRO/PVOC WI ext.

Analysis Description: WIGRO Solid GCV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007

METHOD BLANK: 2293873

Matrix: Solid

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	mg/kg	<1.2	2.5	10/05/21 11:22	

LABORATORY CONTROL SAMPLE & LCSD: 2293874

2293875

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Gasoline Range Organics	mg/kg	10	11.3	11.6	113	116	80-120	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

QC Batch:	397632	Analysis Method:	WI MOD GRO
QC Batch Method:	TPH GRO/PVOC WI ext.	Analysis Description:	WIGRO Solid GCV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

METHOD BLANK: 2294878 Matrix: Solid

Associated Lab Samples: 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	mg/kg	1.7J	2.5	10/06/21 12:04	

LABORATORY CONTROL SAMPLE & LCSD: 2294879 2294880

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Gasoline Range Organics	mg/kg	10	10.4	10.6	104	106	80-120	2	20	1q

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

QC Batch: 398063 Analysis Method: EPA 7470  
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury TCLP  
Laboratory: Pace Analytical Services - Green Bay  
Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010

METHOD BLANK: 2298171 Matrix: Water  
Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	10/12/21 09:16	

METHOD BLANK: 2294237 Matrix: Water  
Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	10/12/21 09:53	

LABORATORY CONTROL SAMPLE: 2298172

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	99	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2298173 2298174

Parameter	Units	40234318001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	<0.066	5	5	5.6	5.5	111	110	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

QC Batch:	398064	Analysis Method:	EPA 7470
QC Batch Method:	EPA 7470	Analysis Description:	7470 Mercury TCLP
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

METHOD BLANK: 2298175 Matrix: Water  
Associated Lab Samples: 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	10/12/21 09:56	

METHOD BLANK: 2294238 Matrix: Water  
Associated Lab Samples: 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	10/12/21 10:26	

METHOD BLANK: 2294239 Matrix: Water  
Associated Lab Samples: 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	0.91	0.20	10/12/21 10:47	

LABORATORY CONTROL SAMPLE: 2298176

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	99	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2298177 2298178

Parameter	Units	40234318011 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Mercury	ug/L	<0.066	5	5	5.5	5.6	111	111	85-115	0	20

MATRIX SPIKE SAMPLE: 2298179

Parameter	Units	40234317001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.066	5	5.0	99	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

QC Batch: 397651

Analysis Method: EPA 6010D

QC Batch Method: EPA 3010A

Analysis Description: 6010D MET TCLP

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017

METHOD BLANK: 2294995

Matrix: Water

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 23:01	
Barium	mg/L	<0.0015	0.0050	10/06/21 23:01	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 23:01	
Chromium	mg/L	<0.0025	0.010	10/06/21 23:01	
Lead	mg/L	<0.0059	0.020	10/06/21 23:01	
Selenium	mg/L	<0.012	0.040	10/06/21 23:01	
Silver	mg/L	<0.0032	0.010	10/06/21 23:01	

METHOD BLANK: 2294221

Matrix: Solid

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 23:52	
Barium	mg/L	<0.0015	0.0050	10/06/21 23:52	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 23:52	
Chromium	mg/L	<0.0025	0.010	10/06/21 23:52	
Lead	mg/L	<0.0059	0.020	10/06/21 23:52	
Selenium	mg/L	<0.012	0.040	10/06/21 23:52	
Silver	mg/L	<0.0032	0.010	10/06/21 23:52	

METHOD BLANK: 2294222

Matrix: Solid

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/07/21 00:26	
Barium	mg/L	<0.0015	0.0050	10/07/21 00:26	
Cadmium	mg/L	<0.0013	0.0050	10/07/21 00:26	
Chromium	mg/L	<0.0025	0.010	10/07/21 00:26	
Lead	mg/L	<0.0059	0.020	10/07/21 00:26	
Selenium	mg/L	<0.012	0.040	10/07/21 00:26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

METHOD BLANK: 2294222

Matrix: Solid

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Silver	mg/L	<0.0032	0.010	10/07/21 00:26	

LABORATORY CONTROL SAMPLE: 2294996

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.25	0.26	102	80-120	
Barium	mg/L	0.25	0.25	99	80-120	
Cadmium	mg/L	0.25	0.26	104	80-120	
Chromium	mg/L	0.25	0.25	102	80-120	
Lead	mg/L	0.25	0.27	107	80-120	
Selenium	mg/L	0.25	0.27	106	80-120	
Silver	mg/L	0.12	0.12	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2294997 2294998

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40234318001 Result	Spike Conc.	Spike Conc.	Conc.								
Arsenic	mg/L	<0.0084	0.25	0.25	0.28	0.27	108	106	75-125	1	20		
Barium	mg/L	0.33	0.25	0.25	0.57	0.56	94	92	75-125	1	20		
Cadmium	mg/L	0.0016J	0.25	0.25	0.27	0.27	109	108	75-125	1	20		
Chromium	mg/L	<0.0025	0.25	0.25	0.25	0.25	100	100	75-125	0	20		
Lead	mg/L	<0.0059	0.25	0.25	0.27	0.26	107	106	75-125	1	20		
Selenium	mg/L	<0.012	0.25	0.25	0.28	0.29	111	116	75-125	4	20		
Silver	mg/L	<0.0032	0.12	0.12	0.13	0.13	100	101	75-125	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

QC Batch:	397654	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3010A	Analysis Description:	6010D MET TCLP
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318018, 40234318019

METHOD BLANK: 2295021 Matrix: Water

Associated Lab Samples: 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 21:55	
Barium	mg/L	<0.0015	0.0050	10/06/21 21:55	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 21:55	
Chromium	mg/L	<0.0025	0.010	10/06/21 21:55	
Lead	mg/L	<0.0059	0.020	10/06/21 21:55	
Selenium	mg/L	<0.012	0.040	10/06/21 21:55	
Silver	mg/L	<0.0032	0.010	10/06/21 21:55	

METHOD BLANK: 2294223 Matrix: Solid

Associated Lab Samples: 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 22:58	
Barium	mg/L	<0.0015	0.0050	10/06/21 22:58	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 22:58	
Chromium	mg/L	<0.0025	0.010	10/06/21 22:58	
Lead	mg/L	<0.0059	0.020	10/06/21 22:58	
Selenium	mg/L	<0.012	0.040	10/06/21 22:58	
Silver	mg/L	<0.0032	0.010	10/06/21 22:58	

METHOD BLANK: 2294224 Matrix: Solid

Associated Lab Samples: 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 22:36	
Barium	mg/L	<0.0015	0.0050	10/06/21 22:36	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 22:36	
Chromium	mg/L	<0.0025	0.010	10/06/21 22:36	
Lead	mg/L	<0.0059	0.020	10/06/21 22:36	
Selenium	mg/L	<0.012	0.040	10/06/21 22:36	
Silver	mg/L	<0.0032	0.010	10/06/21 22:36	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

LABORATORY CONTROL SAMPLE: 2295022

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.25	0.25	99	80-120	
Barium	mg/L	0.25	0.25	98	80-120	
Cadmium	mg/L	0.25	0.26	102	80-120	
Chromium	mg/L	0.25	0.25	102	80-120	
Lead	mg/L	0.25	0.26	103	80-120	
Selenium	mg/L	0.25	0.26	103	80-120	
Silver	mg/L	0.12	0.12	98	80-120	

MATRIX SPIKE SAMPLE: 2295023

Parameter	Units	40234307001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.045	0.25	0.30	103	75-125	
Barium	mg/L	0.25	0.25	0.48	93	75-125	
Cadmium	mg/L	<0.0013	0.25	0.26	105	75-125	
Chromium	mg/L	0.013	0.25	0.26	98	75-125	
Lead	mg/L	<0.0059	0.25	0.25	99	75-125	
Selenium	mg/L	<0.012	0.25	0.28	109	75-125	
Silver	mg/L	<0.0032	0.12	0.13	102	75-125	

MATRIX SPIKE SAMPLE: 2295024

Parameter	Units	40234317001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	<0.0084	0.25	0.26	100	75-125	
Barium	mg/L	0.053	0.25	0.30	97	75-125	
Cadmium	mg/L	<0.0013	0.25	0.26	103	75-125	
Chromium	mg/L	<0.0025	0.25	0.25	100	75-125	
Lead	mg/L	<0.0059	0.25	0.27	106	75-125	
Selenium	mg/L	<0.012	0.25	0.27	106	75-125	
Silver	mg/L	<0.0032	0.12	0.12	97	75-125	

MATRIX SPIKE SAMPLE: 2295025

Parameter	Units	40234357001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	<0.017	0.25	0.27	106	75-125	
Barium	mg/L	0.56	0.25	0.82	103	75-125	
Cadmium	mg/L	<0.0027	0.25	0.26	103	75-125	
Chromium	mg/L	<0.0051	0.25	0.25	98	75-125	
Lead	mg/L	<0.012	0.25	0.25	100	75-125	
Selenium	mg/L	<0.024	0.25	0.26	104	75-125	
Silver	mg/L	<0.0064	0.12	0.13	102	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

QC Batch: 397420 Analysis Method: EPA 8260  
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List  
Laboratory: Pace Analytical Services - Green Bay  
Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011

METHOD BLANK: 2293546 Matrix: Solid  
Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	10/04/21 12:16	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	10/04/21 12:16	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	10/04/21 12:16	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	10/04/21 12:16	
1,1-Dichloroethane	ug/kg	<12.8	50.0	10/04/21 12:16	
1,1-Dichloroethene	ug/kg	<16.6	50.0	10/04/21 12:16	
1,1-Dichloropropene	ug/kg	<16.2	50.0	10/04/21 12:16	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	10/04/21 12:16	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	10/04/21 12:16	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	10/04/21 12:16	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	10/04/21 12:16	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	10/04/21 12:16	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	10/04/21 12:16	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	10/04/21 12:16	
1,2-Dichloroethane	ug/kg	<11.5	50.0	10/04/21 12:16	
1,2-Dichloropropane	ug/kg	<11.9	50.0	10/04/21 12:16	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	10/04/21 12:16	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	10/04/21 12:16	
1,3-Dichloropropane	ug/kg	<10.9	50.0	10/04/21 12:16	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	10/04/21 12:16	
2,2-Dichloropropane	ug/kg	<13.5	50.0	10/04/21 12:16	
2-Chlorotoluene	ug/kg	<16.2	50.0	10/04/21 12:16	
4-Chlorotoluene	ug/kg	<19.0	50.0	10/04/21 12:16	
Benzene	ug/kg	<11.9	20.0	10/04/21 12:16	
Bromobenzene	ug/kg	<19.5	50.0	10/04/21 12:16	
Bromochloromethane	ug/kg	<13.7	50.0	10/04/21 12:16	
Bromodichloromethane	ug/kg	<11.9	50.0	10/04/21 12:16	
Bromoform	ug/kg	<220	250	10/04/21 12:16	
Bromomethane	ug/kg	<70.1	250	10/04/21 12:16	
Carbon tetrachloride	ug/kg	<11.0	50.0	10/04/21 12:16	
Chlorobenzene	ug/kg	<6.0	50.0	10/04/21 12:16	
Chloroethane	ug/kg	<21.1	250	10/04/21 12:16	
Chloroform	ug/kg	<35.8	250	10/04/21 12:16	
Chloromethane	ug/kg	<19.0	50.0	10/04/21 12:16	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	10/04/21 12:16	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	10/04/21 12:16	
Dibromochloromethane	ug/kg	<171	250	10/04/21 12:16	
Dibromomethane	ug/kg	<14.8	50.0	10/04/21 12:16	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	10/04/21 12:16	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

METHOD BLANK: 2293546

Matrix: Solid

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	10/04/21 12:16	
Ethylbenzene	ug/kg	<11.9	50.0	10/04/21 12:16	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	10/04/21 12:16	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	10/04/21 12:16	
m&p-Xylene	ug/kg	<21.1	100	10/04/21 12:16	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	10/04/21 12:16	
Methylene Chloride	ug/kg	<13.9	50.0	10/04/21 12:16	
n-Butylbenzene	ug/kg	<22.9	50.0	10/04/21 12:16	
n-Propylbenzene	ug/kg	<12.0	50.0	10/04/21 12:16	
Naphthalene	ug/kg	<15.6	250	10/04/21 12:16	
o-Xylene	ug/kg	<15.0	50.0	10/04/21 12:16	
p-Isopropyltoluene	ug/kg	<15.2	50.0	10/04/21 12:16	
sec-Butylbenzene	ug/kg	<12.2	50.0	10/04/21 12:16	
Styrene	ug/kg	<12.8	50.0	10/04/21 12:16	
tert-Butylbenzene	ug/kg	<15.7	50.0	10/04/21 12:16	
Tetrachloroethene	ug/kg	<19.4	50.0	10/04/21 12:16	
Toluene	ug/kg	<12.6	50.0	10/04/21 12:16	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	10/04/21 12:16	
trans-1,3-Dichloropropene	ug/kg	<143	250	10/04/21 12:16	
Trichloroethene	ug/kg	<18.7	50.0	10/04/21 12:16	
Trichlorofluoromethane	ug/kg	<14.5	50.0	10/04/21 12:16	
Vinyl chloride	ug/kg	<10.1	50.0	10/04/21 12:16	
1,2-Dichlorobenzene-d4 (S)	%	103	82-158	10/04/21 12:16	
4-Bromofluorobenzene (S)	%	106	66-153	10/04/21 12:16	
Toluene-d8 (S)	%	102	67-159	10/04/21 12:16	

LABORATORY CONTROL SAMPLE: 2293547

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2330	93	70-130	
1,1,1,2-Tetrachloroethane	ug/kg	2500	2600	104	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2460	98	70-130	
1,1-Dichloroethane	ug/kg	2500	2220	89	70-130	
1,1-Dichloroethene	ug/kg	2500	2320	93	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2220	89	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2220	89	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2450	98	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2250	90	70-130	
1,2-Dichloroethane	ug/kg	2500	2370	95	70-130	
1,2-Dichloropropane	ug/kg	2500	2320	93	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2270	91	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2240	89	70-130	
Benzene	ug/kg	2500	2380	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

LABORATORY CONTROL SAMPLE: 2293547

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/kg	2500	2470	99	70-130	
Bromoform	ug/kg	2500	2160	86	66-130	
Bromomethane	ug/kg	2500	2180	87	13-153	
Carbon tetrachloride	ug/kg	2500	2330	93	73-134	
Chlorobenzene	ug/kg	2500	2410	96	70-130	
Chloroethane	ug/kg	2500	1910	76	19-170	
Chloroform	ug/kg	2500	2450	98	79-120	
Chloromethane	ug/kg	2500	1320	53	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2330	93	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2390	95	68-130	
Dibromochloromethane	ug/kg	2500	2330	93	70-130	
Dichlorodifluoromethane	ug/kg	2500	850	34	15-135	
Ethylbenzene	ug/kg	2500	2340	93	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2330	93	70-130	
m&p-Xylene	ug/kg	5000	4560	91	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2370	95	65-130	
Methylene Chloride	ug/kg	2500	2450	98	70-130	
o-Xylene	ug/kg	2500	2260	90	70-130	
Styrene	ug/kg	2500	2360	94	70-130	
Tetrachloroethene	ug/kg	2500	2430	97	70-130	
Toluene	ug/kg	2500	2280	91	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2360	94	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2230	89	70-130	
Trichloroethene	ug/kg	2500	2480	99	70-130	
Trichlorofluoromethane	ug/kg	2500	1980	79	49-153	
Vinyl chloride	ug/kg	2500	1810	72	58-121	
1,2-Dichlorobenzene-d4 (S)	%			92	82-158	
4-Bromofluorobenzene (S)	%			99	66-153	
Toluene-d8 (S)	%			97	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2293548 2293549

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40234176006 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/kg	<19.5	1530	1530	1170	1270	77	83	70-130	8	20		
1,1,2,2-Tetrachloroethane	ug/kg	<27.5	1530	1530	1540	1620	101	107	65-129	5	20		
1,1,2-Trichloroethane	ug/kg	<27.7	1530	1530	1540	1560	101	103	70-130	1	20		
1,1-Dichloroethane	ug/kg	<19.5	1530	1530	1230	1350	81	89	70-130	9	20		
1,1-Dichloroethene	ug/kg	<25.3	1530	1530	1080	1140	71	75	64-120	5	20		
1,2,4-Trichlorobenzene	ug/kg	<62.7	1530	1530	1500	1490	98	98	64-130	0	20		
1,2-Dibromo-3-chloropropane	ug/kg	<59.0	1530	1530	1440	1320	94	87	57-130	8	21		
1,2-Dibromoethane (EDB)	ug/kg	<20.8	1530	1530	1400	1570	92	103	70-130	12	20		
1,2-Dichlorobenzene	ug/kg	<23.6	1530	1530	1490	1450	98	95	70-130	3	20		
1,2-Dichloroethane	ug/kg	<17.5	1530	1530	1370	1460	90	96	70-130	6	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Parameter	Units	2293548		2293549		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40234176006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloropropane	ug/kg	<18.1	1530	1530	1360	1420	90	93	72-122	4	20		
1,3-Dichlorobenzene	ug/kg	<20.8	1530	1530	1410	1480	92	97	70-130	5	20		
1,4-Dichlorobenzene	ug/kg	<20.8	1530	1530	1440	1440	95	95	70-130	0	20		
Benzene	ug/kg	<18.1	1530	1530	1320	1430	87	94	70-130	8	20		
Bromodichloromethane	ug/kg	<18.1	1530	1530	1330	1500	88	98	70-130	12	20		
Bromoform	ug/kg	<335	1530	1530	1520	1430	100	94	66-130	6	20		
Bromomethane	ug/kg	<107	1530	1530	1110	1220	73	80	13-153	9	20		
Carbon tetrachloride	ug/kg	<16.7	1530	1530	1060	1220	70	80	67-134	14	20		
Chlorobenzene	ug/kg	<9.1	1530	1530	1440	1490	94	98	70-130	3	20		
Chloroethane	ug/kg	<32.1	1530	1530	1010	1070	66	70	11-195	6	20		
Chloroform	ug/kg	<54.5	1530	1530	1390	1490	91	98	79-120	8	20		
Chloromethane	ug/kg	<28.9	1530	1530	577	612	38	40	30-136	6	20		
cis-1,2-Dichloroethene	ug/kg	<16.3	1530	1530	1370	1500	90	98	70-130	9	20		
cis-1,3-Dichloropropene	ug/kg	<50.2	1530	1530	1350	1390	88	91	68-130	3	20		
Dibromochloromethane	ug/kg	<260	1530	1530	1280	1400	84	92	70-130	9	20		
Dichlorodifluoromethane	ug/kg	<32.7	1530	1530	170	228	11	15	10-158	29	25	R1	
Ethylbenzene	ug/kg	<18.1	1530	1530	1320	1410	87	93	78-120	6	20		
Isopropylbenzene (Cumene)	ug/kg	<20.5	1530	1530	1290	1360	85	90	70-130	5	20		
m&p-Xylene	ug/kg	<32.1	3040	3040	2640	2720	87	89	70-130	3	20		
Methyl-tert-butyl ether	ug/kg	<22.4	1530	1530	1360	1390	89	91	65-130	2	20		
Methylene Chloride	ug/kg	<21.1	1530	1530	1420	1440	93	94	70-130	1	20		
o-Xylene	ug/kg	<22.8	1530	1530	1360	1380	89	91	70-130	2	20		
Styrene	ug/kg	<19.5	1530	1530	1380	1420	91	93	70-130	3	20		
Tetrachloroethene	ug/kg	<29.5	1530	1530	1300	1390	86	91	70-130	6	20		
Toluene	ug/kg	<19.2	1530	1530	1330	1390	87	91	76-120	4	20		
trans-1,2-Dichloroethene	ug/kg	<16.4	1530	1530	1300	1360	85	90	70-130	5	20		
trans-1,3-Dichloropropene	ug/kg	<218	1530	1530	1260	1340	83	88	70-130	6	20		
Trichloroethene	ug/kg	<28.5	1530	1530	1400	1420	92	93	70-130	1	20		
Trichlorofluoromethane	ug/kg	<22.1	1530	1530	768	874	50	57	42-159	13	21		
Vinyl chloride	ug/kg	<15.4	1530	1530	784	832	52	55	43-137	6	20		
1,2-Dichlorobenzene-d4 (S)	%						130	124	82-158				
4-Bromofluorobenzene (S)	%						138	131	66-153				
Toluene-d8 (S)	%						129	125	67-159				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

QC Batch: 397533

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318012

METHOD BLANK: 2294160

Matrix: Solid

Associated Lab Samples: 40234318012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	10/05/21 10:16	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	10/05/21 10:16	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	10/05/21 10:16	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	10/05/21 10:16	
1,1-Dichloroethane	ug/kg	<12.8	50.0	10/05/21 10:16	
1,1-Dichloroethene	ug/kg	<16.6	50.0	10/05/21 10:16	
1,1-Dichloropropene	ug/kg	<16.2	50.0	10/05/21 10:16	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	10/05/21 10:16	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	10/05/21 10:16	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	10/05/21 10:16	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	10/05/21 10:16	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	10/05/21 10:16	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	10/05/21 10:16	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	10/05/21 10:16	
1,2-Dichloroethane	ug/kg	<11.5	50.0	10/05/21 10:16	
1,2-Dichloropropane	ug/kg	<11.9	50.0	10/05/21 10:16	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	10/05/21 10:16	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	10/05/21 10:16	
1,3-Dichloropropane	ug/kg	<10.9	50.0	10/05/21 10:16	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	10/05/21 10:16	
2,2-Dichloropropane	ug/kg	<13.5	50.0	10/05/21 10:16	
2-Chlorotoluene	ug/kg	<16.2	50.0	10/05/21 10:16	
4-Chlorotoluene	ug/kg	<19.0	50.0	10/05/21 10:16	
Benzene	ug/kg	<11.9	20.0	10/05/21 10:16	
Bromobenzene	ug/kg	<19.5	50.0	10/05/21 10:16	
Bromochloromethane	ug/kg	<13.7	50.0	10/05/21 10:16	
Bromodichloromethane	ug/kg	<11.9	50.0	10/05/21 10:16	
Bromoform	ug/kg	<220	250	10/05/21 10:16	
Bromomethane	ug/kg	<70.1	250	10/05/21 10:16	
Carbon tetrachloride	ug/kg	<11.0	50.0	10/05/21 10:16	
Chlorobenzene	ug/kg	<6.0	50.0	10/05/21 10:16	
Chloroethane	ug/kg	<21.1	250	10/05/21 10:16	
Chloroform	ug/kg	<35.8	250	10/05/21 10:16	
Chloromethane	ug/kg	<19.0	50.0	10/05/21 10:16	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	10/05/21 10:16	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	10/05/21 10:16	
Dibromochloromethane	ug/kg	<171	250	10/05/21 10:16	
Dibromomethane	ug/kg	<14.8	50.0	10/05/21 10:16	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	10/05/21 10:16	
Diisopropyl ether	ug/kg	<12.4	50.0	10/05/21 10:16	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

METHOD BLANK: 2294160 Matrix: Solid  
Associated Lab Samples: 40234318012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	10/05/21 10:16	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	10/05/21 10:16	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	10/05/21 10:16	
m&p-Xylene	ug/kg	<21.1	100	10/05/21 10:16	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	10/05/21 10:16	
Methylene Chloride	ug/kg	<13.9	50.0	10/05/21 10:16	
n-Butylbenzene	ug/kg	<22.9	50.0	10/05/21 10:16	
n-Propylbenzene	ug/kg	<12.0	50.0	10/05/21 10:16	
Naphthalene	ug/kg	<15.6	250	10/05/21 10:16	
o-Xylene	ug/kg	<15.0	50.0	10/05/21 10:16	
p-Isopropyltoluene	ug/kg	<15.2	50.0	10/05/21 10:16	
sec-Butylbenzene	ug/kg	<12.2	50.0	10/05/21 10:16	
Styrene	ug/kg	<12.8	50.0	10/05/21 10:16	
tert-Butylbenzene	ug/kg	<15.7	50.0	10/05/21 10:16	
Tetrachloroethene	ug/kg	<19.4	50.0	10/05/21 10:16	
Toluene	ug/kg	<12.6	50.0	10/05/21 10:16	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	10/05/21 10:16	
trans-1,3-Dichloropropene	ug/kg	<143	250	10/05/21 10:16	
Trichloroethene	ug/kg	<18.7	50.0	10/05/21 10:16	
Trichlorofluoromethane	ug/kg	<14.5	50.0	10/05/21 10:16	
Vinyl chloride	ug/kg	<10.1	50.0	10/05/21 10:16	
1,2-Dichlorobenzene-d4 (S)	%	104	82-158	10/05/21 10:16	
4-Bromofluorobenzene (S)	%	112	66-153	10/05/21 10:16	
Toluene-d8 (S)	%	109	67-159	10/05/21 10:16	

LABORATORY CONTROL SAMPLE: 2294161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2390	95	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2770	111	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2690	108	70-130	
1,1-Dichloroethane	ug/kg	2500	2790	112	70-130	
1,1-Dichloroethene	ug/kg	2500	2420	97	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2460	98	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2370	95	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2430	97	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2520	101	70-130	
1,2-Dichloroethane	ug/kg	2500	2750	110	70-130	
1,2-Dichloropropane	ug/kg	2500	2740	110	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2470	99	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2560	102	70-130	
Benzene	ug/kg	2500	2560	102	70-130	
Bromodichloromethane	ug/kg	2500	2380	95	70-130	
Bromoform	ug/kg	2500	1880	75	66-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

LABORATORY CONTROL SAMPLE: 2294161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2570	103	13-153	
Carbon tetrachloride	ug/kg	2500	2330	93	73-134	
Chlorobenzene	ug/kg	2500	2510	100	70-130	
Chloroethane	ug/kg	2500	2910	117	19-170	
Chloroform	ug/kg	2500	2600	104	79-120	
Chloromethane	ug/kg	2500	2410	96	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2450	98	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2510	101	68-130	
Dibromochloromethane	ug/kg	2500	2300	92	70-130	
Dichlorodifluoromethane	ug/kg	2500	1620	65	15-135	
Ethylbenzene	ug/kg	2500	2580	103	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2510	100	70-130	
m&p-Xylene	ug/kg	5000	5190	104	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2150	86	65-130	
Methylene Chloride	ug/kg	2500	2530	101	70-130	
o-Xylene	ug/kg	2500	2580	103	70-130	
Styrene	ug/kg	2500	2650	106	70-130	
Tetrachloroethene	ug/kg	2500	2290	91	70-130	
Toluene	ug/kg	2500	2560	102	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2470	99	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2510	100	70-130	
Trichloroethene	ug/kg	2500	2420	97	70-130	
Trichlorofluoromethane	ug/kg	2500	2440	98	49-153	
Vinyl chloride	ug/kg	2500	2610	105	58-121	
1,2-Dichlorobenzene-d4 (S)	%			103	82-158	
4-Bromofluorobenzene (S)	%			110	66-153	
Toluene-d8 (S)	%			109	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2294162 2294163

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40234360005	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/kg	<15.5	1220	1220	1020	972	84	80	70-130	4	20		
1,1,2,2-Tetrachloroethane	ug/kg	<22.0	1220	1220	1510	1310	124	108	65-129	14	20		
1,1,2-Trichloroethane	ug/kg	<22.1	1220	1220	1400	1340	115	110	70-130	5	20		
1,1-Dichloroethane	ug/kg	<15.5	1220	1220	1380	1300	114	107	70-130	6	20		
1,1-Dichloroethene	ug/kg	<20.2	1220	1220	1030	927	85	76	64-120	10	20		
1,2,4-Trichlorobenzene	ug/kg	<50.0	1220	1220	1440	1310	119	108	64-130	9	20		
1,2-Dibromo-3-chloropropane	ug/kg	<47.1	1220	1220	1200	1140	99	94	57-130	6	21		
1,2-Dibromoethane (EDB)	ug/kg	<16.6	1220	1220	1270	1200	105	99	70-130	5	20		
1,2-Dichlorobenzene	ug/kg	<18.8	1220	1220	1430	1270	118	105	70-130	11	20		
1,2-Dichloroethane	ug/kg	<14.0	1220	1220	1430	1360	118	112	70-130	5	20		
1,2-Dichloropropane	ug/kg	<14.4	1220	1220	1400	1300	115	107	72-122	8	20		
1,3-Dichlorobenzene	ug/kg	<16.6	1220	1220	1350	1230	112	101	70-130	10	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2294162												2294163											
Parameter	Units	40234360005		MS	MSD	MS		MSD		% Rec Limits	RPD	Max RPD	Qual										
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec														
1,4-Dichlorobenzene	ug/kg	<16.6	1220	1220	1350	1270	111	105	70-130	6	20												
Benzene	ug/kg	<14.4	1220	1220	1250	1170	103	97	70-130	6	20												
Bromodichloromethane	ug/kg	<14.4	1220	1220	1160	1130	96	93	70-130	2	20												
Bromoform	ug/kg	<267	1220	1220	1020	942	84	78	66-130	8	20												
Bromomethane	ug/kg	<85.1	1220	1220	1370	1310	113	108	13-153	5	20												
Carbon tetrachloride	ug/kg	<13.4	1220	1220	939	893	77	74	67-134	5	20												
Chlorobenzene	ug/kg	<7.3	1220	1220	1360	1240	112	102	70-130	10	20												
Chloroethane	ug/kg	<25.6	1220	1220	1390	1370	114	112	11-195	2	20												
Chloroform	ug/kg	<43.5	1220	1220	1310	1250	108	103	79-120	4	20												
Chloromethane	ug/kg	<23.1	1220	1220	1090	1050	90	86	30-136	4	20												
cis-1,2-Dichloroethene	ug/kg	<13.0	1220	1220	1240	1170	102	96	70-130	6	20												
cis-1,3-Dichloropropene	ug/kg	<40.1	1220	1220	1210	1130	99	93	68-130	7	20												
Dibromochloromethane	ug/kg	<208	1220	1220	1170	1090	96	90	70-130	6	20												
Dichlorodifluoromethane	ug/kg	<26.1	1220	1220	539	486	44	40	10-158	10	25												
Ethylbenzene	ug/kg	<14.4	1220	1220	1270	1180	105	97	78-120	8	20												
Isopropylbenzene (Cumene)	ug/kg	<16.4	1220	1220	1200	1140	99	94	70-130	5	20												
m&p-Xylene	ug/kg	<25.6	2420	2420	2570	2370	106	98	70-130	8	20												
Methyl-tert-butyl ether	ug/kg	<17.8	1220	1220	1110	1050	92	87	65-130	6	20												
Methylene Chloride	ug/kg	<16.9	1220	1220	1330	1260	110	104	70-130	6	20												
o-Xylene	ug/kg	<18.2	1220	1220	1340	1240	110	102	70-130	7	20												
Styrene	ug/kg	<15.5	1220	1220	1340	1270	111	105	70-130	5	20												
Tetrachloroethene	ug/kg	<23.6	1220	1220	1060	995	87	82	70-130	6	20												
Toluene	ug/kg	<15.3	1220	1220	1310	1240	108	102	76-120	6	20												
trans-1,2-Dichloroethene	ug/kg	<13.1	1220	1220	1160	1120	95	92	70-130	3	20												
trans-1,3-Dichloropropene	ug/kg	<174	1220	1220	1240	1170	102	96	70-130	6	20												
Trichloroethene	ug/kg	<22.7	1220	1220	1150	1130	95	93	70-130	2	20												
Trichlorofluoromethane	ug/kg	<17.6	1220	1220	908	801	75	66	42-159	12	21												
Vinyl chloride	ug/kg	<12.3	1220	1220	1040	971	86	80	43-137	7	20												
1,2-Dichlorobenzene-d4 (S)	%						120	118	82-158														
4-Bromofluorobenzene (S)	%						127	123	66-153														
Toluene-d8 (S)	%						129	128	67-159														

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

QC Batch:	397784	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Normal List
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

METHOD BLANK: 2296137 Matrix: Solid  
Associated Lab Samples: 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	10/07/21 13:53	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	10/07/21 13:53	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	10/07/21 13:53	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	10/07/21 13:53	
1,1-Dichloroethane	ug/kg	<12.8	50.0	10/07/21 13:53	
1,1-Dichloroethene	ug/kg	<16.6	50.0	10/07/21 13:53	
1,1-Dichloropropene	ug/kg	<16.2	50.0	10/07/21 13:53	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	10/07/21 13:53	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	10/07/21 13:53	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	10/07/21 13:53	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	10/07/21 13:53	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	10/07/21 13:53	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	10/07/21 13:53	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	10/07/21 13:53	
1,2-Dichloroethane	ug/kg	<11.5	50.0	10/07/21 13:53	
1,2-Dichloropropane	ug/kg	<11.9	50.0	10/07/21 13:53	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	10/07/21 13:53	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	10/07/21 13:53	
1,3-Dichloropropane	ug/kg	<10.9	50.0	10/07/21 13:53	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	10/07/21 13:53	
2,2-Dichloropropane	ug/kg	<13.5	50.0	10/07/21 13:53	
2-Chlorotoluene	ug/kg	<16.2	50.0	10/07/21 13:53	
4-Chlorotoluene	ug/kg	<19.0	50.0	10/07/21 13:53	
Benzene	ug/kg	<11.9	20.0	10/07/21 13:53	
Bromobenzene	ug/kg	<19.5	50.0	10/07/21 13:53	
Bromochloromethane	ug/kg	<13.7	50.0	10/07/21 13:53	
Bromodichloromethane	ug/kg	<11.9	50.0	10/07/21 13:53	
Bromoform	ug/kg	<220	250	10/07/21 13:53	
Bromomethane	ug/kg	<70.1	250	10/07/21 13:53	
Carbon tetrachloride	ug/kg	<11.0	50.0	10/07/21 13:53	
Chlorobenzene	ug/kg	<6.0	50.0	10/07/21 13:53	
Chloroethane	ug/kg	<21.1	250	10/07/21 13:53	
Chloroform	ug/kg	<35.8	250	10/07/21 13:53	
Chloromethane	ug/kg	<19.0	50.0	10/07/21 13:53	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	10/07/21 13:53	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	10/07/21 13:53	
Dibromochloromethane	ug/kg	<171	250	10/07/21 13:53	
Dibromomethane	ug/kg	<14.8	50.0	10/07/21 13:53	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	10/07/21 13:53	
Diisopropyl ether	ug/kg	<12.4	50.0	10/07/21 13:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

METHOD BLANK: 2296137

Matrix: Solid

Associated Lab Samples: 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	10/07/21 13:53	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	10/07/21 13:53	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	10/07/21 13:53	
m&p-Xylene	ug/kg	<21.1	100	10/07/21 13:53	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	10/07/21 13:53	
Methylene Chloride	ug/kg	<13.9	50.0	10/07/21 13:53	
n-Butylbenzene	ug/kg	25.4J	50.0	10/07/21 13:53	
n-Propylbenzene	ug/kg	<12.0	50.0	10/07/21 13:53	
Naphthalene	ug/kg	22.0J	250	10/07/21 13:53	
o-Xylene	ug/kg	<15.0	50.0	10/07/21 13:53	
p-Isopropyltoluene	ug/kg	15.6J	50.0	10/07/21 13:53	
sec-Butylbenzene	ug/kg	17.2J	50.0	10/07/21 13:53	
Styrene	ug/kg	<12.8	50.0	10/07/21 13:53	
tert-Butylbenzene	ug/kg	<15.7	50.0	10/07/21 13:53	
Tetrachloroethene	ug/kg	<19.4	50.0	10/07/21 13:53	
Toluene	ug/kg	<12.6	50.0	10/07/21 13:53	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	10/07/21 13:53	
trans-1,3-Dichloropropene	ug/kg	<143	250	10/07/21 13:53	
Trichloroethene	ug/kg	<18.7	50.0	10/07/21 13:53	
Trichlorofluoromethane	ug/kg	<14.5	50.0	10/07/21 13:53	
Vinyl chloride	ug/kg	<10.1	50.0	10/07/21 13:53	
1,2-Dichlorobenzene-d4 (S)	%	100	82-158	10/07/21 13:53	
4-Bromofluorobenzene (S)	%	104	66-153	10/07/21 13:53	
Toluene-d8 (S)	%	108	67-159	10/07/21 13:53	

LABORATORY CONTROL SAMPLE: 2296138

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2500	100	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2990	120	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2800	112	70-130	
1,1-Dichloroethane	ug/kg	2500	2940	118	70-130	
1,1-Dichloroethene	ug/kg	2500	2470	99	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2570	103	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2730	109	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2700	108	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2640	106	70-130	
1,2-Dichloroethane	ug/kg	2500	2840	114	70-130	
1,2-Dichloropropane	ug/kg	2500	2890	115	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2570	103	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2580	103	70-130	
Benzene	ug/kg	2500	2610	104	70-130	
Bromodichloromethane	ug/kg	2500	2490	100	70-130	
Bromoform	ug/kg	2500	2130	85	66-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

QC Batch:	397618	Analysis Method:	WI MOD DRO
QC Batch Method:	WI MOD DRO	Analysis Description:	WIDRO GCS
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007		

METHOD BLANK:	2294812	Matrix:	Solid
Associated Lab Samples:	40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/kg	<1.3	4.4	10/07/21 09:06	

Parameter	Units	2294813		2294814		% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec				
Diesel Range Organics	mg/kg	40	34.7	34.5	87	86	70-120	1	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

QC Batch:	397874	Analysis Method:	WI MOD DRO
QC Batch Method:	WI MOD DRO	Analysis Description:	WIDRO GCS
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

METHOD BLANK:	2296862	Matrix:	Solid
---------------	---------	---------	-------

Associated Lab Samples: 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015, 40234318016, 40234318017, 40234318018, 40234318019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/kg	<1.3	4.4	10/11/21 08:13	

LABORATORY CONTROL SAMPLE & LCSD: 2296863		2296864								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Range Organics	mg/kg	40	30.5	32.0	76	80	70-120	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

---

QC Batch:	397465	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318001, 40234318002, 40234318003, 40234318004, 40234318005, 40234318006, 40234318007, 40234318008, 40234318009, 40234318010, 40234318011, 40234318012, 40234318013, 40234318014, 40234318015

---

SAMPLE DUPLICATE: 2293694

Parameter	Units	40234318003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	12.3	13.0	6	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

QC Batch: 397466

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234318016, 40234318017, 40234318018, 40234318019

SAMPLE DUPLICATE: 2293697

Parameter	Units	40234235001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	15.2	15.8	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

- |    |  |
|----|--|
| 1q | Analyte was detected in the associated method blank. Sample was re-analyzed with a second method blank that was non-detect. Due to limitations of the LIMS system, only initial method blank results are reported. |
| D3 | Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.   |
| DC | Chromatographic pattern inconsistent with typical Diesel Fuel.   |
| G+ | Late peaks present outside the GRO window.   |
| G- | Early peaks present outside the GRO window.  |
| GO | Early and late peaks present outside the GRO window.   |
| R1 | RPD value was outside control limits.  |
| S4 | Surrogate recovery not evaluated against control limits due to sample dilution.  |

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234318

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40234318001	SB-01 (8-10.5)	WI MOD DRO	397618	WI MOD DRO	397701
40234318002	SB-02 (6-8)	WI MOD DRO	397618	WI MOD DRO	397701
40234318003	SB-03 (2-4)	WI MOD DRO	397618	WI MOD DRO	397701
40234318004	SB-04 (2-4)	WI MOD DRO	397618	WI MOD DRO	397701
40234318005	SB-04 (6-7)	WI MOD DRO	397618	WI MOD DRO	397701
40234318006	SB-05 (4-6)	WI MOD DRO	397618	WI MOD DRO	397701
40234318007	SB-05 (6-7)	WI MOD DRO	397618	WI MOD DRO	397701
40234318008	SB-06 (2-3)	WI MOD DRO	397874	WI MOD DRO	397952
40234318009	SB-06 (4-6)	WI MOD DRO	397874	WI MOD DRO	397952
40234318010	SB-07 (2-3)	WI MOD DRO	397874	WI MOD DRO	397952
40234318011	SB-08 (2-3)	WI MOD DRO	397874	WI MOD DRO	397952
40234318012	SB-09 (2-4)	WI MOD DRO	397874	WI MOD DRO	397952
40234318013	SB-10 (2-4)	WI MOD DRO	397874	WI MOD DRO	397952
40234318014	SB-10 (6-7.5)	WI MOD DRO	397874	WI MOD DRO	397952
40234318015	SB-11 (4-6)	WI MOD DRO	397874	WI MOD DRO	397952
40234318016	SB-11 (6-8)	WI MOD DRO	397874	WI MOD DRO	397952
40234318017	SB-12 (6-8)	WI MOD DRO	397874	WI MOD DRO	397952
40234318018	SB-13 (6-7.5)	WI MOD DRO	397874	WI MOD DRO	397952
40234318019	SB-14 (6-7)	WI MOD DRO	397874	WI MOD DRO	397952
40234318001	SB-01 (8-10.5)	TPH GRO/PVOC WI ext.	397517	WI MOD GRO	397520
40234318002	SB-02 (6-8)	TPH GRO/PVOC WI ext.	397517	WI MOD GRO	397520
40234318003	SB-03 (2-4)	TPH GRO/PVOC WI ext.	397517	WI MOD GRO	397520
40234318004	SB-04 (2-4)	TPH GRO/PVOC WI ext.	397517	WI MOD GRO	397520
40234318005	SB-04 (6-7)	TPH GRO/PVOC WI ext.	397517	WI MOD GRO	397520
40234318006	SB-05 (4-6)	TPH GRO/PVOC WI ext.	397517	WI MOD GRO	397520
40234318007	SB-05 (6-7)	TPH GRO/PVOC WI ext.	397517	WI MOD GRO	397520
40234318008	SB-06 (2-3)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318009	SB-06 (4-6)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318010	SB-07 (2-3)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318011	SB-08 (2-3)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318012	SB-09 (2-4)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318013	SB-10 (2-4)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318014	SB-10 (6-7.5)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318015	SB-11 (4-6)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318016	SB-11 (6-8)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318017	SB-12 (6-8)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318018	SB-13 (6-7.5)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318019	SB-14 (6-7)	TPH GRO/PVOC WI ext.	397632	WI MOD GRO	397634
40234318001	SB-01 (8-10.5)	EPA 3010A	397651	EPA 6010D	397717
40234318002	SB-02 (6-8)	EPA 3010A	397651	EPA 6010D	397717
40234318003	SB-03 (2-4)	EPA 3010A	397651	EPA 6010D	397717
40234318004	SB-04 (2-4)	EPA 3010A	397651	EPA 6010D	397717
40234318005	SB-04 (6-7)	EPA 3010A	397651	EPA 6010D	397717
40234318006	SB-05 (4-6)	EPA 3010A	397651	EPA 6010D	397717
40234318007	SB-05 (6-7)	EPA 3010A	397651	EPA 6010D	397717
40234318008	SB-06 (2-3)	EPA 3010A	397651	EPA 6010D	397717
40234318009	SB-06 (4-6)	EPA 3010A	397651	EPA 6010D	397717

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40234318010	SB-07 (2-3)	EPA 3010A	397651	EPA 6010D	397717
40234318011	SB-08 (2-3)	EPA 3010A	397651	EPA 6010D	397717
40234318012	SB-09 (2-4)	EPA 3010A	397651	EPA 6010D	397717
40234318013	SB-10 (2-4)	EPA 3010A	397651	EPA 6010D	397717
40234318014	SB-10 (6-7.5)	EPA 3010A	397651	EPA 6010D	397717
40234318015	SB-11 (4-6)	EPA 3010A	397651	EPA 6010D	397717
40234318016	SB-11 (6-8)	EPA 3010A	397651	EPA 6010D	397717
40234318017	SB-12 (6-8)	EPA 3010A	397651	EPA 6010D	397717
40234318018	SB-13 (6-7.5)	EPA 3010A	397654	EPA 6010D	397715
40234318019	SB-14 (6-7)	EPA 3010A	397654	EPA 6010D	397715
40234318001	SB-01 (8-10.5)	EPA 7470	398063	EPA 7470	398123
40234318002	SB-02 (6-8)	EPA 7470	398063	EPA 7470	398123
40234318003	SB-03 (2-4)	EPA 7470	398063	EPA 7470	398123
40234318004	SB-04 (2-4)	EPA 7470	398063	EPA 7470	398123
40234318005	SB-04 (6-7)	EPA 7470	398063	EPA 7470	398123
40234318006	SB-05 (4-6)	EPA 7470	398063	EPA 7470	398123
40234318007	SB-05 (6-7)	EPA 7470	398063	EPA 7470	398123
40234318008	SB-06 (2-3)	EPA 7470	398063	EPA 7470	398123
40234318009	SB-06 (4-6)	EPA 7470	398063	EPA 7470	398123
40234318010	SB-07 (2-3)	EPA 7470	398063	EPA 7470	398123
40234318011	SB-08 (2-3)	EPA 7470	398064	EPA 7470	398124
40234318012	SB-09 (2-4)	EPA 7470	398064	EPA 7470	398124
40234318013	SB-10 (2-4)	EPA 7470	398064	EPA 7470	398124
40234318014	SB-10 (6-7.5)	EPA 7470	398064	EPA 7470	398124
40234318015	SB-11 (4-6)	EPA 7470	398064	EPA 7470	398124
40234318016	SB-11 (6-8)	EPA 7470	398064	EPA 7470	398124
40234318017	SB-12 (6-8)	EPA 7470	398064	EPA 7470	398124
40234318018	SB-13 (6-7.5)	EPA 7470	398064	EPA 7470	398124
40234318019	SB-14 (6-7)	EPA 7470	398064	EPA 7470	398124
40234318001	SB-01 (8-10.5)	EPA 5035/5030B	397420	EPA 8260	397423
40234318002	SB-02 (6-8)	EPA 5035/5030B	397420	EPA 8260	397423
40234318003	SB-03 (2-4)	EPA 5035/5030B	397420	EPA 8260	397423
40234318004	SB-04 (2-4)	EPA 5035/5030B	397420	EPA 8260	397423
40234318005	SB-04 (6-7)	EPA 5035/5030B	397420	EPA 8260	397423
40234318006	SB-05 (4-6)	EPA 5035/5030B	397420	EPA 8260	397423
40234318007	SB-05 (6-7)	EPA 5035/5030B	397420	EPA 8260	397423
40234318008	SB-06 (2-3)	EPA 5035/5030B	397420	EPA 8260	397423
40234318009	SB-06 (4-6)	EPA 5035/5030B	397420	EPA 8260	397423
40234318010	SB-07 (2-3)	EPA 5035/5030B	397420	EPA 8260	397423
40234318011	SB-08 (2-3)	EPA 5035/5030B	397420	EPA 8260	397423
40234318012	SB-09 (2-4)	EPA 5035/5030B	397533	EPA 8260	397536
40234318013	SB-10 (2-4)	EPA 5035/5030B	397784	EPA 8260	397785
40234318014	SB-10 (6-7.5)	EPA 5035/5030B	397784	EPA 8260	397785
40234318015	SB-11 (4-6)	EPA 5035/5030B	397784	EPA 8260	397785
40234318016	SB-11 (6-8)	EPA 5035/5030B	397784	EPA 8260	397785
40234318017	SB-12 (6-8)	EPA 5035/5030B	397784	EPA 8260	397785

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234318

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40234318018	SB-13 (6-7.5)	EPA 5035/5030B	397784	EPA 8260	397785
40234318019	SB-14 (6-7)	EPA 5035/5030B	397784	EPA 8260	397785
40234318001	SB-01 (8-10.5)	ASTM D2974-87	397465		
40234318002	SB-02 (6-8)	ASTM D2974-87	397465		
40234318003	SB-03 (2-4)	ASTM D2974-87	397465		
40234318004	SB-04 (2-4)	ASTM D2974-87	397465		
40234318005	SB-04 (6-7)	ASTM D2974-87	397465		
40234318006	SB-05 (4-6)	ASTM D2974-87	397465		
40234318007	SB-05 (6-7)	ASTM D2974-87	397465		
40234318008	SB-06 (2-3)	ASTM D2974-87	397465		
40234318009	SB-06 (4-6)	ASTM D2974-87	397465		
40234318010	SB-07 (2-3)	ASTM D2974-87	397465		
40234318011	SB-08 (2-3)	ASTM D2974-87	397465		
40234318012	SB-09 (2-4)	ASTM D2974-87	397465		
40234318013	SB-10 (2-4)	ASTM D2974-87	397465		
40234318014	SB-10 (6-7.5)	ASTM D2974-87	397465		
40234318015	SB-11 (4-6)	ASTM D2974-87	397465		
40234318016	SB-11 (6-8)	ASTM D2974-87	397466		
40234318017	SB-12 (6-8)	ASTM D2974-87	397466		
40234318018	SB-13 (6-7.5)	ASTM D2974-87	397466		
40234318019	SB-14 (6-7)	ASTM D2974-87	397466		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

4023438

<b>Section A</b>	<b>Section B</b>	<b>Section C</b>	<b>Section D</b>
<b>Required Client Information:</b>	<b>Required Project Information:</b>	<b>Invoice Information:</b>	<b>EQUIS Information:</b>
Company: Bay West LLC	Report To: Mark Gretebeck	Attention: Accounts Payable	Facility_Code:
Address: 5 Empire Drive	Copy To:	Company Name: Bay West LLC	Subfacility_code:
St. Paul, MN 55103		Address: 5 Empire Drive	COC#
Email To: mgretebeck@baywest.com	Purchase Order No.: 207913	St. Paul, MN 55103	
Phone: 608-700-5045	Project Name: STH 54 Seymour	Lab Project Manager: Brian Basten	Site Location
Requested Due Date/TAT: 5 Day	Project Number: J210618		STATE: WI

ITEM #	Section E Required Client Information		Valid Matrix Codes		MATRIX CODE	SAMPLE TYPE (G=GRAB C=COMIP)	Collection		Preservatives										Requested Analysis					Comments
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)	SE SO SQ W WG WS	DATE			Time	# OF CONTAINERS	Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH	Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	Methanol	Other	VOCs	GRO	DRO	TCLP Metals	Dry Weight			
1	001	SB-01 (8-10.5)	SO	G	9/29/21	1030	4	X					X		X	X	X	X	X					
2	002	SB-02 (6-8)	SO	G	9/29/21	1200	4	X					X		X	X	X	X	X					
3	003	SB-03 (2-4)	SO	G	9/29/21	1215	4	X					X		X	X	X	X	X					
4	004	SB-04 (2-4)	SO	G	9/29/21	1315	4	X					X		X	X	X	X	X					
5	005	SB-04 (6-7)	SO	G	9/29/21	1330	4	X					X		X	X	X	X	X					
6	006	SB-05 (4-6)	SO	G	9/29/21	1350	4	X					X		X	X	X	X	X					
7	007	SB-05 (6-7)	SO	G	9/29/21	1405	4	X					X		X	X	X	X	X					
8	008	SB-06 (2-3)	SO	G	9/29/21	1435	4	X					X		X	X	X	X	X					
9	009	SB-06 (4-6)	SO	G	9/29/21	1445	4	X					X		X	X	X	X	X					
10	010	SB-07 (2-3)	SO	G	9/29/21	1509	4	X					X		X	X	X	X	X					
11	011	SB-08 (2-3)	SO	G	9/29/21	1600	4	X					X		X	X	X	X	X					
12	012	SB-09 (2-4)	SO	G	9/30/21	0745	4	X					X		X	X	X	X	X					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	<i>[Signature]</i> / Bay West	10/1/21	0850	<i>[Signature]</i> / PACE	10/1/21	0850	4,2,5, 4,5	Y	N	Y
							Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER: Samuel Blas	*Return Policy (S6)
SIGNATURE of SAMPLER: <i>[Signature]</i>	DATE Signed (MM/DD/YY): 10/1/21

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

40234318

<b>Section A</b> Required Client Information:	<b>Section B</b> Required Project Information:	<b>Section C</b> Invoice Information:	<b>Section D</b> EQUIS Information:
Company: Bay West LLC	Report To: Mark Gretebeck	Attention: Accounts Payable	Facility_Code:
Address: 5 Empire Drive	Copy To:	Company Name: Bay West LLC	Subfacility_code:
St. Paul, MN 55103		Address: 5 Empire Drive	
Email To: mgretebeck@baywest.com	Purchase Order No.: <b>207913</b>	St. Paul, MN 55103	
Phone: <b>608-769-545</b>	Project Name: STH 54 Seymour	Lab Project Manager: Brian Basten	
Requested Due Date/TAT: 5 Day	Project Number: J210618		Page <b>2</b> of <b>2</b>
			COC#
			Site Location STATE: <b>WI</b>

ITEM #	Section E Required Client Information		Valid Matrix Codes		MATRIX CODE	SAMPLE TYPE (G=GRAB C=COMP)	Collection		# OF CONTAINERS	Preservatives								Requested Analysis					Comments		
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)	Sediment SE	Soil SO			DATE	Time		Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH	Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	Methanol	Other	VOCs	GRO	DRO	TCLP Metals	Dry Weight			
1	013	SB-10(2-4)	WG	G	WG	G	9/30/21	0810	4	X									X	X	X	X	X		
2	014	SB-10(6-7-5)	WG	G	WG	G	9/30/21	0815	4	X									X	X	X	X	X		
3	015	SB-11(4-6)	WG	G	WG	G	9/30/21	0845	4	X									X	X	X	X	X		
4	016	SB-11(6-8)	WG	G	WG	G	9/30/21	0855	4	X									X	X	X	X	X		
5	017	SB-12(6-8)	WG	G	WG	G	9/30/21	0915	4	X									X	X	X	X	X		
6	018	SB-13(6-7-5)	WG	G	WG	G	9/30/21	0930	4	X									X	X	X	X	X		
7	019	SB-14(6-7)	WG	G	WG	G	9/30/21	0945	4	X									X	X	X	X	X		
8																									
9																									
10																									
11																									
12																									
10																									
11																									
12																									

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	/ Bay West	10/1/21	0850	/ PACE	10/1/21	0850	Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
							4, 25	Y	N	Y
							4, 5			

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER: <b>Samuel Gans</b>	(86)
SIGNATURE of SAMPLER:	DATE Signed (MM/DD/YYYY): <b>10/1/21</b>





Document Name:  
**Sample Condition Upon Receipt (SCUR)**  
 Document No.:  
**ENV-FRM-GBAY-0014-Rev.00**

Document Revised: 26Mar2020  
 Author:  
 Pace Green Bay Quality Office

**Sample Condition Upon Receipt Form (SCUR)**

Project #:

Client Name: Bay West

**WO#: 40234318**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: 7

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR - 90 Type of Ice: Wet Blue Dry None  Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 4.5, 3.4, 5.5 Corr: 4, 2.5, 4, 5

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Person examining contents:  
 Date: 10/1/21 Initials: WC  
 Labeled By Initials: SRK

Temp should be above freezing to 6°C.  
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.5 DAY TAT REQUESTED LSC 10/1/21
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10/1/21 SRK
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>10/1/21 SRK</u>
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments   
 Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

October 13, 2021

Mark Gretebeck  
Bay West

La Crosse, WI 54603

RE: Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

Dear Mark Gretebeck:

Enclosed are the analytical results for sample(s) received by the laboratory on October 01, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten  
brian.basten@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Sylvia Hunter, Pace ANalytical



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40234317001	TW-01	Water	09/29/21 11:15	10/01/21 08:50
40234317002	TW-02	Water	09/29/21 13:05	10/01/21 08:50
40234317003	TW-03	Water	09/29/21 14:10	10/01/21 08:50
40234317004	TB-01	Water	09/29/21 08:00	10/01/21 08:50
40234317005	TW-04	Water	09/30/21 10:05	10/01/21 08:50
40234317006	TW-05	Water	09/30/21 10:30	10/01/21 08:50

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40234317001	TW-01	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 6010D	TXW	1
		EPA 7470	AJT	1
		EPA 8260	LAP	64
40234317002	TW-02	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 6010D	TXW	1
		EPA 7470	AJT	1
		EPA 8260	LAP	64
40234317003	TW-03	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 6010D	TXW	1
		EPA 7470	AJT	1
		EPA 8260	LAP	64
40234317004	TB-01	EPA 8260	LAP	64
40234317005	TW-04	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 6010D	TXW	1
		EPA 7470	AJT	1
		EPA 8260	LAP	64
40234317006	TW-05	WI MOD DRO	MRN	1
		WI MOD GRO	ALD	1
		EPA 6010D	TXW	7
		EPA 6010D	TXW	1
		EPA 7470	AJT	1
		EPA 8260	LAP	64

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SUMMARY OF DETECTION

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40234317005</b>	<b>TW-04</b>					
EPA 8260	Naphthalene	15.5J	ug/L	50.0	10/05/21 14:56	
EPA 8260	m&p-Xylene	28.7	ug/L	20.0	10/05/21 14:56	
EPA 8260	n-Propylbenzene	9.2J	ug/L	10.0	10/05/21 14:56	
EPA 8260	o-Xylene	4.9J	ug/L	10.0	10/05/21 14:56	
EPA 8260	p-Isopropyltoluene	12.4J	ug/L	50.0	10/05/21 14:56	
EPA 8260	sec-Butylbenzene	10.2	ug/L	10.0	10/05/21 14:56	
<b>40234317006</b>	<b>TW-05</b>					
WI MOD DRO	Diesel Range Organics	0.055	mg/L	0.050	10/07/21 07:45	B
EPA 6010D	Barium	0.12	mg/L	0.0050	10/06/21 22:56	
EPA 8260	Toluene	0.65J	ug/L	1.0	10/05/21 12:48	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

**Sample: TW-01**      **Lab ID: 40234317001**    Collected: 09/29/21 11:15    Received: 10/01/21 08:50    Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
<i>Surrogates</i>									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/05/21 12:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/05/21 12:09	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/05/21 12:09	2037-26-5	

**Sample: TW-02**      **Lab ID: 40234317002**    Collected: 09/29/21 13:05    Received: 10/01/21 08:50    Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>		Analytical Method: WI MOD DRO    Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay							
Diesel Range Organics	<b>0.92</b>	mg/L	0.049	0.015	1	10/06/21 08:32	10/07/21 07:18		DC
<b>WIGRO GCV</b>		Analytical Method: WI MOD GRO Pace Analytical Services - Green Bay							
Gasoline Range Organics	<b>6590</b>	ug/L	500	305	10		10/07/21 13:54		GO
<b>6010D MET ICP, TCLP</b>		Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay							
Arsenic	<b>&lt;0.0084</b>	mg/L	0.025	0.0084	1	10/06/21 11:18	10/06/21 22:48	7440-38-2	
Barium	<b>0.078</b>	mg/L	0.0050	0.0015	1	10/06/21 11:18	10/06/21 22:48	7440-39-3	
Cadmium	<b>&lt;0.0013</b>	mg/L	0.0050	0.0013	1	10/06/21 11:18	10/06/21 22:48	7440-43-9	
Chromium	<b>&lt;0.0025</b>	mg/L	0.010	0.0025	1	10/06/21 11:18	10/06/21 22:48	7440-47-3	
Lead	<b>&lt;0.0059</b>	mg/L	0.020	0.0059	1	10/06/21 11:18	10/06/21 22:48	7439-92-1	
Selenium	<b>&lt;0.012</b>	mg/L	0.040	0.012	1	10/06/21 11:18	10/06/21 22:48	7782-49-2	
Silver	<b>&lt;0.0032</b>	mg/L	0.010	0.0032	1	10/06/21 11:18	10/06/21 22:48	7440-22-4	
<b>6010D MET ICP, Dissolved</b>		Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Pace Analytical Services - Green Bay							
Lead, Dissolved	<b>&lt;5.9</b>	ug/L	20.0	5.9	1	10/06/21 11:18	10/06/21 21:06	7439-92-1	
<b>7470 Mercury, TCLP</b>		Analytical Method: EPA 7470    Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay							
Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:38	7439-97-6	
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<b>&lt;3.6</b>	ug/L	10.0	3.6	10		10/05/21 14:17	630-20-6	
1,1,1-Trichloroethane	<b>&lt;3.0</b>	ug/L	10.0	3.0	10		10/05/21 14:17	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;3.8</b>	ug/L	10.0	3.8	10		10/05/21 14:17	79-34-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

Sample: TW-02 Lab ID: 40234317002 Collected: 09/29/21 13:05 Received: 10/01/21 08:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		10/05/21 14:17	79-00-5	
1,1-Dichloroethane	<3.0	ug/L	10.0	3.0	10		10/05/21 14:17	75-34-3	
1,1-Dichloroethene	<5.8	ug/L	10.0	5.8	10		10/05/21 14:17	75-35-4	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		10/05/21 14:17	563-58-6	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		10/05/21 14:17	87-61-6	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		10/05/21 14:17	96-18-4	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		10/05/21 14:17	120-82-1	
1,2,4-Trimethylbenzene	436	ug/L	10.0	4.5	10		10/05/21 14:17	95-63-6	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		10/05/21 14:17	96-12-8	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		10/05/21 14:17	106-93-4	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		10/05/21 14:17	95-50-1	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		10/05/21 14:17	107-06-2	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		10/05/21 14:17	78-87-5	
1,3,5-Trimethylbenzene	94.9	ug/L	10.0	3.6	10		10/05/21 14:17	108-67-8	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		10/05/21 14:17	541-73-1	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		10/05/21 14:17	142-28-9	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		10/05/21 14:17	106-46-7	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		10/05/21 14:17	594-20-7	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		10/05/21 14:17	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		10/05/21 14:17	106-43-4	
Benzene	1710	ug/L	10.0	3.0	10		10/05/21 14:17	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		10/05/21 14:17	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		10/05/21 14:17	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		10/05/21 14:17	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		10/05/21 14:17	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		10/05/21 14:17	74-83-9	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		10/05/21 14:17	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		10/05/21 14:17	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		10/05/21 14:17	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		10/05/21 14:17	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		10/05/21 14:17	74-87-3	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		10/05/21 14:17	124-48-1	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		10/05/21 14:17	74-95-3	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		10/05/21 14:17	75-71-8	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		10/05/21 14:17	108-20-3	
Ethylbenzene	547	ug/L	10.0	3.3	10		10/05/21 14:17	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		10/05/21 14:17	87-68-3	
Isopropylbenzene (Cumene)	30.2J	ug/L	50.0	10.0	10		10/05/21 14:17	98-82-8	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		10/05/21 14:17	1634-04-4	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		10/05/21 14:17	75-09-2	
Naphthalene	94.3	ug/L	50.0	11.3	10		10/05/21 14:17	91-20-3	
Styrene	<3.6	ug/L	10.0	3.6	10		10/05/21 14:17	100-42-5	
Tetrachloroethene	<4.1	ug/L	10.0	4.1	10		10/05/21 14:17	127-18-4	
Toluene	75.2	ug/L	10.0	2.9	10		10/05/21 14:17	108-88-3	
Trichloroethene	<3.2	ug/L	10.0	3.2	10		10/05/21 14:17	79-01-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

**Sample: TW-02**      **Lab ID: 40234317002**      Collected: 09/29/21 13:05      Received: 10/01/21 08:50      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		10/05/21 14:17	75-69-4	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		10/05/21 14:17	75-01-4	
cis-1,2-Dichloroethene	<4.7	ug/L	10.0	4.7	10		10/05/21 14:17	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		10/05/21 14:17	10061-01-5	
m&p-Xylene	1110	ug/L	20.0	7.0	10		10/05/21 14:17	179601-23-1	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		10/05/21 14:17	104-51-8	
n-Propylbenzene	78.6	ug/L	10.0	3.5	10		10/05/21 14:17	103-65-1	
o-Xylene	289	ug/L	10.0	3.5	10		10/05/21 14:17	95-47-6	
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		10/05/21 14:17	99-87-6	
sec-Butylbenzene	8.0J	ug/L	10.0	4.2	10		10/05/21 14:17	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		10/05/21 14:17	98-06-6	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		10/05/21 14:17	156-60-5	
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		10/05/21 14:17	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	97	%	70-130		10		10/05/21 14:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		10		10/05/21 14:17	2199-69-1	
Toluene-d8 (S)	103	%	70-130		10		10/05/21 14:17	2037-26-5	

**Sample: TW-03**      **Lab ID: 40234317003**      Collected: 09/29/21 14:10      Received: 10/01/21 08:50      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO      Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	3.2	mg/L	0.15	0.045	3	10/06/21 08:32	10/07/21 08:12		DC
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO Pace Analytical Services - Green Bay									
Gasoline Range Organics	7630	ug/L	1250	762	25		10/07/21 13:28		GO
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D      Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<0.0084	mg/L	0.025	0.0084	1	10/06/21 11:18	10/06/21 22:51	7440-38-2	
Barium	0.11	mg/L	0.0050	0.0015	1	10/06/21 11:18	10/06/21 22:51	7440-39-3	
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	10/06/21 11:18	10/06/21 22:51	7440-43-9	
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:18	10/06/21 22:51	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:18	10/06/21 22:51	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:18	10/06/21 22:51	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:18	10/06/21 22:51	7440-22-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

Sample: TW-03 Lab ID: 40234317003 Collected: 09/29/21 14:10 Received: 10/01/21 08:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, Dissolved</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Green Bay									
Lead, Dissolved	<5.9	ug/L	20.0	5.9	1	10/06/21 11:18	10/06/21 21:14	7439-92-1	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:40	7439-97-6	
<b>8260 MSV</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<8.9	ug/L	25.0	8.9	25		10/05/21 14:36	630-20-6	
1,1,1-Trichloroethane	<7.6	ug/L	25.0	7.6	25		10/05/21 14:36	71-55-6	
1,1,2,2-Tetrachloroethane	<9.4	ug/L	25.0	9.4	25		10/05/21 14:36	79-34-5	
1,1,2-Trichloroethane	<8.6	ug/L	125	8.6	25		10/05/21 14:36	79-00-5	
1,1-Dichloroethane	<7.4	ug/L	25.0	7.4	25		10/05/21 14:36	75-34-3	
1,1-Dichloroethene	<14.6	ug/L	25.0	14.6	25		10/05/21 14:36	75-35-4	
1,1-Dichloropropene	<10.3	ug/L	25.0	10.3	25		10/05/21 14:36	563-58-6	
1,2,3-Trichlorobenzene	<25.5	ug/L	125	25.5	25		10/05/21 14:36	87-61-6	
1,2,3-Trichloropropane	<13.9	ug/L	125	13.9	25		10/05/21 14:36	96-18-4	
1,2,4-Trichlorobenzene	<23.8	ug/L	125	23.8	25		10/05/21 14:36	120-82-1	
1,2,4-Trimethylbenzene	413	ug/L	25.0	11.2	25		10/05/21 14:36	95-63-6	
1,2-Dibromo-3-chloropropane	<59.2	ug/L	125	59.2	25		10/05/21 14:36	96-12-8	
1,2-Dibromoethane (EDB)	<7.7	ug/L	25.0	7.7	25		10/05/21 14:36	106-93-4	
1,2-Dichlorobenzene	<8.1	ug/L	25.0	8.1	25		10/05/21 14:36	95-50-1	
1,2-Dichloroethane	<7.3	ug/L	25.0	7.3	25		10/05/21 14:36	107-06-2	
1,2-Dichloropropane	<11.2	ug/L	25.0	11.2	25		10/05/21 14:36	78-87-5	
1,3,5-Trimethylbenzene	73.0	ug/L	25.0	8.9	25		10/05/21 14:36	108-67-8	
1,3-Dichlorobenzene	<8.8	ug/L	25.0	8.8	25		10/05/21 14:36	541-73-1	
1,3-Dichloropropane	<7.6	ug/L	25.0	7.6	25		10/05/21 14:36	142-28-9	
1,4-Dichlorobenzene	<22.3	ug/L	25.0	22.3	25		10/05/21 14:36	106-46-7	
2,2-Dichloropropane	<104	ug/L	125	104	25		10/05/21 14:36	594-20-7	
2-Chlorotoluene	<22.2	ug/L	125	22.2	25		10/05/21 14:36	95-49-8	
4-Chlorotoluene	<22.4	ug/L	125	22.4	25		10/05/21 14:36	106-43-4	
Benzene	879	ug/L	25.0	7.4	25		10/05/21 14:36	71-43-2	
Bromobenzene	<9.0	ug/L	25.0	9.0	25		10/05/21 14:36	108-86-1	
Bromochloromethane	<8.9	ug/L	125	8.9	25		10/05/21 14:36	74-97-5	
Bromodichloromethane	<10.4	ug/L	25.0	10.4	25		10/05/21 14:36	75-27-4	
Bromoform	<95.0	ug/L	125	95.0	25		10/05/21 14:36	75-25-2	
Bromomethane	<29.8	ug/L	125	29.8	25		10/05/21 14:36	74-83-9	
Carbon tetrachloride	<9.2	ug/L	25.0	9.2	25		10/05/21 14:36	56-23-5	
Chlorobenzene	<21.4	ug/L	25.0	21.4	25		10/05/21 14:36	108-90-7	
Chloroethane	<34.5	ug/L	125	34.5	25		10/05/21 14:36	75-00-3	
Chloroform	<29.6	ug/L	125	29.6	25		10/05/21 14:36	67-66-3	
Chloromethane	<40.9	ug/L	125	40.9	25		10/05/21 14:36	74-87-3	
Dibromochloromethane	<66.1	ug/L	125	66.1	25		10/05/21 14:36	124-48-1	
Dibromomethane	<24.8	ug/L	125	24.8	25		10/05/21 14:36	74-95-3	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

**Sample: TW-03**      **Lab ID: 40234317003**    Collected: 09/29/21 14:10    Received: 10/01/21 08:50    Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Dichlorodifluoromethane	<11.4	ug/L	125	11.4	25	10/05/21 14:36	75-71-8		
Diisopropyl ether	<27.5	ug/L	125	27.5	25	10/05/21 14:36	108-20-3		
Ethylbenzene	1230	ug/L	25.0	8.1	25	10/05/21 14:36	100-41-4		
Hexachloro-1,3-butadiene	<68.4	ug/L	125	68.4	25	10/05/21 14:36	87-68-3		
Isopropylbenzene (Cumene)	64.6J	ug/L	125	25.0	25	10/05/21 14:36	98-82-8		
Methyl-tert-butyl ether	<28.2	ug/L	125	28.2	25	10/05/21 14:36	1634-04-4		
Methylene Chloride	<8.0	ug/L	125	8.0	25	10/05/21 14:36	75-09-2		
Naphthalene	182	ug/L	125	28.2	25	10/05/21 14:36	91-20-3		
Styrene	<8.9	ug/L	25.0	8.9	25	10/05/21 14:36	100-42-5		
Tetrachloroethene	<10.2	ug/L	25.0	10.2	25	10/05/21 14:36	127-18-4		
Toluene	493	ug/L	25.0	7.2	25	10/05/21 14:36	108-88-3		
Trichloroethene	<8.0	ug/L	25.0	8.0	25	10/05/21 14:36	79-01-6		
Trichlorofluoromethane	<10.5	ug/L	25.0	10.5	25	10/05/21 14:36	75-69-4		
Vinyl chloride	<4.4	ug/L	25.0	4.4	25	10/05/21 14:36	75-01-4		
cis-1,2-Dichloroethene	<11.8	ug/L	25.0	11.8	25	10/05/21 14:36	156-59-2		
cis-1,3-Dichloropropene	<9.0	ug/L	25.0	9.0	25	10/05/21 14:36	10061-01-5		
m&p-Xylene	1280	ug/L	50.0	17.5	25	10/05/21 14:36	179601-23-1		
n-Butylbenzene	<21.4	ug/L	25.0	21.4	25	10/05/21 14:36	104-51-8		
n-Propylbenzene	182	ug/L	25.0	8.6	25	10/05/21 14:36	103-65-1		
o-Xylene	490	ug/L	25.0	8.7	25	10/05/21 14:36	95-47-6		
p-Isopropyltoluene	<26.1	ug/L	125	26.1	25	10/05/21 14:36	99-87-6		
sec-Butylbenzene	14.6J	ug/L	25.0	10.6	25	10/05/21 14:36	135-98-8		
tert-Butylbenzene	<14.7	ug/L	25.0	14.7	25	10/05/21 14:36	98-06-6		
trans-1,2-Dichloroethene	<13.2	ug/L	25.0	13.2	25	10/05/21 14:36	156-60-5		
trans-1,3-Dichloropropene	<86.6	ug/L	125	86.6	25	10/05/21 14:36	10061-02-6		
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	98	%	70-130		25	10/05/21 14:36	460-00-4		
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		25	10/05/21 14:36	2199-69-1		
Toluene-d8 (S)	104	%	70-130		25	10/05/21 14:36	2037-26-5		

**Sample: TB-01**      **Lab ID: 40234317004**    Collected: 09/29/21 08:00    Received: 10/01/21 08:50    Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1	10/05/21 11:50	630-20-6		
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1	10/05/21 11:50	71-55-6		
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1	10/05/21 11:50	79-34-5		
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1	10/05/21 11:50	79-00-5		
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1	10/05/21 11:50	75-34-3		
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1	10/05/21 11:50	75-35-4		
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1	10/05/21 11:50	563-58-6		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

Sample: TB-01 Lab ID: 40234317004 Collected: 09/29/21 08:00 Received: 10/01/21 08:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/05/21 11:50	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/05/21 11:50	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/05/21 11:50	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/05/21 11:50	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/05/21 11:50	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/05/21 11:50	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/05/21 11:50	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/05/21 11:50	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/05/21 11:50	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/05/21 11:50	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/05/21 11:50	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/05/21 11:50	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/05/21 11:50	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/05/21 11:50	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/05/21 11:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/05/21 11:50	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		10/05/21 11:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/05/21 11:50	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/05/21 11:50	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/05/21 11:50	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/05/21 11:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/05/21 11:50	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/05/21 11:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/05/21 11:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/05/21 11:50	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/05/21 11:50	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/05/21 11:50	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/05/21 11:50	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/05/21 11:50	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/05/21 11:50	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/05/21 11:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/05/21 11:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/05/21 11:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/05/21 11:50	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/05/21 11:50	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/05/21 11:50	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/05/21 11:50	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		10/05/21 11:50	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/05/21 11:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/05/21 11:50	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/05/21 11:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/05/21 11:50	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/05/21 11:50	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/05/21 11:50	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/05/21 11:50	10061-01-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

**Sample:** TB-01      **Lab ID:** 40234317004      Collected: 09/29/21 08:00      Received: 10/01/21 08:50      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/05/21 11:50	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/05/21 11:50	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/05/21 11:50	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/05/21 11:50	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/05/21 11:50	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/05/21 11:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/05/21 11:50	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/05/21 11:50	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/05/21 11:50	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/05/21 11:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/05/21 11:50	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/05/21 11:50	2037-26-5	

**Sample:** TW-04      **Lab ID:** 40234317005      Collected: 09/30/21 10:05      Received: 10/01/21 08:50      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b>									
Analytical Method: WI MOD DRO      Preparation Method: WI MOD DRO									
Pace Analytical Services - Green Bay									
Diesel Range Organics	4.3	mg/L	0.25	0.074	5	10/06/21 08:32	10/07/21 08:21		DC
<b>WIGRO GCV</b>									
Analytical Method: WI MOD GRO									
Pace Analytical Services - Green Bay									
Gasoline Range Organics	4090	ug/L	500	305	10		10/07/21 14:20		GO
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D      Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Arsenic	<0.017	mg/L	0.050	0.017	2	10/06/21 11:18	10/07/21 09:08	7440-38-2	D3
Barium	0.28	mg/L	0.010	0.0030	2	10/06/21 11:18	10/07/21 09:08	7440-39-3	
Cadmium	<0.0027	mg/L	0.010	0.0027	2	10/06/21 11:18	10/07/21 09:08	7440-43-9	D3
Chromium	<0.0051	mg/L	0.020	0.0051	2	10/06/21 11:18	10/07/21 09:08	7440-47-3	D3
Lead	<0.012	mg/L	0.040	0.012	2	10/06/21 11:18	10/07/21 09:08	7439-92-1	D3
Selenium	<0.024	mg/L	0.080	0.024	2	10/06/21 11:18	10/07/21 09:08	7782-49-2	D3
Silver	<0.0064	mg/L	0.020	0.0064	2	10/06/21 11:18	10/07/21 09:08	7440-22-4	D3
<b>6010D MET ICP, Dissolved</b>									
Analytical Method: EPA 6010D      Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Lead, Dissolved	<11.8	ug/L	40.0	11.8	2	10/06/21 11:18	10/07/21 09:20	7439-92-1	D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

**Sample:** TW-04      **Lab ID:** 40234317005      Collected: 09/30/21 10:05      Received: 10/01/21 08:50      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**7470 Mercury, TCLP**

Analytical Method: EPA 7470    Preparation Method: EPA 7470

Leachate Method/Date: EPA 1311; 10/05/21 15:00

Pace Analytical Services - Green Bay

Mercury	<b>&lt;0.066</b>	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:42	7439-97-6	
---------	------------------	------	------	-------	---	----------------	----------------	-----------	--

**8260 MSV**

Analytical Method: EPA 8260

Pace Analytical Services - Green Bay

1,1,1,2-Tetrachloroethane	<b>&lt;3.6</b>	ug/L	10.0	3.6	10		10/05/21 14:56	630-20-6	
1,1,1-Trichloroethane	<b>&lt;3.0</b>	ug/L	10.0	3.0	10		10/05/21 14:56	71-55-6	
1,1,2,2-Tetrachloroethane	<b>&lt;3.8</b>	ug/L	10.0	3.8	10		10/05/21 14:56	79-34-5	
1,1,2-Trichloroethane	<b>&lt;3.4</b>	ug/L	50.0	3.4	10		10/05/21 14:56	79-00-5	
1,1-Dichloroethane	<b>&lt;3.0</b>	ug/L	10.0	3.0	10		10/05/21 14:56	75-34-3	
1,1-Dichloroethene	<b>&lt;5.8</b>	ug/L	10.0	5.8	10		10/05/21 14:56	75-35-4	
1,1-Dichloropropene	<b>&lt;4.1</b>	ug/L	10.0	4.1	10		10/05/21 14:56	563-58-6	
1,2,3-Trichlorobenzene	<b>&lt;10.2</b>	ug/L	50.0	10.2	10		10/05/21 14:56	87-61-6	
1,2,3-Trichloropropane	<b>&lt;5.6</b>	ug/L	50.0	5.6	10		10/05/21 14:56	96-18-4	
1,2,4-Trichlorobenzene	<b>&lt;9.5</b>	ug/L	50.0	9.5	10		10/05/21 14:56	120-82-1	
1,2,4-Trimethylbenzene	<b>778</b>	ug/L	10.0	4.5	10		10/05/21 14:56	95-63-6	
1,2-Dibromo-3-chloropropane	<b>&lt;23.7</b>	ug/L	50.0	23.7	10		10/05/21 14:56	96-12-8	
1,2-Dibromoethane (EDB)	<b>&lt;3.1</b>	ug/L	10.0	3.1	10		10/05/21 14:56	106-93-4	
1,2-Dichlorobenzene	<b>&lt;3.3</b>	ug/L	10.0	3.3	10		10/05/21 14:56	95-50-1	
1,2-Dichloroethane	<b>&lt;2.9</b>	ug/L	10.0	2.9	10		10/05/21 14:56	107-06-2	
1,2-Dichloropropane	<b>&lt;4.5</b>	ug/L	10.0	4.5	10		10/05/21 14:56	78-87-5	
1,3,5-Trimethylbenzene	<b>&lt;3.6</b>	ug/L	10.0	3.6	10		10/05/21 14:56	108-67-8	
1,3-Dichlorobenzene	<b>&lt;3.5</b>	ug/L	10.0	3.5	10		10/05/21 14:56	541-73-1	
1,3-Dichloropropane	<b>&lt;3.0</b>	ug/L	10.0	3.0	10		10/05/21 14:56	142-28-9	
1,4-Dichlorobenzene	<b>&lt;8.9</b>	ug/L	10.0	8.9	10		10/05/21 14:56	106-46-7	
2,2-Dichloropropane	<b>&lt;41.8</b>	ug/L	50.0	41.8	10		10/05/21 14:56	594-20-7	
2-Chlorotoluene	<b>&lt;8.9</b>	ug/L	50.0	8.9	10		10/05/21 14:56	95-49-8	
4-Chlorotoluene	<b>&lt;8.9</b>	ug/L	50.0	8.9	10		10/05/21 14:56	106-43-4	
Benzene	<b>5.3J</b>	ug/L	10.0	3.0	10		10/05/21 14:56	71-43-2	
Bromobenzene	<b>&lt;3.6</b>	ug/L	10.0	3.6	10		10/05/21 14:56	108-86-1	
Bromochloromethane	<b>&lt;3.6</b>	ug/L	50.0	3.6	10		10/05/21 14:56	74-97-5	
Bromodichloromethane	<b>&lt;4.2</b>	ug/L	10.0	4.2	10		10/05/21 14:56	75-27-4	
Bromoform	<b>&lt;38.0</b>	ug/L	50.0	38.0	10		10/05/21 14:56	75-25-2	
Bromomethane	<b>&lt;11.9</b>	ug/L	50.0	11.9	10		10/05/21 14:56	74-83-9	
Carbon tetrachloride	<b>&lt;3.7</b>	ug/L	10.0	3.7	10		10/05/21 14:56	56-23-5	
Chlorobenzene	<b>&lt;8.6</b>	ug/L	10.0	8.6	10		10/05/21 14:56	108-90-7	
Chloroethane	<b>&lt;13.8</b>	ug/L	50.0	13.8	10		10/05/21 14:56	75-00-3	
Chloroform	<b>&lt;11.8</b>	ug/L	50.0	11.8	10		10/05/21 14:56	67-66-3	
Chloromethane	<b>&lt;16.4</b>	ug/L	50.0	16.4	10		10/05/21 14:56	74-87-3	
Dibromochloromethane	<b>&lt;26.4</b>	ug/L	50.0	26.4	10		10/05/21 14:56	124-48-1	
Dibromomethane	<b>&lt;9.9</b>	ug/L	50.0	9.9	10		10/05/21 14:56	74-95-3	
Dichlorodifluoromethane	<b>&lt;4.6</b>	ug/L	50.0	4.6	10		10/05/21 14:56	75-71-8	
Diisopropyl ether	<b>&lt;11.0</b>	ug/L	50.0	11.0	10		10/05/21 14:56	108-20-3	
Ethylbenzene	<b>9.0J</b>	ug/L	10.0	3.3	10		10/05/21 14:56	100-41-4	
Hexachloro-1,3-butadiene	<b>&lt;27.4</b>	ug/L	50.0	27.4	10		10/05/21 14:56	87-68-3	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

**Sample:** TW-04      **Lab ID:** 40234317005      Collected: 09/30/21 10:05      Received: 10/01/21 08:50      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b> Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Isopropylbenzene (Cumene)	<b>&lt;10.0</b>	ug/L	50.0	10.0	10		10/05/21 14:56	98-82-8	
Methyl-tert-butyl ether	<b>&lt;11.3</b>	ug/L	50.0	11.3	10		10/05/21 14:56	1634-04-4	
Methylene Chloride	<b>&lt;3.2</b>	ug/L	50.0	3.2	10		10/05/21 14:56	75-09-2	
Naphthalene	<b>15.5J</b>	ug/L	50.0	11.3	10		10/05/21 14:56	91-20-3	
Styrene	<b>&lt;3.6</b>	ug/L	10.0	3.6	10		10/05/21 14:56	100-42-5	
Tetrachloroethene	<b>&lt;4.1</b>	ug/L	10.0	4.1	10		10/05/21 14:56	127-18-4	
Toluene	<b>&lt;2.9</b>	ug/L	10.0	2.9	10		10/05/21 14:56	108-88-3	
Trichloroethene	<b>&lt;3.2</b>	ug/L	10.0	3.2	10		10/05/21 14:56	79-01-6	
Trichlorofluoromethane	<b>&lt;4.2</b>	ug/L	10.0	4.2	10		10/05/21 14:56	75-69-4	
Vinyl chloride	<b>&lt;1.7</b>	ug/L	10.0	1.7	10		10/05/21 14:56	75-01-4	
cis-1,2-Dichloroethene	<b>&lt;4.7</b>	ug/L	10.0	4.7	10		10/05/21 14:56	156-59-2	
cis-1,3-Dichloropropene	<b>&lt;3.6</b>	ug/L	10.0	3.6	10		10/05/21 14:56	10061-01-5	
m&p-Xylene	<b>28.7</b>	ug/L	20.0	7.0	10		10/05/21 14:56	179601-23-1	
n-Butylbenzene	<b>&lt;8.6</b>	ug/L	10.0	8.6	10		10/05/21 14:56	104-51-8	
n-Propylbenzene	<b>9.2J</b>	ug/L	10.0	3.5	10		10/05/21 14:56	103-65-1	
o-Xylene	<b>4.9J</b>	ug/L	10.0	3.5	10		10/05/21 14:56	95-47-6	
p-Isopropyltoluene	<b>12.4J</b>	ug/L	50.0	10.4	10		10/05/21 14:56	99-87-6	
sec-Butylbenzene	<b>10.2</b>	ug/L	10.0	4.2	10		10/05/21 14:56	135-98-8	
tert-Butylbenzene	<b>&lt;5.9</b>	ug/L	10.0	5.9	10		10/05/21 14:56	98-06-6	
trans-1,2-Dichloroethene	<b>&lt;5.3</b>	ug/L	10.0	5.3	10		10/05/21 14:56	156-60-5	
trans-1,3-Dichloropropene	<b>&lt;34.6</b>	ug/L	50.0	34.6	10		10/05/21 14:56	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	95	%	70-130		10		10/05/21 14:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		10/05/21 14:56	2199-69-1	
Toluene-d8 (S)	102	%	70-130		10		10/05/21 14:56	2037-26-5	

**Sample:** TW-05      **Lab ID:** 40234317006      Collected: 09/30/21 10:30      Received: 10/01/21 08:50      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>WIDRO GCS</b> Analytical Method: WI MOD DRO      Preparation Method: WI MOD DRO Pace Analytical Services - Green Bay									
Diesel Range Organics	<b>0.055</b>	mg/L	0.050	0.015	1	10/06/21 08:32	10/07/21 07:45		B
<b>WIGRO GCV</b> Analytical Method: WI MOD GRO Pace Analytical Services - Green Bay									
Gasoline Range Organics	<b>&lt;30.5</b>	ug/L	50.0	30.5	1		10/07/21 12:10		
<b>6010D MET ICP, TCLP</b> Analytical Method: EPA 6010D      Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 10/05/21 15:00 Pace Analytical Services - Green Bay									
Arsenic	<b>&lt;0.0084</b>	mg/L	0.025	0.0084	1	10/06/21 11:18	10/06/21 22:56	7440-38-2	
Barium	<b>0.12</b>	mg/L	0.0050	0.0015	1	10/06/21 11:18	10/06/21 22:56	7440-39-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

Sample: TW-05 Lab ID: 40234317006 Collected: 09/30/21 10:30 Received: 10/01/21 08:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, TCLP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Cadmium	<0.0013	mg/L	0.0050	0.0013	1	10/06/21 11:18	10/06/21 22:56	7440-43-9	
Chromium	<0.0025	mg/L	0.010	0.0025	1	10/06/21 11:18	10/06/21 22:56	7440-47-3	
Lead	<0.0059	mg/L	0.020	0.0059	1	10/06/21 11:18	10/06/21 22:56	7439-92-1	
Selenium	<0.012	mg/L	0.040	0.012	1	10/06/21 11:18	10/06/21 22:56	7782-49-2	
Silver	<0.0032	mg/L	0.010	0.0032	1	10/06/21 11:18	10/06/21 22:56	7440-22-4	
<b>6010D MET ICP, Dissolved</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Lead, Dissolved	<5.9	ug/L	20.0	5.9	1	10/06/21 11:18	10/06/21 21:19	7439-92-1	
<b>7470 Mercury, TCLP</b>									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Leachate Method/Date: EPA 1311; 10/05/21 15:00									
Pace Analytical Services - Green Bay									
Mercury	<0.066	ug/L	0.20	0.066	1	10/11/21 12:25	10/12/21 10:45	7439-97-6	
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/05/21 12:48	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/05/21 12:48	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/05/21 12:48	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/05/21 12:48	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/05/21 12:48	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/05/21 12:48	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/05/21 12:48	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/05/21 12:48	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/05/21 12:48	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/05/21 12:48	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/05/21 12:48	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/05/21 12:48	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/05/21 12:48	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/05/21 12:48	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/05/21 12:48	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/05/21 12:48	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/05/21 12:48	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/05/21 12:48	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/05/21 12:48	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/05/21 12:48	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/05/21 12:48	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/05/21 12:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/05/21 12:48	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		10/05/21 12:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/05/21 12:48	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/05/21 12:48	74-97-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**ANALYTICAL RESULTS**

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

**Sample:** TW-05 **Lab ID:** 40234317006 Collected: 09/30/21 10:30 Received: 10/01/21 08:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/05/21 12:48	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/05/21 12:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/05/21 12:48	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/05/21 12:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/05/21 12:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/05/21 12:48	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/05/21 12:48	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/05/21 12:48	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/05/21 12:48	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/05/21 12:48	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/05/21 12:48	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/05/21 12:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/05/21 12:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/05/21 12:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/05/21 12:48	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/05/21 12:48	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/05/21 12:48	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/05/21 12:48	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		10/05/21 12:48	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/05/21 12:48	127-18-4	
Toluene	0.65J	ug/L	1.0	0.29	1		10/05/21 12:48	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/05/21 12:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/05/21 12:48	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/05/21 12:48	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/05/21 12:48	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/05/21 12:48	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/05/21 12:48	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/05/21 12:48	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/05/21 12:48	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/05/21 12:48	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/05/21 12:48	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/05/21 12:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/05/21 12:48	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/05/21 12:48	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/05/21 12:48	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/05/21 12:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/05/21 12:48	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/05/21 12:48	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

---

QC Batch:	397760	Analysis Method:	WI MOD GRO
QC Batch Method:	WI MOD GRO	Analysis Description:	WIGRO GCV Water
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

---

METHOD BLANK: 2295960 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	ug/L	<30.5	50.0	10/07/21 10:27	

---

Parameter	Units	2295961		2295962		% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec				
Gasoline Range Organics	ug/L	200	176	177	88	88	80-120	1	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

QC Batch: 398064 Analysis Method: EPA 7470  
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury TCLP  
Laboratory: Pace Analytical Services - Green Bay  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

METHOD BLANK: 2298175 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	10/12/21 09:56	

METHOD BLANK: 2294238 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.066	0.20	10/12/21 10:26	

METHOD BLANK: 2294239 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	0.91	0.20	10/12/21 10:47	

LABORATORY CONTROL SAMPLE: 2298176

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	99	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2298177 2298178

Parameter	Units	40234318011 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	<0.066	5	5	5.5	5.6	111	111	85-115	0	20	

MATRIX SPIKE SAMPLE: 2298179

Parameter	Units	40234317001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.066	5	5.0	99	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

QC Batch: 397654 Analysis Method: EPA 6010D  
QC Batch Method: EPA 3010A Analysis Description: 6010D MET TCLP  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

METHOD BLANK: 2295021 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 21:55	
Barium	mg/L	<0.0015	0.0050	10/06/21 21:55	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 21:55	
Chromium	mg/L	<0.0025	0.010	10/06/21 21:55	
Lead	mg/L	<0.0059	0.020	10/06/21 21:55	
Selenium	mg/L	<0.012	0.040	10/06/21 21:55	
Silver	mg/L	<0.0032	0.010	10/06/21 21:55	

METHOD BLANK: 2294223 Matrix: Solid  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 22:58	
Barium	mg/L	<0.0015	0.0050	10/06/21 22:58	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 22:58	
Chromium	mg/L	<0.0025	0.010	10/06/21 22:58	
Lead	mg/L	<0.0059	0.020	10/06/21 22:58	
Selenium	mg/L	<0.012	0.040	10/06/21 22:58	
Silver	mg/L	<0.0032	0.010	10/06/21 22:58	

METHOD BLANK: 2294224 Matrix: Solid  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0084	0.025	10/06/21 22:36	
Barium	mg/L	<0.0015	0.0050	10/06/21 22:36	
Cadmium	mg/L	<0.0013	0.0050	10/06/21 22:36	
Chromium	mg/L	<0.0025	0.010	10/06/21 22:36	
Lead	mg/L	<0.0059	0.020	10/06/21 22:36	
Selenium	mg/L	<0.012	0.040	10/06/21 22:36	
Silver	mg/L	<0.0032	0.010	10/06/21 22:36	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

LABORATORY CONTROL SAMPLE: 2295022

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.25	0.25	99	80-120	
Barium	mg/L	0.25	0.25	98	80-120	
Cadmium	mg/L	0.25	0.26	102	80-120	
Chromium	mg/L	0.25	0.25	102	80-120	
Lead	mg/L	0.25	0.26	103	80-120	
Selenium	mg/L	0.25	0.26	103	80-120	
Silver	mg/L	0.12	0.12	98	80-120	

MATRIX SPIKE SAMPLE: 2295023

Parameter	Units	40234307001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.045	0.25	0.30	103	75-125	
Barium	mg/L	0.25	0.25	0.48	93	75-125	
Cadmium	mg/L	<0.0013	0.25	0.26	105	75-125	
Chromium	mg/L	0.013	0.25	0.26	98	75-125	
Lead	mg/L	<0.0059	0.25	0.25	99	75-125	
Selenium	mg/L	<0.012	0.25	0.28	109	75-125	
Silver	mg/L	<0.0032	0.12	0.13	102	75-125	

MATRIX SPIKE SAMPLE: 2295024

Parameter	Units	40234317001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	<0.0084	0.25	0.26	100	75-125	
Barium	mg/L	0.053	0.25	0.30	97	75-125	
Cadmium	mg/L	<0.0013	0.25	0.26	103	75-125	
Chromium	mg/L	<0.0025	0.25	0.25	100	75-125	
Lead	mg/L	<0.0059	0.25	0.27	106	75-125	
Selenium	mg/L	<0.012	0.25	0.27	106	75-125	
Silver	mg/L	<0.0032	0.12	0.12	97	75-125	

MATRIX SPIKE SAMPLE: 2295025

Parameter	Units	40234357001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	<0.017	0.25	0.27	106	75-125	
Barium	mg/L	0.56	0.25	0.82	103	75-125	
Cadmium	mg/L	<0.0027	0.25	0.26	103	75-125	
Chromium	mg/L	<0.0051	0.25	0.25	98	75-125	
Lead	mg/L	<0.012	0.25	0.25	100	75-125	
Selenium	mg/L	<0.024	0.25	0.26	104	75-125	
Silver	mg/L	<0.0064	0.12	0.13	102	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

QC Batch: 397659 Analysis Method: EPA 6010D  
QC Batch Method: EPA 3010A Analysis Description: 6010D MET Dissolved  
Laboratory: Pace Analytical Services - Green Bay  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

METHOD BLANK: 2295074 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead, Dissolved	ug/L	<5.9	20.0	10/06/21 20:38	

LABORATORY CONTROL SAMPLE: 2295075

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead, Dissolved	ug/L	250	255	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2295076 2295077

Parameter	Units	2295076		2295077		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40234284014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Lead, Dissolved	ug/L	<5.9	250	250	258	262	102	104	75-125	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

QC Batch: 397378 Analysis Method: EPA 8260  
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317004, 40234317005, 40234317006

METHOD BLANK: 2293346 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317004, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/05/21 06:03	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/05/21 06:03	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/05/21 06:03	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	10/05/21 06:03	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/05/21 06:03	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/05/21 06:03	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/05/21 06:03	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/05/21 06:03	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	10/05/21 06:03	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/05/21 06:03	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/05/21 06:03	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/05/21 06:03	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/05/21 06:03	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/05/21 06:03	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/05/21 06:03	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/05/21 06:03	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/05/21 06:03	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/05/21 06:03	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/05/21 06:03	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/05/21 06:03	
2,2-Dichloropropane	ug/L	<4.2	5.0	10/05/21 06:03	
2-Chlorotoluene	ug/L	<0.89	5.0	10/05/21 06:03	
4-Chlorotoluene	ug/L	<0.89	5.0	10/05/21 06:03	
Benzene	ug/L	<0.30	1.0	10/05/21 06:03	
Bromobenzene	ug/L	<0.36	1.0	10/05/21 06:03	
Bromochloromethane	ug/L	<0.36	5.0	10/05/21 06:03	
Bromodichloromethane	ug/L	<0.42	1.0	10/05/21 06:03	
Bromoform	ug/L	<3.8	5.0	10/05/21 06:03	
Bromomethane	ug/L	<1.2	5.0	10/05/21 06:03	
Carbon tetrachloride	ug/L	<0.37	1.0	10/05/21 06:03	
Chlorobenzene	ug/L	<0.86	1.0	10/05/21 06:03	
Chloroethane	ug/L	<1.4	5.0	10/05/21 06:03	
Chloroform	ug/L	<1.2	5.0	10/05/21 06:03	
Chloromethane	ug/L	<1.6	5.0	10/05/21 06:03	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/05/21 06:03	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	10/05/21 06:03	
Dibromochloromethane	ug/L	<2.6	5.0	10/05/21 06:03	
Dibromomethane	ug/L	<0.99	5.0	10/05/21 06:03	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/05/21 06:03	
Diisopropyl ether	ug/L	<1.1	5.0	10/05/21 06:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

METHOD BLANK: 2293346 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317004, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	10/05/21 06:03	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/05/21 06:03	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/05/21 06:03	
m&p-Xylene	ug/L	<0.70	2.0	10/05/21 06:03	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/05/21 06:03	
Methylene Chloride	ug/L	<0.32	5.0	10/05/21 06:03	
n-Butylbenzene	ug/L	<0.86	1.0	10/05/21 06:03	
n-Propylbenzene	ug/L	<0.35	1.0	10/05/21 06:03	
Naphthalene	ug/L	<1.1	5.0	10/05/21 06:03	
o-Xylene	ug/L	<0.35	1.0	10/05/21 06:03	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/05/21 06:03	
sec-Butylbenzene	ug/L	<0.42	1.0	10/05/21 06:03	
Styrene	ug/L	<0.36	1.0	10/05/21 06:03	
tert-Butylbenzene	ug/L	<0.59	1.0	10/05/21 06:03	
Tetrachloroethene	ug/L	<0.41	1.0	10/05/21 06:03	
Toluene	ug/L	<0.29	1.0	10/05/21 06:03	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/05/21 06:03	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	10/05/21 06:03	
Trichloroethene	ug/L	<0.32	1.0	10/05/21 06:03	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/05/21 06:03	
Vinyl chloride	ug/L	<0.17	1.0	10/05/21 06:03	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	10/05/21 06:03	
4-Bromofluorobenzene (S)	%	97	70-130	10/05/21 06:03	
Toluene-d8 (S)	%	102	70-130	10/05/21 06:03	

LABORATORY CONTROL SAMPLE: 2293347

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.7	105	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	50.7	101	66-130	
1,1,2-Trichloroethane	ug/L	50	51.2	102	70-130	
1,1-Dichloroethane	ug/L	50	52.4	105	68-132	
1,1-Dichloroethene	ug/L	50	54.0	108	85-126	
1,2,4-Trichlorobenzene	ug/L	50	49.3	99	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.5	93	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	51.6	103	70-130	
1,2-Dichlorobenzene	ug/L	50	52.0	104	70-130	
1,2-Dichloroethane	ug/L	50	48.5	97	70-130	
1,2-Dichloropropane	ug/L	50	50.5	101	78-125	
1,3-Dichlorobenzene	ug/L	50	50.9	102	70-130	
1,4-Dichlorobenzene	ug/L	50	52.1	104	70-130	
Benzene	ug/L	50	50.6	101	70-132	
Bromodichloromethane	ug/L	50	50.6	101	70-130	
Bromoform	ug/L	50	44.6	89	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

LABORATORY CONTROL SAMPLE: 2293347

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	43.8	88	44-128	
Carbon tetrachloride	ug/L	50	52.5	105	70-130	
Chlorobenzene	ug/L	50	52.6	105	70-130	
Chloroethane	ug/L	50	54.6	109	73-137	
Chloroform	ug/L	50	52.2	104	80-122	
Chloromethane	ug/L	50	41.1	82	27-148	
cis-1,2-Dichloroethene	ug/L	50	50.3	101	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.6	97	70-130	
Dibromochloromethane	ug/L	50	48.7	97	70-130	
Dichlorodifluoromethane	ug/L	50	39.7	79	22-151	
Ethylbenzene	ug/L	50	52.1	104	80-123	
Isopropylbenzene (Cumene)	ug/L	50	55.1	110	70-130	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	53.2	106	66-130	
Methylene Chloride	ug/L	50	50.5	101	70-130	
o-Xylene	ug/L	50	53.1	106	70-130	
Styrene	ug/L	50	55.7	111	70-130	
Tetrachloroethene	ug/L	50	51.0	102	70-130	
Toluene	ug/L	50	51.7	103	80-121	
trans-1,2-Dichloroethene	ug/L	50	55.0	110	70-130	
trans-1,3-Dichloropropene	ug/L	50	50.0	100	58-125	
Trichloroethene	ug/L	50	50.0	100	70-130	
Trichlorofluoromethane	ug/L	50	53.2	106	84-148	
Vinyl chloride	ug/L	50	51.0	102	63-142	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			99	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2294217 2294218

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40234326001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50	51.4	51.2	103	102	70-130	0	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50	47.7	49.0	95	98	66-130	3	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50	47.8	48.9	96	98	70-130	2	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	50	50.4	50.3	101	101	68-132	0	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	50	53.0	51.6	106	103	76-132	3	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50	46.8	47.0	93	94	70-130	0	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	50	43.0	44.4	86	89	51-126	3	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50	48.8	49.0	98	98	70-130	0	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50	49.9	50.6	100	101	70-130	1	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	50	46.1	46.3	92	93	70-130	0	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	50	48.5	48.2	97	96	77-125	1	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50	48.3	50.0	97	100	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2294217 2294218												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40234326001 Result	Spike Conc.	Spike Conc.	MS Conc.							
1,4-Dichlorobenzene	ug/L	<0.89	50	50	49.9	49.6	100	99	70-130	0	20	
Benzene	ug/L	<0.30	50	50	48.9	49.0	98	98	70-132	0	20	
Bromodichloromethane	ug/L	<0.42	50	50	47.7	48.2	95	96	70-130	1	20	
Bromoform	ug/L	<3.8	50	50	42.9	42.2	86	84	65-130	2	20	
Bromomethane	ug/L	<1.2	50	50	50.4	54.6	101	109	44-128	8	21	
Carbon tetrachloride	ug/L	<0.37	50	50	51.4	52.0	103	104	70-132	1	20	
Chlorobenzene	ug/L	<0.86	50	50	49.8	50.4	100	101	70-130	1	20	
Chloroethane	ug/L	<1.4	50	50	54.0	52.1	108	104	70-137	4	20	
Chloroform	ug/L	<1.2	50	50	50.2	50.3	100	101	80-122	0	20	
Chloromethane	ug/L	<1.6	50	50	40.0	40.5	80	81	17-149	1	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	48.6	48.7	97	97	70-130	0	20	
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	46.7	47.8	93	96	70-130	2	20	
Dibromochloromethane	ug/L	<2.6	50	50	45.9	46.6	92	93	70-130	1	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	38.2	37.9	76	76	22-158	1	20	
Ethylbenzene	ug/L	<0.33	50	50	49.7	49.7	99	99	80-123	0	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.7	52.4	105	105	70-130	0	20	
m&p-Xylene	ug/L	<0.70	100	100	99.7	99.0	100	99	70-130	1	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	44.5	48.1	89	96	66-130	8	20	
Methylene Chloride	ug/L	<0.32	50	50	48.7	49.1	97	98	70-130	1	20	
o-Xylene	ug/L	<0.35	50	50	49.9	50.7	100	101	70-130	2	20	
Styrene	ug/L	<0.36	50	50	52.3	52.6	105	105	70-130	1	20	
Tetrachloroethene	ug/L	<0.41	50	50	49.1	49.3	98	99	70-130	0	20	
Toluene	ug/L	<0.29	50	50	49.3	49.2	99	98	80-121	0	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	48.9	48.9	98	98	70-134	0	20	
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	47.2	46.4	94	93	58-130	2	20	
Trichloroethene	ug/L	<0.32	50	50	49.0	48.8	98	98	70-130	0	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	52.9	51.6	106	103	82-151	2	20	
Vinyl chloride	ug/L	<0.17	50	50	49.9	49.1	100	98	61-143	2	20	
1,2-Dichlorobenzene-d4 (S)	%						99	100	70-130			
4-Bromofluorobenzene (S)	%						98	100	70-130			
Toluene-d8 (S)	%						102	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

---

QC Batch: 397627	Analysis Method: WI MOD DRO
QC Batch Method: WI MOD DRO	Analysis Description: WIDRO GCS
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

---

METHOD BLANK: 2294855 Matrix: Water  
Associated Lab Samples: 40234317001, 40234317002, 40234317003, 40234317005, 40234317006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/L	<0.015	0.052	10/07/21 06:24	

---

Parameter	Units	2294856		2294857		% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	% Rec				
Diesel Range Organics	mg/L	1	0.87	0.90	87	90	75-115	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: J210618 STH 54 SEYMOUR

Pace Project No.: 40234317

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

DC Chromatographic pattern inconsistent with typical Diesel Fuel.

GO Early and late peaks present outside the GRO window.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J210618 STH 54 SEYMOUR  
Pace Project No.: 40234317

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40234317001	TW-01	WI MOD DRO	397627	WI MOD DRO	397663
40234317002	TW-02	WI MOD DRO	397627	WI MOD DRO	397663
40234317003	TW-03	WI MOD DRO	397627	WI MOD DRO	397663
40234317005	TW-04	WI MOD DRO	397627	WI MOD DRO	397663
40234317006	TW-05	WI MOD DRO	397627	WI MOD DRO	397663
40234317001	TW-01	WI MOD GRO	397760		
40234317002	TW-02	WI MOD GRO	397760		
40234317003	TW-03	WI MOD GRO	397760		
40234317005	TW-04	WI MOD GRO	397760		
40234317006	TW-05	WI MOD GRO	397760		
40234317001	TW-01	EPA 3010A	397654	EPA 6010D	397715
40234317002	TW-02	EPA 3010A	397654	EPA 6010D	397715
40234317003	TW-03	EPA 3010A	397654	EPA 6010D	397715
40234317005	TW-04	EPA 3010A	397654	EPA 6010D	397715
40234317006	TW-05	EPA 3010A	397654	EPA 6010D	397715
40234317001	TW-01	EPA 3010A	397659	EPA 6010D	397716
40234317002	TW-02	EPA 3010A	397659	EPA 6010D	397716
40234317003	TW-03	EPA 3010A	397659	EPA 6010D	397716
40234317005	TW-04	EPA 3010A	397659	EPA 6010D	397716
40234317006	TW-05	EPA 3010A	397659	EPA 6010D	397716
40234317001	TW-01	EPA 7470	398064	EPA 7470	398124
40234317002	TW-02	EPA 7470	398064	EPA 7470	398124
40234317003	TW-03	EPA 7470	398064	EPA 7470	398124
40234317005	TW-04	EPA 7470	398064	EPA 7470	398124
40234317006	TW-05	EPA 7470	398064	EPA 7470	398124
40234317001	TW-01	EPA 8260	397378		
40234317002	TW-02	EPA 8260	397378		
40234317003	TW-03	EPA 8260	397378		
40234317004	TB-01	EPA 8260	397378		
40234317005	TW-04	EPA 8260	397378		
40234317006	TW-05	EPA 8260	397378		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

40234317


Section A	Section B	Section C	Section D
Required Client Information: Company: Bay West LLC	Required Project Information: Report To: Mark Gretebeck	Invoice Information: Attention: Accounts Payable	EQUIS Information: Facility_Code:
Address: 5 Empire Drive	Copy To:	Company Name: Bay West LLC	Subfacility_code:
St. Paul, MN 55103		Address: 5 Empire Drive	
Email To: mgretebeck@baywest.com	Purchase Order No.: <b>207913</b>	St. Paul, MN 55103	
Phone: <b>608-769-5045</b>	Project Name: STH 54 Seymour	Lab Project Manager: Brian Basten	
Requested Due Date/TAT: 5 Day	Project Number: J210618		Page <b>1</b> of <b>1</b>
			COC#
			Site Location STATE: <b>WI</b>

ITEM #	Section E Required Client Information		Valid Matrix Codes		Collection		Preservatives								Requested Analysis					Comments	
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)	MATRIX CODE	SAMPLE TYPE (G=GRAB C=COMP)	DATE	Time	# OF CONTAINERS	Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH	Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	Methanol	Other	VOCs	GRO	DRO	Dissolved Lead		TCLP Metals
1	001	TW-01	WG		9/29/21	1115	9		X	X						X	X	X	X	X	
2	002	TW-02	WG		9/29/21	1305	9		X	X						X	X	X	X	X	
3	003	TW-03	WG		9/29/21	1410	9		X	X						X	X	X	X	X	
4	004	TB-01	W		9/29/21	0800	2			X						X					
5	005	TW-04	WG		9/30/21	1005	9		X	X						X	X	X	X	X	
6	006	TW-05	WG		9/30/21	1030	9		X	X						X	X	X	X	X	
7	<del>Handwritten signature and date</del>																				
8	<del>Handwritten signature and date</del>																				
9	<del>Handwritten signature and date</del>																				
10	<del>Handwritten signature and date</del>																				
11	<del>Handwritten signature and date</del>																				
12	<del>Handwritten signature and date</del>																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
Dissolved lead was field altered	<i>Samuel G</i> / Bay West	10/1/21	0850	<i>Quincy H</i> / Pace	10/1/21	0850	4,2.5	Y	N	Y
							4.5			
							Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
SAMPLER NAME AND SIGNATURE										
PRINT Name of SAMPLER: <i>Samuel G</i>										
SIGNATURE of SAMPLER: <i>Samuel G</i>							DATE Signed (MM/DD/YY):	10/4/21		





 1241 Bellevue Street, Green Bay, WI 54302	Document Name: <b>Sample Condition Upon Receipt (SCUR)</b>	Document Revised: 26Mar2020
	Document No.: <b>ENV-FRM-GBAY-0014-Rev.00</b>	Author: Pace Green Bay Quality Office

### Sample Condition Upon Receipt Form (SCUR)

Project #: \_\_\_\_\_

 Client Name: Bay West
**WO#: 40234317**

 Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco

 Client  Pace Other: \_\_\_\_\_


40234317

Tracking #: \_\_\_\_\_

 Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

 Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

 Packing Material:  Bubble Wrap  Bubble Bags  None  Other

 Thermometer Used SR-90 Type of Ice: Wet Blue Dry None

 Samples on ice, cooling process has begun

 Cooler Temperature Uncorr: 4.5, 4.5 Corr: 4, 2.5, 4, 5

 Temp Blank Present:  yes  no

 Biological Tissue is Frozen:  yes  no

Person examining contents:

 Date: 10/1/21 Initials: LC

 Labeled By Initials: MP

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7. <u>5 DAY TAT REQUESTED</u> <u>LC 10/1/21</u>
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>GW (WG)</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>471</u>		

Client Notification/ Resolution:

 If checked, see attached form for additional comments 

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

**Appendix D**  
**Phase 2.5 Work Plan**

**PROJECT BACKGROUND**

Wisconsin Department of Transportation (DOT) is proposing to install two roundabouts at the intersections of STH 54/STH55 and STH 54/CTH C in the City of Seymour.

Bay West will complete this Phase 2.5 in accordance with the Facilities Development Manual (FDM) Section 21-35-12. The purpose of this Phase 2.5 Investigation is to identify potential soil and groundwater contamination at sites within the project corridor Right of Way (ROW) with known historical contamination located off DOT property. Two sites in the project corridor were identified to have potential contamination in Phase I reporting; Site 5, which is an active/operating Mobil station in the southwest quadrant of the intersection and Site 6, which is an inactive/closed Shell station in the northwest quadrant were identified as having petroleum impacts in the ROW during Site Reconnaissance. Bay West will install up to 14 soil borings and/or temporary monitoring wells at these sites. Soil borings will be screened every 2.5' using a photo-ionization detector (PID). Up to two soil samples will be collected from each boring. Samples will be collected from the highest PID readings or areas of observed contamination. Historically, groundwater has been encountered at 6-8 feet below ground surface (bgs) at both sites. Bay West will advance the soil borings two feet into the water table in accordance with the FDM. Soil samples will be submitted to Pace Analytical for analysis as detailed below in the Work Plan. Proposed soil borings are illustrated on **Figure 1**. Bay West will install up to 10 temporary monitoring wells to intersect the water table. Groundwater samples will be collected from each temporary monitoring well, submitted to Pace Analytical for analysis as detailed below in the Work Plan. Proposed temporary monitoring well locations are illustrated on **Figure 1**. Rationale for soil boring locations, temporary monitoring well locations, and corresponding sample analysis are also detailed in the Work Plan below.

**TIMELINE**

Drilling is anticipated to start on September 29th and the work is expected to take 2 days to complete (September 29th through September 30th). Soil borings at Site 5 (SB-1 through SB-7 and TW-1 through TW-5) will be completed first on September 29th followed by soil borings at Site 6 (SB-8 through SB-14 and TW-6 through TW-10) on September 30th. Samples collected during the Phase 2.5 will be analyzed on a standard 10 business day turnaround time. Bay West will provide analytical results to WISDOT upon receipt and will submit the Phase 2.5 Report no later than November 30, 2021, in accordance with the approved Scope of Work, dated July 14, 2021.

**WORK PLAN**

Boring ID	Boring Depth (feet) <sup>1</sup>	Site	Location Rationale	Soil Analytical Parameters <sup>2,3</sup>					Groundwater Analytical Parameters					
				DRO	GRO	RCRA Metals	VOCs	PAHs	DRO	GRO	Dissolved RCRA Metals	VOCs	PAHs	
SB-1	8	Site 5-Active Mobil station BRRTS# 03-02-000102	Investigate soil contamination in ROW where leaking USTs were previously discovered and removed. Soil borings extended to 8 feet or 2 feet into groundwater to assess groundwater conditions, if encountered, and to determine volume of contaminated soil in ROW for removal, if required.	2	2	2	2	2						
SB-2	8			2	2	2	2	2						
SB-3	8			2	2	2	2	2						
SB-4	8			2	2	2	2	2						
SB-5	8			2	2	2	2	2						
SB-6	8			2	2	2	2	2						
SB-7	8			2	2	2	2	2						
TW-1	8	Investigate groundwater contamination, if present, in ROW where leaking USTs were previously discovered and removed.							1	1	1	1	1	
TW-2	8								1	1	1	1	1	
TW-3	8								1	1	1	1	1	
TW-4	8								1	1	1	1	1	
TW-5	8								1	1	1	1	1	
SB-8	8	Site 6-Closed Shell Station BRRTS# 03-02-000099	Investigate soil and groundwater of observed contamination in ROW where leaking USTs were previously discovered and removed. Soil borings extended to 2 feet into groundwater to assess groundwater conditions and to determine volume of contaminated soil in ROW for removal, if required.	2	2	2	2	2						
SB-9	8			2	2	2	2	2						
SB-10	8			2	2	2	2	2						
SB-11	8			2	2	2	2	2						
SB-12	8			2	2	2	2	2						
SB-13	8			2	2	2	2	2						
SB-14	8			2	2	2	2	2						
TW-6	8									1	1	1	1	1
TW-7	8									1	1	1	1	1
TW-8	8									1	1	1	1	1
TW-9	8							1	1	1	1	1		
TW-10	8							1	1	1	1	1		
<b>Maximum Total Number of Sample Analyses</b>				<b>28</b>	<b>28</b>	<b>28</b>	<b>28</b>	<b>28</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	
Number of Duplicate Samples														

**Notes:**

1 - Soil borings will be field screened every 2 1/2 ft and will be advanced at least 2 feet into groundwater. Proposed depths based on available historic groundwater information.


2 - Generally, two soil samples will be collected from each boring; however, more than two samples can be collected from a single boring depending on observed contamination, fill, and stratigraphy. Soil samples will be collected using the following rationale:

- The interval within a stratigraphic layer with the highest PID reading >10 ppm. Note that if multiple stratigraphies are encountered, soil samples from each stratigraphy could be collected from areas with PID readings >10 ppm.
- Obvious discoloration, odor, debris (e.g., potential fill soil) or other visible signs of contamination.
- If no obvious signs of contamination are evident, one sample will be collected from 2 feet directly below the water table or from the bottom of the boring, and one sample will be collected within the typical subsurface soil disturbance zone (2-4ft bgs).

3 - Drilling soil cuttings will be drummed as investigation derived waste and 1 soil sample will be collected from the soil cuttings and analyzed for TCLP RCRA metals TCLP VOCs, and TCLP SVOCs.

Bay West Project Manager Signature \_\_\_\_\_ Date:

Y:\Clients\WISCONSIN\_DEPARTMENT\_OF\_TRANSPORTATION\STH\_54\_Seymour\MapDocs\J210618\001\_Proposed\_Borings\J210618\001\_FIG 1 Proposed Boring Locations.mxd



# Figure 1


## Proposed Boring Locations



STH 54 Seymour

STH 54 & Ivory Street  
Seymour, WI 54165



Map Projection: NAD 1983 UTM Zone 16 N, Meters  
Basemap: WIDNR Aerial Imagery WMS, 2014



-  Proposed Soil Boring
-  Parcel Boundaries



## 1. Health and Safety Requirements for Workers Remediating Petroleum Contamination.

Add the following to standard spec 107.1(2):

Soil contamination with gasoline, diesel fuel, fuel oil, or other petroleum related products may be encountered during excavation activities. Prepare a site-specific Health and Safety Plan complying with the Occupational Safety and Health Administration (OSHA) standard for Hazardous Waste Operation and Emergency Response (HAZWOPER), 29 CFR 1910.120.

All site workers taking part in remediation activities or who will have the reasonable probability of exposure of safety or health hazards associated with the hazardous material shall have completed Health and Safety training that meets OSHA requirements. Before the start of remediation work, submit to the engineer a site-specific Health and Safety Plan, and written verification that workers will have completed up-to-date OSHA training.

Develop, delineate, and enforce the health and safety exclusions zones for each contaminated site location pursuant to 29 CFR 1910.120.

stp-107-115 (20150630)

## 2. Excavation, Hauling, and Disposal of Petroleum Contaminated Soil, Item 205.0501.S.

### A Description

#### A.1 General

##### Soil

This special provision describes excavating, loading, hauling, and disposing of petroleum contaminated soil at a DNR approved bioremediation facility.

Perform this work conforming to standard spec 205 and Chapters NR 700-754 of the Wisconsin Administrative Code, as supplemented herein. Per NR 718.07, a solid waste collection and transportation service-operating license is required under NR 502.06 for each vehicle used to transport contaminated soil.

##### Groundwater

This special provision also describes pumping and disposing of contaminated groundwater (if dewatering is necessary).

Perform this work according to standard spec 205 and with pertinent parts of Chapters NR 100-299 of the Wisconsin Administrative Code, as supplemented herein. Perform all work necessary to control, handle, and dispose of groundwater and surface water, and all other water that may be encountered within contaminated areas, as required for performance of the work.

#### A.2 Notice to the Contractor – Contaminated Soil Locations

The department completed testing for soil and groundwater contamination for locations within this project where excavation is required. Testing indicated that petroleum-contaminated soil is present at the following locations the plans show:

1. Station 1192+00 to 1193+00 from 75 feet LT of centerline to 50 feet RT of centerline (Intersection of STH 54 and Ivory Street). Soil is contaminated from 2 to 8 feet below grade and occupies an approximate 15 by 25 square yard area. Approximately 375 cubic yards of impacted soil remain on site. Petroleum impacted groundwater was encountered within this location. Approximately \_\_\_ cubic yards of contaminated soil is anticipated to be encountered during construction activities within this location.

If contaminated soils are encountered elsewhere on the project, terminate excavation activities in the area and notify the engineer.

For further information regarding previous investigation and remediation activities at these sites contact:

Name: Lisa Lumley

Address: Wisconsin Department of Transportation – Northeast Region  
944 Vanderperren Way, Green Bay, WI 54304

Phone: (920) 492-5659 and (920) 360-6684

E-mail: [lisa.lumley@dot.wi.gov](mailto:lisa.lumley@dot.wi.gov)

### **A.3 Coordination**

Coordinate work under this contract with the environment consultant:

Consultant: Bay West LLC  
Address: 5 Empire Drive, St. Paul, MN 55103  
Contact: Paul Raymaker  
Phone: 651-291-3411  
Fax: N/A  
E-mail: [praymaker@baywest.com](mailto:praymaker@baywest.com)

The role of the environmental consultant will be limited to:

1. Determining the location and limits of contaminated soil to be excavated based on soil analytical results from previous investigations, visual observations, and field screening of soil that is excavated;
2. Identifying contaminated soils to be hauled to the bioremediation facility;
3. Documenting that activities associated with management of contaminated soil are in conformance with the contaminated soil management methods for this project as specified herein; and
4. Obtaining the necessary approvals for disposal of contaminated soil from the bioremediation facility.
5. Identifying contaminated groundwater to be pumped for treatment and disposal (if dewatering is necessary). Coordinating groundwater characterization and approval for disposal of contaminated water with the City of Seymour.

Provide at least a 14-calendar day notice of the preconstruction conference date to the environmental consultant. At the preconstruction conference, provide a schedule for all excavation activities in the areas of contamination to the environmental consultant. Also notify the environmental consultant at least three calendar days before beginning excavation activities in each of the contaminated areas.

Coordinate with the environmental consultant to ensure that the environmental consultant is present during excavation activities in the contaminated areas. Perform excavation work in each of the contaminated areas on a continuous basis until excavation work is completed.

Identify the DNR approved bioremediation facility that will be used for disposal of contaminated soils and provide this information to the environmental consultant no later than 30 calendar days before beginning excavation activities in the contaminated areas or at the preconstruction conference, whichever comes first. The environmental consultant will be responsible for obtaining the necessary approvals for disposal of contaminated soils from the bioremediation facility. Do not transport contaminated soil offsite without prior approval from the environmental consultant.

### **A.4 Health and Safety Requirements**

*Add the following to standard spec 107.1:*

During excavation activities, expect to encounter soil contaminated with gasoline, diesel fuel, fuel oil, or other petroleum related products. Site workers taking part in activities that will result in the reasonable probability of exposure to safety and health hazards associated with hazardous materials shall have completed health and safety training that meets the Occupational Safety and Health Administration (OSHA) requirements for Hazardous Waste Operations and Emergency Response (HAZWOPER), as provided in 29 CFR 1910.120.

Prepare a site-specific Health and Safety Plan, and develop, delineate and enforce the health and safety exclusion zones for each contaminated site location as required by 29 CFR 1910.120. Submit the site-specific health and safety plan and written documentation of up-to-date OSHA training to the engineer before the start of work.

### **B (Vacant)**

### **C Construction**

*Add the following to standard spec 205.3:*

*Soil*

Control operations in the contaminated areas to minimize the quantity of contaminated soil excavated.

The environmental consultant will periodically evaluate soil excavated from the contaminated areas to determine if the soil will require offsite bioremediation. The environmental consultant will evaluate excavated soil based on field screening results, visual observations, and soil analytical results from previous environmental investigations. Assist the environmental consultant in collecting soil samples for

evaluation using excavation equipment. The sampling frequency shall be a maximum of one sample for every 20 cubic yards excavated.

On the basis of the results of such field-screening, the material will be designated as follows:

- Excavation Common – Consisting of clean soil and/or clean construction and demolition fill (such as clean soil, boulders, concrete, reinforced concrete, bituminous pavement, bricks, building stone, and unpainted or untreated wood), which under NR 500.08 are exempt materials, or
- Low-Level Contaminated Material – PID readings less than 10 ppm and no observation of staining or petroleum odor for reuse as fill within the construction limits if covered with pavement, or
- Contaminated Soil – Significant petroleum odor, staining, and/or PID readings greater than 10 ppm) for off-site treatment and disposal at the WDNR-licensed bioremediation facility, or
- Contaminated Industrial Fill – Soil for reuse as fill within the construction limits if covered by pavement or 6-inches of clean topsoil, or off-site treatment and disposal at the WDNR-licensed bioremediation facility, or
- Potentially contaminated material for temporary stockpiling and additional characterization prior to disposal.

Directly load and haul soils designated by the environmental consultant for offsite bioremediation to the DNR approved bioremediation facility. Use loading and hauling practices that are appropriate to prevent any spills or releases of petroleum-contaminated soils or residues. Before transport, sufficiently dewater soils designated for off-site bioremediation so as not to contain free liquids.

Some material may require additional characterization prior to disposal. Provide for the temporary stockpiling of up to 250 cubic yards of contaminated soil on-site that require additional characterization. Construct and maintain a temporary stockpile of the material according to NR 718.05(3), including, but not limited to, placement of the contaminated soil/fill material on an impervious surface and covering the stockpile with impervious material to prevent infiltration of precipitation. The environmental consultant will collect representative samples of the stockpiled material, laboratory-analyze the samples, and advise the contractor, within 12 business days of the construction of the stockpile, of disposal requirements. The stockpiled material shall be disposed either at the WDNR-licensed disposal facility by the contractor or, if characterized as hazardous waste, by the department. As an alternative to temporarily stockpiling contaminated soil/fill material that requires additional characterization, the contractor has the option to suspend excavation in those areas, as stated above.

When material is encountered outside the above-identified limits of known contamination that appears to have been impacted with petroleum or chemical products, or when other obvious potentially contaminated materials are encountered or material exhibits characteristics of industrial-type wastes, such as fly ash, foundry sand, and cinders, or when underground storage tanks are encountered, suspend excavation in that area and notify the engineer.

#### Groundwater

Groundwater may be present within the construction limits. Water generated during dewatering operations (if necessary) is expected to be permitted to discharge to the surface except in the contaminated areas. Contaminated water encountered, but not requiring removal as a standard course of construction, shall remain in-place and not be managed under this special provision.

Contaminated groundwater generated from dewatering activities within the contaminated areas may exceed the surface water discharge limits for PVOs specified in the DNR's "General Permit to Discharge under the Wisconsin Pollutant Discharge Elimination System" for "Contaminated Groundwater from Remedial Action Operations" (WPDES Permit No. WI-0046566-5), Table 3.1.

Contaminated water generated during dewatering may be discharged into the sanitary sewer for disposal/treatment at the city wastewater treatment facility provided the following conditions are met:

- Notify John Schoen, Director of Public Works at (jschoen@seymourutil.com or 920-851-0121), prior to discharge of contaminated groundwater to the sanitary sewer. Do not discharge into the sanitary sewer without prior approval from the City of Seymour Department of Public Works.
- Discharge location(s) shall be discussed and approved by the City of Seymour Public Water Works. The City of Seymour manager or agent thereof can order a stop to discharges if the discharge is causing treatment problems at the wastewater treatment plant or in the collection system.

- Any discharge shall meet all conditions of the most current City of Seymour Department of Public Works.
- Do not discharge grit (such as sand, sediment, detritus, etc.) to the sanitary sewer during dewatering operations. Furnish, install, and maintain a sediment control device (e.g., box, bag) for use prior to discharging water.
- Do not discharge any petroleum free product to the sanitary sewer under any circumstances.
- Document compliance with the City of Seymour Sewage Treatment Plant discharge requirements, including water quality sampling and analysis.
- The City of Seymour Department of Public Works may impose a sanitary sewer use fee and flow restrictions.
- All water may be trucked to the wastewater treatment plant in lieu of discharge to the sanitary sewer at the contractor's option and at the contractor's cost.

Notify the environmental consultant prior to pumping contaminated groundwater.

Discharging contaminated groundwater to any location other than that approved and provided by the environmental consultant, is at the contractor's cost. If the contractor chooses alternate discharge, at the contractor's cost, obtain DNR concurrence on any dewatering plans, and provide and operate any and all treatment and discharge equipment required.

Employ construction methods and techniques in a manner that will minimize the need for dewatering, and if dewatering is required, minimize the volume of water generated. Take measures to limit groundwater, surface water, and precipitation from entering and exiting excavations in the areas of contamination. Such measures, which may include berming, ditching, or other means, shall be maintained until construction of utilities in the areas of contamination are complete.

Ensure continuous dewatering and excavation safety at all times. Provide, operate, and maintain adequate pumping equipment and drainage and disposal facilities. Notify the engineer of any dewatering activities, and obtain any permits necessary to discharge water. Provide copies of such permits to the engineer. Meet any requirements and pay any costs for obtaining and complying with such permit use. Follow all applicable legislative statues, judiciary decisions, and regulations of the State of Wisconsin.

#### **D Measurement**

The department will measure Excavation, Hauling, and Disposal of Petroleum Contaminated Soil in tons of contaminated soil, accepted by the bioremediation facility as documented by weight tickets generated by the bioremediation facility.

#### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
205.0501.S	Excavation, Hauling, and Disposal of Petroleum Contaminated Soil	TON

Payment is full compensation for excavating, segregating, loading, hauling, and treatment via bioremediation of contaminated soil; obtaining solid waste collection and transportation service operating licenses; assisting in the collection soil samples for field evaluation; and dewatering of soils before transport, if necessary.

stp-205-003 (20150630)