



Northern Lake Service, Inc • 400 N Lake Ave • Crandon, WI 54520  
800-278-1254 • [www.nlslab.com](http://www.nlslab.com)

March 27, 2023

Mark Pauli  
Wisconsin Department of Natural Resources  
101 S Webster St  
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area  
Project Number: PFAS Private Wells  
Work Order: CB02218  
Received: 03/08/23

Enclosed are the results of analyses for samples received by our laboratory on 3/8/2023. If you have any questions concerning this report, please feel free to contact a client service representative at [clientservices@nlslab.com](mailto:clientservices@nlslab.com).

Sincerely,

A handwritten signature in black ink that reads "Tom Priebe".

Tom Priebe For Client Services  
Northern Lake Service, Inc.



Wisconsin Department of Natural Resources  
101 S Webster St  
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area  
Project Number: PFAS Private Wells  
Project Manager: Mark Pauli

**Reported:**  
3/27/23 9:55

**Work Order:**  
CB02218

### Sample Summary

Descriptions of all qualifiers listed throughout this report can be found on the Qualifiers and Definitions Page.

Lab ID	Sample	Matrix	Sample Type	Qualifiers	Date Sampled	Date Received
CB02218-01	BL137	DW			3/8/23 11:45	3/8/23 16:50
CB02218-02	Field Blank	DW			3/8/23 0:00	3/8/23 16:50



Wisconsin Department of Natural Resources  
101 S Webster St  
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area  
Project Number: PFAS Private Wells  
Project Manager: Mark Pauli

Reported:  
3/27/23 9:55

Work Order:  
CB02218

**Sample Results**

**Sample: BL137**

**CB02218-01 (DW) Sampled: 03/08/23 11:45**

Analyte	Result	Qualifier	Dilution	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
<b>Semi-Volatiles</b>												
11-chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		1	0.31	1.0		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	ND		1	0.34	1.1		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND		1	0.37	1.2		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
hexafluoropropylene oxide dimer acid (HFPO DA)	ND		1	0.41	1.4		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		1	0.47	1.6		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
n-methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		1	0.40	1.3		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorobutanesulfonic acid (PFBS)	0.42	J	1	0.30	1.0		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorodecanoic acid (PFDA)	ND		1	0.33	1.1		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorododecanoic acid (PFDoA)	ND		1	0.23	0.77		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluoroheptanoic acid (PFHpA)	ND		1	0.44	1.5		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanoic acid (PFHxA)	ND		1	0.47	1.6		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanesulfonic acid (PFHxS)	0.99	J	1	0.34	1.1		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorononanoic acid (PFNA)	ND		1	0.46	1.5		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanoic acid (PFOA)	ND		1	0.49	1.6		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanesulfonic acid (PFOS)	1.2		1	0.31	1.0		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorotetradecanoic acid (PFTA)	ND		1	0.34	1.1		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluorotridecanoic acid (PFTTrDA)	ND		1	0.43	1.4		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
perfluoroundecanoic acid (PFUnA)	ND		1	0.30	1.0		ng/L	3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURRE) C13-PFHxA	95%			Limits: 70-130%				3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURRE) C13-HFPODA	93%			Limits: 70-130%				3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURRE) C13-PFDA	93%			Limits: 70-130%				3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURRE) d5-NEtFOSAA	84%			Limits: 70-130%				3/13/23 7:26	3/14/23 15:06	RAW	EPA 537.1, Rev 2.0	2

**Sample: Field Blank**

**CB02218-02 (DW) Sampled: 03/08/23 00:00**

Analyte	Result	Qualifier	Dilution	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
<b>Semi-Volatiles</b>												



Wisconsin Department of Natural Resources  
101 S Webster St  
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area  
Project Number: PFAS Private Wells  
Project Manager: Mark Pauli

Reported:  
3/27/23 9:55

Work Order:  
CB02218

Sample Results (Continued)

Sample: Field Blank (Continued)

CB02218-02 (DW) Sampled: 03/08/23 00:00

Analyte	Result	Qualifier	Dilution	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
<b>Semi-Volatiles (Continued)</b>												
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		1	0.31	1.0		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	ND		1	0.34	1.1		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND		1	0.37	1.2		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
hexafluoropropylene oxide dimer acid (HFPO DA)	ND		1	0.41	1.4		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		1	0.47	1.6		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
n-methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		1	0.40	1.3		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorobutanesulfonic acid (PFBS)	ND		1	0.30	1.0		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorodecanoic acid (PFDA)	ND		1	0.33	1.1		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorododecanoic acid (PFDoA)	ND		1	0.23	0.77		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluoroheptanoic acid (PFHpA)	ND		1	0.44	1.5		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanoic acid (PFHxA)	ND		1	0.47	1.6		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanesulfonic acid (PFHxS)	ND		1	0.34	1.1		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorononanoic acid (PFNA)	ND		1	0.46	1.5		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanoic acid (PFOA)	ND		1	0.49	1.6		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanesulfonic acid (PFOS)	ND		1	0.31	1.0		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorotetradecanoic acid (PFTA)	ND		1	0.34	1.1		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluorotridecanoic acid (PFTTrDA)	ND		1	0.43	1.4		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
perfluoroundecanoic acid (PFUnA)	ND		1	0.30	1.0		ng/L	3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFHxA	92%			Limits: 70-130%				3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-HFPODA	90%			Limits: 70-130%				3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFDA	95%			Limits: 70-130%				3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) d5-NEtFOSAA	88%			Limits: 70-130%				3/20/23 6:51	3/22/23 16:22	RAW	EPA 537.1, Rev 2.0	2



Wisconsin Department of Natural Resources  
101 S Webster St  
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area  
Project Number: PFAS Private Wells  
Project Manager: Mark Pauli

**Reported:**  
3/27/23 9:55

**Work Order:**  
CB02218

**List of Certifications**

<b>Code</b>	<b>Description</b>	<b>Number</b>	<b>Expires</b>
2	NLS (Crandon) WDNR Laboratory ID No.	721026460	8/31/23



Wisconsin Department of Natural Resources  
101 S Webster St  
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area  
Project Number: PFAS Private Wells  
Project Manager: Mark Pauli

**Reported:**  
3/27/23 9:55

**Work Order:**  
CB02218

### Qualifiers and Definitions

Item	Definition
J	Result is between LOD and LOQ and considered to be within a region of less-certain quantitation.
ND	Analyte NOT DETECTED at or above the LOD or MRL.
LOD	Limit of Detection.
LOQ	Limit of Quantitation.
NA	Not Applicable.
Dry	Dry Weight Basis.
Wet	Wet Weight Basis.
% Dry	Equal to: (mg/kg dry) / 10000.
1000 ug/L	Equal to: 1 mg/L.
MCL	Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.
RPD	Relative Percent Difference.
%REC	Percent Recovery.
Source	Sample that was matrix spiked or duplicated.

All LOD/LOQs adjusted to reflect preparation volumes, dilutions, and/or solids content.

CB02218



NC  
Anal: 400  
Tel: (


**SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD**

Wisconsin Lab Cert. No. 721026460  
WI DATCP 105-000330

CLIENT WISCONSIN DNR-DRINKING AND GROUNDWATER	ADDRESS PO BOX 7921, D615	CITY MADISON	STATE WI	ZIP 53707
PROJECT DESCRIPTION / NO. PPAS PRIVATE WELLS	QUOTATION NO.	DNR FID #	DNR LICENSE #	
CONTACT MARK PAULI	PHONE 715-499-0612	FAX		
PURCHASE ORDER NO. 000022899				

MATRIX:  
SW = surface water  
WW = waste water  
GW = groundwater  
DW = drinking water  
TIS = tissue  
AIR = air  
SOIL = soil  
SED = sediment  
PROD = product  
SL = sludge  
OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.  
Indicate G or C if WW Sample is Grab or Composite.



ITEM NO.	WIS LAB NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS	COLLECTION REMARKS (i.e. DNR Well ID #)
			DATE	TIME			
1.		BL137	3/8/23	11:45	GW	Y	2) Samples (1) FB
2.							
3.							
4.							
5.							
6.							
7.							
8.							
9.							
10.							

COLLECTED BY (signature) <i>William Robert</i>	CUSTODY SEAL NO. (IF ANY)	DATE/TIME
RELINQUISHED BY (signature) <i>William Robert</i>	3-8-23	11:45
DISPATCHED BY (signature)	3-8-23	16:50
METHOD OF TRANSPORT		

RECEIVED AT (signature) <i>William Robert</i>	DATE/TIME	CONDITION	TEMP
	3-8-23	16:50	0.4
REMARKS & OTHER INFORMATION			
WDR FACILITY NUMBER	E-MAIL ADDRESS		

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.  
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.  
3. RETURN THIS FORM WITH SAMPLES-CLIENT MAY KEEP PINK COPY.  
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICED TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

**IMPORTANT!**

REPORT TO
INVOICE TO