

Notice: Use this form to request a **written response (on agency letterhead)** from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Public Records law [ss. 19.31 - 19.39, Wis. Stats.].

Definitions

"Property" refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

"Liability Clarification" refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55, Wis. Stats.

"Technical Assistance" refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

"Post-closure modification" refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

Select the Correct Form

This form should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification
- Post-Closure Modifications
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

Do not use this form if one of the following applies:

- Request for an **off-site liability exemption or clarification** for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the **Lender Liability Exemption**, s 292.21, Wis. Stats., **if no response or review by DNR is requested**. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an **exemption to develop on a historic fill site** or licensed landfill. Use DNR's Form 4400-226 or 4400-226A.
- **Request for closure** for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure - GIS Registry Form 4400-202.

All forms, publications and additional information are available on the internet at: dnr.wi.gov/topic/Brownfields/Pubs.html.

Instructions

1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program **and** the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 2 of 7

Section 1. Contact and Recipient Information

Requester Information

This is the person requesting technical assistance or a post-closure modification review, that his or her liability be clarified or a specialized agreement and is identified as the requester in Section 7. DNR will address its response letter to this person.

Last Name	First	MI	Organization/ Business Name		
Bode	William	B	Brayton Management Company, Inc.		
Mailing Address			City	State	ZIP Code
18900 W. Bluemound Rd., Suite 212			Brookfield	WI	53045
Phone # (include area code)	Fax # (include area code)	Email			
(414) 305-3324		brayton1953@gmail.com			

The requester listed above: (select all that apply)

- Is currently the owner
 Is considering selling the Property
 Is renting or leasing the Property
 Is considering acquiring the Property
 Is a lender with a mortgagee interest in the Property
 Other. Explain the status of the Property with respect to the applicant:

Representing the property owner: Garage Mahal, LLC

Contact Information (to be contacted with questions about this request)

Select if same as requester

Contact Last Name	First	MI	Organization/ Business Name		
Dueppen	Thomas	J	Himalayan Consultants, LLC		
Mailing Address			City	State	ZIP Code
W156 N11357 Pilgrim Road			Germantown	WI	53022
Phone # (include area code)	Fax # (include area code)	Email			
(262) 502-0066		tdueppen@himalayanllc.com			

Environmental Consultant (if applicable)

Contact Last Name	First	MI	Organization/ Business Name		
Dueppen	Thomas	J	Himalayan Consultants, LLC		
Mailing Address			City	State	ZIP Code
W156 N11357 Pilgrim Road			Germantown	WI	53022
Phone # (include area code)	Fax # (include area code)	Email			
(262) 502-0066		tdueppen@himalayanllc.com			

Section 2. Property Information

Property Name				FID No. (if known)	
Garage Mahal LLC Property				268707120	
BRRTS No. (if known)			Parcel Identification Number		
02-68-593061			Tax Key # MNFV0011287		
Street Address			City	State	ZIP Code
W164 N8859 Mill Street			Menomonee Falls	WI	53051
County	Municipality where the Property is located		Property is composed of:		Property Size Acres
Waukesha	<input type="radio"/> City <input type="radio"/> Town <input checked="" type="radio"/> Village of		<input checked="" type="radio"/> Single tax parcel <input type="radio"/> Multiple tax parcels		0.09

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 3 of 7

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests are completed within 60 days. Please plan accordingly.

No Yes

Date requested by: 12/30/2023

Reason: Closing on property

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. **Include the fee that is required for your request in Section 3, 4 or 5.**

Yes. **Do not include a separate fee.** This request will be billed separately through the VPLE Program.

Fill out the information in Section 3, 4 or 5 which corresponds with the type of request:

Section 3. Technical Assistance or Post-Closure Modifications;

Section 4. Liability Clarification; or Section 5. Specialized Agreement.

Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [Numbers in brackets are for WI DNR Use]

- No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - Include a fee of \$350. Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event.
- Review of Site Investigation Work Plan - NR 716.09, [135] - **Include a fee of \$700.**
- Review of Site Investigation Report - NR 716.15, [137] - **Include a fee of \$1050.**
- Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - **Include a fee of \$1050.**
- Review of a Remedial Action Options Report - NR 722.13, [143] - **Include a fee of \$1050.**
- Review of a Remedial Action Design Report - NR 724.09, [148] - **Include a fee of \$1050.**
- Review of a Remedial Action Documentation Report - NR 724.15, [152] - **Include a fee of \$350**
- Review of a Long-term Monitoring Plan - NR 724.17, [25] - **Include a fee of \$425.**
- Review of an Operation and Maintenance Plan - NR 724.13, [192] - **Include a fee of \$425.**

Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226)

- Schedule a Technical Assistance Meeting - **Include a fee of \$700.**
- Hazardous Waste Determination - **Include a fee of \$700.**
- Other Technical Assistance - **Include a fee of \$700.** Explain your request in an attachment.

Post-Closure Modifications - NR 727, [181]

- Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. **Include a fee of \$1050, and:**
 - Include a fee of \$300 for sites with residual soil contamination; and
 - Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

Section 4. Request for Liability Clarification

Select the type of liability clarification requested. Use the available space given or attach information, explanations, or specific questions that you need answered in DNR's reply. Complete Sections 6 and 7 of this form. [Numbers in brackets are for DNR Use]

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 4 of 7

"Lender" liability exemption clarification - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the real Property, and/or the personal Property and fixtures;
- (2) an environmental assessment, in accordance with s. 292.21, Wis. Stats.;
- (3) the date the environmental assessment was conducted by the lender;
- (4) the date of the Property acquisition; for foreclosure actions, include a copy of the signed and dated court order confirming the sheriff's sale.
- (5) documentation showing how the Property was acquired and the steps followed under the appropriate state statutes.
- (6) a copy of the Property deed with the correct legal description; and,
- (7) the Lender Liability Exemption Environmental Assessment Tracking Form (Form 4400-196).
- (8) If no sampling was done, please provide reasoning as to why it was **not** conducted. Include this either in the accompanying environmental assessment or as an attachment to this form, and cite language in s. 292. 21(1)(c)2.,h.-i., Wis. Stats.:
 - h. The collection and analysis of representative samples of soil or other materials in the ground that are suspected of being contaminated based on observations made during a visual inspection of the real Property or based on aerial photographs, or other information available to the lender, including stained or discolored soil or other materials in the ground and including soil or materials in the ground in areas with dead or distressed vegetation. The collection and analysis shall identify contaminants in the soil or other materials in the ground and shall quantify concentrations.
 - i. The collection and analysis of representative samples of unknown wastes or potentially hazardous substances found on the real Property and the determination of concentrations of hazardous waste and hazardous substances found in tanks, drums or other containers or in piles or lagoons on the real Property.

"Representative" liability exemption clarification (e.g. trustees, receivers, etc.) - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the Property;
- (2) the date of Property acquisition by the representative;
- (3) the means by which the Property was acquired;
- (4) documentation that the representative has no beneficial interest in any entity that owns, possesses, or controls the Property;
- (5) documentation that the representative has not caused any discharge of a hazardous substance on the Property; and
- (6) a copy of the Property deed with the correct legal description.

Clarification of local governmental unit (LGU) liability exemption at sites with: (select all that apply)

- hazardous substances spills - s. 292.11(9)(e), Wis. Stats. [649];
- Perceived environmental contamination - [649];
- hazardous waste - s. 292.24 (2), Wis. Stats. [649]; and/or
- solid waste - s. 292.23 (2), Wis. Stats. [649].

❖ **Include a fee of \$700, a summary of the environmental liability clarification being requested, and the following:**

- (1) clear supporting documentation showing the acquisition method used, and the steps followed under the appropriate state statute(s).
- (2) current and proposed ownership status of the Property;
- (3) date and means by which the Property was acquired by the LGU, where applicable;
- (4) a map and the ¼, ¼ section location of the Property;
- (5) summary of current uses of the Property;
- (6) intended or potential use(s) of the Property;
- (7) descriptions of other investigations that have taken place on the Property; and
- (8) (for solid waste clarifications) a summary of the license history of the facility.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 5 of 7

Section 4. Request for Liability Clarification (cont.)

- Lease liability clarification - s. 292.55, Wis. Stats. [646]
- ❖ **Include a fee of \$700 for a single Property, or \$1400 for multiple Properties and the information listed below:**
 - (1) a copy of the proposed lease;
 - (2) the name of the current owner of the Property and the person who will lease the Property;
 - (3) a description of the lease holder's association with any persons who have possession, control, or caused a discharge of a hazardous substance on the Property;
 - (4) map(s) showing the Property location and any suspected or known sources of contamination detected on the Property;
 - (5) a description of the intended use of the Property by the lease holder, with reference to the maps to indicate which areas will be used. Explain how the use will not interfere with any future investigation or cleanup at the Property; and
 - (6) all reports or investigations (e.g. Phase I and Phase II Environmental Assessments and/or Site Investigation Reports conducted under s. NR 716, Wis. Adm. Code) that identify areas of the Property where a discharge has occurred.

General or other environmental liability clarification - s. 292.55, Wis. Stats. [682] - Explain your request below.

- ❖ **Include a fee of \$700 and an adequate summary of relevant environmental work to date.**

- No Action Required (NAR) - NR 716.05, [682]

- ❖ **Include a fee of \$700.**

Use where an environmental discharge has or has not occurred, and applicant wants a DNR determination that no further assessment or clean-up work is required. Usually this is requested after a Phase I and Phase II environmental assessment has been conducted; the assessment reports should be submitted with this form. This is not a closure letter.

- Clarify the liability associated with a "closed" Property - s. 292.55, Wis. Stats. [682]

- ❖ **Include a fee of \$700.**

- Include a copy of any closure documents if a state agency other than DNR approved the closure.

Use this space or attach additional sheets to provide necessary information, explanations or specific questions to be answered by the DNR.

Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: dnr.wi.gov/topic/Brownfields/Igu.html#tabx4.

- Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]

- ❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

- Agreement for assignment of tax foreclosure judgement - s.75.106, Wis. Stats. [666]

- ❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

- Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]

- ❖ **Include a fee of \$1400, and the information listed below:**

- (1) a draft schedule for remediation; and,
- (2) the name, mailing address, phone and email for each party to the agreement.

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 6 of 7

Section 6. Other Information Submitted

Identify all materials that are included with this request.

Send both a paper copy of the signed form and all reports and supporting materials, and an electronic copy of the form and all reports, including Environmental Site Assessment Reports, and supporting materials on a compact disk.

Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.

Phase I Environmental Site Assessment Report - Date: 07/27/2023

Phase II Environmental Site Assessment Report - Date: 09/12/2023

Legal Description of Property (required for all liability requests and specialized agreements)

Map of the Property (required for all liability requests and specialized agreements)

Analytical results of the following sampled media: Select all that apply and include date of collection.

Groundwater Soil Sediment Other medium - Describe: _____

Date of Collection: _____

A copy of the closure letter and submittal materials

Draft tax cancellation agreement

Draft agreement for assignment of tax foreclosure judgment

Other report(s) or information - Describe: Current investigation results/continued SIWP

For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?

Yes - Date (if known): 09/12/2023

No

Note: The Notification for Hazardous Substance Discharge Form - Non-Emergency Only (Form 4400-225) is accessible through the RR Program Submittal Portal application. Directions for using the form and the Submittal Portal application are available on the [Submittal Portal web page](#).

Section 7. Certification by the Person who completed this form

I am the person submitting this request (requester)

I prepared this request for: William B. Bode
Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.



Signature

9/27/2023

Date Signed

Senior Hydrogeologist

Title

(262) 613-1468

Telephone Number (include area code)

Section 8. DNR Contacts and Addresses for Request Submittals

Send or deliver one paper copy and one electronic copy on a compact disk of the completed request, supporting materials, and fee to the region where the property is located to the address below. Contact a [DNR regional brownfields specialist](#) with any questions about this form or a specific situation involving a contaminated property. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>.


DNR NORTHERN REGION
 Attn: RR Program Assistant
 Department of Natural Resources
 223 E Steinfest Rd Antigo, WI 54409

DNR NORTHEAST REGION
 Attn: RR Program Assistant
 Department of Natural Resources
 2984 Shawano Avenue
 Green Bay WI 54313

DNR SOUTH CENTRAL REGION
 Attn: RR Program Assistant
 Department of Natural Resources
 3911 Fish Hatchery Road
 Fitchburg WI 53711

DNR SOUTHEAST REGION
 Attn: RR Program Assistant
 Milwaukee DNR Office
 1027 West St. Paul Ave
 Milwaukee WI 53233

DNR WEST CENTRAL REGION
 Attn: RR Program Assistant
 Department of Natural Resources
 1300 Clairemont Ave.
 Eau Claire WI 54702



Note: These are the Remediation and Redevelopment Program's designated regions. Other DNR program regional boundaries may be different.

DNR Use Only			
Date Received	Date Assigned	BRRTS Activity Code	BRRTS No. (if used)
DNR Reviewer		Comments	
Fee Enclosed? <input type="radio"/> Yes <input type="radio"/> No	Fee Amount \$	Date Additional Information Requested	Date Requested for DNR Response Letter
Date Approved	Final Determination		

CONTINUED SITE INVESTIGATION WORK PLAN

**GARAGE MAHAL LLC Property
W164 N8859 Mill Street
Village of Menomonee Falls, Wisconsin
(Tax Key # MNFV0011287)**

Prepared for:

William B. Bode
Garage Mahal, LLC
c/o Brayton Management Company, Inc.
18900 W. Bluemound Rd., Suite 212
Brookfield, WI 53045

Prepared by:



Himalayan Consultants, LLC
W156 N11357 Pilgrim Road
Germantown, WI 53022
Phone: (262) 502-0066; Fax: (262) 502-0077

December 11, 2023

CONTINUED SITE INVESTIGATION WORK PLAN


**GARAGE MAHAL LLC Property
W164 N8859 Mill Street
Village of Menomonee Falls, Wisconsin
(Tax Key # MNFV0011287)**

Prepared by:

Himalayan Consultants, LLC
W156 N11357 Pilgrim Road
Germantown, WI 53022



Thomas J. Dueppen, P.G.
Senior Hydrogeologist



Gopal K. Adhikary, P.E.
Principal/Senior Engineer

TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	1
2.0	INTRODUCTION.....	3
3.0	PROJECT DESCRIPTION.....	4
4.0	PURPOSE AND SCOPE.....	4
5.0	SOIL AND GROUNDWATER CHARACTERIZATION.....	5
5.1	Soil Sampling and Screening Procedures	5
5.2	Groundwater Sampling Procedures.....	6
5.3	Vapor Sampling Procedures	6
6.0	SUBSURFACE CONDITIONS.....	7
6.1	Soil Conditions	7
6.2	Groundwater Conditions	7
6.3	Vapor Migration Assessment	8
7.0	ANALYTICAL RESULTS	9
7.1	Soil Samples.....	9
7.2	Groundwater Samples.....	9
7.3	Investigative Derived Waste.....	10
8.0	EMERGING CONTAMINANT/PFAS SCOPING STATEMENT	10
9.0	VAPOR MIGRATION ASSESSMENT.....	11
10.0	SUMMARY OF FINDINGS.....	11
11.0	CONCLUSIONS AND RECOMMENDATIONS	12

12.0 LIMITATIONS 13

13.0 REFERENCES..... 14

APPENDICES

Appendix A Figures and Tables

- Figure 1. Site Location Map
- Figure 2. Boring/Well Location Map
- Figure 3. PCE - Soil Isoconcentration Map
- Figure 4. SOIL QUALITY MAP – VOCs
- Figure 5. WATER QUALITY MAP – VOCs
- Figure 6. Cross-Section Location Map
- Figure 7. Geologic Cross-Section A – A’
- Figure 8. 1914 Plat Map – Menomonee Falls Township
- Figure 9. 2015 Aerial Photograph (Former Building Location)
- Figure 10. 1949 – Sanborn Fire Insurance Map
- Figure 11. Topographic Contour Map

- Table 1 Soil Quality Results
- Table 2 Water Quality Results

Appendix B Soil Boring Logs and Borehole Abandonment Forms

Appendix C Well Construction Forms

Appendix D Laboratory Analytical Reports

ACRONYMS, ABBREVIATIONS, AND SYMBOLS

ASTM	American Society for Testing and Materials
bgs	Below ground surface
BRRTS	Bureau of Remediation and Redevelopment Tracking System
BTEX	Benzene, toluene, ethylbenzene, xylenes
C/L	Centerline
Cd	Cadmium
Commerce	Wisconsin Department of Commerce
DF	Dilution Factor
DRO	Diesel range organics
EPA	Environmental Protection Agency
ES	Enforcement Standard
FDM	Facilities Development Manual
GRO	Gasoline range organics
HMA	Hazardous Materials Assessment
HMI	Hazardous Materials Investigation
ID	Inside Diameter
LT	Left
LUST	Leaking underground storage tank
mg/kg	Milligram per kilogram
mg/L	Milligram per liter
PAL	Preventive action limit
Pb	Lead
PID	Photoionization detector
ppb	Parts per billion
ppm	Parts per million
PVC	Polyvinyl chloride
QA	Quality assurance
QC	Quality control
R/W	Right-of-way
RCL	Residual contaminant level
RCRA	Resource Conservation and Recovery Act
RT	Right
Sta	Station
TCLP	Toxicity Characteristic Leaching Procedure
USCS	United Soil Classification System
USDOT	United States Department of Transportation
UST	Underground storage tank
VOC	Volatile organic compound
WDNR	Wisconsin Department of Natural Resources
WisDOT	Wisconsin Department of Transportation
µg/kg	Microgram per kilogram
µg/L	Microgram per liter
~	Approximately
>	Greater than
<	Less than

1.0 EXECUTIVE SUMMARY

Himalayan Consultants, LLC (Himalayan) was contracted by Brayton Management Company, Inc. (BMC) to perform continued Phase II Environmental Site Investigation (ESI) for a property located within the Village of Menomonee Falls near the southwest quadrant of Main Street and Mill Street intersection, hereinafter referred to as the “site”. The site was identified as a former dry-cleaning facility and is currently utilized as a parking lot.

The former dry-cleaning facility was identified during a recent Phase I Environmental Site Assessment (ESA) of the site, conducted by Endpoint Solutions for JBJ Companies, Inc. The property with the street address of W164 N8859 Mill Street was considered a Recognized Environmental Condition (REC) that may pose an environmental concern.

Recent Phase II ESI results indicate that soil / groundwater impacts have migrated off-site and additional investigation are needed to determine the degree / extent of contamination associated with this site.

1.1 Summary of Findings

Results of the Limited Phase II ESI conducted at the site referenced above are the following:

- The site is currently a 4,300 square foot, asphalt paved parking lot on a 10:1 hill grading eastward towards Mill Street. East of Mill Street is a former quarry that has been filled in for public parking.
- The general subsurface at the site consists of several inches of blacktop or topsoil with several feet of fill material (typically dark to light brown clayey silt and gravel) underneath. Groundwater was encountered on the east side of Mill Street at depths ranging between 13 and 13.5 feet below ground surface (bgs).
- Six borings (B-1 to B-6) have been advanced at the site; one boring (B-10) at the property to the south; five borings (B-7, B-8, B-9, B-11, B-12) within the public right-of-way; and one boring (B-13) within the public parking lot across from Mill Street. No obvious signs of contamination (odors and/or staining) were encountered in the soil samples retrieved from each boring, and no elevated PID readings were detected in the soil samples.
- Several VOCs were detected in the submitted soil samples. Several chlorinated compounds, were identified in the samples submitted to the laboratory for analysis. Most concentrations are below the NR720 Direct Contact Non-Industrial and Industrial Standards RCLs for PCE, TCE, and vinyl chloride, but exceeds the RCL for groundwater protection.

- Several low-level petroleum contaminants were identified in the soil samples B-2 and B-3. None of the concentrations exceeded their respective NR720 Direct Contact Non-Industrial, Industrial Standards and/or Groundwater Protection RCLs.
- PCE was detected in the groundwater samples collected from the Lime Kiln Park parking lot, at concentrations exceeding the NR 140 ES. Chloromethane was also detected in B-13 but is assumed to be a laboratory artifact.

1.2 Conclusions and Recommendations

- The petroleum contaminants identified in a few soil samples are possibly associated with backfill material brought to the site, following building demolition and redevelopment activities at the site in 2016. None of these soil impacts exceed their respective NR720 Direct Contact RCLs and should not pose an environmental concern to the site.
- The concentrations of chlorinated compounds identified in the soil and groundwater samples indicate that solvents were released within the former dry-cleaning facility where PCE was most likely dumped into the wastewater line that runs adjacent to the storm sewer line that flows east under Mill Street and into the adjacent parking lot. These impacts also indicate that the existing utility corridors have most likely influenced off-site contaminate migration.
- The degree / extent of chlorinated compounds in the soil appears to be defined near the current 'hot spot' located near the northeast corner of the adjacent property (Lime Kiln Apartment Homes - W164 N8845 Mill Street). However, several more borings near the southeast building exterior will be needed.
- A few more borings / wells within the Lime Kiln Parking Lot will also be needed to assess down-gradient contaminant migration. However, further investigation of groundwater impacts near the 'hot spot' will require bedrock drilling and may not provide much definitive information regarding the degree / extent of PCE impact in groundwater. In addition, penetration into this fractured bedrock unit may also provide another contaminant pathway by exposing deeper sections of the limestone bedrock.
- Based on the years of operation, the small size of the former drycleaning facility, and the lack of direct evidence of use or presence of PFAS, sampling is not warranted.
- Based on the current degree / extent of chlorinated compounds in the subsurface and their proximity to adjacent buildings, further assessment of vapor intrusion is needed. A vapor screening evaluation of the two adjacent buildings is being planned for Winter 2023.

2.0 INTRODUCTION

Himalayan Consultants, LLC (Himalayan) has completed a Limited Phase 2 Environmental Site Investigation (ESI) for an approximately 0.0986-acre parcel of land located in the southwest quadrant of Main Street and Mill Street located within the Village of Menomonee Falls, hereinafter referred to as the “site” (see Figure 1, Appendix A).

The site is described as a 4,300 square foot, asphalt paved surface parking lot with a street address of W164N8859 Mill Street. This parcel of land is bounded to the south and west by additional asphalt surfaces; to the east by Mill Street; and to the north by commercial buildings and parking lot (Appendix A, Figure 2). It is described as being a part of the SE ¼ of SW ¼ of Section 3, Township 8 North, Range 20 East in the Village of Menomonee Falls, Waukesha County, Wisconsin. According to the Waukesha County Geographic Information Web Portal, the parcel is an approximately 0.0986-acre lot owned by GARAGE MAHAL LLC (Tax Key# MNFV0011287). The former dry-cleaning facility was initially identified during a recent Phase I Environmental Site Assessment (ESA) of the site, conducted by Endpoint Solutions (ES) for a potential investor JBJ Companies, Inc. [Ref. 1]. According to ES, the entire site consisted of a commercial building with a dry-cleaning facility operating inside the western portion of the building in the late-1940s. The building was razed in 2016 and was re-developed with an asphalt parking lot. The current parking lot is situated on a 10:1 hill grading east towards Mill Street.

Himalayan’s visual inspection of the site and surrounding areas on August 25, 2023, confirmed that land use at the site remains an asphalt paved parking lot. No Recognized Environmental Conditions (RECs) were identified at the site or adjacent properties during the inspection. No obvious odors or stressed vegetation were noted. However, based on the unknown subsurface conditions and potential release(s) of chlorinated solvents, the former dry-cleaning facility is considered an REC that may pose an environmental concern to the site.

To assess these potential environmental concerns, 13 Geoprobe® borings were advanced at the site and adjacent properties with two borings converted to small diameter monitoring wells between August and November 2023. Lab analyses results confirmed that chlorinated compounds have impacted the local soil and groundwater. To comply with Wisconsin’s Spills Law [Wis. Stats. Section 292.11], the Wisconsin Department of Natural Resources (WDNR) was notified of a chlorinated solvent release at the site and was designated as an Environmental Repair Program (ERP) site [BRRTS # 02-68-593061].

3.0 PROJECT DESCRIPTION

The site is currently considered for purchase within the Village of Menomonee Falls, Wisconsin. To expedite site purchase, GARAGE MAHAL LLC (GM) has contracted with Himalayan to assess the potential environmental concern associated with the previously identified dry-cleaning facility.

Based on a zoning map provided by the Village of Menomonee Falls, the site is currently zoned as 'Community Business' (C-2) in the Village Centre of Menomonee Falls.

4.0 PURPOSE AND SCOPE

The purpose of continued Phase II investigation activities is to determine the degree/extent of the release(s) that have impacted local soil and groundwater conditions at the site. Since the former dry-cleaning facility was on the west side of the building and surface topography for the entire site trends west to east towards Mill Street, the most likely pathway for contaminant migration is considered to be downhill toward the roadway.

The continued Phase II investigation activities will consist of additional Geoprobe® borings located on adjacent properties to the south and east of the site, including laboratory analysis of up to two discrete soil samples from each boring. Groundwater conditions down-gradient of the soil 'hot spot', can be determined by converting several of the boreholes into small diameter monitoring wells and collecting water samples for laboratory analysis. Based on the current degree / extent of chlorinated compounds in the subsurface and their proximity to adjacent buildings, further assessment of vapor intrusion is also planned. All investigation activities will be performed in general accordance with WDNR rules and regulations.

5.0 SOIL AND GROUNDWATER CHARACTERIZATION

Based on ES's Phase I ESA, the site and most of the adjacent properties have been developed for over 100 years. Boring locations were chosen based on the former building footprint and down-gradient positions relative to the former dry-cleaning facility at the site and adjacent underground utility corridors.

On August 25, 2023, Baake Field Services, LLC, under a contract with Himalayan, advanced six soil borings (B-1 to B-6) at the site (see Figure 3, Appendix A). Additional borings (B-7 to B-13) were also advanced on adjacent properties in October and November 2023. All surface areas at the site were accessible by motorized vehicles and weather conditions at the time of boring activities, were mostly sunny, humid and temperatures ranging from 45° to 75° F.

5.1 Soil Sampling and Screening Procedures

The borings were advanced using Geoprobe® direct push methods. The Geoprobe® utilizes a hydraulic ram device that forces a 5-foot long, 2.38-inch inside diameter (ID), stainless steel rod into the ground. Each rod was fitted with a removable 1.70-inch ID clear acetate tube liner. Following extraction from the ground, the liners were removed from the stainless steel rod and the interior soil column was separated into approximately 2.5-foot intervals and inspected.

The collected soil samples from each boring were examined by Himalayan for soil type, color, odor, texture, moisture, and other characteristics of the soil using visual-manual procedures, including any non-native soils [fill material] encountered. These observations were used to prepare descriptive geologic logs for each boring and visually classify the soils according to Unified Soil Classification System (USCS) in general accordance with American Society for Testing and Materials (ASTM) Procedure D-2488. A field log of each boring was prepared, including observations for saturated soil conditions denoting depth(s) of groundwater (if any). Refer to soil boring logs in Appendix B for a detailed description of soils encountered at each boring location.

Soil samples were screened in the field for volatile organic compounds (VOCs) using a Photoionization Detector (PID) equipped with a 10.6 eV lamp [MiniRAE 2000]. The PID was calibrated on-site using a standard of 100 ppm of isobutylene gas and manufacturer-recommended calibration procedures. Field-screening results of all collected soil samples are presented in Table 1.

Based on field observations and screening results, one to two discrete soil samples from each boring were selected and submitted for laboratory analysis. Each chosen soil sample was prepared in the field, which included placement in laboratory supplied containers, application

of preservative, storage in a cooler (on-ice), and submittal with a chain-of-custody to Pace Analytical Services, Inc. (Pace) [WDNR Certified Laboratory #405132750] for laboratory analyses. The submitted soil samples were analyzed for volatile organic compounds (VOCs). A methanol trip blank was also stored / transported with the soil samples and was laboratory analyzed for VOCs to provide quality assurance/quality control (QA/QC) data.

5.2 Groundwater Sampling Procedures

Himalayan initially attempted groundwater sampling at the site on the same days that Geoprobe® borings were advanced. Saturated soil conditions were only encountered in borings B-12 and B-13 and small diameter monitoring wells were installed, developed, and groundwater samples collected.

Small diameter well construction generally consists of a capped section of slotted 1 inch PVC pipe connected to a solid 1 in. PVC pipe, which is then inserted into the borehole and extends up to the ground surface. Groundwater extraction from these wells is typically performed by using a dedicated polyethylene bailer or dedicated tubing (polyethylene and medical grade silicone) inserted inside the well casing and connected to a peristaltic pump. Groundwater samples are then prepared in the field, including placement in a laboratory supplied container, storage in a cooler (on-ice), and submittal with a chain-of-custody to Pace for laboratory analyses. A laboratory supplied trip blank is also stored / transported with the water samples and is laboratory analyzed for VOCs to provide quality assurance/quality control (QA/QC) data.

All Geoprobe® boreholes not converted to monitoring wells will be abandoned by backfilling with bentonite chips after completion of sampling activities, in accordance with Wis. Adm. Code NR 141 [Ref. 2]. The Borehole Abandonment Forms completed for the boreholes advanced so far are presented in Appendix B.

5.3 Vapor Sampling Procedures

The standard, sub-slab sampling method includes sample probes that are installed through the foundation and a Summa canister is connected to each probe for a specific time period. The sample probes consist of 0.5 inch hole drilled through the slab and a vapor pin installed at the surface to isolate sub-slab vapors from indoor air. The Summa canister should be fitted with a flow controller that limits vapor flow to no more than 200 ml/min (a 6-liter canister will fill in approximately 30-minutes at this flow rate). The canister inlet is connected to the vapor pin, and under the influence of the canister's vacuum sub-slab air is collected. Following sub-slab air collection, the canister is transported under chain-of-custody, and laboratory analyzed for CVOCs.

An indoor air sample is a direct measure of the indoor air concentration near the sampling device during the sampling period. A Summa canister will be used to draw indoor air into the canister under the influence of the canister's vacuum. The canister is placed in an undisturbed area in the lowest living quarter of the building. The canister should be fitted with a flow controller that provides either a 24-hour (residential settings) or an 8-hour (commercial/industrial settings) time-weighted average concentration. Following indoor air collection, the canister is transported under chain-of-custody, and laboratory analyzed for CVOCs.

6.0 SUBSURFACE CONDITIONS

6.1 Soil Conditions

Based on the inspection of soil cores collected from each boring, the general subsurface at the site consisted of several inches of blacktop or topsoil with several feet of fill material (typically dark to light brown clayey silt and gravel) underneath. Dolomite rock chips (i.e. bedrock) was encountered at the base of all boreholes and driller refusal was approximately 5 to 6 feet bgs in all borings located west of the Lime Kiln Park parking lot. Bedrock was encountered at 18 to 20 feet bgs in the Lime Kiln Park parking lot located across the street. The parking lot was part of a historical quarry. No non-exempt solid wastes (e.g. industrial fill materials such as slag, cinders, foundry sand, etc.) were encountered in the borings.

The degree / extent of chlorinated compounds in the soil appears to be adequately defined near the current 'hot spot' (B-7), but a few more borings at the adjacent apartment homes (W164N8845 Mill Street) and within the Lime Kiln Park parking lot may be needed to assess down-gradient contaminant migration.

Refer to Figure 2 Boring/Well Location Map and other historical maps in Appendix A and soil boring logs in Appendix B for further details.

6.2 Groundwater Conditions

No saturated soil conditions were encountered at the site or adjacent properties. Boring depths utilizing a Geoprobe® were limited, due to the presence of limestone bedrock. A maximum penetration depth of 6.5 feet bgs (B-1 to B-11) was reached at the site, adjacent property, and the Mill Street roadway / right-of-way. However, groundwater was encountered at 13 feet bgs in the Lime Kiln Park parking lot located directly across the street from the site. Therefore, small diameter monitoring wells (1 inch PVC pipe) were installed in B-12 and B-13. Local groundwater depth at the site is expected to be seasonally perched within the bedrock interface

at approximately 13 feet and flow direction is anticipated to be east / southeast toward the Menomonee River.

Further investigation of groundwater impacts near the 'hot spot' will require bedrock drilling and additional groundwater wells near the current 'hot spot' (B-7) may not provide much more definitive information regarding the degree / extent of PCE contamination in groundwater. Further vertical contaminant migration into the bedrock (below 5 to 6 feet bgs) is considered minimal, since adjacent underground utilities are trenched into the existing bedrock surface and are graded to the southeast under Mill Street and eventually flows into the former quarry located in Lime Kiln Park parking lot.

The degree / extent of chlorinated compounds in the soil and groundwater appears to be adequately defined near the current 'hot spot', but a few more borings / wells within the Lime Kiln Parking Lot may be needed to assess down-gradient contaminant migration.

Refer to Cross-Section Map in Appendix A and well construction logs in Appendix B for more details.

6.3 Vapor Migration Assessment

Vapor intrusion screening is the first step in a vapor intrusion assessment. Screening uses site-specific information, such as: contaminant type, concentrations, preferential pathways, and distances from receptors to determine whether vapor intrusion is possible on or off a contaminated site [Ref. 4].

The contaminant of concern at this site includes chlorinated volatile organic compounds (CVOCs). CVOCs do not degrade in vadose zone soils and tend to migrate long distances from the source of contamination. The most common CVOCs presenting a vapor risk at contaminated sites are tetrachloroethene (PCE) and trichloroethene (TCE). Vapors from these chemicals are toxic at low concentrations that cannot be detected by their odor.

The highest concentrations of chlorinated compounds are located within the upper 4 feet and are within 100 feet of two structures at the site. The parking garage to the north is slab-on-grade while the apartment building to the south has a basement. Groundwater impacts are assumed to be within the bedrock at approximately 13 feet bgs and CVOC concentrations near these structures are most likely below NR140 PAL. Based on these screening criteria, both structures will require investigation for vapor intrusion.

To delineate the extent of potential vapor migration under the building, sub-slab vapor samples will be collected underneath both buildings. Since utility lines have been determined to be a preferential

pathway for contaminant migration, an indoor air sample from the apartment building will also be collected for laboratory analysis.

7.0 ANALYTICAL RESULTS

7.1 Soil Samples

A total of 16 soil samples, selected from various depths between 2 to 20 feet bgs, were submitted for laboratory analyses. Several VOCs were detected in the submitted soil samples. Concentrations of a chlorinated compound, tetrachloroethene (PCE), was identified in most of the samples. A few of the PCE concentrations were only estimated, since the results were flagged by the laboratory “J” as being detected between the limit of detection and the limit of quantitation. All of the concentrations are below the NR720 Direct Contact Non-Industrial and Industrial Standards RCLs for PCE, but exceeds the RCL for groundwater protection [Ref. 3].

Only two of the soil samples (B-8 and B-9) had detectable concentrations of trichloroethene, vinyl chloride, cis-1,2-dichloroethene, and trans-1,2-dichloroethene which are most likely VOCs associated with the biodegradation of PCE. Only the estimated concentration of vinyl chloride in B-8 at 2 to 4 feet bgs (68.0J $\mu\text{g}/\text{kg}$) exceeded the NR720 Direct Contact Non-Industrial RCL. The other breakdown products were at concentrations exceeding or below their respective NR720 RCLs for groundwater protection.

Several low-level petroleum contaminants were identified in the soil samples B-2 and B-3. These contaminants (ethylbenzene, dichloroethane, and propylbenzene) were only estimated concentrations and are typically associated with weathered gasoline impacts. None of the concentrations exceeded their respective NR720 Direct Contact Non-Industrial, Industrial Standards and/or Groundwater Protection RCLs [Ref. 3].

Table 1 presents a summary of soil quality results. Refer to Figure 8.0 in Appendix A for additional details on contamination extent/degree and Appendix C for the complete laboratory analytical reports.

7.2 Groundwater Samples

The initial sampling event for B-12 and B-13 was completed in November 2023. Both monitoring wells had PCE concentrations (9.8 to 17.5 $\mu\text{g}/\text{L}$) exceeding the NR140 ES of 5 $\mu\text{g}/\text{L}$. The concentration of chloromethane in B-13 (4.9 $\mu\text{g}/\text{L}$) also exceeded the NR140 PAL. However, this contaminant is considered a laboratory artifact and is most likely not representative of groundwater conditions at the site.

Table 2 presents a summary of water quality results. Refer to Figure 9.0 in Appendix A for additional details on contamination extent/degree and Appendix C for the complete laboratory analytical reports.

7.3 Investigative Derived Waste

Disposable acetate liners were used to retrieve soil samples from each boring location, and dedicated PVC well screens were utilized for each temporary well installed. The drilling contractor properly disposed of the liners and well screens, following drilling activities. Due to the nature of the investigative method (Geoprobe[®]) combined with the limited penetration depths and soil volumes required for lab analyses, no excess soil cuttings were generated from the drilling/sampling activities at the site. Purge water from well development will be placed in 5-gallon buckets stored in the adjacent parking structure. Proper disposal of collected purge water will be performed, base on lab analysis results. Nitrile gloves and soil sample bags were also properly disposed of, after sampling activities were completed.

8.0 EMERGING CONTAMINANT/PFAS SCOPING STATEMENT

Per Wis. Admin. Code NR 716.07 and 716.09, site investigation scoping and work plans should include an evaluation of potential PFAS compounds and other applicable emerging contaminants that were historically or are presently produced, used, handled, or stored at the site.

Per - and Polyfluoroalkyl substances (PFAS) have been used in a variety of commercial products, including stain and water repellents used in textile applications. Stain-resistance chemicals containing PFAS are known to have been used in the dry-cleaning industry. Although stain and water repellants were developed in the early 1950s, they were not marketed and sold until the latter half of the 1950s. Based on a review of available Sanborn Maps and property history noted in the recent ESA of the site conducted by ES, the former structure at the site operated as a drycleaner in 1949 [Ref. 1]. Personal accounts from several long-time residents indicate that the small dry-cleaning business was already discontinued in the 1970s and moved to another location in the Village. It is possible that the facility may have used stain-resistance chemicals or may have cleaned items previously treated with these chemicals. However, given the years of operation, the small size of the former drycleaning facility, and the lack of direct evidence of use or presence of PFAS, sampling is not warranted.

9.0 VAPOR MIGRATION ASSESSMENT

The closest structures to the current ‘hot spot’ are a parking garage to the north [N88 W16521 Main Street] and Lime Kiln Apartment Homes to the south [W164N8845 Mill Street]. Both areas are currently occupied and are serviced by municipal sewer and water. The parking garage appears to be slab-on-grade while the two-story apartment homes have basement areas that are both situated side-gradient of the estimated contaminant plume migration. Refer to the PCE - Soil Isoconcentration Map in Appendix A for more details. Groundwater contamination is also assumed to be within the ‘hot spot’ area but is not considered to pose a vapor migration concern since groundwater is over 13 feet deep. However, soil contamination is within the upper 5 feet and vertical contaminant migration is limited due to shallow bedrock in this area.

Therefore, Himalayan has concluded that both structures should be assessed for sub-slab vapor testing and in-door air quality testing for the apartment building. Both landowners have been contacted and Himalayan is currently scheduling indoor air and sub-slab vapor testing for Winter 2023.

10.0 SUMMARY OF FINDINGS

- The site is currently a 4,300 square foot, asphalt paved parking lot on a 10:1 hill grading eastward towards Mill Street. East of Mill Street is a former quarry that has been filled in for public parking.
- The general subsurface at the site consists of several inches of blacktop or topsoil with several feet of fill material (typically dark to light brown clayey silt and gravel) underneath. Groundwater was encountered on the east side of Mill Street at depths ranging between 13 and 13.5 feet below ground surface (bgs).
- Six borings (B-1 to B-6) have been advanced at the site; one boring (B-10) at the property to the south; five borings (B-7, B-8, B-9, B-11, B-12) within the public right-of-way; and one boring (B-13) within the public parking lot across from Mill Street. No obvious signs of contamination (odors and/or staining) were encountered in the soil samples retrieved from each boring, and no elevated PID readings were detected in the soil samples.
- Several VOCs were detected in the submitted soil samples. Several chlorinated compounds, were identified the samples submitted to the laboratory for analysis. Most concentrations are below the NR720 Direct Contact Non-Industrial and Industrial Standards RCLs for PCE, TCE, and vinyl chloride, but exceeds the RCL for groundwater protection.

- Several low-level petroleum contaminants were identified in the soil samples B-2 and B-3. None of the concentrations exceeded their respective NR720 Direct Contact Non-Industrial, Industrial Standards and/or Groundwater Protection RCLs.
- PCE was detected in the groundwater samples collected from the Lime Kiln Park parking lot, at concentrations exceeding the NR 140 ES. Chloromethane was also detected in B-13 but is assumed to be a laboratory artifact.

11.0 CONCLUSIONS AND RECOMMENDATIONS

- The petroleum contaminants identified in a few soil samples are possibly associated with backfill material brought to the site, following building demolition and redevelopment activities at the site in 2016. None of these soil impacts exceed their respective NR720 Direct Contact RCLs and should not pose an environmental concern to the site.
- The concentrations of chlorinated compounds identified in the soil and groundwater samples indicate that solvents were released within the former dry-cleaning facility where PCE was most likely dumped into the wastewater line that runs adjacent to the storm sewer line that flows east under Mill Street and into the adjacent parking lot. These impacts also indicate that the existing utility corridors have most likely influenced off-site contaminate migration.
- The degree / extent of chlorinated compounds in the soil appears to be defined near the current 'hot spot' located near the northeast corner of the adjacent property (Lime Kiln Apartment Homes - W164 N8845 Mill Street). However, several more borings near the southeast building exterior will be needed.
- A few more borings / wells within the Lime Kiln Parking Lot will also be needed to assess down-gradient contaminant migration. However, further investigation of groundwater impacts near the 'hot spot' will require bedrock drilling and may not provide much definitive information regarding the degree / extent of PCE impact in groundwater. In addition, penetration into this fractured bedrock unit may also provide another contaminant pathway by exposing deeper sections of the limestone bedrock.
- Based on the years of operation, the small size of the former drycleaning facility, and the lack of direct evidence of use or presence of PFAS, sampling is not warranted.
- Based on the current degree / extent of chlorinated compounds in the subsurface and their proximity to adjacent buildings, further assessment of vapor intrusion is needed. A vapor screening evaluation of the two adjacent buildings is being planned for Winter 2023.

12.0 LIMITATIONS

Himalayan prepared this report for BMC's use as part of the environmental evaluation of the above site. It was prepared in accordance with the currently accepted environmental and engineering practices. Because the evaluation is based upon subsurface physical and chemical data obtained from soil borings only at specific locations and times and only to the depths sampled, additional unidentified environmental impacts may be present adjacent to the site that could not be identified within the scope of the investigation or that were not apparent at the time of report preparation.

The conclusions and recommendations contained in this report represent our professional opinions based on the project construction information available at the time of this report. This report is based, in part, on unverified information supplied to Himalayan from several sources during the project research; therefore, Himalayan does not guarantee its completeness or accuracy. No warranty or guarantee is expressed or implied regarding the findings of this investigation.

This report has been prepared for the exclusive use of BMC for specific application to the project as described in the report. No warranty, expressed or implied, is made. There are no beneficiaries of this report other than BMC, and no other person or entity is entitled to rely upon this report without the written consent of Himalayan and a written agreement limiting Himalayan's liability.

Himalayan is not responsible for any claims, damages, or liabilities associated with the interpretation of these findings or reuse of the analysis, associated site data, or recommendations without the express written authorization of Himalayan.

Limitations of this assessment may not be altered or waived without written consent of Himalayan. This is a technical report and is not a legal representation or interpretation of environmental laws, rules, regulations, or policies of local, state, or federal governmental agencies.

No investigation is thorough enough to exclude the presence of hazardous substances at a given site. If hazardous substances or hazardous conditions have not been identified during the assessment, such a finding should not therefore be construed as a guarantee of the absence of such substances or conditions, but rather as the result of the services performed within the scope, limitations, and cost of the work performed.

13.0 REFERENCES

1. Endpoint Solutions (July 2023). Phase I Environmental Site Assessment, Main and Mill Properties, N88W16521, N88W16553, N88W16557, N88W16565 MAIN STREET and PARCEL NO. MNFV0011287, Menomonee Falls, Wisconsin.
2. Wisconsin Department Natural Resources (March 2011). Wisconsin Administrative Code NR 141.
3. Wisconsin Department Natural Resources (November 2013). Wisconsin Administrative Code NR 720, Soil Cleanup Standards.
4. Wisconsin Department Natural Resources (January 2018). Wisconsin Administrative Code NR 700. Addressing Vapor Intrusion at Remediation & Redevelopment Sites in Wisconsin (Pub: RR-800).

APPENDICES

Appendix A Figures and Tables

- Figure 1. Site Location Map
- Figure 2. Boring/Well Location Map
- Figure 3. PCE - Soil Isoconcentration Map
- Figure 4. SOIL QUALITY MAP – VOCs
- Figure 5. WATER QUALITY MAP – VOCs
- Figure 6. Cross-Section Location Map
- Figure 7. Geologic Cross-Section A – A’
- Figure 8. 1914 Plat Map – Menomonee Falls Township
- Figure 9. 2015 Aerial Photograph (Former Building Location)
- Figure 10. 1949 – Sanborn Fire Insurance Map
- Figure 11. Topographic Contour Map


- Table 1 Soil Quality Results
- Table 2 Water Quality Results

Appendix B Soil Boring Logs and Borehole Abandonment Forms

Appendix C Well Construction Forms

Appendix D Laboratory Analytical Reports

APPENDIX A
FIGURES AND MAPS



WC Land Information Office, WLIP, SEWRPC, Ayres Associates

Source: USGS Topographic Map - 7.5 Minute Series
Menomonee Falls Quadrangle - 2022


Scale: 0 400 800 1,600 2,400 Feet




HIMALAYAN CONSULTANTS, LLC
Engineers and Hydrogeologists
W156 N11357 Pilgrim Road
Germantown, Wisconsin 53022
Phone: (262) 502-0066
www.himalayanllc.com

Figure 1:
Site Location Map

GARAGE MAHAL, LLC PROPERTY
[Tax Key# MNFV0011287]
W164 N8859 Mill Road
Menomonee Falls, Wisconsin







**Figure 2:
Boring/Well Location Map**

GARAGE MAHAL, LLC PROPERTY
 [Tax Key# MNFV0011287]
 W164 N8859 Mill Road
 Menomonee Falls, Wisconsin





HIMALAYAN CONSULTANTS, LLC
 Engineers and Hydrogeologists
 W156 N11357 Pilgrim Road
 Germantown, Wisconsin 53022
 Phone: (262) 502-0066
 www.himalayanllc.com





HIMALAYAN CONSULTANTS, LLC
Engineers and Hydrogeologists
W156 N11357 Pilgrim Road
Germantown, Wisconsin 53022
Phone: (262) 502-0066
www.himalayanllc.com





Source: Waukesha County - GIS Interactive Mapping - 2022


Scale: 0 15 30 60 90 Feet




HIMALAYAN CONSULTANTS, LLC
 Engineers and Hydrogeologists
 W156 N11357 Pilgrim Road
 Germantown, Wisconsin 53022
 Phone: (262) 502-0066
 www.himalayanllc.com

Figure 4:
SOIL QUALITY MAP - VOCs

GARAGE MAHAL, LLC PROPERTY
 [Tax Key# MNFV0011287]
 W164 N8859 Mill Road
 Menomonee Falls, Wisconsin





Source: Waukesha County - GIS Interactive Mapping - 2022



Scale: 0 15 30 60 90 Feet




HIMALAYAN CONSULTANTS, LLC
 Engineers and Hydrogeologists
 W156 N11357 Pilgrim Road
 Germantown, Wisconsin 53022
 Phone: (262) 502-0066
 www.himalayanllc.com

**Figure 5:
 WATER QUALITY MAP - VOCs**

GARAGE MAHAL, LLC PROPERTY
 [Tax Key# MNFV0011287]
 W164 N8859 Mill Road
 Menomonee Falls, Wisconsin





WC Land Information Office, WLIP, SEWRPC, Ayres Associates

Source: Waukesha County - GIS Interactive Mapping - 2022



HIMALAYAN CONSULTANTS, LLC
 Engineers and Hydrogeologists
 W156 N11357 Pilgrim Road
 Germantown, Wisconsin 53022
 Phone: (262) 502-0066
 www.himalayanllc.com

Figure 6:
Cross-Section Location Map

GARAGE MAHAL, LLC PROPERTY
 [Tax Key# MNFV0011287]
 W164 N8859 Mill Road
 Menomonee Falls, Wisconsin





FIGURE 7: GEOLOGIC CROSS SECTION

**GEOLOGIC CROSS-SECTION
(VOCs)**

A WEST **A'** EAST

B-2 B-4 B-8 B-7 B-12 B-13



MENOMONEE FALLS





FIGURE 8: 1914 PLAT MAP



Legend
 BOUNDARY

Source: Waukesha County - GIS Interactive Mapping - 2022



Scale:  Feet





HIMALAYAN CONSULTANTS, LLC
 Engineers and Hydrogeologists
 W156 N11357 Pilgrim Road
 Germantown, Wisconsin 53022
 Phone: (262) 502-0066
 www.himalayanllc.com

**FIGURE 9:
 2015 AERIAL PHOTOGRAPH**

GARAGE MAHAL, LLC PROPERTY
 [Tax Key# MNFV0011287]
 W164 N8859 Mill Road
 Menomonee Falls, Wisconsin





Legend
 BOUNDARY

Source: Waukesha County - GIS Interactive Mapping - 2022





FIGURE 10:
SANBORN FIRE INSURANCE MAP - 1949



HIMALAYAN CONSULTANTS, LLC
 Engineers and Hydrogeologists
 W156 N11357 Pilgrim Road
 Germantown, Wisconsin 53022
 Phone: (262) 502-0066
 www.himalayanllc.com

GARAGE MAHAL, LLC PROPERTY
 [Tax Key# MNFV0011287]
 W164 N8859 Mill Road
 Menomonee Falls, Wisconsin





Source: Waukesha County - GIS Interactive Mapping - 2022


Scale: Feet

Figure 11:
TOPOGRAPHIC CONTOUR MAP
(2-ft. interval)



HIMALAYAN CONSULTANTS, LLC
Engineers and Hydrogeologists
W156 N11357 Pilgrim Road
Germantown, Wisconsin 53022
Phone: (262) 502-0066
www.himalayanllc.com

GARAGE MAHAL, LLC PROPERTY
[Tax Key# MNFV0011287]
W164 N8859 Mill Road
Menomonee Falls, Wisconsin





10. East portion of the south elevation of the N88W16521 Main Street parcel of the subject property.

11. Adjoining surface parking lot to the east of the subject property across Mill Street.



12. West portion of the south elevation of the N88W16521 Main Street parcel of the subject property.

SITE PHOTOGRAPHS	
MAIN & MILL	
MENOMONEE FALLS, WISCONSIN	
PROJECT NO: 747-003-001	

Table 2: Groundwater Quality Results
Limited Phase II Environmental Site Assessment
GARAGE MAHAL LLC Property (Tax Key # MNFV0011287)
W164 N8859 Mill Street, Menomonee Falls, Wisconsin

Sample I.D.	NR 140 Table 1		B-12	B-13
	ES	PAL		
Sample Date			11/7/2023	11/7/2023
PVOCs (µg/l)				
Benzene	5	0.5	<0.30	<0.30
Bromobenzene	NS	NS	<0.36	<0.36
Bromochloromethane	NS	NS	<0.36	<0.36
Bromodichloromethane	0.6	0.06	<0.42	<0.42
Bromoform	4.4	0.44	<0.43	<0.43
Bromomethane	10	1	<1.2	<1.2
n-Butylbenzene	NS	NS	<0.86	<0.86
sec-Butylbenzene	NS	NS	<0.42	<0.42
tert-Butylbenzene	NS	NS	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.37	<0.37
Chlorobenzene	100	20	<0.86	<0.86
Chloroethane	400	80	<1.4	<1.4
Chloroform	6	0.6	<0.50	<0.50
Chloromethane	30	3	<1.6	4.9
2-Chlorotoluene	NS	NS	<0.89	<0.89
4-Chlorotoluene	NS	NS	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4
Dibromochloromethane	60	6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31
Dibromomethane	NS	NS	<0.99	<0.99
1,2-Dichlorobenzene	600	60	<0.33	<0.33
1,3-Dichlorobenzene	600	120	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<0.46	<0.46
1,1-Dichloroethane	850	85	<0.30	<0.30
1,2-Dichloroethane	5	0.5	<0.29	<0.29
1,1-Dichloroethene	7	0.7	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	<0.53	<0.53
1,2-Dichloropropane	5	0.5	<0.45	<0.45
1,3-Dichloropropane	0.4	0.04	<0.30	<0.30
2,2-Dichloropropane	NS	NS	<0.42	<0.42
1,1-Dichloropropene	NS	NS	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	<0.24	<0.24
trans-1,3-Dichloropropene	0.4	0.04	<0.27	<0.27
Diisopropyl ether	NS	NS	<1.1	<1.1
Ethylbenzene	700	140	<0.33	<0.33
Hexachloro-1,3-butadiene	NS	NS	<2.7	<2.7
Isopropylbenzene (Cumene)	NS	NS	<1.0	<1.0
p-Isopropyltoluene	NS	NS	<1.0	<1.0
Methylene Chloride	5	0.5	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<1.1	<1.1
Naphthalene	100	10	<1.9	<1.9
n-Propylbenzene	NS	NS	<0.35	<0.35
Styrene	100	10	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38
Tetrachloroethene	5	0.5	9.8	17.5
Toluene	800	160	<0.29	0.3
1,2,3-Trichlorobenzene	NS	NS	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95
1,1,1-Trichloroethane	200	40	<0.30	<0.30
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34
Trichloroethene	5	0.5	<0.32	<0.32
Trichlorofluoromethane	1230	1230	<0.42	<0.42
1,2,3-Trichloropropane	60	12	<0.56	<0.56
1,2,4-Trimethylbenzene			<0.45	<0.45
1,3,5-Trimethylbenzene	480	96	<0.36	<0.36
Vinyl chloride	0.2	0.02	<0.17	<0.17
m&p-Xylene			<0.70	<0.70
o-Xylene	2000	400	<0.35	<0.35

Notes:

Bold value exceeds NR 140 ES; *Italics* value exceeds NR 140 PAL

µg/L = micrograms per liter = parts per billion (ppb); < = Concentration less than the indicated test method

ES = Enforcement Standard; PAL = Preventive Action Limit;

J = Estimated concentration at or above the limit of detection and below the adjusted limit of quantitation

"---" = no NR 140 standard established (June 2021)

APPENDIX B

SOIL BORING LOGS AND BOREHOLE ABANDONMENT FORMS

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-1
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N _____ Feet <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID		County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls	

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length All. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200	
	4		0	4 in. asphalt	FILL									
1	12			Engineered fill (traffic bond)	FILL			0						
2	36		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace sand and glass	FILL			0						
3	18		6	Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0						
			6	END OF BORING AT 6' Dolomite bedrock, dry, driller refusal	ROCK									
			9											
			12											
			15											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Himalayan Consultants, LLC
-----------	---

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-2
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200		
	6		0	6 in. Topsoil											
1	48		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace sand and glass	FILL			0							
2	12			Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0							
			6	END OF BORING AT 5' Dolomite bedrock, dry, driller refusal	ROCK										
			9												
			12												
			15												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Himalayan Consultants, LLC**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-3
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200		
	6		0	6 in. Topsoil											
1	48		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace sand and glass	FILL			0							
2	12			Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0							
			6	END OF BORING AT 5' Dolomite bedrock, dry, driller refusal	ROCK										
			9												
			12												
			15												

I hereby certify that the information on this form is true and correct to the best of my knowledge.
Signature _____ Firm **Himalayan Consultants, LLC**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-4
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N _____ Feet <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200	
1	4		0	4 in. asphalt	FILL									
	12			Engineered fill (traffic bond)	FILL			0						
2	36		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace sand and glass	FILL			0						
3	12			Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0						
			6	END OF BORING AT 5' Dolomite bedrock, dry, driller refusal	ROCK									
			9											
			12											
			15											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Himalayan Consultants, LLC**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-5
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200		
	6		0	6 in. Topsoil											
1	48		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace sand and glass	FILL			0							
2	12			Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0							
			6	END OF BORING AT 5' Dolomite bedrock, dry, driller refusal	ROCK										
			9												
			12												
			15												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Himalayan Consultants, LLC**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-6
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200		
	4		0	4 in. asphalt	FILL										
1	12			Engineered fill (traffic bond)	FILL			0							
2	36		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace sand and glass	FILL			0							
3	18		6	Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0							
			6	END OF BORING AT 6' Dolomite bedrock, dry, driller refusal	ROCK										
			9												
			12												
			15												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Himalayan Consultants, LLC
-----------	---

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-7		
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023		Date Drilling Completed 08/25/2023		
Drilling Method Geoprobe			Final Static Water Level unknown Feet		Surface Elevation ____ Feet MSL		
WI Unique Well No.		DNR Well ID No.		Well Name		Borehole Diameter 2.38 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location				
State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/>			Lat _____			<input type="checkbox"/> N <input type="checkbox"/> E	
SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W			Long _____			Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W	
Facility ID		County Waukesha		County Code 67		Civil Town/City/or Village Menomonee Falls	

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
Number and Type	Length All. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200		
	4		0	4 in. asphalt	FILL										
1	12			Engineered fill (traffic bond)	FILL			0							
2	36		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, moist, possible petroleum odor	FILL			0							
3	18			Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0							
			6	END OF BORING AT 6' Dolomite bedrock, dry, driller refusal	ROCK										
			9												
			12												
			15												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Himalayan Consultants, LLC**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-8
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200	
	4		0	4 in. asphalt	FILL									
1	12			Engineered fill (traffic bond)	FILL			0						
2	36		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, brown to black, dry, some brick, trace sand	FILL			0						
3	24		6	Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0						
				END OF BORING AT 6.5' Dolomite bedrock, dry, driller refusal	ROCK									
			9											
			12											
			15											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Himalayan Consultants, LLC
-----------	---

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other _____

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-9
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023	Date Drilling Completed 08/25/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level unknown Feet	Surface Elevation _____ Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200		
	4		0	4 in. asphalt	FILL										
1	12			Engineered fill (traffic bond)	FILL			0							
2	44		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, brown to black, moist, possible peat at base, some brick	FILL			0							
3	18		6	Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0							
				END OF BORING AT 6.5' Dolomite bedrock, dry, driller refusal	ROCK										
			9												
			12												
			15												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Himalayan Consultants, LLC
-----------	---

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-10		
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 11/07/2023		Date Drilling Completed 11/07/2023		
Drilling Method Geoprobe			Final Static Water Level unknown Feet		Surface Elevation ____ Feet MSL		
WI Unique Well No.		DNR Well ID No.		Well Name		Borehole Diameter 2.38 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location				
State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/>			Lat _____			<input type="checkbox"/> N <input type="checkbox"/> E	
SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W			Long _____			Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W	
Facility ID		County Waukesha		County Code 67		Civil Town/City/or Village Menomonee Falls	

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200			
	6		0	6 in. Topsoil												
1	24			FILL/SAND: Brown, Dry, Loose med. grained sand with gravel	FILL			0								
2	30		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace peat, roots, granite chips	FILL			0								
3	12		6	Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0								
			6	END OF BORING AT 6' Dolomite bedrock, dry, driller refusal	ROCK											
			9													
			12													
			15													

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Himalayan Consultants, LLC**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-11		
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 08/25/2023		Date Drilling Completed 08/25/2023		
Drilling Method Geoprobe			Final Static Water Level unknown Feet		Surface Elevation _____ Feet MSL		
WI Unique Well No.		DNR Well ID No.		Well Name		Borehole Diameter 2.38 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location				
State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/>			Lat _____			<input type="checkbox"/> N <input type="checkbox"/> E	
SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W			Long _____			<input type="checkbox"/> S _____ Feet <input type="checkbox"/> W _____ Feet <input type="checkbox"/> W	
Facility ID		County Waukesha		County Code 67		Civil Town/City/or Village Menomonee Falls	

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length All. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200	
1	4		0	4 in. asphalt	FILL									
	12			Engineered fill (traffic bond)	FILL			0						
2	36		3	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry, trace sand and glass	FILL			0						
3	12			Weathered, dolomite bedrock chips with clayey silt, dry	ROCK			0						
			6	END OF BORING AT 5' Dolomite bedrock, dry, driller refusal	ROCK									
			9											
			12											
			15											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Himalayan Consultants, LLC
-----------	---

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-12
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 11/07/2023	Date Drilling Completed 11/07/2023	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Well Name MW-1	Final Static Water Level 13.5 Feet	Surface Elevation 821.5 Feet MSL	Borehole Diameter 2.38 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E S <input type="checkbox"/> / C <input type="checkbox"/> / N <input type="checkbox"/> Lat _____ SE 1/4 of SW 1/4 of Section 3 , T 8 N, R 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W Long _____			Local Grid Location _____ Feet <input type="checkbox"/> N _____ Feet <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID	County Waukesha	County Code 67	Civil Town/City/or Village Menomonee Falls		

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200	
	4		0	4 in. Asphalt	FILL									
1	18		3	Engineered fill (traffic bond)	FILL									
2	18		6	FILL/SAND: Brown, Dry, Loose med. grained sand with gravel	FILL			0						
3	24		9	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry to moist, limited recovery	FILL			0						
4	12		12	FILL/CLAY: Clay with trace roots interbedded with dolomite bedrock chips, moist	FILL									
5	24		15	Weathered, dolomite bedrock chips with clayey silt, limited recovery, wet at base	ROCK			0						

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Himalayan Consultants, LLC
-----------	---

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property			License/Permit/Monitoring Number		Boring Number B-13	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name Matthew Last Name Baake Firm Baake Field Services, LLC			Date Drilling Started 11/07/2023		Date Drilling Completed 11/07/2023	
Drilling Method Geoprobe			WI Unique Well No.		DNR Well ID No.	
Well Name MW-2			Final Static Water Level 13.4 Feet		Surface Elevation 821 Feet MSL	
Borehole Diameter 2.38 inches			Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			
State Plane <u>SE</u> 1/4 of <u>SW</u> 1/4 of Section <u>3</u> ,T <u>8</u> N,R <u>20</u>			Lat _____		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E	
County Waukesha			County Code 67		Civil Town/City/or Village Menomonee Falls	

Sample Number and Type	Length All. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plastic Limit	P 200		
	4		0	4 in. Asphalt	FILL										
1	18		3	Engineered fill (traffic bond)	FILL										
2	18			FILL/SAND: Brown, Dry, pea gravel	FILL			0							
3	24		6	FILL/GRAVEL/CLAY: Loose clayey silt with gravel, dark to light brown, dry to moist, limited recovery	FILL			0							
4	12		12	FILL/CLAY: Clay with trace roots interbedded with dolomite bedrock chips, moist, limited recovery	FILL										
5	24		15	Weathered, dolomite bedrock chips with clayey silt, wet at base	ROCK			0							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Himalayan Consultants, LLC**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-1 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N.; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well		Present Well Owner		
		Original Owner		
		Street Address or Route of Owner		
		City, State, Zip Code		

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 6 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	6	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services	Date of Abandonment 8/23/2018
Signature of Person Doing Work	Date Signed
Street or Route 5256 N. 27th Street	Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209	

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-2 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	
			Original Owner	
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 5 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	5	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-3 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	
			Original Owner	
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 5 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	5	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-4 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	Original Owner
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 6 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	6	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-5 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	
			Original Owner	
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 5 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	5	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-6 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	
			Original Owner	
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 6 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	6	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services	Date of Abandonment 8/23/2018
Signature of Person Doing Work	Date Signed
Street or Route 5256 N. 27th Street	Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209	

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-7 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	
			Original Owner	
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 6 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	6	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-8 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	Original Owner
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 6 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	6	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-9 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	
			Original Owner	
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 6 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	6	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-10 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	
			Original Owner	
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 11/07/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 5 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	5	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services	Date of Abandonment 8/23/2018
Signature of Person Doing Work	Date Signed
Street or Route 5256 N. 27th Street	Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209	

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295 and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER NAME	
WI Unique Well No.	DNR Well ID No.	County Waukesha	Facility Name GARAGE MAHAL LLC Property	
Common Well Name B-11 Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location SE 1/4 of SW 1/4 of Sec. 3 ; T. 8 N; R. 20 <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well W164 N8859 Mill Street	
Reason For Abandonment Sampling completed			City, Village or Town Menomonee Falls	
WI Unique Well No. of Replacement Well			Present Well Owner	Original Owner
			Street Address or Route of Owner	
			City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING & SEALING MATERIAL
Original Construction Date 08/25/2023 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 6 Casing Diameter (in.) 2.38 (From ground surface) Casing Depth (ft.) N/A Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) Unknown Feet	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No Was casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain) Gravity Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	6	1.5 lbs	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Baake Field Services		Date of Abandonment 8/23/2018
Signature of Person Doing Work		Date Signed
Street or Route 5256 N. 27th Street		Telephone Number 414-292-7569
City, State, Zip Code Milwaukee, WI 53209		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

APPENDIX C
WELL CONSTRUCTION FORMS

Facility/Project Name GARAGE MAHAL LLC Property		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name B-12	
Facility License, Permit or Monitoring Number		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Wis. Unique Well Number	
Facility ID		Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E		DNR Well Number	
Type of Well		Section Location of Waste/Source SE 1/4 of SW 1/4 of Sec. 3 T. 8 N.R. 20 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.		Date Well Installed 11/07/2023	
Well Code		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Well Installed By: Name (first, last) and Firm Matthew Baake Baake Field Services	
Distance from Waste/ Source unknown ft.		Gov. Lot #			
Enf. Stds. Apply <input checked="" type="checkbox"/>					

A. Protective pipe, top elevation **821.5** ft. MSL
 B. Well casing, top elevation **821.25** ft. MSL
 C. Land surface elevation **821.5** ft. MSL
 D. Surface seal, bottom **813.5** ft MSL or **8** ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 5 0
 Hollow Stem Auger 4 1
Direct Push Other --

15. Drilling fluid used: Water 0 2 Air 0 1
 Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No
 Describe _____

17. Source of Water (attach analysis if required):
GROUNDWATER



1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: **6** in.
 b. Length: **6** ft.
 c. Material: Steel 0 4
Plastic Other --
 d. Additional protection? Yes No
 If yes, describe: **Flush Mount Cover**

3. Surface seal: Bentonite 3 0
 Concrete 0 1
 Other --

4. Material between well casing and protective pipe:
 Bentonite 3 0
 Annular space seal --
 Other --

5. Annular space seal:
 a. Granular Bentonite 3 3
 b. _____ Lbs/gal mud weight... Bentonite-sand slurry 3 5
 c. _____ Lbs/gal mud weight... Bentonite slurry 3 1
 d. _____ % Bentonite..... Bentonite-cement grout 5 0
 e. _____ Ft³ volume added for any of the above
 f. How installed: Tremie 0 1
 Tremie pumped 0 2
 Gravity 0 8

6. Bentonite seal:
 a. Bentonite granules 3 3
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 3 2
 c. _____ Other --

7. Fine sand Material: Manufacturer, product name & mesh size
 a. **Red Flint #80** _____
 b. Volume added **1/8 bag** ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. **Red Flint #20/40** _____
 b. Volume added **1/4 bag** ft³

9. Well casing: Flush threaded PVC schedule 40 2 3
 Flush threaded PVC schedule 80 2 4
 Other --

10. Screen material: **PVC**
 a. Screen type: Factory cut 1 1
 Continuous slot 0 1
Geoprobe Other --
 b. Manufacturer _____
 c. Slot size: **0.010** in.
 d. Slotted length: **5** ft.

11. Backfill material (below filter pack): None 1 4
N/A Other --

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature _____ Firm **Himalayan Consultants, LLC**
W156 N11357 Pilgrim Road, Germantown, WI 53022
Tel. (262) 502-0066, Fax (262) 502-0077

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property	County Name Waukesha	Well Name B-12	
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well Number

1. Can this well be purged dry? Yes No
2. Well development method
- surged with bailer and bailed 4 1
 - surged with bailer and pumped 6 1
 - surged with block and bailed 4 2
 - surged with block and pumped 6 2
 - surged with block, bailed and pumped 7 0
 - compressed air 2 0
 - bailed only 1 0
 - pumped only 5 1
 - pumped slowly 5 0
 - Other **Pumped slowly**
3. Time spent developing well 30 min.
4. Depth of well (from top of well casing) 18 ft.
5. Inside diameter of well 1 in.
6. Volume of water in filter pack and well casing 0.31 GAL gal.
7. Volume of water removed from well 0.31 GAL gal.
8. Volume of water added (if any) _____ gal.
9. Source of water added _____
10. Analysis performed on water added? Yes No
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>13.5</u> ft.	<u>18.0</u> ft.
Date	b. <u>11/07/2023</u> m m / d d / y y y y <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	<u>11/07/2023</u> m m / d d / y y y y <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
Time	c. <u>1:00</u> <input checked="" type="checkbox"/> p.m.	<u>1:30</u> <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>Yes</u> inches	<u>Yes</u> inches
13. Water clarity	Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) <u>Turbid</u>	Clear <input type="checkbox"/> 2 0 Turbid <input checked="" type="checkbox"/> 2 5 (Describe) <u>slightly</u>
Fill in if drilling fluids were used and well is at solid waste facility:		
14. Total suspended solids	_____ mg/l	_____ mg/l
15. COD	_____ mg/l	_____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: **Thomas** Last Name: **Dueppen**
Firm: **Himalayan Consultants**


17. Additional comments on development:

Name and Address of Facility Contact/Owner/Responsible Party First Name: _____ Last Name: _____ Name: _____ Name: _____ Facility/Firm: _____ Street: _____ City/State/Zip: _____	<p>I hereby certify that the above information is true and correct to the</p> <hr/> Signature: _____ Print Name: _____ Firm: Himalayan Consultants, LLC
---	--

NOTE: See instructions for more information including a list of county codes and well type codes.

Facility/Project Name GARAGE MAHAL LLC Property		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name B-13	
Facility License, Permit or Monitoring Number		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Wis. Unique Well Number	
Facility ID		Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E		DNR Well Number	
Type of Well		Section Location of Waste/Source SE 1/4 of SW 1/4 of Sec. 3 T. 8 N.R. 20 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.		Date Well Installed 11/07/2023	
Well Code		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Well Installed By: Name (first, last) and Firm Matthew Baake Baake Field Services	
Distance from Waste/ Source unknown ft.		Gov. Lot #			
Enf. Stds. Apply <input checked="" type="checkbox"/>					

A. Protective pipe, top elevation 820.75 ft. MSL
 B. Well casing, top elevation 820.5 ft. MSL
 C. Land surface elevation 821 ft. MSL
 D. Surface seal, bottom 8.25 ft MSL or 812.75 ft.



- Cap and lock? Yes No
- Protective cover pipe:
 - Inside diameter: 6 in.
 - Length: _____ ft.
 - Material: Steel 0.4
Other _____
 - Additional protection? Yes No
If yes, describe: Flush Mount Cover
- Surface seal:
 - Bentonite 3.0
Concrete 0.1
Other _____
- Material between well casing and protective pipe:
 - Bentonite 3.0
Annular space seal _____
Other _____
- Annular space seal:
 - Granular Bentonite 3.3
b. _____ Lbs/gal mud weight... Bentonite-sand slurry 3.5
c. _____ Lbs/gal mud weight... Bentonite slurry 3.1
d. _____ % Bentonite..... Bentonite-cement grout 5.0
e. _____ Ft³ volume added for any of the above
 - How installed: Tremie 0.1
Tremie pumped 0.2
Gravity 0.8
- Bentonite seal:
 - Bentonite granules 3.3
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 3.2
c. _____ Other _____
- Fine sand Material: Manufacturer, product name & mesh size
 - Red Flint #80 _____
 - Volume added 1/8 bag ft³
- Filter pack material: Manufacturer, product name and mesh size
 - Red Flint #20/40 _____
 - Volume added 1/4 bag ft³
- Well casing:
 - Flush threaded PVC schedule 40 2.3
Flush threaded PVC schedule 80 2.4
Other _____
- Screen material: PVC
 - Screen type: Factory cut 1.1
Continuous slot 0.1
Geoprobe Other _____
 - Manufacturer _____
 - Slot size: 0.010 in.
 - Slotted length: 5 ft.
- Backfill material (below filter pack):
 - None 1.4
N/A Other _____

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 5.0
 Hollow Stem Auger 4.1
Direct Push Other _____

15. Drilling fluid used: Water 0.2 Air 0.1
 Drilling Mud 0.3 None 9.9

16. Drilling additives used? Yes No
 Describe _____

17. Source of Water (attach analysis if required):

E. Bentonite seal, top 0 ft. MSL or 821 ft.
 F. Fine sand, top 7.5 ft. MSL or 813.5 ft.
 G. Filter pack, top 8.5 ft. MSL or 812.5 ft.
 H. Screen joint, top 10 ft. MSL or 811 ft.
 I. Well bottom 17.6 ft. MSL or 803.4 ft.
 J. Filter pack, bottom 17.6 ft. MSL or 803.4 ft.
 K. Borehole bottom 17.6 ft. MSL or 803.4 ft.
 L. Borehole diameter 3 in.
 M. O.D. well casing 1.25 in.
 N. I.D. well casing 1 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Himalayan Consultants, LLC W156 N11357 Pilgrim Road, Germantown, WI 53022 Tel. (262) 502-0066, Fax (262) 502-0077
-----------	---

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name GARAGE MAHAL LLC Property	County Name Waukesha	Well Name B-13	
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well Number

1. Can this well be purged dry? Yes No

2. Well development method
- surged with bailer and bailed 4 1
 - surged with bailer and pumped 6 1
 - surged with block and bailed 4 2
 - surged with block and pumped 6 2
 - surged with block, bailed and pumped 7 0
 - compressed air 2 0
 - bailed only 1 0
 - pumped only 5 1
 - pumped slowly 5 0
 - Other **Pumped slowly**

3. Time spent developing well 30 min.

4. Depth of well (from top of well casing) 18 ft.

5. Inside diameter of well 1 in.

6. Volume of water in filter pack and well casing **0.31 GAL** gal.

7. Volume of water removed from well **0.31 GAL** gal.

8. Volume of water added (if any) _____ gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development:

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>13.4</u> ft.	<u>18.0</u> ft.
Date	b. <u>11/07/2023</u> m m / d d / y y y y <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	<u>11/07/2023</u> m m / d d / y y y y <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
Time	c. <u>2:00</u> <input checked="" type="checkbox"/> p.m.	<u>2:30</u> <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>Yes</u> inches	<u>Yes</u> inches
13. Water clarity	Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) <u>Turbid</u>	Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) <u>slightly</u>

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: **Thomas** Last Name: **Dueppen**
Firm: **Himalayan Consultants**

Name and Address of Facility Contact/Owner/Responsible Party

First Name: _____ Last Name: _____
Name: _____ Name: _____

Facility/Firm: _____

Street: _____

City/State/Zip: _____

I hereby certify that the above information is true and correct to the _____

Signature: _____

Print Name: _____

Firm: **Himalayan Consultants, LLC**

NOTE: See instructions for more information including a list of county codes and well type codes.

APPENDIX D

LABORATORY ANALYTICAL REPORT



September 08, 2023

Thomas Dueppen
Himalayan Consultants, LLC
W156 N11357 Pilgrim Road
Germantown, WI 53022

RE: Project: MILL STREET-MENO FALLS
Pace Project No.: 40267289

Dear Thomas Dueppen:

Enclosed are the analytical results for sample(s) received by the laboratory on August 26, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: MILL STREET-MENO FALLS
Pace Project No.: 40267289

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40267289001	B-1(3-5)	Solid	08/25/23 09:45	08/26/23 08:45
40267289002	B-1(5-6)	Solid	08/25/23 10:00	08/26/23 08:45
40267289003	B-2(3-5)	Solid	08/25/23 10:30	08/26/23 08:45
40267289004	B-3(2-4)	Solid	08/25/23 10:45	08/26/23 08:45
40267289005	B-4(3-4)	Solid	08/25/23 11:00	08/26/23 08:45
40267289006	B-5(2-3)	Solid	08/25/23 11:15	08/26/23 08:45
40267289007	B-6(3-5)	Solid	08/25/23 11:30	08/26/23 08:45
40267289008	TRIP BLANK	Solid	08/25/23 00:00	08/26/23 08:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40267289001	B-1(3-5)	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40267289002	B-1(5-6)	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40267289003	B-2(3-5)	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40267289004	B-3(2-4)	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40267289005	B-4(3-4)	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40267289006	B-5(2-3)	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40267289007	B-6(3-5)	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40267289008	TRIP BLANK	EPA 8260	ALD	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40267289001	B-1(3-5)					
EPA 8260	Tetrachloroethene	43.0J	ug/kg	73.8	09/01/23 01:27	
ASTM D2974-87	Percent Moisture	19.2	%	0.10	08/28/23 14:45	
40267289002	B-1(5-6)					
EPA 8260	Tetrachloroethene	52.6J	ug/kg	73.3	09/01/23 01:46	
ASTM D2974-87	Percent Moisture	18.9	%	0.10	08/28/23 14:45	
40267289003	B-2(3-5)					
EPA 8260	cis-1,2-Dichloroethene	20.7J	ug/kg	70.8	09/01/23 02:06	
ASTM D2974-87	Percent Moisture	17.2	%	0.10	08/28/23 14:45	
40267289004	B-3(2-4)					
EPA 8260	Ethylbenzene	17.9J	ug/kg	69.8	09/05/23 21:26	
EPA 8260	n-Propylbenzene	18.3J	ug/kg	69.8	09/05/23 21:26	
ASTM D2974-87	Percent Moisture	16.5	%	0.10	08/28/23 14:45	
40267289005	B-4(3-4)					
EPA 8260	Tetrachloroethene	2500	ug/kg	81.8	09/05/23 21:46	
ASTM D2974-87	Percent Moisture	24.1	%	0.10	08/28/23 14:45	
40267289006	B-5(2-3)					
EPA 8260	Tetrachloroethene	214	ug/kg	78.8	09/05/23 22:06	
ASTM D2974-87	Percent Moisture	22.3	%	0.10	08/28/23 14:46	
40267289007	B-6(3-5)					
EPA 8260	Tetrachloroethene	147	ug/kg	68.7	09/05/23 22:26	
ASTM D2974-87	Percent Moisture	15.7	%	0.10	08/28/23 14:46	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-1(3-5) Lab ID: 40267289001 Collected: 08/25/23 09:45 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<17.7	ug/kg	73.8	17.7	1	08/31/23 08:00	09/01/23 01:27	630-20-6	
1,1,1-Trichloroethane	<18.9	ug/kg	73.8	18.9	1	08/31/23 08:00	09/01/23 01:27	71-55-6	
1,1,2,2-Tetrachloroethane	<26.7	ug/kg	73.8	26.7	1	08/31/23 08:00	09/01/23 01:27	79-34-5	
1,1,2-Trichloroethane	<26.9	ug/kg	73.8	26.9	1	08/31/23 08:00	09/01/23 01:27	79-00-5	
1,1-Dichloroethane	<18.9	ug/kg	73.8	18.9	1	08/31/23 08:00	09/01/23 01:27	75-34-3	
1,1-Dichloroethene	<24.5	ug/kg	73.8	24.5	1	08/31/23 08:00	09/01/23 01:27	75-35-4	
1,1-Dichloropropene	<23.9	ug/kg	73.8	23.9	1	08/31/23 08:00	09/01/23 01:27	563-58-6	
1,2,3-Trichlorobenzene	<82.3	ug/kg	369	82.3	1	08/31/23 08:00	09/01/23 01:27	87-61-6	
1,2,3-Trichloropropane	<35.9	ug/kg	73.8	35.9	1	08/31/23 08:00	09/01/23 01:27	96-18-4	
1,2,4-Trichlorobenzene	<60.8	ug/kg	369	60.8	1	08/31/23 08:00	09/01/23 01:27	120-82-1	
1,2,4-Trimethylbenzene	<22.0	ug/kg	73.8	22.0	1	08/31/23 08:00	09/01/23 01:27	95-63-6	
1,2-Dibromo-3-chloropropane	<57.3	ug/kg	369	57.3	1	08/31/23 08:00	09/01/23 01:27	96-12-8	
1,2-Dibromoethane (EDB)	<20.2	ug/kg	73.8	20.2	1	08/31/23 08:00	09/01/23 01:27	106-93-4	
1,2-Dichlorobenzene	<22.9	ug/kg	73.8	22.9	1	08/31/23 08:00	09/01/23 01:27	95-50-1	
1,2-Dichloroethane	<17.0	ug/kg	73.8	17.0	1	08/31/23 08:00	09/01/23 01:27	107-06-2	
1,2-Dichloropropane	<17.6	ug/kg	73.8	17.6	1	08/31/23 08:00	09/01/23 01:27	78-87-5	
1,3,5-Trimethylbenzene	<23.8	ug/kg	73.8	23.8	1	08/31/23 08:00	09/01/23 01:27	108-67-8	
1,3-Dichlorobenzene	<20.2	ug/kg	73.8	20.2	1	08/31/23 08:00	09/01/23 01:27	541-73-1	
1,3-Dichloropropane	<16.1	ug/kg	73.8	16.1	1	08/31/23 08:00	09/01/23 01:27	142-28-9	
1,4-Dichlorobenzene	<20.2	ug/kg	73.8	20.2	1	08/31/23 08:00	09/01/23 01:27	106-46-7	
2,2-Dichloropropane	<19.9	ug/kg	73.8	19.9	1	08/31/23 08:00	09/01/23 01:27	594-20-7	
2-Butanone (MEK)	<233	ug/kg	1850	233	1	08/31/23 08:00	09/01/23 01:27	78-93-3	
2-Chlorotoluene	<23.9	ug/kg	73.8	23.9	1	08/31/23 08:00	09/01/23 01:27	95-49-8	
4-Chlorotoluene	<28.1	ug/kg	73.8	28.1	1	08/31/23 08:00	09/01/23 01:27	106-43-4	
Benzene	<17.6	ug/kg	29.5	17.6	1	08/31/23 08:00	09/01/23 01:27	71-43-2	
Bromobenzene	<28.8	ug/kg	73.8	28.8	1	08/31/23 08:00	09/01/23 01:27	108-86-1	
Bromochloromethane	<20.2	ug/kg	73.8	20.2	1	08/31/23 08:00	09/01/23 01:27	74-97-5	
Bromodichloromethane	<17.6	ug/kg	73.8	17.6	1	08/31/23 08:00	09/01/23 01:27	75-27-4	
Bromoform	<325	ug/kg	369	325	1	08/31/23 08:00	09/01/23 01:27	75-25-2	
Bromomethane	<104	ug/kg	369	104	1	08/31/23 08:00	09/01/23 01:27	74-83-9	
Carbon tetrachloride	<16.2	ug/kg	73.8	16.2	1	08/31/23 08:00	09/01/23 01:27	56-23-5	
Chlorobenzene	<8.8	ug/kg	73.8	8.8	1	08/31/23 08:00	09/01/23 01:27	108-90-7	
Chloroethane	<31.2	ug/kg	369	31.2	1	08/31/23 08:00	09/01/23 01:27	75-00-3	
Chloroform	<52.9	ug/kg	369	52.9	1	08/31/23 08:00	09/01/23 01:27	67-66-3	L2
Chloromethane	<28.1	ug/kg	73.8	28.1	1	08/31/23 08:00	09/01/23 01:27	74-87-3	
Dibromochloromethane	<252	ug/kg	369	252	1	08/31/23 08:00	09/01/23 01:27	124-48-1	
Dibromomethane	<21.9	ug/kg	73.8	21.9	1	08/31/23 08:00	09/01/23 01:27	74-95-3	
Dichlorodifluoromethane	<31.7	ug/kg	73.8	31.7	1	08/31/23 08:00	09/01/23 01:27	75-71-8	
Diisopropyl ether	<18.3	ug/kg	73.8	18.3	1	08/31/23 08:00	09/01/23 01:27	108-20-3	
Ethylbenzene	<17.6	ug/kg	73.8	17.6	1	08/31/23 08:00	09/01/23 01:27	100-41-4	
Hexachloro-1,3-butadiene	<147	ug/kg	369	147	1	08/31/23 08:00	09/01/23 01:27	87-68-3	
Isopropylbenzene (Cumene)	<19.9	ug/kg	73.8	19.9	1	08/31/23 08:00	09/01/23 01:27	98-82-8	
Methyl-tert-butyl ether	<21.7	ug/kg	73.8	21.7	1	08/31/23 08:00	09/01/23 01:27	1634-04-4	
Methylene Chloride	<20.5	ug/kg	73.8	20.5	1	08/31/23 08:00	09/01/23 01:27	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-1(3-5) Lab ID: 40267289001 Collected: 08/25/23 09:45 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<23.0	ug/kg	369	23.0	1	08/31/23 08:00	09/01/23 01:27	91-20-3	
Styrene	<18.9	ug/kg	73.8	18.9	1	08/31/23 08:00	09/01/23 01:27	100-42-5	
Tetrachloroethene	43.0J	ug/kg	73.8	28.6	1	08/31/23 08:00	09/01/23 01:27	127-18-4	
Toluene	<18.6	ug/kg	73.8	18.6	1	08/31/23 08:00	09/01/23 01:27	108-88-3	
Trichloroethene	<27.6	ug/kg	73.8	27.6	1	08/31/23 08:00	09/01/23 01:27	79-01-6	
Trichlorofluoromethane	<21.4	ug/kg	73.8	21.4	1	08/31/23 08:00	09/01/23 01:27	75-69-4	
Vinyl chloride	<14.9	ug/kg	73.8	14.9	1	08/31/23 08:00	09/01/23 01:27	75-01-4	
cis-1,2-Dichloroethene	<15.8	ug/kg	73.8	15.8	1	08/31/23 08:00	09/01/23 01:27	156-59-2	
cis-1,3-Dichloropropene	<48.7	ug/kg	369	48.7	1	08/31/23 08:00	09/01/23 01:27	10061-01-5	
m&p-Xylene	<31.2	ug/kg	148	31.2	1	08/31/23 08:00	09/01/23 01:27	179601-23-1	
n-Butylbenzene	<33.8	ug/kg	73.8	33.8	1	08/31/23 08:00	09/01/23 01:27	104-51-8	
n-Propylbenzene	<17.7	ug/kg	73.8	17.7	1	08/31/23 08:00	09/01/23 01:27	103-65-1	
o-Xylene	<22.2	ug/kg	73.8	22.2	1	08/31/23 08:00	09/01/23 01:27	95-47-6	
p-Isopropyltoluene	<22.4	ug/kg	73.8	22.4	1	08/31/23 08:00	09/01/23 01:27	99-87-6	
sec-Butylbenzene	<18.0	ug/kg	73.8	18.0	1	08/31/23 08:00	09/01/23 01:27	135-98-8	
tert-Butylbenzene	<23.2	ug/kg	73.8	23.2	1	08/31/23 08:00	09/01/23 01:27	98-06-6	
trans-1,2-Dichloroethene	<15.9	ug/kg	73.8	15.9	1	08/31/23 08:00	09/01/23 01:27	156-60-5	
trans-1,3-Dichloropropene	<211	ug/kg	369	211	1	08/31/23 08:00	09/01/23 01:27	10061-02-6	
Surrogates									
Toluene-d8 (S)	114	%	69-153		1	08/31/23 08:00	09/01/23 01:27	2037-26-5	
4-Bromofluorobenzene (S)	116	%	68-156		1	08/31/23 08:00	09/01/23 01:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	71-161		1	08/31/23 08:00	09/01/23 01:27	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.2	%	0.10	0.10	1		08/28/23 14:45		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-1(5-6) Lab ID: 40267289002 Collected: 08/25/23 10:00 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<17.6	ug/kg	73.3	17.6	1	08/31/23 08:00	09/01/23 01:46	630-20-6	
1,1,1-Trichloroethane	<18.8	ug/kg	73.3	18.8	1	08/31/23 08:00	09/01/23 01:46	71-55-6	
1,1,2,2-Tetrachloroethane	<26.5	ug/kg	73.3	26.5	1	08/31/23 08:00	09/01/23 01:46	79-34-5	
1,1,2-Trichloroethane	<26.7	ug/kg	73.3	26.7	1	08/31/23 08:00	09/01/23 01:46	79-00-5	
1,1-Dichloroethane	<18.8	ug/kg	73.3	18.8	1	08/31/23 08:00	09/01/23 01:46	75-34-3	
1,1-Dichloroethene	<24.3	ug/kg	73.3	24.3	1	08/31/23 08:00	09/01/23 01:46	75-35-4	
1,1-Dichloropropene	<23.7	ug/kg	73.3	23.7	1	08/31/23 08:00	09/01/23 01:46	563-58-6	
1,2,3-Trichlorobenzene	<81.6	ug/kg	366	81.6	1	08/31/23 08:00	09/01/23 01:46	87-61-6	
1,2,3-Trichloropropane	<35.6	ug/kg	73.3	35.6	1	08/31/23 08:00	09/01/23 01:46	96-18-4	
1,2,4-Trichlorobenzene	<60.4	ug/kg	366	60.4	1	08/31/23 08:00	09/01/23 01:46	120-82-1	
1,2,4-Trimethylbenzene	<21.8	ug/kg	73.3	21.8	1	08/31/23 08:00	09/01/23 01:46	95-63-6	
1,2-Dibromo-3-chloropropane	<56.9	ug/kg	366	56.9	1	08/31/23 08:00	09/01/23 01:46	96-12-8	
1,2-Dibromoethane (EDB)	<20.1	ug/kg	73.3	20.1	1	08/31/23 08:00	09/01/23 01:46	106-93-4	
1,2-Dichlorobenzene	<22.7	ug/kg	73.3	22.7	1	08/31/23 08:00	09/01/23 01:46	95-50-1	
1,2-Dichloroethane	<16.9	ug/kg	73.3	16.9	1	08/31/23 08:00	09/01/23 01:46	107-06-2	
1,2-Dichloropropane	<17.4	ug/kg	73.3	17.4	1	08/31/23 08:00	09/01/23 01:46	78-87-5	
1,3,5-Trimethylbenzene	<23.6	ug/kg	73.3	23.6	1	08/31/23 08:00	09/01/23 01:46	108-67-8	
1,3-Dichlorobenzene	<20.1	ug/kg	73.3	20.1	1	08/31/23 08:00	09/01/23 01:46	541-73-1	
1,3-Dichloropropane	<16.0	ug/kg	73.3	16.0	1	08/31/23 08:00	09/01/23 01:46	142-28-9	
1,4-Dichlorobenzene	<20.1	ug/kg	73.3	20.1	1	08/31/23 08:00	09/01/23 01:46	106-46-7	
2,2-Dichloropropane	<19.8	ug/kg	73.3	19.8	1	08/31/23 08:00	09/01/23 01:46	594-20-7	
2-Butanone (MEK)	<232	ug/kg	1830	232	1	08/31/23 08:00	09/01/23 01:46	78-93-3	
2-Chlorotoluene	<23.7	ug/kg	73.3	23.7	1	08/31/23 08:00	09/01/23 01:46	95-49-8	
4-Chlorotoluene	<27.8	ug/kg	73.3	27.8	1	08/31/23 08:00	09/01/23 01:46	106-43-4	
Benzene	<17.4	ug/kg	29.3	17.4	1	08/31/23 08:00	09/01/23 01:46	71-43-2	
Bromobenzene	<28.6	ug/kg	73.3	28.6	1	08/31/23 08:00	09/01/23 01:46	108-86-1	
Bromochloromethane	<20.1	ug/kg	73.3	20.1	1	08/31/23 08:00	09/01/23 01:46	74-97-5	
Bromodichloromethane	<17.4	ug/kg	73.3	17.4	1	08/31/23 08:00	09/01/23 01:46	75-27-4	
Bromoform	<322	ug/kg	366	322	1	08/31/23 08:00	09/01/23 01:46	75-25-2	
Bromomethane	<103	ug/kg	366	103	1	08/31/23 08:00	09/01/23 01:46	74-83-9	
Carbon tetrachloride	<16.1	ug/kg	73.3	16.1	1	08/31/23 08:00	09/01/23 01:46	56-23-5	
Chlorobenzene	<8.8	ug/kg	73.3	8.8	1	08/31/23 08:00	09/01/23 01:46	108-90-7	
Chloroethane	<30.9	ug/kg	366	30.9	1	08/31/23 08:00	09/01/23 01:46	75-00-3	
Chloroform	<52.5	ug/kg	366	52.5	1	08/31/23 08:00	09/01/23 01:46	67-66-3	L2
Chloromethane	<27.8	ug/kg	73.3	27.8	1	08/31/23 08:00	09/01/23 01:46	74-87-3	
Dibromochloromethane	<250	ug/kg	366	250	1	08/31/23 08:00	09/01/23 01:46	124-48-1	
Dibromomethane	<21.7	ug/kg	73.3	21.7	1	08/31/23 08:00	09/01/23 01:46	74-95-3	
Dichlorodifluoromethane	<31.5	ug/kg	73.3	31.5	1	08/31/23 08:00	09/01/23 01:46	75-71-8	
Diisopropyl ether	<18.2	ug/kg	73.3	18.2	1	08/31/23 08:00	09/01/23 01:46	108-20-3	
Ethylbenzene	<17.4	ug/kg	73.3	17.4	1	08/31/23 08:00	09/01/23 01:46	100-41-4	
Hexachloro-1,3-butadiene	<146	ug/kg	366	146	1	08/31/23 08:00	09/01/23 01:46	87-68-3	
Isopropylbenzene (Cumene)	<19.8	ug/kg	73.3	19.8	1	08/31/23 08:00	09/01/23 01:46	98-82-8	
Methyl-tert-butyl ether	<21.5	ug/kg	73.3	21.5	1	08/31/23 08:00	09/01/23 01:46	1634-04-4	
Methylene Chloride	<20.4	ug/kg	73.3	20.4	1	08/31/23 08:00	09/01/23 01:46	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-1(5-6) Lab ID: 40267289002 Collected: 08/25/23 10:00 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<22.9	ug/kg	366	22.9	1	08/31/23 08:00	09/01/23 01:46	91-20-3	
Styrene	<18.8	ug/kg	73.3	18.8	1	08/31/23 08:00	09/01/23 01:46	100-42-5	
Tetrachloroethene	52.6J	ug/kg	73.3	28.4	1	08/31/23 08:00	09/01/23 01:46	127-18-4	
Toluene	<18.5	ug/kg	73.3	18.5	1	08/31/23 08:00	09/01/23 01:46	108-88-3	
Trichloroethene	<27.4	ug/kg	73.3	27.4	1	08/31/23 08:00	09/01/23 01:46	79-01-6	
Trichlorofluoromethane	<21.3	ug/kg	73.3	21.3	1	08/31/23 08:00	09/01/23 01:46	75-69-4	
Vinyl chloride	<14.8	ug/kg	73.3	14.8	1	08/31/23 08:00	09/01/23 01:46	75-01-4	
cis-1,2-Dichloroethene	<15.7	ug/kg	73.3	15.7	1	08/31/23 08:00	09/01/23 01:46	156-59-2	
cis-1,3-Dichloropropene	<48.4	ug/kg	366	48.4	1	08/31/23 08:00	09/01/23 01:46	10061-01-5	
m&p-Xylene	<30.9	ug/kg	147	30.9	1	08/31/23 08:00	09/01/23 01:46	179601-23-1	
n-Butylbenzene	<33.6	ug/kg	73.3	33.6	1	08/31/23 08:00	09/01/23 01:46	104-51-8	
n-Propylbenzene	<17.6	ug/kg	73.3	17.6	1	08/31/23 08:00	09/01/23 01:46	103-65-1	
o-Xylene	<22.0	ug/kg	73.3	22.0	1	08/31/23 08:00	09/01/23 01:46	95-47-6	
p-Isopropyltoluene	<22.3	ug/kg	73.3	22.3	1	08/31/23 08:00	09/01/23 01:46	99-87-6	
sec-Butylbenzene	<17.9	ug/kg	73.3	17.9	1	08/31/23 08:00	09/01/23 01:46	135-98-8	
tert-Butylbenzene	<23.0	ug/kg	73.3	23.0	1	08/31/23 08:00	09/01/23 01:46	98-06-6	
trans-1,2-Dichloroethene	<15.8	ug/kg	73.3	15.8	1	08/31/23 08:00	09/01/23 01:46	156-60-5	
trans-1,3-Dichloropropene	<210	ug/kg	366	210	1	08/31/23 08:00	09/01/23 01:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	138	%	69-153		1	08/31/23 08:00	09/01/23 01:46	2037-26-5	
4-Bromofluorobenzene (S)	140	%	68-156		1	08/31/23 08:00	09/01/23 01:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	130	%	71-161		1	08/31/23 08:00	09/01/23 01:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.9	%	0.10	0.10	1		08/28/23 14:45		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-2(3-5) Lab ID: 40267289003 Collected: 08/25/23 10:30 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<17.0	ug/kg	70.8	17.0	1	08/31/23 08:00	09/01/23 02:06	630-20-6	
1,1,1-Trichloroethane	<18.1	ug/kg	70.8	18.1	1	08/31/23 08:00	09/01/23 02:06	71-55-6	
1,1,2,2-Tetrachloroethane	<25.6	ug/kg	70.8	25.6	1	08/31/23 08:00	09/01/23 02:06	79-34-5	
1,1,2-Trichloroethane	<25.8	ug/kg	70.8	25.8	1	08/31/23 08:00	09/01/23 02:06	79-00-5	
1,1-Dichloroethane	<18.1	ug/kg	70.8	18.1	1	08/31/23 08:00	09/01/23 02:06	75-34-3	
1,1-Dichloroethene	<23.5	ug/kg	70.8	23.5	1	08/31/23 08:00	09/01/23 02:06	75-35-4	
1,1-Dichloropropene	<22.9	ug/kg	70.8	22.9	1	08/31/23 08:00	09/01/23 02:06	563-58-6	
1,2,3-Trichlorobenzene	<78.9	ug/kg	354	78.9	1	08/31/23 08:00	09/01/23 02:06	87-61-6	
1,2,3-Trichloropropane	<34.4	ug/kg	70.8	34.4	1	08/31/23 08:00	09/01/23 02:06	96-18-4	
1,2,4-Trichlorobenzene	<58.3	ug/kg	354	58.3	1	08/31/23 08:00	09/01/23 02:06	120-82-1	
1,2,4-Trimethylbenzene	<21.1	ug/kg	70.8	21.1	1	08/31/23 08:00	09/01/23 02:06	95-63-6	
1,2-Dibromo-3-chloropropane	<54.9	ug/kg	354	54.9	1	08/31/23 08:00	09/01/23 02:06	96-12-8	
1,2-Dibromoethane (EDB)	<19.4	ug/kg	70.8	19.4	1	08/31/23 08:00	09/01/23 02:06	106-93-4	
1,2-Dichlorobenzene	<22.0	ug/kg	70.8	22.0	1	08/31/23 08:00	09/01/23 02:06	95-50-1	
1,2-Dichloroethane	<16.3	ug/kg	70.8	16.3	1	08/31/23 08:00	09/01/23 02:06	107-06-2	
1,2-Dichloropropane	<16.9	ug/kg	70.8	16.9	1	08/31/23 08:00	09/01/23 02:06	78-87-5	
1,3,5-Trimethylbenzene	<22.8	ug/kg	70.8	22.8	1	08/31/23 08:00	09/01/23 02:06	108-67-8	
1,3-Dichlorobenzene	<19.4	ug/kg	70.8	19.4	1	08/31/23 08:00	09/01/23 02:06	541-73-1	
1,3-Dichloropropane	<15.4	ug/kg	70.8	15.4	1	08/31/23 08:00	09/01/23 02:06	142-28-9	
1,4-Dichlorobenzene	<19.4	ug/kg	70.8	19.4	1	08/31/23 08:00	09/01/23 02:06	106-46-7	
2,2-Dichloropropane	<19.1	ug/kg	70.8	19.1	1	08/31/23 08:00	09/01/23 02:06	594-20-7	
2-Butanone (MEK)	<224	ug/kg	1770	224	1	08/31/23 08:00	09/01/23 02:06	78-93-3	
2-Chlorotoluene	<22.9	ug/kg	70.8	22.9	1	08/31/23 08:00	09/01/23 02:06	95-49-8	
4-Chlorotoluene	<26.9	ug/kg	70.8	26.9	1	08/31/23 08:00	09/01/23 02:06	106-43-4	
Benzene	<16.9	ug/kg	28.3	16.9	1	08/31/23 08:00	09/01/23 02:06	71-43-2	
Bromobenzene	<27.6	ug/kg	70.8	27.6	1	08/31/23 08:00	09/01/23 02:06	108-86-1	
Bromochloromethane	<19.4	ug/kg	70.8	19.4	1	08/31/23 08:00	09/01/23 02:06	74-97-5	
Bromodichloromethane	<16.9	ug/kg	70.8	16.9	1	08/31/23 08:00	09/01/23 02:06	75-27-4	
Bromoform	<312	ug/kg	354	312	1	08/31/23 08:00	09/01/23 02:06	75-25-2	
Bromomethane	<99.3	ug/kg	354	99.3	1	08/31/23 08:00	09/01/23 02:06	74-83-9	
Carbon tetrachloride	<15.6	ug/kg	70.8	15.6	1	08/31/23 08:00	09/01/23 02:06	56-23-5	
Chlorobenzene	<8.5	ug/kg	70.8	8.5	1	08/31/23 08:00	09/01/23 02:06	108-90-7	
Chloroethane	<29.9	ug/kg	354	29.9	1	08/31/23 08:00	09/01/23 02:06	75-00-3	
Chloroform	<50.7	ug/kg	354	50.7	1	08/31/23 08:00	09/01/23 02:06	67-66-3	L2
Chloromethane	<26.9	ug/kg	70.8	26.9	1	08/31/23 08:00	09/01/23 02:06	74-87-3	
Dibromochloromethane	<242	ug/kg	354	242	1	08/31/23 08:00	09/01/23 02:06	124-48-1	
Dibromomethane	<21.0	ug/kg	70.8	21.0	1	08/31/23 08:00	09/01/23 02:06	74-95-3	
Dichlorodifluoromethane	<30.4	ug/kg	70.8	30.4	1	08/31/23 08:00	09/01/23 02:06	75-71-8	
Diisopropyl ether	<17.6	ug/kg	70.8	17.6	1	08/31/23 08:00	09/01/23 02:06	108-20-3	
Ethylbenzene	<16.9	ug/kg	70.8	16.9	1	08/31/23 08:00	09/01/23 02:06	100-41-4	
Hexachloro-1,3-butadiene	<141	ug/kg	354	141	1	08/31/23 08:00	09/01/23 02:06	87-68-3	
Isopropylbenzene (Cumene)	<19.1	ug/kg	70.8	19.1	1	08/31/23 08:00	09/01/23 02:06	98-82-8	
Methyl-tert-butyl ether	<20.8	ug/kg	70.8	20.8	1	08/31/23 08:00	09/01/23 02:06	1634-04-4	
Methylene Chloride	<19.7	ug/kg	70.8	19.7	1	08/31/23 08:00	09/01/23 02:06	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-2(3-5) Lab ID: 40267289003 Collected: 08/25/23 10:30 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<22.1	ug/kg	354	22.1	1	08/31/23 08:00	09/01/23 02:06	91-20-3	
Styrene	<18.1	ug/kg	70.8	18.1	1	08/31/23 08:00	09/01/23 02:06	100-42-5	
Tetrachloroethene	<27.5	ug/kg	70.8	27.5	1	08/31/23 08:00	09/01/23 02:06	127-18-4	
Toluene	<17.8	ug/kg	70.8	17.8	1	08/31/23 08:00	09/01/23 02:06	108-88-3	
Trichloroethene	<26.5	ug/kg	70.8	26.5	1	08/31/23 08:00	09/01/23 02:06	79-01-6	
Trichlorofluoromethane	<20.5	ug/kg	70.8	20.5	1	08/31/23 08:00	09/01/23 02:06	75-69-4	
Vinyl chloride	<14.3	ug/kg	70.8	14.3	1	08/31/23 08:00	09/01/23 02:06	75-01-4	
cis-1,2-Dichloroethene	20.7J	ug/kg	70.8	15.2	1	08/31/23 08:00	09/01/23 02:06	156-59-2	
cis-1,3-Dichloropropene	<46.7	ug/kg	354	46.7	1	08/31/23 08:00	09/01/23 02:06	10061-01-5	
m&p-Xylene	<29.9	ug/kg	142	29.9	1	08/31/23 08:00	09/01/23 02:06	179601-23-1	
n-Butylbenzene	<32.4	ug/kg	70.8	32.4	1	08/31/23 08:00	09/01/23 02:06	104-51-8	
n-Propylbenzene	<17.0	ug/kg	70.8	17.0	1	08/31/23 08:00	09/01/23 02:06	103-65-1	
o-Xylene	<21.2	ug/kg	70.8	21.2	1	08/31/23 08:00	09/01/23 02:06	95-47-6	
p-Isopropyltoluene	<21.5	ug/kg	70.8	21.5	1	08/31/23 08:00	09/01/23 02:06	99-87-6	
sec-Butylbenzene	<17.3	ug/kg	70.8	17.3	1	08/31/23 08:00	09/01/23 02:06	135-98-8	
tert-Butylbenzene	<22.2	ug/kg	70.8	22.2	1	08/31/23 08:00	09/01/23 02:06	98-06-6	
trans-1,2-Dichloroethene	<15.3	ug/kg	70.8	15.3	1	08/31/23 08:00	09/01/23 02:06	156-60-5	
trans-1,3-Dichloropropene	<203	ug/kg	354	203	1	08/31/23 08:00	09/01/23 02:06	10061-02-6	
Surrogates									
Toluene-d8 (S)	111	%	69-153		1	08/31/23 08:00	09/01/23 02:06	2037-26-5	
4-Bromofluorobenzene (S)	121	%	68-156		1	08/31/23 08:00	09/01/23 02:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	116	%	71-161		1	08/31/23 08:00	09/01/23 02:06	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	17.2	%	0.10	0.10	1		08/28/23 14:45		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-3(2-4) Lab ID: 40267289004 Collected: 08/25/23 10:45 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<16.8	ug/kg	69.8	16.8	1	09/01/23 07:30	09/05/23 21:26	630-20-6	
1,1,1-Trichloroethane	<17.9	ug/kg	69.8	17.9	1	09/01/23 07:30	09/05/23 21:26	71-55-6	
1,1,2,2-Tetrachloroethane	<25.3	ug/kg	69.8	25.3	1	09/01/23 07:30	09/05/23 21:26	79-34-5	
1,1,2-Trichloroethane	<25.4	ug/kg	69.8	25.4	1	09/01/23 07:30	09/05/23 21:26	79-00-5	
1,1-Dichloroethane	<17.9	ug/kg	69.8	17.9	1	09/01/23 07:30	09/05/23 21:26	75-34-3	
1,1-Dichloroethene	<23.2	ug/kg	69.8	23.2	1	09/01/23 07:30	09/05/23 21:26	75-35-4	
1,1-Dichloropropene	<22.6	ug/kg	69.8	22.6	1	09/01/23 07:30	09/05/23 21:26	563-58-6	
1,2,3-Trichlorobenzene	<77.8	ug/kg	349	77.8	1	09/01/23 07:30	09/05/23 21:26	87-61-6	
1,2,3-Trichloropropane	<33.9	ug/kg	69.8	33.9	1	09/01/23 07:30	09/05/23 21:26	96-18-4	
1,2,4-Trichlorobenzene	<57.5	ug/kg	349	57.5	1	09/01/23 07:30	09/05/23 21:26	120-82-1	
1,2,4-Trimethylbenzene	<20.8	ug/kg	69.8	20.8	1	09/01/23 07:30	09/05/23 21:26	95-63-6	
1,2-Dibromo-3-chloropropane	<54.2	ug/kg	349	54.2	1	09/01/23 07:30	09/05/23 21:26	96-12-8	
1,2-Dibromoethane (EDB)	<19.1	ug/kg	69.8	19.1	1	09/01/23 07:30	09/05/23 21:26	106-93-4	
1,2-Dichlorobenzene	<21.6	ug/kg	69.8	21.6	1	09/01/23 07:30	09/05/23 21:26	95-50-1	
1,2-Dichloroethane	<16.1	ug/kg	69.8	16.1	1	09/01/23 07:30	09/05/23 21:26	107-06-2	
1,2-Dichloropropane	<16.6	ug/kg	69.8	16.6	1	09/01/23 07:30	09/05/23 21:26	78-87-5	
1,3,5-Trimethylbenzene	<22.5	ug/kg	69.8	22.5	1	09/01/23 07:30	09/05/23 21:26	108-67-8	
1,3-Dichlorobenzene	<19.1	ug/kg	69.8	19.1	1	09/01/23 07:30	09/05/23 21:26	541-73-1	
1,3-Dichloropropane	<15.2	ug/kg	69.8	15.2	1	09/01/23 07:30	09/05/23 21:26	142-28-9	
1,4-Dichlorobenzene	<19.1	ug/kg	69.8	19.1	1	09/01/23 07:30	09/05/23 21:26	106-46-7	
2,2-Dichloropropane	<18.8	ug/kg	69.8	18.8	1	09/01/23 07:30	09/05/23 21:26	594-20-7	
2-Butanone (MEK)	<221	ug/kg	1750	221	1	09/01/23 07:30	09/05/23 21:26	78-93-3	
2-Chlorotoluene	<22.6	ug/kg	69.8	22.6	1	09/01/23 07:30	09/05/23 21:26	95-49-8	
4-Chlorotoluene	<26.5	ug/kg	69.8	26.5	1	09/01/23 07:30	09/05/23 21:26	106-43-4	
Benzene	<16.6	ug/kg	27.9	16.6	1	09/01/23 07:30	09/05/23 21:26	71-43-2	
Bromobenzene	<27.2	ug/kg	69.8	27.2	1	09/01/23 07:30	09/05/23 21:26	108-86-1	
Bromochloromethane	<19.1	ug/kg	69.8	19.1	1	09/01/23 07:30	09/05/23 21:26	74-97-5	
Bromodichloromethane	<16.6	ug/kg	69.8	16.6	1	09/01/23 07:30	09/05/23 21:26	75-27-4	
Bromoform	<307	ug/kg	349	307	1	09/01/23 07:30	09/05/23 21:26	75-25-2	
Bromomethane	<97.9	ug/kg	349	97.9	1	09/01/23 07:30	09/05/23 21:26	74-83-9	
Carbon tetrachloride	<15.4	ug/kg	69.8	15.4	1	09/01/23 07:30	09/05/23 21:26	56-23-5	
Chlorobenzene	<8.4	ug/kg	69.8	8.4	1	09/01/23 07:30	09/05/23 21:26	108-90-7	
Chloroethane	<29.5	ug/kg	349	29.5	1	09/01/23 07:30	09/05/23 21:26	75-00-3	
Chloroform	<50.0	ug/kg	349	50.0	1	09/01/23 07:30	09/05/23 21:26	67-66-3	
Chloromethane	<26.5	ug/kg	69.8	26.5	1	09/01/23 07:30	09/05/23 21:26	74-87-3	
Dibromochloromethane	<239	ug/kg	349	239	1	09/01/23 07:30	09/05/23 21:26	124-48-1	
Dibromomethane	<20.7	ug/kg	69.8	20.7	1	09/01/23 07:30	09/05/23 21:26	74-95-3	
Dichlorodifluoromethane	<30.0	ug/kg	69.8	30.0	1	09/01/23 07:30	09/05/23 21:26	75-71-8	
Diisopropyl ether	<17.3	ug/kg	69.8	17.3	1	09/01/23 07:30	09/05/23 21:26	108-20-3	
Ethylbenzene	17.9J	ug/kg	69.8	16.6	1	09/01/23 07:30	09/05/23 21:26	100-41-4	
Hexachloro-1,3-butadiene	<139	ug/kg	349	139	1	09/01/23 07:30	09/05/23 21:26	87-68-3	
Isopropylbenzene (Cumene)	<18.8	ug/kg	69.8	18.8	1	09/01/23 07:30	09/05/23 21:26	98-82-8	
Methyl-tert-butyl ether	<20.5	ug/kg	69.8	20.5	1	09/01/23 07:30	09/05/23 21:26	1634-04-4	
Methylene Chloride	<19.4	ug/kg	69.8	19.4	1	09/01/23 07:30	09/05/23 21:26	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-3(2-4) Lab ID: 40267289004 Collected: 08/25/23 10:45 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<21.8	ug/kg	349	21.8	1	09/01/23 07:30	09/05/23 21:26	91-20-3	
Styrene	<17.9	ug/kg	69.8	17.9	1	09/01/23 07:30	09/05/23 21:26	100-42-5	
Tetrachloroethene	<27.1	ug/kg	69.8	27.1	1	09/01/23 07:30	09/05/23 21:26	127-18-4	
Toluene	<17.6	ug/kg	69.8	17.6	1	09/01/23 07:30	09/05/23 21:26	108-88-3	
Trichloroethene	<26.1	ug/kg	69.8	26.1	1	09/01/23 07:30	09/05/23 21:26	79-01-6	
Trichlorofluoromethane	<20.2	ug/kg	69.8	20.2	1	09/01/23 07:30	09/05/23 21:26	75-69-4	
Vinyl chloride	<14.1	ug/kg	69.8	14.1	1	09/01/23 07:30	09/05/23 21:26	75-01-4	
cis-1,2-Dichloroethene	<14.9	ug/kg	69.8	14.9	1	09/01/23 07:30	09/05/23 21:26	156-59-2	
cis-1,3-Dichloropropene	<46.1	ug/kg	349	46.1	1	09/01/23 07:30	09/05/23 21:26	10061-01-5	
m&p-Xylene	<29.5	ug/kg	140	29.5	1	09/01/23 07:30	09/05/23 21:26	179601-23-1	
n-Butylbenzene	<32.0	ug/kg	69.8	32.0	1	09/01/23 07:30	09/05/23 21:26	104-51-8	
n-Propylbenzene	18.3J	ug/kg	69.8	16.8	1	09/01/23 07:30	09/05/23 21:26	103-65-1	
o-Xylene	<20.9	ug/kg	69.8	20.9	1	09/01/23 07:30	09/05/23 21:26	95-47-6	
p-Isopropyltoluene	<21.2	ug/kg	69.8	21.2	1	09/01/23 07:30	09/05/23 21:26	99-87-6	
sec-Butylbenzene	<17.0	ug/kg	69.8	17.0	1	09/01/23 07:30	09/05/23 21:26	135-98-8	
tert-Butylbenzene	<21.9	ug/kg	69.8	21.9	1	09/01/23 07:30	09/05/23 21:26	98-06-6	
trans-1,2-Dichloroethene	<15.1	ug/kg	69.8	15.1	1	09/01/23 07:30	09/05/23 21:26	156-60-5	
trans-1,3-Dichloropropene	<200	ug/kg	349	200	1	09/01/23 07:30	09/05/23 21:26	10061-02-6	
Surrogates									
Toluene-d8 (S)	113	%	70-139		1	09/01/23 07:30	09/05/23 21:26	2037-26-5	
4-Bromofluorobenzene (S)	98	%	72-142		1	09/01/23 07:30	09/05/23 21:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	115	%	67-144		1	09/01/23 07:30	09/05/23 21:26	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.5	%	0.10	0.10	1		08/28/23 14:45		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-4(3-4) Lab ID: 40267289005 Collected: 08/25/23 11:00 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<19.6	ug/kg	81.8	19.6	1	09/01/23 07:30	09/05/23 21:46	630-20-6	
1,1,1-Trichloroethane	<20.9	ug/kg	81.8	20.9	1	09/01/23 07:30	09/05/23 21:46	71-55-6	
1,1,2,2-Tetrachloroethane	<29.6	ug/kg	81.8	29.6	1	09/01/23 07:30	09/05/23 21:46	79-34-5	
1,1,2-Trichloroethane	<29.8	ug/kg	81.8	29.8	1	09/01/23 07:30	09/05/23 21:46	79-00-5	
1,1-Dichloroethane	<20.9	ug/kg	81.8	20.9	1	09/01/23 07:30	09/05/23 21:46	75-34-3	
1,1-Dichloroethene	<27.1	ug/kg	81.8	27.1	1	09/01/23 07:30	09/05/23 21:46	75-35-4	
1,1-Dichloropropene	<26.5	ug/kg	81.8	26.5	1	09/01/23 07:30	09/05/23 21:46	563-58-6	
1,2,3-Trichlorobenzene	<91.1	ug/kg	409	91.1	1	09/01/23 07:30	09/05/23 21:46	87-61-6	
1,2,3-Trichloropropane	<39.7	ug/kg	81.8	39.7	1	09/01/23 07:30	09/05/23 21:46	96-18-4	
1,2,4-Trichlorobenzene	<67.4	ug/kg	409	67.4	1	09/01/23 07:30	09/05/23 21:46	120-82-1	
1,2,4-Trimethylbenzene	<24.4	ug/kg	81.8	24.4	1	09/01/23 07:30	09/05/23 21:46	95-63-6	
1,2-Dibromo-3-chloropropane	<63.4	ug/kg	409	63.4	1	09/01/23 07:30	09/05/23 21:46	96-12-8	
1,2-Dibromoethane (EDB)	<22.4	ug/kg	81.8	22.4	1	09/01/23 07:30	09/05/23 21:46	106-93-4	
1,2-Dichlorobenzene	<25.3	ug/kg	81.8	25.3	1	09/01/23 07:30	09/05/23 21:46	95-50-1	
1,2-Dichloroethane	<18.8	ug/kg	81.8	18.8	1	09/01/23 07:30	09/05/23 21:46	107-06-2	
1,2-Dichloropropane	<19.5	ug/kg	81.8	19.5	1	09/01/23 07:30	09/05/23 21:46	78-87-5	
1,3,5-Trimethylbenzene	<26.3	ug/kg	81.8	26.3	1	09/01/23 07:30	09/05/23 21:46	108-67-8	
1,3-Dichlorobenzene	<22.4	ug/kg	81.8	22.4	1	09/01/23 07:30	09/05/23 21:46	541-73-1	
1,3-Dichloropropane	<17.8	ug/kg	81.8	17.8	1	09/01/23 07:30	09/05/23 21:46	142-28-9	
1,4-Dichlorobenzene	<22.4	ug/kg	81.8	22.4	1	09/01/23 07:30	09/05/23 21:46	106-46-7	
2,2-Dichloropropane	<22.1	ug/kg	81.8	22.1	1	09/01/23 07:30	09/05/23 21:46	594-20-7	
2-Butanone (MEK)	<258	ug/kg	2040	258	1	09/01/23 07:30	09/05/23 21:46	78-93-3	
2-Chlorotoluene	<26.5	ug/kg	81.8	26.5	1	09/01/23 07:30	09/05/23 21:46	95-49-8	
4-Chlorotoluene	<31.1	ug/kg	81.8	31.1	1	09/01/23 07:30	09/05/23 21:46	106-43-4	
Benzene	<19.5	ug/kg	32.7	19.5	1	09/01/23 07:30	09/05/23 21:46	71-43-2	
Bromobenzene	<31.9	ug/kg	81.8	31.9	1	09/01/23 07:30	09/05/23 21:46	108-86-1	
Bromochloromethane	<22.4	ug/kg	81.8	22.4	1	09/01/23 07:30	09/05/23 21:46	74-97-5	
Bromodichloromethane	<19.5	ug/kg	81.8	19.5	1	09/01/23 07:30	09/05/23 21:46	75-27-4	
Bromoform	<360	ug/kg	409	360	1	09/01/23 07:30	09/05/23 21:46	75-25-2	
Bromomethane	<115	ug/kg	409	115	1	09/01/23 07:30	09/05/23 21:46	74-83-9	
Carbon tetrachloride	<18.0	ug/kg	81.8	18.0	1	09/01/23 07:30	09/05/23 21:46	56-23-5	
Chlorobenzene	<9.8	ug/kg	81.8	9.8	1	09/01/23 07:30	09/05/23 21:46	108-90-7	
Chloroethane	<34.5	ug/kg	409	34.5	1	09/01/23 07:30	09/05/23 21:46	75-00-3	
Chloroform	<58.5	ug/kg	409	58.5	1	09/01/23 07:30	09/05/23 21:46	67-66-3	
Chloromethane	<31.1	ug/kg	81.8	31.1	1	09/01/23 07:30	09/05/23 21:46	74-87-3	
Dibromochloromethane	<279	ug/kg	409	279	1	09/01/23 07:30	09/05/23 21:46	124-48-1	
Dibromomethane	<24.2	ug/kg	81.8	24.2	1	09/01/23 07:30	09/05/23 21:46	74-95-3	
Dichlorodifluoromethane	<35.2	ug/kg	81.8	35.2	1	09/01/23 07:30	09/05/23 21:46	75-71-8	
Diisopropyl ether	<20.3	ug/kg	81.8	20.3	1	09/01/23 07:30	09/05/23 21:46	108-20-3	
Ethylbenzene	<19.5	ug/kg	81.8	19.5	1	09/01/23 07:30	09/05/23 21:46	100-41-4	
Hexachloro-1,3-butadiene	<163	ug/kg	409	163	1	09/01/23 07:30	09/05/23 21:46	87-68-3	
Isopropylbenzene (Cumene)	<22.1	ug/kg	81.8	22.1	1	09/01/23 07:30	09/05/23 21:46	98-82-8	
Methyl-tert-butyl ether	<24.0	ug/kg	81.8	24.0	1	09/01/23 07:30	09/05/23 21:46	1634-04-4	
Methylene Chloride	<22.7	ug/kg	81.8	22.7	1	09/01/23 07:30	09/05/23 21:46	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-4(3-4) Lab ID: 40267289005 Collected: 08/25/23 11:00 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<25.5	ug/kg	409	25.5	1	09/01/23 07:30	09/05/23 21:46	91-20-3	
Styrene	<20.9	ug/kg	81.8	20.9	1	09/01/23 07:30	09/05/23 21:46	100-42-5	
Tetrachloroethene	2500	ug/kg	81.8	31.7	1	09/01/23 07:30	09/05/23 21:46	127-18-4	
Toluene	<20.6	ug/kg	81.8	20.6	1	09/01/23 07:30	09/05/23 21:46	108-88-3	
Trichloroethene	<30.6	ug/kg	81.8	30.6	1	09/01/23 07:30	09/05/23 21:46	79-01-6	
Trichlorofluoromethane	<23.7	ug/kg	81.8	23.7	1	09/01/23 07:30	09/05/23 21:46	75-69-4	
Vinyl chloride	<16.5	ug/kg	81.8	16.5	1	09/01/23 07:30	09/05/23 21:46	75-01-4	
cis-1,2-Dichloroethene	<17.5	ug/kg	81.8	17.5	1	09/01/23 07:30	09/05/23 21:46	156-59-2	
cis-1,3-Dichloropropene	<54.0	ug/kg	409	54.0	1	09/01/23 07:30	09/05/23 21:46	10061-01-5	
m&p-Xylene	<34.5	ug/kg	164	34.5	1	09/01/23 07:30	09/05/23 21:46	179601-23-1	
n-Butylbenzene	<37.4	ug/kg	81.8	37.4	1	09/01/23 07:30	09/05/23 21:46	104-51-8	
n-Propylbenzene	<19.6	ug/kg	81.8	19.6	1	09/01/23 07:30	09/05/23 21:46	103-65-1	
o-Xylene	<24.5	ug/kg	81.8	24.5	1	09/01/23 07:30	09/05/23 21:46	95-47-6	
p-Isopropyltoluene	<24.9	ug/kg	81.8	24.9	1	09/01/23 07:30	09/05/23 21:46	99-87-6	
sec-Butylbenzene	<19.9	ug/kg	81.8	19.9	1	09/01/23 07:30	09/05/23 21:46	135-98-8	
tert-Butylbenzene	<25.7	ug/kg	81.8	25.7	1	09/01/23 07:30	09/05/23 21:46	98-06-6	
trans-1,2-Dichloroethene	<17.7	ug/kg	81.8	17.7	1	09/01/23 07:30	09/05/23 21:46	156-60-5	
trans-1,3-Dichloropropene	<234	ug/kg	409	234	1	09/01/23 07:30	09/05/23 21:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	115	%	70-139		1	09/01/23 07:30	09/05/23 21:46	2037-26-5	
4-Bromofluorobenzene (S)	108	%	72-142		1	09/01/23 07:30	09/05/23 21:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	126	%	67-144		1	09/01/23 07:30	09/05/23 21:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.1	%	0.10	0.10	1		08/28/23 14:45		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-5(2-3) Lab ID: 40267289006 Collected: 08/25/23 11:15 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<18.9	ug/kg	78.8	18.9	1	09/01/23 07:30	09/05/23 22:06	630-20-6	
1,1,1-Trichloroethane	<20.2	ug/kg	78.8	20.2	1	09/01/23 07:30	09/05/23 22:06	71-55-6	
1,1,2,2-Tetrachloroethane	<28.5	ug/kg	78.8	28.5	1	09/01/23 07:30	09/05/23 22:06	79-34-5	
1,1,2-Trichloroethane	<28.7	ug/kg	78.8	28.7	1	09/01/23 07:30	09/05/23 22:06	79-00-5	
1,1-Dichloroethane	<20.2	ug/kg	78.8	20.2	1	09/01/23 07:30	09/05/23 22:06	75-34-3	
1,1-Dichloroethene	<26.1	ug/kg	78.8	26.1	1	09/01/23 07:30	09/05/23 22:06	75-35-4	
1,1-Dichloropropene	<25.5	ug/kg	78.8	25.5	1	09/01/23 07:30	09/05/23 22:06	563-58-6	
1,2,3-Trichlorobenzene	<87.7	ug/kg	394	87.7	1	09/01/23 07:30	09/05/23 22:06	87-61-6	
1,2,3-Trichloropropane	<38.3	ug/kg	78.8	38.3	1	09/01/23 07:30	09/05/23 22:06	96-18-4	
1,2,4-Trichlorobenzene	<64.9	ug/kg	394	64.9	1	09/01/23 07:30	09/05/23 22:06	120-82-1	
1,2,4-Trimethylbenzene	<23.5	ug/kg	78.8	23.5	1	09/01/23 07:30	09/05/23 22:06	95-63-6	
1,2-Dibromo-3-chloropropane	<61.1	ug/kg	394	61.1	1	09/01/23 07:30	09/05/23 22:06	96-12-8	
1,2-Dibromoethane (EDB)	<21.6	ug/kg	78.8	21.6	1	09/01/23 07:30	09/05/23 22:06	106-93-4	
1,2-Dichlorobenzene	<24.4	ug/kg	78.8	24.4	1	09/01/23 07:30	09/05/23 22:06	95-50-1	
1,2-Dichloroethane	<18.1	ug/kg	78.8	18.1	1	09/01/23 07:30	09/05/23 22:06	107-06-2	
1,2-Dichloropropane	<18.7	ug/kg	78.8	18.7	1	09/01/23 07:30	09/05/23 22:06	78-87-5	
1,3,5-Trimethylbenzene	<25.4	ug/kg	78.8	25.4	1	09/01/23 07:30	09/05/23 22:06	108-67-8	
1,3-Dichlorobenzene	<21.6	ug/kg	78.8	21.6	1	09/01/23 07:30	09/05/23 22:06	541-73-1	
1,3-Dichloropropane	<17.2	ug/kg	78.8	17.2	1	09/01/23 07:30	09/05/23 22:06	142-28-9	
1,4-Dichlorobenzene	<21.6	ug/kg	78.8	21.6	1	09/01/23 07:30	09/05/23 22:06	106-46-7	
2,2-Dichloropropane	<21.3	ug/kg	78.8	21.3	1	09/01/23 07:30	09/05/23 22:06	594-20-7	
2-Butanone (MEK)	<249	ug/kg	1970	249	1	09/01/23 07:30	09/05/23 22:06	78-93-3	
2-Chlorotoluene	<25.5	ug/kg	78.8	25.5	1	09/01/23 07:30	09/05/23 22:06	95-49-8	
4-Chlorotoluene	<29.9	ug/kg	78.8	29.9	1	09/01/23 07:30	09/05/23 22:06	106-43-4	
Benzene	<18.7	ug/kg	31.5	18.7	1	09/01/23 07:30	09/05/23 22:06	71-43-2	
Bromobenzene	<30.7	ug/kg	78.8	30.7	1	09/01/23 07:30	09/05/23 22:06	108-86-1	
Bromochloromethane	<21.6	ug/kg	78.8	21.6	1	09/01/23 07:30	09/05/23 22:06	74-97-5	
Bromodichloromethane	<18.7	ug/kg	78.8	18.7	1	09/01/23 07:30	09/05/23 22:06	75-27-4	
Bromoform	<347	ug/kg	394	347	1	09/01/23 07:30	09/05/23 22:06	75-25-2	
Bromomethane	<110	ug/kg	394	110	1	09/01/23 07:30	09/05/23 22:06	74-83-9	
Carbon tetrachloride	<17.3	ug/kg	78.8	17.3	1	09/01/23 07:30	09/05/23 22:06	56-23-5	
Chlorobenzene	<9.4	ug/kg	78.8	9.4	1	09/01/23 07:30	09/05/23 22:06	108-90-7	
Chloroethane	<33.2	ug/kg	394	33.2	1	09/01/23 07:30	09/05/23 22:06	75-00-3	
Chloroform	<56.4	ug/kg	394	56.4	1	09/01/23 07:30	09/05/23 22:06	67-66-3	
Chloromethane	<29.9	ug/kg	78.8	29.9	1	09/01/23 07:30	09/05/23 22:06	74-87-3	
Dibromochloromethane	<269	ug/kg	394	269	1	09/01/23 07:30	09/05/23 22:06	124-48-1	
Dibromomethane	<23.3	ug/kg	78.8	23.3	1	09/01/23 07:30	09/05/23 22:06	74-95-3	
Dichlorodifluoromethane	<33.9	ug/kg	78.8	33.9	1	09/01/23 07:30	09/05/23 22:06	75-71-8	
Diisopropyl ether	<19.5	ug/kg	78.8	19.5	1	09/01/23 07:30	09/05/23 22:06	108-20-3	
Ethylbenzene	<18.7	ug/kg	78.8	18.7	1	09/01/23 07:30	09/05/23 22:06	100-41-4	
Hexachloro-1,3-butadiene	<157	ug/kg	394	157	1	09/01/23 07:30	09/05/23 22:06	87-68-3	
Isopropylbenzene (Cumene)	<21.3	ug/kg	78.8	21.3	1	09/01/23 07:30	09/05/23 22:06	98-82-8	
Methyl-tert-butyl ether	<23.2	ug/kg	78.8	23.2	1	09/01/23 07:30	09/05/23 22:06	1634-04-4	
Methylene Chloride	<21.9	ug/kg	78.8	21.9	1	09/01/23 07:30	09/05/23 22:06	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-5(2-3) Lab ID: 40267289006 Collected: 08/25/23 11:15 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<24.6	ug/kg	394	24.6	1	09/01/23 07:30	09/05/23 22:06	91-20-3	
Styrene	<20.2	ug/kg	78.8	20.2	1	09/01/23 07:30	09/05/23 22:06	100-42-5	
Tetrachloroethene	214	ug/kg	78.8	30.6	1	09/01/23 07:30	09/05/23 22:06	127-18-4	
Toluene	<19.8	ug/kg	78.8	19.8	1	09/01/23 07:30	09/05/23 22:06	108-88-3	
Trichloroethene	<29.5	ug/kg	78.8	29.5	1	09/01/23 07:30	09/05/23 22:06	79-01-6	
Trichlorofluoromethane	<22.8	ug/kg	78.8	22.8	1	09/01/23 07:30	09/05/23 22:06	75-69-4	
Vinyl chloride	<15.9	ug/kg	78.8	15.9	1	09/01/23 07:30	09/05/23 22:06	75-01-4	
cis-1,2-Dichloroethene	<16.9	ug/kg	78.8	16.9	1	09/01/23 07:30	09/05/23 22:06	156-59-2	
cis-1,3-Dichloropropene	<52.0	ug/kg	394	52.0	1	09/01/23 07:30	09/05/23 22:06	10061-01-5	
m&p-Xylene	<33.2	ug/kg	158	33.2	1	09/01/23 07:30	09/05/23 22:06	179601-23-1	
n-Butylbenzene	<36.1	ug/kg	78.8	36.1	1	09/01/23 07:30	09/05/23 22:06	104-51-8	
n-Propylbenzene	<18.9	ug/kg	78.8	18.9	1	09/01/23 07:30	09/05/23 22:06	103-65-1	
o-Xylene	<23.6	ug/kg	78.8	23.6	1	09/01/23 07:30	09/05/23 22:06	95-47-6	
p-Isopropyltoluene	<23.9	ug/kg	78.8	23.9	1	09/01/23 07:30	09/05/23 22:06	99-87-6	
sec-Butylbenzene	<19.2	ug/kg	78.8	19.2	1	09/01/23 07:30	09/05/23 22:06	135-98-8	
tert-Butylbenzene	<24.7	ug/kg	78.8	24.7	1	09/01/23 07:30	09/05/23 22:06	98-06-6	
trans-1,2-Dichloroethene	<17.0	ug/kg	78.8	17.0	1	09/01/23 07:30	09/05/23 22:06	156-60-5	
trans-1,3-Dichloropropene	<225	ug/kg	394	225	1	09/01/23 07:30	09/05/23 22:06	10061-02-6	
Surrogates									
Toluene-d8 (S)	111	%	70-139		1	09/01/23 07:30	09/05/23 22:06	2037-26-5	
4-Bromofluorobenzene (S)	101	%	72-142		1	09/01/23 07:30	09/05/23 22:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	115	%	67-144		1	09/01/23 07:30	09/05/23 22:06	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.3	%	0.10	0.10	1		08/28/23 14:46		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-6(3-5) Lab ID: 40267289007 Collected: 08/25/23 11:30 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<16.5	ug/kg	68.7	16.5	1	09/01/23 07:30	09/05/23 22:26	630-20-6	
1,1,1-Trichloroethane	<17.6	ug/kg	68.7	17.6	1	09/01/23 07:30	09/05/23 22:26	71-55-6	
1,1,2,2-Tetrachloroethane	<24.9	ug/kg	68.7	24.9	1	09/01/23 07:30	09/05/23 22:26	79-34-5	
1,1,2-Trichloroethane	<25.0	ug/kg	68.7	25.0	1	09/01/23 07:30	09/05/23 22:26	79-00-5	
1,1-Dichloroethane	<17.6	ug/kg	68.7	17.6	1	09/01/23 07:30	09/05/23 22:26	75-34-3	
1,1-Dichloroethene	<22.8	ug/kg	68.7	22.8	1	09/01/23 07:30	09/05/23 22:26	75-35-4	
1,1-Dichloropropene	<22.3	ug/kg	68.7	22.3	1	09/01/23 07:30	09/05/23 22:26	563-58-6	
1,2,3-Trichlorobenzene	<76.5	ug/kg	343	76.5	1	09/01/23 07:30	09/05/23 22:26	87-61-6	
1,2,3-Trichloropropane	<33.4	ug/kg	68.7	33.4	1	09/01/23 07:30	09/05/23 22:26	96-18-4	
1,2,4-Trichlorobenzene	<56.6	ug/kg	343	56.6	1	09/01/23 07:30	09/05/23 22:26	120-82-1	
1,2,4-Trimethylbenzene	<20.5	ug/kg	68.7	20.5	1	09/01/23 07:30	09/05/23 22:26	95-63-6	
1,2-Dibromo-3-chloropropane	<53.3	ug/kg	343	53.3	1	09/01/23 07:30	09/05/23 22:26	96-12-8	
1,2-Dibromoethane (EDB)	<18.8	ug/kg	68.7	18.8	1	09/01/23 07:30	09/05/23 22:26	106-93-4	
1,2-Dichlorobenzene	<21.3	ug/kg	68.7	21.3	1	09/01/23 07:30	09/05/23 22:26	95-50-1	
1,2-Dichloroethane	<15.8	ug/kg	68.7	15.8	1	09/01/23 07:30	09/05/23 22:26	107-06-2	
1,2-Dichloropropane	<16.3	ug/kg	68.7	16.3	1	09/01/23 07:30	09/05/23 22:26	78-87-5	
1,3,5-Trimethylbenzene	<22.1	ug/kg	68.7	22.1	1	09/01/23 07:30	09/05/23 22:26	108-67-8	
1,3-Dichlorobenzene	<18.8	ug/kg	68.7	18.8	1	09/01/23 07:30	09/05/23 22:26	541-73-1	
1,3-Dichloropropane	<15.0	ug/kg	68.7	15.0	1	09/01/23 07:30	09/05/23 22:26	142-28-9	
1,4-Dichlorobenzene	<18.8	ug/kg	68.7	18.8	1	09/01/23 07:30	09/05/23 22:26	106-46-7	
2,2-Dichloropropane	<18.5	ug/kg	68.7	18.5	1	09/01/23 07:30	09/05/23 22:26	594-20-7	
2-Butanone (MEK)	<217	ug/kg	1720	217	1	09/01/23 07:30	09/05/23 22:26	78-93-3	
2-Chlorotoluene	<22.3	ug/kg	68.7	22.3	1	09/01/23 07:30	09/05/23 22:26	95-49-8	
4-Chlorotoluene	<26.1	ug/kg	68.7	26.1	1	09/01/23 07:30	09/05/23 22:26	106-43-4	
Benzene	<16.3	ug/kg	27.5	16.3	1	09/01/23 07:30	09/05/23 22:26	71-43-2	
Bromobenzene	<26.8	ug/kg	68.7	26.8	1	09/01/23 07:30	09/05/23 22:26	108-86-1	
Bromochloromethane	<18.8	ug/kg	68.7	18.8	1	09/01/23 07:30	09/05/23 22:26	74-97-5	
Bromodichloromethane	<16.3	ug/kg	68.7	16.3	1	09/01/23 07:30	09/05/23 22:26	75-27-4	
Bromoform	<302	ug/kg	343	302	1	09/01/23 07:30	09/05/23 22:26	75-25-2	
Bromomethane	<96.3	ug/kg	343	96.3	1	09/01/23 07:30	09/05/23 22:26	74-83-9	
Carbon tetrachloride	<15.1	ug/kg	68.7	15.1	1	09/01/23 07:30	09/05/23 22:26	56-23-5	
Chlorobenzene	<8.2	ug/kg	68.7	8.2	1	09/01/23 07:30	09/05/23 22:26	108-90-7	
Chloroethane	<29.0	ug/kg	343	29.0	1	09/01/23 07:30	09/05/23 22:26	75-00-3	
Chloroform	<49.2	ug/kg	343	49.2	1	09/01/23 07:30	09/05/23 22:26	67-66-3	
Chloromethane	<26.1	ug/kg	68.7	26.1	1	09/01/23 07:30	09/05/23 22:26	74-87-3	
Dibromochloromethane	<235	ug/kg	343	235	1	09/01/23 07:30	09/05/23 22:26	124-48-1	
Dibromomethane	<20.3	ug/kg	68.7	20.3	1	09/01/23 07:30	09/05/23 22:26	74-95-3	
Dichlorodifluoromethane	<29.5	ug/kg	68.7	29.5	1	09/01/23 07:30	09/05/23 22:26	75-71-8	
Diisopropyl ether	<17.0	ug/kg	68.7	17.0	1	09/01/23 07:30	09/05/23 22:26	108-20-3	
Ethylbenzene	<16.3	ug/kg	68.7	16.3	1	09/01/23 07:30	09/05/23 22:26	100-41-4	
Hexachloro-1,3-butadiene	<137	ug/kg	343	137	1	09/01/23 07:30	09/05/23 22:26	87-68-3	
Isopropylbenzene (Cumene)	<18.5	ug/kg	68.7	18.5	1	09/01/23 07:30	09/05/23 22:26	98-82-8	
Methyl-tert-butyl ether	<20.2	ug/kg	68.7	20.2	1	09/01/23 07:30	09/05/23 22:26	1634-04-4	
Methylene Chloride	<19.1	ug/kg	68.7	19.1	1	09/01/23 07:30	09/05/23 22:26	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: B-6(3-5) Lab ID: 40267289007 Collected: 08/25/23 11:30 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<21.4	ug/kg	343	21.4	1	09/01/23 07:30	09/05/23 22:26	91-20-3	
Styrene	<17.6	ug/kg	68.7	17.6	1	09/01/23 07:30	09/05/23 22:26	100-42-5	
Tetrachloroethene	147	ug/kg	68.7	26.6	1	09/01/23 07:30	09/05/23 22:26	127-18-4	
Toluene	<17.3	ug/kg	68.7	17.3	1	09/01/23 07:30	09/05/23 22:26	108-88-3	
Trichloroethene	<25.7	ug/kg	68.7	25.7	1	09/01/23 07:30	09/05/23 22:26	79-01-6	
Trichlorofluoromethane	<19.9	ug/kg	68.7	19.9	1	09/01/23 07:30	09/05/23 22:26	75-69-4	
Vinyl chloride	<13.9	ug/kg	68.7	13.9	1	09/01/23 07:30	09/05/23 22:26	75-01-4	
cis-1,2-Dichloroethene	<14.7	ug/kg	68.7	14.7	1	09/01/23 07:30	09/05/23 22:26	156-59-2	
cis-1,3-Dichloropropene	<45.3	ug/kg	343	45.3	1	09/01/23 07:30	09/05/23 22:26	10061-01-5	
m&p-Xylene	<29.0	ug/kg	137	29.0	1	09/01/23 07:30	09/05/23 22:26	179601-23-1	
n-Butylbenzene	<31.5	ug/kg	68.7	31.5	1	09/01/23 07:30	09/05/23 22:26	104-51-8	
n-Propylbenzene	<16.5	ug/kg	68.7	16.5	1	09/01/23 07:30	09/05/23 22:26	103-65-1	
o-Xylene	<20.6	ug/kg	68.7	20.6	1	09/01/23 07:30	09/05/23 22:26	95-47-6	
p-Isopropyltoluene	<20.9	ug/kg	68.7	20.9	1	09/01/23 07:30	09/05/23 22:26	99-87-6	
sec-Butylbenzene	<16.8	ug/kg	68.7	16.8	1	09/01/23 07:30	09/05/23 22:26	135-98-8	
tert-Butylbenzene	<21.6	ug/kg	68.7	21.6	1	09/01/23 07:30	09/05/23 22:26	98-06-6	
trans-1,2-Dichloroethene	<14.8	ug/kg	68.7	14.8	1	09/01/23 07:30	09/05/23 22:26	156-60-5	
trans-1,3-Dichloropropene	<196	ug/kg	343	196	1	09/01/23 07:30	09/05/23 22:26	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	70-139		1	09/01/23 07:30	09/05/23 22:26	2037-26-5	
4-Bromofluorobenzene (S)	87	%	72-142		1	09/01/23 07:30	09/05/23 22:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	67-144		1	09/01/23 07:30	09/05/23 22:26	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.7	%	0.10	0.10	1		08/28/23 14:46		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: TRIP BLANK Lab ID: 40267289008 Collected: 08/25/23 00:00 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<12.0	ug/kg	50.0	12.0	1	08/31/23 11:30	09/01/23 12:11	630-20-6	
1,1,1-Trichloroethane	<12.8	ug/kg	50.0	12.8	1	08/31/23 11:30	09/01/23 12:11	71-55-6	
1,1,2,2-Tetrachloroethane	<18.1	ug/kg	50.0	18.1	1	08/31/23 11:30	09/01/23 12:11	79-34-5	
1,1,2-Trichloroethane	<18.2	ug/kg	50.0	18.2	1	08/31/23 11:30	09/01/23 12:11	79-00-5	
1,1-Dichloroethane	<12.8	ug/kg	50.0	12.8	1	08/31/23 11:30	09/01/23 12:11	75-34-3	
1,1-Dichloroethene	<16.6	ug/kg	50.0	16.6	1	08/31/23 11:30	09/01/23 12:11	75-35-4	
1,1-Dichloropropene	<16.2	ug/kg	50.0	16.2	1	08/31/23 11:30	09/01/23 12:11	563-58-6	
1,2,3-Trichlorobenzene	<55.7	ug/kg	250	55.7	1	08/31/23 11:30	09/01/23 12:11	87-61-6	
1,2,3-Trichloropropane	<24.3	ug/kg	50.0	24.3	1	08/31/23 11:30	09/01/23 12:11	96-18-4	
1,2,4-Trichlorobenzene	<41.2	ug/kg	250	41.2	1	08/31/23 11:30	09/01/23 12:11	120-82-1	
1,2,4-Trimethylbenzene	<14.9	ug/kg	50.0	14.9	1	08/31/23 11:30	09/01/23 12:11	95-63-6	
1,2-Dibromo-3-chloropropane	<38.8	ug/kg	250	38.8	1	08/31/23 11:30	09/01/23 12:11	96-12-8	
1,2-Dibromoethane (EDB)	<13.7	ug/kg	50.0	13.7	1	08/31/23 11:30	09/01/23 12:11	106-93-4	
1,2-Dichlorobenzene	<15.5	ug/kg	50.0	15.5	1	08/31/23 11:30	09/01/23 12:11	95-50-1	
1,2-Dichloroethane	<11.5	ug/kg	50.0	11.5	1	08/31/23 11:30	09/01/23 12:11	107-06-2	
1,2-Dichloropropane	<11.9	ug/kg	50.0	11.9	1	08/31/23 11:30	09/01/23 12:11	78-87-5	
1,3,5-Trimethylbenzene	<16.1	ug/kg	50.0	16.1	1	08/31/23 11:30	09/01/23 12:11	108-67-8	
1,3-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	08/31/23 11:30	09/01/23 12:11	541-73-1	
1,3-Dichloropropane	<10.9	ug/kg	50.0	10.9	1	08/31/23 11:30	09/01/23 12:11	142-28-9	
1,4-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	08/31/23 11:30	09/01/23 12:11	106-46-7	
2,2-Dichloropropane	<13.5	ug/kg	50.0	13.5	1	08/31/23 11:30	09/01/23 12:11	594-20-7	
2-Butanone (MEK)	<158	ug/kg	1250	158	1	08/31/23 11:30	09/01/23 12:11	78-93-3	
2-Chlorotoluene	<16.2	ug/kg	50.0	16.2	1	08/31/23 11:30	09/01/23 12:11	95-49-8	
4-Chlorotoluene	<19.0	ug/kg	50.0	19.0	1	08/31/23 11:30	09/01/23 12:11	106-43-4	
Benzene	<11.9	ug/kg	20.0	11.9	1	08/31/23 11:30	09/01/23 12:11	71-43-2	
Bromobenzene	<19.5	ug/kg	50.0	19.5	1	08/31/23 11:30	09/01/23 12:11	108-86-1	
Bromochloromethane	<13.7	ug/kg	50.0	13.7	1	08/31/23 11:30	09/01/23 12:11	74-97-5	
Bromodichloromethane	<11.9	ug/kg	50.0	11.9	1	08/31/23 11:30	09/01/23 12:11	75-27-4	
Bromoform	<220	ug/kg	250	220	1	08/31/23 11:30	09/01/23 12:11	75-25-2	
Bromomethane	<70.1	ug/kg	250	70.1	1	08/31/23 11:30	09/01/23 12:11	74-83-9	
Carbon tetrachloride	<11.0	ug/kg	50.0	11.0	1	08/31/23 11:30	09/01/23 12:11	56-23-5	
Chlorobenzene	<6.0	ug/kg	50.0	6.0	1	08/31/23 11:30	09/01/23 12:11	108-90-7	
Chloroethane	<21.1	ug/kg	250	21.1	1	08/31/23 11:30	09/01/23 12:11	75-00-3	
Chloroform	<35.8	ug/kg	250	35.8	1	08/31/23 11:30	09/01/23 12:11	67-66-3	
Chloromethane	<19.0	ug/kg	50.0	19.0	1	08/31/23 11:30	09/01/23 12:11	74-87-3	
Dibromochloromethane	<171	ug/kg	250	171	1	08/31/23 11:30	09/01/23 12:11	124-48-1	
Dibromomethane	<14.8	ug/kg	50.0	14.8	1	08/31/23 11:30	09/01/23 12:11	74-95-3	
Dichlorodifluoromethane	<21.5	ug/kg	50.0	21.5	1	08/31/23 11:30	09/01/23 12:11	75-71-8	
Diisopropyl ether	<12.4	ug/kg	50.0	12.4	1	08/31/23 11:30	09/01/23 12:11	108-20-3	
Ethylbenzene	<11.9	ug/kg	50.0	11.9	1	08/31/23 11:30	09/01/23 12:11	100-41-4	
Hexachloro-1,3-butadiene	<99.4	ug/kg	250	99.4	1	08/31/23 11:30	09/01/23 12:11	87-68-3	
Isopropylbenzene (Cumene)	<13.5	ug/kg	50.0	13.5	1	08/31/23 11:30	09/01/23 12:11	98-82-8	
Methyl-tert-butyl ether	<14.7	ug/kg	50.0	14.7	1	08/31/23 11:30	09/01/23 12:11	1634-04-4	
Methylene Chloride	<13.9	ug/kg	50.0	13.9	1	08/31/23 11:30	09/01/23 12:11	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Sample: TRIP BLANK Lab ID: 40267289008 Collected: 08/25/23 00:00 Received: 08/26/23 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay							
Naphthalene	<15.6	ug/kg	250	15.6	1	08/31/23 11:30	09/01/23 12:11	91-20-3	
Styrene	<12.8	ug/kg	50.0	12.8	1	08/31/23 11:30	09/01/23 12:11	100-42-5	
Tetrachloroethene	<19.4	ug/kg	50.0	19.4	1	08/31/23 11:30	09/01/23 12:11	127-18-4	
Toluene	<12.6	ug/kg	50.0	12.6	1	08/31/23 11:30	09/01/23 12:11	108-88-3	
Trichloroethene	<18.7	ug/kg	50.0	18.7	1	08/31/23 11:30	09/01/23 12:11	79-01-6	
Trichlorofluoromethane	<14.5	ug/kg	50.0	14.5	1	08/31/23 11:30	09/01/23 12:11	75-69-4	
Vinyl chloride	<10.1	ug/kg	50.0	10.1	1	08/31/23 11:30	09/01/23 12:11	75-01-4	
cis-1,2-Dichloroethene	<10.7	ug/kg	50.0	10.7	1	08/31/23 11:30	09/01/23 12:11	156-59-2	
cis-1,3-Dichloropropene	<33.0	ug/kg	250	33.0	1	08/31/23 11:30	09/01/23 12:11	10061-01-5	
m&p-Xylene	<21.1	ug/kg	100	21.1	1	08/31/23 11:30	09/01/23 12:11	179601-23-1	
n-Butylbenzene	<22.9	ug/kg	50.0	22.9	1	08/31/23 11:30	09/01/23 12:11	104-51-8	
n-Propylbenzene	<12.0	ug/kg	50.0	12.0	1	08/31/23 11:30	09/01/23 12:11	103-65-1	
o-Xylene	<15.0	ug/kg	50.0	15.0	1	08/31/23 11:30	09/01/23 12:11	95-47-6	
p-Isopropyltoluene	<15.2	ug/kg	50.0	15.2	1	08/31/23 11:30	09/01/23 12:11	99-87-6	
sec-Butylbenzene	<12.2	ug/kg	50.0	12.2	1	08/31/23 11:30	09/01/23 12:11	135-98-8	
tert-Butylbenzene	<15.7	ug/kg	50.0	15.7	1	08/31/23 11:30	09/01/23 12:11	98-06-6	
trans-1,2-Dichloroethene	<10.8	ug/kg	50.0	10.8	1	08/31/23 11:30	09/01/23 12:11	156-60-5	
trans-1,3-Dichloropropene	<143	ug/kg	250	143	1	08/31/23 11:30	09/01/23 12:11	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-153		1	08/31/23 11:30	09/01/23 12:11	2037-26-5	
4-Bromofluorobenzene (S)	84	%	68-156		1	08/31/23 11:30	09/01/23 12:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	71-161		1	08/31/23 11:30	09/01/23 12:11	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

QC Batch: 453738

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40267289001, 40267289002, 40267289003

METHOD BLANK: 2606271

Matrix: Solid

Associated Lab Samples: 40267289001, 40267289002, 40267289003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	08/31/23 17:35	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	08/31/23 17:35	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	08/31/23 17:35	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	08/31/23 17:35	
1,1-Dichloroethane	ug/kg	<12.8	50.0	08/31/23 17:35	
1,1-Dichloroethene	ug/kg	<16.6	50.0	08/31/23 17:35	
1,1-Dichloropropene	ug/kg	<16.2	50.0	08/31/23 17:35	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	08/31/23 17:35	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	08/31/23 17:35	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	08/31/23 17:35	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	08/31/23 17:35	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	08/31/23 17:35	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	08/31/23 17:35	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	08/31/23 17:35	
1,2-Dichloroethane	ug/kg	<11.5	50.0	08/31/23 17:35	
1,2-Dichloropropane	ug/kg	<11.9	50.0	08/31/23 17:35	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	08/31/23 17:35	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	08/31/23 17:35	
1,3-Dichloropropane	ug/kg	<10.9	50.0	08/31/23 17:35	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	08/31/23 17:35	
2,2-Dichloropropane	ug/kg	<13.5	50.0	08/31/23 17:35	
2-Butanone (MEK)	ug/kg	<158	1250	08/31/23 17:35	
2-Chlorotoluene	ug/kg	<16.2	50.0	08/31/23 17:35	
4-Chlorotoluene	ug/kg	<19.0	50.0	08/31/23 17:35	
Benzene	ug/kg	<11.9	20.0	08/31/23 17:35	
Bromobenzene	ug/kg	<19.5	50.0	08/31/23 17:35	
Bromochloromethane	ug/kg	<13.7	50.0	08/31/23 17:35	
Bromodichloromethane	ug/kg	<11.9	50.0	08/31/23 17:35	
Bromoform	ug/kg	<220	250	08/31/23 17:35	
Bromomethane	ug/kg	<70.1	250	08/31/23 17:35	
Carbon tetrachloride	ug/kg	<11.0	50.0	08/31/23 17:35	
Chlorobenzene	ug/kg	<6.0	50.0	08/31/23 17:35	
Chloroethane	ug/kg	<21.1	250	08/31/23 17:35	
Chloroform	ug/kg	<35.8	250	08/31/23 17:35	
Chloromethane	ug/kg	<19.0	50.0	08/31/23 17:35	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	08/31/23 17:35	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	08/31/23 17:35	
Dibromochloromethane	ug/kg	<171	250	08/31/23 17:35	
Dibromomethane	ug/kg	<14.8	50.0	08/31/23 17:35	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	08/31/23 17:35	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

METHOD BLANK: 2606271

Matrix: Solid

Associated Lab Samples: 40267289001, 40267289002, 40267289003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	08/31/23 17:35	
Ethylbenzene	ug/kg	<11.9	50.0	08/31/23 17:35	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	08/31/23 17:35	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	08/31/23 17:35	
m&p-Xylene	ug/kg	<21.1	100	08/31/23 17:35	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	08/31/23 17:35	
Methylene Chloride	ug/kg	<13.9	50.0	08/31/23 17:35	
n-Butylbenzene	ug/kg	<22.9	50.0	08/31/23 17:35	
n-Propylbenzene	ug/kg	<12.0	50.0	08/31/23 17:35	
Naphthalene	ug/kg	<15.6	250	08/31/23 17:35	
o-Xylene	ug/kg	<15.0	50.0	08/31/23 17:35	
p-Isopropyltoluene	ug/kg	<15.2	50.0	08/31/23 17:35	
sec-Butylbenzene	ug/kg	<12.2	50.0	08/31/23 17:35	
Styrene	ug/kg	<12.8	50.0	08/31/23 17:35	
tert-Butylbenzene	ug/kg	<15.7	50.0	08/31/23 17:35	
Tetrachloroethene	ug/kg	<19.4	50.0	08/31/23 17:35	
Toluene	ug/kg	<12.6	50.0	08/31/23 17:35	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	08/31/23 17:35	
trans-1,3-Dichloropropene	ug/kg	<143	250	08/31/23 17:35	
Trichloroethene	ug/kg	<18.7	50.0	08/31/23 17:35	
Trichlorofluoromethane	ug/kg	<14.5	50.0	08/31/23 17:35	
Vinyl chloride	ug/kg	<10.1	50.0	08/31/23 17:35	
1,2-Dichlorobenzene-d4 (S)	%	103	71-161	08/31/23 17:35	
4-Bromofluorobenzene (S)	%	102	68-156	08/31/23 17:35	
Toluene-d8 (S)	%	109	69-153	08/31/23 17:35	

LABORATORY CONTROL SAMPLE: 2606272

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2180	87	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2510	100	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2320	93	70-130	
1,1-Dichloroethane	ug/kg	2500	2010	81	70-130	
1,1-Dichloroethene	ug/kg	2500	2420	97	77-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2190	88	67-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1960	79	70-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2360	94	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2410	97	70-130	
1,2-Dichloroethane	ug/kg	2500	2320	93	70-130	
1,2-Dichloropropane	ug/kg	2500	2090	84	80-123	
1,3-Dichlorobenzene	ug/kg	2500	2350	94	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2210	89	70-130	
Benzene	ug/kg	2500	2150	86	70-130	
Bromodichloromethane	ug/kg	2500	2100	84	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

LABORATORY CONTROL SAMPLE: 2606272

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/kg	2500	2210	89	60-130	
Bromomethane	ug/kg	2500	2140	85	45-153	
Carbon tetrachloride	ug/kg	2500	2420	97	70-130	
Chlorobenzene	ug/kg	2500	2380	95	70-130	
Chloroethane	ug/kg	2500	2510	100	55-160	
Chloroform	ug/kg	2500	1820	73	80-120	L2
Chloromethane	ug/kg	2500	1840	74	47-130	
cis-1,2-Dichloroethene	ug/kg	2500	2060	82	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2150	86	70-130	
Dibromochloromethane	ug/kg	2500	2260	90	70-130	
Dichlorodifluoromethane	ug/kg	2500	1940	77	16-83	
Ethylbenzene	ug/kg	2500	2350	94	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2700	108	70-130	
m&p-Xylene	ug/kg	5000	4940	99	70-130	
Methyl-tert-butyl ether	ug/kg	2500	1930	77	65-130	
Methylene Chloride	ug/kg	2500	2200	88	70-130	
o-Xylene	ug/kg	2500	2570	103	70-130	
Styrene	ug/kg	2500	2970	119	70-130	
Tetrachloroethene	ug/kg	2500	2620	105	70-130	
Toluene	ug/kg	2500	2300	92	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2220	89	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2140	85	70-130	
Trichloroethene	ug/kg	2500	2280	91	70-130	
Trichlorofluoromethane	ug/kg	2500	2900	116	70-130	
Vinyl chloride	ug/kg	2500	2470	99	59-114	
1,2-Dichlorobenzene-d4 (S)	%			98	71-161	
4-Bromofluorobenzene (S)	%			107	68-156	
Toluene-d8 (S)	%			96	69-153	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2606273 2606274

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267279021 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/kg	<17.9	1400	1400	1100	1270	79	91	69-130	14	20		
1,1,2,2-Tetrachloroethane	ug/kg	<25.3	1400	1400	1270	1410	91	101	70-130	11	20		
1,1,2-Trichloroethane	ug/kg	<25.4	1400	1400	1410	1380	101	99	70-130	3	20		
1,1-Dichloroethane	ug/kg	<17.9	1400	1400	1280	1370	91	99	70-130	8	20		
1,1-Dichloroethene	ug/kg	<23.2	1400	1400	1130	1270	81	91	55-120	12	22		
1,2,4-Trichlorobenzene	ug/kg	<57.5	1400	1400	1340	1350	96	97	67-130	1	20		
1,2-Dibromo-3-chloropropane	ug/kg	<54.1	1400	1400	1040	1180	74	84	70-130	12	22		
1,2-Dibromoethane (EDB)	ug/kg	<19.1	1400	1400	1290	1370	92	98	70-130	7	20		
1,2-Dichlorobenzene	ug/kg	<21.6	1400	1400	1390	1400	99	100	70-130	1	20		
1,2-Dichloroethane	ug/kg	<16.0	1400	1400	1570	1560	112	112	70-130	1	20		
1,2-Dichloropropane	ug/kg	<16.6	1400	1400	1380	1470	99	106	80-123	6	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Parameter	Units	2606273		2606274		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267279021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,3-Dichlorobenzene	ug/kg	<19.1	1400	1400	1230	1250	88	90	70-130	2	20		
1,4-Dichlorobenzene	ug/kg	<19.1	1400	1400	1280	1340	92	96	70-130	4	20		
Benzene	ug/kg	<16.6	1400	1400	1320	1440	95	103	70-130	8	20		
Bromodichloromethane	ug/kg	<16.6	1400	1400	1290	1390	93	100	70-130	7	20		
Bromoform	ug/kg	<307	1400	1400	1410	1480	101	106	60-130	5	20		
Bromomethane	ug/kg	<97.8	1400	1400	1340	1480	96	106	38-153	10	20		
Carbon tetrachloride	ug/kg	<15.3	1400	1400	1090	1330	78	95	62-130	20	20		
Chlorobenzene	ug/kg	<8.4	1400	1400	1320	1480	95	106	70-130	11	20		
Chloroethane	ug/kg	<29.4	1400	1400	1190	1340	85	96	53-160	12	24		
Chloroform	ug/kg	<50.0	1400	1400	1240	1340	89	96	80-120	8	20		
Chloromethane	ug/kg	<26.5	1400	1400	957	1120	69	81	10-130	16	20		
cis-1,2-Dichloroethene	ug/kg	<14.9	1400	1400	1410	1350	101	97	70-130	4	20		
cis-1,3-Dichloropropene	ug/kg	<46.0	1400	1400	1270	1350	91	96	70-130	5	20		
Dibromochloromethane	ug/kg	<238	1400	1400	1310	1250	94	90	70-130	5	20		
Dichlorodifluoromethane	ug/kg	<30.0	1400	1400	767	948	55	68	10-83	21	31		
Ethylbenzene	ug/kg	<16.6	1400	1400	1240	1390	89	100	80-120	11	20		
Isopropylbenzene (Cumene)	ug/kg	<18.8	1400	1400	1170	1350	84	97	70-130	14	20		
m&p-Xylene	ug/kg	<29.4	2790	2790	2520	2750	90	99	70-130	9	20		
Methyl-tert-butyl ether	ug/kg	<20.5	1400	1400	1260	1340	91	96	66-130	5	20		
Methylene Chloride	ug/kg	<19.4	1400	1400	1490	1550	107	111	70-130	4	20		
o-Xylene	ug/kg	<20.9	1400	1400	1410	1500	101	108	70-130	6	20		
Styrene	ug/kg	<17.9	1400	1400	1560	1700	112	122	70-130	9	20		
Tetrachloroethene	ug/kg	<27.1	1400	1400	1090	1390	78	100	69-130	24	20	R1	
Toluene	ug/kg	<17.6	1400	1400	1230	1350	88	97	79-120	9	20		
trans-1,2-Dichloroethene	ug/kg	<15.1	1400	1400	1290	1360	92	97	70-130	5	20		
trans-1,3-Dichloropropene	ug/kg	<200	1400	1400	1090	1200	78	86	69-130	10	20		
Trichloroethene	ug/kg	<26.1	1400	1400	1330	1520	95	109	70-130	13	20		
Trichlorofluoromethane	ug/kg	<20.2	1400	1400	1270	1640	91	117	50-130	25	22	R1	
Vinyl chloride	ug/kg	<14.1	1400	1400	1070	1260	76	90	26-114	17	20		
1,2-Dichlorobenzene-d4 (S)	%						118	130	71-161				
4-Bromofluorobenzene (S)	%						134	140	68-156				
Toluene-d8 (S)	%						129	132	69-153				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

QC Batch: 453742

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40267289008

METHOD BLANK: 2606324

Matrix: Solid

Associated Lab Samples: 40267289008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	09/01/23 08:12	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	09/01/23 08:12	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	09/01/23 08:12	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	09/01/23 08:12	
1,1-Dichloroethane	ug/kg	<12.8	50.0	09/01/23 08:12	
1,1-Dichloroethene	ug/kg	<16.6	50.0	09/01/23 08:12	
1,1-Dichloropropene	ug/kg	<16.2	50.0	09/01/23 08:12	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	09/01/23 08:12	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	09/01/23 08:12	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	09/01/23 08:12	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	09/01/23 08:12	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	09/01/23 08:12	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	09/01/23 08:12	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	09/01/23 08:12	
1,2-Dichloroethane	ug/kg	<11.5	50.0	09/01/23 08:12	
1,2-Dichloropropane	ug/kg	<11.9	50.0	09/01/23 08:12	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	09/01/23 08:12	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	09/01/23 08:12	
1,3-Dichloropropane	ug/kg	<10.9	50.0	09/01/23 08:12	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	09/01/23 08:12	
2,2-Dichloropropane	ug/kg	<13.5	50.0	09/01/23 08:12	
2-Butanone (MEK)	ug/kg	<158	1250	09/01/23 08:12	
2-Chlorotoluene	ug/kg	<16.2	50.0	09/01/23 08:12	
4-Chlorotoluene	ug/kg	<19.0	50.0	09/01/23 08:12	
Benzene	ug/kg	<11.9	20.0	09/01/23 08:12	
Bromobenzene	ug/kg	<19.5	50.0	09/01/23 08:12	
Bromochloromethane	ug/kg	<13.7	50.0	09/01/23 08:12	
Bromodichloromethane	ug/kg	<11.9	50.0	09/01/23 08:12	
Bromoform	ug/kg	<220	250	09/01/23 08:12	
Bromomethane	ug/kg	<70.1	250	09/01/23 08:12	
Carbon tetrachloride	ug/kg	<11.0	50.0	09/01/23 08:12	
Chlorobenzene	ug/kg	<6.0	50.0	09/01/23 08:12	
Chloroethane	ug/kg	<21.1	250	09/01/23 08:12	
Chloroform	ug/kg	<35.8	250	09/01/23 08:12	
Chloromethane	ug/kg	<19.0	50.0	09/01/23 08:12	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	09/01/23 08:12	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	09/01/23 08:12	
Dibromochloromethane	ug/kg	<171	250	09/01/23 08:12	
Dibromomethane	ug/kg	<14.8	50.0	09/01/23 08:12	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	09/01/23 08:12	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

METHOD BLANK: 2606324

Matrix: Solid

Associated Lab Samples: 40267289008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	09/01/23 08:12	
Ethylbenzene	ug/kg	<11.9	50.0	09/01/23 08:12	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	09/01/23 08:12	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	09/01/23 08:12	
m&p-Xylene	ug/kg	<21.1	100	09/01/23 08:12	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	09/01/23 08:12	
Methylene Chloride	ug/kg	<13.9	50.0	09/01/23 08:12	
n-Butylbenzene	ug/kg	<22.9	50.0	09/01/23 08:12	
n-Propylbenzene	ug/kg	<12.0	50.0	09/01/23 08:12	
Naphthalene	ug/kg	<15.6	250	09/01/23 08:12	
o-Xylene	ug/kg	<15.0	50.0	09/01/23 08:12	
p-Isopropyltoluene	ug/kg	<15.2	50.0	09/01/23 08:12	
sec-Butylbenzene	ug/kg	<12.2	50.0	09/01/23 08:12	
Styrene	ug/kg	<12.8	50.0	09/01/23 08:12	
tert-Butylbenzene	ug/kg	<15.7	50.0	09/01/23 08:12	
Tetrachloroethene	ug/kg	<19.4	50.0	09/01/23 08:12	
Toluene	ug/kg	<12.6	50.0	09/01/23 08:12	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	09/01/23 08:12	
trans-1,3-Dichloropropene	ug/kg	<143	250	09/01/23 08:12	
Trichloroethene	ug/kg	<18.7	50.0	09/01/23 08:12	
Trichlorofluoromethane	ug/kg	<14.5	50.0	09/01/23 08:12	
Vinyl chloride	ug/kg	<10.1	50.0	09/01/23 08:12	
1,2-Dichlorobenzene-d4 (S)	%	110	71-161	09/01/23 08:12	
4-Bromofluorobenzene (S)	%	89	68-156	09/01/23 08:12	
Toluene-d8 (S)	%	97	69-153	09/01/23 08:12	

LABORATORY CONTROL SAMPLE: 2606325

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2370	95	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2340	94	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2400	96	70-130	
1,1-Dichloroethane	ug/kg	2500	2520	101	70-130	
1,1-Dichloroethene	ug/kg	2500	2440	98	77-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2610	104	67-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2100	84	70-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2490	100	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2660	106	70-130	
1,2-Dichloroethane	ug/kg	2500	2410	96	70-130	
1,2-Dichloropropane	ug/kg	2500	2500	100	80-123	
1,3-Dichlorobenzene	ug/kg	2500	2620	105	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2550	102	70-130	
Benzene	ug/kg	2500	2570	103	70-130	
Bromodichloromethane	ug/kg	2500	2520	101	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

LABORATORY CONTROL SAMPLE: 2606325

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/kg	2500	2700	108	60-130	
Bromomethane	ug/kg	2500	3100	124	45-153	
Carbon tetrachloride	ug/kg	2500	2520	101	70-130	
Chlorobenzene	ug/kg	2500	2550	102	70-130	
Chloroethane	ug/kg	2500	3010	120	55-160	
Chloroform	ug/kg	2500	2410	97	80-120	
Chloromethane	ug/kg	2500	2860	114	47-130	
cis-1,2-Dichloroethene	ug/kg	2500	2520	101	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2410	97	70-130	
Dibromochloromethane	ug/kg	2500	2460	98	70-130	
Dichlorodifluoromethane	ug/kg	2500	1960	79	16-83	
Ethylbenzene	ug/kg	2500	2360	94	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2390	96	70-130	
m&p-Xylene	ug/kg	5000	5230	105	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2090	84	65-130	
Methylene Chloride	ug/kg	2500	2660	106	70-130	
o-Xylene	ug/kg	2500	2560	102	70-130	
Styrene	ug/kg	2500	3000	120	70-130	
Tetrachloroethene	ug/kg	2500	2570	103	70-130	
Toluene	ug/kg	2500	2440	97	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2500	100	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2220	89	70-130	
Trichloroethene	ug/kg	2500	2460	98	70-130	
Trichlorofluoromethane	ug/kg	2500	2500	100	70-130	
Vinyl chloride	ug/kg	2500	2720	109	59-114	
1,2-Dichlorobenzene-d4 (S)	%			108	71-161	
4-Bromofluorobenzene (S)	%			92	68-156	
Toluene-d8 (S)	%			98	69-153	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2606326 2606327

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267360013 Result	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/kg	<14.5	1130	1130	1030	864	91	76	69-130	18	20		
1,1,2,2-Tetrachloroethane	ug/kg	<20.6	1130	1130	1010	1030	89	90	70-130	2	20		
1,1,2-Trichloroethane	ug/kg	<20.7	1130	1130	1070	1110	94	98	70-130	4	20		
1,1-Dichloroethane	ug/kg	<14.5	1130	1130	1150	1050	101	93	70-130	9	20		
1,1-Dichloroethene	ug/kg	<18.8	1130	1130	1080	882	95	78	55-120	20	22		
1,2,4-Trichlorobenzene	ug/kg	<46.8	1130	1130	1170	1190	103	105	67-130	1	20		
1,2-Dibromo-3-chloropropane	ug/kg	<44.1	1130	1130	921	954	81	84	70-130	3	22		
1,2-Dibromoethane (EDB)	ug/kg	<15.6	1130	1130	1000	1110	88	97	70-130	10	20		
1,2-Dichlorobenzene	ug/kg	<17.6	1130	1130	1210	1170	106	103	70-130	3	20		
1,2-Dichloroethane	ug/kg	<13.1	1130	1130	1110	1080	98	95	70-130	3	20		
1,2-Dichloropropane	ug/kg	<13.5	1130	1130	1130	1060	99	94	80-123	6	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Parameter	Units	2606326		2606327		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267360013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,3-Dichlorobenzene	ug/kg	<15.6	1130	1130	1210	1140	107	100	70-130	6	20		
1,4-Dichlorobenzene	ug/kg	<15.6	1130	1130	1160	1130	103	100	70-130	3	20		
Benzene	ug/kg	<13.5	1130	1130	1130	1050	99	93	70-130	7	20		
Bromodichloromethane	ug/kg	<13.5	1130	1130	1090	1060	96	93	70-130	3	20		
Bromoform	ug/kg	<250	1130	1130	1160	1220	102	108	60-130	5	20		
Bromomethane	ug/kg	<79.6	1130	1130	1370	1090	121	96	38-153	23	20	R1	
Carbon tetrachloride	ug/kg	<12.5	1130	1130	1050	840	93	74	62-130	23	20	R1	
Chlorobenzene	ug/kg	<6.8	1130	1130	1160	1080	102	95	70-130	7	20		
Chloroethane	ug/kg	<24.0	1130	1130	1310	1200	116	105	53-160	9	24		
Chloroform	ug/kg	<40.7	1130	1130	1080	1030	95	91	80-120	5	20		
Chloromethane	ug/kg	<21.6	1130	1130	1180	1030	104	90	10-130	14	20		
cis-1,2-Dichloroethene	ug/kg	<12.2	1130	1130	1120	1050	99	92	70-130	7	20		
cis-1,3-Dichloropropene	ug/kg	<37.5	1130	1130	1020	1020	90	90	70-130	0	20		
Dibromochloromethane	ug/kg	<194	1130	1130	1090	1110	96	98	70-130	2	20		
Dichlorodifluoromethane	ug/kg	<24.4	1130	1130	755	542	66	48	10-83	33	31	R1	
Ethylbenzene	ug/kg	<13.5	1130	1130	1020	946	90	83	80-120	8	20		
Isopropylbenzene (Cumene)	ug/kg	<15.3	1130	1130	1060	926	93	82	70-130	14	20		
m&p-Xylene	ug/kg	<24.0	2270	2270	2300	2070	101	91	70-130	10	20		
Methyl-tert-butyl ether	ug/kg	<16.7	1130	1130	925	926	81	82	66-130	0	20		
Methylene Chloride	ug/kg	<15.8	1130	1130	1150	1160	101	102	70-130	1	20		
o-Xylene	ug/kg	<17.0	1130	1130	1220	1100	108	97	70-130	11	20		
Styrene	ug/kg	<14.5	1130	1130	1240	1230	109	108	70-130	1	20		
Tetrachloroethene	ug/kg	<22.0	1130	1130	1190	931	105	82	69-130	25	20	R1	
Toluene	ug/kg	<14.3	1130	1130	1090	999	96	88	79-120	9	20		
trans-1,2-Dichloroethene	ug/kg	<12.3	1130	1130	1110	1000	98	88	70-130	10	20		
trans-1,3-Dichloropropene	ug/kg	<162	1130	1130	979	955	86	84	69-130	2	20		
Trichloroethene	ug/kg	<21.2	1130	1130	1130	1010	99	89	70-130	11	20		
Trichlorofluoromethane	ug/kg	<16.5	1130	1130	1050	779	92	69	50-130	29	22	R1	
Vinyl chloride	ug/kg	<11.5	1130	1130	1120	847	99	75	26-114	28	20	R1	
1,2-Dichlorobenzene-d4 (S)	%						133	127	71-161				
4-Bromofluorobenzene (S)	%						114	109	68-156				
Toluene-d8 (S)	%						121	116	69-153				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

QC Batch: 453822

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40267289004, 40267289005, 40267289006, 40267289007

METHOD BLANK: 2606753

Matrix: Solid

Associated Lab Samples: 40267289004, 40267289005, 40267289006, 40267289007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	09/05/23 19:03	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	09/05/23 19:03	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	09/05/23 19:03	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	09/05/23 19:03	
1,1-Dichloroethane	ug/kg	<12.8	50.0	09/05/23 19:03	
1,1-Dichloroethene	ug/kg	<16.6	50.0	09/05/23 19:03	
1,1-Dichloropropene	ug/kg	<16.2	50.0	09/05/23 19:03	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	09/05/23 19:03	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	09/05/23 19:03	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	09/05/23 19:03	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	09/05/23 19:03	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	09/05/23 19:03	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	09/05/23 19:03	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	09/05/23 19:03	
1,2-Dichloroethane	ug/kg	<11.5	50.0	09/05/23 19:03	
1,2-Dichloropropane	ug/kg	<11.9	50.0	09/05/23 19:03	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	09/05/23 19:03	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	09/05/23 19:03	
1,3-Dichloropropane	ug/kg	<10.9	50.0	09/05/23 19:03	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	09/05/23 19:03	
2,2-Dichloropropane	ug/kg	<13.5	50.0	09/05/23 19:03	
2-Butanone (MEK)	ug/kg	<158	1250	09/05/23 19:03	
2-Chlorotoluene	ug/kg	<16.2	50.0	09/05/23 19:03	
4-Chlorotoluene	ug/kg	<19.0	50.0	09/05/23 19:03	
Benzene	ug/kg	<11.9	20.0	09/05/23 19:03	
Bromobenzene	ug/kg	<19.5	50.0	09/05/23 19:03	
Bromochloromethane	ug/kg	<13.7	50.0	09/05/23 19:03	
Bromodichloromethane	ug/kg	<11.9	50.0	09/05/23 19:03	
Bromoform	ug/kg	<220	250	09/05/23 19:03	
Bromomethane	ug/kg	<70.1	250	09/05/23 19:03	
Carbon tetrachloride	ug/kg	<11.0	50.0	09/05/23 19:03	
Chlorobenzene	ug/kg	<6.0	50.0	09/05/23 19:03	
Chloroethane	ug/kg	<21.1	250	09/05/23 19:03	
Chloroform	ug/kg	<35.8	250	09/05/23 19:03	
Chloromethane	ug/kg	<19.0	50.0	09/05/23 19:03	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	09/05/23 19:03	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	09/05/23 19:03	
Dibromochloromethane	ug/kg	<171	250	09/05/23 19:03	
Dibromomethane	ug/kg	<14.8	50.0	09/05/23 19:03	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	09/05/23 19:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

METHOD BLANK: 2606753

Matrix: Solid

Associated Lab Samples: 40267289004, 40267289005, 40267289006, 40267289007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	09/05/23 19:03	
Ethylbenzene	ug/kg	<11.9	50.0	09/05/23 19:03	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	09/05/23 19:03	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	09/05/23 19:03	
m&p-Xylene	ug/kg	<21.1	100	09/05/23 19:03	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	09/05/23 19:03	
Methylene Chloride	ug/kg	<13.9	50.0	09/05/23 19:03	
n-Butylbenzene	ug/kg	<22.9	50.0	09/05/23 19:03	
n-Propylbenzene	ug/kg	<12.0	50.0	09/05/23 19:03	
Naphthalene	ug/kg	<15.6	250	09/05/23 19:03	
o-Xylene	ug/kg	<15.0	50.0	09/05/23 19:03	
p-Isopropyltoluene	ug/kg	<15.2	50.0	09/05/23 19:03	
sec-Butylbenzene	ug/kg	<12.2	50.0	09/05/23 19:03	
Styrene	ug/kg	<12.8	50.0	09/05/23 19:03	
tert-Butylbenzene	ug/kg	<15.7	50.0	09/05/23 19:03	
Tetrachloroethene	ug/kg	<19.4	50.0	09/05/23 19:03	
Toluene	ug/kg	<12.6	50.0	09/05/23 19:03	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	09/05/23 19:03	
trans-1,3-Dichloropropene	ug/kg	<143	250	09/05/23 19:03	
Trichloroethene	ug/kg	<18.7	50.0	09/05/23 19:03	
Trichlorofluoromethane	ug/kg	<14.5	50.0	09/05/23 19:03	
Vinyl chloride	ug/kg	<10.1	50.0	09/05/23 19:03	
1,2-Dichlorobenzene-d4 (S)	%	100	67-144	09/05/23 19:03	
4-Bromofluorobenzene (S)	%	88	72-142	09/05/23 19:03	
Toluene-d8 (S)	%	93	70-139	09/05/23 19:03	

LABORATORY CONTROL SAMPLE: 2606754

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2480	99	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2290	92	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2450	98	70-130	
1,1-Dichloroethane	ug/kg	2500	2500	100	70-130	
1,1-Dichloroethene	ug/kg	2500	2640	106	77-122	
1,2,4-Trichlorobenzene	ug/kg	2500	2430	97	66-125	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2080	83	66-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2400	96	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2500	100	70-130	
1,2-Dichloroethane	ug/kg	2500	2510	100	70-130	
1,2-Dichloropropane	ug/kg	2500	2530	101	80-121	
1,3-Dichlorobenzene	ug/kg	2500	2510	101	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2350	94	70-130	
Benzene	ug/kg	2500	2550	102	70-130	
Bromodichloromethane	ug/kg	2500	2490	100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

LABORATORY CONTROL SAMPLE: 2606754

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/kg	2500	2580	103	67-130	
Bromomethane	ug/kg	2500	3030	121	25-150	
Carbon tetrachloride	ug/kg	2500	2620	105	72-136	
Chlorobenzene	ug/kg	2500	2530	101	70-130	
Chloroethane	ug/kg	2500	3030	121	20-178	
Chloroform	ug/kg	2500	2490	100	80-120	
Chloromethane	ug/kg	2500	2500	100	45-123	
cis-1,2-Dichloroethene	ug/kg	2500	2490	100	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2330	93	70-130	
Dibromochloromethane	ug/kg	2500	2550	102	70-130	
Dichlorodifluoromethane	ug/kg	2500	1950	78	14-106	
Ethylbenzene	ug/kg	2500	2400	96	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2310	93	70-130	
m&p-Xylene	ug/kg	5000	5000	100	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2230	89	70-130	
Methylene Chloride	ug/kg	2500	2680	107	70-130	
o-Xylene	ug/kg	2500	2470	99	70-130	
Styrene	ug/kg	2500	2810	112	70-130	
Tetrachloroethene	ug/kg	2500	2520	101	70-130	
Toluene	ug/kg	2500	2430	97	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2660	106	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2270	91	70-130	
Trichloroethene	ug/kg	2500	2590	104	70-130	
Trichlorofluoromethane	ug/kg	2500	2650	106	49-141	
Vinyl chloride	ug/kg	2500	2660	106	59-120	
1,2-Dichlorobenzene-d4 (S)	%			110	67-144	
4-Bromofluorobenzene (S)	%			94	72-142	
Toluene-d8 (S)	%			101	70-139	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2606755 2606756

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267360026 Result	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/kg	<16.6	1300	1300	1070	1070	82	83	56-130	1	20		
1,1,2,2-Tetrachloroethane	ug/kg	<23.5	1300	1300	1140	1170	88	90	70-133	2	20		
1,1,2-Trichloroethane	ug/kg	<23.6	1300	1300	1340	1240	103	96	70-130	8	20		
1,1-Dichloroethane	ug/kg	<16.6	1300	1300	1180	1190	91	91	70-130	0	20		
1,1-Dichloroethene	ug/kg	<21.6	1300	1300	1030	1100	80	85	52-122	6	20		
1,2,4-Trichlorobenzene	ug/kg	<53.5	1300	1300	1350	1250	104	96	66-136	8	20		
1,2-Dibromo-3-chloropropane	ug/kg	<50.4	1300	1300	1130	1120	87	86	59-131	1	23		
1,2-Dibromoethane (EDB)	ug/kg	<17.8	1300	1300	1240	1160	95	89	70-130	6	20		
1,2-Dichlorobenzene	ug/kg	<20.1	1300	1300	1380	1310	106	100	70-130	6	20		
1,2-Dichloroethane	ug/kg	<14.9	1300	1300	1210	1270	93	98	70-130	5	20		
1,2-Dichloropropane	ug/kg	<15.5	1300	1300	1260	1200	97	93	77-121	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Parameter	Units	2606755		2606756		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40267360026 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,3-Dichlorobenzene	ug/kg	<17.8	1300	1300	1350	1320	104	101	70-130	3	20		
1,4-Dichlorobenzene	ug/kg	<17.8	1300	1300	1320	1240	102	96	70-130	6	20		
Benzene	ug/kg	<15.5	1300	1300	1170	1200	90	92	70-130	2	20		
Bromodichloromethane	ug/kg	<15.5	1300	1300	1250	1200	96	92	70-130	4	20		
Bromoform	ug/kg	<286	1300	1300	1300	1290	100	99	67-130	1	20		
Bromomethane	ug/kg	<91.1	1300	1300	1450	1550	111	119	25-150	7	20		
Carbon tetrachloride	ug/kg	<14.3	1300	1300	1080	1110	83	85	48-136	3	20		
Chlorobenzene	ug/kg	<7.8	1300	1300	1250	1230	97	95	70-130	2	20		
Chloroethane	ug/kg	<27.4	1300	1300	1400	1390	108	107	20-178	1	23		
Chloroform	ug/kg	<46.5	1300	1300	1180	1230	91	95	80-120	4	20		
Chloromethane	ug/kg	<24.7	1300	1300	1030	1090	79	84	23-132	6	20		
cis-1,2-Dichloroethene	ug/kg	<13.9	1300	1300	1160	1190	90	91	70-130	2	20		
cis-1,3-Dichloropropene	ug/kg	<42.9	1300	1300	1160	1110	89	86	70-130	4	20		
Dibromochloromethane	ug/kg	<222	1300	1300	1320	1160	101	89	70-130	13	20		
Dichlorodifluoromethane	ug/kg	<27.9	1300	1300	639	698	49	54	10-106	9	34		
Ethylbenzene	ug/kg	<15.5	1300	1300	1110	1100	86	85	80-120	1	20		
Isopropylbenzene (Cumene)	ug/kg	<17.5	1300	1300	1110	1080	85	83	70-130	2	20		
m&p-Xylene	ug/kg	<27.4	2600	2600	2490	2420	96	93	70-130	2	20		
Methyl-tert-butyl ether	ug/kg	<19.1	1300	1300	1070	1090	82	84	67-130	2	20		
Methylene Chloride	ug/kg	<18.1	1300	1300	1300	1330	100	103	70-130	2	20		
o-Xylene	ug/kg	<19.5	1300	1300	1270	1230	98	95	70-130	3	20		
Styrene	ug/kg	<16.6	1300	1300	1460	1420	113	110	70-130	3	20		
Tetrachloroethene	ug/kg	<25.2	1300	1300	1140	1170	88	90	70-130	2	20		
Toluene	ug/kg	<16.4	1300	1300	1140	1120	88	86	80-120	2	20		
trans-1,2-Dichloroethene	ug/kg	<14.0	1300	1300	1230	1170	95	90	70-130	5	20		
trans-1,3-Dichloropropene	ug/kg	<186	1300	1300	1110	1100	85	84	70-130	1	20		
Trichloroethene	ug/kg	<24.3	1300	1300	1210	1220	93	94	70-130	1	20		
Trichlorofluoromethane	ug/kg	<18.8	1300	1300	1010	1060	78	81	21-141	4	28		
Vinyl chloride	ug/kg	<13.1	1300	1300	1030	1050	79	81	29-120	2	20		
1,2-Dichlorobenzene-d4 (S)	%						126	114	67-144				
4-Bromofluorobenzene (S)	%						112	104	72-142				
Toluene-d8 (S)	%						115	109	70-139				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

QC Batch: 453428

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40267289001, 40267289002, 40267289003, 40267289004, 40267289005, 40267289006, 40267289007

SAMPLE DUPLICATE: 2604841

Parameter	Units	40267285015 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	15.6	15.5	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MILL STREET-MENO FALLS

Pace Project No.: 40267289

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40267289001	B-1(3-5)	EPA 5035/5030B	453738	EPA 8260	453740
40267289002	B-1(5-6)	EPA 5035/5030B	453738	EPA 8260	453740
40267289003	B-2(3-5)	EPA 5035/5030B	453738	EPA 8260	453740
40267289004	B-3(2-4)	EPA 5035/5030B	453822	EPA 8260	453833
40267289005	B-4(3-4)	EPA 5035/5030B	453822	EPA 8260	453833
40267289006	B-5(2-3)	EPA 5035/5030B	453822	EPA 8260	453833
40267289007	B-6(3-5)	EPA 5035/5030B	453822	EPA 8260	453833
40267289008	TRIP BLANK	EPA 5035/5030B	453742	EPA 8260	453743
40267289001	B-1(3-5)	ASTM D2974-87	453428		
40267289002	B-1(5-6)	ASTM D2974-87	453428		
40267289003	B-2(3-5)	ASTM D2974-87	453428		
40267289004	B-3(2-4)	ASTM D2974-87	453428		
40267289005	B-4(3-4)	ASTM D2974-87	453428		
40267289006	B-5(2-3)	ASTM D2974-87	453428		
40267289007	B-6(3-5)	ASTM D2974-87	453428		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40267289

ALL SHADED AREAS are for LAB USE ONLY

Company: Himalayan Consultants
Address: Pilgrim Rd, Germantown

Billing Information: SAME

Report To: T. Dreppen

Email To: tdreppen64@gmail.com

Copy To:

Site Collection No/Address: W164 N0659 Mill Street

Customer Project Name/Number: MILL STREET - MEND FALLS

State: WI County/City: Mend. Falls Time Zone Collected: [] PT [] MT [] ET

Phone: 2625020066

Site/Facility ID #:

Compliance Monitoring? [] Yes [] No

Collected By (print): T. Dreppen

Purchase Order #: Quote #:

DW PWS ID #: DW Location Code:

Collected By (signature): Thomas Dreppen

Turnaround Date Required: Normal TAT

Immediately Packed on Ice: [X] Yes [] No

Sample Disposal: [] Dispose as appropriate [] Return [] Archive [] Hold

Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)

Field Filtered (if applicable): [] Yes [] No Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
B-1(3-5)	SL	Grab	8/25/23	9:45				2 X
B-1(5-6)	SL			10:00				
B-2(3-5)	SL			10:30				
B-3(2-4)	SL			10:45				
B-4(3-4)	SL			11:00				
B-5(2-3)	SL			11:15				
B-6(3-5)	SL			11:30				
TRIP BLANK Trip Blank								1 X

Container Preservative Type **

Lab Project Manager:

** Preservative Types. (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses

Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y N NA

Custody Signatures Present Y N NA

Collector Signature Present Y N NA

Bottles Intact Y N NA

Correct Bottles Y N NA

Sufficient Volume Y N NA

Samples Received on Ice Y N NA

VOA - Headspace Acceptable Y N NA

USDA Regulated Solids Y N NA

Samples in Holding Time Y N NA

Residual Chlorine Present Y N NA

Cl Strips: Y N NA

Sample pH Acceptable Y N NA

pH Strips: Y N NA

Sulfide Present Y N NA

Lead Acetate Strips: Y N NA

VOCs

LAB USE ONLY: Lab Sample # / Comments:

Customer Remarks / Special Conditions / Possible Hazards: Type of Ice Used: Wet Blue Dry None Packing Material Used: Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A Lab Tracking #: 2908963 Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info: Temp Blank Received: Y N NA Therm ID#: Cooler 1 Temp Upon Receipt: oC Cooler 1 Therm Corr. Factor: oC Cooler 1 Corrected Temp: oC

Relinquished by/Company: (Signature) Thomas Dreppen/Himalayan US Logistics

Date/Time: 8/25/23 12:40 PM

Received by/Company: (Signature) K/L / CS Logistics

Date/Time: 8/25/23 12:00 PM

MTJL LAB USE ONLY Table #: Acctnum: Template: Prelogin: PM: PB:

Trip Blank Received: Y N NA HCL MeOH TSP Other Non Conformance(s): YES / NO Page 37 of 39 of:

Client Name: Amalayan Consultants Sample Preservation Receipt Form
 Project # 40210289

All containers needing preservation have been checked and noted below.

Yes No N/A

Lab Lot# of pH paper

Lab Std #ID of preservation (if pH adjusted)

Initial when completed

Date/Time

Pace Lab #	Glass						Plastic						Vials					Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC								GN 1	GN 2			
001																																					2.5 / 5
002																																					2.5 / 5
003																																					2.5 / 5
004																																					2.5 / 5
005																																					2.5 / 5
006																																					2.5 / 5
007																																					2.5 / 5
008																																					2.5 / 5
009																																					2.5 / 5
010																																					2.5 / 5
011																																					2.5 / 5
012																																					2.5 / 5
013																																					2.5 / 5
014																																					2.5 / 5
015																																					2.5 / 5
016																																					2.5 / 5
017																																					2.5 / 5
018																																					2.5 / 5
019																																					2.5 / 5
020																																					2.5 / 5

8/26/23 86

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) . Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Amalayan Consultants
 Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

WO#: **40267289**



40267289

Tracking #: _____
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR-109 Type of Ice: Wet Blue Dry None Meltwater Only
 Cooler Temperature Uncorr: 0.5 ICorr: 0.5
 Temp Blank Present: yes no Biological Tissue is Frozen: yes no
 Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
 Date: 8/16/22 Initials: SG
 Labeled By Initials: R.A

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>SLW</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>506</u>		<u>HCL was received, lab added to coc 8/16/22 SG</u>

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____



October 17, 2023

Thomas Dueppen
Himalayan Consultants, LLC
W156 N11357 Pilgrim Road
Germantown, WI 53022

RE: Project: GARAGE MAHAL PROPERTY
Pace Project No.: 40269352

Dear Thomas Dueppen:

Enclosed are the analytical results for sample(s) received by the laboratory on October 11, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GARAGE MAHAL PROPERTY
Pace Project No.: 40269352

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40269352001	B-9 (3-5)	Solid	10/10/23 10:00	10/11/23 09:10
40269352002	B-8 (2-4)	Solid	10/10/23 10:30	10/11/23 09:10
40269352003	B-7 (2-4)	Solid	10/10/23 11:00	10/11/23 09:10
40269352004	MEOH BLANK	Solid	10/10/23 00:00	10/11/23 09:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40269352001	B-9 (3-5)	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40269352002	B-8 (2-4)	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40269352003	B-7 (2-4)	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40269352004	MEOH BLANK	EPA 8260	SMT	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40269352001	B-9 (3-5)					
EPA 8260	Tetrachloroethene	436	ug/kg	83.4	10/13/23 15:09	
EPA 8260	Trichloroethene	334	ug/kg	83.4	10/13/23 15:09	
EPA 8260	cis-1,2-Dichloroethene	63.9J	ug/kg	83.4	10/13/23 15:09	
EPA 8260	trans-1,2-Dichloroethene	122	ug/kg	83.4	10/13/23 15:09	
ASTM D2974-87	Percent Moisture	25.0	%	0.10	10/12/23 18:57	
40269352002	B-8 (2-4)					
EPA 8260	1,2,4-Trimethylbenzene	42.3J	ug/kg	74.9	10/13/23 15:29	
EPA 8260	Tetrachloroethene	286	ug/kg	74.9	10/13/23 15:29	
EPA 8260	Trichloroethene	192	ug/kg	74.9	10/13/23 15:29	
EPA 8260	Vinyl chloride	68.0J	ug/kg	74.9	10/13/23 15:29	
EPA 8260	cis-1,2-Dichloroethene	271	ug/kg	74.9	10/13/23 15:29	
EPA 8260	m&p-Xylene	35.2J	ug/kg	150	10/13/23 15:29	
EPA 8260	trans-1,2-Dichloroethene	33.7J	ug/kg	74.9	10/13/23 15:29	
ASTM D2974-87	Percent Moisture	19.9	%	0.10	10/12/23 18:58	
40269352003	B-7 (2-4)					
EPA 8260	Tetrachloroethene	7260	ug/kg	79.7	10/13/23 15:49	
ASTM D2974-87	Percent Moisture	22.9	%	0.10	10/13/23 10:26	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: B-9 (3-5) Lab ID: 40269352001 Collected: 10/10/23 10:00 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<20.0	ug/kg	83.4	20.0	1	10/13/23 09:00	10/13/23 15:09	630-20-6	
1,1,1-Trichloroethane	<21.3	ug/kg	83.4	21.3	1	10/13/23 09:00	10/13/23 15:09	71-55-6	
1,1,2,2-Tetrachloroethane	<30.2	ug/kg	83.4	30.2	1	10/13/23 09:00	10/13/23 15:09	79-34-5	
1,1,2-Trichloroethane	<30.4	ug/kg	83.4	30.4	1	10/13/23 09:00	10/13/23 15:09	79-00-5	
1,1-Dichloroethane	<21.3	ug/kg	83.4	21.3	1	10/13/23 09:00	10/13/23 15:09	75-34-3	
1,1-Dichloroethene	<27.7	ug/kg	83.4	27.7	1	10/13/23 09:00	10/13/23 15:09	75-35-4	
1,1-Dichloropropene	<27.0	ug/kg	83.4	27.0	1	10/13/23 09:00	10/13/23 15:09	563-58-6	
1,2,3-Trichlorobenzene	<92.9	ug/kg	417	92.9	1	10/13/23 09:00	10/13/23 15:09	87-61-6	
1,2,3-Trichloropropane	<40.5	ug/kg	83.4	40.5	1	10/13/23 09:00	10/13/23 15:09	96-18-4	
1,2,4-Trichlorobenzene	<68.7	ug/kg	417	68.7	1	10/13/23 09:00	10/13/23 15:09	120-82-1	
1,2,4-Trimethylbenzene	<24.9	ug/kg	83.4	24.9	1	10/13/23 09:00	10/13/23 15:09	95-63-6	
1,2-Dibromo-3-chloropropane	<64.7	ug/kg	417	64.7	1	10/13/23 09:00	10/13/23 15:09	96-12-8	
1,2-Dibromoethane (EDB)	<22.9	ug/kg	83.4	22.9	1	10/13/23 09:00	10/13/23 15:09	106-93-4	
1,2-Dichlorobenzene	<25.9	ug/kg	83.4	25.9	1	10/13/23 09:00	10/13/23 15:09	95-50-1	
1,2-Dichloroethane	<19.2	ug/kg	83.4	19.2	1	10/13/23 09:00	10/13/23 15:09	107-06-2	
1,2-Dichloropropane	<19.8	ug/kg	83.4	19.8	1	10/13/23 09:00	10/13/23 15:09	78-87-5	
1,3,5-Trimethylbenzene	<26.9	ug/kg	83.4	26.9	1	10/13/23 09:00	10/13/23 15:09	108-67-8	
1,3-Dichlorobenzene	<22.9	ug/kg	83.4	22.9	1	10/13/23 09:00	10/13/23 15:09	541-73-1	
1,3-Dichloropropane	<18.2	ug/kg	83.4	18.2	1	10/13/23 09:00	10/13/23 15:09	142-28-9	
1,4-Dichlorobenzene	<22.9	ug/kg	83.4	22.9	1	10/13/23 09:00	10/13/23 15:09	106-46-7	
2,2-Dichloropropane	<22.5	ug/kg	83.4	22.5	1	10/13/23 09:00	10/13/23 15:09	594-20-7	
2-Chlorotoluene	<27.0	ug/kg	83.4	27.0	1	10/13/23 09:00	10/13/23 15:09	95-49-8	
4-Chlorotoluene	<31.7	ug/kg	83.4	31.7	1	10/13/23 09:00	10/13/23 15:09	106-43-4	
Benzene	<19.8	ug/kg	33.4	19.8	1	10/13/23 09:00	10/13/23 15:09	71-43-2	
Bromobenzene	<32.5	ug/kg	83.4	32.5	1	10/13/23 09:00	10/13/23 15:09	108-86-1	
Bromochloromethane	<22.9	ug/kg	83.4	22.9	1	10/13/23 09:00	10/13/23 15:09	74-97-5	
Bromodichloromethane	<19.8	ug/kg	83.4	19.8	1	10/13/23 09:00	10/13/23 15:09	75-27-4	
Bromoform	<367	ug/kg	417	367	1	10/13/23 09:00	10/13/23 15:09	75-25-2	
Bromomethane	<117	ug/kg	417	117	1	10/13/23 09:00	10/13/23 15:09	74-83-9	
Carbon tetrachloride	<18.3	ug/kg	83.4	18.3	1	10/13/23 09:00	10/13/23 15:09	56-23-5	
Chlorobenzene	<10	ug/kg	83.4	10	1	10/13/23 09:00	10/13/23 15:09	108-90-7	
Chloroethane	<35.2	ug/kg	417	35.2	1	10/13/23 09:00	10/13/23 15:09	75-00-3	
Chloroform	<59.7	ug/kg	417	59.7	1	10/13/23 09:00	10/13/23 15:09	67-66-3	
Chloromethane	<31.7	ug/kg	83.4	31.7	1	10/13/23 09:00	10/13/23 15:09	74-87-3	
Dibromochloromethane	<285	ug/kg	417	285	1	10/13/23 09:00	10/13/23 15:09	124-48-1	
Dibromomethane	<24.7	ug/kg	83.4	24.7	1	10/13/23 09:00	10/13/23 15:09	74-95-3	
Dichlorodifluoromethane	<35.9	ug/kg	83.4	35.9	1	10/13/23 09:00	10/13/23 15:09	75-71-8	
Diisopropyl ether	<20.7	ug/kg	83.4	20.7	1	10/13/23 09:00	10/13/23 15:09	108-20-3	
Ethylbenzene	<19.8	ug/kg	83.4	19.8	1	10/13/23 09:00	10/13/23 15:09	100-41-4	
Hexachloro-1,3-butadiene	<166	ug/kg	417	166	1	10/13/23 09:00	10/13/23 15:09	87-68-3	
Isopropylbenzene (Cumene)	<22.5	ug/kg	83.4	22.5	1	10/13/23 09:00	10/13/23 15:09	98-82-8	
Methyl-tert-butyl ether	<24.5	ug/kg	83.4	24.5	1	10/13/23 09:00	10/13/23 15:09	1634-04-4	
Methylene Chloride	<23.2	ug/kg	83.4	23.2	1	10/13/23 09:00	10/13/23 15:09	75-09-2	
Naphthalene	<35.1	ug/kg	417	35.1	1	10/13/23 09:00	10/13/23 15:09	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: B-9 (3-5) Lab ID: 40269352001 Collected: 10/10/23 10:00 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<21.3	ug/kg	83.4	21.3	1	10/13/23 09:00	10/13/23 15:09	100-42-5	
Tetrachloroethene	436	ug/kg	83.4	32.4	1	10/13/23 09:00	10/13/23 15:09	127-18-4	
Toluene	<21.0	ug/kg	83.4	21.0	1	10/13/23 09:00	10/13/23 15:09	108-88-3	
Trichloroethene	334	ug/kg	83.4	31.2	1	10/13/23 09:00	10/13/23 15:09	79-01-6	
Trichlorofluoromethane	<24.2	ug/kg	83.4	24.2	1	10/13/23 09:00	10/13/23 15:09	75-69-4	
Vinyl chloride	<16.8	ug/kg	83.4	16.8	1	10/13/23 09:00	10/13/23 15:09	75-01-4	
cis-1,2-Dichloroethene	63.9J	ug/kg	83.4	17.8	1	10/13/23 09:00	10/13/23 15:09	156-59-2	
cis-1,3-Dichloropropene	<55.0	ug/kg	417	55.0	1	10/13/23 09:00	10/13/23 15:09	10061-01-5	
m&p-Xylene	<35.2	ug/kg	167	35.2	1	10/13/23 09:00	10/13/23 15:09	179601-23-1	
n-Butylbenzene	<38.2	ug/kg	83.4	38.2	1	10/13/23 09:00	10/13/23 15:09	104-51-8	
n-Propylbenzene	<20.0	ug/kg	83.4	20.0	1	10/13/23 09:00	10/13/23 15:09	103-65-1	
o-Xylene	<25.0	ug/kg	83.4	25.0	1	10/13/23 09:00	10/13/23 15:09	95-47-6	
p-Isopropyltoluene	<28.4	ug/kg	83.4	28.4	1	10/13/23 09:00	10/13/23 15:09	99-87-6	
sec-Butylbenzene	<28.6	ug/kg	83.4	28.6	1	10/13/23 09:00	10/13/23 15:09	135-98-8	
tert-Butylbenzene	<26.2	ug/kg	83.4	26.2	1	10/13/23 09:00	10/13/23 15:09	98-06-6	
trans-1,2-Dichloroethene	122	ug/kg	83.4	18.2	1	10/13/23 09:00	10/13/23 15:09	156-60-5	
trans-1,3-Dichloropropene	<239	ug/kg	417	239	1	10/13/23 09:00	10/13/23 15:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	111	%	70-139		1	10/13/23 09:00	10/13/23 15:09	2037-26-5	
4-Bromofluorobenzene (S)	111	%	72-142		1	10/13/23 09:00	10/13/23 15:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	121	%	67-144		1	10/13/23 09:00	10/13/23 15:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	25.0	%	0.10	0.10	1		10/12/23 18:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: B-8 (2-4) Lab ID: 40269352002 Collected: 10/10/23 10:30 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<18.0	ug/kg	74.9	18.0	1	10/13/23 09:00	10/13/23 15:29	630-20-6	
1,1,1-Trichloroethane	<19.2	ug/kg	74.9	19.2	1	10/13/23 09:00	10/13/23 15:29	71-55-6	
1,1,2,2-Tetrachloroethane	<27.1	ug/kg	74.9	27.1	1	10/13/23 09:00	10/13/23 15:29	79-34-5	
1,1,2-Trichloroethane	<27.3	ug/kg	74.9	27.3	1	10/13/23 09:00	10/13/23 15:29	79-00-5	
1,1-Dichloroethane	<19.2	ug/kg	74.9	19.2	1	10/13/23 09:00	10/13/23 15:29	75-34-3	
1,1-Dichloroethene	<24.9	ug/kg	74.9	24.9	1	10/13/23 09:00	10/13/23 15:29	75-35-4	
1,1-Dichloropropene	<24.3	ug/kg	74.9	24.3	1	10/13/23 09:00	10/13/23 15:29	563-58-6	
1,2,3-Trichlorobenzene	<83.4	ug/kg	374	83.4	1	10/13/23 09:00	10/13/23 15:29	87-61-6	
1,2,3-Trichloropropane	<36.4	ug/kg	74.9	36.4	1	10/13/23 09:00	10/13/23 15:29	96-18-4	
1,2,4-Trichlorobenzene	<61.7	ug/kg	374	61.7	1	10/13/23 09:00	10/13/23 15:29	120-82-1	
1,2,4-Trimethylbenzene	42.3J	ug/kg	74.9	22.3	1	10/13/23 09:00	10/13/23 15:29	95-63-6	
1,2-Dibromo-3-chloropropane	<58.1	ug/kg	374	58.1	1	10/13/23 09:00	10/13/23 15:29	96-12-8	
1,2-Dibromoethane (EDB)	<20.5	ug/kg	74.9	20.5	1	10/13/23 09:00	10/13/23 15:29	106-93-4	
1,2-Dichlorobenzene	<23.2	ug/kg	74.9	23.2	1	10/13/23 09:00	10/13/23 15:29	95-50-1	
1,2-Dichloroethane	<17.2	ug/kg	74.9	17.2	1	10/13/23 09:00	10/13/23 15:29	107-06-2	
1,2-Dichloropropane	<17.8	ug/kg	74.9	17.8	1	10/13/23 09:00	10/13/23 15:29	78-87-5	
1,3,5-Trimethylbenzene	<24.1	ug/kg	74.9	24.1	1	10/13/23 09:00	10/13/23 15:29	108-67-8	
1,3-Dichlorobenzene	<20.5	ug/kg	74.9	20.5	1	10/13/23 09:00	10/13/23 15:29	541-73-1	
1,3-Dichloropropane	<16.3	ug/kg	74.9	16.3	1	10/13/23 09:00	10/13/23 15:29	142-28-9	
1,4-Dichlorobenzene	<20.5	ug/kg	74.9	20.5	1	10/13/23 09:00	10/13/23 15:29	106-46-7	
2,2-Dichloropropane	<20.2	ug/kg	74.9	20.2	1	10/13/23 09:00	10/13/23 15:29	594-20-7	
2-Chlorotoluene	<24.3	ug/kg	74.9	24.3	1	10/13/23 09:00	10/13/23 15:29	95-49-8	
4-Chlorotoluene	<28.4	ug/kg	74.9	28.4	1	10/13/23 09:00	10/13/23 15:29	106-43-4	
Benzene	<17.8	ug/kg	29.9	17.8	1	10/13/23 09:00	10/13/23 15:29	71-43-2	
Bromobenzene	<29.2	ug/kg	74.9	29.2	1	10/13/23 09:00	10/13/23 15:29	108-86-1	
Bromochloromethane	<20.5	ug/kg	74.9	20.5	1	10/13/23 09:00	10/13/23 15:29	74-97-5	
Bromodichloromethane	<17.8	ug/kg	74.9	17.8	1	10/13/23 09:00	10/13/23 15:29	75-27-4	
Bromoform	<329	ug/kg	374	329	1	10/13/23 09:00	10/13/23 15:29	75-25-2	
Bromomethane	<105	ug/kg	374	105	1	10/13/23 09:00	10/13/23 15:29	74-83-9	
Carbon tetrachloride	<16.5	ug/kg	74.9	16.5	1	10/13/23 09:00	10/13/23 15:29	56-23-5	
Chlorobenzene	<9.0	ug/kg	74.9	9.0	1	10/13/23 09:00	10/13/23 15:29	108-90-7	
Chloroethane	<31.6	ug/kg	374	31.6	1	10/13/23 09:00	10/13/23 15:29	75-00-3	
Chloroform	<53.6	ug/kg	374	53.6	1	10/13/23 09:00	10/13/23 15:29	67-66-3	
Chloromethane	<28.4	ug/kg	74.9	28.4	1	10/13/23 09:00	10/13/23 15:29	74-87-3	
Dibromochloromethane	<256	ug/kg	374	256	1	10/13/23 09:00	10/13/23 15:29	124-48-1	
Dibromomethane	<22.2	ug/kg	74.9	22.2	1	10/13/23 09:00	10/13/23 15:29	74-95-3	
Dichlorodifluoromethane	<32.2	ug/kg	74.9	32.2	1	10/13/23 09:00	10/13/23 15:29	75-71-8	
Diisopropyl ether	<18.6	ug/kg	74.9	18.6	1	10/13/23 09:00	10/13/23 15:29	108-20-3	
Ethylbenzene	<17.8	ug/kg	74.9	17.8	1	10/13/23 09:00	10/13/23 15:29	100-41-4	
Hexachloro-1,3-butadiene	<149	ug/kg	374	149	1	10/13/23 09:00	10/13/23 15:29	87-68-3	
Isopropylbenzene (Cumene)	<20.2	ug/kg	74.9	20.2	1	10/13/23 09:00	10/13/23 15:29	98-82-8	
Methyl-tert-butyl ether	<22.0	ug/kg	74.9	22.0	1	10/13/23 09:00	10/13/23 15:29	1634-04-4	
Methylene Chloride	<20.8	ug/kg	74.9	20.8	1	10/13/23 09:00	10/13/23 15:29	75-09-2	
Naphthalene	<31.5	ug/kg	374	31.5	1	10/13/23 09:00	10/13/23 15:29	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: B-8 (2-4) Lab ID: 40269352002 Collected: 10/10/23 10:30 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<19.2	ug/kg	74.9	19.2	1	10/13/23 09:00	10/13/23 15:29	100-42-5	
Tetrachloroethene	286	ug/kg	74.9	29.0	1	10/13/23 09:00	10/13/23 15:29	127-18-4	
Toluene	<18.9	ug/kg	74.9	18.9	1	10/13/23 09:00	10/13/23 15:29	108-88-3	
Trichloroethene	192	ug/kg	74.9	28.0	1	10/13/23 09:00	10/13/23 15:29	79-01-6	
Trichlorofluoromethane	<21.7	ug/kg	74.9	21.7	1	10/13/23 09:00	10/13/23 15:29	75-69-4	
Vinyl chloride	68.0J	ug/kg	74.9	15.1	1	10/13/23 09:00	10/13/23 15:29	75-01-4	
cis-1,2-Dichloroethene	271	ug/kg	74.9	16.0	1	10/13/23 09:00	10/13/23 15:29	156-59-2	
cis-1,3-Dichloropropene	<49.4	ug/kg	374	49.4	1	10/13/23 09:00	10/13/23 15:29	10061-01-5	
m&p-Xylene	35.2J	ug/kg	150	31.6	1	10/13/23 09:00	10/13/23 15:29	179601-23-1	
n-Butylbenzene	<34.3	ug/kg	74.9	34.3	1	10/13/23 09:00	10/13/23 15:29	104-51-8	
n-Propylbenzene	<18.0	ug/kg	74.9	18.0	1	10/13/23 09:00	10/13/23 15:29	103-65-1	
o-Xylene	<22.5	ug/kg	74.9	22.5	1	10/13/23 09:00	10/13/23 15:29	95-47-6	
p-Isopropyltoluene	<25.5	ug/kg	74.9	25.5	1	10/13/23 09:00	10/13/23 15:29	99-87-6	
sec-Butylbenzene	<25.7	ug/kg	74.9	25.7	1	10/13/23 09:00	10/13/23 15:29	135-98-8	
tert-Butylbenzene	<23.5	ug/kg	74.9	23.5	1	10/13/23 09:00	10/13/23 15:29	98-06-6	
trans-1,2-Dichloroethene	33.7J	ug/kg	74.9	16.4	1	10/13/23 09:00	10/13/23 15:29	156-60-5	
trans-1,3-Dichloropropene	<214	ug/kg	374	214	1	10/13/23 09:00	10/13/23 15:29	10061-02-6	
Surrogates									
Toluene-d8 (S)	110	%	70-139		1	10/13/23 09:00	10/13/23 15:29	2037-26-5	
4-Bromofluorobenzene (S)	104	%	72-142		1	10/13/23 09:00	10/13/23 15:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	67-144		1	10/13/23 09:00	10/13/23 15:29	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.9	%	0.10	0.10	1		10/12/23 18:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: B-7 (2-4) Lab ID: 40269352003 Collected: 10/10/23 11:00 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<19.1	ug/kg	79.7	19.1	1	10/13/23 09:00	10/13/23 15:49	630-20-6	
1,1,1-Trichloroethane	<20.4	ug/kg	79.7	20.4	1	10/13/23 09:00	10/13/23 15:49	71-55-6	
1,1,2,2-Tetrachloroethane	<28.8	ug/kg	79.7	28.8	1	10/13/23 09:00	10/13/23 15:49	79-34-5	
1,1,2-Trichloroethane	<29.0	ug/kg	79.7	29.0	1	10/13/23 09:00	10/13/23 15:49	79-00-5	
1,1-Dichloroethane	<20.4	ug/kg	79.7	20.4	1	10/13/23 09:00	10/13/23 15:49	75-34-3	
1,1-Dichloroethene	<26.4	ug/kg	79.7	26.4	1	10/13/23 09:00	10/13/23 15:49	75-35-4	
1,1-Dichloropropene	<25.8	ug/kg	79.7	25.8	1	10/13/23 09:00	10/13/23 15:49	563-58-6	
1,2,3-Trichlorobenzene	<88.7	ug/kg	398	88.7	1	10/13/23 09:00	10/13/23 15:49	87-61-6	
1,2,3-Trichloropropane	<38.7	ug/kg	79.7	38.7	1	10/13/23 09:00	10/13/23 15:49	96-18-4	
1,2,4-Trichlorobenzene	<65.6	ug/kg	398	65.6	1	10/13/23 09:00	10/13/23 15:49	120-82-1	
1,2,4-Trimethylbenzene	<23.7	ug/kg	79.7	23.7	1	10/13/23 09:00	10/13/23 15:49	95-63-6	
1,2-Dibromo-3-chloropropane	<61.8	ug/kg	398	61.8	1	10/13/23 09:00	10/13/23 15:49	96-12-8	
1,2-Dibromoethane (EDB)	<21.8	ug/kg	79.7	21.8	1	10/13/23 09:00	10/13/23 15:49	106-93-4	
1,2-Dichlorobenzene	<24.7	ug/kg	79.7	24.7	1	10/13/23 09:00	10/13/23 15:49	95-50-1	
1,2-Dichloroethane	<18.3	ug/kg	79.7	18.3	1	10/13/23 09:00	10/13/23 15:49	107-06-2	
1,2-Dichloropropane	<19.0	ug/kg	79.7	19.0	1	10/13/23 09:00	10/13/23 15:49	78-87-5	
1,3,5-Trimethylbenzene	<25.7	ug/kg	79.7	25.7	1	10/13/23 09:00	10/13/23 15:49	108-67-8	
1,3-Dichlorobenzene	<21.8	ug/kg	79.7	21.8	1	10/13/23 09:00	10/13/23 15:49	541-73-1	
1,3-Dichloropropane	<17.4	ug/kg	79.7	17.4	1	10/13/23 09:00	10/13/23 15:49	142-28-9	
1,4-Dichlorobenzene	<21.8	ug/kg	79.7	21.8	1	10/13/23 09:00	10/13/23 15:49	106-46-7	
2,2-Dichloropropane	<21.5	ug/kg	79.7	21.5	1	10/13/23 09:00	10/13/23 15:49	594-20-7	
2-Chlorotoluene	<25.8	ug/kg	79.7	25.8	1	10/13/23 09:00	10/13/23 15:49	95-49-8	
4-Chlorotoluene	<30.3	ug/kg	79.7	30.3	1	10/13/23 09:00	10/13/23 15:49	106-43-4	
Benzene	<19.0	ug/kg	31.9	19.0	1	10/13/23 09:00	10/13/23 15:49	71-43-2	
Bromobenzene	<31.1	ug/kg	79.7	31.1	1	10/13/23 09:00	10/13/23 15:49	108-86-1	
Bromochloromethane	<21.8	ug/kg	79.7	21.8	1	10/13/23 09:00	10/13/23 15:49	74-97-5	
Bromodichloromethane	<19.0	ug/kg	79.7	19.0	1	10/13/23 09:00	10/13/23 15:49	75-27-4	
Bromoform	<351	ug/kg	398	351	1	10/13/23 09:00	10/13/23 15:49	75-25-2	
Bromomethane	<112	ug/kg	398	112	1	10/13/23 09:00	10/13/23 15:49	74-83-9	
Carbon tetrachloride	<17.5	ug/kg	79.7	17.5	1	10/13/23 09:00	10/13/23 15:49	56-23-5	
Chlorobenzene	<9.5	ug/kg	79.7	9.5	1	10/13/23 09:00	10/13/23 15:49	108-90-7	
Chloroethane	<33.6	ug/kg	398	33.6	1	10/13/23 09:00	10/13/23 15:49	75-00-3	
Chloroform	<57.0	ug/kg	398	57.0	1	10/13/23 09:00	10/13/23 15:49	67-66-3	
Chloromethane	<30.3	ug/kg	79.7	30.3	1	10/13/23 09:00	10/13/23 15:49	74-87-3	
Dibromochloromethane	<272	ug/kg	398	272	1	10/13/23 09:00	10/13/23 15:49	124-48-1	
Dibromomethane	<23.6	ug/kg	79.7	23.6	1	10/13/23 09:00	10/13/23 15:49	74-95-3	
Dichlorodifluoromethane	<34.3	ug/kg	79.7	34.3	1	10/13/23 09:00	10/13/23 15:49	75-71-8	
Diisopropyl ether	<19.8	ug/kg	79.7	19.8	1	10/13/23 09:00	10/13/23 15:49	108-20-3	
Ethylbenzene	<19.0	ug/kg	79.7	19.0	1	10/13/23 09:00	10/13/23 15:49	100-41-4	
Hexachloro-1,3-butadiene	<158	ug/kg	398	158	1	10/13/23 09:00	10/13/23 15:49	87-68-3	
Isopropylbenzene (Cumene)	<21.5	ug/kg	79.7	21.5	1	10/13/23 09:00	10/13/23 15:49	98-82-8	
Methyl-tert-butyl ether	<23.4	ug/kg	79.7	23.4	1	10/13/23 09:00	10/13/23 15:49	1634-04-4	
Methylene Chloride	<22.1	ug/kg	79.7	22.1	1	10/13/23 09:00	10/13/23 15:49	75-09-2	
Naphthalene	<33.5	ug/kg	398	33.5	1	10/13/23 09:00	10/13/23 15:49	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: B-7 (2-4) Lab ID: 40269352003 Collected: 10/10/23 11:00 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<20.4	ug/kg	79.7	20.4	1	10/13/23 09:00	10/13/23 15:49	100-42-5	
Tetrachloroethene	7260	ug/kg	79.7	30.9	1	10/13/23 09:00	10/13/23 15:49	127-18-4	
Toluene	<20.1	ug/kg	79.7	20.1	1	10/13/23 09:00	10/13/23 15:49	108-88-3	
Trichloroethene	<29.8	ug/kg	79.7	29.8	1	10/13/23 09:00	10/13/23 15:49	79-01-6	
Trichlorofluoromethane	<23.1	ug/kg	79.7	23.1	1	10/13/23 09:00	10/13/23 15:49	75-69-4	
Vinyl chloride	<16.1	ug/kg	79.7	16.1	1	10/13/23 09:00	10/13/23 15:49	75-01-4	
cis-1,2-Dichloroethene	<17.0	ug/kg	79.7	17.0	1	10/13/23 09:00	10/13/23 15:49	156-59-2	
cis-1,3-Dichloropropene	<52.6	ug/kg	398	52.6	1	10/13/23 09:00	10/13/23 15:49	10061-01-5	
m&p-Xylene	<33.6	ug/kg	159	33.6	1	10/13/23 09:00	10/13/23 15:49	179601-23-1	
n-Butylbenzene	<36.5	ug/kg	79.7	36.5	1	10/13/23 09:00	10/13/23 15:49	104-51-8	
n-Propylbenzene	<19.1	ug/kg	79.7	19.1	1	10/13/23 09:00	10/13/23 15:49	103-65-1	
o-Xylene	<23.9	ug/kg	79.7	23.9	1	10/13/23 09:00	10/13/23 15:49	95-47-6	
p-Isopropyltoluene	<27.1	ug/kg	79.7	27.1	1	10/13/23 09:00	10/13/23 15:49	99-87-6	
sec-Butylbenzene	<27.3	ug/kg	79.7	27.3	1	10/13/23 09:00	10/13/23 15:49	135-98-8	
tert-Butylbenzene	<25.0	ug/kg	79.7	25.0	1	10/13/23 09:00	10/13/23 15:49	98-06-6	
trans-1,2-Dichloroethene	<17.4	ug/kg	79.7	17.4	1	10/13/23 09:00	10/13/23 15:49	156-60-5	
trans-1,3-Dichloropropene	<228	ug/kg	398	228	1	10/13/23 09:00	10/13/23 15:49	10061-02-6	
Surrogates									
Toluene-d8 (S)	117	%	70-139		1	10/13/23 09:00	10/13/23 15:49	2037-26-5	
4-Bromofluorobenzene (S)	113	%	72-142		1	10/13/23 09:00	10/13/23 15:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	120	%	67-144		1	10/13/23 09:00	10/13/23 15:49	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.9	%	0.10	0.10	1		10/13/23 10:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: MEOH BLANK Lab ID: 40269352004 Collected: 10/10/23 00:00 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<12.0	ug/kg	50.0	12.0	1	10/13/23 09:00	10/13/23 13:12	630-20-6	
1,1,1-Trichloroethane	<12.8	ug/kg	50.0	12.8	1	10/13/23 09:00	10/13/23 13:12	71-55-6	
1,1,2,2-Tetrachloroethane	<18.1	ug/kg	50.0	18.1	1	10/13/23 09:00	10/13/23 13:12	79-34-5	
1,1,2-Trichloroethane	<18.2	ug/kg	50.0	18.2	1	10/13/23 09:00	10/13/23 13:12	79-00-5	
1,1-Dichloroethane	<12.8	ug/kg	50.0	12.8	1	10/13/23 09:00	10/13/23 13:12	75-34-3	
1,1-Dichloroethene	<16.6	ug/kg	50.0	16.6	1	10/13/23 09:00	10/13/23 13:12	75-35-4	
1,1-Dichloropropene	<16.2	ug/kg	50.0	16.2	1	10/13/23 09:00	10/13/23 13:12	563-58-6	
1,2,3-Trichlorobenzene	<55.7	ug/kg	250	55.7	1	10/13/23 09:00	10/13/23 13:12	87-61-6	
1,2,3-Trichloropropane	<24.3	ug/kg	50.0	24.3	1	10/13/23 09:00	10/13/23 13:12	96-18-4	
1,2,4-Trichlorobenzene	<41.2	ug/kg	250	41.2	1	10/13/23 09:00	10/13/23 13:12	120-82-1	
1,2,4-Trimethylbenzene	<14.9	ug/kg	50.0	14.9	1	10/13/23 09:00	10/13/23 13:12	95-63-6	
1,2-Dibromo-3-chloropropane	<38.8	ug/kg	250	38.8	1	10/13/23 09:00	10/13/23 13:12	96-12-8	
1,2-Dibromoethane (EDB)	<13.7	ug/kg	50.0	13.7	1	10/13/23 09:00	10/13/23 13:12	106-93-4	
1,2-Dichlorobenzene	<15.5	ug/kg	50.0	15.5	1	10/13/23 09:00	10/13/23 13:12	95-50-1	
1,2-Dichloroethane	<11.5	ug/kg	50.0	11.5	1	10/13/23 09:00	10/13/23 13:12	107-06-2	
1,2-Dichloropropane	<11.9	ug/kg	50.0	11.9	1	10/13/23 09:00	10/13/23 13:12	78-87-5	
1,3,5-Trimethylbenzene	<16.1	ug/kg	50.0	16.1	1	10/13/23 09:00	10/13/23 13:12	108-67-8	
1,3-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	10/13/23 09:00	10/13/23 13:12	541-73-1	
1,3-Dichloropropane	<10.9	ug/kg	50.0	10.9	1	10/13/23 09:00	10/13/23 13:12	142-28-9	
1,4-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	10/13/23 09:00	10/13/23 13:12	106-46-7	
2,2-Dichloropropane	<13.5	ug/kg	50.0	13.5	1	10/13/23 09:00	10/13/23 13:12	594-20-7	
2-Chlorotoluene	<16.2	ug/kg	50.0	16.2	1	10/13/23 09:00	10/13/23 13:12	95-49-8	
4-Chlorotoluene	<19.0	ug/kg	50.0	19.0	1	10/13/23 09:00	10/13/23 13:12	106-43-4	
Benzene	<11.9	ug/kg	20.0	11.9	1	10/13/23 09:00	10/13/23 13:12	71-43-2	
Bromobenzene	<19.5	ug/kg	50.0	19.5	1	10/13/23 09:00	10/13/23 13:12	108-86-1	
Bromochloromethane	<13.7	ug/kg	50.0	13.7	1	10/13/23 09:00	10/13/23 13:12	74-97-5	
Bromodichloromethane	<11.9	ug/kg	50.0	11.9	1	10/13/23 09:00	10/13/23 13:12	75-27-4	
Bromoform	<220	ug/kg	250	220	1	10/13/23 09:00	10/13/23 13:12	75-25-2	
Bromomethane	<70.1	ug/kg	250	70.1	1	10/13/23 09:00	10/13/23 13:12	74-83-9	
Carbon tetrachloride	<11.0	ug/kg	50.0	11.0	1	10/13/23 09:00	10/13/23 13:12	56-23-5	
Chlorobenzene	<6.0	ug/kg	50.0	6.0	1	10/13/23 09:00	10/13/23 13:12	108-90-7	
Chloroethane	<21.1	ug/kg	250	21.1	1	10/13/23 09:00	10/13/23 13:12	75-00-3	
Chloroform	<35.8	ug/kg	250	35.8	1	10/13/23 09:00	10/13/23 13:12	67-66-3	
Chloromethane	<19.0	ug/kg	50.0	19.0	1	10/13/23 09:00	10/13/23 13:12	74-87-3	
Dibromochloromethane	<171	ug/kg	250	171	1	10/13/23 09:00	10/13/23 13:12	124-48-1	
Dibromomethane	<14.8	ug/kg	50.0	14.8	1	10/13/23 09:00	10/13/23 13:12	74-95-3	
Dichlorodifluoromethane	<21.5	ug/kg	50.0	21.5	1	10/13/23 09:00	10/13/23 13:12	75-71-8	
Diisopropyl ether	<12.4	ug/kg	50.0	12.4	1	10/13/23 09:00	10/13/23 13:12	108-20-3	
Ethylbenzene	<11.9	ug/kg	50.0	11.9	1	10/13/23 09:00	10/13/23 13:12	100-41-4	
Hexachloro-1,3-butadiene	<99.4	ug/kg	250	99.4	1	10/13/23 09:00	10/13/23 13:12	87-68-3	
Isopropylbenzene (Cumene)	<13.5	ug/kg	50.0	13.5	1	10/13/23 09:00	10/13/23 13:12	98-82-8	
Methyl-tert-butyl ether	<14.7	ug/kg	50.0	14.7	1	10/13/23 09:00	10/13/23 13:12	1634-04-4	
Methylene Chloride	<13.9	ug/kg	50.0	13.9	1	10/13/23 09:00	10/13/23 13:12	75-09-2	
Naphthalene	<21.0	ug/kg	250	21.0	1	10/13/23 09:00	10/13/23 13:12	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Sample: MEOH BLANK Lab ID: 40269352004 Collected: 10/10/23 00:00 Received: 10/11/23 09:10 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay							
Styrene	<12.8	ug/kg	50.0	12.8	1	10/13/23 09:00	10/13/23 13:12	100-42-5	
Tetrachloroethene	<19.4	ug/kg	50.0	19.4	1	10/13/23 09:00	10/13/23 13:12	127-18-4	
Toluene	<12.6	ug/kg	50.0	12.6	1	10/13/23 09:00	10/13/23 13:12	108-88-3	
Trichloroethene	<18.7	ug/kg	50.0	18.7	1	10/13/23 09:00	10/13/23 13:12	79-01-6	
Trichlorofluoromethane	<14.5	ug/kg	50.0	14.5	1	10/13/23 09:00	10/13/23 13:12	75-69-4	
Vinyl chloride	<10.1	ug/kg	50.0	10.1	1	10/13/23 09:00	10/13/23 13:12	75-01-4	
cis-1,2-Dichloroethene	<10.7	ug/kg	50.0	10.7	1	10/13/23 09:00	10/13/23 13:12	156-59-2	
cis-1,3-Dichloropropene	<33.0	ug/kg	250	33.0	1	10/13/23 09:00	10/13/23 13:12	10061-01-5	
m&p-Xylene	<21.1	ug/kg	100	21.1	1	10/13/23 09:00	10/13/23 13:12	179601-23-1	
n-Butylbenzene	<22.9	ug/kg	50.0	22.9	1	10/13/23 09:00	10/13/23 13:12	104-51-8	
n-Propylbenzene	<12.0	ug/kg	50.0	12.0	1	10/13/23 09:00	10/13/23 13:12	103-65-1	
o-Xylene	<15.0	ug/kg	50.0	15.0	1	10/13/23 09:00	10/13/23 13:12	95-47-6	
p-Isopropyltoluene	<17.0	ug/kg	50.0	17.0	1	10/13/23 09:00	10/13/23 13:12	99-87-6	
sec-Butylbenzene	<17.2	ug/kg	50.0	17.2	1	10/13/23 09:00	10/13/23 13:12	135-98-8	
tert-Butylbenzene	<15.7	ug/kg	50.0	15.7	1	10/13/23 09:00	10/13/23 13:12	98-06-6	
trans-1,2-Dichloroethene	<10.9	ug/kg	50.0	10.9	1	10/13/23 09:00	10/13/23 13:12	156-60-5	
trans-1,3-Dichloropropene	<143	ug/kg	250	143	1	10/13/23 09:00	10/13/23 13:12	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	70-139		1	10/13/23 09:00	10/13/23 13:12	2037-26-5	
4-Bromofluorobenzene (S)	91	%	72-142		1	10/13/23 09:00	10/13/23 13:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	67-144		1	10/13/23 09:00	10/13/23 13:12	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

QC Batch: 457440

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40269352001, 40269352002, 40269352003, 40269352004

METHOD BLANK: 2626969

Matrix: Solid

Associated Lab Samples: 40269352001, 40269352002, 40269352003, 40269352004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	10/13/23 11:22	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	10/13/23 11:22	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	10/13/23 11:22	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	10/13/23 11:22	
1,1-Dichloroethane	ug/kg	<12.8	50.0	10/13/23 11:22	
1,1-Dichloroethene	ug/kg	<16.6	50.0	10/13/23 11:22	
1,1-Dichloropropene	ug/kg	<16.2	50.0	10/13/23 11:22	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	10/13/23 11:22	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	10/13/23 11:22	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	10/13/23 11:22	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	10/13/23 11:22	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	10/13/23 11:22	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	10/13/23 11:22	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	10/13/23 11:22	
1,2-Dichloroethane	ug/kg	<11.5	50.0	10/13/23 11:22	
1,2-Dichloropropane	ug/kg	<11.9	50.0	10/13/23 11:22	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	10/13/23 11:22	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	10/13/23 11:22	
1,3-Dichloropropane	ug/kg	<10.9	50.0	10/13/23 11:22	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	10/13/23 11:22	
2,2-Dichloropropane	ug/kg	<13.5	50.0	10/13/23 11:22	
2-Chlorotoluene	ug/kg	<16.2	50.0	10/13/23 11:22	
4-Chlorotoluene	ug/kg	<19.0	50.0	10/13/23 11:22	
Benzene	ug/kg	<11.9	20.0	10/13/23 11:22	
Bromobenzene	ug/kg	<19.5	50.0	10/13/23 11:22	
Bromochloromethane	ug/kg	<13.7	50.0	10/13/23 11:22	
Bromodichloromethane	ug/kg	<11.9	50.0	10/13/23 11:22	
Bromoform	ug/kg	<220	250	10/13/23 11:22	
Bromomethane	ug/kg	<70.1	250	10/13/23 11:22	
Carbon tetrachloride	ug/kg	<11.0	50.0	10/13/23 11:22	
Chlorobenzene	ug/kg	<6.0	50.0	10/13/23 11:22	
Chloroethane	ug/kg	<21.1	250	10/13/23 11:22	
Chloroform	ug/kg	<35.8	250	10/13/23 11:22	
Chloromethane	ug/kg	<19.0	50.0	10/13/23 11:22	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	10/13/23 11:22	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	10/13/23 11:22	
Dibromochloromethane	ug/kg	<171	250	10/13/23 11:22	
Dibromomethane	ug/kg	<14.8	50.0	10/13/23 11:22	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	10/13/23 11:22	
Diisopropyl ether	ug/kg	<12.4	50.0	10/13/23 11:22	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

METHOD BLANK: 2626969

Matrix: Solid

Associated Lab Samples: 40269352001, 40269352002, 40269352003, 40269352004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	10/13/23 11:22	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	10/13/23 11:22	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	10/13/23 11:22	
m&p-Xylene	ug/kg	<21.1	100	10/13/23 11:22	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	10/13/23 11:22	
Methylene Chloride	ug/kg	<13.9	50.0	10/13/23 11:22	
n-Butylbenzene	ug/kg	<22.9	50.0	10/13/23 11:22	
n-Propylbenzene	ug/kg	<12.0	50.0	10/13/23 11:22	
Naphthalene	ug/kg	<21.0	250	10/13/23 11:22	
o-Xylene	ug/kg	<15.0	50.0	10/13/23 11:22	
p-Isopropyltoluene	ug/kg	<17.0	50.0	10/13/23 11:22	
sec-Butylbenzene	ug/kg	<17.2	50.0	10/13/23 11:22	
Styrene	ug/kg	<12.8	50.0	10/13/23 11:22	
tert-Butylbenzene	ug/kg	<15.7	50.0	10/13/23 11:22	
Tetrachloroethene	ug/kg	<19.4	50.0	10/13/23 11:22	
Toluene	ug/kg	<12.6	50.0	10/13/23 11:22	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	10/13/23 11:22	
trans-1,3-Dichloropropene	ug/kg	<143	250	10/13/23 11:22	
Trichloroethene	ug/kg	<18.7	50.0	10/13/23 11:22	
Trichlorofluoromethane	ug/kg	<14.5	50.0	10/13/23 11:22	
Vinyl chloride	ug/kg	<10.1	50.0	10/13/23 11:22	
1,2-Dichlorobenzene-d4 (S)	%	102	67-144	10/13/23 11:22	
4-Bromofluorobenzene (S)	%	93	72-142	10/13/23 11:22	
Toluene-d8 (S)	%	100	70-139	10/13/23 11:22	

LABORATORY CONTROL SAMPLE: 2626970

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2020	81	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2530	101	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2540	102	70-130	
1,1-Dichloroethane	ug/kg	2500	2610	105	70-130	
1,1-Dichloroethene	ug/kg	2500	2610	104	77-122	
1,2,4-Trichlorobenzene	ug/kg	2500	2320	93	66-125	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1950	78	66-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2490	99	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2520	101	70-130	
1,2-Dichloroethane	ug/kg	2500	2100	84	70-130	
1,2-Dichloropropane	ug/kg	2500	2580	103	80-121	
1,3-Dichlorobenzene	ug/kg	2500	2510	101	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2440	98	70-130	
Benzene	ug/kg	2500	2590	104	70-130	
Bromodichloromethane	ug/kg	2500	2210	88	70-130	
Bromoform	ug/kg	2500	2180	87	67-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

LABORATORY CONTROL SAMPLE: 2626970

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	1780	71	25-150	
Carbon tetrachloride	ug/kg	2500	1990	79	72-136	
Chlorobenzene	ug/kg	2500	2530	101	70-130	
Chloroethane	ug/kg	2500	1870	75	20-178	
Chloroform	ug/kg	2500	2280	91	80-120	
Chloromethane	ug/kg	2500	2420	97	45-123	
cis-1,2-Dichloroethene	ug/kg	2500	2550	102	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2440	98	70-130	
Dibromochloromethane	ug/kg	2500	2160	86	70-130	
Dichlorodifluoromethane	ug/kg	2500	1400	56	14-106	
Ethylbenzene	ug/kg	2500	2400	96	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2300	92	70-130	
m&p-Xylene	ug/kg	5000	4880	98	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2400	96	70-130	
Methylene Chloride	ug/kg	2500	2660	106	70-130	
o-Xylene	ug/kg	2500	2490	100	70-130	
Styrene	ug/kg	2500	3030	121	70-130	
Tetrachloroethene	ug/kg	2500	2550	102	70-130	
Toluene	ug/kg	2500	2530	101	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2530	101	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2230	89	70-130	
Trichloroethene	ug/kg	2500	2360	94	70-130	
Trichlorofluoromethane	ug/kg	2500	1960	78	49-141	
Vinyl chloride	ug/kg	2500	2160	86	59-120	
1,2-Dichlorobenzene-d4 (S)	%			100	67-144	
4-Bromofluorobenzene (S)	%			95	72-142	
Toluene-d8 (S)	%			99	70-139	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2626971 2626972

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40269007002 Result	Spike Conc.	Spike Conc.	Result							Result
1,1,1-Trichloroethane	ug/kg	<22.1	1730	1730	1160	1200	67	69	56-130	3	20	
1,1,2,2-Tetrachloroethane	ug/kg	<31.2	1730	1730	1600	1550	93	90	70-133	4	20	
1,1,2-Trichloroethane	ug/kg	<31.4	1730	1730	1680	1630	98	94	70-130	3	20	
1,1-Dichloroethane	ug/kg	<22.1	1730	1730	1640	1630	95	94	70-130	1	20	
1,1-Dichloroethene	ug/kg	<28.6	1730	1730	1340	1420	78	82	52-122	6	20	
1,2,4-Trichlorobenzene	ug/kg	<71.0	1730	1730	1680	1640	97	95	66-136	2	20	
1,2-Dibromo-3-chloropropane	ug/kg	<66.9	1730	1730	1110	1230	64	72	59-131	11	23	
1,2-Dibromoethane (EDB)	ug/kg	<23.6	1730	1730	1610	1580	93	92	70-130	2	20	
1,2-Dichlorobenzene	ug/kg	<26.7	1730	1730	1700	1670	98	97	70-130	1	20	
1,2-Dichloroethane	ug/kg	<19.8	1730	1730	1400	1320	81	77	70-130	5	20	
1,2-Dichloropropane	ug/kg	<20.5	1730	1730	1690	1600	98	93	77-121	5	20	
1,3-Dichlorobenzene	ug/kg	<23.6	1730	1730	1700	1680	98	97	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

Parameter	Units	2626971		2626972		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40269007002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,4-Dichlorobenzene	ug/kg	<23.6	1730	1730	1620	1620	94	94	70-130	0	20		
Benzene	ug/kg	<20.5	1730	1730	1650	1630	96	95	70-130	1	20		
Bromodichloromethane	ug/kg	<20.5	1730	1730	1430	1360	83	79	70-130	5	20		
Bromoform	ug/kg	<379	1730	1730	1310	1280	76	74	67-130	3	20		
Bromomethane	ug/kg	<121	1730	1730	1000	984	58	57	25-150	2	20		
Carbon tetrachloride	ug/kg	<19.0	1730	1730	1050	1120	61	65	48-136	6	20		
Chlorobenzene	ug/kg	<10.3	1730	1730	1690	1670	98	97	70-130	1	20		
Chloroethane	ug/kg	<36.4	1730	1730	1060	1040	62	60	20-178	2	23		
Chloroform	ug/kg	<61.7	1730	1730	1480	1530	86	89	80-120	3	20		
Chloromethane	ug/kg	<32.7	1730	1730	1030	1060	60	61	23-132	3	20		
cis-1,2-Dichloroethene	ug/kg	<18.4	1730	1730	1590	1510	92	88	70-130	5	20		
cis-1,3-Dichloropropene	ug/kg	<56.9	1730	1730	1600	1520	93	88	70-130	5	20		
Dibromochloromethane	ug/kg	<295	1730	1730	1390	1350	81	78	70-130	3	20		
Dichlorodifluoromethane	ug/kg	<37.1	1730	1730	376	456	22	26	10-106	19	34		
Ethylbenzene	ug/kg	<20.5	1730	1730	1540	1540	90	89	80-120	0	20		
Isopropylbenzene (Cumene)	ug/kg	<23.3	1730	1730	1450	1480	84	86	70-130	2	20		
m&p-Xylene	ug/kg	<36.4	3450	3450	3220	3160	93	92	70-130	2	20		
Methyl-tert-butyl ether	ug/kg	<25.3	1730	1730	1510	1470	88	86	67-130	3	20		
Methylene Chloride	ug/kg	<24.0	1730	1730	1640	1640	95	95	70-130	0	20		
o-Xylene	ug/kg	<25.9	1730	1730	1660	1620	96	94	70-130	2	20		
Styrene	ug/kg	<22.1	1730	1730	2020	1960	117	114	70-130	3	20		
Tetrachloroethene	ug/kg	<33.4	1730	1730	1480	1590	86	92	70-130	7	20		
Toluene	ug/kg	<21.7	1730	1730	1590	1570	92	91	80-120	1	20		
trans-1,2-Dichloroethene	ug/kg	<18.8	1730	1730	1570	1580	91	91	70-130	0	20		
trans-1,3-Dichloropropene	ug/kg	<246	1730	1730	1440	1390	84	81	70-130	4	20		
Trichloroethene	ug/kg	<32.2	1730	1730	1460	1510	85	87	70-130	3	20		
Trichlorofluoromethane	ug/kg	<25.0	1730	1730	857	1110	50	65	21-141	26	28		
Vinyl chloride	ug/kg	<17.4	1730	1730	930	991	54	58	29-120	6	20		
1,2-Dichlorobenzene-d4 (S)	%						134	129	67-144				
4-Bromofluorobenzene (S)	%						125	123	72-142				
Toluene-d8 (S)	%						132	127	70-139				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

QC Batch: 457380

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40269352001, 40269352002

SAMPLE DUPLICATE: 2626634

Parameter	Units	40269155024 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	18.8	19.2	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

QC Batch: 457432

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40269352003

SAMPLE DUPLICATE: 2626880

Parameter	Units	40269352003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	22.9	22.1	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GARAGE MAHAL PROPERTY

Pace Project No.: 40269352

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GARAGE MAHAL PROPERTY
Pace Project No.: 40269352

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40269352001	B-9 (3-5)	EPA 5035/5030B	457440	EPA 8260	457447
40269352002	B-8 (2-4)	EPA 5035/5030B	457440	EPA 8260	457447
40269352003	B-7 (2-4)	EPA 5035/5030B	457440	EPA 8260	457447
40269352004	MEOH BLANK	EPA 5035/5030B	457440	EPA 8260	457447
40269352001	B-9 (3-5)	ASTM D2974-87	457380		
40269352002	B-8 (2-4)	ASTM D2974-87	457380		
40269352003	B-7 (2-4)	ASTM D2974-87	457432		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40269352

ALL SHADED AREAS are for LAB USE ONLY

Company: Himalayan Consultants

Billing Information: SAME

Address: Germantown, WI

Container Preservative Type **

Lab Project Manager:

Report To: T. Dweppen

Email To: tdweppen@gmail.com

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Copy To:

Site Collection Info/Address: W164N8859 Mill Rd

Analyses

Lab Profile/Line:

Customer Project Name/Number: GARAGE MAHAL Property

State: WI County/City: Menom. Falls Time Zone Collected: [] PT [] MT [] CT [] ET

Lab Sample Receipt Checklist:

Phone: Email:

Site/Facility ID #:

Compliance Monitoring? [] Yes [] No

- Custody Seals Present/Intact Y N NA
- Custody Signatures Present Y N NA
- Collector Signature Present Y N NA
- Bottles Intact Y N NA
- Correct Bottles Y N NA
- Sufficient Volume Y N NA
- Samples Received on Ice Y N NA
- VOA - Headspace Acceptable Y N NA
- USDA Regulated Soils Y N NA
- Samples in Holding Time Y N NA
- Residual Chlorine Present Y N NA
- Cl Strips: Y N NA
- Sample pH Acceptable Y N NA
- pH Strips: Y N NA
- Sulfide Present Y N NA
- Lead Acetate Strips: Y N NA

Collected By (print): T. Dweppen

Purchase Order #: Quote #:

DW PWS ID #: DW Location Code:

Collected By (signature): T. Dweppen

Turnaround Date Required: Normal

Immediately Packed on Ice: [X] Yes [] No

Sample Disposal: [X] Dispose as appropriate [] Return [] Archive: [] Hold:

Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)

Field Filtered (if applicable): [] Yes [] No Analysis:

VOCs

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
B9(3-5)	SL	Grab	10/10/23	10:00				2 X
B-8(2-4)	SL	Grab	10/10/23	10:30				2 X
B-7(2-4)	SL	Grab	10/10/23	11:00				2 X
Meqst. blank								

LAB USE ONLY: Lab Sample # / Comments:

001
002
003
004 @ received lab added to coc 10/10/23

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None Packing Material Used: Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A Lab Tracking #: 2881996 Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info: Temp Blank Received: Y N NA Therm ID#: Cooler 1 Temp Upon Receipt: oC Cooler 1 Therm Corr. Factor: oC Cooler 1 Corrected Temp: oC Comments:

Relinquished by/Company: (Signature) Date/Time: 10/10/23

Received by/Company: (Signature) Date/Time: 10/10/23 0910

Relinquished by/Company: (Signature) Date/Time: 10/10/23 0910

Received by/Company: (Signature) Date/Time: 10/10/23 1200

MTJL LAB USE ONLY Table #: Acctnum: Template: Prelogin: PM: PB:

Trip Blank Received: Y N NA HCL MeOH TSP Other Non Conformance(s): YES / NO Page 22 of 24 of:

Client Name: Homalayan

Sample Preservation Receipt Form

Project # 40269352

All containers needing preservation have been checked and noted below:
Lab Lot# of pH paper

Yes No N/A
Lab Std #ID of preservation (if pH adjusted).

Initial when completed: _____ Date/ Time: _____

Pace Lab #	Glass					Plastic					Vials					Jars				General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)							
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U								WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2	
001																																			2.5 / 5
002																																			2.5 / 5
003																																			2.5 / 5
004																																			2.5 / 5
005																																			2.5 / 5
006																																			2.5 / 5
007																																			2.5 / 5
008																																			2.5 / 5
009																																			2.5 / 5
010																																			2.5 / 5
011																																			2.5 / 5
012																																			2.5 / 5
013																																			2.5 / 5
014																																			2.5 / 5
015																																			2.5 / 5
016																																			2.5 / 5
017																																			2.5 / 5
018																																			2.5 / 5
019																																			2.5 / 5
020																																			2.5 / 5

10/11/23 SG

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9C 40 mL clear ascorbic w/ HCl	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG5U 100 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG2S 500 mL amber glass H2SO4	BP2Z 500 mL plastic NaOH + Zn	VG9D 40 mL clear vial DI	ZPLC ziploc bag
BG3U 250 mL clear glass unpres			GN 1
			GN 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Homalayan
 Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

WO#: 40269352

 40269352

Tracking #: _____
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR - 1099 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 1.0 ICorr: 1.0
 Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 10/11/23 Initials: SG
 Labeled By Initials: mt

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - DI VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time: _____
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>	9.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: <u>W</u>	12.
Trip Blank Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Trip Blank Custody Seals Present <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Pace Trip Blank Lot # (if purchased): _____	13. <u>reversed, labelled to coc</u> <u>10/11/23 SG</u>

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____



November 13, 2023

Thomas Dueppen
Himalayan Consultants, LLC
W156 N11357 Pilgrim Road
Germantown, WI 53022

RE: Project: GARAGE MAHAL
Pace Project No.: 40270726

Dear Thomas Dueppen:

Enclosed are the analytical results for sample(s) received by the laboratory on November 08, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GARAGE MAHAL
Pace Project No.: 40270726

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40270726001	B-10 (2.5-5.5')	Solid	11/07/23 10:00	11/08/23 09:00
40270726002	B-11 (2.5-4.0)	Solid	11/07/23 10:30	11/08/23 09:00
40270726003	B-12 (2.5-4.5)	Solid	11/07/23 10:45	11/08/23 09:00
40270726004	B-12 (10-15)	Solid	11/07/23 11:15	11/08/23 09:00
40270726005	B-13 (5-10)	Solid	11/07/23 11:45	11/08/23 09:00
40270726006	B-13 (18-20)	Solid	11/07/23 12:00	11/08/23 09:00
40270726007	B-12	Water	11/07/23 12:00	11/08/23 09:00
40270726008	B-13	Water	11/07/23 12:30	11/08/23 09:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GARAGE MAHAL

Pace Project No.: 40270726

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40270726001	B-10 (2.5-5.5')	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	RZA	1	PASI-G
40270726002	B-11 (2.5-4.0)	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	RZA	1	PASI-G
40270726003	B-12 (2.5-4.5)	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	RZA	1	PASI-G
40270726004	B-12 (10-15)	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	RZA	1	PASI-G
40270726005	B-13 (5-10)	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	RZA	1	PASI-G
40270726006	B-13 (18-20)	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	RZA	1	PASI-G
40270726007	B-12	EPA 8260	SMT	64	PASI-G
40270726008	B-13	EPA 8260	SMT	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SUMMARY OF DETECTION**

Project: GARAGE MAHAL

Pace Project No.: 40270726

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40270726001	B-10 (2.5-5.5')					
EPA 8260	Tetrachloroethene	1460	ug/kg	77.7	11/10/23 15:22	
ASTM D2974-87	Percent Moisture	21.7	%	0.10	11/08/23 13:26	
40270726002	B-11 (2.5-4.0)					
EPA 8260	Tetrachloroethene	75.2	ug/kg	72.8	11/09/23 16:26	
ASTM D2974-87	Percent Moisture	18.5	%	0.10	11/08/23 13:26	
40270726003	B-12 (2.5-4.5)					
ASTM D2974-87	Percent Moisture	6.6	%	0.10	11/08/23 13:27	
40270726004	B-12 (10-15)					
EPA 8260	Tetrachloroethene	240	ug/kg	94.9	11/10/23 15:42	
ASTM D2974-87	Percent Moisture	31.0	%	0.10	11/08/23 13:27	
40270726005	B-13 (5-10)					
EPA 8260	Tetrachloroethene	29.9J	ug/kg	72.8	11/09/23 17:26	
ASTM D2974-87	Percent Moisture	18.5	%	0.10	11/08/23 13:27	
40270726006	B-13 (18-20)					
EPA 8260	Tetrachloroethene	42.7J	ug/kg	67.5	11/09/23 17:46	
ASTM D2974-87	Percent Moisture	14.9	%	0.10	11/08/23 13:27	
40270726007	B-12					
EPA 8260	Tetrachloroethene	9.8	ug/L	1.0	11/10/23 01:48	
40270726008	B-13					
EPA 8260	Chloromethane	4.9J	ug/L	5.0	11/10/23 02:06	
EPA 8260	Tetrachloroethene	17.5	ug/L	1.0	11/10/23 02:06	
EPA 8260	Toluene	0.30J	ug/L	1.0	11/10/23 02:06	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-10 (2.5-5.5) Lab ID: 40270726001 Collected: 11/07/23 10:00 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<18.5	ug/kg	31.1	18.5	1	11/09/23 08:00	11/10/23 15:22	71-43-2	
Bromobenzene	<30.3	ug/kg	77.7	30.3	1	11/09/23 08:00	11/10/23 15:22	108-86-1	
Bromochloromethane	<21.3	ug/kg	77.7	21.3	1	11/09/23 08:00	11/10/23 15:22	74-97-5	
Bromodichloromethane	<18.5	ug/kg	77.7	18.5	1	11/09/23 08:00	11/10/23 15:22	75-27-4	
Bromoform	<342	ug/kg	389	342	1	11/09/23 08:00	11/10/23 15:22	75-25-2	
Bromomethane	<109	ug/kg	389	109	1	11/09/23 08:00	11/10/23 15:22	74-83-9	
n-Butylbenzene	<35.6	ug/kg	77.7	35.6	1	11/09/23 08:00	11/10/23 15:22	104-51-8	
sec-Butylbenzene	<26.7	ug/kg	77.7	26.7	1	11/09/23 08:00	11/10/23 15:22	135-98-8	
tert-Butylbenzene	<24.4	ug/kg	77.7	24.4	1	11/09/23 08:00	11/10/23 15:22	98-06-6	
Carbon tetrachloride	<17.1	ug/kg	77.7	17.1	1	11/09/23 08:00	11/10/23 15:22	56-23-5	
Chlorobenzene	<9.3	ug/kg	77.7	9.3	1	11/09/23 08:00	11/10/23 15:22	108-90-7	
Chloroethane	<32.8	ug/kg	389	32.8	1	11/09/23 08:00	11/10/23 15:22	75-00-3	
Chloroform	<55.7	ug/kg	389	55.7	1	11/09/23 08:00	11/10/23 15:22	67-66-3	
Chloromethane	<29.5	ug/kg	77.7	29.5	1	11/09/23 08:00	11/10/23 15:22	74-87-3	
2-Chlorotoluene	<25.2	ug/kg	77.7	25.2	1	11/09/23 08:00	11/10/23 15:22	95-49-8	
4-Chlorotoluene	<29.5	ug/kg	77.7	29.5	1	11/09/23 08:00	11/10/23 15:22	106-43-4	
1,2-Dibromo-3-chloropropane	<60.3	ug/kg	389	60.3	1	11/09/23 08:00	11/10/23 15:22	96-12-8	
Dibromochloromethane	<266	ug/kg	389	266	1	11/09/23 08:00	11/10/23 15:22	124-48-1	
1,2-Dibromoethane (EDB)	<21.3	ug/kg	77.7	21.3	1	11/09/23 08:00	11/10/23 15:22	106-93-4	
Dibromomethane	<23.0	ug/kg	77.7	23.0	1	11/09/23 08:00	11/10/23 15:22	74-95-3	
1,2-Dichlorobenzene	<24.1	ug/kg	77.7	24.1	1	11/09/23 08:00	11/10/23 15:22	95-50-1	
1,3-Dichlorobenzene	<21.3	ug/kg	77.7	21.3	1	11/09/23 08:00	11/10/23 15:22	541-73-1	
1,4-Dichlorobenzene	<21.3	ug/kg	77.7	21.3	1	11/09/23 08:00	11/10/23 15:22	106-46-7	
Dichlorodifluoromethane	<33.4	ug/kg	77.7	33.4	1	11/09/23 08:00	11/10/23 15:22	75-71-8	
1,1-Dichloroethane	<19.9	ug/kg	77.7	19.9	1	11/09/23 08:00	11/10/23 15:22	75-34-3	
1,2-Dichloroethane	<17.9	ug/kg	77.7	17.9	1	11/09/23 08:00	11/10/23 15:22	107-06-2	
1,1-Dichloroethene	<25.8	ug/kg	77.7	25.8	1	11/09/23 08:00	11/10/23 15:22	75-35-4	
cis-1,2-Dichloroethene	<16.6	ug/kg	77.7	16.6	1	11/09/23 08:00	11/10/23 15:22	156-59-2	
trans-1,2-Dichloroethene	<17.0	ug/kg	77.7	17.0	1	11/09/23 08:00	11/10/23 15:22	156-60-5	
1,2-Dichloropropane	<18.5	ug/kg	77.7	18.5	1	11/09/23 08:00	11/10/23 15:22	78-87-5	
1,3-Dichloropropane	<16.9	ug/kg	77.7	16.9	1	11/09/23 08:00	11/10/23 15:22	142-28-9	
2,2-Dichloropropane	<21.0	ug/kg	77.7	21.0	1	11/09/23 08:00	11/10/23 15:22	594-20-7	
1,1-Dichloropropene	<25.2	ug/kg	77.7	25.2	1	11/09/23 08:00	11/10/23 15:22	563-58-6	
cis-1,3-Dichloropropene	<51.3	ug/kg	389	51.3	1	11/09/23 08:00	11/10/23 15:22	10061-01-5	
trans-1,3-Dichloropropene	<222	ug/kg	389	222	1	11/09/23 08:00	11/10/23 15:22	10061-02-6	
Diisopropyl ether	<19.3	ug/kg	77.7	19.3	1	11/09/23 08:00	11/10/23 15:22	108-20-3	
Ethylbenzene	<18.5	ug/kg	77.7	18.5	1	11/09/23 08:00	11/10/23 15:22	100-41-4	
Hexachloro-1,3-butadiene	<155	ug/kg	389	155	1	11/09/23 08:00	11/10/23 15:22	87-68-3	
Isopropylbenzene (Cumene)	<21.0	ug/kg	77.7	21.0	1	11/09/23 08:00	11/10/23 15:22	98-82-8	
p-Isopropyltoluene	<26.4	ug/kg	77.7	26.4	1	11/09/23 08:00	11/10/23 15:22	99-87-6	
Methylene Chloride	<21.6	ug/kg	77.7	21.6	1	11/09/23 08:00	11/10/23 15:22	75-09-2	
Methyl-tert-butyl ether	<22.9	ug/kg	77.7	22.9	1	11/09/23 08:00	11/10/23 15:22	1634-04-4	
Naphthalene	<32.7	ug/kg	389	32.7	1	11/09/23 08:00	11/10/23 15:22	91-20-3	
n-Propylbenzene	<18.7	ug/kg	77.7	18.7	1	11/09/23 08:00	11/10/23 15:22	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-10 (2.5-5.5) Lab ID: 40270726001 Collected: 11/07/23 10:00 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<19.9	ug/kg	77.7	19.9	1	11/09/23 08:00	11/10/23 15:22	100-42-5	
1,1,1,2-Tetrachloroethane	<18.6	ug/kg	77.7	18.6	1	11/09/23 08:00	11/10/23 15:22	630-20-6	
1,1,2,2-Tetrachloroethane	<28.1	ug/kg	77.7	28.1	1	11/09/23 08:00	11/10/23 15:22	79-34-5	
Tetrachloroethene	1460	ug/kg	77.7	30.2	1	11/09/23 08:00	11/10/23 15:22	127-18-4	
Toluene	<19.6	ug/kg	77.7	19.6	1	11/09/23 08:00	11/10/23 15:22	108-88-3	
1,2,3-Trichlorobenzene	<86.6	ug/kg	389	86.6	1	11/09/23 08:00	11/10/23 15:22	87-61-6	
1,2,4-Trichlorobenzene	<64.0	ug/kg	389	64.0	1	11/09/23 08:00	11/10/23 15:22	120-82-1	
1,1,1-Trichloroethane	<19.9	ug/kg	77.7	19.9	1	11/09/23 08:00	11/10/23 15:22	71-55-6	
1,1,2-Trichloroethane	<28.3	ug/kg	77.7	28.3	1	11/09/23 08:00	11/10/23 15:22	79-00-5	
Trichloroethene	<29.1	ug/kg	77.7	29.1	1	11/09/23 08:00	11/10/23 15:22	79-01-6	
Trichlorofluoromethane	<22.5	ug/kg	77.7	22.5	1	11/09/23 08:00	11/10/23 15:22	75-69-4	
1,2,3-Trichloropropane	<37.8	ug/kg	77.7	37.8	1	11/09/23 08:00	11/10/23 15:22	96-18-4	
1,2,4-Trimethylbenzene	<23.2	ug/kg	77.7	23.2	1	11/09/23 08:00	11/10/23 15:22	95-63-6	
1,3,5-Trimethylbenzene	<25.0	ug/kg	77.7	25.0	1	11/09/23 08:00	11/10/23 15:22	108-67-8	
Vinyl chloride	<15.7	ug/kg	77.7	15.7	1	11/09/23 08:00	11/10/23 15:22	75-01-4	
m&p-Xylene	<32.8	ug/kg	155	32.8	1	11/09/23 08:00	11/10/23 15:22	179601-23-1	
o-Xylene	<23.3	ug/kg	77.7	23.3	1	11/09/23 08:00	11/10/23 15:22	95-47-6	
Surrogates									
Toluene-d8 (S)	132	%	70-139		1	11/09/23 08:00	11/10/23 15:22	2037-26-5	
4-Bromofluorobenzene (S)	136	%	72-142		1	11/09/23 08:00	11/10/23 15:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	142	%	67-144		1	11/09/23 08:00	11/10/23 15:22	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.7	%	0.10	0.10	1		11/08/23 13:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-11 (2.5-4.0) Lab ID: 40270726002 Collected: 11/07/23 10:30 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.3	ug/kg	29.1	17.3	1	11/09/23 08:00	11/09/23 16:26	71-43-2	
Bromobenzene	<28.4	ug/kg	72.8	28.4	1	11/09/23 08:00	11/09/23 16:26	108-86-1	
Bromochloromethane	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 16:26	74-97-5	
Bromodichloromethane	<17.3	ug/kg	72.8	17.3	1	11/09/23 08:00	11/09/23 16:26	75-27-4	
Bromoform	<320	ug/kg	364	320	1	11/09/23 08:00	11/09/23 16:26	75-25-2	
Bromomethane	<102	ug/kg	364	102	1	11/09/23 08:00	11/09/23 16:26	74-83-9	
n-Butylbenzene	<33.3	ug/kg	72.8	33.3	1	11/09/23 08:00	11/09/23 16:26	104-51-8	
sec-Butylbenzene	<25.0	ug/kg	72.8	25.0	1	11/09/23 08:00	11/09/23 16:26	135-98-8	
tert-Butylbenzene	<22.9	ug/kg	72.8	22.9	1	11/09/23 08:00	11/09/23 16:26	98-06-6	
Carbon tetrachloride	<16.0	ug/kg	72.8	16.0	1	11/09/23 08:00	11/09/23 16:26	56-23-5	
Chlorobenzene	<8.7	ug/kg	72.8	8.7	1	11/09/23 08:00	11/09/23 16:26	108-90-7	
Chloroethane	<30.7	ug/kg	364	30.7	1	11/09/23 08:00	11/09/23 16:26	75-00-3	
Chloroform	<52.1	ug/kg	364	52.1	1	11/09/23 08:00	11/09/23 16:26	67-66-3	
Chloromethane	<27.7	ug/kg	72.8	27.7	1	11/09/23 08:00	11/09/23 16:26	74-87-3	
2-Chlorotoluene	<23.6	ug/kg	72.8	23.6	1	11/09/23 08:00	11/09/23 16:26	95-49-8	
4-Chlorotoluene	<27.7	ug/kg	72.8	27.7	1	11/09/23 08:00	11/09/23 16:26	106-43-4	
1,2-Dibromo-3-chloropropane	<56.5	ug/kg	364	56.5	1	11/09/23 08:00	11/09/23 16:26	96-12-8	
Dibromochloromethane	<249	ug/kg	364	249	1	11/09/23 08:00	11/09/23 16:26	124-48-1	
1,2-Dibromoethane (EDB)	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 16:26	106-93-4	
Dibromomethane	<21.5	ug/kg	72.8	21.5	1	11/09/23 08:00	11/09/23 16:26	74-95-3	
1,2-Dichlorobenzene	<22.6	ug/kg	72.8	22.6	1	11/09/23 08:00	11/09/23 16:26	95-50-1	
1,3-Dichlorobenzene	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 16:26	541-73-1	
1,4-Dichlorobenzene	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 16:26	106-46-7	
Dichlorodifluoromethane	<31.3	ug/kg	72.8	31.3	1	11/09/23 08:00	11/09/23 16:26	75-71-8	
1,1-Dichloroethane	<18.6	ug/kg	72.8	18.6	1	11/09/23 08:00	11/09/23 16:26	75-34-3	
1,2-Dichloroethane	<16.7	ug/kg	72.8	16.7	1	11/09/23 08:00	11/09/23 16:26	107-06-2	
1,1-Dichloroethene	<24.2	ug/kg	72.8	24.2	1	11/09/23 08:00	11/09/23 16:26	75-35-4	
cis-1,2-Dichloroethene	<15.6	ug/kg	72.8	15.6	1	11/09/23 08:00	11/09/23 16:26	156-59-2	
trans-1,2-Dichloroethene	<15.9	ug/kg	72.8	15.9	1	11/09/23 08:00	11/09/23 16:26	156-60-5	
1,2-Dichloropropane	<17.3	ug/kg	72.8	17.3	1	11/09/23 08:00	11/09/23 16:26	78-87-5	
1,3-Dichloropropane	<15.9	ug/kg	72.8	15.9	1	11/09/23 08:00	11/09/23 16:26	142-28-9	
2,2-Dichloropropane	<19.6	ug/kg	72.8	19.6	1	11/09/23 08:00	11/09/23 16:26	594-20-7	
1,1-Dichloropropene	<23.6	ug/kg	72.8	23.6	1	11/09/23 08:00	11/09/23 16:26	563-58-6	
cis-1,3-Dichloropropene	<48.0	ug/kg	364	48.0	1	11/09/23 08:00	11/09/23 16:26	10061-01-5	
trans-1,3-Dichloropropene	<208	ug/kg	364	208	1	11/09/23 08:00	11/09/23 16:26	10061-02-6	
Diisopropyl ether	<18.0	ug/kg	72.8	18.0	1	11/09/23 08:00	11/09/23 16:26	108-20-3	
Ethylbenzene	<17.3	ug/kg	72.8	17.3	1	11/09/23 08:00	11/09/23 16:26	100-41-4	
Hexachloro-1,3-butadiene	<145	ug/kg	364	145	1	11/09/23 08:00	11/09/23 16:26	87-68-3	
Isopropylbenzene (Cumene)	<19.6	ug/kg	72.8	19.6	1	11/09/23 08:00	11/09/23 16:26	98-82-8	
p-Isopropyltoluene	<24.7	ug/kg	72.8	24.7	1	11/09/23 08:00	11/09/23 16:26	99-87-6	
Methylene Chloride	<20.2	ug/kg	72.8	20.2	1	11/09/23 08:00	11/09/23 16:26	75-09-2	
Methyl-tert-butyl ether	<21.4	ug/kg	72.8	21.4	1	11/09/23 08:00	11/09/23 16:26	1634-04-4	
Naphthalene	<30.6	ug/kg	364	30.6	1	11/09/23 08:00	11/09/23 16:26	91-20-3	
n-Propylbenzene	<17.5	ug/kg	72.8	17.5	1	11/09/23 08:00	11/09/23 16:26	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-11 (2.5-4.0) Lab ID: 40270726002 Collected: 11/07/23 10:30 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<18.6	ug/kg	72.8	18.6	1	11/09/23 08:00	11/09/23 16:26	100-42-5	
1,1,1,2-Tetrachloroethane	<17.5	ug/kg	72.8	17.5	1	11/09/23 08:00	11/09/23 16:26	630-20-6	
1,1,2,2-Tetrachloroethane	<26.3	ug/kg	72.8	26.3	1	11/09/23 08:00	11/09/23 16:26	79-34-5	
Tetrachloroethene	75.2	ug/kg	72.8	28.2	1	11/09/23 08:00	11/09/23 16:26	127-18-4	
Toluene	<18.3	ug/kg	72.8	18.3	1	11/09/23 08:00	11/09/23 16:26	108-88-3	
1,2,3-Trichlorobenzene	<81.1	ug/kg	364	81.1	1	11/09/23 08:00	11/09/23 16:26	87-61-6	
1,2,4-Trichlorobenzene	<60.0	ug/kg	364	60.0	1	11/09/23 08:00	11/09/23 16:26	120-82-1	
1,1,1-Trichloroethane	<18.6	ug/kg	72.8	18.6	1	11/09/23 08:00	11/09/23 16:26	71-55-6	
1,1,2-Trichloroethane	<26.5	ug/kg	72.8	26.5	1	11/09/23 08:00	11/09/23 16:26	79-00-5	
Trichloroethene	<27.2	ug/kg	72.8	27.2	1	11/09/23 08:00	11/09/23 16:26	79-01-6	
Trichlorofluoromethane	<21.1	ug/kg	72.8	21.1	1	11/09/23 08:00	11/09/23 16:26	75-69-4	
1,2,3-Trichloropropane	<35.4	ug/kg	72.8	35.4	1	11/09/23 08:00	11/09/23 16:26	96-18-4	
1,2,4-Trimethylbenzene	<21.7	ug/kg	72.8	21.7	1	11/09/23 08:00	11/09/23 16:26	95-63-6	
1,3,5-Trimethylbenzene	<23.4	ug/kg	72.8	23.4	1	11/09/23 08:00	11/09/23 16:26	108-67-8	
Vinyl chloride	<14.7	ug/kg	72.8	14.7	1	11/09/23 08:00	11/09/23 16:26	75-01-4	
m&p-Xylene	<30.7	ug/kg	146	30.7	1	11/09/23 08:00	11/09/23 16:26	179601-23-1	
o-Xylene	<21.8	ug/kg	72.8	21.8	1	11/09/23 08:00	11/09/23 16:26	95-47-6	
Surrogates									
Toluene-d8 (S)	134	%	70-139		1	11/09/23 08:00	11/09/23 16:26	2037-26-5	
4-Bromofluorobenzene (S)	132	%	72-142		1	11/09/23 08:00	11/09/23 16:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	142	%	67-144		1	11/09/23 08:00	11/09/23 16:26	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.5	%	0.10	0.10	1		11/08/23 13:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-12 (2.5-4.5) Lab ID: 40270726003 Collected: 11/07/23 10:45 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.6	ug/kg	22.8	13.6	1	11/09/23 08:00	11/09/23 16:46	71-43-2	
Bromobenzene	<22.3	ug/kg	57.1	22.3	1	11/09/23 08:00	11/09/23 16:46	108-86-1	
Bromochloromethane	<15.6	ug/kg	57.1	15.6	1	11/09/23 08:00	11/09/23 16:46	74-97-5	
Bromodichloromethane	<13.6	ug/kg	57.1	13.6	1	11/09/23 08:00	11/09/23 16:46	75-27-4	
Bromoform	<251	ug/kg	286	251	1	11/09/23 08:00	11/09/23 16:46	75-25-2	
Bromomethane	<80.1	ug/kg	286	80.1	1	11/09/23 08:00	11/09/23 16:46	74-83-9	
n-Butylbenzene	<26.2	ug/kg	57.1	26.2	1	11/09/23 08:00	11/09/23 16:46	104-51-8	
sec-Butylbenzene	<19.6	ug/kg	57.1	19.6	1	11/09/23 08:00	11/09/23 16:46	135-98-8	
tert-Butylbenzene	<17.9	ug/kg	57.1	17.9	1	11/09/23 08:00	11/09/23 16:46	98-06-6	
Carbon tetrachloride	<12.6	ug/kg	57.1	12.6	1	11/09/23 08:00	11/09/23 16:46	56-23-5	
Chlorobenzene	<6.8	ug/kg	57.1	6.8	1	11/09/23 08:00	11/09/23 16:46	108-90-7	
Chloroethane	<24.1	ug/kg	286	24.1	1	11/09/23 08:00	11/09/23 16:46	75-00-3	
Chloroform	<40.9	ug/kg	286	40.9	1	11/09/23 08:00	11/09/23 16:46	67-66-3	
Chloromethane	<21.7	ug/kg	57.1	21.7	1	11/09/23 08:00	11/09/23 16:46	74-87-3	
2-Chlorotoluene	<18.5	ug/kg	57.1	18.5	1	11/09/23 08:00	11/09/23 16:46	95-49-8	
4-Chlorotoluene	<21.7	ug/kg	57.1	21.7	1	11/09/23 08:00	11/09/23 16:46	106-43-4	
1,2-Dibromo-3-chloropropane	<44.3	ug/kg	286	44.3	1	11/09/23 08:00	11/09/23 16:46	96-12-8	
Dibromochloromethane	<195	ug/kg	286	195	1	11/09/23 08:00	11/09/23 16:46	124-48-1	
1,2-Dibromoethane (EDB)	<15.6	ug/kg	57.1	15.6	1	11/09/23 08:00	11/09/23 16:46	106-93-4	
Dibromomethane	<16.9	ug/kg	57.1	16.9	1	11/09/23 08:00	11/09/23 16:46	74-95-3	
1,2-Dichlorobenzene	<17.7	ug/kg	57.1	17.7	1	11/09/23 08:00	11/09/23 16:46	95-50-1	
1,3-Dichlorobenzene	<15.6	ug/kg	57.1	15.6	1	11/09/23 08:00	11/09/23 16:46	541-73-1	
1,4-Dichlorobenzene	<15.6	ug/kg	57.1	15.6	1	11/09/23 08:00	11/09/23 16:46	106-46-7	
Dichlorodifluoromethane	<24.6	ug/kg	57.1	24.6	1	11/09/23 08:00	11/09/23 16:46	75-71-8	
1,1-Dichloroethane	<14.6	ug/kg	57.1	14.6	1	11/09/23 08:00	11/09/23 16:46	75-34-3	
1,2-Dichloroethane	<13.1	ug/kg	57.1	13.1	1	11/09/23 08:00	11/09/23 16:46	107-06-2	
1,1-Dichloroethene	<19.0	ug/kg	57.1	19.0	1	11/09/23 08:00	11/09/23 16:46	75-35-4	
cis-1,2-Dichloroethene	<12.2	ug/kg	57.1	12.2	1	11/09/23 08:00	11/09/23 16:46	156-59-2	
trans-1,2-Dichloroethene	<12.5	ug/kg	57.1	12.5	1	11/09/23 08:00	11/09/23 16:46	156-60-5	
1,2-Dichloropropane	<13.6	ug/kg	57.1	13.6	1	11/09/23 08:00	11/09/23 16:46	78-87-5	
1,3-Dichloropropane	<12.4	ug/kg	57.1	12.4	1	11/09/23 08:00	11/09/23 16:46	142-28-9	
2,2-Dichloropropane	<15.4	ug/kg	57.1	15.4	1	11/09/23 08:00	11/09/23 16:46	594-20-7	
1,1-Dichloropropene	<18.5	ug/kg	57.1	18.5	1	11/09/23 08:00	11/09/23 16:46	563-58-6	
cis-1,3-Dichloropropene	<37.7	ug/kg	286	37.7	1	11/09/23 08:00	11/09/23 16:46	10061-01-5	
trans-1,3-Dichloropropene	<163	ug/kg	286	163	1	11/09/23 08:00	11/09/23 16:46	10061-02-6	
Diisopropyl ether	<14.2	ug/kg	57.1	14.2	1	11/09/23 08:00	11/09/23 16:46	108-20-3	
Ethylbenzene	<13.6	ug/kg	57.1	13.6	1	11/09/23 08:00	11/09/23 16:46	100-41-4	
Hexachloro-1,3-butadiene	<114	ug/kg	286	114	1	11/09/23 08:00	11/09/23 16:46	87-68-3	
Isopropylbenzene (Cumene)	<15.4	ug/kg	57.1	15.4	1	11/09/23 08:00	11/09/23 16:46	98-82-8	
p-Isopropyltoluene	<19.4	ug/kg	57.1	19.4	1	11/09/23 08:00	11/09/23 16:46	99-87-6	
Methylene Chloride	<15.9	ug/kg	57.1	15.9	1	11/09/23 08:00	11/09/23 16:46	75-09-2	
Methyl-tert-butyl ether	<16.8	ug/kg	57.1	16.8	1	11/09/23 08:00	11/09/23 16:46	1634-04-4	
Naphthalene	<24.0	ug/kg	286	24.0	1	11/09/23 08:00	11/09/23 16:46	91-20-3	
n-Propylbenzene	<13.7	ug/kg	57.1	13.7	1	11/09/23 08:00	11/09/23 16:46	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-12 (2.5-4.5) Lab ID: 40270726003 Collected: 11/07/23 10:45 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.6	ug/kg	57.1	14.6	1	11/09/23 08:00	11/09/23 16:46	100-42-5	
1,1,1,2-Tetrachloroethane	<13.7	ug/kg	57.1	13.7	1	11/09/23 08:00	11/09/23 16:46	630-20-6	
1,1,2,2-Tetrachloroethane	<20.7	ug/kg	57.1	20.7	1	11/09/23 08:00	11/09/23 16:46	79-34-5	
Tetrachloroethene	<22.2	ug/kg	57.1	22.2	1	11/09/23 08:00	11/09/23 16:46	127-18-4	
Toluene	<14.4	ug/kg	57.1	14.4	1	11/09/23 08:00	11/09/23 16:46	108-88-3	
1,2,3-Trichlorobenzene	<63.6	ug/kg	286	63.6	1	11/09/23 08:00	11/09/23 16:46	87-61-6	
1,2,4-Trichlorobenzene	<47.1	ug/kg	286	47.1	1	11/09/23 08:00	11/09/23 16:46	120-82-1	
1,1,1-Trichloroethane	<14.6	ug/kg	57.1	14.6	1	11/09/23 08:00	11/09/23 16:46	71-55-6	
1,1,2-Trichloroethane	<20.8	ug/kg	57.1	20.8	1	11/09/23 08:00	11/09/23 16:46	79-00-5	
Trichloroethene	<21.4	ug/kg	57.1	21.4	1	11/09/23 08:00	11/09/23 16:46	79-01-6	
Trichlorofluoromethane	<16.6	ug/kg	57.1	16.6	1	11/09/23 08:00	11/09/23 16:46	75-69-4	
1,2,3-Trichloropropane	<27.8	ug/kg	57.1	27.8	1	11/09/23 08:00	11/09/23 16:46	96-18-4	
1,2,4-Trimethylbenzene	<17.0	ug/kg	57.1	17.0	1	11/09/23 08:00	11/09/23 16:46	95-63-6	
1,3,5-Trimethylbenzene	<18.4	ug/kg	57.1	18.4	1	11/09/23 08:00	11/09/23 16:46	108-67-8	
Vinyl chloride	<11.5	ug/kg	57.1	11.5	1	11/09/23 08:00	11/09/23 16:46	75-01-4	
m&p-Xylene	<24.1	ug/kg	114	24.1	1	11/09/23 08:00	11/09/23 16:46	179601-23-1	
o-Xylene	<17.1	ug/kg	57.1	17.1	1	11/09/23 08:00	11/09/23 16:46	95-47-6	
Surrogates									
Toluene-d8 (S)	119	%	70-139		1	11/09/23 08:00	11/09/23 16:46	2037-26-5	
4-Bromofluorobenzene (S)	125	%	72-142		1	11/09/23 08:00	11/09/23 16:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	131	%	67-144		1	11/09/23 08:00	11/09/23 16:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.6	%	0.10	0.10	1		11/08/23 13:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-12 (10-15) Lab ID: 40270726004 Collected: 11/07/23 11:15 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<22.6	ug/kg	38.0	22.6	1	11/09/23 08:00	11/10/23 15:42	71-43-2	
Bromobenzene	<37.0	ug/kg	94.9	37.0	1	11/09/23 08:00	11/10/23 15:42	108-86-1	
Bromochloromethane	<26.0	ug/kg	94.9	26.0	1	11/09/23 08:00	11/10/23 15:42	74-97-5	
Bromodichloromethane	<22.6	ug/kg	94.9	22.6	1	11/09/23 08:00	11/10/23 15:42	75-27-4	
Bromoform	<418	ug/kg	475	418	1	11/09/23 08:00	11/10/23 15:42	75-25-2	
Bromomethane	<133	ug/kg	475	133	1	11/09/23 08:00	11/10/23 15:42	74-83-9	
n-Butylbenzene	<43.5	ug/kg	94.9	43.5	1	11/09/23 08:00	11/10/23 15:42	104-51-8	
sec-Butylbenzene	<32.6	ug/kg	94.9	32.6	1	11/09/23 08:00	11/10/23 15:42	135-98-8	
tert-Butylbenzene	<29.8	ug/kg	94.9	29.8	1	11/09/23 08:00	11/10/23 15:42	98-06-6	
Carbon tetrachloride	<20.9	ug/kg	94.9	20.9	1	11/09/23 08:00	11/10/23 15:42	56-23-5	
Chlorobenzene	<11.4	ug/kg	94.9	11.4	1	11/09/23 08:00	11/10/23 15:42	108-90-7	
Chloroethane	<40.1	ug/kg	475	40.1	1	11/09/23 08:00	11/10/23 15:42	75-00-3	
Chloroform	<68.0	ug/kg	475	68.0	1	11/09/23 08:00	11/10/23 15:42	67-66-3	
Chloromethane	<36.1	ug/kg	94.9	36.1	1	11/09/23 08:00	11/10/23 15:42	74-87-3	
2-Chlorotoluene	<30.8	ug/kg	94.9	30.8	1	11/09/23 08:00	11/10/23 15:42	95-49-8	
4-Chlorotoluene	<36.1	ug/kg	94.9	36.1	1	11/09/23 08:00	11/10/23 15:42	106-43-4	
1,2-Dibromo-3-chloropropane	<73.7	ug/kg	475	73.7	1	11/09/23 08:00	11/10/23 15:42	96-12-8	
Dibromochloromethane	<324	ug/kg	475	324	1	11/09/23 08:00	11/10/23 15:42	124-48-1	
1,2-Dibromoethane (EDB)	<26.0	ug/kg	94.9	26.0	1	11/09/23 08:00	11/10/23 15:42	106-93-4	
Dibromomethane	<28.1	ug/kg	94.9	28.1	1	11/09/23 08:00	11/10/23 15:42	74-95-3	
1,2-Dichlorobenzene	<29.4	ug/kg	94.9	29.4	1	11/09/23 08:00	11/10/23 15:42	95-50-1	
1,3-Dichlorobenzene	<26.0	ug/kg	94.9	26.0	1	11/09/23 08:00	11/10/23 15:42	541-73-1	
1,4-Dichlorobenzene	<26.0	ug/kg	94.9	26.0	1	11/09/23 08:00	11/10/23 15:42	106-46-7	
Dichlorodifluoromethane	<40.8	ug/kg	94.9	40.8	1	11/09/23 08:00	11/10/23 15:42	75-71-8	
1,1-Dichloroethane	<24.3	ug/kg	94.9	24.3	1	11/09/23 08:00	11/10/23 15:42	75-34-3	
1,2-Dichloroethane	<21.8	ug/kg	94.9	21.8	1	11/09/23 08:00	11/10/23 15:42	107-06-2	
1,1-Dichloroethene	<31.5	ug/kg	94.9	31.5	1	11/09/23 08:00	11/10/23 15:42	75-35-4	
cis-1,2-Dichloroethene	<20.3	ug/kg	94.9	20.3	1	11/09/23 08:00	11/10/23 15:42	156-59-2	
trans-1,2-Dichloroethene	<20.8	ug/kg	94.9	20.8	1	11/09/23 08:00	11/10/23 15:42	156-60-5	
1,2-Dichloropropane	<22.6	ug/kg	94.9	22.6	1	11/09/23 08:00	11/10/23 15:42	78-87-5	
1,3-Dichloropropane	<20.7	ug/kg	94.9	20.7	1	11/09/23 08:00	11/10/23 15:42	142-28-9	
2,2-Dichloropropane	<25.6	ug/kg	94.9	25.6	1	11/09/23 08:00	11/10/23 15:42	594-20-7	
1,1-Dichloropropene	<30.8	ug/kg	94.9	30.8	1	11/09/23 08:00	11/10/23 15:42	563-58-6	
cis-1,3-Dichloropropene	<62.7	ug/kg	475	62.7	1	11/09/23 08:00	11/10/23 15:42	10061-01-5	
trans-1,3-Dichloropropene	<272	ug/kg	475	272	1	11/09/23 08:00	11/10/23 15:42	10061-02-6	
Diisopropyl ether	<23.5	ug/kg	94.9	23.5	1	11/09/23 08:00	11/10/23 15:42	108-20-3	
Ethylbenzene	<22.6	ug/kg	94.9	22.6	1	11/09/23 08:00	11/10/23 15:42	100-41-4	
Hexachloro-1,3-butadiene	<189	ug/kg	475	189	1	11/09/23 08:00	11/10/23 15:42	87-68-3	
Isopropylbenzene (Cumene)	<25.6	ug/kg	94.9	25.6	1	11/09/23 08:00	11/10/23 15:42	98-82-8	
p-Isopropyltoluene	<32.3	ug/kg	94.9	32.3	1	11/09/23 08:00	11/10/23 15:42	99-87-6	
Methylene Chloride	<26.4	ug/kg	94.9	26.4	1	11/09/23 08:00	11/10/23 15:42	75-09-2	
Methyl-tert-butyl ether	<27.9	ug/kg	94.9	27.9	1	11/09/23 08:00	11/10/23 15:42	1634-04-4	
Naphthalene	<39.9	ug/kg	475	39.9	1	11/09/23 08:00	11/10/23 15:42	91-20-3	
n-Propylbenzene	<22.8	ug/kg	94.9	22.8	1	11/09/23 08:00	11/10/23 15:42	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-12 (10-15) Lab ID: 40270726004 Collected: 11/07/23 11:15 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<24.3	ug/kg	94.9	24.3	1	11/09/23 08:00	11/10/23 15:42	100-42-5	
1,1,1,2-Tetrachloroethane	<22.8	ug/kg	94.9	22.8	1	11/09/23 08:00	11/10/23 15:42	630-20-6	
1,1,2,2-Tetrachloroethane	<34.4	ug/kg	94.9	34.4	1	11/09/23 08:00	11/10/23 15:42	79-34-5	
Tetrachloroethene	240	ug/kg	94.9	36.8	1	11/09/23 08:00	11/10/23 15:42	127-18-4	
Toluene	<23.9	ug/kg	94.9	23.9	1	11/09/23 08:00	11/10/23 15:42	108-88-3	
1,2,3-Trichlorobenzene	<106	ug/kg	475	106	1	11/09/23 08:00	11/10/23 15:42	87-61-6	
1,2,4-Trichlorobenzene	<78.2	ug/kg	475	78.2	1	11/09/23 08:00	11/10/23 15:42	120-82-1	
1,1,1-Trichloroethane	<24.3	ug/kg	94.9	24.3	1	11/09/23 08:00	11/10/23 15:42	71-55-6	
1,1,2-Trichloroethane	<34.6	ug/kg	94.9	34.6	1	11/09/23 08:00	11/10/23 15:42	79-00-5	
Trichloroethene	<35.5	ug/kg	94.9	35.5	1	11/09/23 08:00	11/10/23 15:42	79-01-6	
Trichlorofluoromethane	<27.5	ug/kg	94.9	27.5	1	11/09/23 08:00	11/10/23 15:42	75-69-4	
1,2,3-Trichloropropane	<46.1	ug/kg	94.9	46.1	1	11/09/23 08:00	11/10/23 15:42	96-18-4	
1,2,4-Trimethylbenzene	<28.3	ug/kg	94.9	28.3	1	11/09/23 08:00	11/10/23 15:42	95-63-6	
1,3,5-Trimethylbenzene	<30.6	ug/kg	94.9	30.6	1	11/09/23 08:00	11/10/23 15:42	108-67-8	
Vinyl chloride	<19.2	ug/kg	94.9	19.2	1	11/09/23 08:00	11/10/23 15:42	75-01-4	
m&p-Xylene	<40.1	ug/kg	190	40.1	1	11/09/23 08:00	11/10/23 15:42	179601-23-1	
o-Xylene	<28.5	ug/kg	94.9	28.5	1	11/09/23 08:00	11/10/23 15:42	95-47-6	
Surrogates									
Toluene-d8 (S)	134	%	70-139		1	11/09/23 08:00	11/10/23 15:42	2037-26-5	
4-Bromofluorobenzene (S)	105	%	72-142		1	11/09/23 08:00	11/10/23 15:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	115	%	67-144		1	11/09/23 08:00	11/10/23 15:42	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	31.0	%	0.10	0.10	1		11/08/23 13:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-13 (5-10) Lab ID: 40270726005 Collected: 11/07/23 11:45 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.3	ug/kg	29.1	17.3	1	11/09/23 08:00	11/09/23 17:26	71-43-2	
Bromobenzene	<28.4	ug/kg	72.8	28.4	1	11/09/23 08:00	11/09/23 17:26	108-86-1	
Bromochloromethane	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 17:26	74-97-5	
Bromodichloromethane	<17.3	ug/kg	72.8	17.3	1	11/09/23 08:00	11/09/23 17:26	75-27-4	
Bromoform	<320	ug/kg	364	320	1	11/09/23 08:00	11/09/23 17:26	75-25-2	
Bromomethane	<102	ug/kg	364	102	1	11/09/23 08:00	11/09/23 17:26	74-83-9	
n-Butylbenzene	<33.3	ug/kg	72.8	33.3	1	11/09/23 08:00	11/09/23 17:26	104-51-8	
sec-Butylbenzene	<25.0	ug/kg	72.8	25.0	1	11/09/23 08:00	11/09/23 17:26	135-98-8	
tert-Butylbenzene	<22.8	ug/kg	72.8	22.8	1	11/09/23 08:00	11/09/23 17:26	98-06-6	
Carbon tetrachloride	<16.0	ug/kg	72.8	16.0	1	11/09/23 08:00	11/09/23 17:26	56-23-5	
Chlorobenzene	<8.7	ug/kg	72.8	8.7	1	11/09/23 08:00	11/09/23 17:26	108-90-7	
Chloroethane	<30.7	ug/kg	364	30.7	1	11/09/23 08:00	11/09/23 17:26	75-00-3	
Chloroform	<52.1	ug/kg	364	52.1	1	11/09/23 08:00	11/09/23 17:26	67-66-3	
Chloromethane	<27.6	ug/kg	72.8	27.6	1	11/09/23 08:00	11/09/23 17:26	74-87-3	
2-Chlorotoluene	<23.6	ug/kg	72.8	23.6	1	11/09/23 08:00	11/09/23 17:26	95-49-8	
4-Chlorotoluene	<27.6	ug/kg	72.8	27.6	1	11/09/23 08:00	11/09/23 17:26	106-43-4	
1,2-Dibromo-3-chloropropane	<56.5	ug/kg	364	56.5	1	11/09/23 08:00	11/09/23 17:26	96-12-8	
Dibromochloromethane	<249	ug/kg	364	249	1	11/09/23 08:00	11/09/23 17:26	124-48-1	
1,2-Dibromoethane (EDB)	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 17:26	106-93-4	
Dibromomethane	<21.5	ug/kg	72.8	21.5	1	11/09/23 08:00	11/09/23 17:26	74-95-3	
1,2-Dichlorobenzene	<22.6	ug/kg	72.8	22.6	1	11/09/23 08:00	11/09/23 17:26	95-50-1	
1,3-Dichlorobenzene	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 17:26	541-73-1	
1,4-Dichlorobenzene	<19.9	ug/kg	72.8	19.9	1	11/09/23 08:00	11/09/23 17:26	106-46-7	
Dichlorodifluoromethane	<31.3	ug/kg	72.8	31.3	1	11/09/23 08:00	11/09/23 17:26	75-71-8	
1,1-Dichloroethane	<18.6	ug/kg	72.8	18.6	1	11/09/23 08:00	11/09/23 17:26	75-34-3	
1,2-Dichloroethane	<16.7	ug/kg	72.8	16.7	1	11/09/23 08:00	11/09/23 17:26	107-06-2	
1,1-Dichloroethene	<24.2	ug/kg	72.8	24.2	1	11/09/23 08:00	11/09/23 17:26	75-35-4	
cis-1,2-Dichloroethene	<15.6	ug/kg	72.8	15.6	1	11/09/23 08:00	11/09/23 17:26	156-59-2	
trans-1,2-Dichloroethene	<15.9	ug/kg	72.8	15.9	1	11/09/23 08:00	11/09/23 17:26	156-60-5	
1,2-Dichloropropane	<17.3	ug/kg	72.8	17.3	1	11/09/23 08:00	11/09/23 17:26	78-87-5	
1,3-Dichloropropane	<15.9	ug/kg	72.8	15.9	1	11/09/23 08:00	11/09/23 17:26	142-28-9	
2,2-Dichloropropane	<19.6	ug/kg	72.8	19.6	1	11/09/23 08:00	11/09/23 17:26	594-20-7	
1,1-Dichloropropene	<23.6	ug/kg	72.8	23.6	1	11/09/23 08:00	11/09/23 17:26	563-58-6	
cis-1,3-Dichloropropene	<48.0	ug/kg	364	48.0	1	11/09/23 08:00	11/09/23 17:26	10061-01-5	
trans-1,3-Dichloropropene	<208	ug/kg	364	208	1	11/09/23 08:00	11/09/23 17:26	10061-02-6	
Diisopropyl ether	<18.0	ug/kg	72.8	18.0	1	11/09/23 08:00	11/09/23 17:26	108-20-3	
Ethylbenzene	<17.3	ug/kg	72.8	17.3	1	11/09/23 08:00	11/09/23 17:26	100-41-4	
Hexachloro-1,3-butadiene	<145	ug/kg	364	145	1	11/09/23 08:00	11/09/23 17:26	87-68-3	
Isopropylbenzene (Cumene)	<19.6	ug/kg	72.8	19.6	1	11/09/23 08:00	11/09/23 17:26	98-82-8	
p-Isopropyltoluene	<24.7	ug/kg	72.8	24.7	1	11/09/23 08:00	11/09/23 17:26	99-87-6	
Methylene Chloride	<20.2	ug/kg	72.8	20.2	1	11/09/23 08:00	11/09/23 17:26	75-09-2	
Methyl-tert-butyl ether	<21.4	ug/kg	72.8	21.4	1	11/09/23 08:00	11/09/23 17:26	1634-04-4	
Naphthalene	<30.6	ug/kg	364	30.6	1	11/09/23 08:00	11/09/23 17:26	91-20-3	
n-Propylbenzene	<17.5	ug/kg	72.8	17.5	1	11/09/23 08:00	11/09/23 17:26	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-13 (5-10) Lab ID: 40270726005 Collected: 11/07/23 11:45 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<18.6	ug/kg	72.8	18.6	1	11/09/23 08:00	11/09/23 17:26	100-42-5	
1,1,1,2-Tetrachloroethane	<17.4	ug/kg	72.8	17.4	1	11/09/23 08:00	11/09/23 17:26	630-20-6	
1,1,2,2-Tetrachloroethane	<26.3	ug/kg	72.8	26.3	1	11/09/23 08:00	11/09/23 17:26	79-34-5	
Tetrachloroethene	29.9J	ug/kg	72.8	28.2	1	11/09/23 08:00	11/09/23 17:26	127-18-4	
Toluene	<18.3	ug/kg	72.8	18.3	1	11/09/23 08:00	11/09/23 17:26	108-88-3	
1,2,3-Trichlorobenzene	<81.1	ug/kg	364	81.1	1	11/09/23 08:00	11/09/23 17:26	87-61-6	
1,2,4-Trichlorobenzene	<60.0	ug/kg	364	60.0	1	11/09/23 08:00	11/09/23 17:26	120-82-1	
1,1,1-Trichloroethane	<18.6	ug/kg	72.8	18.6	1	11/09/23 08:00	11/09/23 17:26	71-55-6	
1,1,2-Trichloroethane	<26.5	ug/kg	72.8	26.5	1	11/09/23 08:00	11/09/23 17:26	79-00-5	
Trichloroethene	<27.2	ug/kg	72.8	27.2	1	11/09/23 08:00	11/09/23 17:26	79-01-6	
Trichlorofluoromethane	<21.1	ug/kg	72.8	21.1	1	11/09/23 08:00	11/09/23 17:26	75-69-4	
1,2,3-Trichloropropane	<35.4	ug/kg	72.8	35.4	1	11/09/23 08:00	11/09/23 17:26	96-18-4	
1,2,4-Trimethylbenzene	<21.7	ug/kg	72.8	21.7	1	11/09/23 08:00	11/09/23 17:26	95-63-6	
1,3,5-Trimethylbenzene	<23.4	ug/kg	72.8	23.4	1	11/09/23 08:00	11/09/23 17:26	108-67-8	
Vinyl chloride	<14.7	ug/kg	72.8	14.7	1	11/09/23 08:00	11/09/23 17:26	75-01-4	
m&p-Xylene	<30.7	ug/kg	146	30.7	1	11/09/23 08:00	11/09/23 17:26	179601-23-1	
o-Xylene	<21.8	ug/kg	72.8	21.8	1	11/09/23 08:00	11/09/23 17:26	95-47-6	
Surrogates									
Toluene-d8 (S)	127	%	70-139		1	11/09/23 08:00	11/09/23 17:26	2037-26-5	
4-Bromofluorobenzene (S)	130	%	72-142		1	11/09/23 08:00	11/09/23 17:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	140	%	67-144		1	11/09/23 08:00	11/09/23 17:26	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.5	%	0.10	0.10	1		11/08/23 13:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-13 (18-20) Lab ID: 40270726006 Collected: 11/07/23 12:00 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.1	ug/kg	27.0	16.1	1	11/09/23 08:00	11/09/23 17:46	71-43-2	
Bromobenzene	<26.3	ug/kg	67.5	26.3	1	11/09/23 08:00	11/09/23 17:46	108-86-1	
Bromochloromethane	<18.5	ug/kg	67.5	18.5	1	11/09/23 08:00	11/09/23 17:46	74-97-5	
Bromodichloromethane	<16.1	ug/kg	67.5	16.1	1	11/09/23 08:00	11/09/23 17:46	75-27-4	
Bromoform	<297	ug/kg	337	297	1	11/09/23 08:00	11/09/23 17:46	75-25-2	
Bromomethane	<94.6	ug/kg	337	94.6	1	11/09/23 08:00	11/09/23 17:46	74-83-9	
n-Butylbenzene	<30.9	ug/kg	67.5	30.9	1	11/09/23 08:00	11/09/23 17:46	104-51-8	
sec-Butylbenzene	<23.2	ug/kg	67.5	23.2	1	11/09/23 08:00	11/09/23 17:46	135-98-8	
tert-Butylbenzene	<21.2	ug/kg	67.5	21.2	1	11/09/23 08:00	11/09/23 17:46	98-06-6	
Carbon tetrachloride	<14.8	ug/kg	67.5	14.8	1	11/09/23 08:00	11/09/23 17:46	56-23-5	
Chlorobenzene	<8.1	ug/kg	67.5	8.1	1	11/09/23 08:00	11/09/23 17:46	108-90-7	
Chloroethane	<28.5	ug/kg	337	28.5	1	11/09/23 08:00	11/09/23 17:46	75-00-3	
Chloroform	<48.3	ug/kg	337	48.3	1	11/09/23 08:00	11/09/23 17:46	67-66-3	
Chloromethane	<25.6	ug/kg	67.5	25.6	1	11/09/23 08:00	11/09/23 17:46	74-87-3	
2-Chlorotoluene	<21.9	ug/kg	67.5	21.9	1	11/09/23 08:00	11/09/23 17:46	95-49-8	
4-Chlorotoluene	<25.6	ug/kg	67.5	25.6	1	11/09/23 08:00	11/09/23 17:46	106-43-4	
1,2-Dibromo-3-chloropropane	<52.4	ug/kg	337	52.4	1	11/09/23 08:00	11/09/23 17:46	96-12-8	
Dibromochloromethane	<231	ug/kg	337	231	1	11/09/23 08:00	11/09/23 17:46	124-48-1	
1,2-Dibromoethane (EDB)	<18.5	ug/kg	67.5	18.5	1	11/09/23 08:00	11/09/23 17:46	106-93-4	
Dibromomethane	<20.0	ug/kg	67.5	20.0	1	11/09/23 08:00	11/09/23 17:46	74-95-3	
1,2-Dichlorobenzene	<20.9	ug/kg	67.5	20.9	1	11/09/23 08:00	11/09/23 17:46	95-50-1	
1,3-Dichlorobenzene	<18.5	ug/kg	67.5	18.5	1	11/09/23 08:00	11/09/23 17:46	541-73-1	
1,4-Dichlorobenzene	<18.5	ug/kg	67.5	18.5	1	11/09/23 08:00	11/09/23 17:46	106-46-7	
Dichlorodifluoromethane	<29.0	ug/kg	67.5	29.0	1	11/09/23 08:00	11/09/23 17:46	75-71-8	
1,1-Dichloroethane	<17.3	ug/kg	67.5	17.3	1	11/09/23 08:00	11/09/23 17:46	75-34-3	
1,2-Dichloroethane	<15.5	ug/kg	67.5	15.5	1	11/09/23 08:00	11/09/23 17:46	107-06-2	
1,1-Dichloroethene	<22.4	ug/kg	67.5	22.4	1	11/09/23 08:00	11/09/23 17:46	75-35-4	
cis-1,2-Dichloroethene	<14.4	ug/kg	67.5	14.4	1	11/09/23 08:00	11/09/23 17:46	156-59-2	
trans-1,2-Dichloroethene	<14.8	ug/kg	67.5	14.8	1	11/09/23 08:00	11/09/23 17:46	156-60-5	
1,2-Dichloropropane	<16.1	ug/kg	67.5	16.1	1	11/09/23 08:00	11/09/23 17:46	78-87-5	
1,3-Dichloropropane	<14.7	ug/kg	67.5	14.7	1	11/09/23 08:00	11/09/23 17:46	142-28-9	
2,2-Dichloropropane	<18.2	ug/kg	67.5	18.2	1	11/09/23 08:00	11/09/23 17:46	594-20-7	
1,1-Dichloropropene	<21.9	ug/kg	67.5	21.9	1	11/09/23 08:00	11/09/23 17:46	563-58-6	
cis-1,3-Dichloropropene	<44.5	ug/kg	337	44.5	1	11/09/23 08:00	11/09/23 17:46	10061-01-5	
trans-1,3-Dichloropropene	<193	ug/kg	337	193	1	11/09/23 08:00	11/09/23 17:46	10061-02-6	
Diisopropyl ether	<16.7	ug/kg	67.5	16.7	1	11/09/23 08:00	11/09/23 17:46	108-20-3	
Ethylbenzene	<16.1	ug/kg	67.5	16.1	1	11/09/23 08:00	11/09/23 17:46	100-41-4	
Hexachloro-1,3-butadiene	<134	ug/kg	337	134	1	11/09/23 08:00	11/09/23 17:46	87-68-3	
Isopropylbenzene (Cumene)	<18.2	ug/kg	67.5	18.2	1	11/09/23 08:00	11/09/23 17:46	98-82-8	
p-Isopropyltoluene	<22.9	ug/kg	67.5	22.9	1	11/09/23 08:00	11/09/23 17:46	99-87-6	
Methylene Chloride	<18.8	ug/kg	67.5	18.8	1	11/09/23 08:00	11/09/23 17:46	75-09-2	
Methyl-tert-butyl ether	<19.8	ug/kg	67.5	19.8	1	11/09/23 08:00	11/09/23 17:46	1634-04-4	
Naphthalene	<28.4	ug/kg	337	28.4	1	11/09/23 08:00	11/09/23 17:46	91-20-3	
n-Propylbenzene	<16.2	ug/kg	67.5	16.2	1	11/09/23 08:00	11/09/23 17:46	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-13 (18-20) Lab ID: 40270726006 Collected: 11/07/23 12:00 Received: 11/08/23 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.3	ug/kg	67.5	17.3	1	11/09/23 08:00	11/09/23 17:46	100-42-5	
1,1,1,2-Tetrachloroethane	<16.2	ug/kg	67.5	16.2	1	11/09/23 08:00	11/09/23 17:46	630-20-6	
1,1,2,2-Tetrachloroethane	<24.4	ug/kg	67.5	24.4	1	11/09/23 08:00	11/09/23 17:46	79-34-5	
Tetrachloroethene	42.7J	ug/kg	67.5	26.2	1	11/09/23 08:00	11/09/23 17:46	127-18-4	
Toluene	<17.0	ug/kg	67.5	17.0	1	11/09/23 08:00	11/09/23 17:46	108-88-3	
1,2,3-Trichlorobenzene	<75.2	ug/kg	337	75.2	1	11/09/23 08:00	11/09/23 17:46	87-61-6	
1,2,4-Trichlorobenzene	<55.6	ug/kg	337	55.6	1	11/09/23 08:00	11/09/23 17:46	120-82-1	
1,1,1-Trichloroethane	<17.3	ug/kg	67.5	17.3	1	11/09/23 08:00	11/09/23 17:46	71-55-6	
1,1,2-Trichloroethane	<24.6	ug/kg	67.5	24.6	1	11/09/23 08:00	11/09/23 17:46	79-00-5	
Trichloroethene	<25.2	ug/kg	67.5	25.2	1	11/09/23 08:00	11/09/23 17:46	79-01-6	
Trichlorofluoromethane	<19.6	ug/kg	67.5	19.6	1	11/09/23 08:00	11/09/23 17:46	75-69-4	
1,2,3-Trichloropropane	<32.8	ug/kg	67.5	32.8	1	11/09/23 08:00	11/09/23 17:46	96-18-4	
1,2,4-Trimethylbenzene	<20.1	ug/kg	67.5	20.1	1	11/09/23 08:00	11/09/23 17:46	95-63-6	
1,3,5-Trimethylbenzene	<21.7	ug/kg	67.5	21.7	1	11/09/23 08:00	11/09/23 17:46	108-67-8	
Vinyl chloride	<13.6	ug/kg	67.5	13.6	1	11/09/23 08:00	11/09/23 17:46	75-01-4	
m&p-Xylene	<28.5	ug/kg	135	28.5	1	11/09/23 08:00	11/09/23 17:46	179601-23-1	
o-Xylene	<20.2	ug/kg	67.5	20.2	1	11/09/23 08:00	11/09/23 17:46	95-47-6	
Surrogates									
Toluene-d8 (S)	135	%	70-139		1	11/09/23 08:00	11/09/23 17:46	2037-26-5	
4-Bromofluorobenzene (S)	135	%	72-142		1	11/09/23 08:00	11/09/23 17:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	144	%	67-144		1	11/09/23 08:00	11/09/23 17:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.9	%	0.10	0.10	1		11/08/23 13:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-12 Lab ID: 40270726007 Collected: 11/07/23 12:00 Received: 11/08/23 09:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/10/23 01:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/10/23 01:48	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/10/23 01:48	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/10/23 01:48	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/10/23 01:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/10/23 01:48	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/10/23 01:48	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/10/23 01:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/10/23 01:48	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/10/23 01:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/10/23 01:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/10/23 01:48	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/10/23 01:48	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/10/23 01:48	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/10/23 01:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/10/23 01:48	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/10/23 01:48	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/10/23 01:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/10/23 01:48	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/10/23 01:48	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/10/23 01:48	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/10/23 01:48	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/10/23 01:48	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/10/23 01:48	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/10/23 01:48	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/10/23 01:48	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/10/23 01:48	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/10/23 01:48	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/10/23 01:48	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/10/23 01:48	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/10/23 01:48	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/10/23 01:48	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/10/23 01:48	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/10/23 01:48	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/10/23 01:48	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/10/23 01:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/10/23 01:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/10/23 01:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/10/23 01:48	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/10/23 01:48	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/10/23 01:48	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/10/23 01:48	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/10/23 01:48	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/10/23 01:48	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/10/23 01:48	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-12 Lab ID: 40270726007 Collected: 11/07/23 12:00 Received: 11/08/23 09:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/10/23 01:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/10/23 01:48	79-34-5	
Tetrachloroethene	9.8	ug/L	1.0	0.41	1		11/10/23 01:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/10/23 01:48	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/10/23 01:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/10/23 01:48	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/10/23 01:48	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/10/23 01:48	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/10/23 01:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/10/23 01:48	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/10/23 01:48	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/10/23 01:48	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/10/23 01:48	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/10/23 01:48	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/10/23 01:48	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/10/23 01:48	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/10/23 01:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/10/23 01:48	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/10/23 01:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-13 Lab ID: 40270726008 Collected: 11/07/23 12:30 Received: 11/08/23 09:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/10/23 02:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/10/23 02:06	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/10/23 02:06	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/10/23 02:06	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/10/23 02:06	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/10/23 02:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/10/23 02:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/10/23 02:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/10/23 02:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/10/23 02:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/10/23 02:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/10/23 02:06	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/10/23 02:06	67-66-3	
Chloromethane	4.9J	ug/L	5.0	1.6	1		11/10/23 02:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/10/23 02:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/10/23 02:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/10/23 02:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/10/23 02:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/10/23 02:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/10/23 02:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/10/23 02:06	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/10/23 02:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/10/23 02:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/10/23 02:06	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/10/23 02:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/10/23 02:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/10/23 02:06	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/10/23 02:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/10/23 02:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/10/23 02:06	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/10/23 02:06	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/10/23 02:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/10/23 02:06	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/10/23 02:06	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/10/23 02:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/10/23 02:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/10/23 02:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/10/23 02:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/10/23 02:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/10/23 02:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/10/23 02:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/10/23 02:06	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/10/23 02:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/10/23 02:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/10/23 02:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GARAGE MAHAL

Pace Project No.: 40270726

Sample: B-13 Lab ID: 40270726008 Collected: 11/07/23 12:30 Received: 11/08/23 09:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/10/23 02:06	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/10/23 02:06	79-34-5	
Tetrachloroethene	17.5	ug/L	1.0	0.41	1		11/10/23 02:06	127-18-4	
Toluene	0.30J	ug/L	1.0	0.29	1		11/10/23 02:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/10/23 02:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/10/23 02:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/10/23 02:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/10/23 02:06	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/10/23 02:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/10/23 02:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/10/23 02:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/10/23 02:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/10/23 02:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/10/23 02:06	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/10/23 02:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/10/23 02:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/10/23 02:06	460-00-4	HS,pH
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/10/23 02:06	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/10/23 02:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

QC Batch: 459968

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270726001, 40270726002, 40270726003, 40270726004, 40270726005, 40270726006

METHOD BLANK: 2641322

Matrix: Solid

Associated Lab Samples: 40270726001, 40270726002, 40270726003, 40270726004, 40270726005, 40270726006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	11/09/23 12:03	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	11/09/23 12:03	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	11/09/23 12:03	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	11/09/23 12:03	
1,1-Dichloroethane	ug/kg	<12.8	50.0	11/09/23 12:03	
1,1-Dichloroethene	ug/kg	<16.6	50.0	11/09/23 12:03	
1,1-Dichloropropene	ug/kg	<16.2	50.0	11/09/23 12:03	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	11/09/23 12:03	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	11/09/23 12:03	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	11/09/23 12:03	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	11/09/23 12:03	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	11/09/23 12:03	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	11/09/23 12:03	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	11/09/23 12:03	
1,2-Dichloroethane	ug/kg	<11.5	50.0	11/09/23 12:03	
1,2-Dichloropropane	ug/kg	<11.9	50.0	11/09/23 12:03	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	11/09/23 12:03	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	11/09/23 12:03	
1,3-Dichloropropane	ug/kg	<10.9	50.0	11/09/23 12:03	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	11/09/23 12:03	
2,2-Dichloropropane	ug/kg	<13.5	50.0	11/09/23 12:03	
2-Chlorotoluene	ug/kg	<16.2	50.0	11/09/23 12:03	
4-Chlorotoluene	ug/kg	<19.0	50.0	11/09/23 12:03	
Benzene	ug/kg	<11.9	20.0	11/09/23 12:03	
Bromobenzene	ug/kg	<19.5	50.0	11/09/23 12:03	
Bromochloromethane	ug/kg	<13.7	50.0	11/09/23 12:03	
Bromodichloromethane	ug/kg	<11.9	50.0	11/09/23 12:03	
Bromoform	ug/kg	<220	250	11/09/23 12:03	
Bromomethane	ug/kg	<70.1	250	11/09/23 12:03	
Carbon tetrachloride	ug/kg	<11.0	50.0	11/09/23 12:03	
Chlorobenzene	ug/kg	<6.0	50.0	11/09/23 12:03	
Chloroethane	ug/kg	<21.1	250	11/09/23 12:03	
Chloroform	ug/kg	<35.8	250	11/09/23 12:03	
Chloromethane	ug/kg	<19.0	50.0	11/09/23 12:03	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	11/09/23 12:03	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	11/09/23 12:03	
Dibromochloromethane	ug/kg	<171	250	11/09/23 12:03	
Dibromomethane	ug/kg	<14.8	50.0	11/09/23 12:03	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	11/09/23 12:03	
Diisopropyl ether	ug/kg	<12.4	50.0	11/09/23 12:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

METHOD BLANK: 2641322

Matrix: Solid

Associated Lab Samples: 40270726001, 40270726002, 40270726003, 40270726004, 40270726005, 40270726006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	11/09/23 12:03	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	11/09/23 12:03	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	11/09/23 12:03	
m&p-Xylene	ug/kg	<21.1	100	11/09/23 12:03	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	11/09/23 12:03	
Methylene Chloride	ug/kg	<13.9	50.0	11/09/23 12:03	
n-Butylbenzene	ug/kg	<22.9	50.0	11/09/23 12:03	
n-Propylbenzene	ug/kg	<12.0	50.0	11/09/23 12:03	
Naphthalene	ug/kg	<21.0	250	11/09/23 12:03	
o-Xylene	ug/kg	<15.0	50.0	11/09/23 12:03	
p-Isopropyltoluene	ug/kg	<17.0	50.0	11/09/23 12:03	
sec-Butylbenzene	ug/kg	<17.2	50.0	11/09/23 12:03	
Styrene	ug/kg	<12.8	50.0	11/09/23 12:03	
tert-Butylbenzene	ug/kg	<15.7	50.0	11/09/23 12:03	
Tetrachloroethene	ug/kg	<19.4	50.0	11/09/23 12:03	
Toluene	ug/kg	<12.6	50.0	11/09/23 12:03	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	11/09/23 12:03	
trans-1,3-Dichloropropene	ug/kg	<143	250	11/09/23 12:03	
Trichloroethene	ug/kg	<18.7	50.0	11/09/23 12:03	
Trichlorofluoromethane	ug/kg	<14.5	50.0	11/09/23 12:03	
Vinyl chloride	ug/kg	<10.1	50.0	11/09/23 12:03	
1,2-Dichlorobenzene-d4 (S)	%	99	67-144	11/09/23 12:03	
4-Bromofluorobenzene (S)	%	91	72-142	11/09/23 12:03	
Toluene-d8 (S)	%	103	70-139	11/09/23 12:03	

LABORATORY CONTROL SAMPLE: 2641323

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2570	103	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2260	90	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2340	93	70-130	
1,1-Dichloroethane	ug/kg	2500	2490	100	70-130	
1,1-Dichloroethene	ug/kg	2500	2590	104	77-122	
1,2,4-Trichlorobenzene	ug/kg	2500	2240	90	66-125	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1850	74	66-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2230	89	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2410	97	70-130	
1,2-Dichloroethane	ug/kg	2500	2390	96	70-130	
1,2-Dichloropropane	ug/kg	2500	2490	99	80-121	
1,3-Dichlorobenzene	ug/kg	2500	2450	98	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2410	97	70-130	
Benzene	ug/kg	2500	2500	100	70-130	
Bromodichloromethane	ug/kg	2500	2410	96	70-130	
Bromoform	ug/kg	2500	2280	91	67-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

LABORATORY CONTROL SAMPLE: 2641323

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2770	111	25-150	
Carbon tetrachloride	ug/kg	2500	2600	104	72-136	
Chlorobenzene	ug/kg	2500	2640	106	70-130	
Chloroethane	ug/kg	2500	2900	116	20-178	
Chloroform	ug/kg	2500	2540	101	80-120	
Chloromethane	ug/kg	2500	2390	96	45-123	
cis-1,2-Dichloroethene	ug/kg	2500	2500	100	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2300	92	70-130	
Dibromochloromethane	ug/kg	2500	2450	98	70-130	
Dichlorodifluoromethane	ug/kg	2500	1840	74	14-106	
Ethylbenzene	ug/kg	2500	2600	104	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2440	98	70-130	
m&p-Xylene	ug/kg	5000	5160	103	70-130	
Methyl-tert-butyl ether	ug/kg	2500	1970	79	70-130	
Methylene Chloride	ug/kg	2500	2550	102	70-130	
o-Xylene	ug/kg	2500	2660	107	70-130	
Styrene	ug/kg	2500	2940	118	70-130	
Tetrachloroethene	ug/kg	2500	2560	103	70-130	
Toluene	ug/kg	2500	2540	102	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2560	103	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2210	88	70-130	
Trichloroethene	ug/kg	2500	2500	100	70-130	
Trichlorofluoromethane	ug/kg	2500	2430	97	49-141	
Vinyl chloride	ug/kg	2500	2260	90	59-120	
1,2-Dichlorobenzene-d4 (S)	%			103	67-144	
4-Bromofluorobenzene (S)	%			98	72-142	
Toluene-d8 (S)	%			107	70-139	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641324 2641325

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40270734012	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/kg	<16.2	1270	1270	1020	1040	80	82	56-130	3	20		
1,1,2,2-Tetrachloroethane	ug/kg	<22.9	1270	1270	848	1260	67	100	70-133	39	20	M1,R1	
1,1,2-Trichloroethane	ug/kg	<23.0	1270	1270	1040	1170	82	92	70-130	12	20		
1,1-Dichloroethane	ug/kg	<16.2	1270	1270	1080	1160	85	92	70-130	8	20		
1,1-Dichloroethene	ug/kg	<21.0	1270	1270	949	954	75	75	52-122	1	20		
1,2,4-Trichlorobenzene	ug/kg	<52.2	1270	1270	956	1330	75	105	66-136	33	20	R1	
1,2-Dibromo-3-chloropropane	ug/kg	<49.1	1270	1270	697	993	55	78	59-131	35	23	M1,R1	
1,2-Dibromoethane (EDB)	ug/kg	<17.4	1270	1270	968	1090	76	86	70-130	12	20		
1,2-Dichlorobenzene	ug/kg	<19.6	1270	1270	983	1380	78	109	70-130	34	20	R1	
1,2-Dichloroethane	ug/kg	<14.6	1270	1270	1070	1180	84	93	70-130	10	20		
1,2-Dichloropropane	ug/kg	<15.1	1270	1270	1060	1170	84	93	77-121	10	20		
1,3-Dichlorobenzene	ug/kg	<17.4	1270	1270	1010	1370	80	108	70-130	31	20	R1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

Parameter	Units	40270734012		2641324		2641325		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
1,4-Dichlorobenzene	ug/kg	<17.4	1270	1270	986	1400	78	111	70-130	35	20	R1		
Benzene	ug/kg	<15.1	1270	1270	1080	1180	85	93	70-130	8	20			
Bromodichloromethane	ug/kg	<15.1	1270	1270	1070	1170	84	93	70-130	9	20			
Bromoform	ug/kg	<279	1270	1270	991	1140	78	90	67-130	14	20			
Bromomethane	ug/kg	<88.8	1270	1270	1070	1170	85	93	25-150	9	20			
Carbon tetrachloride	ug/kg	<13.9	1270	1270	964	974	76	77	48-136	1	20			
Chlorobenzene	ug/kg	<7.6	1270	1270	1140	1260	90	100	70-130	10	20			
Chloroethane	ug/kg	<26.7	1270	1270	1130	1220	89	96	20-178	8	23			
Chloroform	ug/kg	<45.3	1270	1270	1100	1220	87	96	80-120	10	20			
Chloromethane	ug/kg	<24.1	1270	1270	766	793	60	63	23-132	4	20			
cis-1,2-Dichloroethene	ug/kg	<13.6	1270	1270	1080	1200	85	95	70-130	11	20			
cis-1,3-Dichloropropene	ug/kg	<41.8	1270	1270	974	1070	77	85	70-130	9	20			
Dibromochloromethane	ug/kg	<216	1270	1270	1050	1200	83	95	70-130	14	20			
Dichlorodifluoromethane	ug/kg	<27.2	1270	1270	409	391	32	31	10-106	5	34			
Ethylbenzene	ug/kg	<15.1	1270	1270	1090	1170	86	93	80-120	7	20			
Isopropylbenzene (Cumene)	ug/kg	<17.1	1270	1270	1040	1100	82	87	70-130	6	20			
m&p-Xylene	ug/kg	<26.7	2540	2540	2240	2400	88	95	70-130	7	20			
Methyl-tert-butyl ether	ug/kg	<18.6	1270	1270	863	932	68	74	67-130	8	20			
Methylene Chloride	ug/kg	<17.6	1270	1270	1110	1210	88	96	70-130	8	20			
o-Xylene	ug/kg	<19.0	1270	1270	1160	1290	91	102	70-130	11	20			
Styrene	ug/kg	<16.2	1270	1270	1260	1400	100	110	70-130	10	20			
Tetrachloroethene	ug/kg	<24.6	1270	1270	1080	1080	85	85	70-130	0	20			
Toluene	ug/kg	<16.0	1270	1270	1080	1200	85	94	80-120	10	20			
trans-1,2-Dichloroethene	ug/kg	<13.8	1270	1270	1100	1160	87	91	70-130	5	20			
trans-1,3-Dichloropropene	ug/kg	<181	1270	1270	888	1020	70	81	70-130	14	20			
Trichloroethene	ug/kg	<23.7	1270	1270	1050	1100	83	87	70-130	5	20			
Trichlorofluoromethane	ug/kg	<18.4	1270	1270	823	790	65	62	21-141	4	28			
Vinyl chloride	ug/kg	<12.8	1270	1270	734	713	58	56	29-120	3	20			
1,2-Dichlorobenzene-d4 (S)	%						100	132	67-144					
4-Bromofluorobenzene (S)	%						97	127	72-142					
Toluene-d8 (S)	%						119	125	70-139					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

QC Batch: 460020

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270726007, 40270726008

METHOD BLANK: 2641832

Matrix: Water

Associated Lab Samples: 40270726007, 40270726008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/09/23 15:45	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/09/23 15:45	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/09/23 15:45	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/09/23 15:45	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/09/23 15:45	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/09/23 15:45	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/09/23 15:45	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/09/23 15:45	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/09/23 15:45	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/09/23 15:45	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/09/23 15:45	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/09/23 15:45	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/09/23 15:45	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/09/23 15:45	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/09/23 15:45	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/09/23 15:45	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/09/23 15:45	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/09/23 15:45	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/09/23 15:45	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/09/23 15:45	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/09/23 15:45	
2-Chlorotoluene	ug/L	<0.89	5.0	11/09/23 15:45	
4-Chlorotoluene	ug/L	<0.89	5.0	11/09/23 15:45	
Benzene	ug/L	<0.30	1.0	11/09/23 15:45	
Bromobenzene	ug/L	<0.36	1.0	11/09/23 15:45	
Bromochloromethane	ug/L	<0.36	1.0	11/09/23 15:45	
Bromodichloromethane	ug/L	<0.42	1.0	11/09/23 15:45	
Bromoform	ug/L	<0.43	1.0	11/09/23 15:45	
Bromomethane	ug/L	<1.2	5.0	11/09/23 15:45	
Carbon tetrachloride	ug/L	<0.37	1.0	11/09/23 15:45	
Chlorobenzene	ug/L	<0.86	1.0	11/09/23 15:45	
Chloroethane	ug/L	<1.4	5.0	11/09/23 15:45	
Chloroform	ug/L	<0.50	5.0	11/09/23 15:45	
Chloromethane	ug/L	<1.6	5.0	11/09/23 15:45	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/09/23 15:45	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/09/23 15:45	
Dibromochloromethane	ug/L	<2.6	5.0	11/09/23 15:45	
Dibromomethane	ug/L	<0.99	5.0	11/09/23 15:45	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/09/23 15:45	
Diisopropyl ether	ug/L	<1.1	5.0	11/09/23 15:45	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

METHOD BLANK: 2641832

Matrix: Water

Associated Lab Samples: 40270726007, 40270726008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/09/23 15:45	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/09/23 15:45	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/09/23 15:45	
m&p-Xylene	ug/L	<0.70	2.0	11/09/23 15:45	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/09/23 15:45	
Methylene Chloride	ug/L	<0.32	5.0	11/09/23 15:45	
n-Butylbenzene	ug/L	<0.86	1.0	11/09/23 15:45	
n-Propylbenzene	ug/L	<0.35	1.0	11/09/23 15:45	
Naphthalene	ug/L	<1.9	5.0	11/09/23 15:45	
o-Xylene	ug/L	<0.35	1.0	11/09/23 15:45	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/09/23 15:45	
sec-Butylbenzene	ug/L	<0.42	1.0	11/09/23 15:45	
Styrene	ug/L	<0.36	1.0	11/09/23 15:45	
tert-Butylbenzene	ug/L	<0.59	1.0	11/09/23 15:45	
Tetrachloroethene	ug/L	<0.41	1.0	11/09/23 15:45	
Toluene	ug/L	<0.29	1.0	11/09/23 15:45	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/09/23 15:45	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/09/23 15:45	
Trichloroethene	ug/L	<0.32	1.0	11/09/23 15:45	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/09/23 15:45	
Vinyl chloride	ug/L	<0.17	1.0	11/09/23 15:45	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/09/23 15:45	
4-Bromofluorobenzene (S)	%	89	70-130	11/09/23 15:45	
Toluene-d8 (S)	%	98	70-130	11/09/23 15:45	

LABORATORY CONTROL SAMPLE: 2641833

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	45.9	92	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	48.7	97	70-130	
1,1,2-Trichloroethane	ug/L	50	50.6	101	70-130	
1,1-Dichloroethane	ug/L	50	48.0	96	70-130	
1,1-Dichloroethene	ug/L	50	55.7	111	73-140	
1,2,4-Trichlorobenzene	ug/L	50	42.1	84	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	33.0	66	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	47.0	94	70-130	
1,2-Dichlorobenzene	ug/L	50	52.5	105	70-130	
1,2-Dichloroethane	ug/L	50	44.6	89	70-130	
1,2-Dichloropropane	ug/L	50	47.6	95	77-127	
1,3-Dichlorobenzene	ug/L	50	50.6	101	70-130	
1,4-Dichlorobenzene	ug/L	50	51.8	104	70-130	
Benzene	ug/L	50	51.7	103	70-130	
Bromodichloromethane	ug/L	50	48.5	97	70-130	
Bromoform	ug/L	50	42.0	84	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

LABORATORY CONTROL SAMPLE: 2641833

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	36.6	73	22-141	
Carbon tetrachloride	ug/L	50	49.7	99	70-135	
Chlorobenzene	ug/L	50	55.2	110	70-130	
Chloroethane	ug/L	50	49.0	98	59-141	
Chloroform	ug/L	50	49.8	100	80-124	
Chloromethane	ug/L	50	44.9	90	29-150	
cis-1,2-Dichloroethene	ug/L	50	50.7	101	70-130	
cis-1,3-Dichloropropene	ug/L	50	41.0	82	70-130	
Dibromochloromethane	ug/L	50	44.1	88	70-130	
Dichlorodifluoromethane	ug/L	50	49.2	98	10-147	
Ethylbenzene	ug/L	50	51.9	104	80-125	
Isopropylbenzene (Cumene)	ug/L	50	49.4	99	70-130	
m&p-Xylene	ug/L	100	106	106	70-130	
Methyl-tert-butyl ether	ug/L	50	38.3	77	64-131	
Methylene Chloride	ug/L	50	55.0	110	70-137	
o-Xylene	ug/L	50	51.9	104	70-130	
Styrene	ug/L	50	61.5	123	70-130	
Tetrachloroethene	ug/L	50	55.4	111	70-130	
Toluene	ug/L	50	54.4	109	80-120	
trans-1,2-Dichloroethene	ug/L	50	56.0	112	70-131	
trans-1,3-Dichloropropene	ug/L	50	38.3	77	70-130	
Trichloroethene	ug/L	50	49.7	99	70-130	
Trichlorofluoromethane	ug/L	50	52.8	106	69-141	
Vinyl chloride	ug/L	50	48.5	97	51-145	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			92	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641873 2641874

Parameter	Units	40270791001		2641873		2641874		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
1,1,1-Trichloroethane	ug/L	<0.00030 mg/L	50	50	43.1	44.7	86	89	70-132	4	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.00038 mg/L	50	50	45.8	48.1	92	96	70-131	5	20		
1,1,2-Trichloroethane	ug/L	<0.00034 mg/L	50	50	46.6	47.3	93	95	70-130	1	20		
1,1-Dichloroethane	ug/L	<0.00030 mg/L	50	50	47.8	49.0	96	98	70-131	2	20		
1,1-Dichloroethene	ug/L	<0.00058 mg/L	50	50	54.7	56.3	109	113	69-146	3	20		
1,2,4-Trichlorobenzene	ug/L	<0.00095 mg/L	50	50	43.7	44.3	87	89	70-130	1	20		
1,2-Dibromo-3-chloropropane	ug/L	<0.0024 mg/L	50	50	31.4	34.6	63	69	56-130	10	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641873 2641874												
Parameter	Units	40270791001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,2-Dibromoethane (EDB)	ug/L	<0.00031 mg/L	50	50	43.5	45.2	87	90	70-130	4	20	
1,2-Dichlorobenzene	ug/L	<0.00033 mg/L	50	50	51.8	53.8	104	108	70-130	4	20	
1,2-Dichloroethane	ug/L	<0.00029 mg/L	50	50	45.5	46.5	91	93	70-130	2	20	
1,2-Dichloropropane	ug/L	<0.00045 mg/L	50	50	44.9	46.3	90	93	77-129	3	20	
1,3-Dichlorobenzene	ug/L	<0.00035 mg/L	50	50	50.0	51.3	100	103	70-130	3	20	
1,4-Dichlorobenzene	ug/L	<0.00089 mg/L	50	50	51.0	52.7	102	105	70-130	3	20	
Benzene	ug/L	<0.00030 mg/L	50	50	49.4	51.1	99	102	70-130	3	20	
Bromodichloromethane	ug/L	<0.00042 mg/L	50	50	46.2	47.9	92	96	70-130	4	20	
Bromoform	ug/L	<0.00043 mg/L	50	50	38.6	40.3	77	81	70-130	4	20	
Bromomethane	ug/L	<0.0012 mg/L	50	50	50.0	51.6	100	103	12-159	3	26	
Carbon tetrachloride	ug/L	<0.00037 mg/L	50	50	45.9	47.1	92	94	70-135	3	20	
Chlorobenzene	ug/L	<0.00086 mg/L	50	50	54.0	55.0	108	110	70-130	2	20	
Chloroethane	ug/L	<0.0014 mg/L	50	50	47.7	48.3	95	97	56-143	1	20	
Chloroform	ug/L	<0.00050 mg/L	50	50	50.5	51.7	101	103	80-126	2	20	
Chloromethane	ug/L	<0.0016 mg/L	50	50	45.7	46.4	91	93	22-156	2	20	
cis-1,2-Dichloroethene	ug/L	<0.00047 mg/L	50	50	50.7	52.5	101	105	70-130	3	20	
cis-1,3-Dichloropropene	ug/L	<0.00024 mg/L	50	50	39.2	40.4	78	81	70-130	3	20	
Dibromochloromethane	ug/L	<0.0026 mg/L	50	50	40.8	41.8	82	84	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.00046 mg/L	50	50	48.2	49.3	96	99	10-147	2	20	
Ethylbenzene	ug/L	<0.00033 mg/L	50	50	51.1	51.8	102	104	80-126	1	20	
Isopropylbenzene (Cumene)	ug/L	<0.0010 mg/L	50	50	49.4	49.8	99	100	70-130	1	20	
m&p-Xylene	ug/L	<0.00070 mg/L	100	100	106	108	106	108	70-130	2	20	
Methyl-tert-butyl ether	ug/L	<0.0011 mg/L	50	50	37.2	39.1	74	78	64-136	5	20	
Methylene Chloride	ug/L	<0.00032 mg/L	50	50	53.9	56.0	108	112	70-137	4	20	
o-Xylene	ug/L	<0.00035 mg/L	50	50	52.3	52.9	105	106	70-130	1	20	
Styrene	ug/L	<0.00036 mg/L	50	50	61.1	62.2	122	124	70-133	2	20	
Tetrachloroethene	ug/L	0.012 mg/L	50	50	66.0	67.4	109	111	70-131	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641873												2641874	
Parameter	Units	40270791001 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Toluene	ug/L	<0.00029 mg/L	50	50	52.4	53.9	105	108	80-121	3	20		
trans-1,2-Dichloroethene	ug/L	<0.00053 mg/L	50	50	56.4	58.4	113	117	70-135	4	20		
trans-1,3-Dichloropropene	ug/L	<0.00027 mg/L	50	50	35.3	36.3	71	73	70-130	3	20		
Trichloroethene	ug/L	<0.00032 mg/L	50	50	46.9	48.1	94	96	70-130	2	20		
Trichlorofluoromethane	ug/L	<0.00042 mg/L	50	50	50.0	51.8	100	104	67-142	3	20		
Vinyl chloride	ug/L	<0.00017 mg/L	50	50	48.4	49.8	97	100	45-147	3	20		
1,2-Dichlorobenzene-d4 (S)	%						99	100	70-130				
4-Bromofluorobenzene (S)	%						91	91	70-130				
Toluene-d8 (S)	%						99	99	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GARAGE MAHAL

Pace Project No.: 40270726

QC Batch: 459901

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270726001, 40270726002, 40270726003, 40270726004, 40270726005, 40270726006

SAMPLE DUPLICATE: 2641055

Parameter	Units	40270716001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.3	4.3	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GARAGE MAHAL

Pace Project No.: 40270726

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GARAGE MAHAL

Pace Project No.: 40270726

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40270726001	B-10 (2.5-5.5')	EPA 5035/5030B	459968	EPA 8260	459975
40270726002	B-11 (2.5-4.0)	EPA 5035/5030B	459968	EPA 8260	459975
40270726003	B-12 (2.5-4.5)	EPA 5035/5030B	459968	EPA 8260	459975
40270726004	B-12 (10-15)	EPA 5035/5030B	459968	EPA 8260	459975
40270726005	B-13 (5-10)	EPA 5035/5030B	459968	EPA 8260	459975
40270726006	B-13 (18-20)	EPA 5035/5030B	459968	EPA 8260	459975
40270726007	B-12	EPA 8260	460020		
40270726008	B-13	EPA 8260	460020		
40270726001	B-10 (2.5-5.5')	ASTM D2974-87	459901		
40270726002	B-11 (2.5-4.0)	ASTM D2974-87	459901		
40270726003	B-12 (2.5-4.5)	ASTM D2974-87	459901		
40270726004	B-12 (10-15)	ASTM D2974-87	459901		
40270726005	B-13 (5-10)	ASTM D2974-87	459901		
40270726006	B-13 (18-20)	ASTM D2974-87	459901		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

Page 1 of

MN: 612-607-1700 WI: 920-469-2436



40270726

Company Name: Himalayan Consultants
Branch/Location: Germantown, WI
Project Contact: T. Dueppen
Phone: 262-502-0066
Project Number:
Project Name: GARAGE MAHAL
Project State: WI.
Sampled By (Print): T. Dueppen
Sampled By (Sign): [Signature]
PO #:
Regulatory Program:

CHAIN OF CUSTODY

Preservation Codes
A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
PICK LETTER
PRESERVATION (CODE)*

Table with columns for Y/N, Pick Letter, and Analyses Requested (VOC, VOC). Rows correspond to sample IDs B-10 through B-13.

Quote #:
Mail To Contact: T. Dueppen
Mail To Company: Himalayan
Mail To Address: Germantown, WI
Invoice To Contact: S. Adhikary
Invoice To Company: Himalayan
Invoice To Address: Germantown, WI.
Invoice To Phone: 262-502-0066
CLIENT COMMENTS
LAB COMMENTS (Lab Use Only)
Profile #

Data Package Options (EPA Level III/IV)
MS/MSD (On your sample/NOT needed)
Matrix Codes (Air, Biota, Charcoal, Oil, Sludge, Water, Drinking Water, Ground Water, Surface Water, Waste Water, Wipe)

Table with columns: PACE LAB #, CLIENT FIELD ID, COLLECTION DATE, TIME, MATRIX. Rows include B-10 (2.5-5.5) to B-13.

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
Date Needed: 5 DAY TAT
Relinquished By: [Signature] Date/Time: 11/7/2023 2:30 pm
Received By: [Signature] Date/Time: 11/7/23 3:30
Transmit Prelim Rush Results by (complete what you want): CS Logistics 11/8/23 900
Received By: [Signature] Date/Time: 11/8/23 900

PACE Project No.
Receipt Temp = 1.0 °C
Sample Receipt pH OK / Adjusted
Cooler Custody Seal Present / (Not Present) Intact / Not Intact

Effective Date: 8/16/2022

Client Name: Himalyan Consultants

Sample Preservation Receipt Form

Project # 40270724

All containers needing preservation have been checked and noted below.

Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted).

Initial when completed

Date/ Time.

Pace Lab #	Glass					Plastic					Vials					Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN 1	GN 2
001																																		2.5 / 5
002																																		2.5 / 5
003																																		2.5 / 5
004																																		2.5 / 5
005																																		2.5 / 5
006																																		2.5 / 5
007																																		2.5 / 5
008																																		2.5 / 5
009																																		2.5 / 5
010																																		2.5 / 5
011																																		2.5 / 5
012																																		2.5 / 5
013																																		2.5 / 5
014																																		2.5 / 5
015																																		2.5 / 5
016																																		2.5 / 5
017																																		2.5 / 5
018																																		2.5 / 5
019																																		2.5 / 5
020																																		2.5 / 5

3

3

1/18/23
TJU

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other. Headspace in VOA Vials (>6mm) Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Himalayan consultants

WO#: **40270726**

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 129 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 1.0 /Corr. 1.0

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 11/8/23 /Initials: TJW

Labeled By Initials: _____

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>SL</u>		
Trip Blank Present.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir