

Laboratory ID :  
 Cannister ID :  
 Date Collected :  
 Location :

Analyte (Detected Analytes Bold Font)	Test Method	Units	Sub-Slab Vapor Risk Screening Level Large Industrial Building	Sub-Slab Vapor Risk Screening Level Small Commercial Building	Non-Residential Vapor Action Level Indoor Air <sup>1</sup>	Sub-Slab Vapor Risk Screening Level Residential Building	Residential Vapor Action Level Indoor Air <sup>1</sup>	23120505-001 MG-1 (30 min) 12/15/2023 09:30 MG-1 Sub-Slab
			Attenuation Factor <sup>2</sup> 0.01	Attenuation Factor <sup>2</sup> 0.03	Attenuation Factor <sup>2</sup> 0.03			
<b>1,1,1-Trichloroethane</b>	TO-15	µg/m³	<b>2,200,000</b>	730,000	22,000	170,000	5,200	< 1.9
1,1,2,2-Tetrachloroethane	TO-15	µg/m³	210	70	2.1	16	0.48	< 2.4
1,1,2-Trichloroethane	TO-15	µg/m³	88	29	0.88	7	0.21	< 1.9
1,1-Dichloroethane	TO-15	µg/m³	7,700	2,600	77	590	18	< 1.4
1,1-Dichloroethene	TO-15	µg/m³	88,000	29,000	880	7,000	210	< 1.4
1,2,4-Trichlorobenzene	TO-15	µg/m³	900	300	9	70	2.1	< 2.6
<b>1,2,4-Trimethylbenzene</b>	TO-15	µg/m³	<b>26,000</b>	8,700	260	2,100	63	3.7
1,2-Dibromoethane	TO-15	µg/m³	20	7	0.20	2	0.05	< 2.7
1,2-Dichlorobenzene	TO-15	µg/m³	87,600	29,200	876	6,967	209	< 2.1
1,2-Dichloroethane	TO-15	µg/m³	470	160	4.7	36	1.1	< 1.4
1,2-Dichloropropane	TO-15	µg/m³	1,800	600	18	140	4.2	< 1.6
<b>1,3,5-Trimethylbenzene</b>	TO-15	µg/m³	<b>26,000</b>	8,700	260	2,100	63	< 1.7
1,3-Butadiene	TO-15	µg/m³	410	137	4	31	0.94	< 0.77
1,3-Dichlorobenzene	TO-15	µg/m³	--	--	--	--	--	< 2.1
1,4-Dichlorobenzene	TO-15	µg/m³	1,100	367	11	85	2.6	< 2.1
1,4-Dioxane	TO-15	µg/m³	2,500	833	25	187	5.6	< 3.1
<b>2-Butanone</b>	TO-15	µg/m³	<b>2,200,000</b>	733,333	22,000	173,000	5,200	4.0
2-Hexanone	TO-15	µg/m³	13,100	4,367	131	1,043	31	< 7.1
4-Ethyltoluene	TO-15	µg/m³	--	--	--	--	--	< 1.7
4-Methyl-2-pentanone	TO-15	µg/m³	1,300,000	433,333	13,000	104,333	3,130	< 7.1
<b>Acetone</b>	TO-15	µg/m³	<b>14,000,000</b>	4,700,000	140,000	1,067,000	32,000	8100
<b>Benzene</b>	TO-15	µg/m³	<b>1,600</b>	520	16	120	3.6	9.5
Benzyl chloride	TO-15	µg/m³	300	100	3	19	0.57	< 4.5
Bromodichloromethane	TO-15	µg/m³	330	110	3	25	0.76	< 2.3
Bromoform	TO-15	µg/m³	11,100	3,700	111	867	26	< 9.0
Bromomethane	TO-15	µg/m³	2,200	733	22	173	5.2	< 3.4
<b>Carbon disulfide</b>	TO-15	µg/m³	<b>310,000</b>	103,000	3,100	24,000	730	< 1.1
Carbon tetrachloride	TO-15	µg/m³	2,000	680	20	160	4.7	< 2.2
Chlorobenzene	TO-15	µg/m³	21,900	7,300	219	1,733	52	< 1.6
Chloroethane	TO-15	µg/m³	1,750,000	583,333	17,500	139,000	4,170	< 0.92
Chloroform	TO-15	µg/m³	530	180	5	41	1.2	< 1.7
Chloromethane	TO-15	µg/m³	39,000	13,000	390	3,100	94	< 1.8
cis-1,2-Dichloroethene	TO-15	µg/m³	--	5,600	180	1,400	42	< 1.4
cis-1,3-Dichloropropene	TO-15	µg/m³	--	--	--	--	--	< 1.6
<b>Cyclohexane</b>	TO-15	µg/m³	<b>2,600,000</b>	858,000	26,000	210,000	6,300	2.6
Dibromochloromethane	TO-15	µg/m³	--	--	--	--	--	< 3.0
Dichlorodifluoromethane	TO-15	µg/m³	44,000	15,000	440	3,500	100	2.5
Ethyl acetate	TO-15	µg/m³	31,000	10,333	310	2,433	73	< 3.1
Ethylbenzene	TO-15	µg/m³	4900	1600	49	367	11	280
Freon-113	TO-15	µg/m³	2190000	730,000	21,900	174,000	5,210	< 2.7
Freon-114	TO-15	µg/m³	2190000	730,000	21,900	174,000	5,210	< 12
Heptane	TO-15	µg/m³	180,000	60,000	1,800	14,000	420	3.4
Hexachlorobutadiene	TO-15	µg/m³	600	200	6	43	1.3	< 3.7
Hexane	TO-15	µg/m³	310,000	103,000	3,100	24,000	730	7.4
Isopropyl Alcohol	TO-15	µg/m³	87,600	29,200	876	6,700	209	< 4.3
m,p-Xylene	TO-15	µg/m³	44,000	15,000	440	3,300	100	1000
Methyl tert-butyl ether	TO-15	µg/m³	47,000	16,000	470	3,700	110	< 1.3
Methylene chloride	TO-15	µg/m³	260,000	88,000	2,600	21,000	630	< 12
Naphthalene	TO-15	µg/m³	360	120	3.6	28	0.83	< 1.8
o-Xylene	TO-15	µg/m³	44,000	15,000	440	3,300	100	320
Propene	TO-15	µg/m³	1,300,000	433,000	13,000	103,000	3,100	16
Styrene	TO-15	µg/m³	440,000	147,000	4,400	37,000	1,100	< 1.5
Tetrachloroethene	TO-15	µg/m³	18,000	5,800	180	1,400	42	< 2.4
Tetrahydrofuran	TO-15	µg/m³	876,000	292,000	8,760	70,000	2,100	< 2.6
<b>Toluene</b>	TO-15	µg/m³	<b>2,200,000</b>	730,000	22,000	170,000	5,200	31
trans-1,2-Dichloroethene	TO-15	µg/m³	18,000	5,800	180	1,400	42	< 1.4
trans-1,3-Dichloropropene	TO-15	µg/m³	--	--	--	--	--	< 1.6
Trichloroethene	TO-15	µg/m³	880	290	8.8	70	2.1	< 1.9
Trichlorofluoromethane	TO-15	µg/m³	--	--	--	--	--	< 2.0
<b>Vinyl acetate</b>	TO-15	µg/m³	<b>88,000</b>	29,000	880	7,000	210	< 12
Vinyl chloride	TO-15	µg/m³	2,800	930	28	56	1.7	< 0.89
<b>Xylenes, Total</b>	TO-15	µg/m³	<b>44,000</b>	15,000	440	3,300	100	1300

Notes:

-- : No toxicity data available

Results are shown in ug/m3 = micrograms per cubic meter

<sup>(1)</sup> Vapor Action Levels (VAL) are based on a hazard index of 1 or a life-time excess cancer risk of 10<sup>-6</sup>, per WDNR Pub-RR-800 .

WDNR Quick-Look-up Table December 2022, from the EPA RSL calculator, updated November 2022

**BOLD:** Exceeds Vapor Action Level for Small Commercial Buildings

**BOLD Italics:** Exceeds Vapor Action Level for Residential Buildings

<sup>(2)</sup> Attenuation factor of 0.03 to 0.01 are applied based on sample type (shallow soil gas samples) and structure type, per WDNR Pub-RR-800.



2242 West Harrison St., Suite 200, Chicago, IL 60612-3766  
Tel: (312) 733-0551 Fax: (312) 733-2386 Info@TheSterlingLab.com

December 23, 2023

Himalayan Consultants, LLC  
W156 N11357 Pilgrim Road  
Germantown, WI 53022  
Telephone: (262) 502-0066  
Fax:

Analytical Report for Work Order: 23120505 Revision 0

RE: Garage Mahal, Mill Street - Menomonee Falls, WI

Dear Himalayan Consultants, LLC:

Sterling Labs received 1 sample for the referenced project on 12/18/2023 11:53:00 AM. The analytical results are presented in the following report.

All analyses were performed in accordance with methods as referenced on the analytical report and were performed within established holding time criteria. All Quality Control criteria met TNI or laboratory specifications except when noted in the Case Narrative, Analytical Report or Sample Receipt Checklist. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 733-0551.

Sincerely,

A handwritten signature in black ink, appearing to read "C. Chawla", with a stylized flourish at the end.

Craig Chawla  
Project Manager

*The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples as received and tested. Sterling labs is not responsible for customer provided information found in the report that is used to calculate final results. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory. This analytical report shall become property of the Customer upon payment in full. Otherwise, Sterling Labs will be under no obligation to support, defend or discuss the analytical report.*

---

**Customer:** Himalayan Consultants, LLC  
**Project:** Garage Mahal, Mill Street - Menomonee Falls, WI  
**Work Order:** 23120505 Revision 0

## Work Order Sample Summary

---

Lab Sample ID	Customer Sample ID	Tag Number	Collection Date	Date Received
23120505-001A	MG-1		12/15/2023 9:30:00 AM	12/18/2023



**Report Date:** December 23, 2023  
**Print Date:** December 23, 2023

## Analytical Results

**Customer:** Himalayan Consultants, LLC **Customer Sample ID:** MG-1  
**Work Order:** 23120505 Revision 0 **Tag Number:**  
**Project:** Garage Mahal, Mill Street - Menomonee Falls, WI **Collection Date:** 12/15/2023 9:30:00 AM  
**Lab ID:** 23120505-001A **Matrix:** Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

**Volatile Organic Compounds in Air by GC/MS TO-15** Prep Date: 12/18/2023 Analyst: KVV

ORELAP IL300001

1,1,1-Trichloroethane	ND	0.35		ppbv	1	12/19/2023
1,1,2,2-Tetrachloroethane	ND	0.35		ppbv	1	12/19/2023
1,1,2-Trichloroethane	ND	0.35		ppbv	1	12/19/2023
1,1-Dichloroethane	ND	0.35		ppbv	1	12/19/2023
1,1-Dichloroethene	ND	0.35		ppbv	1	12/19/2023
1,2,4-Trichlorobenzene	ND	0.35		ppbv	1	12/19/2023
1,2,4-Trimethylbenzene	0.75	0.35		ppbv	1	12/19/2023
1,2-Dibromoethane	ND	0.35		ppbv	1	12/19/2023
1,2-Dichlorobenzene	ND	0.35		ppbv	1	12/19/2023
1,2-Dichloroethane	ND	0.35		ppbv	1	12/19/2023
1,2-Dichloropropane	ND	0.35		ppbv	1	12/19/2023
1,3,5-Trimethylbenzene	ND	0.35		ppbv	1	12/19/2023
1,3-Butadiene	ND	0.35		ppbv	1	12/19/2023
1,3-Dichlorobenzene	ND	0.35		ppbv	1	12/19/2023
1,4-Dichlorobenzene	ND	0.35		ppbv	1	12/19/2023
1,4-Dioxane	ND	0.87		ppbv	1	12/19/2023
2-Butanone	1.3	0.87		ppbv	1	12/19/2023
2-Hexanone	ND	1.7		ppbv	1	12/19/2023
4-Ethyltoluene	ND	0.35		ppbv	1	12/19/2023
4-Methyl-2-pentanone	ND	1.7		ppbv	1	12/19/2023
Acetone	3400	2200	*	ppbv	625	12/19/2023
Benzene	3.0	0.35		ppbv	1	12/19/2023
Benzyl chloride	ND	0.87		ppbv	1	12/19/2023
Bromodichloromethane	ND	0.35		ppbv	1	12/19/2023
Bromoform	ND	0.87		ppbv	1	12/19/2023
Bromomethane	ND	0.87		ppbv	1	12/19/2023
Carbon disulfide	ND	0.35		ppbv	1	12/19/2023
Carbon tetrachloride	ND	0.35		ppbv	1	12/19/2023
Chlorobenzene	ND	0.35		ppbv	1	12/19/2023
Chloroethane	ND	0.35		ppbv	1	12/19/2023
Chloroform	ND	0.35		ppbv	1	12/19/2023
Chloromethane	ND	0.87		ppbv	1	12/19/2023
cis-1,2-Dichloroethene	ND	0.35		ppbv	1	12/19/2023
cis-1,3-Dichloropropene	ND	0.35		ppbv	1	12/19/2023
Cyclohexane	0.77	0.35		ppbv	1	12/19/2023
Dibromochloromethane	ND	0.35		ppbv	1	12/19/2023
Dichlorodifluoromethane	0.51	0.35		ppbv	1	12/19/2023
Ethyl acetate	ND	0.87		ppbv	1	12/19/2023
Ethylbenzene	64	0.35		ppbv	1	12/19/2023
Freon-113	ND	0.35		ppbv	1	12/19/2023

**Qualifiers:** ND - Not Detected at the Reporting Limit RL - Reporting / Quantitation Limit for the analysis  
 J - Analyte detected below quantitation limits S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank R - RPD outside accepted recovery limits  
 HT - Sample received past holding time E - Value above quantitation range  
 \* - Non-accredited parameter H - Holding time exceeded



**Report Date:** December 23, 2023  
**Print Date:** December 23, 2023

## Analytical Results

**Customer:** Himalayan Consultants, LLC **Customer Sample ID:** MG-1  
**Work Order:** 23120505 Revision 0 **Tag Number:**  
**Project:** Garage Mahal, Mill Street - Menomonee Falls, WI **Collection Date:** 12/15/2023 9:30:00 AM  
**Lab ID:** 23120505-001A **Matrix:** Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

**Volatile Organic Compounds in Air by GC/MS TO-15** Prep Date: 12/18/2023 Analyst: KVV

ORELAP IL300001

Freon-114	ND	1.7		ppbv	1	12/19/2023
Heptane	0.84	0.35		ppbv	1	12/19/2023
Hexachlorobutadiene	ND	0.35		ppbv	1	12/19/2023
Hexane	2.1	0.87		ppbv	1	12/19/2023
Isopropyl Alcohol	ND	1.7		ppbv	1	12/19/2023
m,p-Xylene	230	17		ppbv	25	12/19/2023
Methyl tert-butyl ether	ND	0.35		ppbv	1	12/19/2023
Methylene chloride	ND	3.5		ppbv	1	12/19/2023
Naphthalene	ND	0.35		ppbv	1	12/19/2023
o-Xylene	74	0.35		ppbv	1	12/19/2023
Propene	9.0	3.5		ppbv	1	12/19/2023
Styrene	ND	0.35		ppbv	1	12/19/2023
Tetrachloroethene	ND	0.35		ppbv	1	12/19/2023
Tetrahydrofuran	ND	0.87		ppbv	1	12/19/2023
Toluene	8.4	0.35		ppbv	1	12/19/2023
trans-1,2-Dichloroethene	ND	0.35		ppbv	1	12/19/2023
trans-1,3-Dichloropropene	ND	0.35		ppbv	1	12/19/2023
Trichloroethene	ND	0.35		ppbv	1	12/19/2023
Trichlorofluoromethane	ND	0.35		ppbv	1	12/19/2023
Vinyl acetate	ND	3.5		ppbv	1	12/19/2023
Vinyl chloride	ND	0.35		ppbv	1	12/19/2023
Xylenes, Total	290	26		ppbv	25	12/19/2023

**Volatile Organic Compounds in Air by GC/MS TO-15** Prep Date: 12/18/2023 Analyst: KVV

ORELAP IL300001

1,1,1-Trichloroethane	ND	1.9		µg/m <sup>3</sup>	1	12/19/2023
1,1,2,2-Tetrachloroethane	ND	2.4		µg/m <sup>3</sup>	1	12/19/2023
1,1,2-Trichloroethane	ND	1.9		µg/m <sup>3</sup>	1	12/19/2023
1,1-Dichloroethane	ND	1.4		µg/m <sup>3</sup>	1	12/19/2023
1,1-Dichloroethene	ND	1.4		µg/m <sup>3</sup>	1	12/19/2023
1,2,4-Trichlorobenzene	ND	2.6		µg/m <sup>3</sup>	1	12/19/2023
1,2,4-Trimethylbenzene	3.7	1.7		µg/m <sup>3</sup>	1	12/19/2023
1,2-Dibromoethane	ND	2.7		µg/m <sup>3</sup>	1	12/19/2023
1,2-Dichlorobenzene	ND	2.1		µg/m <sup>3</sup>	1	12/19/2023
1,2-Dichloroethane	ND	1.4		µg/m <sup>3</sup>	1	12/19/2023
1,2-Dichloropropane	ND	1.6		µg/m <sup>3</sup>	1	12/19/2023
1,3,5-Trimethylbenzene	ND	1.7		µg/m <sup>3</sup>	1	12/19/2023
1,3-Butadiene	ND	0.77		µg/m <sup>3</sup>	1	12/19/2023
1,3-Dichlorobenzene	ND	2.1		µg/m <sup>3</sup>	1	12/19/2023
1,4-Dichlorobenzene	ND	2.1		µg/m <sup>3</sup>	1	12/19/2023

**Qualifiers:** ND - Not Detected at the Reporting Limit RL - Reporting / Quantitation Limit for the analysis  
 J - Analyte detected below quantitation limits S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank R - RPD outside accepted recovery limits  
 HT - Sample received past holding time E - Value above quantitation range  
 \* - Non-accredited parameter H - Holding time exceeded



**Report Date:** December 23, 2023  
**Print Date:** December 23, 2023

## Analytical Results

**Customer:** Himalayan Consultants, LLC **Customer Sample ID:** MG-1  
**Work Order:** 23120505 Revision 0 **Tag Number:**  
**Project:** Garage Mahal, Mill Street - Menomonee Falls, WI **Collection Date:** 12/15/2023 9:30:00 AM  
**Lab ID:** 23120505-001A **Matrix:** Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

**Volatile Organic Compounds in Air by GC/MS TO-15** Prep Date: 12/18/2023 Analyst: KVV

ORELAP IL300001

1,4-Dioxane	ND	3.1		µg/m <sup>3</sup>	1	12/19/2023
2-Butanone	4.0	2.6		µg/m <sup>3</sup>	1	12/19/2023
2-Hexanone	ND	7.1		µg/m <sup>3</sup>	1	12/19/2023
4-Ethyltoluene	ND	1.7		µg/m <sup>3</sup>	1	12/19/2023
4-Methyl-2-pentanone	ND	7.1		µg/m <sup>3</sup>	1	12/19/2023
Acetone	8100	5200	*	µg/m <sup>3</sup>	625	12/19/2023
Benzene	9.5	1.1		µg/m <sup>3</sup>	1	12/19/2023
Benzyl chloride	ND	4.5		µg/m <sup>3</sup>	1	12/19/2023
Bromodichloromethane	ND	2.3		µg/m <sup>3</sup>	1	12/19/2023
Bromoform	ND	9.0		µg/m <sup>3</sup>	1	12/19/2023
Bromomethane	ND	3.4		µg/m <sup>3</sup>	1	12/19/2023
Carbon disulfide	ND	1.1		µg/m <sup>3</sup>	1	12/19/2023
Carbon tetrachloride	ND	2.2		µg/m <sup>3</sup>	1	12/19/2023
Chlorobenzene	ND	1.6		µg/m <sup>3</sup>	1	12/19/2023
Chloroethane	ND	0.92		µg/m <sup>3</sup>	1	12/19/2023
Chloroform	ND	1.7		µg/m <sup>3</sup>	1	12/19/2023
Chloromethane	ND	1.8		µg/m <sup>3</sup>	1	12/19/2023
cis-1,2-Dichloroethene	ND	1.4		µg/m <sup>3</sup>	1	12/19/2023
cis-1,3-Dichloropropene	ND	1.6		µg/m <sup>3</sup>	1	12/19/2023
Cyclohexane	2.6	1.2		µg/m <sup>3</sup>	1	12/19/2023
Dibromochloromethane	ND	3.0		µg/m <sup>3</sup>	1	12/19/2023
Dichlorodifluoromethane	2.5	1.7		µg/m <sup>3</sup>	1	12/19/2023
Ethyl acetate	ND	3.1		µg/m <sup>3</sup>	1	12/19/2023
Ethylbenzene	280	1.5		µg/m <sup>3</sup>	1	12/19/2023
Freon-113	ND	2.7		µg/m <sup>3</sup>	1	12/19/2023
Freon-114	ND	12		µg/m <sup>3</sup>	1	12/19/2023
Heptane	3.4	1.4		µg/m <sup>3</sup>	1	12/19/2023
Hexachlorobutadiene	ND	3.7		µg/m <sup>3</sup>	1	12/19/2023
Hexane	7.4	3.1		µg/m <sup>3</sup>	1	12/19/2023
Isopropyl Alcohol	ND	4.3		µg/m <sup>3</sup>	1	12/19/2023
m,p-Xylene	1000	76		µg/m <sup>3</sup>	25	12/19/2023
Methyl tert-butyl ether	ND	1.3		µg/m <sup>3</sup>	1	12/19/2023
Methylene chloride	ND	12		µg/m <sup>3</sup>	1	12/19/2023
Naphthalene	ND	1.8		µg/m <sup>3</sup>	1	12/19/2023
o-Xylene	320	1.5		µg/m <sup>3</sup>	1	12/19/2023
Propene	16	6.0		µg/m <sup>3</sup>	1	12/19/2023
Styrene	ND	1.5		µg/m <sup>3</sup>	1	12/19/2023
Tetrachloroethene	ND	2.4		µg/m <sup>3</sup>	1	12/19/2023
Tetrahydrofuran	ND	2.6		µg/m <sup>3</sup>	1	12/19/2023
Toluene	31	1.3		µg/m <sup>3</sup>	1	12/19/2023

**Qualifiers:** ND - Not Detected at the Reporting Limit RL - Reporting / Quantitation Limit for the analysis  
 J - Analyte detected below quantitation limits S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank R - RPD outside accepted recovery limits  
 HT - Sample received past holding time E - Value above quantitation range  
 \* - Non-accredited parameter H - Holding time exceeded



**Report Date:** December 23, 2023  
**Print Date:** December 23, 2023

## Analytical Results

**Customer:** Himalayan Consultants, LLC **Customer Sample ID:** MG-1  
**Work Order:** 23120505 Revision 0 **Tag Number:**  
**Project:** Garage Mahal, Mill Street - Menomonee Falls, WI **Collection Date:** 12/15/2023 9:30:00 AM  
**Lab ID:** 23120505-001A **Matrix:** Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

**Volatile Organic Compounds in Air by GC/MS TO-15** Prep Date: 12/18/2023 Analyst: KWV

ORELAP IL300001

trans-1,2-Dichloroethene	ND	1.4		µg/m <sup>3</sup>	1	12/19/2023
trans-1,3-Dichloropropene	ND	1.6		µg/m <sup>3</sup>	1	12/19/2023
Trichloroethene	ND	1.9		µg/m <sup>3</sup>	1	12/19/2023
Trichlorofluoromethane	ND	2.0		µg/m <sup>3</sup>	1	12/19/2023
Vinyl acetate	ND	12		µg/m <sup>3</sup>	1	12/19/2023
Vinyl chloride	ND	0.89		µg/m <sup>3</sup>	1	12/19/2023
Xylenes, Total	1300	110		µg/m <sup>3</sup>	25	12/19/2023

<b>Qualifiers:</b>	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded







### Sample Receipt Checklist

Customer: HIMALAYAN CONSULTANTS,

Date and Time Received: 12/18/2023 11:53:00 AM

Work Order Number 23120505

Received by: JMH

Checklist completed by: [Signature] 12/18/23  
Signature Date

Reviewed by: [Initials] 12/18/2023  
Initials Date

Matrix: Carrier name: FedEx

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present
- Custody seals intact on sample bottles? Yes  No  Not Present
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels/containers? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container or Temp Blank temperature in compliance? Yes  No  Temperature Ambient °C
- Water - VOA vials have zero headspace? Yes  No  No VOA vials submitted  Yes  No
- Water - Samples pH checked? Yes  No  Checked by: \_\_\_\_\_
- Water - Samples properly preserved? Yes  No  pH Adjusted? \_\_\_\_\_

Any No response must be detailed in the comments section below.

-----

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Customer / Person contacted: \_\_\_\_\_ Date contacted: \_\_\_\_\_ Contacted by: \_\_\_\_\_

Response: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_