

**From:** Bradley Luedtke <bdluedtke@mmm.com>  
**Sent:** Thursday, June 27, 2024 2:43 PM  
**To:** Schrank, Jayson S - DNR  
**Cc:** Zeichert, Timothy A - DNR; LiJane Ballard; Janice Neitzel  
**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS  
**Attachments:** 3M Menomonie SERTS SPILL 20240626WC17-1 PFAS Response.pdf

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

**CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Jayson,

See attached 3M response to your inquiry.

Thanks



**Brad Luedtke** | Environmental Engineer  
**USAC EHS**  
3M Menomonie | Menomonie, WI 54751 | United States  
Office: +1 715 578 2318  
[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)



---

**From:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>  
**Sent:** Thursday, June 27, 2024 10:44 AM  
**To:** Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>  
**Subject:** [EXTERNAL] SERTS SPILL 20240626WC17-1 PFAS

**WARNING: This email is not from 3M. If you are not expecting an email from this sender, do not click on links or open attachments and report it using the Report Phish button.**

Good morning Brad,

Please send over a written response summary for the reported release of PFAS. Explain how and when the release occurred, the actions that were taken to stop and prevent the spread of material, and then

what was done to remove the contamination. Please include photos and a site map indicating where the release occurred and areas impacted. Feel free to reach out if you have any questions.

Hope you're well,  
Jayson

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank** (he/him/his)

Regional Spills Coordinator / Hydrogeologist  
Remediation & Redevelopment Program  
Wisconsin Dept. of Natural Resources  
890 Spruce Street, Baldwin, WI 54002

**Cell Phone: 715-410-8841**

[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)



For emergencies, please call the [Spill Hotline](tel:800-943-0003) at 800-943-0003.

### 3M Menomonie 6/26/2024 Firewater Spill Follow Up

1. How release occurred- Truck driver accidently dropped hose, causing approximately eight ounces of water to flow out of hose onto a tarp and eventually onto the ground
2. When release occurred- 6/26/24
3. Actions taken to stop spread of release- Spill absorbent applied to area, impacted gravel removed and drummed for disposal
4. Map of affected area



**From:** Lijane Ballard <lhbballard@mmm.com>  
**Sent:** Friday, July 5, 2024 11:31 AM  
**To:** Schrank, Jayson S - DNR; Bradley Luedtke  
**Cc:** Zeichert, Timothy A - DNR; Janice Neitzel  
**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS


**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

**CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hello Jayson,  
I would like to clarify from my email below that it was approximately 2 cubic *feet* of soil, not yards. I've attached the photo of the spill area as well as the material in the drum for disposal. All material from this project will be incinerated at one of Clean Harbor's Commercial Hazardous Waste Incinerators (Aragonite, UT or Kimball, NE). 3M no longer operates a Hazardous Waste Incinerator.








Best Regards,  
Li

**LiJane Ballard** | she/her/hers  
Environmental, Health, and Safety Manager

**3M Menomonie**

1425 Stokke Pkwy  
Menomonie, WI 54751 | United States  
Time: Central, UTC -6:00  
Cell Phone +1 307 757 7951 | [lhbrunner@mmm.com](mailto:lhbrunner@mmm.com)



---

**From:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>  
**Sent:** Wednesday, July 3, 2024 10:21 AM  
**To:** LiJane Ballard <[lhballard@mmm.com](mailto:lhballard@mmm.com)>; Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; Janice Neitzel <[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>  
**Subject:** [EXTERNAL] RE: SERTS SPILL 20240626WC17-1 PFAS

**WARNING: This email is not from 3M. If you are not expecting an email from this sender, do not click on links or open attachments and report it using the Report Phish button.**

Thank you LiJane – this is helpful. Are there any photos of the immediate response that took place to contain and recover the material? And do we know where that ~2 cubic yards will go for incineration? Does Clean Harbors take that somewhere or does 3M have an incinerator?

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank (he/him/his)**

Regional Spills Coordinator / Hydrogeologist  
Cell Phone: 715-410-8841  
[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



For emergencies, please call the [Spill Hotline](tel:800-943-0003) at 800-943-0003.

---

**From:** LiJane Ballard <[lhballard@mmm.com](mailto:lhballard@mmm.com)>  
**Sent:** Tuesday, July 2, 2024 4:34 PM  
**To:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>; Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; Janice Neitzel

<[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>

**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS

**CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Good Afternoon Jayson,


In order to meet OSHA and NFPA life-safety requirements, we conducted several of our Fire Suppression system PMs last week. Due to the fact that we have known PFAS in our Fire Suppression water loop, we hired an external contractor, Clean Harbors, to assist us and collect all of the water generated for disposal via incineration.

During that activity, one of the vac-tanker drivers from a sub-contracted transportation provider placed an uncapped hose onto a tarp at approximately 10:30AM on Wednesday, June 24<sup>th</sup> while making the connections between hydrant tests. The residual water in the hose ran onto a containment tarp and then a small amount of the water escaped the tarp. As stated in the call to the spill reporting line, approximately 1 cup of fire suppression water with a potential concentration up to 6400 ug/L (6.4 ppt) PFOS was released to our gravel parking area. An immediate response was initiated- the spill was contained and all contaminated materials were excavated and disposed of. Approximately 2 cubic feet of gravel was excavated and drummed for incineration with the other project materials such as used PPE or spill pads.

Thank you,  
Li

**LiJane Ballard** | she/her/hers  
Environmental, Health, and Safety Manager  
**3M Menomonie**  
1425 Stokke Pkwy  
Menomonie, WI 54751 | United States  
Time: Central, UTC -6:00  
Cell Phone +1 307 757 7951 | [lhbrunner@mmm.com](mailto:lhbrunner@mmm.com)

**3M** Science.  
Applied to Life.™



---

**From:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>

**Sent:** Tuesday, July 2, 2024 4:01 PM



**To:** Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; LiJane Ballard <[lhballard@mmm.com](mailto:lhballard@mmm.com)>; Janice Neitzel <[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>  
**Subject:** [EXTERNAL] RE: SERTS SPILL 20240626WC17-1 PFAS

**WARNING: This email is not from 3M. If you are not expecting an email from this sender, do not click on links or open attachments and report it using the Report Phish button.**

Good afternoon Brad,

I tried calling your office phone earlier and left a voicemail but wanted to follow up with an email. I was wondering if you can give a little more context for clarity to this PFAS spill. Our DNR project manager said he received a call about this spill on Monday, June 24<sup>th</sup> at 11:57am. Also looking for more context to the report you sent over – this is pretty thin and leaves some questions unanswered. Please reference NR708 - specifically [NR708.09](#) – for information to put into the report.

1. How did the release occur? Truck driver – whose truck? Dropped what hose? What activities were taking place?
2. Please confirm when the release occurred.
3. How much gravel was removed? Where will the gravel be disposed of

Please let me know if you have any questions,  
Jayson

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank** (he/him/his)

Regional Spills Coordinator / Hydrogeologist  
Remediation & Redevelopment Program  
Wisconsin Dept. of Natural Resources  
890 Spruce Street, Baldwin, WI 54002  
**Cell Phone: 715-410-8841**

[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)



For emergencies, please call the [Spill Hotline](#) at 800-943-0003.

---

**From:** Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Sent:** Thursday, June 27, 2024 2:43 PM  
**To:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; LiJane Ballard

<[lhballard@mmm.com](mailto:lhballard@mmm.com)>; Janice Neitzel <[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>

**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS

**CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Jayson,

See attached 3M response to your inquiry.

Thanks



**Brad Luedtke** | Environmental Engineer  
**USAC EHS**  
3M Menomonie | Menomonie, WI 54751 | United States  
Office: +1 715 578 2318  
[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)



---

**From:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>  
**Sent:** Thursday, June 27, 2024 10:44 AM  
**To:** Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>  
**Subject:** [EXTERNAL] SERTS SPILL 20240626WC17-1 PFAS

**WARNING: This email is not from 3M. If you are not expecting an email from this sender, do not click on links or open attachments and report it using the Report Phish button.**

Good morning Brad,

Please send over a written response summary for the reported release of PFAS. Explain how and when the release occurred, the actions that were taken to stop and prevent the spread of material, and then what was done to remove the contamination. Please include photos and a site map indicating where the release occurred and areas impacted. Feel free to reach out if you have any questions.

Hope you're well,  
Jayson

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank** (he/him/his)

Regional Spills Coordinator / Hydrogeologist

Remediation & Redevelopment Program

Wisconsin Dept. of Natural Resources

890 Spruce Street, Baldwin, WI 54002

**Cell Phone: 715-410-8841**

[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)



For emergencies, please call the [Spill Hotline](tel:800-943-0003) at 800-943-0003.

**From:** Schrank, Jayson S - DNR  
**Sent:** Tuesday, July 9, 2024 12:19 PM  
**To:** LiJane Ballard; Bradley Luedtke  
**Cc:** Zeichert, Timothy A - DNR; Janice Neitzel  
**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS

Thank you for the reply. Based on this information, I will close the spill file. Additional sampling may be required in the future under the current open site investigation to confirm no residuals remain. I believe Britta Chambers has been working with WDNR Project Manager Tim Zeichert on the site investigation side of things. I spoke with Tim and he will continue as the Point of Contact moving forward. Please contact me with any spill-related questions, or you may contact Tim with questions relating to the investigation.

Thank you,  
Jayson

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank (he/him/his)**

Regional Spills Coordinator / Hydrogeologist

Cell Phone: 715-410-8841

[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



For emergencies, please call the [Spill Hotline](tel:800-943-0003) at 800-943-0003.

---

**From:** LiJane Ballard <[lballard@mmm.com](mailto:lballard@mmm.com)>  
**Sent:** Friday, July 5, 2024 11:31 AM  
**To:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>; Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; Janice Neitzel <[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>  
**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS

**CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.**


Hello Jayson,

I would like to clarify from my email below that it was approximately 2 cubic feet of soil, not yards. I've attached the photo of the spill area as well as the material in the drum for disposal.



All material from this project will be incinerated at one of Clean Harbor's Commercial Hazardous Waste Incinerators (Aragonite, UT or Kimball, NE). 3M no longer operates a Hazardous Waste Incinerator.






Best Regards,  
Li

**LiJane Ballard** | she/her/hers  
Environmental, Health, and Safety Manager



**3M Menomonie**

1425 Stokke Pkwy  
Menomonie, WI 54751 | United States  
Time: Central, UTC -6:00  
Cell Phone +1 307 757 7951 | [lhbrunner@mmm.com](mailto:lhbrunner@mmm.com)



---

**From:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>  
**Sent:** Wednesday, July 3, 2024 10:21 AM  
**To:** LiJane Ballard <[lhballard@mmm.com](mailto:lhballard@mmm.com)>; Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; Janice Neitzel <[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>  
**Subject:** [EXTERNAL] RE: SERTS SPILL 20240626WC17-1 PFAS

**WARNING: This email is not from 3M. If you are not expecting an email from this sender, do not click on links or open attachments and report it using the Report Phish button.**

Thank you LiJane – this is helpful. Are there any photos of the immediate response that took place to contain and recover the material? And do we know where that ~2 cubic yards will go for incineration? Does Clean Harbors take that somewhere or does 3M have an incinerator?

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank (he/him/his)**

Regional Spills Coordinator / Hydrogeologist  
Cell Phone: 715-410-8841  
[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



For emergencies, please call the [Spill Hotline](tel:800-943-0003) at 800-943-0003.

---

**From:** LiJane Ballard <[lhballard@mmm.com](mailto:lhballard@mmm.com)>  
**Sent:** Tuesday, July 2, 2024 4:34 PM  
**To:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>; Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; Janice Neitzel



<[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>

**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS

**CAUTION: This email originated from outside the organization.  
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Good Afternoon Jayson,


In order to meet OSHA and NFPA life-safety requirements, we conducted several of our Fire Suppression system PMs last week. Due to the fact that we have known PFAS in our Fire Suppression water loop, we hired an external contractor, Clean Harbors, to assist us and collect all of the water generated for disposal via incineration.

During that activity, one of the vac-tanker drivers from a sub-contracted transportation provider placed an uncapped hose onto a tarp at approximately 10:30AM on Wednesday, June 24<sup>th</sup> while making the connections between hydrant tests. The residual water in the hose ran onto a containment tarp and then a small amount of the water escaped the tarp. As stated in the call to the spill reporting line, approximately 1 cup of fire suppression water with a potential concentration up to 6400 ug/L (6.4 ppt) PFOS was released to our gravel parking area. An immediate response was initiated- the spill was contained and all contaminated materials were excavated and disposed of. Approximately 2 cubic feet of gravel was excavated and drummed for incineration with the other project materials such as used PPE or spill pads.

Thank you,  
Li

**LiJane Ballard** | she/her/hers  
Environmental, Health, and Safety Manager  
**3M Menomonie**  
1425 Stokke Pkwy  
Menomonie, WI 54751 | United States  
Time: Central, UTC -6:00  
Cell Phone +1 307 757 7951 | [lhbrunner@mmm.com](mailto:lhbrunner@mmm.com)

**3M** Science.  
Applied to Life.™



---

**From:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>

**Sent:** Tuesday, July 2, 2024 4:01 PM

**To:** Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; LiJane Ballard <[lhallard@mmm.com](mailto:lhallard@mmm.com)>; Janice Neitzel <[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>  
**Subject:** [EXTERNAL] RE: SERTS SPILL 20240626WC17-1 PFAS

**WARNING: This email is not from 3M. If you are not expecting an email from this sender, do not click on links or open attachments and report it using the Report Phish button.**

Good afternoon Brad,

I tried calling your office phone earlier and left a voicemail but wanted to follow up with an email. I was wondering if you can give a little more context for clarity to this PFAS spill. Our DNR project manager said he received a call about this spill on Monday, June 24<sup>th</sup> at 11:57am. Also looking for more context to the report you sent over – this is pretty thin and leaves some questions unanswered. Please reference NR708 - specifically [NR708.09](#) – for information to put into the report.

1. How did the release occur? Truck driver – whose truck? Dropped what hose? What activities were taking place?
2. Please confirm when the release occurred.
3. How much gravel was removed? Where will the gravel be disposed of

Please let me know if you have any questions,  
Jayson

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank** (he/him/his)

Regional Spills Coordinator / Hydrogeologist  
Remediation & Redevelopment Program  
Wisconsin Dept. of Natural Resources  
890 Spruce Street, Baldwin, WI 54002  
**Cell Phone: 715-410-8841**

[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)



For emergencies, please call the [Spill Hotline](#) at 800-943-0003.

---

**From:** Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>  
**Sent:** Thursday, June 27, 2024 2:43 PM  
**To:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>  
**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>; LiJane Ballard

<[lhballard@mmm.com](mailto:lhballard@mmm.com)>; Janice Neitzel <[jmneitzel@mmm.com](mailto:jmneitzel@mmm.com)>

**Subject:** RE: SERTS SPILL 20240626WC17-1 PFAS

**CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Jayson,

See attached 3M response to your inquiry.

Thanks



**Brad Luedtke** | Environmental Engineer

**USAC EHS**

3M Menomonie | Menomonie, WI 54751 | United States

Office: +1 715 578 2318

[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)



---

**From:** Schrank, Jayson S - DNR <[jayson.schrank@wisconsin.gov](mailto:jayson.schrank@wisconsin.gov)>

**Sent:** Thursday, June 27, 2024 10:44 AM

**To:** Bradley Luedtke <[bdluedtke@mmm.com](mailto:bdluedtke@mmm.com)>

**Cc:** Zeichert, Timothy A - DNR <[Timothy.Zeichert@wisconsin.gov](mailto:Timothy.Zeichert@wisconsin.gov)>

**Subject:** [EXTERNAL] SERTS SPILL 20240626WC17-1 PFAS

**WARNING: This email is not from 3M. If you are not expecting an email from this sender, do not click on links or open attachments and report it using the Report Phish button.**

Good morning Brad,

Please send over a written response summary for the reported release of PFAS. Explain how and when the release occurred, the actions that were taken to stop and prevent the spread of material, and then what was done to remove the contamination. Please include photos and a site map indicating where the release occurred and areas impacted. Feel free to reach out if you have any questions.

Hope you're well,

Jayson

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Jayson Schrank** (he/him/his)

Regional Spills Coordinator / Hydrogeologist

Remediation & Redevelopment Program

Wisconsin Dept. of Natural Resources

890 Spruce Street, Baldwin, WI 54002

**Cell Phone: 715-410-8841**

[Jayson.Schrank@wisconsin.gov](mailto:Jayson.Schrank@wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)



For emergencies, please call the [Spill Hotline](tel:800-943-0003) at 800-943-0003.