

October 3, 2024



Wisconsin Department of Natural Resources

Attn: Danielle Keller
3911 Fish Hatchery Road
Fitchburg, WI 53711



Subject:

Tank System Site Assessment
Filling Station
611 North Main Street
Edgerton, WI 53534

Dear Ms. Keller:

Enclosed is the Tank System Site Assessment (TSSA) for the above referenced site in City of Edgerton, Rock County, Wisconsin. This work was conducted under WDNR Tank Removal Bid #430478. The site location is shown on Figure 1.

The site is a closed Leaking Underground Storage Tank (LUST) site that was investigated beginning in 1993 and closed in 2010 (BRRTS #03-54-001536). The site was closed with residual soil and groundwater contamination. Soil contamination was defined primarily to the former dispenser area. Residual groundwater contamination originating from the Underground Storage Tank (UST) basin and dispensers was documented across the northern $\frac{1}{2}$ of the site, and on off-gradient properties to the east. Depths to groundwater in the monitoring wells on site fluctuated from approximately seven (7) to fifteen (15) feet below land surface (bls) through the course of the investigation. Excavation of the USTs on site extended to a maximum of approximately nine (9) feet bls and groundwater was not encountered. Relevant file information is included in Attachment A.

This TSSA has been conducted for the removal of four (4) 4,000 gallon gasoline USTs, four (4) dispensers, and approximately thirty (30) feet of piping. All four (4) USTs still contained a considerable volume of product. Photographs are included in Attachment B. The site layout is shown on Figure 2.

Twenty-five (25) soil samples were collected during the removal. Soil samples exceeding the NR 720 Groundwater Pathway standard were documented on the sidewalls and bottom of the UST basins, piping run, and one (1) of the dispensers. Sample locations are depicted on Figure 2. Tabulated data is summarized on Table 1, with the complete analytical reports in Attachment C.

Based on DATCP records, it appears the site continued to operate until approximately 2016 when the USTs were registered as "Abandoned Without Product". The USTs continued to contain product until removal. Based on review of the historical data, detections in soil appear to be the result of an additional release.




RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 REIengineering.com

Please call me if you have questions or comments at (715) 675-9784 or email me at adelforge@reiengineering.com.

Sincerely,

A handwritten signature in black ink, appearing to read 'Andrew R. Delforge', with a stylized, flowing script.

Andrew R. Delforge, P.G.
Senior Hydrogeologist

cc: DATCP Weights and Measures, Attn: Nate Eberle (e-copy)
Jake Schlueter, SGS Environmental Contracting, LLC (e-copy)

TABLE 1
TANK SYSTEM SITE ASSESSMENT SOIL RESULTS
FILLING STATION
611 NORTH MAIN STREET
EDGERTON, WI 54534

Date-->			9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24
Sample-->			TS1	TS2	TS3	TS4	TB1	TB2	TB3	TB4	TB5	TB6	TB7	TS5
Sample Depth--(Feet)>			4	4	4	4	9	9	8	8	8	8	8	4
PID--(Instrument Units)>			0	0	0	0	210	0	171	48.6	34.5	881	376	141
% Moisture			7.5	2.3	7.4	4.8	2.3	1.4	8.7	8.9	8.3	6.1	6.4	6.0
Petroleum VOC's (ug/kg)	NTEDC	GW												
Benzene	1,490	5.1	<21.4	<12.7	<18.1	<13.1	<12.4	<12.2	<18.7	<14.2	<14.1	61.4	86.6	28.2j
Ethylbenzene	7,470	1,570	<21.4	<12.7	<18.1	<13.1	<12.4	<12.2	<18.7	21.0j	<14.1	1,530	2,180	786
Methly tert Butyl Ether	59,400	27	<26.4	<15.7	<22.3	<16.2	<15.4	<15.1	<232	<17.6	<17.4	<41.5	<33.4	<33.8
Naphthalene	5,150	658	<37.8	<22.5	<31.9	<23.1	<22.0	<21.6	50.0j	37.4j	29.0j	1,780	1,760	1,230
Toluene	818,000	1,107.2	<22.6	<13.5	<19.1	<13.9	<13.2	<12.9	<19.8	15.7j	<14.9	1,800	3,070	814
1,2,4-Trimethylbenzene	89,800	1,378.2	<26.8	<15.9	<22.6	<16.4	<15.6	<15.3	404	376	285	11,100	10,900	6,810
1,3,5-Trimethylbenzene	182,000		<28.9	<17.2	<24.5	<17.7	<16.8	<16.5	170	183	134	3,300	3,200	2,130
Xylenes (Total)	258,000	3,940	<63.8	<38.5	<54.8	<38.7	<37.8	<37.1	293.8j	303.9	189j	14,450	18,730	7,670

Date-->			9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24	9/17/24
Sample-->			TS6	TS7	TS8	TS9	TS10	TS11	TS12	P1	D1	D2	D3
Sample Depth--(Feet)>			4	4	4	4	4	4	4	2	2	2	2
PID--(Instrument Units)>			4.8	0	0	0	15.2	3.0	4.9	234	2.3	2.7	34.4
% Moisture			8.6	8.3	10.5	4.4	9.8	10.9	9.1	12.4	3.7	3.4	3.6
Petroleum VOC's (ug/kg)	NTEDC	GW											
Benzene	1,490	5.1	135	91.5	82.9	19.0j	<14.5	<14.8	<14.3	<399	<12.8	<12.7	152
Ethylbenzene	7,470	1,570	79.1	52.6j	63.6	<13.0	<14.5	<14.8	<14.3	541j	<12.8	<12.7	71.1
Methly tert Butyl Ether	59,400	27	<17.5	<17.7	<18.1	<16.1	<17.9	<18.3	<17.6	<493	<15.8	<15.7	<17.7
Naphthalene	5,150	658	376	287j	275j	<23.0	<25.6	<26.2	<25.2	2,410j	<22.6	<22.5	<25.3
Toluene	818,000	1,107.2	406	260	266	27.7j	<15.3	<15.7	<15.1	<423	<13.6	<13.5	729
1,2,4-Trimethylbenzene	89,800	1,378.2	811	583	560	<16.3	47.9j	27.7j	31.6j	894j	<16.0	<15.9	29.1j
1,3,5-Trimethylbenzene	182,000		433	339	309	<17.6	<19.6	<20.0	<25.9	5,260	<17.3	<17.2	<19.4
Xylenes (Total)	258,000	3,940	1,818	1,031	1,252	41.1j	38.6j	30.4j	<25.1	648j	<38.8	<38.7	415.5

Notes:

NTEDC - Not To Exceed Direct Contact Residual Contaminant Level (RCL)

GW - RCL Protective of Groundwater Quality

< - Concentration below listed laboratory detection limit

Exceeds Direct Contact RCL

Bold


Exceeds Groundwater Pathway RCL

Italic

NS - No Standard

j- Estimated Value between detection limit and quantification limit

DRAWING FILE: Q:\11700-11799\11754 - SGS - THE FILLING STATION - EDGERTON - TSSA\dwg\11754-VicN(US Topo).dwg LAYOUT: 1 PLOTTED: SEP 19, 2024 - 10:07AM PLOTTED BY: ToddW





Wisconsin Department of Agriculture, Trade and Consumer Protection
Bureau of Weights and Measures
P.O. Box 7837, Madison, WI 53707-7837
(608) 224-4942

Wis. Admin. Code § ATCP 93.560

FOR OFFICE USE ONLY

TANK SYSTEM SERVICE AND CLOSURE ASSESSMENT REPORT

Completion of this form is mandatory. Failure to complete this form is subject to enforcement action under Wis. Admin. Code ch. ATCP 93. *Personal information you provide may be used for purposes other than that for which it was originally collected (Wis. Stat. § 15.04(1)(m)).*

Complete One Form for Each System Service Event.

FOR PORTIONS OF THE FORM THAT DO NOT APPLY, CHECK THE 'N/A' BOX

CHECK ONE: ☒ UNDERGROUND ☐ ABOVEGROUND

Part A – To be completed by contractor performing repair or closure

A. TYPE OF SERVICE ☒ CLOSURE ☐ REPAIR/UPGRADE ☐ CHANGE-IN-SERVICE

Indicate portion of system being serviced if a repair, upgrade or change-in-service is being performed

☐ Remote fill ☐ Tank ☐ Piping ☐ Transition/containment sump ☐ Spill bucket ☐ Dispenser

B. IDENTIFICATION

OWNER INFORMATION

OWNER NAME

The Filling Station Ltd

CONTACT NAME

Mahesh Sukheja

TITLE

Owner

MAILING ADDRESS

814 Sweeney Rd.

☒ CITY ☐ TOWN ☐ VILLAGE

Edgerton

STATE

WI

ZIP

53534-1528

TELEPHONE:

(414) 600 - 3436

E-MAIL

sukhejamahesh@gmail.com

SITE INFORMATION

FACILITY NAME

The Filling Station

SITE ADDRESS (Not PO Box)

611 N Main St.

☒ CITY ☐ TOWN ☐ VILLAGE

Edgerton

STATE

WI

ZIP

53534

SERVICE CONTRACTOR INFORMATION

PRIMARY SERVICE CONTRACTOR Section A Above

SGS Environmental Contracting LLC

SERVICE CONTRACTOR CERT ID #

402010

TELEPHONE:

(715) 539 - 2803

CELL:

(715) 218 - 1001

STREET ADDRESS

1001 S State St.

☒ CITY ☐ TOWN ☐ VILLAGE

Merrill

STATE

WI

ZIP

54452

C. TANK SYSTEM DETAIL (Complete for all service activities)

a	b	c	d	e	f	g	h
Tank ID #	Type of Closure ¹	Tank Material of Construction	Piping Material of Construction	Tank Capacity (gallons)	Contents ²	Release - System Integrity Compromised (e.g. holes, cracks, loose connection, ☒ Yes ☐ No	If "Yes" to "g", Then Specify Source and Cause of Release ⁵
29307	P	Lined Steel	Bare Steel	4000	UG	☒ Yes ☐ No	UNK UNK
29310	P	Lined Steel	Bare Steel	4000	UG	☒ Yes ☐ No	UNK UNK
29311	P	Lined Steel	Bare Steel	4000	UG	☒ Yes ☐ No	UNK UNK
29308	P	Bare Steel	Bare Steel	4000	UG	☒ Yes ☐ No	UNK UNK
						☐ Yes ☐ No	
						☐ Yes ☐ No	

1. Indicate type of closure: P = Permanent, TOS = Temporarily Out-of-Service, CIP = Closure In-Place

2. Indicate type of product: DL = Diesel, LG = Leaded Gasoline, UG = Unleaded Gasoline, FO = Fuel Oil, GH = Gasohol, AF = Aviation Fuel, K = Kerosene, PX = Premix, WO = Waste/Used Motor Oil, FCHZW = Flammable/Combustible Hazardous Waste, OC = Other Chemical (indicate the chemical name(s):

3. CAS number(s):

4. Source of release: T = tank, P = piping, D = dispenser, STP = submersible turbine pump, DP = delivery problem, O = other, UNK = Unknown

5. Cause of release:

S = spill, O = overfill, POMD = physical or mechanical damage, C = corrosion, IP = installation problem, O = other, UNK = Unknown

6. Has release been reported to the Department of Natural Resources? ☒ Yes ☐ No ☐ Release not evident at this time (pending sample analysis)

D. CLOSURES (Check applicable box at right in response to all statements in section D)Written notification was provided to the local agent 5 days in advance of closure date. ☒ Yes ☐ NoAll local permits were obtained before beginning closure. ☐ Yes ☐ No ☒ NA☒ UST Form TR-WM-137 or ☐ AST Form TR-WM-118 filed by owner with the DATCP indicating closure. ☒ Yes ☐ No ☐ NA**NOTE: TANK INVENTORY FORM TR-WM-137 or TR-WM-118 SIGNED BY THE OWNER MUST BE SUBMITTED WITH EACH CLOSURE or CHANGE-IN-SERVICE CHECKLIST****D. ☐ CLOSURE BY REMOVAL OR IN-PLACE**

1. General Requirements	Remover Verified	Inspector Verified	Inspector Not Present	NA
a. Product from piping drained into tank (or other container).	☒ Y ☐ N	☐ Y ☐ N	☒	☐
b. Piping disconnected from tank and removed.	☒ Y ☐ N	☐ Y ☐ N	☒	☐
c. All liquid and residue removed from tank using explosion-proof pumps or hand pumps prior to removing tank from excavation.	☒ Y ☐ N	☐ Y ☐ N	☒	☐
d. All pump motors and suction hoses bonded to tank or otherwise grounded.	☒ Y ☐ N	☐ Y ☐ N	☒	☐
e. Fill pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed.	☒ Y ☐ N	☐ Y ☐ N	☒	☐
f. Vent lines left connected until tanks purged.	☒ Y ☐ N	☐ Y ☐ N	☒	☐
g. Tank openings temporarily plugged so vapors exit through vent.	☒ Y ☐ N	☐ Y ☐ N	☒	☐
h. Tank atmosphere reduced to 10% of the lower flammable range (LEL) - see Section E.	☒ Y ☐ N	☒ Y ☐ N	☐	☐
2. Specific Closure-by-Removal Requirements				
a. Tank removed from excavation after PURGING/INERTING; placed on level ground and blocked to prevent movement.	☒ Y ☐ N	☒ Y ☐ N	☐	☐
b. Tank cleaned before being removed from site.	☒ Y ☐ N	☒ Y ☐ N	☐	☐
c. Tank labeled in full compliance with API 1604 after removal but before being moved from site.	☒ Y ☐ N	☒ Y ☐ N	☐	☐

NOTE: COMPLETE TANK LABELING SHOULD INCLUDE WARNING AGAINST REUSE; FORMER CONTENTS; VAPOR STATE; VAPOR FREEING TREATMENT; MONTH/DAY/YEAR OF REMOVAL

d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site.	☒ Y ☐ N	☒ Y ☐ N	☐	☐
e. Site security is provided while the excavation is open.	☒ Y ☐ N	☒ Y ☐ N	☐	☐

3. Specific Closure-In-Place Requirements**NOTE: CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT.**

a. Tank properly cleaned to remove all sludge and residue.	☐ Y ☐ N	☐ Y ☐ N	☐	☐
b. Solid inert material (sand, cyclone boiler slag, or pea gravel recommended) introduced and tank	☐ Y ☐ N	☐ Y ☐ N	☐	☐
c. Vent line disconnected or removed.	☐ Y ☐ N	☐ Y ☐ N	☐	☐
d. Inventory form filed by owner with DATCP indicating closure in-place.	☐ Y ☐ N	☐ Y ☐ N	☐	☐

E. ☐ REPAIR, UPGRADE OR CHANGE-IN-SERVICE

Written notification was provided to the local agent 5 days in advance of service date.

☐ Y ☐ N ☒ NA

All local permits were obtained before beginning service.

☐ Y ☐ N ☒ NA

Form TR-WM-137 or 0 TR-WM-118 filed by owner with DATCP indicating change-in-service.

☐ Y ☐ N ☒ NA**F. METHOD OF VAPOR FREEING OF TANK**☐ Displacement of vapors by eductor or diffused air blower.

Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground.

☐ Inert gas using dry ice or liquid carbon dioxide.☒ Inert gas using CO2 or N2 **NOTE: INERT GASSES PRODUCE AN OXYGEN DEFICIENT ATMOSPHERE. LEL METERS MAY NOT FUNCTION ACCURATELY. THE TANK MAY NOT BE ENTERED IN THIS STATE WITHOUT SPECIAL EQUIPMENT.**

Gas introduced through a single opening at a point near the bottom of the tank at the end of the tank opposite the vent.

Gas introduced under low pressure not to exceed 5 psig to reduce static electricity. Gas introducing device grounded.

☒ Readings of 10% or less of the lower flammable range (LEL) or <5% oxygen obtained before removing tank from ground.☒ Tank atmosphere monitored for flammable or combustible vapor levels prior to and during cleaning and cutting.☒ Calibrate combustible gas indicator and/or oxygen meter prior to use. Drop tube removed prior to checking atmosphere. Tank space monitored at bottom, middle and upper portion of tank.**G. REMOVER/CLEANER INFORMATION**George Frick
REMOVER/CLEANER NAME (PRINT):

REMOVER/CLEANER SIGNATURE

CERTIFICATION #

DATE TANK REMOVED


I attest that the procedures and information which I have provided as the tank closure contractor are correct and comply with Wis. Admin. Code ch. ATCP 93.

Company expected to perform soil contamination assessment REI Engineering

H. INSPECTOR INFORMATION

Nick Eberle

INSPECTOR NAME (PRINT):



INSPECTOR SIGNATURE

471327

INSPECTOR CERTIFICATION #

DATCP Wisconsin

COMPANY NAME

FDID # FOR LOCATION WHERE INSPECTION PERFORMED

(608) 566-7000

INSPECTOR TELEPHONE:NUMBER

9/17/24

DATE SIGNED

INSPECTOR NOTES:

Tank closest to building appeared to have a leak. DNR notified



Wisconsin Department of Agriculture, Trade and Consumer Protection
Bureau of Weights and Measures
PO Box 7837 Madison, WI 53707-7837
(608) 224-4942

FOR OFFICE USE ONLY

Wis. Admin. Code §ATCP 93.140

UNDERGROUND FLAMMABLE/COMBUSTIBLE/HAZARDOUS LIQUID STORAGE TANK REGISTRATION

Personal information you provide may be used for purposes other than that for which it was originally collected (s. 15.04(1)(m) Wis. Stats.).

Underground tanks in Wisconsin that have stored or currently store petroleum or regulated substances must be registered.

A separate form is needed for each tank. Send each completed form to the agency designated above.

Have you previously registered this tank by submitting a form? ☒ Yes ☐ No If yes, are you correcting/updating information only? ☒ Yes ☐ No

This registration applies to a ☒ tank ☐ piping status that is (check one): ☐ In Use ☐ Abandoned with Water ☐ Abandoned with Product
☐ Newly Installed ☒ Closed - Removed ☐ Abandoned without Product (empty)
☐ Temporarily Out of Service - Provide Date: ☐ Closed - Filled with Inert Materials ☐ Change of Site/Facility Address Only (complete boxes 1.a. and b. below)
☐ Ownership Change (Indicate new owner name in box 2 - attach deed)

Date of status change: 09/17/2024

IDENTIFICATION (Please Print)			
1. TANK SITE NAME The Filling Station		COUNTY Rock	PHONE (414) 600 - 3436
a. CURRENT SITE STREET ADDRESS 611 N Main St.		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI
b. PREVIOUS SITE STREET ADDRESS		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE WI
Fire Dept. providing fire coverage where tank is located: ☒ CITY ☐ TOWN ☐ VILLAGE of: 5305-Edgerton			
2. TANK OWNER LEGAL NAME The Filling Station Ltd		COUNTY Rock	PHONE: Check ☒ CELL or ☐ LAND (414) 600 - 3436
MAILING ADDRESS 814 Sweeney Rd		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI
3. PROPERTY OWNER NAME (if different from Tank Owner Legal Name #2)		COUNTY (if different from County #2)	
PROPERTY OWNER ADDRESS (if different from Site Street Address #1)		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE WI
4. CLASS A NAME	DOB	CERTIFICATION: (Attach certificate)	
5. CLASS B NAME	DOB	CERTIFICATION: (Attach certificate)	
SITE ID:		FACILITY ID # 430478	CUSTOMER ID #

Tank Capacity (gallons): 4000 Tank Age (age or date installed): 08/01/1988 Vehicle fueling: ☒ Yes ☐ No

LAND OWNER TYPE (Refer to back; check one): ☐ County ☐ State ☐ Federal Leased ☐ Federal Owned ☐ Tribal Nation ☐ Municipal ☐ Other Government ☒ Private

OCCUPANCY TYPE (check one) Refer to back

☒ Retail Fuel Sales ☐ Mercantile/Commercial ☐ Bulk Storage ☐ Terminal Storage ☐ Industrial ☐ Residential ☐ School ☐ Government Fleet
☐ Agricultural (crop or livestock production) ☐ Utility ☐ Backup or Emergency Generator ☐ Other (specify):

TANK CONSTRUCTION:

☒ Bare Steel ☐ Coated Steel ☐ Steel - Fiberglass Reinforced Plastic Composite
☐ Fiberglass ☐ Unknown ☐ Other (specify): ☐ Lined (date):

Overfill Protection? ☒ Yes ☐ No
Spill Containment? ☒ Yes ☐ No
Tank Double Walled? ☐ Yes ☒ No

TANK CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/A

TANK LEAK DETECTION METHOD: ☒ Automatic tank gauging ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Statistical Inventory Reconciliation (SIR)
☐ Manual tank gauging (only for tanks of 1,000 gallons or less) ☐ Unknown

PIPING CONSTRUCTION: ☒ Single Wall ☐ Double Wall:

☒ Bare Steel ☐ Coated Steel ☐ Fiberglass ☐ Flexible ☐ Copper ☐ Unknown ☐ N/A ☐ Other:

PIPING CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/A

PRIMARY PIPING SYSTEM TYPE: ☒ Pressurized piping with ☐ A. Pump auto shutoff - ELLD ☒ B. Flow restrictor - MLLD ☐ Unknown

☐ Suction piping with check valve at tank ☐ Suction piping with check valve at pump and inspectable ☐ Not needed if waste oil

PIPING LEAK DETECTION METHOD: ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Sump or cable sensor ☐ Yes ☐ No

☒ Tightness testing ☐ Electronic line monitor - ELLD ☐ SIR ☐ Not required ☐ Unknown

TANK CONTENTS Current, or previous product (if tank now empty) (* = NOT PECFA eligible)

☐ Bio-Diesel: ___ % ☐ Hazardous Waste/Interface* ☐ Kerosene ☐ Fuel Oil ☐ Premix ☐ New Oil ☐ New oil - Flash point less than 200°F
☐ Waste/Used Motor Oil ☐ Used for Heating ☐ Aviation ☐ Empty* ☐ Sand/Grave/Slurry* ☐ Unknown
☐ Other (specify): ☐ Chemical* Name: CAS#

Has a site assessment been completed? (see reverse side for details) ☒ Yes ☐ No

TANK OWNER LEGAL NAME (please print)

TANK OWNER E-MAIL

MANESH K. SUREJA

surejamanesh@gmail.com

TANK OWNER SIGNATURE (Note: By signing, signer is accepting legal and financial responsibility for the storage tank system.)

DATE:
9/17/24

Note: Refer to comments on reverse side of form.



Wisconsin Department of Agriculture, Trade and Consumer Protection
Bureau of Weights and Measures
PO Box 7837 Madison, WI 53707-7837
(608) 224-4942

FOR OFFICE USE ONLY

Wis. Admin. Code §ATCP 93.140

UNDERGROUND FLAMMABLE/COMBUSTIBLE/HAZARDOUS LIQUID STORAGE TANK REGISTRATION

Personal information you provide may be used for purposes other than that for which it was originally collected (s. 15.04(1)(m) Wis. Stats.).

Underground tanks in Wisconsin that have stored or currently store petroleum or regulated substances must be registered.

A separate form is needed for each tank. Send each completed form to the agency designated above.

Have you previously registered this tank by submitting a form? ☒ Yes ☐ No If yes, are you correcting/updating information only? ☒ Yes ☐ No

This registration applies to a ☒ tank ☐ piping status that is (check one): Date of status change: 09/17/2024
☐ In Use ☐ Abandoned with Water ☐ Abandoned with Product
☐ Newly Installed ☒ Closed - Removed ☐ Abandoned without Product (empty)
☐ Temporarily Out of Service - Provide Date: ☐ Closed - Filled with Inert Materials ☐ Change of Site/Facility Address Only (complete boxes 1.a. and b. below)
☐ Ownership Change (Indicate new owner name in box 2 -- attach deed)

IDENTIFICATION (Please Print)			
1. TANK SITE NAME The Filling Station		COUNTY Rock	PHONE (414) 600 - 3436
a. CURRENT SITE STREET ADDRESS 611 N Main St.		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI
b. PREVIOUS SITE STREET ADDRESS		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE WI
Fire Dept. providing fire coverage where tank is located: ☒ CITY ☐ TOWN ☐ VILLAGE of: 5305-Edgerton			
2. TANK OWNER LEGAL NAME The Filling Station Ltd		COUNTY Rock	PHONE: Check ☒ CELL or ☐ LAND (414) 600 - 3436
MAILING ADDRESS 814 Sweeney Rd. 611 N. Main St. NAB		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI
3. PROPERTY OWNER NAME (if different from Tank Owner Legal Name #2)		COUNTY (if different from County #2)	
PROPERTY OWNER ADDRESS (if different from Site Street Address #1)		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE WI
4. CLASS A NAME	DOB	CERTIFICATION: (Attach certificate)	
5. CLASS B NAME	DOB	CERTIFICATION: (Attach certificate)	
SITE ID:		FACILITY ID # 430478	
Tank Capacity (gallons): 4000		Tank Age (age or date installed): 01/01/1971	
LAND OWNER TYPE (Refer to back; check one): ☐ County ☐ State ☐ Federal Leased ☐ Federal Owned ☐ Tribal Nation ☐ Municipal ☐ Other Government ☒ Private		Vehicle fueling: ☒ Yes ☐ No	
OCCUPANCY TYPE (check one) Refer to back			
☒ Retail Fuel Sales ☐ Mercantile/Commercial ☐ Bulk Storage ☐ Terminal Storage ☐ Industrial ☐ Residential ☐ School ☐ Government Fleet ☐ Agricultural (crop or livestock production) ☐ Utility ☐ Backup or Emergency Generator ☐ Other (specify):			
TANK CONSTRUCTION:		Overfill Protection? ☒ Yes ☐ No	
☐ Bare Steel ☐ Coated Steel ☐ Steel - Fiberglass Reinforced Plastic Composite ☐ Fiberglass ☐ Unknown ☐ Other (specify): ☒ Lined (date): 09/19/1997		Spill Containment? ☒ Yes ☐ No	
TANK CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/A		Tank Double Walled? ☐ Yes ☒ No	
TANK LEAK DETECTION METHOD: ☒ Automatic tank gauging ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Statistical Inventory Reconciliation (SIR)			
☐ Manual tank gauging (only for tanks of 1,000 gallons or less) ☐ Unknown			
PIPING CONSTRUCTION: ☒ Single Wall ☐ Double Wall:			
☒ Bare Steel ☐ Coated Steel ☐ Fiberglass ☐ Flexible ☐ Copper ☐ Unknown ☐ N/A ☐ Other:			
PIPING CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/A			
PRIMARY PIPING SYSTEM TYPE: ☒ Pressurized piping with ☐ A. Pump auto shutoff - ELLD ☒ B. Flow restrictor - MLLD ☐ Unknown			
☐ Suction piping with check valve at tank ☐ Suction piping with check valve at pump and inspectable ☐ Not needed if waste oil			
PIPING LEAK DETECTION METHOD: ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Sump or cable sensor ☐ Yes ☐ No			
☒ Tightness testing ☐ Electronic line monitor - ELLD ☐ SIR ☐ Not required ☐ Unknown			
TANK CONTENTS Current, or previous product (if tank now empty) (* = NOT PECFA eligible)			
☐ Bio-Diesel: ___ % ☐ Hazardous Waste/Interface* ☐ Kerosene ☐ Fuel Oil ☐ Premix ☐ New Oil ☐ Gas-ethanol blend: ___ % ethanol ☐ Diesel ☐ Waste/Used Motor Oil ☐ Used for Heating ☐ Aviation ☐ Empty* ☐ Sand/Grave/Slurry* ☐ New Oil - Flash point less than 200°F ☐ Unknown ☐ Other (specify): ☐ Chemical* Name: CAS#			
Has a site assessment been completed? (see reverse side for details) ☒ Yes ☐ No			
TANK OWNER LEGAL NAME (please print) MAHESH K. SUCHEJA		TANK OWNER E-MAIL suehejamahesh@gmail.com	
TANK OWNER SIGNATURE (Note: By signing, signer is accepting legal and financial responsibility for the storage tank system.) 			DATE: 9/17/24

Note: Refer to comments on reverse side of form.



Wisconsin Department of Agriculture, Trade and Consumer Protection

Bureau of Weights and Measures

PO Box 7837 Madison, WI 53707-7837

(608) 224-4942

FOR OFFICE USE ONLY

Wis. Admin. Code §ATCP 93.140

UNDERGROUND FLAMMABLE/COMBUSTIBLE/HAZARDOUS LIQUID STORAGE TANK REGISTRATION

Personal information you provide may be used for purposes other than that for which it was originally collected (s. 15.04(1)(m) Wis. Stats.).

Underground tanks in Wisconsin that have stored or currently store petroleum or regulated substances must be registered.

A separate form is needed for each tank. Send each completed form to the agency designated above.

Have you previously registered this tank by submitting a form? ☒ Yes ☐ No If yes, are you correcting/updating information only? ☒ Yes ☐ NoThis registration applies to a ☒ tank ☐ piping status that is (check one):

Date of status change: 09/17/2024

- ☐ In Use ☐ Abandoned with Water ☐ Abandoned with Product
☐ Newly Installed ☒ Closed - Removed ☐ Abandoned without Product (empty)
☐ Temporarily Out of Service - Provide Date: ☐ Closed - Filled with Inert Materials ☐ Change of Site/Facility Address Only (complete boxes 1.a. and b. below)
☐ Ownership Change (Indicate new owner name in box 2 -- attach deed)

IDENTIFICATION (Please Print)

1. TANK SITE NAME The Filling Station		COUNTY Rock	PHONE (414) 600 - 3436	
a. CURRENT SITE STREET ADDRESS 611 N Main St.		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI	ZIP 53534-1528
b. PREVIOUS SITE STREET ADDRESS		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE	ZIP
Fire Dept. providing fire coverage where tank is located: ☒ CITY ☐ TOWN ☐ VILLAGE of: 5305-Edgerton				
2. TANK OWNER LEGAL NAME The Filling Station Ltd		COUNTY Rock	PHONE: Check ☒ CELL or ☐ LAND (414) 600 - 3436	
MAILING ADDRESS 814 Sweeney Rd. Cell N. Main St. NAR		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI	ZIP 53534-1528
3. PROPERTY OWNER NAME (if different from Tank Owner Legal Name #2)		COUNTY (if different from County #2)		
PROPERTY OWNER ADDRESS (if different from Site Street Address #1)		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE	ZIP
4. CLASS A NAME	DOB	CERTIFICATION: (Attach certificate)		
5. CLASS B NAME	DOB	CERTIFICATION: (Attach certificate)		

SITE ID: FACILITY ID # 430478 CUSTOMER ID #

Tank Capacity (gallons): 4000 Tank Age (age or date installed): 01/01/1971 Vehicle fueling: ☒ Yes ☐ No

LAND OWNER TYPE (Refer to back; check one): ☐ County ☐ State ☐ Federal Leased ☐ Federal Owned ☐ Tribal Nation ☐ Municipal ☐ Other Government ☒ Private

OCCUPANCY TYPE (check one) Refer to back

- ☒ Retail Fuel Sales ☐ Mercantile/Commercial ☐ Bulk Storage ☐ Terminal Storage ☐ Industrial ☐ Residential ☐ School ☐ Government Fleet
☐ Agricultural (crop or livestock production) ☐ Utility ☐ Backup or Emergency Generator ☐ Other (specify):

TANK CONSTRUCTION:

- ☒ Bare Steel ☐ Coated Steel ☐ Steel - Fiberglass Reinforced Plastic Composite
☐ Fiberglass ☐ Unknown ☐ Other (specify): ☒ Lined (date): 09/19/1997

Overfill Protection? ☒ Yes ☐ NoSpill Containment? ☒ Yes ☐ NoTank Double Walled? ☐ Yes ☒ NoTANK CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/ATANK LEAK DETECTION METHOD: ☒ Automatic tank gauging ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Statistical Inventory Reconciliation (SIR)☐ Manual tank gauging (only for tanks of 1,000 gallons or less) ☐ UnknownPIPING CONSTRUCTION: ☒ Single Wall ☐ Double Wall:

- ☒ Bare Steel ☐ Coated Steel ☐ Fiberglass ☐ Flexible ☐ Copper ☐ Unknown ☐ N/A ☐ Other:

PIPING CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/APRIMARY PIPING SYSTEM TYPE: ☒ Pressurized piping with ☐ A. Pump auto shutoff - ELLD ☒ B. Flow restrictor - MLLD ☐ Unknown☐ Suction piping with check valve at tank ☐ Suction piping with check valve at pump and inspectable ☐ Not needed if waste oilPIPING LEAK DETECTION METHOD: ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Sump or cable sensor ☐ Yes ☐ No☒ Tightness testing ☐ Electronic line monitor - ELLD ☐ SIR ☐ Not required ☐ Unknown

TANK CONTENTS Current, or previous product (if tank now empty) (* = NOT PECFA eligible)

- ☐ Bio-Diesel: ___ % ☐ Hazardous Waste/Interface* ☐ Kerosene ☐ Fuel Oil ☐ Premix ☐ New Oil ☐ New oil - Flash point less than 200°F
☐ Waste/Used Motor Oil ☐ Used for Heating ☐ Aviation ☐ Empty* ☐ Sand/Grave/Slurry* ☐ Unknown
☐ Other (specify): ☐ Chemical* Name: CAS#

Has a site assessment been completed? (see reverse side for details) ☒ Yes ☐ No

TANK OWNER LEGAL NAME (please print)

TANK OWNER E-MAIL

TANK OWNER SIGNATURE (Note: By signing, signer is accepting legal and financial responsibility for the storage tank system.)

DATE:

Note: Refer to comments on reverse side of form.



Wisconsin Department of Agriculture, Trade and Consumer Protection
Bureau of Weights and Measures
PO Box 7837 Madison, WI 53707-7837
(608) 224-4942

FOR OFFICE USE ONLY

Wis. Admin. Code §ATCP 93.140

UNDERGROUND FLAMMABLE/COMBUSTIBLE/HAZARDOUS LIQUID STORAGE TANK REGISTRATION

Personal information you provide may be used for purposes other than that for which it was originally collected (s. 15.04(1)(m) Wis. Stats.).

Underground tanks in Wisconsin that have stored or currently store petroleum or regulated substances must be registered.

A separate form is needed for each tank. Send each completed form to the agency designated above.

Have you previously registered this tank by submitting a form? ☒ Yes ☐ No If yes, are you correcting/updating information only? ☒ Yes ☐ No

This registration applies to a ☒ tank ☐ piping status that is (check one): Date of status change: 09/17/2024

☐ In Use ☐ Abandoned with Water ☐ Abandoned with Product

☐ Newly Installed ☒ Closed - Removed ☐ Abandoned without Product (empty)

☐ Temporarily Out of Service - Provide Date: ☐ Closed - Filled with Inert Materials ☐ Change of Site/Facility Address Only (complete boxes 1.a. and b. below)

☐ Ownership Change (Indicate new owner name in box 2 - attach deed)

IDENTIFICATION (Please Print)

1. TANK SITE NAME The Filling Station		COUNTY Rock	PHONE (414) 600 - 3436	
a. CURRENT SITE STREET ADDRESS 611 N Main St.		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI	ZIP 53534-1528
b. PREVIOUS SITE STREET ADDRESS		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE	ZIP

Fire Dept. providing fire coverage where tank is located: ☒ CITY ☐ TOWN ☐ VILLAGE of: 5305-Edgerton

2. TANK OWNER LEGAL NAME The Filling Station Ltd		COUNTY Rock	PHONE: Check ☒ CELL or ☐ LAND (414) 600 - 3436	
MAILING ADDRESS 814 Sweeney Rd. 611 N. Main St. <i>WAB</i>		☒ CITY ☐ VILLAGE ☐ TOWN OF: Edgerton	STATE WI	ZIP 53534-1528

3. PROPERTY OWNER NAME (if different from Tank Owner Legal Name #2)		COUNTY (if different from County #2)		
PROPERTY OWNER ADDRESS (if different from Site Street Address #1)		☐ CITY ☐ VILLAGE ☐ TOWN OF:	STATE	ZIP

4. CLASS A NAME	DOB	CERTIFICATION: (Attach certificate)
5. CLASS B NAME	DOB	CERTIFICATION: (Attach certificate)

SITE ID:	FACILITY ID # 430478	CUSTOMER ID #
Tank Capacity (gallons): 4000	Tank Age (age or date installed): 01/01/1971	Vehicle fueling: ☒ Yes ☐ No

LAND OWNER TYPE (Refer to back; check one): ☐ County ☐ State ☐ Federal Leased ☐ Federal Owned ☐ Tribal Nation ☐ Municipal ☐ Other Government ☒ Private

OCCUPANCY TYPE (check one) Refer to back

☒ Retail Fuel Sales ☐ Mercantile/Commercial ☐ Bulk Storage ☐ Terminal Storage ☐ Industrial ☐ Residential ☐ School ☐ Government Fleet

☐ Agricultural (crop or livestock production) ☐ Utility ☐ Backup or Emergency Generator ☐ Other (specify):

TANK CONSTRUCTION:		Overfill Protection? ☒ Yes ☐ No
☒ Bare Steel ☐ Coated Steel ☐ Steel - Fiberglass Reinforced Plastic Composite	☒ Lined (date): 09/19/1997	Spill Containment? ☒ Yes ☐ No
☐ Fiberglass ☐ Unknown ☐ Other (specify):		Tank Double Walled? ☐ Yes ☒ No

TANK CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/A

TANK LEAK DETECTION METHOD: ☒ Automatic tank gauging ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Statistical Inventory Reconciliation (SIR)

☐ Manual tank gauging (only for tanks of 1,000 gallons or less) ☐ Unknown

PIPING CONSTRUCTION: ☒ Single Wall ☐ Double Wall:

☒ Bare Steel ☐ Coated Steel ☐ Fiberglass ☐ Flexible ☐ Copper ☐ Unknown ☐ N/A ☐ Other:

PIPING CATHODIC PROTECTION: ☐ Sacrificial Anodes ☒ Impressed Current ☐ N/A

PRIMARY PIPING SYSTEM TYPE: ☒ Pressurized piping with ☐ A. Pump auto shutoff - ELLD ☒ B. Flow restrictor - MLLD ☐ Unknown

☐ Suction piping with check valve at tank ☐ Suction piping with check valve at pump and inspectable ☐ Not needed if waste oil

PIPING LEAK DETECTION METHOD: ☐ Interstitial monitoring ☐ Electronic ☐ Yes ☐ No ☐ Sump or cable sensor ☐ Yes ☐ No

☒ Tightness testing ☐ Electronic line monitor - ELLD ☐ SIR ☐ Not required ☐ Unknown

TANK CONTENTS Current, or previous product (if tank now empty) (* = NOT PECFA eligible)

☐ Bio-Diesel: ___ % ☐ Hazardous Waste/Interface* ☐ Kerosene ☐ Fuel Oil ☐ Premix ☐ New Oil ☐ Gas-ethanol blend: ___ % ethanol ☐ Diesel

☐ Waste/Used Motor Oil ☐ Used for Heating ☐ Aviation ☐ Empty* ☐ Sand/Grave/Slurry* ☐ Unknown

☐ Other (specify): ☐ Chemical* Name: CAS#

Has a site assessment been completed? (see reverse side for details) ☒ Yes ☐ No

TANK OWNER LEGAL NAME (please print) Mahesh K. Sukheja	TANK OWNER E-MAIL Sukhejamahesh@gmail.com
---	--

TANK OWNER SIGNATURE (Note: By signing, signer is accepting legal and financial responsibility for the storage tank system.) <i>[Signature]</i>	DATE: 9/17/24
--	------------------

Note: Refer to comments on reverse side of form.

Part B – To be completed by environmental professional - Submit *original* Part B to the WDNR along with a *copy* of Part A**I. TANK-SYSTEM SITE ASSESSMENT (TSSA)**SITE NAME - *Note: SITE NAME and address MUST MATCH with Part A Section 1.*

Filling Station

SITE ADDRESS (Not PO Box)

611 North Main Street

☒ CITY ☐ TOWN ☐ VILLAGE
EdgertonSTATE
WIZIP
54534To determine if a TSSA is required, see ATPC 93 and section II part B of *ASSESSMENT AND REPORTING OF SUSPECTED AND OBVIOUS RELEASES FROM UNDERGROUND AND ABOVEGROUND STORAGE TANK SYSTEMS*.If a TSSA is required, then follow the procedures detailed in *ASSESSMENT AND REPORTING OF SUSPECTED AND OBVIOUS RELEASES FROM UNDERGROUND AND ABOVEGROUND STORAGE TANK SYSTEMS***1. Site Information**

- a. Has there been a previously documented release at this site?
- ☒
- Y
- ☐
- N

If yes, provide the DATCP # _____ or DNR BRRT's # 03-54-001536

- b. Number of active tanks at facility prior to completion of current services: USTs 4 ASTs _____

(NOTE 1: Do not include previously closed systems or system components.)

- c. Excavation/trench dimensions (in feet). (Photos must be provided.)

EXCAVATION/TRENCH #	LENGTH	WIDTH	DEPTH
1	20	10	9
2	30	20	8
3	60	4	3

2. Visual Excavation/Trench Inspection (Photos must be provided for "Yes" responses, except item b.)

Do any of the following conditions exist in or about the excavation(s)?

- a. Stained soils: ☐ Yes ☒ No b. Petroleum odor: ☐ Yes ☒ No c. Water In excavation/trench: ☐ Yes ☒ No
- d. Free product in the excavation/trench: ☐ Yes ☒ No e. Sheen or free product on water: ☐ Yes ☒ No

3. Geology/Hydrogeology

- a. Depth to groundwater 7-15 feet b. Indicate type of geology
- ²
- Sand

4. Receptors

- a. Water supply well(s) within 250 feet of the facility? ☐ Yes ☒ No If yes, specify: _____
- b. Surface water(s) within 1000 feet of the facility? ☐ Yes ☒ No If yes, specify: _____

5. Sampling

- a. Follow the procedures detailed in *ASSESSMENT AND REPORTING OF SUSPECTED AND OBVIOUS RELEASES FROM UNDERGROUND AND ABOVEGROUND STORAGE TANK SYSTEMS*.
- b. Complete Tables 1 and 2 as appropriate. (Attach chain-of-custody and laboratory analytical reports.)
- c. Attach a detailed map of site features and sample locations.

J. NOTE RELEVANT OBSERVATIONS, SPECIFIC PROBLEMS OR CONCERNS BELOW

TABLE 1 SOIL FIELD SCREENING & GRO/DRO LABORATORY ANALYTICAL RESULTS-FOR PETROLEUM PRODUCTS

Sample ID #	Sample Location & Soil/Geologic Description	Sample Collection Method				Depth Below Tank/Piping (feet)	Field Screening Result (ppm)	GRO (mg/kg)	DRO (mg/kg)
		Grab	Shelby Tube	Direct Push	Split Spoon				
TS1	E Tank N Sidewall	☒	☐	☐	☐	4' bls	0		
TS2	E Tank E Sidewall	☒	☐	☐	☐	4' bls	0		
TS3	E Tank S Sidewall	☒	☐	☐	☐	4' bls	0		
TS4	E Tank W Sidewall	☒	☐	☐	☐	4' bls	0		
TB1	E Tank N Bottom	☒	☐	☐	☐	9' bls	2.0		
TB2	E Tank S Bottom	☒	☐	☐	☐	9' bls	0		
TB3	N Tank W Bottom	☒	☐	☐	☐	8' bls	171		
TB4	N Tank E Bottom	☒	☐	☐	☐	8' bls	48.6		
TB5	Center Tank W Bottom	☒	☐	☐	☐	8' bls	34.5		
TB6	Center Tank E Bottom	☒	☐	☐	☐	8' bls	881		
TB7	S Tank W Bottom	☒	☐	☐	☐	8' bls	376		
TB8	S Tank E Bottom	☒	☐	☐	☐	8' bls	200		
TS5	N Tank N Sidewall	☒	☐	☐	☐	4' bls	141		
TS6	N Tank E Sidewall	☒	☐	☐	☐	4' bls	4.8		

TABLE 2 SOIL LABORATORY ANALYTICAL RESULTS-FOR PETROLEUM PRODUCTS

Sample ID #	BENZENE	TOLUENE	ETHYLBENZENE	MTBE	TRIMETHYL - BENZENES (TOTAL)	XYLENES (TOTAL)	NAPHTHALENE
	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
TS1	<21.4	<22.6	<21.4	<26.4	<55.7	<63.8	<37.8
TS2	<12.7	<13.5	<12.7	<15.7	<37.1	<38.5	<22.5
TS3	<18.1	<19.1	<18.1	<31.9	<47.1	<54.8	<31.9
TS4	<13.1	<13.9	<13.1	<16.2	<34.1	<38.7	<23.1
TB1	<12.4	<13.2	<12.4	<15.4	<32.4	<37.8	<22.0
TB2	<12.2	<12.9	<12.2	<15.1	<31.8	<37.1	<21.6
TB3	<18.7	<19.8	<18.7	<232	574	293.8j	50.0j
TB4	<14.2	15.7j	21.0j	<17.6	559	303.9	37.4j
TB5	<14.1	<14.9	<14.1	<17.4	419	189j	29.0j
TB6	61.4	1,800	1,530	<41.5	14,400	14,450	1,780
TB7	86.6	3,070	2,180	<33.4	14,100	18,730	1,760
TB8	28.2j	814	786	<33.8	8,940	7,670	1,230
TS5	16.6j	70.6	41.7j	<17.8	1,923	920	231j
TS6	135	79.1	79.1	<17.5	1,244	1,818	376

K. TANK-SYSTEM SITE ASSESSMENT INFORMATION

☐ As a tank-system site assessor certified under Wis. Admin. Code section ATPC 93.240, it is my opinion that there is no indication of a release of a regulated substance to the environment.

☒ Sampling at the site indicates there has been a release to the environment. Pursuant to Wis. Admin. Code section ATPC 93.585 (2) (a) and Wis. Stats. section 292.11 (2) (a), the owner or operator or contractor performing work under chapter ATPC 93 shall immediately report any release of a regulated substance to the Wisconsin Department of Natural Resources. Failure to do so may result in forfeitures of a minimum of \$10 and a maximum of \$5000 for each violation under Wis. Stats. Section 168.26 (5). Each day of continued violation and each tank are treated as separate offenses.

Andrew R. Delforge

TANK-SYSTEM SITE ASSESSOR NAME (PRINT):

TANK-SYSTEM SITE ASSESSOR SIGNATURE

401233

CERTIFICATION NO.

(715) 675 - 9784

TANK-SYSTEM SITE ASSESSOR TELEPHONE NUMBER

10/3/2024

DATE SIGNED

REI Engineering, Inc.

COMPANY NAME

This document can be made available in alternate formats to individuals with disabilities upon request.

Distribution: DATCP DNR Inspector Contractor Owner

TABLE 1 SOIL FIELD SCREENING & GRO/DRO LABORATORY ANALYTICAL RESULTS-FOR PETROLEUM PRODUCTS

Sample ID #	Sample Location & Soil/Geologic Description	Sample Collection Method				Depth Below Tank/Piping (feet)	Field Screening Result (ppm)	GRO (mg/kg)	DRO (mg/kg)
		Grab	Shelby Tube	Direct Push	Split Spoon				
TS7	Center Tank E Sidewall	☒	☐	☐	☐	4' bls	0		
TS8	S Tank E Sidewall	☒	☐	☐	☐	4' bls	0		
TS9	S Tank S Sidewall	☒	☐	☐	☐	4' bls	0		
TS10	S Tank W Sidewall	☒	☐	☐	☐	4' bls	15.2		
TS11	Center Tank W Sidewall	☒	☐	☐	☐	4' bls	3.0		
TS12	N Tank W Sidewall	☒	☐	☐	☐	4' bls	4.9		
P1	Pipe T	☒	☐	☐	☐	2' bls	234		
D1	North Dispenser	☒	☐	☐	☐	2' bls	2.3		
D2	North Center Dispenser	☒	☐	☐	☐	2' bls	2.7		
D3	South Center Dispenser	☒	☐	☐	☐	2' bls	34.4		
D4	South Dispenser	☒	☐	☐	☐	2' bls	3.7		
		☐	☐	☐	☐				
		☐	☐	☐	☐				
		☐	☐	☐	☐				

TABLE 2 SOIL LABORATORY ANALYTICAL RESULTS-FOR PETROLEUM PRODUCTS

Sample ID #	BENZENE	TOLUENE	ETHYLBENZENE	MTBE	TRIMETHYL - BENZENES (TOTAL)	XYLENES (TOTAL)	NAPHTHALENE
	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
TS7	91.5	260	52.6j	<17.7	922	1,031	287j
TS8	82.9	266	63.6	<18.1	869	1,252	275j
TS9	19.0j	27.7j	<13.0	<16.1	<33.9	41.1j	<23.0
TS10	<14.5	47.9j	<14.5	<17.9	47.9j	38.6j	<25.6
TS11	<14.8	<15.7	<14.8	<18.3	27.7j	30.4j	<26.2
TS12	<14.3	<15.1	<14.3	<17.6	31.6j	<25.1	<25.2
P1	<399	<423	541j	<493	6154	648j	2,410j
D1	<12.8	<13.6	<12.8	<15.8	<33.3	<38.8	<22.6
D2	<12.7	<13.5	<12.7	<15.7	<37.1	<38.7	<22.5
D3	152	729	71.1	<17.7	29.1j	415.5	<25.3
D4	<13.1	<13.8	<13.1	<16.1	<32.1	<39.7	<23.1

K. TANK-SYSTEM SITE ASSESSMENT INFORMATION

☒ As a tank-system site assessor certified under Wis. Admin. Code section ATPC 93.240, it is my opinion that there is no indication of a release of a regulated substance to the environment.

☐ Sampling at the site indicates there has been a release to the environment. Pursuant to Wis. Admin. Code section ATPC 93.585 (2) (a) and Wis. Stats. section 292.11 (2) (a), the owner or operator or contractor performing work under chapter ATPC 93 shall immediately report any release of a regulated substance to the Wisconsin Department of Natural Resources. Failure to do so may result in forfeitures of a minimum of \$10 and a maximum of \$5000 for each violation under Wis. Stats. Section 168.26 (5). Each day of continued violation and each tank are treated as separate offenses.

Andrew R. Delforge

TANK-SYSTEM SITE ASSESSOR NAME (PRINT):

TANK-SYSTEM SITE ASSESSOR SIGNATURE

401233

CERTIFICATION NO.

(715) 675 - 9784

TANK-SYSTEM SITE ASSESSOR TELEPHONE NUMBER

10/3/2024

DATE SIGNED

REI Engineering, Inc.

COMPANY NAME


This document can be made available in alternate formats to individuals with disabilities upon request.

Distribution: DATCP DNR Inspector Contractor Owner

ATTACHMENT A

RELEVANT HISTORICAL DATA





Note: Base map developed from the Edgerton, Wisconsin
15 Minute U.S.G.S. Quadrangle Map

Scale (feet): 0 ————— 2000

Quadrangle Location
NE ¼, SW ¼, S03, T04N, R12E

Figure 1
Site Location Map
The Filling Station
611 North Main Street
Edgerton, WI 53534

SENTINEL
ENVIRONMENTAL
SERVICES, LLC




Figure 2
 Site Features
 Filling Station
 611 N. Main St., Edgerton, WI

Sentinel Environmental Services, LLC
 PO Box 865, Grafton, WI 53024

Main Street (S.T.H. 73)

Blackhawk Credit Union

Residence

Shannon Street

Residence

York Street

Residence

Canopy

Filling Station
611 N. Main St.

Remediation
Building

Existing Tank Bed
4 - 4,000 gal. unleaded gasoline USTs

Extent of Soil Above RCL

LEGEND

- MW-1
Monitoring Well Location & I.D.
- B-3
Soil Boring Location & I.D.

North

0' 20' 40'
Scale: 1" = 40'

Figure 3
Soil Contaminants Above the RCL
Filling Station
611 N. Main St., Edgerton, WI

Sentinel Environmental Services, LLC
PO Box 865, Grafton, WI 53024


APPROVED BY: [Signature]

CHECKED BY: [Signature]


7/17/97 LME

DRAWN BY: [Signature]

DRAWING NO. 95.334R44



PLAN VIEW



- LEGEND
- GROUNDWATER TABLE (4/3/97)
 - SCREENED INTERVAL
 - SAMPLE INTERVAL

Fluid Management
A Division of ENVIROGEN, Inc.

SCALE
HORIZONTAL SCALE: 1"=30'
VERTICAL SCALE: 1"=10'

Geologic Cross-Section B-B'
The Filling Station Site
Edgerton, Wisconsin

FIGURE NO.
4.4

THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.

Main Street (S.T.H. 73)




Figure 4
Groundwater Contaminants Above Standards, 11/25/08
Filling Station
611 N. Main St., Edgerton, WI

Sentinel Environmental Services, LLC
PO Box 865, Grafton, WI 53024




Figure 5
Shallow Groundwater Flow Direction, 11/25/08
Filling Station
611 N. Main St., Edgerton, WI

Sentinel Environmental Services, LLC
PO Box 865, Grafton, WI 53024

Table 20
Soil Contaminants of Concern
The Filling Station
611 N. Main St., Edgerton, WI

LOCATION	NR 720.09	NR 746.06	NR 746.06	MW-1	B-3	
	RCLs	Table 1	Table 2			
I.D.				MW-1 S7	B-3 S1	B-3 S5
Date Collected				11/30/92	10/14/93	10/14/93
Depth (feet)				15	1-3	11-13
GROs (ppm)	250			760	<10	1,600
Total Lead (ppm)	50			6	<6	<6
VOCs (ppb)						
Benzene	5.5	8,500	1,100	6,200	320	890
Ethylbenzene	2,900	4,600	---	16,000	260	3,700
Naphthalene	---	2,700	---	---	---	---
Toluene	1,500	38,000	---	29,000	120	1,120
1,2,4 Trimethylbenzene	---	83,000	---	41,000	240	13,000
1,3,5 Trimethylbenzene	---	11,000	---	12,000	80	4,100
Total Xylenes	4,100	42,000	---	77,000	580	1,570

Bold Values exceed NR 700 Series contaminant levels

¹ Limit exceeds soil residual clean-up limits due to methanol preservation.

NR 746 Table 1 levels are indicators of petroleum product in soil pores

NR 746 Table 2 levels are potential direct contact levels applicable in the upper 4 feet of the soil layer

--- = not tested, no standard, or not applicable

Table 2 (page 1 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-1								NR 140 Groundwater	
Date	02/24/93	03/11/97	08/08/04	12/07/04	03/08/05	07/22/05	08/25/08	11/25/08	ES	PAL
GROs (mg/l)	85,000	<50	—	—	—	—	—	—		
DROs (mg/l)	—	—	—	—	—	—	—	—		
Lead (ug/L)	—	—	—	—	—	—	—	—		
Groundwater Elevation (ft-MSL)	—	—	—	—	—	—	808.37	806.72	15	1.5
VOCs **										
Benzene	20,000	<0.13	<0.5	3,240	2,400	2,590	40.4	30.2	5	0.5
Ethylbenzene	4,800	<0.22	<5.0	1,640	1,220	2,680	555	154	700	140
Methyl-tert-Butyl-ether	2,000	16	<0.511	1,040	66.3	<15.0	<18.0	7	60	12
Naphthalene	1,200	—	—	—	—	—	—	—	100	10
Toluene	30,000	<0.20	<5.0	4,880	3,100	17,700	71.9	58.8	1,000	200
Trimethylbenzenes	7,500	<0.26	<5.0	3,510	2,482	4,558	11,640	1,001	480	96
Total Xylenes	21,000	<0.23	<5.0	10,100	7,240	16,350	6,680	791	10,000	1,000

** = PVOCs and detected VOCs are listed
 — = not tested/ no standard/ not measured
 Bold values indicate PAL or ES exceedance.

Table 2 (page 2 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-2															NR 140	
Date	11/05/93	01/26/94	05/08/96	11/19/96	01/14/97	03/11/97	04/03/97	09/03/97	11/18/97	02/17/98	05/28/98	09/09/98	12/14/98	03/10/99	07/15/99	Groundwater	
GROs (mg/l)	<0.10	<0.10	<50	<50	<50	<50	---	---	---	---	---	---	---	---	---	ES	PAL
DROs (mg/l)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Lead (ug/L)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	15	1.5
Groundwater Elevation (ft-MSL)	805.45	803.62	803.79	803.56	803.29	---	803.67	803.24	801.74	---	---	803.64	803.29	803.04	804.26		
VOCs **																	
Benzene	<0.50	<0.70	<0.50	<0.50	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	43	<0.13	<0.13	<0.31	<0.26	5	0.5
Ethylbenzene	<0.50	<0.9	<1.0	<1.0	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.43	<0.22	<0.22	<0.38	<0.24	700	140
Methyl-tert-Butyl-ether	<3.0	14	<1.0	<1.0	<2.0	<0.16	2.8	<0.16	<0.16	<0.16	11	<0.16	1.4	<0.14	3.3	60	12
Naphthalene	<0.70	---	---	---	---	---	---	---	---	---	---	---	---	---	---	100	10
Toluene	<0.50	<1.0	2	<1.0	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.48	<0.20	<0.20	<0.39	<0.21	1,000	200
Trimethylbenzenes	<0.70	<2.7	<1.0	<1.0	<0.26	<0.26	<0.51	<0.26	<0.26	<0.26	1.71	<0.26	<0.26	<0.33	<0.70	480	96
Total Xylenes	1.9	<2.4	<3.0	<3.0	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	1.8	<0.23	<0.23	<1.1	<0.67	10,000	1,000

Monitoring Point																NR 140	
Date	10/04/99	09/12/00	12/15/00	09/12/01	12/05/01	03/12/02	09/16/02	12/09/02	03/18/03	08/08/04	12/07/04	03/08/05	07/22/05	08/25/08	11/25/08	Groundwater	
GROs (mg/l)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	ES	PAL
DROs (mg/l)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Lead (ug/L)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	15	1.5
Groundwater Elevation (ft-MSL)	803.68	803.04	---	803.88	803.81	803.69	803.24	802.84	801.79	---	---	---	---	808.49	807.45		
VOCs **																	
Benzene	<0.27	<0.50	<0.50	<0.21	<0.21	<0.43	<0.45	<0.45	<0.45	<0.50	<0.50	<0.50	<0.31	<0.14	<0.23	5	0.5
Ethylbenzene	<0.32	<5.0	<5.0	<0.22	<0.22	<0.49	<0.83	<0.82	<0.82	<5.0	<5.0	<5.0	<0.50	<0.40	<0.40	700	140
Methyl-tert-Butyl-ether	8.6	1.85	2.23	2.3	2.1	8.6	7.5	5.8	4.7	<0.511	<0.511	0.328	<0.3	0.38	<0.36	60	12
Naphthalene	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	100	10
Toluene	<0.27	<5.0	<5.0	<0.41	<0.41	<0.63	<0.68	<0.68	<0.68	<5.0	<5.0	<5.0	<0.30	<0.36	<0.36	1,000	200
Trimethylbenzenes	<0.25	<5.0	<5.0	<0.30	<0.30	<0.57	<0.93	<0.93	<0.93	<5.0	<5.0	<5.0	<0.40	<0.39	<0.39	480	96
Total Xylenes	<0.34	<5.0	<5.0	<0.69	<0.69	<1.5	<1.24	<1.24	<1.24	<5.0	<5.0	<5.0	<0.62	<0.36	<0.36	10,000	1,000

** = PVOcs and detected VOCs are listed

--- = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 2 (page 3 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-3															NR 140	
Date	11/05/93	01/26/94	05/08/96	11/19/96	01/14/97	03/11/97	04/03/97	09/03/97	11/18/97	02/17/98	05/28/98	09/09/98	12/14/98	03/10/99	07/15/99	Groundwater	
GROs (mg/l)	3.2	0.8	87	<50	<50	<50	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Lead (ug/L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Groundwater Elevation (ft-MSL)	804.16	803.38	801.86	802.62	802.21	—	802.61	802.03	801.42	—	—	803.16	802.76	802.41	803.75	—	—
VOCs **																	
Benzene	7.1	1.6	<0.50	<0.50	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.41	<0.13	<0.13	<0.31	<0.26	5	0.5
tert-Butyl-benzene	140	<0.50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
sec-Butyl-benzene	5.2	2.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n-Butyl-benzene	110	24.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ethylbenzene	200	2	<1.0	<1.0	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.43	<0.22	<0.22	<0.38	<0.24	700	140
p-Isopropyl-toluene	13	1.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Methylene Chloride	18	<2.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Methyl-tert-Butyl-ether	<15	<3.0	<1.0	<1.0	<0.16	0.28	0.25	<0.16	<0.16	<0.16	<0.41	<0.16	<0.16	<0.14	<0.22	60	12
Naphthalene	75	2.9	—	—	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	130	1.6	<1.0	<1.0	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.38	<0.20	<0.20	<0.39	<0.21	1,000	200
Trimethylbenzenes	770	50.2	1	<1.0	<0.26	<0.26	<0.51	<0.26	<0.26	<0.26	<0.50	<0.26	<0.26	<0.33	<0.70	480	96
Total Xylenes	870	6.3	<3.0	<3.0	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<1.4	<0.23	<0.23	<1.1	<0.67	10,000	1,000

Monitoring Point																NR 140	
Date	10/04/99	09/12/00	12/15/00	09/12/01	12/05/01	03/12/02	09/16/02	12/09/02	03/18/03	08/08/04	12/07/04	03/08/05	07/22/05	08/25/06	11/25/06	Groundwater	
GROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Lead (ug/L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Groundwater Elevation (ft-MSL)	803.18	802.39	—	803.01	803.14	802.83	802.49	802.11	801.28	—	—	—	—	808.11	806.67	—	—
VOCs **																	
Benzene	<0.27	<0.50	<0.50	<0.21	<0.21	<0.43	<0.45	<0.45	<0.45	<0.50	<0.50	<0.50	<0.31	<0.14	<0.23	5	0.5
tert-Butyl-benzene	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
sec-Butyl-benzene	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n-Butyl-benzene	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ethylbenzene	<0.32	<5.0	<5.0	<0.22	<0.22	<0.49	<0.82	<0.82	<0.82	<5.0	<5.0	<5.0	<0.50	<0.40	<0.40	700	140
p-Isopropyl-toluene	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Methylene Chloride	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Methyl-tert-Butyl-ether	<0.32	<0.50	<0.50	<0.46	<0.46	<0.49	<0.43	<0.43	<0.43	<0.511	<0.511	<0.276	<0.30	<0.36	<0.36	60	12
Naphthalene	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	<0.27	<5.0	<5.0	<0.41	<0.41	<0.63	<0.68	<0.68	<0.68	<5.0	<5.0	<5.0	<0.30	<0.36	<0.36	1,000	200
Trimethylbenzenes	<0.25	<5.0	<5.0	<0.30	<0.30	<0.57	<0.93	<0.93	<0.93	<5.0	<5.0	<5.0	<0.40	0.39	<0.39	480	96
Total Xylenes	<0.34	<5.0	<5.0	<0.69	<0.69	<1.5	<1.24	<1.24	<1.24	<5.0	<5.0	<5.0	<0.62	<0.36	<0.36	10,000	1,000

** = PVOs and detected VOCs are listed

— = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 2 (page 4 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-3P			NR 140	
Date	10/04/94	08/25/08	11/25/08	Groundwater	
GROs (mg/l)	130	---	---	ES	PAL
DROs (mg/l)	---	---	---		
Lead (ug/L)	---	---	---	15	1.5
Groundwater Elevation (ft-MSL)	---	809.36	808.45		
VOCs **					
Benzene	<2.0	<0.14	<0.23	5	0.5
Ethylbenzene	2.9	<0.40	<0.40	700	140
Methyl-tert-Butyl-ether	<2.0	<0.36	<0.36	60	12
Naphthalene	<2.0	---	---	100	10
Toluene	<2.0	<0.36	<0.36	1,000	200
Trimethylbenzenes	14.3	0.47	<0.39	480	96
Total Xylenes	20.5	<0.36	<0.36	10,000	1,000

** = PVOCs and detected VOCs are listed

--- = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 2 (page 5 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-4									NR 140 Groundwater	
Date	11/05/93	01/26/94	05/08/96	11/19/96	01/14/97	09/03/97	11/18/97	08/25/08	11/25/08	ES	PAL
GROs (mg/l)	<0.10	<0.10	<50	<50	<50	---	---	---	---		
DROs (mg/l)	---	---	---	---	---	---	---	---	---		
Lead (ug/L)	---	---	---	---	---	---	---	---	---		
Groundwater Elevation (ft-MSL)	805.71	804.94	803.80	804.05	801.63	803.87	---	808.89	807.87	15	1.5
VOCs **											
Benzene	<0.5	1	<0.50	<0.50	<0.13	<0.13	<0.13	<0.14	<0.23	5	0.5
Ethylbenzene	<0.5	<0.5	<1.0	<1.0	<0.22	<0.22	<0.22	<0.40	<0.40	700	140
Methyl-tert-Butyl-ether	<3.0	<3.0	<1.0	<1.0	<0.16	<0.16	<0.16	<0.36	<0.36	60	12
Naphthalene	<0.7	<0.7	---	---	---	---	---	---	---	100	10
Toluene	0.8	1.1	<1.0	<1.0	<0.20	<0.20	<0.20	<0.36	<0.36	1,000	200
Trimethylbenzenes	<0.7	<0.7	<1.0	<1.0	<0.26	<0.26	<0.26	<0.39	<0.39	480	96
Total Xylenes	<0.5	1.85	<3.0	<3.0	<0.23	<0.23	<0.23	<0.36	<0.36	10,000	1,000

** = Detected VOCs are listed

--- = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 2 (page 6 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-5									NR 140		
Date	10/04/94	05/08/96	09/09/98	12/14/98	03/10/99	07/15/99	09/12/00	12/15/00	09/12/01	Groundwater		
GROs (mg/l)	63,000	40,000	---	---	---	---	---	---	---	ES	PAL	
DROs (mg/l)	---	---	---	---	---	---	---	---	---			
Lead (ug/L)	---	---	---	---	---	---	---	---	---			
Groundwater Elevation (ft-MSL)	---	801.80	802.96	802.59	802.26	803.64	802.24	---	802.88	15	1.5	
VOCs **												
Benzene	8,000	2,100	2,100	1,300	3,300	1,400	1,500	2,630	860	5	0.5	
n-Propyl-benzene	230	---	---	---	---	---	---	---	---			
Ethylbenzene	2,200	1,200	1,900	1,800	2,100	2,600	3,030	1,940	1,000	700	140	
Methyl-tert-Butyl-ether	600	<100	<6.4	<32	200	82	<250	279	26	60	12	
Naphthalene	680	---	---	---	---	---	---	---	380	100	10	
Toluene	17,000	4,800	4,200	5,400	5,600	3,500	3,560	4,460	1,700	1,000	200	
Trimethylbenzenes	2,740	3,890	7,000	7,000	2,610	11,400	16,300	4,740	2,040	480	96	
Total Xylenes	12,000	9,900	4,200	15,000	11,000	15,600	23,800	11,500	5,600	10,000	1,000	

Monitoring Point										NR 140		
Date	12/15/01	03/12/02	12/09/02	08/08/04	12/07/04	03/08/05	07/22/05	08/25/08	11/25/08	Groundwater		
GROs (mg/l)	---	---	---	---	---	---	---	---	---	ES	PAL	
DROs (mg/l)	---	---	---	---	---	---	---	---	---			
Lead (ug/L)	---	---	---	---	---	---	---	---	---	15	1.5	
Groundwater Elevation (ft-MSL)	802.98	802.68	802.08	---	---	---	---	808.10	806.73			
VOCs **												
Benzene	380	720	1,000	1,270	1,130	1,010	1,190	<0.14	<0.23	5	0.5	
n-Propyl-benzene	---	---	---	---	---	---	---	---	---			
Ethylbenzene	1,600	1,300	1,500	1,560	1,550	1,570	1,070	1.4	1.4	700	140	
Methyl-tert-Butyl-ether	<9.2	<10	66	176	997	<55.2	<15	<0.36	<0.36	60	12	
Naphthalene	---	---	---	---	---	---	---	---	---	100	10	
Toluene	1,700	1,600	1,600	2,380	2,450	2,230	2,020	1.1	<0.36	1,000	200	
Trimethylbenzenes	5,000	1,900	1,880	3,431	3,721	3,039	6,750	27.4	25	480	96	
Total Xylenes	10,000	6,100	5,300	8,190	8,350	9,210	10,380	54	5.2	10,000	1,000	

** = PVOCs and detected VOCs are listed
 --- = not tested/ no standard
 Bold values indicate PAL or ES exceedance.

Table 2 (page 7 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-6					NR 140 Groundwater	
Date	10/04/94	09/03/97	08/08/04	08/25/08	11/25/08	ES	PAL
GROs (mg/l)	<100	---	---	---	---		
DROs (mg/l)	---	---	---	---	---		
Lead (ug/L)	---	---	---	---	---	15	1.5
Groundwater Elevation (ft-MSL)	---	802.12	---	808.13	806.73		
VOCs **							
Benzene	<1.0	<0.13	<0.50	<0.14	<0.23	5	0.5
Ethylbenzene	<1.0	<0.22	<5.0	<0.40	<0.40	700	140
Methyl-tert-Butyl-ether	<1.0	<0.16	<0.511	<0.36	<0.36	60	12
Naphthalene	<1.0	---	---	---	---	100	10
Toluene	<1.0	<0.20	<5.0	<0.36	<0.36	1,000	200
Trimethylbenzenes	1.1	<0.26	<5.0	<0.39	<0.39	480	96
Total Xylenes	<1.0	<0.23	<5.0	<0.36	<0.36	10,000	1,000

** = Detected VOCs are listed

--- = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 2 (page 8 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-11													NR 140	
Date	05/08/96	11/19/96	01/14/97	04/03/97	09/03/97	11/18/97	02/17/98	05/28/98	09/09/98	12/14/98	03/10/99	07/15/99	10/04/99	Groundwater	
GROs (mg/l)	<50	<50	<50	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—		
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Groundwater Elevation (ft-MSL)	801.89	802.56	802.21	802.56	802.03	801.39	—	—	803.16	802.77	802.39	803.77	803.15		
VOCs **															
Benzene	<0.50	<0.50	<0.13	<0.13	<0.13	<0.13	<0.13	<0.41	<0.13	<0.13	<0.31	<0.26	<0.27	5	0.5
Ethylbenzene	<1.0	<1.0	<0.22	<0.22	<0.22	<0.22	<0.22	<0.43	<0.22	<0.22	<0.38	<0.24	<0.32	700	140
Methyl-tert-Butyl-ether	<1.0	<1.0	<0.16	1.0	<0.16	<0.16	<0.16	<0.41	<0.16	<0.16	<0.14	<0.22	<0.32	60	12
Naphthalene	—	—	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	<1.0	<1.0	<0.20	<0.20	<0.20	<0.20	<0.20	<0.38	<0.20	<0.20	<0.39	<0.21	<0.27	1,000	200
Trimethylbenzenes	<1.0	<1.0	<0.26	<0.51	<0.26	<0.26	<0.26	<0.50	<0.26	<0.26	<0.33	<0.70	<0.25	480	96
Total Xylenes	<3.0	<3.0	<0.23	<0.23	<0.23	<0.23	<0.23	<1.4	<0.23	<0.23	<1.1	<0.67	<0.70	10,000	1,000

Monitoring Point													NR 140	
Date	09/12/00	12/15/00	09/12/01	12/05/01	03/12/02	09/16/02	12/09/02	03/18/03	08/08/04	03/08/05	08/25/08	11/25/08	Groundwater	
GROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—		
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Groundwater Elevation (ft-MSL)	802.35	801.71	803.04	803.15	802.91	802.46	802.09	801.16	—	—	808.14	806.78		
VOCs **														
Benzene	<0.50	<0.50	<0.21	<0.21	<0.43	<0.45	<0.45	<0.45	<0.50	<0.50	<0.14	<0.23	5	0.5
Ethylbenzene	<5.0	<5.0	0.56	<0.22	1.5	<0.82	<0.82	<0.82	<5.0	<5.0	<0.40	<0.40	700	140
Methyl-tert-Butyl-ether	<0.50	<0.50	<0.46	<0.46	<0.49	<0.43	<0.43	<0.43	<0.511	<0.276	<0.36	<0.36	60	12
Naphthalene	—	—	<0.69	—	—	—	—	—	—	—	—	—	100	10
Toluene	<5.0	<5.0	2.1	<0.41	0.87	<0.68	<0.68	<0.68	<5.0	<5.0	<0.36	<0.36	1,000	200
Trimethylbenzenes	<5.0	<5.0	3.6	<0.30	9.4	<0.93	<0.93	<0.93	<5.0	<5.0	<0.39	<0.39	480	96
Total Xylenes	<5.0	<5.0	4.1	<0.69	10	<1.24	<1.24	<1.24	<5.0	<5.0	<0.36	<0.36	10,000	1,000

** = PVOCs and detected VOCs are listed

— = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 2 (page 9 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-12														NR 140 Groundwater	
Date	05/08/96	11/19/96	01/14/97	04/03/97	09/03/97	11/18/97	02/17/98	05/28/98	09/09/98	12/14/98	03/10/99	07/15/99	10/04/99	09/12/00		
GROs (mg/l)	52	<50	<50	---	---	---	---	---	---	---	---	---	---	---	ES	PAL
DROs (mg/l)	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Lead (ug/l)	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Groundwater Elevation (ft-MSL)	801.65	802.30	801.94	802.33	801.91	801.20	---	---	802.89	802.50	802.18	803.52	802.91	802.15	15	1.5
VOCs **																
Benzene	20	<0.50	<0.13	<0.13	<0.13	<0.13	<0.13	<0.41	<0.13	<0.13	<0.31	<0.26	<0.27	<0.50	5	0.5
Ethylbenzene	3.5	<1.0	<0.22	<0.22	<0.22	<0.22	<0.22	<0.43	<0.22	<0.22	<0.38	<0.24	<0.32	<5.0	700	140
Methyl-tert-Butyl-ether	<1.0	<1.0	<0.16	<0.16	<0.16	<0.16	<0.16	<0.41	<0.16	<0.16	<0.14	<0.22	<0.32	<0.50	60	12
Naphthalene	---	---	---	---	---	---	---	---	---	---	---	---	---	---	100	10
Toluene	<1.0	<1.0	<0.20	<0.20	<0.20	<0.20	<0.20	<0.38	<0.20	<0.20	<0.39	<0.21	<0.27	<5.0	1,000	200
Trimethylbenzenes	<1.0	<1.0	<0.26	<0.26	<0.26	<0.26	<0.26	<0.50	<0.26	<0.26	<0.33	<0.70	<0.25	<5.0	480	96
Total Xylenes	<3.0	<1.0	<0.23	<0.23	<0.23	<0.23	<0.23	<1.4	<0.23	<0.23	<1.1	<0.67	<0.34	<5.0	10,000	1,000

Monitoring Point															NR 140 Groundwater	
Date	12/15/00	09/12/01	12/05/01	03/12/02	09/16/02	12/09/02	03/18/03	08/08/04	12/07/04	03/08/05	07/22/05	08/25/08	11/25/08	ES	PAL	
GROs (mg/l)	---	---	---	---	---	---	---	---	---	---	---	---	---			
DROs (mg/l)	---	---	---	---	---	---	---	---	---	---	---	---	---			
Lead (ug/l)	---	---	---	---	---	---	---	---	---	---	---	---	---			
Groundwater Elevation (ft-MSL)	801.53	802.74	803.00	802.65	802.30	801.71	800.12	---	---	---	---	807.97	806.54	15	1.5	
VOCs **																
Benzene	<0.50	<0.21	<0.21	<0.43	<0.45	<0.45	<0.45	<0.50	18.9	<0.50	<0.31	<0.14	<0.23	5	0.5	
Ethylbenzene	<5.0	<0.22	<0.22	0.5	<0.82	<0.82	<0.82	<5.0	183	<5.0	<0.50	<0.40	<0.40	700	140	
Methyl-tert-Butyl-ether	<0.50	<0.46	<0.46	<0.49	<0.43	<0.43	<0.43	<0.511	3.84	<0.276	<0.30	<0.36	<0.36	60	12	
Naphthalene	---	<0.69	---	---	---	---	---	---	---	---	---	---	---	100	10	
Toluene	<5.0	<0.41	<0.41	<0.63	<0.68	<0.68	<0.68	<5.0	80.1	<5.0	<0.30	<0.36	<0.36	1,000	200	
Trimethylbenzenes	<5.0	<0.30	<0.30	1.86	<0.93	<0.93	<0.93	<5.0	460	<5.0	<0.40	<0.39	<0.39	480	96	
Total Xylenes	<5.0	<0.69	<0.69	2.6	<1.24	<1.24	<1.24	<5.0	369	<5.0	<0.62	<0.36	<0.36	10,000	1,000	

** = PVOs and detected VOCs are listed
 --- = not tested/ no standard
 Bold values indicate PAL or ES exceedance.

Table 2 (page 10 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-21													NR 140	
Date	11/19/96	01/14/97	04/03/97	09/03/97	11/18/97	02/17/98	05/28/98	09/09/98	12/14/98	03/10/99	07/15/99	10/04/99	09/12/00	Groundwater	
GROs (mg/l)	2,800	11,000	—	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—		
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Groundwater Elevation (ft-MSL)	802.16	801.95	802.20	801.72	801.08	—	—	802.77	802.37	802.02	803.35	802.75	802.00		
VOCs **														—	—
Benzene	230	790	450	480	390	220	310	330	370	440	66	370	178	5	0.5
Ethylbenzene	110	740	630	770	630	660	890	510	570	910	140	680	466	700	140
Methyl-tert-Butyl-ether	<12	14	21	<1.6	<1.6	<1.6	<4.1	<3.2	<3.9	<1.4	2.1	<3.2	11.2	60	12
Naphthalene	—	—	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	36	100	67	130	91	60	68	77	86	86	5.6	73	54.2	1,000	200
Trimethylbenzenes	270	1,040	900	1,050	880	880	1,250	900	890	1,200	151	870	778	480	96
Total Xylenes	610	2,700	2,400	2,600	2,300	2,100	2,200	1,500	1,800	2,900	174	1,680	1,390	10,000	1,000

Monitoring Point														NR 140	
Date	12/15/00	09/12/01	12/05/01	03/12/02	09/16/02	12/09/02	03/18/03	08/08/04	12/07/04	03/08/05	07/22/05	08/25/08	11/25/08	Groundwater	
GROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—		
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Groundwater Elevation (ft-MSL)	801.41	802.55	802.77	802.40	802.12	800.77	801.01	—	—	—	—	807.83	806.34		
VOCs **														—	—
Benzene	298	68	68	8	120	160	94	8.8	36.6	15.6	26.4	<0.14	<0.23	5	0.5
Ethylbenzene	653	210	170	750	470	860	790	77.6	256	132	379	<0.40	<0.40	700	140
Methyl-tert-Butyl-ether	<5.0	<0.46	<0.46	<4.9	2.9	21	24	4.58	4.99	4.53	<6.0	<0.36	<0.36	60	12
Naphthalene	—	48	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	87.4	28	27	130	43	72	57	<5.0	112	41.6	28.7	<0.36	<0.36	1,000	200
Trimethylbenzenes	1,168	285	220	1,560	509	1,250	1,270	211.9	821	659	1,235	<0.39	<0.39	480	96
Total Xylenes	2,180	480	390	2,500	918	7,078	1,975	88.1	560	486	1,358	<0.36	<0.36	10,000	1,000

** = PVOCs and detected VOCs are listed

— = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 2 (page 11 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-22													NR 140	
Date	11/19/96	01/14/97	04/03/97	09/03/97	11/18/97	02/17/98	05/28/98	09/09/98	12/14/98	03/10/99	07/15/99	10/04/99	09/12/00	Groundwater	
GROs (mg/l)	3,400	1,800	—	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Groundwater Elevation (ft-MSL)	802.32	802.10	802.42	801.83	801.25	—	—	802.95	802.56	802.19	803.52	802.93	802.17	—	—
VOCs **															
Benzene	5.7	6.3	1.1	13	3.1	<0.13	25	12	1.7	<3.1	35	14	38.9	5	0.5
Ethylbenzene	360	210	180	670	380	140	1,100	470	110	360	1,300	740	822	700	140
Methyl-tert-Butyl-ether	<10	6.8	<0.16	<1.6	<0.32	<0.16	<4.1	<0.80	<0.61	<1.4	<2.2	<6.4	16	60	12
Naphthalene	—	—	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	49	9.7	7.9	59	24	2.9	140	38	3.5	19	240	84	130	1,000	200
Trimethylbenzenes	406	170	146	1,190	398	33.33	3,800	920	161	628	1,890	1,740	1,479	480	96
Total Xylenes	520	140	140	1,300	390	28	3,400	690	70	310	5,100	1,880	2,850	10,000	1,000

Monitoring Point														NR 140	
Date	12/15/00	09/12/01	12/05/01	03/12/02	09/16/02	12/09/02	03/18/03	08/08/04	03/08/05	07/22/05	08/25/08	11/25/08	Groundwater		
GROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	ES	PAL	
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—			
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5	
Groundwater Elevation (ft-MSL)	801.56	802.78	802.94	802.58	801.33	801.93	801.13	—	—	—	807.99	806.50	—	—	
VOCs **														—	—
Benzene	28.8	12	13	45	3.8	2.3	<1.8	1.28	<0.50	<6.20	5.9	1.8	5	0.5	
Ethylbenzene	447	680	660	170	780	360	220	558	<5.0	571	365	379	700	140	
Methyl-tert-Butyl-ether	<5.0	<4.6	<4.6	<4.9	4.5	17	22	2.86	<0.276	<6.0	<0.90	5.1	60	12	
Naphthalene	260	—	—	—	—	—	—	—	—	—	—	—	100	10	
Toluene	<50	100	120	16	110	32	9.8	27.2	<5.0	23.0	8.6	4.8	1,000	200	
Trimethylbenzenes	1,194	1,250	1,400	301	1,270	1,010	680	1,141	<5.0	1,401	419	858	480	96	
Total Xylenes	720	2,600	2,400	340	2,450	620	201	1,150	<5.0	854	349.5	420.9	10,000	1,000	

** = PVOs and detected VOCs are listed
— = not tested/ no standard
Bold values indicate PAL or ES exceedance.

Table 2 (page 12 of 12)
Groundwater Monitoring Well Results
The Filling Station
611 N. Main St., Edgerton, WI

Monitoring Point	MW-31												NR 140	
Date	04/03/97	09/03/97	11/18/97	02/17/98	05/28/98	09/09/98	12/14/98	03/10/99	07/15/99	10/04/99	09/12/00	12/15/00	Groundwater	
GROs (mg/l)	<50	—	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Groundwater Elevation (ft-MSL)	802.05	801.48	800.89	—	—	802.60	802.14	801.80	803.12	802.55	801.77	801.22	—	—
VOCs **														
Benzene	<0.31	<0.13	<0.13	<0.13	<0.41	<0.13	<0.13	<0.31	<0.26	<0.27	0.595	<0.50	5	0.5
Ethylbenzene	<0.38	<0.22	<0.22	<0.22	<0.43	<0.22	<0.22	<0.38	<0.24	<0.32	<5.0	<5.0	700	140
Methyl-tert-Butyl-ether	<0.14	<0.16	<0.16	<0.16	<0.41	<0.16	<0.16	<0.14	<0.22	<0.32	<0.50	<0.50	60	12
Naphthalene	<0.35	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	<0.39	<0.20	<0.20	<0.20	<0.38	<0.20	<0.20	<0.39	<0.21	<0.27	<5.0	<5.0	1,000	200
Trimethylbenzenes	<0.68	0.44	<0.25	<0.25	<0.30	<0.26	<0.26	<0.33	<0.70	<0.25	<5.0	<5.0	480	96
Total Xylenes	<1.1	0.26	<0.23	<0.23	<1.4	<0.13	<0.23	<1.1	<0.67	<0.34	<5.0	<5.0	10,000	1,000

Monitoring Point													NR 140	
Date	09/12/01	12/05/01	03/12/02	09/16/02	12/09/02	03/18/03	08/08/04	12/07/04	03/08/05	07/22/05	08/25/08	11/25/08	Groundwater	
GROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	ES	PAL
DROs (mg/l)	—	—	—	—	—	—	—	—	—	—	—	—	15	1.5
Lead (ug/l)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Groundwater Elevation (ft-MSL)	802.40	802.52	802.18	801.93	801.58	800.78	—	—	—	—	807.63	806.13	—	—
VOCs **														
Benzene	<0.21	<0.21	<0.43	<0.45	<0.45	<0.45	<0.50	<0.50	<0.50	<0.31	<0.14	0.63	5	0.5
Ethylbenzene	<0.22	<0.22	<0.49	<0.82	<0.82	<0.82	<5.0	<5.0	<5.0	<0.50	<0.40	<0.40	700	140
Methyl-tert-Butyl-ether	<0.46	<0.46	<0.49	<0.43	<0.43	<0.43	<0.511	<0.511	<0.276	<0.30	<0.36	<0.36	60	12
Naphthalene	<0.69	—	—	—	—	—	—	—	—	—	—	—	100	10
Toluene	<0.41	<0.41	<0.63	<0.68	<0.68	<0.68	<5.0	<5.0	<5.0	<0.30	<0.36	<0.36	1,000	200
Trimethylbenzenes	<0.30	<0.30	1.07	<0.93	<0.93	<0.93	<5.0	<5.0	<5.0	<0.40	<0.39	<0.39	480	96
Total Xylenes	1.1	<0.69	1.6	<1.24	<1.24	<1.24	<5.0	<5.0	<5.0	<0.62	<0.36	<0.36	10,000	1,000

** = PVOCs and detected VOCs are listed

— = not tested/ no standard

Bold values indicate PAL or ES exceedance.

Table 3
Historic Groundwater Elevations
The Filling Station
611 N. Main St., Edgerton, WI

	Well Depth (ft-MSL)	TOC Elevation (ft-MSL)	Water Level Readings (ft)			
			12/09/02	03/18/03	08/25/08	11/25/08
MW-1	20	815.74	13.70	14.41	7.37	9.02
MW-2	19	814.94	12.10	13.15	6.45	7.49
MW-3	19.5	816.36	14.25	15.08	8.25	9.69
MW-3P	32	816.45	---	---	7.09	8
MW-4	11.5	815.48	---	---	6.59	7.61
MW-5	22	819.05	16.95	17.88	10.95	12.32
MW-6	14.5	816.15	---	---	8.02	9.42
MW-11	20	817.53	15.47	16.40	9.39	10.75
MW-12	30	823.57	21.84	23.43	15.6	17.03
MW-21	34.5	829.72	28.95	28.71	21.89	23.38
MW-22	34.5	831.95	30.00	30.80	23.96	25.45
MW-31	40	835.59	34.00	34.80	27.96	29.46

	Well Depth (ft-MSL)	TOC Elevation (ft)	Shallow Groundwater Elevation (ft-MSL)			
			12/09/02	03/18/03	08/25/08	11/25/08
MW-1	20	815.74	801.93	801.22	808.37	806.72
MW-2	19	814.94	802.84	801.79	808.49	807.45
MW-3	19.5	816.36	802.11	801.28	808.11	806.67
MW-3P	32	816.45	---	---	809.36	808.45
MW-4	11.5	815.48	---	---	808.89	807.87
MW-5	22	819.05	802.08	801.15	808.10	806.73
MW-6	14.5	816.15	---	---	808.13	806.73
MW-11	20	817.53	802.09	801.16	808.14	806.78
MW-12	30	823.57	801.71	800.12	807.97	806.54
MW-21	34.5	829.72	800.77	801.01	807.83	806.34
MW-22	34.5	831.95	801.93	801.13	807.99	806.50
MW-31	40	835.59	801.58	800.78	807.63	806.13

TOC Elevation = top of casing elevation beginning 8/25/08

ATTACHMENT B

PHOTOGRAPHS





USTs removed



USTs removed



Piping run, view to south



UST basin, abandoned recovery well

Filling Station, Tank System Site Assessment	Photographs
611 North Main Street, Edgerton, WI 53534	REI No. 11754



UST basin

Filling Station, Tank System Site Assessment	Photographs
611 North Main Street, Edgerton, WI 53534	REI No. 11754

ATTACHMENT C

LABORATORY ANALYTICAL REPORTS





September 30, 2024

Andy Delforge
REI
4080 North 20th Avenue
Wausau, WI 54401

RE: Project: 11754 FILLING STATION
Pace Project No.: 40284209

Dear Andy Delforge:

Enclosed are the analytical results for sample(s) received by the laboratory on September 18, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian Basten".

Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Brian Bailey, REI Engineering
Paul Bushar, REI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40284209001	TS1	Solid	09/17/24 08:40	09/18/24 08:10
40284209002	TS2	Solid	09/17/24 08:45	09/18/24 08:10
40284209003	TS3	Solid	09/17/24 08:50	09/18/24 08:10
40284209004	TS4	Solid	09/17/24 08:55	09/18/24 08:10
40284209005	TB1	Solid	09/17/24 09:00	09/18/24 08:10
40284209006	TB2	Solid	09/17/24 09:05	09/18/24 08:10
40284209007	TB3	Solid	09/17/24 09:20	09/18/24 08:10
40284209008	TB4	Solid	09/17/24 09:25	09/18/24 08:10
40284209009	TB5	Solid	09/17/24 09:30	09/18/24 08:10
40284209010	TB6	Solid	09/17/24 09:35	09/18/24 08:10
40284209011	TB7	Solid	09/17/24 09:40	09/18/24 08:10
40284209012	TB8	Solid	09/17/24 09:45	09/18/24 08:10
40284209013	TS5	Solid	09/17/24 09:50	09/18/24 08:10
40284209014	TS6	Solid	09/17/24 09:55	09/18/24 08:10
40284209015	TS7	Solid	09/17/24 10:00	09/18/24 08:10
40284209016	TS8	Solid	09/17/24 10:05	09/18/24 08:10
40284209017	TS9	Solid	09/17/24 10:10	09/18/24 08:10
40284209018	TS10	Solid	09/17/24 10:15	09/18/24 08:10
40284209019	TS11	Solid	09/17/24 10:20	09/18/24 08:10
40284209020	TS12	Solid	09/17/24 10:25	09/18/24 08:10
40284209021	P1	Solid	09/17/24 10:30	09/18/24 08:10
40284209022	D1	Solid	09/17/24 00:00	09/18/24 08:10
40284209023	D2	Solid	09/17/24 00:00	09/18/24 08:10
40284209024	D3	Solid	09/17/24 10:40	09/18/24 08:10
40284209025	D4	Solid	09/17/24 10:45	09/18/24 08:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40284209001	TS1	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209002	TS2	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209003	TS3	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209004	TS4	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209005	TB1	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209006	TB2	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209007	TB3	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209008	TB4	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209009	TB5	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209010	TB6	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209011	TB7	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209012	TB8	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209013	TS5	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209014	TS6	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209015	TS7	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209016	TS8	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209017	TS9	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209018	TS10	EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40284209019	TS11	EPA 8260	ALD	12	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40284209020	TS12	ASTM D2974-87	MYH	1	PASI-G
		EPA 8260	ALD	12	PASI-G
40284209021	P1	ASTM D2974-87	MYH	1	PASI-G
		EPA 8260	ALD	12	PASI-G
40284209022	D1	ASTM D2974-87	MYH	1	PASI-G
		EPA 8260	ALD	12	PASI-G
40284209023	D2	ASTM D2974-87	NMK	1	PASI-G
		EPA 8260	ALD	12	PASI-G
40284209024	D3	ASTM D2974-87	NMK	1	PASI-G
		EPA 8260	ALD	12	PASI-G
40284209025	D4	ASTM D2974-87	MYH	1	PASI-G
		EPA 8260	ALD	12	PASI-G
		ASTM D2974-87	MYH	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS1 Lab ID: 40284209001 Collected: 09/17/24 08:40 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<21.4	ug/kg	35.9	21.4	1	09/20/24 08:45	09/24/24 16:46	71-43-2	
Ethylbenzene	<21.4	ug/kg	89.8	21.4	1	09/20/24 08:45	09/24/24 16:46	100-41-4	
Methyl-tert-butyl ether	<26.4	ug/kg	89.8	26.4	1	09/20/24 08:45	09/24/24 16:46	1634-04-4	
Naphthalene	<37.8	ug/kg	449	37.8	1	09/20/24 08:45	09/24/24 16:46	91-20-3	
Toluene	<22.6	ug/kg	89.8	22.6	1	09/20/24 08:45	09/24/24 16:46	108-88-3	
1,2,4-Trimethylbenzene	<26.8	ug/kg	89.8	26.8	1	09/20/24 08:45	09/24/24 16:46	95-63-6	
1,3,5-Trimethylbenzene	<28.9	ug/kg	89.8	28.9	1	09/20/24 08:45	09/24/24 16:46	108-67-8	
m&p-Xylene	<37.9	ug/kg	180	37.9	1	09/20/24 08:45	09/24/24 16:46	179601-23-1	
o-Xylene	<26.9	ug/kg	89.8	26.9	1	09/20/24 08:45	09/24/24 16:46	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	67-144		1	09/20/24 08:45	09/24/24 16:46	2199-69-1	
4-Bromofluorobenzene (S)	89	%	72-142		1	09/20/24 08:45	09/24/24 16:46	460-00-4	
Toluene-d8 (S)	103	%	70-139		1	09/20/24 08:45	09/24/24 16:46	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.5	%	0.10	0.10	1		09/18/24 12:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS2 Lab ID: 40284209002 Collected: 09/17/24 08:45 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.7	ug/kg	21.4	12.7	1	09/20/24 08:45	09/24/24 17:06	71-43-2	
Ethylbenzene	<12.7	ug/kg	53.4	12.7	1	09/20/24 08:45	09/24/24 17:06	100-41-4	
Methyl-tert-butyl ether	<15.7	ug/kg	53.4	15.7	1	09/20/24 08:45	09/24/24 17:06	1634-04-4	
Naphthalene	<22.5	ug/kg	267	22.5	1	09/20/24 08:45	09/24/24 17:06	91-20-3	
Toluene	<13.5	ug/kg	53.4	13.5	1	09/20/24 08:45	09/24/24 17:06	108-88-3	
1,2,4-Trimethylbenzene	<15.9	ug/kg	53.4	15.9	1	09/20/24 08:45	09/24/24 17:06	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/kg	53.4	17.2	1	09/20/24 08:45	09/24/24 17:06	108-67-8	
m&p-Xylene	<22.5	ug/kg	107	22.5	1	09/20/24 08:45	09/24/24 17:06	179601-23-1	
o-Xylene	<16.0	ug/kg	53.4	16.0	1	09/20/24 08:45	09/24/24 17:06	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	67-144		1	09/20/24 08:45	09/24/24 17:06	2199-69-1	
4-Bromofluorobenzene (S)	91	%	72-142		1	09/20/24 08:45	09/24/24 17:06	460-00-4	
Toluene-d8 (S)	106	%	70-139		1	09/20/24 08:45	09/24/24 17:06	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	2.3	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS3 Lab ID: 40284209003 Collected: 09/17/24 08:50 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<18.1	ug/kg	30.4	18.1	1	09/20/24 08:45	09/24/24 17:25	71-43-2	
Ethylbenzene	<18.1	ug/kg	75.9	18.1	1	09/20/24 08:45	09/24/24 17:25	100-41-4	
Methyl-tert-butyl ether	<22.3	ug/kg	75.9	22.3	1	09/20/24 08:45	09/24/24 17:25	1634-04-4	
Naphthalene	<31.9	ug/kg	380	31.9	1	09/20/24 08:45	09/24/24 17:25	91-20-3	
Toluene	<19.1	ug/kg	75.9	19.1	1	09/20/24 08:45	09/24/24 17:25	108-88-3	
1,2,4-Trimethylbenzene	<22.6	ug/kg	75.9	22.6	1	09/20/24 08:45	09/24/24 17:25	95-63-6	
1,3,5-Trimethylbenzene	<24.5	ug/kg	75.9	24.5	1	09/20/24 08:45	09/24/24 17:25	108-67-8	
m&p-Xylene	<32.0	ug/kg	152	32.0	1	09/20/24 08:45	09/24/24 17:25	179601-23-1	
o-Xylene	<22.8	ug/kg	75.9	22.8	1	09/20/24 08:45	09/24/24 17:25	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	111	%	67-144		1	09/20/24 08:45	09/24/24 17:25	2199-69-1	
4-Bromofluorobenzene (S)	97	%	72-142		1	09/20/24 08:45	09/24/24 17:25	460-00-4	
Toluene-d8 (S)	108	%	70-139		1	09/20/24 08:45	09/24/24 17:25	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.4	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS4 Lab ID: 40284209004 Collected: 09/17/24 08:55 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.1	ug/kg	22.0	13.1	1	09/20/24 08:45	09/24/24 17:45	71-43-2	
Ethylbenzene	<13.1	ug/kg	55.0	13.1	1	09/20/24 08:45	09/24/24 17:45	100-41-4	
Methyl-tert-butyl ether	<16.2	ug/kg	55.0	16.2	1	09/20/24 08:45	09/24/24 17:45	1634-04-4	
Naphthalene	<23.1	ug/kg	275	23.1	1	09/20/24 08:45	09/24/24 17:45	91-20-3	
Toluene	<13.9	ug/kg	55.0	13.9	1	09/20/24 08:45	09/24/24 17:45	108-88-3	
1,2,4-Trimethylbenzene	<16.4	ug/kg	55.0	16.4	1	09/20/24 08:45	09/24/24 17:45	95-63-6	
1,3,5-Trimethylbenzene	<17.7	ug/kg	55.0	17.7	1	09/20/24 08:45	09/24/24 17:45	108-67-8	
m&p-Xylene	<23.2	ug/kg	110	23.2	1	09/20/24 08:45	09/24/24 17:45	179601-23-1	
o-Xylene	<16.5	ug/kg	55.0	16.5	1	09/20/24 08:45	09/24/24 17:45	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	111	%	67-144		1	09/20/24 08:45	09/24/24 17:45	2199-69-1	
4-Bromofluorobenzene (S)	97	%	72-142		1	09/20/24 08:45	09/24/24 17:45	460-00-4	
Toluene-d8 (S)	109	%	70-139		1	09/20/24 08:45	09/24/24 17:45	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.8	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB1 Lab ID: 40284209005 Collected: 09/17/24 09:00 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.4	ug/kg	20.9	12.4	1	09/20/24 08:45	09/24/24 18:05	71-43-2	
Ethylbenzene	<12.4	ug/kg	52.3	12.4	1	09/20/24 08:45	09/24/24 18:05	100-41-4	
Methyl-tert-butyl ether	<15.4	ug/kg	52.3	15.4	1	09/20/24 08:45	09/24/24 18:05	1634-04-4	
Naphthalene	<22.0	ug/kg	262	22.0	1	09/20/24 08:45	09/24/24 18:05	91-20-3	
Toluene	<13.2	ug/kg	52.3	13.2	1	09/20/24 08:45	09/24/24 18:05	108-88-3	
1,2,4-Trimethylbenzene	<15.6	ug/kg	52.3	15.6	1	09/20/24 08:45	09/24/24 18:05	95-63-6	
1,3,5-Trimethylbenzene	<16.8	ug/kg	52.3	16.8	1	09/20/24 08:45	09/24/24 18:05	108-67-8	
m&p-Xylene	<22.1	ug/kg	105	22.1	1	09/20/24 08:45	09/24/24 18:05	179601-23-1	
o-Xylene	<15.7	ug/kg	52.3	15.7	1	09/20/24 08:45	09/24/24 18:05	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	106	%	67-144		1	09/20/24 08:45	09/24/24 18:05	2199-69-1	
4-Bromofluorobenzene (S)	97	%	72-142		1	09/20/24 08:45	09/24/24 18:05	460-00-4	
Toluene-d8 (S)	108	%	70-139		1	09/20/24 08:45	09/24/24 18:05	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	2.3	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB2 Lab ID: 40284209006 Collected: 09/17/24 09:05 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.2	ug/kg	20.6	12.2	1	09/20/24 08:45	09/24/24 18:24	71-43-2	
Ethylbenzene	<12.2	ug/kg	51.4	12.2	1	09/20/24 08:45	09/24/24 18:24	100-41-4	
Methyl-tert-butyl ether	<15.1	ug/kg	51.4	15.1	1	09/20/24 08:45	09/24/24 18:24	1634-04-4	
Naphthalene	<21.6	ug/kg	257	21.6	1	09/20/24 08:45	09/24/24 18:24	91-20-3	
Toluene	<12.9	ug/kg	51.4	12.9	1	09/20/24 08:45	09/24/24 18:24	108-88-3	
1,2,4-Trimethylbenzene	<15.3	ug/kg	51.4	15.3	1	09/20/24 08:45	09/24/24 18:24	95-63-6	
1,3,5-Trimethylbenzene	<16.5	ug/kg	51.4	16.5	1	09/20/24 08:45	09/24/24 18:24	108-67-8	
m&p-Xylene	<21.7	ug/kg	103	21.7	1	09/20/24 08:45	09/24/24 18:24	179601-23-1	
o-Xylene	<15.4	ug/kg	51.4	15.4	1	09/20/24 08:45	09/24/24 18:24	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	109	%	67-144		1	09/20/24 08:45	09/24/24 18:24	2199-69-1	
4-Bromofluorobenzene (S)	100	%	72-142		1	09/20/24 08:45	09/24/24 18:24	460-00-4	
Toluene-d8 (S)	111	%	70-139		1	09/20/24 08:45	09/24/24 18:24	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	1.4	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB3 Lab ID: 40284209007 Collected: 09/17/24 09:20 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<18.7	ug/kg	31.5	18.7	1	09/20/24 08:45	09/24/24 19:43	71-43-2	
Ethylbenzene	<18.7	ug/kg	78.8	18.7	1	09/20/24 08:45	09/24/24 19:43	100-41-4	
Methyl-tert-butyl ether	<23.2	ug/kg	78.8	23.2	1	09/20/24 08:45	09/24/24 19:43	1634-04-4	
Naphthalene	52.0J	ug/kg	394	33.1	1	09/20/24 08:45	09/24/24 19:43	91-20-3	
Toluene	<19.8	ug/kg	78.8	19.8	1	09/20/24 08:45	09/24/24 19:43	108-88-3	
1,2,4-Trimethylbenzene	404	ug/kg	78.8	23.5	1	09/20/24 08:45	09/24/24 19:43	95-63-6	
1,3,5-Trimethylbenzene	170	ug/kg	78.8	25.4	1	09/20/24 08:45	09/24/24 19:43	108-67-8	
m&p-Xylene	256	ug/kg	158	33.2	1	09/20/24 08:45	09/24/24 19:43	179601-23-1	
o-Xylene	37.8J	ug/kg	78.8	23.6	1	09/20/24 08:45	09/24/24 19:43	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	112	%	67-144		1	09/20/24 08:45	09/24/24 19:43	2199-69-1	
4-Bromofluorobenzene (S)	103	%	72-142		1	09/20/24 08:45	09/24/24 19:43	460-00-4	
Toluene-d8 (S)	110	%	70-139		1	09/20/24 08:45	09/24/24 19:43	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.7	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB4 Lab ID: 40284209008 Collected: 09/17/24 09:25 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.2	ug/kg	23.9	14.2	1	09/20/24 08:45	09/24/24 20:02	71-43-2	
Ethylbenzene	21.0J	ug/kg	59.7	14.2	1	09/20/24 08:45	09/24/24 20:02	100-41-4	
Methyl-tert-butyl ether	<17.6	ug/kg	59.7	17.6	1	09/20/24 08:45	09/24/24 20:02	1634-04-4	
Naphthalene	37.4J	ug/kg	299	25.1	1	09/20/24 08:45	09/24/24 20:02	91-20-3	
Toluene	15.7J	ug/kg	59.7	15.1	1	09/20/24 08:45	09/24/24 20:02	108-88-3	
1,2,4-Trimethylbenzene	376	ug/kg	59.7	17.8	1	09/20/24 08:45	09/24/24 20:02	95-63-6	
1,3,5-Trimethylbenzene	183	ug/kg	59.7	19.2	1	09/20/24 08:45	09/24/24 20:02	108-67-8	
m&p-Xylene	227	ug/kg	119	25.2	1	09/20/24 08:45	09/24/24 20:02	179601-23-1	
o-Xylene	76.9	ug/kg	59.7	17.9	1	09/20/24 08:45	09/24/24 20:02	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	123	%	67-144		1	09/20/24 08:45	09/24/24 20:02	2199-69-1	
4-Bromofluorobenzene (S)	109	%	72-142		1	09/20/24 08:45	09/24/24 20:02	460-00-4	
Toluene-d8 (S)	117	%	70-139		1	09/20/24 08:45	09/24/24 20:02	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.9	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB5 Lab ID: 40284209009 Collected: 09/17/24 09:30 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.1	ug/kg	23.6	14.1	1	09/20/24 08:45	09/24/24 20:22	71-43-2	
Ethylbenzene	<14.1	ug/kg	59.1	14.1	1	09/20/24 08:45	09/24/24 20:22	100-41-4	
Methyl-tert-butyl ether	<17.4	ug/kg	59.1	17.4	1	09/20/24 08:45	09/24/24 20:22	1634-04-4	
Naphthalene	29.0J	ug/kg	295	24.8	1	09/20/24 08:45	09/24/24 20:22	91-20-3	
Toluene	<14.9	ug/kg	59.1	14.9	1	09/20/24 08:45	09/24/24 20:22	108-88-3	
1,2,4-Trimethylbenzene	285	ug/kg	59.1	17.6	1	09/20/24 08:45	09/24/24 20:22	95-63-6	
1,3,5-Trimethylbenzene	134	ug/kg	59.1	19.0	1	09/20/24 08:45	09/24/24 20:22	108-67-8	
m&p-Xylene	155	ug/kg	118	24.9	1	09/20/24 08:45	09/24/24 20:22	179601-23-1	
o-Xylene	34.0J	ug/kg	59.1	17.7	1	09/20/24 08:45	09/24/24 20:22	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	117	%	67-144		1	09/20/24 08:45	09/24/24 20:22	2199-69-1	
4-Bromofluorobenzene (S)	107	%	72-142		1	09/20/24 08:45	09/24/24 20:22	460-00-4	
Toluene-d8 (S)	116	%	70-139		1	09/20/24 08:45	09/24/24 20:22	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.3	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB6 Lab ID: 40284209010 Collected: 09/17/24 09:35 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	61.4	ug/kg	56.5	33.6	2.5	09/20/24 08:45	09/24/24 21:01	71-43-2	
Ethylbenzene	1530	ug/kg	141	33.6	2.5	09/20/24 08:45	09/24/24 21:01	100-41-4	
Methyl-tert-butyl ether	<41.5	ug/kg	141	41.5	2.5	09/20/24 08:45	09/24/24 21:01	1634-04-4	
Naphthalene	1780	ug/kg	706	59.4	2.5	09/20/24 08:45	09/24/24 21:01	91-20-3	
Toluene	1800	ug/kg	141	35.6	2.5	09/20/24 08:45	09/24/24 21:01	108-88-3	
1,2,4-Trimethylbenzene	11100	ug/kg	141	42.1	2.5	09/20/24 08:45	09/24/24 21:01	95-63-6	
1,3,5-Trimethylbenzene	3300	ug/kg	141	45.5	2.5	09/20/24 08:45	09/24/24 21:01	108-67-8	
m&p-Xylene	9820	ug/kg	282	59.6	2.5	09/20/24 08:45	09/24/24 21:01	179601-23-1	
o-Xylene	4630	ug/kg	141	42.4	2.5	09/20/24 08:45	09/24/24 21:01	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	131	%	67-144		2.5	09/20/24 08:45	09/24/24 21:01	2199-69-1	
4-Bromofluorobenzene (S)	115	%	72-142		2.5	09/20/24 08:45	09/24/24 21:01	460-00-4	
Toluene-d8 (S)	114	%	70-139		2.5	09/20/24 08:45	09/24/24 21:01	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.1	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB7 Lab ID: 40284209011 Collected: 09/17/24 09:40 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	86.6	ug/kg	45.4	27.0	2	09/20/24 08:45	09/24/24 21:21	71-43-2	
Ethylbenzene	2180	ug/kg	114	27.0	2	09/20/24 08:45	09/24/24 21:21	100-41-4	
Methyl-tert-butyl ether	<33.4	ug/kg	114	33.4	2	09/20/24 08:45	09/24/24 21:21	1634-04-4	
Naphthalene	1760	ug/kg	568	47.8	2	09/20/24 08:45	09/24/24 21:21	91-20-3	
Toluene	3070	ug/kg	114	28.6	2	09/20/24 08:45	09/24/24 21:21	108-88-3	
1,2,4-Trimethylbenzene	10900	ug/kg	114	33.9	2	09/20/24 08:45	09/24/24 21:21	95-63-6	
1,3,5-Trimethylbenzene	3200	ug/kg	114	36.6	2	09/20/24 08:45	09/24/24 21:21	108-67-8	
m&p-Xylene	12900	ug/kg	227	47.9	2	09/20/24 08:45	09/24/24 21:21	179601-23-1	
o-Xylene	5830	ug/kg	114	34.1	2	09/20/24 08:45	09/24/24 21:21	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	119	%	67-144		2	09/20/24 08:45	09/24/24 21:21	2199-69-1	
4-Bromofluorobenzene (S)	110	%	72-142		2	09/20/24 08:45	09/24/24 21:21	460-00-4	
Toluene-d8 (S)	114	%	70-139		2	09/20/24 08:45	09/24/24 21:21	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.4	%	0.10	0.10	1		09/18/24 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TB8 Lab ID: 40284209012 Collected: 09/17/24 09:45 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	28.2J	ug/kg	46.0	27.4	2	09/20/24 08:45	09/24/24 21:40	71-43-2	
Ethylbenzene	786	ug/kg	115	27.4	2	09/20/24 08:45	09/24/24 21:40	100-41-4	
Methyl-tert-butyl ether	<33.8	ug/kg	115	33.8	2	09/20/24 08:45	09/24/24 21:40	1634-04-4	
Naphthalene	1230	ug/kg	575	48.4	2	09/20/24 08:45	09/24/24 21:40	91-20-3	
Toluene	814	ug/kg	115	29.0	2	09/20/24 08:45	09/24/24 21:40	108-88-3	
1,2,4-Trimethylbenzene	6810	ug/kg	115	34.3	2	09/20/24 08:45	09/24/24 21:40	95-63-6	
1,3,5-Trimethylbenzene	2130	ug/kg	115	37.0	2	09/20/24 08:45	09/24/24 21:40	108-67-8	
m&p-Xylene	5200	ug/kg	230	48.5	2	09/20/24 08:45	09/24/24 21:40	179601-23-1	
o-Xylene	2470	ug/kg	115	34.5	2	09/20/24 08:45	09/24/24 21:40	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	115	%	67-144		2	09/20/24 08:45	09/24/24 21:40	2199-69-1	
4-Bromofluorobenzene (S)	112	%	72-142		2	09/20/24 08:45	09/24/24 21:40	460-00-4	
Toluene-d8 (S)	109	%	70-139		2	09/20/24 08:45	09/24/24 21:40	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.0	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS5 Lab ID: 40284209013 Collected: 09/17/24 09:50 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	16.6J	ug/kg	24.2	14.4	1	09/20/24 08:45	09/24/24 20:41	71-43-2	
Ethylbenzene	41.7J	ug/kg	60.4	14.4	1	09/20/24 08:45	09/24/24 20:41	100-41-4	
Methyl-tert-butyl ether	<17.8	ug/kg	60.4	17.8	1	09/20/24 08:45	09/24/24 20:41	1634-04-4	
Naphthalene	231J	ug/kg	302	25.4	1	09/20/24 08:45	09/24/24 20:41	91-20-3	
Toluene	70.6	ug/kg	60.4	15.2	1	09/20/24 08:45	09/24/24 20:41	108-88-3	
1,2,4-Trimethylbenzene	1380	ug/kg	60.4	18.0	1	09/20/24 08:45	09/24/24 20:41	95-63-6	
1,3,5-Trimethylbenzene	543	ug/kg	60.4	19.4	1	09/20/24 08:45	09/24/24 20:41	108-67-8	
m&p-Xylene	602	ug/kg	121	25.5	1	09/20/24 08:45	09/24/24 20:41	179601-23-1	
o-Xylene	318	ug/kg	60.4	18.1	1	09/20/24 08:45	09/24/24 20:41	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	110	%	67-144		1	09/20/24 08:45	09/24/24 20:41	2199-69-1	
4-Bromofluorobenzene (S)	102	%	72-142		1	09/20/24 08:45	09/24/24 20:41	460-00-4	
Toluene-d8 (S)	110	%	70-139		1	09/20/24 08:45	09/24/24 20:41	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.0	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS6 Lab ID: 40284209014 Collected: 09/17/24 09:55 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	135	ug/kg	23.8	14.2	1	09/20/24 08:45	09/24/24 18:44	71-43-2	
Ethylbenzene	79.1	ug/kg	59.5	14.2	1	09/20/24 08:45	09/24/24 18:44	100-41-4	
Methyl-tert-butyl ether	<17.5	ug/kg	59.5	17.5	1	09/20/24 08:45	09/24/24 18:44	1634-04-4	
Naphthalene	376	ug/kg	297	25.0	1	09/20/24 08:45	09/24/24 18:44	91-20-3	
Toluene	406	ug/kg	59.5	15.0	1	09/20/24 08:45	09/24/24 18:44	108-88-3	
1,2,4-Trimethylbenzene	811	ug/kg	59.5	17.7	1	09/20/24 08:45	09/24/24 18:44	95-63-6	
1,3,5-Trimethylbenzene	433	ug/kg	59.5	19.1	1	09/20/24 08:45	09/24/24 18:44	108-67-8	
m&p-Xylene	1290	ug/kg	119	25.1	1	09/20/24 08:45	09/24/24 18:44	179601-23-1	
o-Xylene	528	ug/kg	59.5	17.8	1	09/20/24 08:45	09/24/24 18:44	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	113	%	67-144		1	09/20/24 08:45	09/24/24 18:44	2199-69-1	
4-Bromofluorobenzene (S)	106	%	72-142		1	09/20/24 08:45	09/24/24 18:44	460-00-4	
Toluene-d8 (S)	120	%	70-139		1	09/20/24 08:45	09/24/24 18:44	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.6	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS7 Lab ID: 40284209015 Collected: 09/17/24 10:00 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	91.5	ug/kg	24.1	14.3	1	09/20/24 08:45	09/24/24 19:04	71-43-2	
Ethylbenzene	52.6J	ug/kg	60.1	14.3	1	09/20/24 08:45	09/24/24 19:04	100-41-4	
Methyl-tert-butyl ether	<17.7	ug/kg	60.1	17.7	1	09/20/24 08:45	09/24/24 19:04	1634-04-4	
Naphthalene	287J	ug/kg	301	25.3	1	09/20/24 08:45	09/24/24 19:04	91-20-3	
Toluene	260	ug/kg	60.1	15.2	1	09/20/24 08:45	09/24/24 19:04	108-88-3	
1,2,4-Trimethylbenzene	583	ug/kg	60.1	17.9	1	09/20/24 08:45	09/24/24 19:04	95-63-6	
1,3,5-Trimethylbenzene	339	ug/kg	60.1	19.4	1	09/20/24 08:45	09/24/24 19:04	108-67-8	
m&p-Xylene	721	ug/kg	120	25.4	1	09/20/24 08:45	09/24/24 19:04	179601-23-1	
o-Xylene	310	ug/kg	60.1	18.0	1	09/20/24 08:45	09/24/24 19:04	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	112	%	67-144		1	09/20/24 08:45	09/24/24 19:04	2199-69-1	
4-Bromofluorobenzene (S)	102	%	72-142		1	09/20/24 08:45	09/24/24 19:04	460-00-4	
Toluene-d8 (S)	115	%	70-139		1	09/20/24 08:45	09/24/24 19:04	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.3	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS8 Lab ID: 40284209016 Collected: 09/17/24 10:05 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	82.9	ug/kg	24.7	14.7	1	09/20/24 08:45	09/24/24 19:23	71-43-2	
Ethylbenzene	63.6	ug/kg	61.7	14.7	1	09/20/24 08:45	09/24/24 19:23	100-41-4	
Methyl-tert-butyl ether	<18.1	ug/kg	61.7	18.1	1	09/20/24 08:45	09/24/24 19:23	1634-04-4	
Naphthalene	275J	ug/kg	308	25.9	1	09/20/24 08:45	09/24/24 19:23	91-20-3	
Toluene	266	ug/kg	61.7	15.5	1	09/20/24 08:45	09/24/24 19:23	108-88-3	
1,2,4-Trimethylbenzene	560	ug/kg	61.7	18.4	1	09/20/24 08:45	09/24/24 19:23	95-63-6	
1,3,5-Trimethylbenzene	309	ug/kg	61.7	19.9	1	09/20/24 08:45	09/24/24 19:23	108-67-8	
m&p-Xylene	878	ug/kg	123	26.0	1	09/20/24 08:45	09/24/24 19:23	179601-23-1	
o-Xylene	374	ug/kg	61.7	18.5	1	09/20/24 08:45	09/24/24 19:23	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	120	%	67-144		1	09/20/24 08:45	09/24/24 19:23	2199-69-1	
4-Bromofluorobenzene (S)	109	%	72-142		1	09/20/24 08:45	09/24/24 19:23	460-00-4	
Toluene-d8 (S)	117	%	70-139		1	09/20/24 08:45	09/24/24 19:23	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.5	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS9 Lab ID: 40284209017 Collected: 09/17/24 10:10 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	19.0J	ug/kg	21.8	13.0	1	09/23/24 11:15	09/25/24 15:09	71-43-2	
Ethylbenzene	<13.0	ug/kg	54.6	13.0	1	09/23/24 11:15	09/25/24 15:09	100-41-4	
Methyl-tert-butyl ether	<16.1	ug/kg	54.6	16.1	1	09/23/24 11:15	09/25/24 15:09	1634-04-4	
Naphthalene	<23.0	ug/kg	273	23.0	1	09/23/24 11:15	09/25/24 15:09	91-20-3	
Toluene	27.7J	ug/kg	54.6	13.8	1	09/23/24 11:15	09/25/24 15:09	108-88-3	
1,2,4-Trimethylbenzene	<16.3	ug/kg	54.6	16.3	1	09/23/24 11:15	09/25/24 15:09	95-63-6	
1,3,5-Trimethylbenzene	<17.6	ug/kg	54.6	17.6	1	09/23/24 11:15	09/25/24 15:09	108-67-8	
m&p-Xylene	41.1J	ug/kg	109	23.0	1	09/23/24 11:15	09/25/24 15:09	179601-23-1	
o-Xylene	<16.4	ug/kg	54.6	16.4	1	09/23/24 11:15	09/25/24 15:09	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	110	%	67-144		1	09/23/24 11:15	09/25/24 15:09	2199-69-1	
4-Bromofluorobenzene (S)	96	%	72-142		1	09/23/24 11:15	09/25/24 15:09	460-00-4	
Toluene-d8 (S)	111	%	70-139		1	09/23/24 11:15	09/25/24 15:09	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.4	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS10 Lab ID: 40284209018 Collected: 09/17/24 10:15 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.5	ug/kg	24.4	14.5	1	09/23/24 11:15	09/25/24 15:29	71-43-2	
Ethylbenzene	<14.5	ug/kg	60.9	14.5	1	09/23/24 11:15	09/25/24 15:29	100-41-4	
Methyl-tert-butyl ether	<17.9	ug/kg	60.9	17.9	1	09/23/24 11:15	09/25/24 15:29	1634-04-4	
Naphthalene	<25.6	ug/kg	304	25.6	1	09/23/24 11:15	09/25/24 15:29	91-20-3	
Toluene	<15.3	ug/kg	60.9	15.3	1	09/23/24 11:15	09/25/24 15:29	108-88-3	
1,2,4-Trimethylbenzene	47.9J	ug/kg	60.9	18.1	1	09/23/24 11:15	09/25/24 15:29	95-63-6	
1,3,5-Trimethylbenzene	<19.6	ug/kg	60.9	19.6	1	09/23/24 11:15	09/25/24 15:29	108-67-8	
m&p-Xylene	36.8J	ug/kg	122	25.7	1	09/23/24 11:15	09/25/24 15:29	179601-23-1	
o-Xylene	<18.3	ug/kg	60.9	18.3	1	09/23/24 11:15	09/25/24 15:29	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	122	%	67-144		1	09/23/24 11:15	09/25/24 15:29	2199-69-1	
4-Bromofluorobenzene (S)	107	%	72-142		1	09/23/24 11:15	09/25/24 15:29	460-00-4	
Toluene-d8 (S)	114	%	70-139		1	09/23/24 11:15	09/25/24 15:29	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.8	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS11 Lab ID: 40284209019 Collected: 09/17/24 10:20 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.8	ug/kg	24.9	14.8	1	09/24/24 08:45	09/26/24 22:55	71-43-2	
Ethylbenzene	<14.8	ug/kg	62.2	14.8	1	09/24/24 08:45	09/26/24 22:55	100-41-4	
Methyl-tert-butyl ether	<18.3	ug/kg	62.2	18.3	1	09/24/24 08:45	09/26/24 22:55	1634-04-4	
Naphthalene	<26.2	ug/kg	311	26.2	1	09/24/24 08:45	09/26/24 22:55	91-20-3	
Toluene	<15.7	ug/kg	62.2	15.7	1	09/24/24 08:45	09/26/24 22:55	108-88-3	
1,2,4-Trimethylbenzene	27.7J	ug/kg	62.2	18.5	1	09/24/24 08:45	09/26/24 22:55	95-63-6	
1,3,5-Trimethylbenzene	<20.0	ug/kg	62.2	20.0	1	09/24/24 08:45	09/26/24 22:55	108-67-8	
m&p-Xylene	30.4J	ug/kg	124	26.2	1	09/24/24 08:45	09/26/24 22:55	179601-23-1	
o-Xylene	<18.7	ug/kg	62.2	18.7	1	09/24/24 08:45	09/26/24 22:55	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	114	%	67-144		1	09/24/24 08:45	09/26/24 22:55	2199-69-1	
4-Bromofluorobenzene (S)	102	%	72-142		1	09/24/24 08:45	09/26/24 22:55	460-00-4	
Toluene-d8 (S)	119	%	70-139		1	09/24/24 08:45	09/26/24 22:55	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.9	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: TS12 Lab ID: 40284209020 Collected: 09/17/24 10:25 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.3	ug/kg	24.0	14.3	1	09/24/24 08:45	09/26/24 23:15	71-43-2	
Ethylbenzene	<14.3	ug/kg	60.0	14.3	1	09/24/24 08:45	09/26/24 23:15	100-41-4	
Methyl-tert-butyl ether	<17.6	ug/kg	60.0	17.6	1	09/24/24 08:45	09/26/24 23:15	1634-04-4	
Naphthalene	<25.2	ug/kg	300	25.2	1	09/24/24 08:45	09/26/24 23:15	91-20-3	
Toluene	<15.1	ug/kg	60.0	15.1	1	09/24/24 08:45	09/26/24 23:15	108-88-3	
1,2,4-Trimethylbenzene	31.6J	ug/kg	60.0	17.9	1	09/24/24 08:45	09/26/24 23:15	95-63-6	
1,3,5-Trimethylbenzene	<19.3	ug/kg	60.0	19.3	1	09/24/24 08:45	09/26/24 23:15	108-67-8	
m&p-Xylene	25.5J	ug/kg	120	25.3	1	09/24/24 08:45	09/26/24 23:15	179601-23-1	
o-Xylene	<18.0	ug/kg	60.0	18.0	1	09/24/24 08:45	09/26/24 23:15	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	111	%	67-144		1	09/24/24 08:45	09/26/24 23:15	2199-69-1	
4-Bromofluorobenzene (S)	98	%	72-142		1	09/24/24 08:45	09/26/24 23:15	460-00-4	
Toluene-d8 (S)	111	%	70-139		1	09/24/24 08:45	09/26/24 23:15	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.1	%	0.10	0.10	1		09/18/24 12:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: P1 Lab ID: 40284209021 Collected: 09/17/24 10:30 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<399	ug/kg	671	399	25	09/24/24 08:45	09/27/24 03:09	71-43-2	
Ethylbenzene	541J	ug/kg	1680	399	25	09/24/24 08:45	09/27/24 03:09	100-41-4	
Methyl-tert-butyl ether	<493	ug/kg	1680	493	25	09/24/24 08:45	09/27/24 03:09	1634-04-4	
Naphthalene	2410J	ug/kg	8390	705	25	09/24/24 08:45	09/27/24 03:09	91-20-3	
Toluene	<423	ug/kg	1680	423	25	09/24/24 08:45	09/27/24 03:09	108-88-3	
1,2,4-Trimethylbenzene	894J	ug/kg	1680	500	25	09/24/24 08:45	09/27/24 03:09	95-63-6	
1,3,5-Trimethylbenzene	5260	ug/kg	1680	540	25	09/24/24 08:45	09/27/24 03:09	108-67-8	
m&p-Xylene	<708	ug/kg	3350	708	25	09/24/24 08:45	09/27/24 03:09	179601-23-1	
o-Xylene	648J	ug/kg	1680	503	25	09/24/24 08:45	09/27/24 03:09	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	174	%	67-144		25	09/24/24 08:45	09/27/24 03:09	2199-69-1	S4
4-Bromofluorobenzene (S)	140	%	72-142		25	09/24/24 08:45	09/27/24 03:09	460-00-4	S4
Toluene-d8 (S)	120	%	70-139		25	09/24/24 08:45	09/27/24 03:09	2037-26-5	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.4	%	0.10	0.10	1		09/18/24 12:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: D1 Lab ID: 40284209022 Collected: 09/17/24 00:00 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.8	ug/kg	21.5	12.8	1	09/24/24 08:45	09/26/24 23:34	71-43-2	
Ethylbenzene	<12.8	ug/kg	53.8	12.8	1	09/24/24 08:45	09/26/24 23:34	100-41-4	
Methyl-tert-butyl ether	<15.8	ug/kg	53.8	15.8	1	09/24/24 08:45	09/26/24 23:34	1634-04-4	
Naphthalene	<22.6	ug/kg	269	22.6	1	09/24/24 08:45	09/26/24 23:34	91-20-3	
Toluene	<13.6	ug/kg	53.8	13.6	1	09/24/24 08:45	09/26/24 23:34	108-88-3	
1,2,4-Trimethylbenzene	<16.0	ug/kg	53.8	16.0	1	09/24/24 08:45	09/26/24 23:34	95-63-6	
1,3,5-Trimethylbenzene	<17.3	ug/kg	53.8	17.3	1	09/24/24 08:45	09/26/24 23:34	108-67-8	
m&p-Xylene	<22.7	ug/kg	108	22.7	1	09/24/24 08:45	09/26/24 23:34	179601-23-1	
o-Xylene	<16.1	ug/kg	53.8	16.1	1	09/24/24 08:45	09/26/24 23:34	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	105	%	67-144		1	09/24/24 08:45	09/26/24 23:34	2199-69-1	1q,P4
4-Bromofluorobenzene (S)	95	%	72-142		1	09/24/24 08:45	09/26/24 23:34	460-00-4	
Toluene-d8 (S)	106	%	70-139		1	09/24/24 08:45	09/26/24 23:34	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.7	%	0.10	0.10	1		09/24/24 16:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: D2 Lab ID: 40284209023 Collected: 09/17/24 00:00 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.7	ug/kg	21.4	12.7	1	09/24/24 08:45	09/26/24 23:54	71-43-2	
Ethylbenzene	<12.7	ug/kg	53.5	12.7	1	09/24/24 08:45	09/26/24 23:54	100-41-4	
Methyl-tert-butyl ether	<15.7	ug/kg	53.5	15.7	1	09/24/24 08:45	09/26/24 23:54	1634-04-4	
Naphthalene	<22.5	ug/kg	268	22.5	1	09/24/24 08:45	09/26/24 23:54	91-20-3	
Toluene	<13.5	ug/kg	53.5	13.5	1	09/24/24 08:45	09/26/24 23:54	108-88-3	
1,2,4-Trimethylbenzene	<15.9	ug/kg	53.5	15.9	1	09/24/24 08:45	09/26/24 23:54	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/kg	53.5	17.2	1	09/24/24 08:45	09/26/24 23:54	108-67-8	
m&p-Xylene	<22.6	ug/kg	107	22.6	1	09/24/24 08:45	09/26/24 23:54	179601-23-1	
o-Xylene	<16.1	ug/kg	53.5	16.1	1	09/24/24 08:45	09/26/24 23:54	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	67-144		1	09/24/24 08:45	09/26/24 23:54	2199-69-1	1q,P4
4-Bromofluorobenzene (S)	94	%	72-142		1	09/24/24 08:45	09/26/24 23:54	460-00-4	
Toluene-d8 (S)	106	%	70-139		1	09/24/24 08:45	09/26/24 23:54	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.4	%	0.10	0.10	1		09/24/24 16:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: D3 Lab ID: 40284209024 Collected: 09/17/24 10:40 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	152	ug/kg	24.1	14.3	1	09/24/24 08:45	09/27/24 00:13	71-43-2	
Ethylbenzene	71.1	ug/kg	60.1	14.3	1	09/24/24 08:45	09/27/24 00:13	100-41-4	
Methyl-tert-butyl ether	<17.7	ug/kg	60.1	17.7	1	09/24/24 08:45	09/27/24 00:13	1634-04-4	
Naphthalene	<25.3	ug/kg	301	25.3	1	09/24/24 08:45	09/27/24 00:13	91-20-3	
Toluene	729	ug/kg	60.1	15.2	1	09/24/24 08:45	09/27/24 00:13	108-88-3	
1,2,4-Trimethylbenzene	29.1J	ug/kg	60.1	17.9	1	09/24/24 08:45	09/27/24 00:13	95-63-6	
1,3,5-Trimethylbenzene	<19.4	ug/kg	60.1	19.4	1	09/24/24 08:45	09/27/24 00:13	108-67-8	
m&p-Xylene	321	ug/kg	120	25.4	1	09/24/24 08:45	09/27/24 00:13	179601-23-1	
o-Xylene	94.5	ug/kg	60.1	18.0	1	09/24/24 08:45	09/27/24 00:13	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	122	%	67-144		1	09/24/24 08:45	09/27/24 00:13	2199-69-1	
4-Bromofluorobenzene (S)	109	%	72-142		1	09/24/24 08:45	09/27/24 00:13	460-00-4	
Toluene-d8 (S)	117	%	70-139		1	09/24/24 08:45	09/27/24 00:13	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.6	%	0.10	0.10	1		09/18/24 12:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Sample: D4 Lab ID: 40284209025 Collected: 09/17/24 10:45 Received: 09/18/24 08:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.1	ug/kg	22.0	13.1	1	09/24/24 08:45	09/27/24 01:12	71-43-2	
Ethylbenzene	<13.1	ug/kg	54.9	13.1	1	09/24/24 08:45	09/27/24 01:12	100-41-4	
Methyl-tert-butyl ether	<16.1	ug/kg	54.9	16.1	1	09/24/24 08:45	09/27/24 01:12	1634-04-4	
Naphthalene	<23.1	ug/kg	275	23.1	1	09/24/24 08:45	09/27/24 01:12	91-20-3	
Toluene	<13.8	ug/kg	54.9	13.8	1	09/24/24 08:45	09/27/24 01:12	108-88-3	
1,2,4-Trimethylbenzene	<16.4	ug/kg	54.9	16.4	1	09/24/24 08:45	09/27/24 01:12	95-63-6	
1,3,5-Trimethylbenzene	<17.7	ug/kg	54.9	17.7	1	09/24/24 08:45	09/27/24 01:12	108-67-8	
m&p-Xylene	<23.2	ug/kg	110	23.2	1	09/24/24 08:45	09/27/24 01:12	179601-23-1	
o-Xylene	<16.5	ug/kg	54.9	16.5	1	09/24/24 08:45	09/27/24 01:12	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	112	%	67-144		1	09/24/24 08:45	09/27/24 01:12	2199-69-1	
4-Bromofluorobenzene (S)	101	%	72-142		1	09/24/24 08:45	09/27/24 01:12	460-00-4	
Toluene-d8 (S)	110	%	70-139		1	09/24/24 08:45	09/27/24 01:12	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.7	%	0.10	0.10	1		09/18/24 12:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11754 FILLING STATION
Pace Project No.: 40284209

QC Batch:	485030	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Short List
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40284209001, 40284209002, 40284209003, 40284209004, 40284209005, 40284209006, 40284209007, 40284209008, 40284209009, 40284209010, 40284209011, 40284209012, 40284209013, 40284209014, 40284209015, 40284209016		

METHOD BLANK: 2777135 Matrix: Solid
Associated Lab Samples: 40284209001, 40284209002, 40284209003, 40284209004, 40284209005, 40284209006, 40284209007, 40284209008, 40284209009, 40284209010, 40284209011, 40284209012, 40284209013, 40284209014, 40284209015, 40284209016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	09/24/24 13:50	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	09/24/24 13:50	
Benzene	ug/kg	<11.9	20.0	09/24/24 13:50	
Ethylbenzene	ug/kg	<11.9	50.0	09/24/24 13:50	
m&p-Xylene	ug/kg	<21.1	100	09/24/24 13:50	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	09/24/24 13:50	
Naphthalene	ug/kg	<21.0	250	09/24/24 13:50	
o-Xylene	ug/kg	<15.0	50.0	09/24/24 13:50	
Toluene	ug/kg	<12.6	50.0	09/24/24 13:50	
1,2-Dichlorobenzene-d4 (S)	%	100	67-144	09/24/24 13:50	
4-Bromofluorobenzene (S)	%	90	72-142	09/24/24 13:50	
Toluene-d8 (S)	%	99	70-139	09/24/24 13:50	

LABORATORY CONTROL SAMPLE: 2777136

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	2500	2310	92	70-130	
Ethylbenzene	ug/kg	2500	2330	93	80-120	
m&p-Xylene	ug/kg	5000	4810	96	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2240	90	70-130	
o-Xylene	ug/kg	2500	2350	94	70-130	
Toluene	ug/kg	2500	2400	96	80-120	
1,2-Dichlorobenzene-d4 (S)	%			97	67-144	
4-Bromofluorobenzene (S)	%			87	72-142	
Toluene-d8 (S)	%			100	70-139	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2777137 2777138

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	Max	
		40284293001	Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	% Rec	% Rec		RPD	RPD
Benzene	ug/kg	<15.1	1270	1270	1190	1170	94	92	94	70-130	2	20
Ethylbenzene	ug/kg	<15.1	1270	1270	1200	1200	95	94	94	80-120	1	20
m&p-Xylene	ug/kg	36.7J	2540	2540	2510	2450	98	95	95	70-130	2	20
Methyl-tert-butyl ether	ug/kg	<18.6	1270	1270	1160	1190	92	94	94	67-130	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11754 FILLING STATION

Pace Project No.: 40284209

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2777137 2777138												
Parameter	Units	40284293001 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
o-Xylene	ug/kg	<19.0	1270	1270	1260	1210	99	95	70-130	4	20	
Toluene	ug/kg	<16.0	1270	1270	1200	1210	95	96	80-120	1	20	
1,2-Dichlorobenzene-d4 (S)	%						124	120	67-144			
4-Bromofluorobenzene (S)	%						114	112	72-142			
Toluene-d8 (S)	%						118	118	70-139			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11754 FILLING STATION

Pace Project No.: 40284209

QC Batch: 485153

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Short List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40284209017, 40284209018

METHOD BLANK: 2778175

Matrix: Solid

Associated Lab Samples: 40284209017, 40284209018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	09/25/24 12:33	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	09/25/24 12:33	
Benzene	ug/kg	<11.9	20.0	09/25/24 12:33	
Ethylbenzene	ug/kg	<11.9	50.0	09/25/24 12:33	
m&p-Xylene	ug/kg	<21.1	100	09/25/24 12:33	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	09/25/24 12:33	
Naphthalene	ug/kg	<21.0	250	09/25/24 12:33	
o-Xylene	ug/kg	<15.0	50.0	09/25/24 12:33	
Toluene	ug/kg	<12.6	50.0	09/25/24 12:33	
1,2-Dichlorobenzene-d4 (S)	%	100	67-144	09/25/24 12:33	
4-Bromofluorobenzene (S)	%	90	72-142	09/25/24 12:33	
Toluene-d8 (S)	%	103	70-139	09/25/24 12:33	

LABORATORY CONTROL SAMPLE: 2778176

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	2500	2430	97	70-130	
Ethylbenzene	ug/kg	2500	2410	96	80-120	
m&p-Xylene	ug/kg	5000	4860	97	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2550	102	70-130	
o-Xylene	ug/kg	2500	2390	96	70-130	
Toluene	ug/kg	2500	2430	97	80-120	
1,2-Dichlorobenzene-d4 (S)	%			100	67-144	
4-Bromofluorobenzene (S)	%			90	72-142	
Toluene-d8 (S)	%			102	70-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11754 FILLING STATION
Pace Project No.: 40284209

QC Batch:	485233	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Short List
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40284209019, 40284209020, 40284209021, 40284209022, 40284209023, 40284209024, 40284209025

METHOD BLANK: 2778413 Matrix: Solid
Associated Lab Samples: 40284209019, 40284209020, 40284209021, 40284209022, 40284209023, 40284209024, 40284209025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	09/26/24 17:43	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	09/26/24 17:43	
Benzene	ug/kg	<11.9	20.0	09/26/24 17:43	
Ethylbenzene	ug/kg	<11.9	50.0	09/26/24 17:43	
m&p-Xylene	ug/kg	<21.1	100	09/26/24 17:43	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	09/26/24 17:43	
Naphthalene	ug/kg	<21.0	250	09/26/24 17:43	
o-Xylene	ug/kg	<15.0	50.0	09/26/24 17:43	
Toluene	ug/kg	<12.6	50.0	09/26/24 17:43	
1,2-Dichlorobenzene-d4 (S)	%	98	67-144	09/26/24 17:43	
4-Bromofluorobenzene (S)	%	85	72-142	09/26/24 17:43	
Toluene-d8 (S)	%	98	70-139	09/26/24 17:43	

LABORATORY CONTROL SAMPLE: 2778414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	2500	2350	94	70-130	
Ethylbenzene	ug/kg	2500	2320	93	80-120	
m&p-Xylene	ug/kg	5000	4750	95	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2400	96	70-130	
o-Xylene	ug/kg	2500	2310	93	70-130	
Toluene	ug/kg	2500	2360	94	80-120	
1,2-Dichlorobenzene-d4 (S)	%			101	67-144	
4-Bromofluorobenzene (S)	%			93	72-142	
Toluene-d8 (S)	%			100	70-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11754 FILLING STATION

Pace Project No.: 40284209

QC Batch:	484741	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40284209001, 40284209002, 40284209003, 40284209004, 40284209005, 40284209006, 40284209007, 40284209008, 40284209009, 40284209010, 40284209011, 40284209012, 40284209013, 40284209014, 40284209015, 40284209016, 40284209017, 40284209018, 40284209019, 40284209020		

SAMPLE DUPLICATE: 2775601

Parameter	Units	40284209006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	1.4	1.5	10	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11754 FILLING STATION

Pace Project No.: 40284209

QC Batch:	484747	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40284209021, 40284209024, 40284209025		

SAMPLE DUPLICATE: 2775636

Parameter	Units	40284212004 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	3.1	3.3	7	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11754 FILLING STATION

Pace Project No.: 40284209

QC Batch: 485322

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40284209022, 40284209023

SAMPLE DUPLICATE: 2778963

Parameter	Units	40284508001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	7.2	7.3	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 11754 FILLING STATION
Pace Project No.: 40284209

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1q	Results are from sample aliquot taken from a 4oz plastic jar with head space and preserved with MeOH in the laboratory.
P4	Sample field preservation does not meet EPA or method recommendations for this analysis.
S4	Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 11754 FILLING STATION

Pace Project No.: 40284209

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40284209001	TS1	EPA 5035/5030B	485030	EPA 8260	485031
40284209002	TS2	EPA 5035/5030B	485030	EPA 8260	485031
40284209003	TS3	EPA 5035/5030B	485030	EPA 8260	485031
40284209004	TS4	EPA 5035/5030B	485030	EPA 8260	485031
40284209005	TB1	EPA 5035/5030B	485030	EPA 8260	485031
40284209006	TB2	EPA 5035/5030B	485030	EPA 8260	485031
40284209007	TB3	EPA 5035/5030B	485030	EPA 8260	485031
40284209008	TB4	EPA 5035/5030B	485030	EPA 8260	485031
40284209009	TB5	EPA 5035/5030B	485030	EPA 8260	485031
40284209010	TB6	EPA 5035/5030B	485030	EPA 8260	485031
40284209011	TB7	EPA 5035/5030B	485030	EPA 8260	485031
40284209012	TB8	EPA 5035/5030B	485030	EPA 8260	485031
40284209013	TS5	EPA 5035/5030B	485030	EPA 8260	485031
40284209014	TS6	EPA 5035/5030B	485030	EPA 8260	485031
40284209015	TS7	EPA 5035/5030B	485030	EPA 8260	485031
40284209016	TS8	EPA 5035/5030B	485030	EPA 8260	485031
40284209017	TS9	EPA 5035/5030B	485153	EPA 8260	485157
40284209018	TS10	EPA 5035/5030B	485153	EPA 8260	485157
40284209019	TS11	EPA 5035/5030B	485233	EPA 8260	485236
40284209020	TS12	EPA 5035/5030B	485233	EPA 8260	485236
40284209021	P1	EPA 5035/5030B	485233	EPA 8260	485236
40284209022	D1	EPA 5035/5030B	485233	EPA 8260	485236
40284209023	D2	EPA 5035/5030B	485233	EPA 8260	485236
40284209024	D3	EPA 5035/5030B	485233	EPA 8260	485236
40284209025	D4	EPA 5035/5030B	485233	EPA 8260	485236
40284209001	TS1	ASTM D2974-87	484741		
40284209002	TS2	ASTM D2974-87	484741		
40284209003	TS3	ASTM D2974-87	484741		
40284209004	TS4	ASTM D2974-87	484741		
40284209005	TB1	ASTM D2974-87	484741		
40284209006	TB2	ASTM D2974-87	484741		
40284209007	TB3	ASTM D2974-87	484741		
40284209008	TB4	ASTM D2974-87	484741		
40284209009	TB5	ASTM D2974-87	484741		
40284209010	TB6	ASTM D2974-87	484741		
40284209011	TB7	ASTM D2974-87	484741		
40284209012	TB8	ASTM D2974-87	484741		
40284209013	TS5	ASTM D2974-87	484741		
40284209014	TS6	ASTM D2974-87	484741		
40284209015	TS7	ASTM D2974-87	484741		
40284209016	TS8	ASTM D2974-87	484741		
40284209017	TS9	ASTM D2974-87	484741		
40284209018	TS10	ASTM D2974-87	484741		
40284209019	TS11	ASTM D2974-87	484741		
40284209020	TS12	ASTM D2974-87	484741		
40284209021	P1	ASTM D2974-87	484747		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 11754 FILLING STATION
Pace Project No.: 40284209

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40284209022	D1	ASTM D2974-87	485322		
40284209023	D2	ASTM D2974-87	485322		
40284209024	D3	ASTM D2974-87	484747		
40284209025	D4	ASTM D2974-87	484747		

REPORT OF LABORATORY ANALYSIS

CHAIN-OF-CUSTODY Analytical Request Document Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here 40284209 ALL SHADED AREAS are for LAB USE ONLY											
Company: <u>PER</u>				Billing Information:						Container Preservative Type **						Lab Project Manager:					
Address:				Report To: <u>Andy KCCG</u>						Email To:						6					
Copy To:				Site Collection Info/Address: <u>61 S. Main St Edgemoor</u>						** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other											
Customer Project Name/Number: <u>Billing Station 11759</u>				State: <u>WI</u> County/City: <u>Rock/Edgemoor</u> Time Zone Collected: <u>[] PT [] MT [] CT [] ET</u>						Analyses						Lab Profile/Line:					
Phone: _____ Email: _____				Site/Facility ID #: _____						Compliance Monitoring? <u>[] Yes [X] No</u>						Lab Sample Receipt Checklist: <u>09/17/24</u> Custody Seals Present/Intact Y N NA Custody Signatures Present Y N NA Collector Signature Present Y N NA Bottles Intact Y N NA Correct Bottles Y N NA Sufficient Volume Y N NA Samples Received on Ice Y N NA VOA - Headspace Acceptable Y N NA USDA Regulated Soils Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: _____ Sample pH Acceptable Y N NA pH Strips: _____ Sulfide Present Y N NA Lead Acetate Strips: _____ LAB USE ONLY: Lab Sample # / Comments:					
Collected By (print): <u>Andy KCCG</u>				Purchase Order #: _____ Quote #: _____						DW PWS ID #: _____ DW Location Code: _____											
Collected By (signature): <u>[Signature]</u>				Turnaround Date Required: <u>ST-1</u>						Immediately Packed on Ice: <u>[X] Yes [] No</u>											
Sample Disposal: <u>[X] Dispose as appropriate [] Return [] Archive: _____ [] Hold: _____</u>				Rush: <u>[] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)</u>						Field Filtered (if applicable): <u>[] Yes [X] No</u>											
				Analysis: _____																	
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)																					
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	001 002 003 004 005 006 007 008 009 010											
TS1		S	C	9/17/24	8:40				2												
TS2					8:45																
TS3					8:50																
TS4					8:55																
TB1					9:00																
TB2					9:05																
TB3					9:20																
TB4					9:25																
TB5					9:30																
TB6					9:35																
Customer Remarks / Special Conditions / Possible Hazards:				Type of Ice Used: Wet Blue Dry None				SHORT HOLDS PRESENT (<72 hours): Y N N/A				Lab Sample Temperature Info:									
				Packing Material Used:				Lab Tracking #: 2969412				Temp Blank Received: Y N NA									
				Radchem sample(s) screened (<500 cpm): Y N NA				Samples received via: FEDEX UPS Client Courier Pace Courier				Therm ID#: _____									
Relinquished by/Company: (Signature) _____				Date/Time: 9/17/24 - 2:30pm		Received by/Company: (Signature) _____				Date/Time: 09/18/24 0810		Cooler 1 Temp Upon Receipt: _____ oC									
Relinquished by/Company: (Signature) <u>Walter</u>				Date/Time: 09/18/24		Received by/Company: (Signature) <u>Susan Rife Pace</u>				Date/Time: 09/18/24 0810		Cooler 1 Therm Corr. Factor: _____ oC									
Relinquished by/Company: (Signature) _____				Date/Time: _____		Received by/Company: (Signature) _____				Date/Time: _____		Cooler 1 Corrected Temp: _____ oC									
												Comments:									
												Trip Blank Received: Y N NA									
												HCL MeOH TSP Other									
												Non Conformance(s): YES / NO									
												Page 41 of 46 of: 3									

CHAIN-OF-CUSTODY Analytical Request Document Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here 40284209												
Company: REI					Billing Information:					ALL SHADED AREAS are for LAB USE ONLY												
Address:					REI					Container Preservative Type **					Lab Project Manager:							
Report To: AD					Email To:					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other												
Copy To:					Site Collection Info/Address:					Analyses					Lab Profile/Line:							
Customer Project Name/Number: Pilling Station / 11759					State: WA County/City: Pack / Edgewood Time Zone Collected: [] PT [] MT [X] CT [] ET					6 pro ctn					Lab Sample Receipt Checklist: Custody Seals Present/Intact Y N NA Custody Signatures Present Y N NA Collector Signatures Present Y N NA Bottles Intact Y N NA Correct Bottles Y N NA Sufficient Volume Y N NA Samples Received on Ice Y N NA VOA - Headspace Acceptable Y N NA USDA Regulated Soils Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: _____ Sample pH Acceptable Y N NA pH Strips: _____ Sulfide Present Y N NA Lead Acetate Strips: _____ LAB USE ONLY: Lab Sample # / Comments:							
Phone:		Site/Facility ID #:		Compliance Monitoring?			DW PWS ID #:													Lab Sample Receipt Checklist:		
Email:		Purchase Order #:		[] Yes [X] No			DW Location Code:													Custody Signatures Present Y N NA		
Collected By (print):		Quote #:		Immediately Packed on Ice:			Collector Signatures Present Y N NA													Bottles Intact Y N NA		
Collected By (signature):		Turnaround Date Required:		[X] Yes [] No			Correct Bottles Y N NA													Sufficient Volume Y N NA		
Sample Disposal:					Rush:					Field Filtered (if applicable):					Samples Received on Ice Y N NA							
[X] Dispose as appropriate [] Return					[] Same Day [] Next Day					[] Yes [X] No					VOA - Headspace Acceptable Y N NA							
[] Archive: _____					[] 2 Day [] 3 Day [] 4 Day [] 5 Day					Analysis: _____					USDA Regulated Soils Y N NA							
[] Hold: _____					(Expedite Charges Apply)										Samples in Holding Time Y N NA							
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)															Residual Chlorine Present Y N NA							
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	011 012 013 014 015 016 017 018 019 020												
T87		S	6	9/17/24 9:40					2													
T88				9:45																		
T85				9:50																		
T86				9:55																		
T87				10:00																		
T88				10:05																		
T89				10:10																		
T910				10:15																		
T911				10:20																		
T912		A	A	10:25																		
Customer Remarks / Special Conditions / Possible Hazards:					Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (<72 hours): Y N N/A					Lab Sample Temperature Info:							
					Packing Material Used:					Lab Tracking #: 2969413												
					Radchem sample(s) screened (<500 cpm): Y N NA					Samples received via: FEDEX UPS Client Courier Pace Courier												
Relinquished by/Company: (Signature)					Date/Time: 9/17/24 2:30 PM		Received by/Company: (Signature)					Date/Time:		MTJL LAB USE ONLY								
Relinquished by/Company: (Signature) Walter					Date/Time: 0810 09/18/24		Received by/Company: (Signature) Susan Miller					Date/Time: 0810 09/18/24		Table #:								
Relinquished by/Company: (Signature)					Date/Time:		Received by/Company: (Signature)					Date/Time:		Acctnum:								
														Template:								
														Prelogin:								
														PM:								
														PB:								
														Trip Blank Received: Y N NA								
														HCL MeOH TSP Other								
														Non Conformance(s):								
														Page: 42 of 46								
														YES / NO								

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company: NEI		Billing Information:	
Address:			
Report To: AO		Email To: 1	
Copy To:		Site Collection Info/Address: 811 N. Main St.	
Customer Project Name/Number: Pilling Station / 11759		State: WV County/City: Rock/Holston Time Zone Collected: [] PT [] MT [X] ET [] ET	
Phone:	Site/Facility ID #:	Compliance Monitoring?	
Email:		☐ Yes ☒ No	
Collected By (print): AND, DeGeorge	Purchase Order #:	DW PWS ID #:	
	Quote #:	DW Location Code:	
Collected By (signature): 	Turnaround Date Required: STP	Immediately Packed on Ice: ☒ Yes ☐ No	
Sample Disposal: ☐ Dispose as appropriate ☐ Return ☐ Archive: _____ ☐ Hold: _____	Rush: ☐ Same Day ☐ Next Day ☐ 12 Day ☐ 3 Day ☐ 4 Day ☐ 5 Day (Expedite Charges Apply)	Field Filtered (if applicable): ☐ Yes ☒ No Analysis: _____	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

[illegible]

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or
MTJL Log-in Number Here

40284200

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type **													Lab Project Manager:
** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other _____													
Analyses													Lab Profile/Line:
													Lab Sample Receipt Checklist:
													Custody Seals Present/Intact Y N NA
													Custody Signatures Present Y N NA
													Collector Signatures Present Y N NA
													Bottles Intact Y N NA
													Correct Bottles Y N NA
													Sufficient Volume Y N NA
													Samples Received on Ice Y N NA
													VOA - Headspace Acceptable Y N NA
													USDA Regulated Soils Y N NA
													Samples in Holding Time Y N NA
													Residual Chlorine Present Y N NA
													Cl Strips: _____
													Sample pH Acceptable Y N NA
													pH Strips: _____
													Sulfide Present Y N NA
													Lead Acetate Strips: _____
													LAB USE ONLY:
													Lab Sample # / Comments:
													021
													022
													023
													024
													025

Customer Remarks / Special Conditions / Possible Hazards:		Type of Ice Used: Wet Blue Dry None				SHORT HOLDS PRESENT (<72 hours): Y N N/A			Lab Sample Temperature Info: Temp Blank Received: Y N NA Therm ID#: _____ Cooler 1 Temp Upon Receipt: _____ oC Cooler 1 Therm Corr. Factor: _____ oC Cooler 1 Corrected Temp: _____ oC Comments:		
		Packing Material Used:				Lab Tracking #: 2969414					
		Radchem sample(s) screened (<500 cpm): Y N NA				Samples received via: FEDEX UPS Client Courier Pace Courier					
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:		MTJL LAB USE ONLY			
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:		Table #:			
								Acctnum:			
								Template:			
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:		Prelogin:			
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:		PM:			
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:		PB:			
								Trip Blank Received: Y N NA HCL MeOH TSP Other			
								Non Conformance(s): YES / NO			
								Page: 43 of 46 of: 3			

Effective Date: 8/16/2022

Client Name: REI

Sample Preservation Receipt Form

Project # 40284209

All containers needing preservation have been checked and noted below:

☐ Yes☐ No☒ N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when
completed:Date/
Time:

Pace Lab #	Glass						Plastic						Vials				Jars				General				VOA Vials (>6mm) *	H ₂ SO ₄ pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO ₃ pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2				
001																		/													2.5 / 5
002																		/													2.5 / 5
003																		/													2.5 / 5
004																		/													2.5 / 5
005																		/													2.5 / 5
006																		/													2.5 / 5
007																		/													2.5 / 5
008																		/													2.5 / 5
009																		/													2.5 / 5
010																		/													2.5 / 5
011																		/													2.5 / 5
012																		/													2.5 / 5
013																		/													2.5 / 5
014																		/													2.5 / 5
015																		/													2.5 / 5
016																		/													2.5 / 5
017																		/													2.5 / 5
018																		/													2.5 / 5
019																		/													2.5 / 5
020																		/													2.5 / 5

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____

Headspace in VOA Vials (>6mm): ☐ Yes ☐ No ☒ N/A

*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H ₂ SO ₄	BP3N	250 mL plastic HNO ₃	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H ₂ SO ₄	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H ₂ SO ₄	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 3

Effective Date: 8/16/2022

Client Name: REI

Sample Preservation Receipt Form

Project #: 40284209

Pace Lab #	Glass						Plastic						Vials					Jars				General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WG9U	WPFU								SP5T	ZPLC	GN 1
021																																	2.5 / 5
022																																	2.5 / 5
023																																	2.5 / 5
024																																	2.5 / 5
025																																	2.5 / 5
026																																	2.5 / 5
027																																	2.5 / 5
028																																	2.5 / 5
029																																	2.5 / 5
030																																	2.5 / 5
031																																	2.5 / 5
032																																	2.5 / 5
033																																	2.5 / 5
034																																	2.5 / 5
035																																	2.5 / 5
036																																	2.5 / 5
037																																	2.5 / 5
038																																	2.5 / 5
039																																	2.5 / 5
040																																	2.5 / 5
041																																	2.5 / 5
042																																	2.5 / 5
043																																	2.5 / 5
044																																	2.5 / 5
045																																	2.5 / 5
046																																	2.5 / 5
047																																	2.5 / 5
048																																	2.5 / 5

Page 2 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name:

REI

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☒ Walto
☐ Client ☐ Pace Other: _____

Tracking #:

3997515

WO#: 40284209



40284209

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☒ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Thermometer Used SR - 129 Type of Ice: ☒ Wet ☐ Blue Dry ☐ None ☐ Meltwater Only

Cooler Temperature Uncorr: 2.0 /Corr: 2.0

Temp Blank Present: ☒ yes ☐ no

Biological Tissue is Frozen: ☐ yes ☐ no

Person examining contents:

Date: 09/18/24 Initials: SKU

Labeled By Initials: mt

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
- DI VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7. 09/18/24
Sufficient Volume:		8. 08T + 022 No VGM. PM authorized + 023 make from WPFU. 09/18/24 SKU
For Analysis: ☐ Yes ☒ No MS/MSD: ☐ Yes ☒ No ☐ N/A		
Correct Containers Used:	☐ Yes ☒ No	9. See #8. 09/18/24 SKU
Correct Type: <u>Pace Green Bay</u> Pace IR, Non-Pace		
Containers Intact:	☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC:	☐ Yes ☒ No ☐ N/A	12. all WPFU No date + times. 017-time 1:00. 09/18/24 SKU
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

Page 3 of 3